

Hong Kong Jockey Club

---

**Upgrading of  
Quarantine Stables for  
the 2008 Olympic  
Equestrian Event**


---

Landscaping Plan

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
ALL RIGHTS RESERVED.  
© OVE ARUP & PARTNERS HONG KONG LIMITED.

ST/L/QB/G/304  
ST/L/QB/G/306  
ST/L/QB/G/308

ST/L/QB/G/305  
ST/L/QB/G/307  
ST/L/QB/G/309



SHEET 1

SHEET 2

THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORIZING CONSULTANT EXCEPT AS PROVIDED IN THE CONDITIONS OF ISSUE. IT SHALL NOT BE COPIED OR IN PART AND NO-OTHER, IN ANY FORM TO ANY OTHER PARTY WITHOUT THE WRITTEN APPROVAL OF AUTHORIZING CONSULTANT.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. CONTRACTOR SHALL BE RESPONSIBLE TO CORRECT ANY DISCREPANCY BETWEEN EXISTING RECORDS AND PLANS TO BE SIGNED TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REV. NO.	REVISION DESCRIPTION	DATE
-	FOR TENDER	06/07



香港賽馬會  
The Hong Kong Jockey Club

Lead Architects  
**TC & Co.**  
TERRY CHOI & COMPANY ARCHITECTS  
Rue Cow Inn  
Hawkerie Hwy, Botolph Claydon,  
Norfolk, AUSTRIA, 2677  
mail@tcchty.com.hk  
+81 2 6888 1888  
+81 2 6888 2881

Consulting Engineers  
**ARUP**  
Ove Arup & Partners Hong Kong Ltd  
Level 4, Pacific Walk, 80 Tse Chee Avenue  
Kowloon Tong,  
Kowloon, Hong Kong  
Project@arup.com  
+852 2886 8881  
+852 2886 8882

Documentation Architect  
**ronald lu & partners**  
RUE TSE  
Room 402 LM  
250 Queen's Road East, Hong Kong  
250 Queen's Road East, Hong Kong, HK  
rue@rue.com.hk  
+852 2891 8818  
+852 2891 8818

Landscape Architect  
**ACLA**  
ACLA Limited  
1/F Guangdong Investment Tower  
148 Gloucester Road, Central  
Shanghai, Hong Kong  
Johnston.pton@acla.com.hk  
+852 2888 0888  
+852 2888 0118

Quantity Surveyors  
**Levett & Bailey**  
Levett & Bailey Quantity Surveyors Limited  
20th Floor, Eastern Central Plaza  
2 Via Hong Road  
Shanbairewan, Hong Kong  
+852 2828 1888  
+852 2181 2848

PROJECT  
**REDEVELOPMENT OF  
QUARANTINE B STABLES**

PACKAGE

SITE  
**SHATTIN**

TITLE  
**COVER SHEET**

DWG NO.  
**ST/L/QB/G/301**

PROJECT NO  
**24469**

SCALE 1 : 1000 @ A1  
1 : 2000 @ A3  
DRAWN BY  
**MNC**

CHECKED  
**MNL**

A1

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
 ALL RIGHTS RESERVED.  
 © OVE ARUP & PARTNERS HONG KONG LIMITED.

DRAWING NO.:	DRAWING TITLE:	DRAWING SIZE:	ISSUE DATE:	REVISION:	FILENAME:
ST/L/QB/G/301	COVER SHEET	A1	07MAR2007	-	-
ST/L/QB/G/302	SHEET INDEX	A1	07MAR2007	-	-
ST/L/QB/G/303	GENERAL NOTES	A1	07MAR2007	-	-
ST/L/QB/G/304	TREE SURVEY PLAN (SHEET 1 OF 2)	A1	07MAR2007	-	-
ST/L/QB/G/305	TREE SURVEY PLAN (SHEET 2 OF 2)	A1	07MAR2007	-	-
ST/L/QB/G/306	TREE PLANTING PLAN (SHEET 1 OF 2)	A1	07MAR2007	-	-
ST/L/QB/G/307	TREE PLANTING PLAN (SHEET 2 OF 2)	A1	07MAR2007	-	-
ST/L/QB/G/308	SHRUB PLANTING PLAN (SHEET 1 OF 2)	A1	07MAR2007	-	-
ST/L/QB/G/309	SHRUB PLANTING PLAN (SHEET 2 OF 2)	A1	07MAR2007	-	-
ST/L/QB/G/310	PLANTING SCHEDULE (SHEET 1 OF 2)	A1	07MAR2007	-	-
ST/L/QB/G/311	PLANTING SCHEDULE (SHEET 2 OF 2)	A1	07MAR2007	-	-

REVISION PLAN

THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORIZED CONSULTANT ENGINEER AS PROVIDED IN THE CONDITIONS OF ISSUE. IT SHALL NOT BE COPIED IN WHOLE OR IN PART NOR REPRODUCED IN ANY FORM TO ANY OTHER PARTY WITHOUT THE WRITTEN APPROVAL OF THE CONSULTANT ENGINEER.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORK. DIMENSIONS TO BE TAKEN AS SHOWN UNLESS TO CORRECT ANY DISCREPANCY BETWEEN EXISTING BUILDINGS AND PLANS TO BE BOUND TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REV. NO.	REVISION DESCRIPTION	DATE
-	FOR TENDER	06/07

**香港賽馬會**  
**The Hong Kong Jockey Club**

**TC & Co.**  
 TONY TONG & COMPANY ARCHITECTS  
 110 Waterloo Road, Suite 1001, West Kowloon, Kowloon, Hong Kong  
 Tel: +852 2426 1888 Fax: +852 2426 2001

**Consulting Engineers**  
**ARUP**  
 Ove Arup & Partners Hong Kong Ltd  
 Level 16, Pacific Walk, 80 The Core Avenue, Kowloon Tong, Kowloon, Hong Kong  
 Tel: +852 2909 5901 Fax: +852 2909 5902

**Documentation Architect**  
**ronald lu & partners**  
 210 Queen's Road East, Suite 1101, Hong Kong  
 Tel: +852 2909 5901 Fax: +852 2909 5902

**Landscape Architect**  
**ACLA**  
 ACLA Limited  
 1/F Guangdong Investment Tower, 148 Queen's Road, Central, Hong Kong  
 Tel: +852 2909 5901 Fax: +852 2909 5902

**Quantity Surveyors**  
**Levett & Bailey**  
 Levett & Bailey Quantity Surveyors Limited  
 20th Floor, Eastern Central Plaza, 2 Via Hong Road, Sheung Wan, Hong Kong  
 Tel: +852 2909 1888 Fax: +852 2191 2848

**PROJECT**  
**REDEVELOPMENT OF QUARANTINE B STABLES**

**PACKAGE**

**SITE**  
**SIATIN**

**TITLE**  
**SHEET INDEX**

DRG NO.	REV.
ST/L/QB/G/302	-

PROJECT NO.	SCALE
24469	NTS


PLAT DATE	DRAWN BY
07MAR2007	MNC

CHECKED	VERIFIED
MNL	JSP

### GENERAL NOTES

1. EXISTING TREES/VEGETATION:  
 THE CONTRACTOR SHALL PROTECT ALL TREES TO BE RETAINED.  
 HE SHALL BE RESPONSIBLE FOR REINSTATING EXISTING/  
 RETAINED VEGETATION AFFECTED BY THE CONSTRUCTION WORKS.
2. GROUND PREPARATION:  
 GROUND PREPARATION SHALL BE CARRIED OUT TO ALL AREAS  
 (EXCEPT SLOPE AREAS AND AREAS OCCUPIED BY ROOTS OF  
 EXISTING TREES) TO BE PLANTED, AS SPECIFIED.
3. SOILING:  
 AMENITY PLANTING AREAS SHALL RECEIVE 300MM OF SOIL MIX.  
 FOR SHRUBS PLANTING AND 1200MM OF SOIL MAY FOR TREE PLANTING  
 EXCEPT WHERE EXISTING MATERIAL EXCAVATED FROM PLANTING  
 PITS IS SUITABLE TO FORM THE BASIS OF FABRICATED SOIL MIX,  
 IN WHICH CASE THE EXISTING MATERIAL MAY BE BACKFILLED TO  
 THE PLANTING PITS PROVIDED IT HAS BEEN CONDITIONED TO  
 CONFORM TO THE SPECIFICATION FOR FABRICATED SOIL MIX.
4. MULCHING:  
 AMENITY PLANTING AND SHRUB MIX AREAS SHALL BE MULCHED TO  
 A DEPTH OF 50MM. FINISH LEVEL OF MULCH SHALL BE 25MM BELOW  
 ADJACENT FINISHED SURFACES.
5. PIT PLANTING:  
 ALL PLANTS IN WOODLAND MIX AREAS SHALL BE PIT PLANTED. ALL PITS  
 SHALL BE BACKFILLED WITH SOIL-MIX, AS SPECIFIED. THE CONTRACTOR  
 SHALL BE RESPONSIBLE FOR REINSTATEMENT OF DAMAGED GRASS.
6. PLANT NAME:  
 BOTANICAL NAME SHALL TAKE PRECEDENCE OVER ENGLISH AND CHINESE  
 NAMES.
7. PLANTING PATTERN:  
 ALL PLANTS ARE TO BE PLANTED IN STAGGERED PATTERN AT SPACINGS  
 INDICATED IN THE SCHEDULE IN THE AREAS INDICATED ON THE DRAWINGS.  
 CLIMBING PLANTS SHALL BE PLANTED AGAINST SUPPORTING STRUCTURES.
8. TREE PLANTING:  
 LOCATIONS OF TREES ARE SHOWN ON THE DRAWING. SPACING INDICATED  
 IN THE PLANT SCHEDULE IS INDICATIVE. TREES SHALL BE LOCATED  
 TO AVOID ANY UNDERGROUND UTILITIES, DRAINAGE OR IRRIGATION PIPES.
9. STAKING:  
 ALL TREES EXCEPT WHIP TREES ARE TO BE STAKED WITH  
 UNDERGROUND GUYING.

10. UNDERGROUND UTILITIES  
 UTILITY COVERS SERVICES SHOWN ON THE PLANS ARE INDICATIVE.  
 EXACT LOCATIONS TO BE CONFIRMED BY ENGINEER. NO TREES SHALL  
 BE PLANTED WITHIN 1 M OF A MANHOLE OR DRAINAGE U-CHANNEL.  
 THERE SHALL BE NO PLANTING WITHIN THE SPACE OF 1.5M  
 AROUND THE COVER OF ANY HYDRANT VALVE OR THE COVER OF WSD'S  
 VALVES, OR WITHIN A DISTANCE OF 1M FROM ANY HYDRANT OUTLET.  
 NO TREES SHALL BE PLANTED WITHIN 500mm OF A ROAD KERB OR  
 ENGINEERING STRUCTURE.
11. ROOT CONTROL BARRIER  
 A 1.2m DEEP ROOT CONTROL BARRIER SHALL BE INSTALLED ADJACENT  
 TO WHERE UNDERGROUND UTILITIES ARE INDICATED ON PLAN IN  
 ACCORDANCE WITH THE MANUFACTURERS SPECIFICATION
12. WATERING:  
 THE CONTRACTOR SHALL PROVIDE ADEQUATE WATERING TO ALL PLANTED  
 AREAS AS SPECIFIED.
13. 12-MONTH ESTABLISHMENT WORKS:  
 ALL PLANTED MATERIAL SHALL BE MAINTAINED AFTER PLANTING FOR  
 A PERIOD AS SPECIFIED IN THE CONTRACT DOCUMENTS.
14. WATER POINTS:  
 LOCATIONS OF WATER POINTS SHOWN ON THE DRAWINGS ARE INDICATIVE  
 ONLY. EXACT LOCATIONS TO BE DETERMINED ON SITE.



THIS DRAWING IS THE PROPERTY OF THE ARCHITECT.  
 IT SHALL NOT BE REPRODUCED OR COPIED IN WHOLE OR IN PART  
 WITHOUT THE WRITTEN PERMISSION OF THE ARCHITECT.  
 ALL DIMENSIONS IN THIS DRAWING ARE TO BE TAKEN TO THE CENTRELINE  
 OF WALLS UNLESS OTHERWISE SPECIFIED.  
 ALL DIMENSIONS IN THIS DRAWING ARE TO BE TAKEN TO THE CENTRELINE  
 OF WALLS UNLESS OTHERWISE SPECIFIED.

REV	DESCRIPTION	DATE
0	FOR TENDER	05/07
1	FOR CONSTRUCTION	05/07



香港賽馬會  
 The Hong Kong Jockey Club

Lead Architects  
**T.C & Co.**  
 TIMOTHY COURT & COMPANY ARCHITECTS  
 Red Coat Inn  
 Ellerslie Rd, Sutton Forest,  
 NSW, Australia, 2577  
 Tel: +61 2 4888 1222  
 Fax: +61 2 4888 5001

Consulting Engineers  
**ARUP**  
 Ove Arup & Partners Hong Kong Ltd  
 Level 8, Finlayson Walk, 88 Tat Chee Avenue  
 Kowloon, Hong Kong  
 Tel: +852 2282 8001  
 Fax: +852 2282 6000

Documentation Architect  
**ronald lu & partners**  
 202-204, 1st Floor, 100-102, 104  
 Wing Lok Street, Mong Kok  
 Kowloon, Hong Kong  
 Tel: +852 2376 2222  
 Fax: +852 2376 0442

Landscape Architect  
**ACLA**  
 ACMA Limited  
 1/F Sunning Investment Tower  
 148 Connaught Road, Central  
 Hong Kong  
 Tel: +852 2570 0000  
 Fax: +852 2570 0000

Quantity Surveyors  
**Levett & Bailey**  
 Levett & Bailey Quantity Surveyors Limited  
 21st Floor, Eastern Central Plaza  
 2 Yau Ming Road  
 Shatin, Hong Kong  
 Tel: +852 2328 1000  
 Fax: +852 3181 2000

PROJECT  
 REDEVELOPMENT OF  
 QUARANTINE B STABLES

SITE  
 SHATIN

TITLE  
 GENERAL NOTES

DESIGN NO.  
 ST/L/QB/G/303



PROJECT NO	SCALE	DATE
24469	NTS	
DATE	OWNER	
07MAR2007	MNC	
DESIGNED	CHECKED	
MWL	JSP	

A1

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
ALL RIGHTS RESERVED.  
© OVE ARUP & PARTNERS HONG KONG LIMITED.

**LEGEND:**

- SURVEY BOUNDARY
- RETAINED TREE
- ⊗ PROPOSED FELL TREE
- △ PROPOSED TRANSPLANT TREE
- ⊗ DEAD TREE TO BE FELLED BY CONTRACTOR



THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORITY. CONSULTANTS ACCEPT AS PROVIDED IN THE CONTRACT. IF SCALE, IT SHALL NOT BE COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN APPROVAL OF AUTHORITY CONSULTANT.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. CONSULTANTS SHALL NOT BE RESPONSIBLE TO CORRECT ANY DISCREPANCY BETWEEN EXISTING RECORDS AND PLANS TO BE SIGNED TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REVISIONS		
REV. NO.	REVISION DESCRIPTION	DATE
1	FOR TENDER	06/07



香港賽馬會  
The Hong Kong Jockey Club

Lead Architects  
**TC & Co.**  
TWOOTY COURT & COMPANY ARCHITECTS  
Two Ooty  
114 Waterloo Way, Sui Kee Parcel,  
Kowloon, Kowloon, 2017  
mail@twooty.com.hk  
T +852 2888 2882  
F +852 2888 2881

Consulting Engineers  
**ARUP**  
Ove Arup & Partners Hong Kong Ltd  
Level 5, Pacific Walk, 80 Tai Chee Avenue  
Kowloon Tong,  
Kowloon, Hong Kong  
Project@arup.com  
T +852 2888 2881  
F +852 2888 2882

Documentation Architect  
**ronald lu & partners**  
Ronald Lu & Partners  
210 Queen's Road East, Hong Kong  
P8@rpl.com.hk  
T +852 2888 2882  
F +852 2888 2882

Landscape Architect  
**ACLA**  
ACLA Limited  
17F Guangdong Investment Tower  
148 Queen's Road, Central  
Kowloon, Hong Kong  
Johnson.Spina@acla.com.hk  
T +852 2888 2882  
F +852 2888 2818


Quantity Surveyors  
**Levett & Bailey**  
Levett & Bailey Quantity Surveyors Limited  
2005 Vision Square Central Plaza  
2 Via Hong Road  
Sha Tin, New Territories, Hong Kong  
l8-quantity@levettandbailey.com  
T +852 2888 1888  
F +852 2181 2848

PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE  
SITE  
**SHA TIN**

TITLE  
**TREE SURVEY PLAN (SHEET 1 OF 2)**

DRWG NO.	REV.
<b>ST/L/QB/G/304</b>	-
PROJECT NO.	SCALE
<b>24469</b>	1 : 500 @ A1 1 : 1000 @ A3
PLAT DATE	DRAWN BY
07MAR2007	MNC
CHECKED	VERIFIED
MNL	JSP




FOR CONTINUATION SEE DRG ST/L/QB/G/305

MATCH LINE


A1

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
ALL RIGHTS RESERVED.  
© OVE A/P & PARTNERS HONG KONG LIMITED.  
Moon-Canton Railway East Rail



**LEGEND:**

- SURVEY BOUNDARY
- RETAINED TREE
- ⊗ PROPOSED FELL TREE
- ⊕ PROPOSED TRANSPLANT TREE
- ⊗ DEAD TREE TO BE FELLED BY CONTRACTOR



THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORIZING CONSULTANT. IT SHALL NOT BE COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN APPROVAL OF THE AUTHORIZING CONSULTANT.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. DIMENSIONS TO BE TAKEN IN ACCORDANCE TO QUALIFY ANY DISCREPANCY BETWEEN EXISTING RECORDS AND PLANS TO BE REPORTED TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REVISIONS		
REV. NO.	REVISION DESCRIPTION	DATE
1	FOR TENDER	06/07

**香港賽馬會**  
The Hong Kong Jockey Club

Lead Architects  
**TC & Co.**

TRACY COURT & COMPANY ARCHITECTS  
Rue Cow Inn  
Hawkerie Way, Bateau Quay,  
SINGAPORE, 2017  
mail@tracycourt.com.sg  
T +65 6388 1822  
F +65 6388 2261

Consulting Engineers  
**ARUP**

One Arup & Partners Hong Kong Ltd  
Level 4, Pacific Walk, 80 The Curve Avenue  
Kowloon Tong,  
Kowloon, Hong Kong  
Project@arup.com  
T +852 2888 0001  
F +852 2888 0000

Documentation Architect  
**ronald lu & partners**

200 Queen's Road East, 20th Floor  
Queen's Hotel, Hong Kong  
rlo@rlo.com.hk  
T +852 2891 0000  
F +852 2891 0000

Landscape Architect  
**ACLA**

ACLA Limited  
17F Guangdong Investment Tower  
148 Des Voeux Road, Central  
Shanghai, Hong Kong  
johnson.g@acla.com.hk  
T +852 2888 0000  
F +852 2888 0118

Quantity Surveyors  
**Levett & Bailey**

Levett & Bailey Quantity Surveyors Limited  
20th Floor, Eastern Central Plaza  
3 Via Hong Road  
Shaukeats, Hong Kong  
l.b.lyons@levettandbailey.com  
T +852 2888 1888  
F +852 2181 2848

PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE

SITE  
**SIATIN**

TITLE  
**TREE SURVEY PLAN (SHEET 2 OF 2)**

PROJECT NO.  
**24469**

SCALE  
1 : 500 @ A1  
1 : 1000 @ A3

PLANT DATE  
07MAR2007


DRAWN BY  
MNC

CHECKED  
MNL

VERIFIED  
JSP

DATE  
04/06

TIME  
07:00



FOR CONTINUATION  
SEE DRG ST/L/QB/G/304  
**MATCH LINE**

#PLE3



DATE 04/06 TIME 07:00

A1

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
ALL RIGHTS RESERVED.  
© OVE ARUP & PARTNERS HONG KONG LIMITED.

**LEGEND:**

- SURVEY BOUNDARY
- RETAINED TREE
- ▲ PROPOSED LOCATION OF TRANSPLANTED TREE
- ⊗ PROPOSED TREE



THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORIZING CONSULTANT. IT SHALL NOT BE COPIED OR IN PART REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN APPROVAL OF THE AUTHORIZING CONSULTANT.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. CONSULTANTS TO BE HELD RESPONSIBLE TO CORRECT ANY DISCREPANCY BETWEEN EXISTING RECORDS AND PLANS TO BE REPORTED TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REVISIONS		
REV. NO.	REVISION DESCRIPTION	DATE
1	FOR TENDER	06/07



香港賽馬會  
The Hong Kong Jockey Club

Lead Architects  
**TC & Co.**  
TERRY CHOI & COMPANY ARCHITECTS  
Rue Cow Inn  
110-112 Wing Lok Street, Kowloon, Hong Kong  
tchoi@tcyork.com.hk

Consulting Engineers  
**ARUP**  
Ove Arup & Partners Hong Kong Ltd  
Level 6, Pacific Walk, 80 Tai Chee Avenue  
Kowloon Tong, Kowloon, Hong Kong  
Project@arup.com

Documentation Architect  
**ronald lu & partners**  
Level 12, 100 Queen's Road  
2/F, 200 Queen's Road, Hong Kong  
rlo@rlo.com.hk

Landscape Architect  
**ACLA**  
ACLA Limited  
1/F Guangdong Investment Tower  
148 Gloucester Road, Central  
Shaoh Wen, Hong Kong  
johnson.aj@acla.com.hk

Quantity Surveyors  
**Levett & Bailey**  
Levett & Bailey Quantity Surveyors Limited  
200-202 Queen's Road Central  
2/F, 200 Queen's Road  
Shauharwan, Hong Kong  
lba-quantity@levettandbailey.com

PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE


SITE  
**SHATIN**

TITLE  
**TREE PLANTING PLAN (SHEET 1 OF 2)**

DRWG NO.	REV.
<b>ST/L/QB/G/306</b>	-
PROJECT NO.	SCALE
<b>24469</b>	1 : 500 @ A1 1 : 1000 @ A3
PLANT DATE	DRAWN BY
07MAR2007	MNC
CHECKED	VERIFIED
MNL	JSP


FOR CONTINUATION SEE DRG ST/L/QB/G/307

MATCH LINE




A1

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
ALL RIGHTS RESERVED.  
© OYE AUP & PARTNERS HONG KONG LIMITED.  
Moon-Canton Railway East Rail



**LEGEND:**

- SURVEY BOUNDARY
- RETAINED TREE
- ▲ PROPOSED LOCATION OF TRANSPLANTED TREE
- ☆ PROPOSED TREE



THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORING CONSULTANT. ANY REUSE OR REPRODUCTION OF THIS DRAWING, IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN APPROVAL OF THE CONSULTANT IS STRICTLY PROHIBITED.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. CONSULTANTS TO BE HELD RESPONSIBLE TO RESOLVE ANY DISCREPANCY BETWEEN EXISTING RECORDS AND PLANS TO BE SUBJECT TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REVISIONS		
REV. NO.	REVISION DESCRIPTION	DATE
1	FOR TENDER	05/07



香港賽馬會  
The Hong Kong Jockey Club

Lead Architects  
**T.C. & Co.**  
THEOY COURT & COMPANY ARCHITECTS  
Rue Cow Inn  
Hawkerie Way, Dallas Park,  
NEW, Australia, 2017  
mail@tcbycourt.com.au  
+61 2 4282 1232  
+61 2 4282 2261

Consulting Engineers  
**ARUP**  
One Arup & Partners Hong Kong Ltd  
Level 5, Pacific Walk, 50 The Core Avenue  
Kowloon Tong,  
Kowloon, Hong Kong  
Project@arup.com  
+852 2222 9931  
+852 2222 9922

Documentation Architect  
**ronald lu & partners**  
220 Queen's Road East, 22/F  
Queen's Hotel, Hong Kong  
rpl@rpl.com  
+852 2222 3042  
+852 2222 3043

Landscape Architect  
**ACLA**  
ACLA Limited  
17/F Guangdong Investment Tower  
148 Gloucester Road, Central  
Hong Kong, Hong Kong  
johnson.gpino@acla.com.hk  
+852 2222 2222  
+852 2222 2114

Quantity Surveyors  
**Levett & Bailey**  
Levett & Bailey Quantity Surveyors Limited  
20th Floor, Eastern Central Plaza  
3 Via Hong Road  
Sheung Wan, Hong Kong  
lq-quantity@levettandbailey.com  
+852 2222 1222  
+852 2121 2242

PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE

SITE  
**SIATIN**

TITLE  
**TREE PLANTING PLAN (SHEET 2 OF 2)**

DWG NO.  
**ST/L/QB/G/307**

PROJECT NO  
**24469**


SCALE  
1 : 500 @ A1  
1 : 1000 @ A3

PLANT DATE  
**07MAR2007**

DRAWN BY  
**MNC**

CHECKED  
**MNL**

VERIFIED  
**JSP**





FOR CONTINUATION  
SEE DRG ST/L/QB/G/306  
**MATCH LINE**



A1

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
ALL RIGHTS RESERVED.  
© OVE ARUP & PARTNERS HONG KONG LIMITED.



THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORITY CONSULTANT. IT SHALL NOT BE COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN APPROVAL OF THE AUTHORITY CONSULTANT.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. THE CONTRACTOR SHALL BE RESPONSIBLE TO CORRECT ANY DISCREPANCY BETWEEN RECEIVED BUILDING AND PLANS TO BE SIGNED TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REV NO.	REVISION DESCRIPTION	DATE
1	FOR TENDER	06/07



香港賽馬會  
The Hong Kong Jockey Club

Lead Architects  
**TC & Co.**  
TERRY CHOW & COMPANY ARCHITECTS  
111 HONG KONG STREET, HONG KONG  
TEL: +852 2500 1888  
FAX: +852 2500 2261

Consulting Engineers  
**ARUP**  
One Arup & Partners Hong Kong Ltd  
Level 4, Pacific Walk, 80 Tai Chee Avenue  
Kowloon Tong, Kowloon, Hong Kong  
Project: ARUP.COM  
TEL: +852 2500 9001  
FAX: +852 2500 9002

Documentation Architect  
**ronald lu & partners**  
210 Queen's Road East, Hong Kong  
TEL: +852 2500 8000  
FAX: +852 2500 8002

Landscape Architect  
**ACLA**  
ACLA Limited  
177 Guangdong Investment Tower  
148 Gloucester Road, Central  
Shannon Wai, Hong Kong  
Tel: +852 2500 0250  
Fax: +852 2500 0116

Quantity Surveyors  
**Levett & Bailey**  
Levett & Bailey Quantity Surveyors Limited  
2001-2002 Shek O Road, Shek O  
Sha Tin, New Territories, Hong Kong  
Tel: +852 2500 1888  
Fax: +852 2500 2540


PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE

SITE  
**SHA TIN**

TITLE  
**SHRUB PLANTING PLAN (SHEET 1 OF 2)**



DRWG NO.	REV.
<b>ST/L/QB/G/308</b>	-
PROJECT NO.	SCALE
<b>24469</b>	1 : 500 @ A1 1 : 1000 @ A3
PLANT DATE	DRAWN BY
07/MAR/2007	MNC
CHECKED	VERIFIED
MNL	JSP




FOR CONTINUATION SEE DRG ST/L/QB/G/308

MATCH LINE


A1



TYPICAL DETAIL OF PLANTING ON ON-GRADE PLANTER  
SCALE : N.T.S.



FOR CONTINUATION  
SEE DRG ST/L/QB/G/309  
MATCH LINE



THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORIZING CONSULTANT AND IS NOT TO BE REPRODUCED OR COPIED IN WHOLE OR IN PART WITHOUT THE WRITTEN APPROVAL OF THE AUTHORIZING CONSULTANT.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.

THE CONTRACTOR IS TO BE RESPONSIBLE FOR OBTAINING ALL NECESSARY APPROVALS AND PERMITS TO ENSURE ANY DISCREPANCY BETWEEN EXISTING RECORDS AND PLANS TO BE REPORTED TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REV	NO	DESCRIPTION	DATE
-	FOR TENDER		06/07



香港賽馬會  
The Hong Kong Jockey Club

Lead Architects  
**TC & Co.**  
TRICITY COURT & COMPANY ARCHITECTS  
Rue Cow Inn  
110-112 Broadway, Boston, MA, U.S.A. 02111  
mail@tricitycourt.com.au  
+61 2 4388 1833  
+61 2 4388 2901

Consulting Engineers  
**ARUP**  
One Arup & Partners Hong Kong Ltd  
Level 4, Pacific Walk, 90 Tin Chee Avenue  
Kowloon Tong, Kowloon, Hong Kong  
Project@arup.com  
+852 2558 8931  
+852 2558 8932

Documentation Architect  
**ronald lu & partners**  
200 Queen's Road East, 20th Floor  
200 Queen's Road East, Hong Kong  
rpl@rpl.com  
+852 2558 8931  
+852 2558 8932

Landscape Architect  
**ACLA**  
ACLA Limited  
17 Guangdong Investment Tower  
148 Gloucester Road, Central  
District, Hong Kong  
Johnston.aj@acla.com.hk  
+852 2558 8931  
+852 2558 8932

Quantity Surveyors  
**Levett & Bailey**  
Levett & Bailey Quantity Surveyors Limited  
20th Floor, Eastern Central Plaza  
2 Via Hong Road  
Shaukeatsui, Hong Kong  
lk-lyngloston@levettandbailey.com  
+852 2558 1833  
+852 2558 2540

PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE

SITE  
**SIATIN**

TITLE  
**SHRUB PLANTING PLAN (SHEET 2 OF 2)**

DRW NO.  
**ST/L/QB/G/309**

PROJECT NO <b>24469</b>	SCALE 1 : 500 @ A1 1 : 1000 @ A3
PLANT DATE 07MAR2007	DRAWN BY MNC
CHECKED MNL	VERIFIED JSP

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
 ALL RIGHTS RESERVED.  
 © OVE ARUP & PARTNERS HONG KONG LIMITED.

REVISION PLAN

THIS DRAWING REMAINS THE PROPERTY OF THE AUTHORIZING CONSULTANT EXCEPT AS PROVIDED IN THE CONDITIONS OF ISSUE. IT SHALL NOT BE COPIED IN WHOLE OR IN PART AND NO-CHANGES IN ANY FORM TO ANY OTHER PARTY WITHOUT THE WRITTEN APPROVAL OF AUTHORIZING CONSULTANT.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. DIMENSIONS TO BE TAKEN IN ACCORDANCE TO SOLIDARITY DISCREPANCY BETWEEN EXISTING BUILDINGS AND PLANS TO BE SOUGHT TO THE IMMEDIATE ATTENTION OF THE ARCHITECT.

REV. NO.	REVISION DESCRIPTION	DATE
-	FOR TENDER	06/07



香港賽馬會  
 The Hong Kong Jockey Club

Lead Architects  
**T.C. & Co.**

THEOTY COURT & COMPANY ARCHITECTS  
 110/112 Bay Street, Suite 1001, Hong Kong  
 Tel: +852 2888 1888 Fax: +852 2888 2881

Consulting Engineers  
**ARUP**  
 One Arup & Partners Hong Kong Ltd  
 Level 6, Pacific Walk, 80 The Core Avenue  
 Kowloon Tong, Kowloon, Hong Kong  
 Tel: +852 2888 8881 Fax: +852 2888 8882

Documentation Architect  
**ronald lu & partners**  
 210 Queen's Road East, Suite 1001, Hong Kong  
 Tel: +852 2888 8881 Fax: +852 2888 8882

Landscape Architect  
**ACLA**  
 ACLA Limited  
 1/F Guangdong Investment Tower  
 148 Queen's Road, Central, Hong Kong  
 Tel: +852 2888 8881 Fax: +852 2888 8882

Quantity Surveyors  
**Levett & Bailey**  
 Levett & Bailey Quantity Surveyors Limited  
 20th Floor, Eastern Central Plaza  
 2 Via Hong Road, Sheung Wan, Hong Kong  
 Tel: +852 2888 1888 Fax: +852 2888 2888

Code	Botanical Name	Chinese Name	Size (Height x Spread)	Spacing(mm)	Quantity	Remarks
<b>Tree</b>						
BC	Bauhinia variegata var. candida	宮粉羊蹄甲	Heavy Standard	AS SHOWN	4	
KS	Khaya senegalensis	非洲桃花心木	Heavy Standard	AS SHOWN	4	
CF	Cassia fistula	豬屎豆	Heavy Standard	AS SHOWN	15	
MA	Michelia x alba	白蘭	Heavy Standard	AS SHOWN	11	
PI	Pterocarpus indicus	紫葳	Heavy Standard	AS SHOWN	11	
<b>Small Tree</b>						
ML	Magnolia liliflora	紫花玉蘭	3000mm x 2000mm	AS SHOWN	2	
<b>Palms</b>						
CR	Cycas revoluta	蘇鐵	Total height 1m	AS SHOWN	2	
PR	Phoenix roebelenii	日本葵	Total height 3m	AS SHOWN	41	
RR	Roystonea regia	王棕	Total height 6m	AS SHOWN	5	

PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE

SITE  
**SIATIN**

TITLE  
**PLANTING SCHEDULE (SHEET 1 OF 2)**

DWG NO.  
**ST/L/QB/G/310**

PROJECT NO. **24469** SCALE 1 : 500 @ A1  
 1 : 1000 @ A3

PLANT DATE: 07MAR2007 DRAWN BY: MNC  
 CHECKED: MNL VERIFIED: JSP

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
 ALL RIGHTS RESERVED.  
 © OVE ARUP & PARTNERS HONG KONG LIMITED.

REVISED DRAWING TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS  
 CONSULTANT ACCEPTS NO LIABILITY FOR THE CONSTRUCTION OF WORKS, IT SHALL NOT BE COPIED OR IN PART  
 AND NO-OTHER, IN ANY FORM TO ANY OTHER PARTY WITHOUT THE WRITTEN APPROVAL OF OVE ARUP & PARTNERS  
 ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS  
 CONSULTANT ACCEPTS NO LIABILITY FOR THE CONSTRUCTION OF WORKS, IT SHALL NOT BE COPIED OR IN PART AND NO-OTHER, IN ANY FORM TO ANY OTHER PARTY WITHOUT THE WRITTEN APPROVAL OF OVE ARUP & PARTNERS  
 ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS  
 CONSULTANT ACCEPTS NO LIABILITY FOR THE CONSTRUCTION OF WORKS, IT SHALL NOT BE COPIED OR IN PART AND NO-OTHER, IN ANY FORM TO ANY OTHER PARTY WITHOUT THE WRITTEN APPROVAL OF OVE ARUP & PARTNERS

REV. NO.	REVISION DESCRIPTION	DATE
-	FOR TENDER	06/07



香港賽馬會  
 The Hong Kong Jockey Club

Lead Architects  
 TC & Co.

THEORY COURT & COMPANY ARCHITECTS  
 110 Waterloo Road, Suite 1001, Kowloon, Hong Kong  
 Tel: +852 2426 1888  
 Fax: +852 2426 2001

Consulting Engineers  
**ARUP**  
 Ove Arup & Partners Hong Kong Ltd  
 Level 16, Pacific Walk, 80 The Curve Avenue, Kowloon, Hong Kong  
 Tel: +852 2909 2001  
 Fax: +852 2909 2002

Documentation Architect  
**ronald lu & partners**  
 2/F, 200 Queen's Road East, Hong Kong  
 Tel: +852 2909 2000  
 Fax: +852 2909 2002

Landscape Architect  
**ACLA**  
 ACLA Limited  
 1/F, Guangdong Investment Tower, 148 Queen's Road, Central, Hong Kong  
 Tel: +852 2909 2000  
 Fax: +852 2909 2116

Quantity Surveyors  
**Levett & Bailey**  
 Levett & Bailey Quantity Surveyors Limited  
 20th Floor, Eastern Central Plaza, 2 Via Hong Road, Sheung Wan, Hong Kong  
 Tel: +852 2909 1888  
 Fax: +852 2191 2646

Code	Botanical Name	Chinese Name	Size (Height x Spread)	Spacing(mm)	Density (nos./sqm)	Quantity	Remarks
<b>Shrubs</b>							
Asv	Aplinia speciosa cv. 'variegata'	花葉山薑	300mm x 250mm	300	12.54	1047	
Hrs	Hibiscus rosa-sinensis cv. 'Flavo Plenus'	金球大紅花	400mm x 300mm	350	9.57	258	
Hyc	Hypericum chinense	金絲桃	400mm x 300mm	350	9.57	12	
Ich	Ixora chinensis	龍船花	300mm x 250mm	300	12.54	1108	
Rsi	Rhododendron simsii	紅杜鵑	400mm x 300mm	350	9.57	648	
<b>Shrubs (Specimen planting)</b>							
Cja	Camellia japonica	山茶	600mm x 800mm	AS SHOWN	-	6	
Ene	Eranthemum nervosum	可愛花	600mm x 800mm	AS SHOWN	-	12	
Jme	Jasminum mesnyi	黃素馨	600mm x 800mm	AS SHOWN	-	24	
Lam	Ligustrum amamanum	台灣白貞	600mm x 800mm	AS SHOWN	-	6	
Lch	Loropetalum chinense	紅繼木	600mm x 800mm	AS SHOWN	-	12	
Mfi	Michelia figo	含笑	600mm x 800mm	AS SHOWN	-	12	
<b>Bamboo</b>							
Bmu	Bambusa multiplex var. rivierrorum	觀賞竹	800mm x 600mm	700	2.24	256	5 shoots per clump
<b>Groundcover</b>							
Sja	Serissa japonica	六月雪	200mm x 300mm	300	12.54	1769	
Bch	Belamcanda chinensis	射干	200mm x 200mm	250	18.4	1568	
Hfu	Hermerocallis fulva	萱草	200mm x 200mm	250	18.4	2497	
Ite	Iris tectorum	鸞尾	200mm x 200mm	250	18.4	921	
Cig	Cuphea ignea	雪茄花	200mm x 200mm	250	18.4	1976	
Nec	Nephrolepis exaltata cv. 'Corditas'	密葉波士頓蕨	200mm x 200mm	250	18.4	2635	
Oja	Ophiopogon japonicus	沿階草	200mm x 200mm	250	18.4	3767	
Zgr	Zephyranthes grandiflora	風雨蘭	200mm x 200mm	250	18.4	164	

PROJECT  
**REDEVELOPMENT OF QUARANTINE B STABLES**

PACKAGE

SITE  
**SIATIN**

TITLE  
**PLANTING SCHEDULE (SHEET 2 OF 2)**

DWG NO.  
**ST/L/QB/G/311**

PROJECT NO  
**24469**

SCALE  
 1 : 500 @ A1  
 1 : 1000 @ A3

PLANT DATE  
 07MAR2007

CHECKED  
 MNL

DESIGNED BY  
 MNC

VERIFIED  
 JSP

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION Good/Fair/Poor/ Very Poor/Dead	FORM Good/Fair/ Poor	Specific Value*					Overall Value## E/H/M/L/N	Feasibility of Successful Transplantation# A/B/C/D	RECOMMENDATION Retain/Transplant/Fell	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH			A	C	E	H	S					General^	Others^^

**Abbreviations in the tree schedule**

**\* Specific Value (Refer to Methodology for details):**  
 A: Amenity value  
 C: Cultural value  
 E: Ecological value  
 H: Historical value  
 S(##): Significant tree (refer to Methodology for detailed categories)

**\*\* Justification for Tree Felling:**  
 1. Tree is in direct conflict with the proposed works.  
 2. Root ball preparation not practical due to the topography (e.g. on rock, steep slope, structures).  
 3. Invasive weedy species / common, fast growing species without special ecological significance.  
 4. Tree with poor health and/or form for transplantation.  
 5. Lack of access for transplantation machinery.  
 6. Species of low post-transplantation survival rate.

**# Feasibility of Successful Transplantation: (refer to Methodology for detailed justification)**  
 A: Feasible  
 B: Feasible with significant cost implications  
 C: Feasible with very high cost implications  
 D: Not Feasible

**##Overall Value:**  
 E: Exceptionally High  
 H: High  
 M: Medium  
 L: Low  
 N: Negligible

**^ General Remarks:**

<i>FORM</i>		<i>HEALTH</i>	
br	broken branches	ab	abnormally few green leaves
fe	felled down	co	covered by climbers
fo	forked	pe	pest infected
db	dead branches	tr	trunk is rotten
he	head cut	<i>LOCATION</i>	
le	leaning	con	on concrete
mu	multi-trunks / 2 main trunks	roc	on rock
se	seriously leaning	sho	on shotcrete
sh	shrubby	slo	on slope
tw	twisting trunk	toe	on toe of wall / slope
un	unbalance	top	on top of wall
		wal	on wall
		<i>ROOT</i>	
		exp	root exposed
		spr	root spreading on wall

**^^ Other remarks**

Tree surveyer: Mike Leung

Tree Survey Schedule

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION Good/Fair/Poor/ Very Poor/Dead	FORM Good/Fair/ Poor	Specific Value* A C E H S	Overall Value## E/H/M/L/N	Feasibility of Successful Transplantation# A/B/C/D	RECOMMENDATION Retain/Transplant/Fell	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								General^	Others^^
T755	<i>Aleurites moluccana</i>	石栗	ASD	9.0	6.0	0.27	Fair	Fair	M L	Medium	B	Transplant		Tree form will be degraded after transplantation	
T756	<i>Ficus virens</i>	大葉榕	ASD	10.0	10.0	0.50	Fair	Fair	M M	Medium	B	Transplant		Tree form will be degraded after transplantation	
T757	<i>Aleurites moluccana</i>	石栗	ASD	7.0	5.0	0.30	Fair	Fair	M L	Medium	B	Transplant			
T758	<i>Aleurites moluccana</i>	石栗	ASD	9.0	7.0	0.28	Fair	Fair	M L	Medium	B	Transplant		Tree form will be degraded after transplantation	
T759	<i>Aleurites moluccana</i>	石栗	ASD	9.0	7.0	0.29	Fair	Fair	M L	Medium	B	Transplant		Tree form will be degraded after transplantation	
T760	<i>Aleurites moluccana</i>	石栗	ASD	6.0	6.0	0.30	Poor	Poor	L L	Low	B	Fell	1 4		
T761	<i>Aleurites moluccana</i>	石栗	ASD	7.0	2.0	0.20	Poor	Poor	L L	Low	A	Fell	1 4		
T762	<i>Aleurites moluccana</i>	石栗	ASD	8.0	3.0	0.15	Poor	Poor	L L	Low	A	Fell	1 4		
T763	<i>Aleurites moluccana</i>	石栗	ASD	8.0	6.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T764	<i>Aleurites moluccana</i>	石栗	ASD	10.0	7.0	0.30	Fair	Fair	M L	Medium	B	Transplant		Tree form will be degraded after transplantation	
T765	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.40	Fair	Fair	M L	Medium	B	Transplant		Tree form will be degraded after transplantation	
T766	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.37	Fair	Fair	M L	Medium	B	Transplant		Tree form will be degraded after transplantation	
T767	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.22	Fair	Fair	M L	Medium	A	Transplant		Tree form will be degraded after transplantation	
T768	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.25	Fair	Fair	M L	Medium	A	Transplant		Tree form will be degraded after transplantation	
T769	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.35	Fair	Fair	M L	Medium	B	Retain			
T770	<i>Aleurites moluccana</i>	石栗	ASD	10.0	7.0	0.27	Fair	Fair	M L	Medium	B	Retain			
T771	<i>Aleurites moluccana</i>	石栗	ASD	10.0	7.0	0.21	Fair	Fair	M L	Medium	A	Retain			
T772	<i>Aleurites moluccana</i>	石栗	ASD	8.0	5.0	0.40	Fair	Fair	M L	Medium	B	Retain			
T773	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.27	Fair	Fair	M L	Medium	A	Retain		mu	
T774	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.32	Fair	Fair	M L	Medium	B	Retain			
T775	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T776	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.32	Fair	Fair	M L	Medium	B	Retain			
T777	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T778	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T779	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T780	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T781	<i>Aleurites moluccana</i>	石栗	ASD	12.0	7.0	0.32	Fair	Fair	M L	Medium	B	Retain			
T782	<i>Aleurites moluccana</i>	石栗	ASD	10.0	7.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T783	<i>Aleurites moluccana</i>	石栗	ASD	8.0	4.0	0.23	Fair	Fair	M L	Medium	A	Retain			
T784	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.26	Fair	Poor	L L	Low	B	Retain		he	
T785	<i>Aleurites moluccana</i>	石栗	ASD	4.0	4.0	0.32	Fair	Poor	L L	Low	B	Retain		he,mu	
T786	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.22	Fair	Poor	L L	Low	A	Retain		he	
T787	<i>Aleurites moluccana</i>	石栗	ASD	3.0	1.0	0.15	Fair	Poor	L L	Low	A	Retain		he	
T788	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.28	Fair	Poor	L L	Low	B	Retain		he	
T789	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.32	Fair	Poor	L L	Low	B	Retain		he	
T790	Dead	-	-	-	-	-	-	-	-	-	-	-			
T791	<i>Aleurites moluccana</i>	石栗	ASD	4.0	3.0	0.27	Fair	Poor	L L	Medium	B	Retain			
T792	<i>Aleurites moluccana</i>	石栗	ASD	4.0	3.0	0.30	Fair	Poor	L L	Medium	B	Retain			
T793	<i>Aleurites moluccana</i>	石栗	ASD	4.0	3.0	0.22	Fair	Poor	L L	Medium	A	Retain			
T794	<i>Aleurites moluccana</i>	石栗	ASD	4.0	3.0	0.28	Fair	Poor	L L	Medium	B	Retain			
T795	<i>Aleurites moluccana</i>	石栗	ASD	4.0	3.0	0.26	Fair	Poor	L L	Medium	B	Retain			
T796	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.30	Fair	Poor	L L	Medium	B	Retain			
T797	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.30	Fair	Poor	L L	Medium	B	Retain			
T798	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.30	Fair	Poor	L L	Medium	B	Retain			
T799	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.33	Fair	Poor	L L	Medium	B	Retain			
T800	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.28	Poor	Poor	L L	Low	B	Retain			
T801	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.25	Fair	Poor	L L	Medium	A	Retain			
T802	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.25	Fair	Poor	L L	Medium	A	Retain			
T803	<i>Aleurites moluccana</i>	石栗	ASD	6.0	5.0	0.30	Fair	Poor	L L	Medium	B	Retain			
T804	Dead	-	-	-	-	-	-	-	-	-	-	-			
T805	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.24	Fair	Poor	L L	Low	A	Retain			
T806	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.25	Fair	Fair	M L	Medium	A	Retain			
T807	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.27	Fair	Fair	M L	Medium	B	Retain			
T808	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T809	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.20	Fair	Fair	M L	Medium	A	Retain			

\* / ^ Refer to the first page of schedule for details

Tree Survey Schedule

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION Good/Fair/Poor/ Very Poor/Dead	FORM Good/Fair/ Poor	Specific Value* A C E H S	Overall Value## E/H/M/L/N	Feasibility of Successful Transplantation# A/B/C/D	RECOMMENDATION Retain/Transplant/Fell	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								General^	Others^^
T810	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.34	Fair	Fair	M L	Medium	B	Retain			
T811	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.34	Fair	Fair	M L	Medium	B	Retain			
T812	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.20	Fair	Poor	L L	Low	A	Retain			
T813	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.35	Fair	Fair	M L	Medium	B	Retain			
T814	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.25	Fair	Fair	M L	Medium	A	Retain			
T815	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.20	Fair	Fair	M L	Medium	A	Retain			
T816	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T817	<i>Ficus microcarpa</i>	細葉榕	ASD	6.0	4.0	0.28	Fair	Fair	M M	Medium	B	Retain			
T818	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.35	Fair	Poor	L L	Low	B	Retain		he	
T819	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.30	Fair	Poor	L L	Low	B	Retain		he	
T820	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.27	Fair	Poor	L L	Low	B	Retain		he	
T821	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.30	Fair	Poor	L L	Low	B	Retain		he	
T822	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.20	Fair	Poor	L L	Low	A	Retain		he	
T823	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.27	Fair	Poor	L L	Low	B	Retain		he	
T824	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.35	Fair	Poor	L L	Low	B	Retain		he	
T825	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.25	Fair	Poor	L L	Low	A	Retain		he	
T826	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.25	Fair	Poor	L L	Low	A	Retain		he	
T827	<i>Aleurites moluccana</i>	石栗	ASD	6.0	4.0	0.30	Fair	Poor	L L	Low	B	Retain		he	
T828	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.28	Fair	Poor	L L	Low	B	Transplant		he	
T829	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.23	Fair	Poor	L L	Low	A	Transplant		he	
T830	<i>Aleurites moluccana</i>	石栗	ASD	10.0	7.0	0.45	Fair	Fair	M L	Medium	B	Transplant		Tree form will be degraded after transplantation	
T831	<i>Aleurites moluccana</i>	石栗	ASD	7.0	6.0	0.30	Fair	Fair	M L	Medium	B	Transplant			
T832	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.27	Fair	Poor	L L	Low	B	Transplant		he	
T833	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.35	Fair	Poor	L L	Low	B	Transplant		he	
T834	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.30	Fair	Poor	L L	Low	B	Transplant		he	
T835	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.30	Fair	Poor	L L	Low	B	Transplant		he	
T836	<i>Aleurites moluccana</i>	石栗	ASD	5.0	2.0	0.28	Fair	Poor	L L	Low	B	Transplant		he	
T837	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.23	Fair	Poor	L L	Low	A	Transplant		he	
T838	<i>Aleurites moluccana</i>	石栗	ASD	3.0	2.0	0.16	Fair	Poor	L L	Low	A	Transplant		he	
T839	<i>Aleurites moluccana</i>	石栗	ASD	5.0	4.0	0.23	Fair	Poor	L L	Low	A	Transplant		he	
T840	<i>Aleurites moluccana</i>	石栗	ASD	3.0	2.0	0.20	Fair	Poor	L L	Low	A	Transplant		he	
T841	<i>Aleurites moluccana</i>	石栗	ASD	2.0	1.0	0.18	Fair	Poor	L L	Low	A	Transplant		he	
T842	Dead	-	-	-	-	-	-	-	-	-	-	-			
T843	<i>Aleurites moluccana</i>	石栗	ASD	4.0	2.0	0.22	Fair	Poor	L L	Low	A	Transplant		he	
T844	<i>Aleurites moluccana</i>	石栗	ASD	4.0	3.0	0.25	Poor	Poor	L L	Low	A	Fell	1 4	db	
T845	<i>Ficus microcarpa</i>	細葉榕	ASD	2.0	1.0	0.18	Fair	Poor	L M	Medium	A	Transplant		he	
T846	<i>Ficus microcarpa</i>	細葉榕	ASD	2.0	2.0	0.25	Fair	Poor	L M	Medium	A	Transplant		he	
T847	<i>Ficus microcarpa</i>	細葉榕	ASD	3.0	3.0	0.32	Fair	Poor	L M	Medium	B	Transplant		he	
T848	<i>Ficus microcarpa</i>	細葉榕	ASD	2.0	2.0	0.20	Fair	Poor	L M	Medium	A	Transplant		he	
T849	<i>Ficus virens</i>	大葉榕	ASD	4.0	4.0	0.40	Fair	Poor	L M	Medium	B	Transplant		exp	pruned
T850	<i>Ficus virens</i>	大葉榕	ASD	2.0	1.0	0.15	Fair	Poor	L M	Medium	A	Transplant		exp	pruned
T851	<i>Ficus virens</i>	大葉榕	ASD	3.0	2.0	0.30	Fair	Poor	L M	Medium	B	Transplant		exp	pruned
T852	<i>Ficus virens</i>	大葉榕	ASD	4.0	4.0	0.25	Fair	Poor	L M	Medium	A	Transplant		exp	pruned
T853	<i>Ficus virens</i>	大葉榕	ASD	3.0	3.0	0.40	Fair	Poor	L M	Medium	B	Transplant		exp	pruned
T854	<i>Aleurites moluccana</i>	石栗	ASD	3.0	2.0	0.18	Fair	Poor	L L	Low	A	Transplant		exp	pruned
T855	<i>Aleurites moluccana</i>	石栗	ASD	3.0	2.0	0.10	Fair	Poor	L L	Low	A	Transplant		exp	pruned
T856	<i>Aleurites moluccana</i>	石栗	ASD	3.0	2.0	0.20	Fair	Poor	L L	Low	A	Transplant		exp	pruned
T857	<i>Aleurites moluccana</i>	石栗	ASD	3.0	2.0	0.20	Poor	Poor	L L	Low	A	Fell	1 4	he	
T858	<i>Ficus virens</i>	大葉榕	ASD	4.0	4.0	0.40	Fair	Poor	L M	Medium	B	Transplant		he	
T859	<i>Aleurites moluccana</i>	石栗	ASD	3.0	2.0	0.20	Fair	Poor	L L	Low	A	Transplant		he	
T860	<i>Ficus microcarpa</i>	細葉榕	ASD	2.0	1.0	0.15	Fair	Poor	L M	Medium	A	Transplant		he	
T861	<i>Ficus microcarpa</i>	細葉榕	ASD	2.0	1.0	0.25	Fair	Poor	L M	Medium	A	Transplant		he	
T862	<i>Aleurites moluccana</i>	石栗	ASD	4.0	2.0	0.22	Poor	Poor	L L	Low	A	Fell	1 4	he	
T863	<i>Ficus virens</i>	大葉榕	ASD	2.0	1.0	0.23	Fair	Poor	L M	Medium	A	Transplant		he	
T864	<i>Aleurites moluccana</i>	石栗	ASD	5.0	3.0	0.20	Fair	Poor	L L	Low	A	Retain		he	
T865	<i>Aleurites moluccana</i>	石栗	ASD	9.0	6.0	0.40	Fair	Fair	M L	Medium	B	Transplant		he	

\* / ^ Refer to the first page of schedule for details

Tree Survey Schedule

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION Good/Fair/Poor/ Very Poor/Dead	FORM Good/Fair/ Poor	Specific Value* A C E H S	Overall Value## E/H/M/L/N	Feasibility of Successful Transplantation# A/B/C/D	RECOMMENDATION Retain/Transplant/Fell	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								General^	Others^^
T866	<i>Aleurites moluccana</i>	石栗	ASD	9.0	4.0	0.25	Fair	Fair	M L	Medium	A	Transplant		he	
T867	<i>Aleurites moluccana</i>	石栗	ASD	10.0	6.0	0.40	Fair	Fair	M L	Medium	B	Transplant		he	
T868	<i>Casuarina equisetifolia</i>	木麻黃	ASD	17.0	10.0	0.40	Fair	Fair	M L	Medium	D	Fell	1 6	he	
T869	<i>Casuarina equisetifolia</i>	木麻黃	ASD	23.0	10.0	0.40	Fair	Fair	M L	Medium	D	Fell	1 6	he	
T870	<i>Casuarina equisetifolia</i>	木麻黃	ASD	15.0	8.0	0.28	Fair	Fair	M L	Medium	D	Fell	1 6		
T871	<i>Casuarina equisetifolia</i>	木麻黃	ASD	17.0	10.0	0.35	Fair	Fair	M L	Medium	D	Retain			
T872	<i>Casuarina equisetifolia</i>	木麻黃	ASD	15.0	8.0	0.25	Fair	Fair	M L	Medium	D	Retain			
T873	<i>Casuarina equisetifolia</i>	木麻黃	ASD	23.0	10.0	0.50	Fair	Fair	M L	Medium	D	Retain			
T874	<i>Casuarina equisetifolia</i>	木麻黃	ASD	17.0	8.0	0.27	Fair	Fair	M L	Medium	D	Retain			
T875	<i>Casuarina equisetifolia</i>	木麻黃	ASD	8.0	4.0	0.25	Fair	Fair	M L	Medium	D	Retain			
T876	<i>Casuarina equisetifolia</i>	木麻黃	ASD	17.0	10.0	0.55	Fair	Fair	M L	Medium	D	Retain			
T877	<i>Casuarina equisetifolia</i>	木麻黃	ASD	25.0	10.0	0.45	Fair	Fair	M L	Medium	D	Retain			
T878	<i>Casuarina equisetifolia</i>	木麻黃	ASD	25.0	10.0	0.45	Fair	Fair	M L	Medium	D	Retain			
T879	<i>Casuarina equisetifolia</i>	木麻黃	ASD	15.0	8.0	0.28	Fair	Fair	M L	Medium	D	Retain			
T880	<i>Casuarina equisetifolia</i>	木麻黃	ASD	17.0	10.0	0.40	Fair	Fair	M L	Medium	D	Retain			
T881	<i>Casuarina equisetifolia</i>	木麻黃	ASD	15.0	8.0	0.30	Fair	Fair	M L	Medium	D	Retain			
T882	<i>Ficus virens</i>	大葉榕	ASD	4.0	3.0	0.16	Poor	Poor	L L	Low	D	Retain			
T883	<i>Ficus virens</i>	大葉榕	ASD	8.0	8.0	1.00	Fair	Fair	M M S(VM)	Medium	C	Retain		exp	
T884	<i>Melaleuca quinquenervia</i>	白千層	ASD	15.0	8.0	0.40	Fair	Fair	M L	Medium	B	Retain			
T885	<i>Melaleuca quinquenervia</i>	白千層	ASD	17.0	8.0	0.50	Fair	Fair	M L	Medium	B	Retain			
T886	<i>Melaleuca quinquenervia</i>	白千層	ASD	17.0	8.0	0.50	Fair	Fair	M L	Medium	B	Retain			
T887	<i>Melaleuca quinquenervia</i>	白千層	ASD	15.0	8.0	0.47	Fair	Fair	M L	Medium	B	Retain			
T888	<i>Melaleuca quinquenervia</i>	白千層	ASD	10.0	6.0	0.38	Fair	Fair	M L	Medium	B	Retain			
T889	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	
T890	<i>Melaleuca quinquenervia</i>	白千層	ASD	17.0	8.0	0.45	Fair	Fair	M L	Medium	B	Retain			
T891	<i>Melaleuca quinquenervia</i>	白千層	ASD	15.0	8.0	0.30	Fair	Fair	M L	Medium	B	Retain			
T892	<i>Melaleuca quinquenervia</i>	白千層	ASD	17.0	8.0	0.40	Fair	Fair	M L	Medium	B	Retain			
T893	<i>Melaleuca quinquenervia</i>	白千層	ASD	15.0	8.0	0.42	Fair	Fair	M L	Medium	B	Retain			
T894	<i>Melaleuca quinquenervia</i>	白千層	ASD	17.0	8.0	0.55	Fair	Fair	M L	Medium	B	Retain			
T895	<i>Melaleuca quinquenervia</i>	白千層	ASD	12.0	8.0	0.32	Fair	Fair	M L	Medium	B	Retain			
T896	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	
T897	<i>Acacia confusa</i>	台欏相思	ASD	15.0	15.0	0.50	Fair	Fair	M L	Medium	D	Fell	1 6		
T898	<i>Erythrina variegata</i>	刺桐	ASD	10.0	8.0	0.35	Fair	Fair	M L	Medium	B	Retain			
T899	<i>Erythrina variegata</i>	刺桐	ASD	10.0	8.0	0.35	Fair	Poor	L L	Low	B	Retain			mu
T900	<i>Erythrina variegata</i>	刺桐	ASD	10.0	8.0	0.31	Fair	Poor	L L	Low	B	Retain			mu
T901	<i>Acacia confusa</i>	台欏相思	ASD	15.0	15.0	0.45	Fair	Fair	M L	Medium	D	Retain			
T902	<i>Erythrina variegata</i>	刺桐	ASD	7.0	3.0	0.18	Poor	Poor	L L	Low	D	Retain			
T903	<i>Erythrina variegata</i>	刺桐	ASD	7.0	3.0	0.18	Poor	Poor	L L	Low	D	Retain			mu
T904	<i>Erythrina variegata</i>	刺桐	ASD	6.0	6.0	0.28	Poor	Poor	L L	Low	D	Retain			mu
T905	<i>Erythrina variegata</i>	刺桐	ASD	5.0	3.0	0.33	Poor	Poor	L L	Low	D	Retain			mu
T906	<i>Erythrina variegata</i>	刺桐	ASD	6.0	3.0	0.25	Poor	Poor	L L	Low	D	Retain			
T907	<i>Erythrina variegata</i>	刺桐	ASD	6.0	3.0	0.12	Poor	Poor	L L	Low	D	Retain			
T908	<i>Erythrina variegata</i>	刺桐	ASD	6.0	3.0	0.13	Poor	Fair	M L	Medium	D	Retain			
T909	<i>Erythrina variegata</i>	刺桐	ASD	4.0	2.0	0.13	Poor	Poor	L L	Low	D	Retain			le
T910	<i>Cassia surattensis</i>	黃槐	ASD	4.0	4.0	0.095	Fair	Fair	M L	Medium	A	Retain			
T911-T926	Number not used	-	-	-	-	-	-	-	-	-	-	-		-	
T927	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	3.0	0.25	Fair	Fair	M L	Medium	A	Transplant			
T928	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	3.0	0.25	Fair	Fair	M L	Medium	A	Transplant			
T929	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	4.0	0.20	Fair	Fair	M L	Medium	A	Transplant			
T930	<i>Livistonia chinensis</i>	蒲葵	ASD	4.0	3.0	0.17	Fair	Fair	M L	Medium	A	Transplant			
T931	<i>Livistonia chinensis</i>	蒲葵	ASD	4.0	3.0	0.17	Fair	Fair	M L	Medium	A	Transplant			
T932	<i>Livistonia chinensis</i>	蒲葵	ASD	8.0	2.0	0.23	Fair	Fair	M L	Medium	A	Transplant			
T933	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	4.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T934	<i>Livistonia chinensis</i>	蒲葵	ASD	8.0	4.0	0.24	Fair	Fair	M L	Medium	A	Transplant			
T935	<i>Livistonia chinensis</i>	蒲葵	ASD	8.0	4.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T936	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	4.0	0.23	Fair	Fair	M L	Medium	A	Transplant			

\* / ^ Refer to the first page of schedule for details



Tree Survey Schedule

TREE NO.	BOTANICAL NAME	CHINESE NAME	JURISDICTION	SIZE (m)			HEALTH CONDITION <small>Good/Fair/Poor/ Very Poor/Dead</small>	FORM <small>Good/Fair/ Poor</small>	Specific Value* <small>A C E H S</small>	Overall Value## <small>E/H/M/L/N</small>	Feasibility of Successful Transplantation# <small>A/B/C/D</small>	RECOMMENDATION <small>Retain/Transplant/Fell</small>	JUSTIFICATION FOR TREE FELLING**	REMARKS	
				Height	Spread	DBH								General^	Others^^
T937	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	4.0	0.23	Fair	Fair	M L	Medium	A	Transplant			
T938	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	4.0	0.25	Fair	Fair	M L	Medium	A	Transplant			
T939	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	4.0	0.25	Fair	Fair	M L	Medium	A	Transplant			
T940	<i>Livistonia chinensis</i>	蒲葵	ASD	10.0	4.0	0.25	Fair	Fair	M L	Medium	A	Transplant			
T941	<i>Livistonia chinensis</i>	蒲葵	ASD	5.0	4.0	0.20	Fair	Fair	M L	Medium	A	Transplant			
T942	<i>Livistonia chinensis</i>	蒲葵	ASD	8.0	4.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T943	<i>Livistonia chinensis</i>	蒲葵	ASD	8.0	4.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T944	<i>Livistonia chinensis</i>	蒲葵	ASD	8.0	4.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T945	<i>Livistonia chinensis</i>	蒲葵	ASD	8.0	4.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T946	<i>Livistonia chinensis</i>	蒲葵	ASD	5.0	4.0	0.20	Fair	Fair	M L	Medium	A	Transplant			
T947	<i>Livistonia chinensis</i>	蒲葵	ASD	5.0	4.0	0.20	Fair	Fair	M L	Medium	A	Transplant			
T948	<i>Livistonia chinensis</i>	蒲葵	ASD	6.0	4.0	0.22	Fair	Fair	M L	Medium	A	Transplant			
T949	<i>Acacia confusa</i>	台相樹	ASD	8.0	6.0	0.30	Poor	Poor	L L	Low	D	Fell	1 4 6		
T950	<i>Litsea glutinosa</i>	潺槁樹	ASD	3.0	2.0	0.17	Poor	Poor	M L	Medium	D	Fell	1 4		

\* / ^ Refer to the first page of schedule for details

Appendix A

---

**Specification for Tree  
Preservation,  
Protection, Root  
Pruning and Crown  
Pruning of Existing  
Trees**

**SPECIFICATION FOR  
PRESERVATION, PROTECTION, ROOT PRUNING AND CROWN PRUNING  
OF EXISTING TREES**

---

The protection and preservation of existing trees shall be in accordance to General Specification For Civil Engineering Works Section 26. Key protection and preservation controls are summarized below:

All necessary tree preservation measures are to be allowed for in the project programming. Full-time qualified Site Staff and a Specialist Sub-contractor is to be employed to supervise and carry out tree preservation measures.

A photographic report of all trees is to be submitted at monthly intervals up to completion and bimonthly after completion. Any change in condition of any tree or hazard to the public is to be reported immediately.

All trees are to be clearly labeled at all times throughout the contract without damage.

**Tree preservation:** The contractor is to ensure no trees are damaged by:

- Any fixings or attachments;
- Use as anchorages for equipment;
- Stockpiling or storage;
- Temporary structures;
- Spills of petrol, oil or any other damaging material;
- Poor drainage;
- Vehicles;
- Stripping of existing soil;
- Fire;
- Equipment maintenance;
- Careless cultivation around roots;
- Use of cranes, drilling rigs or any other equipment;
- Prohibited use of bulldozers to remove adjacent trees;
- Herbicides;
- Washout of damaging material;
- Use of limestone or rinsing of concrete mixing equipment that may affect the PH of the soil;
- Disposal of debris, waste or contaminants; and
- Installation, use or removal of temporary underground or overhead services.

Where movement of vehicles or equipment near trees is unavoidable, temporary protective

mulch with steel sheet coverings is to be installed. Clearance of existing undergrowth is to be carried out by cutting.

**Protection from physical damage and soil compaction by construction activities:**

Protective chain link or sheet metal fencing at least 1.5 metres high is to be installed outside the driplines of all trees to be preserved (or as agreed with the engineer/landscape architect) before any other site works commence and maintained until completion. No access to the protected areas inside the protective fencing is to be allowed except for horticultural maintenance of the trees.

**Protection from changes in ground levels:** No changes are to be made to existing ground levels within the protected areas of any trees to be preserved unless required by the contract. Where ground levels are to be lowered or raised, a retaining wall is to be installed.

**Protection from excavation including trenching or drilling and root pruning procedures:**

No excavation or drilling is to be carried out within the protected areas of any trees to be preserved unless required by the contract. Where excavation is unavoidable the impact on tree roots is to be determined and agreed before commencement of work, excavation carried out carefully by hand ensuring tree stability, any necessary root cutting minimized, carried out carefully and cleanly, exposed roots wrapped in hessian to avoid drying out, excavations to be backfilled with soil mix and protective fencing reinstalled.

**Protection from instability:** Where the Works involve cutting of any major roots or other major parts of the preserved trees or any other works that may jeopardise the stability of the preserved trees, the Contractor shall obtain approval for and install all necessary physical support for the preserved trees to ensure their stability.

**Tree surgery and pruning of preserved trees:** All pruning work shall be agreed with the engineer/landscape architect, carried out in accordance with BS 3998.

**Control of pest and disease for preserved trees:** Agreed pest and disease control measures are to be undertaken in accordance with AFCD regulations.

**Repair of damage to preserved trees and other affected plants:** The Contractor shall carry out all necessary work to repair any damage to the preserved trees and any other plants affected including support, watering and fertilizing. The Contractor shall notify the Engineer of any damage to the preserved trees and other affected plants, propose repair work to make good the damage, and remove and replace damaged trees and any other affected plants.

Appendix B

---

**Methodology of Tree  
Transplantation**

## **Methodology of Tree Transplantation**

---

The protection and preservation of existing trees shall be in accordance to General Specification For Civil Engineering Works Section 3. Key protection and preservation controls are summarized below:

Transplant only those trees specified as such and only with the approval of the supervising officer subsequent to the approval of the relevant government authority.

Crown thinning is to be carried out so as to retain at least two thirds of the existing branch structure and the general form of the tree.

Anti-desiccant spray is to be applied prior to root ball preparation.

A photographic record is to be kept of all stages of the transplanting operation.

The DIAMETER of the root ball is to be a minimum of 10 times the DIAMETER of the trunk of the tree.

The depth of the root ball is to be a minimum of 750mm.

The horizontal extent (circumference) of the root ball is to be marked out on the ground in a circle around the tree. The circle is to be divided into 6 equal segments.

The preparation work is to take place in 4 stages:

1. Dig a trench 1000mm deep on the outside of the marked circumference in only two opposing segments, any severed roots are to be cut cleanly and the trench backfilled with fabricated topsoil.
2. One month later, perform the same operation on two more opposing segments.
3. One month later, perform the same operation on the last two opposing segments.
4. One month later, cut the underside of the root ball, prepare the sides and base of the temporary root ball container without disturbing or damaging any new root growth within the backfilled soil in the trenches, uplift and transplant the tree. The tree and its root ball are to be lifted by fixings to the root ball container only. No load-bearing cables or fixings are to be attached to any part of the tree. The trunk and crown of the tree is to be stabilized with guys attached in such a way as to avoid any chafing or damage to the tree.

The tree is to be transplanted to a prepared pit 300mm greater in all directions than the size of the root ball. The backfilling mix is to be fabricated topsoil, the temporary root ball container removed, the tree well watered in and firmly anchored with guys and stakes so as to avoid

any chafing or damage to the tree.

The tree is to be watered, fertilized, and treated for any disease or infestation, the root ball area weeded as necessary and stakes and guys used to anchor the tree checked regularly throughout the contract period and for a one-year establishment period after completion.