



Our ref: 6-4-2020

6-4-2020

By hand

Environmental Protection Department  
Environmental Assessment Division  
Metro Assessment Group  
Kowloon Section (2)  
27th floor, Southorn Centre,  
130 Hennessy Road,  
Wan Chai, Hong Kong  
(Attn: Ms. CHANG Chia Chi, Maureen)

Dear Ms. CHANG,

**Contract No. EDO 15/2018**

**Environmental Monitoring Works for Contract No. ED/2018/01 – Kai Tak Development – Stage 4  
infrastructure at the former runway and south apron  
Submission of Baseline Monitoring Report (Version 1.7)**

We are pleased to submit herewith Baseline Monitoring Report (Version 1.7) for your perusal and retention.

Thank you very much for your attention and please feel free to contact the undersigned should you require further information.

Yours faithfully,

For and on behalf of  
Ka Shing Management Consultant Limited

L.W.H.

Encl. Baseline Monitoring Report (Version 1.7)

**Baseline Monitoring Report**  
**for**  
**Contract No. ED/2018/01 –**  
**Kai Tak Development – Stage 4 infrastructure at the**  
**former runway and south apron**

**Contract No.: EDO 15/2018**

25 March 2020  
(Version 1.7)

Certified By:  \_\_\_\_\_

(Environmental Team Leader)

26 March 2020

AECOM Asia Company Limited  
8/F, Grand Central Plaza, Tower 2  
138 Shatin Rural Committee Road  
Shatin, Hong Kong

By Post and E-mail

Attention: Mr. Clive Cheng

Dear Sir,

**Re: Agreement No. EDO 14/2018  
Independent Environmental Checker for  
Contract No. ED/2018/01 – Kai Tak Development  
Stage 4 Infrastructure at the Former Runway and South Apron  
Baseline Monitoring Report (Version 1.7)**

Reference is made to the Environmental Team's submission of the captioned Baseline Monitoring Report dated 25 March 2020 received by e-mail on 25 March 2020.

Please be informed that we have no adverse comments on the captioned report. We hereby verify the captioned submission according to Condition 3.2 of EP-337/2009.

For upcoming impact monitoring, the ET and the ET Leader are reminded to strictly follow the requirements as stipulated in the EM&A manuals being applicable to the corresponding EPs, and ensure that all the environmental monitoring and audit data be true, valid and correct as per Condition 3.4 of EP-337/2009, Condition 3.3 of EP-445/2013 and Condition 3.3 of EP-445/2013/A , during the course of impact monitoring periods.

Thank you for your attention. Please do not hesitate to contact the undersigned should you have any queries.

Yours faithfully,

For and on behalf of

Ramboll Hong Kong Limited



Ray Yan

Independent Environmental Checker

c.c.

CEDD

Attn.: Mr. Ronald Siu

Fax: 2739 0076

Ka Shing

Attn.: Mr. Chan Pang

By e-mail

Penta-Ocean

Attn.: Mr. Daniel Ho

Fax: 2572 4080

<b>Table of Content</b>	<b>Page</b>
EXECUTIVE SUMMARY .....	1
1. INTRODUCTION.....	3
Project Background .....	3
Purpose of the Baseline Monitoring Report .....	4
Structure of the Baseline Monitoring Report .....	4
2. AIR QUALITY MONITORING .....	5
Monitoring Requirements.....	5
Monitoring Locations .....	5
Monitoring Parameters, Frequency and Duration .....	8
Monitoring Equipment .....	8
Monitoring Methodology and QA/QC Procedure .....	9
Wind Data Monitoring.....	11
Summary of Baseline Monitoring results and Observations .....	12
Action and Limit Levels .....	13
Event and Action Plan .....	14
3. NOISE MONITORING .....	17
Monitoring Requirements.....	17
Monitoring Locations .....	17
Monitoring Parameters, Frequency and Duration .....	20
Monitoring Equipment .....	21
Monitoring Methodology and QA/QC Procedure .....	21
Maintenance and Calibration.....	22
Summary of Baseline Monitoring results and Observations .....	22

Action and Limit Levels .....	24
Event and Action Plan .....	24
4. REVISIONS FOR INCLUSION IN THE EM&A MANUAL .....	27
5. CONCLUSIONS .....	28

### List of Tables

Table 1	Summary of 24-hour average TSP Monitoring Data and Action and Limit Level
Table 2	Summary of 1-hour average TSP Monitoring Data and Action and Limit Level
Table 3	Summary of Daytime noise levels and Action and Limit Level
Table 4	Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels
Table 5	Summary of Night-time (all days) noise levels
Table 2.1	Air Quality Monitoring Stations Listed in EM&A Manual
Table 2.2	Air Quality Monitoring Stations
Table 2.3	Air Quality Monitoring Parameters, Frequency and Duration
Table 2.4	Air Quality Monitoring Equipment
Table 2.5	Summary of Construction Sites nearby Air Monitoring Stations
Table 2.6	Summary of 24-hour average TSP Monitoring Data
Table 2.7	Summary of 1-hour average TSP Monitoring Data
Table 2.8	Action and Limit Levels for Construction Dust Monitoring
Table 2.9	Action and Limit Levels of 24-hour average TSP for Construction Dust Monitoring
Table 2.10	Action and Limit Levels of 1-hour average TSP for Construction Dust Monitoring
Table 2.11	Event and Action Plan for Construction Dust Monitoring
Table 3.1	Noise Monitoring Stations listed in EM&A manual
Table 3.2	Noise Monitoring Stations
Table 3.3	Noise Monitoring Parameters, Frequency and Duration
Table 3.4	Noise Monitoring Equipment
Table 3.5	Summary of Construction Sites nearby Noise Monitoring Stations
Table 3.6	Summary of Day-time (weekdays) noise levels

- Table 3.7 Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels
- Table 3.8 Summary of Night-time (all days) noise levels
- Table 3.9 Action and Limit Levels for Construction Noise Monitoring
- Table 3.10 Event and Action Plan for Construction Noise Monitoring
- Table 4.1 Air Quality Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)
- Table 4.2 Noise Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)

### **List of Figure**

- Figure 1 – Proposed works of Contract No. ED/2018/01
- Figure 2 – Proposed Bus Stop And Associated Noise Barrier At Road D3A
- Figure 3 – Future Pedestrian Connection Between Landscaped Deck And Private Developments
- Figure 4 – Site Layout Plan
- Figure 5 – Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)
- Figure 6 – Air Quality Monitoring Stations
- Figure 7 – Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)
- Figure 8 – Noise Monitoring Stations

### **List of Appendices**

- Appendix A – Construction Programme
- Appendix B – Baseline monitoring schedule
- Appendix C – Email to Grand Waterfront
- Appendix D – Approval for Baseline Monitoring Programme
- Appendix E – Photographic records
- Appendix F – Cal cert, catalogue of air quality monitoring equipment

Appendix G – Graphical presentation of baseline air quality monitoring data

Appendix H – 24-hr TSP monitoring data

Appendix I – 1-hr TSP monitoring data

Appendix J – Weather information during baseline monitoring period

Appendix K – Cal cert, catalogue of noise monitoring equipment

Appendix L – Graphical presentation of baseline noise monitoring data

Appendix M – Day-time (weekdays) noise monitoring data

Appendix N – Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise monitoring data

Appendix O – Night-time (all days) noise monitoring data

## EXECUTIVE SUMMARY

1. Ka Shing Management Consultant Limited was commissioned by Civil Engineering and Development Department to undertake the role of the Environmental Team for Contract No. ED/2018/01 - Kai Tak Development – stage 4 infrastructure at the former runway and south apron (The Project).
2. Baseline monitoring was conducted from 28 October 2019 to 10 November 2019 for 14 consecutive days. The baseline monitoring results form the basis for determining the Action and Limit Levels for the impact monitoring during construction phase.

### **Air quality monitoring**

3. Baseline air quality monitoring (24-hr TSP and 1-hr TSP) was conducted at 3 monitoring locations (AM3, AM4(A) and AM7).
4. The recorded baseline air quality results and Action and Limit Levels for 24-hr TSP and 1-hr TSP are summarized in Table 1 and Table 2 respectively.

*Table 1 Summary of 24-hour average TSP Monitoring Data and Action and Limit Level*

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AM3	79	45 – 105	182	260
AM4(A)	87	42 – 149	187	260
AM7	79	31 - 125	181	260

*Table 2 Summary of 1-hour average TSP Monitoring Data and Action and Limit Level*

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AM3	72	38 – 104	297	500
AM4(A)	117	72 – 167	326	500
AM7	99	71 - 137	315	500

### **Noise monitoring**

5. Baseline noise monitoring was conducted at 2 monitoring locations (M11 and M12) with 24 hours continuously monitoring. Monitoring data was analyzed under the following periods:
  - Day-time (0700-1900 hrs) on weekdays

- Evening-time (1900-2300 hrs) on weekdays and Day-time (0700-1900 hrs) and Evening-time (1900-2300 hrs) on weekends / holidays
- Night time (2300-0700 hrs) on all days

6. The recorded baseline noise levels and Action and Limit Levels is summarized in Table 3, Table 4 and Table 5 respectively.

*Table 3 Summary of Daytime noise levels and Action and Limit Level*

Time Period	Noise Monitoring Station	Average $L_{Aeq, 30-min}$ during 0700 – 1900 on normal weekdays, dB(A)	Range of $L_{Aeq, 30-min}$ during 0700 – 1900 on normal weekdays, dB(A)	Action Level	Limit Level, dB(A)
$L_{Aeq, 30-min}$ 0700 – 1900 on normal weekdays	M11	68.3	61.8 – 72.6	When documented complaint received.	one is 75
	M12	61.9	44.8 – 74.6		

*Table 4 Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels*

Evening-time (1900-2300 hrs) on weekdays Day-time (0700-1900 hrs) & Evening-time (1900-2300 hrs) on holidays	Sound Pressure Level, dB(A)		
	$L_{Aeq, 5-min}$		
Noise Monitoring Station	Average	Max.	Min.
M11	66.5	78.2	56.9
M12	57.3	75.2	46.9

*Table 5 Summary of Night-time (all days) noise levels*

Night-time (2300-0700 hrs next day)	Sound Pressure Level, dB(A)		
	$L_{Aeq, 5-min}$		
Noise Monitoring Station	Average	Max.	Min.
M11	63.1	77.6	51.7
M12	54.4	74.6	46.3

# 1. INTRODUCTION

## Project Background

- 1.1 The Kai Tak Development (KTD) is located in the southern part of Kowloon Peninsula of the HKSAR, comprising the apron and runway areas of the former Kai Tak Airport and existing waterfront areas at To Kwa Wan, Ma Tau Kok, Kowloon Bay, Kwun Tong and Cha Kwo Ling.
- 1.2 Contract No. ED/2018/01 - Kai Tak Development – stage 4 infrastructure at the former runway and south apron (The Project), comprises mainly the design and construction of a dual two-lane Road D3 (Metro Park Section), a single 2-lane Road L12d, a salt water pumping station, a sewage pumping station, landscaped deck and promenade above and adjoining Road D3 (Metro Park Section) respectively, some remaining road works at Road L14, noise barrier at Road D3A, and other associated works at the former runway and south apron. The proposed works are shown in Figure 1 and Figure 2. During the course of the Contract No. ED/2018/01, there may be modification of noise barriers in association with the construction of footbridges connecting to the landscaped deck of Road D3A by developers of adjacent lands (Figure 3). The proposed works and site boundary are shown in Figure 4. The construction programme of the Project is given in Appendix A. Civil Engineering and Development Department (CEDD) had completed an Environmental Impact Assessment (EIA) and is the Permit Holder.
- 1.3 In accordance with the approved EIA Reports, Environmental Monitoring and Audit (EM&A) programmes are recommended to ensure compliance with the EIA study recommendations. The project proponent was the Civil Engineering and Development Department (CEDD). AECOM Asia Co. Ltd. (AECOM) was commissioned by CEDD as Supervisor (act as Engineers' Representative (ER) listed in EM&A Manual). Ramboll Hong Kong Limited (Ramboll) was commissioned as the Independent Environmental Checker (IEC). Penta-Ocean Construction Co., Ltd. (Penta-Ocean) was appointed as the main Contractor for the construction works of Contract No. ED/2018/01. Ka Shing Management Consultant Limited (KS) was commissioned by CEDD to undertake the role of the Environmental Team (ET) to implement the EM&A programme for The Project.
- 1.4 The construction work under ED/2018/01 comprises the EM&A Manuals (EIA Register Nos. AEIAR-130/2009 for Kai Tak Development and EIA Register Nos. AEIAR-170/2013 for Roads D3A and D4A) and Environmental Permit Nos. EP-337/2009, EP-445/2013 and Variation to the EP (VEP) No. EP-445/2013/A.

- 1.5 Air quality and noise monitoring has been proposed in the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development while no air quality and noise monitoring are proposed in EM&A Manual with EIA Register Nos. AEIAR-170/2013 for Roads D3A and D4A.

### **Purpose of the Baseline Monitoring Report**

- 1.6 Baseline air quality and noise monitoring has been proposed in the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development under EP-337/2009 while no air quality and noise monitoring are proposed in EM&A Manual with EIA Register Nos. AEIAR-170/2013 for Roads D3A and D4A under EP-445/2013 and VEP No. EP-445/2013/A.
- 1.7 Baseline air quality and noise monitoring was conducted according to the approved Baseline Monitoring Programme from 28 October 2019 to 10 November 2019 at 3 air quality monitoring locations (AM3, AM4(A) and AM7) and 2 noise monitoring locations (M11 and M12). The measurement schedule is given in Appendix B.
- 1.8 This report presents the methodology of the required monitoring parameters, location and frequency for baseline air quality and noise monitoring at monitoring stations and also established the Action and Limit Levels for impact monitoring during construction phase of the Project.

### **Structure of the Baseline Monitoring Report**

- 1.9 The structure of the report is as follows:

- Section 1 Introduction
- Section 2 Air Quality Monitoring
- Section 3 Noise Monitoring
- Section 4 Revisions for inclusion in the EM&A Manual
- Section 5 Conclusions

## 2. AIR QUALITY MONITORING

### Monitoring Requirements

2.1 In accordance with the EM&A Manual with EIA Register Nos. AEIAR-130/2009, baseline monitoring shall be carried out at all of the designated monitoring locations for at least 14 consecutive days prior to the commissioning of the construction works to obtain daily 24-hour TSP samples. 1-hour TSP sampling shall also be done at least 3 times per day prior to the commencement of the construction works.

### Monitoring Locations

#### Air Quality Monitoring Stations Listed in EM&A Manual

2.2 According to the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development, 6 designated locations, AM1 to AM6, are selected as air quality monitoring stations which are shown in Table 2.1 and details refer to Figure 5.

*Table 2.1 Air Quality Monitoring Stations Listed in EM&A Manual*

Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 500m away from the Project site boundary <sup>^</sup>	Existing Air Quality Monitoring Stations under EM&A Programme
AM1 - Rhythm Garden	Residential	Outside	AM1(C) – Contractor’s Site Office of KL/2015/03 under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM2 - Lee Kau Yan Memorial School	School	Outside	AM2 – Lee Kau Yan Memorial School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM3 - Sky Tower	Residential	Within	AM3(A) – Holy Trinity Bradbury Centre under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM4 - Grand Waterfront	Residential	Within	AM4(C) – NFS Pump Room

Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 500m away from the Project site boundary^	Existing Air Quality Monitoring Stations under EM&A Programme
			under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM5 - CCC Kei To Secondary School	School	Outside	AM5(B) – CCC Kei To Secondary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
AM6 - Site 1B4 (Planned)	Vacant Land	Within	NA

NOTE:

^ Detailed locations refer to Figure 5.

2.3 All air quality monitoring parameter, frequency and period are identical to those as set out under the respective approved EM&A Manual with EIA Register Nos. AEIAR-130/2009, and they are applicable to all concerned air monitoring locations. With reference to the same principle of EIA report of the Project, air quality monitoring station will only be provided at Air Sensitive Receivers (ASRs) within 500 m from the boundary of the Project. AM1, AM2, AM5 are not located within 500m site boundary of the Project and thus these 3 ASRs are not covered in this baseline monitoring report.

2.4 AM6 is now vacant land which is planning as primary school. According to the Baseline Environmental Monitoring Report (Part II) dated December 2010, baseline air quality monitoring was not conducted at AM6. Baseline and impact monitoring will be sought once development is completed and occupied and thus this ASR is not covered in this baseline monitoring report.

#### Alternative and additional air quality monitoring stations

2.5 ET have conducted the site visit with the representative of the Property Management of Grand Waterfront on 21 August 2019 for selecting the monitoring station location. Only 44/F refuge floor (R2/F) was allowed for installation. ET explained the purpose of environmental monitoring and sent the installation proposal to Property Management during August 2019 (refer to Appendix C). No permission of setup and entry was received until the date of preparation of this baseline monitoring report. Baseline air quality monitoring was conducted at the alternative monitoring station of AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop.

2.6 Hong Kong Children’s Hospital was opened on 21 June 2019, the hospital is considered as air sensitive receivers located within 500m of site boundary and in vicinity of the construction site. Baseline air quality monitoring was conducted at the additional monitoring station of AM7 - Hong Kong Children’s Hospital.

2.7 The alternative and additional monitoring location proposal was approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009. Details please refer to Appendix D. The air quality monitoring locations are listed in Table 2.2.

*Table 2.2 Air Quality Monitoring Stations*

Air Quality Monitoring Locations for the Project	Status of Air Quality Monitoring Locations	Within / Outside 500m away from the Project site boundary <sup>^</sup>	Land Used	Fulfill the selection criteria of alternative and additional monitoring location	Location of Measurement
AM3 - Sky Tower	Listed in EM&A Manual	Within	Residential	NA	Podium floor near T7
AM4(A) - The Hong Kong Society for the Blind’s Factory cum Sheltered Workshop	Alternative of AM4 Grand Waterfront	Within	Workshop	1. Within 500m of site boundary; 2. Located in vicinity of the construction site.	Rooftop
AM7 – Hong Kong Children’s Hospital	Additional	Within	Hospital	1. Hong Kong Children’s Hospital was opened on 21 June 2019, the hospital is considered as air sensitive receivers located within 500m of site boundary; 2. Located in vicinity of the construction site.	Rooftop

NOTE:

<sup>^</sup> Detailed locations refer to Figure 6.

## **Monitoring Parameters, Frequency and Duration**

2.8 The air quality monitoring locations and monitoring frequency are listed in Table 2.3.

*Table 2.3 Air Quality Monitoring Parameters, Frequency and Duration*

Air Monitoring Station	Location for Measurement	Parameter	Time Period	Frequency
AM3 - Sky Tower (Original)	Podium floor near T7	- 24-hour average TSP  - 1-hour average TSP	At least 14 consecutive days prior to the commissioning of the construction works.	- Daily  - 3 times / day
AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Alternative of AM4)	Rooftop		- 24 hours	
AM7 - Hong Kong Children's Hospital (Additional)	Rooftop		- 0700-1900 hrs	

2.9 Photographic records of the baseline monitoring setup are shown in Appendix E.

## **Monitoring Equipment**

2.10 24-hour average TSP and 1-hour average TSP levels were measured for Baseline monitoring. 24-hour average TSP levels were measured by the High Volume Samplers (HVS) and 1-hour average TSP levels were measured by direct reading method to indicate short-term impacts. Wind data monitoring equipment was set up at conspicuous locations for logging wind speed and wind direction near to the dust monitoring locations. Table 2.4 summarizes the equipment to be used in the air quality monitoring.

*Table 2.4 Air Quality Monitoring Equipment*

Equipment	Model	Quantity
HVS Sampler	TE-5170 X c/w of TSP sampling inlet	3
Calibrator	TISCH TE-5025A	1
1-hour TSP Dust Meter	TSI Model AM510 SidePak Personal Aerosol Monitor	2
Wind Anemometer	Davis Vantage Pro2 Weather Station	1

2.11 High volume samplers (HVS) (TE-5170 X c/w of TSP sampling inlet) comprising with

appropriate sampling inlets were employed for 24-hour TSP monitoring. The sampler was composed of a motor, a filter holder, a flow controller and a sampling inlet and its performance specification complied with that required by USEPA Standard Title 40, Code of Federation Regulations Chapter 1 (Part 50).

2.12 Calibration certificates, catalogue of used equipment are given in Appendix F.

## **Monitoring Methodology and QA/QC Procedure**

### ***24-hour TSP Monitoring***

#### **Operating/Analytical Procedures**

2.13 Operating/analytical procedures for the operation of HVS are shown as follows:

- A horizontal platform with appropriate support to secure the samplers against gusty wind was provided.
- No two samplers were placed less than 2m apart.
- The distance between the sampler and an obstacle, such as buildings, was at least twice the height that the obstacle protrudes above the sampler.
- A minimum of 2m of separation from walls, parapets and penthouses was set for the rooftop samples.
- A minimum of 2m separation from any supporting structure, measured horizontally was set.
- No furnaces or incineration flues was nearby.
- Airflow around the sampler was unrestricted.
- The sampler was more than 20m from the dripline.
- Any wire fence and gate, to protect the samplers, was not caused any obstruction during monitoring.
- Permission were obtained to setup the samplers and to obtain access to the monitoring stations.
- A secured supply of electricity was provided to operate the samplers.

2.14 Prior to the commencement of the dust sampling, the flow rate of the HVS was properly set (between 1.1 m<sup>3</sup>/min. and 1.4 m<sup>3</sup>/min.) in accordance with the manufacturer's instruction to within the range recommended in USEPA Standard Title 40, CFR Part 50.

- 2.15 For TSP sampling, Glass Fiber Filter Media 8" x 10" have a collection efficiency of > 99 % for particles of 0.3 µm diameter were used.
- 2.16 The power supply was checked to ensure the sampler worked properly. On sampling, the sampler was operated for 5 minutes to establish thermal equilibrium before placing any filter media at the designated air monitoring station.
- 2.17 The filter holding frame was removed by loosening the four nuts and a weighted and conditioned filter was carefully centered with the stamped number upwards, on a supporting screen.
- 2.18 The filter was aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter. Then the filter holding frame was tightened to the filter holder with swing bolts. The applied pressure was sufficient to avoid air leakage at the edges.
- 2.19 The shelter lid was closed and secured with the aluminium strip.
- 2.20 The timer was programmed. Information was recorded on the record sheet, which included the starting time, the weather condition and the filter number (the initial weight of the filter paper can be found out by using the filter number).
- 2.21 After sampling, the filter was removed from the HVS and put into a clean and labeled seal plastic bag to avoid cross contamination. The elapsed time was also be recorded. The sampled filters were sent to the Castco Testing Centre Limited for weighting.
- 2.22 Before weighing, all filters were equilibrated in a conditioning environment for 24 hours. The conditioning environment temperature was between 25°C and 30°C and not vary by more than ±3°C; the relative humidity (RH) was less than 50% and not vary by more than ±5%. A convenient working RH is 40%.

#### Maintenance/Calibration

2.23 The following maintenance/calibration are required for the HVS:

- The HVS and their accessories were properly maintained. Appropriate maintenance such as routine motor brushes replacement and electrical wiring checking were made to ensure that the equipment and necessary power supply are in good working condition.
- High volume samplers were calibrated with at bi-monthly intervals using TE-5025A

Calibration Kit throughout all stages of the air quality monitoring.

### ***1-hour TSP Monitoring***

#### Measurement Procedures

2.24 The measurement procedures of the 1-hour TSP were conducted in accordance with the Manufacturer's Instruction Manual as follows:

- Set up the dust meter on a tripod at 1.2m level.
- Turned on the dust meter and check the battery, if too low, change new ones. Pointed the meter to the source area or the planned measurement area.
- The zero calibration of the instrument was conducted before and after each sampling.
- TSP levels were recorded for 1-hour with 5-minute data logging interval.
- Recorded down the general meteorological conditions, Test ID no., start/end time, initial/final reading at each sampling location for data processing.
- Recorded any activities that may generate dust during measurement period.

#### Maintenance/Calibration

2.25 The following maintenance/calibration are required for the direct dust meters:

- To validity the accuracy of dust meter, compare the results measured by dust meter and HVS by direct reading method every 12 months throughout all stages of the air quality monitoring.

### **Wind Data Monitoring**

2.26 Wind Anemometer was installed at the roof-top of AM7 - Hong Kong Children's Hospital with 10m above ground and clear of constructions or turbulence caused by the buildings.

2.27 The wind data was captured by a data logger. The data was downloaded for analysis after the completion of baseline monitoring.

2.28 The wind data monitoring equipment will be re-calibrated at least once every six months.

2.29 Wind direction is divided into 16 sectors of 22.5 degrees each.

## Summary of Baseline Monitoring results and Observations

2.30 Baseline monitoring was conducted from 28 October 2019 to 10 November 2019 at 3 monitoring locations (AM3, AM4(A) and AM7).

2.31 No construction activities inside the Project site boundary were observed during baseline monitoring.

2.32 Non-project related construction activities near the air monitoring stations were observed. Construction activities are summarized in Table 2.5.

*Table 2.5 Summary of Construction Sites nearby Air Monitoring Stations*

Air Monitoring Station	Construction Site nearby	Project Proponent	Construction Activities Observed
AM3	Kai Tak Sports Park (HAB/KTSP/01)	Home Affairs Bureau	<ol style="list-style-type: none"> <li>1) Ground Investigation</li> <li>2) Piling works (Percussive piling, Socket H piling and Bored piling)</li> <li>3) Setting up of temporary site office</li> <li>4) Mobilization</li> <li>5) Concreting and excavation</li> </ol>
AM4(A)	Kai Tak Sports Park (HAB/KTSP/01)	Home Affairs Bureau	<ol style="list-style-type: none"> <li>1) Ground Investigation</li> <li>2) Piling works (Percussive piling, Socket H piling and Bored piling)</li> <li>3) Setting up of temporary site office</li> <li>4) Mobilization</li> <li>5) Concreting and excavation</li> </ol>
	Central Kowloon Route - Kai Tak West (HY/2014/07)	Highways Department	<ol style="list-style-type: none"> <li>1) Temporary working platform installation at underpass and depressed road</li> <li>2) Base slab and wall construction at underpass</li> <li>3) Backfilling works at ventilation adit</li> <li>4) Excavation and ELS installation at cut &amp; cover tunnel, depressed road and underpass</li> <li>5) Temporary Grouting</li> </ol>
AM7	New Acute Hospital	Hospital Authority	<ol style="list-style-type: none"> <li>1) Piling Works</li> </ol>

2.33 Graphical presentation and all monitoring data of 24-hour average TSP and 1-hour average TSP levels are shown in Appendix G, Appendix H and Appendix I respectively.

2.34 Monitoring data of 24-hour average TSP and 1-hour average TSP are summarized in Table 2.6 and Table 2.7 respectively.

*Table 2.6 Summary of 24-hour average TSP Monitoring Data*

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$
AM3	79	45 – 105
AM4(A)	87	42 - 149
AM7	79	31 - 125

*Table 2.7 Summary of 1-hour average TSP Monitoring Data*

Air Monitoring Station	Average TSP Concentration, $\mu\text{g}/\text{m}^3$	Range, $\mu\text{g}/\text{m}^3$
AM3	72	38 – 104
AM4(A)	117	72 – 167
AM7	99	71 - 137

2.35 The weather was general sunny during the baseline monitoring period. Details of weather information during the baseline monitoring period are shown in Appendix J.

### **Action and Limit Levels**

2.36 The baseline monitoring results form the basis for determining the Action and Limit Levels for the impact monitoring. Table 2.8 shows the required Action and Limit Levels.

*Table 2.8 Action and Limit Levels for Construction Dust Monitoring*

Parameter	Action Level <sup>(1)</sup>	Limit Level
24-hour average TSP	$\text{BL} \leq 200 \mu\text{g}/\text{m}^3$ , $\text{AL} = (\text{BL} * 1.3 + \text{LL}) / 2$ $\text{BL} > 200 \mu\text{g}/\text{m}^3$ , $\text{AL} = \text{LL}$	260 $\mu\text{g}/\text{m}^3$
1-hour average TSP	$\text{BL} \leq 384 \mu\text{g}/\text{m}^3$ , $\text{AL} = (\text{BL} * 1.3 + \text{LL}) / 2$ $\text{BL} > 384 \mu\text{g}/\text{m}^3$ , $\text{AL} = \text{LL}$	500 $\mu\text{g}/\text{m}^3$

Note: (1) BL = Baseline level, AL = Action Level, LL = Limit Level.

2.37 The Action and Limit Levels of 24-hour average TSP and 1-hour average TSP are summarized in Table 2.9 and Table 2.10 respectively.

*Table 2.9 Action and Limit Levels of 24-hour average TSP for Construction Dust Monitoring*

Air Monitoring Station	Action Level, µg/m <sup>3</sup>	Limit Level, µg/m <sup>3</sup>
AM3	182	260
AM4(A)	187	260
AM7	181	260

*Table 2.10 Action and Limit Levels of 1-hour average TSP for Construction Dust Monitoring*

Air Monitoring Station	Action Level, µg/m <sup>3</sup>	Limit Level, µg/m <sup>3</sup>
AM3	297	500
AM4(A)	326	500
AM7	315	500

**Event and Action Plan**

2.38 ET will compare the impact monitoring results with Action and Limit Levels for 24-hour average and 1-hour average TSP. If non-compliance of the Action and Limit Levels occur, action in accordance with Event and action in EM&A Manual shall be carried out. Details refer to Table 2.11.

*Table 2.11 Event and Action Plan for Construction Dust Monitoring*

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
Action Level being exceeded by one sampling	<ol style="list-style-type: none"> <li>Identify source and investigate the causes of exceedance;</li> <li>Inform Contractor, IEC and Supervisor /ER;</li> <li>Repeat measurement to confirm finding.</li> </ol>	<ol style="list-style-type: none"> <li>Check monitoring data submitted by ET;</li> <li>Check Contractor's working method.</li> </ol>	<ol style="list-style-type: none"> <li>Notify Contractor.</li> </ol>	<ol style="list-style-type: none"> <li>Rectify any unacceptable practice;</li> <li>Amend working methods if appropriate.</li> </ol>
Action	<ol style="list-style-type: none"> <li>Identify source</li> </ol>	<ol style="list-style-type: none"> <li>Check</li> </ol>	<ol style="list-style-type: none"> <li>Confirm</li> </ol>	<ol style="list-style-type: none"> <li>Discuss with</li> </ol>

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
Level being exceeded by two or more consecutive sampling	<ol style="list-style-type: none"> <li>2. Inform Contractor, IEC and Supervisor /ER;</li> <li>3. Increase monitoring frequency to daily;</li> <li>4. Discuss with IEC and Contractor on remedial actions required;</li> <li>5. Assess the effectiveness of Contractor's remedial actions;</li> <li>6. If exceedance continues, arrange meeting with IEC and Supervisor /ER;</li> <li>7. If exceedance stops, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>2. Check Contractor's working method;</li> <li>3. Discuss with ET and Contractor on possible remedial measures;</li> <li>4. Advise the Supervisor /ER on the effectiveness of the proposed remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>2. Notify Contractor;</li> <li>3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented;</li> <li>4. Supervise implementation of remedial measures;</li> <li>5. Conduct meeting with ET and IEC if exceedance continues.</li> </ol>	<ol style="list-style-type: none"> <li>2. Submit proposals for remedial actions to Supervisor /ER and IEC within three working day of notification;</li> <li>3. Implement the agreed proposals;</li> <li>4. Amend proposal if appropriate.</li> </ol>
Limit Level being exceeded by one sampling	<ol style="list-style-type: none"> <li>1. Identify source and investigate the causes of exceedance;</li> <li>2. Inform Contractor, IEC, Supervisor /ER, and EPD;</li> <li>3. Repeat measurement to confirm finding;</li> <li>4. Assess effectiveness of Contractor's remedial actions and keep EPD, IEC</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET;</li> <li>2. Check Contractor's working method;</li> <li>3. Discuss possible remedial measures with ET and Contractor;</li> <li>4. Advise the Supervisor /ER on the effectiveness of the proposed</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of exceedance in writing;</li> <li>2. Notify Contractor;</li> <li>3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented;</li> <li>4. Supervise implementation of remedial measures;</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance;</li> <li>2. Discuss with ET and IEC on proper remedial actions;</li> <li>3. Submit proposal for remedial actions to Supervisor /ER and IEC within three working days of notification;</li> </ol>

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
	and Supervisor /ER informed of the results.	remedial measures.	5. Conduct meeting with ET and IEC if exceedance continues.	4. Implement the agreed proposals.
Limit Level being exceeded by two or more consecutive sampling	<ol style="list-style-type: none"> <li>1. Notify IEC, Supervisor /ER, Contractor and EPD;</li> <li>2. Repeat measurement to confirm findings;</li> <li>3. Carry out analysis of Contractor's working procedures to identify source and investigate the causes of exceedance;</li> <li>4. Increase monitoring frequency to daily;</li> <li>5. Arrange meeting with IEC, Supervisor /ER and Contractor to discuss the remedial action to be taken;</li> <li>6. Assess effectiveness of Contractor's remedial actions and keep EPD, IEC and Supervisor /ER informed of the results;</li> <li>7. If exceedance stop, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET;</li> <li>2. Check Contractor's working method;</li> <li>3. Discuss with Supervisor /ER, ET, and Contractor on the potential remedial actions;</li> <li>4. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the Supervisor /ER accordingly.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of exceedance in writing;</li> <li>2. Notify Contractor;</li> <li>3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented;</li> <li>4. Supervise implementation of remedial measures;</li> <li>5. If exceedance continues, consider stopping the Contractor to continue working on that portion of work which causes the exceedance until the exceedance is abated.</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance;</li> <li>2. Discuss with ET and IEC on proper remedial actions;</li> <li>3. Submit proposal for remedial actions to Supervisor /ER and IEC within three working days of notification;</li> <li>4. Implement the agreed proposals;</li> <li>5. Submit further remedial actions if problem still not under control;</li> <li>6. Stop the relevant portion of works as instructed by the Supervisor /ER until the exceedance is abated.</li> </ol>

### 3. NOISE MONITORING

#### Monitoring Requirements

- 3.1 In accordance with the EM&A Manual with EIA Register Nos. AEIAR-130/2009, baseline noise monitoring should be carried out prior to the commencement of the construction works.
- 3.2 The baseline noise levels should be measured at least 14 consecutive days throughout the day (Day-time: 0700-1900 hrs, Evening-time: 1900-2300 hrs and Night-time: 2300-0700 hrs) including weekdays and weekends.

#### Monitoring Locations

##### Noise Monitoring Stations Listed in EM&A Manual

- 3.3 According to the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for Kai Tak Development, 10 designated noise monitoring stations, M1 to M10, are selected as noise monitoring stations which are shown in Table 3.1 and details refer to Figure 7.

*Table 3.1 Noise Monitoring Stations listed in EM&A manual*

Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 300m away from the Project site boundary <sup>^</sup>	Existing Noise Monitoring Stations under EM&A Programme
M1 - Buddhist Chi King Primary School	School	Outside	M1 - Buddhist Chi King Primary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M2 - S.K.H Kowloon Bay Kei Lok Primary School	School	Outside	M2 - S.K.H. Kowloon Bay Kei Lok Primary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development

Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Land Used	Within / Outside 300m away from the Project site boundary^	Existing Noise Monitoring Stations under EM&A Programme
M3 - Cognito College	School	Outside	M4 - Cognito College under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M4 - Lee Kau Yan Memorial School	School	Outside	M5 - Lee Kau Yan Memorial School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M5 - Nam Yuen	Residential	Outside	M6(C) - Mercy Grace's Home under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M6 - Holly Carpenter Primary School	School	Outside	M7(A) - Oblate Primary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M7 - CCC Kei To Secondary School	School	Outside	M8 - CCC Kei To Secondary School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M8 - Po Leung Kuk Ngan Po Ling College	School	Outside	M9(Temporary) - Near Chi Yun School under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M9 - Tak Long Estate (Site 1B1)	Residential	Outside	M10 - Tak Long Estate Carpark under Contract No. KLN/2016/09 - Environmental Monitoring Works for Kai Tak Development
M10 - Site 1B4 (Planned)	Vacant Land	Outside	NA

NOTE:

^ Detailed locations refer to Figure 7.

3.4 All noise monitoring parameter, frequency and period are identical to those as set out under the respective approved EM&A Manual with EIA Register Nos. AEIAR-130/2009, and they are applicable to all concerned noise monitoring locations. With reference to the same principle of EIA report of the Project, noise monitoring station will only be provided at Noise Sensitive Receivers (NSRs) within 300 m from the boundary of the Project. All 10 points are not located within 300m site boundary of the Project and thus they are not covered in this

baseline monitoring report.

Additional noise monitoring stations

- 3.5 ET Leader additionally complemented 2 noise monitoring locations, M11 and M12, which are representative and within 300m of the project site boundary.
- 3.6 The Hong Kong Society for the Blind’s Factory cum Sheltered Workshop was within 300m of site boundary and close to the major site activities. Baseline noise monitoring was conducted at the additional monitoring station of M11 - The Hong Kong Society for the Blind’s Factory cum Sheltered Workshop.
- 3.7 Hong Kong Children’s Hospital was opened on 21 June 2019, the hospital is considered as noise sensitive receivers located within 300m of site boundary and in vicinity of the construction site. Baseline noise monitoring was conducted at the additional monitoring station of M12 - Hong Kong Children’s Hospital.
- 3.8 The additional monitoring location proposal was approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009. Details please refer to Appendix D. The noise monitoring locations are listed in Table 3.2.

*Table 3.2 Noise Monitoring Stations*

Noise Monitoring Locations for the Project	Status of Noise Monitoring Locations	Within / Outside 300m away from the Project site boundary^	Land Used	Fulfill the selection criteria of additional monitoring location	Location of Measurement
M11 - The Hong Kong Society for the Blind’s Factory cum Sheltered Workshop	Additional	Within	Workshop	<ol style="list-style-type: none"> <li>1. Within 300m of site boundary.</li> <li>2. Close to the major site activities.</li> <li>3. Assurance of minimal disturbance to the occupants during monitoring.</li> </ol>	Rooftop (Façade)
M12 - Hong Kong Children’s Hospital	Additional	Within	Hospital	<ol style="list-style-type: none"> <li>1. Hong Kong Children’s Hospital was opened on 21 June 2019, the hospital is considered as noise</li> </ol>	Rooftop (Façade)

Noise Monitoring Locations for the Project	Status of Noise Monitoring Locations	Within / Outside 300m away from the Project site boundary <sup>^</sup>	Land Used	Fulfill the selection criteria of additional monitoring location	Location of Measurement
				sensitive receivers located within 300m of site boundary. 2. Close to the major site activities. 3. Assurance of minimal disturbance to the occupants during monitoring.	

NOTE:

<sup>^</sup> Detailed locations refer to Figure 8.

### **Monitoring Parameters, Frequency and Duration**

3.9 The noise monitoring locations and monitoring frequency are listed in Table 3.3.

*Table 3.3 Noise Monitoring Parameters, Frequency and Duration*

Noise Monitoring Station	Location for Measurement	Parameter	Time Period	Duration, minute
M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Additional)	Rooftop (Façade)	L <sub>Aeq</sub> , L <sub>A10</sub> and L <sub>A90</sub>	At least 14 consecutive days prior to the commissioning of the construction works.	- 30 minutes with average of 6 consecutive L <sub>eq, 5-min</sub>
			- Daytime (0700-1900 hrs) Weekdays	
M12 - Hong Kong Children's Hospital (Additional)	Rooftop (Façade)		- Daytime (0700-1900 hrs) Weekends / Holidays	- 5 minutes
			- Evening time (1900-2300 hrs) All days	- 5 minutes
			- Night time (2300-0700 hrs) All days	- 5 minutes

3.10 Photographic records of the baseline monitoring setup are shown in Appendix E.

### **Monitoring Equipment**

3.11 As referred to in the Technical Memorandum (TM) issued under the Noise Control Ordinance (NCO), sound level meters in compliance with the IEC 61672-1 (Type 1) standard [this standard replaced the International Electrotechnical Commission Publications 60651:1979 (Type 1) and 60804:1985 (Type 1)] were used for noise monitoring. Table 3.4 summarizes the equipment to be used in the noise monitoring.

*Table 3.4 Noise Monitoring Equipment*

Equipment	Model	Quantity
Sound Level Meter	RION NL52	2
Sound Level Calibrator	RION NC 74	1
Air Flowmeter	TSI TA440 Air Velocity	1

3.12 Calibration certificates, catalogue of used equipment are given in Appendix K.

### **Monitoring Methodology and QA/QC Procedure**

3.13 The noise level measurement was conducted at 1m from the exterior of the nearby noise sensitive receivers building façade and at 1.2m above the ground and facing to the source area or the planned measurement area.

3.14 No noise measurement was conducted in the presence of fog, rain, wind with a steady speed exceeding 5 m/s or wind with gusts exceeding 10 m/s. Air flow was measured by air flow meter.

3.15 Turned on the sound level meter and check the battery, if too low, change new ones.

3.16 Calibration was conducted immediately prior to and after each noise measurement, the accuracy of the sound level meters was checked by using sound calibrator generating 1,000 Hz with 94dB. Measurement data was found to be valid only if the calibration level from before and after the noise measurement agreed to within 1.0 dB.

3.17 Noise level was recorded.

3.18 Recorded any activities that may generate noise during measurement period.

### **Maintenance and Calibration**

3.19 The microphone head of the sound level meter and calibrator was cleaned with a soft cloth at quarterly intervals.

3.20 The sound level meter and sound calibrator were calibrated annually.

3.21 Calibration for sound level meter was conducted immediately prior to and following each noise measurement by using sound calibrator generating a known sound pressure level at a known frequency (1,000 Hz with 94dB). Measurements may be accepted as valid only if the calibration levels from before and after the noise measurement agree to within 1.0 dB.

### **Summary of Baseline Monitoring results and Observations**

3.22 Baseline monitoring was conducted from 28 October 2019 to 10 November 2019 at 2 monitoring locations (M11 and M12).

3.23 The weather was general sunny during the baseline monitoring period. Details of weather information during the baseline monitoring period are shown in Appendix I. It is noticed that 3mm of rainfall was recorded on 28 October 2019 at Kai Tak automatic weather station. However after reviewing those monitoring data of M11 & M12, there was no abnormal data being found. Therefore the noise data obtained during the precipitation is not necessary to be excluded from the calculations of baseline noise levels.

3.24 No construction activities inside the Project site boundary were observed during baseline monitoring.

3.25 Non-project related construction activities near the noise monitoring stations were observed. Construction sites information are presented in Table 3.5.

*Table 3.5 Summary of Construction Sites nearby Noise Monitoring Stations*

Noise Monitoring Station	Construction Site nearby	Project Proponent	Construction Activities Observed
M11	Kai Tak Sports Park (HAB/KTSP/01)	Home Affairs Bureau	1) Ground Investigation 2) Piling works (Percussive piling, Socket H piling and Bored piling) 3) Setting up of temporary site office 4) Mobilization 5) Concreting and excavation
	Central Kowloon Route - Kai Tak West (HY/2014/07)	Highways Department	1) Temporary working platform installation at underpass and depressed road 2) Base slab and wall construction at underpass 3) Backfilling works at ventilation adit 4) Excavation and ELS installation at cut & cover tunnel, depressed road and underpass 5) Temporary Grouting
M12	New Acute Hospital	Hospital Authority	1) Piling Works

3.26 Graphical presentations are shown in Appendix L. All monitoring data of Day-time noise levels (weekdays); Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels; and Night-time noise levels are shown in Appendix M, Appendix N and Appendix O respectively.

3.27 Monitoring data of Day-time noise levels (weekdays), Evening-time (weekdays) and Day-time & Evening-time (Holidays), and Night-time (all days) noise levels are summarized in Table 3.6, Table 3.7 and Table 3.8 respectively.

*Table 3.6 Summary of Day-time (weekdays) noise levels*

Day-time (0700-1900 hrs)	Sound Pressure Level, dB(A)		
	L <sub>Aeq, 30-min</sub>		
Noise Monitoring Station	Average	Max.	Min.
M11	68.3	72.6	61.8
M12	61.9	74.6	44.8

*Table 3.7 Summary of Evening-time (weekdays) and Day-time & Evening-time (Holidays) noise levels*

Evening-time (1900-2300 hrs) on weekdays Day-time (0700-1900 hrs) & Evening-time (1900-2300 hrs) on holidays	Sound Pressure Level, dB(A)		
	L <sub>Aeq, 5-min</sub>		
Noise Monitoring Station	Average	Max.	Min.
M11	66.5	78.2	56.9
M12	57.3	75.2	46.9

*Table 3.8 Summary of Night-time (all days) noise levels*

Night-time (2300-0700 hrs next day)	Sound Pressure Level, dB(A)		
	L <sub>Aeq, 5-min</sub>		
Noise Monitoring Station	Average	Max.	Min.
M11	63.1	77.6	51.7
M12	54.4	74.6	46.3

### **Action and Limit Levels**

3.28 The Action and Limit Levels for construction noise were established in accordance with the EM&A Manual. The baseline noise level shall be referenced during the compliance check in the impact noise monitoring period. Table 3.9 presents the Action and Limit Levels for construction noise.

*Table 3.9 Action and Limit Levels for Construction Noise Monitoring*

Time Period	Noise Monitoring Station	Action Level	Limit Level <sup>(2)</sup>
0700 – 1900 on normal weekdays	M11 M12	When one documented complaint is received	75 dB(A)

Note: (2) If works are to be carried out during restricted hours, the conditions stipulated in the Construction Noise Permit (CNP) issued by the Noise Control Authority have to be followed.

### **Event and Action Plan**

3.29 ET will compare the impact monitoring results with Action and Limit Levels of construction noise. If non-compliance of the Action and Limit Levels occur, action in accordance with Event and action in EM&A Manual shall be carried out. Details refer to Table 3.10.

Table 3.10 Event and Action Plan for Construction Noise Monitoring

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
Action Level being exceeded	<ol style="list-style-type: none"> <li>1. Notify Supervisor / ER, IEC and Contractor;</li> <li>2. Carry out investigation;</li> <li>3. Report the results of investigation to the IEC, Supervisor / ER and Contractor;</li> <li>4. Discuss with the IEC and Contractor on remedial measures required;</li> <li>5. Increase monitoring frequency to check mitigation effectiveness.</li> </ol> <p>(The above actions should be taken within 2 working days after the exceedance is identified.)</p>	<ol style="list-style-type: none"> <li>1. Review the investigation results submitted by the ET;</li> <li>2. Review the proposed remedial measures submitted by the Contractor and advise the ER accordingly;</li> <li>3. Advise the Supervisor / ER on the proposed remedial measures.</li> </ol> <p>(The above actions should be taken within 2 working days after the exceedance is identified.)</p>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Notify Contractor;</li> <li>3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented;</li> <li>4. Supervise the implementation of remedial measures.</li> </ol> <p>(The above actions should be taken within 2 working days after the exceedance is identified.)</p>	<ol style="list-style-type: none"> <li>1. Submit noise mitigation proposal to IEC and Supervisor / ER;</li> <li>2. Implement noise mitigation proposals.</li> </ol> <p>(The above actions should be taken within 2 working days after the exceedance is identified.)</p>
Limit Level being exceeded	<ol style="list-style-type: none"> <li>1. Inform IEC, Supervisor /ER, Contractor and EPD;</li> <li>2. Repeat measurement to confirm findings;</li> <li>3. Increase monitoring frequency;</li> <li>4. Identify source and investigate the cause of exceedance;</li> <li>5. Carry out analysis of Contractor's working procedure;</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss the potential remedial actions with Supervisor /ER, ET and Contractor;</li> <li>2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the Supervisor /ER accordingly.</li> </ol> <p>(The above actions should be taken within 2 working days after the exceedance is identified.)</p>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Notify Contractor;</li> <li>3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented;</li> <li>4. Supervise the implementation of remedial measures;</li> <li>5. If exceedance continues,</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance;</li> <li>2. Submit proposals for remedial actions to IEC and Supervisor /ER within 3 working days of notification;</li> <li>3. Implement the agreed proposal;</li> <li>4. Submit further proposal if problem still not under control;</li> </ol>

Event	Action			
	ET	IEC	Supervisor / ER	Contractor
	<p>6. Discuss remedial measures required with the IEC, Contractor and Supervisor /ER;</p> <p>7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD, and Supervisor /ER informed of the results;</p> <p>8. If exceedance stops, cease additional monitoring. (The above actions should be taken within 2 working days after the exceedance is identified.)</p>	<p>identified.)</p>	<p>consider stopping the Contractor to continue working on that portion of work which causes the exceedance until the exceedance is abated. (The above actions should be taken within 2 working days after the exceedance is identified.)</p>	<p>5. Stop the relevant portion of works as instructed by the Supervisor /ER until the exceedance is abated. (The above actions should be taken within 2 working days after the exceedance is identified.)</p>

## 4. REVISIONS FOR INCLUSION IN THE EM&A MANUAL

- 4.1 The baseline monitoring was conducted according to the EM&A Manual with EIA Register Nos. AEIAR-130/2009 for air quality and noise.
- 4.2 The monitoring methodology and parameters monitored are all in line with the EM&A Manual with EIA Register Nos. AEIAR-130/2009.
- 4.3 According to the EM&A Manual with EIA Register Nos. AEIAR-130/2009, 6 designated locations, AM1 to AM6, and 10 designated noise monitoring stations, M1 to M10, are selected as air quality monitoring stations and noise monitoring stations respectively.
- 4.4 With reference to the same principle of EIA report of the Project, air quality monitoring station and noise monitoring station will only be provided at Air Sensitive Receivers (ASRs) within 500 m from the boundary of the Project and Noise Sensitive Receivers (NSRs) within 300 m from the boundary of the Project respectively. Details refer to Table 2.1 and Table 3.1.
- 4.5 Baseline monitoring was also conducted at alternative and additional environmental monitoring locations which were approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009. Details refer to Table 2.2 and Table 3.2.
- 4.6 Air quality and noise monitoring stations listed in the EM&A Manual and actual baseline monitoring stations are summarized in Table 4.1 and Table 4.2 respectively.

*Table 4.1 Air Quality Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)*

Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Baseline Air Quality Monitoring Stations
AM1 - Rhythm Garden	---
AM2 - Lee Kau Yan Memorial School	---
AM3 - Sky Tower	AM3 - Sky Tower
AM4 - Grand Waterfront	AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Alternative of AM4 Grand Waterfront)
AM5 - CCC Kei To Secondary School	---
AM6 - Site 1B4 (Planned)	---
---	AM7 – Hong Kong Children's Hospital (Additional)

*Table 4.2 Noise Monitoring Stations (Listed in EM&A Manual and Baseline Monitored)*

Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)	Baseline Noise Monitoring Stations
M1 - Buddhist Chi King Primary School	---
M2 - S.K.H Kowloon Bay Kei Lok Primary School	---
M3 - Cognito College	---
M4 - Lee Kau Yan Memorial School	---
M5 - Nam Yuen	---
M6 - Holly Carpenter Primary School	---
M7 - CCC Kei To Secondary School	---
M8 - Po Leung Kuk Ngan Po Ling College	---
M9 - Tak Long Estate (Site 1B1)	---
M10 - Site 1B4 (Planned)	---
---	M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop (Additional)
---	M12 - Hong Kong Children's Hospital (Additional)

4.7 Action and Limit Levels for 1-hour and 24-hour average TSP of air quality monitoring stations are established based on the baseline monitoring results and are the revisions for inclusion in the EM&A Manual with EIA Register Nos. AEIAR-130/2009.

## 5. CONCLUSIONS

5.1 Baseline air quality and noise monitoring were conducted from 28 October 2019 to 10 November 2019 in respect to the methodology, equipment and monitoring parameters with the EM&A Manual (EIA Register Nos. AEIAR-130/2009) of the Project at the monitoring stations specified in the Baseline Monitoring Programme approved by ER on 23 September 2019, certified by ET Leader and verified by IEC on 15 October 2019 and approved by EPD on 24 October 2019 according to Condition 3.1 of EP-337/2009.

5.2 Baseline air quality monitoring was conducted at 3 locations (AM3, AM4(A) and AM7) while baseline noise monitoring was conducted at 2 locations (M11 and M12).

5.3 The baseline results are considered representative to the ambient conditions of the respective sensitive receivers.

5.4 Action and Limit Levels were derived from the baseline monitoring results and will be

adopted for impact monitoring during construction phase of the Project.

**Figure**




Figure 1 – Proposed works of Contract No. ED/2018/01






Figure 2 – Proposed Bus Stop And Associated Noise Barrier At Road D3A



SECTION A-A  
SCALE : 300



位置圖 LOCATION PLAN



- LEGEND:**
- SITE BOUNDARY
  - FUTURE LANDSCAPED PEDESTRIAN CONNECTION
  - FUTURE LANDSCAPED PEDESTRIAN CONNECTION (FOR INFORMATION ONLY)
  - LANDSCAPED DECK

**CEDD** 土木工程拓展署  
Civil Engineering and  
Development Department  
東拓展處  
EAST DEVELOPMENT OFFICE

FUTURE PEDESTRIAN CONNECTION BETWEEN LANDSCAPED DECK AND PRIVATE DEVELOPMENTS

SCALE	1 : 3000 (A3)	DATE	3 MAR 2018
DRAWN BY	JY	CHECKED BY	AL
APPROVED BY	CC		
<b>FIGURE 3</b>			REV -

Path : Z:\KL2014011TO Team\Drawing (Internal Use)\KTD-400-KTD-499\KTD-414 (PL Location).dgn

Print Date : 7/3/2019

Figure 3 – Future Pedestrian Connection Between Landscaped Deck And Private Developments




Figure 4 – Site Layout Plan




Figure 5 – Air Quality Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)




Figure 6 – Air Quality Monitoring Stations




Figure 7 – Noise Monitoring Stations Listed in EM&A Manual (AEIAR-130/2009)




Figure 8 – Noise Monitoring Stations

# **Appendix A – Construction Programme**











22092019\_Revised Programme with Progress Update as of 22-Sep-19

ID	Task Name	Duration	Remaining Duration	Actual Start	Actual Finish	Plan Start	Plan Finish	Late Start	Late Finish	Physical % Complete	Free Slack	Time Risk Allowances (TRA)	Total Slack	2019 2020 2021 2022 2023 2024											
														H1	H2	H1	H2	H1	H2	H1	H2	H1	H2	H1	H2
268	DDA for Water Works - Remaining water works (Draft)	90 days	90 days	NA	NA	October 3, 2020	December 31, 2020	January 12, 2021	April 11, 2021	0%	0 days	1 day	101 days	DDA for Water Works - Remaining water works (Draft)											
269	DDA for Water Works - Remaining water works (Final)	52 days	52 days	NA	NA	January 1, 2021	February 21, 2021	April 12, 2021	June 2, 2021	0%	84 days	1 day	101 days	DDA for Water Works - Remaining water works (Final)											
270	<b>Water Works</b>	<b>442 days</b>	<b>442 days</b>	<b>NA</b>	<b>NA</b>	<b>October 17, 2019</b>	<b>December 31, 2020</b>	<b>May 1, 2020</b>	<b>July 16, 2021</b>	<b>0%</b>	<b>197 days</b>		<b>197 days</b>	<b>Water Works</b>											
271	Prepare AIP for Bridge D3 and ICE certification (Draft)	60 days	60 days	NA	NA	October 17, 2019	December 15, 2019	May 1, 2020	June 29, 2020	0%	0 days	1 day	197 days	Prepare AIP for Bridge D3 and ICE certification (Draft)											
272	Submit & endorse by PM and Statutory Authorities/Gov. Dept	28 days	28 days	NA	NA	December 16, 2019	January 12, 2020	October 28, 2020	November 24, 2020	0%	0 days	0.5 days	317 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
273	Prepare AIP for Bridge D3 and ICE certification (Final)	14 days	14 days	NA	NA	January 13, 2020	January 26, 2020	November 25, 2020	December 8, 2020	0%	0 days	0 days	317 days	Prepare AIP for Bridge D3 and ICE certification (Final)											
274	Prepare DDA for Bridge D3 and ICE certification (Draft)	90 days	90 days	NA	NA	January 27, 2020	April 25, 2020	December 9, 2020	March 8, 2021	0%	0 days	1 day	317 days	Prepare DDA for Bridge D3 and ICE certification (Draft)											
275	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	April 26, 2020	June 24, 2020	March 9, 2021	May 7, 2021	0%	0 days	0.5 days	317 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
276	Prepare DDA for Dridge D3 and ICE certification (Final)	10 days	10 days	NA	NA	June 25, 2020	July 4, 2020	May 8, 2021	May 17, 2021	0%	0 days	0 days	317 days	Prepare DDA for Dridge D3 and ICE certification (Final)											
277	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	July 5, 2020	September 2, 2020	May 18, 2021	July 16, 2021	0%	268 days	0 days	317 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
278	Prepare AIP for Underpass, Depressed Road and ICE certification (Draft)	60 days	60 days	NA	NA	December 16, 2019	February 13, 2020	June 30, 2020	August 28, 2020	0%	0 days	1 day	197 days	Prepare AIP for Underpass, Depressed Road and ICE certification (Draft)											
279	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	February 14, 2020	April 13, 2020	September 30, 2020	November 28, 2020	0%	0 days	0.5 days	229 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
280	Prepare AIP for Underpass, Depressed Road and ICE certification (Final)	10 days	10 days	NA	NA	April 14, 2020	April 23, 2020	November 29, 2020	December 8, 2020	0%	0 days	0	229 days	Prepare AIP for Underpass, Depressed Road and ICE certification (Final)											
281	Prepare DDA for Underpass, Depressed Road and ICE certification (Draft)	90 days	90 days	NA	NA	April 24, 2020	July 22, 2020	December 9, 2020	March 8, 2021	0%	0 days	1 day	229 days	Prepare DDA for Underpass, Depressed Road and ICE certification (Draft)											
282	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	July 23, 2020	September 20, 2020	March 9, 2021	May 7, 2021	0%	0 days	0.5 days	229 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
283	Prepare DDA for Underpass, Depressed Road and ICE certification (Final)	10 days	10 days	NA	NA	September 21, 2020	September 30, 2020	May 8, 2021	May 17, 2021	0%	0 days	0 days	229 days	Prepare DDA for Underpass, Depressed Road and ICE certification (Final)											
284	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	October 1, 2020	November 29, 2020	May 18, 2021	July 16, 2021	0%	180 days	0 days	229 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
285	AIP for Water Works - Road L12d (Draft)	60 days	60 days	NA	NA	February 14, 2020	April 13, 2020	August 29, 2020	October 27, 2020	0%	0 days	1 day	197 days	AIP for Water Works - Road L12d (Draft)											
286	AIP for Water Works - Road L12d (Final)	38 days	38 days	NA	NA	April 14, 2020	May 21, 2020	April 18, 2021	May 25, 2021	0%	52 days	0.5 days	369 days	AIP for Water Works - Road L12d (Final)											
287	DDA for Water Works - Road L12d (Draft)	90 days	90 days	NA	NA	April 14, 2020	July 12, 2020	February 25, 2021	May 25, 2021	0%	0 days	1 day	317 days	DDA for Water Works - Road L12d (Draft)											
288	DDA for Water Works - Road L12d (Final)	52 days	52 days	NA	NA	July 13, 2020	September 2, 2020	May 26, 2021	July 16, 2021	0%	268 days	1 day	317 days	DDA for Water Works - Road L12d (Final)											
289	AIP for Water Works - Waterfront Promenade and at grade Open Space (Draft)	60 days	60 days	NA	NA	April 14, 2020	June 12, 2020	October 28, 2020	December 26, 2020	0%	0 days	1 day	197 days	AIP for Water Works - Waterfront Promenade and at grade Open Space (Draft)											
290	AIP for Water Works - Waterfront Promenade and at grade Open Space (Final)	38 days	38 days	NA	NA	June 13, 2020	July 20, 2020	April 18, 2021	May 25, 2021	0%	52 days	0.5 days	309 days	AIP for Water Works - Waterfront Promenade and at grade Open Space (Final)											
291	DDA for Water Works - Waterfront Promenade and at grade Open Space (Draft)	90 days	90 days	NA	NA	June 13, 2020	September 10, 2020	February 25, 2021	May 25, 2021	0%	0 days	1 day	257 days	DDA for Water Works - Waterfront Promenade and at grade Open Space (Draft)											
292	DDA for Water Works - Waterfront Promenade and at grade Open Space (Final)	52 days	52 days	NA	NA	September 11, 2020	November 1, 2020	May 26, 2021	July 16, 2021	0%	208 days	1 day	257 days	DDA for Water Works - Waterfront Promenade and at grade Open Space (Final)											
293	AIP for Water Works - Remaining water works (Draft)	60 days	60 days	NA	NA	June 13, 2020	August 11, 2020	December 27, 2020	February 24, 2021	0%	0 days	1 day	197 days	AIP for Water Works - Remaining water works (Draft)											
294	AIP for Water Works - Remaining water works (Final)	38 days	38 days	NA	NA	August 12, 2020	September 18, 2020	April 18, 2021	May 25, 2021	0%	52 days	0.5 days	249 days	AIP for Water Works - Remaining water works (Final)											
295	DDA for Water Works - Remaining water works (Draft)	90 days	90 days	NA	NA	August 12, 2020	November 9, 2020	February 25, 2021	May 25, 2021	0%	0 days	1 day	197 days	DDA for Water Works - Remaining water works (Draft)											
296	DDA for Water Works - Remaining water works (Final)	52 days	52 days	NA	NA	November 10, 2020	December 31, 2020	May 26, 2021	July 16, 2021	0%	148 days	1 day	197 days	DDA for Water Works - Remaining water works (Final)											
297	<b>Pumping Stations, Box Culverts and Intake Structures</b>	<b>505 days</b>	<b>409.17 days</b>	<b>May 30, 2019</b>	<b>NA</b>	<b>May 30, 2019</b>	<b>October 15, 2020</b>	<b>May 30, 2019</b>	<b>February 10, 2022</b>	<b>0%</b>	<b>340 days</b>		<b>483 days</b>	<b>Pumping Stations, Box Culverts and Intake Structures</b>											
298	Prepare AIP for Structures and ICE certification (Draft)	61 days	0 days	May 30, 2019	July 29, 2019	May 30, 2019	July 29, 2019	May 30, 2019	July 29, 2019	100%	0 days	1 day	0 days	Prepare AIP for Structures and ICE certification (Draft)											
299	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	5 days	July 30, 2019	NA	July 30, 2019	September 27, 2019	July 30, 2019	September 15, 2021	92%	0 days	0.5 days	719 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
300	Prepare AIP for Structures and ICE certification (Final)	14 days	14 days	NA	NA	September 28, 2019	October 11, 2019	September 16, 2021	September 29, 2021	0%	18 days	0 days	719 days	Prepare AIP for Structures and ICE certification (Final)											
301	Prepare DDA for Structures and ICE certification (Draft)	92 days	37 days	July 30, 2019	NA	July 30, 2019	October 29, 2019	July 30, 2019	May 30, 2020	0%	0 days	1 day	214 days	Prepare DDA for Structures and ICE certification (Draft)											
302	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	October 30, 2019	December 28, 2019	September 30, 2021	November 28, 2021	0%	0 days	0.5 days	701 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
303	Prepare DDA for Structures and ICE certification (Final)	14 days	14 days	NA	NA	December 29, 2019	January 11, 2020	November 29, 2021	December 12, 2021	0%	0 days	0 days	701 days	Prepare DDA for Structures and ICE certification (Final)											
304	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	January 12, 2020	March 11, 2020	December 13, 2021	February 10, 2022	0%	558 days	0 days	701 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
305	Prepare AIP for E&M and ICE certification (Draft)	60 days	5 days	July 30, 2019	NA	July 30, 2019	September 27, 2019	July 30, 2019	May 30, 2020	0%	0 days	1 day	246 days	Prepare AIP for E&M and ICE certification (Draft)											
306	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	September 28, 2019	November 26, 2019	April 27, 2021	June 25, 2021	0%	0 days	0.5 days	577 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
307	Prepare AIP for E&M and ICE certification (Final)	10 days	10 days	NA	NA	November 27, 2019	December 6, 2019	June 26, 2021	July 5, 2021	0%	0 days	0 days	577 days	Prepare AIP for E&M and ICE certification (Final)											
308	Prepare DDA for E&M and ICE certification (Draft)	90 days	90 days	NA	NA	December 7, 2019	March 5, 2020	July 6, 2021	October 3, 2021	0%	0 days	1 day	577 days	Prepare DDA for E&M and ICE certification (Draft)											
309	Submit & endorse by PM and Statutory Authorities/Gov. Dept	60 days	60 days	NA	NA	March 6, 2020	May 4, 2020	October 4, 2021	December 2, 2021	0%	0 days	0.5 days	577 days	Submit & endorse by PM and Statutory Authorities/Gov. Dept											
310	Prepare DDA for E&M and ICE certification (Final)	10 days	10 days	NA	NA	May 5, 2020	May 14, 2020	December 3, 2021	December 12, 2021	0%	0 days	0 days	577 days	Prepare DDA for E&M and ICE certification (Final)											

Title: Revised Programme-ED/2018/01 with Progress Update as of 22-Sep-19

Critical	Task	Manual Task	Duration-only	Baseline Milestone	Summary	External Tasks	Inactive Milestone	Baseline Summary
Critical Split	Split	Start-only	Baseline	Milestone	Manual Summary	External Milestone	Inactive Summary	
Critical Progress	Task Progress	Finish-only	Baseline Split	Summary Progress	Project Summary	Inactive Task	Deadline	

























**Appendix B – Baseline monitoring schedule**

Contract No. EDO 15/2018 Environmental Monitoring at Kai Tak Development Stage 4 Infrastructure at the former runway and south apron  
Baseline Monitoring Schedule

October 2019

Sun	Mon	Tue	Wed	Thu	Fri	Sat
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	29 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	30 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	31 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12		

**Air Quality Monitoring Station**

AM3 - Sky Tower  
AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop  
AM7 - Hong Kong Children's Hospital

**Noise Quality Monitoring Station**

M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop  
M12 - Hong Kong Children's Hospital

Contract No. EDO 15/2018 Environmental Monitoring at Kai Tak Development Stage 4 Infrastructure at the former runway and south apron  
Baseline Monitoring Schedule

November 2019

Sun	Mon	Tue	Wed	Thu	Fri	Sat
					1 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	2 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12
3 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	4 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	5 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	6 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	7 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	8 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	9 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12
10 Baseline monitoring: 24-hr TSP and 1-hr X 3 TSP: AM3, AM4(A), AM7 5-min Noise (24-hr): M11, M12	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

**Air Quality Monitoring Station**

AM3 - Sky Tower  
AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop  
AM7 - Hong Kong Children's Hospital

**Noise Quality Monitoring Station**

M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop  
M12 - Hong Kong Children's Hospital

**Appendix C – Apply permission for Environmental Monitoring in  
Grand Waterfront**

## E-Mail on 19 August 2019

寄件者: |  
寄件日期: | Monday, August 19, 2019 6:04 PM  
收件者: | grandwaterfront@wb.com.hk  
副本: |  
主旨: | Grand Waterfront (AM4 & M11) – Apply permission for Environmental Monitoring for Stage 4 of Kai Tak Development (Contract NO. EDO 15/2018)  
附件: |  
重要性: | 高

Company: Well Born Real Estate Management Limited

By Email ([grandwaterfront@wb.com.hk](mailto:grandwaterfront@wb.com.hk))

Dear Madam / Sir

Re: Impact Monitoring for Kai Tak Development – Stage 4 Infrastructure at the former runway and south apron

We, Ka Shing Management Consultant Limited (KS), is appointed by Civil Engineering and Development Department (CEDD), working as Environmental Team (ET) to conduct the monitoring and audit works as part of the EM&A programme of the Kai Tak Development – Stage 4 Infrastructure at the former runway and south apron (KTD Stage 4 Project) starting from July 2019 to May 2024.

KTD Stage 4 project is located in the south-eastern part of Kowloon Peninsular of the HKSAR, comprising the apron and runway areas of the former Kai Tak Airport and existing waterfront areas at To Kwa Wan, Ma Tau Kok, Kowloon Bay, Kwun Tong and Cha Kwo Ling. Your premise, Grand Waterfront, is one of the proposed sensitive receivers.

We would like to obtain your kind permission for entering the premise to carry out baseline and impact monitoring, baseline dust monitoring (1-hour and 24-hour TSP monitoring) and baseline noise monitoring (30-minute) would need to conduct continuously for 14 days, our propose baseline monitoring date is September 2019.

After baseline monitoring, impact dust monitoring (1-hour and 24-hour TSP monitoring) and impact noise monitoring (30-minute) would take place between 08:00 hrs to 18:00 hrs in normal working days once every six days.

The monitoring location will be located on the podium / roof top floor of Grand Waterfront facing to Kai Tak Development area. 220V power supply is needed for 24-hour TSP monitor with size 0.5m (L) x

1

0.5m (W) x 1.4m (H). We will pay for the electricity. Similar setup photo records are shown in attached Figure 1 and Figure 2 for your kindly reference. Our technician will stay at the measurement point for 1-hour TSP and 30-minute noise measurement.

We hope to conduct site visit in the morning of 21 August 2019 (Wed).

Should you have any enquires regarding the measurement, please do not hesitate to contact

Thank you for your kind attention and I look forward to receiving your favourable reply soon.

Yours Sincerely,

Lee Wing Hang

Ka Shing Management Consultant Limited

2

E-Mail on 28 August 2019

寄件者:  
收件日期: Wednesday, August 28, 2019 5:43 PM  
收件者: grandwaterfront@wb.com.hk  
副本:

主旨: Grand Waterfront – Apply permission for Environmental Monitoring for Stage 4 of Kai Tak Development (Contract NO. EDO 15/2018)

附件:

重要性: 高

Company: Well Born Real Estate Management Limited

By Email ([grandwaterfront@wb.com.hk](mailto:grandwaterfront@wb.com.hk))

Dear Mr. Michael Wong

Re: Impact Monitoring for Kai Tak Development - Stage 4 Infrastructure at the former runway and south apron

Thank you for arrange site visit on 21 August 2019.

We propose to conduct the environmental monitoring on the R2 of T6 of Grand Waterfront. Please refer to Figure 1a and 1b Monitoring Location.

The monitoring location will be located on the R2 of T6 of Grand Waterfront facing to Kai Tak Development area. The size of High Volume Sampler (HVS) for 24-hour TSP monitor is 0.5m (L) x 0.5m (W) x 1.4m (H). HVS needs 220V power supply with startup 12A and running 6A (details refer to Figure 2). We will pay for the electricity. Our technician will stay at the measurement point for 1-hour TSP and 30-minute noise measurement.

We would like to obtain your kind permission for entering the premise to carry out baseline and impact monitoring, baseline dust monitoring (1-hour and 24-hour TSP monitoring) and baseline noise monitoring (30-minute) would need to conduct continuously for 14 days, our propose baseline monitoring date is September 2019.

1

After baseline monitoring, impact dust monitoring (1-hour and 24-hour TSP monitoring) and impact noise monitoring (30-minute) would take place between 08:00 hrs to 18:00 hrs in normal working days once every six days.

Should you have any enquires regarding the measurement, please do not hesitate to contact

Thank you for your kind attention and I look forward to receiving your favourable reply soon.

Yours Sincerely,

Lee Wing Hang  
Ka Shing Management Consultant Limited

2

# **Appendix D – Approval for Baseline Monitoring Programme**



Kai Tak Development Site Office  
 Contract No. ED/2018/01  
 C/O AECOM  
 12/F, Grand Central Plaza, Tower 2,  
 138 Shatin Rural Committee Road,  
 Shatin, Hong Kong  
 +852 3911 4200 tel  
 +852 3911 4288 fax

Your Ref:  
 Our Ref: KTDS4/(ED/2018/01)/M45/100(0013)

6 March 2020

**By Fax (2120 7752) & Post**

Mr. CHAN Pang  
 ET Leader  
 Ka Shing Management Consultant Ltd  
 Unit 2, 13/F,  
 Kai Yue Commercial Building  
 2C Argyle Street  
 Mong Kok, Kowloon

Dear Sir,

~~Contract No. ED/16/2019~~  
**Environmental Monitoring Works for Contract No. ED/2018/01 –  
 Kai Tak development – stage 4 infrastructure at the former runway and south apron**

**Contract No. ED/2018/01  
 Kai Tak development – stage 4 infrastructure at the former runway and south apron**

**Environmental Permit Nos. EP-337/2009, EP-445/2013 and EP-445/2013/A**  
**Location of Baseline Monitoring**

This letter supersedes my previous letter ref. (0012) with the same series dated 26 February 2020 regarding the captioned.

I refer to your proposed baseline monitoring programme under the captioned environmental permits via email dated 15 October 2019.

It is to record that the proposed locations of baseline monitoring as listed below have been accepted on 23 September 2019 pursuant to Clause 2 in Specification, Scope of Service.

Air Quality Monitoring Station

AM3 - Sky Tower  
 AM4(A) - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop  
 AM7 - Hong Kong Children's Hospital

Noise Quality Monitoring Station

M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop  
 M12 - Hong Kong Children's Hospital

Yours faithfully,  
 For and on behalf of  
 AECOM Asia Co. Ltd.

  
 Clive C H CHENG  
 Chief Resident Engineer  
 Supervisor's Representative

CC/ANM/JQT/scy

Reply Required: N

cc	CEDD/EDevO	-	Attn: Mr. Ronald Siu	(By Fax 2739 0076)
	Ramboll (IEC)	-	Attn: Mr. Ray Yan	(By Fax 3465 2899)
	AECOM	-	Attn: Mr. Ivan Tsang	

**Internal**  
 For Info – SREs, REs  
 X:\E\2018\01\GENERAL OFFICE\Outgoing Letter\B01187



Ref.: CEDKTDS4EM00\_0\_0031L.19

15 October 2019

Ka Shing Management Consultant Limited  
Unit 2, 13/F Kai Yue Commercial Building  
2C Argyle Street  
Mong Kok, Kowloon

By E-mail and Fax (2120 7752)

Attention: Mr. Chan Pang

Dear Mr. Chan,

**Re: Agreement No. EDO 14/2018  
Independent Environmental Checker for  
Contract No. ED/2018/01 – Kai Tak Development  
Stage 4 Infrastructure at the Former Runway and South Apron  
Baseline Monitoring Programme (Version 2.3)**

Reference is made to the Environmental Team's submission of the captioned Baseline Monitoring Programme (ET's ref.: "ET-2019-10-15" dated 15 October 2019) received by e-mail on 15 October 2019.

Please be informed that we have no adverse comments on your proposed alternative monitoring locations and the baseline monitoring methodology.

Thank you for your attention. Please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,  
For and on behalf of  
Ramboll Hong Kong Limited

Ray Yan  
Independent Environmental Checker

c.c.	CEDD	Attn.: Mr. Ronald Siu	Fax: 2739 0076
	AECOM	Attn.: Mr. Clive Cheng	Fax: 3746 1899
	Penta-Ocean	Attn.: Mr. Daniel Ho	Fax: 2572 4080

Q:\Projects\CEDKTDS4EM00\02 Proj\_Mgt\02 Corr\CEDKTDS4EM00\_0\_0031L.19.docx

Ramboll Hong Kong Limited 英環香港有限公司  
21/F, BEA Harbour View Centre, 56 Gloucester Road, Wan Chai, Hong Kong Tel: 852.3465 2888 Fax: 852.3465 2899  
[www.ramboll.com](http://www.ramboll.com)

2/25/2020

Roundcube Webmail :: Contract No. ED/2018/01 Kai Tak Development Stage 4 Infrastructure at the Former Runway and South Apron - ...

Subject **Contract No. ED/2018/01 Kai Tak Development Stage 4 Infrastructure at the Former Runway and South Apron - Baseline Monitoring Programme (Ver 2.3)**



From <ccchang@epd.gov.hk>

To <ronaldu@cedd.gov.hk>

Cc <adrian.ng@aecom-ktd.com>, <chan\_pang@hotmail.com>, <mavis.law@aecom-ktd.com>, <RWONG@ramboll.com>, <ryan@ramboll.com>, <tony.tang@pentaocan.com.hk>, <et@ka-shing.net>, <ktkwok@epd.gov.hk>, <danieltai@epd.gov.hk>, <raymondlai@epd.gov.hk>

Date 2019-10-24 15:35

- 
- Constructicon Sites adjacent to ED-2018-01.pdf (~394 KB)
- 

Dear Ronald,

I refer to the Environmental Team Leader's email dated 15 October 2019 submitting the revised proposal for baseline monitoring for Stage 4 Infrastructure at the Former Runway and South Apron and supplementary information provided via emails dated 23 and 24 October 2019.

2. Based on the information provided, please be advised that we have no further comments on the revised proposal regarding the proposed baseline monitoring program including alternative baseline monitoring stations.

3. Nevertheless, please be reminded to include justifications on the proposed changes to the monitoring programme and baseline data to be adopted in the Baseline Monitoring Report to be submitted under Condition 3.2 of Environmental Permit No. EP-337/2009.

Best Regards,  
Maureen  
Tel: 2835 1867

**Appendix E – Photographic records**

## Baseline Air Quality Monitoring



Measurement setup at AM3



Measurement setup at AM4(A)




Measurement setup at AM7

## Baseline Noise Monitoring



Measurement setup at M11



Measurement setup at M12

**Appendix F – Calibration certificates, catalogue of air quality  
monitoring equipment**

## Catalogue of High Volume Sampler (HVS)



### TSP MFC

Total Suspended Particulate, Mass Flow Controlled



**MFC TSP**  
Ambient Air Sampler

The TE-5170 is a high volume ambient Total Suspended Particulate (TSP) air sampler featuring a mass flow controller (MFC) for accurate and consistent particulate sampling. The mass flow controller adjust the motor speed as the filter media collects particulate to maintain a constant flow rate throughout the entire sample duration. The system utilizes a stainless steel filter holder for use with standard 8" x 10" filter paper. The anodized aluminum shelter and robust electrical components allow the system to operate a continuous 24 hour sample.

**ABOUT US:** Tisch Environmental Inc. Tisch Environmental is the benchmark for high volume air sampling, particulate, metals, volatiles, and specialty monitoring equipment. Since the company's inception in 1953 as General Metal Works, our product line has expanded from the first high volume air sampler to include high-tech and custom samplers. Our clients are professionals from every sector of the regulatory and industrial markets.

- ✔ Meets EPA CFR, Appendix B to Part 50
- ✔ Total Suspended Particulate(TSP)
- ✔ Mass Flow Controlled
- ✔ 7-Day Mechanical Timer
- ✔ Elapsed Time Indicator
- ✔ Aluminum Outdoor Shelter
- ✔ Brush Style Motor
- ✔ Dickson Chart Recorder, 24 Hour
- ✔ Stainless Steel Filter Holder
- ✔ 36-60 CFM
- ✔ Made In USA

Copyright © 2014 Tisch Environmental All Rights Reserved  
www.tischinternational.com



www.tisch-env.com

Tisch Environmental  
145 S. Miami Ave  
Cleveland, OH 44115  
513-467-9000  
sales@tisch-env.com



## TSP MFC

MFC TSP Ambient Air Sampler

### General System Specifications

**Particulate Size:**Total Suspended Particulate (TSP)  
**EPA Designation:** CFR 40 Part 50 Appendix B  
**Flow Controller:** Mass Flow Controller  
**Motor Style:**Brush Style Motor Assembly  
**Pressure Recorder:**Dickson Chart Recorder, 24 hour  
**Timer:**7 Day Mechanical  
**Elapsed Time Indicator:**Mechanical, Hours and Tenths  
**Flow Range:**39-60CFM, 1.09M<sup>3</sup>M-1.68M<sup>3</sup>M  
**Housing:**Anodized Aluminum  
**Filter Holder:**Stainless Steel, 8" x 10"  
**4" Recorder Charts:** Box of 100  
**Filter Holder:** 8" x 10" Stainless Steel with hold down frame

### Applications

US EPA Reference Method Sampling, CFR Appendix J Part 50 Regulatory Compliance  
 Institutional Studies  
 Construction Sites  
 Bridge and Water Tower Painting Sites  
 Fence Line Monitoring  
 Industrial Monitoring  
 Landfill Monitoring  
 Public Health Applications

### Optional Equipment

TE-3000 Filter Holder Cartridge  
 TE-G653 8" x 10" Glass Fiber Filter Media  
 TE-33384 Motor Brush Set (110volt)  
 TE-33378 Motor Brush Set (220volt)  
 TE-116311 Replacement Motor (110volt)  
 TE-116312 Replacement Motor (220volt)  
 TE-106 Recorder Charts  
 TE-160 Recorder Pen Points  
 TE-5018 Gasket 8" x 10"

### Available Models

TE-5170 TSP MFC, 110 Volt 60 Hertz, 8 Amps  
 TE-5170X TSP MFC, 220 Volt 50 Hertz 4 Amps  
 TE-5170XZ TSP MFC, 220 Volts 60 Hertz, 4 Amps

### Calibration Equipment

TE-5028 -Variable Flow Calibration Kit  
 TE-HVC-V Xcalibrator HiVol Calibrator

### Physical Specifications

**Weight:** 75lbs, Shelter  
**Shipping Dimensions:** 46"W x 23"L x 20" H, Shelter  
 19"W x 19"L x 20"H, Lid  
**Assembled Dimensions:** 28"W x 28"L x 61"H

Copyright © 2014 Tisch Environmental All Rights Reserved  
www.tischinternational.com

www.tisch-env.com



## Calibration Certificate of HVS

**CASTCO** CASTCO TESTING CENTRE LTD.

### Air Sampler Calibration Curve Plotting & Calculation (Dickson recorder & manometer on bottom)

Calibration curve ref. No. : ATSPC-01-2019101701 Date of calibration : 17/10/2019  
 Location : Sky Tower Sampler : TE-5170X

**Calibration Data**


Ambient barometric pressure, Pa = 759 (mmHg) Ambient temperature, Ta = 303 (deg K)  
 Qstd Slope, m = 2.0736 Qstd Intercept, b = -0.042800

**Calibration Curve**

Plate No.	H <sub>2</sub> O (in)	Qstd (m <sup>3</sup> /min)	I (chart)	IC (corrected)	FLOW (mano)	FLOW (corrected)
18	7.30	1.312	60.0	59.46	6.50	2.53
13	6.20	1.211	54.0	53.52	5.30	2.28
10	5.30	1.121	50.0	49.55	2.90	1.69
7	3.50	0.915	40.0	39.64	2.00	1.40
5	2.10	0.713	30.0	29.73	1.40	1.17

**Subsequent calculation of sampler flow**

Method	Calibration equation	Slope, m	Intercept, b	Corr. coeff., r
Dickson recorder	$Qstd = 1/m [ I ( \text{Sqrt} ( ( Pa / 760 ) ( 298 / Ta ) ) ) - b ]$	48.951	-5.2339	0.9995



Calibration curve requirements : (A).  $r > 0.990$ ; (B). At least 3 Qstd numbers are in the TSP range ( 1.1 - 1.7 m<sup>3</sup> / min ).

Remark :  $Qstd ( m^3 / min ) = 1/m [ \text{Sqrt} ( H_2O ( Pa / 760 ) ( 298 / Ta ) ) - b ]$ .  
 $IC ( corrected ) = I [ \text{Sqrt} ( ( Pa / 760 ) ( 298 / Ta ) ) ]$ .  
 $FLOW ( corrected ) = \text{Sqrt} ( FLOW ( mano ) ( Pa / 760 ) ( 298 / Ta ) )$ .

Calibrated by : [Signature] Checked by : [Signature]  
 Name : ( Chan Kwok Ho ) Name : ( Wong Yin Tong )

Form No. ENV-CAL SAMPLER CCI 0412/12/2003

## Calibration Certificate of HVS

**CASTCO** CASTCO TESTING CENTRE LTD.

### Air Sampler Calibration Curve Plotting & Calculation (Dickson recorder & manometer on bottom)

Calibration curve ref. No. : ATSPC-01-2019101702 Date of calibration : 17/10/2019  
 Location : The Hong Kong Society for the Blind's Factory cum Sheltered Workshop Sampler : TE-5170X

**Calibration Data**


Ambient barometric pressure, Pa = 759 (mmHg) Ambient temperature, Ta = 303 (deg K)  
 Qstd Slope, m = 2.0736 Qstd Intercept, b = -0.042800

**Calibration Curve**

Plate No.	H <sub>2</sub> O (in)	Qstd (m <sup>3</sup> /min)	I (chart)	IC (corrected)	FLOW (mano)	FLOW (corrected)
18	7.20	1.303	58.0	57.48	6.50	2.53
13	6.00	1.191	52.0	51.54	5.30	2.28
10	5.20	1.110	48.0	47.57	2.90	1.69
7	3.20	0.876	36.0	35.68	2.00	1.40
5	2.00	0.697	28.0	27.75	1.40	1.17

**Subsequent calculation of sampler flow**

Method	Calibration equation	Slope, m	Intercept, b	Corr. coeff., r
Dickson recorder	$Qstd = 1/m [ I ( \text{Sqrt} ( ( Pa / 760 ) ( 298 / Ta ) ) ) - b ]$	49.198	-6.9359	0.9996



Calibration curve requirements : (A).  $r > 0.990$ ; (B). At least 3 Qstd numbers are in the TSP range ( 1.1 - 1.7 m<sup>3</sup> / min ).

Remark :  $Qstd ( m^3 / min ) = 1/m [ \text{Sqrt} ( H_2O ( Pa / 760 ) ( 298 / Ta ) ) - b ]$ .  
 $IC ( corrected ) = I [ \text{Sqrt} ( ( Pa / 760 ) ( 298 / Ta ) ) ]$ .  
 $FLOW ( corrected ) = \text{Sqrt} ( FLOW ( mano ) ( Pa / 760 ) ( 298 / Ta ) )$ .

Calibrated by : [Signature] Checked by : [Signature]  
 Name : ( Chan Kwok Ho ) Name : ( Wong Yin Tong )

Form No. ENV-CAL SAMPLER CCI 0412/12/2003

# Calibration Certificate of HVS



## Air Sampler Calibration Curve Plotting & Calculation (Dickson recorder & manometer on bottom)

Calibration curve ref. No. : ATSPC-01-2019101703 Date of calibration : 17/10/2019

Location : Hong Kong Children's Hospital Sampler : TE-5170X

**Calibration Data**


Ambient barometric pressure, Pa = 759 (mmHg) Ambient temperature, Ta = 303 (deg K)  
 Qstd Slope, m = 2.0736 Qstd Intercept, b = -0.042800

**Calibration Curve**

Plate No.	H <sub>2</sub> O (in)	Qstd (m <sup>3</sup> /min)	I (chart)	IC (corrected)	FLOW (mano)	FLOW (corrected)
18	7.50	1.330	60.0	59.46	6.50	2.53
13	6.10	1.201	52.0	51.54	5.30	2.28
10	5.40	1.131	48.0	47.57	2.90	1.69
7	3.80	0.952	38.0	37.66	2.00	1.40
5	2.70	0.806	28.0	27.75	1.40	1.17

**Subsequent calculation of sampler flow**

Method	Calibration equation	Slope, m	Intercept, b	Corr. coeff., r
Dickson recorder	$Qstd = 1/m [ (1) ( \text{Sqrt} ( ( Pa / 760 ) ( 298 / Ta ) ) ) - b ]$	59.650	-19.8651	0.9993



Calibration curve requirements : (A).  $r > 0.990$  ; (B). At least 3 Qstd numbers are in the TSP range ( 1.1 - 1.7 m<sup>3</sup> / min ).

Remark :  $Qstd ( m^3 / min ) = 1/m [ \text{Sqrt} ( H_2O ( Pa / 760 ) ( 298 / Ta ) ) - b ]$ .  
 $IC ( corrected ) = I [ \text{Sqrt} ( ( Pa / 760 ) ( 298 / Ta ) ) ]$ .  
 $FLOW ( corrected ) = \text{Sqrt} ( FLOW ( mano ) ( Pa / 760 ) ( 298 / Ta ) )$ .

Calibrated by : Name : ( Chan Kwok Ho )  
 Checked by : Name : ( Wong Yin Tong )

Form No: ENV-CAL SAMPLER CCI 4412/12/2003

# Calibration Certificate for Calibrator



RECALIBRATION DUE DATE: <b>July 25, 2020</b>
--

## Certificate of Calibration

Calibration Certification Information			
Cal. Date: July 25, 2019	Rootmeter S/N: 438320	Ta: 297 °K	
Operator: Jim Tisch		Pa: 755.7 mm Hg	
Calibration Model #: TE-5025A	Calibrator S/N: 0006		

Run	Vol. Init (m3)	Vol. Final (m3)	ΔVol. (m3)	ΔTime (min)	ΔP (mm Hg)	ΔH (in H2O)
1	1	2	1	1.4200	3.2	2.00
2	3	4	1	1.0040	6.3	4.00
3	5	6	1	0.8960	7.9	5.00
4	7	8	1	0.8480	8.8	5.50
5	9	10	1	0.7040	12.7	8.00

Data Tabulation					
Vstd (m3)	Qstd (x-axis)	$\sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)}$ (y-axis)	Va	Qa (x-axis)	$\sqrt{\Delta H \left( \frac{Ta}{Pa} \right)}$ (y-axis)
0.9934	0.6996	1.4125	0.9958	0.7012	0.8866
0.9893	0.9854	1.9976	0.9917	0.9877	1.2539
0.9872	1.1018	2.2334	0.9895	1.1044	1.4019
0.9860	1.1627	2.3424	0.9884	1.1655	1.4703
0.9809	1.3933	2.8251	0.9832	1.3966	1.7732
<b>QSTD</b>	m= 2.03067 b= -0.00766 r= 0.99992		<b>QA</b>	m= 1.27157 b= -0.00481 r= 0.99992	

Calculations	
$Vstd = \Delta Vol / ( Pa - \Delta P ) / Pstd ( Tstd / Ta )$	$Va = \Delta Vol / ( Pa - \Delta P ) / Pa$
$Qstd = Vstd / \Delta Time$	$Qa = Va / \Delta Time$
For subsequent flow rate calculations:	
$Qstd = 1/m \left( \sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)} - b \right)$	$Qa = 1/m \left( \sqrt{\Delta H \left( \frac{Ta}{Pa} \right)} - b \right)$

Standard Conditions	
Tstd:	298.15 °K
Pstd:	760 mm Hg
Key	
ΔH:	calibrator manometer reading (in H2O)
ΔP:	rootsmeter manometer reading (mm Hg)
Ta:	actual absolute temperature (°K)
Pa:	actual barometric pressure (mm Hg)
b:	intercept
m:	slope

**RECALIBRATION**


US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30

isch Environmental, Inc.  
 45 South Miami Avenue  
 Village of Cleves, OH 45002

[www.tisch-env.com](http://www.tisch-env.com)  
 TOLL FREE: (877)263-7610  
 FAX: (513)467-9009

# Catalogue of Dust Meter (TSI Sidepak AM510)

The SidePak AM510 monitor's easy-to-read display shows your data as both real-time aerosol mass-concentration and 8-hour time-weighted average (TWA). With its convenient data logging and long battery life, the AM510 is also ideal for extended sampling. The easy-to-use TrakPro Data Analysis Software lets you create effective graphs and reports.



### User Friendly

- + Small, lightweight and quiet to maximize worker acceptance
- + Rugged design with secure belt clip
- + Easy-to-understand user interface with only four keys
- + Lockable keypad prevents tampering while sampling
- + User-adjustable sample flow rate
- + Define, label and store multiple calibration constants
- + Easy-to-read LCD display
- + Convenient, threaded tripod socket accommodates area sampling

### Advanced Features

- + Smart Battery Management System provides precise run time information, maximizes battery capacity and speeds charging
- + Integrated pump allows use of size-selective aerosol inlet conditioners
- + Built-in impactors let you choose "none," 1.0, 2.5 or 10-micron cut off
- + 10-mm Dorr-Oliver cyclone for respirable sampling
- + Display shows real-time concentrations (mg/m<sup>3</sup>) and "on-the-fly" TWA as you data log
- + Display statistics: max, min and average readings, elapsed time and 8-hour TWA

### Quick and Easy Reports

- + Convenient preprogramming for occupational exposure sampling
- + Data log for long periods and store multiple tests
- + Analyze data, print graphs and create reports with TrakPro Data Analysis Software
- + USB port lets you conveniently connect to your computer

### Power to Spare

- + Long-lasting NiMH rechargeable battery packs eliminate "memory" issues
- + Choice of rechargeable NiMH smart battery packs or AA-cell pack

### Model AM510 SidePak Personal Aerosol Monitor

<b>Sensitivity</b> Sensor Type	90° light scattering, 670 nm laser diode
Aerosol Concentration Range	0.001 to 20 mg/m <sup>3</sup> (calibrated to respirable fraction of ISO 12103-1, A1 test dust)
Particle Size Range	0.1 to 10 micrometer (µm)
Minimum Resolution	0.001 mg/m <sup>3</sup>
Zero stability	±0.001 mg/m <sup>3</sup> over 24 hours using 10-second time-constant
Temperature Coefficient	Approximately +0.0005 mg/m <sup>3</sup> per °C (for variations from temperature at which instrument was last zeroed)

<b>Flow Rate</b> Range	User-adjustable, 0.7 to 1.8 liters/min (L/min)
---------------------------	--

<b>Temperature Range</b> Operating Range	32 to 120°F (0 to 50°C)
Storage Range	-4 to 140°F (-20 to 60°C)

<b>Operational Humidity</b> 0 to 95% RH, non-condensing	
--	--

<b>Time Constant (LCD display)</b> Range	User-adjustable, 1 to 60 seconds
---	----------------------------------

<b>Data Logging</b> Data Points	Approx. 31,000
Logging Interval	User-adjustable, 1 second to 1 hour

<b>User-Select Calibration Factors</b> Factory Setting	1.0 (non-adjustable)
User-defined Settings	3, with user-defined labels
Range	0.1 to 10.0, user-adjustable

<b>Physical</b> External Dimensions	4.2 x 3.7 x 2.8 in. (106 x 92 x 70 mm) with 801723, 801724, 801729 or 801743 battery 5.1 x 3.7 x 2.8 in. (130 x 92 x 70 mm) with 801708, 801722, 801728, 801735, or 801736 battery
Weight	16 oz (0.46 kg) with 801723, 801724, 801729 or 801743 battery 19 oz (0.54 kg) with 801708, 801722, 801728, 801735, or 801736 battery
Display	2 line x 12 character LCD
Tripod Socket	1/4-20 female thread

<b>Power Supply/Charger (P/N 2613210)</b> Input Voltage Range	100 to 240 VAC, 50 to 60 Hz
Output Voltage	9 VDC @ 1.0 A

### Maintenance

Factory Clear/Calibrate	Recommended annually
User Zero Calibration	Before each use
User Flow Calibration	As needed

### Communications Interface

Type	USB 1.1
Connector, Instrument	USB Mini-B (socket)

### Minimum Computer Requirements for TrakPro™ Data Analysis Software

Communications Port	Universal Serial Bus (USB) v 1.1 or higher
Operating System	Microsoft Windows® XP, or 7 (32-bit or 64-bit) operating systems

### Battery Performance

Battery Options	Charge Time (hrs)*	Intrinsic Safety Rating	Run Time (hrs @ 1.7 L/min)
1600 mAh NiMH Pack, 4.8 V (P/N 801723)	3.0	No	7.1
1650 mAh NiMH Pack, 4.8V (P/N 801724, 801729 or 801743)	3.5	CSA**	7.5
2700 mAh NiMH Pack, 4.8 V (P/N 901722 or 901728)	5.5	No	12.0
2700 mAh NiMH Pack, 4.8 V (P/N 801735)	5.5	No	12.0
6-Cell AA-size Alkaline Pack*** (P/N 801708 or 801736 with six user-supplied AA cells)	N/A	No	22.5

\*Of a fully depleted battery  
\*\*All dust plugs and dust gaskets must be installed.  
\*\*\*Using Energizer AA-size, ESI alkaline batteries.

### Battery Level Indicator

The Smart Battery Management System™ technology utilizes a built-in "gauge" in the SidePak™ battery packs. The gauge monitors battery capacity and calculates run time information by dividing capacity of the battery (mAh) by the instantaneous current consumed by the instrument (mA). This calculation is correct for current operating conditions and can change due to current (mA) consumption or changes in battery capacity.



# Calibration Certificate of Dust Meter (TSI Sidepak AM510)

**CERTIFICATE OF CALIBRATION AND TESTING**  
TSI Incorporated, 500 Cardigan Road, Shoreview, MN 55126 USA  
 Tel: 1-800-874-2811 1-651-490-2811 Fax: 1-651-490-3824 http://www.tsi.com

Environment Conditions			Model	AM510
Temperature	77.2 (25.1)	°F (°C)	Serial Number	11108001
Relative Humidity	21	%RH		
Barometric Pressure	29.08 (984.8)	inHg (hPa)		

As Left       In Tolerance  
 As Found       Out of Tolerance

**Concentration Linearity Plot**

System ID: DTII01-02

CONCENTRATION							Unit: mg/m <sup>3</sup>
#	STANDARD	MEASURED	ALLOWABLE RANGE	#	STANDARD	MEASURED	ALLOWABLE RANGE
1	1.575	1.439	1.417-1.733	3	7.861	7.826	5.503-10.219
2	9.291	0.289	5.247-6.355	4	14.566	14.552	13.109-16.023

TSI Incorporated does hereby certify that all materials, components, and workmanship used in the manufacture of this equipment are in strict accordance with the applicable specifications agreed upon by TSI and the customer and with all published specifications. All performance and acceptance tests required under this contract were successfully conducted according to required specifications. There is no NIST standard for optical mass measurements. Calibration of this instrument performed by TSI has been done using emery oil and has been nominally adjusted to respirable mass per standard ISO 12103-1, A1 test dust (Arizona dust). Our calibration ratio is greater than 4:1

Measurement Variable	System ID	Last Cal.	Cal. Due	Measurement Variable	System ID	Last Cal.	Cal. Due
Temp/Humidity	E005657	02-28-18	02-28-19	Temp/Humidity	E005656	03-01-18	03-31-19
DC Voltage	E003314	05-02-18	05-31-19	DC Voltage	E003315	05-17-18	05-31-19
Photometer	E005612	12-19-18	06-30-19	Microbalance	M001324	10-03-18	10-31-19
Pressure	E003511	10-29-18	10-31-19	Flowmeter	E004025	06-06-18	06-30-19

JEAN VEWIS  
Calibrated
February 6, 2019  
Date

### Personal Aerosol Monitor Performance check with High Volume Sampler

Performance Check ref. No. : AS0190801-2      Report Issue Date: 05/08/2017  
 Date of performance check : 1-3 August 2019

**Objective:**


A dust meter, TSI AM510 Sidepak, and a Total Suspended Particulate High Volume Air Sampler (HVS) were placed together to measure the Total Suspended Particulate (TSP) concentrations simultaneously to check the performance.

**Equipment Used:**

Equipment	Manufacturer and Model	Serial Number
Personal Aerosol Monitor	TSI AM510 Sidepak	11108001
Total Suspended Particulate High Volume Air Sampler (HVS)	GS2310	10346

**Result:**

Equipment	Measurement Result, µg/m <sup>3</sup>			
	56	150	215	288
TSI AM510 Sidepak				
High Volume Air Sampler (HVS)	45	140	201	281



Tested by : Chan Kwok Ho      Checked by : Wong Yin Tong  
 Name : ( Chan Kwok Ho )      Name : ( Wong Yin Tong )

Form No. ENV CAL SAMPLER CCI 4/12/2003

# Catalogue of Weather Station

## Cabled Vantage Pro2™ & Vantage Pro2 Plus™ Stations



**6152C  
6162C**  
**Vantage Pro2™**

The Vantage Pro2™ (# 6152C) and Vantage Pro2™ Plus (# 6162C) cabled weather stations include two components: the Integrated Sensor Suite (ISS) and the console. The ISS contains the sensor interface module (SIM), rain collector, an anemometer, and a passive radiation shield. The Vantage Pro2 console provides the user interface, data display, and calculations. The Vantage Pro2 Plus weather station includes two additional sensors that are optional on the Vantage Pro2 and purchased separately: the UV Sensor and the Solar Radiation Sensor. The console and ISS are powered by an AC-power adapter connected to the console. Batteries can be installed in the console to provide a backup power supply. Use WeatherLink® to let your weather station interface with a computer, log data, and upload weather information to the Internet. The 6152C and 6162C models rely on passive shielding to reduce solar-radiation induced temperature errors in the outside temperature sensor readings.

### Integrated Sensor Suite (ISS)

Operating Temperature	-40° to +150°F (-40° to +65°C)
Non-operating Temperature	-40° to +158°F (-40° to +70°C)
Current Draw	5 mA (average) at 4 to 6 VDC for ISS only. 10 mA average for both console and ISS
Connectors, Sensor	Modular RJ-11
Cable Type	4-conductor, 26 AWG
Cable Length, Anemometer	40' (12 m) (included); 240' (73 m) (maximum recommended)

Note: Maximum displayable wind decreases as the length of cable increases. at 140' (42 m) of cable, the maximum wind speed displayed is 135 mph (60 m/s); at 240' (73 m), the maximum wind speed displayed is 100 mph (34 m/s).

Wind Speed Sensor	Solid state magnetic sensor
Wind Direction Sensor	Wind vane with potentiometer
Rain Collector Type	Tipping bucket, 0.01" per tip (0.2 mm with metric rain adapter), 33.2 in <sup>2</sup> (214 cm <sup>2</sup> ) collection area
Temperature Sensor Type	PN Junction Silicon Diode
Relative Humidity Sensor Type	Film capacitor element
Housing Material	UV-resistant ABS, polypropylene
Sensor Inputs	
RF Filtering	RC low-pass filter on each signal line

ISS Dimensions(not including anemometer or bird spikes):

Vantage Pro2 with Standard Rad Shield	14.0" x 9.4" x 14.5" (356 mm x 239 mm x 368 mm)
Vantage Pro2 with Fan-Aspirated Rad Shield	20.8" x 9.4" x 16.0" (528 mm x 239 mm x 406 mm)
Vantage Pro2 Plus with Standard Rad Shield	14.3" x 9.7" x 14.5" (363 mm x 246 mm x 368 mm)
Vantage Pro2 Plus with Fan-Aspirated Rad Shield	21.1" x 9.7" x 16.0" (536 mm x 246 mm x 406 mm)

**DAVIS** Instruments  
 (510) 732-9229 • FAX (510) 670-0589 • sales@davisinstruments.com • www.davisinstruments.com

DS6152C, 6162C Rev. W 12/7/18  
1

7  
Vantage Pro2™

### Ultra Violet (UV) Radiation Index (requires UV sensor)

Resolution and Units	0.1 Index
Range	0 to 16 Index
Accuracy	±5% of full scale (Reference: Yankee UVB-1 at UV index 10 (Extremely High))
Cosine Response	±4% FS (0° to 90° zenith angle)
Update Interval	50 seconds to 1 minute (5 minutes when dark)
Current Graph Data	Instant Reading and Hourly Average; Daily, Monthly High
Historical Graph Data	Hourly Average, Daily, Monthly Highs
Alarm	High Threshold from Instant Calculation

### Wind

Wind Chill (Calculated)	
Resolution and Units	1°F or 1°C (user-selectable); °C is converted from °F and rounded to the nearest 1°C
Range	-110° to +135°F (-79° to +57°C)
Accuracy	±2°F (±1°C) (typical)
Update Interval	10 to 12 seconds
Source	United States National Weather Service (NWS)/NOAA
Equation Used	Osczevski (1995) (adopted by US NWS in 2001)
Variables Used	Instant Outside Temperature and 10-min. Avg. Wind Speed
Current Display Data	Instant Calculation
Current Graph Data	Instant Calculation; Hourly, Daily and Monthly Low
Historical Graph Data	Hourly, Daily and Monthly Lows
Alarm	Low Threshold from Instant Calculation

### Wind Direction

Range	1 - 360°
Display Resolution	16 points (22.5°) on compass rose, 1° in numeric display
Accuracy	±3°
Update Interval	2.5 to 3 seconds
Current Graph Data	Instant Reading (user adjustable); 10-min. Dominant; Hourly, Daily, Monthly Dominant
Historical Graph Data	Past 6 10-min. Dominants on compass rose only; Hourly, Daily, Monthly Dominants

### Wind Speed

Resolution and Units	1 mph, 1 km/h, 0.4 m/s, or 1 knot (user-selectable) Measured in mph; other units are converted from mph and rounded to nearest 1 km/hr, 0.1 m/s, or 1 knot.
Range	0 to 200 mph, 0 to 173 knots, 0 to 89 m/s, 0 to 322 km/h
Update Interval	Instant Reading; 2.5 to 3 seconds, 10-minute Average; 1 minute
Accuracy	±2 mph (2 kts, 3.2 km/h, 0.9 m/s) or ±5%, whichever is greater
Maximum Cable Length	540' (165 m) (Note that maximum wind speed reading decreases as length of cable from anemometer to ISS increases.)
Current Display Data	Instant
Current Graph Data	Instant Reading; 10-minute and Hourly Average; Hourly High; Daily, Monthly and Yearly High with Direction of High
Historical Graph Data	10-min. and Hourly Averages; Hourly Highs; Daily, Monthly and Yearly Highs with Direction of Highs
Alarms	High Thresholds from Instant Reading and 10-minute Average

# Calibration Certificate of Weather Station



## Calibration Certificate

**Certificate No.: CC0101908**

**1. Description**

Calibration item :	a) Wind Speed b) Wind Direction
Equipment description :	Weather Station
Manufacturer :	Davis Vantage Pro 2
Type / Model No. :	6152CUK
Serial No. :	BC180807017
Assigned equipment no. :	N/A
Adjustment :	N/A
Remark :	Received with good condition

**2. Customer information**

Customer :	Castco Testing Centre Limited
Address :	33, On Kui Street, Fanling, N.T.
Date of receipt :	19 August 2019

**3. Date of performance of the calibration**

Date of calibration :	21 August 2019
-----------------------	----------------

Approved Signatory-

WM Ling

Company Chop:

Certificate issue date: 26 August 2019



CT-BEG-02

Page 1 of 3  
cc0101908

- The certificate shall not reproduced except in full without the written approval of CAL LAB LTD
- The certificate is issued subject to the latest Term and Condition, available assessable at our web site

Cal Lab Limited  
Address: Room 2103, Technology Plaza, 29-35 Sha Tsui Road, Tsuen Wan, NT, Hong Kong  
Tel : (852)25680106 Fax(852)30116194 Email: [info@callab.com.hk](mailto:info@callab.com.hk) Website: [callab.com.hk](http://callab.com.hk)



**4. Result of Calibration**

a) Wind Speed

Reference reading ; m/s	Measured reading ; m/s	Error of indication ; %
0.0	0.0	N/A
2.0	2.1	5.0
5.0	5.3	4.0
10.0	9.9	-1.0
15.0	15.1	0.7
20.0	20.1	0.5

Estimated expanded uncertainty: 0.5 m/s      Technical Requirement: +/-5% or 1 m/s

a) Wind direction

Reference reading	Measured reading	Error of indication
0°	0°	0°
45°	45°	0°
90°	90°	0°
135°	135°	0°
180°	180°	0°
225°	225°	0°
270°	270°	0°
315°	315°	0°

Estimated expanded uncertainty: 5°      Technical Requirement: N/A

Note: The arrow head was adjusted to the magnetic north before performing calibration.

- The certificate shall not reproduced except in full without the written approval of CAL LAB LTD
- The certificate is issued subject to the latest Term and Condition, available assessable at our web site

Cal Lab Limited  
Address: Room 2103, Technology Plaza, 29-35 Sha Tsui Road, Tsuen Wan, NT, Hong Kong  
Tel : (852)25680106 Fax(852)30116194 Email: [info@callab.com.hk](mailto:info@callab.com.hk) Website: [callab.com.hk](http://callab.com.hk)

## Calibration Certificate of Weather Station



### 5. Reference method for calibration

Wind Speed	SOP-251
Wind Direction	SOP-252

### 6. Environment condition of calibration

Temperature ; °C	24.6 °C
Relative humidity ; %RH	42 %RH

### 7. Reference equipment used in the calibration


Item	Model	Serial No.	Expiry date	Traceable to
Reference Anemometer	TSI 9515	T95151233004	7 Jan 2020	SMQ

Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.

Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.

Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.

Calibrated by:  Date: 22 August 2019

Checked by:  Date: 22 August 2019

\*\*\* End of Certificate \*\*\*



CT-END-02


1. The certificate shall not reproduced except in full without the written approval of CAL LAB LTD
  2. The certificate is issued subject to the latest Term and Condition, available assessable at our web site
- Page 3 of 3  
cc0101908

Cal Lab Limited  
Address: Room 2103, Technology Plaza, 29-35 Sha Tsui Road, Tsuen Wan, NT, Hong Kong  
Tel: (852)25680106 Fax: (852)30116194 Email: [info@callab.com.hk](mailto:info@callab.com.hk) Website: [callab.com.hk](http://callab.com.hk)



**Appendix G – Graphical presentation of baseline air quality monitoring data**

## 24-hour average TSP






# 1-hour average TSP



## AM7 - Hong Kong Children's Hospital



## **Appendix H – 24-hr TSP monitoring data**

Location: AM3 – Sky Tower

Start Date	Air Temp.	Atmospheric	Filter weight (g)		Particulate	Elapse Time		Sampling	Flow Rate (cfm)		Av. Flow	Total vol.	Conc.
	(°C)	Pressure, (hPa)	Initial	Final	weight (g)	Initial	Final	Time(hrs.)	Initial	Final	(m <sup>3</sup> /min)	(m <sup>3</sup> )	(µg/m <sup>3</sup> )
28/10/2019	25.3	1015	3.3703	3.5488	0.1785	0	2400	24	48	48	1.43	1900.9	94
29/10/2019	23.9	1016.2	3.5273	3.6334	0.1061	2400	4800	24	59	59	1.62	2333.9	45
30/10/2019	25.4	1015.5	3.5349	3.7505	0.2156	4800	7200	24	58	58	1.59	2288.7	94
31/10/2019	27.8	1011.9	3.4712	3.6645	0.1933	7200	9600	24	58	58	1.58	2275.8	85
01/11/2019	28.5	1011.3	3.3771	3.5206	0.1435	9600	12000	24	58	58	1.58	2272.4	63
02/11/2019	26.3	1014.5	3.6267	3.7652	0.1385	12000	14400	24	58	59	1.6	2303.5	60
03/11/2019	23.4	1016.3	3.6864	3.9192	0.2328	14400	16800	24	56	56	1.54	2219.3	105
04/11/2019	25.3	1016.2	3.7129	3.9173	0.2044	16800	19200	24	58	58	1.59	2289.7	89
05/11/2019	26.4	1012.1	3.6322	3.8332	0.2010	19200	21600	24	59	60	1.62	2339.1	86
06/11/2019	30.5	1010.3	3.7506	3.9278	0.1772	21600	24000	24	58	58	1.57	2264	78
07/11/2019	28.9	1011.1	3.5416	3.7382	0.1966	24000	26400	24	58	60	1.6	2309.3	85
08/11/2019	28.5	1011.3	3.4479	3.6439	0.1960	26400	28800	24	60	60	1.63	2349.4	83
09/11/2019	27	1014.7	3.9112	4.0784	0.1672	28800	31200	24	60	60	1.64	2359	71
10/11/2019	26.5	1012.1	3.7611	3.9308	0.1697	31200	33600	24	60	60	1.64	2357.9	72
												Maximum	105
												Minimum	45
												Average	79
												Action Level	182
												Limit Level	260

Location: AM4(A) – The Hong Kong Society for the Blind’s Factory cum Sheltered Workshop

Start Date	Air Temp.	Atmospheric	Filter weight (g)		Particulate	Elapse Time		Sampling	Flow Rate (cfm)		Av. Flow	Total vol.	Conc.
	(°C)	Pressure, (hPa)	Initial	Final	weight (g)	Initial	Final	Time(hrs.)	Initial	Final	(m <sup>3</sup> /min)	(m <sup>3</sup> )	(µg/m <sup>3</sup> )
28/10/2019	25.3	1015	3.6971	3.8562	0.1591	0	2400	24	55	54	1.49	2152.7	74
29/10/2019	23.9	1016.2	3.4809	3.5641	0.0832	2400	4800	24	50	50	1.38	1984.2	42
30/10/2019	25.4	1015.5	3.6766	3.8631	0.1865	4800	7200	24	52	52	1.43	2056.2	91
31/10/2019	27.8	1011.9	3.7435	3.9615	0.2180	7200	9600	24	48	48	1.31	1890.5	115
01/11/2019	28.5	1011.3	3.7818	3.9282	0.1464	9600	12000	24	54	54	1.47	2118.6	69
02/11/2019	26.3	1014.5	3.8266	3.9586	0.1320	12000	14400	24	53	53	1.45	2090.8	63
03/11/2019	23.4	1016.3	3.5143	3.7133	0.1990	14400	16800	24	48	48	1.33	1908.1	104
04/11/2019	25.3	1016.2	3.6844	3.8992	0.2148	16800	19200	24	56	56	1.54	2212.2	97
05/11/2019	26.4	1012.1	3.6673	3.8824	0.2151	19200	21600	24	56	56	1.53	2203.9	98
06/11/2019	30.5	1010.3	3.6187	3.7939	0.1752	21600	24000	24	57	57	1.55	2225.7	79
07/11/2019	28.9	1011.1	3.5395	3.8215	0.2820	24000	26400	24	48	48	1.31	1886.4	149
08/11/2019	28.5	1011.3	3.3471	3.5211	0.1740	26400	28800	24	48	48	1.31	1887.7	92
09/11/2019	27	1014.7	3.6947	3.8616	0.1669	28800	31200	24	58	58	1.58	2281.8	73
10/11/2019	26.5	1012.1	3.6581	3.8151	0.1570	31200	33600	24	56	57	1.54	2222.7	71
												Maximum	149
												Minimum	42
												Average	87
												Action Level	187
												Limit Level	260

Location: AM7 – Hong Kong Children’s Hospital

Start Date	Air Temp.	Atmospheric	Filter weight (g)		Particulate	Elapse Time		Sampling	Flow Rate (cfm)		Av. Flow	Total vol.	Conc.
	(°C)	Pressure, (hPa)	Initial	Final	weight (g)	Initial	Final	Time(hrs.)	Initial	Final	(m <sup>3</sup> /min)	(m <sup>3</sup> )	(µg/m <sup>3</sup> )
28/10/2019	25.3	1015	3.5419	3.6971	0.1552	0	2400	24	48	48	1.32	1900.9	82
29/10/2019	23.9	1016.2	3.9538	4.0376	0.0838	2400	4800	24	44	44	1.22	1751	48
30/10/2019	25.4	1015.5	3.8915	4.0709	0.1794	4800	7200	24	48	48	1.32	1901.1	94
31/10/2019	27.8	1011.9	3.6774	3.8108	0.1334	7200	9600	24	51	52	1.41	2025.4	66
01/11/2019	28.5	1011.3	3.6870	3.8445	0.1575	9600	12000	24	48	48	1.31	1887.7	83
02/11/2019	26.3	1014.5	3.4107	3.5426	0.1319	12000	14400	24	52	52	1.43	2052.1	64
03/11/2019	23.4	1016.3	3.6679	3.8698	0.2019	14400	16800	24	52	52	1.43	2063.7	98
04/11/2019	25.3	1016.2	3.6925	3.8595	0.1670	16800	19200	24	48	48	1.32	1902	88
05/11/2019	26.4	1012.1	3.6302	3.7915	0.1613	19200	21600	24	49	49	1.34	1933.5	83
06/11/2019	30.5	1010.3	3.7776	3.9123	0.1347	21600	24000	24	49	49	1.33	1919	70
07/11/2019	28.9	1011.1	3.9060	4.1290	0.2230	24000	26400	24	54	52	1.44	2078.6	107
08/11/2019	28.5	1011.3	3.4997	3.7557	0.2560	26400	28800	24	52	52	1.42	2041.6	125
09/11/2019	27	1014.7	3.6343	3.7650	0.1307	28800	31200	24	52	52	1.42	2050	64
10/11/2019	26.5	1012.1	3.8527	3.9123	0.0596	31200	33600	24	48	48	1.32	1894.5	31
												Maximum	125
												Minimum	31
												Average	79
												Action Level	181
												Limit Level	260

## **Appendix I – 1-hr TSP monitoring data**

Location:  
**AM3 -  
 Sky Tower**

Date	Measurement Period			1-hr TSP concentration, µg/m <sup>3</sup>	Weather
		-			
28/10/2019	13:30	-	14:30	65	Sunny
	14:30	-	15:30	59	
	15:30	-	16:30	50	
29/10/2019	13:00	-	14:00	73	Sunny
	14:00	-	15:00	78	
	15:00	-	16:00	74	
30/10/2019	13:00	-	14:00	52	Cloudy
	14:00	-	15:00	48	
	15:00	-	16:00	45	
31/10/2019	13:00	-	14:00	71	Sunny
	14:00	-	15:00	74	
	15:00	-	16:00	74	
01/11/2019	13:00	-	14:00	48	Sunny
	14:00	-	15:00	51	
	15:00	-	16:00	58	
02/11/2019	13:00	-	14:00	38	Cloudy
	14:00	-	15:00	41	
	15:00	-	16:00	41	
03/11/2019	13:00	-	14:00	57	Sunny
	14:00	-	15:00	55	
	15:00	-	16:00	56	
04/11/2019	9:00	-	10:00	79	Sunny
	10:00	-	11:00	78	
	11:00	-	12:00	75	
05/11/2019	9:00	-	10:00	74	Sunny
	10:00	-	11:00	71	
	11:00	-	12:00	77	
06/11/2019	9:00	-	10:00	82	Sunny
	10:00	-	11:00	88	
	11:00	-	12:00	85	
07/11/2019	9:00	-	10:00	88	Sunny
	10:00	-	11:00	80	
	11:00	-	12:00	68	
08/11/2019	9:00	-	10:00	95	Sunny
	10:00	-	11:00	98	
	11:00	-	12:00	98	
09/11/2019	9:00	-	10:00	102	Sunny
	10:00	-	11:00	104	
	11:00	-	12:00	93	
10/11/2019	9:00	-	10:00	102	Sunny
	10:00	-	11:00	104	
	11:00	-	12:00	93	
Maximum				104	
Minimum				38	
Average				72	
Action Level				297	
Limit Level				500	

Location:  
**AM4(A) -  
The Hong Kong  
Society for the  
Blind's Factory  
cum Sheltered  
Workshop**

Date	Measurement Period			1-hr TSP concentration, $\mu\text{g}/\text{m}^3$	Weather
		-			
28/10/2019	10:00	-	11:00	84	Sunny
	11:00	-	12:00	87	
	12:00	-	13:00	89	
29/10/2019	9:00	-	10:00	94	Sunny
	10:00	-	11:00	82	
	11:00	-	12:00	77	
30/10/2019	9:00	-	10:00	93	Cloudy
	10:00	-	11:00	94	
	11:00	-	12:00	97	
31/10/2019	9:00	-	10:00	124	Sunny
	10:00	-	11:00	132	
	11:00	-	12:00	129	
01/11/2019	9:00	-	10:00	72	Sunny
	10:00	-	11:00	77	
	11:00	-	12:00	78	
02/11/2019	9:00	-	10:00	80	Cloudy
	10:00	-	11:00	78	
	11:00	-	12:00	78	
03/11/2019	9:00	-	10:00	99	Sunny
	10:00	-	11:00	98	
	11:00	-	12:00	102	
04/11/2019	13:00	-	14:00	157	Sunny
	14:00	-	15:00	158	
	15:00	-	16:00	154	
05/11/2019	13:00	-	14:00	105	Sunny
	14:00	-	15:00	108	
	15:00	-	16:00	111	
06/11/2019	13:00	-	14:00	106	Sunny
	14:00	-	15:00	108	
	15:00	-	16:00	107	
07/11/2019	13:00	-	14:00	155	Sunny
	14:00	-	15:00	151	
	15:00	-	16:00	149	
08/11/2019	13:00	-	14:00	164	Sunny
	14:00	-	15:00	165	
	15:00	-	16:00	162	
09/11/2019	13:00	-	14:00	142	Sunny
	14:00	-	15:00	145	
	15:00	-	16:00	143	
10/11/2019	13:00	-	14:00	165	Sunny
	14:00	-	15:00	167	
	15:00	-	16:00	159	
Maximum				167	
Minimum				72	
Average				117	
Action Level				326	
Limit Level				500	

Location:  
**AM7 -  
 Hong Kong  
 Children's  
 Hospital**

Date	Measurement Period			1-hr TSP concentration, µg/m <sup>3</sup>	Weather
		-			
28/10/2019	13:00	-	14:00	119	Sunny
	14:00	-	15:00	119	
	15:00	-	16:00	109	
29/10/2019	13:00	-	14:00	93	Sunny
	14:00	-	15:00	88	
	15:00	-	16:00	85	
30/10/2019	13:00	-	14:00	82	Cloudy
	14:00	-	15:00	83	
	15:00	-	16:00	83	
31/10/2019	13:00	-	14:00	83	Sunny
	14:00	-	15:00	85	
	15:00	-	16:00	87	
01/11/2019	13:00	-	14:00	89	Sunny
	14:00	-	15:00	86	
	15:00	-	16:00	77	
02/11/2019	13:00	-	14:00	72	Cloudy
	14:00	-	15:00	71	
	15:00	-	16:00	77	
03/11/2019	13:00	-	14:00	95	Sunny
	14:00	-	15:00	95	
	15:00	-	16:00	94	
04/11/2019	9:00	-	10:00	98	Sunny
	10:00	-	11:00	95	
	11:00	-	12:00	97	
05/11/2019	9:00	-	10:00	94	Sunny
	10:00	-	11:00	89	
	11:00	-	12:00	89	
06/11/2019	14:00	-	15:00	121	Sunny
	15:00	-	16:00	125	
	16:00	-	17:00	121	
07/11/2019	9:00	-	10:00	125	Sunny
	10:00	-	11:00	114	
	11:00	-	12:00	112	
08/11/2019	9:00	-	10:00	124	Sunny
	10:00	-	11:00	135	
	11:00	-	12:00	137	
09/11/2019	9:00	-	10:00	94	Sunny
	10:00	-	11:00	89	
	11:00	-	12:00	96	
10/11/2019	9:00	-	10:00	107	Sunny
	10:00	-	11:00	116	
	11:00	-	12:00	127	
Maximum				137	
Minimum				71	
Average				99	
Action Level				315	
Limit Level				500	

**Appendix J – Weather information during baseline monitoring period**

## General Information

Date	Absolute Daily Min Temperature (°C)	Absolute Daily Max Temperature (°C)	Total Rainfall (mm)	Prevailing Wind Direction (degrees)	Mean Wind Speed (km/h)
28/10/2019	21.9	28.0	3	110	8.8
29/10/2019	19.5	24.6	0	320	8
30/10/2019	21.0	26.1	0	10	8
31/10/2019	22.5	26.5	0	110	10.1
01/11/2019	24.2	28.4	0	110	16
02/11/2019	24.2	27.1	0	100	14.2
03/11/2019	23.8	27.5	0	140	10.5
04/11/2019	22.7	28.8	0	30	8.9
05/11/2019	21.8	26.8	0	20	9.5
06/11/2019	22.4	25.2	0	110	11.5
07/11/2019	21.5	27.3	0	30	8.9
08/11/2019	20.4	26.5	0	30	9.7
09/11/2019	20.7	24.9	0	100	10.9
10/11/2019	20.8	25.5	0	100	9.4

NOTE: The above weather information was obtained from Kai Tak Runway Park (Daily Temperature) and Kai Tak (Total rainfall, Wind direction and Wind speed) automatic weather station of Hong Kong Observatory.

Kai Tak Runway Park:

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE1&y=2019&m=10> (October 2019)

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE1&y=2019&m=11> (November 2019)

Kai Tak:

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE&y=2019&m=10> (October 2019)

<https://www.hko.gov.hk/en/cis/awsDailyExtract.htm?stn=SE&y=2019&m=11> (November 2019)

Mean Wind Speed and Wind Direction recorded by the weather station setup at the rooftop of Hong Kong Children's Hospital

Date / Time	Wind Speed (m/s)	Wind Direction
28/10/2019 0:00	1.50	161.3
28/10/2019 1:00	0.57	157.5
28/10/2019 2:00	0.51	195.0
28/10/2019 3:00	0.77	210.0
28/10/2019 4:00	0.31	262.5
28/10/2019 5:00	0.81	288.8
28/10/2019 6:00	0.58	255.0
28/10/2019 7:00	0.59	277.5
28/10/2019 8:00	0.75	258.8
28/10/2019 9:00	0.67	262.5
28/10/2019 10:00	0.67	180.0
28/10/2019 11:00	1.59	236.3
28/10/2019 12:00	1.59	333.8
28/10/2019 13:00	2.07	330.0
28/10/2019 14:00	1.85	333.8
28/10/2019 15:00	1.37	333.8
28/10/2019 16:00	1.41	337.5
28/10/2019 17:00	0.46	333.8
28/10/2019 18:00	0.23	307.5
28/10/2019 19:00	0.16	337.5
28/10/2019 20:00	0.10	337.5
28/10/2019 21:00	0.06	333.8
28/10/2019 22:00	0.03	315.0
28/10/2019 23:00	0.02	315.0
29/10/2019 0:00	0.30	153.8
29/10/2019 1:00	0.71	168.8
29/10/2019 2:00	0.54	176.3
29/10/2019 3:00	1.34	217.5
29/10/2019 4:00	1.91	232.5
29/10/2019 5:00	2.24	228.8
29/10/2019 6:00	1.40	247.5
29/10/2019 7:00	1.73	221.3
29/10/2019 8:00	1.29	187.5
29/10/2019 9:00	1.30	258.8
29/10/2019 10:00	1.39	176.3
29/10/2019 11:00	1.14	176.3
29/10/2019 12:00	1.64	247.5
29/10/2019 13:00	1.31	225.0
29/10/2019 14:00	1.16	202.5

Date / Time	Wind Speed (m/s)	Wind Direction
29/10/2019 15:00	0.91	191.3
29/10/2019 16:00	0.63	176.3
29/10/2019 17:00	0.63	146.3
29/10/2019 18:00	0.42	146.3
29/10/2019 19:00	0.81	198.8
29/10/2019 20:00	0.82	251.3
29/10/2019 21:00	0.63	255.0
29/10/2019 22:00	1.68	232.5
29/10/2019 23:00	2.21	217.5
30/10/2019 0:00	1.30	228.8
30/10/2019 1:00	0.69	236.3
30/10/2019 2:00	0.85	232.5
30/10/2019 3:00	1.27	247.5
30/10/2019 4:00	1.26	243.8
30/10/2019 5:00	1.73	232.5
30/10/2019 6:00	2.81	198.8
30/10/2019 7:00	3.07	183.8
30/10/2019 8:00	2.33	187.5
30/10/2019 9:00	1.96	180.0
30/10/2019 10:00	1.82	195.0
30/10/2019 11:00	1.77	195.0
30/10/2019 12:00	1.43	296.3
30/10/2019 13:00	1.04	228.8
30/10/2019 14:00	1.13	221.3
30/10/2019 15:00	0.85	288.8
30/10/2019 16:00	0.80	187.5
30/10/2019 17:00	0.82	195.0
30/10/2019 18:00	0.50	303.8
30/10/2019 19:00	0.74	180.0
30/10/2019 20:00	1.00	258.8
30/10/2019 21:00	0.97	213.8
30/10/2019 22:00	1.37	251.3
30/10/2019 23:00	1.99	232.5
31/10/2019 0:00	2.25	225.0
31/10/2019 1:00	1.97	255.0
31/10/2019 2:00	1.69	251.3
31/10/2019 3:00	1.56	228.8
31/10/2019 4:00	1.31	258.8
31/10/2019 5:00	1.60	247.5
31/10/2019 6:00	2.32	195.0
31/10/2019 7:00	1.97	247.5
31/10/2019 8:00	2.18	225.0

Date / Time	Wind Speed (m/s)	Wind Direction
31/10/2019 9:00	2.37	187.5
31/10/2019 10:00	1.94	213.8
31/10/2019 11:00	1.51	168.8
31/10/2019 12:00	2.59	195.0
31/10/2019 13:00	1.40	232.5
31/10/2019 14:00	1.30	243.8
31/10/2019 15:00	1.65	195.0
31/10/2019 16:00	2.16	206.3
31/10/2019 17:00	1.48	292.5
31/10/2019 18:00	1.43	266.3
31/10/2019 19:00	1.62	240.0
31/10/2019 20:00	1.77	198.8
31/10/2019 21:00	1.57	240.0
31/10/2019 22:00	1.83	225.0
31/10/2019 23:00	1.50	161.3
01/11/2019 0:00	1.77	228.8
01/11/2019 1:00	1.46	285.0
01/11/2019 2:00	1.65	225.0
01/11/2019 3:00	1.36	236.3
01/11/2019 4:00	1.83	251.3
01/11/2019 5:00	2.24	187.5
01/11/2019 6:00	2.33	217.5
01/11/2019 7:00	1.86	236.3
01/11/2019 8:00	1.88	206.3
01/11/2019 9:00	1.58	198.8
01/11/2019 10:00	1.66	195.0
01/11/2019 11:00	2.09	210.0
01/11/2019 12:00	2.68	195.0
01/11/2019 13:00	2.38	213.8
01/11/2019 14:00	2.41	217.5
01/11/2019 15:00	2.21	198.8
01/11/2019 16:00	2.31	206.3
01/11/2019 17:00	2.25	221.3
01/11/2019 18:00	1.84	202.5
01/11/2019 19:00	2.45	213.8
01/11/2019 20:00	2.27	225.0
01/11/2019 21:00	2.45	228.8
01/11/2019 22:00	2.06	247.5
01/11/2019 23:00	1.97	183.8
02/11/2019 0:00	1.28	210.0
02/11/2019 1:00	0.77	225.0
02/11/2019 2:00	0.67	202.5

Date / Time	Wind Speed (m/s)	Wind Direction
02/11/2019 3:00	0.79	206.3
02/11/2019 4:00	1.57	206.3
02/11/2019 5:00	0.86	225.0
02/11/2019 6:00	0.71	273.8
02/11/2019 7:00	0.59	243.8
02/11/2019 8:00	0.49	240.0
02/11/2019 9:00	1.00	183.8
02/11/2019 10:00	0.98	217.5
02/11/2019 11:00	1.17	206.3
02/11/2019 12:00	1.67	172.5
02/11/2019 13:00	1.30	206.3
02/11/2019 14:00	1.99	183.8
02/11/2019 15:00	1.94	153.8
02/11/2019 16:00	1.44	157.5
02/11/2019 17:00	1.74	180.0
02/11/2019 18:00	1.45	183.8
02/11/2019 19:00	0.98	161.3
02/11/2019 20:00	0.70	198.8
02/11/2019 21:00	0.70	206.3
02/11/2019 22:00	0.80	202.5
02/11/2019 23:00	0.70	180.0
03/11/2019 0:00	0.23	131.3
03/11/2019 1:00	0.82	165.0
03/11/2019 2:00	0.80	213.8
03/11/2019 3:00	0.41	247.5
03/11/2019 4:00	0.83	206.3
03/11/2019 5:00	1.00	210.0
03/11/2019 6:00	0.45	195.0
03/11/2019 7:00	0.14	138.8
03/11/2019 8:00	0.92	161.3
03/11/2019 9:00	1.01	183.8
03/11/2019 10:00	1.16	168.8
03/11/2019 11:00	0.73	191.3
03/11/2019 12:00	0.91	168.8
03/11/2019 13:00	0.93	202.5
03/11/2019 14:00	1.28	161.3
03/11/2019 15:00	1.13	176.3
03/11/2019 16:00	0.83	191.3
03/11/2019 17:00	0.59	277.5
03/11/2019 18:00	0.68	183.8
03/11/2019 19:00	0.43	225.0
03/11/2019 20:00	0.85	258.8

Date / Time	Wind Speed (m/s)	Wind Direction
03/11/2019 21:00	0.36	228.8
03/11/2019 22:00	0.50	217.5
03/11/2019 23:00	0.39	135.0
04/11/2019 0:00	0.28	138.8
04/11/2019 1:00	0.10	157.5
04/11/2019 2:00	0.63	165.0
04/11/2019 3:00	0.67	146.3
04/11/2019 4:00	0.26	123.8
04/11/2019 5:00	0.28	243.8
04/11/2019 6:00	0.27	157.5
04/11/2019 7:00	1.27	292.5
04/11/2019 8:00	1.53	300.0
04/11/2019 9:00	1.71	300.0
04/11/2019 10:00	2.14	307.5
04/11/2019 11:00	2.02	315.0
04/11/2019 12:00	1.73	288.8
04/11/2019 13:00	2.07	300.0
04/11/2019 14:00	2.02	285.0
04/11/2019 15:00	2.40	292.5
04/11/2019 16:00	2.02	300.0
04/11/2019 17:00	1.84	288.8
04/11/2019 18:00	1.53	270.0
04/11/2019 19:00	1.38	307.5
04/11/2019 20:00	1.25	311.3
04/11/2019 21:00	1.10	292.5
04/11/2019 22:00	1.21	311.3
04/11/2019 23:00	1.56	303.8
05/11/2019 0:00	1.51	288.8
05/11/2019 1:00	1.41	315.0
05/11/2019 2:00	1.15	311.3
05/11/2019 3:00	1.14	322.5
05/11/2019 4:00	0.88	311.3
05/11/2019 5:00	0.78	292.5
05/11/2019 6:00	2.18	277.5
05/11/2019 7:00	2.23	296.3
05/11/2019 8:00	1.80	288.8
05/11/2019 9:00	3.18	281.3
05/11/2019 10:00	3.16	277.5
05/11/2019 11:00	2.78	300.0
05/11/2019 12:00	2.56	300.0
05/11/2019 13:00	2.62	296.3
05/11/2019 14:00	3.21	288.8

Date / Time	Wind Speed (m/s)	Wind Direction
05/11/2019 15:00	2.87	296.3
05/11/2019 16:00	2.50	292.5
05/11/2019 17:00	2.58	273.8
05/11/2019 18:00	2.30	296.3
05/11/2019 19:00	2.62	296.3
05/11/2019 20:00	1.76	303.8
05/11/2019 21:00	1.38	296.3
05/11/2019 22:00	0.79	303.8
05/11/2019 23:00	1.21	247.5
06/11/2019 0:00	0.83	311.3
06/11/2019 1:00	1.43	303.8
06/11/2019 2:00	0.97	318.8
06/11/2019 3:00	1.27	243.8
06/11/2019 4:00	1.73	258.8
06/11/2019 5:00	1.50	266.3
06/11/2019 6:00	2.72	270.0
06/11/2019 7:00	2.38	273.8
06/11/2019 8:00	2.27	281.3
06/11/2019 9:00	2.85	285.0
06/11/2019 10:00	3.55	277.5
06/11/2019 11:00	3.11	285.0
06/11/2019 12:00	3.42	292.5
06/11/2019 13:00	3.66	270.0
06/11/2019 14:00	2.19	307.5
06/11/2019 15:00	2.04	285.0
06/11/2019 16:00	1.95	292.5
06/11/2019 17:00	2.06	303.8
06/11/2019 18:00	1.67	303.8
06/11/2019 19:00	0.97	273.8
06/11/2019 20:00	0.82	281.3
06/11/2019 21:00	1.61	281.3
06/11/2019 22:00	2.72	292.5
06/11/2019 23:00	2.75	288.8
07/11/2019 0:00	2.25	292.5
07/11/2019 1:00	2.67	281.3
07/11/2019 2:00	2.32	292.5
07/11/2019 3:00	2.16	288.8
07/11/2019 4:00	2.28	285.0
07/11/2019 5:00	2.90	288.8
07/11/2019 6:00	0.87	285.0
07/11/2019 7:00	2.02	296.3
07/11/2019 8:00	2.24	288.8

Date / Time	Wind Speed (m/s)	Wind Direction
07/11/2019 9:00	2.75	281.3
07/11/2019 10:00	2.66	281.3
07/11/2019 11:00	2.86	262.5
07/11/2019 12:00	2.74	296.3
07/11/2019 13:00	2.99	285.0
07/11/2019 14:00	2.57	288.8
07/11/2019 15:00	2.15	307.5
07/11/2019 16:00	2.25	337.5
07/11/2019 17:00	1.62	322.5
07/11/2019 18:00	0.60	315.0
07/11/2019 19:00	0.77	307.5
07/11/2019 20:00	0.45	300.0
07/11/2019 21:00	0.62	326.3
07/11/2019 22:00	0.88	307.5
07/11/2019 23:00	0.75	281.3
08/11/2019 0:00	0.51	255.0
08/11/2019 1:00	0.44	262.5
08/11/2019 2:00	0.62	292.5
08/11/2019 3:00	0.80	307.5
08/11/2019 4:00	0.34	292.5
08/11/2019 5:00	0.11	337.5
08/11/2019 6:00	0.20	0.0
08/11/2019 7:00	0.13	157.5
08/11/2019 8:00	0.79	161.3
08/11/2019 9:00	1.19	213.8
08/11/2019 10:00	1.43	180.0
08/11/2019 11:00	0.97	251.3
08/11/2019 12:00	1.82	315.0
08/11/2019 13:00	1.91	337.5
08/11/2019 14:00	0.57	318.8
08/11/2019 15:00	0.28	206.3
08/11/2019 16:00	0.70	180.0
08/11/2019 17:00	1.17	318.8
08/11/2019 18:00	0.28	262.5
08/11/2019 19:00	0.30	296.3
08/11/2019 20:00	1.04	157.5
08/11/2019 21:00	1.42	165.0
08/11/2019 22:00	1.21	187.5
08/11/2019 23:00	0.85	165.0
09/11/2019 0:00	1.33	217.5
09/11/2019 1:00	0.53	153.8
09/11/2019 2:00	0.56	153.8

Date / Time	Wind Speed (m/s)	Wind Direction
09/11/2019 3:00	1.33	168.8
09/11/2019 4:00	1.67	165.0
09/11/2019 5:00	0.73	135.0
09/11/2019 6:00	1.23	153.8
09/11/2019 7:00	0.81	157.5
09/11/2019 8:00	1.46	180.0
09/11/2019 9:00	1.09	138.8
09/11/2019 10:00	0.49	180.0
09/11/2019 11:00	2.49	307.5
09/11/2019 12:00	2.58	296.3
09/11/2019 13:00	3.84	288.8
09/11/2019 14:00	4.51	262.5
09/11/2019 15:00	3.34	266.3
09/11/2019 16:00	2.19	285.0
09/11/2019 17:00	2.58	266.3
09/11/2019 18:00	2.12	303.8
09/11/2019 19:00	2.27	296.3
09/11/2019 20:00	1.64	296.3
09/11/2019 21:00	2.12	296.3
09/11/2019 22:00	2.95	281.3
09/11/2019 23:00	3.28	285.0
10/11/2019 0:00	2.57	266.3
10/11/2019 1:00	1.64	303.8
10/11/2019 2:00	1.76	285.0
10/11/2019 3:00	1.93	292.5
10/11/2019 4:00	2.73	288.8
10/11/2019 5:00	3.24	270.0
10/11/2019 6:00	3.16	285.0
10/11/2019 7:00	3.52	288.8
10/11/2019 8:00	2.27	292.5
10/11/2019 9:00	4.00	262.5
10/11/2019 10:00	5.52	273.8
10/11/2019 11:00	4.56	273.8
10/11/2019 12:00	4.97	273.8
10/11/2019 13:00	3.53	281.3
10/11/2019 14:00	2.76	296.3
10/11/2019 15:00	1.04	303.8
10/11/2019 16:00	0.73	292.5
10/11/2019 17:00	1.06	288.8
10/11/2019 18:00	1.78	307.5
10/11/2019 19:00	1.68	315.0
10/11/2019 20:00	1.30	318.8

Date / Time	Wind Speed (m/s)	Wind Direction
10/11/2019 21:00	2.34	296.3
10/11/2019 22:00	2.57	288.8
10/11/2019 23:00	1.91	303.8

# **Appendix K – Calibration certificates, catalogue of noise monitoring equipment**

# Catalogue of Sound Level Meter

## Specifications

		NL-52	NL-42
Applicable standards		IEC 61672-1: 2002 Class 1 ANSI S1.4-1983 Type 1 ANSI S1.4A-1985 Type 1 ANSI S1.43-1997 Type 1 JIS C 1509-1: 2005 Class 1	IEC 61672-1: 2002 Class 2 ANSI S1.4-1983 Type 2 ANSI S1.4A-1985 Type 2 ANSI S1.43-1997 Type 2 JIS C 1509-1: 2005 Class 2
Measurement functions		Simultaneous measurement of the following items, with selected time weighting and frequency weighting WEEE Directives, Chinese RoHS (export model for China only)	
Processing (main ch)		Instantaneous sound pressure level: $L_p$ Equivalent continuous sound pressure level: $L_{eq}$ Sound exposure level: $L_E$ Maximum sound pressure level: $L_{max}$ Minimum sound pressure level: $L_{min}$ Percentile sound levels: $L_N$ (0.1 to 99.9%, 0.1-increment steps, max. 5 values)	
Processing (sub ch)		Instantaneous sound pressure level: $L_p$	
Additional processing		In addition to main processing items, one of the following can be selected for simultaneous processing: C-weighted equivalent continuous sound level: $L_{Ceq}$ C-weighted peak sound level: $L_{Cpeak}$ Z-weighted peak sound level: $L_{Zpeak}$ 1-time-weighted equivalent continuous sound level: $L_{A1eq}^{*2}$ Maximum 1-time-weighted equivalent continuous sound level: $L_{A1max}^{*2}$ The power average of the maximum level of each 5 second interval: $L_{A1av}^{*2}$ The frequency weighting for the additional processing synchronizes with the frequency weighting of the sub-channel, so when the sub-channel has A-weighting, $L_{A1av}$ can be selected. When C-weighting (Z-weighting) is selected, the additional processing $L_{Ceq}$ and $L_{Cpeak}$ ( $L_{Zpeak}$ ) are selectable.	
Measuring time		10 s, 1, 5, 10, 15, 30 m, 1, 8, 24 h, and manual (maximum 24 h)	
Microphone	Type	UC-59	UC-52
	Sensitivity level	-27 dB	-33 dB
Measurement range		A-weighting: 25 dB to 138 dB C-weighting: 33 dB to 138 dB Z-weighting: 38 dB to 138 dB C-weighting peak sound level: 55 dB to 141 dB Z-weighting peak sound level: 60 dB to 141 dB	
Inherent noise	A-weighting	17 dB or less	19 dB or less
	C-weighting	25 dB or less	27 dB or less
	Z-weighting	30 dB or less	32 dB or less
Frequency range		20 Hz to 20 kHz	20 Hz to 8 kHz
Frequency weighting		A, C, and Z	
Time weighting		F (Fast) and S (Slow)	
Level range		Single range (Linearity range: 113 dB) Bar graph display range max: Max. 110 dB (20 to 130 dB) Switching of bar graph display: Set the upper/ lower limit in 10 dB increments.	
RMS detection circuit		Digital processing method	
Sampling cycle		20.8 $\mu$ s ( $L_p$ , $L_{eq}$ , $L_E$ , $L_{max}$ , $L_{min}$ , $L_{peak}$ : sampling frequency: 48 kHz) 100 ms ( $L_N$ )	
Calibration		Measurement Law: electrical calibration performed according to IEC and JIS standards, using internally generated signals; acoustic calibration performed with the NC-74.	
Correction functions		Windscreen correction: Compliant with IEC 61672-1 and JIS C 1509-1 standards when the windscreen is installed. Diffuse sound field correction: Correction of frequency characteristics in order to comply with standards (ANSI S1.4) in diffuse sound field.	
Delay time		The meter can be set to start measuring a specified time (OFF, 1, 3, 5 or 10 s) after the start button has been pressed or when a user-set trigger is exceeded.	
Back erase function		When the PAUSE key is pressed to pause measurement, the preceding (user selectable) 0, 1, 3 or 5 s data are excluded from processing.	
Display		Backlit semitransparent color TFT LCD display WQVGA (400 x 240 dots) * LCD with touch panel (Capacitive Touch Panel) Numerical display update frequency: 1 s Bar graph update frequency: 100 ms	
Store	Manual	Data for measurement results are stored manually in single address increments. Internal memory: max. 1000 sets SD Card: depends on the capacity of the SD Card*1	
	Auto+2	Instantaneous values ( $L_p$ mode) and processed values ( $L_{eq}$ mode) are stored continuously and automatically at preset intervals. $L_p$ sampling cycle: 100 ms, 200 ms, 1 s, $L_{eq}$ 1 s $L_{eq}$ sampling cycle: 10 s, 1, 5, 10, 15, 30 ms, 1, 8, 24 h Measurement Time: Max. 1000 h (depends on the capacity of the SD Card)*1	

\* Windows is a trademark of Microsoft Corporation.  
\* Specifications subject to change without notice.

Distributed by:

This product is environment-friendly. It does not include toxic chemicals on our policy.  
This product is certified to an International Protection rating of IP54 (dust protected and resistant to splashing water).  
This leaflet is printed with environmentally friendly vegetable-based ink on recycled paper.

1011-4 212 P.D

Data recall	Allows viewing of stored data
Setup memory	Up to five setup configurations can be saved in internal memory, for later recall Start up via file settings previously stored on SD card possible
Waveform recording*3	
File format	Uncompressed waveform WAVE file
Sampling frequency	Select 48 kHz, 24 kHz or 12 kHz
Data length	Select 24 bit or 16 bit
Outputs	
DC output	Output DC signals using a frequency weighting characteristic selected by processing
Output voltage	2.5 V, 25 mV / dB at bar graph display full scale
AC output	Output AC signals using a frequency weighting characteristic selected by processing or by A, C, Z-weighting.
Output voltage	1 V (rms values) at bar graph display full scale
Comparator output*2	Turns on when the open-collector output exceeds the set value (max. applied voltage 24 V, max. current 60 mA, allowable dissipation 300 mW)
USB	Allows USB to be connected to a computer and recognized as a removable disk Allows USB to be controlled via communication commands
RS-232C communication	Allows for RS-232C communication via use of a dedicated cable
Data continuous output*2	
Type of data	Instantaneous value: $L_p$ Processed value: $L_{eq}$ , $L_{max}$ , $L_{min}$ , $L_{peak}$
Output interval	100 ms
Print out	Printing of measurement results on dedicated printer DPU-414
Power requirements	Four IEC R6 (size AA) batteries (alkaline or rechargeable batteries) or external power supply
Battery life (23 °C)	Alkaline battery LR6 (AA): 26 h NI-MH secondary battery: 25 h At the maximum * Depends on the setting
AC adapter	NC-98C (NC-34 for previous models cannot be used)
External power voltage	5 to 7 V (rated voltage: 6 V)
Current consumption	Approximately 90 mA (normal operation, rated voltage)
Ambient conditions	Temperature: -10 to +50 °C Humidity: 10 to 90% RH (non-condensing)
Dustproof / water-resistant performance*4	IP code: IP54 (except for microphone) See precautions regarding waterproofing
Dimensions, weight	Approx. 250 (H) x 76 (W) x 33 mm(D), approx. 400 g (with batteries)
Supplied accessories	Storage case x 1, Windscreen WS-10 x 1, Windscreen fall prevention rubber x 1, Hand strap x 1, LR6 (AA) alkaline batteries x 4, SD card 512 MB x 1 (NX-42EX preinstalled model only)

## Options

Product name	Product number
Extended function program (Inst on 512 MB SD card)	NX-42EX
Waveform recording program*2 (Inst on 2 GB SD card)	NX-42WR
Octave, 1/3 octave real-time analysis program*2 (Inst on 512 MB SD card)	NX-42RT
FFT analysis program*2 (Inst on 512 MB SD card)	NX-42FT
Data management software for environmental measurement	AS-60
Data management software for environmental measurement (includes the octave and 1/3 octave data management software)	AS-60RT
Data management software for environmental measurement (includes the vibration level data management software)	AS-60VM
Waveform analysis software	CAT-WAVE
SD Card 512 MB	SD-512M
SD Card 2 GB	SD-2G
AC adapter (100 V to 240 V)	NC-98C
Battery pack	BP-21
Microphone extension cables	EC-04 (from 2 m)
BNC-Pin output code	CC-24
Comparator output cable	CC-42C
Printer	DPU-414
Printer cable	CC-42P
RS 232C serial I/O cable	CC-42R
USB cable	—
Sound calibrator	NC-74
All-weather windscreen	WS-15
Windscreen mounting adapter	WS-15006
Rain-protection windscreen	WS-16
Sound level meter tripod	ST-80
All-weather windscreen tripod	ST-81

\*1 Use Rion fully guaranteed products. \*2 NX-42EX required (sold separately). \*3 NX-42WR required (sold separately).  
\*4 Protection against harmful dust and water splashing from any direction.

### Precautions regarding waterproofing

Before use, verify that the rubber bottom cover and the battery compartment lid are firmly closed.  
To maintain the water and dust proof rating, internal packing replacement is required every two years (at cost).



**RION CO., LTD.**  
http://www.rion.co.jp/english/

3-20-41, Higashimotomachi, Kokubunji, Tokyo 185-8533, Japan  
Tel: +81-42-359-7888 Fax: +81-42-359-7442

# Calibration Certificate of Sound Level Meter


**中国赛宝实验室**  
 (工业和信息化部电子第五研究所)  
**CHINA CEPREI LABORATORY**



 中国认可  
 国际互认  
 校准  
 机构  
 CALIBRATION  
 CNAS L0462

## 校准证书

### CALIBRATION CERTIFICATE

证书编号: 2HB19001116-0003  
 Certificate No. 

委托单位: Castco Testing Centre Limited  
 Client

仪器名称: Sound Level Meter  
 Description

型号规格: NL-52  
 Model/Type

制造商: RION  
 Manufacturer


机身号: 00921213  
 Serial No.

管理号: AAST-SLM-04  
 Asset No.

接收日期: 2019年07月03日      校准日期: 2019年07月10日  
 Rec. Date                                  Cal. Date

签发日期: 2019年07月12日      建议再校日期: 2020年07月10日  
 App. Date                                  Next Cal. Date

结论: 所校准项目合格(Passed at Calibration Items)  
 Conclusion

校准:   
 Calibrated by

签发:   
 Approved by

核验:   
 Inspected by

印章:  
 Stamp

赛宝计量检测中心  
 广州总部地址: 广州天河区东莞庄路110号  
 香港分部地址: 香港上水剑桥广场G/F2  
 客服电话: 852-26680871 传真: 852-26686197  
 投诉电话: 852-26680936 020-87236789  
 邮件: cal@ceprei.com.hk  
 网址: www.ceprei-cal.com

CEPREI Calibration and Testing Centre  
 H.Q. Addr: No.110 Dongguan Zhuang Road, Tianhe District, Guangzhou  
 CEPREI(H.K.) Addr: G/F2 Cambridge Plaza Shing Shui N.T. Hong Kong  
 Tel: 852-26680871 Fax: 852-26686197  
 Complaint phone: 852-26680936 020-87236789  
 Email: cal@ceprei.com.hk  
 Website: www.ceprei-cal.com

Page 1 of 5

证书编号(Certificate No.): 2HB19001116-0003

## 说明

### DIRECTIONS

1. 本机构的管理体系符合ISO/IEC 17025的要求, 获得中国合格评定国家认可委员会(CNAS)认证。认可证书号为: CNAS L0462。  
 This laboratory quality management system meets the ISO/IEC 17025 and is accredited by the China National Accreditation Service for Conformity Assessment, No. CNAS L0462.
2. 本次校准的技术依据及CNAS认可范围(Reference documents and CNAS accredited scopes):  
 \* JJG 188-2002 声级计检定规程: 声压级:(20~130)dB; 频率计权:(20~130)dB@(10Hz~20kHz)  
 \* 详细内容请查看CNAS网站中注册编号为L0462的证书附件, 超出范围的内容未被认可。(Please see the attachment of certificate No. L0462 at CNAS website for details, beyond which is not accredited).
3. 本次校准所使用的主要测量标准(The main measurement standards used during the calibration):  

名称 (Description)	证书号/有效期/溯源单位 (Certificate No./Due Date/Traceability to)	技术指标 (Specification)
Sound Calibrator	2HB1900002-0104/2020-03-25/赛宝	1级
音频分析仪	2HB1900002-0019/2020-01-05/赛宝	失真度测量: ±5%
4. 校准地点(The calibration place):  
 广州市天河区东莞庄路110号401楼振动声学室
5. 环境条件(Environmental conditions):  
 温度(Temperature): 21°C      相对湿度(Relative Humidity): 63%
6. 依据《JJF 1059.1-2012 测量不确定度评定与表示》进行测量结果不确定度评定。评定结果以包含因子为k的扩展不确定度U或相对扩展不确定度U<sub>rel</sub>表示。  
 The evaluation was made according to JJF 1059.1-2012 Evaluation and Expression of Uncertainty in Measurement. The evaluation results were expressed by the extended uncertainty U or relative expanded uncertainty U<sub>rel</sub> with a coverage factor k.
7. 证书中“P”、“合格”代表“测量结果在允许范围内”, “F”、“不合格”代表“测量结果不在允许范围内”, “N/A”代表“不适用”。本证书报告的判定规则和结论仅供参考, 使用人员应结合实际测量的要求合理使用, 如考虑测量结果测量不确定度的影响等。  
 “P” and “Pass” in this certificate stand for “Low Limit≤the measured value≤High Limit”, “F” and “Fail” stand for “the measured value<Low Limit or the measured value>High Limit”, “N/A” stands for “Not Applicable”. The judgment rules and conclusions of this certificate are for reference only. Users should use them reasonably according to the actual measurement requirements, such as considering the impact of measurement uncertainty, etc.
8. 建议再校日期是本实验室依据本证书报告的技术依据和仪器设备常规使用条件给出的建议, 供委托方参考。委托方可以根据实际使用情况自行决定样品的再校准日期。  
 The recommended date of recalibration is based on the reference documents and the normal operating conditions of the calibrated instrument. It is only for reference. The client may decide the date of recalibration of the instrument according to actual use.

# CEPREI

注: 1. 本证书未经本机构书面授权, 不得部分复制。(The certificate shall not be partly reproduced without written approval of the laboratory.)  
 2. 本次校准结果仅与被校物有关。(The results are only related to the items calibrated.)

Page 3 of 5

# Calibration Certificate of Sound Level Meter



赛宝计量检测中心

CEPREI CALIBRATION & TESTING CENTER 证书编号(Certificate No.): 2HB19001116-0003

1. Appearance and Function Check

There are no factor and defect that affect the calibration result accuracy of the certificate.

2. 94dB Calibration ( at 1000Hz )(A-Weighting)

Reference Value (dB)	Indicated Value (dB)	U (k=2) (dB)
114.0	114.3	0.4

3. Sound Pressure Level Measurement ( at 1000Hz )(A-Weighting)

Reference Value (dB)	Indicated Value (dB)	Error (dB)	Manufacturer Specification (dB)	U (k=2) (dB)	P/F
114.0	114.3	0.3	±1.0	0.4	P
104.0	104.3	0.3	±1.0	0.4	P
94.0	94.3	0.3	±1.0	0.4	P
84.0	84.3	0.3	±1.0	0.4	P
74.0	74.3	0.3	±1.0	0.4	P
64.0	64.4	0.4	±1.0	0.4	P
54.0	54.5	0.5	±1.0	0.4	P

4. A-Weighting Freq. Response Characteristic

Frequency (Hz)	Reference Value (dB)	Indicated Value (dB)	Error (dB)	Manufacturer Specification (dB)	U (k=2) (dB)	P/F
31.5	-39.4	-39.3	0.1	±3.5	0.5	P
63	-26.2	-26.0	0.2	±2.5	0.5	P
125	-16.1	-16.0	0.1	±2.0	0.5	P
250	-8.6	-8.6	0.0	±1.9	0.4	P
500	-3.2	-3.2	0.0	±1.9	0.4	P
1k	0.0	0.0	0.0	(Ref.)	/	
2k	1.2	1.0	-0.2	±2.6	0.6	P
4k	1.0	0.3	-0.7	±3.6	0.6	P
8k	-1.1	-1.9	-0.8	±5.6	0.6	P
16k	-6.6	-11.4	-4.8	+6-∞	1.0	P

以下空白/No data hereafter

# Calibration Certificate of Sound Level Meter


**中国赛宝实验室**  
 工业和信息化部电子第五研究所  
**CEPREI CHINA CEPREI LABORATORY**




 中国认可  
 国际互认  
 校准  
**CALIBRATION**  
 CNAS L0462

## 校准证书

### CALIBRATION CERTIFICATE

证书编号: 2HB18002091-0001  
Certificate No. 

委托单位: Client	Castco Testing Centre Limited		
仪器名称: Description	Sound Level Meter		
型号规格: Model/Type	NL-52		
制造商: Manufacturer	RION		
机身号: Serial No.	01232551		
管理号: Asset No.	AAST-SLM-05		
接收日期: Rec. Date	2018年12月07日	校准日期: Cal. Date	2018年12月13日
签发日期: App. Date	2018年12月14日	建议再校日期: Next Cal. Date	2019年12月13日
结论: Conclusion	所校准项目合格(Passed at Calibration Items)		

校准:  
 Calibrated by  
  
 签发:  
 Approved by  


检验:  
 Inspected by  
  
 印章:  
 Stamp

赛宝计量检测中心 广州总部地址: 广州天河区东莞庄路110号 香港分部地址: 香港上水剑桥广场G/F2 客服电话: 852-26680871 传真: 852-26686197 投诉电话: 852-26680936 020-87236789 邮件: cal@ceprei.com.hk 网址: www.ceprei-cal.com	CEPREI Calibration and Testing Center H.Q. Addr: No.110 Dongguang Road, Tianhe District, Guangzhou CEPREI(H.K.) Addr: G/F2 Cambridge Plaza, Sheung Shui N.T. Hong Kong Tel: 852-26680871 Fax: 852-26686197 Complaint phone: 852-26680936 020-87236789 Email: cal@ceprei.com.hk Website: www.ceprei-cal.com
--	--

Page 1 of 4

## 说明

### DIRECTIONS

证书编号(Certificate No.): 2HB18002091-0001

1. 本机构质量管理体系符合ISO/IEC 17025的要求, 获得中国合格评定国家认可委员会(CNAS)认可, 认可证书号为: CNAS L0462。  
This laboratory quality management system meets the ISO/IEC 17025 and is accredited by the China National Accreditation Service for Conformity Assessment, No. CNAS L0462.
2. 本次校准的技术依据及CNAS认可范围(Reference documents and CNAS accredited scopes):  
 • JJG 188-2002 声级计检定规程: 声压级:(20~130)dB; 频率计权:(20~130)dB@(10Hz~20kHz)  
 • 详细内容请查看CNAS网站中注册编号为L0462的证书附件(Please see the attachment of certificate No. L0462 at CNAS website for details).
3. 本次校准所使用的主要测量标准(The main measurement standards used during the calibration):

名称 (Description)	证书号/有效期/溯源单位 (Certificate No./Due Date/Traceability to)	技术指标 (Specification)
声校准器/Multifunction Acoustic Calibrator	4GC18000061-0009/2019-02-06/	1级
音频分析仪/Audio Analyzer	2HB18000034-0019/2019-01-06/赛宝	失真度测量: ±5%

4. 校准地点(The calibration place): 广州市天河区东莞庄路110号401楼振动声学室
5. 环境条件(Environmental conditions): 温度(Temperature): 22°C 相对湿度(Relative Humidity): 57%
6. 依据《JJF 1059.1-2012 测量不确定度评定与表示》进行测量结果不确定度评定。评定结果以包含因子为k的扩展不确定度U或相对扩展不确定度U<sub>r</sub>表示。  
The evaluation was made according to JJF 1059.1-2012 Evaluation and Expression of Uncertainty in Measurement. The evaluation results were expressed by the extended uncertainty U or relative expanded uncertainty U<sub>r</sub> with a coverage factor k.
7. 证书中"P"、“合格”代表“测量结果在允许范围内”, “F”、“不合格”代表“测量结果不在允许范围内”, “N/A”代表“不适用”。  
“P” and “Pass” in this certificate stand for “Low Limit≤the measured value ≤High Limit”, “F” and “Fail” stand for “the measured value < Low Limit or the measured value > High Limit”, “N/A” stands for “Not Applicable”.

注: 1. 本证书未经本机构书面授权, 不得部分复制。(The certificate shall not be partly reproduced without written approval of the laboratory.)  
2. 本次校准结果仅与被校物有关。(The results are only related to the items calibrated.)

Page 2 of 4

## Calibration Certificate of Sound Level Meter


**赛宝计量检测中心**  
 CEPREI CALIBRATION & TESTING CENTER 证书编号(Certificate No.): 2HB18002091-0001

1. 外观检查工作正常性检查 (Appearance and Function Check)

	结论 (Pass/Fail)
	P

2. 内部校准值 (Interior Calibration Value): A-Weighting

标准值 (Reference) (dB)	Cal值 (dB)	U (k=2) (dB)
94.0	94.2	0.2

3. 声压级测量 (SPL Measurement) Frequency=1000Hz A Weighting A Weighting

标准值 (Reference) (dB)	示值 (Indication) (dB)	误差 (Error) (dB)	允许误差 (Limit) (dB)	结论 (Pass/Fail) (P/F)	U (k=2) (dB)
114.0	114.2	0.2	±1.0	P	0.2
104.0	104.2	0.2	±1.0	P	0.2
94.0	94.2	0.2	±1.0	P	0.2
84.0	84.2	0.2	±1.0	P	0.2
74.0	74.2	0.2	±1.0	P	0.2
64.0	64.2	0.2	±1.0	P	0.2
54.0	54.2	0.2	±1.0	P	0.2



---

数据页(Data sheet)
ID: Q568989
Page 3 of 4


**赛宝计量检测中心**  
 CEPREI CALIBRATION & TESTING CENTER 证书编号(Certificate No.): 2HB18002091-0001

4. A加权特性 (A-Weighting Characteristic)

频率 (Frequency) (Hz)	标准值 (Reference) (dB)	示值 (Indication) (dB)	误差 (Error) (dB)	允许误差 (Limit) (dB)	结论 (Pass/Fail) (P/F)	U (k=2) (dB)
31.5	-39.4	-38.8	0.6	±3.5	P	0.6
63	-26.2	-26.0	0.2	±2.5	P	0.6
125	-16.1	-15.9	0.2	±2.0	P	0.6
250	-8.6	-8.5	0.1	±1.9	P	0.6
500	-3.2	-3.1	0.1	±1.9	P	0.5
1k	0.0	0.0	0.0	(Ref.)	/	0.5
2k	1.2	1.1	-0.1	±2.6	P	0.6
4k	1.0	0.0	-1.0	±3.6	P	0.6
8k	-1.1	-3.5	-2.4	±5.6	P	0.6
16k	-6.6	-11.2	-4.6	+6-∞	P	1.0

以下空白/No data hereafter



---

数据页(Data sheet)
ID: Q568989
Page 4 of 4

## Catalogue of Sound Calibrator

For microphone calibration **NC-74**

### How to use

Carefully insert the microphone all the way into the coupler of the NC-74. Then simply turn the power on to apply a constant sound pressure level to the diaphragm of the microphone.




Usage example (NL series)

The performance of the NC-74 is suitable for calibration of high-precision sound level meters. The unit is compact, lightweight, and easy to use. Two IEC LR6 (size AA) alkaline batteries will power the unit for more than 30 hours of continuous use at room temperature.

### Atmospheric pressure compensation principle

The NC-74 incorporates a sensor that detects atmospheric pressure. Based on the information provided by the sensor, the CPU controls the signal amplitude. This allows the unit to always provide the correct output for achieving constant sound pressure level, regardless of fluctuations in atmospheric pressure.



### Using the 1/2-inch adapter

To allow calibration of sound level meter microphones with 1 inch diameter, the 1/2-inch microphone adapter can be removed. 1/2-inch microphones are calibrated with the adapter in place.



### Specifications

Applicable standards	IEC 60942:2003 Class 1 JIS C 1616:2004 Class 1	
Suitable microphones	1-inch microphones	IEC 61094-1 Type LB1P UC-27 UC-28 UC-34
	1/2-inch microphones	IEC 61094-1 Type LB2aP UC-89 UC-97 UC-83A UC-92 UC-26 UC-30 UC-31 UC-33P
Nominal sound pressure level	94 dB	
Sound pressure level tolerance	±1.0 dB	
Nominal frequency	1 kHz	
Frequency tolerance	±1.0 % or less	
Power requirements	IEC LR6 (size AA) alkaline battery × 2	
Dimensions, mass	Approx. 45 (H) × 80 (W) × 74 (D) mm Approx. 200 g (including batteries)	
Supplied accessories	Case × 1 IEC LR6 (size AA) alkaline battery × 2 1/2-inch microphone adapter NC-74-002 × 1	

\* Specification subject to change without notice.

**RION CO., LTD.**

3-20-41, Higashimotomachi, Kokubunji, Tokyo 185-8533, Japan  
Tel: +81-42-359-7888 Fax: +81-42-359-7442  
<http://www.rion.co.jp/english/>


Distributed by:

ISO 14001 RION CO., LTD.  
ISO 9001 RION CO., LTD.



Printed in Japan 0510-1 0807.P.MP

## Calibration Certificate of Sound Calibrator



## 校准证书 CALIBRATION CERTIFICATE

证书编号: 2HB19001116-0001  
Certificate No.



委托单位: Castco Testing Centre Limited  
Client

仪器名称: SOUND LEVEL CALIBRATOR  
Description

型号规格: NC-74  
Model/Type

制造商: RION  
Manufacturer

机身号: 34178129  
Serial No.

管理号: AAST-SLC-05  
Asset No.

接收日期: 2019年07月03日 校准日期: 2019年07月10日  
Rec. Date Cal. Date

签发日期: 2019年07月12日 建议再校日期: 2020年07月10日  
App. Date Next Cal. Date

结论: 所校准项目合格(Passed at Calibration Items)  
Conclusion

校准: 杨西梅  
Calibrated by

签发: 郑木力  
Approved by

检验: 刘鹏  
Inspected by

印章:  
Stamp

赛宝计量检测中心  
广州总部地址: 广州天河区东圃庄路110号  
香港分部地址: 香港上水剑桥广场G/F2  
客服电话: 852-26680871 传真: 852-26686197  
投诉电话: 852-26680936 020-87236789  
邮件: cal@ceprei.com.hk  
网址: www.ceprei-cal.com

CEPREI Calibration and Testing Center  
H.Q. Add: No.110 Donggungzhang Road, Tianpu, Dapeng, Guangdong  
CEPREI(H.K.) Add: G/F2 Cambridge Plaza, Hong Sha, N.T., Hong Kong  
Tel: 852-26680871 Fax: 852-26686197  
Complaint phone: 852-26680936 020-87236789  
Email: cal@ceprei.com.hk  
Website: www.ceprei-cal.com

Page 1 of 5

## Catalogue of Air Flow Meter (TSI TA440)

### SPECIFICATIONS

#### THERMAL ANEMOMETERS MODELS TA410, TA430 AND TA440

##### Velocity

Range (TA410)	0 to 20 m/s (0 to 4,000 ft/min)
Range (TA430, TA440)	0 to 30 m/s (0 to 6,000 ft/min)
Accuracy (TA410) <sup>1,2</sup>	±5% of reading or ±0.025 m/s (±5 ft/min), whichever is greater
Accuracy (TA430, TA440) <sup>3,4</sup>	±3% of reading or ±0.015 m/s (±3 ft/min), whichever is greater
Resolution	0.01 m/s (1 ft/min)

##### Duct Size (TA430, TA440)

Dimensions	1 to 635 cm in increments of 0.1 cm (1 to 250 inches in increments of 0.1 in.)
------------	--

##### Volumetric Flow Rate (TA430, TA440)

Range	Actual range is a function of velocity, and duct size
-------	---

##### Temperature

Range (TA410, TA430)	-18 to 93°C (0 to 200°F)
Range (TA440)	-10 to 60°C (14 to 140°F)
Accuracy <sup>5</sup>	±0.3°C (±0.5°F)
Resolution	0.1°C (0.1°F)

##### Relative Humidity (TA440 only)

Range	5 to 95% RH
Accuracy <sup>6</sup>	±3% RH
Resolution	0.1% RH

##### Wet Bulb Temperature (TA440 only)

Range	5 to 60°C (40 to 140°F)
Resolution	0.1°C (0.1°F)

##### Dew Point (TA440 only)

Range	-15 to 49°C (5 to 120°F)
Resolution	0.1°C (0.1°F)

##### Instrument Temperature Range

Operating (Electronics)	5 to 45°C (40 to 113°F)
Model TA410, TA430	-18 to 93°C (0 to 200°F)
Operating (Probe)	
Model TA430 and TA440	-10 to 60°C (14 to 140°F)
Operating (Probe)	
Storage	-20 to 60°C (-4 to 140°F)

##### Data Storage Capabilities (TA430, TA440)

Range	12,700+ samples and 100 test IDs
-------	----------------------------------

##### Logging Interval (TA430, TA440)

Range	1 second to 1 hour
-------	--------------------

Specifications subject to change without notice.

TSI and the TSI logo are registered trademarks, and Airflow, the Airflow logo and LogStat are trademarks of TSI Incorporated.



Airflow Instruments, TSI Instruments Ltd.  
Visit our website at [www.airflowinstruments.co.uk](http://www.airflowinstruments.co.uk) for more information.

UK Tel: +44 149 4 459200 Germany Tel: +49 241 523030  
France Tel: +33 491 11 97 64

P/N 29800548 Rev D (A4) ©2014 TSI Incorporated

##### Time Constant (TA430, TA440)

User selectable

##### External Meter Dimensions

8.4 cm x 17.8 cm x 4.4 cm (3.3 in. x 7.0 in. x 1.8 in.)

##### Meter Weight with Batteries

0.27 kg (0.6 lbs.)

##### Meter Probe Dimensions

Probe Length	101.6 cm (40 in.)
Probe Diameter of Tip	7.0 mm (0.28 in.)
Probe Diameter of Base	13.0 mm (0.51 in.)

##### Articulating Probe Dimensions

Articulating Section Length	19.7 cm (7.8 in.)
Diameter of Articulating Knuckle	9.5 mm (0.38 in.)

##### Power Requirements

Four AA-size batteries or AC adapter

	TA410	TA430, TA430-A	TA440, TA440-A
Velocity range 0 to 20.00 m/s (0 to 4000 ft/min)	+		
Velocity range 0 to 30.00 m/s (0 to 6000 ft/min)		+	+
Temperature	+	+	+
Flow		+	+
Humidity, wet bulb, dew point			+
Probe	Straight	Straight or -A articulated	Straight or -A articulated
Variable time constant		+	+
Manual data logging		+	+
Auto save data logging			+
Statistics		+	+
Review data		+	+
LogStat2 downloading software		+	+
Free Certificate of Calibration	+	+	+

<sup>1</sup> Temperature compensated over an air temperature range of 5 to 65°C (40 to 150°F).

<sup>2</sup> The accuracy statement begins at 20 ft/min through 4000 ft/min (0.15 m/s through 20 m/s) for the Model TA410, and 30 ft/min through 6000 ft/min (0.15 m/s through 30 m/s) for Model TA430 and TA440.

<sup>3</sup> Accuracy with instrument case at 25°C (77°F); add uncertainty of 0.03°C (0.05°F) for change in instrument temperature.

<sup>4</sup> Accuracy with probe at 25°C (77°F); Add uncertainty of 0.2% (0.1% RH) for change in probe temperature. Includes 1% hysteresis.

## Calibration Certificate of Air Flow Meter



华南国家计量测试中心  
广东省计量科学研究院  
SOUTH CHINA NATIONAL CENTER OF METROLOGY  
GUANGDONG INSTITUTE OF METROLOGY




中国认可  
国际互认  
校准  
CALIBRATION  
CNAS L0798

# 校准证书

## CALIBRATION CERTIFICATE

证书编号 NSC201852316 第 1 页, 共 3 页  
Certificate No. Page of

委托方 Casteo Testing Centre Ltd.  
Client

委托方地址 G/F., Techno Centre, 33 On Kui St., On Lok  
Add. of Client Tsuen, Fanling, N.T., H.K.

计量器具名称 Air Velocity  
Description

型号规格 TA440  
Model/Type

制造厂 TSI  
Manufacturer

出厂编号 TA4401232005 设备编号 AAST-FLOW-02  
Serial No. Equipment No.

接收日期 2018 年 10 月 22 日  
Date of Receipt Y M D

结果 见校准结果  
Results Shown in the results of calibration

校准日期 2018 年 11 月 06 日  
Date of Calibration Y M D

批准人 郑培亮  
Approved Signatory

核 验 吴松  
Reviewed by

校 准 邓彦  
Calibrated by




扫一扫查真伪

本中心地址: 中国广州市广园中路松柏东街30号 邮政编码: 510405  
电话: (8620) 86594172 传真: (8620) 86590743 投诉电话: (8620) 36611242 E-mail: scm@scm.com.cn  
Add: No.30, Songbai East Street, Guangyuan Middle Road, Guangzhou, Guangdong, China  
Post Code: 510405 Tel: (8620)86594172 Fax: (8620)86590743 Complaint Tel: (8620)36611242  
证书真伪查询: [www.scm.com.cn](http://www.scm.com.cn); [www.mjps.com](http://www.mjps.com) Certificate Authenticity Identity: [www.scm.com.cn](http://www.scm.com.cn); [www.mjps.com](http://www.mjps.com)  
H16967 1

# Calibration Certificate of Air Flow Meter




**华南国家计量测试中心**  
**广东省计量科学研究院**  
 SOUTH CHINA NATIONAL CENTER OF METROLOGY  
 GUANGDONG INSTITUTE OF METROLOGY

## 说 明

DIRECTIONS 第 2 页, 共 3 页  
Page of

证书编号 NSC201852316  
Certificate No.

- 本中心是国家质量监督检验检疫总局在华南地区设立的国家法定计量检定机构, 本中心的质量管理体系符合 ISO/IEC 17025:2005 标准的要求。  
This laboratory is the National Legal Metrological Verification Institution in southern China set up by the General Administration of Quality Supervision. The quality system is in accordance with ISO/IEC 17025:2005.
- 本中心所出具的数据均可溯源至国家计量基准和国际单位制(SI)。  
All data issued by this laboratory are traceable to national primary standards and International System of Units (SI).
- 本次校准的技术依据:  
Reference documents for the calibration:  
JJG(建设) 0001-1992 热球式风速仪检定规程 V.R. of Hot Ball Shaped Anemometer
- 本次校准所使用的主要计量标准器具:  
Major standards of measurement used in the calibration:

设备名称 Name of Equipment	编号 Serial No.	证书号/有效期/溯源单位 Certificate No./Due Date /Traceability to	计量特性 Metrological Characteristic
L型标准皮托管 Type L Pitot Tube	NHB001-05	RGFv2018-0021 /2023-04-19 /国家计量院	MPE: ±0.003
压力校验仪 Pressure Calibrator	CZ61500809	RJY201800162 /2019-01-07 /本中心	0.05 级 Grade 0.05

- 校准地点、环境条件:  
Place and environmental conditions of the calibration:  
地点 风速实验室(Wind speed Lab.)  
Place  
温度 (25±5) °C 相对湿度 <75 %  
Temperature R.H.
- 被校准仪器限制使用条件:  
Limiting condition of the instrument calibrated:  
\_\_\_\_\_

注: 1. 本证书校准结果只与受校准仪器有关。  
2. 未经本机构书面批准, 不得部分复制此证书。  
Note: 1. The results relate only to the items calibrated.  
2. This certificate shall not be reproduced except in full, without the written approval of our laboratory.




**华南国家计量测试中心**  
**广东省计量科学研究院**  
 SOUTH CHINA NATIONAL CENTER OF METROLOGY  
 GUANGDONG INSTITUTE OF METROLOGY

## 校 准 结 果

RESULTS OF CALIBRATION

证书编号 NSC201852316  
Certificate No. 原始记录号 520182316  
Record No. 第 3 页, 共 3 页  
Page of

- 外观检查: 符合要求。  
Appearance check: Pass.
- 风速表的示值修正值见表1:  
The Correction of indication value of anemometer shown in table 1:





指示风速 Indication Value	修正值 Correction	扩展不确定度 Expanded uncertainty	允差(%FS) MPE
0.44	-0.03	0.20	±5
1.04	-0.12	0.20	±5
2.19	0.00	0.20	±5
5.00	+0.05	0.20	±5
9.91	+0.17	0.20	±5
15.09	+0.14	0.30	±5
20.03	+0.24	0.40	±5
24.91	+0.22	0.50	±5
28.00	+0.21	0.60	±5

说明  
Note:





- 结论: 以上校准结果符合JJG(建设)0001-1992(准确度A级)技术要求。  
Conclusion: The data of instrument calibrated above comply with the technical characteristics in JJG(建设)0001-1992 (for accuracy Class A).
- 示值修正值测量结果的扩展不确定度 $U_{95}$ : 见表1, 包含因子:  $k_{95}=2$ 。  
The expanded uncertainty in measurement for correction of indication value: shown in table 1, Coverage factor:  $k_{95}=2$ 。  
依据“JJF1059.1-2012《测量不确定度评定与表示》”  
In accordance with “JJF1059.1-2012 Evaluation and Expression of Uncertainty in Measurement”
- 按照所依据技术文件的规定, 建议复校时间间隔不超过1年。  
According to the demand of reference document, next calibration is proposed within 1 year.

**Appendix L – Graphical presentation of baseline noise monitoring data**





L<sub>Aeq, 5-min</sub> graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop





L<sub>Aeq, 5-min</sub> graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop






L<sub>Aeq, 5-min</sub> graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop







L<sub>Aeq, 5-min</sub> graphical results of M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop






L<sub>Aeq</sub>, 5-min graphical results of M12 - Hong Kong Children's Hospital





L<sub>Aeq</sub>, 5-min graphical results of M12 - Hong Kong Children's Hospital



L<sub>Aeq</sub>, 5-min graphical results of M12 - Hong Kong Children's Hospital



L<sub>Aeq</sub>, 5-min graphical results of M12 - Hong Kong Children's Hospital



**Appendix M – Day-time (0700-1900 hrs) noise monitoring data**

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	7:00	62.8	66.7	52.2	63.5
28/10/2019	7:05	62	66.3	50.9	
28/10/2019	7:10	61.9	66.4	53.3	
28/10/2019	7:15	61.4	66.1	53.1	
28/10/2019	7:20	67.6	74.9	53.2	
28/10/2019	7:25	61.1	65.6	52.5	
28/10/2019	7:30	61.2	65.8	51.5	62.1
28/10/2019	7:35	62.6	67.9	53.7	
28/10/2019	7:40	62	67	53.5	
28/10/2019	7:45	61.1	65.8	52.7	
28/10/2019	7:50	62.3	66.9	53.2	
28/10/2019	7:55	63.1	67.6	55.1	
28/10/2019	8:00	61.6	65.9	53.1	61.8
28/10/2019	8:05	60.8	65.9	51.5	
28/10/2019	8:10	61.5	65.7	51.4	
28/10/2019	8:15	62.4	66.9	54.4	
28/10/2019	8:20	61.8	66.1	53.6	
28/10/2019	8:25	62.4	66.6	54.8	
28/10/2019	8:30	61.8	66	51.6	62.3
28/10/2019	8:35	62.4	66.8	53.9	
28/10/2019	8:40	62.1	66.4	55.2	
28/10/2019	8:45	61.3	66	53.7	
28/10/2019	8:50	63	67.7	53.3	
28/10/2019	8:55	62.9	66.9	55.2	
28/10/2019	9:00	62.8	67.2	53.8	62.6
28/10/2019	9:05	62.4	66.6	54.4	
28/10/2019	9:10	61.9	66.1	53	
28/10/2019	9:15	62.8	67	54.1	
28/10/2019	9:20	62.6	66.9	54.5	
28/10/2019	9:25	63	66.4	53.6	
28/10/2019	9:30	62.7	67.1	55.9	63.9
28/10/2019	9:35	62.1	65.7	55.3	
28/10/2019	9:40	62.8	67.1	54.6	
28/10/2019	9:45	62.8	66.3	55.3	
28/10/2019	9:50	63.4	67.5	56.5	
28/10/2019	9:55	67.1	72.7	55.8	
28/10/2019	10:00	62.6	66.4	55.4	68.0
28/10/2019	10:05	63.2	67.2	56	
28/10/2019	10:10	62.8	66.6	55.5	
28/10/2019	10:15	62.9	67.3	55.3	
28/10/2019	10:20	71.5	73.6	66.1	
28/10/2019	10:25	72.1	78	64.5	
28/10/2019	10:30	69.5	72.4	64.8	71.6
28/10/2019	10:35	70.2	73.6	65.1	
28/10/2019	10:40	69.8	74	63.2	
28/10/2019	10:45	75.3	78.7	63.8	
28/10/2019	10:50	70	74.6	63.2	
28/10/2019	10:55	71.3	75.9	64.8	
28/10/2019	11:00	69.3	73.3	63.7	70.1
28/10/2019	11:05	70.7	75.4	64.8	
28/10/2019	11:10	69.9	72.3	63.5	
28/10/2019	11:15	70.5	74.6	64.3	
28/10/2019	11:20	68.6	72	63.1	
28/10/2019	11:25	71	75.7	65.2	
28/10/2019	11:30	69.8	74	63.7	69.7
28/10/2019	11:35	70.2	73.6	65.8	
28/10/2019	11:40	71.1	74.4	65.1	
28/10/2019	11:45	68.6	72.3	63.4	
28/10/2019	11:50	69	73	64.2	
28/10/2019	11:55	68.8	72.7	63.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	12:00	67.1	70.4	61.5	66.9
28/10/2019	12:05	67.1	70.7	62.2	
28/10/2019	12:10	67.3	69	61.3	
28/10/2019	12:15	66.2	69.9	61.8	
28/10/2019	12:20	66.8	70.5	62.4	
28/10/2019	12:25	66.8	70.8	61.9	
28/10/2019	12:30	67.8	72.3	61.6	67.6
28/10/2019	12:35	68.6	73.1	62.2	
28/10/2019	12:40	66.3	70.3	61.8	
28/10/2019	12:45	67.5	72	61.7	
28/10/2019	12:50	66.8	70.6	61.4	
28/10/2019	12:55	68.2	71.6	62	
28/10/2019	13:00	67	71.7	61.6	67.2
28/10/2019	13:05	68	71.3	62.8	
28/10/2019	13:10	67.1	71.1	62.9	
28/10/2019	13:15	66.1	70.2	61.8	
28/10/2019	13:20	67.5	71.3	60.7	
28/10/2019	13:25	67.4	71.7	61.8	
28/10/2019	13:30	70.9	75.3	62.6	69.0
28/10/2019	13:35	68.5	73.1	62.1	
28/10/2019	13:40	68.3	73.6	61.5	
28/10/2019	13:45	68	72.4	61.9	
28/10/2019	13:50	67.2	71.5	61.2	
28/10/2019	13:55	69.8	74	63.9	
28/10/2019	14:00	65.3	69.8	60.5	67.3
28/10/2019	14:05	66.4	70.4	61.5	
28/10/2019	14:10	65.2	68.3	61.1	
28/10/2019	14:15	70.4	72.7	62.9	
28/10/2019	14:20	67.6	71.3	63.7	
28/10/2019	14:25	66.3	70	62.1	
28/10/2019	14:30	71	71.4	61.6	71.0
28/10/2019	14:35	67.6	72.4	62.1	
28/10/2019	14:40	72	76.3	65.7	
28/10/2019	14:45	72.3	76.1	67	
28/10/2019	14:50	71.5	76	65	
28/10/2019	14:55	69.9	74.6	64.8	
28/10/2019	15:00	69.8	73.5	64.2	70.2
28/10/2019	15:05	70.1	73.6	65.7	
28/10/2019	15:10	69.3	72.4	65.1	
28/10/2019	15:15	72.6	76.6	65.2	
28/10/2019	15:20	70.3	74.1	65.1	
28/10/2019	15:25	67.1	70.7	63	
28/10/2019	15:30	68.9	72.1	64.3	68.6
28/10/2019	15:35	68.7	72.3	63.9	
28/10/2019	15:40	66.8	70.2	62.3	
28/10/2019	15:45	68.5	71.9	63.7	
28/10/2019	15:50	69.5	73.7	63.5	
28/10/2019	15:55	68.8	72.7	63.1	
28/10/2019	16:00	69	72.6	63.5	69.6
28/10/2019	16:05	72.1	75	64.5	
28/10/2019	16:10	70.8	72.5	62.8	
28/10/2019	16:15	68.5	71.8	63	
28/10/2019	16:20	69.3	72.7	63.9	
28/10/2019	16:25	65	69.6	58.8	
28/10/2019	16:30	71.7	73.7	57.5	67.0
28/10/2019	16:35	64.2	68.6	57.5	
28/10/2019	16:40	65.5	69.6	58.1	
28/10/2019	16:45	64.7	69.1	57.1	
28/10/2019	16:50	65.5	70	57.2	
28/10/2019	16:55	64.3	68.7	57.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	17:00	64.1	69.7	56.2	64.0
28/10/2019	17:05	63.9	68.9	54.5	
28/10/2019	17:10	64.8	70.8	54.3	
28/10/2019	17:15	63.3	67.9	55	
28/10/2019	17:20	65.4	69.8	54.2	
28/10/2019	17:25	61.3	66.4	53.5	
28/10/2019	17:30	65.5	70.6	54.6	64.5
28/10/2019	17:35	64.3	70	55.1	
28/10/2019	17:40	65.3	69.8	54.1	
28/10/2019	17:45	63.1	68.4	52.3	
28/10/2019	17:50	65.6	69.4	52.7	
28/10/2019	17:55	61.7	68	52.1	
28/10/2019	18:00	61	66.2	52.6	64.2
28/10/2019	18:05	66.3	67.3	52	
28/10/2019	18:10	66.9	70.2	55.7	
28/10/2019	18:15	61.6	66.7	55.6	
28/10/2019	18:20	63.1	68.2	55.6	
28/10/2019	18:25	62.3	67.1	55.9	
28/10/2019	18:30	62.1	67.4	55.7	62.0
28/10/2019	18:35	61.2	65.9	55.8	
28/10/2019	18:40	62.2	66.5	55.9	
28/10/2019	18:45	61.7	66.6	55.2	
28/10/2019	18:50	62	67.8	55.6	
28/10/2019	18:55	62.5	67.8	55.6	
29/10/2019	7:00	61.8	66.2	56.4	62.3
29/10/2019	7:05	61.7	66.8	53.6	
29/10/2019	7:10	58.2	63.5	52.7	
29/10/2019	7:15	62.8	68.1	53.4	
29/10/2019	7:20	63.5	68.5	54.2	
29/10/2019	7:25	63.7	69	53.4	
29/10/2019	7:30	61.6	66.1	54.2	61.8
29/10/2019	7:35	63.1	68.4	54.5	
29/10/2019	7:40	61.2	66	54.1	
29/10/2019	7:45	58.5	63.4	52.9	
29/10/2019	7:50	63.5	68.2	56.2	
29/10/2019	7:55	61.3	66.1	53.7	
29/10/2019	8:00	58.9	63.8	52	62.6
29/10/2019	8:05	64.3	70.2	54.4	
29/10/2019	8:10	62.6	68.4	56.1	
29/10/2019	8:15	61.4	66.2	56	
29/10/2019	8:20	64.4	69.3	56.5	
29/10/2019	8:25	62.1	66.5	56.3	
29/10/2019	8:30	62.4	67.8	55.8	62.8
29/10/2019	8:35	62	65.8	55.4	
29/10/2019	8:40	63.3	68	55.9	
29/10/2019	8:45	63.5	69	55.6	
29/10/2019	8:50	62.6	67.9	56.1	
29/10/2019	8:55	62.7	67.6	55.7	
29/10/2019	9:00	62.9	67.4	56.1	63.1
29/10/2019	9:05	62.5	67.3	56.3	
29/10/2019	9:10	62.1	66.2	56.5	
29/10/2019	9:15	63.5	68	56.7	
29/10/2019	9:20	64.8	69.6	57.4	
29/10/2019	9:25	62.2	66.9	56.4	
29/10/2019	9:30	63	68.2	55.2	70.4
29/10/2019	9:35	63.1	67.3	57.4	
29/10/2019	9:40	65.1	70.2	57.8	
29/10/2019	9:45	77.2	78.5	58.3	
29/10/2019	9:50	62.8	66.5	57.2	
29/10/2019	9:55	66.4	67.6	57.8	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	10:00	63.1	67.5	56.8	63.1
29/10/2019	10:05	61.4	65.4	55.4	
29/10/2019	10:10	62.5	66.7	58.1	
29/10/2019	10:15	64.5	69.2	57.8	
29/10/2019	10:20	63.7	67.4	58.2	
29/10/2019	10:25	62.7	67.5	56.6	
29/10/2019	10:30	62.1	66.1	56.5	64.0
29/10/2019	10:35	64.9	68.9	56.6	
29/10/2019	10:40	63.9	68.1	57.5	
29/10/2019	10:45	64.5	69.4	57.1	
29/10/2019	10:50	63.7	67.7	57	
29/10/2019	10:55	64.6	69.3	57.6	
29/10/2019	11:00	64.8	69.5	58.4	66.2
29/10/2019	11:05	66.2	72.5	59.6	
29/10/2019	11:10	67.5	70.4	58.7	
29/10/2019	11:15	65.7	71.3	57.9	
29/10/2019	11:20	64.1	69.4	55.1	
29/10/2019	11:25	67.8	74.4	56	
29/10/2019	11:30	64	68.2	57.5	63.9
29/10/2019	11:35	62.4	66.9	54.2	
29/10/2019	11:40	65.1	69	55.7	
29/10/2019	11:45	62.5	67.4	55	
29/10/2019	11:50	63.8	68.6	55.3	
29/10/2019	11:55	64.7	69.7	55.6	
29/10/2019	12:00	62.9	68.7	54.1	65.0
29/10/2019	12:05	63.5	68.3	55.7	
29/10/2019	12:10	64.9	69.4	57.9	
29/10/2019	12:15	65.5	69.8	57.9	
29/10/2019	12:20	63.2	67.7	56.5	
29/10/2019	12:25	67.8	72.3	55.9	
29/10/2019	12:30	65.8	70.2	58.2	65.1
29/10/2019	12:35	64.8	69.8	57.1	
29/10/2019	12:40	65.2	69.1	58.2	
29/10/2019	12:45	65.3	69.6	58.7	
29/10/2019	12:50	64.6	68.8	58.7	
29/10/2019	12:55	64.5	68.6	57.3	
29/10/2019	13:00	67.6	74.3	57.8	64.5
29/10/2019	13:05	63.5	67.7	56.1	
29/10/2019	13:10	63.1	68.1	53.2	
29/10/2019	13:15	61.2	66.8	52.7	
29/10/2019	13:20	64.8	68.8	52.5	
29/10/2019	13:25	63.9	68.4	52.8	
29/10/2019	13:30	65.1	69.9	53.9	64.6
29/10/2019	13:35	63.5	68.4	53.9	
29/10/2019	13:40	64.4	68.7	55.7	
29/10/2019	13:45	64.7	69.7	55.7	
29/10/2019	13:50	65.5	70	56	
29/10/2019	13:55	64.2	68.8	56.3	
29/10/2019	14:00	64.9	70.4	54.6	63.9
29/10/2019	14:05	65.1	70.8	56.9	
29/10/2019	14:10	63.5	69.5	55.9	
29/10/2019	14:15	62.5	67.4	56.7	
29/10/2019	14:20	64.6	70.1	56.2	
29/10/2019	14:25	61.4	66	56.2	
29/10/2019	14:30	63.8	69.9	56.2	62.3
29/10/2019	14:35	61.2	66.2	55.5	
29/10/2019	14:40	62.6	67.5	55.2	
29/10/2019	14:45	60.8	65.2	55.4	
29/10/2019	14:50	61.9	66.2	55.6	
29/10/2019	14:55	63	67.4	56	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	15:00	65	70.1	55.9	63.5
29/10/2019	15:05	62.5	67.9	52.4	
29/10/2019	15:10	61.7	66.6	52.7	
29/10/2019	15:15	61.8	67.1	52.3	
29/10/2019	15:20	61.7	66.9	53.6	
29/10/2019	15:25	66	71.4	56.6	
29/10/2019	15:30	71.3	75.5	56.5	66.5
29/10/2019	15:35	63.6	68.3	55.5	
29/10/2019	15:40	64.6	69.6	54.6	
29/10/2019	15:45	62.2	66.8	54.6	
29/10/2019	15:50	63.8	69.8	54.2	
29/10/2019	15:55	66.3	72.2	54.8	
29/10/2019	16:00	63.9	69.1	53.8	63.7
29/10/2019	16:05	62.6	68.3	54.7	
29/10/2019	16:10	64.7	69.1	57.8	
29/10/2019	16:15	62.6	68.1	55.9	
29/10/2019	16:20	64.4	68.8	56	
29/10/2019	16:25	63.5	68.4	55.3	
29/10/2019	16:30	62.2	67.5	55.4	62.7
29/10/2019	16:35	63.8	69.8	55.5	
29/10/2019	16:40	61.5	66.5	55.6	
29/10/2019	16:45	61.9	66.1	55.9	
29/10/2019	16:50	63.8	69	56	
29/10/2019	16:55	62.5	68.4	55.4	
29/10/2019	17:00	62.5	67.9	55.3	67.2
29/10/2019	17:05	62.1	67	53.7	
29/10/2019	17:10	61.3	66.8	51.3	
29/10/2019	17:15	63.5	68.4	52.3	
29/10/2019	17:20	73.6	77.2	51.6	
29/10/2019	17:25	62.2	67.4	52.9	
29/10/2019	17:30	60.3	65.7	51.9	65.1
29/10/2019	17:35	63.2	68	52.9	
29/10/2019	17:40	68.8	70.5	53.7	
29/10/2019	17:45	62.1	68.5	52.9	
29/10/2019	17:50	67	71.3	54.7	
29/10/2019	17:55	63.1	68.5	52.2	
29/10/2019	18:00	64.5	68.6	55.8	65.7
29/10/2019	18:05	63.3	68.2	55.4	
29/10/2019	18:10	64	68.6	56.7	
29/10/2019	18:15	69.9	70.6	55.9	
29/10/2019	18:20	63.2	68.5	55.5	
29/10/2019	18:25	64.4	69.2	56.5	
29/10/2019	18:30	62.3	66.9	55.9	63.2
29/10/2019	18:35	65	70	55.6	
29/10/2019	18:40	63.3	67.7	55.5	
29/10/2019	18:45	62.5	67	56.2	
29/10/2019	18:50	63.6	69.1	54.8	
29/10/2019	18:55	61.7	66.4	56	
30/10/2019	7:00	72	75.9	67.1	71.4
30/10/2019	7:05	73.1	77.2	68	
30/10/2019	7:10	72.4	76.9	66.6	
30/10/2019	7:15	68.3	72.8	63.6	
30/10/2019	7:20	70.5	74.4	65.7	
30/10/2019	7:25	70.3	74.6	64.4	
30/10/2019	7:30	67.1	70.9	62.6	68.4
30/10/2019	7:35	67.9	72.8	63.3	
30/10/2019	7:40	68.5	72.2	61.6	
30/10/2019	7:45	67.5	72.1	61.4	
30/10/2019	7:50	69.3	73.7	63	
30/10/2019	7:55	69.7	72.3	61.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	8:00	67.2	71	61.8	67.6
30/10/2019	8:05	67.9	72.1	61.2	
30/10/2019	8:10	67.8	72.5	62.2	
30/10/2019	8:15	67.7	71.6	63.3	
30/10/2019	8:20	66.9	71.1	62.3	
30/10/2019	8:25	67.9	72.4	64.1	
30/10/2019	8:30	68.4	73	64	67.6
30/10/2019	8:35	64.8	68.2	61.8	
30/10/2019	8:40	66.9	71.1	62.4	
30/10/2019	8:45	68.5	72.9	63.2	
30/10/2019	8:50	68	72.8	62	
30/10/2019	8:55	68.2	72.3	63.3	
30/10/2019	9:00	67.6	72.4	61.2	68.2
30/10/2019	9:05	68.3	73.1	61.5	
30/10/2019	9:10	67.2	72.6	60.7	
30/10/2019	9:15	68.2	73	62.4	
30/10/2019	9:20	68	73.2	59.9	
30/10/2019	9:25	69.6	75.3	61.4	
30/10/2019	9:30	63.6	68.8	54.8	62.0
30/10/2019	9:35	61.7	66.4	54.4	
30/10/2019	9:40	59	63.8	53.2	
30/10/2019	9:45	64	68.6	56.5	
30/10/2019	9:50	61.8	66.5	54	
30/10/2019	9:55	59.4	64.2	52.3	
30/10/2019	10:00	64.8	70.6	54.7	63.5
30/10/2019	10:05	63.1	68.8	56.4	
30/10/2019	10:10	61.9	66.6	56.3	
30/10/2019	10:15	64.9	69.7	56.8	
30/10/2019	10:20	62.6	66.9	56.6	
30/10/2019	10:25	62.9	68.2	56.1	
30/10/2019	10:30	62.5	66.2	55.7	63.4
30/10/2019	10:35	63.8	68.4	56.2	
30/10/2019	10:40	64	69.4	55.9	
30/10/2019	10:45	63.1	68.3	56.4	
30/10/2019	10:50	63.2	68	56	
30/10/2019	10:55	63.4	67.8	56.4	
30/10/2019	11:00	63	67.7	56.6	63.6
30/10/2019	11:05	62.6	66.6	56.8	
30/10/2019	11:10	64	68.4	57	
30/10/2019	11:15	65.3	70	57.7	
30/10/2019	11:20	62.7	67.3	56.7	
30/10/2019	11:25	63.5	68.6	55.5	
30/10/2019	11:30	63.6	67.7	57.7	70.9
30/10/2019	11:35	65.6	70.6	58.1	
30/10/2019	11:40	77.7	78.9	58.6	
30/10/2019	11:45	63.3	66.9	57.5	
30/10/2019	11:50	66.9	68	58.1	
30/10/2019	11:55	63.6	67.9	57.1	
30/10/2019	12:00	61.9	65.8	55.7	63.4
30/10/2019	12:05	63	67.1	58.4	
30/10/2019	12:10	65	69.6	58.1	
30/10/2019	12:15	64.2	67.8	58.5	
30/10/2019	12:20	63.2	67.9	56.9	
30/10/2019	12:25	62.6	66.5	56.8	
30/10/2019	12:30	65.4	69.3	56.9	64.9
30/10/2019	12:35	64.4	68.5	57.8	
30/10/2019	12:40	65	69.8	57.4	
30/10/2019	12:45	64.2	68.1	57.3	
30/10/2019	12:50	65.1	69.7	57.9	
30/10/2019	12:55	65.3	69.9	58.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	13:00	66.7	72.9	59.9	66.6
30/10/2019	13:05	68	70.8	59	
30/10/2019	13:10	66.2	71.7	58.2	
30/10/2019	13:15	64.6	69.8	55.4	
30/10/2019	13:20	68.3	74.8	56.3	
30/10/2019	13:25	64.5	68.6	57.8	
30/10/2019	13:30	62.9	67.3	54.5	64.2
30/10/2019	13:35	65.6	69.4	56	
30/10/2019	13:40	63	67.8	55.3	
30/10/2019	13:45	64.3	69	55.6	
30/10/2019	13:50	65.2	70.1	55.9	
30/10/2019	13:55	63.4	69.1	54.4	
30/10/2019	14:00	64	68.7	56	65.9
30/10/2019	14:05	65.4	69.8	58.2	
30/10/2019	14:10	66	70.2	58.2	
30/10/2019	14:15	63.7	68.1	56.8	
30/10/2019	14:20	68.3	72.7	56.2	
30/10/2019	14:25	66.3	70.6	58.5	
30/10/2019	14:30	65.3	70.2	57.4	66.0
30/10/2019	14:35	65.7	69.5	58.5	
30/10/2019	14:40	65.8	70	59	
30/10/2019	14:45	65.1	69.2	59	
30/10/2019	14:50	65	69	57.6	
30/10/2019	14:55	68.1	74.7	58.1	
30/10/2019	15:00	64	68.1	56.4	64.3
30/10/2019	15:05	63.6	68.5	53.5	
30/10/2019	15:10	61.7	67.2	53	
30/10/2019	15:15	65.3	69.2	52.8	
30/10/2019	15:20	64.4	68.8	53.1	
30/10/2019	15:25	65.6	70.3	54.2	
30/10/2019	15:30	64	68.8	54.2	65.1
30/10/2019	15:35	64.9	69.1	56	
30/10/2019	15:40	65.2	70.1	56	
30/10/2019	15:45	66	70.4	56.3	
30/10/2019	15:50	64.7	69.2	56.6	
30/10/2019	15:55	65.4	70.8	54.9	
30/10/2019	16:00	65.6	71.2	57.2	64.2
30/10/2019	16:05	64	69.9	56.2	
30/10/2019	16:10	63	67.8	57	
30/10/2019	16:15	65.1	70.5	56.5	
30/10/2019	16:20	61.9	66.4	56.5	
30/10/2019	16:25	64.3	70.3	56.5	
30/10/2019	16:30	61.7	66.6	55.8	63.2
30/10/2019	16:35	63.1	67.9	55.5	
30/10/2019	16:40	61.3	65.6	55.7	
30/10/2019	16:45	62.4	66.6	55.9	
30/10/2019	16:50	63.5	67.8	56.3	
30/10/2019	16:55	65.5	70.5	56.2	
30/10/2019	17:00	63	68.3	52.7	66.5
30/10/2019	17:05	62.2	67	53	
30/10/2019	17:10	62.3	67.5	52.6	
30/10/2019	17:15	62.2	67.3	53.9	
30/10/2019	17:20	66.5	71.8	56.9	
30/10/2019	17:25	71.8	75.9	56.8	
30/10/2019	17:30	64.1	68.7	55.8	64.7
30/10/2019	17:35	65.1	70	54.9	
30/10/2019	17:40	62.7	67.2	54.9	
30/10/2019	17:45	64.3	70.2	54.5	
30/10/2019	17:50	66.8	72.6	55.1	
30/10/2019	17:55	64.4	69.5	54.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	18:00	63.1	68.7	55	63.9
30/10/2019	18:05	65.2	69.5	58.1	
30/10/2019	18:10	63.1	68.5	56.2	
30/10/2019	18:15	64.9	69.2	56.3	
30/10/2019	18:20	64	68.8	55.6	
30/10/2019	18:25	62.7	67.9	55.7	
30/10/2019	18:30	64.3	70.2	55.8	63.3
30/10/2019	18:35	62	66.9	55.9	
30/10/2019	18:40	62.4	66.5	56.2	
30/10/2019	18:45	64.3	69.4	56.3	
30/10/2019	18:50	63	68.8	55.7	
30/10/2019	18:55	63	68.3	55.6	
31/10/2019	7:00	67	72.9	55.7	66.7
31/10/2019	7:05	63.9	68.6	57.2	
31/10/2019	7:10	65.6	70.3	54.9	
31/10/2019	7:15	66.9	71.8	57	
31/10/2019	7:20	67.7	73	58.8	
31/10/2019	7:25	67.8	71.7	55.4	
31/10/2019	7:30	66.8	71.7	58.1	70.1
31/10/2019	7:35	71.1	73.2	60.2	
31/10/2019	7:40	67.6	71.9	60.9	
31/10/2019	7:45	67.3	70.9	61.1	
31/10/2019	7:50	74.1	77.2	62.6	
31/10/2019	7:55	68.1	72.4	62.9	
31/10/2019	8:00	69	74	61.9	68.8
31/10/2019	8:05	67.7	71.8	60	
31/10/2019	8:10	70.5	75.5	61.7	
31/10/2019	8:15	69	73.4	62.5	
31/10/2019	8:20	67.4	71.5	60.4	
31/10/2019	8:25	68.2	72.6	61.4	
31/10/2019	8:30	71.4	75.4	63.7	72.6
31/10/2019	8:35	72.4	76.4	67.3	
31/10/2019	8:40	73.3	77.4	66.4	
31/10/2019	8:45	73.1	77.4	66.9	
31/10/2019	8:50	72.5	76.3	66.4	
31/10/2019	8:55	72.7	76.3	67.4	
31/10/2019	9:00	73.8	77.6	68.3	71.5
31/10/2019	9:05	73.1	77.3	66.9	
31/10/2019	9:10	69	73.2	63.9	
31/10/2019	9:15	71.2	74.8	66	
31/10/2019	9:20	71	75	64.7	
31/10/2019	9:25	67.8	71.3	62.9	
31/10/2019	9:30	68.6	73.2	63.6	69.1
31/10/2019	9:35	69.2	72.6	61.9	
31/10/2019	9:40	68.2	72.5	61.7	
31/10/2019	9:45	70	74.1	63.3	
31/10/2019	9:50	70.4	72.7	61.9	
31/10/2019	9:55	67.9	71.4	62.1	
31/10/2019	10:00	68.6	72.5	61.5	68.5
31/10/2019	10:05	68.5	72.9	62.5	
31/10/2019	10:10	68.4	72	63.6	
31/10/2019	10:15	67.6	71.5	62.6	
31/10/2019	10:20	68.6	72.8	64.4	
31/10/2019	10:25	69.1	73.4	64.3	
31/10/2019	10:30	65.5	68.6	62.1	68.2
31/10/2019	10:35	67.6	71.5	62.7	
31/10/2019	10:40	69.2	73.3	63.5	
31/10/2019	10:45	68.7	73.2	62.3	
31/10/2019	10:50	68.9	72.7	63.6	
31/10/2019	10:55	68.3	72.8	61.5	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	11:00	69	73.5	61.8	68.8
31/10/2019	11:05	67.9	73	61	
31/10/2019	11:10	68.9	73.4	62.7	
31/10/2019	11:15	68.7	73.6	60.2	
31/10/2019	11:20	70.3	75.7	61.7	
31/10/2019	11:25	67.6	72.1	61.9	
31/10/2019	11:30	66.3	70.4	60.3	67.6
31/10/2019	11:35	68.4	72.8	60.9	
31/10/2019	11:40	67.6	72.3	59.5	
31/10/2019	11:45	68.3	73.1	59.4	
31/10/2019	11:50	67.6	72.7	59.1	
31/10/2019	11:55	67.3	72.2	58.3	
31/10/2019	12:00	71	75.1	62.2	70.7
31/10/2019	12:05	72.2	76.7	66.3	
31/10/2019	12:10	69.4	73	64	
31/10/2019	12:15	70.9	74.3	65	
31/10/2019	12:20	70.7	74.5	65.5	
31/10/2019	12:25	69.7	74	61.9	
31/10/2019	12:30	70	74.2	64.1	70.9
31/10/2019	12:35	69.9	74.1	61.9	
31/10/2019	12:40	70.1	74.3	63.1	
31/10/2019	12:45	70.5	74.8	64.3	
31/10/2019	12:50	72.6	78.3	65.7	
31/10/2019	12:55	71.8	76.6	65.9	
31/10/2019	13:00	70.7	74.4	65	71.4
31/10/2019	13:05	72.6	76.9	65.9	
31/10/2019	13:10	71.5	75.1	65.2	
31/10/2019	13:15	71.2	74.6	65.8	
31/10/2019	13:20	71.8	75.8	66.6	
31/10/2019	13:25	70.5	73.7	66	
31/10/2019	13:30	71.1	75.2	65.2	71.3
31/10/2019	13:35	70	74	63.9	
31/10/2019	13:40	71.4	75.7	65.5	
31/10/2019	13:45	72.1	76.3	66.2	
31/10/2019	13:50	72.1	76.3	66.3	
31/10/2019	13:55	70.7	75.1	64.8	
31/10/2019	14:00	69.4	74	63.5	69.7
31/10/2019	14:05	68.9	73.5	64.5	
31/10/2019	14:10	68.6	72.4	63.8	
31/10/2019	14:15	68.3	72.6	63.7	
31/10/2019	14:20	72	74.3	64	
31/10/2019	14:25	69.7	74.5	63.6	
31/10/2019	14:30	69.4	74.3	64.2	68.5
31/10/2019	14:35	69	72.4	64.5	
31/10/2019	14:40	67.5	71	63.8	
31/10/2019	14:45	68	72.2	64	
31/10/2019	14:50	68.4	72.5	63.2	
31/10/2019	14:55	68.4	71.2	65.9	
31/10/2019	15:00	67.9	70.3	65.6	68.0
31/10/2019	15:05	68.5	71.5	65.8	
31/10/2019	15:10	67.9	70	65.6	
31/10/2019	15:15	68.5	70.8	66.1	
31/10/2019	15:20	67.8	70.1	65.9	
31/10/2019	15:25	67.6	70.6	65.5	
31/10/2019	15:30	68.5	72.6	65.8	68.0
31/10/2019	15:35	67.9	71	65.7	
31/10/2019	15:40	68	71.6	65.6	
31/10/2019	15:45	68.1	72.2	65.3	
31/10/2019	15:50	67.7	70.4	65.4	
31/10/2019	15:55	67.7	70.9	65.5	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	16:00	67.1	69.7	65	66.8
31/10/2019	16:05	67.3	72	64.3	
31/10/2019	16:10	66.3	69.5	63.9	
31/10/2019	16:15	66.7	70	64.4	
31/10/2019	16:20	67.1	70.8	64.5	
31/10/2019	16:25	66.5	70	63.9	
31/10/2019	16:30	67.5	71.1	64.6	67.2
31/10/2019	16:35	67.4	71.3	64.2	
31/10/2019	16:40	67.9	71.1	65	
31/10/2019	16:45	66.3	68.9	63.6	
31/10/2019	16:50	66.9	69.3	64.6	
31/10/2019	16:55	67	70.5	64.2	
31/10/2019	17:00	67.6	71.5	64.1	67.7
31/10/2019	17:05	67.2	69.5	64.6	
31/10/2019	17:10	67.2	70.7	64	
31/10/2019	17:15	67.6	70.5	64.9	
31/10/2019	17:20	67.8	69.9	65.4	
31/10/2019	17:25	68.4	71.1	65.7	
31/10/2019	17:30	68	70.7	65.3	67.4
31/10/2019	17:35	67.3	70.1	64.9	
31/10/2019	17:40	67.9	70.3	65.6	
31/10/2019	17:45	67	68.9	65	
31/10/2019	17:50	67	69.9	64.1	
31/10/2019	17:55	66.9	69.8	64.5	
31/10/2019	18:00	67.4	70.6	64.7	67.7
31/10/2019	18:05	67.7	71.1	65.2	
31/10/2019	18:10	67.6	70.4	65.5	
31/10/2019	18:15	68	71.4	65.1	
31/10/2019	18:20	67.9	70.5	65.3	
31/10/2019	18:25	67.7	70.3	64.1	
31/10/2019	18:30	67.9	71.4	64.8	68.3
31/10/2019	18:35	67.6	70.5	64.7	
31/10/2019	18:40	67.3	70.7	64.6	
31/10/2019	18:45	68.2	70.1	65.9	
31/10/2019	18:50	69.3	72.3	66.4	
31/10/2019	18:55	69	71.4	65.3	
01/11/2019	7:00	68.4	71.2	66	68.5
01/11/2019	7:05	68.8	72.6	66.3	
01/11/2019	7:10	68.5	71.3	66.5	
01/11/2019	7:15	68.2	70.2	66.3	
01/11/2019	7:20	68.2	70.2	66.3	
01/11/2019	7:25	68.9	72.8	66.2	
01/11/2019	7:30	68.2	71.4	65.8	68.5
01/11/2019	7:35	68.9	71.8	66.7	
01/11/2019	7:40	69.3	72.8	66.8	
01/11/2019	7:45	68.6	71	66.7	
01/11/2019	7:50	67.6	70.7	65.3	
01/11/2019	7:55	68.3	71.1	66.1	
01/11/2019	8:00	68.4	72.3	66	68.5
01/11/2019	8:05	68.9	72	66.5	
01/11/2019	8:10	68.2	70.8	66.3	
01/11/2019	8:15	68.6	71.2	66.5	
01/11/2019	8:20	68	70.7	65.9	
01/11/2019	8:25	68.6	71.4	66.4	
01/11/2019	8:30	68.1	70.4	66	68.3
01/11/2019	8:35	68.5	70.8	66.6	
01/11/2019	8:40	68.6	71.2	66.4	
01/11/2019	8:45	68.4	70.7	65.9	
01/11/2019	8:50	67.9	70.5	64.9	
01/11/2019	8:55	68.3	70	66.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
01/11/2019	9:00	68.9	70.8	66.7	69.0
01/11/2019	9:05	68.9	71.9	66.7	
01/11/2019	9:10	68.9	71	66.3	
01/11/2019	9:15	69.7	72.9	67.1	
01/11/2019	9:20	68.6	71	66	
01/11/2019	9:25	69.2	71.5	67.1	
01/11/2019	9:30	69.3	70.9	67.6	69.8
01/11/2019	9:35	69.7	71.8	67.4	
01/11/2019	9:40	70	72	67.5	
01/11/2019	9:45	70.3	72.8	68.4	
01/11/2019	9:50	69.8	72.4	67.3	
01/11/2019	9:55	69.7	71.7	67.5	
01/11/2019	10:00	70	72.6	67.2	69.8
01/11/2019	10:05	69.8	71.7	67.8	
01/11/2019	10:10	70	71.8	67.9	
01/11/2019	10:15	69.6	72.6	67	
01/11/2019	10:20	69.5	71.2	67.5	
01/11/2019	10:25	69.9	72.1	68	
01/11/2019	10:30	71.7	71.7	65.9	70.1
01/11/2019	10:35	69.8	71.6	68	
01/11/2019	10:40	69.8	72.1	67.2	
01/11/2019	10:45	69.6	71.8	67.1	
01/11/2019	10:50	69.7	71.9	67.7	
01/11/2019	10:55	69.4	71.6	67.1	
01/11/2019	11:00	69.6	71.8	67.3	69.5
01/11/2019	11:05	69.7	71.8	67.5	
01/11/2019	11:10	69.8	71.6	67.6	
01/11/2019	11:15	69.5	71.8	66.9	
01/11/2019	11:20	69	71.3	65.6	
01/11/2019	11:25	69.4	72.2	66.7	
01/11/2019	11:30	69.7	71.7	67.6	69.6
01/11/2019	11:35	69.8	71.7	66.7	
01/11/2019	11:40	70	72.4	67.2	
01/11/2019	11:45	69.1	71.2	67.1	
01/11/2019	11:50	69.8	72	67.9	
01/11/2019	11:55	69.1	71.3	66.2	
01/11/2019	12:00	69.3	71.9	67.3	68.9
01/11/2019	12:05	69.4	71.9	67	
01/11/2019	12:10	68.7	70.3	66.8	
01/11/2019	12:15	69	70.8	67.1	
01/11/2019	12:20	68.4	70.1	66.6	
01/11/2019	12:25	68.8	71.2	65.6	
01/11/2019	12:30	68.1	70	66.1	68.1
01/11/2019	12:35	67.9	70.3	65.3	
01/11/2019	12:40	68	70.6	65.9	
01/11/2019	12:45	68	69.9	65.9	
01/11/2019	12:50	68.2	70.5	66.3	
01/11/2019	12:55	68.2	70.3	66.1	
01/11/2019	13:00	68.1	71.8	65.8	68.4
01/11/2019	13:05	68.4	70.7	66.5	
01/11/2019	13:10	68.3	70.6	66.5	
01/11/2019	13:15	68.7	70.9	66.5	
01/11/2019	13:20	68.2	70.8	64.6	
01/11/2019	13:25	68.4	71.3	65.8	
01/11/2019	13:30	68	70.5	66.2	69.1
01/11/2019	13:35	69.5	73.5	67.1	
01/11/2019	13:40	69.1	70.9	66.9	
01/11/2019	13:45	69	71.2	66.8	
01/11/2019	13:50	69.4	72.6	67.1	
01/11/2019	13:55	69.4	72	67.2	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
01/11/2019	14:00	68.9	72.4	66.9	69.3
01/11/2019	14:05	69.6	71.9	67.3	
01/11/2019	14:10	69.4	72.1	66.8	
01/11/2019	14:15	69.1	71.1	66.8	
01/11/2019	14:20	69.4	72.1	66.9	
01/11/2019	14:25	69.1	71.7	67.3	
01/11/2019	14:30	69.4	71.8	67.4	69.1
01/11/2019	14:35	69.3	72.2	67.3	
01/11/2019	14:40	68.8	71	66.7	
01/11/2019	14:45	68.9	70.9	66.7	
01/11/2019	14:50	68.6	70.3	67.1	
01/11/2019	14:55	69.4	72.3	67.3	
01/11/2019	15:00	68.7	71.3	66.5	68.5
01/11/2019	15:05	68.5	71.6	66.2	
01/11/2019	15:10	68.8	72.1	66.7	
01/11/2019	15:15	68.3	70.3	66.4	
01/11/2019	15:20	68.5	71.4	66.4	
01/11/2019	15:25	68.1	70.7	66.2	
01/11/2019	15:30	69.1	73.3	66.1	68.1
01/11/2019	15:35	67.9	71.5	65.6	
01/11/2019	15:40	67.8	70.9	65.8	
01/11/2019	15:45	68.2	72.1	65.2	
01/11/2019	15:50	68.2	70.7	66.3	
01/11/2019	15:55	67.3	69.6	65.4	
01/11/2019	16:00	67.9	71.2	65.2	67.7
01/11/2019	16:05	68	71.9	65.9	
01/11/2019	16:10	67.7	71.6	65.3	
01/11/2019	16:15	67.1	69.8	65.5	
01/11/2019	16:20	67.9	71.3	65.7	
01/11/2019	16:25	67.8	70	65.8	
01/11/2019	16:30	67.4	70.2	65.1	67.8
01/11/2019	16:35	68.5	71.7	65.6	
01/11/2019	16:40	67.7	71.6	65	
01/11/2019	16:45	67.8	72.1	65.2	
01/11/2019	16:50	67.9	70.7	65.8	
01/11/2019	16:55	67.6	69.9	65.9	
01/11/2019	17:00	68.5	71.8	66	67.5
01/11/2019	17:05	66.6	70.3	64.4	
01/11/2019	17:10	67.2	70.5	64.7	
01/11/2019	17:15	67.7	71.8	64.8	
01/11/2019	17:20	67.7	71.4	64.7	
01/11/2019	17:25	67.2	70.4	64.9	
01/11/2019	17:30	67.4	69.7	65.4	68.1
01/11/2019	17:35	67.6	69.6	65.7	
01/11/2019	17:40	68	71.5	65.7	
01/11/2019	17:45	68.6	71	66.3	
01/11/2019	17:50	68.7	72.3	65.8	
01/11/2019	17:55	68.3	71.2	65.4	
01/11/2019	18:00	68.2	70.9	65.3	68.2
01/11/2019	18:05	68.1	70.8	65.5	
01/11/2019	18:10	68.7	72.2	65.6	
01/11/2019	18:15	68	72.3	62.4	
01/11/2019	18:20	67.9	71	65.4	
01/11/2019	18:25	68.4	72.9	65.4	
01/11/2019	18:30	68	70.6	65.5	68.6
01/11/2019	18:35	68.5	71	66.2	
01/11/2019	18:40	68.9	72.4	66.6	
01/11/2019	18:45	68.5	70.6	66.1	
01/11/2019	18:50	69.1	72.2	66.5	
01/11/2019	18:55	68.6	71.9	65.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	7:00	67.7	70.5	64	67.6
02/11/2019	7:05	67.3	69.8	64.1	
02/11/2019	7:10	68.1	71.7	62.9	
02/11/2019	7:15	67	70.2	63.1	
02/11/2019	7:20	67.9	72.1	63.5	
02/11/2019	7:25	67.8	71.2	63.9	
02/11/2019	7:30	67.8	71.1	64.8	68.2
02/11/2019	7:35	68.2	70.8	65.4	
02/11/2019	7:40	68.5	71.7	65.4	
02/11/2019	7:45	68.7	72.6	64.8	
02/11/2019	7:50	67.7	70.1	64.9	
02/11/2019	7:55	68.3	71.6	64.8	
02/11/2019	8:00	67.9	71.6	64.5	68.0
02/11/2019	8:05	68	70.3	64.7	
02/11/2019	8:10	67.8	70.7	64	
02/11/2019	8:15	68.2	71.2	64.1	
02/11/2019	8:20	68.1	71.5	64.7	
02/11/2019	8:25	68	71.1	64.7	
02/11/2019	8:30	68.7	71.4	64.7	69.3
02/11/2019	8:35	67.8	70.7	64.7	
02/11/2019	8:40	67.7	69.7	64.8	
02/11/2019	8:45	69.9	72.4	65	
02/11/2019	8:50	71.6	78	65.7	
02/11/2019	8:55	69	72.1	66	
02/11/2019	9:00	68.1	71	65.4	68.2
02/11/2019	9:05	68.4	71	65.2	
02/11/2019	9:10	68	70.7	65.3	
02/11/2019	9:15	68.4	70.9	66.1	
02/11/2019	9:20	68.4	71.6	65.3	
02/11/2019	9:25	68.1	70.4	66.1	
02/11/2019	9:30	68.2	70.3	65.1	68.2
02/11/2019	9:35	68.1	70	65.6	
02/11/2019	9:40	68.5	71.5	65.4	
02/11/2019	9:45	68.2	71.1	65.4	
02/11/2019	9:50	68.1	70.3	65.1	
02/11/2019	9:55	68	70.9	65.3	
02/11/2019	10:00	68.6	71	65.2	68.5
02/11/2019	10:05	68.3	71	64.9	
02/11/2019	10:10	67.8	70.3	64.7	
02/11/2019	10:15	70	72.5	66.1	
02/11/2019	10:20	68.1	70.8	64.8	
02/11/2019	10:25	67.9	70.9	64.3	
02/11/2019	10:30	68.3	70.7	66	68.3
02/11/2019	10:35	68.6	72	65.4	
02/11/2019	10:40	68.4	70.8	65.8	
02/11/2019	10:45	68.2	70.8	65.2	
02/11/2019	10:50	68.1	70.7	64.3	
02/11/2019	10:55	68	70.7	65.1	
02/11/2019	11:00	68.3	70.5	66	68.1
02/11/2019	11:05	67.8	70.5	65	
02/11/2019	11:10	68.3	71.3	65.4	
02/11/2019	11:15	67.9	69.7	65.5	
02/11/2019	11:20	68.1	71.1	65.6	
02/11/2019	11:25	68.4	71.8	65.2	
02/11/2019	11:30	68.3	71.5	64.5	67.5
02/11/2019	11:35	68.3	70.7	66.1	
02/11/2019	11:40	68.2	70.7	64.7	
02/11/2019	11:45	67.8	69.9	65.7	
02/11/2019	11:50	68.2	70.2	65.6	
02/11/2019	11:55	59.5	61.5	57.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	12:00	70.3	75.6	60.1	71.9
02/11/2019	12:05	71.6	76.3	63.6	
02/11/2019	12:10	72.7	77	64.8	
02/11/2019	12:15	73.7	78.1	65.7	
02/11/2019	12:20	71.6	76.7	62.9	
02/11/2019	12:25	70.8	75.6	63.1	
02/11/2019	12:30	69.8	74.9	62.5	70.7
02/11/2019	12:35	68.2	72.5	62.8	
02/11/2019	12:40	69.3	72.9	63.3	
02/11/2019	12:45	71.5	75.9	64.5	
02/11/2019	12:50	72.4	74.8	65.5	
02/11/2019	12:55	71.6	75.9	65.1	
02/11/2019	13:00	70.7	75.2	63.8	70.3
02/11/2019	13:05	70.2	74	63.6	
02/11/2019	13:10	70.1	73	62.6	
02/11/2019	13:15	71.2	75.3	63.4	
02/11/2019	13:20	69	72.9	62.9	
02/11/2019	13:25	70.1	73.8	63	
02/11/2019	13:30	69.4	73.9	61.9	70.9
02/11/2019	13:35	71.4	75.5	64.6	
02/11/2019	13:40	71.9	76	65.7	
02/11/2019	13:45	71.7	76.3	62.5	
02/11/2019	13:50	69.6	74.4	61.6	
02/11/2019	13:55	71	75	63	
02/11/2019	14:00	69.8	74.4	62.5	68.2
02/11/2019	14:05	66.9	71	60.6	
02/11/2019	14:10	67.1	71.2	61.7	
02/11/2019	14:15	66.3	69.9	60.5	
02/11/2019	14:20	69.9	75.5	61.4	
02/11/2019	14:25	67.6	71.9	60.8	
02/11/2019	14:30	70.4	74.1	60.7	68.0
02/11/2019	14:35	67.6	71.5	61.2	
02/11/2019	14:40	66.7	70.7	60.4	
02/11/2019	14:45	66.9	71.6	59.7	
02/11/2019	14:50	66.8	70.2	59.7	
02/11/2019	14:55	68.2	72	60.6	
02/11/2019	15:00	66.8	71.9	59.9	67.1
02/11/2019	15:05	66.1	70	59.9	
02/11/2019	15:10	66	69.8	59.4	
02/11/2019	15:15	67.8	72.6	61	
02/11/2019	15:20	68.6	73.3	60.8	
02/11/2019	15:25	67	71.4	60.5	
02/11/2019	15:30	66.9	70.8	60.9	67.9
02/11/2019	15:35	68.6	72.8	60.9	
02/11/2019	15:40	68.4	73.5	59.5	
02/11/2019	15:45	67.7	71.8	61.3	
02/11/2019	15:50	65.3	68.4	60.7	
02/11/2019	15:55	69.5	72.3	61.8	
02/11/2019	16:00	68.4	72.6	61.1	68.5
02/11/2019	16:05	68.2	72.4	60.4	
02/11/2019	16:10	70.1	74.8	61.9	
02/11/2019	16:15	67.6	71.4	62	
02/11/2019	16:20	68.6	73.3	61.5	
02/11/2019	16:25	67.2	71.3	61.1	
02/11/2019	16:30	68.3	73	61.4	71.3
02/11/2019	16:35	73.5	74.5	63	
02/11/2019	16:40	70.1	73.2	64.4	
02/11/2019	16:45	72.1	77.2	65.6	
02/11/2019	16:50	71.8	75.7	64.7	
02/11/2019	16:55	70.4	74.5	63.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	17:00	72.9	76.8	67.3	71.9
02/11/2019	17:05	73	77.2	66.3	
02/11/2019	17:10	72.3	75.7	66.5	
02/11/2019	17:15	70.1	73.9	64.3	
02/11/2019	17:20	72.4	76.3	66.6	
02/11/2019	17:25	69.7	73.3	64.3	
02/11/2019	17:30	71.3	75	65.1	71.7
02/11/2019	17:35	67.4	71.4	59.4	
02/11/2019	17:40	73.6	78.6	65.1	
02/11/2019	17:45	72.8	77.9	61.8	
02/11/2019	17:50	70.1	74	61.9	
02/11/2019	17:55	72.6	73.8	61.2	
02/11/2019	18:00	68.3	72.3	61.8	67.5
02/11/2019	18:05	68.8	73.1	62.9	
02/11/2019	18:10	67.4	71.2	60.4	
02/11/2019	18:15	68	70.9	60.4	
02/11/2019	18:20	66.7	71.1	59.9	
02/11/2019	18:25	64.7	69.4	57.6	
02/11/2019	18:30	69.3	74.9	58.7	67.7
02/11/2019	18:35	68.7	71.4	57.9	
02/11/2019	18:40	67.4	72.4	59.7	
02/11/2019	18:45	66.9	72.9	57	
02/11/2019	18:50	66.2	71.5	59.4	
02/11/2019	18:55	66.7	71.7	57.8	
04/11/2019	7:00	67.2	72	58.2	67.5
04/11/2019	7:05	65.2	69.6	57.4	
04/11/2019	7:10	66.1	71.1	57	
04/11/2019	7:15	67.4	72	59.1	
04/11/2019	7:20	68.9	73.7	60.5	
04/11/2019	7:25	68.9	73.3	59.2	
04/11/2019	7:30	66.8	71.6	58	70.3
04/11/2019	7:35	68.6	72.1	61.9	
04/11/2019	7:40	68.7	73.3	59.3	
04/11/2019	7:45	66.5	70.8	58	
04/11/2019	7:50	75.4	79.2	60.3	
04/11/2019	7:55	67.3	71.9	58.8	
04/11/2019	8:00	67.7	72	59.3	69.5
04/11/2019	8:05	68.4	72.7	59.7	
04/11/2019	8:10	73.5	77.8	61.3	
04/11/2019	8:15	67.7	71.5	61.2	
04/11/2019	8:20	68.2	72.8	61.2	
04/11/2019	8:25	67.4	71.8	61.9	
04/11/2019	8:30	72.1	76	61.6	71.7
04/11/2019	8:35	72.3	75.5	67.5	
04/11/2019	8:40	72.5	75.5	67.5	
04/11/2019	8:45	71.9	75.3	66.8	
04/11/2019	8:50	70.7	73.8	66.1	
04/11/2019	8:55	70.5	74.1	65.6	
04/11/2019	9:00	69.9	73.3	65.8	70.1
04/11/2019	9:05	69.6	73.2	64.7	
04/11/2019	9:10	69.3	72.7	64.4	
04/11/2019	9:15	69.8	73.8	63.8	
04/11/2019	9:20	71.3	74.5	66.7	
04/11/2019	9:25	70.5	74.3	65.8	
04/11/2019	9:30	69.4	72.9	62.7	68.0
04/11/2019	9:35	67.3	71.8	62.1	
04/11/2019	9:40	66.9	70.2	62.6	
04/11/2019	9:45	68.7	73.3	62.7	
04/11/2019	9:50	67.4	70.9	63.1	
04/11/2019	9:55	67.9	71.8	62.9	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	10:00	68.6	71.6	63.1	68.8
04/11/2019	10:05	69.9	75	64.1	
04/11/2019	10:10	68.8	72.8	64.2	
04/11/2019	10:15	68.4	72	63.3	
04/11/2019	10:20	68.2	71.4	64.3	
04/11/2019	10:25	68.4	72.5	62.8	
04/11/2019	10:30	68.3	72.6	63.6	69.0
04/11/2019	10:35	67.7	71.3	62.6	
04/11/2019	10:40	66.7	71.3	61.9	
04/11/2019	10:45	67.3	71.4	61.9	
04/11/2019	10:50	72.2	74.5	62.9	
04/11/2019	10:55	69.3	73.1	63.7	
04/11/2019	11:00	68.1	73.6	62.3	71.9
04/11/2019	11:05	66.6	71.8	61.1	
04/11/2019	11:10	68.7	73.2	62.1	
04/11/2019	11:15	69.3	74.1	63.2	
04/11/2019	11:20	68.6	73.1	62.5	
04/11/2019	11:25	77.7	77.7	63.8	
04/11/2019	11:30	67.8	71.7	62.5	68.7
04/11/2019	11:35	69.3	72.8	63.9	
04/11/2019	11:40	67.5	71.3	62.3	
04/11/2019	11:45	70.1	75	62.8	
04/11/2019	11:50	67.6	72.3	59.6	
04/11/2019	11:55	69.2	72.6	63.5	
04/11/2019	12:00	70.3	73.6	64.9	69.4
04/11/2019	12:05	70.3	74	65.2	
04/11/2019	12:10	70.3	73.3	64.8	
04/11/2019	12:15	68	70	66	
04/11/2019	12:20	68	70	66.1	
04/11/2019	12:25	68.9	71.2	65.8	
04/11/2019	12:30	67.3	69.5	64.4	67.8
04/11/2019	12:35	68.1	70.9	65.4	
04/11/2019	12:40	67.8	70	65.8	
04/11/2019	12:45	67.5	69.3	65.4	
04/11/2019	12:50	67.9	70.3	65.5	
04/11/2019	12:55	67.9	70	65.9	
04/11/2019	13:00	68.1	70	66.1	68.0
04/11/2019	13:05	67.7	69.6	65.7	
04/11/2019	13:10	68	69.9	65.9	
04/11/2019	13:15	68.2	70.7	66.1	
04/11/2019	13:20	68.1	70.4	65.7	
04/11/2019	13:25	67.6	69.6	65.7	
04/11/2019	13:30	68.3	71.2	65.9	67.9
04/11/2019	13:35	67.8	69.7	65.9	
04/11/2019	13:40	68.3	70.8	66	
04/11/2019	13:45	67.6	71.3	64.4	
04/11/2019	13:50	67.7	70	65.3	
04/11/2019	13:55	67.8	70.3	65.6	
04/11/2019	14:00	68	70.7	65.6	67.8
04/11/2019	14:05	67.5	69.8	65.4	
04/11/2019	14:10	67.9	70.5	65.3	
04/11/2019	14:15	67.5	69.5	65.7	
04/11/2019	14:20	68.1	71.1	65.6	
04/11/2019	14:25	67.9	71	65.4	
04/11/2019	14:30	67.8	70.3	65.7	67.9
04/11/2019	14:35	67.9	70.6	65.7	
04/11/2019	14:40	67.8	70.2	65.9	
04/11/2019	14:45	67.9	70.1	65.7	
04/11/2019	14:50	68	70.9	65.6	
04/11/2019	14:55	68	71	65.5	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	15:00	68.7	71.1	66.1	68.0
04/11/2019	15:05	67.7	70.3	65.5	
04/11/2019	15:10	68.2	72.3	65.2	
04/11/2019	15:15	68.1	70.4	66.1	
04/11/2019	15:20	67.5	69.6	65.6	
04/11/2019	15:25	67.7	70.6	65.2	
04/11/2019	15:30	67.5	70.5	65.2	66.9
04/11/2019	15:35	67.2	69.5	65.1	
04/11/2019	15:40	66.7	69.1	64.8	
04/11/2019	15:45	66.8	69.5	64.5	
04/11/2019	15:50	66.4	69.4	64.3	
04/11/2019	15:55	66.6	70.1	64	
04/11/2019	16:00	66.3	70.1	63.7	67.1
04/11/2019	16:05	66.5	68.8	64	
04/11/2019	16:10	66.7	70.7	63	
04/11/2019	16:15	66.4	69.3	63.7	
04/11/2019	16:20	66.9	71	63.6	
04/11/2019	16:25	68.9	71.7	63.1	
04/11/2019	16:30	65.8	69.8	62.4	66.9
04/11/2019	16:35	66.3	69.4	62.6	
04/11/2019	16:40	68.7	72.1	64	
04/11/2019	16:45	66.4	69.8	64	
04/11/2019	16:50	66.4	69.2	64.5	
04/11/2019	16:55	67.3	70.9	64.1	
04/11/2019	17:00	66.3	69.2	64.2	66.4
04/11/2019	17:05	66.9	70.9	64	
04/11/2019	17:10	65.9	68.6	63.9	
04/11/2019	17:15	66.9	70.6	63.5	
04/11/2019	17:20	66.3	70.1	63.7	
04/11/2019	17:25	65.8	69.1	63.7	
04/11/2019	17:30	66.6	69.5	64.3	67.2
04/11/2019	17:35	67	70.3	64.9	
04/11/2019	17:40	66.9	68.8	64.7	
04/11/2019	17:45	67.1	69.5	64.6	
04/11/2019	17:50	67.7	71.3	64.2	
04/11/2019	17:55	67.7	70.5	65	
04/11/2019	18:00	67.5	69.8	65.6	67.5
04/11/2019	18:05	67.7	70.4	64.9	
04/11/2019	18:10	67.2	70.2	64.7	
04/11/2019	18:15	67.1	69.7	64.5	
04/11/2019	18:20	67.5	70.8	64.4	
04/11/2019	18:25	67.7	70.3	64.5	
04/11/2019	18:30	67.4	71	64.1	67.3
04/11/2019	18:35	67.6	70.2	64.9	
04/11/2019	18:40	67	69.7	63.7	
04/11/2019	18:45	66.9	69.3	63.8	
04/11/2019	18:50	67.3	70.7	63.4	
04/11/2019	18:55	67.4	70.7	64.5	
05/11/2019	7:00	67.8	70.4	63.9	67.4
05/11/2019	7:05	67.6	70.5	65.2	
05/11/2019	7:10	67.7	71.1	65	
05/11/2019	7:15	67.4	70.3	64.5	
05/11/2019	7:20	66.8	69.1	64.2	
05/11/2019	7:25	66.9	70	64.2	
05/11/2019	7:30	67.4	70.4	64.9	67.4
05/11/2019	7:35	66.1	68.1	63.8	
05/11/2019	7:40	68.7	72.3	63.6	
05/11/2019	7:45	67.5	71.8	64.6	
05/11/2019	7:50	67.1	69.2	64.7	
05/11/2019	7:55	67.2	69.4	64.2	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	8:00	67.1	69.1	65	67.6
05/11/2019	8:05	67.5	70.5	64.9	
05/11/2019	8:10	67.5	69.8	65.1	
05/11/2019	8:15	67.5	69.6	65.3	
05/11/2019	8:20	67.8	69.5	65.9	
05/11/2019	8:25	67.9	70.8	65.6	
05/11/2019	8:30	67.5	69.6	65	67.6
05/11/2019	8:35	67.9	69.8	65.1	
05/11/2019	8:40	67	68.9	64.7	
05/11/2019	8:45	67.4	70.6	64.5	
05/11/2019	8:50	67.8	70.3	65.4	
05/11/2019	8:55	67.7	70	65.4	
05/11/2019	9:00	67.7	71.1	65.4	67.9
05/11/2019	9:05	67.9	70.8	65.3	
05/11/2019	9:10	67	69.3	64.8	
05/11/2019	9:15	68.1	70.8	65.8	
05/11/2019	9:20	68.3	71.4	65.6	
05/11/2019	9:25	68	70	66	
05/11/2019	9:30	67.6	69.7	65.1	67.2
05/11/2019	9:35	67.2	69.5	65.1	
05/11/2019	9:40	67.1	70.3	64.4	
05/11/2019	9:45	66.8	69	64.5	
05/11/2019	9:50	67	69.6	63.6	
05/11/2019	9:55	67.6	69.7	65.6	
05/11/2019	10:00	66.9	69.2	64.3	66.8
05/11/2019	10:05	66.5	68.7	64.1	
05/11/2019	10:10	67.3	70.3	64.2	
05/11/2019	10:15	66.6	69.4	64	
05/11/2019	10:20	66.5	69.6	63.4	
05/11/2019	10:25	66.9	70.4	64.1	
05/11/2019	10:30	67.7	70.4	64.9	67.4
05/11/2019	10:35	67.7	69.9	65.1	
05/11/2019	10:40	67.3	69.6	65	
05/11/2019	10:45	67.1	69.8	64.9	
05/11/2019	10:50	66.6	68.7	64	
05/11/2019	10:55	67.8	70.6	65.1	
05/11/2019	11:00	67.6	70.6	64.9	67.4
05/11/2019	11:05	67.6	69.8	65.3	
05/11/2019	11:10	67	69.3	64.6	
05/11/2019	11:15	67.3	69.7	64.9	
05/11/2019	11:20	67.2	69.8	64.3	
05/11/2019	11:25	67.4	69.5	65.5	
05/11/2019	11:30	68	70.2	65.9	67.7
05/11/2019	11:35	67.6	70.3	64.9	
05/11/2019	11:40	67.7	70.1	65.1	
05/11/2019	11:45	67.5	70.2	64.5	
05/11/2019	11:50	67.8	69.9	65.4	
05/11/2019	11:55	67.6	69.9	65.6	
05/11/2019	12:00	67.8	69.9	65.3	67.8
05/11/2019	12:05	68.1	71.1	65.2	
05/11/2019	12:10	67.8	70.4	65.6	
05/11/2019	12:15	67.7	70	65.3	
05/11/2019	12:20	67.3	69.5	64.9	
05/11/2019	12:25	68.1	70.9	65.8	
05/11/2019	12:30	67.7	69.3	65.9	67.4
05/11/2019	12:35	67.3	69.5	65.5	
05/11/2019	12:40	67.4	70.4	65.1	
05/11/2019	12:45	67.3	69.7	65.1	
05/11/2019	12:50	67.9	69.9	65.7	
05/11/2019	12:55	67	68.7	65.4	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	13:00	67.9	70.7	65.3	67.6
05/11/2019	13:05	67.8	70.3	65.7	
05/11/2019	13:10	67.6	70.3	65.1	
05/11/2019	13:15	67.4	70.1	64.9	
05/11/2019	13:20	67.5	70.4	65.1	
05/11/2019	13:25	67.3	69.7	65.4	
05/11/2019	13:30	68.3	70.8	65.5	67.7
05/11/2019	13:35	67.6	69.7	65.6	
05/11/2019	13:40	67.7	71.8	64.6	
05/11/2019	13:45	67.9	71.1	64.5	
05/11/2019	13:50	66.8	69.6	64.6	
05/11/2019	13:55	68	71.3	65.1	
05/11/2019	14:00	67.7	70.4	64.9	67.8
05/11/2019	14:05	68.2	71.6	64.8	
05/11/2019	14:10	67.6	70	65.4	
05/11/2019	14:15	68.1	71.1	64.9	
05/11/2019	14:20	67.7	70.5	65.2	
05/11/2019	14:25	67.7	70.7	65.5	67.4
05/11/2019	14:30	68	70.5	65.7	
05/11/2019	14:35	67.5	70.3	65.1	
05/11/2019	14:40	67.3	70.5	64.9	
05/11/2019	14:45	67.3	69.7	65.2	
05/11/2019	14:50	67.2	69.8	65.2	
05/11/2019	14:55	67.3	70.5	64.9	67.5
05/11/2019	15:00	67.4	70.6	65	
05/11/2019	15:05	67.6	70.6	64.9	
05/11/2019	15:10	67.5	70.2	65.1	
05/11/2019	15:15	67.7	71	65.2	
05/11/2019	15:20	67.3	71	65	
05/11/2019	15:25	67.2	70.2	65	
05/11/2019	15:30	67.6	70.7	65.3	67.5
05/11/2019	15:35	67.6	70.1	65.5	
05/11/2019	15:40	67.7	71	65.2	
05/11/2019	15:45	67.3	70	65.2	
05/11/2019	15:50	67.6	70.4	65.1	
05/11/2019	15:55	67	69.9	64.3	66.5
05/11/2019	16:00	67.1	70.9	64.4	
05/11/2019	16:05	66.1	69	64.1	
05/11/2019	16:10	66.6	70.1	64.4	
05/11/2019	16:15	66.7	69.9	63.8	
05/11/2019	16:20	66.2	68.4	64.4	66.5
05/11/2019	16:25	66.4	69.3	63.9	
05/11/2019	16:30	67.2	70.4	64.2	
05/11/2019	16:35	66.6	70.5	63.8	
05/11/2019	16:40	66.1	69.3	63.7	
05/11/2019	16:45	65.8	68.1	63.2	67.0
05/11/2019	16:50	66.2	69.9	63.8	
05/11/2019	16:55	66.8	71.3	63.3	
05/11/2019	17:00	67	70.2	63.7	
05/11/2019	17:05	66.9	69.5	64.1	
05/11/2019	17:10	67.6	70.9	65.2	67.4
05/11/2019	17:15	66.8	69.6	64.1	
05/11/2019	17:20	67	70	64.2	
05/11/2019	17:25	66.6	69.3	63.6	
05/11/2019	17:30	67.5	71.8	64.3	
05/11/2019	17:35	66.5	69.7	63.6	67.4
05/11/2019	17:40	67.1	70.6	64.1	
05/11/2019	17:45	68	71.3	64	
05/11/2019	17:50	68.1	70.8	64.4	
05/11/2019	17:55	67.2	70.8	62.8	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	18:00	66.6	69.2	63.8	66.7
05/11/2019	18:05	66.7	69.4	63.7	
05/11/2019	18:10	66.5	69.3	63.3	
05/11/2019	18:15	66.7	69.3	62.9	
05/11/2019	18:20	66.8	70	63.6	
05/11/2019	18:25	66.8	70	63	66.4
05/11/2019	18:30	66.1	68.4	62.7	
05/11/2019	18:35	66.3	68.9	63.1	
05/11/2019	18:40	66.9	70.9	63.6	
05/11/2019	18:45	66.1	68.6	62.3	
05/11/2019	18:50	66.9	70.3	62.2	67.0
05/11/2019	18:55	66.3	69	63.4	
06/11/2019	7:00	66.7	70.2	62.8	
06/11/2019	7:05	67.1	70.5	62.7	
06/11/2019	7:10	66.3	69.8	61.5	
06/11/2019	7:15	68.5	72.7	62.2	71.2
06/11/2019	7:20	66.3	69	62.9	
06/11/2019	7:25	66.7	70	62.4	
06/11/2019	7:30	76.8	80.1	63.2	
06/11/2019	7:35	71.1	73.4	63.1	
06/11/2019	7:40	66.3	69.3	63.3	66.5
06/11/2019	7:45	66.3	68.9	63.1	
06/11/2019	7:50	66.9	69.8	63.9	
06/11/2019	7:55	66.9	71.1	63.2	
06/11/2019	8:00	66.5	69.1	63.8	
06/11/2019	8:05	67	69.8	63.8	66.6
06/11/2019	8:10	66.9	70.1	63.7	
06/11/2019	8:15	66.2	68.7	63.1	
06/11/2019	8:20	66.2	68.8	63.1	
06/11/2019	8:25	66.1	69.1	62.5	
06/11/2019	8:30	66.4	68.7	63.3	66.9
06/11/2019	8:35	66.9	71	62.8	
06/11/2019	8:40	66.6	69	63.8	
06/11/2019	8:45	66.6	69.8	62.4	
06/11/2019	8:50	66.4	69.2	63.4	
06/11/2019	8:55	66.6	69.2	63.4	66.7
06/11/2019	9:00	66.2	68.5	63.2	
06/11/2019	9:05	67.7	71.3	63.7	
06/11/2019	9:10	67.3	70.9	64	
06/11/2019	9:15	67.3	69.8	64	
06/11/2019	9:20	66.3	68.8	62.6	66.9
06/11/2019	9:25	66.3	69	62.4	
06/11/2019	9:30	66.5	68.5	63.2	
06/11/2019	9:35	66.8	69.9	63.7	
06/11/2019	9:40	66.8	70	63.3	
06/11/2019	9:45	67.1	69.7	63.8	66.7
06/11/2019	9:50	66.4	68.9	63.9	
06/11/2019	9:55	66.8	69.3	64	
06/11/2019	10:00	66.3	69	63.7	
06/11/2019	10:05	67.2	70.1	64.8	
06/11/2019	10:10	67	69.9	64.3	66.9
06/11/2019	10:15	67.5	71.1	63.8	
06/11/2019	10:20	66.7	68.6	64.4	
06/11/2019	10:25	66.5	70.7	63.2	
06/11/2019	10:30	67	69.3	64	
06/11/2019	10:35	66.3	68.7	63.9	66.7
06/11/2019	10:40	67.2	70	63.8	
06/11/2019	10:45	66.7	69.7	63.2	
06/11/2019	10:50	66.6	69.4	63.8	
06/11/2019	10:55	66.2	68.5	63.9	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	11:00	66.5	68.9	63.4	66.6
06/11/2019	11:05	66.3	68.4	64	
06/11/2019	11:10	66.6	69	63.3	
06/11/2019	11:15	66.7	69.1	63.4	
06/11/2019	11:20	66.9	70	64.1	
06/11/2019	11:25	66.5	69.7	63	
06/11/2019	11:30	66.2	68.8	62.6	66.7
06/11/2019	11:35	67.3	70.9	63.2	
06/11/2019	11:40	66.4	69.2	64.3	
06/11/2019	11:45	67.4	70.9	64.2	
06/11/2019	11:50	66.6	68.9	64.5	
06/11/2019	11:55	66.4	68.7	63.5	
06/11/2019	12:00	66.8	70.4	63.5	66.7
06/11/2019	12:05	66.7	69.9	64	
06/11/2019	12:10	66.7	69.9	63.7	
06/11/2019	12:15	66.1	69	62.1	
06/11/2019	12:20	67.3	70.1	64	
06/11/2019	12:25	66.4	69.3	63.4	
06/11/2019	12:30	66.4	68.9	63.8	66.5
06/11/2019	12:35	66.3	70.2	63.5	
06/11/2019	12:40	65.9	68.5	63	
06/11/2019	12:45	66.4	68.9	63.2	
06/11/2019	12:50	65.7	68.2	63	
06/11/2019	12:55	68.1	71	63.6	
06/11/2019	13:00	66.3	69	62.9	66.3
06/11/2019	13:05	65.9	68.6	63.2	
06/11/2019	13:10	66.5	69.6	64	
06/11/2019	13:15	66.1	68.7	63.2	
06/11/2019	13:20	66.3	68.9	63.8	
06/11/2019	13:25	66.4	68.4	63.9	
06/11/2019	13:30	67.1	70.9	64.1	66.8
06/11/2019	13:35	66.9	69.9	63.9	
06/11/2019	13:40	66.9	69.7	63.5	
06/11/2019	13:45	66.8	69.1	63.2	
06/11/2019	13:50	66.2	69.2	63.4	
06/11/2019	13:55	67	70.4	63.8	
06/11/2019	14:00	66.3	68.9	63.1	66.6
06/11/2019	14:05	67.1	70.6	64	
06/11/2019	14:10	66.4	68.8	64.2	
06/11/2019	14:15	65.9	68.6	62.6	
06/11/2019	14:20	67.1	70.4	63.3	
06/11/2019	14:25	66.7	69.8	64.2	
06/11/2019	14:30	66.4	70.3	63.2	66.4
06/11/2019	14:35	66.6	70.3	63.3	
06/11/2019	14:40	66.1	68.8	63.4	
06/11/2019	14:45	67	70.7	63	
06/11/2019	14:50	66.2	69.6	63.1	
06/11/2019	14:55	66.3	69.3	63.1	
06/11/2019	15:00	66.3	69.5	63.1	66.7
06/11/2019	15:05	66.7	70.5	64	
06/11/2019	15:10	66.4	69.1	64.2	
06/11/2019	15:15	66.9	70.3	63.8	
06/11/2019	15:20	66.7	69.1	63.9	
06/11/2019	15:25	66.9	70.4	63.8	
06/11/2019	15:30	67.4	71	64.2	66.8
06/11/2019	15:35	66.6	69.7	63.8	
06/11/2019	15:40	66.8	69.4	64	
06/11/2019	15:45	66.6	69.7	63.1	
06/11/2019	15:50	66.9	70.6	64	
06/11/2019	15:55	66.3	69	63.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	16:00	66.5	69.5	64.1	66.6
06/11/2019	16:05	66.8	70.3	63.8	
06/11/2019	16:10	67	69.4	64.2	
06/11/2019	16:15	66.4	70.3	63.5	
06/11/2019	16:20	67	69.8	63.6	
06/11/2019	16:25	66.1	68.3	64	
06/11/2019	16:30	66.1	69.2	63	66.0
06/11/2019	16:35	65.6	68.4	62.7	
06/11/2019	16:40	66	69.3	62.8	
06/11/2019	16:45	66	69.8	62	
06/11/2019	16:50	66	70.7	61.8	
06/11/2019	16:55	66	68.1	63.3	
06/11/2019	17:00	66	69.1	63	66.5
06/11/2019	17:05	66.5	70.1	63	
06/11/2019	17:10	67	71.1	63.1	
06/11/2019	17:15	66.6	69	63.5	
06/11/2019	17:20	66.3	69.2	62.6	
06/11/2019	17:25	66.7	69.8	63.2	
06/11/2019	17:30	66.2	68.6	63.5	66.2
06/11/2019	17:35	66	68.3	63.2	
06/11/2019	17:40	66.4	70.1	63.1	
06/11/2019	17:45	66.2	69.6	62.5	
06/11/2019	17:50	66.2	70	61.9	
06/11/2019	17:55	66.1	69.5	62.7	
06/11/2019	18:00	66.3	69.2	62.8	66.3
06/11/2019	18:05	66.5	69.7	63	
06/11/2019	18:10	66.3	69	62.7	
06/11/2019	18:15	65.6	68	62.9	
06/11/2019	18:20	65.8	68.9	62.2	
06/11/2019	18:25	67	71.5	63.2	
06/11/2019	18:30	66.4	69.8	62.8	66.5
06/11/2019	18:35	66.3	70.1	62.5	
06/11/2019	18:40	66.3	69.5	62.9	
06/11/2019	18:45	66.6	69.6	63.4	
06/11/2019	18:50	67.2	71.2	63.7	
06/11/2019	18:55	66.1	68.9	62.7	
07/11/2019	7:00	66.8	69.9	64.4	66.5
07/11/2019	7:05	66.7	70.2	64	
07/11/2019	7:10	66.4	68.5	64	
07/11/2019	7:15	65.6	68.8	62.2	
07/11/2019	7:20	66.5	69.5	63.8	
07/11/2019	7:25	66.6	69.8	64.4	
07/11/2019	7:30	65.8	68	63.8	66.4
07/11/2019	7:35	66.6	69.5	63	
07/11/2019	7:40	66.9	70.1	63.4	
07/11/2019	7:45	66.4	69.2	63.4	
07/11/2019	7:50	66.4	68.8	64.5	
07/11/2019	7:55	66.5	69.5	63.7	
07/11/2019	8:00	66.8	70.5	64	66.6
07/11/2019	8:05	66.2	69.1	63.8	
07/11/2019	8:10	66.2	68.9	63.9	
07/11/2019	8:15	66.8	69.8	64.3	
07/11/2019	8:20	66.4	68.7	64.1	
07/11/2019	8:25	66.9	69.7	63.5	
07/11/2019	8:30	66.8	70.1	63.5	66.8
07/11/2019	8:35	66.8	69.6	63.9	
07/11/2019	8:40	66.8	69.6	64.3	
07/11/2019	8:45	66.9	68.9	64.9	
07/11/2019	8:50	67.3	70.9	64.6	
07/11/2019	8:55	66.3	68.3	63.6	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	9:00	66.8	69.7	63.4	66.9
07/11/2019	9:05	66.5	69.4	63.9	
07/11/2019	9:10	67.2	70.4	64	
07/11/2019	9:15	67.3	70.9	64.7	
07/11/2019	9:20	66.4	70.3	63.3	
07/11/2019	9:25	67.1	69.8	63.9	66.9
07/11/2019	9:30	67.3	69.5	64.9	
07/11/2019	9:35	67.3	70.4	64.8	
07/11/2019	9:40	66.8	69.9	62	
07/11/2019	9:45	66.7	69.2	64.1	
07/11/2019	9:50	66.7	69.3	63.9	67.1
07/11/2019	9:55	66.7	69.3	64	
07/11/2019	10:00	67	69.4	64.4	
07/11/2019	10:05	66.3	68.7	63.4	
07/11/2019	10:10	67	70.4	64.4	
07/11/2019	10:15	67.5	69.9	64.6	67.3
07/11/2019	10:20	67.3	69.9	64.7	
07/11/2019	10:25	67.6	70.1	64.8	
07/11/2019	10:30	67.1	69.5	63.9	
07/11/2019	10:35	67.4	69.5	64.8	
07/11/2019	10:40	67.9	70.4	65.1	67.1
07/11/2019	10:45	67.1	69.6	64.1	
07/11/2019	10:50	67.5	70.1	64.4	
07/11/2019	10:55	66.6	69.2	63.8	
07/11/2019	11:00	67.2	70.3	63.9	
07/11/2019	11:05	66.4	68.5	64	67.3
07/11/2019	11:10	67	70.1	63.5	
07/11/2019	11:15	67.7	70.5	64.8	
07/11/2019	11:20	67.1	70.2	64.3	
07/11/2019	11:25	67.1	69.2	64.5	
07/11/2019	11:30	67.3	69.7	65.3	67.3
07/11/2019	11:35	67.3	69.2	65.1	
07/11/2019	11:40	67.5	70.7	64.1	
07/11/2019	11:45	67.2	69.3	64.9	
07/11/2019	11:50	67.4	70.3	64.7	
07/11/2019	11:55	66.8	68.8	64	67.3
07/11/2019	12:00	67.1	69.1	64.2	
07/11/2019	12:05	67.7	71.1	64.8	
07/11/2019	12:10	67.2	68.9	65.2	
07/11/2019	12:15	67.2	69.7	65	
07/11/2019	12:20	67.7	70.7	65.1	67.4
07/11/2019	12:25	66.9	69.2	64.5	
07/11/2019	12:30	67.4	70.8	64.3	
07/11/2019	12:35	68	70.7	65.7	
07/11/2019	12:40	67.1	69.6	64.6	
07/11/2019	12:45	67.6	70.5	65	67.2
07/11/2019	12:50	67.1	69.9	65	
07/11/2019	12:55	67.3	69.8	64.3	
07/11/2019	13:00	67.6	69.8	65.1	
07/11/2019	13:05	67.1	69.4	64.8	
07/11/2019	13:10	66.7	69	64.7	67.2
07/11/2019	13:15	67.7	71.3	64.5	
07/11/2019	13:20	67.1	69.5	64.9	
07/11/2019	13:25	67.2	70.1	64.5	
07/11/2019	13:30	67.7	70.9	65.5	
07/11/2019	13:35	67.3	71.1	64.7	67.2
07/11/2019	13:40	66.8	69.4	64.8	
07/11/2019	13:45	66.6	69.5	64.5	
07/11/2019	13:50	67.1	70.5	64.8	
07/11/2019	13:55	67.4	71	64.8	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	14:00	67.6	68.9	64.1	68.5
07/11/2019	14:05	69.3	72.9	64.7	
07/11/2019	14:10	69.1	73.1	63.4	
07/11/2019	14:15	68	71.7	63.3	
07/11/2019	14:20	68.5	72.6	62.9	
07/11/2019	14:25	68.4	72.2	62.2	67.8
07/11/2019	14:30	67.6	71.7	62.8	
07/11/2019	14:35	67	71.4	62.5	
07/11/2019	14:40	67.5	71.3	63	
07/11/2019	14:45	68.6	73	62.6	
07/11/2019	14:50	67.7	71.2	63.1	68.1
07/11/2019	14:55	68	72	63	
07/11/2019	15:00	67.4	71.1	62.2	
07/11/2019	15:05	69	73.8	62.6	
07/11/2019	15:10	67.7	71.6	62.8	
07/11/2019	15:15	67.3	70.4	62.3	69.5
07/11/2019	15:20	67.5	70.5	62.7	
07/11/2019	15:25	69.3	72.1	64.2	
07/11/2019	15:30	68.5	72.9	62.9	
07/11/2019	15:35	69.3	74.2	63.4	
07/11/2019	15:40	70.2	73.6	64.4	68.1
07/11/2019	15:45	70.8	75.7	63.9	
07/11/2019	15:50	68.4	71.7	63.7	
07/11/2019	15:55	69	73.9	63.2	
07/11/2019	16:00	68.3	71.6	63.8	
07/11/2019	16:05	67.2	70.7	62.4	70.0
07/11/2019	16:10	67.9	72.4	62.6	
07/11/2019	16:15	69.6	74.2	62.7	
07/11/2019	16:20	67.5	71.4	63	
07/11/2019	16:25	67.7	72	63.2	
07/11/2019	16:30	69	72.6	64.6	71.3
07/11/2019	16:35	70.7	75	65.7	
07/11/2019	16:40	70.6	73.2	64.8	
07/11/2019	16:45	70.5	73.9	64.2	
07/11/2019	16:50	69.7	73.3	65.6	
07/11/2019	16:55	69.5	72.7	65.3	71.6
07/11/2019	17:00	70	73.3	66.1	
07/11/2019	17:05	70.4	73.8	66.2	
07/11/2019	17:10	73.8	74.7	65.6	
07/11/2019	17:15	70.6	74.5	65.5	
07/11/2019	17:20	70.7	74.3	65.7	69.9
07/11/2019	17:25	70.8	74.8	64.1	
07/11/2019	17:30	70.8	74.9	64.7	
07/11/2019	17:35	71.1	74.5	64.8	
07/11/2019	17:40	71.2	74.5	66.5	
07/11/2019	17:45	71.1	74.4	66.1	66.6
07/11/2019	17:50	72.3	76.4	67.8	
07/11/2019	17:55	72.6	75.7	64.1	
07/11/2019	18:00	70.6	74.8	65.6	
07/11/2019	18:05	70.5	74.6	64.3	
07/11/2019	18:10	71.4	75.7	65.3	66.6
07/11/2019	18:15	69.4	74.5	63.1	
07/11/2019	18:20	68.6	72.3	62.8	
07/11/2019	18:25	67.5	70.7	63.1	
07/11/2019	18:30	68.6	71.8	62.9	
07/11/2019	18:35	66.6	70.9	59.9	66.6
07/11/2019	18:40	66.9	70.9	62.7	
07/11/2019	18:45	66.4	70.4	60.5	
07/11/2019	18:50	64.9	69	58.6	
07/11/2019	18:55	64.9	69.1	59.7	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	7:00	68.5	72.6	60.3	66.5
08/11/2019	7:05	65	69.5	59.3	
08/11/2019	7:10	66.5	71.6	58.4	
08/11/2019	7:15	65.3	70.8	57.6	
08/11/2019	7:20	65.6	70.6	57.4	
08/11/2019	7:25	66.8	71.7	60.9	
08/11/2019	7:30	67.2	72.2	59.4	69.1
08/11/2019	7:35	67.1	72.5	59.7	
08/11/2019	7:40	66.8	71.1	60.2	
08/11/2019	7:45	68.9	73	61.5	
08/11/2019	7:50	68.5	72.6	62.4	
08/11/2019	7:55	72.7	74.4	63.7	
08/11/2019	8:00	68.4	72.8	61.6	69.0
08/11/2019	8:05	69	72.2	61.9	
08/11/2019	8:10	69	72.8	61.5	
08/11/2019	8:15	69.2	72.6	63.5	
08/11/2019	8:20	69.1	72.6	64	
08/11/2019	8:25	69.3	72	63.5	
08/11/2019	8:30	66.9	70.8	62.2	71.9
08/11/2019	8:35	71.2	75.6	62.8	
08/11/2019	8:40	72.7	76.4	67.8	
08/11/2019	8:45	73	77	68.1	
08/11/2019	8:50	73.1	76.8	68.7	
08/11/2019	8:55	72.1	76.1	67.5	
08/11/2019	9:00	72.8	76.6	68.4	71.6
08/11/2019	9:05	72	76.3	67.2	
08/11/2019	9:10	71.2	74.7	67.3	
08/11/2019	9:15	71.9	76.1	66.5	
08/11/2019	9:20	70.7	74.9	65.8	
08/11/2019	9:25	70.8	74.8	65	
08/11/2019	9:30	69.9	74.7	64.3	68.8
08/11/2019	9:35	69.2	73.4	64	
08/11/2019	9:40	68.6	72.7	63.3	
08/11/2019	9:45	67.8	71.1	63.6	
08/11/2019	9:50	68.5	72.6	63.5	
08/11/2019	9:55	68.5	72.8	63.2	
08/11/2019	10:00	68.5	71.4	63.2	69.1
08/11/2019	10:05	69.5	73.5	63.8	
08/11/2019	10:10	67.9	72	63	
08/11/2019	10:15	68.9	72.9	63.7	
08/11/2019	10:20	70.1	73.6	65.1	
08/11/2019	10:25	69.5	73.2	65.2	
08/11/2019	10:30	69.5	72.2	65.2	69.4
08/11/2019	10:35	68	71.9	63.8	
08/11/2019	10:40	70.2	75.3	64.7	
08/11/2019	10:45	71.1	75.4	65.3	
08/11/2019	10:50	68.4	72.2	63.4	
08/11/2019	10:55	68.1	71.6	63.2	
08/11/2019	11:00	69.4	74.5	63.1	69.4
08/11/2019	11:05	68	71.9	62.9	
08/11/2019	11:10	68.7	72.4	62.9	
08/11/2019	11:15	70.2	71.9	64.3	
08/11/2019	11:20	70.2	73.7	65.4	
08/11/2019	11:25	69.3	72.3	64.5	
08/11/2019	11:30	70.2	74.8	65.2	70.9
08/11/2019	11:35	71.2	75	65	
08/11/2019	11:40	69.4	73.7	63.6	
08/11/2019	11:45	69.3	73.4	62.8	
08/11/2019	11:50	73.5	77	63.4	
08/11/2019	11:55	69.9	74.6	64.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	12:00	69.9	73.9	64.2	70.9
08/11/2019	12:05	71.6	76.7	64.5	
08/11/2019	12:10	69.9	73.9	64.6	
08/11/2019	12:15	69.7	73.9	64.2	
08/11/2019	12:20	71.4	75.9	64.9	
08/11/2019	12:25	72.1	76.2	65.6	
08/11/2019	12:30	73.7	75.5	65.9	71.4
08/11/2019	12:35	71.7	75	65	
08/11/2019	12:40	69.9	73.5	65.7	
08/11/2019	12:45	69.7	73.7	65.1	
08/11/2019	12:50	71.6	75.4	66.7	
08/11/2019	12:55	70.1	73.4	65.6	
08/11/2019	13:00	68.8	72	63.5	69.5
08/11/2019	13:05	69.7	73.6	65.1	
08/11/2019	13:10	69.6	73.2	64.8	
08/11/2019	13:15	68.7	72	64.1	
08/11/2019	13:20	70.1	74.7	65.1	
08/11/2019	13:25	69.9	74.6	64.1	
08/11/2019	13:30	70.5	74.2	65.1	71.4
08/11/2019	13:35	71.5	76.5	65.6	
08/11/2019	13:40	72.2	75.4	67.5	
08/11/2019	13:45	71.7	75.7	66.5	
08/11/2019	13:50	71.5	75.2	66.5	
08/11/2019	13:55	70.8	74	65.9	
08/11/2019	14:00	69.9	73.6	65.4	70.2
08/11/2019	14:05	70.6	74.1	65.3	
08/11/2019	14:10	69.9	74.2	65.3	
08/11/2019	14:15	70.3	73.8	65.6	
08/11/2019	14:20	71	75.3	64.4	
08/11/2019	14:25	69.4	72.9	64.3	
08/11/2019	14:30	71.2	73.4	64.8	69.4
08/11/2019	14:35	68.6	72.2	63.8	
08/11/2019	14:40	68.9	72.7	64.6	
08/11/2019	14:45	69.3	72.9	64.2	
08/11/2019	14:50	69.4	73.9	64	
08/11/2019	14:55	68.5	73.1	62.9	
08/11/2019	15:00	68.4	72.2	63.9	68.4
08/11/2019	15:05	67.8	72.4	63.5	
08/11/2019	15:10	67	70.2	63.2	
08/11/2019	15:15	67.6	71	63.7	
08/11/2019	15:20	68.9	72.3	63.8	
08/11/2019	15:25	69.9	74	64.9	
08/11/2019	15:30	68.1	71.3	63.3	68.4
08/11/2019	15:35	68.1	73.8	62.6	
08/11/2019	15:40	68.8	72.7	63.4	
08/11/2019	15:45	69	72.9	64	
08/11/2019	15:50	67	70.7	62.3	
08/11/2019	15:55	69.2	72.9	63.4	
08/11/2019	16:00	68.4	71.2	65.3	69.1
08/11/2019	16:05	69.5	73.3	64.1	
08/11/2019	16:10	68.7	72.3	64.7	
08/11/2019	16:15	68.5	72.1	64.5	
08/11/2019	16:20	69.8	72.7	65.5	
08/11/2019	16:25	69.3	72.6	65.2	
08/11/2019	16:30	69.2	72.9	64.5	71.1
08/11/2019	16:35	71.4	75.2	64.9	
08/11/2019	16:40	70.9	73.7	65.6	
08/11/2019	16:45	72.5	77.4	66.2	
08/11/2019	16:50	71	75.8	64.8	
08/11/2019	16:55	70.7	74.2	66.1	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	17:00	70.4	74.7	65.5	71.7
08/11/2019	17:05	71.1	75.8	64.9	
08/11/2019	17:10	71.6	75.8	66.4	
08/11/2019	17:15	72	76.8	65.8	
08/11/2019	17:20	72.6	77.1	66.3	
08/11/2019	17:25	72.2	77.1	65	
08/11/2019	17:30	71.4	76.8	64.5	70.7
08/11/2019	17:35	71.9	77.4	65.3	
08/11/2019	17:40	69.9	74	65.1	
08/11/2019	17:45	71.3	76.8	64.7	
08/11/2019	17:50	68.7	72.4	64.1	
08/11/2019	17:55	70.1	74.9	63.6	
08/11/2019	18:00	75.3	81.3	64	71.1
08/11/2019	18:05	71.3	76.3	64.3	
08/11/2019	18:10	69.2	74.2	63.5	
08/11/2019	18:15	69.8	75.1	62.7	
08/11/2019	18:20	68.3	73	63.2	
08/11/2019	18:25	67.6	71	63.1	
08/11/2019	18:30	67.8	71	61.9	66.6
08/11/2019	18:35	66.9	70.7	60.8	
08/11/2019	18:40	66	69.2	60.9	
08/11/2019	18:45	65	69	58	
08/11/2019	18:50	67.3	71.3	60.1	
08/11/2019	18:55	66	71.1	58.3	
09/11/2019	7:00	64.6	69.7	57.4	65.7
09/11/2019	7:05	63.2	67.8	57	
09/11/2019	7:10	65.3	67	54.7	
09/11/2019	7:15	65.6	70.8	57	
09/11/2019	7:20	66.8	72.1	56	
09/11/2019	7:25	67.5	72.3	58.6	
09/11/2019	7:30	65.8	70.9	57.2	71.1
09/11/2019	7:35	67.5	72.1	59.3	
09/11/2019	7:40	65.7	70.8	57.8	
09/11/2019	7:45	69.5	74.6	59.4	
09/11/2019	7:50	67.7	71.6	60.9	
09/11/2019	7:55	76.9	78.7	61.7	
09/11/2019	8:00	66.9	70.9	61.9	67.6
09/11/2019	8:05	67.6	72.5	61.3	
09/11/2019	8:10	68	72.4	63	
09/11/2019	8:15	67	70.9	62.9	
09/11/2019	8:20	67.9	71.5	64.1	
09/11/2019	8:25	68	71.5	64.8	
09/11/2019	8:30	67.2	70.5	64.4	69.5
09/11/2019	8:35	70.6	75.6	64.2	
09/11/2019	8:40	69.6	72.4	66.2	
09/11/2019	8:45	69.1	73.1	64.8	
09/11/2019	8:50	69.3	72.3	65.7	
09/11/2019	8:55	70.4	73.8	66.3	
09/11/2019	9:00	71.3	75.5	65.9	70.7
09/11/2019	9:05	71.9	76.3	65.9	
09/11/2019	9:10	69.8	72.4	66.9	
09/11/2019	9:15	69.3	72.3	65.3	
09/11/2019	9:20	70.5	74.3	65.5	
09/11/2019	9:25	70.7	74.8	65.9	
09/11/2019	9:30	69.9	74.2	64.9	68.4
09/11/2019	9:35	68.1	72.6	63.2	
09/11/2019	9:40	68	71.3	63.1	
09/11/2019	9:45	67.8	71.8	63.2	
09/11/2019	9:50	69	73.4	64.1	
09/11/2019	9:55	66.8	70.3	63.4	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	10:00	68.4	72.9	64	68.2
09/11/2019	10:05	68.9	72.3	63.6	
09/11/2019	10:10	67.5	71.6	63.4	
09/11/2019	10:15	67.9	71.6	63.4	
09/11/2019	10:20	67.7	71	64	
09/11/2019	10:25	68.4	72.3	63.1	
09/11/2019	10:30	67	70.1	63.6	68.1
09/11/2019	10:35	67.4	70.3	64	
09/11/2019	10:40	69.5	73.3	64.9	
09/11/2019	10:45	67.8	71.4	64.3	
09/11/2019	10:50	68.1	71.9	64.4	
09/11/2019	10:55	68.6	71.8	65.7	
09/11/2019	11:00	68.8	72.1	64.5	68.5
09/11/2019	11:05	69.3	73.4	64	
09/11/2019	11:10	68	71.2	64.1	
09/11/2019	11:15	67.7	71	64.4	
09/11/2019	11:20	69.1	72.9	63.4	
09/11/2019	11:25	67.6	71.7	63.3	
09/11/2019	11:30	67	70.8	63.2	68.4
09/11/2019	11:35	69.3	73.5	64.6	
09/11/2019	11:40	68.8	72.1	62.1	
09/11/2019	11:45	70	73.8	61.6	
09/11/2019	11:50	66.9	70.7	61.7	
09/11/2019	11:55	67.1	70.6	61.4	
09/11/2019	12:00	69.5	74.6	64	70.8
09/11/2019	12:05	70.9	74.2	66.4	
09/11/2019	12:10	72.7	78.6	64.8	
09/11/2019	12:15	69.9	73	65.1	
09/11/2019	12:20	70.6	74.2	65.4	
09/11/2019	12:25	70.2	74.6	63.5	
09/11/2019	12:30	75.7	79.3	64.1	72.0
09/11/2019	12:35	70.4	75.2	63.5	
09/11/2019	12:40	71.7	76.5	65.1	
09/11/2019	12:45	69.7	73.9	64	
09/11/2019	12:50	71.1	76	65.1	
09/11/2019	12:55	70.3	72.9	63.8	
09/11/2019	13:00	70.9	75.2	64.6	70.7
09/11/2019	13:05	69	72.6	63.4	
09/11/2019	13:10	71.4	76.3	65.5	
09/11/2019	13:15	70.2	74.6	64	
09/11/2019	13:20	70.6	74.2	66.1	
09/11/2019	13:25	71.5	75	65.4	
09/11/2019	13:30	69	72.9	63.7	68.5
09/11/2019	13:35	69.4	73.6	64.5	
09/11/2019	13:40	69.2	73.4	63.9	
09/11/2019	13:45	67.5	70.8	61.8	
09/11/2019	13:50	67.5	71.1	62.5	
09/11/2019	13:55	67.7	69.4	61.6	
09/11/2019	14:00	66.6	70.3	62.1	67.6
09/11/2019	14:05	67.2	70.9	62.7	
09/11/2019	14:10	67.2	71.2	62.2	
09/11/2019	14:15	68.2	72.7	61.9	
09/11/2019	14:20	69	73.5	62.5	
09/11/2019	14:25	66.7	70.7	62.1	
09/11/2019	14:30	67.9	72.4	62	67.9
09/11/2019	14:35	67.2	71	61.7	
09/11/2019	14:40	68.6	72	62.3	
09/11/2019	14:45	67.4	72.1	61.9	
09/11/2019	14:50	68.4	71.7	63.1	
09/11/2019	14:55	67.5	71.5	63.2	

Day-time Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	15:00	66.5	70.6	62.1	68.8
09/11/2019	15:05	67.9	71.7	61	
09/11/2019	15:10	67.8	72.1	62.1	
09/11/2019	15:15	71.3	75.7	62.9	
09/11/2019	15:20	68.9	73.5	62.4	
09/11/2019	15:25	68.7	74	61.8	
09/11/2019	15:30	68.4	72.8	62.2	67.7
09/11/2019	15:35	67.6	71.9	61.5	
09/11/2019	15:40	70.2	74.4	64.2	
09/11/2019	15:45	65.7	70.2	60.8	
09/11/2019	15:50	66.8	70.8	61.8	
09/11/2019	15:55	65.6	68.7	61.4	
09/11/2019	16:00	70.8	73.1	63.2	70.0
09/11/2019	16:05	68	71.7	64	
09/11/2019	16:10	66.7	70.4	62.4	
09/11/2019	16:15	71.4	71.8	61.9	
09/11/2019	16:20	68	72.8	62.4	
09/11/2019	16:25	72.4	76.7	66	
09/11/2019	16:30	72.7	76.5	67.3	71.0
09/11/2019	16:35	71.9	76.4	65.3	
09/11/2019	16:40	70.3	75	65.1	
09/11/2019	16:45	70.2	73.9	64.5	
09/11/2019	16:50	70.5	74	66	
09/11/2019	16:55	69.7	72.8	65.4	69.9
09/11/2019	17:00	73	77	65.5	
09/11/2019	17:05	70.7	74.5	65.4	
09/11/2019	17:10	67.5	71.1	63.3	
09/11/2019	17:15	69.3	72.5	64.6	
09/11/2019	17:20	69.1	72.7	64.2	70.4
09/11/2019	17:25	67.2	70.6	62.6	
09/11/2019	17:30	68.9	72.3	64	
09/11/2019	17:35	69.9	74.1	63.8	
09/11/2019	17:40	69.2	73.1	63.4	
09/11/2019	17:45	69.4	73	63.8	68.6
09/11/2019	17:50	72.5	75.4	64.8	
09/11/2019	17:55	71.2	72.9	63.1	
09/11/2019	18:00	68.9	72.2	63.3	
09/11/2019	18:05	69.7	73.1	64.2	
09/11/2019	18:10	65.4	70	59.1	65.0
09/11/2019	18:15	72.1	74.1	57.8	
09/11/2019	18:20	64.6	69	57.8	
09/11/2019	18:25	65.9	70	58.4	
09/11/2019	18:30	65.1	69.5	57.4	
09/11/2019	18:35	65.9	70.4	57.5	61.8
09/11/2019	18:40	64.7	69.1	57.4	
09/11/2019	18:45	64.5	70.1	56.5	
09/11/2019	18:50	64.3	69.3	54.8	
09/11/2019	18:55	65.2	71.2	54.6	
	Average	68.3			68.3
	Max	77.7	81.3	68.7	72.6
	Min	58.2	61.5	50.9	61.8

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	7:00	61	63	58.7	61.2
28/10/2019	7:05	61	64	58.1	
28/10/2019	7:10	61	64.8	58.7	
28/10/2019	7:15	61.4	63.6	59.2	
28/10/2019	7:20	61.4	64	58.7	
28/10/2019	7:25	61.1	63.6	58.5	61.6
28/10/2019	7:30	61.3	64.6	58.2	
28/10/2019	7:35	61.4	64.5	59	
28/10/2019	7:40	62.2	66	59.3	
28/10/2019	7:45	61.4	63.3	59.4	
28/10/2019	7:50	61.4	64.6	58.5	62.3
28/10/2019	7:55	62	64.4	59.6	
28/10/2019	8:00	61.5	65.2	58	
28/10/2019	8:05	62.1	64.1	59	
28/10/2019	8:10	61.9	64	59.2	
28/10/2019	8:15	61.9	64.2	59.5	61.7
28/10/2019	8:20	64.1	68	59.2	
28/10/2019	8:25	61.6	63.5	59.7	
28/10/2019	8:30	62.4	65.2	60.3	
28/10/2019	8:35	61.4	64.1	58.4	
28/10/2019	8:40	61.7	64.4	58.9	62.1
28/10/2019	8:45	62	65	58.7	
28/10/2019	8:50	61.4	63.5	59.2	
28/10/2019	8:55	61.5	64.1	58.6	
28/10/2019	9:00	62	65.2	59.2	
28/10/2019	9:05	61.8	63.6	59.2	62.0
28/10/2019	9:10	62.6	65.3	59.2	
28/10/2019	9:15	62.1	64.4	59.8	
28/10/2019	9:20	62.3	65.2	59.4	
28/10/2019	9:25	61.8	64.9	59	
28/10/2019	9:30	62.3	65.4	59.9	62.3
28/10/2019	9:35	62.3	65	59.6	
28/10/2019	9:40	61.6	63.4	59.5	
28/10/2019	9:45	62	64.2	59.4	
28/10/2019	9:50	62.1	64.7	59.4	
28/10/2019	9:55	61.5	63.7	59.4	62.2
28/10/2019	10:00	62.3	65	59.6	
28/10/2019	10:05	62.3	65.3	59.8	
28/10/2019	10:10	61.9	64.2	59	
28/10/2019	10:15	62.9	65.6	59.5	
28/10/2019	10:20	62.6	64.7	59.8	61.9
28/10/2019	10:25	61.5	63.7	59.1	
28/10/2019	10:30	62.3	64.9	59.4	
28/10/2019	10:35	62.5	65.2	59.1	
28/10/2019	10:40	62.3	65.1	59.8	
28/10/2019	10:45	61.7	63.5	59.1	62.2
28/10/2019	10:50	62.4	64.8	59.9	
28/10/2019	10:55	62.1	64.2	59.9	
28/10/2019	11:00	61.9	63.5	59.6	
28/10/2019	11:05	62.4	65.2	59.5	
28/10/2019	11:10	61.8	64.3	59.3	62.2
28/10/2019	11:15	61.5	63.7	58.9	
28/10/2019	11:20	62.3	64.1	60	
28/10/2019	11:25	61.6	63.6	58.9	
28/10/2019	11:30	62.3	64.6	59.7	
28/10/2019	11:35	55.8	61.9	42	61.8
28/10/2019	11:40	58.1	63.4	46.7	
28/10/2019	11:45	57.8	61.6	53	
28/10/2019	11:50	64.8	70.7	55.1	
28/10/2019	11:55	65.6	71.1	54.4	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	12:00	64.3	69.7	55.2	74.1
28/10/2019	12:05	65.2	70.3	55.6	
28/10/2019	12:10	75.8	76.5	74.5	
28/10/2019	12:15	75.6	76.2	75.2	
28/10/2019	12:20	75.5	76.3	75	
28/10/2019	12:25	75.7	76.2	75.4	
28/10/2019	12:30	74.7	76	73.9	74.6
28/10/2019	12:35	73.4	73.9	72.2	
28/10/2019	12:40	73.7	75.2	71.6	
28/10/2019	12:45	72.4	73.3	71.4	
28/10/2019	12:50	75.2	77.5	67.3	
28/10/2019	12:55	76.9	77.4	75.7	
28/10/2019	13:00	74.4	76.8	71.1	68.0
28/10/2019	13:05	65.4	70.6	56	
28/10/2019	13:10	66.9	68	58.6	
28/10/2019	13:15	62.8	70.8	41.4	
28/10/2019	13:20	55.6	57.5	53.4	
28/10/2019	13:25	48.8	51.4	47.1	
28/10/2019	13:30	51.3	54.1	48.2	63.0
28/10/2019	13:35	53.8	55.9	50.9	
28/10/2019	13:40	63.8	67.8	54.3	
28/10/2019	13:45	59.6	71.1	55.2	
28/10/2019	13:50	53.8	68.8	52.9	
28/10/2019	13:55	69	72.7	60.9	
28/10/2019	14:00	68.4	72.5	60.5	66.8
28/10/2019	14:05	68.4	72.4	59.3	
28/10/2019	14:10	67.2	71.1	60.4	
28/10/2019	14:15	67.5	71.8	60.3	
28/10/2019	14:20	56.9	59.4	54.9	
28/10/2019	14:25	65.6	66.5	54.2	
28/10/2019	14:30	71.5	80.2	50.5	69.6
28/10/2019	14:35	73.5	76.9	55.5	
28/10/2019	14:40	59.9	64	57	
28/10/2019	14:45	68.2	75.7	56.5	
28/10/2019	14:50	69.2	72.5	66.7	
28/10/2019	14:55	64.3	72.2	46.8	
28/10/2019	15:00	44.3	45.8	44.3	57.0
28/10/2019	15:05	54.4	58	49.7	
28/10/2019	15:10	53.1	55.9	52.1	
28/10/2019	15:15	61.5	66.8	50.1	
28/10/2019	15:20	51.6	56.3	49.1	
28/10/2019	15:25	59.6	62.8	56.8	
28/10/2019	15:30	64.4	68.9	60.4	63.4
28/10/2019	15:35	54.1	55.6	52.6	
28/10/2019	15:40	54.6	56	53.5	
28/10/2019	15:45	59.7	61.4	57.7	
28/10/2019	15:50	66.4	69	55.5	
28/10/2019	15:55	66.6	72.4	55.7	
28/10/2019	16:00	60.5	64.3	57.5	59.2
28/10/2019	16:05	61.4	64.8	57	
28/10/2019	16:10	56.9	61.1	51.7	
28/10/2019	16:15	60	64.1	50.8	
28/10/2019	16:20	57.5	59.7	55.6	
28/10/2019	16:25	56.8	58.8	54.5	
28/10/2019	16:30	57.9	60.2	55.7	56.9
28/10/2019	16:35	58.1	60.3	55.5	
28/10/2019	16:40	58.6	61	56.1	
28/10/2019	16:45	57.8	59.9	55.7	
28/10/2019	16:50	52.1	55.7	48.5	
28/10/2019	16:55	53.3	56.2	50.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	17:00	52.9	55.7	50	61.6
28/10/2019	17:05	54.1	56.8	49.1	
28/10/2019	17:10	52.3	56	48.5	
28/10/2019	17:15	51.1	54.4	48.4	
28/10/2019	17:20	66	66.7	57.7	
28/10/2019	17:25	65.9	68.7	61.7	
28/10/2019	17:30	65.8	68.7	60.7	65.8
28/10/2019	17:35	65.6	67.9	59.7	
28/10/2019	17:40	64.6	70.2	61.4	
28/10/2019	17:45	66.7	69.1	58.9	
28/10/2019	17:50	65	70.6	60.6	
28/10/2019	17:55	66.7	69.9	62.2	
28/10/2019	18:00	66.9	68.7	61.9	66.1
28/10/2019	18:05	66	70.6	59.1	
28/10/2019	18:10	65.8	69.9	60.5	
28/10/2019	18:15	66.1	69.7	61.4	
28/10/2019	18:20	66.3	68.9	59.4	
28/10/2019	18:25	65.4	67.6	57.4	
28/10/2019	18:30	64.1	68.9	58.2	63.1
28/10/2019	18:35	65.1	68.1	56.8	
28/10/2019	18:40	64.7	65.6	53.2	
28/10/2019	18:45	59.7	66.2	54.8	
28/10/2019	18:50	61.9	64	52.8	
28/10/2019	18:55	59.4	64.6	51.6	
29/10/2019	7:00	64.2	66.7	50.2	61.1
29/10/2019	7:05	60	63.5	50.7	
29/10/2019	7:10	59.9	62	50.2	
29/10/2019	7:15	61.2	65.3	52.5	
29/10/2019	7:20	59.2	64.7	52.2	
29/10/2019	7:25	60.1	65.2	52.6	
29/10/2019	7:30	61.4	66	52.2	62.3
29/10/2019	7:35	62.9	63.6	51.4	
29/10/2019	7:40	62.9	65.1	51	
29/10/2019	7:45	60.8	66	53.1	
29/10/2019	7:50	62.6	67.7	54.5	
29/10/2019	7:55	62.7	67.3	53.2	
29/10/2019	8:00	60.5	65.6	52	65.2
29/10/2019	8:05	69.4	71.2	55.9	
29/10/2019	8:10	61.3	67.3	53.3	
29/10/2019	8:15	61.7	64.8	52	
29/10/2019	8:20	62.4	73.2	54.3	
29/10/2019	8:25	67.5	69.5	52.8	
29/10/2019	8:30	61.7	66	53.3	64.6
29/10/2019	8:35	62.2	66.7	53.7	
29/10/2019	8:40	61.4	71.8	55.3	
29/10/2019	8:45	66.1	67.9	55.2	
29/10/2019	8:50	66.3	66.8	55.2	
29/10/2019	8:55	66.5	69.6	55.9	
29/10/2019	9:00	65.9	70	55.6	63.9
29/10/2019	9:05	64.7	69.5	61.5	
29/10/2019	9:10	64.5	69.5	61.5	
29/10/2019	9:15	63.9	69.3	60.8	
29/10/2019	9:20	61.7	67.8	60.1	
29/10/2019	9:25	60.9	68.1	59.6	
29/10/2019	9:30	61.6	67.3	59.8	63.0
29/10/2019	9:35	60.9	67.2	58.7	
29/10/2019	9:40	60.6	66.7	58.4	
29/10/2019	9:45	64.3	67.8	57.8	
29/10/2019	9:50	65.5	68.5	60.7	
29/10/2019	9:55	62.7	68.3	59.8	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	10:00	64.2	66.9	56.7	63.5
29/10/2019	10:05	64	65.8	56.1	
29/10/2019	10:10	63	64.2	56.6	
29/10/2019	10:15	63.3	67.3	56.7	
29/10/2019	10:20	63.2	64.9	57.1	
29/10/2019	10:25	63.4	65.8	56.9	65.0
29/10/2019	10:30	63.8	65.6	57.1	
29/10/2019	10:35	65.9	69	58.1	
29/10/2019	10:40	65.1	66.8	58.2	
29/10/2019	10:45	64	66	57.3	
29/10/2019	10:50	65.9	68.1	58.3	64.3
29/10/2019	10:55	64.8	66.5	56.8	
29/10/2019	11:00	64.5	66.6	57.6	
29/10/2019	11:05	65.1	65.3	56.6	
29/10/2019	11:10	63.8	65.3	55.9	
29/10/2019	11:15	64.4	65.4	55.9	63.8
29/10/2019	11:20	63.3	68.5	56.9	
29/10/2019	11:25	64.7	67.1	57.7	
29/10/2019	11:30	65.4	67.6	56.3	
29/10/2019	11:35	65.4	65.8	55.1	
29/10/2019	11:40	64	67.2	56.1	62.9
29/10/2019	11:45	62.7	68.1	57.2	
29/10/2019	11:50	62.2	67.1	56.5	
29/10/2019	11:55	61.9	71.7	57.8	
29/10/2019	12:00	61.6	65.7	56.5	
29/10/2019	12:05	65.3	66.8	57.9	64.2
29/10/2019	12:10	63	65.3	56.3	
29/10/2019	12:15	62.7	69	56.8	
29/10/2019	12:20	62.3	66.3	53.6	
29/10/2019	12:25	60.8	66.6	57.5	
29/10/2019	12:30	61.3	67.6	58.9	66.0
29/10/2019	12:35	61.7	68	59.2	
29/10/2019	12:40	64.9	67.3	58.8	
29/10/2019	12:45	66.7	66.7	57.5	
29/10/2019	12:50	63.9	67.7	57.5	
29/10/2019	12:55	64.6	68.8	58.2	64.5
29/10/2019	13:00	64.2	66.9	53.9	
29/10/2019	13:05	69.7	73.1	53	
29/10/2019	13:10	64.4	65.7	52.2	
29/10/2019	13:15	65.7	69	49.4	
29/10/2019	13:20	63.7	68.8	50.3	63.2
29/10/2019	13:25	65.1	66.2	51.8	
29/10/2019	13:30	64.3	67.3	48.5	
29/10/2019	13:35	64.9	67.4	50	
29/10/2019	13:40	63	66.6	49.3	
29/10/2019	13:45	65.4	67.8	49.6	61.7
29/10/2019	13:50	64.2	68.1	49.9	
29/10/2019	13:55	64.6	67.6	48.4	
29/10/2019	14:00	65.5	70.3	50	
29/10/2019	14:05	63	63.8	52.2	
29/10/2019	14:10	63.4	64.2	52.2	61.7
29/10/2019	14:15	63.2	68.2	50.8	
29/10/2019	14:20	61.5	66.7	50.2	
29/10/2019	14:25	61.5	64.6	52.5	
29/10/2019	14:30	61.7	64.2	51.4	
29/10/2019	14:35	60.6	63.5	52.5	61.7
29/10/2019	14:40	61.2	64	53	
29/10/2019	14:45	61.2	63.2	53	
29/10/2019	14:50	62.2	63	51.6	
29/10/2019	14:55	63	68.7	52.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	15:00	60.7	62.1	50.4	61.8
29/10/2019	15:05	61.9	62.5	47.5	
29/10/2019	15:10	61.2	61.2	47	
29/10/2019	15:15	62.6	63.2	46.8	
29/10/2019	15:20	61.4	62.8	47.1	
29/10/2019	15:25	62.4	64.3	48.2	62.6
29/10/2019	15:30	61.5	62.8	48.2	
29/10/2019	15:35	60.5	63.1	50	
29/10/2019	15:40	61.9	64.1	50	
29/10/2019	15:45	61.8	64.4	50.3	
29/10/2019	15:50	65.3	69.8	50.6	62.1
29/10/2019	15:55	62.9	64.8	48.9	
29/10/2019	16:00	62.7	65.2	51.2	
29/10/2019	16:05	62.4	63.9	50.2	
29/10/2019	16:10	61.6	61.8	51	
29/10/2019	16:15	64.2	64.5	50.5	62.9
29/10/2019	16:20	59.7	60.4	50.5	
29/10/2019	16:25	60.8	64.3	50.5	
29/10/2019	16:30	59.6	60.6	49.8	
29/10/2019	16:35	64.8	66.8	56.4	
29/10/2019	16:40	62	70.7	60	65.5
29/10/2019	16:45	60.7	70.5	59.8	
29/10/2019	16:50	65.4	70.4	59.3	
29/10/2019	16:55	62	69	59.1	
29/10/2019	17:00	66.4	67.9	58.5	
29/10/2019	17:05	66.7	68	60	64.2
29/10/2019	17:10	65.9	66.8	59.4	
29/10/2019	17:15	64.3	71	59.5	
29/10/2019	17:20	64.2	68.5	59.4	
29/10/2019	17:25	64.5	65.1	57.3	
29/10/2019	17:30	63.7	66.5	58.6	63.8
29/10/2019	17:35	67	70.3	58.2	
29/10/2019	17:40	64.7	69.1	56.6	
29/10/2019	17:45	61.5	66.3	58	
29/10/2019	17:50	63.3	68.1	57.8	
29/10/2019	17:55	63.1	67.1	57.4	63.4
29/10/2019	18:00	61.2	67	57.8	
29/10/2019	18:05	62.9	69.4	58.8	
29/10/2019	18:10	63.9	66.9	57.1	
29/10/2019	18:15	63.2	66.2	57.3	
29/10/2019	18:20	63.4	67.1	58.2	44.9
29/10/2019	18:25	66.5	68	53.1	
29/10/2019	18:30	65.2	68.1	51.8	
29/10/2019	18:35	62.9	63	51.8	
29/10/2019	18:40	63.7	64	52.4	
29/10/2019	18:45	59.4	63.5	51.4	45.8
29/10/2019	18:50	66.1	69.5	51.5	
29/10/2019	18:55	58.6	63.1	51.4	
30/10/2019	7:00	45.2	47.3	44.1	
30/10/2019	7:05	44.2	45	43.7	
30/10/2019	7:10	45.2	48.3	44.2	44.9
30/10/2019	7:15	44.5	45.1	44	
30/10/2019	7:20	45	46.6	44.1	
30/10/2019	7:25	45.1	47.1	44.2	
30/10/2019	7:30	45.5	46.6	44.3	
30/10/2019	7:35	46.1	49.7	44.5	45.8
30/10/2019	7:40	45.2	46	44.4	
30/10/2019	7:45	45.7	47.1	44.6	
30/10/2019	7:50	45.5	46.7	44.8	
30/10/2019	7:55	46.6	50.3	44.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	8:00	47.3	51.2	45.3	48.6
30/10/2019	8:05	47.4	49.4	45.7	
30/10/2019	8:10	50.4	55.8	45.5	
30/10/2019	8:15	47	49.8	45.7	
30/10/2019	8:20	48.5	52.6	46.2	
30/10/2019	8:25	49.9	53.6	46.2	
30/10/2019	8:30	48.4	51.6	46.1	55.3
30/10/2019	8:35	49.9	53	46.8	
30/10/2019	8:40	50.3	53.6	47.1	
30/10/2019	8:45	59.9	66.6	47.9	
30/10/2019	8:50	56.4	64.6	48	
30/10/2019	8:55	55.5	62.2	47.9	
30/10/2019	9:00	50.7	54.7	48.4	52.3
30/10/2019	9:05	51	53.9	48.9	
30/10/2019	9:10	51.1	54.4	48.9	
30/10/2019	9:15	55.3	59.6	49.1	
30/10/2019	9:20	51.2	53.3	49.4	
30/10/2019	9:25	52.5	55.4	49.9	
30/10/2019	9:30	53.6	57.2	50.3	58.8
30/10/2019	9:35	57.2	60.6	53.8	
30/10/2019	9:40	58.3	62.4	54.2	
30/10/2019	9:45	57.5	59.9	54.8	
30/10/2019	9:50	60.1	64.5	56.3	
30/10/2019	9:55	61.8	65.5	58.1	
30/10/2019	10:00	60.7	63.4	58.5	61.1
30/10/2019	10:05	60.6	63.6	57.9	
30/10/2019	10:10	60.4	62.6	58.4	
30/10/2019	10:15	60.8	62.6	59.5	
30/10/2019	10:20	62.9	66.5	59.7	
30/10/2019	10:25	60.7	62.5	58.2	
30/10/2019	10:30	61.5	63.3	60	60.9
30/10/2019	10:35	61.4	63.2	59.3	
30/10/2019	10:40	60.5	62.5	58.7	
30/10/2019	10:45	60.1	63.2	57.2	
30/10/2019	10:50	61.2	64	58.8	
30/10/2019	10:55	60.6	62.9	58.8	
30/10/2019	11:00	61.3	65.9	57.7	61.2
30/10/2019	11:05	61.7	66.1	57.5	
30/10/2019	11:10	61.5	65.9	56.4	
30/10/2019	11:15	60.7	63.1	58.2	
30/10/2019	11:20	60.8	63.5	58	
30/10/2019	11:25	61	63.4	58.7	
30/10/2019	11:30	60.1	63	57.7	60.4
30/10/2019	11:35	61.4	66.4	58.3	
30/10/2019	11:40	59.1	61	57.7	
30/10/2019	11:45	60.3	63	58.2	
30/10/2019	11:50	60	62.7	58.3	
30/10/2019	11:55	61.3	66.1	58.5	
30/10/2019	12:00	59.7	62	57.6	59.4
30/10/2019	12:05	58.7	60.3	57.5	
30/10/2019	12:10	60.4	64.3	57.8	
30/10/2019	12:15	59.3	61.6	56.5	
30/10/2019	12:20	58.9	61.4	57.1	
30/10/2019	12:25	59.4	64.1	56.8	
30/10/2019	12:30	58.9	60.8	57.5	58.6
30/10/2019	12:35	61.1	66.6	56.8	
30/10/2019	12:40	58.2	60.8	54.5	
30/10/2019	12:45	57.5	60.8	54.6	
30/10/2019	12:50	58.2	62.2	54.2	
30/10/2019	12:55	56.1	60.2	53.7	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	13:00	57.4	62.7	49.8	57.2
30/10/2019	13:05	56.6	63.6	49.2	
30/10/2019	13:10	55.1	61.8	48.9	
30/10/2019	13:15	54.6	62.9	48.7	
30/10/2019	13:20	60.7	61.3	48.9	
30/10/2019	13:25	55.9	56.9	55.3	
30/10/2019	13:30	61.6	63.5	56.2	58.5
30/10/2019	13:35	58.2	62	54.9	
30/10/2019	13:40	57.5	59.6	55.7	
30/10/2019	13:45	57.3	59.2	55.9	
30/10/2019	13:50	57.1	58.4	55.9	
30/10/2019	13:55	57.4	58.7	55.8	
30/10/2019	14:00	57.3	58.8	55.8	58.1
30/10/2019	14:05	57.2	59	56.1	
30/10/2019	14:10	57.3	58.2	56.4	
30/10/2019	14:15	58	61.2	56.2	
30/10/2019	14:20	58.4	60.1	56.9	
30/10/2019	14:25	59.7	61.4	57.3	
30/10/2019	14:30	60.5	62.3	58.3	60.2
30/10/2019	14:35	59.7	62	57.6	
30/10/2019	14:40	60	62.5	57.5	
30/10/2019	14:45	60	62.2	57.9	
30/10/2019	14:50	60.1	61.9	57.8	
30/10/2019	14:55	60.9	63.5	58.5	
30/10/2019	15:00	61.5	64.6	59.1	61.2
30/10/2019	15:05	62.6	65.9	59.6	
30/10/2019	15:10	60.2	62.1	58.6	
30/10/2019	15:15	60.4	62.2	58.9	
30/10/2019	15:20	60.7	64.2	58.6	
30/10/2019	15:25	61.4	64	59.1	
30/10/2019	15:30	61.8	64.8	59.7	62.2
30/10/2019	15:35	61.8	64	59.7	
30/10/2019	15:40	62	64.8	59.6	
30/10/2019	15:45	62.6	65.3	60.2	
30/10/2019	15:50	61.9	64.8	58.7	
30/10/2019	15:55	62.9	66.8	58.9	
30/10/2019	16:00	61.7	65	58.7	61.0
30/10/2019	16:05	60.9	63.8	58.6	
30/10/2019	16:10	61.6	64.1	59.3	
30/10/2019	16:15	60.8	63.3	58.4	
30/10/2019	16:20	60.1	63	57.7	
30/10/2019	16:25	60.9	64.8	58.2	
30/10/2019	16:30	59.2	60.8	58	59.2
30/10/2019	16:35	59.8	62.1	58.4	
30/10/2019	16:40	59.2	61.4	57.3	
30/10/2019	16:45	59.9	63	57.6	
30/10/2019	16:50	58.6	60.8	56.7	
30/10/2019	16:55	58.2	60.2	56.6	
30/10/2019	17:00	58.8	61	57	59.1
30/10/2019	17:05	59.4	63.2	57	
30/10/2019	17:10	58.4	60.6	56.4	
30/10/2019	17:15	59.2	60.7	57.5	
30/10/2019	17:20	59.6	62	57.5	
30/10/2019	17:25	59.3	61.6	57.3	
30/10/2019	17:30	59.7	62.7	57.4	59.4
30/10/2019	17:35	59.8	61.6	57.8	
30/10/2019	17:40	59.6	62	57.6	
30/10/2019	17:45	58.9	61	57	
30/10/2019	17:50	59	60.6	57.4	
30/10/2019	17:55	59.4	61.7	57.6	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	18:00	59	61	57.2	59.5
30/10/2019	18:05	59.1	61.3	57.1	
30/10/2019	18:10	59.6	62.9	57.1	
30/10/2019	18:15	59.4	62	57.4	
30/10/2019	18:20	60.4	62.9	57.8	
30/10/2019	18:25	59.3	61.6	56.9	
30/10/2019	18:30	60.4	62.8	57.6	58.5
30/10/2019	18:35	57.6	59.8	55.7	
30/10/2019	18:40	59.7	62.9	56.1	
30/10/2019	18:45	58.5	61.6	55.9	
30/10/2019	18:50	56.3	58.4	54.7	
30/10/2019	18:55	56.7	58.7	55	
31/10/2019	7:00	44.8	45.9	44.1	45.9
31/10/2019	7:05	46.6	48.7	44.2	
31/10/2019	7:10	46.2	49.3	44.6	
31/10/2019	7:15	45.5	46.9	44.6	
31/10/2019	7:20	45.5	46.7	44.6	
31/10/2019	7:25	46.3	48.3	45	
31/10/2019	7:30	46.8	48.9	45.2	46.6
31/10/2019	7:35	45.6	46.4	45.1	
31/10/2019	7:40	45.7	46.8	45.1	
31/10/2019	7:45	46.5	48.8	45.3	
31/10/2019	7:50	47.4	50.5	45.4	
31/10/2019	7:55	47.1	48.7	45.5	
31/10/2019	8:00	48	51.5	45.8	49.2
31/10/2019	8:05	47.5	49.8	45.6	
31/10/2019	8:10	48.2	50.9	46.5	
31/10/2019	8:15	50.4	56.4	46.2	
31/10/2019	8:20	50.8	56.9	46.8	
31/10/2019	8:25	49	51.4	47.1	
31/10/2019	8:30	50.7	53.3	48.2	50.9
31/10/2019	8:35	50.8	54.3	48.2	
31/10/2019	8:40	51.1	53.7	49	
31/10/2019	8:45	50.8	53.4	49.1	
31/10/2019	8:50	50.9	53.5	49	
31/10/2019	8:55	51.3	54.6	49.3	
31/10/2019	9:00	50.7	54	48.6	53.7
31/10/2019	9:05	55	56.1	49.4	
31/10/2019	9:10	52.5	54.5	50.5	
31/10/2019	9:15	52.9	55.3	50.9	
31/10/2019	9:20	54.8	57.7	52.3	
31/10/2019	9:25	54.8	57	53.1	
31/10/2019	9:30	55.1	57.2	52.9	59.1
31/10/2019	9:35	57	60.2	54.8	
31/10/2019	9:40	57.8	61.1	55.7	
31/10/2019	9:45	59.5	62.8	56.6	
31/10/2019	9:50	61.9	64.5	58.8	
31/10/2019	9:55	59.9	62.7	57.5	
31/10/2019	10:00	60.5	63.5	57.6	61.3
31/10/2019	10:05	61.5	64.5	59	
31/10/2019	10:10	59.8	62.1	57.9	
31/10/2019	10:15	62.1	64.5	58.6	
31/10/2019	10:20	61.8	65	59	
31/10/2019	10:25	61.7	64.2	58.6	
31/10/2019	10:30	61.2	64.5	58.1	61.2
31/10/2019	10:35	61.7	65	59.1	
31/10/2019	10:40	60.8	63	58.7	
31/10/2019	10:45	61.8	65.9	58.2	
31/10/2019	10:50	60.9	63.3	57.9	
31/10/2019	10:55	60.4	62.7	58.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	11:00	59.9	62.6	57.7	60.7
31/10/2019	11:05	62.3	66.6	58.4	
31/10/2019	11:10	60.9	64.4	57.9	
31/10/2019	11:15	60.1	62.6	58.5	
31/10/2019	11:20	60.2	62.2	58.8	
31/10/2019	11:25	60.4	62.5	58.6	
31/10/2019	11:30	60.5	63.1	58.5	61.3
31/10/2019	11:35	61.1	63	59.4	
31/10/2019	11:40	61.4	63.6	59.5	
31/10/2019	11:45	61.6	63.4	60	
31/10/2019	11:50	61.8	64.4	59.6	
31/10/2019	11:55	61.5	63.9	59.9	
31/10/2019	12:00	62	63.7	60.2	61.5
31/10/2019	12:05	62	63.9	60.1	
31/10/2019	12:10	62	63.7	60.2	
31/10/2019	12:15	60.1	62.8	58.2	
31/10/2019	12:20	60.5	63.3	58.3	
31/10/2019	12:25	61.9	63.9	59.9	
31/10/2019	12:30	60.8	63.4	58.3	60.2
31/10/2019	12:35	61.5	64.9	57.5	
31/10/2019	12:40	59.8	63.4	56.8	
31/10/2019	12:45	60.7	64.5	56.9	
31/10/2019	12:50	58.8	62.5	55.5	
31/10/2019	12:55	58.8	62.4	54.4	
31/10/2019	13:00	57.9	60.6	54.6	58.1
31/10/2019	13:05	56.8	57.6	53.7	
31/10/2019	13:10	57.4	59.7	53.9	
31/10/2019	13:15	59	63.5	53.6	
31/10/2019	13:20	58.5	61.4	55.3	
31/10/2019	13:25	58.4	62.1	55	
31/10/2019	13:30	58.2	60.7	55.2	57.5
31/10/2019	13:35	58.3	61.5	55.1	
31/10/2019	13:40	57.6	60.4	54.7	
31/10/2019	13:45	58.1	62	54.1	
31/10/2019	13:50	55.5	57.3	53.5	
31/10/2019	13:55	56.4	58.7	54.5	
31/10/2019	14:00	56.2	58	54.7	57.6
31/10/2019	14:05	56.8	58.5	55.1	
31/10/2019	14:10	57.1	59.1	55.7	
31/10/2019	14:15	56.7	58.6	55.3	
31/10/2019	14:20	57.3	59	55.6	
31/10/2019	14:25	60.1	62.2	57.4	
31/10/2019	14:30	60.9	62.8	57.7	60.8
31/10/2019	14:35	60.3	62.7	58.2	
31/10/2019	14:40	60.7	63.3	58.3	
31/10/2019	14:45	60.1	62	57.8	
31/10/2019	14:50	61	62.3	59.5	
31/10/2019	14:55	61.4	63.3	59.3	
31/10/2019	15:00	61.1	63.7	58.8	61.4
31/10/2019	15:05	62	64.8	59.1	
31/10/2019	15:10	60.6	64.2	57.8	
31/10/2019	15:15	60.8	62.7	58.3	
31/10/2019	15:20	62.6	66.7	59.9	
31/10/2019	15:25	60.8	63.1	57.9	
31/10/2019	15:30	61.2	64.9	57.8	61.0
31/10/2019	15:35	60.4	62.2	58	
31/10/2019	15:40	60.9	64	57.8	
31/10/2019	15:45	60.5	62.3	58.8	
31/10/2019	15:50	61.9	65.3	58.7	
31/10/2019	15:55	61.1	64.2	57.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	16:00	60.8	62.4	58.5	60.9
31/10/2019	16:05	60.8	62.3	58.6	
31/10/2019	16:10	59.7	62	57.3	
31/10/2019	16:15	60.9	62.9	58.3	
31/10/2019	16:20	61.3	62.6	60.3	
31/10/2019	16:25	61.9	64.4	58.6	
31/10/2019	16:30	60.7	62.8	58	59.4
31/10/2019	16:35	59.8	61.8	57.5	
31/10/2019	16:40	59.1	61.1	57.2	
31/10/2019	16:45	58.5	60.4	57.1	
31/10/2019	16:50	59.4	62.1	56.8	
31/10/2019	16:55	58.6	59.8	56.1	
31/10/2019	17:00	59.2	64.2	56.4	58.8
31/10/2019	17:05	58.4	60.2	56.7	
31/10/2019	17:10	58.4	59.9	56.9	
31/10/2019	17:15	58.8	61.1	57.1	
31/10/2019	17:20	58.9	61	57.2	
31/10/2019	17:25	58.9	60.8	57.2	
31/10/2019	17:30	59.1	61.3	56.9	59.2
31/10/2019	17:35	58.7	60.1	57.5	
31/10/2019	17:40	59.2	61.7	57.5	
31/10/2019	17:45	59.1	61.6	57.2	
31/10/2019	17:50	58.6	60.9	57.2	
31/10/2019	17:55	60.2	62.2	57.7	
31/10/2019	18:00	60.2	61.5	58.5	61.5
31/10/2019	18:05	59.6	60.8	58.7	
31/10/2019	18:10	61.5	64.1	58.8	
31/10/2019	18:15	60.4	63.1	58.5	
31/10/2019	18:20	62.3	65.3	59.5	
31/10/2019	18:25	63.6	69	58.9	
31/10/2019	18:30	68.5	75.5	59.2	65.1
31/10/2019	18:35	66.2	73.4	59.3	
31/10/2019	18:40	66	72	59	
31/10/2019	18:45	60.9	64.2	58.5	
31/10/2019	18:50	61.4	63.8	58.4	
31/10/2019	18:55	61.7	65.5	57.9	
01/11/2019	7:00	45.2	47	44	45.9
01/11/2019	7:05	44.8	46.3	43.8	
01/11/2019	7:10	47	50	44.3	
01/11/2019	7:15	45.5	48.1	44.2	
01/11/2019	7:20	45.9	47.5	44.1	
01/11/2019	7:25	46.6	48.3	44.5	
01/11/2019	7:30	46.9	50.4	44.7	47.0
01/11/2019	7:35	46.7	49.2	44.5	
01/11/2019	7:40	45.9	48.9	44.4	
01/11/2019	7:45	46.5	49	44.8	
01/11/2019	7:50	47	49.3	45.4	
01/11/2019	7:55	48.7	52.8	45.4	
01/11/2019	8:00	47.4	49.7	45.7	49.3
01/11/2019	8:05	48.6	51.8	46.2	
01/11/2019	8:10	49	52	46.7	
01/11/2019	8:15	49.4	51.8	47.3	
01/11/2019	8:20	49.3	52.3	46.7	
01/11/2019	8:25	51.3	55.6	48.2	
01/11/2019	8:30	50.3	52.8	48.4	51.6
01/11/2019	8:35	50.4	52.8	48.3	
01/11/2019	8:40	52.2	55.4	49.1	
01/11/2019	8:45	50.4	52.7	48.7	
01/11/2019	8:50	51.7	54.4	49.6	
01/11/2019	8:55	53.7	59.5	49.5	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
01/11/2019	9:00	51.5	53.3	49.8	53.9
01/11/2019	9:05	54	57.3	50.8	
01/11/2019	9:10	52.4	55.1	50.6	
01/11/2019	9:15	54.4	56.4	51.6	
01/11/2019	9:20	55.4	57.9	52.4	
01/11/2019	9:25	54.7	56.5	52.9	
01/11/2019	9:30	55.1	56.8	53.5	59.2
01/11/2019	9:35	57.3	59	55.7	
01/11/2019	9:40	59.7	62	56.4	
01/11/2019	9:45	61.4	65.3	56.6	
01/11/2019	9:50	59.7	61.4	57.8	
01/11/2019	9:55	59.6	62	57.7	
01/11/2019	10:00	60.3	61.3	57.8	60.2
01/11/2019	10:05	61	63.9	58.3	
01/11/2019	10:10	59.7	62.3	57.1	
01/11/2019	10:15	61	64.7	57.3	
01/11/2019	10:20	59.7	62.5	57.1	
01/11/2019	10:25	59.4	61.8	57.4	
01/11/2019	10:30	60.4	63.5	57.6	62.1
01/11/2019	10:35	61.8	64.2	59	
01/11/2019	10:40	66.5	67.5	58.1	
01/11/2019	10:45	59.5	62	57.5	
01/11/2019	10:50	59.4	61.8	57	
01/11/2019	10:55	59.6	62.1	56.9	
01/11/2019	11:00	61.1	63.8	58.2	60.5
01/11/2019	11:05	60.1	62.6	57.8	
01/11/2019	11:10	61.7	65.3	57.5	
01/11/2019	11:15	60.1	63.5	57.2	
01/11/2019	11:20	59	61.9	56.8	
01/11/2019	11:25	60.4	63.9	57.3	
01/11/2019	11:30	62.3	65.6	58.5	60.8
01/11/2019	11:35	59.3	62.9	56.4	
01/11/2019	11:40	61.6	64.4	58.1	
01/11/2019	11:45	60.9	63.4	57.9	
01/11/2019	11:50	60.9	63.5	58	
01/11/2019	11:55	58.7	60.8	56.7	
01/11/2019	12:00	61.1	65.2	57.7	62.0
01/11/2019	12:05	61.5	65.6	57.9	
01/11/2019	12:10	63.5	67.7	58.5	
01/11/2019	12:15	63.5	67.5	58.2	
01/11/2019	12:20	60.6	65.8	57.4	
01/11/2019	12:25	60.7	64.9	57.2	
01/11/2019	12:30	61.3	64.4	57.1	59.0
01/11/2019	12:35	60.9	64	57.7	
01/11/2019	12:40	58.9	61.3	56.4	
01/11/2019	12:45	58	60.2	55.4	
01/11/2019	12:50	56.3	59	54.3	
01/11/2019	12:55	55.3	57.9	53.2	
01/11/2019	13:00	54.7	56.3	53.2	54.6
01/11/2019	13:05	54.8	56.7	52.8	
01/11/2019	13:10	54.9	56.4	53.4	
01/11/2019	13:15	54.1	56.5	52.4	
01/11/2019	13:20	54.3	56.6	52.2	
01/11/2019	13:25	54.6	57.6	52.4	
01/11/2019	13:30	54.6	56.4	53.3	55.0
01/11/2019	13:35	54.2	56.6	52.6	
01/11/2019	13:40	54.9	56.9	53.1	
01/11/2019	13:45	54.9	57.1	53.4	
01/11/2019	13:50	54.9	56.9	53	
01/11/2019	13:55	56.2	58	53.4	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
01/11/2019	14:00	55.4	57	54	56.0
01/11/2019	14:05	55.4	57.6	53.6	
01/11/2019	14:10	55.4	57	54.2	
01/11/2019	14:15	55.6	57.5	54.4	
01/11/2019	14:20	56.7	58.4	55	
01/11/2019	14:25	57.3	59.5	55.2	
01/11/2019	14:30	57.9	60.5	56.1	59.3
01/11/2019	14:35	58.9	61.3	57.2	
01/11/2019	14:40	60	62.3	58	
01/11/2019	14:45	59.4	61.3	57.8	
01/11/2019	14:50	60.1	62.6	57.7	
01/11/2019	14:55	59.4	61.4	57.6	
01/11/2019	15:00	59.8	61.7	57.9	60.1
01/11/2019	15:05	60.1	62.7	58.2	
01/11/2019	15:10	59.6	62.2	57.8	
01/11/2019	15:15	59.7	62.7	57.1	
01/11/2019	15:20	60	62.9	57.6	
01/11/2019	15:25	61.2	64.5	58.6	
01/11/2019	15:30	59.7	61.8	58.4	59.7
01/11/2019	15:35	60.8	63.3	58.4	
01/11/2019	15:40	59.4	61.7	57.4	
01/11/2019	15:45	59.4	61.8	57.3	
01/11/2019	15:50	59.2	61.6	56.9	
01/11/2019	15:55	59.6	62.1	57.4	
01/11/2019	16:00	58.7	60.4	56.9	59.3
01/11/2019	16:05	58.8	61.1	56.8	
01/11/2019	16:10	59	61.2	56.8	
01/11/2019	16:15	60.1	62	57.6	
01/11/2019	16:20	59.9	63.2	57.6	
01/11/2019	16:25	59.2	61.4	57.1	
01/11/2019	16:30	60.1	62.2	57.9	59.5
01/11/2019	16:35	59	60.9	56.9	
01/11/2019	16:40	59.6	62.4	56.8	
01/11/2019	16:45	58.9	60.9	56.9	
01/11/2019	16:50	60.5	64.3	57.4	
01/11/2019	16:55	58.6	60.5	56.6	
01/11/2019	17:00	58.8	60.6	56.8	60.4
01/11/2019	17:05	58.7	61.2	56.7	
01/11/2019	17:10	59.7	63	56.8	
01/11/2019	17:15	58.1	59.8	56.3	
01/11/2019	17:20	59.3	61.8	57.6	
01/11/2019	17:25	64.2	69.7	56	
01/11/2019	17:30	58	60.7	56.1	61.8
01/11/2019	17:35	60.9	65.5	57.1	
01/11/2019	17:40	61.6	65.8	57.5	
01/11/2019	17:45	62.7	65	58.1	
01/11/2019	17:50	60.6	62.6	57.5	
01/11/2019	17:55	64.4	68.3	58.1	
01/11/2019	18:00	61.3	65.3	58.3	62.5
01/11/2019	18:05	64.4	69	57.6	
01/11/2019	18:10	62.1	66.1	57.6	
01/11/2019	18:15	62	65.4	58.3	
01/11/2019	18:20	61.2	63.6	58.6	
01/11/2019	18:25	63.1	67.1	57.2	
01/11/2019	18:30	63.2	66.9	57.4	62.1
01/11/2019	18:35	60.3	63.5	56.7	
01/11/2019	18:40	63.7	67.1	58.9	
01/11/2019	18:45	61.9	66.5	57.4	
01/11/2019	18:50	60.3	62.6	57.1	
01/11/2019	18:55	62.1	65	58.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	7:00	45.8	47.2	43.9	45.6
02/11/2019	7:05	45.4	46.8	44.3	
02/11/2019	7:10	46.3	48.2	44.3	
02/11/2019	7:15	45	46	44.2	
02/11/2019	7:20	45.5	47.1	44.3	
02/11/2019	7:25	45.3	46.5	44.2	
02/11/2019	7:30	46.9	50.4	44.5	46.6
02/11/2019	7:35	46.7	50.3	44.5	
02/11/2019	7:40	45.1	46.5	44.1	
02/11/2019	7:45	46.5	48.7	44.3	
02/11/2019	7:50	45.4	46.6	44.5	
02/11/2019	7:55	48.2	51.8	45.3	
02/11/2019	8:00	48.7	52.8	45.4	48.3
02/11/2019	8:05	47.6	51.2	45.5	
02/11/2019	8:10	47.6	50.8	45.7	
02/11/2019	8:15	47.8	52.3	45.2	
02/11/2019	8:20	48.1	51.7	45.5	
02/11/2019	8:25	49.5	53.4	45.9	
02/11/2019	8:30	49.7	52.4	47.6	50.7
02/11/2019	8:35	49.2	53.4	47.1	
02/11/2019	8:40	50.2	53.7	47.8	
02/11/2019	8:45	51.1	53.3	48.7	
02/11/2019	8:50	51.5	54.9	49.1	
02/11/2019	8:55	51.9	54	49.9	
02/11/2019	9:00	52.3	54.5	50.1	53.8
02/11/2019	9:05	53.9	57.1	50.4	
02/11/2019	9:10	51.9	54.2	50.2	
02/11/2019	9:15	53.5	56.1	51.4	
02/11/2019	9:20	54.6	57.1	52	
02/11/2019	9:25	55.7	58	53.5	
02/11/2019	9:30	55.5	58.2	53.6	57.9
02/11/2019	9:35	56.7	58.9	54.4	
02/11/2019	9:40	57.7	59.7	56.2	
02/11/2019	9:45	57.8	59.3	56.2	
02/11/2019	9:50	59.3	61.3	57.1	
02/11/2019	9:55	59.1	62.2	56.7	
02/11/2019	10:00	59.1	61	57.1	60.1
02/11/2019	10:05	59.2	61.5	57	
02/11/2019	10:10	58.4	60	57	
02/11/2019	10:15	58.5	60.5	56.8	
02/11/2019	10:20	60.4	63.1	57.1	
02/11/2019	10:25	63	66.3	57.6	
02/11/2019	10:30	61.2	64.3	57.8	62.9
02/11/2019	10:35	60.8	65.8	56.7	
02/11/2019	10:40	61	64.7	57.8	
02/11/2019	10:45	62.4	66.6	58.7	
02/11/2019	10:50	66.4	69.5	61.6	
02/11/2019	10:55	62.6	65.9	59.7	
02/11/2019	11:00	64	67.8	60	64.2
02/11/2019	11:05	64.2	68.2	57.3	
02/11/2019	11:10	63.6	66.9	56.7	
02/11/2019	11:15	64.1	67.8	57.7	
02/11/2019	11:20	63	66.7	58.9	
02/11/2019	11:25	65.6	67.6	62.1	
02/11/2019	11:30	62.9	65.7	57.4	62.0
02/11/2019	11:35	62.5	66.5	58.6	
02/11/2019	11:40	61.7	63.7	57.6	
02/11/2019	11:45	63.1	65.1	61	
02/11/2019	11:50	60.4	64.2	57.4	
02/11/2019	11:55	61	63.3	57.6	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	12:00	60.6	62.8	58	62.8
02/11/2019	12:05	61.1	66	57.3	
02/11/2019	12:10	66.3	72.7	58.9	
02/11/2019	12:15	61.8	69.4	57.3	
02/11/2019	12:20	60.1	63.7	56.7	
02/11/2019	12:25	63.5	66.6	60.5	60.4
02/11/2019	12:30	61.2	64.2	56.6	
02/11/2019	12:35	60.7	62.7	57.5	
02/11/2019	12:40	61.3	64.5	58	
02/11/2019	12:45	60.4	62.5	56.8	
02/11/2019	12:50	59.7	63	55.9	59.3
02/11/2019	12:55	58.6	62.6	53.9	
02/11/2019	13:00	60.7	64	53.8	
02/11/2019	13:05	60.5	65.1	53.2	
02/11/2019	13:10	58.9	63.4	51.9	
02/11/2019	13:15	58.8	62	54	55.2
02/11/2019	13:20	56.5	61.2	52.4	
02/11/2019	13:25	59.2	63.7	53	
02/11/2019	13:30	57.3	61.5	52.5	
02/11/2019	13:35	54.1	55.7	52.5	
02/11/2019	13:40	54.3	56.6	52.5	57.0
02/11/2019	13:45	54.9	57.2	53	
02/11/2019	13:50	55.3	57.9	53.2	
02/11/2019	13:55	54.6	56.1	53	
02/11/2019	14:00	55.8	57.5	54.5	
02/11/2019	14:05	56.4	58.1	54.9	61.0
02/11/2019	14:10	55.9	57.8	54	
02/11/2019	14:15	55.4	57.1	54	
02/11/2019	14:20	57.4	59.4	55.3	
02/11/2019	14:25	59.6	63.4	55.8	
02/11/2019	14:30	62.7	66.6	58.4	60.9
02/11/2019	14:35	61.7	65.6	58	
02/11/2019	14:40	60.7	63.9	57.5	
02/11/2019	14:45	59.6	62.9	57.1	
02/11/2019	14:50	61.1	64.5	56.4	
02/11/2019	14:55	59.4	64.2	56.4	60.7
02/11/2019	15:00	60.4	63.2	57.5	
02/11/2019	15:05	58.6	61	56.5	
02/11/2019	15:10	60.4	64.6	56.7	
02/11/2019	15:15	60.6	63.5	58	
02/11/2019	15:20	60.6	65.1	57.1	63.2
02/11/2019	15:25	63.4	67.8	58.2	
02/11/2019	15:30	60.9	63.3	58	
02/11/2019	15:35	60.6	62.9	57.9	
02/11/2019	15:40	59.4	61.5	57.1	
02/11/2019	15:45	61.6	66.4	56.9	60.7
02/11/2019	15:50	59.9	62.8	57	
02/11/2019	15:55	61.4	65.1	57	
02/11/2019	16:00	60.9	64.4	57.2	
02/11/2019	16:05	60.1	63.4	56.8	
02/11/2019	16:10	62.8	65.9	58.9	60.7
02/11/2019	16:15	65.6	68.8	61.6	
02/11/2019	16:20	64.7	68.4	60.5	
02/11/2019	16:25	62.3	65.8	57.1	
02/11/2019	16:30	62.5	66.8	57.3	
02/11/2019	16:35	59	61.5	56.9	60.7
02/11/2019	16:40	62.2	66	57.1	
02/11/2019	16:45	59.8	61.5	57.5	
02/11/2019	16:50	60	62.7	57.5	
02/11/2019	16:55	59.4	61.7	56.7	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	17:00	58.6	60.6	56.7	60.5
02/11/2019	17:05	58.4	60.8	56.2	
02/11/2019	17:10	62.1	67	56.1	
02/11/2019	17:15	60.4	65.6	56.6	
02/11/2019	17:20	61.3	65.7	56.5	
02/11/2019	17:25	61.2	66.4	56.5	60.9
02/11/2019	17:30	59.5	62.3	56.6	
02/11/2019	17:35	59.9	62.5	57.3	
02/11/2019	17:40	60.3	63.4	57.1	
02/11/2019	17:45	60	64.2	57	
02/11/2019	17:50	63.4	68.9	56.6	60.9
02/11/2019	17:55	61	65.9	55.5	
02/11/2019	18:00	57	58.4	55.6	
02/11/2019	18:05	62.1	68	55.4	
02/11/2019	18:10	60.4	66.1	55.4	
02/11/2019	18:15	60.1	64.7	55.5	58.0
02/11/2019	18:20	62	67.7	55.9	
02/11/2019	18:25	61.8	67	56.8	
02/11/2019	18:30	58.1	61	55.8	
02/11/2019	18:35	58.7	61.7	55.8	
02/11/2019	18:40	57.3	60.1	55.3	45.3
02/11/2019	18:45	57	61.4	54.8	
02/11/2019	18:50	58.8	61.7	55.5	
02/11/2019	18:55	57.6	59.2	56	
04/11/2019	7:00	45.7	49.4	43.3	
04/11/2019	7:05	44.6	46.1	43.8	46.0
04/11/2019	7:10	44.8	46.3	43.7	
04/11/2019	7:15	45	46.8	43.9	
04/11/2019	7:20	44.7	47	43.7	
04/11/2019	7:25	46.4	49.9	43.9	
04/11/2019	7:30	45.4	48.3	44	49.2
04/11/2019	7:35	44.8	46.6	43.9	
04/11/2019	7:40	45.3	48.1	44.3	
04/11/2019	7:45	45.4	48.4	44.2	
04/11/2019	7:50	47.5	51.7	44.4	
04/11/2019	7:55	46.8	49.9	44.6	52.3
04/11/2019	8:00	47.7	51.3	44.8	
04/11/2019	8:05	49	53.4	45.7	
04/11/2019	8:10	47.2	50.1	45.6	
04/11/2019	8:15	48.3	52.4	45.8	
04/11/2019	8:20	49.5	53	46.2	52.9
04/11/2019	8:25	51.7	57.4	47.3	
04/11/2019	8:30	51.3	54.2	49	
04/11/2019	8:35	51.7	54.9	49	
04/11/2019	8:40	51.1	53.6	48.9	
04/11/2019	8:45	51.4	54.5	48.6	58.4
04/11/2019	8:50	54.5	61	48.8	
04/11/2019	8:55	52.9	57.9	49	
04/11/2019	9:00	52.5	55.9	49.2	
04/11/2019	9:05	52.7	55.7	49	
04/11/2019	9:10	53.2	56.1	50.5	58.4
04/11/2019	9:15	52.5	56	50.2	
04/11/2019	9:20	53.3	56	50.7	
04/11/2019	9:25	53.1	55.4	51.6	
04/11/2019	9:30	54.6	56.6	52.9	
04/11/2019	9:35	55.7	58.1	53.6	58.4
04/11/2019	9:40	56.4	58.7	54.5	
04/11/2019	9:45	58.5	60.1	56.4	
04/11/2019	9:50	59.5	62.2	57.4	
04/11/2019	9:55	61.5	64.9	58.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	10:00	61.2	63.8	59.1	62.7
04/11/2019	10:05	61.6	64	59.6	
04/11/2019	10:10	61.5	64.7	58.9	
04/11/2019	10:15	64.5	68.4	60.3	
04/11/2019	10:20	61.6	65	59	
04/11/2019	10:25	64.4	68.4	59.6	
04/11/2019	10:30	63.7	67.3	60	64.0
04/11/2019	10:35	64.4	68.4	61.3	
04/11/2019	10:40	65.1	67.9	62	
04/11/2019	10:45	64.5	67.4	61.1	
04/11/2019	10:50	62.9	65.7	60.8	
04/11/2019	10:55	63.1	66.4	59.9	
04/11/2019	11:00	61.5	63.5	58.6	63.1
04/11/2019	11:05	62.5	64.7	58.5	
04/11/2019	11:10	64	67.5	60.6	
04/11/2019	11:15	62.9	65.4	60.3	
04/11/2019	11:20	63.5	66.2	60.2	
04/11/2019	11:25	63.6	66.4	60.2	
04/11/2019	11:30	63.4	67.6	58.2	62.4
04/11/2019	11:35	62.9	66.6	59.7	
04/11/2019	11:40	61.2	64.5	58.1	
04/11/2019	11:45	61.3	65	58.7	
04/11/2019	11:50	62.4	65	60.2	
04/11/2019	11:55	62.6	66.2	58.7	
04/11/2019	12:00	61.2	64.1	58.7	61.5
04/11/2019	12:05	61.6	64.5	58.6	
04/11/2019	12:10	59.4	60.7	57.9	
04/11/2019	12:15	58.9	60.6	57.5	
04/11/2019	12:20	61.2	64.8	56.9	
04/11/2019	12:25	64.3	67.5	60.9	
04/11/2019	12:30	62.8	66	59.7	61.9
04/11/2019	12:35	61.6	64.6	58.1	
04/11/2019	12:40	63.5	66.7	59.8	
04/11/2019	12:45	62	65.1	55.8	
04/11/2019	12:50	61.9	65	58.7	
04/11/2019	12:55	58.1	60.7	54.3	
04/11/2019	13:00	58.5	61.7	54.9	59.1
04/11/2019	13:05	57.3	60.4	54	
04/11/2019	13:10	55.4	58	53.2	
04/11/2019	13:15	57.7	60.9	54.1	
04/11/2019	13:20	62.5	66.2	58.5	
04/11/2019	13:25	59.6	63	56	
04/11/2019	13:30	58.8	62.7	53.9	58.0
04/11/2019	13:35	60.6	65.5	54.4	
04/11/2019	13:40	56.9	59.6	54.4	
04/11/2019	13:45	57.2	59.5	55.1	
04/11/2019	13:50	56.3	58.2	54.7	
04/11/2019	13:55	56.6	58.8	54.8	
04/11/2019	14:00	57.4	60.3	54.9	56.7
04/11/2019	14:05	56.4	58.3	54.7	
04/11/2019	14:10	56.2	59.2	53.6	
04/11/2019	14:15	56.4	58.3	54.5	
04/11/2019	14:20	56.5	58.4	55	
04/11/2019	14:25	57.1	59.4	55.2	
04/11/2019	14:30	58.7	61.5	55.7	62.3
04/11/2019	14:35	62.5	65.9	58.5	
04/11/2019	14:40	62.5	66.2	59	
04/11/2019	14:45	62.9	66.6	58.8	
04/11/2019	14:50	61.8	65.2	58	
04/11/2019	14:55	63.8	67.5	59.3	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	15:00	61.4	65.8	57.3	62.0
04/11/2019	15:05	62.4	66.3	58.5	
04/11/2019	15:10	63.7	67.7	59.3	
04/11/2019	15:15	61.6	64.9	58.4	
04/11/2019	15:20	61.3	64.8	58.4	
04/11/2019	15:25	61.2	64.1	58.3	
04/11/2019	15:30	61.4	64.5	58.4	63.0
04/11/2019	15:35	59.4	62.1	57.3	
04/11/2019	15:40	61.1	64.1	57.2	
04/11/2019	15:45	61.1	64.6	57.7	
04/11/2019	15:50	61.3	64.8	58.2	
04/11/2019	15:55	67.7	72.3	57.8	
04/11/2019	16:00	63.2	67.1	57.6	63.6
04/11/2019	16:05	63.9	68.9	57.6	
04/11/2019	16:10	62.7	68.5	57.5	
04/11/2019	16:15	63.4	67.7	57.7	
04/11/2019	16:20	64.8	70.2	59.2	
04/11/2019	16:25	63.3	68.3	58.2	
04/11/2019	16:30	67.8	70.5	64.9	66.1
04/11/2019	16:35	66.5	69.8	63.3	
04/11/2019	16:40	66.6	72.7	58	
04/11/2019	16:45	65.3	69	61.2	
04/11/2019	16:50	65.1	68.6	60.7	
04/11/2019	16:55	64.3	66.2	60.4	
04/11/2019	17:00	63.6	65.7	61.3	62.8
04/11/2019	17:05	62.1	65.6	57.6	
04/11/2019	17:10	62.7	66.1	59.5	
04/11/2019	17:15	61.5	64.9	58.4	
04/11/2019	17:20	63	67.2	58.3	
04/11/2019	17:25	63.6	68	58.5	
04/11/2019	17:30	61.1	65.4	56.9	61.6
04/11/2019	17:35	61.7	65.7	57.5	
04/11/2019	17:40	60.6	64.1	57.4	
04/11/2019	17:45	62	65.2	58.2	
04/11/2019	17:50	62.4	65.2	59.8	
04/11/2019	17:55	61.3	65.4	57.6	
04/11/2019	18:00	62.9	65.8	57.7	62.7
04/11/2019	18:05	63.4	66.9	60.8	
04/11/2019	18:10	62.4	64.5	60.2	
04/11/2019	18:15	61.7	64.6	57.9	
04/11/2019	18:20	61.7	63.7	59.4	
04/11/2019	18:25	63.8	67.1	59	
04/11/2019	18:30	61.4	63.8	58.8	61.7
04/11/2019	18:35	62.3	65.2	59.7	
04/11/2019	18:40	62.5	65.3	59.4	
04/11/2019	18:45	61.3	64.2	57.3	
04/11/2019	18:50	61.4	63.9	57.6	
04/11/2019	18:55	61.4	63.3	59.5	
05/11/2019	7:00	44	44.6	43.5	44.8
05/11/2019	7:05	45.3	46.3	43.9	
05/11/2019	7:10	44.7	47.4	43.5	
05/11/2019	7:15	44	44.5	43.6	
05/11/2019	7:20	44.6	46.5	43.6	
05/11/2019	7:25	45.9	49.3	44.2	
05/11/2019	7:30	46.2	50.8	44	46.0
05/11/2019	7:35	44.6	45.5	43.8	
05/11/2019	7:40	45.2	47.7	44	
05/11/2019	7:45	44.9	46.6	43.8	
05/11/2019	7:50	46.5	50.1	44.7	
05/11/2019	7:55	47.8	50.8	45.2	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	8:00	46.9	50.5	45	48.0
05/11/2019	8:05	47.8	51.8	45.1	
05/11/2019	8:10	49.4	52.7	45.1	
05/11/2019	8:15	47.6	50.8	45.6	
05/11/2019	8:20	48.2	51	46.4	
05/11/2019	8:25	47.8	50.4	46.4	
05/11/2019	8:30	49.6	53.2	47.1	50.6
05/11/2019	8:35	50.3	53.5	48.3	
05/11/2019	8:40	50.8	54.6	47.7	
05/11/2019	8:45	49.6	53.4	47.5	
05/11/2019	8:50	52.4	53.7	47.5	
05/11/2019	8:55	50.3	53.1	48	
05/11/2019	9:00	50.2	52.6	47.6	52.4
05/11/2019	9:05	51.2	53.5	48.2	
05/11/2019	9:10	52.1	55	48.9	
05/11/2019	9:15	51.8	55.4	49	
05/11/2019	9:20	54.2	55.5	50	
05/11/2019	9:25	53.4	56.9	50.7	
05/11/2019	9:30	53.9	55.6	52.2	64.1
05/11/2019	9:35	57.3	60.5	54.7	
05/11/2019	9:40	59.8	64.7	55.7	
05/11/2019	9:45	56.7	59	55.5	
05/11/2019	9:50	58.5	60.2	57.2	
05/11/2019	9:55	71	73.8	58.6	
05/11/2019	10:00	64.8	69	57.2	65.7
05/11/2019	10:05	65.5	69.9	58.3	
05/11/2019	10:10	63.3	67.8	58.3	
05/11/2019	10:15	67	71.1	58.8	
05/11/2019	10:20	66.5	71.8	58.5	
05/11/2019	10:25	66.4	70.6	58.2	
05/11/2019	10:30	64	69.5	56.6	65.9
05/11/2019	10:35	64.9	69.7	58.3	
05/11/2019	10:40	66	70.5	58.2	
05/11/2019	10:45	66.6	71.1	57.5	
05/11/2019	10:50	66.5	71.2	58.3	
05/11/2019	10:55	66.6	71.3	58.8	
05/11/2019	11:00	65.7	69.8	57.3	62.9
05/11/2019	11:05	64	67.7	58.4	
05/11/2019	11:10	64.5	69.6	58	
05/11/2019	11:15	60.7	64.6	57.4	
05/11/2019	11:20	59.7	62.9	56.8	
05/11/2019	11:25	58.1	60.5	56.3	
05/11/2019	11:30	59.2	63	56.7	60.3
05/11/2019	11:35	61.7	65.2	58	
05/11/2019	11:40	60.9	63.5	57.6	
05/11/2019	11:45	60.3	62.7	57	
05/11/2019	11:50	59.2	61.8	56.8	
05/11/2019	11:55	60.2	63.6	56.9	
05/11/2019	12:00	60.1	63.1	56.9	60.3
05/11/2019	12:05	60.5	63.8	56.4	
05/11/2019	12:10	62.5	65.9	56.4	
05/11/2019	12:15	60.1	62.8	56.6	
05/11/2019	12:20	58.7	61.1	56.3	
05/11/2019	12:25	58.7	61.4	56.6	
05/11/2019	12:30	58.2	61.3	56	
05/11/2019	12:35	57.2	59.5	55.5	57.8
05/11/2019	12:40	57.5	60.3	54.9	
05/11/2019	12:45	59.7	62.4	55.2	
05/11/2019	12:50	57.1	58.7	54.7	
05/11/2019	12:55	56.4	59.6	52.5	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	13:00	56.9	60.6	51.7	56.3
05/11/2019	13:05	52.9	54.8	51.2	
05/11/2019	13:10	53.3	56.3	51.2	
05/11/2019	13:15	58.3	62.3	52.6	
05/11/2019	13:20	57.7	59.7	53	
05/11/2019	13:25	56.1	57.9	53.4	
05/11/2019	13:30	56.5	57.9	55	55.6
05/11/2019	13:35	56.1	57.2	52.9	
05/11/2019	13:40	54.7	56.6	53	
05/11/2019	13:45	55.6	58.3	52.9	
05/11/2019	13:50	55.6	58	53.9	
05/11/2019	13:55	54.7	56.2	53.5	
05/11/2019	14:00	54.9	56.6	53.4	56.7
05/11/2019	14:05	54.8	56.1	53.6	
05/11/2019	14:10	55.2	57.1	53.3	
05/11/2019	14:15	55.9	57.8	54.5	
05/11/2019	14:20	59	62.4	55.4	
05/11/2019	14:25	58.5	61.3	55.8	
05/11/2019	14:30	61.2	63.5	57.9	60.2
05/11/2019	14:35	61.1	63.7	57.7	
05/11/2019	14:40	58.6	62	56	
05/11/2019	14:45	58.8	62.7	56.1	
05/11/2019	14:50	60.3	63.1	56.7	
05/11/2019	14:55	60.4	62.7	57.7	
05/11/2019	15:00	59.8	62.9	57.2	59.9
05/11/2019	15:05	60.7	63.6	57.6	
05/11/2019	15:10	60.7	62.9	58.1	
05/11/2019	15:15	60.1	61.9	58	
05/11/2019	15:20	58.3	60.5	56.5	
05/11/2019	15:25	59.5	62	57	
05/11/2019	15:30	60.7	63.8	57.1	59.6
05/11/2019	15:35	58.9	61.8	56.6	
05/11/2019	15:40	59.9	62.8	56.5	
05/11/2019	15:45	60.1	63.6	56.5	
05/11/2019	15:50	59.6	63.6	56.7	
05/11/2019	15:55	57.6	59.5	55.8	
05/11/2019	16:00	57.7	59.4	56.4	60.0
05/11/2019	16:05	60.6	63.8	56.6	
05/11/2019	16:10	60.1	63.3	57	
05/11/2019	16:15	61.2	64.9	57.2	
05/11/2019	16:20	60	63.3	57	
05/11/2019	16:25	59.7	62.2	57.4	
05/11/2019	16:30	60.1	63.8	56.6	59.1
05/11/2019	16:35	59.4	61.6	56.8	
05/11/2019	16:40	57.7	60.6	55.5	
05/11/2019	16:45	57.8	61.2	55.2	
05/11/2019	16:50	59.6	62.8	56	
05/11/2019	16:55	59.2	63.3	56	
05/11/2019	17:00	59	62.4	55.7	59.4
05/11/2019	17:05	60	63.6	56.7	
05/11/2019	17:10	59.5	63.1	56.3	
05/11/2019	17:15	59.7	62.8	56.6	
05/11/2019	17:20	58.1	60.7	56	
05/11/2019	17:25	59.7	62.7	57.1	
05/11/2019	17:30	59.1	61.3	56.6	58.7
05/11/2019	17:35	58.9	61.4	56.1	
05/11/2019	17:40	58.3	60.8	55.9	
05/11/2019	17:45	58	60.2	55.9	
05/11/2019	17:50	59.8	63.4	55.6	
05/11/2019	17:55	57.7	59.4	55.9	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	18:00	57.7	59	56.4	60.5
05/11/2019	18:05	59.8	66.6	55.7	
05/11/2019	18:10	60.9	66.5	56.3	
05/11/2019	18:15	61.7	66.4	56.6	
05/11/2019	18:20	61.2	66.3	56.8	
05/11/2019	18:25	60.4	65.3	55.9	
05/11/2019	18:30	59.4	64.1	55.4	59.7
05/11/2019	18:35	59.1	63.6	55.6	
05/11/2019	18:40	59.7	62.7	54.8	
05/11/2019	18:45	56.3	58	54.8	
05/11/2019	18:50	62.2	65.9	55.7	
05/11/2019	18:55	59.3	63.4	55.1	
06/11/2019	7:00	47.2	49.9	44	46.1
06/11/2019	7:05	46	48.3	44.4	
06/11/2019	7:10	46.4	48.9	45.1	
06/11/2019	7:15	46	48.2	44.7	
06/11/2019	7:20	45.5	46.7	44.6	
06/11/2019	7:25	45.3	46.3	44.5	
06/11/2019	7:30	47.2	51.1	44.4	45.8
06/11/2019	7:35	44.9	46.4	44.2	
06/11/2019	7:40	45.6	47.9	44.5	
06/11/2019	7:45	45.5	48.6	44.4	
06/11/2019	7:50	45.6	47.2	44.7	
06/11/2019	7:55	45.9	48.7	44.5	
06/11/2019	8:00	47.3	51	45.4	48.0
06/11/2019	8:05	47.4	51.1	45.5	
06/11/2019	8:10	47	49.3	45.6	
06/11/2019	8:15	48.4	52.1	46.3	
06/11/2019	8:20	48.7	51.8	46.3	
06/11/2019	8:25	48.8	51.6	47.2	
06/11/2019	8:30	50.2	53.1	47.3	51.4
06/11/2019	8:35	51.4	54.3	49.2	
06/11/2019	8:40	51.1	53.9	48.9	
06/11/2019	8:45	50.2	52.8	49	
06/11/2019	8:50	52.9	57.9	49.8	
06/11/2019	8:55	51.7	54.4	49.5	
06/11/2019	9:00	52.9	55.5	50.7	53.8
06/11/2019	9:05	52.1	54	50.5	
06/11/2019	9:10	55.4	60.5	50.7	
06/11/2019	9:15	54.2	58.2	50.3	
06/11/2019	9:20	54.5	57.4	50.9	
06/11/2019	9:25	53.1	55.2	51.4	
06/11/2019	9:30	54.1	56	52.2	58.3
06/11/2019	9:35	55.6	57.5	54.1	
06/11/2019	9:40	57.3	60.9	55.1	
06/11/2019	9:45	60.5	64.3	56.4	
06/11/2019	9:50	58.1	59.7	56.8	
06/11/2019	9:55	60.4	64.3	57.6	
06/11/2019	10:00	59.9	61.9	58	62.0
06/11/2019	10:05	60.2	62.3	58.5	
06/11/2019	10:10	60.6	63.7	58.6	
06/11/2019	10:15	62.3	67.1	58	
06/11/2019	10:20	62.9	66.2	59.2	
06/11/2019	10:25	64.2	67.2	59.5	
06/11/2019	10:30	61.9	65.9	58.1	62.0
06/11/2019	10:35	62.6	67.7	58.6	
06/11/2019	10:40	63.3	67.1	58.6	
06/11/2019	10:45	59.3	61.2	57.6	
06/11/2019	10:50	59.9	62.3	57.9	
06/11/2019	10:55	63.5	67.7	57.8	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	11:00	62.9	66	58.6	63.7
06/11/2019	11:05	64.3	68.8	59.1	
06/11/2019	11:10	64.6	67.3	59.7	
06/11/2019	11:15	61.5	64.7	58.4	
06/11/2019	11:20	62.2	67.1	57.8	
06/11/2019	11:25	65.3	68.7	58	
06/11/2019	11:30	58.6	62.2	56.2	59.1
06/11/2019	11:35	57.4	59.3	56	
06/11/2019	11:40	58	59.4	56.7	
06/11/2019	11:45	58.6	60.3	56.7	
06/11/2019	11:50	61.5	64.7	58.4	
06/11/2019	11:55	59.1	60.9	57.4	
06/11/2019	12:00	58.5	60.7	57.1	60.3
06/11/2019	12:05	58.5	60.1	57	
06/11/2019	12:10	60.1	62.7	57.7	
06/11/2019	12:15	60	61.7	57.9	
06/11/2019	12:20	60.7	64.3	57.6	
06/11/2019	12:25	62.5	67.9	58.1	
06/11/2019	12:30	61	64.1	57.6	60.0
06/11/2019	12:35	61.1	64.4	57.4	
06/11/2019	12:40	58.6	60.5	56.7	
06/11/2019	12:45	61.2	65.3	56.7	
06/11/2019	12:50	59.8	63.2	56.4	
06/11/2019	12:55	56.5	60.2	54.6	
06/11/2019	13:00	55	56.8	53.3	53.8
06/11/2019	13:05	54.5	56.7	53.2	
06/11/2019	13:10	53.6	54.7	52.5	
06/11/2019	13:15	52.8	54	51.7	
06/11/2019	13:20	53.1	54.5	51.8	
06/11/2019	13:25	53.2	55.4	51.8	
06/11/2019	13:30	54.7	56.4	52.3	54.3
06/11/2019	13:35	54.2	55.7	53.1	
06/11/2019	13:40	54.3	56.1	53	
06/11/2019	13:45	53.7	55.4	52.1	
06/11/2019	13:50	53.5	55.4	52.1	
06/11/2019	13:55	55.1	57.8	52.6	
06/11/2019	14:00	55.7	58.2	53.8	56.4
06/11/2019	14:05	56.1	58	54.1	
06/11/2019	14:10	56.3	58.3	54.6	
06/11/2019	14:15	56.4	58.4	54.4	
06/11/2019	14:20	56.7	58.1	55.3	
06/11/2019	14:25	57.2	59.4	55.2	
06/11/2019	14:30	60.3	63.5	56.1	61.8
06/11/2019	14:35	61.9	66	56.4	
06/11/2019	14:40	62.7	66.1	58.1	
06/11/2019	14:45	62.5	65.9	58.2	
06/11/2019	14:50	61.6	64.7	57.5	
06/11/2019	14:55	61.5	64.5	58.4	
06/11/2019	15:00	61.8	64.8	57.7	61.3
06/11/2019	15:05	61.9	64.8	58.2	
06/11/2019	15:10	61	64.4	58.3	
06/11/2019	15:15	60.6	63.7	58.2	
06/11/2019	15:20	61.3	64.6	57.5	
06/11/2019	15:25	61.1	63.4	57.4	
06/11/2019	15:30	59.9	62.5	57.5	60.1
06/11/2019	15:35	58.8	61.9	56	
06/11/2019	15:40	60.8	64.3	59	
06/11/2019	15:45	60.2	62.2	58.4	
06/11/2019	15:50	59.6	61.5	56.6	
06/11/2019	15:55	61.1	64.2	58.8	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	16:00	61.2	63.9	58.6	62.0
06/11/2019	16:05	59	61.2	57.3	
06/11/2019	16:10	57.5	59.5	55.9	
06/11/2019	16:15	61.2	64.8	57.4	
06/11/2019	16:20	65.7	69.8	56.9	
06/11/2019	16:25	62.4	65.7	57.7	
06/11/2019	16:30	60.7	66.6	57.1	60.2
06/11/2019	16:35	59.8	62.2	57	
06/11/2019	16:40	60.2	61.8	58.8	
06/11/2019	16:45	59.7	61.7	58.1	
06/11/2019	16:50	59.9	62.3	58.3	
06/11/2019	16:55	60.6	63.6	58.2	
06/11/2019	17:00	60.9	62.9	59.2	59.8
06/11/2019	17:05	60	61.6	58.3	
06/11/2019	17:10	60	65.6	57.5	
06/11/2019	17:15	59.5	62	57.8	
06/11/2019	17:20	59.4	62	57.5	
06/11/2019	17:25	58.9	62.1	57.3	
06/11/2019	17:30	60.4	63.6	57.7	60.7
06/11/2019	17:35	60.1	63.5	57.1	
06/11/2019	17:40	58.8	61.1	57.1	
06/11/2019	17:45	60.8	64.2	57.8	
06/11/2019	17:50	62.1	64.7	58.6	
06/11/2019	17:55	61.5	65.4	59.5	
06/11/2019	18:00	64	68.4	59	62.5
06/11/2019	18:05	64.8	67.5	59.7	
06/11/2019	18:10	61.3	66.5	58.5	
06/11/2019	18:15	59.9	62.6	57.4	
06/11/2019	18:20	62.2	66.1	57.9	
06/11/2019	18:25	60.6	64.5	58	
06/11/2019	18:30	62.7	65.5	57.9	62.3
06/11/2019	18:35	61	66.1	57	
06/11/2019	18:40	63.3	68.4	56.5	
06/11/2019	18:45	64.3	67.3	60.3	
06/11/2019	18:50	58.9	63	55.7	
06/11/2019	18:55	61.6	65.2	58.4	
07/11/2019	7:00	45.9	48.1	43.5	45.4
07/11/2019	7:05	46.3	50.1	43.8	
07/11/2019	7:10	45.2	47.7	43.9	
07/11/2019	7:15	45	47.6	43.7	
07/11/2019	7:20	44.6	46.4	43.9	
07/11/2019	7:25	45.1	47.4	43.9	
07/11/2019	7:30	46.3	49.6	44.5	46.2
07/11/2019	7:35	45	46.6	44.3	
07/11/2019	7:40	45.9	46.9	44.7	
07/11/2019	7:45	46	47.8	45	
07/11/2019	7:50	47.2	50.8	45.3	
07/11/2019	7:55	46.5	48.5	45.4	
07/11/2019	8:00	47.9	51.2	45.2	47.9
07/11/2019	8:05	47.6	51.1	45.6	
07/11/2019	8:10	47.7	49.9	45.9	
07/11/2019	8:15	47.8	50.9	46	
07/11/2019	8:20	48.4	51.8	46.2	
07/11/2019	8:25	47.8	50.3	46.5	
07/11/2019	8:30	48.5	50.8	47.2	50.1
07/11/2019	8:35	50	53.7	47.8	
07/11/2019	8:40	49.7	52.2	47.9	
07/11/2019	8:45	50	51.9	48.7	
07/11/2019	8:50	50.9	54.1	48.9	
07/11/2019	8:55	51.1	53.8	49.1	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	9:00	51.8	54.2	50.2	54.5
07/11/2019	9:05	51.7	53.6	50.4	
07/11/2019	9:10	52.3	54.2	50.7	
07/11/2019	9:15	56.8	61.5	51.7	
07/11/2019	9:20	56.7	60.2	51.8	
07/11/2019	9:25	54.1	57.4	51.6	
07/11/2019	9:30	54.9	56.5	53.2	61.5
07/11/2019	9:35	56.5	58.5	55	
07/11/2019	9:40	58.5	63	56	
07/11/2019	9:45	61.8	67.4	56.7	
07/11/2019	9:50	65.2	69.6	60.7	
07/11/2019	9:55	63.3	68.2	59.1	
07/11/2019	10:00	66.2	69	62.4	64.4
07/11/2019	10:05	65.8	69.9	61.1	
07/11/2019	10:10	64.6	67.6	61.3	
07/11/2019	10:15	63.3	67.9	61	
07/11/2019	10:20	62.4	66.7	60	
07/11/2019	10:25	62.4	66.5	59.7	
07/11/2019	10:30	64.7	67.1	61.8	64.2
07/11/2019	10:35	62.2	65.9	59.7	
07/11/2019	10:40	65.6	68.6	61.6	
07/11/2019	10:45	63.5	67.4	59.5	
07/11/2019	10:50	63.5	67.9	59.3	
07/11/2019	10:55	65	68.2	61.3	
07/11/2019	11:00	64.1	67.2	61.1	63.6
07/11/2019	11:05	65	68.7	60.2	
07/11/2019	11:10	62.6	67.5	58.9	
07/11/2019	11:15	63.6	67.3	58.6	
07/11/2019	11:20	62.1	65.4	59.1	
07/11/2019	11:25	63.6	67	59.6	
07/11/2019	11:30	60.3	63	58.2	60.3
07/11/2019	11:35	61	64.1	57	
07/11/2019	11:40	58.9	60.9	57.3	
07/11/2019	11:45	59.9	61.7	58.4	
07/11/2019	11:50	61.1	63.7	58.3	
07/11/2019	11:55	60.1	62.8	58.3	
07/11/2019	12:00	60.9	63	59.1	60.4
07/11/2019	12:05	62.4	66.3	59.1	
07/11/2019	12:10	59.7	61.2	58.4	
07/11/2019	12:15	59.3	60.9	58	
07/11/2019	12:20	59.4	61.5	57.9	
07/11/2019	12:25	60.1	62.6	58.3	
07/11/2019	12:30	60.2	62.7	58.3	58.9
07/11/2019	12:35	60.3	62.7	58.1	
07/11/2019	12:40	59.8	62.6	57.5	
07/11/2019	12:45	58.2	60.7	56.3	
07/11/2019	12:50	56.9	58.6	55.4	
07/11/2019	12:55	56.8	58.8	55	
07/11/2019	13:00	57.7	60.4	55.1	58.7
07/11/2019	13:05	57.8	60	55.7	
07/11/2019	13:10	58.9	62.8	53.2	
07/11/2019	13:15	60.6	64	54.9	
07/11/2019	13:20	57.6	59.9	53.4	
07/11/2019	13:25	58.8	61.1	53.5	
07/11/2019	13:30	60.4	62.1	58.9	58.1
07/11/2019	13:35	57.5	60.4	53.8	
07/11/2019	13:40	58.5	60	56.9	
07/11/2019	13:45	57.7	59.2	56.1	
07/11/2019	13:50	56	57.6	54.6	
07/11/2019	13:55	56.9	58.8	55.2	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	14:00	60.6	67.2	55.4	61.2
07/11/2019	14:05	60.3	67.7	54.6	
07/11/2019	14:10	59.7	67.1	54.1	
07/11/2019	14:15	63.1	68.8	55.8	
07/11/2019	14:20	60.6	65.5	56.4	
07/11/2019	14:25	62.1	67.6	56.9	
07/11/2019	14:30	67.7	73.9	60.7	66.1
07/11/2019	14:35	65	71.4	59.5	
07/11/2019	14:40	67.7	72.9	61.7	
07/11/2019	14:45	66.4	70.7	61	
07/11/2019	14:50	64.7	69.5	60.3	
07/11/2019	14:55	63.8	67.3	59	
07/11/2019	15:00	62.5	65.8	58.6	63.5
07/11/2019	15:05	64.9	69	60.2	
07/11/2019	15:10	63.7	68	59.5	
07/11/2019	15:15	63.4	67.1	59.7	
07/11/2019	15:20	63.1	67.1	58.4	
07/11/2019	15:25	63.1	67.3	59.2	
07/11/2019	15:30	66.1	70.7	59.4	65.1
07/11/2019	15:35	64.3	67.9	61.1	
07/11/2019	15:40	64.9	70.3	60.1	
07/11/2019	15:45	63.8	66.9	59.8	
07/11/2019	15:50	65	69.5	60	
07/11/2019	15:55	65.8	68.7	62.4	
07/11/2019	16:00	65.7	70.6	60.8	64.5
07/11/2019	16:05	64.3	68.3	60.2	
07/11/2019	16:10	63.7	66.9	60	
07/11/2019	16:15	64.7	68.2	61.9	
07/11/2019	16:20	63.8	67.6	61.3	
07/11/2019	16:25	64.2	70.5	58.2	
07/11/2019	16:30	60.1	62.9	58.1	64.1
07/11/2019	16:35	64.3	69	57.6	
07/11/2019	16:40	61.5	66.3	57.1	
07/11/2019	16:45	65.9	69.9	60.9	
07/11/2019	16:50	66	70.2	59.5	
07/11/2019	16:55	63.7	66.1	60.8	
07/11/2019	17:00	63.9	67.3	60.1	63.6
07/11/2019	17:05	62.4	64.9	59	
07/11/2019	17:10	63.2	67.9	58.6	
07/11/2019	17:15	62.9	66.5	58.2	
07/11/2019	17:20	65	69.5	61.4	
07/11/2019	17:25	63.6	66.3	61.1	
07/11/2019	17:30	65	68.6	61.1	67.0
07/11/2019	17:35	65.2	69.2	60.8	
07/11/2019	17:40	65.3	70.2	60.4	
07/11/2019	17:45	66.3	71.3	58.5	
07/11/2019	17:50	70	73.6	64.3	
07/11/2019	17:55	67.6	71.9	63.4	
07/11/2019	18:00	63.4	66.6	59.8	65.6
07/11/2019	18:05	66.2	70	58.4	
07/11/2019	18:10	66	70	61.1	
07/11/2019	18:15	67.4	71.1	58.3	
07/11/2019	18:20	66.9	71.8	58	
07/11/2019	18:25	60.9	65.9	57	
07/11/2019	18:30	62.2	67.7	57.8	64.9
07/11/2019	18:35	65.7	73	56.9	
07/11/2019	18:40	64.1	71.4	56.5	
07/11/2019	18:45	66.5	71.9	57.4	
07/11/2019	18:50	64.4	70.5	56.9	
07/11/2019	18:55	65.2	68.8	60.3	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	7:00	46.6	49.6	44.1	46.0
08/11/2019	7:05	45	46.3	43.9	
08/11/2019	7:10	47.2	50.8	45.1	
08/11/2019	7:15	46.2	49.5	44.7	
08/11/2019	7:20	45.2	46.1	44.6	
08/11/2019	7:25	45	45.6	44.6	
08/11/2019	7:30	48	53.2	44.9	47.0
08/11/2019	7:35	45.7	46.6	45.2	
08/11/2019	7:40	46.3	47.7	45.4	
08/11/2019	7:45	46.4	48	45.6	
08/11/2019	7:50	47	50.5	45.3	
08/11/2019	7:55	48	51.5	45.9	
08/11/2019	8:00	47.8	50.5	46.1	48.3
08/11/2019	8:05	47.9	51.1	46	
08/11/2019	8:10	47.6	50.7	46.1	
08/11/2019	8:15	48	50.5	46.3	
08/11/2019	8:20	48.7	52	47.2	
08/11/2019	8:25	49.4	51.6	47.9	
08/11/2019	8:30	50.6	52.8	48.7	52.2
08/11/2019	8:35	51.9	54.8	49.2	
08/11/2019	8:40	50.9	53.3	49.2	
08/11/2019	8:45	51.4	54.2	49.6	
08/11/2019	8:50	54.1	57.7	50.7	
08/11/2019	8:55	53.2	56.1	50.9	
08/11/2019	9:00	52.4	54.9	50.5	55.3
08/11/2019	9:05	54.7	57.7	51.4	
08/11/2019	9:10	55.8	60	53.1	
08/11/2019	9:15	55.1	56.4	53.9	
08/11/2019	9:20	56.1	57.7	54.5	
08/11/2019	9:25	56.4	58.5	55.1	
08/11/2019	9:30	56.1	57.5	54.7	59.4
08/11/2019	9:35	57	58.3	55.3	
08/11/2019	9:40	58.7	60.3	57.1	
08/11/2019	9:45	59	61.1	57.6	
08/11/2019	9:50	60.9	62.6	58.9	
08/11/2019	9:55	61.8	63.7	58.8	
08/11/2019	10:00	63	69.1	58.8	63.9
08/11/2019	10:05	63.4	65.3	59.6	
08/11/2019	10:10	65.2	71.6	60.4	
08/11/2019	10:15	65.6	71.5	60.2	
08/11/2019	10:20	62.2	64.9	59.1	
08/11/2019	10:25	63	65	60.1	
08/11/2019	10:30	63.1	64.7	61	63.8
08/11/2019	10:35	63.5	66.1	61	
08/11/2019	10:40	63.8	66.7	59.8	
08/11/2019	10:45	64.7	67.1	60.7	
08/11/2019	10:50	64.2	66.7	61.8	
08/11/2019	10:55	63.3	66.1	59.6	
08/11/2019	11:00	64.6	65.8	63.6	63.8
08/11/2019	11:05	64.5	66	63.1	
08/11/2019	11:10	62.9	65.4	59.5	
08/11/2019	11:15	63.9	64.9	62.6	
08/11/2019	11:20	63.3	65.1	61.5	
08/11/2019	11:25	63	64.6	61.5	
08/11/2019	11:30	62.7	64.6	60.8	63.0
08/11/2019	11:35	64.2	66.3	60.6	
08/11/2019	11:40	64.9	66.6	63.4	
08/11/2019	11:45	63	65.7	59.9	
08/11/2019	11:50	60.9	62.5	59.7	
08/11/2019	11:55	60.2	62.4	58.6	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	12:00	61.2	64.3	58.7	62.1
08/11/2019	12:05	60	63.4	57.9	
08/11/2019	12:10	60.3	63.8	57.5	
08/11/2019	12:15	63.5	65.9	59.5	
08/11/2019	12:20	62.8	63.8	61.8	
08/11/2019	12:25	63.3	65.6	60.7	
08/11/2019	12:30	61.5	64.1	58.2	62.0
08/11/2019	12:35	62.5	64	61.3	
08/11/2019	12:40	62.5	64.7	58.7	
08/11/2019	12:45	63.7	66	61.3	
08/11/2019	12:50	62.5	64.7	59.1	
08/11/2019	12:55	57.2	58.9	55.4	
08/11/2019	13:00	55.5	57.4	53.5	54.8
08/11/2019	13:05	54.2	55.5	52.8	
08/11/2019	13:10	54.5	56.1	53.2	
08/11/2019	13:15	54.1	55.4	52.6	
08/11/2019	13:20	54.8	56.9	53	
08/11/2019	13:25	55.3	57.9	53.2	
08/11/2019	13:30	55.9	58.3	53.3	62.0
08/11/2019	13:35	56.3	57.5	55	
08/11/2019	13:40	56.5	58.2	55	
08/11/2019	13:45	62.5	64	60.6	
08/11/2019	13:50	62.2	65.1	60	
08/11/2019	13:55	66.8	72	58.9	
08/11/2019	14:00	65.3	70.7	59.2	64.4
08/11/2019	14:05	61.4	64.2	58.4	
08/11/2019	14:10	66.7	72.1	60.8	
08/11/2019	14:15	65.5	70.8	58.2	
08/11/2019	14:20	61.7	67	58.6	
08/11/2019	14:25	62.8	67.9	58.8	
08/11/2019	14:30	60.7	62.4	59.2	63.2
08/11/2019	14:35	60.7	61.6	58.3	
08/11/2019	14:40	62	64.9	58.2	
08/11/2019	14:45	67.2	72.8	60.7	
08/11/2019	14:50	63	66.1	60	
08/11/2019	14:55	61.5	63.8	59.5	
08/11/2019	15:00	62	65.8	59	61.4
08/11/2019	15:05	61.7	65.5	58.2	
08/11/2019	15:10	62.6	65.8	59	
08/11/2019	15:15	61.2	63.9	58.4	
08/11/2019	15:20	60.1	62.5	58.2	
08/11/2019	15:25	60.2	62.6	58.3	
08/11/2019	15:30	59.2	60.4	58.3	62.3
08/11/2019	15:35	59.2	61.5	57.6	
08/11/2019	15:40	62.7	66	59.9	
08/11/2019	15:45	62.1	65.5	59.3	
08/11/2019	15:50	64.3	71.3	60	
08/11/2019	15:55	63.5	67.8	60.6	
08/11/2019	16:00	62.2	65.4	60.1	61.4
08/11/2019	16:05	62.2	63.4	60	
08/11/2019	16:10	60.8	61.9	59.9	
08/11/2019	16:15	61.8	64.4	59.2	
08/11/2019	16:20	60.8	62.4	59.2	
08/11/2019	16:25	60.5	61.7	59.4	
08/11/2019	16:30	61.9	65.2	59.1	62.0
08/11/2019	16:35	60.7	63.2	58.7	
08/11/2019	16:40	62.1	64.2	60	
08/11/2019	16:45	62.6	65.1	60.8	
08/11/2019	16:50	61.8	64.5	59.7	
08/11/2019	16:55	62.4	66	59.5	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	17:00	61.2	64.3	59	61.8
08/11/2019	17:05	62.6	66.1	60	
08/11/2019	17:10	62.8	65.7	60.4	
08/11/2019	17:15	62.9	66.1	58.5	
08/11/2019	17:20	60.1	61.7	58.7	
08/11/2019	17:25	60.2	61.7	58.5	
08/11/2019	17:30	60.1	61.6	58.6	60.3
08/11/2019	17:35	60.5	62	58.8	
08/11/2019	17:40	61.4	63.6	59.4	
08/11/2019	17:45	59.6	61.2	58.2	
08/11/2019	17:50	60.2	61.8	58.7	
08/11/2019	17:55	60	61.6	58.2	
08/11/2019	18:00	60.2	62.1	58.6	61.8
08/11/2019	18:05	59.6	60.9	58.4	
08/11/2019	18:10	59.8	61.5	58.3	
08/11/2019	18:15	59.1	60.7	57.6	
08/11/2019	18:20	64.4	71.1	58.1	
08/11/2019	18:25	64.1	68.9	58.8	
08/11/2019	18:30	61.6	67.9	58.2	63.5
08/11/2019	18:35	63.8	71	58.3	
08/11/2019	18:40	66.5	71.8	58.7	
08/11/2019	18:45	64.2	69.5	58.1	
08/11/2019	18:50	61.2	67.8	57.4	
08/11/2019	18:55	61	65.8	56.6	
09/11/2019	7:00	47.1	49.8	45.1	47.1
09/11/2019	7:05	47.1	50.7	45	
09/11/2019	7:10	46.1	48.4	45	
09/11/2019	7:15	47.2	50.5	45	
09/11/2019	7:20	47.3	51	45	
09/11/2019	7:25	47.4	50.8	45.1	
09/11/2019	7:30	48.5	52.2	45.5	48.3
09/11/2019	7:35	49.5	53.1	46.2	
09/11/2019	7:40	47.5	50.5	45.4	
09/11/2019	7:45	48.3	51.5	45.7	
09/11/2019	7:50	48	50.5	46	
09/11/2019	7:55	47.5	50.4	46.2	
09/11/2019	8:00	48.5	51.9	46.2	49.0
09/11/2019	8:05	49.3	54	46.4	
09/11/2019	8:10	48.5	51.9	46.3	
09/11/2019	8:15	49.3	52.9	46.5	
09/11/2019	8:20	48.6	52.2	46.4	
09/11/2019	8:25	49.4	52.7	46.9	
09/11/2019	8:30	48.9	51.6	47	51.0
09/11/2019	8:35	50.4	53.8	48.2	
09/11/2019	8:40	51.1	54	48.1	
09/11/2019	8:45	50.4	53	48.2	
09/11/2019	8:50	51.1	54.3	48.3	
09/11/2019	8:55	52.9	56.8	48.8	
09/11/2019	9:00	52	56.2	48.5	53.2
09/11/2019	9:05	52.8	56.3	49.4	
09/11/2019	9:10	53.3	57.9	49.8	
09/11/2019	9:15	53	55	50.6	
09/11/2019	9:20	53.7	56.6	51.1	
09/11/2019	9:25	54.2	56.8	51.8	
09/11/2019	9:30	56.1	58.8	54.2	63.3
09/11/2019	9:35	59.3	62.7	57.3	
09/11/2019	9:40	59.3	61.6	57.5	
09/11/2019	9:45	60.4	63.7	58	
09/11/2019	9:50	66.1	72.8	59.2	
09/11/2019	9:55	67.5	72.6	60	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	10:00	64.4	70	59.4	62.4
09/11/2019	10:05	65.1	70	60.5	
09/11/2019	10:10	61.2	63.5	59.4	
09/11/2019	10:15	60.3	61.6	59.1	
09/11/2019	10:20	60.3	62.2	58.7	
09/11/2019	10:25	59.9	61.2	58.7	
09/11/2019	10:30	59.2	60.4	58	60.0
09/11/2019	10:35	61.3	65.9	57.7	
09/11/2019	10:40	60.1	62.5	58.4	
09/11/2019	10:45	59.8	61.5	58.4	
09/11/2019	10:50	59	60.3	57.7	
09/11/2019	10:55	60	62.8	57.9	
09/11/2019	11:00	59.3	60.8	57.8	60.3
09/11/2019	11:05	59	61.5	57.2	
09/11/2019	11:10	60.1	63.1	58	
09/11/2019	11:15	62.5	67.6	58	
09/11/2019	11:20	59.4	61	57.7	
09/11/2019	11:25	60.4	62.8	57.8	
09/11/2019	11:30	59.5	61.4	58	60.9
09/11/2019	11:35	59.8	62.1	57.4	
09/11/2019	11:40	60.8	63.2	58.3	
09/11/2019	11:45	61	63.3	59.3	
09/11/2019	11:50	62.4	66	58.9	
09/11/2019	11:55	61.1	64.4	58.3	
09/11/2019	12:00	60.9	64.1	58.3	61.3
09/11/2019	12:05	61.5	66	57.8	
09/11/2019	12:10	62.1	64.7	59.1	
09/11/2019	12:15	61	62.1	60	
09/11/2019	12:20	61.5	62.6	60.4	
09/11/2019	12:25	60.9	62.3	59.5	
09/11/2019	12:30	60.3	61.6	59.2	59.7
09/11/2019	12:35	61.4	65.1	58.9	
09/11/2019	12:40	59.9	62	57.6	
09/11/2019	12:45	58.2	60	56.8	
09/11/2019	12:50	59.8	64.9	56.1	
09/11/2019	12:55	57.3	59.7	54.3	
09/11/2019	13:00	55.9	58.4	53.9	55.9
09/11/2019	13:05	56	58	54.2	
09/11/2019	13:10	54.8	56.2	53.4	
09/11/2019	13:15	54.3	56.1	52.7	
09/11/2019	13:20	56.2	59.4	53.1	
09/11/2019	13:25	57.6	59.8	54.8	
09/11/2019	13:30	58	61.1	55.2	60.9
09/11/2019	13:35	56.2	57.9	54	
09/11/2019	13:40	55.4	57.3	53.7	
09/11/2019	13:45	56.5	57.9	53.8	
09/11/2019	13:50	64	72.2	54.8	
09/11/2019	13:55	64.7	72.3	56	
09/11/2019	14:00	66.6	73.7	56.6	67.7
09/11/2019	14:05	68.7	75	56.2	
09/11/2019	14:10	67.5	73.8	56.7	
09/11/2019	14:15	67.4	73.8	56.8	
09/11/2019	14:20	68.5	74.1	57.8	
09/11/2019	14:25	67.1	73	57.9	
09/11/2019	14:30	60.6	65.4	56.6	64.2
09/11/2019	14:35	66.5	75	56.8	
09/11/2019	14:40	66.5	72.7	58	
09/11/2019	14:45	65	70.9	59.1	
09/11/2019	14:50	60.1	62.4	58.5	
09/11/2019	14:55	61.5	64.4	58.7	

Day-time Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	15:00	60.8	63.9	58.5	60.6
09/11/2019	15:05	59.3	60.7	58	
09/11/2019	15:10	59.8	61.8	58	
09/11/2019	15:15	62.8	66.3	58.7	
09/11/2019	15:20	60.2	62.8	58	
09/11/2019	15:25	59.8	62.3	58.1	
09/11/2019	15:30	60.1	62.6	58.2	62.0
09/11/2019	15:35	61.5	64	59.7	
09/11/2019	15:40	62.4	65.4	60	
09/11/2019	15:45	61.5	64.1	59.7	
09/11/2019	15:50	62.4	65.4	59.9	
09/11/2019	15:55	63.3	68.6	59.3	
09/11/2019	16:00	63.3	66.5	59.4	61.8
09/11/2019	16:05	61.8	65.3	58.3	
09/11/2019	16:10	62.8	66.1	58.9	
09/11/2019	16:15	61.8	65	57.8	
09/11/2019	16:20	59	60.8	57.4	
09/11/2019	16:25	60.5	62.8	58.4	
09/11/2019	16:30	60.8	62.6	58.4	60.7
09/11/2019	16:35	59.5	61.4	57.5	
09/11/2019	16:40	61.1	63.9	58.1	
09/11/2019	16:45	61.9	65.3	58.8	
09/11/2019	16:50	60.4	62.7	58.6	
09/11/2019	16:55	60.3	62.1	58.2	
09/11/2019	17:00	59.1	61.4	57.1	60.6
09/11/2019	17:05	59.1	61.5	57.4	
09/11/2019	17:10	60.7	63.6	58	
09/11/2019	17:15	60	61.8	58	
09/11/2019	17:20	61.6	64.2	59.4	
09/11/2019	17:25	62.2	64	58.9	
09/11/2019	17:30	66	71.8	58.9	62.9
09/11/2019	17:35	63.1	66	59.8	
09/11/2019	17:40	61.9	66.3	57.3	
09/11/2019	17:45	61.3	64.7	57.8	
09/11/2019	17:50	60.8	64.6	57.7	
09/11/2019	17:55	62	66.5	57.8	
09/11/2019	18:00	61.7	66.2	58.2	63.1
09/11/2019	18:05	61.8	65.2	58.9	
09/11/2019	18:10	60.6	63.2	58.4	
09/11/2019	18:15	59.6	61.7	57.6	
09/11/2019	18:20	64.9	71.4	58	
09/11/2019	18:25	66.2	71.4	58.4	
09/11/2019	18:30	66.5	71.8	58.8	63.7
09/11/2019	18:35	65.5	71.7	57.6	
09/11/2019	18:40	62.9	70.4	56.4	
09/11/2019	18:45	58.8	61.4	56.6	
09/11/2019	18:50	63.3	70.4	57.6	
09/11/2019	18:55	60.8	62.9	57.6	
	Average	61.9			61.9
	Max	76.9	80.2	75.7	74.6
	Min	44	44.5	41.4	44.8

**Appendix N – Evening-time (weekdays) and Day-time & Evening-time  
(Holidays) noise monitoring data**

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	19:00	59.9	64.4	55.1	62.1
28/10/2019	19:05	60.8	65.6	51.9	
28/10/2019	19:10	62.8	67.5	53	
28/10/2019	19:15	63	67.9	50.9	
28/10/2019	19:20	61.3	66.1	51.8	
28/10/2019	19:25	63.5	69.2	52.7	
28/10/2019	19:30	64	66.3	52.4	62.7
28/10/2019	19:35	62	67.1	50.9	
28/10/2019	19:40	63.3	68.2	53.1	
28/10/2019	19:45	61.3	66.7	52.7	
28/10/2019	19:50	63	68.2	53.5	
28/10/2019	19:55	62.2	67.6	54	
28/10/2019	20:00	62.1	67.6	53	71.8
28/10/2019	20:05	65.3	72.1	55.7	
28/10/2019	20:10	62.5	67.7	55.2	
28/10/2019	20:15	77.8	79.2	55.9	
28/10/2019	20:20	72.8	74.9	56.8	
28/10/2019	20:25	67.6	70.3	58.1	
28/10/2019	20:30	61.7	67.7	55.7	62.1
28/10/2019	20:35	60.6	64.8	55.7	
28/10/2019	20:40	63.2	68.1	55.7	
28/10/2019	20:45	62.6	67.5	56.4	
28/10/2019	20:50	61.9	67.6	55.3	
28/10/2019	20:55	62.1	68	55.1	
28/10/2019	21:00	62.7	67.7	55.7	70.0
28/10/2019	21:05	61.2	66.9	52.4	
28/10/2019	21:10	61.5	67.6	51	
28/10/2019	21:15	58.8	65	50.8	
28/10/2019	21:20	77.2	78.9	52.1	
28/10/2019	21:25	61.8	67.5	51.3	
28/10/2019	21:30	66.9	67.4	51	65.4
28/10/2019	21:35	60.2	65.7	50.5	
28/10/2019	21:40	66.3	67.3	53.2	
28/10/2019	21:45	61.7	69.4	50.3	
28/10/2019	21:50	67.9	70.3	50.9	
28/10/2019	21:55	64.6	70.1	50.8	
28/10/2019	22:00	62.9	69.5	51.1	62.1
28/10/2019	22:05	59.5	65.2	51.8	
28/10/2019	22:10	62.9	68.3	55.5	
28/10/2019	22:15	63	69.2	54.9	
28/10/2019	22:20	62.2	67.4	54.6	
28/10/2019	22:25	60.7	66.5	54.6	
28/10/2019	22:30	60.2	66	54.5	62.5
28/10/2019	22:35	65.8	69.9	54.6	
28/10/2019	22:40	61.5	66.8	54.5	
28/10/2019	22:45	62.3	68.5	54.2	
28/10/2019	22:50	61.9	67.6	54.6	
28/10/2019	22:55	60.9	67	54.7	
29/10/2019	19:00	62.3	66.6	54.8	61.5
29/10/2019	19:05	63.1	67.5	56.7	
29/10/2019	19:10	58.7	64.5	51.4	
29/10/2019	19:15	59.2	64.7	51	
29/10/2019	19:20	60.6	66.7	52	
29/10/2019	19:25	62.9	68	54	
29/10/2019	19:30	58.1	64.1	51.1	60.6
29/10/2019	19:35	61.3	67	52.8	
29/10/2019	19:40	61.6	66.9	51.9	
29/10/2019	19:45	60.3	65.6	51.9	
29/10/2019	19:50	58.8	64.7	51.3	
29/10/2019	19:55	62.2	67.7	51.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	20:00	60.9	66.5	51.2	61.8
29/10/2019	20:05	61.5	67.2	51.9	
29/10/2019	20:10	62.2	67.1	56	
29/10/2019	20:15	60.9	66.3	55.1	
29/10/2019	20:20	62.9	69	55.7	
29/10/2019	20:25	61.8	67.5	55	
29/10/2019	20:30	61	66.1	55.1	60.3
29/10/2019	20:35	59.9	65	55	
29/10/2019	20:40	60	65.6	55.5	
29/10/2019	20:45	59.6	64.3	54.7	
29/10/2019	20:50	59.4	64.7	55	
29/10/2019	20:55	61.5	66.5	55	
29/10/2019	21:00	58.5	62.4	55.1	59.2
29/10/2019	21:05	60.2	65.7	51.2	
29/10/2019	21:10	59.5	64.9	50.5	
29/10/2019	21:15	60.5	67.3	50.2	
29/10/2019	21:20	56.9	62.8	50	
29/10/2019	21:25	58.8	64.5	51	
29/10/2019	21:30	58	63.9	50.5	59.6
29/10/2019	21:35	60	66.5	50.3	
29/10/2019	21:40	57.5	63.1	50.4	
29/10/2019	21:45	58.5	65.5	49.4	
29/10/2019	21:50	62.7	69.3	50.1	
29/10/2019	21:55	58.3	63.6	49.5	
29/10/2019	22:00	59.3	66	49.8	60.8
29/10/2019	22:05	58	63.8	49.8	
29/10/2019	22:10	60.4	66	54.7	
29/10/2019	22:15	61.1	67.5	54.4	
29/10/2019	22:20	63.5	68.5	56.5	
29/10/2019	22:25	60.3	65.7	54.3	
29/10/2019	22:30	59.3	65.7	54.2	59.8
29/10/2019	22:35	60.3	66.5	54.4	
29/10/2019	22:40	58.4	64	54	
29/10/2019	22:45	60.2	65.1	54.4	
29/10/2019	22:50	59.2	64	53.9	
29/10/2019	22:55	60.7	66.5	54.3	
30/10/2019	19:00	62.6	67.4	54	67.6
30/10/2019	19:05	61.8	67.2	51.6	
30/10/2019	19:10	64	68.8	52.6	
30/10/2019	19:15	74.1	77.6	51.9	
30/10/2019	19:20	62.7	67.8	53.2	
30/10/2019	19:25	60.8	66.1	52.2	
30/10/2019	19:30	63.7	68.4	53.2	66.0
30/10/2019	19:35	69.3	70.9	54	
30/10/2019	19:40	62.6	68.9	53.2	
30/10/2019	19:45	67.5	71.7	55	
30/10/2019	19:50	63.6	68.9	52.5	
30/10/2019	19:55	65	69	56.1	
30/10/2019	20:00	63.8	68.6	55.7	65.9
30/10/2019	20:05	64.5	69	57	
30/10/2019	20:10	70.4	71	56.2	
30/10/2019	20:15	63.7	68.9	55.8	
30/10/2019	20:20	64.9	69.6	56.8	
30/10/2019	20:25	62.8	67.3	56.2	
30/10/2019	20:30	65.5	70.4	55.9	63.7
30/10/2019	20:35	63.8	68.1	55.8	
30/10/2019	20:40	63	67.4	56.5	
30/10/2019	20:45	64.1	69.5	55.1	
30/10/2019	20:50	62.2	66.8	56.3	
30/10/2019	20:55	62.8	67	55.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	21:00	63.6	67.9	57	61.4
30/10/2019	21:05	59.2	64.9	51.7	
30/10/2019	21:10	59.7	65.1	51.3	
30/10/2019	21:15	61.1	67.1	52.3	
30/10/2019	21:20	63.4	68.4	54.3	
30/10/2019	21:25	58.6	64.5	51.4	
30/10/2019	21:30	61.8	67.4	53.1	61.5
30/10/2019	21:35	62.1	67.3	52.2	
30/10/2019	21:40	60.8	66	52.2	
30/10/2019	21:45	59.3	65.1	51.6	
30/10/2019	21:50	62.7	68.1	52.1	
30/10/2019	21:55	61.4	66.9	51.5	
30/10/2019	22:00	62	67.6	52.2	62.4
30/10/2019	22:05	62.7	67.5	56.3	
30/10/2019	22:10	61.4	66.7	55.4	
30/10/2019	22:15	63.6	69.4	56	
30/10/2019	22:20	62.5	67.9	55.3	
30/10/2019	22:25	61.7	66.5	55.4	
30/10/2019	22:30	60.6	65.4	55.3	60.6
30/10/2019	22:35	60.7	66	55.8	
30/10/2019	22:40	60.3	64.7	55	
30/10/2019	22:45	60.1	65.1	55.3	
30/10/2019	22:50	62.2	66.9	55.3	
30/10/2019	22:55	59.2	62.8	55.4	
31/10/2019	19:00	68.7	71	66.3	68.7
31/10/2019	19:05	68.5	71.9	64.9	
31/10/2019	19:10	68.4	71.5	65.5	
31/10/2019	19:15	68.4	71.5	64.3	
31/10/2019	19:20	68.3	70.3	65.5	
31/10/2019	19:25	69.6	71.9	66.9	
31/10/2019	19:30	71.2	73.7	68.2	71.6
31/10/2019	19:35	70.8	72.8	68.8	
31/10/2019	19:40	71	73.1	69	
31/10/2019	19:45	72.3	74.7	68.8	
31/10/2019	19:50	72.4	74.9	69.4	
31/10/2019	19:55	71.6	73.7	68.7	
31/10/2019	20:00	70.9	73	68.8	70.3
31/10/2019	20:05	70.6	72.9	68.3	
31/10/2019	20:10	70.6	73.1	67.8	
31/10/2019	20:15	70.1	72.1	68	
31/10/2019	20:20	69.5	72.1	66.4	
31/10/2019	20:25	69.8	73	66.4	
31/10/2019	20:30	69.6	72.7	67.1	69.5
31/10/2019	20:35	69.3	72.7	65.7	
31/10/2019	20:40	69.6	72.4	66.6	
31/10/2019	20:45	69.6	72.2	67	
31/10/2019	20:50	69.4	72	66.2	
31/10/2019	20:55	69.5	71.6	65.6	
31/10/2019	21:00	70.5	72.7	67.4	70.2
31/10/2019	21:05	70.5	72.8	67.2	
31/10/2019	21:10	70.4	73.1	67.8	
31/10/2019	21:15	69.9	72.5	66.1	
31/10/2019	21:20	69.7	72.1	66.4	
31/10/2019	21:25	70.4	73.8	67.1	
31/10/2019	21:30	69.9	72.3	66.3	69.5
31/10/2019	21:35	70.1	72.4	65.8	
31/10/2019	21:40	69.5	72.3	65.2	
31/10/2019	21:45	69.2	73.4	62.6	
31/10/2019	21:50	69.3	72	63.7	
31/10/2019	21:55	69.1	72.8	64.2	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	22:00	67.4	69.8	63.1	67.6
31/10/2019	22:05	68.1	71.5	64.5	
31/10/2019	22:10	68.1	70.8	64.2	
31/10/2019	22:15	66.9	69.9	62.4	
31/10/2019	22:20	66.5	70	60.6	
31/10/2019	22:25	68.1	71.8	63.9	
31/10/2019	22:30	67.8	71.8	61	67.1
31/10/2019	22:35	67.1	70.3	61.5	
31/10/2019	22:40	67.2	70.7	62.3	
31/10/2019	22:45	66.1	69.7	60.6	
31/10/2019	22:50	67.8	71.4	63.7	
31/10/2019	22:55	66.6	70	61.8	
01/11/2019	19:00	68.1	70.6	65.7	68.4
01/11/2019	19:05	68.1	70.9	65.1	
01/11/2019	19:10	68.4	71.3	64.7	
01/11/2019	19:15	68.4	71.6	65.5	
01/11/2019	19:20	68.6	71	65.6	
01/11/2019	19:25	68.5	71.8	64.9	
01/11/2019	19:30	67.9	70.7	65.2	68.2
01/11/2019	19:35	68.2	70.9	65.1	
01/11/2019	19:40	67.9	70.1	65.6	
01/11/2019	19:45	68.7	72.2	65.1	
01/11/2019	19:50	68.1	71.6	64.9	
01/11/2019	19:55	68.3	72.1	64	
01/11/2019	20:00	68.5	71.4	65.6	68.3
01/11/2019	20:05	68	70.1	64.7	
01/11/2019	20:10	68.4	71	65.7	
01/11/2019	20:15	68.2	71.5	65.2	
01/11/2019	20:20	68.2	70.8	65.2	
01/11/2019	20:25	68.3	70.9	65.6	
01/11/2019	20:30	68.7	72.7	65.1	68.2
01/11/2019	20:35	68.6	71.2	65.4	
01/11/2019	20:40	68.5	71.2	66.1	
01/11/2019	20:45	68.1	70.5	64.9	
01/11/2019	20:50	67.6	70.6	64.5	
01/11/2019	20:55	67.7	70.9	63.9	
01/11/2019	21:00	67.7	70.2	64.2	68.0
01/11/2019	21:05	68.5	71.6	65.3	
01/11/2019	21:10	67.5	70	65.3	
01/11/2019	21:15	68	70.6	65.1	
01/11/2019	21:20	67.6	71	63.5	
01/11/2019	21:25	68.4	71.9	64.4	
01/11/2019	21:30	67.9	71.6	63.7	67.5
01/11/2019	21:35	68	71.7	64.2	
01/11/2019	21:40	67.6	70.7	63.4	
01/11/2019	21:45	67.1	70.3	62.5	
01/11/2019	21:50	66.6	69.5	61.9	
01/11/2019	21:55	67.6	71.6	63.5	
01/11/2019	22:00	67.8	70.4	63.7	67.0
01/11/2019	22:05	66.4	69.5	61.8	
01/11/2019	22:10	67.3	70.7	62.2	
01/11/2019	22:15	67.2	70.1	63.1	
01/11/2019	22:20	66.6	70.1	61.7	
01/11/2019	22:25	66.6	69.3	62.9	
01/11/2019	22:30	66.8	70.6	60.6	66.5
01/11/2019	22:35	66.9	69.9	63.1	
01/11/2019	22:40	66.4	69.6	62	
01/11/2019	22:45	66.6	69.9	61.9	
01/11/2019	22:50	66.2	69.6	61.6	
01/11/2019	22:55	65.9	70.1	61.2	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)	
02/11/2019	19:00	73.3	76.1	58.3	68.5	
02/11/2019	19:05	66.6	72.1	57.5		
02/11/2019	19:10	64.7	70.5	54.5		
02/11/2019	19:15	68.1	71.1	54.7		
02/11/2019	19:20	66.1	70.3	57.1		
02/11/2019	19:25	64.6	68.9	54.1		
02/11/2019	19:30	63.1	68.4	53.5		
02/11/2019	19:35	63.4	67.2	54.1	63.4	
02/11/2019	19:40	63.8	69.2	55.9		
02/11/2019	19:45	62.6	67.6	54.9		
02/11/2019	19:50	64.3	69.4	53		
02/11/2019	19:55	63.1	69.9	52.5		
02/11/2019	20:00	61.8	67.6	51.9		
02/11/2019	20:05	62	67.7	55.9		64.7
02/11/2019	20:10	65.9	72.6	56		
02/11/2019	20:15	64.9	69.9	55.9		
02/11/2019	20:20	65.6	69.5	57.6		
02/11/2019	20:25	66	70.7	56.9		
02/11/2019	20:30	65.5	69.4	56.5		
02/11/2019	20:35	62.8	67.2	56.2	65.7	
02/11/2019	20:40	66	70.1	56.4		
02/11/2019	20:45	63.6	67.9	56.3		
02/11/2019	20:50	64.9	71.3	55.3		
02/11/2019	20:55	68.7	73.8	55.4		
02/11/2019	21:00	62.9	68.3	55.3		
02/11/2019	21:05	63.3	68.1	52		62.8
02/11/2019	21:10	62	67.6	52.4		
02/11/2019	21:15	61.9	67.7	53		
02/11/2019	21:20	64	69	52		
02/11/2019	21:25	62.2	67.8	52.7		
02/11/2019	21:30	61.5	66.6	52.8		
02/11/2019	21:35	71.3	74.6	52.8	65.6	
02/11/2019	21:40	63.4	68.3	55.4		
02/11/2019	21:45	62.8	68.1	53.1		
02/11/2019	21:50	62.3	67.3	52.5		
02/11/2019	21:55	60.8	66.1	52.3		
02/11/2019	22:00	64.6	70.2	53.3		
02/11/2019	22:05	64	68.4	56.1		63.3
02/11/2019	22:10	62.3	68.3	56.1		
02/11/2019	22:15	62.3	66.3	55.8		
02/11/2019	22:20	63	67	55.7		
02/11/2019	22:25	63	67.7	55.7		
02/11/2019	22:30	65.4	71.1	56.2		
02/11/2019	22:35	64.9	70.5	56.3	63.3	
02/11/2019	22:40	63.6	68.7	55.5		
02/11/2019	22:45	61.6	66.5	55.3		
02/11/2019	22:50	60.8	66	55.6		
02/11/2019	22:55	61.4	67.5	55.3		
03/11/2019	7:00	62	67	55.2		63.7
03/11/2019	7:05	62.2	68.5	51.9		
03/11/2019	7:10	63.7	68.5	52.5		
03/11/2019	7:15	65.5	70.1	54.7		
03/11/2019	7:20	64.2	69.2	52.1		
03/11/2019	7:25	63.8	69.1	52.6		
03/11/2019	7:30	65.9	71.3	54.2	64.2	
03/11/2019	7:35	62.9	69	52.8		
03/11/2019	7:40	65.2	70.6	55.6		
03/11/2019	7:45	64	69.3	54.3		
03/11/2019	7:50	63	67.8	54.1		
03/11/2019	7:55	63.1	67.6	52.9		

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	8:00	61.7	66.4	54.7	64.8
03/11/2019	8:05	65.4	71	57.7	
03/11/2019	8:10	64.6	69.2	57.3	
03/11/2019	8:15	65.1	70.1	57.3	
03/11/2019	8:20	66.2	71	58.5	
03/11/2019	8:25	64.4	69.4	56.3	
03/11/2019	8:30	66.4	72.3	56.9	
03/11/2019	8:35	67.6	73.5	58	
03/11/2019	8:40	73.3	75.6	56.6	
03/11/2019	8:45	68.9	73.5	59.1	
03/11/2019	8:50	63.6	67.5	57.9	
03/11/2019	8:55	65.1	70.5	56.3	
03/11/2019	9:00	65	68.5	57.6	64.7
03/11/2019	9:05	64	68.6	53.8	
03/11/2019	9:10	64.6	69.3	54.3	
03/11/2019	9:15	65.9	71.6	53.8	
03/11/2019	9:20	64	69.6	54	
03/11/2019	9:25	64.1	69.7	53	
03/11/2019	9:30	63.4	69.1	53.1	
03/11/2019	9:35	60.5	65.7	52.5	
03/11/2019	9:40	62.1	66.9	53	
03/11/2019	9:45	66.3	72	52.1	
03/11/2019	9:50	63.3	65.4	52.4	
03/11/2019	9:55	62.9	67.8	53.4	
03/11/2019	10:00	64.3	69.9	53.2	65.5
03/11/2019	10:05	62.9	67.7	56.1	
03/11/2019	10:10	64.7	70.1	56.2	
03/11/2019	10:15	66.8	72	56.5	
03/11/2019	10:20	66.3	71	57.3	
03/11/2019	10:25	66.5	70.3	60.2	
03/11/2019	10:30	68.7	70.7	66.8	
03/11/2019	10:35	68.9	71.4	65.9	
03/11/2019	10:40	68.6	70.4	66.5	
03/11/2019	10:45	69	71.6	66.7	
03/11/2019	10:50	68.8	71	65.8	
03/11/2019	10:55	68.5	70.4	66.4	
03/11/2019	11:00	68.9	70.7	66.6	68.9
03/11/2019	11:05	69.1	71.6	66.9	
03/11/2019	11:10	68.8	71.4	66.1	
03/11/2019	11:15	69	71.2	66.9	
03/11/2019	11:20	68.8	70.7	66.4	
03/11/2019	11:25	68.7	70.8	66.4	
03/11/2019	11:30	68.7	70.1	67	
03/11/2019	11:35	68.9	71.1	66.5	
03/11/2019	11:40	68.9	71.2	66.3	
03/11/2019	11:45	68.5	70.2	66.8	
03/11/2019	11:50	68.9	71.5	66.6	
03/11/2019	11:55	69.4	71.2	67.1	
03/11/2019	12:00	68.6	70.6	66.6	69.8
03/11/2019	12:05	68.9	71.3	66.3	
03/11/2019	12:10	68.8	70.5	66.8	
03/11/2019	12:15	69.1	70.8	67.1	
03/11/2019	12:20	69.1	70.9	66.8	
03/11/2019	12:25	72.6	76.6	65.9	
03/11/2019	12:30	72.8	76.8	66.7	
03/11/2019	12:35	73.4	77.6	67.5	
03/11/2019	12:40	72.9	77.4	66	
03/11/2019	12:45	71.4	76	65.5	
03/11/2019	12:50	71.7	76.1	66	
03/11/2019	12:55	72.9	77.3	65.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	13:00	70.1	74.2	64.8	71.6
03/11/2019	13:05	71.1	75.3	65.2	
03/11/2019	13:10	70.7	75.1	65.3	
03/11/2019	13:15	72.4	77	66.2	
03/11/2019	13:20	73.4	77.6	67.3	
03/11/2019	13:25	70.7	75.2	65.8	
03/11/2019	13:30	72.3	76	66.6	70.8
03/11/2019	13:35	70.5	73.8	65.1	
03/11/2019	13:40	70.7	73.9	64.9	
03/11/2019	13:45	71.1	75.7	65.1	
03/11/2019	13:50	70.1	73.2	65.1	
03/11/2019	13:55	69.7	73.2	64.9	
03/11/2019	14:00	69.4	73.8	64.5	69.6
03/11/2019	14:05	69.3	72.8	65.5	
03/11/2019	14:10	70.3	73.6	66.5	
03/11/2019	14:15	71.6	74.9	66.2	
03/11/2019	14:20	67.1	70.5	64	
03/11/2019	14:25	68.6	72	64.9	
03/11/2019	14:30	69	71.9	65.3	68.3
03/11/2019	14:35	69	72.9	64.2	
03/11/2019	14:40	67.5	70.6	63.4	
03/11/2019	14:45	68	71.1	64.4	
03/11/2019	14:50	67.7	70.9	64.3	
03/11/2019	14:55	68.3	71.6	64	
03/11/2019	15:00	69.5	73.2	65.5	68.9
03/11/2019	15:05	68.8	72.7	64.6	
03/11/2019	15:10	70.4	75.7	63.9	
03/11/2019	15:15	69.2	72.7	63.7	
03/11/2019	15:20	67	70.7	62.7	
03/11/2019	15:25	67.9	71.6	63.5	
03/11/2019	15:30	67.7	71.5	62.6	68.3
03/11/2019	15:35	68.4	72	62.1	
03/11/2019	15:40	68.2	72.6	62.8	
03/11/2019	15:45	68.3	73.1	62.7	
03/11/2019	15:50	68.3	71.7	62.3	
03/11/2019	15:55	68.8	73.4	61.6	
03/11/2019	16:00	68.9	73.2	63.2	68.8
03/11/2019	16:05	68.5	72.2	63.7	
03/11/2019	16:10	70.7	75.4	64.1	
03/11/2019	16:15	68.4	72.4	64	
03/11/2019	16:20	66.7	70.3	61.8	
03/11/2019	16:25	68.5	72	62.7	
03/11/2019	16:30	70.2	73.5	65.6	73.0
03/11/2019	16:35	72.7	76.5	67.8	
03/11/2019	16:40	75.4	77.9	72	
03/11/2019	16:45	72.6	76.5	67.2	
03/11/2019	16:50	73.4	77.2	68.7	
03/11/2019	16:55	71.7	75	67.5	
03/11/2019	17:00	71.8	74.9	67.2	71.6
03/11/2019	17:05	72	74.7	68.4	
03/11/2019	17:10	71.9	75.2	67.5	
03/11/2019	17:15	71.8	74.7	67.7	
03/11/2019	17:20	71.6	74.7	66.7	
03/11/2019	17:25	70.6	73.9	65.7	
03/11/2019	17:30	72.7	76.2	67.4	72.2
03/11/2019	17:35	71	75.1	64.9	
03/11/2019	17:40	72.7	76.6	66.6	
03/11/2019	17:45	72.9	75.9	68.2	
03/11/2019	17:50	72	74.7	67.9	
03/11/2019	17:55	71.8	76.6	65.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	18:00	72.1	75.9	66.5	71.3
03/11/2019	18:05	72.3	75.7	67.4	
03/11/2019	18:10	71.4	74.9	65.4	
03/11/2019	18:15	70.1	73.6	63.4	
03/11/2019	18:20	71.1	74.9	64.2	
03/11/2019	18:25	70.7	74.1	62.8	
03/11/2019	18:30	65.7	69.4	59.2	66.0
03/11/2019	18:35	67.9	72.2	60.8	
03/11/2019	18:40	65.4	70	58.8	
03/11/2019	18:45	65.2	70.6	57.6	
03/11/2019	18:50	64.2	68.7	58.6	
03/11/2019	18:55	66.4	70.7	58.4	
03/11/2019	19:00	65.2	70.7	57	65.5
03/11/2019	19:05	65.2	69.6	58.6	
03/11/2019	19:10	65.8	70.5	56.8	
03/11/2019	19:15	66.4	71.1	57.4	
03/11/2019	19:20	65.6	70.7	54.3	
03/11/2019	19:25	64.6	69	54.3	
03/11/2019	19:30	65.1	70.8	56.1	66.0
03/11/2019	19:35	65.7	70.9	53.1	
03/11/2019	19:40	67.1	71.4	56	
03/11/2019	19:45	63.4	68.3	54.4	
03/11/2019	19:50	68	74	55.8	
03/11/2019	19:55	65.4	70.6	53	
03/11/2019	20:00	62.9	69	51.7	64.5
03/11/2019	20:05	65.9	70.8	56.7	
03/11/2019	20:10	63.1	68.2	55.8	
03/11/2019	20:15	67.7	72.1	55.9	
03/11/2019	20:20	61.6	67.1	55.7	
03/11/2019	20:25	62.7	67.7	55.9	
03/11/2019	20:30	62.3	67.2	56.5	62.4
03/11/2019	20:35	63.6	68.7	56.7	
03/11/2019	20:40	61.3	66.5	55.6	
03/11/2019	20:45	61.8	66.4	55.6	
03/11/2019	20:50	61.4	67.2	55.8	
03/11/2019	20:55	63.4	67.9	56	
03/11/2019	21:00	63.8	68.9	56.1	62.4
03/11/2019	21:05	61.8	67	51.7	
03/11/2019	21:10	61.1	66.9	51.7	
03/11/2019	21:15	61.2	66.4	52	
03/11/2019	21:20	63.4	68.7	52.8	
03/11/2019	21:25	62.2	67.6	52.9	
03/11/2019	21:30	62.3	68	51.8	64.2
03/11/2019	21:35	62.3	67.2	53	
03/11/2019	21:40	62.4	68.6	51.7	
03/11/2019	21:45	65.7	69.3	51.7	
03/11/2019	21:50	62.8	68.4	51.8	
03/11/2019	21:55	67.1	72	52	
03/11/2019	22:00	65.7	71.6	53.7	63.6
03/11/2019	22:05	63.2	67.7	56.1	
03/11/2019	22:10	65.4	70.4	56.9	
03/11/2019	22:15	62.6	67.4	56.4	
03/11/2019	22:20	61.3	66.8	55.3	
03/11/2019	22:25	60.7	66.3	55.5	
03/11/2019	22:30	63.3	67	55.7	63.1
03/11/2019	22:35	62.7	68.3	56.2	
03/11/2019	22:40	63.5	68.1	57.2	
03/11/2019	22:45	64.9	70.8	56.3	
03/11/2019	22:50	62.3	68.1	55.1	
03/11/2019	22:55	60.7	65.1	55.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	19:00	67	69.3	64	67.0
04/11/2019	19:05	67.3	69.9	64	
04/11/2019	19:10	67.3	70	63.6	
04/11/2019	19:15	66.7	69.4	64	
04/11/2019	19:20	67	69.2	64.3	
04/11/2019	19:25	66.9	69.6	63.1	67.0
04/11/2019	19:30	67	69.6	64.2	
04/11/2019	19:35	66.7	69.2	63.6	
04/11/2019	19:40	66.8	69.8	63.8	
04/11/2019	19:45	67.2	69.7	64.2	
04/11/2019	19:50	66.8	69.7	63.9	67.0
04/11/2019	19:55	67.2	70.7	63.8	
04/11/2019	20:00	67.5	70.5	64.1	
04/11/2019	20:05	67	70	63.8	
04/11/2019	20:10	66.9	69.5	63.8	
04/11/2019	20:15	66.7	69	64.2	67.0
04/11/2019	20:20	66.9	69.9	64.2	
04/11/2019	20:25	66.8	69.9	64	
04/11/2019	20:30	67.1	70.7	63.8	
04/11/2019	20:35	67.4	70.7	64.2	
04/11/2019	20:40	66.8	69.8	64.1	67.0
04/11/2019	20:45	66.7	69.9	64	
04/11/2019	20:50	66.8	69.7	63.8	
04/11/2019	20:55	67.2	70.4	63.5	
04/11/2019	21:00	66.8	69.5	64.1	
04/11/2019	21:05	66.1	68.7	62.3	66.5
04/11/2019	21:10	66.5	69.3	63	
04/11/2019	21:15	66.2	69.4	62.4	
04/11/2019	21:20	66.9	70.1	63.6	
04/11/2019	21:25	66.7	69.8	63.6	
04/11/2019	21:30	66.5	69.7	62.3	66.2
04/11/2019	21:35	66.4	69.6	62.2	
04/11/2019	21:40	66.4	69.7	63.1	
04/11/2019	21:45	66.4	70.1	61.9	
04/11/2019	21:50	66.2	69.2	62	
04/11/2019	21:55	65.5	68.5	62	65.6
04/11/2019	22:00	65.3	68.5	61	
04/11/2019	22:05	66.3	70.5	60.6	
04/11/2019	22:10	65.5	68.7	61.1	
04/11/2019	22:15	65	68.1	60.2	
04/11/2019	22:20	65.8	69.5	61.9	65.1
04/11/2019	22:25	65.6	68.6	61.9	
04/11/2019	22:30	65.8	70.1	60.3	
04/11/2019	22:35	65.2	68.9	59.9	
04/11/2019	22:40	64.9	68.2	60.2	
04/11/2019	22:45	64.5	67.7	58.9	66.2
04/11/2019	22:50	64.9	68.2	60.4	
04/11/2019	22:55	64.9	68.6	59.4	
05/11/2019	19:00	66.4	70	63	
05/11/2019	19:05	66	69	60.7	
05/11/2019	19:10	66.5	69.6	63	66.2
05/11/2019	19:15	66	68.4	62.9	
05/11/2019	19:20	66.3	68.9	63	
05/11/2019	19:25	66.2	69.3	63.4	
05/11/2019	19:30	66.8	71.1	63.2	
05/11/2019	19:35	67	70.1	63.7	66.7
05/11/2019	19:40	66.5	68.8	64.1	
05/11/2019	19:45	66.5	69.5	63.6	
05/11/2019	19:50	66.3	69.3	63	
05/11/2019	19:55	66.8	69.3	64.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	20:00	67	70.1	64	66.8
05/11/2019	20:05	66.6	70.5	63.3	
05/11/2019	20:10	66.5	70	63.3	
05/11/2019	20:15	66.4	69.6	63.3	
05/11/2019	20:20	67.4	70.8	64.3	
05/11/2019	20:25	66.7	70.3	63.7	66.6
05/11/2019	20:30	66.7	70	63.7	
05/11/2019	20:35	66.2	68.6	62.8	
05/11/2019	20:40	66.5	69.4	63.7	
05/11/2019	20:45	66.5	70.2	63	
05/11/2019	20:50	67.1	71.9	63	66.3
05/11/2019	20:55	66.3	69.1	63.1	
05/11/2019	21:00	66.1	69	62.4	
05/11/2019	21:05	66.4	69.5	62.8	
05/11/2019	21:10	66.6	70.8	61.9	
05/11/2019	21:15	65.6	67.3	63.7	65.9
05/11/2019	21:20	66.2	69.2	63	
05/11/2019	21:25	66.6	70.9	62.3	
05/11/2019	21:30	65.9	69	62.9	
05/11/2019	21:35	66.2	68.8	63.4	
05/11/2019	21:40	66.2	69.7	61.5	65.6
05/11/2019	21:45	66	69.6	62.1	
05/11/2019	21:50	65.1	67.7	61.4	
05/11/2019	21:55	65.6	69.7	60.9	
05/11/2019	22:00	65.3	68.1	61.2	
05/11/2019	22:05	65.4	68.2	61.5	65.6
05/11/2019	22:10	65.3	68.3	61.8	
05/11/2019	22:15	65.3	69.4	60.7	
05/11/2019	22:20	65.3	67.6	61.9	
05/11/2019	22:25	66.9	70.4	60.4	
05/11/2019	22:30	65.2	70.3	60.4	65.6
05/11/2019	22:35	68	69.6	60.4	
05/11/2019	22:40	65.1	69	60.6	
05/11/2019	22:45	64.8	68.2	60.6	
05/11/2019	22:50	65.1	68.8	61	
05/11/2019	22:55	64.6	68.7	59.3	66.4
06/11/2019	19:00	66.9	70.4	63.7	
06/11/2019	19:05	65.8	68.1	62.2	
06/11/2019	19:10	66.4	68.9	63	
06/11/2019	19:15	66.1	68.7	63.3	
06/11/2019	19:20	66.4	70.1	63.3	66.7
06/11/2019	19:25	66.7	70.8	62.9	
06/11/2019	19:30	67	69.9	64.4	
06/11/2019	19:35	66.2	69.2	63.8	
06/11/2019	19:40	67.2	70.7	63.8	
06/11/2019	19:45	66.6	69.9	63.8	66.5
06/11/2019	19:50	66.5	68.9	63.4	
06/11/2019	19:55	66.4	70.3	61.5	
06/11/2019	20:00	66.7	69.4	64.1	
06/11/2019	20:05	66	68.1	63.3	
06/11/2019	20:10	66.5	69.8	62.5	66.1
06/11/2019	20:15	66.5	69.5	63.9	
06/11/2019	20:20	66.6	69.9	62.4	
06/11/2019	20:25	66.9	70.6	63	
06/11/2019	20:30	65.2	68.1	61.1	
06/11/2019	20:35	66.6	69.6	63.1	66.1
06/11/2019	20:40	66.4	68.8	63.7	
06/11/2019	20:45	66.5	70.2	61.8	
06/11/2019	20:50	65.8	69.5	61.6	
06/11/2019	20:55	65.9	68.5	62.4	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	21:00	65.4	68.1	62.7	65.5
06/11/2019	21:05	66.2	70.1	61.7	
06/11/2019	21:10	65.5	68.5	60.9	
06/11/2019	21:15	65.2	69.2	60.8	
06/11/2019	21:20	65.7	68.8	61.8	
06/11/2019	21:25	64.8	67.4	60.9	65.4
06/11/2019	21:30	66.1	69.8	61.7	
06/11/2019	21:35	65.3	68.5	60	
06/11/2019	21:40	65.4	69.3	61	
06/11/2019	21:45	65.4	69.2	60.4	
06/11/2019	21:50	65.5	69	59.1	64.9
06/11/2019	21:55	64.8	67.8	60.5	
06/11/2019	22:00	65.1	69	60.4	
06/11/2019	22:05	64.5	68.4	59.6	
06/11/2019	22:10	64.8	68.1	59.3	
06/11/2019	22:15	64.2	67.2	60.8	64.3
06/11/2019	22:20	65.1	69	60.4	
06/11/2019	22:25	65.6	68.2	59.6	
06/11/2019	22:30	64.3	67.5	60.1	
06/11/2019	22:35	64.6	68.9	59.6	
06/11/2019	22:40	64	68.1	58.4	65.0
06/11/2019	22:45	64.5	68.5	59.8	
06/11/2019	22:50	63.7	67.4	59.2	
06/11/2019	22:55	64.6	70.2	58.4	
07/11/2019	19:00	63.5	67.5	58	
07/11/2019	19:05	66.3	71.3	59	64.8
07/11/2019	19:10	64.1	69	54.4	
07/11/2019	19:15	64.6	70.8	54.8	
07/11/2019	19:20	66.5	71.7	58.5	
07/11/2019	19:25	64.4	69.4	54.6	
07/11/2019	19:30	63.7	68.7	55.3	63.5
07/11/2019	19:35	66.9	72.5	55.1	
07/11/2019	19:40	64.7	70.5	55.1	
07/11/2019	19:45	63.2	67.6	54.7	
07/11/2019	19:50	65.8	71.7	54.9	
07/11/2019	19:55	63.4	69.2	54.9	62.8
07/11/2019	20:00	64.1	69.2	55.5	
07/11/2019	20:05	62.4	67.7	54.2	
07/11/2019	20:10	64.7	69.6	58	
07/11/2019	20:15	63.5	68.5	57.1	
07/11/2019	20:20	61.7	65.9	56.6	63.1
07/11/2019	20:25	64	70.1	56.6	
07/11/2019	20:30	62.3	67.6	56.4	
07/11/2019	20:35	62.9	68.7	56.3	
07/11/2019	20:40	63.7	69.4	57.3	
07/11/2019	20:45	61.3	66	56.3	62.7
07/11/2019	20:50	62.4	67.9	56.8	
07/11/2019	20:55	63.9	68.8	57.2	
07/11/2019	21:00	65.5	71	57.5	
07/11/2019	21:05	63.3	68.1	56.4	
07/11/2019	21:10	61.7	66.7	54.3	63.1
07/11/2019	21:15	61.8	67.8	54.8	
07/11/2019	21:20	62	67	55.5	
07/11/2019	21:25	62.7	67.7	54.3	
07/11/2019	21:30	62.6	67.7	55	
07/11/2019	21:35	61.4	66.9	54.5	62.7
07/11/2019	21:40	63.2	68.7	55.7	
07/11/2019	21:45	60.2	65	55.1	
07/11/2019	21:50	62.8	67.9	55.6	
07/11/2019	21:55	64.5	68.9	56.3	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	22:00	63.8	67.7	55.3	63.9
07/11/2019	22:05	63.2	69.1	55	
07/11/2019	22:10	63.5	68.4	56.9	
07/11/2019	22:15	63.2	68	57.3	
07/11/2019	22:20	64.8	70.2	57.4	
07/11/2019	22:25	64.7	70.4	56.7	63.9
07/11/2019	22:30	61.4	66.5	56.7	
07/11/2019	22:35	67.2	71.1	56.8	
07/11/2019	22:40	65.8	70.7	57.1	
07/11/2019	22:45	62.2	67.5	56.3	
07/11/2019	22:50	61.3	65.4	56.2	65.4
07/11/2019	22:55	61.5	66.7	56.3	
08/11/2019	19:00	65.6	70.1	57.7	
08/11/2019	19:05	65.6	69.9	58.9	
08/11/2019	19:10	65	69.7	57.1	
08/11/2019	19:15	64.4	69	56.5	65.3
08/11/2019	19:20	66.6	71.1	56.6	
08/11/2019	19:25	64.7	69.1	54.8	
08/11/2019	19:30	64.9	69.1	58.3	
08/11/2019	19:35	64.5	69.1	56.2	
08/11/2019	19:40	65	69.8	56	64.8
08/11/2019	19:45	66.2	71.1	55.1	
08/11/2019	19:50	66.2	71.1	56.2	
08/11/2019	19:55	64.5	70	55.7	
08/11/2019	20:00	66.1	69.2	55.3	
08/11/2019	20:05	65.2	69.9	56.7	63.9
08/11/2019	20:10	64.6	69.5	57.4	
08/11/2019	20:15	63.7	68.6	56.5	
08/11/2019	20:20	64.8	69.5	58	
08/11/2019	20:25	63.8	68.5	57.2	
08/11/2019	20:30	64.6	69.8	56.6	63.1
08/11/2019	20:35	64.1	69.7	57.1	
08/11/2019	20:40	64.6	69.1	58	
08/11/2019	20:45	63.4	68.7	57	
08/11/2019	20:50	64.2	69	56.3	
08/11/2019	20:55	62.2	66.4	56.5	62.1
08/11/2019	21:00	65.4	70	57.1	
08/11/2019	21:05	63.3	68.7	56.3	
08/11/2019	21:10	63	68.5	53.8	
08/11/2019	21:15	63.3	67.9	55.6	
08/11/2019	21:20	61.9	67.9	54.1	63.1
08/11/2019	21:25	59.7	64.7	52.7	
08/11/2019	21:30	60.7	65.8	53.1	
08/11/2019	21:35	62.9	68.9	53	
08/11/2019	21:40	61.6	65.8	54.2	
08/11/2019	21:45	63	68	55.1	63.7
08/11/2019	21:50	62.7	69.2	53.1	
08/11/2019	21:55	61.5	67.5	53.5	
08/11/2019	22:00	59.4	64.3	53.5	
08/11/2019	22:05	63.3	68.7	54.4	
08/11/2019	22:10	63.4	68.9	57.4	63.7
08/11/2019	22:15	65.6	71.1	57.1	
08/11/2019	22:20	63.3	68	56.7	
08/11/2019	22:25	61.2	66.7	56.3	
08/11/2019	22:30	61.1	65.1	56.6	
08/11/2019	22:35	63.1	67.8	57.2	63.7
08/11/2019	22:40	63.9	68.7	57.5	
08/11/2019	22:45	63.8	69.4	55.8	
08/11/2019	22:50	63	68.3	56	
08/11/2019	22:55	66	69.8	59	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	19:00	63.7	68.3	55.3	64.8
09/11/2019	19:05	65.8	70.2	54.5	
09/11/2019	19:10	61.7	66.8	53.8	
09/11/2019	19:15	65.9	71	54.9	
09/11/2019	19:20	64.7	70.4	55.4	
09/11/2019	19:25	65.7	70.2	54.4	65.1
09/11/2019	19:30	63.5	68.8	52.6	
09/11/2019	19:35	66	69.8	53	
09/11/2019	19:40	62.1	68.4	52.4	
09/11/2019	19:45	61.4	66.6	52.9	
09/11/2019	19:50	66.7	67.7	52.3	62.5
09/11/2019	19:55	67.3	70.6	56	
09/11/2019	20:00	62	67.1	55.9	
09/11/2019	20:05	63.5	68.6	55.9	
09/11/2019	20:10	62.7	67.5	56.2	
09/11/2019	20:15	62.5	67.8	56	62.1
09/11/2019	20:20	61.6	66.3	56.1	
09/11/2019	20:25	62.6	66.9	56.2	
09/11/2019	20:30	62.1	67	55.5	
09/11/2019	20:35	62.4	68.2	55.9	
09/11/2019	20:40	62.9	68.2	55.9	63.3
09/11/2019	20:45	60.3	64.8	55.4	
09/11/2019	20:50	61.2	66	52.2	
09/11/2019	20:55	63.2	67.9	53.3	
09/11/2019	21:00	63.4	68.3	51.2	
09/11/2019	21:05	61.7	66.5	52.1	63.3
09/11/2019	21:10	63.9	69.6	53	
09/11/2019	21:15	64.4	66.7	52.7	
09/11/2019	21:20	62.4	67.5	51.2	
09/11/2019	21:25	63.7	68.6	53.4	
09/11/2019	21:30	61.7	67.1	53	63.3
09/11/2019	21:35	63.4	68.6	53.8	
09/11/2019	21:40	62.6	68	54.3	
09/11/2019	21:45	62.5	68	53.3	
09/11/2019	21:50	65.7	72.5	56	
09/11/2019	21:55	62.9	68.1	55.5	72.2
09/11/2019	22:00	78.2	79.1	56.2	
09/11/2019	22:05	73.2	75.3	57.1	
09/11/2019	22:10	68	70.7	58.4	
09/11/2019	22:15	62.1	68.1	56	
09/11/2019	22:20	61	65.2	56	62.4
09/11/2019	22:25	63.6	68.5	56	
09/11/2019	22:30	63	67.9	56.7	
09/11/2019	22:35	62.3	68	55.6	
09/11/2019	22:40	62.5	68.4	55.4	
09/11/2019	22:45	63.1	68.1	56	62.5
09/11/2019	22:50	61.6	67.3	52.7	
09/11/2019	22:55	61.9	68	51.3	
10/11/2019	7:00	62.1	67.9	52.1	
10/11/2019	7:05	61.3	67.1	52.7	
10/11/2019	7:10	62.3	67.9	53.1	64.0
10/11/2019	7:15	62.1	66.9	51.7	
10/11/2019	7:20	63.7	69.5	53.6	
10/11/2019	7:25	63.2	68	53.2	
10/11/2019	7:30	64.2	69.4	53.8	
10/11/2019	7:35	65.7	70.3	54.9	64.0
10/11/2019	7:40	64.5	68.9	54.8	
10/11/2019	7:45	63.4	69.7	53.1	
10/11/2019	7:50	63.7	69.1	54.4	
10/11/2019	7:55	61.9	67.2	56.3	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	8:00	63.6	68.3	56.4	64.1
10/11/2019	8:05	63.7	68.4	56.1	
10/11/2019	8:10	63.6	68.2	56.9	
10/11/2019	8:15	65.8	70.8	56.9	
10/11/2019	8:20	62.7	67.5	56.2	
10/11/2019	8:25	64.5	69	57.7	62.1
10/11/2019	8:30	63.8	68.3	57.2	
10/11/2019	8:35	61.4	66.2	56.5	
10/11/2019	8:40	62.9	68	56.1	
10/11/2019	8:45	62.3	66.6	56.7	
10/11/2019	8:50	62.2	67.2	53.9	63.2
10/11/2019	8:55	58.7	63.9	53	
10/11/2019	9:00	63.3	68.5	53.7	
10/11/2019	9:05	64	68.9	54.5	
10/11/2019	9:10	64.2	69.4	53.7	
10/11/2019	9:15	62.1	66.5	54.5	62.5
10/11/2019	9:20	63.6	68.8	54.8	
10/11/2019	9:25	61.7	66.4	54.4	
10/11/2019	9:30	59	63.8	53.2	
10/11/2019	9:35	64	68.6	56.5	
10/11/2019	9:40	61.8	66.5	54	63.2
10/11/2019	9:45	59.4	64.2	52.3	
10/11/2019	9:50	64.8	70.6	54.7	
10/11/2019	9:55	63.1	68.8	56.4	
10/11/2019	10:00	61.9	66.6	56.3	
10/11/2019	10:05	64.9	69.7	56.8	63.2
10/11/2019	10:10	62.6	66.9	56.6	
10/11/2019	10:15	62.9	68.2	56.1	
10/11/2019	10:20	62.5	66.2	55.7	
10/11/2019	10:25	63.8	68.4	56.2	
10/11/2019	10:30	64	69.4	55.9	63.2
10/11/2019	10:35	63.1	68.3	56.4	
10/11/2019	10:40	63.2	68	56	
10/11/2019	10:45	63.4	67.8	56.4	
10/11/2019	10:50	63	67.7	56.6	
10/11/2019	10:55	62.6	66.6	56.8	64.2
10/11/2019	11:00	64	68.4	57	
10/11/2019	11:05	65.3	70	57.7	
10/11/2019	11:10	62.7	67.3	56.7	
10/11/2019	11:15	63.5	68.6	55.5	
10/11/2019	11:20	63.6	67.7	57.7	70.8
10/11/2019	11:25	65.6	70.6	58.1	
10/11/2019	11:30	77.7	78.9	58.6	
10/11/2019	11:35	63.3	66.9	57.5	
10/11/2019	11:40	66.9	68	58.1	
10/11/2019	11:45	63.6	67.9	57.1	64.2
10/11/2019	11:50	61.9	65.8	55.7	
10/11/2019	11:55	63	67.1	58.4	
10/11/2019	12:00	65	69.6	58.1	
10/11/2019	12:05	64.2	67.8	58.5	
10/11/2019	12:10	63.2	67.9	56.9	65.9
10/11/2019	12:15	62.6	66.5	56.8	
10/11/2019	12:20	65.4	69.3	56.9	
10/11/2019	12:25	64.4	68.5	57.8	
10/11/2019	12:30	65	69.8	57.4	
10/11/2019	12:35	64.2	68.1	57.3	65.9
10/11/2019	12:40	65.1	69.7	57.9	
10/11/2019	12:45	65.3	69.9	58.7	
10/11/2019	12:50	66.7	72.9	59.9	
10/11/2019	12:55	68	70.8	59	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	13:00	66.2	71.7	58.2	65.7
10/11/2019	13:05	64.6	69.8	55.4	
10/11/2019	13:10	68.3	74.8	56.3	
10/11/2019	13:15	64.5	68.6	57.8	
10/11/2019	13:20	62.9	67.3	54.5	
10/11/2019	13:25	65.6	69.4	56	64.3
10/11/2019	13:30	63	67.8	55.3	
10/11/2019	13:35	64.3	69	55.6	
10/11/2019	13:40	65.2	70.1	55.9	
10/11/2019	13:45	63.4	69.1	54.4	
10/11/2019	13:50	64	68.7	56	66.1
10/11/2019	13:55	65.4	69.8	58.2	
10/11/2019	14:00	66	70.2	58.2	
10/11/2019	14:05	63.7	68.1	56.8	
10/11/2019	14:10	68.3	72.7	56.2	
10/11/2019	14:15	66.3	70.6	58.5	65.5
10/11/2019	14:20	65.3	70.2	57.4	
10/11/2019	14:25	65.7	69.5	58.5	
10/11/2019	14:30	65.8	70	59	
10/11/2019	14:35	65.1	69.2	59	
10/11/2019	14:40	65	69	57.6	64.5
10/11/2019	14:45	68.1	74.7	58.1	
10/11/2019	14:50	64	68.1	56.4	
10/11/2019	14:55	63.6	68.5	53.5	
10/11/2019	15:00	61.7	67.2	53	
10/11/2019	15:05	65.3	69.2	52.8	65.2
10/11/2019	15:10	64.4	68.8	53.1	
10/11/2019	15:15	65.6	70.3	54.2	
10/11/2019	15:20	64	68.8	54.2	
10/11/2019	15:25	64.9	69.1	56	
10/11/2019	15:30	65.2	70.1	56	63.4
10/11/2019	15:35	66	70.4	56.3	
10/11/2019	15:40	64.7	69.2	56.6	
10/11/2019	15:45	65.4	70.8	54.9	
10/11/2019	15:50	65.6	71.2	57.2	
10/11/2019	15:55	64	69.9	56.2	63.2
10/11/2019	16:00	63	67.8	57	
10/11/2019	16:05	65.1	70.5	56.5	
10/11/2019	16:10	61.9	66.4	56.5	
10/11/2019	16:15	64.3	70.3	56.5	
10/11/2019	16:20	61.7	66.6	55.8	66.8
10/11/2019	16:25	63.1	67.9	55.5	
10/11/2019	16:30	61.3	65.6	55.7	
10/11/2019	16:35	62.4	66.6	55.9	
10/11/2019	16:40	63.5	67.8	56.3	
10/11/2019	16:45	65.5	70.5	56.2	64.6
10/11/2019	16:50	63	68.3	52.7	
10/11/2019	16:55	62.2	67	53	
10/11/2019	17:00	62.3	67.5	52.6	
10/11/2019	17:05	62.2	67.3	53.9	
10/11/2019	17:10	66.5	71.8	56.9	60.6
10/11/2019	17:15	71.8	75.9	56.8	
10/11/2019	17:20	64.1	68.7	55.8	
10/11/2019	17:25	65.1	70	54.9	
10/11/2019	17:30	62.7	67.2	54.9	
10/11/2019	17:35	64.3	70.2	54.5	60.6
10/11/2019	17:40	66.8	72.6	55.1	
10/11/2019	17:45	64.4	69.5	54.1	
10/11/2019	17:50	63.1	68.7	55	
10/11/2019	17:55	65.2	69.5	58.1	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	18:00	63.1	68.5	56.2	63.6
10/11/2019	18:05	64.9	69.2	56.3	
10/11/2019	18:10	64	68.8	55.6	
10/11/2019	18:15	62.7	67.9	55.7	
10/11/2019	18:20	64.3	70.2	55.8	
10/11/2019	18:25	62	66.9	55.9	62.9
10/11/2019	18:30	62.4	66.5	56.2	
10/11/2019	18:35	64.3	69.4	56.3	
10/11/2019	18:40	63	68.8	55.7	
10/11/2019	18:45	63	68.3	55.6	
10/11/2019	18:50	62.6	67.4	54	68.5
10/11/2019	18:55	61.8	67.2	51.6	
10/11/2019	19:00	64	68.8	52.6	
10/11/2019	19:05	74.1	75.1	51.9	
10/11/2019	19:10	62.7	67.8	53.2	
10/11/2019	19:15	60.8	66.1	52.2	64.8
10/11/2019	19:20	63.7	68.4	53.2	
10/11/2019	19:25	69.3	70.9	54	
10/11/2019	19:30	62.6	68.9	53.2	
10/11/2019	19:35	67.5	71.7	55	
10/11/2019	19:40	63.6	68.9	52.5	66.1
10/11/2019	19:45	65	69	56.1	
10/11/2019	19:50	63.8	68.6	55.7	
10/11/2019	19:55	64.5	69	57	
10/11/2019	20:00	70.4	71	56.2	
10/11/2019	20:05	63.7	68.9	55.8	62.7
10/11/2019	20:10	64.9	69.6	56.8	
10/11/2019	20:15	62.8	67.3	56.2	
10/11/2019	20:20	65.5	70.4	55.9	
10/11/2019	20:25	63.8	68.1	55.8	
10/11/2019	20:30	63	67.4	56.5	61.4
10/11/2019	20:35	64.1	69.5	55.1	
10/11/2019	20:40	62.2	66.8	56.3	
10/11/2019	20:45	62.8	67	55.1	
10/11/2019	20:50	63.6	67.9	57	
10/11/2019	20:55	59.2	64.9	51.7	61.6
10/11/2019	21:00	59.7	65.1	51.3	
10/11/2019	21:05	61.1	67.1	52.3	
10/11/2019	21:10	63.4	68.4	54.3	
10/11/2019	21:15	58.6	64.5	51.4	
10/11/2019	21:20	61.8	67.4	53.1	61.9
10/11/2019	21:25	62.1	67.3	52.2	
10/11/2019	21:30	60.8	66	52.2	
10/11/2019	21:35	59.3	65.1	51.6	
10/11/2019	21:40	62.7	68.1	52.1	
10/11/2019	21:45	61.4	66.9	51.5	60.6
10/11/2019	21:50	62	67.6	52.2	
10/11/2019	21:55	62.7	67.5	56.3	
10/11/2019	22:00	61.4	66.7	55.4	
10/11/2019	22:05	63.6	69.4	56	
10/11/2019	22:10	62.5	67.9	55.3	60.6
10/11/2019	22:15	61.7	66.5	55.4	
10/11/2019	22:20	60.6	65.4	55.3	
10/11/2019	22:25	60.7	66	55.8	
10/11/2019	22:30	60.3	64.7	55	
10/11/2019	22:35	60.1	65.1	55.3	60.6
10/11/2019	22:40	62.2	66.9	55.3	
10/11/2019	22:45	59.2	62.8	55.4	
10/11/2019	22:50	60.9	66.1	51.5	
10/11/2019	22:55	60.2	65.3	50.8	

Day-time and Evening-time (Holidays) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
	Average	66.5			66.5
	Max	78.2	79.2	72	73.0
	Min	56.9	62.4	49.4	59.2

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	19:00	62.2	65.7	55.6	62.4
28/10/2019	19:05	61.2	67.7	55.4	
28/10/2019	19:10	63.4	67.7	54	
28/10/2019	19:15	62.2	66.6	55.6	
28/10/2019	19:20	62.2	67.5	53.8	
28/10/2019	19:25	62.8	68.1	54.4	62.8
28/10/2019	19:30	63.4	67.7	51.3	
28/10/2019	19:35	62.6	66	51.3	
28/10/2019	19:40	61.6	67.8	53.1	
28/10/2019	19:45	62.1	67.9	50.1	
28/10/2019	19:50	62.7	68.4	53	62.2
28/10/2019	19:55	64.1	65.3	51.4	
28/10/2019	20:00	60.4	71	52.8	
28/10/2019	20:05	65	67.6	50	
28/10/2019	20:10	62.4	66	48.7	
28/10/2019	20:15	59.9	67.8	53.7	60.8
28/10/2019	20:20	62.9	65.2	52.8	
28/10/2019	20:25	60.1	69.1	52.9	
28/10/2019	20:30	64.7	65.2	52.7	
28/10/2019	20:35	58.6	64.7	52.9	
28/10/2019	20:40	59.7	64.2	53.5	59.3
28/10/2019	20:45	59.3	65.7	53.7	
28/10/2019	20:50	60.6	63.5	52.6	
28/10/2019	20:55	58.3	63.4	52.6	
28/10/2019	21:00	58.8	64.2	52.8	
28/10/2019	21:05	58.4	64.9	53	59.3
28/10/2019	21:10	60.4	65.9	53.1	
28/10/2019	21:15	60.8	64	48.7	
28/10/2019	21:20	58.8	63.9	48.7	
28/10/2019	21:25	58.1	63.4	49	
28/10/2019	21:30	58.2	65.7	49.8	59.3
28/10/2019	21:35	60.4	64.6	49.9	
28/10/2019	21:40	59.2	65	48.8	
28/10/2019	21:45	59.3	64.2	50	
28/10/2019	21:50	59.3	65.6	48.7	
28/10/2019	21:55	59.4	66.3	48.7	62.2
28/10/2019	22:00	62.7	65.4	48.8	
28/10/2019	22:05	59.8	69	49	
28/10/2019	22:10	64.1	68.6	50.7	
28/10/2019	22:15	62.7	64.7	53.1	
28/10/2019	22:20	60.2	67.4	53.9	59.5
28/10/2019	22:25	62.4	64.4	53.4	
28/10/2019	22:30	59.6	63.8	52.3	
28/10/2019	22:35	58.3	63.3	52.5	
28/10/2019	22:40	57.7	64	52.7	
28/10/2019	22:45	60.3	65.3	53.2	62.1
28/10/2019	22:50	59.7	65.1	54.2	
28/10/2019	22:55	60.5	67.8	53.3	
29/10/2019	19:00	62.9	67.1	53.5	
29/10/2019	19:05	62.1	66.3	51.8	
29/10/2019	19:10	62.9	68.2	51.6	61.7
29/10/2019	19:15	61.7	67	51.9	
29/10/2019	19:20	61.5	64.2	51.9	
29/10/2019	19:25	61.3	67.2	51.5	
29/10/2019	19:30	62.2	69.6	52.1	
29/10/2019	19:35	60.7	66.5	51.1	61.7
29/10/2019	19:40	62.8	65.7	52	
29/10/2019	19:45	58.7	66.5	55.1	
29/10/2019	19:50	62.9	65.5	53.2	
29/10/2019	19:55	61.7	66.2	53.3	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	20:00	62.7	65.8	52.6	61.7
29/10/2019	20:05	60.5	64.9	52.7	
29/10/2019	20:10	63	67.2	52.8	
29/10/2019	20:15	59.1	63.9	52.9	
29/10/2019	20:20	58.4	63.5	53.2	
29/10/2019	20:25	63.7	66.4	53.3	
29/10/2019	20:30	64.3	65.8	52.7	60.8
29/10/2019	20:35	59	65.3	52.6	
29/10/2019	20:40	60.5	64.4	51	
29/10/2019	20:45	59.7	64.2	48.6	
29/10/2019	20:50	59.5	65.8	49.6	
29/10/2019	20:55	58.6	70.6	48.9	
29/10/2019	21:00	59.6	64.8	50.2	59.0
29/10/2019	21:05	59.1	63.1	49.2	
29/10/2019	21:10	59.4	65.4	50.2	
29/10/2019	21:15	59.9	69.8	59.4	
29/10/2019	21:20	57.3	73.7	56.8	
29/10/2019	21:25	58.2	73.5	55.1	
29/10/2019	21:30	60.2	73.4	56.2	60.3
29/10/2019	21:35	60.4	72	58.1	
29/10/2019	21:40	58.7	70.9	52.5	
29/10/2019	21:45	60.9	71	57.1	
29/10/2019	21:50	61.4	69.8	59.6	
29/10/2019	21:55	59.4	74	55.1	
29/10/2019	22:00	60.7	71.5	57	60.6
29/10/2019	22:05	60.4	68.1	60.3	
29/10/2019	22:10	59.6	69.5	57.6	
29/10/2019	22:15	59.5	69.7	55.6	
29/10/2019	22:20	62.7	67.6	59.6	
29/10/2019	22:25	59.9	69.3	54.2	
29/10/2019	22:30	75.2	76.5	60.8	69.2
29/10/2019	22:35	70.2	72.8	60.4	
29/10/2019	22:40	65	70	60.8	
29/10/2019	22:45	59.1	72.4	51.8	
29/10/2019	22:50	58	69.9	54.1	
29/10/2019	22:55	60.6	69.2	60.3	
30/10/2019	19:00	59.3	61.5	56.6	59.0
30/10/2019	19:05	60.5	65.2	56.9	
30/10/2019	19:10	59.4	61.6	57.1	
30/10/2019	19:15	58.2	60.6	56.3	
30/10/2019	19:20	58.2	61.6	55.9	
30/10/2019	19:25	57.8	60.4	55.2	
30/10/2019	19:30	56.6	58.6	54.7	54.5
30/10/2019	19:35	54.9	57	52.8	
30/10/2019	19:40	55.2	58.5	52.4	
30/10/2019	19:45	53.1	54.4	51.9	
30/10/2019	19:50	53	55.4	50.9	
30/10/2019	19:55	52.7	55.8	50	
30/10/2019	20:00	52.1	55.1	50	52.1
30/10/2019	20:05	51.8	54.1	50.2	
30/10/2019	20:10	53.1	56.6	50.3	
30/10/2019	20:15	51.7	54.3	49.7	
30/10/2019	20:20	52.1	54.6	49.7	
30/10/2019	20:25	51.5	54	49.6	
30/10/2019	20:30	51.6	54.5	49.3	52.0
30/10/2019	20:35	51.5	53.4	49.6	
30/10/2019	20:40	53.5	55.9	51.3	
30/10/2019	20:45	51.7	54.3	50	
30/10/2019	20:50	51.7	54.7	49.6	
30/10/2019	20:55	51.3	53.5	49.9	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	21:00	51.7	54.7	49.4	51.9
30/10/2019	21:05	51.9	54.4	49.3	
30/10/2019	21:10	50.9	53.6	48.7	
30/10/2019	21:15	51.6	54.3	48.8	
30/10/2019	21:20	53	55.7	49.7	
30/10/2019	21:25	51.9	54.6	49.8	
30/10/2019	21:30	52.3	55.2	50.1	53.0
30/10/2019	21:35	52.6	56.3	49.6	
30/10/2019	21:40	51.4	53.7	49.4	
30/10/2019	21:45	56.4	62.8	49.1	
30/10/2019	21:50	51.2	53.9	48.9	
30/10/2019	21:55	51	53.8	48.1	
30/10/2019	22:00	50.4	53.1	48.4	50.6
30/10/2019	22:05	51.9	56.7	48.1	
30/10/2019	22:10	50	52.3	48.3	
30/10/2019	22:15	50.4	53.2	48.3	
30/10/2019	22:20	50.7	54.1	48.5	
30/10/2019	22:25	49.8	51.8	48.5	
30/10/2019	22:30	50.4	53	48.5	50.5
30/10/2019	22:35	51.4	56.7	47.8	
30/10/2019	22:40	49.9	54.3	48.1	
30/10/2019	22:45	49.7	52.5	47.8	
30/10/2019	22:50	50.9	54.8	48.1	
30/10/2019	22:55	50.6	53.6	48.1	
31/10/2019	19:00	64.1	67.7	59.9	62.4
31/10/2019	19:05	62.5	65.8	59.5	
31/10/2019	19:10	63.1	66.9	58.8	
31/10/2019	19:15	63.5	67.3	59.1	
31/10/2019	19:20	59.7	62.2	57.4	
31/10/2019	19:25	58.9	61.6	55.8	
31/10/2019	19:30	56.1	58.2	54.2	54.6
31/10/2019	19:35	55.8	57.9	54	
31/10/2019	19:40	54.7	56.6	53.1	
31/10/2019	19:45	52.8	55.2	51.4	
31/10/2019	19:50	53.4	56.2	51.3	
31/10/2019	19:55	53.7	56.2	51.6	
31/10/2019	20:00	54.1	57.8	51.1	53.4
31/10/2019	20:05	53	55.4	50.9	
31/10/2019	20:10	54	58.2	51	
31/10/2019	20:15	52.6	55.3	50.3	
31/10/2019	20:20	52.4	54.5	50.6	
31/10/2019	20:25	53.7	57.5	50.2	
31/10/2019	20:30	51.5	53.6	50.1	54.5
31/10/2019	20:35	52.5	55.1	50.8	
31/10/2019	20:40	51.8	54.6	50	
31/10/2019	20:45	59.4	64.2	50.5	
31/10/2019	20:50	51.8	54	50.2	
31/10/2019	20:55	52.6	55	50.8	
31/10/2019	21:00	52.7	55.4	50.9	53.0
31/10/2019	21:05	51.9	54.1	50.2	
31/10/2019	21:10	52.6	55.5	50.4	
31/10/2019	21:15	55.7	62.6	50.8	
31/10/2019	21:20	51.5	54.3	49.9	
31/10/2019	21:25	52.2	55.6	50	
31/10/2019	21:30	51.9	54	50.2	51.6
31/10/2019	21:35	51.4	53.7	50.1	
31/10/2019	21:40	51.6	53.9	49.7	
31/10/2019	21:45	52	54.2	50	
31/10/2019	21:50	50.9	53.4	49.1	
31/10/2019	21:55	51.7	55.3	48.8	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	22:00	50.6	53.7	48.8	50.6
31/10/2019	22:05	51.6	54.1	49.1	
31/10/2019	22:10	50.4	53.1	48.6	
31/10/2019	22:15	50.6	53.5	48.7	
31/10/2019	22:20	50.7	53.9	48.6	
31/10/2019	22:25	49.6	53	48.1	
31/10/2019	22:30	50.8	55.2	47.8	51.0
31/10/2019	22:35	50.4	53.6	48.2	
31/10/2019	22:40	51.7	56.4	48.5	
31/10/2019	22:45	50.5	54	48.6	
31/10/2019	22:50	50.7	54.1	47.9	
31/10/2019	22:55	51.5	54.4	49.2	
01/11/2019	19:00	64.9	69	60.3	62.0
01/11/2019	19:05	61.7	63.3	60.1	
01/11/2019	19:10	61	62.4	59.7	
01/11/2019	19:15	61.2	63.3	59.6	
01/11/2019	19:20	60.7	62.2	59.5	
01/11/2019	19:25	60.8	62.8	59.3	
01/11/2019	19:30	60.2	61.9	58.3	61.8
01/11/2019	19:35	59.8	61.7	57.8	
01/11/2019	19:40	62	67.4	56.6	
01/11/2019	19:45	60.2	64.1	55.5	
01/11/2019	19:50	62.9	68.8	55.2	
01/11/2019	19:55	63.9	68.9	56.5	
01/11/2019	20:00	59.7	66.3	54.6	57.9
01/11/2019	20:05	57.3	60.4	54.1	
01/11/2019	20:10	60.1	64.1	55.1	
01/11/2019	20:15	56.1	59.3	52.5	
01/11/2019	20:20	56.4	58.9	53.4	
01/11/2019	20:25	55.8	58.4	52.4	
01/11/2019	20:30	56.4	58.6	53.8	55.8
01/11/2019	20:35	55.4	57.8	53.1	
01/11/2019	20:40	56.4	58.8	53.2	
01/11/2019	20:45	55.3	58	53	
01/11/2019	20:50	56.1	58.8	52.9	
01/11/2019	20:55	55.3	57.9	52.6	
01/11/2019	21:00	56	58.7	52.8	54.7
01/11/2019	21:05	55.8	57.9	52.5	
01/11/2019	21:10	53.9	55.9	50.8	
01/11/2019	21:15	54.3	57.3	51.5	
01/11/2019	21:20	54.1	56.5	51.5	
01/11/2019	21:25	53.5	56.5	51.5	
01/11/2019	21:30	53.5	55.9	51.9	53.5
01/11/2019	21:35	53.4	55.4	51.7	
01/11/2019	21:40	54.9	57.6	51.6	
01/11/2019	21:45	53.1	55.8	50.7	
01/11/2019	21:50	53	56.6	50	
01/11/2019	21:55	52.7	56.3	50	
01/11/2019	22:00	53.3	56.3	50.9	52.8
01/11/2019	22:05	52.6	54.7	50.5	
01/11/2019	22:10	52.7	55.5	50.5	
01/11/2019	22:15	53.2	56.7	50.1	
01/11/2019	22:20	52.3	55.6	49.7	
01/11/2019	22:25	52.9	57.5	50	
01/11/2019	22:30	52.3	55.9	49.6	54.1
01/11/2019	22:35	55.8	62.7	49.5	
01/11/2019	22:40	57.4	63.8	49.5	
01/11/2019	22:45	51.4	53.7	49.6	
01/11/2019	22:50	50.7	53.1	49.3	
01/11/2019	22:55	53.1	57.2	50.5	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	19:00	61.2	65.3	58.2	59.4
02/11/2019	19:05	59.6	63.4	56.7	
02/11/2019	19:10	59.5	61.6	57.7	
02/11/2019	19:15	59	61.3	57.1	
02/11/2019	19:20	58.2	60.2	56.6	
02/11/2019	19:25	58.4	60.7	56.3	
02/11/2019	19:30	58.4	60.5	57	58.2
02/11/2019	19:35	56.6	58.8	54.1	
02/11/2019	19:40	56.3	59	53.7	
02/11/2019	19:45	55.5	57.9	53.6	
02/11/2019	19:50	58.7	65.4	53.4	
02/11/2019	19:55	61	65.8	54.7	
02/11/2019	20:00	54.6	57.9	51.3	58.7
02/11/2019	20:05	54.2	57.8	50.8	
02/11/2019	20:10	56.2	60.3	52	
02/11/2019	20:15	56.9	62.2	52.4	
02/11/2019	20:20	63.5	68	55.4	
02/11/2019	20:25	59	61.8	53.3	
02/11/2019	20:30	56.5	62.1	51.5	57.2
02/11/2019	20:35	54.6	57.1	52	
02/11/2019	20:40	54.8	58.4	51.7	
02/11/2019	20:45	54	57	51.8	
02/11/2019	20:50	54.6	59.4	50.6	
02/11/2019	20:55	62	71.3	50.8	
02/11/2019	21:00	51.7	55.1	50	52.4
02/11/2019	21:05	53.3	57.5	50.2	
02/11/2019	21:10	52.1	54.4	50.2	
02/11/2019	21:15	52.1	54.2	50.2	
02/11/2019	21:20	52.2	54.4	50.3	
02/11/2019	21:25	52.8	56.5	50.2	
02/11/2019	21:30	52.7	55.2	50.8	52.1
02/11/2019	21:35	52.3	56	50.3	
02/11/2019	21:40	53.7	58.3	50.3	
02/11/2019	21:45	51.4	54.5	49.1	
02/11/2019	21:50	51.1	54.3	48.7	
02/11/2019	21:55	51	53.5	48.7	
02/11/2019	22:00	51.9	54.8	49.9	51.7
02/11/2019	22:05	52.3	55.5	50	
02/11/2019	22:10	51.9	56.4	49.3	
02/11/2019	22:15	51.2	54.4	48.6	
02/11/2019	22:20	50.7	53.1	49.4	
02/11/2019	22:25	51.8	54.2	49.7	
02/11/2019	22:30	52.1	55.3	48.6	52.5
02/11/2019	22:35	52.1	56.9	48.4	
02/11/2019	22:40	51	53.5	49.1	
02/11/2019	22:45	54.1	56.8	49.5	
02/11/2019	22:50	53.7	59.1	49.2	
02/11/2019	22:55	50.9	53.2	48.6	
03/11/2019	7:00	48.8	53.6	46.7	48.1
03/11/2019	7:05	47.2	48.8	46.5	
03/11/2019	7:10	46.9	47.3	46.5	
03/11/2019	7:15	46.9	47.3	46.6	
03/11/2019	7:20	48.8	50.9	46.8	
03/11/2019	7:25	49.2	52	46.6	
03/11/2019	7:30	49.1	53	47	50.1
03/11/2019	7:35	48.6	51.8	46.7	
03/11/2019	7:40	49.4	53.2	46.8	
03/11/2019	7:45	51.1	57	47.1	
03/11/2019	7:50	50.1	53.6	47.1	
03/11/2019	7:55	51.4	55	47.9	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	8:00	51.2	55.7	47.4	51.1
03/11/2019	8:05	50.9	54.3	47.8	
03/11/2019	8:10	52.3	55.8	49.2	
03/11/2019	8:15	50.9	54	47.9	
03/11/2019	8:20	51.1	55.1	48.3	
03/11/2019	8:25	49.5	52.7	47.5	
03/11/2019	8:30	52.3	55.9	48.7	51.0
03/11/2019	8:35	50.6	54.4	48.3	
03/11/2019	8:40	50.4	53.4	48.2	
03/11/2019	8:45	50.9	54.1	48.6	
03/11/2019	8:50	50.5	53.8	48.4	
03/11/2019	8:55	50.9	54.1	48.7	
03/11/2019	9:00	51.3	54	48.7	51.5
03/11/2019	9:05	51.2	53.8	49	
03/11/2019	9:10	51	54.7	48.3	
03/11/2019	9:15	51.1	54.2	48.6	
03/11/2019	9:20	51.7	55	49.3	
03/11/2019	9:25	52.7	56.6	49.7	
03/11/2019	9:30	54.8	59.8	50.3	54.2
03/11/2019	9:35	53	55.3	50.7	
03/11/2019	9:40	53.4	56.6	51.1	
03/11/2019	9:45	54.7	57.9	51.1	
03/11/2019	9:50	54.1	57	50.9	
03/11/2019	9:55	54.7	58	51.8	
03/11/2019	10:00	55.9	58.7	53.1	57.2
03/11/2019	10:05	57.6	60.9	54.3	
03/11/2019	10:10	57.3	59.4	54	
03/11/2019	10:15	57.4	59.6	54.8	
03/11/2019	10:20	57.2	59.9	53.8	
03/11/2019	10:25	57.7	59.8	54.6	
03/11/2019	10:30	58.1	61.7	55.3	57.4
03/11/2019	10:35	57.2	59.7	54.3	
03/11/2019	10:40	57.5	59	55	
03/11/2019	10:45	57.5	60.7	54.7	
03/11/2019	10:50	56.9	59.2	54	
03/11/2019	10:55	57.3	59.8	54.3	
03/11/2019	11:00	56.6	58.5	54.5	56.7
03/11/2019	11:05	56.5	59.1	53.8	
03/11/2019	11:10	56.5	58.7	54	
03/11/2019	11:15	57.2	60.4	53.5	
03/11/2019	11:20	56.9	59.3	54.5	
03/11/2019	11:25	56.6	58.7	54.4	
03/11/2019	11:30	56.5	59.1	53.6	56.2
03/11/2019	11:35	57	59.8	54.4	
03/11/2019	11:40	55.9	58.4	53.5	
03/11/2019	11:45	55.7	57.8	53.4	
03/11/2019	11:50	56.2	59.2	53.5	
03/11/2019	11:55	55.9	58.4	52.3	
03/11/2019	12:00	55.8	58.2	53	55.2
03/11/2019	12:05	55.8	57.8	52.6	
03/11/2019	12:10	54.1	57.1	51.2	
03/11/2019	12:15	55.5	58.1	52.4	
03/11/2019	12:20	55.3	58	52.3	
03/11/2019	12:25	54.6	56.9	52.1	
03/11/2019	12:30	55	57.9	52.1	55.1
03/11/2019	12:35	55.3	58.6	51.9	
03/11/2019	12:40	54.8	58.4	51.8	
03/11/2019	12:45	56.8	62.2	51.6	
03/11/2019	12:50	54	56.5	51.5	
03/11/2019	12:55	54.2	57.9	50.8	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	13:00	55.2	57.7	52.4	54.3
03/11/2019	13:05	54.4	56.9	51.5	
03/11/2019	13:10	55	58.7	51.3	
03/11/2019	13:15	54.1	57.2	50.5	
03/11/2019	13:20	54.3	56.6	51.2	
03/11/2019	13:25	52.6	55	50.6	
03/11/2019	13:30	53.6	56.6	51	55.6
03/11/2019	13:35	54.4	57.6	51.4	
03/11/2019	13:40	55.7	59	51.8	
03/11/2019	13:45	57	60.5	53	
03/11/2019	13:50	56.1	59.8	52.6	
03/11/2019	13:55	56.1	59.9	52.1	
03/11/2019	14:00	56.1	59.8	52.2	56.0
03/11/2019	14:05	56.3	60	52.4	
03/11/2019	14:10	55	59.1	51.7	
03/11/2019	14:15	56.1	58.8	51.9	
03/11/2019	14:20	56.4	58.2	51.8	
03/11/2019	14:25	55.9	58.9	52.1	
03/11/2019	14:30	55.6	58.7	52.5	55.3
03/11/2019	14:35	56.2	59.1	52.9	
03/11/2019	14:40	54.8	57.4	52.4	
03/11/2019	14:45	53.7	55.7	51.7	
03/11/2019	14:50	54.6	56.9	52.2	
03/11/2019	14:55	56.1	59.2	52.7	
03/11/2019	15:00	55.6	58	52.9	56.1
03/11/2019	15:05	55.5	58.3	52.4	
03/11/2019	15:10	55.6	58.5	52.4	
03/11/2019	15:15	57.2	61.4	53.1	
03/11/2019	15:20	56	58.8	53	
03/11/2019	15:25	56.3	59.2	52.7	
03/11/2019	15:30	54.9	57.9	51.5	56.0
03/11/2019	15:35	56.3	59.6	53.4	
03/11/2019	15:40	57.5	60.6	54.1	
03/11/2019	15:45	56.1	59.1	52.6	
03/11/2019	15:50	55.2	58.3	51.9	
03/11/2019	15:55	55.2	59	51.3	
03/11/2019	16:00	55.3	57.9	52.4	56.5
03/11/2019	16:05	55.9	59.2	52.4	
03/11/2019	16:10	56.2	59.2	52.8	
03/11/2019	16:15	57	60.1	53.1	
03/11/2019	16:20	56.8	60.4	52.5	
03/11/2019	16:25	57.4	60.8	52.3	
03/11/2019	16:30	55.9	58.6	52.7	55.4
03/11/2019	16:35	57	60.1	53.2	
03/11/2019	16:40	56	58.9	52.3	
03/11/2019	16:45	54.5	57.8	50.8	
03/11/2019	16:50	54	56.4	50.8	
03/11/2019	16:55	53.8	57.4	49.9	
03/11/2019	17:00	54.2	57.5	50.6	53.1
03/11/2019	17:05	53.2	56.4	50.2	
03/11/2019	17:10	53.4	56.7	50.2	
03/11/2019	17:15	52.6	57.1	49.3	
03/11/2019	17:20	52.8	56.1	48.9	
03/11/2019	17:25	51.8	54.9	49.2	
03/11/2019	17:30	52.7	55.8	48.9	53.2
03/11/2019	17:35	53.4	56.8	49.3	
03/11/2019	17:40	53	57.7	49.4	
03/11/2019	17:45	52.2	54.8	49.8	
03/11/2019	17:50	52.4	55.5	49.4	
03/11/2019	17:55	55	58.4	51	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	18:00	53.7	56.8	49.8	53.7
03/11/2019	18:05	53.8	56.6	50.5	
03/11/2019	18:10	52.8	55.2	50.4	
03/11/2019	18:15	53	55.2	50	
03/11/2019	18:20	55.6	61.9	49.7	
03/11/2019	18:25	52.7	55.8	49.4	
03/11/2019	18:30	52.1	55.9	49.5	53.8
03/11/2019	18:35	52.5	55.7	49.3	
03/11/2019	18:40	52.5	55.9	49.5	
03/11/2019	18:45	57.2	63.2	49.6	
03/11/2019	18:50	53.1	57	49.5	
03/11/2019	18:55	52.8	55.5	50.1	
03/11/2019	19:00	53.4	56.4	50	53.0
03/11/2019	19:05	54.1	57.1	49.7	
03/11/2019	19:10	52.5	55.4	49.8	
03/11/2019	19:15	52.5	56.2	49.2	
03/11/2019	19:20	52.9	55.6	49.7	
03/11/2019	19:25	52.3	55.9	48.7	
03/11/2019	19:30	56.1	61.4	49.9	53.3
03/11/2019	19:35	52.2	54.5	49	
03/11/2019	19:40	52.7	56.2	49.3	
03/11/2019	19:45	52.5	55.3	49.4	
03/11/2019	19:50	51.9	55.1	48.5	
03/11/2019	19:55	53.1	57.7	49.1	
03/11/2019	20:00	53.5	59.1	48.5	50.9
03/11/2019	20:05	50.5	52.6	47.5	
03/11/2019	20:10	50.7	53.4	48.4	
03/11/2019	20:15	49.2	52.1	47.2	
03/11/2019	20:20	50.1	53.3	47.5	
03/11/2019	20:25	49.6	52.3	47.3	
03/11/2019	20:30	48.9	52.7	47.4	49.4
03/11/2019	20:35	49.8	52.5	47.5	
03/11/2019	20:40	51.1	54.5	47.9	
03/11/2019	20:45	49.1	53	47.3	
03/11/2019	20:50	48.6	51.2	47.4	
03/11/2019	20:55	48.5	51.2	47.2	
03/11/2019	21:00	49.9	53	47.6	49.0
03/11/2019	21:05	49.2	52.4	47.3	
03/11/2019	21:10	48.2	51.4	47.2	
03/11/2019	21:15	48.7	51.3	47.3	
03/11/2019	21:20	48.5	50.7	47.4	
03/11/2019	21:25	49	51.7	47.9	
03/11/2019	21:30	49.9	53.6	47.6	52.6
03/11/2019	21:35	49.3	52.4	47.8	
03/11/2019	21:40	49.3	51.5	47.9	
03/11/2019	21:45	56.4	56.4	47.8	
03/11/2019	21:50	54	60.8	48.4	
03/11/2019	21:55	51.7	55.7	48	
03/11/2019	22:00	50.7	53.6	48	51.2
03/11/2019	22:05	52.7	53.9	47.8	
03/11/2019	22:10	52.7	56.9	48	
03/11/2019	22:15	49.9	52.5	48	
03/11/2019	22:20	50.2	52.9	48	
03/11/2019	22:25	49.9	52.5	48	
03/11/2019	22:30	50.4	53	48.5	51.8
03/11/2019	22:35	55.7	61.8	48.2	
03/11/2019	22:40	51.7	56	48.3	
03/11/2019	22:45	49.8	53.2	48	
03/11/2019	22:50	49	51.5	47.8	
03/11/2019	22:55	50.1	53.6	47.8	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	19:00	61	63.4	58.4	60.8
04/11/2019	19:05	60.5	62.2	58.8	
04/11/2019	19:10	61.5	63.6	59.5	
04/11/2019	19:15	60.9	62.8	59.3	
04/11/2019	19:20	61.2	64	58.3	
04/11/2019	19:25	59.5	61.7	57.5	
04/11/2019	19:30	59.8	61.8	56.9	57.0
04/11/2019	19:35	58.7	61.1	56.5	
04/11/2019	19:40	56.3	58.3	54.4	
04/11/2019	19:45	54.6	56.9	52.6	
04/11/2019	19:50	55.1	57.7	52.3	
04/11/2019	19:55	54.3	57	52.2	
04/11/2019	20:00	53.5	55.7	51.7	53.8
04/11/2019	20:05	53.8	56.4	51.8	
04/11/2019	20:10	53.3	55.5	51.6	
04/11/2019	20:15	55.1	58.4	51.9	
04/11/2019	20:20	53.3	55.7	51.4	
04/11/2019	20:25	53.6	57.5	51.3	
04/11/2019	20:30	54.4	57.6	51.4	53.4
04/11/2019	20:35	53.2	56.6	51	
04/11/2019	20:40	52.6	54.3	51	
04/11/2019	20:45	53.9	56.8	51.2	
04/11/2019	20:50	53.2	55.7	51.3	
04/11/2019	20:55	53	55.6	51	
04/11/2019	21:00	52.4	54.4	50.9	54.8
04/11/2019	21:05	52.3	54.7	50.5	
04/11/2019	21:10	53	54.7	51.3	
04/11/2019	21:15	54.1	57.5	51.8	
04/11/2019	21:20	59.1	60.9	50.8	
04/11/2019	21:25	52.6	54.9	50.8	
04/11/2019	21:30	52	53.9	50.5	51.4
04/11/2019	21:35	51.8	53.9	50.4	
04/11/2019	21:40	51.9	55.5	49.8	
04/11/2019	21:45	51.4	54.2	49.8	
04/11/2019	21:50	50.8	53.5	49.5	
04/11/2019	21:55	50.3	52.4	49.2	
04/11/2019	22:00	51.9	54.5	49.4	51.5
04/11/2019	22:05	52.2	56.2	49.6	
04/11/2019	22:10	52	53.8	50.1	
04/11/2019	22:15	50.4	52.8	49.2	
04/11/2019	22:20	50.3	52.8	48.2	
04/11/2019	22:25	52	55.2	49.1	
04/11/2019	22:30	50.8	53.9	48.8	52.8
04/11/2019	22:35	52.4	56	49.2	
04/11/2019	22:40	51.3	53.9	48.9	
04/11/2019	22:45	52.9	56.9	49.9	
04/11/2019	22:50	54.4	59.4	49.6	
04/11/2019	22:55	53.7	59.2	49.5	
05/11/2019	19:00	65.6	69.9	58.6	62.8
05/11/2019	19:05	63.9	68.7	57.7	
05/11/2019	19:10	64.3	67.8	58.5	
05/11/2019	19:15	59.2	61.2	57	
05/11/2019	19:20	59.6	61.4	57.9	
05/11/2019	19:25	59.6	61.8	57.2	
05/11/2019	19:30	59	61.2	57	57.0
05/11/2019	19:35	58.3	60.6	56	
05/11/2019	19:40	57.9	60.6	55.1	
05/11/2019	19:45	56	59.5	53.5	
05/11/2019	19:50	54.7	57	52.5	
05/11/2019	19:55	53.7	55.8	52	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	20:00	53.7	55.7	52	53.6
05/11/2019	20:05	53.5	55.4	52	
05/11/2019	20:10	53.1	54.8	51.7	
05/11/2019	20:15	53.2	54.7	51.8	
05/11/2019	20:20	54.3	56.9	52.2	
05/11/2019	20:25	53.4	55.9	51.5	
05/11/2019	20:30	52.8	55.3	51	52.8
05/11/2019	20:35	52.4	54.4	51	
05/11/2019	20:40	52.8	56.2	50.9	
05/11/2019	20:45	52.5	54.4	51	
05/11/2019	20:50	53.3	54.9	51.9	
05/11/2019	20:55	53.1	56	51.2	
05/11/2019	21:00	52.4	53.9	51.1	52.5
05/11/2019	21:05	53.1	55.4	51.3	
05/11/2019	21:10	52.3	55	50.9	
05/11/2019	21:15	52.8	54.9	50.9	
05/11/2019	21:20	51.9	53.4	50.8	
05/11/2019	21:25	52.2	54.2	51	
05/11/2019	21:30	52.4	54.6	51.2	52.2
05/11/2019	21:35	52.5	55.1	50.8	
05/11/2019	21:40	52.5	54.6	51.3	
05/11/2019	21:45	52.4	54.8	51	
05/11/2019	21:50	52.1	54.7	50.7	
05/11/2019	21:55	51.3	52.3	50.6	
05/11/2019	22:00	51.9	54.3	50.7	51.3
05/11/2019	22:05	51.4	54.8	49.4	
05/11/2019	22:10	52.3	56.3	49.6	
05/11/2019	22:15	51.4	53.8	49.1	
05/11/2019	22:20	51.1	53	49	
05/11/2019	22:25	48.8	50.3	48	
05/11/2019	22:30	50.4	53.1	48.7	50.1
05/11/2019	22:35	49.8	52.9	48.2	
05/11/2019	22:40	49.5	51.9	48.1	
05/11/2019	22:45	50.4	53.7	48.4	
05/11/2019	22:50	50.4	53.4	48.5	
05/11/2019	22:55	50.3	52.5	48.7	
06/11/2019	19:00	64.5	67.2	60.8	63.1
06/11/2019	19:05	62.2	63.9	59.7	
06/11/2019	19:10	64.1	69.7	58.8	
06/11/2019	19:15	65.2	69.5	58.4	
06/11/2019	19:20	59.7	63	58	
06/11/2019	19:25	59.6	61.2	57.7	
06/11/2019	19:30	59	62.2	56.4	57.2
06/11/2019	19:35	57.5	60.7	55.6	
06/11/2019	19:40	57.7	59.7	55.1	
06/11/2019	19:45	56.6	59.4	54.5	
06/11/2019	19:50	56.1	58.2	54.4	
06/11/2019	19:55	55.3	57	53.9	
06/11/2019	20:00	54.9	56.8	53.6	55.0
06/11/2019	20:05	54.5	56.7	53.2	
06/11/2019	20:10	54.7	56	53.6	
06/11/2019	20:15	54.2	55.3	53.2	
06/11/2019	20:20	56.7	60.8	53.4	
06/11/2019	20:25	54.3	55.5	53.2	
06/11/2019	20:30	54.9	56.7	53.6	55.9
06/11/2019	20:35	54.8	56.2	53.5	
06/11/2019	20:40	56.6	60.1	53.5	
06/11/2019	20:45	55.1	56.5	53.7	
06/11/2019	20:50	57.1	60.9	53.9	
06/11/2019	20:55	56.2	60	54.4	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	21:00	55.7	57.1	54.4	55.7
06/11/2019	21:05	55.8	57.2	54.4	
06/11/2019	21:10	55.9	58	54.4	
06/11/2019	21:15	55.4	56.8	54.3	
06/11/2019	21:20	55.4	56.3	54.4	
06/11/2019	21:25	55.9	58	54.2	
06/11/2019	21:30	55.3	56.8	54	55.2
06/11/2019	21:35	55.5	57.7	54	
06/11/2019	21:40	55.3	56.9	53.9	
06/11/2019	21:45	56.2	58.3	54.5	
06/11/2019	21:50	54.5	59.1	51.8	
06/11/2019	21:55	54.1	57	51.3	
06/11/2019	22:00	52.3	54	50.9	50.9
06/11/2019	22:05	51.3	54.4	49.5	
06/11/2019	22:10	49.9	51.3	49.1	
06/11/2019	22:15	50.7	54	49.1	
06/11/2019	22:20	50.1	52	49	
06/11/2019	22:25	50.9	54	48.6	
06/11/2019	22:30	49.9	52.7	48.4	50.5
06/11/2019	22:35	49.8	52.8	48.4	
06/11/2019	22:40	49.8	52.4	48.3	
06/11/2019	22:45	51.7	55	49.1	
06/11/2019	22:50	51.2	54.6	48.9	
06/11/2019	22:55	50.3	53.1	48.6	
07/11/2019	19:00	65.8	70.3	62.5	66.1
07/11/2019	19:05	64.2	67.2	59.9	
07/11/2019	19:10	66.8	70.9	60.3	
07/11/2019	19:15	69.9	73.7	64.8	
07/11/2019	19:20	62.9	66.3	60.2	
07/11/2019	19:25	61.4	63	59.8	
07/11/2019	19:30	60.4	61.6	59.1	58.1
07/11/2019	19:35	59.2	60.7	57.3	
07/11/2019	19:40	58.3	60	56.7	
07/11/2019	19:45	57.3	59.7	54.9	
07/11/2019	19:50	55.5	57.2	54	
07/11/2019	19:55	56.1	58.9	53.7	
07/11/2019	20:00	55.1	57.3	53.5	54.8
07/11/2019	20:05	55.2	58.4	53.6	
07/11/2019	20:10	54	55.3	52.9	
07/11/2019	20:15	54.6	56.6	52.9	
07/11/2019	20:20	54.5	57	52.8	
07/11/2019	20:25	55.3	57.9	53	
07/11/2019	20:30	55.5	57.4	53.7	54.9
07/11/2019	20:35	55.4	58.8	53	
07/11/2019	20:40	54	55.8	52.5	
07/11/2019	20:45	54.6	57	52.8	
07/11/2019	20:50	54.9	56.9	53.1	
07/11/2019	20:55	54.6	56.5	53.3	
07/11/2019	21:00	54.2	55.7	52.7	54.8
07/11/2019	21:05	55.6	58.4	53.1	
07/11/2019	21:10	54.5	57.1	52.3	
07/11/2019	21:15	55.7	58.2	53.3	
07/11/2019	21:20	53.9	56.5	52.1	
07/11/2019	21:25	54.5	57.1	52.7	
07/11/2019	21:30	54.2	56.5	52.6	54.5
07/11/2019	21:35	55.4	58.7	53.4	
07/11/2019	21:40	54.2	56.2	52.8	
07/11/2019	21:45	55.4	59.5	52.9	
07/11/2019	21:50	54.5	56.8	51.7	
07/11/2019	21:55	52.8	54.9	49.6	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	22:00	50.8	54	48.8	57.9
07/11/2019	22:05	63.7	69.2	48.5	
07/11/2019	22:10	59.3	66.8	48.7	
07/11/2019	22:15	50.3	53.3	48.3	
07/11/2019	22:20	50.5	53.4	48.4	
07/11/2019	22:25	51.2	55.7	48.4	
07/11/2019	22:30	52.1	55.1	49.6	52.8
07/11/2019	22:35	52.8	57.6	48.8	
07/11/2019	22:40	53.4	57.1	50.2	
07/11/2019	22:45	53.9	57.4	50.3	
07/11/2019	22:50	52.6	56.4	49.3	
07/11/2019	22:55	51.3	54.7	48.3	
08/11/2019	19:00	66.7	74.1	60.4	65.7
08/11/2019	19:05	67.6	74	61.1	
08/11/2019	19:10	65.9	72.2	61	
08/11/2019	19:15	66.7	71.6	61.3	
08/11/2019	19:20	62.3	65.8	59.6	
08/11/2019	19:25	61.6	63.9	59.7	
08/11/2019	19:30	61.1	63.5	59.2	59.1
08/11/2019	19:35	60.1	62.3	58.7	
08/11/2019	19:40	59.7	61.6	57.8	
08/11/2019	19:45	58.1	59.9	55.7	
08/11/2019	19:50	57.4	59.3	55.3	
08/11/2019	19:55	56.2	58	54.1	
08/11/2019	20:00	56.1	58.7	54	56.4
08/11/2019	20:05	57.1	59.9	54.1	
08/11/2019	20:10	56.6	58.9	54.4	
08/11/2019	20:15	56.4	58.2	54.7	
08/11/2019	20:20	55.7	57.6	53.8	
08/11/2019	20:25	56.5	59.2	53.7	
08/11/2019	20:30	55.8	57.8	53.5	55.8
08/11/2019	20:35	56.2	58.5	53.3	
08/11/2019	20:40	55.4	57.7	52.7	
08/11/2019	20:45	57	60.4	53	
08/11/2019	20:50	55.1	57	53.1	
08/11/2019	20:55	55.1	58.1	52.6	
08/11/2019	21:00	55	57.5	53	55.1
08/11/2019	21:05	54.6	56.6	52.4	
08/11/2019	21:10	53.7	55.6	51.6	
08/11/2019	21:15	55	57.6	52.9	
08/11/2019	21:20	54.5	56.7	52.1	
08/11/2019	21:25	57.2	62.8	51.8	
08/11/2019	21:30	56.1	60.8	52.2	54.6
08/11/2019	21:35	55.2	57.8	53	
08/11/2019	21:40	54.4	56.5	52.4	
08/11/2019	21:45	54.2	55.5	52.2	
08/11/2019	21:50	53.2	55.4	51.5	
08/11/2019	21:55	53.8	55.5	51.9	
08/11/2019	22:00	54.6	56.8	52.2	53.2
08/11/2019	22:05	54.4	57.6	50.2	
08/11/2019	22:10	53	55.9	50.4	
08/11/2019	22:15	51.1	53.2	49.6	
08/11/2019	22:20	52.5	55.7	49.4	
08/11/2019	22:25	52.8	56.1	49.9	
08/11/2019	22:30	55.3	58.2	49.8	52.5
08/11/2019	22:35	51.7	55.4	49.5	
08/11/2019	22:40	51.5	54.5	49.6	
08/11/2019	22:45	52.1	55.7	49.3	
08/11/2019	22:50	51.6	55.1	49	
08/11/2019	22:55	51.1	54.4	49	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	19:00	62.7	64.7	60.4	63.8
09/11/2019	19:05	63.9	69.7	60.5	
09/11/2019	19:10	68.8	75.4	60.2	
09/11/2019	19:15	59.7	61.3	58.1	
09/11/2019	19:20	59	60.2	57.7	
09/11/2019	19:25	58.9	60.2	57.5	
09/11/2019	19:30	58.7	60.4	57.2	56.4
09/11/2019	19:35	58	61.1	54.6	
09/11/2019	19:40	55.9	58	54.4	
09/11/2019	19:45	56	59	53.6	
09/11/2019	19:50	54.1	56.2	51.7	
09/11/2019	19:55	53.4	56.7	50.6	
09/11/2019	20:00	54.5	57.7	51.1	53.2
09/11/2019	20:05	52.2	54.9	49.8	
09/11/2019	20:10	54.3	59.8	50.2	
09/11/2019	20:15	52	54.1	50.3	
09/11/2019	20:20	53	55.3	50.7	
09/11/2019	20:25	52.5	55.4	50.1	
09/11/2019	20:30	55.1	59	50.3	55.2
09/11/2019	20:35	58.6	60.4	50.4	
09/11/2019	20:40	52.8	55.5	49.9	
09/11/2019	20:45	52.3	55.9	49.4	
09/11/2019	20:50	56.5	59.1	49.7	
09/11/2019	20:55	51.8	54.5	49.9	
09/11/2019	21:00	53.4	58.2	50.2	52.2
09/11/2019	21:05	51.3	54	49.6	
09/11/2019	21:10	52.4	56.1	49.8	
09/11/2019	21:15	51.5	54.3	49.5	
09/11/2019	21:20	52.5	56.3	49.6	
09/11/2019	21:25	51.4	54.2	49	
09/11/2019	21:30	50.9	53.6	49	51.2
09/11/2019	21:35	51.7	54.4	49.1	
09/11/2019	21:40	53.2	58.1	48.3	
09/11/2019	21:45	50	52.2	48.4	
09/11/2019	21:50	49.7	52	48.4	
09/11/2019	21:55	50.5	53.8	48.2	
09/11/2019	22:00	50.3	52.9	48.7	51.6
09/11/2019	22:05	54.3	61.5	48.6	
09/11/2019	22:10	50.2	53.3	48	
09/11/2019	22:15	50.6	53.3	48.7	
09/11/2019	22:20	51.1	54.4	48.7	
09/11/2019	22:25	51.5	56.1	48.4	
09/11/2019	22:30	51.1	53.7	48.6	52.7
09/11/2019	22:35	51.8	55	49.6	
09/11/2019	22:40	55.7	60.3	48.7	
09/11/2019	22:45	51.6	54.7	49	
09/11/2019	22:50	52.1	56	49	
09/11/2019	22:55	52.2	55.7	49.4	
10/11/2019	7:00	48.9	50.5	47.9	49.2
10/11/2019	7:05	48.8	50.5	48	
10/11/2019	7:10	49.7	52.1	47.8	
10/11/2019	7:15	49.3	52.2	48.1	
10/11/2019	7:20	49.4	51.8	48	
10/11/2019	7:25	48.8	50.4	48.1	
10/11/2019	7:30	50.2	54.3	47.9	50.4
10/11/2019	7:35	49.7	52.3	48.2	
10/11/2019	7:40	50.3	52.1	48.7	
10/11/2019	7:45	51	53.7	48.8	
10/11/2019	7:50	50	53.3	48.4	
10/11/2019	7:55	51	54.8	48.7	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	8:00	50.8	54	48.4	51.4
10/11/2019	8:05	51.7	55.2	48.7	
10/11/2019	8:10	51.8	55.9	48.8	
10/11/2019	8:15	51.2	54.7	48.6	
10/11/2019	8:20	50.4	53	48.6	
10/11/2019	8:25	52.4	55.9	49.3	
10/11/2019	8:30	52.4	56.1	49.1	51.3
10/11/2019	8:35	51.5	54.4	49.1	
10/11/2019	8:40	52.3	56.5	48.9	
10/11/2019	8:45	50.3	53.5	48.3	
10/11/2019	8:50	50.5	54.2	48.4	
10/11/2019	8:55	50.1	53.3	48.4	
10/11/2019	9:00	51.4	54.7	48.7	51.4
10/11/2019	9:05	51.1	53.8	49.3	
10/11/2019	9:10	52.5	56.8	49.4	
10/11/2019	9:15	50.5	52.5	49.2	
10/11/2019	9:20	50.2	52.1	49	
10/11/2019	9:25	52.4	55.6	49.7	
10/11/2019	9:30	52.3	54.9	50	54.5
10/11/2019	9:35	53.3	57	50.7	
10/11/2019	9:40	54.6	57.4	51	
10/11/2019	9:45	55.4	56.6	54	
10/11/2019	9:50	54.9	56.5	53.4	
10/11/2019	9:55	55.4	57.2	53	
10/11/2019	10:00	55.4	57.4	53.5	57.3
10/11/2019	10:05	56.7	59.2	54.6	
10/11/2019	10:10	57.5	59.8	55.3	
10/11/2019	10:15	57.9	60.5	55.1	
10/11/2019	10:20	58	60	55.7	
10/11/2019	10:25	57.8	60	55.6	
10/11/2019	10:30	58.2	60.1	56.3	58.6
10/11/2019	10:35	59.1	61	56.8	
10/11/2019	10:40	58.8	61.2	56.9	
10/11/2019	10:45	58.8	60.9	56.6	
10/11/2019	10:50	58.6	60.1	56.7	
10/11/2019	10:55	57.9	60.4	54.4	
10/11/2019	11:00	56.5	59.2	53.2	55.4
10/11/2019	11:05	56.3	58.9	52.9	
10/11/2019	11:10	55.4	58.4	52.2	
10/11/2019	11:15	54.8	57.3	52.3	
10/11/2019	11:20	55.2	58.3	51.5	
10/11/2019	11:25	54	57	50.7	
10/11/2019	11:30	55.4	59	52.1	55.6
10/11/2019	11:35	55.3	58.3	52	
10/11/2019	11:40	55.1	57.7	51.5	
10/11/2019	11:45	56.4	59.7	53.2	
10/11/2019	11:50	56.1	58.9	50.8	
10/11/2019	11:55	55.1	58	51.7	
10/11/2019	12:00	55.4	58.8	50.8	55.4
10/11/2019	12:05	54.8	57.7	51.6	
10/11/2019	12:10	56.5	58.2	52	
10/11/2019	12:15	55	58.4	50.7	
10/11/2019	12:20	55.6	59.6	51.9	
10/11/2019	12:25	54.8	57.2	51	
10/11/2019	12:30	56.1	61.1	50.7	54.3
10/11/2019	12:35	54.1	58.2	50.4	
10/11/2019	12:40	53.8	57	50.6	
10/11/2019	12:45	53.9	56.7	50.7	
10/11/2019	12:50	53.1	55.3	50.7	
10/11/2019	12:55	54.4	57.4	50.2	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	13:00	54.1	57.3	50.3	53.6
10/11/2019	13:05	52.8	55.2	50.4	
10/11/2019	13:10	53.8	56.6	51	
10/11/2019	13:15	53.8	56.3	50.6	
10/11/2019	13:20	53.3	56.2	50.7	
10/11/2019	13:25	53.5	57	49.2	
10/11/2019	13:30	52.6	55.2	49.7	52.4
10/11/2019	13:35	52.4	55.3	49.1	
10/11/2019	13:40	52.2	56.3	48.9	
10/11/2019	13:45	52.1	55	49.6	
10/11/2019	13:50	52.1	55.3	49.2	
10/11/2019	13:55	52.9	55.7	49.1	
10/11/2019	14:00	53.6	57.4	50.1	53.7
10/11/2019	14:05	52.1	55.3	49.2	
10/11/2019	14:10	52.6	55.4	48.8	
10/11/2019	14:15	52.5	56	49.3	
10/11/2019	14:20	55.1	58.3	51.1	
10/11/2019	14:25	55	58.2	51.1	
10/11/2019	14:30	57.4	60.5	51.6	56.2
10/11/2019	14:35	55.9	58.9	51.5	
10/11/2019	14:40	55.7	58.8	51.5	
10/11/2019	14:45	54.4	57.6	50.7	
10/11/2019	14:50	56.2	60.6	51.2	
10/11/2019	14:55	56.9	59.9	53.1	
10/11/2019	15:00	58.6	61.8	53.1	57.0
10/11/2019	15:05	57.1	60.4	52.7	
10/11/2019	15:10	57.6	61.2	53	
10/11/2019	15:15	56.2	59.5	51.4	
10/11/2019	15:20	56.1	59.6	51.6	
10/11/2019	15:25	55.7	58.5	51.9	
10/11/2019	15:30	56.3	59.8	52.2	56.3
10/11/2019	15:35	55.8	58.8	51.2	
10/11/2019	15:40	55.8	59	52.1	
10/11/2019	15:45	55.2	58.8	51.4	
10/11/2019	15:50	56.6	61.1	51.5	
10/11/2019	15:55	57.7	62.4	52.1	
10/11/2019	16:00	58.5	63.2	52.8	57.7
10/11/2019	16:05	57.3	61.3	52.5	
10/11/2019	16:10	57.6	60.2	49.7	
10/11/2019	16:15	57.4	61.8	51.2	
10/11/2019	16:20	58.3	61.4	52.4	
10/11/2019	16:25	57.1	60.5	52.7	
10/11/2019	16:30	56.3	59.8	52.2	56.4
10/11/2019	16:35	56.5	59.9	52.3	
10/11/2019	16:40	56.7	59.8	52.5	
10/11/2019	16:45	56.7	60.3	52	
10/11/2019	16:50	56.8	59.5	53	
10/11/2019	16:55	55.4	58.6	51.4	
10/11/2019	17:00	55.1	58.3	50.3	55.9
10/11/2019	17:05	53.9	57.4	50	
10/11/2019	17:10	54.5	58	49.8	
10/11/2019	17:15	55.9	60	50.3	
10/11/2019	17:20	58.3	62.8	51.6	
10/11/2019	17:25	56.2	59.4	51.7	
10/11/2019	17:30	57.9	61	51.3	55.7
10/11/2019	17:35	56.8	60.3	52.6	
10/11/2019	17:40	55.1	58.7	50.3	
10/11/2019	17:45	56	62.7	50.5	
10/11/2019	17:50	53.4	55.4	50.3	
10/11/2019	17:55	52.9	56.1	49.7	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	18:00	53.6	56.7	50.1	53.3
10/11/2019	18:05	52.6	57.7	49.1	
10/11/2019	18:10	53.6	58.5	49.1	
10/11/2019	18:15	53.7	57.8	49	
10/11/2019	18:20	53.3	56.4	49	
10/11/2019	18:25	53.2	56	50	
10/11/2019	18:30	53.2	56.1	50.1	53.0
10/11/2019	18:35	52.2	55.2	49.9	
10/11/2019	18:40	53.2	57	49.6	
10/11/2019	18:45	54.6	58.6	49.3	
10/11/2019	18:50	52.4	56	49.2	
10/11/2019	18:55	51.8	54.3	49.4	
10/11/2019	19:00	53	55.8	49.9	53.7
10/11/2019	19:05	53.1	55.8	50.1	
10/11/2019	19:10	53.7	57.2	50.3	
10/11/2019	19:15	53.2	55.9	49.4	
10/11/2019	19:20	53.5	56.5	50.8	
10/11/2019	19:25	55.3	59.3	50.9	
10/11/2019	19:30	53.7	56.7	50.1	53.4
10/11/2019	19:35	53.5	56.5	50.3	
10/11/2019	19:40	55	58.3	50.6	
10/11/2019	19:45	52.8	55.9	49.2	
10/11/2019	19:50	53.3	57.4	49.5	
10/11/2019	19:55	50.8	53.7	48.7	
10/11/2019	20:00	51.7	55	48.6	50.8
10/11/2019	20:05	50.9	53.8	48.4	
10/11/2019	20:10	50.1	53.5	48.3	
10/11/2019	20:15	50.1	52.8	48.1	
10/11/2019	20:20	50.3	53.5	48.7	
10/11/2019	20:25	51.2	54.6	48.5	
10/11/2019	20:30	53.3	56.5	50.9	51.5
10/11/2019	20:35	51.9	55.4	49.2	
10/11/2019	20:40	50.3	52.8	48.3	
10/11/2019	20:45	50.3	53.4	48.5	
10/11/2019	20:50	52.1	58.3	48	
10/11/2019	20:55	50.2	53.1	48	
10/11/2019	21:00	51.3	54.2	48.1	51.2
10/11/2019	21:05	50.7	54	48.4	
10/11/2019	21:10	53.6	61.5	48	
10/11/2019	21:15	50.1	52.7	48.4	
10/11/2019	21:20	50.4	54.4	48.1	
10/11/2019	21:25	49.8	52.7	48	
10/11/2019	21:30	50.4	53.3	48.5	50.5
10/11/2019	21:35	50.7	54	48.4	
10/11/2019	21:40	51.7	54.6	48.7	
10/11/2019	21:45	49.8	53.4	48	
10/11/2019	21:50	50.4	54	47.9	
10/11/2019	21:55	49.4	52	47.6	
10/11/2019	22:00	50.8	54.1	47.9	50.2
10/11/2019	22:05	50.8	54.5	47.9	
10/11/2019	22:10	49.5	52.1	48	
10/11/2019	22:15	50.3	53.6	48.4	
10/11/2019	22:20	49.8	52.6	48.3	
10/11/2019	22:25	50.1	53.9	47.6	
10/11/2019	22:30	52.1	56.4	48	51.3
10/11/2019	22:35	52.5	56.4	48.8	
10/11/2019	22:40	50.7	54.3	48.2	
10/11/2019	22:45	50.1	54.2	48	
10/11/2019	22:50	51.5	54.5	48.8	
10/11/2019	22:55	50.1	53	48.5	

Day-time and Evening-time (Holidays) Noise Level at M12 – Hong Kong Children’s Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
	Average	57.3			57.3
	Max	75.2	76.5	64.8	69.2
	Min	46.9	47.3	46.5	48.1

## **Appendix O – Night-time (all days) noise monitoring data**

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	0:00	57.5	63.7	40.8	57.8
28/10/2019	0:05	59.9	66.1	43.6	
28/10/2019	0:10	58.3	64.7	42.2	
28/10/2019	0:15	58.5	64	41.6	
28/10/2019	0:20	55.3	61.7	39.3	
28/10/2019	0:25	55.6	61.9	42.7	
28/10/2019	0:30	57.3	63.1	42.7	57.3
28/10/2019	0:35	57.1	63.6	39.4	
28/10/2019	0:40	56.3	62.3	39.9	
28/10/2019	0:45	57.7	64.3	39.1	
28/10/2019	0:50	58.1	64.1	43	
28/10/2019	0:55	56.9	63.1	39.7	
28/10/2019	1:00	56.4	62.9	36.9	56.9
28/10/2019	1:05	55.6	62.4	40.1	
28/10/2019	1:10	56.9	63.9	39.9	
28/10/2019	1:15	58.5	63.8	41.2	
28/10/2019	1:20	57.1	63	38.3	
28/10/2019	1:25	56.6	63.1	41.1	
28/10/2019	1:30	56.4	62.1	36.2	55.5
28/10/2019	1:35	55.6	62.3	38.2	
28/10/2019	1:40	53.3	60.1	38.4	
28/10/2019	1:45	56.1	63.2	38.6	
28/10/2019	1:50	56.2	62.8	40.9	
28/10/2019	1:55	54.6	61.3	38.5	
28/10/2019	2:00	55.3	62	39.6	55.0
28/10/2019	2:05	54.5	61.3	38.8	
28/10/2019	2:10	53.5	60.4	39.5	
28/10/2019	2:15	56.3	62.6	38.3	
28/10/2019	2:20	55.3	61.9	38.6	
28/10/2019	2:25	54.4	61.1	39.6	
28/10/2019	2:30	55.2	61.6	39.7	55.3
28/10/2019	2:35	51.7	57.3	39.2	
28/10/2019	2:40	54.6	60.7	38.4	
28/10/2019	2:45	57.3	62.6	36.7	
28/10/2019	2:50	53.3	60.4	37.6	
28/10/2019	2:55	57.3	63.3	40.2	
28/10/2019	3:00	55.6	62	36.7	55.3
28/10/2019	3:05	54.4	61.5	39.8	
28/10/2019	3:10	54.2	60.8	39	
28/10/2019	3:15	56.1	63.3	39.3	
28/10/2019	3:20	53.8	60.5	38.4	
28/10/2019	3:25	56.9	63.5	37.5	
28/10/2019	3:30	56	62.6	40.3	56.6
28/10/2019	3:35	54.8	61.6	41.6	
28/10/2019	3:40	58.5	65.7	43.2	
28/10/2019	3:45	57	63.2	41.7	
28/10/2019	3:50	54.8	61.5	40.6	
28/10/2019	3:55	57.1	63.6	40.8	
28/10/2019	4:00	56.4	62.7	43	58.7
28/10/2019	4:05	57.3	63.5	42.9	
28/10/2019	4:10	57.1	63.2	43	
28/10/2019	4:15	57.3	63.5	43.8	
28/10/2019	4:20	58	63.9	45.6	
28/10/2019	4:25	62.6	65.3	44.6	
28/10/2019	4:30	58	64	46.3	59.2
28/10/2019	4:35	58.7	64.8	46.5	
28/10/2019	4:40	58.9	65.1	44	
28/10/2019	4:45	60.1	65.7	46	
28/10/2019	4:50	60.1	66.2	46.6	
28/10/2019	4:55	59	65.3	46.7	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	5:00	58.5	64.2	48.9	59.3
28/10/2019	5:05	58.8	65	47.3	
28/10/2019	5:10	59	64.6	47.5	
28/10/2019	5:15	59.5	65.3	47.6	
28/10/2019	5:20	59.6	64.7	48.8	
28/10/2019	5:25	60.2	65.2	48.9	
28/10/2019	5:30	59.7	65	48.1	60.9
28/10/2019	5:35	61.1	66.3	48.3	
28/10/2019	5:40	61.3	66.4	51.6	
28/10/2019	5:45	61.5	66.6	50.5	
28/10/2019	5:50	60.9	66.3	49.4	
28/10/2019	5:55	60.5	65.8	47.9	
28/10/2019	6:00	61.7	67.8	50	62.5
28/10/2019	6:05	60.9	66	50.5	
28/10/2019	6:10	60.9	65.8	50.9	
28/10/2019	6:15	65.8	66.7	50.8	
28/10/2019	6:20	61.8	66.8	51	
28/10/2019	6:25	61.4	66	53	
28/10/2019	6:30	61.3	66.1	50.6	61.6
28/10/2019	6:35	61	66.2	49.6	
28/10/2019	6:40	61.6	66.6	52	
28/10/2019	6:45	62.7	67.4	54.6	
28/10/2019	6:50	61.7	66.4	51.4	
28/10/2019	6:55	60.9	65.6	51.8	
28/10/2019	23:00	66.7	71.7	54.8	62.6
28/10/2019	23:05	62.2	66.7	52.9	
28/10/2019	23:10	60.6	67.1	50	
28/10/2019	23:15	57.2	62.6	52.3	
28/10/2019	23:20	61.9	66.6	53.2	
28/10/2019	23:25	61.3	66.6	49.5	
28/10/2019	23:30	58.5	64.8	49.6	60.7
28/10/2019	23:35	57.6	63.7	49.5	
28/10/2019	23:40	62.5	66	49	
28/10/2019	23:45	56.3	61.5	48.3	
28/10/2019	23:50	64.9	72.5	49.4	
28/10/2019	23:55	56.7	62.6	48.8	
29/10/2019	0:00	58.4	63.8	49.3	60.5
29/10/2019	0:05	65.1	69.2	52.2	
29/10/2019	0:10	58.8	64.4	53.9	
29/10/2019	0:15	58.1	63	54	
29/10/2019	0:20	59.1	64.6	54	
29/10/2019	0:25	57.9	61.8	53.9	
29/10/2019	0:30	58.6	65.4	53.7	62.4
29/10/2019	0:35	56.4	60.1	53.7	
29/10/2019	0:40	58.6	63.8	53.8	
29/10/2019	0:45	59.1	64.9	53.9	
29/10/2019	0:50	68.2	68.5	53.7	
29/10/2019	0:55	60.2	64.6	53.7	
29/10/2019	1:00	59.2	65.5	53.7	56.7
29/10/2019	1:05	56.5	61	48.9	
29/10/2019	1:10	55.3	61.9	47.8	
29/10/2019	1:15	53.4	58.1	47.8	
29/10/2019	1:20	56.5	63	47.7	
29/10/2019	1:25	57	63.8	47.9	
29/10/2019	1:30	56.1	62.5	47.8	54.8
29/10/2019	1:35	55.3	60.4	47.9	
29/10/2019	1:40	56.4	63.5	48.1	
29/10/2019	1:45	53	58.8	47.5	
29/10/2019	1:50	53.6	59.9	47.8	
29/10/2019	1:55	53.4	60.3	47.8	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	2:00	52.4	57.6	47.1	56.8
29/10/2019	2:05	53.6	57.3	47.8	
29/10/2019	2:10	56.5	61.1	53.7	
29/10/2019	2:15	57.9	63.8	53.7	
29/10/2019	2:20	58.9	64.3	53.8	
29/10/2019	2:25	58	64	53.6	
29/10/2019	2:30	55.9	60.1	53.6	56.0
29/10/2019	2:35	56.7	61	53.8	
29/10/2019	2:40	55.4	58.9	53.6	
29/10/2019	2:45	55.7	59.4	53.6	
29/10/2019	2:50	56.5	61.4	53.7	
29/10/2019	2:55	55.5	59.2	53.7	
29/10/2019	3:00	59.1	65.5	53.7	57.3
29/10/2019	3:05	57.3	63.2	49.1	
29/10/2019	3:10	58.1	65.3	48.2	
29/10/2019	3:15	56.5	63.5	47.9	
29/10/2019	3:20	56.5	60.5	48.5	
29/10/2019	3:25	55.5	61.7	48	
29/10/2019	3:30	53.6	59.7	47.7	56.0
29/10/2019	3:35	56.6	63.3	47.5	
29/10/2019	3:40	53	58.4	47.7	
29/10/2019	3:45	57.8	64.4	48.8	
29/10/2019	3:50	54.6	61	48.2	
29/10/2019	3:55	57.9	64.3	48.6	
29/10/2019	4:00	55.5	61	48.3	60.6
29/10/2019	4:05	56.9	62.3	48.6	
29/10/2019	4:10	59.5	65.2	54.2	
29/10/2019	4:15	63.5	67.1	55	
29/10/2019	4:20	62.2	67.3	54.7	
29/10/2019	4:25	61.2	66.5	55.9	
29/10/2019	4:30	62	66.7	54.9	63.9
29/10/2019	4:35	64.8	69.8	55	
29/10/2019	4:40	65.1	71.2	55.1	
29/10/2019	4:45	63.8	69.6	55.5	
29/10/2019	4:50	62	67	55.7	
29/10/2019	4:55	64.5	69.1	57.2	
29/10/2019	5:00	64.2	69	56.1	62.3
29/10/2019	5:05	61.6	67.6	51.2	
29/10/2019	5:10	62.8	68.8	52.4	
29/10/2019	5:15	61.6	67.5	51.8	
29/10/2019	5:20	60.8	66.7	52.4	
29/10/2019	5:25	61.8	67.5	52.8	
29/10/2019	5:30	61.6	66.5	51.4	63.5
29/10/2019	5:35	63.2	69.1	53.3	
29/10/2019	5:40	62.7	67.6	52.9	
29/10/2019	5:45	63.7	69	53.5	
29/10/2019	5:50	65.2	69.9	54.6	
29/10/2019	5:55	64	68.5	54.5	
29/10/2019	6:00	62.9	69.3	52.8	62.9
29/10/2019	6:05	63.2	68.7	54.1	
29/10/2019	6:10	61.4	66.8	56	
29/10/2019	6:15	63.1	67.9	56.1	
29/10/2019	6:20	63.2	68	55.8	
29/10/2019	6:25	63.1	67.8	56.6	
29/10/2019	6:30	65.3	70.4	56.6	63.2
29/10/2019	6:35	62.2	67.1	55.9	
29/10/2019	6:40	64	68.6	57.4	
29/10/2019	6:45	63.3	67.9	56.9	
29/10/2019	6:50	60.9	65.8	56.2	
29/10/2019	6:55	62.4	67.6	55.8	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	23:00	59.6	65.9	54.3	60.7
29/10/2019	23:05	62.8	68.5	49.6	
29/10/2019	23:10	60.1	66.2	48.2	
29/10/2019	23:15	62.6	68.5	47.8	
29/10/2019	23:20	54.7	61.1	48.1	
29/10/2019	23:25	60.4	64.1	48.3	
29/10/2019	23:30	58.9	65.2	48.2	56.7
29/10/2019	23:35	55.6	61.4	47.7	
29/10/2019	23:40	55.6	61.3	48.2	
29/10/2019	23:45	55.4	61.2	48.1	
29/10/2019	23:50	56.1	63.1	47.8	
29/10/2019	23:55	57.6	64.8	47.9	
30/10/2019	0:00	56.4	63.1	47.9	57.9
30/10/2019	0:05	56.7	61.4	48	
30/10/2019	0:10	59.4	65.5	54.3	
30/10/2019	0:15	56.6	61.3	53.7	
30/10/2019	0:20	59.8	63.9	53.7	
30/10/2019	0:25	57.4	62.5	53.8	
30/10/2019	0:30	58.8	64.7	53.7	57.6
30/10/2019	0:35	58	63.3	53.8	
30/10/2019	0:40	58.1	63.9	54	
30/10/2019	0:45	57	61.8	53.9	
30/10/2019	0:50	55.5	59.8	53.6	
30/10/2019	0:55	57.6	62.4	53.7	
30/10/2019	1:00	57.3	62.4	53.6	55.7
30/10/2019	1:05	54.7	59.9	47.1	
30/10/2019	1:10	57.1	63.9	47.8	
30/10/2019	1:15	54.5	61.3	47.1	
30/10/2019	1:20	54.9	61.4	47.1	
30/10/2019	1:25	55	61.3	47.3	
30/10/2019	1:30	55.5	62.1	47.3	55.4
30/10/2019	1:35	57	61.3	47.9	
30/10/2019	1:40	56.7	63	47.8	
30/10/2019	1:45	54.6	60.1	47.9	
30/10/2019	1:50	51.7	58.2	47.4	
30/10/2019	1:55	55	61.8	47.6	
30/10/2019	2:00	58.7	65.2	47	60.3
30/10/2019	2:05	54.6	59.6	47.5	
30/10/2019	2:10	57.5	63.1	53.8	
30/10/2019	2:15	57.4	62.6	53.7	
30/10/2019	2:20	65.2	72.5	53.7	
30/10/2019	2:25	60.1	66	53.8	
30/10/2019	2:30	57.3	62	53.7	58.0
30/10/2019	2:35	57.1	62.6	53.6	
30/10/2019	2:40	57.8	63.8	53.8	
30/10/2019	2:45	58.3	64.3	53.9	
30/10/2019	2:50	60.1	65.6	53.9	
30/10/2019	2:55	56.3	60.7	53.7	
30/10/2019	3:00	58.5	64.3	54.1	56.1
30/10/2019	3:05	56	60.7	49.5	
30/10/2019	3:10	52.2	58.5	47.7	
30/10/2019	3:15	52.1	57.7	47.7	
30/10/2019	3:20	53.4	59.6	48.2	
30/10/2019	3:25	59.1	66.8	48.9	
30/10/2019	3:30	53.2	59.8	47.7	57.0
30/10/2019	3:35	52.9	58.6	47.5	
30/10/2019	3:40	57.9	65.3	48.5	
30/10/2019	3:45	58.3	65.4	48.5	
30/10/2019	3:50	55.4	62	48.7	
30/10/2019	3:55	59.9	66.7	49.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	4:00	59.5	66.5	49.7	61.5
30/10/2019	4:05	58.2	64.1	50.5	
30/10/2019	4:10	61.6	68.1	55	
30/10/2019	4:15	61	68	54.2	
30/10/2019	4:20	61.3	66.7	54.9	
30/10/2019	4:25	64.5	69.6	55.3	
30/10/2019	4:30	64.6	67.1	55.3	64.1
30/10/2019	4:35	62.9	69.1	55.5	
30/10/2019	4:40	64.6	70.6	56.3	
30/10/2019	4:45	63.2	67.5	56.8	
30/10/2019	4:50	66	70.7	57.3	
30/10/2019	4:55	62.1	67.3	55.9	
30/10/2019	5:00	64.3	71	56.4	65.5
30/10/2019	5:05	66.3	72.5	55.4	
30/10/2019	5:10	63.2	68.2	56.9	
30/10/2019	5:15	64.9	69.9	54.6	
30/10/2019	5:20	66.2	71.4	56.7	
30/10/2019	5:25	67	72.6	58.5	
30/10/2019	5:30	67.1	71.3	55.1	69.3
30/10/2019	5:35	66.1	71.3	57.8	
30/10/2019	5:40	70.4	72.8	59.9	
30/10/2019	5:45	66.9	71.5	60.6	
30/10/2019	5:50	66.6	70.5	60.8	
30/10/2019	5:55	73.4	76.8	62.3	
30/10/2019	6:00	67.4	72	62.6	68.0
30/10/2019	6:05	68.3	73.6	61.6	
30/10/2019	6:10	67	71.4	59.7	
30/10/2019	6:15	69.8	75.1	61.4	
30/10/2019	6:20	68.3	73	62.2	
30/10/2019	6:25	66.7	71.1	60.1	
30/10/2019	6:30	67.5	72.2	61.1	71.4
30/10/2019	6:35	70.7	75	63.4	
30/10/2019	6:40	71.7	76	67	
30/10/2019	6:45	72.6	77	66.1	
30/10/2019	6:50	72.4	77	66.6	
30/10/2019	6:55	71.8	75.9	66.1	
30/10/2019	23:00	60.9	66.1	51.5	59.9
30/10/2019	23:05	60.2	65.3	50.8	
30/10/2019	23:10	61.2	67.7	50.5	
30/10/2019	23:15	57.6	63.2	50.3	
30/10/2019	23:20	59.5	64.9	51.3	
30/10/2019	23:25	58.7	64.3	50.8	
30/10/2019	23:30	60.7	66.9	50.6	60.4
30/10/2019	23:35	58.2	63.5	50.7	
30/10/2019	23:40	59.2	65.9	49.7	
30/10/2019	23:45	63.4	69.7	50.4	
30/10/2019	23:50	59	64	49.8	
30/10/2019	23:55	60	66.4	50.1	
31/10/2019	0:00	58.7	64.2	50.1	61.5
31/10/2019	0:05	61.1	66.4	55	
31/10/2019	0:10	61.8	67.9	54.7	
31/10/2019	0:15	64.2	68.9	56.8	
31/10/2019	0:20	61	66.1	54.6	
31/10/2019	0:25	60	66.1	54.5	
31/10/2019	0:30	61	66.9	54.7	60.5
31/10/2019	0:35	59.1	64.4	54.3	
31/10/2019	0:40	60.9	65.5	54.7	
31/10/2019	0:45	59.9	64.4	54.2	
31/10/2019	0:50	61.4	66.9	54.6	
31/10/2019	0:55	60.3	66.3	54.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	1:00	63.5	68.9	49.9	61.3
31/10/2019	1:05	60.8	66.6	48.5	
31/10/2019	1:10	63.3	68.9	48.1	
31/10/2019	1:15	55.4	61.5	48.4	
31/10/2019	1:20	61.1	64.5	48.6	
31/10/2019	1:25	59.6	65.6	48.5	
31/10/2019	1:30	56.3	61.8	48	56.9
31/10/2019	1:35	56.3	61.7	48.5	
31/10/2019	1:40	56.1	61.6	48.4	
31/10/2019	1:45	56.8	63.5	48.1	
31/10/2019	1:50	58.3	65.2	48.2	
31/10/2019	1:55	57.1	63.5	48.2	
31/10/2019	2:00	57.4	61.8	48.3	59.0
31/10/2019	2:05	60.1	65.9	54.6	
31/10/2019	2:10	57.3	61.7	54	
31/10/2019	2:15	60.5	64.3	54	
31/10/2019	2:20	58.1	62.9	54.1	
31/10/2019	2:25	59.5	65.1	54	
31/10/2019	2:30	58.7	63.7	54.1	58.0
31/10/2019	2:35	58.8	64.3	54.3	
31/10/2019	2:40	57.7	62.2	54.2	
31/10/2019	2:45	56.2	60.2	53.9	
31/10/2019	2:50	58.3	62.8	54	
31/10/2019	2:55	58	62.8	53.9	
31/10/2019	3:00	55.4	60.3	47.4	56.1
31/10/2019	3:05	57.8	64.3	48.1	
31/10/2019	3:10	55.2	61.7	47.4	
31/10/2019	3:15	55.6	61.8	47.4	
31/10/2019	3:20	55.7	61.7	47.6	
31/10/2019	3:25	56.2	62.5	47.6	
31/10/2019	3:30	57.7	61.7	48.2	56.8
31/10/2019	3:35	57.4	63.4	48.1	
31/10/2019	3:40	55.3	60.5	48.2	
31/10/2019	3:45	52.4	58.6	47.7	
31/10/2019	3:50	55.7	62.2	47.9	
31/10/2019	3:55	59.4	65.6	47.3	
31/10/2019	4:00	55.3	60	47.8	60.9
31/10/2019	4:05	58.2	63.5	54.1	
31/10/2019	4:10	58.1	63	54	
31/10/2019	4:15	65.9	72.9	54	
31/10/2019	4:20	60.8	66.4	54.1	
31/10/2019	4:25	58	62.4	54	
31/10/2019	4:30	57.8	63	53.9	58.9
31/10/2019	4:35	58.5	64.2	54.1	
31/10/2019	4:40	59	64.7	54.2	
31/10/2019	4:45	60.8	66	54.2	
31/10/2019	4:50	57	61.1	54	
31/10/2019	4:55	59.2	64.7	54.4	
31/10/2019	5:00	56.7	61.1	49.8	55.9
31/10/2019	5:05	52.9	58.9	48	
31/10/2019	5:10	52.8	58.1	48	
31/10/2019	5:15	54.1	60	48.5	
31/10/2019	5:20	59.8	67.2	49.2	
31/10/2019	5:25	53.9	60.2	48	
31/10/2019	5:30	53.6	59	47.8	58.6
31/10/2019	5:35	58.6	65.7	48.8	
31/10/2019	5:40	59	65.8	48.8	
31/10/2019	5:45	56.1	62.4	49	
31/10/2019	5:50	60.6	67.1	49.9	
31/10/2019	5:55	60.2	66.9	50	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	6:00	58.9	64.5	50.8	63.1
31/10/2019	6:05	62.3	68.5	55.3	
31/10/2019	6:10	61.7	68.4	54.5	
31/10/2019	6:15	62	67.1	55.2	
31/10/2019	6:20	65.2	70	55.6	
31/10/2019	6:25	65.3	67.5	55.6	
31/10/2019	6:30	63.6	69.5	55.8	64.7
31/10/2019	6:35	65.3	71	56.6	
31/10/2019	6:40	63.9	67.9	57.1	
31/10/2019	6:45	66.7	71.1	57.6	
31/10/2019	6:50	62.8	67.7	56.2	
31/10/2019	6:55	65	71.4	56.7	
31/10/2019	23:00	66.8	71.4	61.1	65.9
31/10/2019	23:05	66.1	69.2	60.8	
31/10/2019	23:10	65.8	70.3	59.3	
31/10/2019	23:15	65.5	69.3	60	
31/10/2019	23:20	65.5	68.5	60.3	
31/10/2019	23:25	65.7	69.6	60	
31/10/2019	23:30	65.3	68.5	59.5	64.8
31/10/2019	23:35	65.6	68.2	60.6	
31/10/2019	23:40	64.8	68	59.6	
31/10/2019	23:45	64.5	68.3	59.5	
31/10/2019	23:50	63.8	66.8	59.4	
31/10/2019	23:55	64.5	67.6	59.6	
01/11/2019	0:00	64.8	68	59.6	64.6
01/11/2019	0:05	64.5	68	59.8	
01/11/2019	0:10	65	68.9	59.4	
01/11/2019	0:15	64.6	67.9	59.8	
01/11/2019	0:20	63.7	67.6	59	
01/11/2019	0:25	64.6	68	59.8	
01/11/2019	0:30	63.9	67.6	59.2	63.7
01/11/2019	0:35	64	67.7	59.2	
01/11/2019	0:40	63.8	67	59.4	
01/11/2019	0:45	63.9	67.8	59.1	
01/11/2019	0:50	63	66.5	59	
01/11/2019	0:55	63.5	67.4	59.4	
01/11/2019	1:00	63	67.2	58.8	63.2
01/11/2019	1:05	64.5	68	59.4	
01/11/2019	1:10	62.8	66.1	59.1	
01/11/2019	1:15	62.5	66	58.8	
01/11/2019	1:20	63.3	66.7	59.1	
01/11/2019	1:25	62.5	66.1	59	
01/11/2019	1:30	63.4	66.7	59.3	63.2
01/11/2019	1:35	62.5	66.3	59.2	
01/11/2019	1:40	63	66.8	59.3	
01/11/2019	1:45	62.7	66.3	59	
01/11/2019	1:50	63.8	67.3	59.5	
01/11/2019	1:55	63.9	68.4	59.1	
01/11/2019	2:00	63.1	66.7	59.2	63.6
01/11/2019	2:05	63.5	66.2	59.4	
01/11/2019	2:10	63.4	66.6	59.2	
01/11/2019	2:15	64.1	67.9	59.5	
01/11/2019	2:20	63.5	67.5	59.3	
01/11/2019	2:25	63.8	67	59.2	
01/11/2019	2:30	62.4	65.9	59.2	63.2
01/11/2019	2:35	63.5	67.3	59.3	
01/11/2019	2:40	63.3	66.5	59.2	
01/11/2019	2:45	63.1	66.1	59	
01/11/2019	2:50	63.5	66.2	59.2	
01/11/2019	2:55	63.4	67.5	59.3	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
01/11/2019	3:00	64	67.5	59.8	63.3
01/11/2019	3:05	63.4	67.3	59.1	
01/11/2019	3:10	63.5	67.5	59.3	
01/11/2019	3:15	63	66.7	59.3	
01/11/2019	3:20	63	66.5	59.2	
01/11/2019	3:25	62.9	66.6	59.1	
01/11/2019	3:30	63.8	66.8	60.2	64.3
01/11/2019	3:35	63.5	67.1	59.1	
01/11/2019	3:40	64.4	68.3	59.5	
01/11/2019	3:45	64.7	68.6	59.8	
01/11/2019	3:50	64.6	67.8	59.5	
01/11/2019	3:55	64.5	67.6	60.5	
01/11/2019	4:00	65.6	69.4	60.6	65.8
01/11/2019	4:05	65.6	69.1	59.9	
01/11/2019	4:10	65.1	69.3	60.6	
01/11/2019	4:15	65.2	68.5	60.7	
01/11/2019	4:20	66.7	70.6	60.9	
01/11/2019	4:25	66.2	69.2	61.4	
01/11/2019	4:30	67	70.7	63.5	67.7
01/11/2019	4:35	67.7	71.8	62.8	
01/11/2019	4:40	67.7	69.7	63.3	
01/11/2019	4:45	67.5	70.5	63.1	
01/11/2019	4:50	67.5	70.3	63.5	
01/11/2019	4:55	68.7	72.2	64.5	
01/11/2019	5:00	68	70.4	63.5	68.7
01/11/2019	5:05	68.9	71.9	65.2	
01/11/2019	5:10	69.4	72.4	65.3	
01/11/2019	5:15	68.8	71.2	65.6	
01/11/2019	5:20	68.7	71.4	65.9	
01/11/2019	5:25	68	70.7	64.7	
01/11/2019	5:30	68.2	70.9	65.3	68.8
01/11/2019	5:35	68.5	71.4	65.4	
01/11/2019	5:40	68.7	71	65.7	
01/11/2019	5:45	68.8	71.9	65.7	
01/11/2019	5:50	68.7	71.8	66.4	
01/11/2019	5:55	69.9	71.7	66.2	
01/11/2019	6:00	68.7	71.9	66.6	68.6
01/11/2019	6:05	68.3	70.1	66.5	
01/11/2019	6:10	68.5	71.2	66.4	
01/11/2019	6:15	68.5	71	66	
01/11/2019	6:20	68.8	71.5	66.4	
01/11/2019	6:25	68.8	71.3	66.4	
01/11/2019	6:30	68.7	71.6	66.3	68.4
01/11/2019	6:35	67.6	69	65.8	
01/11/2019	6:40	68.6	71.3	66.3	
01/11/2019	6:45	68.4	70.3	66.6	
01/11/2019	6:50	68.7	71.9	66.1	
01/11/2019	6:55	68.6	71.8	66.3	
01/11/2019	23:00	66.7	70.6	62.2	65.8
01/11/2019	23:05	67.2	71.2	61.3	
01/11/2019	23:10	64.4	67.5	60.1	
01/11/2019	23:15	65.9	69.5	61.2	
01/11/2019	23:20	64.8	67.6	60.7	
01/11/2019	23:25	65.2	68.5	60.7	
01/11/2019	23:30	65.9	69.3	60.9	65.1
01/11/2019	23:35	65.4	68.6	60.6	
01/11/2019	23:40	65.1	68	59.5	
01/11/2019	23:45	64.9	68.5	59.6	
01/11/2019	23:50	64.6	67.9	60.1	
01/11/2019	23:55	64.5	67.7	60.1	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	0:00	63.7	66.6	59.3	63.9
02/11/2019	0:05	63.5	66.7	59.2	
02/11/2019	0:10	64.9	68.6	59.8	
02/11/2019	0:15	64.1	67.8	58.7	
02/11/2019	0:20	63.6	66.8	58.6	
02/11/2019	0:25	63.5	66.5	59.3	63.9
02/11/2019	0:30	63.8	67	59.1	
02/11/2019	0:35	64.1	67.1	59.9	
02/11/2019	0:40	64.1	67.1	59	
02/11/2019	0:45	63.7	67.6	58.6	
02/11/2019	0:50	63.6	67.6	58.5	63.3
02/11/2019	0:55	64.3	68.2	58.9	
02/11/2019	1:00	63.6	67	59.1	
02/11/2019	1:05	63.6	67.2	58.8	
02/11/2019	1:10	63.6	67.4	58.9	
02/11/2019	1:15	63.3	66.6	58.7	63.3
02/11/2019	1:20	62.8	66.3	58.6	
02/11/2019	1:25	63.1	67	58.7	
02/11/2019	1:30	64	67.1	58.5	
02/11/2019	1:35	63	66.1	59.2	
02/11/2019	1:40	63.6	67.1	59	63.3
02/11/2019	1:45	62.9	66.7	58.6	
02/11/2019	1:50	63.2	66.5	58.8	
02/11/2019	1:55	62.7	66.2	58.7	
02/11/2019	2:00	63.5	67	59	
02/11/2019	2:05	63.4	67.5	58.7	62.9
02/11/2019	2:10	63.3	66.8	58.5	
02/11/2019	2:15	62.9	66.4	58.9	
02/11/2019	2:20	62.4	65.7	58.5	
02/11/2019	2:25	61.7	64.7	58.6	
02/11/2019	2:30	61.3	64.1	58.5	62.4
02/11/2019	2:35	62.4	65.5	58.9	
02/11/2019	2:40	62.3	65.8	58.2	
02/11/2019	2:45	62.4	65.8	58.5	
02/11/2019	2:50	62.8	66.4	58.4	
02/11/2019	2:55	62.9	66.4	58.4	62.7
02/11/2019	3:00	62.4	65.5	58.3	
02/11/2019	3:05	62.7	65.9	58.5	
02/11/2019	3:10	62.4	66	58.3	
02/11/2019	3:15	62.2	65.8	58.4	
02/11/2019	3:20	63.7	68.8	59.2	63.8
02/11/2019	3:25	62.8	66.8	58.7	
02/11/2019	3:30	63.8	67	59.4	
02/11/2019	3:35	63.1	66.4	59	
02/11/2019	3:40	63.2	66.6	59	
02/11/2019	3:45	63.4	66.4	59.4	64.8
02/11/2019	3:50	64.2	69	59.3	
02/11/2019	3:55	64.9	70.5	59	
02/11/2019	4:00	64.8	69.5	59.5	
02/11/2019	4:05	63.8	67	59.5	
02/11/2019	4:10	64.3	68.3	58.5	65.4
02/11/2019	4:15	64.8	69.3	59.1	
02/11/2019	4:20	65.1	69	59.7	
02/11/2019	4:25	65.5	68.9	59.9	
02/11/2019	4:30	65.1	69.2	60.1	
02/11/2019	4:35	65.4	69.2	60.9	65.4
02/11/2019	4:40	65.1	68.1	60.3	
02/11/2019	4:45	65.1	69.2	60.5	
02/11/2019	4:50	65.5	69.5	60.5	
02/11/2019	4:55	66.3	70.5	61.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	5:00	66.4	70.6	61.7	66.5
02/11/2019	5:05	65.1	68.1	61.3	
02/11/2019	5:10	67.4	72.1	62.4	
02/11/2019	5:15	66.2	69.2	61.8	
02/11/2019	5:20	66.5	69.9	61.8	
02/11/2019	5:25	67.3	70.6	62.8	67.0
02/11/2019	5:30	66.4	68.9	62.6	
02/11/2019	5:35	65.8	69.1	61	
02/11/2019	5:40	67.6	71.8	63.2	
02/11/2019	5:45	67.7	70.8	63.8	
02/11/2019	5:50	66.4	69.3	60.9	67.4
02/11/2019	5:55	67.5	70.9	63.5	
02/11/2019	6:00	67.8	70.8	63.1	
02/11/2019	6:05	67	70.4	62.9	
02/11/2019	6:10	67.9	72.6	61.6	
02/11/2019	6:15	67.7	71	63	67.5
02/11/2019	6:20	67.4	70.3	63.2	
02/11/2019	6:25	66.6	70	62.2	
02/11/2019	6:30	67	69.8	62.5	
02/11/2019	6:35	66.9	69.7	64.1	
02/11/2019	6:40	67.6	70.5	63.2	62.8
02/11/2019	6:45	67.6	71.2	63.5	
02/11/2019	6:50	68.5	72.3	63.7	
02/11/2019	6:55	67.3	69.8	64.1	
02/11/2019	23:00	61.5	66	55.4	
02/11/2019	23:05	63.4	68.1	52.7	62.8
02/11/2019	23:10	65.5	71.5	52	
02/11/2019	23:15	61.5	67.5	51.6	
02/11/2019	23:20	63	68.4	52.9	
02/11/2019	23:25	59.2	65.1	49.6	
02/11/2019	23:30	59.9	65.2	50.3	63.0
02/11/2019	23:35	61.9	67.3	50.9	
02/11/2019	23:40	60.3	66.1	50.7	
02/11/2019	23:45	62.3	68.9	51	
02/11/2019	23:50	67.7	73.3	53	
02/11/2019	23:55	59.5	65.8	50.8	62.2
03/11/2019	0:00	61.6	67.1	51	
03/11/2019	0:05	64.5	69.5	54.8	
03/11/2019	0:10	61.1	66.3	54.9	
03/11/2019	0:15	63.2	68.5	55	
03/11/2019	0:20	61.5	67.7	54.5	61.4
03/11/2019	0:25	59.1	64.9	54.4	
03/11/2019	0:30	60.8	66.6	54.7	
03/11/2019	0:35	61.7	67.8	54.7	
03/11/2019	0:40	62.3	68.2	54.9	
03/11/2019	0:45	61.1	67.3	54.5	64.2
03/11/2019	0:50	60	65.7	54.5	
03/11/2019	0:55	61.9	66.7	54.8	
03/11/2019	1:00	69.9	72.3	54.3	
03/11/2019	1:05	61.6	66.6	50.2	
03/11/2019	1:10	58.6	63.8	50	64.2
03/11/2019	1:15	64.6	67.8	49.5	
03/11/2019	1:20	58.5	64.4	49.2	
03/11/2019	1:25	55.9	61.5	49.7	
03/11/2019	1:30	58.3	63.8	49.5	
03/11/2019	1:35	58.4	65.1	49.4	57.6
03/11/2019	1:40	54.6	60.3	48.8	
03/11/2019	1:45	58.4	63.3	49.7	
03/11/2019	1:50	57.3	64	48.7	
03/11/2019	1:55	57.5	64.2	48.9	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	2:00	59	65.3	49.3	63.1
03/11/2019	2:05	59.4	64.3	54.4	
03/11/2019	2:10	60.1	65.8	53.9	
03/11/2019	2:15	59.1	65.3	54.1	
03/11/2019	2:20	58.5	63.4	54.4	
03/11/2019	2:25	69.1	76.5	54.6	59.5
03/11/2019	2:30	56.6	61.3	53.9	
03/11/2019	2:35	63.1	68.5	54.5	
03/11/2019	2:40	57.5	62.1	54	
03/11/2019	2:45	58.2	62.8	53.9	
03/11/2019	2:50	60.2	65.7	53.9	56.3
03/11/2019	2:55	57.3	62.5	54.1	
03/11/2019	3:00	60.3	65.2	53.9	
03/11/2019	3:05	55.4	61.2	48.1	
03/11/2019	3:10	56.6	61.4	48.3	
03/11/2019	3:15	54.1	61	48.6	56.3
03/11/2019	3:20	53.9	60.7	47.9	
03/11/2019	3:25	52.3	57.7	47.8	
03/11/2019	3:30	57.8	64.5	48	
03/11/2019	3:35	53.6	59.4	48	
03/11/2019	3:40	56.7	62.9	48.3	56.3
03/11/2019	3:45	57.4	63.7	48.2	
03/11/2019	3:50	54.8	61.1	48.5	
03/11/2019	3:55	56.2	62.9	48.7	
03/11/2019	4:00	56.7	62.8	48.4	
03/11/2019	4:05	58.3	62.2	53.7	58.1
03/11/2019	4:10	57.1	62.2	53.8	
03/11/2019	4:15	57.6	63.3	53.8	
03/11/2019	4:20	59.3	64.7	54	
03/11/2019	4:25	59	64.6	53.9	
03/11/2019	4:30	56.8	61.9	53.8	57.9
03/11/2019	4:35	54.8	56.2	53.6	
03/11/2019	4:40	56.5	60.5	53.7	
03/11/2019	4:45	60	64.5	53.8	
03/11/2019	4:50	59	62.2	53.9	
03/11/2019	4:55	58.1	64.5	53.8	57.2
03/11/2019	5:00	55.9	59.4	53.6	
03/11/2019	5:05	58	63.7	47.8	
03/11/2019	5:10	56.6	63.9	48	
03/11/2019	5:15	58.4	64.4	47.9	
03/11/2019	5:20	58.1	63.9	48.6	65.8
03/11/2019	5:25	55.1	59.2	48.3	
03/11/2019	5:30	71.1	74.9	48.8	
03/11/2019	5:35	61.5	66.2	48	
03/11/2019	5:40	68.3	71.8	48.7	
03/11/2019	5:45	58	64.8	48.6	61.9
03/11/2019	5:50	57.8	63.9	49.3	
03/11/2019	5:55	57.4	62.7	48.5	
03/11/2019	6:00	58	65.3	49	
03/11/2019	6:05	64	65.1	54.3	
03/11/2019	6:10	58.8	62.8	54.3	64.0
03/11/2019	6:15	61.3	66.6	54.5	
03/11/2019	6:20	62.8	66.8	55.2	
03/11/2019	6:25	63.5	68.7	55	
03/11/2019	6:30	63.8	70.1	55.1	
03/11/2019	6:35	61.6	67.9	54.8	64.0
03/11/2019	6:40	65.7	68.3	55.5	
03/11/2019	6:45	62.1	67	55.5	
03/11/2019	6:50	65.1	68.8	55.5	
03/11/2019	6:55	64.3	70.5	55.1	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	23:00	60.2	65.7	52.8	62.5
03/11/2019	23:05	62.5	67.4	52.9	
03/11/2019	23:10	59.8	65.3	52	
03/11/2019	23:15	60.5	66.8	52.4	
03/11/2019	23:20	62.3	67.3	51.9	
03/11/2019	23:25	66	73.1	53.8	63.2
03/11/2019	23:30	60.1	65.7	51.2	
03/11/2019	23:35	67.6	70.9	54.5	
03/11/2019	23:40	58.9	64.4	51.5	
03/11/2019	23:45	64.7	70.1	52.7	
03/11/2019	23:50	60.1	67.2	51	62.9
03/11/2019	23:55	60.5	66.4	51.9	
04/11/2019	0:00	65.6	71.7	51.9	
04/11/2019	0:05	60.7	65.7	55.4	
04/11/2019	0:10	61.9	66.7	55.4	
04/11/2019	0:15	64.6	69.9	55.3	60.8
04/11/2019	0:20	61.6	67.7	55.1	
04/11/2019	0:25	60.3	65.2	54.9	
04/11/2019	0:30	59.5	64.6	54.7	
04/11/2019	0:35	61.8	66.3	54.8	
04/11/2019	0:40	62.6	67.3	54.8	65.0
04/11/2019	0:45	60.1	64.6	54.5	
04/11/2019	0:50	59.5	64.4	54.8	
04/11/2019	0:55	60.1	65.4	54.8	
04/11/2019	1:00	59	65.3	50.3	
04/11/2019	1:05	61.7	68.1	50.6	59.3
04/11/2019	1:10	59.4	66.2	50.1	
04/11/2019	1:15	71.6	77.2	50.1	
04/11/2019	1:20	58.9	66.4	49.9	
04/11/2019	1:25	56.5	62.3	49.8	
04/11/2019	1:30	58.9	64.5	49.6	59.7
04/11/2019	1:35	57.7	62.5	49.6	
04/11/2019	1:40	62.8	67.5	50.6	
04/11/2019	1:45	58.1	63.8	49	
04/11/2019	1:50	59.9	65.7	49.7	
04/11/2019	1:55	54	59.6	49.1	58.5
04/11/2019	2:00	57.1	63.4	49	
04/11/2019	2:05	61.5	67.2	54.4	
04/11/2019	2:10	58	62.6	54.4	
04/11/2019	2:15	60.1	66.6	54.4	
04/11/2019	2:20	59.5	62.7	54.4	56.9
04/11/2019	2:25	60.6	66.6	54.3	
04/11/2019	2:30	57.8	63.3	54.1	
04/11/2019	2:35	56.5	60.8	54.1	
04/11/2019	2:40	60.6	65.3	54.8	
04/11/2019	2:45	56.6	60.6	54.1	66.1
04/11/2019	2:50	57.4	62.6	54.1	
04/11/2019	2:55	60	65.4	54.3	
04/11/2019	3:00	58	63	48.6	
04/11/2019	3:05	54.7	61	48.8	
04/11/2019	3:10	55.1	61.4	48.8	66.1
04/11/2019	3:15	57.7	65.4	49.1	
04/11/2019	3:20	58.6	64.1	49.3	
04/11/2019	3:25	56.1	61.4	48.9	
04/11/2019	3:30	55.3	61.1	49.1	
04/11/2019	3:35	62.1	68.6	49.2	66.1
04/11/2019	3:40	67	69.5	63.9	
04/11/2019	3:45	67.8	70	65	
04/11/2019	3:50	67.4	69.6	64.9	
04/11/2019	3:55	67.8	70	64.9	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	4:00	67.7	70.2	64.4	63.5
04/11/2019	4:05	63.3	68.9	54.2	
04/11/2019	4:10	60.3	65.4	53.8	
04/11/2019	4:15	60	64.9	55.4	
04/11/2019	4:20	58	62.8	54.8	
04/11/2019	4:25	64.2	69.7	54.7	
04/11/2019	4:30	56.7	60	54.6	58.2
04/11/2019	4:35	58.5	63.6	54.7	
04/11/2019	4:40	58.5	63	54.7	
04/11/2019	4:45	58.8	65.1	54.7	
04/11/2019	4:50	58	62.1	54.7	
04/11/2019	4:55	58.1	62.7	54.6	
04/11/2019	5:00	55.7	59	50.1	55.5
04/11/2019	5:05	56.8	64	49.6	
04/11/2019	5:10	54	58.1	49.7	
04/11/2019	5:15	53.4	56.8	49.8	
04/11/2019	5:20	56.9	63.4	49.8	
04/11/2019	5:25	55	60.5	49.4	
04/11/2019	5:30	59	65.8	50.7	59.1
04/11/2019	5:35	59.2	64.8	50.4	
04/11/2019	5:40	55.8	62.3	49.4	
04/11/2019	5:45	59.4	65.1	50.8	
04/11/2019	5:50	59.9	66.4	51.3	
04/11/2019	5:55	59.9	66.9	49.9	
04/11/2019	6:00	65	69.2	50.5	64.5
04/11/2019	6:05	64.5	69.3	56	
04/11/2019	6:10	64.2	69.2	55.7	
04/11/2019	6:15	63	68.3	55.7	
04/11/2019	6:20	66.8	71.8	56.7	
04/11/2019	6:25	61.9	67.2	56.3	
04/11/2019	6:30	63.8	68	56.2	66.3
04/11/2019	6:35	64.7	69.5	56.7	
04/11/2019	6:40	62.6	68	56.2	
04/11/2019	6:45	70.2	71.3	58.5	
04/11/2019	6:50	66	70.7	58.2	
04/11/2019	6:55	65.9	71.2	58.6	
04/11/2019	23:00	63.7	66.7	59.6	63.6
04/11/2019	23:05	63.8	67.6	58.2	
04/11/2019	23:10	64.5	68.8	58.3	
04/11/2019	23:15	63.3	66.7	58.2	
04/11/2019	23:20	63	65.7	59	
04/11/2019	23:25	63.3	66.4	58.7	
04/11/2019	23:30	63.5	66.6	58.1	63.1
04/11/2019	23:35	62.7	65.6	58.1	
04/11/2019	23:40	63	65.9	58.1	
04/11/2019	23:45	63.5	67.2	58.6	
04/11/2019	23:50	63.5	66.2	59.7	
04/11/2019	23:55	62.4	65.3	57.3	
05/11/2019	0:00	62.9	66.1	57.9	63.0
05/11/2019	0:05	62.9	66.6	58	
05/11/2019	0:10	62.6	65.3	58.3	
05/11/2019	0:15	63.4	67.2	58.5	
05/11/2019	0:20	63	66.3	57.2	
05/11/2019	0:25	63.1	66.8	57.6	
05/11/2019	0:30	62.6	66.2	58.3	62.4
05/11/2019	0:35	62.7	66.3	57.8	
05/11/2019	0:40	62	65.1	57.8	
05/11/2019	0:45	62	66.1	57.2	
05/11/2019	0:50	62.2	65.9	57.5	
05/11/2019	0:55	62.8	65.3	58.9	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	1:00	61.8	65.1	57.3	62.6
05/11/2019	1:05	62.1	65.4	57.8	
05/11/2019	1:10	62	65.5	57.8	
05/11/2019	1:15	63.4	67.3	57.9	
05/11/2019	1:20	63.3	67.7	57.9	
05/11/2019	1:25	62.7	66	58	
05/11/2019	1:30	63.3	67.2	57.5	62.6
05/11/2019	1:35	62.5	68.3	57.2	
05/11/2019	1:40	63.6	68.4	57.4	
05/11/2019	1:45	61.4	64.6	57.6	
05/11/2019	1:50	62.1	66	57.6	
05/11/2019	1:55	62.1	65.2	58	
05/11/2019	2:00	62.6	66.4	57.6	61.8
05/11/2019	2:05	62	65.4	57.4	
05/11/2019	2:10	61.3	64.6	57.5	
05/11/2019	2:15	62.3	66	57.3	
05/11/2019	2:20	61.5	64.8	57.5	
05/11/2019	2:25	61	64.3	57.1	
05/11/2019	2:30	61.2	64.2	57.2	61.8
05/11/2019	2:35	62	65.1	57.6	
05/11/2019	2:40	61.9	64.9	57.8	
05/11/2019	2:45	61.9	65.6	57.2	
05/11/2019	2:50	61.7	65	57.7	
05/11/2019	2:55	61.9	64.8	57.6	
05/11/2019	3:00	61.5	65	57.2	61.7
05/11/2019	3:05	61.2	64.4	57.5	
05/11/2019	3:10	62	65.4	57.8	
05/11/2019	3:15	62.6	66.7	57.9	
05/11/2019	3:20	61.1	64.4	56.9	
05/11/2019	3:25	61.9	65.4	57.5	
05/11/2019	3:30	62.4	65.7	57.3	63.0
05/11/2019	3:35	62.6	66.1	57.9	
05/11/2019	3:40	62	65.9	56.9	
05/11/2019	3:45	64.1	69.6	57.4	
05/11/2019	3:50	62.9	66.2	57.2	
05/11/2019	3:55	63.6	67.8	56.6	
05/11/2019	4:00	64.2	69.3	57.7	64.2
05/11/2019	4:05	62.4	65.8	57.2	
05/11/2019	4:10	64.1	67.5	57.3	
05/11/2019	4:15	65	70.3	58.5	
05/11/2019	4:20	64.8	68.7	59.3	
05/11/2019	4:25	64.3	67.6	59.4	
05/11/2019	4:30	65.6	69.5	60.6	65.9
05/11/2019	4:35	65.8	70	60.4	
05/11/2019	4:40	65.9	70.3	60.3	
05/11/2019	4:45	66	69.5	61.3	
05/11/2019	4:50	66	69.4	61.1	
05/11/2019	4:55	65.9	68.7	62.2	
05/11/2019	5:00	66.5	69.7	62.7	67.0
05/11/2019	5:05	67.2	71.1	62.5	
05/11/2019	5:10	66.6	70.1	62.3	
05/11/2019	5:15	67	70.1	63.9	
05/11/2019	5:20	67.3	71	63.1	
05/11/2019	5:25	67.3	70	64.2	
05/11/2019	5:30	67.2	69.7	64.5	67.7
05/11/2019	5:35	67.7	70.5	63.8	
05/11/2019	5:40	67.5	69.6	64.4	
05/11/2019	5:45	67.8	70.7	64.6	
05/11/2019	5:50	68.3	71.6	64.1	
05/11/2019	5:55	67.8	70.8	64.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	6:00	67.8	70.2	64	68.0
05/11/2019	6:05	67.8	70.3	64.7	
05/11/2019	6:10	68.5	71.4	65.5	
05/11/2019	6:15	67.6	69.9	64.8	
05/11/2019	6:20	68	70.6	65.4	
05/11/2019	6:25	68	70.6	65.7	
05/11/2019	6:30	68.3	70.6	65.7	68.0
05/11/2019	6:35	67.8	70.4	65.1	
05/11/2019	6:40	67.7	70.5	65	
05/11/2019	6:45	69.7	70.7	64	
05/11/2019	6:50	67.4	70.6	64.4	
05/11/2019	6:55	66.7	69.7	63.8	
05/11/2019	23:00	63.3	66.2	59.3	64.6
05/11/2019	23:05	63.6	67.3	59.2	
05/11/2019	23:10	64	67.5	59.4	
05/11/2019	23:15	63.4	66.1	59.2	
05/11/2019	23:20	67.8	71	59.7	
05/11/2019	23:25	63.6	66.6	59.3	63.3
05/11/2019	23:30	63.2	66.3	59.4	
05/11/2019	23:35	63	66.2	59	
05/11/2019	23:40	63.1	67.2	59.1	
05/11/2019	23:45	63.4	66.4	58.9	
05/11/2019	23:50	63.4	66.4	58.5	63.1
05/11/2019	23:55	63.7	66.7	58.6	
06/11/2019	0:00	62.4	65.5	58.4	
06/11/2019	0:05	63.5	66.6	59.2	
06/11/2019	0:10	62.7	65.7	58.4	
06/11/2019	0:15	62.7	65.8	58.9	61.9
06/11/2019	0:20	64.3	67.8	59.7	
06/11/2019	0:25	62.8	65.8	59.3	
06/11/2019	0:30	62	65.8	58.3	
06/11/2019	0:35	61.9	65.2	57.3	
06/11/2019	0:40	62.1	65.4	58	62.1
06/11/2019	0:45	62.1	65.3	58.2	
06/11/2019	0:50	62.1	65.1	58.5	
06/11/2019	0:55	61.2	64.6	57.7	
06/11/2019	1:00	62.4	65.9	58.1	
06/11/2019	1:05	62.7	65.9	59	61.9
06/11/2019	1:10	62.1	65.3	58.1	
06/11/2019	1:15	61.8	65	57.9	
06/11/2019	1:20	62.1	65.5	57.8	
06/11/2019	1:25	61.6	65.4	57.8	
06/11/2019	1:30	62.8	65.8	58	61.9
06/11/2019	1:35	61.8	65	57.6	
06/11/2019	1:40	61.7	65.5	58	
06/11/2019	1:45	62.4	65.5	57.9	
06/11/2019	1:50	61.4	64.5	57.9	
06/11/2019	1:55	60.9	63.7	57.5	61.6
06/11/2019	2:00	62.2	65.3	58.6	
06/11/2019	2:05	62.3	65	58	
06/11/2019	2:10	61.5	64.1	58.1	
06/11/2019	2:15	61.3	64	58	
06/11/2019	2:20	60.9	64.1	57.9	61.5
06/11/2019	2:25	61.2	64.4	57.8	
06/11/2019	2:30	61.7	65	57.9	
06/11/2019	2:35	60.9	63.8	57.4	
06/11/2019	2:40	61.8	65	57.7	
06/11/2019	2:45	61.3	64.3	58.4	61.8
06/11/2019	2:50	61.5	64.7	57.7	
06/11/2019	2:55	62	65	58.2	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	3:00	62.6	64.7	58.2	61.9
06/11/2019	3:05	61.7	66.1	58.4	
06/11/2019	3:10	62	65.4	58.4	
06/11/2019	3:15	62.2	65.3	58.7	
06/11/2019	3:20	61.4	64.3	58.3	
06/11/2019	3:25	61.3	64.5	58.1	63.1
06/11/2019	3:30	62.2	65.4	58.2	
06/11/2019	3:35	62.4	65.5	58.4	
06/11/2019	3:40	63	67.3	58.6	
06/11/2019	3:45	63.5	67.8	58.7	
06/11/2019	3:50	63.2	66.7	59.5	63.7
06/11/2019	3:55	64.1	68.7	59	
06/11/2019	4:00	63.4	66.6	59.3	
06/11/2019	4:05	62.2	65.3	58.5	
06/11/2019	4:10	64	66.9	59.4	
06/11/2019	4:15	63.7	67.4	59	65.0
06/11/2019	4:20	64.5	67.7	60.4	
06/11/2019	4:25	64	67.4	59.8	
06/11/2019	4:30	64.5	67.8	58.8	
06/11/2019	4:35	65	69.6	60.4	
06/11/2019	4:40	65.1	68.6	60.2	65.6
06/11/2019	4:45	64.7	67.7	61.2	
06/11/2019	4:50	65.5	69.6	61.2	
06/11/2019	4:55	65.1	68.4	60.9	
06/11/2019	5:00	66.3	70.9	61.2	
06/11/2019	5:05	66.5	71.2	60.8	65.8
06/11/2019	5:10	64.5	68.3	59.3	
06/11/2019	5:15	65.2	68.8	60.8	
06/11/2019	5:20	64.9	67.8	60.7	
06/11/2019	5:25	66	70.4	60.8	
06/11/2019	5:30	65	68.1	60.3	66.3
06/11/2019	5:35	65.2	67.8	61.2	
06/11/2019	5:40	66.1	69.6	61.1	
06/11/2019	5:45	65.8	68.7	61.5	
06/11/2019	5:50	66.3	69.2	62.5	
06/11/2019	5:55	66	69.3	61.8	66.8
06/11/2019	6:00	67.1	71.6	62.7	
06/11/2019	6:05	66.4	70.6	62	
06/11/2019	6:10	66.4	69.9	61.8	
06/11/2019	6:15	66.2	69.5	62.3	
06/11/2019	6:20	65.5	68.3	62	62.7
06/11/2019	6:25	66.3	68.9	62.9	
06/11/2019	6:30	67.9	71.4	63.3	
06/11/2019	6:35	66.6	70.4	61.8	
06/11/2019	6:40	66.9	70.4	63.7	
06/11/2019	6:45	66.4	69.3	62.3	61.8
06/11/2019	6:50	66.5	69	63.1	
06/11/2019	6:55	66.6	70.3	62.3	
06/11/2019	23:00	61.7	64.9	57.2	
06/11/2019	23:05	63.5	66.7	58.7	
06/11/2019	23:10	62.6	66.3	57.5	61.8
06/11/2019	23:15	63.3	66.7	57.7	
06/11/2019	23:20	62	65.3	57.6	
06/11/2019	23:25	62.8	65.7	58.2	
06/11/2019	23:30	62.4	65.4	57.1	
06/11/2019	23:35	61.1	64.4	57.1	61.8
06/11/2019	23:40	61.7	65.5	56.8	
06/11/2019	23:45	62	66.5	56.9	
06/11/2019	23:50	61.7	65.5	57.6	61.8
06/11/2019	23:55	61.8	65.4	57.5	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	0:00	61	64.2	57.1	61.2
07/11/2019	0:05	61.7	65	57.3	
07/11/2019	0:10	61.7	65.6	57.5	
07/11/2019	0:15	61.3	65.4	57.3	
07/11/2019	0:20	61	64.3	57.4	
07/11/2019	0:25	60.6	64.4	56.6	62.0
07/11/2019	0:30	61.2	64.9	56.9	
07/11/2019	0:35	61.7	66.2	57	
07/11/2019	0:40	61.4	65.3	57	
07/11/2019	0:45	63.1	68.8	56.9	
07/11/2019	0:50	62.3	66.6	57	61.6
07/11/2019	0:55	62.3	65.7	57.3	
07/11/2019	1:00	60.7	65.2	56.8	
07/11/2019	1:05	60.3	64	56.9	
07/11/2019	1:10	61.4	65.2	57	
07/11/2019	1:15	60.8	64.4	57.1	61.6
07/11/2019	1:20	63.2	68.4	57.3	
07/11/2019	1:25	62.2	66.5	57	
07/11/2019	1:30	61.1	65.5	56.8	
07/11/2019	1:35	62.5	67.5	56.9	
07/11/2019	1:40	62.3	66.2	57.1	61.6
07/11/2019	1:45	61.2	65.1	56.9	
07/11/2019	1:50	60.7	65.2	56.7	
07/11/2019	1:55	61.8	66.2	56.8	
07/11/2019	2:00	61.2	64.7	57.1	
07/11/2019	2:05	60.3	63.8	56.8	60.6
07/11/2019	2:10	60.6	64.6	56.8	
07/11/2019	2:15	60.4	64.4	56.5	
07/11/2019	2:20	60.9	64.3	57	
07/11/2019	2:25	60.2	64.2	56.7	
07/11/2019	2:30	60.6	64.1	56.9	60.8
07/11/2019	2:35	60.9	64.5	56.8	
07/11/2019	2:40	60.7	64.6	56.9	
07/11/2019	2:45	60.6	64.5	56.8	
07/11/2019	2:50	60.8	64.3	56.9	
07/11/2019	2:55	61.4	65.3	56.8	61.1
07/11/2019	3:00	61.7	65.1	57.1	
07/11/2019	3:05	61	64.9	57	
07/11/2019	3:10	60.8	63.4	56.9	
07/11/2019	3:15	60.9	64.2	56.7	
07/11/2019	3:20	60.9	64.4	57	62.6
07/11/2019	3:25	61.4	65.2	56.7	
07/11/2019	3:30	61.3	65.1	56.9	
07/11/2019	3:35	61	64	57.2	
07/11/2019	3:40	63	66.5	57.4	
07/11/2019	3:45	63	67.9	57.7	64.1
07/11/2019	3:50	63.4	68.7	57.6	
07/11/2019	3:55	63.4	67.6	57.5	
07/11/2019	4:00	62.9	66.4	58.1	
07/11/2019	4:05	63.7	68	58	
07/11/2019	4:10	63.6	67.2	59	65.8
07/11/2019	4:15	64	67.4	58.3	
07/11/2019	4:20	64.8	68.8	58.4	
07/11/2019	4:25	65.1	68	59	
07/11/2019	4:30	64.5	67.4	60.2	
07/11/2019	4:35	66.1	70.2	60.9	65.8
07/11/2019	4:40	65.4	68.6	60.3	
07/11/2019	4:45	65.8	70.2	60.2	
07/11/2019	4:50	66.3	69.8	62.5	
07/11/2019	4:55	66.6	69.1	62.7	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	5:00	67.2	70.1	62.7	66.6
07/11/2019	5:05	66.7	69.2	63.6	
07/11/2019	5:10	67	70.3	63.8	
07/11/2019	5:15	66.3	69.1	62.3	
07/11/2019	5:20	66.4	69.7	62.8	
07/11/2019	5:25	66.2	69.3	61.6	66.6
07/11/2019	5:30	66	69.9	62.3	
07/11/2019	5:35	66.1	69	62.7	
07/11/2019	5:40	66.5	69.7	62.8	
07/11/2019	5:45	66.6	69.1	64.3	
07/11/2019	5:50	67.4	70.9	64.2	66.6
07/11/2019	5:55	66.8	69.6	64.3	
07/11/2019	6:00	66.8	69.6	64.2	
07/11/2019	6:05	66.9	70.2	63.9	
07/11/2019	6:10	66.8	69.7	64.3	
07/11/2019	6:15	66.7	70.1	64	66.5
07/11/2019	6:20	66.3	70.3	63.4	
07/11/2019	6:25	66.3	69.1	63.8	
07/11/2019	6:30	66.3	69.5	63.4	
07/11/2019	6:35	66.7	69.3	64.5	
07/11/2019	6:40	66.4	69	64.4	62.6
07/11/2019	6:45	67.1	71	63.8	
07/11/2019	6:50	66.5	70.2	64.2	
07/11/2019	6:55	66.2	69.2	63.9	
07/11/2019	23:00	62.1	66.6	56.2	
07/11/2019	23:05	64.6	69.3	55.9	61.8
07/11/2019	23:10	63.8	69.9	53.6	
07/11/2019	23:15	61.7	67.7	53.1	
07/11/2019	23:20	61.8	67.1	53.2	
07/11/2019	23:25	60.3	65.7	53.7	
07/11/2019	23:30	60.3	65.7	53.3	62.6
07/11/2019	23:35	60.5	66.2	52.9	
07/11/2019	23:40	61.8	66.6	52.9	
07/11/2019	23:45	63.3	69.8	53.4	
07/11/2019	23:50	62.4	68.2	53.1	
07/11/2019	23:55	62	68.9	53.1	61.4
08/11/2019	0:00	60.5	65.6	52.9	
08/11/2019	0:05	62.3	68.5	53.3	
08/11/2019	0:10	64.8	69.5	56.5	
08/11/2019	0:15	63	69	55.6	
08/11/2019	0:20	63	69.7	55.5	62.6
08/11/2019	0:25	60.6	65.8	55.3	
08/11/2019	0:30	63.9	67.9	55.7	
08/11/2019	0:35	61.6	67.8	55.2	
08/11/2019	0:40	60.2	65.9	55.2	
08/11/2019	0:45	61	66.4	55.6	61.4
08/11/2019	0:50	60.2	64.9	55.1	
08/11/2019	0:55	60.2	65.3	55.1	
08/11/2019	1:00	61.7	66.5	55.6	
08/11/2019	1:05	61.2	66.1	55.6	
08/11/2019	1:10	61.8	67.3	52.2	60.5
08/11/2019	1:15	59.9	66.3	52	
08/11/2019	1:20	59.8	66.2	51.5	
08/11/2019	1:25	56.9	62.4	51.2	
08/11/2019	1:30	58.1	64.4	51.6	
08/11/2019	1:35	59	65.1	51.6	59.5
08/11/2019	1:40	62.9	69.6	52	
08/11/2019	1:45	54.8	60	50.2	
08/11/2019	1:50	60.5	66.7	50.5	
08/11/2019	1:55	57.6	63.1	50.6	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	2:00	58.7	64.7	50.4	58.2
08/11/2019	2:05	56.2	60.4	50.6	
08/11/2019	2:10	57.9	62.1	54.6	
08/11/2019	2:15	60	64.3	54.7	
08/11/2019	2:20	58.7	63.7	54.6	
08/11/2019	2:25	56.5	60.1	54.3	
08/11/2019	2:30	56.7	59.7	54.4	
08/11/2019	2:35	60.6	65.4	54.6	59.0
08/11/2019	2:40	58.1	62	54.6	
08/11/2019	2:45	59.9	64.4	54.5	
08/11/2019	2:50	56.2	58.8	54.5	
08/11/2019	2:55	60.6	65.8	54.6	
08/11/2019	3:00	68.3	68.3	54.5	
08/11/2019	3:05	58.2	63.2	54	
08/11/2019	3:10	54.6	60.6	49.3	
08/11/2019	3:15	55.4	61.7	49.1	
08/11/2019	3:20	56.7	62.6	49.7	
08/11/2019	3:25	57.1	63.8	49.9	
08/11/2019	3:30	57.1	63.8	49.2	
08/11/2019	3:35	56.6	61.6	49.7	56.4
08/11/2019	3:40	56.1	62	49.4	
08/11/2019	3:45	56.2	61.9	49.2	
08/11/2019	3:50	55.3	60.4	49.5	
08/11/2019	3:55	56.8	62.8	49.8	
08/11/2019	4:00	56.4	62.3	49.8	
08/11/2019	4:05	71.5	78	49.6	
08/11/2019	4:10	4.10	59.7	54.4	
08/11/2019	4:15	58.5	61.6	54.3	
08/11/2019	4:20	60	66.6	54.5	
08/11/2019	4:25	57.6	61.9	54.4	
08/11/2019	4:30	65.6	72.7	54.5	
08/11/2019	4:35	57.4	62	54.5	60.9
08/11/2019	4:40	58.2	63.4	54.3	
08/11/2019	4:45	57.7	62.3	54.4	
08/11/2019	4:50	60.7	66.1	54.3	
08/11/2019	4:55	58.9	65.5	54.2	
08/11/2019	5:00	57.9	62.9	54.2	
08/11/2019	5:05	57.5	61.9	53.8	
08/11/2019	5:10	56.5	59.2	48.5	
08/11/2019	5:15	55.4	61.9	49	
08/11/2019	5:20	55.9	61	49.2	
08/11/2019	5:25	58.5	65.1	49.8	
08/11/2019	5:30	58.9	65.1	50	
08/11/2019	5:35	53.8	59.9	49.6	58.5
08/11/2019	5:40	57.9	64	50	
08/11/2019	5:45	58.7	64.8	49.5	
08/11/2019	5:50	58	64.4	50.3	
08/11/2019	5:55	60.8	66.7	50.9	
08/11/2019	6:00	59.7	66.3	53.1	
08/11/2019	6:05	59.5	65.7	51.9	
08/11/2019	6:10	60.3	66.2	55	
08/11/2019	6:15	63.7	68.6	56.3	
08/11/2019	6:20	62.7	68.1	56.1	
08/11/2019	6:25	62.4	68.5	55.5	
08/11/2019	6:30	62.2	66.6	56.4	
08/11/2019	6:35	63.1	68.2	56.8	65.5
08/11/2019	6:40	64.8	69.7	57.8	
08/11/2019	6:45	68.5	71	58.1	
08/11/2019	6:50	63.4	68.6	57.5	
08/11/2019	6:55	67.2	71.8	57.7	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	23:00	64.8	68.2	56.8	63.4
08/11/2019	23:05	64.1	68.7	56.4	
08/11/2019	23:10	63.1	68.1	52.9	
08/11/2019	23:15	63	67.3	54.5	
08/11/2019	23:20	61.9	67.3	53.7	
08/11/2019	23:25	62.6	68.4	54.3	
08/11/2019	23:30	63.6	69	55.2	
08/11/2019	23:35	61.9	66.9	53.4	
08/11/2019	23:40	64.5	68.7	54.3	
08/11/2019	23:45	60.8	66.7	52.8	
08/11/2019	23:50	61.3	67.5	52.9	
08/11/2019	23:55	60.2	65.8	52.9	
09/11/2019	0:00	59.8	65.7	53.5	62.1
09/11/2019	0:05	62.1	67.4	53.2	
09/11/2019	0:10	60.8	66.4	55.5	
09/11/2019	0:15	61.5	66.8	55.9	
09/11/2019	0:20	62.6	67.9	55.6	
09/11/2019	0:25	64.2	71.2	56.2	
09/11/2019	0:30	60.9	65.9	55.4	
09/11/2019	0:35	60.5	65.8	55.2	
09/11/2019	0:40	59.9	64.8	55.1	
09/11/2019	0:45	63.3	69	55.5	
09/11/2019	0:50	61.1	66.7	55	
09/11/2019	0:55	60.7	66.4	55.1	
09/11/2019	1:00	60	65.2	54.9	60.1
09/11/2019	1:05	63.1	69.3	55.1	
09/11/2019	1:10	58.8	64.4	51.6	
09/11/2019	1:15	59.7	66	50.9	
09/11/2019	1:20	58.9	65.4	51.3	
09/11/2019	1:25	57.9	63.5	51.4	
09/11/2019	1:30	60.9	66.8	51.5	
09/11/2019	1:35	57.6	63.2	50.8	
09/11/2019	1:40	56.1	62	50.7	
09/11/2019	1:45	58.2	64	50.6	
09/11/2019	1:50	56.6	63.3	50.8	
09/11/2019	1:55	56.3	61.7	51.2	
09/11/2019	2:00	57	61.5	50.9	59.7
09/11/2019	2:05	57	63.6	50.7	
09/11/2019	2:10	57.9	62	54.8	
09/11/2019	2:15	58.8	64.3	54.8	
09/11/2019	2:20	64	67.7	55	
09/11/2019	2:25	58.8	64.7	54.7	
09/11/2019	2:30	58	62.3	54.8	
09/11/2019	2:35	57.7	62	54.8	
09/11/2019	2:40	59.7	65	54.9	
09/11/2019	2:45	57.6	61.3	54.8	
09/11/2019	2:50	57.9	62.2	54.9	
09/11/2019	2:55	57.7	63.1	54.4	
09/11/2019	3:00	59	63.7	54.5	57.6
09/11/2019	3:05	57.7	61.3	54.1	
09/11/2019	3:10	55.9	62.7	50.4	
09/11/2019	3:15	57.5	62.2	50.4	
09/11/2019	3:20	59	65.7	50.1	
09/11/2019	3:25	55.5	60.3	50.1	
09/11/2019	3:30	57.1	63.6	49.8	
09/11/2019	3:35	61.1	68.4	50.4	
09/11/2019	3:40	55.6	61.6	49.5	
09/11/2019	3:45	56.4	62.3	49.8	
09/11/2019	3:50	59.4	65.6	50.6	
09/11/2019	3:55	55.2	61.1	50.1	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	4:00	56.9	61.6	49.3	57.6
09/11/2019	4:05	59.1	64.9	49.9	
09/11/2019	4:10	55.9	58.7	54.3	
09/11/2019	4:15	58.1	62.8	54.3	
09/11/2019	4:20	56.5	60.7	54.3	
09/11/2019	4:25	58.2	63.4	54.4	60.1
09/11/2019	4:30	64.4	70.4	54.9	
09/11/2019	4:35	58.1	62.8	54.7	
09/11/2019	4:40	58	62.5	54.5	
09/11/2019	4:45	58	63.2	54.5	
09/11/2019	4:50	59.1	63.2	54.6	57.2
09/11/2019	4:55	58.6	64.9	54.3	
09/11/2019	5:00	57.4	61	54.5	
09/11/2019	5:05	58.2	62.9	54.1	
09/11/2019	5:10	57.9	63.4	50.1	
09/11/2019	5:15	54.5	59.2	50.1	59.5
09/11/2019	5:20	58.5	64.8	49.8	
09/11/2019	5:25	55.5	60.5	49.8	
09/11/2019	5:30	61	68.4	49.7	
09/11/2019	5:35	56.9	62.7	49.9	
09/11/2019	5:40	59.8	65.5	50.1	60.9
09/11/2019	5:45	57.1	63.3	50.4	
09/11/2019	5:50	62.4	66.7	51.3	
09/11/2019	5:55	55.9	61.3	50.8	
09/11/2019	6:00	58.5	63.8	50.8	
09/11/2019	6:05	59.2	63.6	50.3	62.8
09/11/2019	6:10	63.3	68.7	55.4	
09/11/2019	6:15	60.5	65.7	55.5	
09/11/2019	6:20	61.9	66.7	55.8	
09/11/2019	6:25	60.4	66.7	55.2	
09/11/2019	6:30	62.6	69.1	56	70.7
09/11/2019	6:35	62.5	68.1	56.5	
09/11/2019	6:40	62.2	66.7	56.5	
09/11/2019	6:45	63.8	69.7	56.6	
09/11/2019	6:50	63.6	68.8	57.4	
09/11/2019	6:55	61.6	66.8	56.6	64.5
09/11/2019	23:00	59.2	65.4	51.1	
09/11/2019	23:05	77.6	80.1	52.4	
09/11/2019	23:10	62.2	67.9	51.6	
09/11/2019	23:15	67.3	72.6	51.3	
09/11/2019	23:20	60.6	66.1	50.8	63.1
09/11/2019	23:25	66.7	67.7	53.5	
09/11/2019	23:30	62.1	69.8	50.6	
09/11/2019	23:35	68.3	70.7	51.2	
09/11/2019	23:40	65	70.5	51.1	
09/11/2019	23:45	63.3	69.9	51.4	63.4
09/11/2019	23:50	59.9	65.6	52.1	
09/11/2019	23:55	63.3	68.7	55.8	
10/11/2019	0:00	63.4	69.6	55.2	
10/11/2019	0:05	62.6	67.8	54.9	
10/11/2019	0:10	61.1	66.9	54.9	57.8
10/11/2019	0:15	60.6	66.4	54.8	
10/11/2019	0:20	66.2	70.3	54.9	
10/11/2019	0:25	61.9	67.2	54.8	
10/11/2019	0:30	62.7	68.9	54.5	
10/11/2019	0:35	62.3	68	54.9	57.8
10/11/2019	0:40	61.3	67.4	55	
10/11/2019	0:45	67.1	72.1	55.1	
10/11/2019	0:50	62.6	67.1	53.2	
10/11/2019	0:55	61	67.5	50.3	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	1:00	57.6	63	52.6	60.7
10/11/2019	1:05	62.3	67	53.5	
10/11/2019	1:10	61.6	67	49.8	
10/11/2019	1:15	58.8	65.2	49.9	
10/11/2019	1:20	57.9	64.1	49.8	
10/11/2019	1:25	62.8	66.4	49.3	61.9
10/11/2019	1:30	56.6	61.9	48.6	
10/11/2019	1:35	65.2	72.9	49.7	
10/11/2019	1:40	57	63	49.1	
10/11/2019	1:45	58.7	64.2	49.6	
10/11/2019	1:50	65.4	69.6	52.5	58.5
10/11/2019	1:55	59.1	64.8	54.2	
10/11/2019	2:00	58.4	63.4	54.3	
10/11/2019	2:05	59.4	65	54.3	
10/11/2019	2:10	58.2	62.2	54.2	
10/11/2019	2:15	58.9	65.8	54	62.6
10/11/2019	2:20	56.7	60.5	54	
10/11/2019	2:25	58.9	64.2	54.1	
10/11/2019	2:30	59.4	65.3	54.2	
10/11/2019	2:35	68.5	68.9	54	
10/11/2019	2:40	60.5	65	54	56.2
10/11/2019	2:45	59.5	65.9	54	
10/11/2019	2:50	56.8	61.4	49.2	
10/11/2019	2:55	55.6	62.3	48.1	
10/11/2019	3:00	53.7	58.5	48.1	
10/11/2019	3:05	56.8	63.4	48	54.4
10/11/2019	3:10	57.3	64.2	48.2	
10/11/2019	3:15	56.4	62.9	48.1	
10/11/2019	3:20	55.6	60.8	48.2	
10/11/2019	3:25	56.7	63.9	48.4	
10/11/2019	3:30	53.3	59.2	47.8	57.8
10/11/2019	3:35	54.1	60.3	48.1	
10/11/2019	3:40	53.9	60.7	48.1	
10/11/2019	3:45	52.9	58	47.4	
10/11/2019	3:50	54.1	57.7	48.1	
10/11/2019	3:55	57	61.5	54	57.7
10/11/2019	4:00	58.4	64.2	54	
10/11/2019	4:05	59.4	64.7	54.1	
10/11/2019	4:10	58.5	64.4	53.9	
10/11/2019	4:15	56.4	60.5	53.9	
10/11/2019	4:20	57.2	61.4	54.1	56.0
10/11/2019	4:25	55.9	59.3	53.9	
10/11/2019	4:30	56.2	59.8	53.9	
10/11/2019	4:35	57	61.8	54	
10/11/2019	4:40	56	59.6	54	
10/11/2019	4:45	59.6	65.9	54	57.8
10/11/2019	4:50	57.8	63.6	49.4	
10/11/2019	4:55	58.6	65.7	48.5	
10/11/2019	5:00	57	63.9	48.2	
10/11/2019	5:05	57	60.9	48.8	
10/11/2019	5:10	56	62.1	48.3	57.8
10/11/2019	5:15	54.1	60.1	48	
10/11/2019	5:20	57.1	63.7	47.8	
10/11/2019	5:25	53.5	58.8	48	
10/11/2019	5:30	58.3	64.8	49.1	
10/11/2019	5:35	55.1	61.4	48.5	57.8
10/11/2019	5:40	58.4	64.7	48.9	
10/11/2019	5:45	56	61.4	48.6	
10/11/2019	5:50	57.4	62.7	48.9	
10/11/2019	5:55	60	65.6	54.5	

Night time (all days) Noise Level at M11 - The Hong Kong Society for the Blind's Factory cum Sheltered Workshop

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	6:00	64	67.5	55.3	63.9
10/11/2019	6:05	62.7	67.7	55	
10/11/2019	6:10	61.7	66.9	56.2	
10/11/2019	6:15	62.5	67.1	55.2	
10/11/2019	6:20	65.3	70.2	55.3	
10/11/2019	6:25	65.6	71.6	55.4	
10/11/2019	6:30	64.3	70	55.8	63.8
10/11/2019	6:35	62.5	67.4	56	
10/11/2019	6:40	65	69.5	57.5	
10/11/2019	6:45	64.7	69.4	56.4	
10/11/2019	6:50	62.1	68	51.5	
10/11/2019	6:55	63.3	69.2	52.7	
10/11/2019	23:00	61.2	67.7	50.5	59.5
10/11/2019	23:05	57.6	63.2	50.3	
10/11/2019	23:10	59.5	64.9	51.3	
10/11/2019	23:15	58.7	64.3	50.8	
10/11/2019	23:20	60.7	66.9	50.6	
10/11/2019	23:25	58.2	63.5	50.7	
10/11/2019	23:30	59.2	65.9	49.7	60.6
10/11/2019	23:35	63.4	69.7	50.4	
10/11/2019	23:40	59	64	49.8	
10/11/2019	23:45	60	66.4	50.1	
10/11/2019	23:50	58.7	64.2	50.1	
10/11/2019	23:55	61.1	66.4	55	
	Average	63.1			63.1
	Max	77.6	80.1	67	71.4
	Min	51.7	56.2	36.2	54.4

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
28/10/2019	0:00	58.8	62.1	54.7	59.5
28/10/2019	0:05	59.1	62.3	55.3	
28/10/2019	0:10	59.3	63.1	54.8	
28/10/2019	0:15	59.4	64	54.8	
28/10/2019	0:20	60.2	64.9	54.8	
28/10/2019	0:25	59.8	65.1	54.6	
28/10/2019	0:30	59.7	64.4	54.7	59.5
28/10/2019	0:35	58.9	62.2	54.8	
28/10/2019	0:40	59.4	63.7	54.9	
28/10/2019	0:45	59.2	63	55.1	
28/10/2019	0:50	59.4	63.5	54.7	
28/10/2019	0:55	60.1	65.2	54.7	
28/10/2019	1:00	60.7	64.7	54.9	59.6
28/10/2019	1:05	60.9	68.2	54.5	
28/10/2019	1:10	59.1	62.9	54.6	
28/10/2019	1:15	59	63.3	54.7	
28/10/2019	1:20	58.7	62.6	54.7	
28/10/2019	1:25	58.9	62.8	55	
28/10/2019	1:30	58.7	62.5	54.8	59.1
28/10/2019	1:35	59.4	64.1	55.2	
28/10/2019	1:40	60.1	65	55	
28/10/2019	1:45	58.8	62.2	55.1	
28/10/2019	1:50	58.9	62.7	55.2	
28/10/2019	1:55	58.6	62.4	54.6	
28/10/2019	2:00	58.9	62.5	55	58.9
28/10/2019	2:05	58.8	62.1	55.3	
28/10/2019	2:10	58.7	62.4	55	
28/10/2019	2:15	59	62.8	55.3	
28/10/2019	2:20	58.8	63	54.9	
28/10/2019	2:25	59	63.3	55	
28/10/2019	2:30	58.5	62.4	55	59.1
28/10/2019	2:35	59.2	63.2	55	
28/10/2019	2:40	59.4	63.9	55.2	
28/10/2019	2:45	59	62.9	55.4	
28/10/2019	2:50	59.4	62.6	55.5	
28/10/2019	2:55	59.2	62.1	55.7	
28/10/2019	3:00	58.8	62.4	55.3	59.4
28/10/2019	3:05	59.6	63.2	55.4	
28/10/2019	3:10	59.3	62.9	55.5	
28/10/2019	3:15	59.1	62.3	55.6	
28/10/2019	3:20	59.8	63	55.9	
28/10/2019	3:25	59.6	63.8	56.1	
28/10/2019	3:30	61.1	65.4	56.1	61.2
28/10/2019	3:35	60.9	64.9	56.2	
28/10/2019	3:40	61.4	65.4	56.4	
28/10/2019	3:45	60.3	64.4	55.8	
28/10/2019	3:50	61.3	65.3	55.8	
28/10/2019	3:55	61.8	65.9	57.2	
28/10/2019	4:00	61.4	64.5	57.8	62.8
28/10/2019	4:05	62.7	66.7	58.2	
28/10/2019	4:10	63.1	67.8	58.4	
28/10/2019	4:15	63.4	67.7	57.1	
28/10/2019	4:20	62.7	66	58.4	
28/10/2019	4:25	63.3	67.6	59.4	
28/10/2019	4:30	63.3	67.3	58.6	64.2
28/10/2019	4:35	64.1	68.1	60.3	
28/10/2019	4:40	64	67.3	60.7	
28/10/2019	4:45	64.4	67.8	60.6	
28/10/2019	4:50	64.8	68.1	61.7	
28/10/2019	4:55	64.2	66.8	61.6	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)	
28/10/2019	5:00	64.4	67.3	61.3	64.6	
28/10/2019	5:05	63.9	67	60.3		
28/10/2019	5:10	64.6	68.1	61.6		
28/10/2019	5:15	65.1	66.9	62.7		
28/10/2019	5:20	65	67.7	62.5		
28/10/2019	5:25	64.5	67.9	60.8		
28/10/2019	5:30	64.2	67	61.6		
28/10/2019	5:35	64.8	68.1	61.8	64.5	
28/10/2019	5:40	64.5	67.3	61		
28/10/2019	5:45	64	66.5	61.7		
28/10/2019	5:50	64.7	67.5	61.9		
28/10/2019	5:55	64.7	67.9	61.5		
28/10/2019	6:00	65	69.1	61.6		
28/10/2019	6:05	64.6	68	61.9		
28/10/2019	6:10	64.6	67.4	62	64.4	
28/10/2019	6:15	64.2	67.5	61.6		
28/10/2019	6:20	63.9	66.4	61.8		
28/10/2019	6:25	64.1	67.3	61.8		
28/10/2019	6:30	64	67.6	61.5		
28/10/2019	6:35	64.4	66.8	61.8		
28/10/2019	6:40	63.9	67.6	61.6		
28/10/2019	6:45	64.4	67.5	62	64.2	
28/10/2019	6:50	64.2	67.2	61.9		
28/10/2019	6:55	64.3	66.6	61.6		
28/10/2019	23:00	61.9	65.1	52.1		59.1
28/10/2019	23:05	59.3	62.1	52.8		
28/10/2019	23:10	57.7	62.7	49.8		
28/10/2019	23:15	57.2	64.4	49.9		
28/10/2019	23:20	59.5	62.3	49		
28/10/2019	23:25	56.8	63.8	49.4		
28/10/2019	23:30	57.5	64.3	48.9		
28/10/2019	23:35	59.3	70.1	50.8	60.8	
28/10/2019	23:40	63	66.7	48.2		
28/10/2019	23:45	57.1	67.9	51.5		
28/10/2019	23:50	64.6	67.4	48.5		
28/10/2019	23:55	55.9	67.1	49.7		
29/10/2019	0:00	61.7	64.2	48		59.8
29/10/2019	0:05	57.1	63.4	48.9		
29/10/2019	0:10	57.5	68.7	48.9		
29/10/2019	0:15	62.6	62.7	52.4		
29/10/2019	0:20	57.7	63.7	52.4		
29/10/2019	0:25	58.9	66.9	52.3		
29/10/2019	0:30	61.6	64.7	52.1		
29/10/2019	0:35	58.6	62.2	51.9	59.1	
29/10/2019	0:40	57.3	61.6	51.7		
29/10/2019	0:45	56.5	63.3	51.8		
29/10/2019	0:50	58.8	64.3	51.8		
29/10/2019	0:55	59.6	61.6	51.5		
29/10/2019	1:00	57.1	61.4	51.8		
29/10/2019	1:05	56.5	62.4	51.8		57.1
29/10/2019	1:10	57.1	62.3	47.3		
29/10/2019	1:15	56	65.1	47.6		
29/10/2019	1:20	58.7	63.2	47.1		
29/10/2019	1:25	56.4	64.2	47.1		
29/10/2019	1:30	68.6	71.4	46.9		
29/10/2019	1:35	55.9	59.3	46.8	62.0	
29/10/2019	1:40	53.5	61.5	46.6		
29/10/2019	1:45	55.9	59.5	46.6		
29/10/2019	1:50	54.7	64.5	47.6		
29/10/2019	1:55	59.8	60.8	46		

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	2:00	55.1	62.7	46.7	55.7
29/10/2019	2:05	56.9	65	46.1	
29/10/2019	2:10	51	60.4	46	
29/10/2019	2:15	54.1	64.2	51.4	
29/10/2019	2:20	58.5	59.6	51.4	
29/10/2019	2:25	55	63.6	51.4	
29/10/2019	2:30	57.1	59.7	51.4	
29/10/2019	2:35	56.5	63.6	51.3	56.4
29/10/2019	2:40	57.6	60.3	51.1	
29/10/2019	2:45	54.8	57.8	51.1	
29/10/2019	2:50	53.5	62.3	51.8	
29/10/2019	2:55	57.6	57.6	51.1	
29/10/2019	3:00	53.6	59.6	51.1	
29/10/2019	3:05	54.4	62.4	51.3	
29/10/2019	3:10	57	60	45.6	54.3
29/10/2019	3:15	55	58	45.8	
29/10/2019	3:20	51.7	58.4	45.8	
29/10/2019	3:25	52.1	62.4	46.1	
29/10/2019	3:30	54.7	61.1	46.3	
29/10/2019	3:35	55.6	58.4	45.9	
29/10/2019	3:40	53.1	58.1	46.1	
29/10/2019	3:45	52.3	65.6	46.2	58.6
29/10/2019	3:50	59.1	66.5	54.5	
29/10/2019	3:55	64	67	62	
29/10/2019	4:00	64.8	66.6	61.9	
29/10/2019	4:05	64.4	67	61.9	
29/10/2019	4:10	64.8	67.2	61.4	
29/10/2019	4:15	64.7	65.9	51.2	
29/10/2019	4:20	60.3	62.4	50.8	63.5
29/10/2019	4:25	57.3	61.9	52.4	
29/10/2019	4:30	57	59.8	51.8	
29/10/2019	4:35	55	66.7	51.7	
29/10/2019	4:40	61.2	64.7	51.6	
29/10/2019	4:45	53.7	60.6	51.7	
29/10/2019	4:50	55.5	60	51.7	
29/10/2019	4:55	55.5	62.1	51.7	54.2
29/10/2019	5:00	55.8	59.1	51.7	
29/10/2019	5:05	55	60.6	51.7	
29/10/2019	5:10	55.1	60	51.7	
29/10/2019	5:15	52.7	62.1	51.7	
29/10/2019	5:20	53.8	59.1	51.7	
29/10/2019	5:25	51	59.7	49.6	
29/10/2019	5:30	50.4	56	47.1	54.0
29/10/2019	5:35	53.9	61	46.6	
29/10/2019	5:40	52	55.1	46.7	
29/10/2019	5:45	56	61.8	46.8	
29/10/2019	5:50	56.2	60.4	46.8	
29/10/2019	5:55	52.8	57.5	46.4	
29/10/2019	6:00	56.4	62.8	47.7	
29/10/2019	6:05	56.9	61.8	47.4	
29/10/2019	6:10	56.9	59.3	46.4	
29/10/2019	6:15	62	62.1	47.8	
29/10/2019	6:20	61.5	63.4	48.3	
29/10/2019	6:25	61.2	63.9	46.9	
29/10/2019	6:30	60	66.2	47.5	61.1
29/10/2019	6:35	63.8	66.3	53	
29/10/2019	6:40	58.9	66.2	52.7	
29/10/2019	6:45	60.8	65.3	52.7	
29/10/2019	6:50	61.7	68.8	53.7	
29/10/2019	6:55	59.6	64.2	53.3	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
29/10/2019	23:00	60	70.1	57.2	59.4
29/10/2019	23:05	59.3	62.4	48.1	
29/10/2019	23:10	59.5	70.3	49.4	
29/10/2019	23:15	60.1	64.9	48.6	
29/10/2019	23:20	58.6	63.8	48.3	
29/10/2019	23:25	58.9	63.1	47.8	
29/10/2019	23:30	56.2	64.7	50.5	67.6
29/10/2019	23:35	74.6	76.8	47.6	
29/10/2019	23:40	59.2	67.7	48.2	
29/10/2019	23:45	64.3	67.5	48.1	
29/10/2019	23:50	56.9	66.9	48.4	
29/10/2019	23:55	60.3	62.6	49.1	
30/10/2019	0:00	51.7	55.7	47.7	49.8
30/10/2019	0:05	48.7	51	47.5	
30/10/2019	0:10	48.4	51.3	47.2	
30/10/2019	0:15	51.3	56.2	47.3	
30/10/2019	0:20	48.9	51.9	47.3	
30/10/2019	0:25	48.6	51.6	47.2	
30/10/2019	0:30	48.9	53.4	47.1	56.4
30/10/2019	0:35	52.8	58.2	47.3	
30/10/2019	0:40	48.6	51.4	47.4	
30/10/2019	0:45	62.7	70.1	47.3	
30/10/2019	0:50	53	59	47.2	
30/10/2019	0:55	53.9	60	47.4	
30/10/2019	1:00	48.5	51.6	47.1	50.9
30/10/2019	1:05	56	63.2	47.2	
30/10/2019	1:10	47.4	47.9	46.8	
30/10/2019	1:15	49.3	54.1	47	
30/10/2019	1:20	47.3	48.3	46.8	
30/10/2019	1:25	48.8	51.8	46.8	
30/10/2019	1:30	48.5	51.7	47	48.0
30/10/2019	1:35	47.4	48	47	
30/10/2019	1:40	49.1	52.2	47.5	
30/10/2019	1:45	47.4	48.3	46.9	
30/10/2019	1:50	47.8	48.4	47.3	
30/10/2019	1:55	47.6	49.3	46.6	
30/10/2019	2:00	46.9	47.3	46.6	48.0
30/10/2019	2:05	47.6	49.8	46.8	
30/10/2019	2:10	47.7	49.8	46.8	
30/10/2019	2:15	47.5	49.2	46.8	
30/10/2019	2:20	49.3	52	46.5	
30/10/2019	2:25	48.4	51.3	46.8	
30/10/2019	2:30	47.2	47.9	46.8	47.2
30/10/2019	2:35	47.3	48.4	46.7	
30/10/2019	2:40	47.3	49.7	46.5	
30/10/2019	2:45	47.1	48.2	46.6	
30/10/2019	2:50	47.2	47.8	46.6	
30/10/2019	2:55	47	47.5	46.7	
30/10/2019	3:00	47	47.4	46.6	47.9
30/10/2019	3:05	47	47.6	46.6	
30/10/2019	3:10	49.3	52.6	46.6	
30/10/2019	3:15	49.4	51.5	46.9	
30/10/2019	3:20	46.9	47.5	46.5	
30/10/2019	3:25	47.1	48.3	46.6	
30/10/2019	3:30	46.9	47.5	46.5	47.0
30/10/2019	3:35	46.7	47.2	46.3	
30/10/2019	3:40	47	47.5	46.5	
30/10/2019	3:45	47.2	47.8	46.6	
30/10/2019	3:50	46.9	48.4	46.2	
30/10/2019	3:55	47.1	47.9	46.5	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
30/10/2019	4:00	46.9	48	46.4	47.7
30/10/2019	4:05	46.8	47.2	46.5	
30/10/2019	4:10	47.6	50.7	46.5	
30/10/2019	4:15	46.6	46.9	46.3	
30/10/2019	4:20	47.6	49.1	46.5	
30/10/2019	4:25	49.8	54.2	47.2	
30/10/2019	4:30	47.6	48.2	46.9	47.1
30/10/2019	4:35	47	47.4	46.6	
30/10/2019	4:40	47	47.6	46.5	
30/10/2019	4:45	47	48.4	46.3	
30/10/2019	4:50	46.7	47	46.4	
30/10/2019	4:55	47	48.8	46.4	
30/10/2019	5:00	46.8	47.3	46.4	47.0
30/10/2019	5:05	46.7	47	46.4	
30/10/2019	5:10	47.3	49.2	46.5	
30/10/2019	5:15	47.1	48.4	46.5	
30/10/2019	5:20	47	47.5	46.5	
30/10/2019	5:25	47.2	48.5	46.4	
30/10/2019	5:30	46.8	47.4	46.3	47.4
30/10/2019	5:35	48	50.1	46.6	
30/10/2019	5:40	47.1	47.9	46.5	
30/10/2019	5:45	47.9	49.1	46.6	
30/10/2019	5:50	47.2	48	46.5	
30/10/2019	5:55	47.1	47.9	46.5	
30/10/2019	6:00	46.7	47.2	46.2	47.0
30/10/2019	6:05	47	47.5	46.6	
30/10/2019	6:10	46.9	47.6	46.4	
30/10/2019	6:15	47	47.6	46.5	
30/10/2019	6:20	47	47.6	46.6	
30/10/2019	6:25	47.5	48.3	46.9	
30/10/2019	6:30	47.2	47.9	46.7	47.6
30/10/2019	6:35	48.3	50.2	46.7	
30/10/2019	6:40	47.5	48.1	47	
30/10/2019	6:45	48.2	49.8	46.8	
30/10/2019	6:50	47.2	47.8	46.6	
30/10/2019	6:55	47.2	47.8	46.8	
30/10/2019	23:00	51.4	55	48.3	51.3
30/10/2019	23:05	51.1	56.5	47.5	
30/10/2019	23:10	50.6	55.2	47.6	
30/10/2019	23:15	52.7	58	48.5	
30/10/2019	23:20	51.3	55.7	47.9	
30/10/2019	23:25	50.6	53.6	48.1	
30/10/2019	23:30	49.4	52.2	47.8	52.4
30/10/2019	23:35	52.9	57.2	48.8	
30/10/2019	23:40	51.3	54.7	48.5	
30/10/2019	23:45	55.6	61.6	48.2	
30/10/2019	23:50	51.5	54.1	47.6	
30/10/2019	23:55	50.4	54.5	47.9	
31/10/2019	0:00	50.4	54.6	48.1	50.2
31/10/2019	0:05	51.5	56	48.2	
31/10/2019	0:10	50	53.2	48.3	
31/10/2019	0:15	50.4	53.7	47.9	
31/10/2019	0:20	49.7	52.6	47.7	
31/10/2019	0:25	48.8	50.2	47.9	
31/10/2019	0:30	50.8	55.3	48.2	49.9
31/10/2019	0:35	51	54.5	48.6	
31/10/2019	0:40	50.1	52.7	48.2	
31/10/2019	0:45	49.7	52.6	47.9	
31/10/2019	0:50	48.6	50.1	47.5	
31/10/2019	0:55	48.6	50.9	47.6	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	1:00	50.6	54.6	47.7	49.8
31/10/2019	1:05	49.4	52.8	47.6	
31/10/2019	1:10	50.8	55.5	47.6	
31/10/2019	1:15	48.6	50.7	47.4	
31/10/2019	1:20	49.5	52.3	47.6	
31/10/2019	1:25	49.5	53.2	47.7	
31/10/2019	1:30	49	50.9	47.9	49.8
31/10/2019	1:35	50.9	55.4	48	
31/10/2019	1:40	50.5	54.4	47.7	
31/10/2019	1:45	48.2	49.9	47.4	
31/10/2019	1:50	49.9	54.1	47.5	
31/10/2019	1:55	49.5	52.5	47.9	
31/10/2019	2:00	49.1	50.5	48	49.0
31/10/2019	2:05	48.3	49.7	47.4	
31/10/2019	2:10	49	51.5	47.6	
31/10/2019	2:15	48.4	49.7	47.5	
31/10/2019	2:20	50	53.5	47.6	
31/10/2019	2:25	49.2	50.9	47.9	
31/10/2019	2:30	49.6	52.2	48.1	48.8
31/10/2019	2:35	49.1	51	48.1	
31/10/2019	2:40	49.1	52	47.5	
31/10/2019	2:45	49	50.8	47.8	
31/10/2019	2:50	48.1	49.2	47.3	
31/10/2019	2:55	47.8	48.6	47.2	
31/10/2019	3:00	48.7	51.6	47.5	48.2
31/10/2019	3:05	48.2	50	47.4	
31/10/2019	3:10	48.1	49.5	47.2	
31/10/2019	3:15	48.8	50.6	46.9	
31/10/2019	3:20	47.6	48.7	46.8	
31/10/2019	3:25	47.8	48.8	47.1	
31/10/2019	3:30	47.9	48.6	47.1	48.4
31/10/2019	3:35	48.4	49.5	47.3	
31/10/2019	3:40	48.6	50.3	47.4	
31/10/2019	3:45	49.1	51.5	47.6	
31/10/2019	3:50	48.5	50.7	47.3	
31/10/2019	3:55	47.6	48.5	47.2	
31/10/2019	4:00	48.3	51	47.3	47.8
31/10/2019	4:05	48	49.3	47.1	
31/10/2019	4:10	48.1	49.6	47.1	
31/10/2019	4:15	47.8	48.8	47.1	
31/10/2019	4:20	47.4	48	46.9	
31/10/2019	4:25	47.4	48.2	46.7	
31/10/2019	4:30	47.5	48.3	46.9	47.5
31/10/2019	4:35	47.7	50.1	46.7	
31/10/2019	4:40	47.2	47.8	46.7	
31/10/2019	4:45	47.2	48	46.6	
31/10/2019	4:50	47.9	50.2	46.8	
31/10/2019	4:55	47.7	48.7	46.8	
31/10/2019	5:00	47.8	48.4	46.9	47.6
31/10/2019	5:05	48.4	50.6	47.3	
31/10/2019	5:10	47.3	48.1	46.6	
31/10/2019	5:15	47.4	48.2	46.8	
31/10/2019	5:20	47.3	48.1	46.8	
31/10/2019	5:25	47.3	48.1	46.6	
31/10/2019	5:30	47.4	48.4	46.6	47.4
31/10/2019	5:35	47.1	48	46.5	
31/10/2019	5:40	47.3	48	46.8	
31/10/2019	5:45	47.7	49.2	46.5	
31/10/2019	5:50	47.6	48.3	46.8	
31/10/2019	5:55	47.5	48.2	46.9	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
31/10/2019	6:00	47.5	48.2	46.8	47.5
31/10/2019	6:05	47.4	48.1	46.9	
31/10/2019	6:10	47.5	48.2	47	
31/10/2019	6:15	47.6	48.5	47	
31/10/2019	6:20	47.6	48.3	47.1	
31/10/2019	6:25	47.6	48.3	47	
31/10/2019	6:30	48.3	49.4	47.3	48.2
31/10/2019	6:35	48.4	49.2	47.2	
31/10/2019	6:40	48.2	49.3	47.3	
31/10/2019	6:45	48.5	50.2	47.4	
31/10/2019	6:50	47.9	48.6	47.3	
31/10/2019	6:55	47.7	48.5	47.1	
31/10/2019	23:00	51.5	54.6	49.1	51.6
31/10/2019	23:05	52.2	55.8	49.1	
31/10/2019	23:10	50.8	53.8	48.5	
31/10/2019	23:15	50.4	52.4	49	
31/10/2019	23:20	52.1	54.9	49.7	
31/10/2019	23:25	52.4	57.3	49.1	
31/10/2019	23:30	50.4	52.5	48.9	51.2
31/10/2019	23:35	51	54.8	48.7	
31/10/2019	23:40	53.7	58.7	48.9	
31/10/2019	23:45	50.4	52.7	48.9	
31/10/2019	23:50	50.4	53.1	48.2	
31/10/2019	23:55	50.2	52.5	48.5	
01/11/2019	0:00	51.3	53.7	48.5	50.7
01/11/2019	0:05	50.9	54.5	48.4	
01/11/2019	0:10	50.6	54.1	48.1	
01/11/2019	0:15	50.8	54.3	48.1	
01/11/2019	0:20	50.8	54.2	48.7	
01/11/2019	0:25	49.7	52.7	47.8	
01/11/2019	0:30	51.2	54.7	48.4	51.1
01/11/2019	0:35	51.6	55	49.1	
01/11/2019	0:40	50.4	52.5	48.4	
01/11/2019	0:45	52	54.6	49.1	
01/11/2019	0:50	50.5	53.5	48.4	
01/11/2019	0:55	50.5	54.1	48.3	
01/11/2019	1:00	50.2	52.8	48.4	51.5
01/11/2019	1:05	55.6	60.2	48.2	
01/11/2019	1:10	49.5	52	48.2	
01/11/2019	1:15	50.6	53	48.3	
01/11/2019	1:20	49.6	51.2	48.5	
01/11/2019	1:25	49.2	51.5	48.1	
01/11/2019	1:30	48.4	49.2	47.7	50.3
01/11/2019	1:35	49.2	51.8	47.7	
01/11/2019	1:40	50.4	53.3	47.8	
01/11/2019	1:45	53.1	59.2	48.4	
01/11/2019	1:50	49.3	51.7	47.9	
01/11/2019	1:55	49.3	50.6	48.3	
01/11/2019	2:00	48.8	50.2	47.8	48.8
01/11/2019	2:05	48.3	49.6	47.2	
01/11/2019	2:10	48.6	51	47.3	
01/11/2019	2:15	49.8	53	47.7	
01/11/2019	2:20	49	50.5	47.9	
01/11/2019	2:25	48.3	50.6	47.1	
01/11/2019	2:30	48.1	48.9	47.5	49.2
01/11/2019	2:35	48.8	50.5	47.5	
01/11/2019	2:40	48.6	51	47.3	
01/11/2019	2:45	51.7	57.4	47.7	
01/11/2019	2:50	48.7	50.4	47.6	
01/11/2019	2:55	48.1	49.8	47.1	

## Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
01/11/2019	3:00	48.9	51.5	47.3	48.9
01/11/2019	3:05	49.2	53.1	47.3	
01/11/2019	3:10	48.5	49.7	47.4	
01/11/2019	3:15	48.7	50.6	46.9	
01/11/2019	3:20	48.9	51.2	47.4	
01/11/2019	3:25	49.1	51.6	47.5	
01/11/2019	3:30	48.9	50.5	47.5	48.8
01/11/2019	3:35	48.8	50.1	47.5	
01/11/2019	3:40	48.5	49.8	47.3	
01/11/2019	3:45	48.8	51.3	47.7	
01/11/2019	3:50	48.9	50.5	47.5	
01/11/2019	3:55	48.7	50.5	47.3	
01/11/2019	4:00	49.3	51.8	47.8	48.6
01/11/2019	4:05	48.2	49.6	47.3	
01/11/2019	4:10	48.4	50.3	47.2	
01/11/2019	4:15	49.1	50.5	47.6	
01/11/2019	4:20	48.1	49.8	47	
01/11/2019	4:25	48.5	49.4	47.1	
01/11/2019	4:30	48.4	50.9	47.1	48.4
01/11/2019	4:35	47.7	49	46.7	
01/11/2019	4:40	49.2	51.9	47.1	
01/11/2019	4:45	48.2	49.8	47.2	
01/11/2019	4:50	48.3	49.4	47.6	
01/11/2019	4:55	48.5	50.4	47.2	
01/11/2019	5:00	48.7	50.3	47.3	48.6
01/11/2019	5:05	49.1	51.3	47.4	
01/11/2019	5:10	47.8	48.8	46.9	
01/11/2019	5:15	48.5	50.1	46.9	
01/11/2019	5:20	48.3	49.5	47.3	
01/11/2019	5:25	49.1	52	47.5	
01/11/2019	5:30	48	49.2	47.1	48.4
01/11/2019	5:35	48.5	50.1	47.4	
01/11/2019	5:40	48.1	49.6	47.1	
01/11/2019	5:45	48.6	50.2	47.4	
01/11/2019	5:50	49.1	51.1	47.6	
01/11/2019	5:55	47.9	49.1	46.8	
01/11/2019	6:00	48.6	51.7	47	48.1
01/11/2019	6:05	48.1	49.2	47.1	
01/11/2019	6:10	47.6	48.5	46.9	
01/11/2019	6:15	47.8	48.9	47	
01/11/2019	6:20	48	49.3	47.1	
01/11/2019	6:25	48.3	49.5	47.1	
01/11/2019	6:30	48.2	50.2	47	48.2
01/11/2019	6:35	48.3	50.1	46.3	
01/11/2019	6:40	47.8	49.7	46.5	
01/11/2019	6:45	47.7	49.1	46.8	
01/11/2019	6:50	48.7	50.4	47.4	
01/11/2019	6:55	48.6	51	47.4	
01/11/2019	23:00	51.9	54.4	49.5	51.8
01/11/2019	23:05	52.2	56.1	49	
01/11/2019	23:10	51.9	55.5	48.9	
01/11/2019	23:15	51.7	54.6	48.7	
01/11/2019	23:20	51.3	54.5	48.8	
01/11/2019	23:25	51.5	54.8	49	
01/11/2019	23:30	50.4	52.6	48.6	51.4
01/11/2019	23:35	52.5	57.1	49.6	
01/11/2019	23:40	51.2	53.6	49.3	
01/11/2019	23:45	51.5	54.1	49.1	
01/11/2019	23:50	51.5	56	49.1	
01/11/2019	23:55	51.2	53.6	49.4	

## Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	0:00	51.4	53.7	49.2	52.2
02/11/2019	0:05	53.6	58.3	49.5	
02/11/2019	0:10	51.9	56.1	48.2	
02/11/2019	0:15	52.1	55.5	48.7	
02/11/2019	0:20	51.4	55.1	48.6	
02/11/2019	0:25	52.1	55.9	49.3	
02/11/2019	0:30	53	56.1	50.1	52.6
02/11/2019	0:35	52.5	56.7	48.6	
02/11/2019	0:40	52.5	56.9	48.8	
02/11/2019	0:45	52.5	56.6	48.5	
02/11/2019	0:50	52.8	57.2	49.2	
02/11/2019	0:55	52.1	55.4	48.1	
02/11/2019	1:00	50.8	55.3	47.7	54.6
02/11/2019	1:05	51.1	55	48.2	
02/11/2019	1:10	50.4	53.8	47.8	
02/11/2019	1:15	60.6	64	48.8	
02/11/2019	1:20	50.1	53.7	47.8	
02/11/2019	1:25	50.3	53	48.3	
02/11/2019	1:30	50.6	54	48.6	50.3
02/11/2019	1:35	51.4	55.7	48.5	
02/11/2019	1:40	49.8	52	47.8	
02/11/2019	1:45	49.5	52.2	47.6	
02/11/2019	1:50	49.3	51.6	47.7	
02/11/2019	1:55	51	55.8	47.5	
02/11/2019	2:00	49.7	54	47.4	49.4
02/11/2019	2:05	49	51.3	47.3	
02/11/2019	2:10	48.9	50.8	47.7	
02/11/2019	2:15	49.4	51.4	47.9	
02/11/2019	2:20	49.6	51.8	47.8	
02/11/2019	2:25	49.5	52.3	47.8	
02/11/2019	2:30	48.4	49.5	47.4	49.1
02/11/2019	2:35	49.6	51.1	48.1	
02/11/2019	2:40	50.8	56.9	47.6	
02/11/2019	2:45	48.6	51.1	47.5	
02/11/2019	2:50	48.2	49.9	47.2	
02/11/2019	2:55	48.6	50.2	47.5	
02/11/2019	3:00	48.9	50.6	47.8	48.9
02/11/2019	3:05	48.9	52.2	47.1	
02/11/2019	3:10	49.2	50.6	47.7	
02/11/2019	3:15	49.4	51.8	47.5	
02/11/2019	3:20	48.4	50.4	47.2	
02/11/2019	3:25	48.4	50	47.3	
02/11/2019	3:30	48.5	50.5	47	52.6
02/11/2019	3:35	48	49.4	46.8	
02/11/2019	3:40	48	49.4	46.7	
02/11/2019	3:45	47.6	49.1	46.7	
02/11/2019	3:50	47.3	48	46.6	
02/11/2019	3:55	58.9	66.1	46.9	
02/11/2019	4:00	48.6	50.2	47.2	48.4
02/11/2019	4:05	50.1	54.3	47.1	
02/11/2019	4:10	47.6	49.4	46.5	
02/11/2019	4:15	48.9	53.8	46.3	
02/11/2019	4:20	47.6	49.4	46.6	
02/11/2019	4:25	47.1	47.7	46.6	
02/11/2019	4:30	47.7	49.8	46.5	47.9
02/11/2019	4:35	47.3	48.2	46.5	
02/11/2019	4:40	47.5	49.1	46.6	
02/11/2019	4:45	48	49.3	46.8	
02/11/2019	4:50	48.5	50.4	47.1	
02/11/2019	4:55	48.5	50.6	47	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
02/11/2019	5:00	48.2	49.4	47.2	48.3
02/11/2019	5:05	48.1	49.7	47	
02/11/2019	5:10	48.4	49.5	47.3	
02/11/2019	5:15	48.1	49.2	47.2	
02/11/2019	5:20	48.5	50.1	47.3	
02/11/2019	5:25	48.3	49.6	47.3	
02/11/2019	5:30	48.9	51.5	47.4	48.0
02/11/2019	5:35	47.3	48.5	46.6	
02/11/2019	5:40	47.5	48.9	46.7	
02/11/2019	5:45	48	49.3	46.8	
02/11/2019	5:50	48	49.5	47	
02/11/2019	5:55	48.3	50.1	47	
02/11/2019	6:00	48	49.9	46.7	47.6
02/11/2019	6:05	47.4	48.5	46.5	
02/11/2019	6:10	47.9	49.5	46.6	
02/11/2019	6:15	47.2	48.4	46.4	
02/11/2019	6:20	47.2	48.3	46.3	
02/11/2019	6:25	48.1	49.4	47.1	
02/11/2019	6:30	46.9	47.6	46.4	47.9
02/11/2019	6:35	48.5	50.1	46.4	
02/11/2019	6:40	47.3	48.1	46.6	
02/11/2019	6:45	47.6	48.7	46.7	
02/11/2019	6:50	47.9	49	47.1	
02/11/2019	6:55	48.9	51.2	46.9	
02/11/2019	23:00	50.9	54.1	48.5	51.8
02/11/2019	23:05	50.3	54	48.2	
02/11/2019	23:10	51	53.9	49.2	
02/11/2019	23:15	52.2	55.1	49.8	
02/11/2019	23:20	53.8	58.9	49.4	
02/11/2019	23:25	51.9	54.8	49	
02/11/2019	23:30	50.9	54.1	48.7	52.1
02/11/2019	23:35	53.2	57.3	49.4	
02/11/2019	23:40	52.2	56.4	48.6	
02/11/2019	23:45	51.5	55.5	48.1	
02/11/2019	23:50	53.5	57.7	48.7	
02/11/2019	23:55	50.5	53.2	48.2	
03/11/2019	0:00	51.8	55.3	48.6	51.9
03/11/2019	0:05	52.8	55.4	49.2	
03/11/2019	0:10	52.4	55.4	49.7	
03/11/2019	0:15	52.2	56.5	48.5	
03/11/2019	0:20	51.6	55.5	48	
03/11/2019	0:25	50.4	54	47.3	
03/11/2019	0:30	50.5	53.8	47.5	50.2
03/11/2019	0:35	50.9	55.6	48	
03/11/2019	0:40	49.2	52.5	47.6	
03/11/2019	0:45	49.5	52.2	47.8	
03/11/2019	0:50	50.4	54.1	48.2	
03/11/2019	0:55	50.4	53.8	48.2	
03/11/2019	1:00	49.8	53.6	47.9	49.6
03/11/2019	1:05	49.1	52.2	47.6	
03/11/2019	1:10	49.8	52.6	47.9	
03/11/2019	1:15	50.2	53.9	47.9	
03/11/2019	1:20	48.6	51.5	47.1	
03/11/2019	1:25	49.8	53.2	47.4	
03/11/2019	1:30	49	52.6	47.2	48.4
03/11/2019	1:35	47.9	50.1	47.1	
03/11/2019	1:40	48.3	50.7	47.1	
03/11/2019	1:45	48.7	52.1	47.3	
03/11/2019	1:50	47.7	49.5	46.9	
03/11/2019	1:55	48.5	50.3	47.2	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	2:00	47.9	48.8	47.1	48.6
03/11/2019	2:05	49.8	54.9	47.3	
03/11/2019	2:10	49.4	52.6	47.2	
03/11/2019	2:15	48.6	51.6	47	
03/11/2019	2:20	47.7	48.9	47	
03/11/2019	2:25	47.9	50.1	46.9	
03/11/2019	2:30	49.2	52.9	47	50.6
03/11/2019	2:35	48.2	51.1	47	
03/11/2019	2:40	48.7	51.1	47.1	
03/11/2019	2:45	47.9	48.8	47.2	
03/11/2019	2:50	55.3	60.4	47.2	
03/11/2019	2:55	48.2	51.5	47.1	
03/11/2019	3:00	48.6	51.1	46.8	48.6
03/11/2019	3:05	47.7	49.9	46.4	
03/11/2019	3:10	48.3	51.5	46.8	
03/11/2019	3:15	48.3	51.1	46.6	
03/11/2019	3:20	49.3	54.3	46.8	
03/11/2019	3:25	49.2	54.6	46.8	
03/11/2019	3:30	48.5	51.7	47.3	48.8
03/11/2019	3:35	47.9	49.6	46.9	
03/11/2019	3:40	50.8	56.4	47.2	
03/11/2019	3:45	48.8	52.9	47	
03/11/2019	3:50	48.5	52.8	46.7	
03/11/2019	3:55	47.4	48.7	46.6	
03/11/2019	4:00	47.1	48.4	46.3	48.0
03/11/2019	4:05	49.6	54.8	46.6	
03/11/2019	4:10	47.2	48	46.7	
03/11/2019	4:15	47.9	48.8	46.5	
03/11/2019	4:20	48.5	50.6	46.4	
03/11/2019	4:25	47.1	47.6	46.6	
03/11/2019	4:30	47.5	48.6	46.6	47.7
03/11/2019	4:35	48	50.3	46.9	
03/11/2019	4:40	47.3	48.2	46.6	
03/11/2019	4:45	47.5	48.5	46.7	
03/11/2019	4:50	48.1	51	46.9	
03/11/2019	4:55	47.5	48.6	46.8	
03/11/2019	5:00	47.7	49.7	46.7	47.5
03/11/2019	5:05	47.3	48	46.8	
03/11/2019	5:10	47.5	48.4	46.8	
03/11/2019	5:15	47.4	48.6	46.7	
03/11/2019	5:20	47.5	49.4	46.6	
03/11/2019	5:25	47.3	48.7	46.6	
03/11/2019	5:30	48.3	51.2	46.8	48.2
03/11/2019	5:35	51.2	57.5	46.5	
03/11/2019	5:40	46.7	47.5	46.3	
03/11/2019	5:45	47.1	47.9	46.4	
03/11/2019	5:50	47.1	47.5	46.5	
03/11/2019	5:55	46.7	47.1	46.4	
03/11/2019	6:00	47.2	48	46.7	47.6
03/11/2019	6:05	48.9	52.5	46.3	
03/11/2019	6:10	46.9	47.4	46.4	
03/11/2019	6:15	47	47.5	46.6	
03/11/2019	6:20	47.9	48.8	46.9	
03/11/2019	6:25	47.1	47.9	46.6	
03/11/2019	6:30	46.8	47.4	46.4	47.9
03/11/2019	6:35	47.9	49	46.4	
03/11/2019	6:40	47.5	48.2	46.7	
03/11/2019	6:45	48.8	52.2	46.7	
03/11/2019	6:50	48.7	51.7	46.6	
03/11/2019	6:55	47.6	48.6	46.9	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
03/11/2019	23:00	50.1	53.4	48.4	52.8
03/11/2019	23:05	49.8	52.8	47.6	
03/11/2019	23:10	57.9	62.5	48.1	
03/11/2019	23:15	50.7	53.6	47.8	
03/11/2019	23:20	50.1	53.5	47.8	
03/11/2019	23:25	50.8	53.5	48.4	
03/11/2019	23:30	50.6	53.3	47.5	49.9
03/11/2019	23:35	50.3	53.9	47.6	
03/11/2019	23:40	50.1	54.2	47.8	
03/11/2019	23:45	49.9	52.1	47.5	
03/11/2019	23:50	49.3	53.3	46.9	
03/11/2019	23:55	48.9	51.3	47.7	
04/11/2019	0:00	49.9	53.4	47.5	50.3
04/11/2019	0:05	51.2	55.7	48	
04/11/2019	0:10	49.7	52.9	47.8	
04/11/2019	0:15	51.5	53.3	47.7	
04/11/2019	0:20	50.2	53.7	47.9	
04/11/2019	0:25	49	51.1	47.7	
04/11/2019	0:30	49.3	52.3	47.6	50.4
04/11/2019	0:35	49.9	53.6	47.4	
04/11/2019	0:40	53.8	61.3	47.1	
04/11/2019	0:45	49.2	51.3	47.6	
04/11/2019	0:50	48.6	50.6	47	
04/11/2019	0:55	49.3	52.8	47.2	
04/11/2019	1:00	50.6	53.8	47	49.9
04/11/2019	1:05	50.9	54.6	47.1	
04/11/2019	1:10	51.4	57.8	47.1	
04/11/2019	1:15	48.2	49.8	47.1	
04/11/2019	1:20	48.7	50.1	47.5	
04/11/2019	1:25	48.5	51.1	47.2	
04/11/2019	1:30	47.5	48.9	46.7	47.9
04/11/2019	1:35	48	50.7	46.9	
04/11/2019	1:40	47.4	48	46.9	
04/11/2019	1:45	48.7	52.4	47	
04/11/2019	1:50	47.9	50.5	46.8	
04/11/2019	1:55	47.6	49.4	46.7	
04/11/2019	2:00	50.2	54.6	46.7	50.2
04/11/2019	2:05	50.4	55.6	46.6	
04/11/2019	2:10	47.4	49.5	46.5	
04/11/2019	2:15	52.1	58.8	46.5	
04/11/2019	2:20	51.9	59	46.5	
04/11/2019	2:25	46.9	47.7	46.4	
04/11/2019	2:30	47.6	49.9	46.8	47.1
04/11/2019	2:35	47.1	48	46.5	
04/11/2019	2:40	47.1	47.6	46.6	
04/11/2019	2:45	46.7	47.2	46.2	
04/11/2019	2:50	46.9	47.4	46.6	
04/11/2019	2:55	47.3	49.4	46.6	
04/11/2019	3:00	47.9	50.8	46.4	47.7
04/11/2019	3:05	47.4	49.6	46.2	
04/11/2019	3:10	47.7	51.2	46.2	
04/11/2019	3:15	48.4	52.7	46.7	
04/11/2019	3:20	47.1	47.7	46.6	
04/11/2019	3:25	47.4	47.7	46.6	
04/11/2019	3:30	47.2	47.8	46.7	47.8
04/11/2019	3:35	48.1	52	46.9	
04/11/2019	3:40	47.2	48.8	46.5	
04/11/2019	3:45	47.8	49.9	46.7	
04/11/2019	3:50	48.4	51.7	46.7	
04/11/2019	3:55	48	50.7	46.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
04/11/2019	4:00	46.9	47.8	46.4	47.2
04/11/2019	4:05	46.9	47.4	46.4	
04/11/2019	4:10	46.9	47.3	46.5	
04/11/2019	4:15	47.9	50.4	46.7	
04/11/2019	4:20	46.9	47.5	46.5	
04/11/2019	4:25	47.4	49.3	46.4	
04/11/2019	4:30	47.3	48.6	46.3	47.3
04/11/2019	4:35	47.7	50.2	46.5	
04/11/2019	4:40	46.8	47.2	46.5	
04/11/2019	4:45	47	47.8	46.4	
04/11/2019	4:50	46.8	47.2	46.5	
04/11/2019	4:55	47.8	50	46.4	
04/11/2019	5:00	47.3	48.5	46.5	47.0
04/11/2019	5:05	47	47.6	46.4	
04/11/2019	5:10	46.5	47	46.2	
04/11/2019	5:15	47	47.6	46.4	
04/11/2019	5:20	46.8	47.5	46.3	
04/11/2019	5:25	47.5	48.8	46.6	
04/11/2019	5:30	47.5	49	46.6	47.2
04/11/2019	5:35	46.9	47.6	46.3	
04/11/2019	5:40	47.7	48.6	46.9	
04/11/2019	5:45	47.1	47.8	46.5	
04/11/2019	5:50	47.1	48	46.6	
04/11/2019	5:55	47.1	47.8	46.5	
04/11/2019	6:00	47.5	48.3	46.9	47.3
04/11/2019	6:05	47.6	48.4	46.9	
04/11/2019	6:10	47.3	48.3	46.5	
04/11/2019	6:15	47.1	47.7	46.6	
04/11/2019	6:20	46.9	47.7	46.3	
04/11/2019	6:25	47.2	48.1	46.6	
04/11/2019	6:30	47.7	49.6	46.6	47.2
04/11/2019	6:35	46.8	47.5	46.2	
04/11/2019	6:40	47	48	46.3	
04/11/2019	6:45	47.8	49.7	46.4	
04/11/2019	6:50	46.8	47.5	46.3	
04/11/2019	6:55	47.1	48	46.3	
04/11/2019	23:00	51.2	56.1	48	51.8
04/11/2019	23:05	50.6	53.3	48.4	
04/11/2019	23:10	50.6	53.5	48.8	
04/11/2019	23:15	51.4	54.1	49.2	
04/11/2019	23:20	52.9	58.5	48.6	
04/11/2019	23:25	53.5	57.6	48.3	
04/11/2019	23:30	51.2	55	48.2	51.0
04/11/2019	23:35	52.7	57.6	48.6	
04/11/2019	23:40	51.1	53.9	48.7	
04/11/2019	23:45	50	54	48.1	
04/11/2019	23:50	49.7	52.2	48.1	
04/11/2019	23:55	50.5	53.5	48.6	
05/11/2019	0:00	55.2	60.2	48.8	54.1
05/11/2019	0:05	59.3	64.6	48.2	
05/11/2019	0:10	50.1	53.2	48	
05/11/2019	0:15	49.8	52.5	48.1	
05/11/2019	0:20	49	51.8	47.7	
05/11/2019	0:25	49.8	52.4	47.9	
05/11/2019	0:30	51.2	56	48	49.9
05/11/2019	0:35	50.5	54.1	48.5	
05/11/2019	0:40	49.7	53.9	47.6	
05/11/2019	0:45	49.6	52.6	47.7	
05/11/2019	0:50	49	51.3	47.8	
05/11/2019	0:55	49	51.9	47.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	1:00	49.3	53.3	47.6	49.8
05/11/2019	1:05	49.4	53.1	47.6	
05/11/2019	1:10	49.2	52	47.6	
05/11/2019	1:15	49.9	52	47.7	
05/11/2019	1:20	49.7	52.5	47.5	
05/11/2019	1:25	51.2	55.7	47.8	
05/11/2019	1:30	52.1	54.3	49.9	50.5
05/11/2019	1:35	53.5	57.2	49.7	
05/11/2019	1:40	48.4	50.6	46.8	
05/11/2019	1:45	47.2	48.2	46.5	
05/11/2019	1:50	49.3	52.7	47	
05/11/2019	1:55	49	52.8	46.6	
05/11/2019	2:00	46.9	47.6	46.4	47.5
05/11/2019	2:05	47.6	49.7	46.7	
05/11/2019	2:10	47.1	48.3	46.5	
05/11/2019	2:15	47.8	50.5	46.3	
05/11/2019	2:20	48.2	52.8	46.2	
05/11/2019	2:25	47.1	48.8	46.2	
05/11/2019	2:30	47.1	48.9	46.3	47.5
05/11/2019	2:35	47.1	48.6	46.3	
05/11/2019	2:40	47.5	50.3	46.3	
05/11/2019	2:45	47.6	51.1	46.3	
05/11/2019	2:50	48	50.3	46.8	
05/11/2019	2:55	47.9	51.8	46.4	
05/11/2019	3:00	48.1	51.7	46.4	47.6
05/11/2019	3:05	47.5	49.9	46.4	
05/11/2019	3:10	47.5	48.7	46.7	
05/11/2019	3:15	48.4	52.1	46.7	
05/11/2019	3:20	46.9	47.5	46.3	
05/11/2019	3:25	47.1	47.8	46.5	
05/11/2019	3:30	49.5	51.9	47.5	48.5
05/11/2019	3:35	47.4	48.8	46.4	
05/11/2019	3:40	50.9	54.4	46.4	
05/11/2019	3:45	46.8	47.5	46.2	
05/11/2019	3:50	47.5	49.6	46.6	
05/11/2019	3:55	47.4	49.9	46.4	
05/11/2019	4:00	47	48	46.3	47.1
05/11/2019	4:05	47.2	50.1	46.1	
05/11/2019	4:10	46.9	48.5	46.1	
05/11/2019	4:15	46.8	48.2	46	
05/11/2019	4:20	47.7	50	46.5	
05/11/2019	4:25	46.8	47.3	46.3	
05/11/2019	4:30	47.1	48.6	46.4	46.8
05/11/2019	4:35	47	49	46.3	
05/11/2019	4:40	46.7	47.2	46.3	
05/11/2019	4:45	46.3	47	45.7	
05/11/2019	4:50	46.7	47.2	46.4	
05/11/2019	4:55	46.7	47.5	46.1	
05/11/2019	5:00	46.4	46.9	46	47.0
05/11/2019	5:05	46.6	47.3	46.1	
05/11/2019	5:10	46.9	48.6	46.3	
05/11/2019	5:15	47.9	50.9	46.3	
05/11/2019	5:20	46.6	48.2	45.8	
05/11/2019	5:25	47.2	48.6	46.3	
05/11/2019	5:30	46.3	46.8	45.9	46.7
05/11/2019	5:35	46.8	47.3	46.4	
05/11/2019	5:40	46.6	47	46.2	
05/11/2019	5:45	46.9	47.7	46.4	
05/11/2019	5:50	46.8	47.5	46.3	
05/11/2019	5:55	46.8	47.3	46.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
05/11/2019	6:00	46.5	46.9	45.9	46.6
05/11/2019	6:05	46.6	47.2	46.3	
05/11/2019	6:10	46.8	47.3	46.5	
05/11/2019	6:15	46.7	47.1	46.1	
05/11/2019	6:20	46.5	47	46	
05/11/2019	6:25	46.6	47.1	46.2	
05/11/2019	6:30	47.8	49.6	46	47.2
05/11/2019	6:35	47.5	48.2	46.8	
05/11/2019	6:40	46.8	47.4	46.3	
05/11/2019	6:45	46.6	47.1	46.1	
05/11/2019	6:50	46.8	47.5	46.1	
05/11/2019	6:55	47.7	49.5	46.4	
05/11/2019	23:00	50.9	53.6	48.8	51.6
05/11/2019	23:05	50.9	53.7	48.7	
05/11/2019	23:10	49.4	51.6	48.2	
05/11/2019	23:15	52.6	57.9	48.5	
05/11/2019	23:20	51.3	54.1	49.1	
05/11/2019	23:25	53.2	59.4	48.9	
05/11/2019	23:30	50.9	54.6	48.6	51.1
05/11/2019	23:35	52.1	57.1	48.1	
05/11/2019	23:40	50.8	54	48.5	
05/11/2019	23:45	50.7	54.7	48.1	
05/11/2019	23:50	52	55.3	48.6	
05/11/2019	23:55	49.6	51.6	48.5	
05/11/2019	0:00	55.5	61.2	49	54.2
06/11/2019	0:05	50.7	54.2	48.4	
06/11/2019	0:10	58.2	64.6	48.7	
06/11/2019	0:15	53.9	59.9	48.7	
06/11/2019	0:20	50.6	53.2	48.5	
06/11/2019	0:25	50.1	53.5	48.1	
06/11/2019	0:30	50.4	53.9	48.4	51.4
06/11/2019	0:35	50	53.9	48.3	
06/11/2019	0:40	52.9	58.4	48	
06/11/2019	0:45	50	53.2	48.2	
06/11/2019	0:50	54	61.1	48.1	
06/11/2019	0:55	48.5	49.4	47.9	
06/11/2019	1:00	49.2	52.6	47.6	51.0
06/11/2019	1:05	54.3	60.8	47.7	
06/11/2019	1:10	52.2	53.3	47.6	
06/11/2019	1:15	49	51.8	47.9	
06/11/2019	1:20	49	51.7	47.7	
06/11/2019	1:25	48.5	50	47.8	
06/11/2019	1:30	56.2	64.2	47.5	51.3
06/11/2019	1:35	48.7	52.3	47.5	
06/11/2019	1:40	48	49.3	47.3	
06/11/2019	1:45	48.9	50.3	47.8	
06/11/2019	1:50	49.6	53	47.4	
06/11/2019	1:55	49.3	52.4	47.8	
06/11/2019	2:00	49.4	52.7	47.8	48.9
06/11/2019	2:05	49.6	54	47.1	
06/11/2019	2:10	48.6	51.4	47.3	
06/11/2019	2:15	48.7	50	47.6	
06/11/2019	2:20	48.6	50.3	47.4	
06/11/2019	2:25	48.2	49.5	47.2	
06/11/2019	2:30	48.2	49	47.5	48.5
06/11/2019	2:35	48	48.8	47.3	
06/11/2019	2:40	49.2	52.1	47.3	
06/11/2019	2:45	48.9	51.4	47.3	
06/11/2019	2:50	48.1	49.7	47.2	
06/11/2019	2:55	48.4	50.4	47.2	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	3:00	48.4	50.4	47	48.5
06/11/2019	3:05	49	50.4	47.9	
06/11/2019	3:10	48.6	50.2	47.6	
06/11/2019	3:15	47.8	48.7	47	
06/11/2019	3:20	47.9	48.8	47.1	
06/11/2019	3:25	49.3	50.9	47.6	
06/11/2019	3:30	47.9	49.1	47.2	48.1
06/11/2019	3:35	48.2	49.3	47.5	
06/11/2019	3:40	48.9	50.9	47.5	
06/11/2019	3:45	47.8	48.6	47.3	
06/11/2019	3:50	48.1	49.5	46.8	
06/11/2019	3:55	47.4	48	46.9	
06/11/2019	4:00	48.1	49.5	47.2	47.9
06/11/2019	4:05	47.5	48.2	46.7	
06/11/2019	4:10	47.6	48.2	47.1	
06/11/2019	4:15	48.4	50	47.2	
06/11/2019	4:20	47.8	49.8	46.9	
06/11/2019	4:25	47.9	49.7	47.1	
06/11/2019	4:30	47.9	48.9	47.1	47.8
06/11/2019	4:35	47.6	48.3	47.1	
06/11/2019	4:40	47.6	48.2	47.1	
06/11/2019	4:45	48	49.1	47.2	
06/11/2019	4:50	47.9	49	47.2	
06/11/2019	4:55	47.9	49.4	46.8	
06/11/2019	5:00	47.6	49.7	46.9	47.8
06/11/2019	5:05	47.9	50.8	46.8	
06/11/2019	5:10	48.4	50.5	47	
06/11/2019	5:15	48.2	50.6	46.8	
06/11/2019	5:20	47.2	47.8	46.7	
06/11/2019	5:25	47.4	48.2	46.8	
06/11/2019	5:30	48.8	51.8	47.1	48.2
06/11/2019	5:35	48	49.2	47.1	
06/11/2019	5:40	48.5	49.7	47.7	
06/11/2019	5:45	48.3	49.8	47.3	
06/11/2019	5:50	47.4	48.1	46.8	
06/11/2019	5:55	48.3	49.5	47.3	
06/11/2019	6:00	47.9	48.9	47.2	47.6
06/11/2019	6:05	48	48.9	47.1	
06/11/2019	6:10	47.4	48.2	46.9	
06/11/2019	6:15	47.4	48.3	46.9	
06/11/2019	6:20	47.6	48.5	47	
06/11/2019	6:25	47.5	48.2	46.8	
06/11/2019	6:30	47.4	48.5	46.7	48.3
06/11/2019	6:35	49.2	53.2	47	
06/11/2019	6:40	48	49.1	47.1	
06/11/2019	6:45	47.5	48.5	46.7	
06/11/2019	6:50	47.5	48.7	46.6	
06/11/2019	6:55	49.8	52.3	47.6	
06/11/2019	23:00	50.6	53.6	48.7	58.2
06/11/2019	23:05	52.6	55.4	49.8	
06/11/2019	23:10	54.1	59.5	50.3	
06/11/2019	23:15	50.9	53.5	49	
06/11/2019	23:20	58.3	65.4	48.5	
06/11/2019	23:25	64.2	69.5	48.5	
06/11/2019	23:30	60	66.9	48.4	54.3
06/11/2019	23:35	51.6	55.8	48.6	
06/11/2019	23:40	53.3	58.7	48.8	
06/11/2019	23:45	49.5	51.3	48.5	
06/11/2019	23:50	49.5	52.1	48.1	
06/11/2019	23:55	49.8	52	48.1	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
06/11/2019	0:00	58.7	65.6	48.1	55.8
07/11/2019	0:05	56.2	63	48.5	
07/11/2019	0:10	51.9	55.6	48.5	
07/11/2019	0:15	51.1	54.2	48.1	
07/11/2019	0:20	58.7	64.7	48.2	
07/11/2019	0:25	50.7	55.4	48	
07/11/2019	0:30	49.7	52.8	47.8	53.0
07/11/2019	0:35	50.8	55	47.8	
07/11/2019	0:40	50.3	54	47.8	
07/11/2019	0:45	54.9	60.9	47.8	
07/11/2019	0:50	56.6	63.2	47.9	
07/11/2019	0:55	50	53.6	48.1	
07/11/2019	1:00	51.5	55.4	48	50.3
07/11/2019	1:05	49.5	52.8	48	
07/11/2019	1:10	50.9	53.2	49	
07/11/2019	1:15	51.4	52.2	47.7	
07/11/2019	1:20	49.4	52.7	47.6	
07/11/2019	1:25	48.2	49.2	47.5	
07/11/2019	1:30	50.6	55.1	47.5	49.0
07/11/2019	1:35	49.7	54.1	47.7	
07/11/2019	1:40	48	48.6	47.5	
07/11/2019	1:45	48.4	50.3	47.5	
07/11/2019	1:50	48.2	49.8	47.3	
07/11/2019	1:55	48.2	49	47.4	
07/11/2019	2:00	48.2	48.9	47.7	48.2
07/11/2019	2:05	47.9	48.6	47.3	
07/11/2019	2:10	47.9	48.5	47.3	
07/11/2019	2:15	49.3	52.4	47.8	
07/11/2019	2:20	48.1	49.1	47.5	
07/11/2019	2:25	47.8	48.5	47.2	
07/11/2019	2:30	48.1	49.1	47.4	48.8
07/11/2019	2:35	48.4	50.4	47.1	
07/11/2019	2:40	48.3	50	47.1	
07/11/2019	2:45	48.6	51.7	47.1	
07/11/2019	2:50	47.7	48.3	47.1	
07/11/2019	2:55	50.8	55.8	47.2	
07/11/2019	3:00	49.7	53.8	47.2	48.3
07/11/2019	3:05	48.4	50.5	47.4	
07/11/2019	3:10	47.7	48.6	47.1	
07/11/2019	3:15	47.7	48.4	47	
07/11/2019	3:20	47.9	48.6	47.3	
07/11/2019	3:25	47.9	48.5	47.4	
07/11/2019	3:30	48	49.6	47.2	48.1
07/11/2019	3:35	48.7	51.5	47.4	
07/11/2019	3:40	48.1	49.1	47.4	
07/11/2019	3:45	47.9	49.1	47.3	
07/11/2019	3:50	47.7	48.2	47.2	
07/11/2019	3:55	48	49.7	47.1	
07/11/2019	4:00	47.6	48.7	47	47.9
07/11/2019	4:05	47.9	49.7	47.1	
07/11/2019	4:10	47.7	48.5	47.1	
07/11/2019	4:15	48	48.5	47.4	
07/11/2019	4:20	48.3	51.6	47.1	
07/11/2019	4:25	47.7	49.2	46.8	
07/11/2019	4:30	47.7	48.3	47.2	47.8
07/11/2019	4:35	48.2	49.2	47.2	
07/11/2019	4:40	47.8	48.8	47.1	
07/11/2019	4:45	47.4	48	46.8	
07/11/2019	4:50	47.7	48.6	47	
07/11/2019	4:55	47.8	48.5	47.3	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
07/11/2019	5:00	47.9	48.6	47.3	47.9
07/11/2019	5:05	47.6	48.5	47	
07/11/2019	5:10	47.9	49	47.2	
07/11/2019	5:15	47.6	48.4	46.9	
07/11/2019	5:20	47.6	48.4	47	
07/11/2019	5:25	48.6	49.9	47.3	47.7
07/11/2019	5:30	48.1	51.9	46.9	
07/11/2019	5:35	48	49.1	47.2	
07/11/2019	5:40	47.3	47.9	46.9	
07/11/2019	5:45	47.7	49.1	46.7	
07/11/2019	5:50	47.6	49.3	46.9	47.5
07/11/2019	5:55	47.5	48.7	46.9	
07/11/2019	6:00	47.6	48.3	46.9	
07/11/2019	6:05	47.1	47.6	46.7	
07/11/2019	6:10	48	50.7	46.7	
07/11/2019	6:15	47.2	47.9	46.6	47.5
07/11/2019	6:20	47.5	48	47.1	
07/11/2019	6:25	47.3	47.8	46.9	
07/11/2019	6:30	47	47.5	46.5	
07/11/2019	6:35	46.9	47.4	46.4	
07/11/2019	6:40	48.8	52.3	46.5	47.5
07/11/2019	6:45	47.2	47.8	46.6	
07/11/2019	6:50	47.5	48	47	
07/11/2019	6:55	47.4	48.2	46.8	
07/11/2019	23:00	50.9	53.4	48.6	
07/11/2019	23:05	52.7	56.4	48.9	
07/11/2019	23:10	49.9	52.2	48.4	
07/11/2019	23:15	50.2	53.4	47.9	
07/11/2019	23:20	50.3	53.3	48.2	
07/11/2019	23:25	52.2	55.5	48.6	52.5
07/11/2019	23:30	56.3	61.6	48.6	
07/11/2019	23:35	51.7	55.1	48.9	
07/11/2019	23:40	49.8	52	48.3	
07/11/2019	23:45	51	54.7	48.6	
07/11/2019	23:50	51.1	53.9	49.1	50.8
07/11/2019	23:55	51.5	54.3	49	
08/11/2019	0:00	52.9	56.3	50	
08/11/2019	0:05	50.8	54	48.6	
08/11/2019	0:10	49.1	50.5	48.3	
08/11/2019	0:15	50.9	54.7	48.3	50.2
08/11/2019	0:20	50.1	53.1	48.2	
08/11/2019	0:25	49.8	53.6	48	
08/11/2019	0:30	49.3	53.3	47.9	
08/11/2019	0:35	49.3	51.5	47.7	
08/11/2019	0:40	49	50.7	48	48.9
08/11/2019	0:45	48.9	49.9	48.1	
08/11/2019	0:50	52.5	56.2	49	
08/11/2019	0:55	50.9	58	47.5	
08/11/2019	1:00	50	53.9	47.7	
08/11/2019	1:05	48.5	49.7	47.6	48.3
08/11/2019	1:10	48.4	50.3	47.5	
08/11/2019	1:15	48.3	49.7	47.5	
08/11/2019	1:20	49.6	53.2	47.7	
08/11/2019	1:25	48.3	49.4	47.6	
08/11/2019	1:30	48.8	51	47.5	48.3
08/11/2019	1:35	48.1	48.9	47.5	
08/11/2019	1:40	48	48.8	47.5	
08/11/2019	1:45	48	48.5	47.5	
08/11/2019	1:50	48.4	49.7	47.9	
08/11/2019	1:55	48.4	49.5	47.7	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	2:00	48.7	50.6	47.1	48.6
08/11/2019	2:05	50.3	51.1	47.6	
08/11/2019	2:10	48	48.8	47.3	
08/11/2019	2:15	48.2	49.6	47.3	
08/11/2019	2:20	47.7	48.5	47	
08/11/2019	2:25	48.2	50.1	47.2	48.9
08/11/2019	2:30	49.5	52.5	47.7	
08/11/2019	2:35	48.9	52.2	47.4	
08/11/2019	2:40	48.3	50.2	47.3	
08/11/2019	2:45	48.4	50.2	47.4	
08/11/2019	2:50	50	53.5	47.6	48.9
08/11/2019	2:55	48.1	49.2	47.2	
08/11/2019	3:00	48.4	50.1	47.3	
08/11/2019	3:05	48.4	49.7	47.4	
08/11/2019	3:10	49.1	51.7	47.4	
08/11/2019	3:15	48.8	51.5	47.3	48.9
08/11/2019	3:20	49.8	53.8	47.2	
08/11/2019	3:25	49	51.5	47	
08/11/2019	3:30	47.8	48.6	47	
08/11/2019	3:35	47.8	49.7	47	
08/11/2019	3:40	48.2	49.1	47.2	48.0
08/11/2019	3:45	47.7	48.8	47	
08/11/2019	3:50	47.9	49	47.3	
08/11/2019	3:55	48.4	50	47.4	
08/11/2019	4:00	51.1	55.6	47.4	
08/11/2019	4:05	48.4	51.6	47.1	48.7
08/11/2019	4:10	47.6	48.4	47	
08/11/2019	4:15	47.4	48.3	46.7	
08/11/2019	4:20	48.9	52.9	47	
08/11/2019	4:25	47.7	48.4	47.1	
08/11/2019	4:30	48	50.3	46.7	47.8
08/11/2019	4:35	48.2	50.7	46.8	
08/11/2019	4:40	47.7	49.3	47	
08/11/2019	4:45	47.3	48.1	46.7	
08/11/2019	4:50	47.9	50.2	47	
08/11/2019	4:55	47.8	49.4	46.7	47.7
08/11/2019	5:00	47.9	48.8	47.1	
08/11/2019	5:05	47.8	49	46.8	
08/11/2019	5:10	47.7	48.5	46.9	
08/11/2019	5:15	47.7	48.6	46.8	
08/11/2019	5:20	47.6	48.3	46.9	47.4
08/11/2019	5:25	47.5	48.5	46.9	
08/11/2019	5:30	47.8	49	46.9	
08/11/2019	5:35	47.5	48.3	47	
08/11/2019	5:40	47.6	48.6	46.9	
08/11/2019	5:45	47.2	48	46.4	47.2
08/11/2019	5:50	47.2	47.6	46.8	
08/11/2019	5:55	47.2	48.2	46.6	
08/11/2019	6:00	47.3	48.4	46.6	
08/11/2019	6:05	46.9	47.6	46.5	
08/11/2019	6:10	47	47.8	46.3	48.1
08/11/2019	6:15	47.2	47.7	46.7	
08/11/2019	6:20	47.4	48.3	46.3	
08/11/2019	6:25	47.2	47.9	46.5	
08/11/2019	6:30	47.5	48.1	47	
08/11/2019	6:35	49.2	53	47	48.1
08/11/2019	6:40	47.4	48	46.9	
08/11/2019	6:45	48.1	49.1	47.2	
08/11/2019	6:50	48.2	49.1	47.5	
08/11/2019	6:55	48.1	48.8	47.4	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
08/11/2019	23:00	50.6	52.8	49.3	53.2
08/11/2019	23:05	51.7	55.1	49.2	
08/11/2019	23:10	53.2	55.6	49.4	
08/11/2019	23:15	56	61.6	50.1	
08/11/2019	23:20	53.5	59.2	49.1	
08/11/2019	23:25	51.9	56.4	48.9	
08/11/2019	23:30	52.2	55.8	49.4	52.2
08/11/2019	23:35	53.7	55.3	49.8	
08/11/2019	23:40	51.1	53.6	48.7	
08/11/2019	23:45	51.3	54.8	48.9	
08/11/2019	23:50	50.8	53.4	49.1	
08/11/2019	23:55	53.2	58.1	49.4	
08/11/2019	0:00	50.6	53.1	49.2	53.7
09/11/2019	0:05	53.2	57.4	49.5	
09/11/2019	0:10	52.4	56.8	49.1	
09/11/2019	0:15	50.7	54	48.6	
09/11/2019	0:20	58.1	64.3	49	
09/11/2019	0:25	51.5	55.1	48.5	
09/11/2019	0:30	52.5	56.7	48.6	51.0
09/11/2019	0:35	50.8	55.1	48.7	
09/11/2019	0:40	50.7	53	48.9	
09/11/2019	0:45	50.9	55	48.4	
09/11/2019	0:50	50.7	54.1	48.7	
09/11/2019	0:55	49.9	51.8	48.7	
09/11/2019	1:00	49.9	53	48.6	49.8
09/11/2019	1:05	51.2	55.7	48.7	
09/11/2019	1:10	49.9	52.2	48.5	
09/11/2019	1:15	48.9	49.9	48	
09/11/2019	1:20	49.4	52.5	48.1	
09/11/2019	1:25	49.2	51.5	48.1	
09/11/2019	1:30	58.2	63.9	48.9	53.8
09/11/2019	1:35	52.8	57.3	48.9	
09/11/2019	1:40	49.6	52	48.1	
09/11/2019	1:45	52.7	56.3	48.5	
09/11/2019	1:50	48.7	50	47.9	
09/11/2019	1:55	54	59.5	48.1	
09/11/2019	2:00	50.7	54.5	48.4	49.6
09/11/2019	2:05	49.6	53.7	48.1	
09/11/2019	2:10	49	51	48	
09/11/2019	2:15	49.5	51.6	48	
09/11/2019	2:20	48.8	50.8	48	
09/11/2019	2:25	49.9	54.9	47.9	
09/11/2019	2:30	49.5	53.6	47.9	50.8
09/11/2019	2:35	54.9	59.2	47.9	
09/11/2019	2:40	48.7	50.4	47.9	
09/11/2019	2:45	49.3	52.5	47.8	
09/11/2019	2:50	48.6	49.7	48	
09/11/2019	2:55	49.4	51.5	48.3	
09/11/2019	3:00	48.3	48.9	47.8	48.4
09/11/2019	3:05	48.9	50.6	48	
09/11/2019	3:10	48.8	50	48.1	
09/11/2019	3:15	48	48.8	47.6	
09/11/2019	3:20	48	48.5	47.6	
09/11/2019	3:25	48.1	48.8	47.7	
09/11/2019	3:30	48.7	50.4	47.9	48.9
09/11/2019	3:35	50.1	54.2	48.1	
09/11/2019	3:40	48.4	50.1	47.7	
09/11/2019	3:45	48.5	49.9	47.9	
09/11/2019	3:50	48.6	50.1	47.9	
09/11/2019	3:55	48.7	51	47.8	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
09/11/2019	4:00	48.4	49.7	47.6	48.4
09/11/2019	4:05	48.2	49.2	47.5	
09/11/2019	4:10	48.3	49.3	47.5	
09/11/2019	4:15	48.3	49	47.7	
09/11/2019	4:20	48.3	48.9	47.6	
09/11/2019	4:25	48.8	50.2	47.8	
09/11/2019	4:30	48.5	49.5	47.7	48.6
09/11/2019	4:35	49	51.5	47.8	
09/11/2019	4:40	48.4	49.4	47.7	
09/11/2019	4:45	48.5	49.5	47.5	
09/11/2019	4:50	48.7	49.9	47.7	
09/11/2019	4:55	48.2	49	47.7	
09/11/2019	5:00	48.6	49.6	47.8	48.9
09/11/2019	5:05	48.5	49.5	47.7	
09/11/2019	5:10	48.5	49.3	47.8	
09/11/2019	5:15	48.9	49.8	48.1	
09/11/2019	5:20	50.3	52.7	48.7	
09/11/2019	5:25	48.4	49.4	47.5	
09/11/2019	5:30	48.3	49.2	47.6	48.6
09/11/2019	5:35	48.6	49.8	47.8	
09/11/2019	5:40	48.4	49.1	47.8	
09/11/2019	5:45	48.7	49.5	48	
09/11/2019	5:50	48.5	49.4	47.8	
09/11/2019	5:55	49.2	50.6	48	
09/11/2019	6:00	48.9	50.8	47.9	49.3
09/11/2019	6:05	48.5	49.6	47.7	
09/11/2019	6:10	48.8	50.3	47.8	
09/11/2019	6:15	50.1	53	48.2	
09/11/2019	6:20	49.5	51.8	48.1	
09/11/2019	6:25	49.9	52.8	48.1	
09/11/2019	6:30	50.5	53.2	48.4	50.1
09/11/2019	6:35	50.2	53.2	48	
09/11/2019	6:40	49.3	51	48	
09/11/2019	6:45	48.8	50.2	47.9	
09/11/2019	6:50	52	54.9	47.8	
09/11/2019	6:55	48.8	51.3	47.7	
09/11/2019	23:00	52.6	56.1	48.8	51.8
09/11/2019	23:05	51.3	54.2	48.8	
09/11/2019	23:10	54.2	59.1	49.3	
09/11/2019	23:15	51	53.8	48.6	
09/11/2019	23:20	50	53.1	48.3	
09/11/2019	23:25	50.5	54.1	48.3	
09/11/2019	23:30	52.3	56	49.3	52.0
09/11/2019	23:35	51.6	56	48.2	
09/11/2019	23:40	51.9	54.8	49.1	
09/11/2019	23:45	50.9	53.8	48.5	
09/11/2019	23:50	49.9	53	48.1	
09/11/2019	23:55	54.1	61.1	48.6	
09/11/2019	0:00	54.1	60.2	48.6	52.4
10/11/2019	0:05	52.3	55.4	49.7	
10/11/2019	0:10	51.1	54.2	48.6	
10/11/2019	0:15	49.4	51.2	48.2	
10/11/2019	0:20	54.7	60.4	49.1	
10/11/2019	0:25	50.1	52.8	48.8	
10/11/2019	0:30	51.9	56	48.8	52.8
10/11/2019	0:35	50.8	54.1	48.9	
10/11/2019	0:40	51.5	54.8	49	
10/11/2019	0:45	50.2	53.1	48.9	
10/11/2019	0:50	57.1	63.8	48.4	
10/11/2019	0:55	49.9	52.4	48.7	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	1:00	51.4	56	48.8	50.3
10/11/2019	1:05	50	53	48.5	
10/11/2019	1:10	49.4	51.7	48.3	
10/11/2019	1:15	50	53.4	48.2	
10/11/2019	1:20	49.3	50.9	48.5	
10/11/2019	1:25	51	54.1	48.8	
10/11/2019	1:30	51.3	56.1	48.3	49.8
10/11/2019	1:35	48.6	49.5	47.9	
10/11/2019	1:40	48.9	52.4	47.8	
10/11/2019	1:45	50.3	53.8	48.3	
10/11/2019	1:50	49	51	47.9	
10/11/2019	1:55	49.9	53	48.1	
10/11/2019	2:00	48.9	49.9	48.1	49.3
10/11/2019	2:05	49	51.8	47.4	
10/11/2019	2:10	49.3	52.7	47.8	
10/11/2019	2:15	48.8	50.8	47.9	
10/11/2019	2:20	50.8	56.3	47.9	
10/11/2019	2:25	48.9	50.3	47.9	
10/11/2019	2:30	49.5	52.3	47.8	49.2
10/11/2019	2:35	49	50.8	48	
10/11/2019	2:40	49.1	50.8	47.9	
10/11/2019	2:45	49.3	50.9	48.2	
10/11/2019	2:50	50	52.9	47.7	
10/11/2019	2:55	48.2	48.9	47.6	
10/11/2019	3:00	48.4	49.3	47.8	48.5
10/11/2019	3:05	48.6	49.4	47.7	
10/11/2019	3:10	48.3	49.2	47.5	
10/11/2019	3:15	48	49.5	47.2	
10/11/2019	3:20	47.8	48.6	47.2	
10/11/2019	3:25	49.5	54.1	47.4	
10/11/2019	3:30	47.8	48.4	47.4	48.0
10/11/2019	3:35	48.9	51.6	47.3	
10/11/2019	3:40	47.4	48	47	
10/11/2019	3:45	48.2	49.8	47.3	
10/11/2019	3:50	47.7	48.6	47.2	
10/11/2019	3:55	47.9	48.7	47.4	
10/11/2019	4:00	49.1	51.5	47.4	48.2
10/11/2019	4:05	48	48.9	47.4	
10/11/2019	4:10	48.8	52	47.1	
10/11/2019	4:15	47.6	48.2	47.1	
10/11/2019	4:20	47.7	48.4	47.3	
10/11/2019	4:25	47.7	48.8	47	
10/11/2019	4:30	47.5	48.4	47	48.2
10/11/2019	4:35	48.2	49.9	47.2	
10/11/2019	4:40	47.8	48.6	47.2	
10/11/2019	4:45	48.5	50.6	47.2	
10/11/2019	4:50	47.8	48.8	47.1	
10/11/2019	4:55	49.3	52.5	47.3	
10/11/2019	5:00	47.9	48.8	47.2	47.9
10/11/2019	5:05	47.9	49	47.1	
10/11/2019	5:10	47.7	48.5	47	
10/11/2019	5:15	47.8	48.8	47.2	
10/11/2019	5:20	47.8	48.5	47.3	
10/11/2019	5:25	48	48.8	47.3	
10/11/2019	5:30	48.8	51.2	47.5	48.2
10/11/2019	5:35	48.4	49.1	47.9	
10/11/2019	5:40	48.4	49.2	47.8	
10/11/2019	5:45	48	48.9	47.3	
10/11/2019	5:50	47.8	48.6	47.2	
10/11/2019	5:55	47.8	48.4	47.3	

Night time (all days) Noise Level at M12 - Hong Kong Children's Hospital

Date	Time	L <sub>Aeq</sub> (5-min)	L <sub>A10</sub> (5-min)	L <sub>A90</sub> (5-min)	L <sub>Aeq</sub> (30-min)
10/11/2019	6:00	47.9	48.6	47.3	48.7
10/11/2019	6:05	48.9	51.1	47.8	
10/11/2019	6:10	48.4	49.7	47.6	
10/11/2019	6:15	49.6	51.8	47.5	
10/11/2019	6:20	48.5	49.9	47.8	
10/11/2019	6:25	48.5	49.4	48	
10/11/2019	6:30	48.4	49.4	47.8	48.3
10/11/2019	6:35	48.3	49.2	47.6	
10/11/2019	6:40	48.5	49.3	47.8	
10/11/2019	6:45	48.4	49.5	47.7	
10/11/2019	6:50	48.1	48.7	47.6	
10/11/2019	6:55	48.3	49.4	47.5	
10/11/2019	23:00	50.9	54.2	48.5	51.3
10/11/2019	23:05	49.1	52.1	47.6	
10/11/2019	23:10	53.4	54.7	48	
10/11/2019	23:15	52	57	48.1	
10/11/2019	23:20	50.7	54.1	47.5	
10/11/2019	23:25	50.3	53.8	47.5	
10/11/2019	23:30	49.4	52.6	47.7	50.2
10/11/2019	23:35	50.2	52.6	47.8	
10/11/2019	23:40	50.3	54.1	47.9	
10/11/2019	23:45	49	52.2	47.8	
10/11/2019	23:50	49.4	51.9	47.7	
10/11/2019	23:55	52.3	56	48.5	
	Average	54.4			54.4
	Max	74.6	76.8	62.7	67.6
	Min	46.3	46.8	45.6	46.6