

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 1a - Individual Tree Tree Assessment Schedule for LCSD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Imporment Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|--------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|--|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/402 | - | - | Tree outside gazetted boundary | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C04/405 | T12411 | 338 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 8 | 0.18 | 7 | Fair | Fair | Med | | Low | Retain | - | |
| C04/405 | T12422 | 339 | <i>Pinus elliottii</i> | 愛氏松 | WSD | LCSD | 4 | 0.12 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/405 | T12423 | 340 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 6 | 0.16 | 6 | Fair | Fair | Med | | Low | Retain | - | |
| C04/405 | T12432 | 341 | <i>Pinus elliottii</i> | 愛氏松 | WSD | LCSD | 7 | 0.13 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/405 | T12433 | 342 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.20 | 7 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay |
| C04/405 | T12434 | 343 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.14 | 7 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay |
| C04/405 | T12435 | 344 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.17 | 7 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay |
| C04/405 | T12436 | 345 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.15 | 8 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay |
| C04/405 | T12440 | 346 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 7 | 0.12 | 5 | Fair | Fair | Med | | Low | Retain | - | |
| C04/405 | T12556 | 347 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 7 | 0.16 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12560 | 349 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 8 | 0.13 | 5 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12562 | 348 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 9 | 0.18 | 7 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12564 | 350 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 8 | 0.13 | 5 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12565 | 351 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 6 | 0.10 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12566 | 352 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 8 | 0.15 | 5 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12568 | 353 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.15 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12569 | 354 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.15 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12570 | 355 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.12 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12571 | 356 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 8 | 0.13 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12572 | 357 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 8 | 0.10 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12573 | 358 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.13 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12574 | 359 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 8 | 0.21 | 5 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12575 | 360 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.12 | 4 | Fair | Fair | Med | | Low | Fell | E, L | |
| C04/405 | T12591 | 361 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.15 | 7 | Poor | Poor | Low | | Low | Fell | E, L | Forked |
| C04/405 | U0096 | 103 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 5 | 0.24 | 4 | Fair | Fair | Med | | Low | Fell | L | On slope, decay observed at base of trunk |
| C04/405 | U0097 | 104 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3 | 0.14 | 2 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.5m, die-back branches |
| C04/405 | U0098 | 105 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 5 | 0.15 | 2 | Fair | Fair | Med | | Low | Fell | L | On slope |
| C04/405 | U0099 | 106 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.16 | 4 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.3m, dying |
| C04/405 | U0100 | 107 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 7 | 0.19 | 4 | Good | Good | Med | | Low | Fell | L | On slope |
| C04/405 | U0101 | 108 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.20 | 5 | Fair | Fair | Low | | Low | Fell | L, M | On slope, trifurcating trunk, die-back branches |
| C04/405 | U0102 | 109 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3 | 0.20 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.5m, dying |
| C04/405 | U0102A | 110 | - | - | WSD | LCSD | 4 | 0.20 | 1 | - | - | - | | - | Dead Tree | - | On slope |
| C04/405 | U0103 | 111 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.19 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.2m, dying |
| C04/405 | U0104 | 112 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 6 | 0.10 | 2 | Fair | Good | Low | | Low | Fell | L | On slope |
| C04/405 | U0105 | 113 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.16 | 4 | Fair | Poor | Low | | Low | Fell | L, M | On slope, trifurcating trunk, dying |
| C04/405 | U0106 | 114 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.14 | 3 | Fair | Fair | Low | | Low | Fell | L | On slope, trunk diameter measured at 0.30m |
| C04/405 | U0107 | 115 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.18 | 3 | Fair | Fair | Low | | Low | Fell | L | On slope, trunk diameter measured at 0.20m |
| C04/405 | U0108 | 116, 117 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.16 | 4 | Fair | Fair | Low | | Low | Fell | L | On slope, trifurcating trunk |
| C04/405 | U0109 | 118 | <i>Litsea glutinosa</i> | 潺槁樹 | WSD | LCSD | 4 | 0.11 | 3 | Fair | Good | Med | | Low | Fell | L | On slope |
| C04/405 | U0110 | 118 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.15 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.3m, dying |
| C04/405 | U0111 | 119 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.18 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, trifurcating trunk, die-back branches |
| C04/405 | U0112 | 120 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3 | 0.11 | 2 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.6m, dying |
| C04/405 | U0113 | 121 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.15 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, trifurcating trunk, die-back branches |
| C04/405 | U0114 | 122 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.21 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.3m, die-back branches, exudation of sap |
| C04/405 | U0115 | 123 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.12 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0116 | 124, 125 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.20 | 4 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trifurcating trunk, dying |
| C04/405 | U0117 | 126 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.14 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, trifurcating trunk, die-back branches, exudation of sap |
| C04/405 | U0118 | 127, 128 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.19 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0119 | 129 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.25 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/405 | U0147 | 162 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.14 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying |
| C04/405 | U0148 | 155 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.15 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0149 | 156 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.18 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0150 | 157 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.15 | 4 | Fair | Poor | Low | | Low | Fell | L, M | On slope, dying |
| C04/405 | U0151 | 158 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.23 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0152 | 158 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 5 | 0.16 | 3 | Fair | Good | Med | | Low | Fell | L | On slope |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 1a - Individual Tree Assessment Schedule for LCSD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|---|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/405 | U0153 | 159 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.19 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0154 | 159 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.13 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, exudation of sap |
| C04/405 | U0155 | 160 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.11 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0156 | 161 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.13 | 3 | Fair | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.3m |
| C04/405 | U0157 | 162 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.13 | 2 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying |
| C04/405 | U0158 | 162 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.18 | 3 | Fair | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.25m |
| C04/405 | U0159 | 163 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.10 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0160 | 164, 165 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.14 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.3m |
| C04/405 | U0161 | 166, 167 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.23 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, exudation of sap |
| C04/405 | U0162 | 168, 169 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 7 | 0.22 | 4 | Good | Fair | High | | Low | Fell | L, M | On slope, rotten trunk, die-back branches |
| C04/405 | U0163 | 170 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 4 | 0.10 | 2 | Fair | Good | Med | | Low | Fell | L | On slope |
| C04/405 | U0164 | 171 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.22 | 4 | Good | Fair | High | | Low | Fell | L | On slope |
| C04/405 | U0165 | 172 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.18 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/405 | U0166 | 173 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.18 | 4 | Fair | Poor | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.9m |
| C04/405 | U0167 | 174 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.17 | 4 | Fair | Poor | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0168 | 175 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.11 | 3 | Fair | Poor | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0169 | 176 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.11 | 2 | Poor | Poor | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.9m |
| C04/405 | U0170 | 177 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.19 | 4 | Poor | Poor | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0171 | 178 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.15 | 3 | Fair | Fair | Med | | Low | Fell | L | On slope |
| C04/405 | U0172 | 179 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.18 | 3 | Fair | Fair | Med | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0173 | 180 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.19 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, exudation of sap |
| C04/405 | U0174 | 181 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.12 | 2 | Fair | Fair | Low | | Low | Fell | L, M | Die-back branches |
| C04/405 | U0175 | 182 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.11 | 3 | Fair | Fair | Low | | Low | Fell | L, M | Die-back branches |
| C04/405 | U0176 | 183 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.15 | 3 | Poor | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 1m |
| C04/405 | U0177 | 184 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 6 | 0.17 | 3 | Fair | Fair | Low | | Low | Fell | L | On slope, partially up-rooted |
| C04/405 | U0178 | 185 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.15 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0179 | 186 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 10 | 0.20 | 3 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0180 | 186 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.17 | 3 | Fair | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0181 | 187 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.24 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/405 | U0182 | 187 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.17 | 3 | Good | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0183 | 188 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.10 | 1 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0184 | 189 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.19 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, Die-back branches |
| C04/405 | U0185 | 190 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.11 | 1 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 1m |
| C04/405 | U0186 | 192 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 5 | 0.10 | 1 | Good | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0187 | 191 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.18 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0188 | 193 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.16 | 3 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0189 | 194 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.20 | 4 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0190 | 195 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.17 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0191 | 196 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.12 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, multi-trunk, die-back branches |
| C04/405 | U0192 | 197 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.14 | 2 | Poor | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0193 | 199 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.18 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0193A | 198 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.20 | 1 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0194 | 200 | <i>Lophostemon confertus</i> | 紅膠木 | WSD | LCSD | 8 | 0.22 | 4 | Good | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0195 | 201 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3.5 | 0.10 | 1 | Fair | Fair | Low | | Low | Retain | - | On slope, climber growing through tree |
| C04/405 | U0196 | 202 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.18 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0197 | 203 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.10 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0198 | 204 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.21 | 3 | Poor | Fair | Low | | Low | Retain | - | On slope, leaning trunk, die-back branches, trunk diameter measured at 0.3m |
| C04/405 | U0199 | 205 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.18 | 3 | Good | Good | Med | | Low | Retain | - | On slope |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 1a - Individual Tree Tree Assessment Schedule for LCSD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|---------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|--|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/405 | U0200 | 206 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.24 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0201 | 207 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.25 | 4 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0202 | 208 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.16 | 3 | Poor | Fair | Low | | Low | Retain | - | On slope, die-back branches, contorted trunk base, trunk diameter measured at 0.9m |
| C04/405 | U0203 | 209 | <i>Cleistocalyx operculatus</i> | 水翁 | WSD | LCSD | 5 | 0.12 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0204 | 210 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.13 | 1 | Poor | Poor | Low | | Low | Retain | - | On sloped, die-back branches, trunk diameter measured at 0.6m |
| C04/405 | U0205 | 211 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.16 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/405 | U0206 | 212 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.21 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/405 | U0207 | 213 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.21 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0208 | 214, 215 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.14 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk, wound found on trunk |
| C04/405 | U0209 | 215 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.27 | 4 | Good | Good | Med | | Low | Retain | - | On slope, trunk diameter measured at 0.30m |
| C04/405 | U0210 | 216 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.21 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.3m |
| C04/405 | U0211 | 218 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.12 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0212 | 219 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.15 | 3 | Fair | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0213 | 217 | <i>Cleistocalyx operculatus</i> | 水翁 | WSD | LCSD | 4 | 0.12 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope, trunk diameter measured at 1m |
| C04/405 | U0214 | 220 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.11 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0215 | 222 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.13 | 2 | Poor | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, die-back branches, Climber growing on trunk |
| C04/405 | U0216 | 223 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.16 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/405 | U0217 | 221 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.14 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0218 | 224 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 10 | 0.22 | 4 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0219 | 225 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 11 | 0.16 | 3 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0220 | 226 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.24 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/405 | U0221 | 227 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.10 | 1 | Poor | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0222 | 228 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.12 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/405 | U0222A | 229 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.11 | 1 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0223 | 230 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.14 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0224 | 231 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.11 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0225 | 232, 233 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.21 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, gall found on trunk, trunk diameter measured at 0.9m |
| C04/405 | U0226 | 234 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 7 | 0.13 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0226A | 236 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.14 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/405 | U0227 | 237 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 10 | 0.15 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0228 | 238 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.12 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/405 | U0229 | 239 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.15 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0230 | 235 | <i>Pinus massoniana</i> | 馬尾松 | WSD | LCSD | 8 | 0.15 | 3 | Good | Fair | Low | | Low | Fell | L | On slope, climber growing on tree |
| C04/405 | U0231 | 235 | <i>Pinus massoniana</i> | 馬尾松 | WSD | LCSD | 4 | 0.10 | 1 | Fair | Fair | Low | | Low | Fell | L | On slope, climber growing on tree |
| C04/405 | U0232 | 240 | <i>Pinus massoniana</i> | 馬尾松 | WSD | LCSD | 5 | 0.12 | 2 | Good | Fair | Low | | Low | Retain | - | On slope, climber growing on tree |
| C04/405 | U0233 | 241 | <i>Pinus massoniana</i> | 馬尾松 | WSD | LCSD | 4 | 0.12 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, climber growing on tree |
| C04/405 | U0234 | 242 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.18 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope trunk diameter measured at 0.5m |
| C04/405 | U0235 | 243 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.11 | 2 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 1m |
| C04/405 | U0236 | 244 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3 | 0.14 | 2 | Fair | Poor | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0237 | 245 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.12 | 2 | Fair | Poor | Low | | Low | Fell | L | On slope |
| C04/405 | U0238 | 246 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.16 | 4 | Fair | Poor | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.7m |
| C04/405 | U0239 | 247 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.15 | 1 | Fair | Poor | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.6m |
| C04/405 | U0240 | 248 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.22 | 4 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0241 | 250 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 4 | 0.17 | 3 | Fair | Good | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.9m |
| C04/405 | U0242 | 249 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.17 | 2 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0243 | 249 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.21 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0244 | 251 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.18 | 3 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0245 | 251 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 9 | 0.18 | 3 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0246 | 252 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.16 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.5m |
| C04/405 | U0247 | 253 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.22 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.4m |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 1a - Individual Tree Assessment Schedule for LCSD

| SURVEY SHEET No. C8001/T/XRL/URB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|-----------------------------------|----------|-----------|-------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|--|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/405 | U0248 | 254 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.18 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0249 | 256 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.18 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m |
| C04/405 | U0250 | 257 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.18 | 4 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0251 | 258 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.16 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m |
| C04/405 | U0252 | 255 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.19 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0253 | 259 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.23 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m |
| C04/405 | U0254 | 260 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.20 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/405 | U0255 | 261, 262 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3 | 0.14 | 2 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0256 | 263, 264 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.22 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk, die-back branches, infected trunk |
| C04/405 | U0257 | 265 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.24 | 4 | Good | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0258 | 266 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.14 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0259 | 267 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.11 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.6m |
| C04/405 | U0260 | 268 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 6 | 0.13 | 2 | Fair | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0261 | 268 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.17 | 3 | Good | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0262 | 269 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.17 | 2 | Good | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0263 | 270 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 8 | 0.24 | 4 | Good | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0264 | 271 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.22 | 4 | Poor | Fair | Low | | Low | Retain | - | On slope, multi-trunk, unbalanced crown |
| C04/405 | U0265 | 272 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.18 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/405 | U0266 | 273 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.16 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m |
| C04/405 | U0267 | 274 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.23 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0268 | 275 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.22 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.3m |
| C04/405 | U0269 | 276 | <i>Schefflera heptaphylla</i> | 鵝掌柴 | WSD | LCSD | 4 | 0.15 | 3 | Good | Good | Med | | Low | Retain | - | On slope, trunk diameter measured at 0.9m |
| C04/405 | U0270 | 277 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.20 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk, broken branches |
| C04/405 | U0273 | 280 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.16 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/405 | U0274 | 281 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.20 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/405 | U0275 | 282 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.22 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk, die-back branches |
| C04/405 | U0276 | 283, 284 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.21 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/405 | U0277 | 286 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.12 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0278 | 285 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.21 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m |
| C04/405 | U0279 | 287 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.19 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk, die-back branches |
| C04/405 | U0280 | 288 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.13 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0281 | 289 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.18 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m |
| C04/405 | U0282 | 290 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.18 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, multi-trunk, die-back branches |
| C04/405 | U0283 | 291 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.22 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/405 | U0284 | 292 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.17 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk, die-back branches |
| C04/405 | U0285 | 293 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 10 | 0.17 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0286 | 294 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 9 | 0.23 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.3m |
| C04/405 | U0287 | 295 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.13 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0288 | 296 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.10 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0289 | 297 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.13 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m |
| C04/405 | U0290 | 298 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.21 | 4 | Fair | Good | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.30m |
| C04/405 | U0291 | 299 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.15 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/405 | U0292 | 300 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.14 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/405 | U0293 | 301 | <i>Pinus elliottii</i> | 濕地松 | WSD | LCSD | 10 | 0.24 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/405 | U0294 | 302 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.15 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.7m |
| C04/405 | U0295 | 304 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.14 | 2 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.7m |
| C04/405 | U0296 | 303 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.13 | 2 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.8m |
| C04/405 | U0297 | 305 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.13 | 1 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.5m |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 1a - Individual Tree Assessment Schedule for LCSD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|--------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|--|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/405 | U0298 | 306, 307 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.18 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.8m |
| C04/405 | U0299 | 308 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.16 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0300 | 309 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.12 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, climber growing through tree |
| C04/405 | U0301 | 310, 311 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.11 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, galls found on trunk, die-back branches |
| C04/405 | U0302 | 312, 313 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.22 | 4 | Fair | Good | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.30m |
| C04/405 | U0303 | 314 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.15 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk, Die-back branches |
| C04/405 | U0304 | 315 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.22 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.3m |
| C04/405 | U0308 | 319 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.21 | 4 | Fair | Poor | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.3m |
| C04/405 | U0309 | 320 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3 | 0.11 | 1 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.8m |
| C04/405 | U0310 | 321 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.15 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0311 | 322 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.15 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0312 | 323 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.14 | 2 | Fair | Fair | Low | | Low | Fell | L | On slope, trunk diameter measured at 0.30m |
| C04/405 | U0313 | 324 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.12 | 2 | Fair | Fair | Low | | Low | Fell | L | On slope |
| C04/405 | U0314 | 325 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 3 | 0.15 | 3 | Fair | Fair | Low | | Low | Fell | L | On slope |
| C04/413 | T11722 | 62 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.197 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11726 | 66 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.185 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11738 | 73 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.156 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning and multi-trunk, partial branch decay |
| C04/413 | T11739 | 74 | - | - | WSD | LCSD | 6 | 0.121 | 3 | - | - | - | - | - | Dead Tree | - | |
| C04/413 | T11742 | 75 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.124 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning and multi-trunk, partial branch decay |
| C04/413 | T11775 | 76 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.15 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11776 | 77 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.096 | 2 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay, Leaning |
| C04/413 | T11777 | 78 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.137 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11778 | 79 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.099 | 2 | Poor | Poor | Low | | Low | Retain | - | Bending trunk |
| C04/413 | T11779 | 80 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.166 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11780 | 81 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 7 | 0.236 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked, Partial Branch Decay |
| C04/413 | T11781 | 82 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.293 | 4 | Poor | Poor | Low | | Low | Retain | - | Multi-trunk |
| C04/413 | T11782 | 83 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 8 | 0.201 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11783 | 84 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.162 | 4 | Poor | Poor | Low | | Low | Retain | - | Multi-trunk, Leaning |
| C04/413 | T11784 | 85 | - | - | WSD | LCSD | 5 | 0.115 | 2 | - | - | - | - | - | Dead Tree | - | |
| C04/413 | T11785 | 86 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.124 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11786 | 87 | <i>Pinus massoniana</i> | 馬尾松 | WSD | LCSD | 8 | 0.22 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11787 | 88 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 4 | 0.099 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked, Partial Branch Decay, Leaning |
| C04/413 | T11788 | 89 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 5 | 0.096 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11797 | 90 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.131 | 4 | Poor | Poor | Low | | Low | Retain | - | Bending trunk |
| C04/413 | T11798 | 91 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 3 | 0.099 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/413 | T12578 | 92 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 8 | 0.12 | 4 | Fair | Fair | Med | | Low | Fell | B, E, L | |
| C04/413 | T12578A | 93 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 6 | 0.11 | 4 | Fair | Fair | Med | | Low | Fell | B, E, L | |
| C04/413 | T12579 | 94 | <i>Eucalyptus torelliana</i> | 毛葉桉 | WSD | LCSD | 7 | 0.11 | 4 | Fair | Fair | Med | | Low | Fell | B, E, L | |
| C04/413 | T12580 | 95 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 7 | 0.15 | 6 | Fair | Fair | Med | | Low | Fell | B, E, L | |
| C04/413 | T12581 | 96 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 6 | 0.11 | 4 | Fair | Fair | Med | | Low | Fell | B, E, L | |
| C04/413 | T12582 | 97 | <i>Casuarina equisetifolia</i> | 木麻黃 | WSD | LCSD | 6 | 0.10 | 5 | Fair | Fair | Med | | Low | Fell | B, E, L | |
| C04/413 | T12584 | 98 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.15 | 5 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |
| C04/413 | T12585 | 99 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.16 | 10 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |
| C04/413 | T12586 | 100 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.13 | 10 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |
| C04/413 | T12587 | 101 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.15 | 10 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |
| C04/413 | T12588 | 102 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.15 | 7 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |
| C04/413 | T12589 | 103 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 7 | 0.14 | 7 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |
| C04/413 | T12590 | 104 | <i>Acacia confusa</i> | 台灣相思 | WSD | LCSD | 6 | 0.16 | 7 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |
| C04/413 | T12592 | 105 | <i>Leucaena leucocephala</i> | 銀合歡 | WSD | LCSD | 7 | 0.13 | 3 | Poor | Poor | Low | | Low | Fell | B, E, L | Forked |

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls, Slope Works construction and New Road/ Road Widening Works

Note C: Affected by Vent Building construction

Note E: Affected by contractors works area

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 1a - Individual Tree Assessment Schedule for LCSD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Imporment Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|--|----------|-----------|----------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|---------|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction/Road Realignment

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

Note M: Poor Health Tree

EXPRESS RAIL LINK
CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING
TLP-5: WORKS IN TUEN MUN DISTRICT
Part 1b - Tree Group Assessment Schedule for LCSD

| SURVEY SHEET No. C8001/T/XR L/URB/ | TREE GROUP No. | PHOTO No. | TREE SPECIES | CHINESE COMMON NAME NAME | APPROX. No. OF TREES | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD) | ESTIMATED SIZE | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------------|---------------|--------------------------------|--------------------------|----------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|----------------|---------------|---------|
| | | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | |
| C04/405 | TG02 | 327, 328, 329 | <i>Acacia confusa</i> | 台灣相思 | 72 | WSD | LCSD | 5-6 | 0.10-0.25 | 3-5 | Poor to Fair | Poor to Fair | Low | Low | Retain | - | |
| | | | <i>Casuarina equisetifolia</i> | 木麻黃 | 24 | WSD | LCSD | 6-11 | 0.15-0.30 | 5-6 | Fair to Good | Fair to Good | Med | Low | Retain | - | |
| | | | <i>Pinus elliottii</i> | 濕地松 | 24 | WSD | LCSD | 4-6 | 0.10-0.13 | 2-4 | Good | Good | Med | Low | Retain | - | |
| | | | | Total | 120 | | | | | | | | | | | | |

Key to notation in "Justification" column

- Note A: Affected by Temporary Traffic Management works (TTM)
- Note B: Affected by Retaining Walls and Slope Works construction
- Note C: Affected by Vent Building construction
- Note E: Affected by contractors works area
- Note F: Affected by PTI construction
- Note G: Affected by Footbridge Demolition/ Reconstruction/Road Realignment
- Note H: Affected by Ground Treatment works
- Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition
- Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft
- Note K: Affected by Barging Point Area
- Note L: Affected by Explosive Magazine Site
- Note M: Poor Health Tree

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Imporment Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|--------------------------------|---------------------|------------------------|--|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|--|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/402 | - | - | Tree outside gazetted boundary | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C04/403 | T11929 | 1 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.271 | 4 | Fair | Fair | Med | | Low | Retain | - | Leaning trunk |
| C04/403 | T11933 | 2 | <i>Macaranga tanarius</i> | 血桐 | LandsD | AFCD | 4 | 0.099 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/403 | T11940 | 3 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 5 | 0.111 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/403 | T11941 | 4 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 5 | 0.096 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/403 | T11942 | 5 | <i>Solanum erianthum</i> | 假煙葉樹 | LandsD | AFCD | 3 | 0.102 | 2 | Poor | Poor | Low | | Low | Retain | - | Slightly leaning |
| C04/403 | T11967 | 6 | <i>Macaranga tanarius</i> | 血桐 | LandsD | AFCD | 5 | 0.169 | 4 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/403 | T11968 | 8 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.099 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/403 | T11969 | 7 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.156 | 3 | Poor | Poor | Low | | Low | Retain | - | Leaning, Vines |
| C04/403 | T11970 | 9 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 5 | 0.105 | 2 | Poor | Poor | Low | | Low | Retain | - | Bending trunk |
| C04/403 | T11971 | 10 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.134 | 3 | Poor | Poor | Low | | Low | Retain | - | Slightly leaning |
| C04/403 | T11972 | 11 | <i>Ficus hispida</i> | 對葉榕 | LandsD | AFCD | 4 | 0.108 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/403 | T12543 | 12 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.12 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12456 | 140 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.15 | 6 | Fair | Fair | Med | | Low | Retain | - | |
| C04/404 | T12459 | 141 | <i>Rhus succedanea</i> | 木蠟樹 | LandsD | AFCD | 6 | 0.12 | 6 | Fair | Fair | Med | | Low | Retain | - | |
| C04/404 | T12464 | 142 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.13 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12468 | 143 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.12 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12469 | 144 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12477 | 145 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.12 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12484 | 146 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 7 | 0.20 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12486 | 147 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 6 | 0.23 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12487 | 148 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 7 | 0.20 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12489 | 149 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 6 | 0.17 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12529 | 150 | - | - | LandsD | AFCD | 8 | 0.24 | 4 | - | - | - | | - | Dead Tree | - | |
| C04/404 | T12530 | 151 | - | - | LandsD | AFCD | 4 | 0.11 | 4 | - | - | - | | - | Dead Tree | - | |
| C04/404 | T12531 | 152 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.10 | 4 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay |
| C04/404 | T12532 | 153 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.10 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12533 | 154 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 6 | 0.18 | 5 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12534 | 155 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.15 | 5 | Fair | Fair | Med | | Low | Retain | - | |
| C04/404 | T12535 | 156 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 6 | 0.16 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12536 | 157 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 6 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12537 | 158 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.14 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12538 | 159 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.11 | 4 | Fair | Fair | Med | | Low | Retain | - | |
| C04/404 | T12539 | 160 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 6 | 0.15 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12540 | 161 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 3 | 0.10 | 4 | Poor | Poor | Low | | Low | Fell | B | |
| C04/404 | T12541 | 142 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 5 | 0.11 | 4 | Poor | Fair | Low | | Low | Fell | B | Leaning trunk |
| C04/404 | T12542 | 143 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.11 | 4 | Good | Fair | Med | | Low | Fell | B | |
| C04/404 | T12542A | 164 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 4 | 0.10 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12542B | 165 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 4 | 0.10 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12542C | 166 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12543A | 167 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12543B | 168 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.10 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12543C | 169 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12543D | 170 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 7 | 0.25 | 8 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | T12543E | 171 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 7 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | U0001 | 1 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.12 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0002 | 2 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.18 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.20r |
| C04/404 | U0003 | 3 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 8 | 0.25 | 4 | Good | Good | High | | Low | Retain | - | On slope |
| C04/404 | U0004 | 4 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.11 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, bending trunk |
| C04/404 | U0005 | 5 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 6 | 0.16 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0006 | 6 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.29 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk, trunk diameter measured at 0.4r |
| C04/404 | U0007 | 7 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.19 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, Multi-stemmed |
| C04/404 | U0008 | 8 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.25 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.6r |
| C04/404 | U0009 | 9 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.20 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.30r |
| C04/404 | U0010 | 10 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.19 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.20m, weak fork, die-back branches |
| C04/404 | U0011 | 11 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.19 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0012 | 12 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.10 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0013 | 13 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.13 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.20r |
| C04/404 | U0014 | 18 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.22 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0015 | 14 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.22 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0016 | 15 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.18 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, trifurcating trunk |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|---------------------------------|---------------------|------------------------|--|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|--|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/404 | U0017 | 16 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.18 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.30r |
| C04/404 | U0018 | 17 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.13 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0019 | 19 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.12 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0020 | 21 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.25 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.6r |
| C04/404 | U0021 | 22 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.15 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.65r |
| C04/404 | U0022 | 23 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 9 | 0.30 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, Trunk diameter measured at 0.30r |
| C04/404 | U0023 | 24 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.25 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0024 | 25 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 5 | 0.11 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0025 | 20 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 9 | 0.15 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0026 | 26 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 9 | 0.14 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0027 | 26 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 7 | 0.11 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0028 | 27 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.10 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0029 | 28 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.24 | 6 | Fair | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/404 | U0030 | 29 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.27 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.4m |
| C04/404 | U0031 | 30 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.23 | 6 | Fair | Poor | Low | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0032 | 31 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.29 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0033 | 32 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.27 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, Multi-stemmed |
| C04/404 | U0034 | 33 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.14 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, bifurcating trunk |
| C04/404 | U0035 | 34 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 8 | 0.15 | 3 | Good | Fair | Med | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0036 | 35 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.34 | 8 | Good | Fair | Med | | Low | Retain | - | On slope, Multi-stemmed |
| C04/404 | U0037 | 36 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 12 | 0.21 | 5 | Good | Good | Med | | Low | Retain | - | |
| C04/404 | U0039 | 38 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.19 | 4 | Good | Fair | Med | | Low | Retain | - | Broken branches |
| C04/404 | U0040 | 39 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.14 | 4 | Fair | Fair | Low | | Low | Retain | - | Slope, bifurcating trunk |
| C04/404 | U0041 | 41 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 12 | 0.25 | 6 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0042 | 40 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 12 | 0.23 | 6 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0043 | 42 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 10 | 0.22 | 5 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0044 | 42 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 10 | 0.17 | 5 | Good | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0045 | 43 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 8 | 0.13 | 2 | Poor | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0046 | 44 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 8 | 0.25 | 3 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0047 | 45 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 7 | 0.21 | 3 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0048 | 46 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.29 | 6 | Fair | Fair | Low | | Low | Fell | B | On slope |
| C04/404 | U0049 | 47 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.26 | 7 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0050 | 48, 49 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.21 | 6 | Fair | Fair | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.30r |
| C04/404 | U0051 | 50, 51 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.25 | 6 | Fair | Fair | Low | | Low | Fell | B | On slope, multi-trunk |
| C04/404 | U0052 | 54 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.33 | 7 | Fair | Fair | Low | | Low | Fell | B | On slope, bifurcating trunk |
| C04/404 | U0053 | 55 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.33 | 7 | Fair | Fair | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.8r |
| C04/404 | U0054 | 52, 53 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.23 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4r |
| C04/404 | U0055 | 56, 57 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 9 | 0.34 | 7 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0056 | 58 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.23 | 6 | Poor | Poor | Low | | Low | Fell | B | Bifurcating trunk |
| C04/404 | U0057 | 59 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.12 | 4 | Fair | Fair | Low | | Low | Fell | B | Trunk diameter measured at 0.5r |
| C04/404 | U0058 | 60 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.12 | 4 | Fair | Fair | Low | | Low | Fell | B, M | On slope, die-back branches, watersprout |
| C04/404 | U0059 | 61, 62 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.16 | 4 | Fair | Fair | Low | | Low | Fell | B | On slope |
| C04/404 | U0060 | 63 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.15 | 4 | Fair | Fair | Low | | Low | Fell | B, M | On slope, die-back branches, bifurcating trunk |
| C04/404 | U0061 | 64 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0062 | 65 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.25 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches, trunk diameter measured at 0.5m |
| C04/404 | U0063 | 66 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.15 | 4 | Fair | Good | Low | | Low | Retain | - | On slope |
| C04/404 | U0064 | 67 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.16 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0065 | 68 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.14 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0066 | 69 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.20 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0067 | 70 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.21 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches, few leaves observed |
| C04/404 | U0068 | 72 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.26 | 8 | Fair | Fair | Low | | Low | Fell | B | On slope |
| C04/404 | U0069 | 71 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.21 | 6 | Fair | Fair | Low | | Low | Fell | B | On slope, bifurcating trunk |
| C04/404 | U0070 | 73 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 9 | 0.20 | 6 | Fair | Fair | Low | | Low | Fell | B | On slope |
| C04/404 | U0071 | 74 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 9 | 0.20 | 7 | Fair | Fair | Low | | Low | Fell | B | On slope, trifurcating trunk |
| C04/404 | U0072 | 75 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.22 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.8r |
| C04/404 | U0073 | 76, 77 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.24 | 6 | Fair | Poor | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.25r |
| C04/404 | U0074 | 80 | <i>Gordonia axillaris</i> | 大頭茶 | LandsD | AFCD | 4 | 0.15 | 5 | Fair | Fair | Low | | Low | Fell | B | On slope, multi-stemmed |
| C04/404 | U0075 | 79 | <i>Cinnamomum parthenoxylon</i> | 黃樟 | LandsD | AFCD | 5 | 0.14 | 5 | Fair | Good | Med | | Low | Retain | - | On slope |
| C04/404 | U0076 | 78 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.30 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|---------------------------------|---------------------|------------------------|--|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|---|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/404 | U0077 | 81 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.20 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0078 | 82 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.18 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.8r |
| C04/404 | U0079 | 83 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.19 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, unbalanced crown |
| C04/404 | U0080 | 84 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.21 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, sap, multi-trunk |
| C04/404 | U0081 | 85 | - | - | LandsD | AFCD | 5 | 0.11 | 4 | - | - | - | | - | Dead Tree | - | |
| C04/404 | U0082 | 86 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.18 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, few leaves observed |
| C04/404 | U0083 | 87 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.11 | 5 | Poor | Fair | Low | | Low | Retain | - | On slope, bending trunk |
| C04/404 | U0084 | 88 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.16 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.5r |
| C04/404 | U0085 | 90 | - | - | LandsD | AFCD | 4 | 0.10 | 4 | - | - | - | | - | Dead Tree | - | |
| C04/404 | U0086 | 89 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.28 | 6 | Fair | Fair | Low | | Low | Retain | - | Bifurcating trunk |
| C04/404 | U0087 | 93 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.18 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, unbalanced crown, exudation of sap |
| C04/404 | U0088 | 92 | - | - | LandsD | AFCD | 6 | 0.11 | 5 | - | - | - | | - | Dead Tree | - | |
| C04/404 | U0089 | 91 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.16 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0090 | 94 | <i>Schefflera heptaphylla</i> | 鵝掌柴 | LandsD | AFCD | 5 | 0.10 | 4 | Fair | Good | Low | | Low | Retain | - | On slope |
| C04/404 | U0091 | 95 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.25 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.6r |
| C04/404 | U0092 | 96 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.19 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.55r |
| C04/404 | U0093 | 97 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.16 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0094 | 99 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.14 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, few leaves observed, die-back branches, watersprout |
| C04/404 | U0095 | 98 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.13 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0096 | 100 | <i>Cinnamomum parthenoxylon</i> | 黃樟 | LandsD | AFCD | 8 | 0.12 | 4 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/404 | U0097 | 102 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.09 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0098 | 101 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.14 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, sap |
| C04/404 | U0099 | 103 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.20 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk |
| C04/404 | U0100 | 105 | <i>Schefflera heptaphylla</i> | 鵝掌柴 | LandsD | AFCD | 4 | 0.10 | 2 | Fair | Good | Med | | Low | Retain | - | On slope |
| C04/404 | U0101 | 104 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 9 | 0.14 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0102 | 106 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.11 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0103 | 107 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.13 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0104 | 108 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.14 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0105 | 109 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.23 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4r |
| C04/404 | U0106 | 110 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.10 | 3 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0107 | 111 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.15 | 4 | Fair | Poor | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.4r |
| C04/404 | U0108 | 112 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 9 | 0.18 | 4 | Fair | Poor | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.5r |
| C04/404 | U0109 | 113 | <i>Gordonia axillaris</i> | 大頭茶 | LandsD | AFCD | 4 | 0.10 | 3 | Fair | Good | Med | | Low | Fell | B | On slope, trunk diameter measured at 0.8r |
| C04/404 | U0110 | 115 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.20 | 6 | Fair | Poor | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.45r |
| C04/404 | U0111 | 114, 116 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.30 | 6 | Fair | Poor | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.30m, sap |
| C04/404 | U0112 | 117 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 9 | 0.18 | 6 | Fair | Poor | Low | | Low | Fell | B | On slope, bifurcating trunk |
| C04/404 | U0113 | 119 | <i>Schefflera heptaphylla</i> | 鵝掌柴 | LandsD | AFCD | 5 | 0.10 | 5 | Fair | Good | Med | | Low | Retain | - | On slope |
| C04/404 | U0114 | 118 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.25 | 6 | Fair | Fair | Low | | Low | Fell | B | On slope, trunk diameter measured at 0.6r |
| C04/404 | U0115 | 120 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.10 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0116 | 121 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.16 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.7r |
| C04/404 | U0117 | 122 | <i>Gordonia axillaris</i> | 大頭茶 | LandsD | AFCD | 5 | 0.15 | 5 | Fair | Fair | Med | | Low | Fell | B | On slope, bifurcating trunk |
| C04/404 | U0118 | 123 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.10 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0119 | 124 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.20 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope |
| C04/404 | U0120 | 125 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 8 | 0.18 | 2 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0121 | 126 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 7 | 0.23 | 3 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0122 | 127 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 7 | 0.14 | 3 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0123 | 128 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 7 | 0.16 | 2 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0124 | 129 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 7 | 0.20 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0125 | 130 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 6 | 0.12 | 3 | Good | Fair | Med | | Low | Retain | - | On slope |
| C04/404 | U0126 | 131 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 7 | 0.18 | 4 | Good | Fair | Low | | Low | Retain | - | On slope |
| C04/404 | U0127 | 132 | <i>Rhaphiolepis indica</i> | 石斑木 | LandsD | AFCD | 3 | 0.10 | 2 | Good | Good | Med | | Low | Retain | - | on slope, trunk diameter measured at 0.9r |
| C04/404 | U0128 | 133, 134 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.22 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, multi-trunk |
| C04/404 | U0129 | 135 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 8 | 0.25 | 3 | Good | Good | Med | | Low | Retain | - | On slope |
| C04/404 | U0130 | 136 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 8 | 0.22 | 5 | Good | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0131 | 137 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 8 | 0.26 | 4 | Good | Fair | Med | | Low | Retain | - | On slope, die-back branches |
| C04/404 | U0132 | 138 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.11 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, few leaves observed, die-back branches |
| C04/404 | U0133 | 139 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 9 | 0.28 | 5 | Good | Good | High | | Low | Retain | On slope | |
| C04/404 | U133A | 172 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.12 | 6 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/404 | U133B | 173 | <i>Pinus elliottii</i> | 愛氏松 | LandsD | AFCD | 7 | 0.15 | 4 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | U133C | 174 | <i>Pinus elliottii</i> | 愛氏松 | LandsD | AFCD | 8 | 0.19 | 6 | Poor | Poor | Low | | Low | Retain | - | |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Imporment Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|------------------------------|---------------------|------------------------|--|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|---|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/404 | U133D | 175 | <i>Pinus elliottii</i> | 愛氏松 | LandsD | AFCD | 6 | 0.15 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | U133E | 176 | <i>Pinus elliottii</i> | 愛氏松 | LandsD | AFCD | 8 | 0.20 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/404 | U133F | 177 | <i>Pinus elliottii</i> | 愛氏松 | LandsD | AFCD | 6 | 0.15 | 6 | Poor | Poor | Low | | Low | Retain | - | |
| C04/405 | U0001 | 1 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.27 | 6 | Fair | Poor | Low | | Low | Retain | - | On slope, multi-stemmed, dying |
| C04/405 | U0002 | 2 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.12 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0003 | 3 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.20 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trifurcating trunk, dying |
| C04/405 | U0004 | 4 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 8 | 0.18 | 3 | Fair | Good | Med | | Low | Retain | - | On slope |
| C04/405 | U0005 | 5 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 7 | 0.12 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/405 | U0006 | 6 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 4 | 0.11 | 2 | Poor | Fair | Low | | Low | Retain | - | On slope, bending trunk |
| C04/405 | U0007 | 7 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.17 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.8m, dying |
| C04/405 | U0008 | 8 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.00 | 6 | Poor | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, dying |
| C04/405 | U0009 | 9 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.21 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.40m, dying |
| C04/405 | U0010 | 10 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 8 | 0.22 | 4 | Good | Good | High | | Low | Retain | - | On slope |
| C04/405 | U0011 | 11 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.40 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.30m, die-back branches, exudation of sap |
| C04/405 | U0012 | 12 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.22 | 5 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.30m, dying |
| C04/405 | U0013 | 13 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.29 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.20m, dying |
| C04/405 | U0014 | 14 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 4 | 0.10 | 3 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/405 | U0015 | 15 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 9 | 0.16 | 4 | Fair | Fair | Med | | Low | Retain | - | On slope |
| C04/405 | U0016 | 16 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 5 | 0.09 | 3 | Fair | Good | Low | | Low | Retain | - | On slope |
| C04/405 | U0017 | 17 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.22 | 3 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.2m, die-back branches |
| C04/405 | U0018 | 18 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.16 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.60m, dying |
| C04/405 | U0019 | 19 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0020 | 20 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.17 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.70m, dying |
| C04/405 | U0021 | 21 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.10 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0022 | 22 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.24 | 5 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.80m, dying |
| C04/405 | U0024 | 24 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.23 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.40m, dying |
| C04/405 | U0025 | 25 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.25 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.40m, dying |
| C04/405 | U0026 | 26 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.28 | 6 | Fair | Poor | Low | | Low | Retain | - | On slope, multi-stemmed, dying |
| C04/405 | U0027 | 27 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.17 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trifurcating trunk, dying |
| C04/405 | U0028 | 28 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.25 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.20m, dying |
| C04/405 | U0029 | 29 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.16 | 6 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.85m, dying |
| C04/405 | U0030 | 30 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.19 | 6 | Poor | Fair | Low | | Low | Retain | - | On slope, trifurcating trunk, unbalanced crown |
| C04/405 | U0031 | 31 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.25 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0032 | 32 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.20 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, trifurcating trunk, die-back branches |
| C04/405 | U0033 | 33 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.15 | 5 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0034 | 34 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.26 | 5 | Poor | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, dying |
| C04/405 | U0035 | 35 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 8 | 0.10 | 3 | Fair | Good | Low | | Low | Fell | B | |
| C04/405 | U0036 | 35 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 8 | 0.14 | 3 | Fair | Good | Low | | Low | Fell | B | Bending trunk |
| C04/405 | U0037 | 36 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 8 | 0.13 | 2 | Fair | Good | Low | | Low | Fell | B | Bending trunk |
| C04/405 | U0038 | 37 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 7 | 0.11 | 3 | Fair | Fair | Low | | Low | Fell | B | |
| C04/405 | U0039 | 38 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.18 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, dying |
| C04/405 | U0040 | 39 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.18 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.7m, die-back branches |
| C04/405 | U0041 | 40 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.14 | 6 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0042 | 41 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.24 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, dying |
| C04/405 | U0042A | 42 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.14 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0043 | 43 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.17 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, bifurcating trunk, die-back branches |
| C04/405 | U0044 | 44 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.13 | 6 | Fair | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.9m, die-back branches |
| C04/405 | U0045 | 45 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.10 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0046 | 46 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.11 | 4 | Fair | Fair | Low | | Low | Retain | - | On slope, die-back branches |
| C04/405 | U0047 | 47 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.15 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.6m, dying |
| C04/405 | U0048 | 48, 49 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.12 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.7m, dying |
| C04/405 | U0049 | 50 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.29 | 6 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.30m, dying |
| C04/405 | U0050 | 51 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.16 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, bifurcating trunk, dying |
| C04/405 | U0051 | 52 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.17 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.45m, dying |
| C04/405 | U0052 | 53 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.13 | 5 | Poor | Poor | Low | | Low | Retain | - | On slope, dying, bending trunk |
| C04/405 | U0053 | 54 | - | - | LandsD | AFCD | 5 | 0.22 | 5 | - | - | - | | - | Dead Tree | - | On slope, trunk diameter measured at 0.9m, die-back branches |
| C04/405 | U0054 | 55 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.22 | 5 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.7m, dying |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSO, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|------------|--------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|---|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/405 | U0055 | 56 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0056 | 57 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.11 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0057 | 58 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.29 | 6 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.5m, dying |
| C04/405 | U0058 | 59 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.13 | 4 | Fair | Fair | Low | | Low | Retain | - | |
| C04/405 | U0059 | 60 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.25 | 6 | Fair | Poor | Low | | Low | Fell | B, M | On slope, trunk diameter measured at 0.8m, dying |
| C04/405 | U0060 | 61 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.25 | 6 | Fair | Poor | Low | | Low | Fell | B, M | On slope, trunk diameter measured at 0.3m, dying |
| C04/405 | U0061 | 62 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.17 | 4 | Poor | Fair | Low | | Low | Fell | B, M | On slope, bending trunk, die-back branches |
| C04/405 | U0062 | 62 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.21 | 6 | Fair | Fair | Med | | Low | Retain | - | On slope, trunk diameter measured at 0.30m, die-back branches |
| C04/405 | U0063 | 63 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.22 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.30m, die-back branches, exudation of sap |
| C04/405 | U0064 | 64 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.14 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m, dying |
| C04/405 | U0065 | 65 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.11 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0066 | 66 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.13 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.6m, dying |
| C04/405 | U0067 | 67 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.13 | 3 | Fair | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m, dying |
| C04/405 | U0068 | 68, 69, 70 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.15 | 3 | Poor | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.5m, die-back branches |
| C04/405 | U0069 | 71 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.24 | 4 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m, dying |
| C04/405 | U0070 | 72 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.20 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.2m, dying |
| C04/405 | U0071 | 74 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.14 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.9m, dying |
| C04/405 | U0072 | 75 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.17 | 5 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.4m, dying |
| C04/405 | U0073 | 73 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.18 | 4 | Fair | Fair | Med | | Low | Retain | - | On slope, trunk diameter measured at 0.4m, die-back branches |
| C04/405 | U0074 | 76 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.13 | 5 | Poor | Poor | Low | | Low | Fell | L, M | On slope, bifurcating and leaning trunk, dying |
| C04/405 | U0075 | 77 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.13 | 2 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.6m, dying |
| C04/405 | U0076 | 78 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.19 | 2 | Poor | Fair | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.3m, die-back branches, exudation of sap |
| C04/405 | U0077 | 79 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.22 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, trunk diameter measured at 0.2m, dying |
| C04/405 | U0078 | 81 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.13 | 3 | Poor | Poor | Low | | Low | Retain | - | On slope, dying |
| C04/405 | U0079 | 80 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.28 | 4 | Fair | Poor | Low | | Low | Retain | - | On slope, trifurcating trunk, dying |
| C04/405 | U0080 | 82 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.11 | 4 | Fair | Good | Low | | Low | Fell | L | On slope |
| C04/405 | U0081 | 83 | <i>Pinus elliotii</i> | 濕地松 | LandsD | AFCD | 6 | 0.10 | 2 | Good | Good | Med | | Low | Fell | L | On slope |
| C04/405 | U0085 | 88 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.16 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.5m, dying |
| C04/405 | U0086 | 90 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.12 | 3 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches |
| C04/405 | U0087 | 91 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.18 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.5m, dying |
| C04/405 | U0088 | 92 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.14 | 2 | Fair | Poor | Low | | Low | Fell | L, M | On slope, dying |
| C04/405 | U0089 | 93 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.18 | 3 | Poor | Fair | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.3m, die-back branches, unbalanced crown |
| C04/405 | U0090 | 94 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.18 | 4 | Poor | Fair | Low | | Low | Fell | L, M | On slope, trifurcating trunk, die-back branches, unbalanced crown |
| C04/405 | U0091 | 95, 96 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.20 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, bifurcating trunk, dying |
| C04/405 | U0092 | 97 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.15 | 2 | Poor | Poor | Low | | Low | Fell | L, M | On slope, trunk diameter measured at 0.3m, dying |
| C04/405 | U0093 | 98, 99 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 7 | 0.34 | 5 | Poor | Fair | Low | | Low | Fell | L | Up-rooted |
| C04/405 | U0094 | 100, 101 | <i>Pinus elliotii</i> | 濕地松 | LandsD | AFCD | 7 | 0.14 | 3 | Fair | Fair | Med | | Low | Fell | L | Leaning trunk, up-rooted |
| C04/405 | U0095 | 102 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.13 | 3 | Poor | Fair | Low | | Low | Fell | L, M | On slope, leaning trunk, die-back branches, unbalanced crown |
| C04/405 | U0120 | 130 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 8 | 0.11 | 3 | Fair | Good | Low | | Low | Fell | L | |
| C04/405 | U0121 | 131, 132 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 5 | 0.10 | 2 | Poor | Poor | Low | | Low | Fell | L | Up-rooted |
| C04/405 | U0122 | 133 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 9 | 0.19 | 4 | Fair | Good | Low | | Low | Fell | L | |
| C04/405 | U0123 | 133 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 9 | 0.19 | 4 | Fair | Good | Low | | Low | Fell | L | |
| C04/405 | U0124 | 134 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.13 | 2 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, trunk diameter measured at 0.2m |
| C04/405 | U0125 | 135, 136 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.14 | 2 | Fair | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.3m |
| C04/405 | U0126 | 137 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.24 | 4 | Fair | Fair | Low | | Low | Fell | L, M | On slope, die-back branches, exudation of sap, trunk diameter measured at 0.3m |
| C04/405 | U0127 | 138 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.14 | 4 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying |
| C04/405 | U0128 | 138 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.13 | 1 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 1m |
| C04/405 | U0129 | 138 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.20 | 4 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.4m |
| C04/405 | U0130 | 139 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.18 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying |
| C04/405 | U0131 | 140 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.19 | 3 | Fair | Fair | Low | | Low | Fell | L, M | Die-back branches, trunk diameter measured at 0.5m |
| C04/405 | U0132 | 141 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.17 | 2 | Fair | Poor | Low | | Low | Fell | L, M | Dying, trunk diameter measured at 0.4m |
| C04/405 | U0133 | 142 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.19 | 4 | Fair | Fair | Low | | Low | Fell | L, M | Die-back branches, trunk diameter measured at 0.2m |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSO, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|---|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|---|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/405 | U0134 | 143 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.14 | 1 | Poor | Poor | Low | | Low | Fell | L, M | Dying, trunk diameter measured at 0.4m |
| C04/405 | U0135 | 144 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.13 | 2 | Fair | Poor | Low | | Low | Fell | L, M | Dying |
| C04/405 | U0136 | 145 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.22 | 4 | Fair | Poor | Low | | Low | Fell | L, M | Dying, trunk diameter measured at 0.5m |
| C04/405 | U0137 | 146 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.14 | 2 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.5m |
| C04/405 | U0138 | 147 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.17 | 3 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying |
| C04/405 | U0139 | 148 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3.5 | 0.16 | 2 | Poor | Poor | Low | | Low | Fell | L, M | On slope, dying, trunk diameter measured at 0.25m |
| C04/405 | U0140 | 149 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 8 | 0.11 | 2 | Fair | Fair | Low | | Low | Fell | L | On slope |
| C04/405 | U0141 | 150 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 8 | 0.14 | 4 | Poor | Fair | Low | | Low | Fell | L | On slope, up-rooted |
| C04/405 | U0142 | 151 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 9 | 0.17 | 4 | Fair | Good | Low | | Low | Fell | L | On slope |
| C04/405 | U0143 | 152 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 8 | 0.12 | 3 | Fair | Fair | Low | | Low | Fell | L | On slope |
| C04/405 | U0144 | 153 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.21 | 3 | Fair | Fair | Low | | Low | Fell | L | On slope, bifurcating trunk |
| C04/405 | U0145 | 154 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.19 | 3 | Poor | Fair | Low | | Low | Fell | L | On slope, leaning trunk, trunk diameter measured at 0.3m |
| C04/405 | U0146 | 154 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 10 | 0.16 | 5 | Fair | Good | Low | | Low | Fell | L | |
| C04/405 | U0271 | 278 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.13 | 4 | Good | Good | Low | | Low | Retain | - | |
| C04/405 | U0272 | 279 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.31 | 7 | Fair | Fair | Low | | Low | Retain | - | Multi-trunk, climber growing on tree |
| C04/405 | U0305 | 316 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 3.5 | 0.10 | 2 | Fair | Good | Med | | Low | Retain | - | |
| C04/405 | U0306 | 317 | <i>Pinus elliottii</i> | 濕地松 | LandsD | AFCD | 6 | 0.16 | 3 | Good | Good | Med | | Low | Retain | - | |
| C04/405 | U0307 | 318 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 5 | 0.27 | 5 | Poor | Fair | Low | | Low | Fell | L | On slope, toppled and uprooted, trunk diameter measured at 0.5m |
| C04/406 | T11343 | 4 | <i>Ficus virens var. sublancofolata</i> | 大葉榕 | LandsD | AFCD | 8 | 1.172 | 12 | Fair | Fair | Med | IT | High | Retain | - | |
| C04/406 | T11344 | 5 | <i>Macaranga tanarius</i> | 血桐 | LandsD | AFCD | 5 | 0.115 | 4 | Fair | Fair | Med | | High | Retain | - | |
| C04/406 | T11345 | 6 | <i>Ficus virens var. sublancofolata</i> | 大葉榕 | LandsD | AFCD | 4 | 0.118 | 3 | Poor | Poor | Low | | Low | Retain | - | Vines |
| C04/406 | T11347 | 8 | <i>Ficus virens var. sublancofolata</i> | 大葉榕 | LandsD | AFCD | 3 | 0.109 | 3 | Poor | Poor | Low | | Low | Retain | - | Vines |
| C04/406 | T11348 | 9 | <i>Ficus virens var. sublancofolata</i> | 大葉榕 | LandsD | AFCD | 4 | 0.449 | 4.5 | Poor | Poor | Low | | Low | Retain | - | Vines |
| C04/406 | T11349 | 10 | <i>Macaranga tanarius</i> | 血桐 | LandsD | AFCD | 4 | 0.322 | 3 | Poor | Poor | Low | | Low | Fell | K | Multi-trunk |
| C04/406 | T11350 | 11 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.29 | 3 | Fair | Fair | Med | | Low | Fell | K | Multi-trunk |
| C04/407 | U0001 | 1 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.10 | 5 | Poor | Fair | Low | | High | Retain & Prune | K | |
| C04/407 | U0002 | 2 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.13 | 5 | Fair | Fair | Low | | Low | Retain & Prune | K | Close to drainage channe |
| C04/407 | U0003 | 2 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.10 | 5 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0004 | 2 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.12 | 5 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0005 | 3 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.20 | 5 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0006 | 4 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.16 | 6 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0007 | 4 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 7 | 0.13 | 7 | Poor | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0008 | 5 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 5 | 0.15 | 3 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0009 | 6 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.14 | 7 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0010 | 7 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 13 | 0.14 | 6 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0011 | 8 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 9 | 0.11 | 4 | Poor | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0012 | 9 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.11 | 4 | Poor | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0013 | 10 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.11 | 6 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0014 | 10 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 9 | 0.12 | 4 | Poor | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0015 | 11 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 5 | 0.10 | 3 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0016 | 11 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 9 | 0.10 | 4 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0017 | 11 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 9 | 0.10 | 4 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0018 | 12 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.13 | 4 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0019 | 13 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.11 | 5 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0020 | 14 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.11 | 5 | Poor | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0021 | 14 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.11 | 5 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0022 | 15 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 11 | 0.14 | 5 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0023 | 16 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 13 | 0.13 | 7 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0024 | 17 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.12 | 5 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0025 | 18 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.17 | 6 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0026 | 19 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.15 | 6 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0027 | 20 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.11 | 6 | Fair | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0028 | 21 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.19 | 6 | Good | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0029 | 22 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 15 | 0.25 | 10 | Good | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0030 | 23 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 15 | 0.23 | 12 | Poor | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0031 | 24 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.15 | 12 | Poor | Fair | Low | | Low | Retain | - | Close to drainage channe |
| C04/407 | U0032 | 25 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.25 | 12 | Good | Fair | Low | | High | Retain | - | |
| C04/407 | U0033 | 26 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.10 | 12 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0034 | 27 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.17 | 12 | Poor | Fair | Low | | Low | Retain | - | Steeply leaning trunk |
| C04/407 | U0035 | 28 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 10 | 0.16 | 10 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0036 | 29 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.12 | 8 | Fair | Fair | Low | | High | Retain | - | |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSO, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Imporment Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|--------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|----------------------------------|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/407 | U0037 | 30 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 13 | 0.12 | 6 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0038 | 31 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 14 | 0.12 | 6 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0039 | 32 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.10 | 6 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0040 | 33 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 16 | 0.15 | 6 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0041 | 34 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 14 | 0.14 | 7 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0042 | 35 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 14 | 0.10 | 6 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0043 | 35 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 12 | 0.11 | 5 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0044 | 36 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 15 | 0.17 | 8 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0045 | 37 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.10 | 5 | Good | Fair | Low | | High | Retain & Prune | K | |
| C04/407 | U0046 | 38 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 7 | 0.10 | 4 | Poor | Fair | Low | | Low | Retain & Prune | K | Embedded in fencing |
| C04/407 | U0047 | 39 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 7 | 0.11 | 4 | Fair | Fair | Low | | High | Retain & Prune | K | |
| C04/407 | U0048 | 40, 41 | <i>Bombax ceiba</i> | 木棉 | LandsD | AFCD | 5 | 0.15 | 4 | Fair | Good | Low | | Med | Retain | - | Close to fencing |
| C04/407 | U0049 | 42 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 5 | 0.10 | 5 | Poor | Fair | Low | | Low | Retain & Prune | K | Embedded in fencing |
| C04/407 | U0050 | 43 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.12 | 4 | Fair | Fair | Low | | High | Retain & Prune | K | |
| C04/407 | U0051 | 44 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.13 | 6 | Fair | Fair | Low | | High | Retain | - | |
| C04/407 | U0052 | 45 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 8 | 0.17 | 7 | Fair | Fair | Low | | Low | Fell | K | Grow on rocky area |
| C04/408 | U0003 | 1 | <i>Celtis sinensis</i> | 朴樹 | LandsD | AFCD | 6 | 0.09 | 6 | Fair | Good | Med | | High | Retain & Prune | K | |
| C04/408 | U0006 | 2 | <i>Eucalyptus citriodora</i> | 檸檬桉 | LandsD | AFCD | 10 | 0.29 | 8 | Fair | Good | Med | | Low | Retain & Prune | K | |
| C04/408 | U0007 | 3, 4 | <i>Macaranga tanarius</i> | 血桐 | LandsD | AFCD | 7 | 0.22 | 8 | Fair | Good | Low | | Low | Retain & Prune | K | Wound on trunk |
| C04/409 | U0003 | 1 | <i>Dimocarpus longan</i> | 龍眼 | LandsD | AFCD | 4 | 0.11 | 4 | Poor | Fair | Low | | Low | Retain & Prune | K | Multi-trunk |
| C04/409 | U0004 | 2 | <i>Dimocarpus longan</i> | 龍眼 | LandsD | AFCD | 5 | 0.12 | 4 | Fair | Fair | Low | | Med | Retain & Prune | K | Leaning trunk |
| C04/409 | U0005 | 3 | <i>Dimocarpus longan</i> | 龍眼 | LandsD | AFCD | 7 | 0.21 | 7 | Fair | Good | Med | | Low | Retain & Prune | K | Bending trunk |
| C04/409 | U0006 | 4 | <i>Dimocarpus longan</i> | 龍眼 | LandsD | AFCD | 5 | 0.10 | 5 | Poor | Fair | Low | | Low | Retain & Prune | K | Bending trunk, die-back branches |
| C04/409 | U0007 | 5 | <i>Dimocarpus longan</i> | 龍眼 | LandsD | AFCD | 6 | 0.10 | 6 | Fair | Good | Low | | High | Retain & Prune | K | |
| C04/409 | U0009 | 6, 7 | <i>Celtis sinensis</i> | 朴樹 | LandsD | AFCD | 5 | 0.13 | 3 | Fair | Fair | Low | | Low | Retain & Prune | K | Bending trunk |
| C04/410 | U0001 | 1, 2 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 3 | 0.11 | 2 | Poor | Poor | Low | | Med | Retain | - | Leading shoot broken |
| C04/410 | U0003 | 3 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.16 | 4 | Fair | Good | Low | | Low | Retain | - | Bifurcating trunk |
| C04/410 | U0004 | 4, 5 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 7 | 0.15 | 5 | Fair | Fair | Low | | Low | Retain | - | |
| C04/410 | U0005 | 6 | <i>Acacia auriculliformis</i> | 耳果相思 | LandsD | AFCD | 6 | 0.16 | 6 | Fair | Good | Low | | Low | Retain | - | Multi-trunk |
| C04/410 | U0006 | 7 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.11 | 4 | Fair | Fair | Low | | Low | Retain | - | |
| C04/410 | U0009 | 8 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 6 | 0.11 | 4 | Fair | Fair | Low | | Med | Retain | - | Bifurcating trunk |
| C04/410 | U0010 | 9 | <i>Macaranga tanarius</i> | 血桐 | LandsD | AFCD | 3 | 0.14 | 4 | Poor | Fair | Low | | High | Retain | - | Multi-trunk |
| C04/410 | U0025 | 10 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 4 | 0.14 | 5 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/413 | T11660 | 1 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.096 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11661 | 2 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.153 | 4 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11662 | 3 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.099 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11664 | 4 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.115 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11665 | 5 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.15 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11666 | 6 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.146 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11667 | 7 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.156 | 4 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11668 | 8 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.131 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11669 | 9 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 12 | 0.299 | 4 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/413 | T11670 | 10 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.096 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11671 | 11 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.096 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11672 | 12 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 5 | 0.115 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11673 | 13 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.099 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11674 | 14 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 5 | 0.096 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11675 | 15 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.153 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11676 | 16 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.096 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11677 | 17 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.099 | 4 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11678 | 18 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.274 | 4 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11679 | 19 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.162 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11680 | 20 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.099 | 3 | Fair | Fair | Med | | Low | Retain | - | Slightly leaning |
| C04/413 | T11681 | 21 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.146 | 4 | Fair | Fair | Med | | Low | Retain | - | Forked |
| C04/413 | T11682 | 22 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 5 | 0.096 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/413 | T11683 | 23 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.172 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11684 | 24 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.306 | 4 | Poor | Poor | Low | | Low | Retain | - | Vines |
| C04/413 | T11685 | 25 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 3 | 0.115 | 2 | Fair | Fair | Med | | Low | Retain | - | Trunk Damage, Leaning |
| C04/413 | T11686 | 26 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 10 | 0.264 | 5 | Fair | Poor | Low | | Low | Retain | - | |
| C04/413 | T11687 | 27 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.111 | 2 | Poor | Poor | Low | | Low | Retain | - | Trunk Damage |
| C04/413 | T11688 | 28 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 10 | 0.296 | 4 | Poor | Poor | Low | | Low | Retain | - | Trunk Damage |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSO, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|--------------------------------|---------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|---------------------------------------|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/413 | T11689 | 29 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.182 | 4 | Fair | Fair | Med | | Low | Retain | - | Forked |
| C04/413 | T11690 | 30 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 5 | 0.096 | 3 | Poor | Poor | Med | | Low | Retain | - | Leaning trunk |
| C04/413 | T11691 | 31 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.232 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11692 | 32 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.162 | 4 | Fair | Fair | Med | | Low | Retain | - | |
| C04/413 | T11693 | 33 | <i>Tetradium glabrifolium</i> | 棟葉吳茱萸 | LandsD | AFCD | 4 | 0.15 | 2 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay |
| C04/413 | T11694 | 34 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.099 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked, Partial Branch Decay, Leaning |
| C04/413 | T11695 | 35 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.124 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked, Partial Branch Decay, Leaning |
| C04/413 | T11696 | 36 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 2 | 0.131 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11697 | 37 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.134 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11698 | 38 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.124 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11699 | 39 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.169 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11700 | 40 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.156 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11701 | 41 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.099 | 2 | Poor | Poor | Low | | Low | Retain | - | Vines |
| C04/413 | T11702 | 42 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.111 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11703 | 43 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.105 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11704 | 44 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.169 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11705 | 45 | <i>Rhaphiolepis indica</i> | 石斑木 | LandsD | AFCD | 3 | 0.121 | 4 | Fair | Fair | Med | | Med | Retain | - | Forked |
| C04/413 | T11706 | 46 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.137 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked, Partial Branch Decay, Leaning |
| C04/413 | T11707 | 47 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.162 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11708 | 48 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.201 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11709 | 49 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.229 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11710 | 50 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.166 | 4 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/413 | T11711 | 51 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.172 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11712 | 52 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.111 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11713 | 53 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.134 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked, Partial Branch Decay, Leaning |
| C04/413 | T11714 | 54 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.108 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11715 | 55 | <i>Pinus massoniana</i> | 馬尾松 | LandsD | AFCD | 7 | 0.137 | 2 | Fair | Fair | Med | | High | Retain | - | Partial Branch Decay |
| C04/413 | T11716 | 56 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.166 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked, Partial Branch Decay |
| C04/413 | T11717 | 57 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.105 | 4 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/413 | T11718 | 58 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.166 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11719 | 59 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.124 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11720 | 60 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.261 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11721 | 61 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.169 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11723 | 63 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.204 | 3 | Poor | Poor | Low | | Low | Retain | - | Multi-trunk |
| C04/413 | T11724 | 64 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.271 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11725 | 65 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 7 | 0.29 | 5 | Poor | Poor | Low | | Low | Retain | - | Slightly trunk bending |
| C04/413 | T11727 | 67 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.197 | 4 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11728 | 68 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.236 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11729 | 69 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.156 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/413 | T11730 | 70 | - | - | LandsD | AFCD | 3 | 0.108 | 2 | - | - | - | - | - | Dead Tree | - | |
| C04/413 | T11731 | 71 | - | - | LandsD | AFCD | 3 | 0.121 | 2 | - | - | - | - | - | Dead Tree | - | |
| C04/413 | T11732 | 72 | - | - | LandsD | AFCD | 4 | 0.096 | 2 | - | - | - | - | - | Dead Tree | - | |
| C04/414 | T11624 | 1 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 7 | 0.22 | 2 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/414 | T11625 | 2 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.096 | 1 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/414 | T11626 | 3 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.328 | 4 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/414 | T11627 | 4 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.134 | 2 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/414 | T11628 | 5 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.146 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11629 | 6 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.131 | 2 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/414 | T11630 | 7 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.188 | 2 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/414 | T11631 | 8 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.213 | 2 | Fair | Fair | Med | | Low | Retain | - | Vines |
| C04/414 | T11632 | 9 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.153 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11633 | 10 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.213 | 3 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11634 | 11 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 10 | 0.22 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11635 | 12 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.172 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11636 | 13 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 9 | 0.178 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11637 | 14 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.115 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11638 | 15 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.118 | 1 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11639 | 16 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 10 | 0.229 | 2 | Fair | Fair | Med | | Low | Retain | - | Slightly trunk bending |
| C04/414 | T11640 | 17 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.252 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11641 | 18 | <i>Ficus hispida</i> | 對葉榕 | LandsD | AFCD | 7 | 0.102 | 3 | Poor | Poor | Low | | Low | Retain | - | |
| C04/414 | T11642 | 19 | <i>Leucaena leucocephala</i> | 銀合歡 | LandsD | AFCD | 3 | 0.124 | 2 | Fair | Fair | Med | | Low | Retain | - | Partial Branch Decay |
| C04/414 | T11643 | 20 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 11 | 0.404 | 3 | Fair | Fair | Med | | Low | Retain | - | Forked |

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2a- Individual Tree Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XRL/U RB/ | TREE No. | PHOTO No. | BOTANICAL NAME | CHINESE COMMON NAME | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD) | SIZE (m) | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | Old & Valuable Tree or Important Tree (OVT/IT) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------|-----------|--------------------------------|---------------------|------------------------|--|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|--|----------------|---------------|-------------------------------|
| | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | | |
| C04/414 | T11644 | 21 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 8 | 0.229 | 4 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/414 | T11645 | 22 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 8 | 0.156 | 4 | Fair | Fair | Med | | Low | Fell | G, L | |
| C04/414 | T11646 | 23 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 10 | 0.264 | 3 | Fair | Fair | Med | | Low | Retain | - | Forked |
| C04/414 | T11647 | 24 | <i>Ficus hispida</i> | 對葉榕 | LandsD | AFCD | 4 | 0.22 | 3 | Fair | Fair | Med | | High | Retain | - | Leaning trunk |
| C04/414 | T11648 | 25 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.166 | 2 | Fair | Fair | Med | | Low | Retain | - | Leaning trunk |
| C04/414 | T11649 | 26 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 7 | 0.121 | 1 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11650 | 27 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 7 | 0.153 | 1 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11651 | 28 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.124 | 1 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11652 | 29 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 5 | 0.166 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/414 | T11653 | 30 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.131 | 1 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11654 | 31 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 6 | 0.127 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11655 | 32 | <i>Eucalyptus torelliana</i> | 毛葉桉 | LandsD | AFCD | 5 | 0.118 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/414 | T11656 | 33 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.105 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11657 | 34 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.121 | 2 | Poor | Poor | Low | | Low | Retain | - | Leaning trunk |
| C04/414 | T11658 | 35 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.166 | 2 | Fair | Fair | Med | | Low | Retain | - | |
| C04/414 | T11659 | 36 | <i>Casuarina equisetifolia</i> | 木麻黃 | LandsD | AFCD | 6 | 0.099 | 2 | Fair | Fair | Med | | Low | Retain | - | Forked |
| C04/414 | T12282 | 37 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.226 | 3 | Poor | Poor | Low | | Low | Retain | - | Bending trunk |
| C04/414 | T12283 | 38 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.197 | 3 | Poor | Poor | Low | | Low | Retain | - | Partial Branch Decay, Leaning |
| C04/414 | T12284 | 39 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 3 | 0.099 | 2 | Poor | Poor | Low | | Low | Retain | - | |
| C04/414 | T12285 | 40 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.156 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/414 | T12286 | 41 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.182 | 2 | Poor | Poor | Low | | Low | Retain | - | Forked, Broken branch |
| C04/414 | T12287 | 42 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.245 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/414 | T12288 | 43 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.236 | 4 | Poor | Poor | Low | | Low | Retain | - | Multi-trunk |
| C04/414 | T12289 | 44 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 5 | 0.229 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/414 | T12290 | 45 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 6 | 0.131 | 3 | Poor | Poor | Low | | Low | Retain | - | Forked |
| C04/414 | T12687 | 46 | <i>Acacia confusa</i> | 台灣相思 | LandsD | AFCD | 4 | 0.099 | 2 | Fair | Fair | Med | | Low | Retain | - | Forked |

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls, Slope Works construction and New Road/ Road Widening Works

Note C: Affected by Vent Building construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction/Road Realignment

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

Note M: Poor Health Tree

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-5: WORKS IN TUEN MUN DISTRICT

Part 2b - Tree Group Assessment Schedule for AFCD

| SURVEY SHEET No. C8001/T/XR/L/URB/ | TREE GROUP No. | PHOTO No. | TREE SPECIES | CHINESE COMMON NAME | APPROX. No. OF TREES | MAINTENANCE DEPARTMENT | DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, Hyd, HD) | ESTIMATED SIZE | | | FORM (Good/Fair/Poor) | HEALTH (Good/Fair/Poor) | AMENITY VALUE (High/Med/Low) | SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low) | RECOMMENDATION | JUSTIFICATION | REMARKS |
|------------------------------------|----------------|-----------|--------------------------------|---------------------|----------------------|------------------------|---|----------------|----------------|--------------|-----------------------|-------------------------|------------------------------|--|----------------|---------------|---------|
| | | | | | | | | OVERALL HEIGHT | TRUNK DIAMETER | CROWN SPREAD | | | | | | | |
| C04/405 | TG01 | 326 | <i>Casuarina equisetifolia</i> | 木麻黃 | 4 | Lands D | AFCD | 6-11 | 0.15-0.30 | 5-6 | Fair to Good | Good | Med | Low | Retain | - | |
| | | | | Total | 4 | | | | | | | | | | | | |
| C04/405 | TG03 | 330, 331 | <i>Acacia confusa</i> | 台灣相思 | 71 | Lands D | AFCD | 6-7 | 0.10-0.25 | 3-5 | Poor to Fair | Poor to Fair | Low | Low | Retain | - | |
| | | | <i>Casuarina equisetifolia</i> | 木麻黃 | 3 | Lands D | AFCD | 6-10 | 0.10-0.15 | 5-6 | Good | Good | Med | Low | Retain | - | |
| | | | <i>Eucalyptus torelliana</i> | 毛葉桉 | 1 | Lands D | AFCD | 8 | 0.20 | 5 | Fair to Good | Fair to Good | Med | Low | Retain | - | |
| | | | <i>Leucaena leucocephala</i> | 銀合歡 | 2 | Lands D | AFCD | 5 | 0.10 | 3 | Fair | Fair | Low | Low | Retain | - | |
| | | | <i>Pinus elliottii</i> | 濕地松 | 3 | Lands D | AFCD | 10 | 0.15 | 06-Jan | Good | Good | Med | Low | Retain | - | |
| | | | | Total | 80 | | | | | | | | | | | | |
| C04/405 | TG04 | 332, 333 | <i>Acacia confusa</i> | 台灣相思 | 8 | Lands D | AFCD | 6-7 | 0.15-0.25 | 4-6 | Fair to Good | Fair to Good | Low | Low | Retain | - | |
| | | | <i>Casuarina equisetifolia</i> | 木麻黃 | 1 | Lands D | AFCD | 6-10 | 0.10-0.15 | 5-6 | Good | Good | Med | Low | Retain | - | |
| | | | <i>Pinus elliottii</i> | 濕地松 | 1 | Lands D | AFCD | 10 | 0.15 | 5-6 | Good | Good | Med | Low | Retain | - | |
| | | | | Total | 10 | | | | | | | | | | | | |
| C04/405 | TG05 | 334 | <i>Acacia confusa</i> | 台灣相思 | 16 | Lands D | AFCD | 6-7 | 0.10-0.25 | 3-5 | Fair to Good | Fair to Good | Low | Low | Retain | - | |
| | | | <i>Casuarina equisetifolia</i> | 木麻黃 | 140 | Lands D | AFCD | 8-12 | 0.10-0.30 | 5-6 | Fair to Good | Good | Med | Low | Retain | - | |
| | | | <i>Eucalyptus torelliana</i> | 毛葉桉 | 6 | Lands D | AFCD | 8-10 | 0.15-0.25 | 5-6 | Good | Good | Med | Low | Retain | - | |
| | | | <i>Gordonia axillaris</i> | 大頭茶 | 4 | Lands D | AFCD | 4-5 | 0.10 | 3 | Good | Good | Med | Low | Retain | - | |
| | | | <i>Lophostemon confertus</i> | 紅膠木 | 10 | Lands D | AFCD | 7-8 | 0.10-0.15 | 4-6 | Good | Good | Med | Low | Retain | - | |
| | | | <i>Pinus elliottii</i> | 濕地松 | 20 | Lands D | AFCD | 8-10 | 0.15 | 5-6 | Good | Good | Med | Low | Retain | - | |
| | | | <i>Schefflera heptaphylla</i> | 鵝掌柴 | 4 | Lands D | AFCD | 5 | 0.10 | 3 | Fair to Good | Good | Lpw | Low | Retain | - | |
| | | | | Total | 200 | | | | | | | | | | | | |

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction/Road Realignment

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

Note M: Poor Health Tree