

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazettal boundary
C04/003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazettal boundary
C04/004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/007	T0075	1	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	4	0.15	2	Good	Good	Med		Med	Transplant	Note E	-
C04/007	T0076	2	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	4	0.15	2	Good	Good	Med		Med	Transplant	Note E	-
C04/007	T0077	3	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.10	2	Good	Good	Med		High	Transplant	Note A	-
C04/007	T0078	4	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.10	2	Good	Good	Med		High	Transplant	Note A	-
C04/007	T0079	5	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note E	-
C04/007	T0080	6	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note E	-
C04/007	T0081	7	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.10	2	Fair	Fair	Med		High	Transplant	Note A	-
C04/007	T0082	8	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note E	-
C04/007	T0083	9	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.15	2	Fair	Good	Med		Med	Transplant	Note A	contorted trunk
C04/007	T0084	10	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note E	-
C04/007	T0085	11	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.10	2	Good	Good	Med		High	Transplant	Note A	-
C04/007	T0086	12	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note E	-
C04/007	T0087	13	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.10	2	Poor	Poor	Low		Low	Fell	Note A	-
C04/007	T12879	14	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	5	0.21	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12880	15	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	5	0.19	3	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12881	16	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.27	4	Fair	Good	Med		Low	Transplant	Note A	-
C04/007	T12882	17	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	5	0.27	5	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12883	18	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	5	0.25	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12884	19	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	6	0.27	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12885	20	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	3	0.10	2	Fair	Good	Low		High	Transplant	Note A	-
C04/007	T12886	21	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	5	0.22	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12887	22	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.14	3	Fair	Fair	Med		Med	Transplant	Note A	Slightly, Trunk bending
C04/007	T12888	23	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.13	3	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12889	24	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	3	0.10	2	Fair	Good	Low		High	Transplant	Note A	-
C04/007	T12890	25	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.13	2	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	T12891	26	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.26	4	Fair	Good	Med		High	Transplant	Note A	-
C04/007	T12892	27	<i>Crateva unilocularis</i>	樹頭菜	LCSD	LCSD	4	0.19	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/007	U0001	43	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	10	0.25	5	Good	Good	Med		High	Retain	-	-
C04/007	U0002	44	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	9	0.19	5	Poor	Fair	Low		High	Retain	-	Broken branches
C04/007	U0003	45	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	11	0.24	6	Good	Good	Med		High	Retain	-	-
C04/007	U0004	46	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	9	0.22	7	Good	Good	Med		High	Retain	-	-
C04/007	U0005	47	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	9	0.21	6	Good	Good	Med		High	Retain	-	-
C04/007	U0006	48	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	9	0.19	6	Good	Good	High		Med	Retain	-	-
C04/007	U0007	49	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	10	0.27	5	Good	Good	Med		High	Retain	-	-
C04/007	U0008	50	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	9	0.24	5	Good	Good	Med		High	Retain	-	-
C04/008	T0088	1	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0089	2	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.15	2	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0090	3	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	4	0.20	2	Good	Good	Med		Med	Transplant	Note D, E	contorted trunk
C04/008	T0091	4	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	4	0.25	2	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0092	5	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.15	2	Fair	Fair	Med		Med	Transplant	Note A	ants invasion
C04/008	T0093	6	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.10	2	Good	Good	Low		High	Transplant	Note D, E	-
C04/008	T0094	7	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.15	2	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0095	8	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	4	0.20	2	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0096	9	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.15	2	Fair	Fair	Med		Med	Transplant	Note A	wound & fungi on trunk
C04/008	T0097	10	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0098	11	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.10	2	Good	Good	Med		High	Transplant	Note A	-
C04/008	T0099	12	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	3	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0100	13	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.15	3	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0101	14	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.15	2	Good	Fair	Med		Med	Transplant	Note D, E	wound on trunk
C04/008	T0102	15	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	3	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0103	16	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	5	0.20	2	Fair	Fair	Med		Med	Transplant	Note A	-
C04/008	T0104	17	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.15	2	Fair	Fair	Med		Med	Transplant	Note D, E	-
C04/008	T0105	18	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	5	0.25	3	Fair	Good	Med		Med	Transplant	Note A	-
C04/008	T0106	19	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Fair	Fair	Med		Med	Transplant	Note D, E	Bending trunk, wound on trunk
C04/008	T0106A	20	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	5	0.10	3	Fair	Fair	Med		Med	Transplant	Note D, E	-
C04/008	T0107	21	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	4	0.20	2	Fair	Fair	Med		Med	Transplant	Note A	pruned
C04/008	T0108	22	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.15	3	Good	Good	Med		Med	Transplant	Note A	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/008	T0109	23	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	3	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0110	24	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.10	2	Fair	Fair	Med		High	Transplant	Note A	-
C04/008	T0111	25	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.20	2	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0112	26	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.15	2	Good	Good	Med		Med	Transplant	Note D, E	-
C04/008	T0113	27	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	3	0.15	2	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0114	28	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	4	0.25	3	Good	Good	Med		High	Transplant	Note A	-
C04/008	T0115	29	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	5	0.20	3	Good	Good	Med		High	Transplant	Note D, E	-
C04/008	T0116	30	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	3	0.25	2	Good	Good	Med		High	Transplant	Note A	-
C04/008	T0117	31	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.15	2	Good	Good	Low		High	Transplant	Note D, E	-
C04/008	T0118	32	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	3	0.15	2	Good	Fair	Med		High	Transplant	Note A	-
C04/008	T0119	33	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.10	2	Good	Good	Low		High	Transplant	Note D, E	-
C04/008	T0120	34	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.10	2	Good	Good	Low		High	Transplant	Note D, E	-
C04/008	T0121	35	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	3	0.15	2	Fair	Fair	Med		High	Transplant	Note A	-
C04/008	T0122	36	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	3	0.15	1.0	Poor	Poor	Low		Low	Fell	Note A	Die-back branches
C04/008	T0123	37	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.10	2	Fair	Good	Low		High	Transplant	Note D, E	-
C04/008	T0124	38	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	3	0.30	2	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0125	39	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	4	0.15	2	Good	Good	Low		High	Transplant	Note D, E	-
C04/008	T0126	40	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	4	0.25	2	Good	Good	Med		High	Transplant	Note A	-
C04/008	T0127	41	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	4	0.30	2	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0128	42	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.10	2	Good	Good	Low		High	Transplant	Note D, E	-
C04/008	T0129	43	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	3	0.35	2	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0130	44	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.15	2	Poor	Fair	Low		High	Fell	Note D, E	-
C04/008	T0130A	45	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.16	3	Good	Fair	Low		High	Transplant	Note D, E	-
C04/008	T0131	46	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	3	0.20	2	Good	Good	Med		High	Transplant	Note A	-
C04/008	T0132	47	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	3	0.10	1.0	Fair	Fair	Low		High	Transplant	Note A	Die-back branches
C04/008	T0133	48	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.15	2	Good	Fair	Low		High	Transplant	Note D, E	-
C04/008	T0134	49	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	3	0.10	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T0135	50	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.20	2	Good	Good	Med		High	Transplant	Note D, E	-
C04/008	T0136	51	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	3	0.15	2	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0137	52	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.20	2	Good	Good	Med		High	Transplant	Note D, E	-
C04/008	T0138	53	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T0139	54	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T0140	55	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T0141	56	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	2	0.10	1.0	Fair	Good	Low		High	Transplant	Note A	-
C04/008	T0142	57	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	4	0.15	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T0143	58	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	4	0.20	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T0144	59	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	2	0.10	1.0	Fair	Good	Low		High	Transplant	Note A	scorching of margins
C04/008	T0145	60	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	scorching of margins
C04/008	T0146	61	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	4	0.20	3	Good	Good	Low		High	Transplant	Note A	scorching of margins
C04/008	T0147	62	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.20	2	Fair	Good	Low		High	Transplant	Note A	scorching of margins
C04/008	T0148	63	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.20	2	Good	Good	Low		High	Transplant	Note A	scorching of margins
C04/008	T0179	64	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Poor	Poor	Low		Low	Fell	Note A	seriously rusts, wound decaying
C04/008	T0180	65	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Fair	Poor	Low		Low	Fell	Note A	seriously rusts
C04/008	T0181	66	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Fair	Poor	Low		Low	Fell	Note A	seriously rusts
C04/008	T0182	67	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Poor	Low		Low	Fell	Note A	seriously rusts
C04/008	T0183	68	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Poor	Low		Low	Fell	Note A	seriously rusts
C04/008	T0184	69	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Poor	Low		Low	Fell	Note A	seriously rusts
C04/008	T0185	70	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Poor	Low		Low	Fell	Note A	seriously rusts
C04/008	T0186	71	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		High	Transplant	Note A	-
C04/008	T0217	72	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/008	T0218	73	<i>Grevillea robusta</i>	銀樺	LCSD	LCSD	7	0.25	3	Fair	Good	Med		Low	Transplant	Note A	Bark damaged
C04/008	T0219	74	<i>Grevillea robusta</i>	銀樺	LCSD	LCSD	6	0.10	2	Poor	Poor	Low		Low	Fell	Note A	Die-back branches
C04/008	T0220	75	<i>Grevillea robusta</i>	銀樺	LCSD	LCSD	6	0.10	3	Fair	Good	Low		Med	Transplant	Note A	Die-back branches
C04/008	T0221	76	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	8	0.25	4	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0222	77	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	8	0.20	5	Fair	Good	Med		High	Transplant	Note A	-
C04/008	T0223	78	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	7	0.25	4	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0224	79	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	5	0.30	4	Good	Fair	Med		Med	Transplant	Note A	-
C04/008	T0225	80	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	6	0.20	4	Fair	Fair	Med		Med	Transplant	Note A	Bark damaged
C04/008	T0226	81	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	6	0.20	4	Good	Good	Med		Med	Transplant	Note A	-
C04/008	T0227	82	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.30	5	Fair	Fair	Med		Med	Transplant	Note A	Bending trunk
C04/008	T0228	83	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.50	3	Poor	Poor	Low		Low	Fell	Note A	pruned, trunk decaying

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/008	T0229	84	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.40	5	Good	Good	High		Med	Transplant	Note A	-
C04/008	T0230	85	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.40	5	Fair	Fair	High		Med	Transplant	Note A	pruned
C04/008	T0231	86	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	6	0.20	3	Fair	Fair	Low		High	Transplant	Note A	-
C04/008	T0232	87	<i>Roystonea regia</i>	王棕	LCSD	LCSD	8	0.45	3	Good	Good	High		High	Transplant	Note A	-
C04/008	T0233	88	<i>Roystonea regia</i>	王棕	LCSD	LCSD	9	0.40	4	Fair	Fair	Med		High	Transplant	Note A	-
C04/008	T0234	89	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.35	3	Good	Good	Med		High	Transplant	Note A	-
C04/008	T12792	90	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.13	1	Fair	Good	Low		High	Transplant	Note A	-
C04/008	T12793	91	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.21	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T12794	92	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.18	2	Good	Good	Low		High	Transplant	Note A	-
C04/008	T12795	93	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.19	1	Good	Good	Low		High	Transplant	Note A	-
C04/008	T12796	94	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.19	1	Good	Good	Low		High	Transplant	Note A	-
C04/008	T12864	98	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.25	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/008	T12865	99	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note A	Sparse crown
C04/008	T12866	100	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.12	2	Fair	Good	Low		High	Transplant	Note A	-
C04/008	T12867	101	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.25	5	Fair	Fair	Med		Med	Transplant	Note A	-
C04/008	T12868	102	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.14	2	Poor	Fair	Low		High	Fell	Note A	-
C04/008	T12869	103	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.26	3	Fair	Good	Med		Med	Transplant	Note A	-
C04/008	T12870	104	<i>Delonix regia</i>	鳳凰木	LCSD	LCSD	6	0.27	3	Poor	Poor	Low		Low	Fell	Note A	Broken trunk
C04/008	T12871	105	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.20	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/008	T12872	106	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	5	0.19	3	Fair	Fair	Med		Med	Transplant	Note A	-
C04/008	T12873	107	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.15	3	Fair	Fair	Med		Med	Transplant	Note A	Pruned, Fork
C04/008	T12874	108	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.12	2	Fair	Poor	Low		Low	Fell	Note A	Branch decay
C04/008	T12875	109	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	5	0.19	3	Fair	Good	Med		Med	Transplant	Note A	-
C04/008	T12876	110	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	7	0.26	5	Fair	Fair	Med		Low	Transplant	Note A	-
C04/008	T12877	111	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	5	0.26	5	Fair	Good	Med		Med	Transplant	Note A	-
C04/008	T12878	112	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.26	3	Fair	Good	Med		Low	Transplant	Note A	-
C04/009	T0169	1	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	8	0.35	4	Good	Fair	Med		Med	Transplant	Note A	broken branches, wound on trunk
C04/009	T0170	2	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	8	0.35	4	Good	Fair	Med		Med	Transplant	Note A	broken branches, wound on trunk
C04/009	T0171	3	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	8	0.35	4	Good	Good	Med		Med	Transplant	Note A	-
C04/009	T0172	4	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	8	0.35	4	Good	Good	Med		Med	Transplant	Note A	-
C04/009	T0173	5	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	7	0.35	4	Good	Good	Med		Med	Transplant	Note A	-
C04/009	T0174	6	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	6	0.35	5	Good	Good	Med		Med	Transplant	Note A	-
C04/009	T0175	7	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	6	0.35	4	Good	Good	Med		Med	Transplant	Note A	-
C04/009	T0176	8	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	6	0.30	4	Good	Good	Med		Med	Transplant	Note A	-
C04/009	T0177	9	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	6	0.35	4	Good	Good	Med		Med	Transplant	Note A	-
C04/009	T0178	10	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	6	0.35	4	Good	Good	Med		Med	Transplant	Note A	-
C04/010	T0187	1	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		High	Transplant	Note A, D	wound on trunk
C04/010	T0188	2	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/010	T0189	3	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.10	3	Good	Fair	Low		High	Transplant	Note A, D	-
C04/010	T0190	4	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Poor	Poor	Low		Low	Fell	Note A, D	Wilted twigs and leaves, rusts
C04/010	T0191	5	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0192	6	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.10	3	Poor	Poor	Low		Low	Fell	Note A, D	Wilted twigs and leaves, rusts
C04/010	T0193	7	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Fair	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0194	8	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0195	9	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Good	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0196	10	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Good	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0197	11	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.25	5	Good	Fair	Med		Med	Transplant	Note A, D	rusts
C04/010	T0198	12	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Fair	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0199	13	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Good	Fair	Med		High	Transplant	Note A, D	rusts, wound on trunk
C04/010	T0200	14	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.10	3	Good	Fair	Low		High	Transplant	Note A, D	rusts
C04/010	T0200A	15	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Good	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0201	16	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	7	0.25	4	Good	Fair	Med		Med	Transplant	Note A, D	rusts
C04/010	T0202	17	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Good	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0203	18	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Good	Fair	Med		High	Transplant	Note A, D	rusts, wound on trunk
C04/010	T0204	19	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Good	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0205	20	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Good	Fair	Med		High	Transplant	Note A, D	rusts, wound on branches
C04/010	T0206	21	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	7	0.25	5	Good	Fair	Med		Med	Transplant	Note A, D	rusts
C04/010	T0207	22	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Good	Fair	Med		High	Transplant	Note A, D	rusts
C04/010	T0216	23	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.25	4	Good	Fair	Med		Med	Transplant	Note A, D	rusts
C04/010	T0235	24	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	5	0.20	3	Fair	Fair	Low		High	Transplant	Note A, D	-
C04/010	T0236	25	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.35	5	Good	Good	Med		High	Transplant	Note A, D	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/010	T0237	26	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.20	4	Poor	Poor	Low		Low	Fell	Note A, D	decaying wound on trunk
C04/010	T0238	27	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.40	5	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0239	28	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	5	0.20	3	Fair	Fair	Low		High	Transplant	Note A, D	-
C04/010	T0240	29	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.35	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0241	30	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.35	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0242	31	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.30	4	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/010	T0243	32	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.30	4	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/010	T0244	33	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.30	5	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0245	34	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.40	5	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0246	35	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.40	5	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0247	36	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.30	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0248	37	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.30	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0249	38	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.30	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0250	39	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.30	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0251	40	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.25	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0252	41	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Good	Fair	Low		High	Transplant	Note A, D	-
C04/010	T0253	42	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.25	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/010	T0355	59	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	5	0.10	2.5	Good	Fair	Low		High	Transplant	Note D, E	leaning trunk
C04/010	T0371	64	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note D, E	wound on trunk
C04/010	T0372	65	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note D, E	wound on trunk
C04/010	T0373	66	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note D, E	-
C04/010	T0374	67	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note D, E	-
C04/010	T0375	68	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note D, E	Die-back branches
C04/010	T0381	69	<i>Phoenix roebelenii</i>	日本葵	LCSD	LCSD	3	0.10	1.5	Fair	Fair	Low		High	Transplant	Note D, E	-
C04/010	T0382	70	<i>Phoenix roebelenii</i>	日本葵	LCSD	LCSD	3	0.10	1.5	Fair	Fair	Low		High	Transplant	Note D, E	-
C04/010	T0383	71	<i>Phoenix roebelenii</i>	日本葵	LCSD	LCSD	3	0.10	1.5	Fair	Fair	Low		High	Transplant	Note D, E	-
C04/010	T0384	72	<i>Phoenix roebelenii</i>	日本葵	LCSD	LCSD	3	0.10	1.5	Fair	Fair	Low		High	Transplant	Note D, E	-
C04/010	T0385	73	<i>Phoenix roebelenii</i>	日本葵	LCSD	LCSD	3	0.10	1.5	Fair	Fair	Low		High	Transplant	Note D, E	-
C04/010	T0386	74	<i>Phoenix roebelenii</i>	日本葵	LCSD	LCSD	3	0.10	1.5	Fair	Fair	Low		High	Transplant	Note D, E	-
C04/011	T0272	1	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	3	Fair	Good	Low		High	Transplant	Note D, E	leaning trunk
C04/011	T0274	2	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	3	Fair	Good	Low		High	Transplant	Note D, E	leaning trunk
C04/011	T0275	3	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	3	Fair	Fair	Low		Med	Transplant	Note D, E	leaning trunk
C04/011	T0276	4	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	3	Fair	Fair	Low		Med	Transplant	Note D, E	leaning trunk
C04/011	T0282	5	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	3	0.10	2	Good	Good	Low		High	Transplant	Note D, E	-
C04/011	T0376	6	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note D, E	Die-back branches
C04/011	T0377	7	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4.5	0.15	4	Good	Good	Med		Med	Transplant	Note D, E	-
C04/011	T0379	8	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4.5	0.15	4	Good	Good	Med		Med	Transplant	Note D, E	-
C04/011	T0409	9, 10	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	8	0.30	5	Good	Fair	Med		Low	Retain	-	Decaying wound on trunk
C04/011	T0410	11	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	8	0.25	5	Good	Fair	Med		Med	Retain	-	-
C04/011	T0411	12, 13	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	8	0.25	5	Good	Fair	Med		Med	Retain	-	Decaying wound on trunk
C04/011	T0412	14	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	8	0.25	5	Good	Fair	Med		Med	Retain	-	-
C04/011	T0413	15	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	8	0.25	5	Good	Fair	Med		Med	Retain	-	-
C04/011	T0414	16	-	-	LCSD	LCSD	8	0.25	5	-	-	-		-	Dead	-	Toppled
C04/011	T0415	17	<i>Cassia fistula</i>	臘腸樹	LCSD	LCSD	6	0.16	4	Good	Fair	Med		High	Retain	-	-
C04/011	T0416	18	<i>Cassia fistula</i>	臘腸樹	LCSD	LCSD	6	0.16	4	Good	Fair	Med		High	Retain	-	-
C04/011	T0417	19	<i>Cassia fistula</i>	臘腸樹	LCSD	LCSD	5	0.13	2	Good	Good	Low		High	Retain	-	-
C04/011	T0418	20	<i>Cassia fistula</i>	臘腸樹	LCSD	LCSD	5	0.16	3	Good	Fair	Med		High	Retain	-	-
C04/011	T0419	21	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4.0	0.10	2.0	Fair	Good	Low		High	Retain	-	-
C04/011	T0419A	22	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4.0	0.10	2.0	Fair	Good	Low		High	Retain	-	-
C04/012	T0208	1	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0209	2	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Good	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0210	3	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Good	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0211	4	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.30	5	Good	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0212	5	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	4	Good	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0213	6	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Good	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0214	7	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.15	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0215	8	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	7	0.30	5	Good	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0254	9	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.35	5	Good	Good	Med		High	Transplant	Note A	-
C04/012	T0255	10	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.25	4	Poor	Poor	Low		Low	Fell	Note A	Diseased palm
C04/012	T0256	11	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.20	4	Good	Good	Med		High	Transplant	Note A	-
C04/012	T0257	12	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	4	Fair	Good	Low		High	Transplant	Note A	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/012	T0258	13	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	3	0.10	3	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0259	14	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	3	0.10	2	Poor	Fair	Low		High	Fell	Note A	wound on trunk
C04/012	T0260	15	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	2	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0261	16	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	3	0.10	3	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0262	17	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	3	0.10	3	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0263	18	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	5	0.10	4	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0264	19	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	4	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0266	20	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	5	0.15	4	Good	Good	Low		High	Transplant	Note A	Die-back branches
C04/012	T0267	21	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	3	Fair	Fair	Med		High	Transplant	Note A	Die-back branches
C04/012	T0268	22	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	3	Fair	Good	Low		High	Transplant	Note A	Die-back branches
C04/012	T0269	23	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	3	Fair	Good	Low		High	Transplant	Note A	Die-back branches
C04/012	T0271	24	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.10	4	Fair	Fair	Med		Med	Transplant	Note A	Die-back branches
C04/012	T0387	25	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	6	0.25	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/012	T0388	26	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	6	0.25	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/012	T0389	27	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	6	0.25	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/012	T0390	28	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	6	0.25	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/012	T0391	29	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	6	0.25	4	Good	Good	Med		High	Transplant	Note A, D	-
C04/012	T0392	30	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	5	0.25	3	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/012	T0393	31	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	5	0.15	3	Fair	Fair	Low		High	Transplant	Note A, D	-
C04/012	T0396	32	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	5	0.10	4	Fair	Good	Low		High	Transplant	Note A, D	-
C04/012	T0397	33	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	5	0.10	4	Fair	Good	Low		High	Transplant	Note A, D	-
C04/012	T0398	34	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	4	Good	Good	Low		High	Transplant	Note A, D	-
C04/012	T0399	35	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	3	Fair	Good	Low		High	Transplant	Note A, D	-
C04/012	T0400	36	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.20	4	Good	Good	Med		Med	Transplant	Note A, D	-
C04/012	T0402	37	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	3	0.10	3	Fair	Good	Low		High	Transplant	Note A, D	-
C04/012	T0403	38	<i>Crateva unilocularis</i>	樹頭菜	LCSD	LCSD	4	0.10	4	Good	Good	Low		High	Transplant	Note A, D	-
C04/012	T0405	39, 40	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	6	0.20	5	Good	Good	Med		Med	Transplant	Note A, D	bifurcating trunk
C04/012	T0406	41	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	6	0.15	5	Fair	Good	Med		Med	Transplant	Note A, D	Bending trunk
C04/012	T0407	42	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	7	0.30	5	Fair	Good	High		Med	Transplant	Note A, D	bifurcating trunk
C04/012	T0461	43	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.40	3	Fair	Fair	Med		High	Transplant	Note A	scorching of leaves margins
C04/012	T0462	44	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5.5	0.40	3	Fair	Fair	Med		High	Transplant	Note A	scorching of leaves margins
C04/012	T0463	45	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.40	3	Fair	Fair	Med		High	Transplant	Note A	scorching of leaves margins
C04/012	T0464	46	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.30	3	Fair	Fair	Low		High	Transplant	Note A	scorching of leaves margins
C04/012	T0465	47	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.20	2	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0468	48	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	low branching, rusts
C04/012	T0469	49	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0470	50	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	Bifurcating trunk, rusts
C04/012	T0471	51	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0472	52	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0473	53	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	Bifurcating trunk, rusts
C04/012	T0474	54	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.10	3	Fair	Good	Low		High	Transplant	Note A	Bifurcating trunk, rusts
C04/012	T0475	55	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.10	3	Fair	Good	Low		High	Transplant	Note A	leaning trunk, rusts
C04/012	T0476	56	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0477	57	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0478	57	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0479	58	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0480	59	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0481	59	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.20	3	Fair	Fair	Med		High	Transplant	Note A	rusts
C04/012	T0483	62	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.30	3	Fair	Good	Low		High	Transplant	Note A	scorching of leaves margins
C04/012	T0484	63	<i>Roystonea regia</i>	王棕	LCSD	LCSD	2.8	0.30	3	Fair	Good	Low		High	Transplant	Note A	scorching of leaves margins
C04/012	T0485	64	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.30	3	Fair	Good	Low		High	Transplant	Note A	scorching of leaves margins
C04/012	T0486	65	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.30	3	Fair	Good	Low		High	Transplant	Note A	scorching of leaves margins
C04/012	T0487	66	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.30	3	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0488	68	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0489	69	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0490	70	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0491	71	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Poor	Fair	Low		High	Fell	Note A	-
C04/012	T0492	72	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	-
C04/012	T0493	73	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Poor	Fair	Low		Med	Fell	Note A	scorching of leaves margins
C04/012	T0494	74	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		Med	Transplant	Note A	scorching of leaves margins
C04/012	T0495	75	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	scorching of leaves margins

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/012	T0496	76	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		Med	Transplant	Note A	scorching of leaves margins
C04/012	T0497	77	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	scorching of leaves margins
C04/012	U0001	99	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	3	0.095	2	Poor	Poor	Low		Low	Fell	Note A	
C04/013	T0394	1	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	6	0.25	4	Fair	Fair	Med		High	Transplant	Note D, E	-
C04/013	T0395	2	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	5	0.25	4	Good	Good	Med		Med	Transplant	Note D, E	bifurcating trunk
C04/013	T0404	3	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.20	4	Good	Good	Med		High	Transplant	Note D, E	-
C04/013	T0408	4	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	7	0.25	5	Good	Good	Med		Med	Transplant	Note D, E	-
C04/013	T0436	5	<i>Crateva unilocularis</i>	樹頭菜	LCSD	LCSD	4	0.15	4	Good	Good	Med		Med	Transplant	Note A	-
C04/013	T0437	6	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.15	4	Good	Good	Med		Med	Transplant	Note A	-
C04/013	T0438	7	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.15	4	Good	Good	Med		Med	Transplant	Note A	-
C04/013	T0439	8	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.15	4	Good	Good	Med		Med	Transplant	Note A	-
C04/013	U0018	56	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.15	3	Fair	Good	Med		High	Transplant	Note A, G	
C04/013	U0019	57	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.15	3	Fair	Good	Med		High	Transplant	Note A, G	
C04/014	T0498	1	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Fair	Good	Low		High	Transplant	Note A	-
C04/014	T0499	2	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Poor	Fair	Low		High	Fell	Note A	-
C04/014	T0500	3	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Poor	Fair	Low		High	Fell	Note A	-
C04/014	T0501	4	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	2	Poor	Fair	Low		High	Fell	Note A	-
C04/014	T0502	5	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	4	0.15	4	Fair	Fair	Low		High	Fell	Note A	Bending trunk
C04/014	T0503	6	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	4	0.15	4	Fair	Fair	Low		High	Fell	Note A	Bending trunk
C04/014	T0504	7	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.10	2	Poor	Fair	Low		High	Fell	Note A	-
C04/014	T0505	8	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.10	2	Poor	Fair	Low		High	Fell	Note A	-
C04/014	T0506	9	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.10	2	Poor	Fair	Low		High	Fell	Note A	-
C04/014	T0507	10	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.20	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/014	T0508	11	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.40	4	Fair	Fair	Med		Low	Fell	Note A	Bifurcating trunk, wound on trunk
C04/014	T0509	12	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.40	5	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/014	T0510	13	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.15	4	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/014	T0511	14	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.15	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/014	T0512	14	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.50	7	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/014	T0513	15	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.50	7	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/014	T0514	16	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.40	6	Fair	Fair	Med		Low	Fell	Note A	bifurcating trunk
C04/014	T0515	16	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	8	0.50	7	Fair	Fair	Med		Low	Fell	Note A	bifurcating trunk
C04/014	U0001	17	<i>Leucaena leucocephala</i>	銀合歡	LandsD	LCSD	5	0.10	4	Poor	Fair	Low		Low	Fell	Note A	leaning trunk
C04/015	T1131	2	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	12	0.40	5	Good	Good	High		Med	Transplant	Note A, D, J	-
C04/015	T1132	7	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	10	0.10	3	Good	Good	Low		High	Transplant	Note A, D, J	-
C04/015	T1133	8	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	10	0.40	3	Good	Good	High		Med	Transplant	Note A, D, J	-
C04/015	T1133A	9	<i>Carica papaya</i>	番木瓜	LCSD	LCSD	5	0.11	3	Good	Good	Low		Low	Fell	Note A, D, J	-
C04/015	T1134	10	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	6	0.30	4	Good	Good	Med		Med	Transplant	Note A, D, J	-
C04/015	T1135	11	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.10	2	Good	Good	Low		High	Transplant	Note A, D, J	-
C04/015	T12754	12	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	6	0.22	4	Good	Fair	Med		High	Retain	-	
C04/015	T12755	13	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	5	0.21	3	Good	Fair	Med		High	Retain	-	
C04/015	T12756	14	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	4	0.21	3	Fair	Fair	Med		High	Retain	-	
C04/015	T12757	15	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	3	0.15	1	Good	Good	Low		High	Retain	-	
C04/015	T12758	16	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	4	0.13	1	Good	Good	Low		High	Retain	-	
C04/015	T12761	17	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.48	2	Fair	Good	Med		High	Retain	-	Dry leave
C04/015	T12762	18	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.37	2	Fair	Good	Med		High	Retain	-	
C04/015	T12763	19	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.34	2	Fair	Good	Med		High	Retain	-	
C04/015	T12764	20	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.26	2	Fair	Good	Low		High	Retain	-	
C04/015	T12765	21	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.29	2	Fair	Good	Low		High	Retain	-	
C04/015	T12766	22	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.26	2	Fair	Good	Low		High	Retain	-	
C04/015	U0001	23	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.13	3	Fair	Good	Low		High	Retain	-	embedded in tree guard
C04/015	U0002	24	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	6	0.12	4	Fair	Good	Low		High	Retain	-	embedded in tree guard
C04/015	U0003	25	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.15	5	Fair	Good	Med		High	Retain	-	
C04/015	U0004	26	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	9	0.16	5	Good	Good	Low		High	Retain	-	
C04/015	U0005	27	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	11	0.15	5	Fair	Good	Med		High	Retain	-	
C04/015	U0006	28	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	9	0.18	4	Good	Good	Low		High	Retain	-	
C04/015	U0007	29	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	8	0.17	4	Good	Good	Low		High	Retain	-	
C04/015	U0008	30	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	5	0.17	2	Good	Good	Low		High	Retain	-	
C04/015	U0009	31	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	8	0.17	4	Good	Good	Low		High	Retain	-	
C04/015	U0010	32	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	8	0.18	4	Good	Good	Low		High	Retain	-	
C04/015	U0011	33	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	8	0.18	4	Good	Good	Low		High	Retain	-	
C04/015	U0012	34	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	8	0.19	5	Good	Good	Low		High	Retain	-	

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/015	U0015	42	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	5	0.11	4	Good	Good	Low		High	Retain	-	
C04/015	U0016	43	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	6	0.13	4	Good	Good	Low		High	Retain	-	
C04/015	U0017	44	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	5	0.11	4	Good	Good	Low		High	Retain	-	
C04/015	U0018	35	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	9	0.22	6	Good	Good	Med		High	Retain	-	
C04/015	U0019	36	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	6	0.15	4	Good	Good	Med		High	Retain	-	
C04/015	U0020	37	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	9	0.17	5	Good	Good	Med		High	Retain	-	
C04/015	U0021	38	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	6	0.14	5	Good	Good	Low		High	Retain	-	Slightly leaning trunk
C04/015	U0022	39	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	7	0.16	6	Good	Good	Med		High	Retain	-	
C04/015	U0023	40	<i>Crateva trifoliata</i>	鈍葉魚木	LCSD	LCSD	4	0.10	4	Good	Good	Low		High	Retain	-	
C04/015	U0024	41	<i>Crateva unilocularis</i>	樹頭菜	LCSD	LCSD	7	0.095	3	Good	Good	Low		High	Retain	-	
C04/016	T1136	1	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.40	3	Good	Good	High		Med	Transplant	Note A, D	-
C04/016	T1158	26	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	3	0.15	3	Fair	Fair	Med		High	Transplant	Note A	-
C04/016	T1159	27	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	3	0.15	3	Fair	Fair	Med		High	Transplant	Note A	-
C04/016	T1160	28	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.15	3	Fair	Fair	Med		High	Transplant	Note A	-
C04/016	T1161	29	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.10	3	Fair	Fair	Low		High	Transplant	Note A	sun scorching
C04/016	T1162	30	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.10	4	Fair	Fair	Low		High	Transplant	Note A	-
C04/016	T1163	31	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.10	3	Fair	Fair	Low		High	Transplant	Note A	-
C04/016	T1164	32	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	3	0.15	3	Fair	Fair	Med		High	Transplant	Note A	-
C04/016	T1165	33	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.15	3	Fair	Fair	Med		High	Transplant	Note A	-
C04/016	T1166	34	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.15	3	Fair	Fair	Med		High	Transplant	Note A	-
C04/016	T1167	35	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.10	3	Fair	Fair	Low		High	Transplant	Note A	-
C04/016	T1168	36	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	5	0.30	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1169	37	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	5	0.30	4	Fair	Poor	Low		Low	Fell	Note A	-
C04/016	T1170	38	<i>Morus alba</i>	桑	LCSD	LCSD	5	0.30	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/016	T1171A	40	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.11	5	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1172	41	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	13	0.20	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1173	42	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.30	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1174	43	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.30	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1175	44	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.10	5	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1176	45	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.15	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1177	46	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.20	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1178	47	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.15	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1179	47	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.15	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1180	48	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	11	0.25	4	Fair	Fair	Med		Low	Fell	Note A	Low branching, multi-stemmed
C04/016	T1181	49	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.15	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1182	50	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.20	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1183	51	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.30	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1184	52	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.10	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1185	53	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.15	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1186	54	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	11	0.20	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1188	55	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.10	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1189	56	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	12	0.10	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1190	57	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.30	5	Poor	Fair	Low		Low	Fell	Note A	leaning trunk
C04/016	T1191	58	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.30	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1192	59	<i>Melia azedarach</i>	楝	LCSD	LCSD	12	0.40	6	Good	Good	High		Low	Fell	Note A	-
C04/016	T1252	113	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	LCSD	14	0.20	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1253	114	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	LCSD	14	0.30	4	Good	Fair	Med		Low	Fell	Note A	-
C04/016	T1254	114	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	LCSD	13	0.25	5	Good	Fair	Med		Low	Fell	Note A	-
C04/016	T1260	119	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	7	0.30	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1261	120	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	7	0.35	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1262	121	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	2	0.10	1.0	Fair	Good	Med		High	Transplant	Note A	-
C04/016	T1263	122	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	10	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/016	T1264	123	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	10	0.10	3	Fair	Fair	Low		High	Fell	Note A	-
C04/016	T1265	124	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	3	0.10	2	Good	Good	Med		High	Transplant	Note A	-
C04/016	T1267	125	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	4	0.15	3	Fair	Good	Med		Med	Retain	-	-
C04/016	T1268	126	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	4	0.10	3	Fair	Good	Med		High	Retain	-	-
C04/016	T1269	127	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	10	0.30	4	Good	Good	Med		Low	Retain	-	-
C04/016	T12751	170	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.25	2	Fair	Fair	Med		Med	Retain	-	-
C04/016	T12752	171	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	5	0.21	4	Fair	Good	Med		High	Retain	-	-
C04/016	T12753	172	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.24	2	Fair	Fair	Med		Med	Retain	-	-
C04/016	T12767	173	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.18	2	Fair	Poor	Low		Low	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/016	T12768	174	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.42	2	Fair	Poor	Low		Low	Retain	-	-
C04/016	T12769	175	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.29	2	Fair	Poor	Low		Low	Retain	-	-
C04/016	T12770	176	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.36	2	Poor	Poor	Low		Low	Retain	-	-
C04/016	T12771	177	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.38	2	Fair	Poor	Low		Low	Retain	-	-
C04/016	T12772	178	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.32	1	Fair	Poor	Low		Low	Retain	-	-
C04/016	T12773	179	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.35	2	Fair	Poor	Low		Low	Retain	-	-
C04/016	T12774	180	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.52	2	Fair	Fair	Med		Med	Retain	-	-
C04/016	T1834	147, 148	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	5	0.15	6	Poor	Poor	Low		Low	Fell	Note A	leaning trunk
C04/016	T1835	149	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.17	6	Good	Fair	Med		Low	Fell	Note A	-
C04/016	T1836A	151	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	4	0.10	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/017	T1272	2	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.10	4	Fair	Fair	Low		High	Retain	-	-
C04/017	T1273	3	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/017	T1274	4	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.15	3	Fair	Fair	Med		High	Retain	-	-
C04/017	T1275	5, 6	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	3	0.10	2	Fair	Fair	Low		Med	Retain	-	Vertical wound on trunk
C04/017	T1276	7, 8	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	4	0.20	4	Fair	Fair	Med		Med	Retain	-	Vertical wound on trunk
C04/017	T1277	10	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	10	0.30	5	Good	Good	High		Med	Retain	-	-
C04/017	T1278	11	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	10	0.20	5	Good	Good	High		Med	Retain	-	-
C04/017	T1279	12	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	10	0.25	4	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1280	13	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.15	3	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1281	14	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.20	4	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1282	15	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.15	2	Good	Fair	Low		High	Transplant	Note A	-
C04/017	T1283	16	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	12	0.25	3	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1284	17	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.20	4	Good	Fair	Med		High	Transplant	Note A	-
C04/017	T1285	18	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.10	3	Good	Fair	Low		High	Transplant	Note A	-
C04/017	T1286	19	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.15	3	Good	Fair	Low		High	Transplant	Note A	-
C04/017	T1287	20	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.30	5	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1288	21	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.25	5	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1289	22	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.25	5	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1290	23	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.25	5	Good	Good	Med		High	Transplant	Note A	-
C04/017	T1291	24	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	12	0.30	7	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1292	25	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	10	0.25	5	Fair	Good	Med		High	Transplant	Note A	-
C04/017	T1293	26	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.10	3	Fair	Good	Low		High	Transplant	Note A	-
C04/017	T1294	27	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.20	4	Good	Good	Med		High	Transplant	Note A	-
C04/017	T1295	28	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.20	4	Good	Good	Med		High	Transplant	Note A	-
C04/017	T1296	29	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	12	0.25	5	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1297	30	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	10	0.20	6	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1298	31	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	12	0.25	6	Good	Good	Med		Med	Transplant	Note A	-
C04/017	T1905	36	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	3	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/017	T1906	37	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	7	0.20	7	Fair	Fair	Med		Med	Retain	-	-
C04/017	T1907	38	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	7	0.40	6	Fair	Fair	Med		Low	Retain	-	-
C04/017	T1908	39	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	7	0.40	6	Fair	Fair	Med		Low	Retain	-	-
C04/017	T12694	47	<i>Syzygium jambos</i>	蒲桃	LCSD	LCSD	3	0.12	2	Fair	Fair	Low		High	Retain	-	Leaning trunk
C04/017	T12695	48	<i>Syzygium jambos</i>	蒲桃	LCSD	LCSD	3	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/017	T12696	49	<i>Syzygium jambos</i>	蒲桃	LCSD	LCSD	3	0.11	2	Fair	Fair	Low		High	Retain	-	Leaning trunk
C04/017	T12697	50	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	4	0.22	3	Fair	Fair	Med		High	Retain	-	Broken branch
C04/017	T12698	51	<i>Khaya senegalensis</i>	非洲棟	LCSD	LCSD	6	0.21	3	Fair	Fair	Med		Med	Retain	-	Branch decay
C04/017	T12699	52	<i>Khaya senegalensis</i>	非洲棟	LCSD	LCSD	6	0.29	3	Fair	Fair	Med		Med	Retain	-	-
C04/017	T12701	53	<i>Lophostemon confertus</i>	紅膠木	LCSD	LCSD	4	0.15	1	Fair	Fair	Med		Med	Retain	-	Leaning trunk
C04/017	T12706	54	<i>Khaya senegalensis</i>	非洲棟	LCSD	LCSD	7	0.29	3	Fair	Fair	Med		Med	Retain	-	Leaning trunk
C04/017	T12713	55	<i>Ficus virens var. sub lanceolata</i>	黃葛樹	LCSD	LCSD	4	0.13	1	Fair	Fair	Med		High	Retain	-	-
C04/017	T12714	56	<i>Ficus virens var. sub lanceolata</i>	黃葛樹	LCSD	LCSD	4	0.15	3	Fair	Fair	Med		High	Retain	-	-
C04/017	T12715	57	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	5	0.17	2	Fair	Fair	Med		High	Retain	-	-
C04/017	T12716	58	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	5	0.14	2	Fair	Poor	Low		Low	Retain	-	Pruned
C04/017	T12717	59	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	5	0.19	3	Fair	Fair	Med		High	Retain	-	Branch decay
C04/017	T12718	60	<i>Ficus virens var. sub lanceolata</i>	黃葛樹	LCSD	LCSD	3	0.15	1	Fair	Good	Med		High	Retain	-	Leave infected
C04/017	T12719	61	<i>Terminalia mantaly</i>	小葉欖仁	LCSD	LCSD	4	0.12	1	Fair	Good	Low		High	Retain	-	-
C04/017	T12720	62	<i>Terminalia mantaly</i>	小葉欖仁	LCSD	LCSD	4	0.12	1	Fair	Good	Low		High	Retain	-	-
C04/017	T12721	63	<i>Terminalia mantaly</i>	小葉欖仁	LCSD	LCSD	4	0.12	1	Fair	Good	Low		High	Retain	-	-
C04/017	T12722	64	<i>Terminalia mantaly</i>	小葉欖仁	LCSD	LCSD	4	0.11	1	Fair	Good	Low		High	Retain	-	-
C04/018	T1299	1	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.25	4	Good	Good	Med		Med	Transplant	Note A	-
C04/018	T1300	2	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.20	4	Good	Good	Med		High	Transplant	Note A	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/018	T1301	3	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.10	4	Good	Good	Low		High	Transplant	Note A	-
C04/018	T1302	4	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.25	4	Good	Good	Med		Med	Transplant	Note A	-
C04/018	T1303	5	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.25	3	Good	Good	Med		Med	Transplant	Note A	-
C04/018	T1304	6	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.20	3	Good	Good	Med		High	Transplant	Note A	-
C04/018	T1305	7	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.25	6	Good	Good	Med		Med	Transplant	Note A	-
C04/018	T1306	8	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.20	4	Good	Good	Med		High	Transplant	Note A	-
C04/018	T1307	9	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.10	4	Good	Good	Low		High	Transplant	Note A	-
C04/018	T1308	10	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.20	4	Fair	Good	Med		High	Transplant	Note A	-
C04/018	T1327	11	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.20	3	Good	Fair	Med		High	Retain	-	-
C04/018	T1328	12	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.10	4	Fair	Fair	Low		High	Retain	-	-
C04/018	T1329	13	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/018	T1330	14	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.15	4	Good	Fair	Low		High	Retain	-	-
C04/018	T1331	15	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.15	4	Good	Fair	Low		High	Retain	-	-
C04/018	T1332	16	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.10	3	Good	Fair	Low		High	Retain	-	-
C04/018	T1333	17	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.15	4	Good	Fair	Med		Med	Retain	-	-
C04/018	T1334	18	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.20	4	Good	Fair	Med		Med	Retain	-	-
C04/018	T1353	19	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.25	4	Good	Good	Med		Med	Retain	-	-
C04/018	T1353A	20	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	6	0.10	5	Fair	Fair	Low		Med	Retain	-	-
C04/018	T1388	21	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.20	5	Good	Good	Med		Med	Retain	-	-
C04/018	T1389	22	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.15	3	Good	Fair	Med		Med	Retain	-	-
C04/018	T1390	23	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.15	5	Good	Fair	Med		Med	Retain	-	-
C04/018	T1391	24	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.10	4	Good	Fair	Low		High	Retain	-	-
C04/018	T1392	25	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.10	4	Good	Fair	Low		High	Retain	-	-
C04/018	T1393	26	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.10	4	Good	Fair	Low		High	Retain	-	-
C04/018	T1394	27	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.10	4	Good	Good	Low		High	Retain	-	-
C04/018	T1417	39	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	8	0.10	4	Good	Good	Low		High	Retain	-	-
C04/018	T1444	43	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/019	T1354	1	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	9	0.30	6	Good	Good	Med		Low	Retain	-	-
C04/019	T1445	2	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/019	T1446	3	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	5	0.10	4	Fair	Fair	Low		High	Retain	-	-
C04/019	T1447	4	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	5	0.40	5	Good	Good	Med		Med	Retain	-	-
C04/019	T1448	5	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.30	5	Good	Good	Med		High	Retain	-	-
C04/020	T9726	1	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.134	2	Fair	Fair	Low		High	Retain	-	Yellow leaves
C04/020	T9727	2	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.143	2	Fair	Fair	Low		High	Retain	-	Yellow leaves
C04/020	T9728	3	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.121	1	Fair	Fair	Low		High	Retain	-	
C04/020	U0001	4	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.16	4	Good	Fair	Low		High	Retain	-	
C04/020	U0002	5	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	5	0.13	5	Good	Good	Med		Med	Retain	-	
C04/020	U0003	6	<i>Bauhinia blakeana</i>	洋紫荊	LCSD	LCSD	6	0.16	6	Fair	Fair	Med		High	Retain	-	
C04/020	U0004	7	<i>Bauhinia blakeana</i>	洋紫荊	LCSD	LCSD	6	0.12	4	Fair	Fair	Low		High	Retain	-	
C04/020	U0005	8	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	6	0.13	5	Fair	Good	Med		Med	Retain	-	
C04/020	U0006A	9	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.095	4	Fair	Good	Low		High	Retain	-	
C04/020	U0006	10	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.16	4	Good	Fair	Low		High	Retain	-	
C04/020	U0007	11	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	9	0.21	6	Good	Good	Med		High	Retain	-	
C04/020	U0008	12	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	6	0.10	3	Fair	Good	Med		Med	Retain	-	
C04/020	U0009	13	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	9	0.22	7	Fair	Good	Med		High	Retain	-	
C04/020	U0010	14	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	9	0.23	7	Fair	Good	Med		High	Retain	-	
C04/020	U0011	15	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	5	0.12	4	Fair	Good	Med		Med	Retain	-	
C04/021	T9729	1	<i>Cinnamomum parthenoxylon</i>	黃樟	LCSD	LCSD	6	0.166	3	Fair	Fair	Med		Low	Retain	-	
C04/021	T9730	2	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.229	5	Fair	Fair	Med		High	Retain	-	Partial Branch Decay
C04/021	T9731	3	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.261	5	Fair	Fair	Med		High	Retain	-	
C04/021	T9732	4	<i>Cinnamomum parthenoxylon</i>	黃樟	LCSD	LCSD	4	0.127	2	Fair	Fair	Med		Low	Retain	-	Unbalanced crown
C04/021	T9733	5	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.166	3	Fair	Fair	Low		Med	Retain	-	
C04/021	T9734	6	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.217	6	Fair	Fair	Med		High	Retain	-	
C04/021	T9735	7	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.197	5	Fair	Fair	Med		High	Retain	-	
C04/021	T9736	8	<i>Cinnamomum parthenoxylon</i>	黃樟	LCSD	LCSD	7	0.175	3	Fair	Fair	Med		Low	Retain	-	
C04/021	T9738	9	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.172	3	Fair	Fair	Med		Med	Retain	-	
C04/021	T9739	10	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.143	2	Fair	Fair	Low		Med	Retain	-	
C04/021	T9740	11	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.217	3	Fair	Fair	Med		Med	Retain	-	
C04/021	T9741	12	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.121	2	Fair	Fair	Low		Med	Retain	-	
C04/021	T9742	13	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.204	3	Fair	Fair	Med		Med	Retain	-	
C04/021	T9743	14	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.185	3	Fair	Fair	Med		Med	Retain	-	

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/021	T9744	15	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.182	5	Fair	Fair	Med		Med	Retain	-	
C04/021	T9745	16	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.197	3	Fair	Fair	Med		Med	Retain	-	
C04/021	T9746	17	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.268	4	Fair	Fair	Med		High	Retain	-	
C04/021	T9747	18	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.127	2	Fair	Fair	Low		High	Transplant	Note A	Yellow leaves
C04/021	T9748	19	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.137	2	Fair	Fair	Low		High	Transplant	Note A	
C04/021	T9749	20	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.166	2	Fair	Fair	Med		High	Retain	-	Yellow leaves
C04/021	T9750	21	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.159	2	Fair	Fair	Low		High	Retain	-	Yellow leaves
C04/021	T9751	22	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.159	2	Fair	Fair	Low		High	Retain	-	Yellow leaves
C04/021	T9752	23	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.153	2	Fair	Fair	Low		High	Transplant	Note A	
C04/021	T9753	24	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.143	2	Fair	Fair	Low		High	Transplant	Note A	Yellow leaves
C04/021	T9754	25	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.172	2	Fair	Fair	Low		High	Transplant	Note A	
C04/021	T9755	26	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.159	2	Fair	Fair	Low		High	Transplant	Note A	Yellow leaves
C04/021	T9756	27	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.156	2	Fair	Fair	Low		High	Transplant	Note A	
C04/021	T9757	28	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.166	4	Fair	Fair	Med		High	Transplant	Note E, I	
C04/021	T9758	29	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	5	0.127	3	Fair	Fair	Low		Low	Fell	Note E, I	Leaning trunk
C04/021	T9759	30	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.134	2	Fair	Fair	Low		Med	Transplant	Note E, I	
C04/021	T9760	31	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	7	0.201	5	Fair	Fair	Med		High	Transplant	Note E, I	
C04/021	T9761	32	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.185	4	Fair	Fair	Med		Med	Transplant	Note A	
C04/021	T9762	33	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.194	2	Fair	Fair	Med		Med	Retain	-	
C04/021	T9763	34	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.188	5	Fair	Fair	Med		High	Transplant	Note A	
C04/021	T9764	35	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	4	0.197	3	Fair	Fair	Med		High	Retain	-	
C04/021	T9765	36	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.191	3	Fair	Fair	Med		Med	Retain	-	
C04/021	T9766	37	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.182	3	Fair	Fair	Med		High	Retain	-	
C04/021	T9767	38	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.191	5	Fair	Fair	Med		Med	Retain	-	
C04/021	T9768	39	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.182	3	Fair	Fair	Med		Med	Retain	-	
C04/021	T9769	40	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	6	0.204	6	Fair	Fair	Med		High	Retain	-	
C04/021	T9770	41	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.182	3	Fair	Fair	Med		High	Retain	-	
C04/021	T9783	42	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.175	3	Fair	Fair	Med		Med	Retain	-	
C04/021	T9805	43	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	8	0.197	5	Poor	Fair	Low		Low	Retain	-	Partial Branch Decay, Leaning
C04/021	T9807	44	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	8	0.207	5	Poor	Fair	Low		Low	Retain	-	Partial Branch Decay, Leaning
C04/021	T9808	45	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	8	0.162	3	Poor	Fair	Low		Low	Fell	Note E, I	Slightly trunk bending
C04/021	T9809	46	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	7	0.121	2	Poor	Fair	Low		Low	Fell	Note E, I	Slightly trunk bending
C04/021	T9810	47	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	4	0.127	3	Poor	Fair	Low		Low	Fell	Note E, I	Leaning trunk
C04/021	T9811	48	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	5	0.137	3	Poor	Fair	Low		Low	Fell	Note E, I	
C04/021	T9812	49	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	4	0.153	3	Fair	Fair	Med		High	Transplant	Note E, I	
C04/021	T9813	50	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	5	0.185	4	Poor	Fair	Low		High	Fell	Note E, I	Broken trunk
C04/021	T9814	51	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	4	0.127	2	Fair	Fair	Low		High	Retain	-	
C04/021	T9815	52	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	4	0.105	2	Fair	Fair	Med		High	Retain	-	
C04/021	T9816	53	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	4	0.159	3	Fair	Fair	Med		High	Retain	-	
C04/021	T9817	54	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	4	0.172	3	Fair	Fair	Med		High	Retain	-	
C04/022	T0516	1	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	12	0.20	5	Good	Good	Med		Low	Retain	-	-
C04/022	T0517	2	<i>Melia azedarach</i>	楝	LCSD	LCSD	10	0.20	5	Fair	Good	Med		Med	Retain	-	-
C04/022	T0518	3	<i>Melia azedarach</i>	楝	LCSD	LCSD	10	0.25	5	Fair	Good	Med		Med	Retain	-	-
C04/022	T0522	6	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.15	4	Fair	Good	Med		Low	Retain	-	-
C04/022	T0522A	7	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.14	3	Good	Good	Med		Low	Retain	-	-
C04/022	T0523	8	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	7	0.15	3	Fair	Good	Med		Low	Retain	-	leading shoot dieback
C04/022	T0524	9	<i>Melia azedarach</i>	楝	LCSD	LCSD	7	0.20	3	Fair	Good	Med		Med	Retain	-	-
C04/022	T0525	10	<i>Melia azedarach</i>	楝	LCSD	LCSD	7	0.20	5	Fair	Good	Med		Med	Retain	-	-
C04/022	T0525A	11	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	4	0.19	3	Fair	Fair	Med		Low	Retain	-	contorted trunk base, trunk infection
C04/022	T0526	12	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.40	4	Fair	Good	Med		Low	Retain	-	low branching
C04/022	T0527	13	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.15	3	Good	Good	Med		Low	Retain	-	-
C04/022	T0529	15	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.30	4	Fair	Good	Med		Low	Retain	-	low branching
C04/022	T0530	15	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.10	3	Fair	Good	Med		Low	Retain	-	-
C04/022	T0533	17	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	7	0.30	6	Fair	Good	Med		Low	Retain	-	-
C04/022	T0533A	18	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	5	0.19	3	Fair	Fair	Med		Low	Retain	-	low branching
C04/022	T0534	19	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.10	3	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0535	19	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.15	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0536	20	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.20	3	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0537	21	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0537A	22	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	4.5	0.29	2	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0538	23	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.20	5	Fair	Fair	Med		Low	Fell	Note A	Die-back branches

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T0539	24	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.50	5	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0540	25	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	6	0.30	5	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0541	26	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.30	5	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0542	26	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	6	0.10	4	Fair	Fair	Low		Low	Fell	Note A	leaning trunk
C04/022	T0543	27	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.35	5	Fair	Good	Med		Low	Fell	Note A	low branching
C04/022	T0544	27	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	5	0.15	3	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/022	T0545	28	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	4	0.20	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0546	29	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.40	6	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0548	31	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.15	4	Fair	Good	Med		Low	Fell	Note A	Bending trunk
C04/022	T0549	31	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0550	32	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	6	0.10	3	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0551	33	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.15	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0552	33	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0553	34	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.15	3	Good	Fair	Med		Low	Fell	Note A	infection on trunk
C04/022	T0554	35	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	5	0.15	4	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/022	T0556	37	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	6	0.30	5	Good	Good	Med		Low	Fell	Note A	low branching
C04/022	T0558	39	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	7	0.15	4	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0559	40	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.15	4	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0560	41	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.15	3	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0561	42	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.15	3	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0562	43, 44	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.10	3	Poor	Poor	Low		Low	Fell	Note A	Toppled
C04/022	T0563	45, 46	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.10	3	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0564	47	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.20	3	Fair	Fair	Med		Low	Retain	-	leaning trunk, root exposed
C04/022	T0565	48	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	12	0.20	3	Fair	Good	Med		Low	Retain	-	leaning trunk, root exposed
C04/022	T0566	49	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.25	3	Fair	Good	Med		Low	Retain	-	unbalanced crown
C04/022	T0567	50	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T0568	51	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/022	T0568A	52	<i>Melia azedarach</i>	楝	LCSD	LCSD	5	0.12	5	Fair	Good	Low		Med	Retain	-	-
C04/022	T0572	53	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.20	4	Good	Good	Med		Low	Retain	-	-
C04/022	T0574	55	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.35	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0575	56	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	7	0.35	6	Fair	Good	Med		Low	Fell	Note A	low branching
C04/022	T0575A	57	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	5	0.15	4	Fair	Good	Med		Low	Fell	Note A	low branching
C04/022	T0576	58	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	7	0.10	3	Good	Good	Low		High	Retain	-	-
C04/022	T0577	59	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	9	0.15	3	Good	Fair	Med		Low	Retain	-	Die-back branches
C04/022	T0578	60	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	8	0.10	4	Fair	Fair	Low		Low	Retain	-	-
C04/022	T0579	61	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.25	6	Fair	Fair	Med		Low	Retain	-	low branching
C04/022	T0580	62, 63	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.10	3	Fair	Fair	Low		Low	Retain	-	Bending trunk, wound on trunk
C04/022	T0589	64	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	7	0.20	4	Fair	Good	Med		Med	Retain	-	Bending trunk
C04/022	T0598	72	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	6	0.20	4	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0599	72	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	5	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0603	75	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	4	0.15	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0612	80	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0614	80	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.35	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0617	85	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	12	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0618	85	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.20	2	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0619	85, 86	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.15	2	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0626	91	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	10	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0628	92	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	9	0.10	5	Fair	Good	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0640	100	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	3	0.20	1.0	Fair	Fair	Med		Low	Fell	Note A	Bending trunk
C04/022	T0641	100	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	4	0.10	2	Fair	Fair	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0645	104	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.20	2	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0653	104, 113	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	10	0.10	4	Fair	Fair	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0653B	112	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.10	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0653C	113	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.10	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0658	118	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	10	0.20	3	Good	Good	Med		Low	Fell	Note A	low branching
C04/022	T0659	119	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	8	0.10	5	Fair	Fair	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0662	122	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	10	0.20	2	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0663	122	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note A	leaning trunk
C04/022	T0664	122	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.10	3	Fair	Good	Med		Low	Fell	Note A	Bending trunk
C04/022	T0665	41, 123	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	10	0.20	2	Fair	Fair	Med		Low	Fell	Note A	leading shoot broken
C04/022	T0666	124	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	8	0.15	4	Fair	Fair	Med		Low	Fell	Note A	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T0667	124	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	8	0.10	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0669	124	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.20	4	Fair	Fair	Med		Low	Fell	Note A	low branching
C04/022	T0675	132	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	8	0.20	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0676	132	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	9	0.20	2	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/022	T0687	141	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	8	0.20	1.0	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0688	141	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0689	141	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	10	0.15	2	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0690	142	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	10	0.30	2	Fair	Fair	Med		Low	Fell	Note A	Bending trunk
C04/022	T0809	184	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T2033	185	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	7	0.27	6	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/022	T2034	186	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	8	0.18	4	Poor	Poor	Low		Low	Retain	-	Watersprouts
C04/022	T2037	189	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.40	6	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/022	T2037A	190	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.14	4	Fair	Fair	Low		Low	Retain	-	leaning trunk
C04/022	T2038A	192	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	10	0.12	2	Fair	Fair	Low		Low	Retain	-	Die-back branches
C04/022	T2039	194	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.18	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T2040	195	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.25	5	Fair	Fair	Med		Low	Retain	-	-
C04/022	T2041	196	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	8	0.30	6	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/022	T2042	197	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.30	5	Fair	Fair	Med		Low	Retain	-	-
C04/022	T2046A	204	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	9	0.11	5	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/022	T12893	213	<i>Cinnamomum burmannii</i>	陰香	LCSD	LCSD	4	0.11	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12894	214	<i>Melia azedarach</i>	楝	LCSD	LCSD	8	0.31	7	Fair	Fair	Med		Med	Fell	Note A	-
C04/022	T12895	215	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	5	0.16	5	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12896	216	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	7	0.15	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12898	218	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	5	0.12	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12899	219	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.27	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12900	220	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	9	0.18	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12901	221	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12902	222	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	6	0.13	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12903	223	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.19	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12956	272	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.18	3	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/022	T12957	273	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.17	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12958	274	<i>Eucalyptus citriodora</i>	檸檬桉	LCSD	LCSD	8	0.21	2	Fair	Fair	Med		Low	Retain	-	Yellow leaves
C04/022	T12959	276	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	3	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T12960	275	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	5	0.14	4	Fair	Fair	Low		Low	Retain	-	-
C04/022	T12961	277	<i>Eucalyptus citriodora</i>	檸檬桉	LCSD	LCSD	8	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12962	278	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12965	281	<i>Ficus virens var. sublanceolata</i>	黃葛樹	LCSD	LCSD	5	0.17	5	Fair	Fair	Med		High	Retain	-	-
C04/022	T12966	282	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	6	0.14	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T12967	283	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12968	284	<i>Pterocarpus indicus</i>	紫檀	LCSD	LCSD	5	0.11	3	Fair	Fair	Low		High	Retain	-	Leaning trunk
C04/022	T12988	298	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	5	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T12989	299	<i>Macaranga tanarius</i>	血桐	LCSD	LCSD	6	0.24	6	Fair	Fair	Med		High	Retain	-	Broken branch
C04/022	T12990	300	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	7	0.22	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12992	302	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.27	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12998	308	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12999	309	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13346	349	<i>Melia azedarach</i>	楝	LCSD	LCSD	4	0.11	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13347	351	<i>Melia azedarach</i>	楝	LCSD	LCSD	3	0.10	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13359	363	<i>Araucaria heterophylla</i>	南洋杉	LCSD	LCSD	4	0.11	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13361	365	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	8	0.21	7	Fair	Fair	Med		High	Retain	-	-
C04/022	T13362	366	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	LCSD	5	0.16	3	Poor	Poor	Low		Low	Retain	-	leaning, branch decay, Root expsoe
C04/022	T13363	367	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	7	0.19	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13364	368	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	6	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13365	369	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	LCSD	5	0.11	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T13366	370	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13367	371	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	LCSD	5	0.12	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T13368	372	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	LCSD	6	0.14	4	Fair	Fair	Low		High	Retain	-	-
C04/022	T13369	373	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.17	5	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13370	374	-	-	LCSD	LCSD	6	0.20	3	-	-	-		-	Dead	-	-
C04/022	T13375	378	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.21	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/022	T13380	383	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	6	0.11	3	Fair	Fair	Low		High	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T13381	384	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	4	0.14	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T13382	385	-	-	LCSD	LCSD	3	0.11	3	-	-	-		-	Dead	-	-
C04/022	T13383	386	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	LCSD	3	0.11	4	Fair	Fair	Low		High	Retain	-	-
C04/022	T14000	403	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14001	404	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14002	402	<i>Melia azedarach</i>	楝	LCSD	LCSD	5	0.10	2	Fair	Poor	Low		Low	Retain	-	Bending trunk, Broken branch
C04/022	T14048	444	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	5	0.27	4	Fair	Fair	Med		High	Retain	-	-
C04/022	T14051	447	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	5	0.20	3	Fair	Fair	Med		High	Retain	-	Pruned
C04/022	T14053	448	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	4	0.17	2	Poor	Poor	Low		Low	Retain	-	Main trunk broken
C04/022	T14067	463	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.20	2	Fair	Fair	Med		Low	Retain	-	Termite attack
C04/022	T14068	464	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	5	0.10	2	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/022	T14077	473	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14086	482	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.19	3	Fair	Fair	Med		Low	Retain	-	Broken branch
C04/022	T14087	483	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.18	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	TA039	496	<i>Delonix regia</i>	鳳凰木	LCSD	LCSD	8	0.16	2	Poor	Poor	Low		Low	Fell	Note A	Toppled
C04/022	TA040	497	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	7	0.13	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	TA042	499	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.16	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	TA043	498	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	6	0.13	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	TA044	500	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	8	0.13	2	Poor	Fair	Low		Low	Fell	Note A	Cracking bark, bending trunk
C04/022	TA046	501	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	7	0.16	3	Fair	Fair	Med		Low	Fell	Note A	Bending trunk
C04/022	TA047	502	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	6	0.16	2	Poor	Poor	Low		Low	Fell	Note A	Bending trunk, pruned branches
C04/022	TA049	503	<i>Hibiscus tiliaceus</i>	黃槿	LCSD	LCSD	6	0.13	4	Poor	Fair	Low		Low	Fell	Note A	Pruned branches
C04/022	TA054	504	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	8	0.22	2	Poor	Poor	Low		Low	Fell	Note A	Leading shoot broken
C04/023	T0583	3	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	7	0.15	4	Poor	Fair	Low		Low	Retain	-	Bifurcating trunk, broken branches
C04/023	T0584	4	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/023	T0836	101	<i>Albizia lebbek</i>	大葉合歡	LCSD	LCSD	10	0.20	3	Fair	Fair	Med		Med	Retain	-	Bifurcating trunk
C04/023	T0837	102	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	12	0.20	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0838	102	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	12	0.25	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0839	102	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	11	0.15	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0906	192	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	10	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0906A	193	<i>Syzygium cumini</i>	海南蒲桃	LCSD	LCSD	7	0.10	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0928	214	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0929	215	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	10	0.15	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T0930	216	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	3	0.10	2	Poor	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T0991	290	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	10	0.50	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T2030	462	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	8	0.30	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2032	464	<i>Acacia auriculiformis</i>	耳果相思	LCSD	LCSD	6	0.28	4	Fair	Fair	Med		Low	Retain	-	slightly leaning trunk
C04/023	T13097	465	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	7	0.21	3	Fair	Fair	Med		Low	Retain	-	Partial Branch Decay
C04/023	T13098	466	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13103	471	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13106	474	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.23	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13108	476	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	6	0.18	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13109	477	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13196	559	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13402	642	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	6	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13409	649	<i>Delonix regia</i>	鳳凰木	LCSD	LCSD	6	0.16	4	Fair	Fair	Low		High	Retain	-	-
C04/024	T13464	65	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13465	66	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13466	67	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.16	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13467	68	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	5	0.11	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13468	69	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	5	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13469	70	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13470	71	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	6	0.16	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13713	268	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	LCSD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13718	269	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	LCSD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13768	288	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	6	0.18	3	Fair	Fair	Med		Low	Fell	-	-
C04/024	T13770	290	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	6	0.18	3	Fair	Fair	Med		Low	Fell	-	-
C04/024	T13771	291	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	6	0.20	4	Fair	Fair	Med		Low	Fell	-	-
C04/024	T13773	293	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	6	0.19	4	Fair	Fair	Med		Low	Fell	-	-
C04/024	T13774	294	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	7	0.19	3	Fair	Fair	Med		Low	Fell	-	-
C04/024	T13775	295	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	LCSD	7	0.20	3	Fair	Fair	Med		Low	Fell	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/024	T13777	297	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	LCSD	5	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13780	300	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	LCSD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13781	301	<i>Acacia auriculiformis</i>	耳果相思	LandsD	LCSD	7	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13782	302	<i>Acacia auriculiformis</i>	耳果相思	LandsD	LCSD	4	0.15	3	Fair	Fair	Med		Low	Retain	-	Broken branch
C04/024	T13783	303	<i>Acacia mangium</i>	大葉相思	LandsD	LCSD	6	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13784	304	<i>Acacia auriculiformis</i>	耳果相思	LandsD	LCSD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13785	305	<i>Acacia mangium</i>	大葉相思	LandsD	LCSD	5	0.13	3	Fair	Fair	Low		Low	Retain	-	Broken branch
C04/024	T13786	307	<i>Eucalyptus camaldulensis</i>	赤桉	LandsD	LCSD	8	0.24	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13787	306	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	5	0.23	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13788	308	<i>Acacia confusa</i>	台灣相思	LandsD	LCSD	5	0.18	5	Fair	Fair	Med		Low	Retain	-	Branch damage by fence
C04/024	T13789	309	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	6	0.27	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13790	310	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13791	311	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	6	0.26	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13792	312	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.22	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13793	313	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	LCSD	7	0.22	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13794	314	-	-	LCSD	LCSD	6	0.20	3	-	-	-		-	Dead	-	-

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSO, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Impment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazettal boundary
C04/003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazettal boundary
C04/004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/005	T13000	1	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.16	3	Fair	Fair	Low		Low	Fell	Note D, E	
C04/005	U0001	2	-	-	LandsD	AFCD	5	0.10	5	-	-	-		Dead	Note K	-	
C04/006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/007	TA122	42	<i>Bauhinia variegata</i>	宮粉羊蹄甲	DLO	AFCD	8.0	0.13	4.0	Fair	Fair	Low		High	Retain & Prune	Note D, E	-
C04/007	TA123	28	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.13	2	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/007	TA124	29	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/007	TA125	30	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.13	2	Fair	Fair	Low		Low	Fell	Note D, E	Broken branches
C04/007	TA126	31	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/007	TA127	32	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/007	TA128	33	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.13	2	Fair	Fair	Low		Low	Fell	Note D, E	Trifurcating trunk
C04/007	TA129	34	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.13	2	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/007	TA130	35	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.13	2	Fair	Fair	Low		Low	Fell	Note D, E	Trifurcating trunk
C04/007	TA131	36, 37	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/007	TA132	38, 39	<i>Bauhinia leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/007	TA133	40, 41	<i>Bombax ceiba</i>	木棉	LandsD	AFCD	8.0	0.22	5.0	Good	Good	Med		High	Transplant	Note D, E	-
C04/008	T12797	95	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.13	3	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/008	T12798	96	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.13	2	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/008	T12799	97	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.12	2	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/008	TA134	113, 114	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/008	TA135	115	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.13	2	Fair	Fair	Low		Low	Fell	Note D, E	Trifurcating trunk
C04/008	TA136	116, 117	<i>Melia azedarach</i>	楝	LandsD	AFCD	6.0	0.14	4.0	Fair	Fair	Low		High	Fell	Note D, E	-
C04/008	TA137	118, 119	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.10	3	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/008	TA138	121, 122	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/008	TA139	123, 124	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	AFCD	8.0	0.13	3.0	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/008	TA140	125, 126	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	AFCD	4.0	0.11	4.0	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/008	TA142	127	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.16	4	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/008	TA143	128	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.10	3	Fair	Fair	Low		Low	Fell	Note D, E	Bifurcating trunk
C04/008	TA146	129, 130	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	4.0	0.35	5.0	Good	Good	Med		Low	Fell	Note D, E	Multi-stemmed
C04/008	TA149	131	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.13	3	Fair	Fair	Low		Low	Fell	Note D, E	Leaning trunk
C04/008	TA154	132	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	Trifurcating trunk
C04/008	TA155	133	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.10	2	Fair	Fair	Low		Low	Fell	Note D, E	Leaning trunk
C04/008	TA157	134	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.10	2	Poor	Fair	Low		Low	Fell	Note D, E	Leaning trunk
C04/008	TA158	135	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.10	2	Poor	Fair	Low		Low	Fell	Note D, E	Leaning trunk
C04/008	TA158A	136	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.10	5	Poor	Fair	Low		Low	Fell	Note D, E	Trifurcating trunk
C04/009	T2649	11	<i>Ficus microcarpa</i>	細葉榕	LandsD	AFCD	7.0	0.85	8.0	Fair	Fair	Med		Low	Retain	Note D, E	-
C04/009	T2650	12	-	-	LandsD	AFCD	4.0	0.29	7.0	-	-	-		Dead	-	-	
C04/009	T2651	13	<i>Clausena lansium</i>	黃皮	LandsD	AFCD	4.0	0.10	4.0	Fair	Fair	Low		Med	Retain	Note D, E	-
C04/009	T2652	14	<i>Mangifera indica</i>	芒果	LandsD	AFCD	5.0	0.13	5.0	Fair	Fair	Med		Med	Retain	Note D, E	Bending trunk
C04/009	T2653	15	<i>Litsea glutinosa</i>	潺槁樹	DLO	AFCD	7.0	0.32	7.0	Fair	Fair	Med		Low	Retain & Prune	Note D, E	Broken branches
C04/010	T0298	43	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.15	4	Fair	Fair	Low		High	Fell	Note D, E	leaning trunk
C04/010	T0304	44	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.40	5	Fair	Fair	Low		High	Fell	Note D, E	leaning trunk, Multi-stemmed
C04/010	T0322	45, 46	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	4	Fair	Fair	Low		High	Fell	Note A, D	-
C04/010	T0324	47, 48	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	4	Fair	Fair	Low		High	Fell	Note A, D	-
C04/010	T0326	49, 50	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.10	3	Fair	Fair	Low		High	Fell	Note A, D	-
C04/010	T0327	51, 52	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	4	Fair	Fair	Low		High	Fell	Note A, D	Broken branches
C04/010	T0330	53, 54	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.30	4	Fair	Fair	Low		High	Fell	Note A, D	Multi-stemmed
C04/010	T0332	55, 56	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.10	4.5	Fair	Fair	Low		High	Fell	Note A, D	-
C04/010	T0333	57, 58	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.10	4	Fair	Fair	Low		High	Fell	Note A, D	-
C04/012	T0480A	60	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.29	5	Good	Good	Low		High	Fell	Note A	-
C04/012	T0481A	61	<i>Psidium guajava</i>	番石榴	LandsD	AFCD	6.0	0.28	6.0	Good	Good	Med		Low	Fell	Note A	bifurcating trunk
C04/012	T0487A	67	<i>Bombax ceiba</i>	木棉	LandsD	AFCD	4.0	0.10	5.0	Good	Good	Med		High	Transplant	Note A, E	-
C04/012	T1819	95, 96	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.21	7	Fair	Fair	Low		High	Fell	Note A, D	Multi-stemmed
C04/012	T1820	94	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.23	7	Fair	Fair	Low		High	Fell	Note A, D	Multi-stemmed
C04/012	T1821	97, 98	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.41	8	Fair	Fair	Low		High	Fell	Note A, D	Multi-stemmed
C04/012	U0007	100	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.10	5	Fair	Good	Low		High	Fell	Note D, E	-
C04/012	U0008	101	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.095	4	Fair	Good	Low		High	Fell	Note D, E	-
C04/012	U0009	102	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.10	4	Fair	Fair	Low		High	Fell	Note D, E	-
C04/012	U0010	103	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.10	4	Fair	Fair	Low		High	Fell	Note D, E	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/012	U0011	104	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.10	4	Fair	Fair	Low		High	Fell	Note D, E	
C04/013	T0440	9	<i>Livistona chinensis</i>	蒲葵	LandsD	AFCD	9.0	0.29	4.0	Good	Good	Low		Low	Fell	Note A	-
C04/013	T1805	26	<i>Macaranga tanarius</i>	血桐	LandsD	AFCD	5.0	0.18	5.0	Poor	Fair	Low		Med	Fell	Note A	leaning trunk
C04/013	T1806	27	<i>Macaranga tanarius</i>	血桐	LandsD	AFCD	8.0	0.13	4.0	Fair	Fair	Low		Low	Fell	Note A	-
C04/013	T1806A	28	<i>Macaranga tanarius</i>	血桐	LandsD	AFCD	8.0	0.13	5.0	Poor	Fair	Low		Low	Fell	Note A	leaning trunk
C04/013	T1806D	29	<i>Macaranga tanarius</i>	血桐	LandsD	AFCD	8.0	0.16	4.0	Fair	Poor	Low		Low	Fell	Note A	unbalanced crown
C04/013	T1806E	29	<i>Macaranga tanarius</i>	血桐	LandsD	AFCD	8.0	0.13	4.0	Fair	Poor	Low		Low	Fell	Note A	-
C04/013	T1807	30	<i>Ficus elastica</i>	印度橡樹	LandsD	AFCD	8.0	0.60	10.0	Good	Good	High		Med	Transplant	Note A	-
C04/013	T1808	31, 32	<i>Ficus microcarpa</i>	細葉榕	LandsD	AFCD	8.0	1.27	12.0	Good	Good	High	IT	Low	Retain & Prune	Note A	-
C04/013	T1810	34, 35	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.31	3	Poor	Poor	Low		Low	Fell	Note A, D, G	leaning trunk
C04/013	T1811	34, 35	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.31	3	Fair	Fair	Low		High	Fell	Note A, D, G	Broken branches
C04/013	T1812	36	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.32	8	Fair	Fair	Low		High	Fell	Note A, D, G	Die-back branches
C04/013	T1813	37	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.19	6	Fair	Fair	Low		High	Fell	Note A, D, G	leaning trunk
C04/013	T1813A	38	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.11	2	Poor	Fair	Low		Med	Fell	Note A, D, G	leaning trunk
C04/013	T1814	39	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.22	6	Fair	Fair	Low		High	Fell	Note A, D, G	-
C04/013	T1815	39	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.21	6	Fair	Fair	Low		High	Fell	Note A, D, G	-
C04/013	T1815A	40	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.11	4	Fair	Fair	Low		High	Fell	Note A, D, G	-
C04/013	T1815B	40	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.13	4	Fair	Fair	Low		High	Fell	Note A, D, G	-
C04/013	T1815C	41	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	9	0.11	3	Fair	Fair	Low		High	Fell	Note A, D, G	-
C04/013	T1815D	42	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	3	Fair	Fair	Low		High	Fell	Note A, D, G	unbalanced crown
C04/013	T1815E	43	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	3	Fair	Fair	Low		High	Fell	Note A, D, G	Die-back branches
C04/013	T1816	45	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.42	7	Fair	Fair	Low		High	Fell	Note A, D, G	Die-back branches
C04/013	T1817	44	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.21	7	Fair	Fair	Low		High	Fell	Note A, D, G	leaning trunk, dieback branches, unbalanced crown
C04/013	T1818	46, 47	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.26	7	Fair	Fair	Low		High	Fell	Note A	Multi-stemmed
C04/013	TA074	48	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.35	5	Fair	Fair	Low		Low	Fell	Note A, G	Leaning trunk, trunk embedded in wire
C04/013	TA075	49, 50	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.26	4	Fair	Fair	Low		Low	Fell	Note A, G	Bifurcating and leaning trunk
C04/013	TA076	51	<i>Phyllanthus emblica</i>	餘甘子	LandsD	AFCD	5.0	0.12	4.0	Fair	Fair	Med		Low	Fell	Note A, G	-
C04/013	TA077	52	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.19	4	Poor	Fair	Low		Low	Fell	Note A, G	Broken branches, bending trunk
C04/013	TA078	53	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.10	2	Fair	Fair	Low		Low	Fell	Note A, G	Bending trunk
C04/013	TA079	54	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Fell	Note A, G	-
C04/013	TA080	55	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.13	3	Fair	Fair	Low		Low	Fell	Note A, G	Embedded in wire
C04/013	TA081	61	<i>Bombax ceiba</i>	木棉	DLO	AFCD	6.0	0.17	4.0	Fair	Fair	Low		High	Retain & Prune	Note A, G	Pruned branches
C04/013	U0020	58,59	<i>Cassia siamea</i>	鐵刀木	LandsD	AFCD	7	0.18	4	Fair	Good	Med		Low	Fell	Note A, B	Exudation of sap
C04/013	U0021	58,59	<i>Cassia siamea</i>	鐵刀木	LandsD	AFCD	7	0.16	3	Fair	Good	Med		Low	Fell	Note A, B	
C04/015	T1130	1	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.40	5	Fair	Fair	Low		High	Fell	Note A, D	dieback branches, Multi-stemmed
C04/015	T1131B	5	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	10.0	0.40	10.0	Good	Good	Med		Low	Fell	Note A	Multi-stemmed
C04/015	T1131C	6	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.11	4	Fair	Fair	Low		High	Fell	Note A, D, J	Multi-stemmed
C04/016	T1136A	2	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.15	6	Fair	Fair	Low		High	Fell	Note A, D	-
C04/016	T1136B	3	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	5	Fair	Fair	Low		High	Fell	Note A, D	-
C04/016	T1171	39	<i>Acacia confusa</i>	台灣相思	LCS	AFCD	12	0.30	6	Fair	Fair	Med		Low	Fell	Note A	Low branching, muti-stemmed
C04/016	T1187	54	<i>Acacia confusa</i>	台灣相思	LCS	AFCD	12	0.30	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1206	73	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	7	0.30	5	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/016	T1207	74	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	8	0.20	5	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/016	T1214	81	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	12	0.20	4	Fair	Fair	Med		Low	Fell	Note A	leading shoot dieback
C04/016	T1215	82	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	13	0.30	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1216	83, 84	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	13	0.50	8	Fair	Fair	Med		Low	Fell	Note A	wound on trunk
C04/016	T1217	85	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	10	0.30	4	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/016	T1217A	86	<i>Melia azedarach</i>	楝	LandsD	AFCD	13	0.32	10	Good	Good	Med		Med	Transplant	Note A	-
C04/016	T1218	87	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	12	0.20	6	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/016	T1231	91	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	12	0.30	6	Good	Good	Med		Low	Fell	Note A	Multi-stemmed, unbalanced crown
C04/016	T1245	105, 106	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	12	0.15	3	Fair	Good	Med		Low	Fell	Note A	-
C04/016	T1246	107	<i>Eucalyptus camaldulensis</i>	赤桉	LandsD	AFCD	12	0.10	4	Fair	Good	Low		Low	Fell	Note A	-
C04/016	T1247	108	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	6	0.30	4	Fair	Fair	Med		Low	Fell	Note A	unbalanced crown
C04/016	T1248	109	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	10	0.15	3	Poor	Fair	Low		Low	Fell	Note A	Bending trunk, unbalanced crown
C04/016	T1249	110	<i>Casuarina equisetifolia</i>	木麻黃	LandsD	AFCD	12	0.40	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1846	162	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	6	0.20	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1846A	163	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	7	0.10	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1847	164, 165	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	8	0.20	5	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/016	T1848	166	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	7	0.30	6	Fair	Fair	Med		Low	Fell	Note A	leaning trunk, Multi-stemmeds, pruned
C04/016	T1848A	167	<i>Syzygium cumini</i>	海南蒲桃	LandsD	AFCD	6	0.11	4	Fair	Fair	Low		Low	Fell	Note A	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/016	T1849	168	<i>Syzygium hancei</i>	韓氏蒲桃	LandsD	AFCD	7	0.15	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1850	169	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	7	0.20	6	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/017	T1270A	1	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	10	0.15	8	Fair	Fair	Low		High	Retain	-	-
C04/017	T1276A	9	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	5	0.10	5	Fair	Good	Low		Low	Retain	-	Multi-stemmed
C04/017	T1889	32	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	2.5	0.15	3	Good	Good	Med		Low	Retain	-	Multi-stemmed
C04/017	T1890	33	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	2.5	0.15	3	Good	Fair	Med		Low	Retain	-	Multi-stemmed
C04/017	T1891	34	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	2.5	0.15	3	Fair	Good	Low		High	Retain	-	-
C04/017	T1892	35	<i>Sapium discolor</i>	山烏柏	LandsD	AFCD	2.5	0.15	3	Good	Fair	Med		Med	Retain	-	-
C04/017	T1926A	40, 41	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.27	2	Poor	Poor	Low		Low	Retain	-	Bark damaged
C04/017	T1926B	42	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.13	5	Fair	Fair	Low		High	Retain	-	-
C04/017	T1926C	43, 44, 45	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.31	6	Fair	Fair	Low		High	Retain	-	wound on trunk
C04/017	T1926D	46	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.15	4	Fair	Fair	Low		High	Retain	-	-
C04/022	T0519	4	<i>Melia azedarach</i>	楝	LCSD	AFCD	8	0.20	5	Fair	Fair	Med		Med	Retain	-	leading shoot broken, root exposed
C04/022	T0519A	4	<i>Melia azedarach</i>	楝	LCSD	AFCD	4	0.10	4	Good	Good	Low		Med	Retain	-	-
C04/022	T0520	5	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.10	3	Good	Good	Med		Low	Retain	-	-
C04/022	T0521	5	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.15	3	Good	Good	Med		Low	Retain	-	-
C04/022	T0528	14	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.25	3	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/022	T0531	16	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.10	3	Fair	Poor	Low		Low	Retain	-	leading shoot dieback
C04/022	T0532	17	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.40	5	Fair	Good	Med		Low	Retain	-	low branching
C04/022	T0547	30	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	5	0.10	4	Poor	Fair	Low		Low	Fell	Note A	leading shoot broken
C04/022	T0555	36	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.10	4	Good	Good	Low		Low	Fell	Note A	-
C04/022	T0557	38	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.20	4	Fair	Fair	Med		Low	Fell	Note A	Bending trunk, dieback branches
C04/022	T0573	54	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	9	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T0591	65	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	6	0.15	5	Fair	Fair	Med		Low	Retain	-	low branching
C04/022	T0592	66	-	-	LCSD	AFCD	7	0.35	4	-	-	-		-	Dead	-	-
C04/022	T0593	67	-	-	LCSD	AFCD	8	0.30	4	-	-	-		-	Dead	-	-
C04/022	T0594	68	-	-	LCSD	AFCD	7	0.35	4	-	-	-		-	Dead	-	-
C04/022	T0595	69	-	-	LCSD	AFCD	6	0.30	3	-	-	-		-	Dead	-	-
C04/022	T0596	70	<i>Pterocarpus indicus</i>	紫檀	LCSD	AFCD	4	0.10	3	Fair	Good	Low		Med	Fell	Note A	-
C04/022	T0597	71	<i>Pterocarpus indicus</i>	紫檀	LCSD	AFCD	4	0.10	4	Fair	Fair	Low		Med	Fell	Note A	leaning trunk
C04/022	T0600	73	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.30	4	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0601	73	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0602	73	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.30	4	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0602A	74	<i>Livistona chinensis</i>	蒲葵	LCSD	AFCD	6	0.17	4	Fair	Fair	Low		Med	Fell	Note A	-
C04/022	T0604	76	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.30	3	Good	Fair	Med		Low	Fell	Note A	-
C04/022	T0605	76	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.25	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0606	76, 77	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.30	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0607	77	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0608	78	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0609	79	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.20	4	Good	Good	Med		Low	Fell	Note A	low branching
C04/022	T0610	79	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0611	80	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0613	80	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	4	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0615	81	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0616	82, 128	<i>Eucalyptus robusta</i>	大葉桉	LCSD	AFCD	8	0.25	4	Fair	Fair	Med		Low	Fell	Note A	Bending trunk, watersprout
C04/022	T0616A	83	<i>Eucalyptus robusta</i>	大葉桉	LCSD	AFCD	9	0.12	6	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/022	T0616B	84	<i>Eucalyptus robusta</i>	大葉桉	LCSD	AFCD	6	0.10	5	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/022	T0620	86	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0621	86	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0622	87	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.10	2	Fair	Fair	Med		Low	Fell	Note A	contorted trunk
C04/022	T0623	88, 89	<i>Eucalyptus robusta</i>	大葉桉	LCSD	AFCD	8	0.20	2	Poor	Fair	Low		Low	Fell	Note A	leading shoot dieback
C04/022	T0624	89	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0625	90	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	6	0.10	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0627	91	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	10	0.20	4	Fair	Good	Med		Low	Fell	Note A	Multi-stemmed
C04/022	T0629	93	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0630	93	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.10	2	Good	Good	Low		Low	Fell	Note A	-
C04/022	T0631	94	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.10	4	Fair	Fair	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0632	95	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.10	1.0	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0634	96	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.10	1.0	Good	Fair	Low		Low	Fell	Note A	-
C04/022	T0635	97	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	1.0	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0636	98	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.20	3	Good	Fair	Med		Low	Fell	Note A	dieback branches, low branching

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T0637	99	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	3	Fair	Good	Med		Low	Fell	Note A	low branching, Multi-stemmeds
C04/022	T0638	98	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.10	1	Poor	Poor	Low		Low	Fell	Note A	leading shoot dieback
C04/022	T0639	100	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0642	101	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.10	2	Fair	Good	Low		Low	Fell	Note A	low branching
C04/022	T0643	102	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.30	3	Good	Good	Med		Low	Fell	Note A	wound on trunk
C04/022	T0644	103	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	4	0.10	3	Fair	Fair	Low		Low	Fell	Note A	Die-back branches
C04/022	T0646	105	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	10	0.20	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0647	107	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0648	107	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.35	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0649	106	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.10	1	Fair	Good	Low		Low	Fell	Note A	-
C04/022	T0650	107	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.10	1.0	Good	Good	Low		Low	Fell	Note A	-
C04/022	T0651	108	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	10	0.20	4	Fair	Good	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0652	109, 111	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Low	Fell	Note A	insect infestation, wound on trunk, unbalanced canopy
C04/022	T0653A	110, 113	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.10	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0654	114	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.15	4	Fair	Fair	Med		Low	Fell	Note A	low branching
C04/022	T0655	114	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.10	3	Fair	Fair	Low		Low	Fell	Note A	low branching
C04/022	T0656	115	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0657	116, 117	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	10	0.20	4	Good	Good	Med		Low	Fell	Note A	low branching
C04/022	T0660	120	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.10	1.0	Fair	Good	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0661	121	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.10	4	Fair	Fair	Low		Low	Fell	Note A	Multi-stemmed
C04/022	T0668	125	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.10	1.0	Fair	Good	Low		Low	Fell	Note A	-
C04/022	T0670	126	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.10	1.0	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/022	T0671	127	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	leaning trunk, contorted trunk
C04/022	T0672	128	<i>Eucalyptus robusta</i>	大葉桉	LCSD	AFCD	10	0.20	3	Poor	Poor	Low		Low	Fell	Note A	Bending trunk, dieback branches, watersprouts
C04/022	T0672A	129	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.11	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0672B	129	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.12	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0673	130	<i>Celtis sinensis</i>	朴樹	LCSD	AFCD	10	0.10	2	Good	Good	Med		Low	Fell	Note A	Bending trunk
C04/022	T0674	131	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0677	133	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.35	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0678	134	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0679	136	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0680	135	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.10	2	Fair	Fair	Low		Low	Fell	Note A	Die-back branches
C04/022	T0681	136	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.15	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0682	137	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.30	4	Fair	Good	Med		Low	Fell	Note A	Bending trunk
C04/022	T0683	138	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	8	0.20	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0684	138	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0685	139	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0686	140	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.30	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0691	142	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	10	0.35	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0692	143	<i>Sapium sebiferum</i>	烏柏	LCSD	AFCD	10	0.20	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0693	144	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.30	3	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0694	145	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.10	2	Fair	Fair	Low		Low	Fell	Note A	low branching
C04/022	T0695	146	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	3	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0696	146	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0697	149	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Fell	Note A	Dieback branches, Multi-stemmed
C04/022	T0698	147, 148	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0699	148	<i>Melaleuca quinquenervia</i>	白千層	LCSD	AFCD	10	0.10	1.0	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0700	149	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/022	T0701	150	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	12	0.20	4	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0702	150	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.10	2	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T0703	151	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.20	4	Fair	Good	Med		Low	Fell	Note A	-
C04/022	T0704	152	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	10	0.10	3	Fair	Fair	Low		Low	Fell	Note A	Bending trunk, dieback branches
C04/022	T0704A	154	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	5	0.10	5	Fair	Fair	Low		Low	Fell	Note A	Bending trunk
C04/022	T0705	152	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.20	4	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/022	T0706	153	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	10	0.40	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0707	158	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0708	155	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	10	0.30	3	Good	Good	Med		Low	Fell	Note A	-
C04/022	T0709	156	<i>Bombax ceiba</i>	木棉	LCSD	AFCD	12	0.60	2	Poor	Fair	Low		Low	Fell	Note A	-
C04/022	T0710	157	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	10	0.40	4	Good	Good	Med		Med	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T0711	158	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.40	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T0712	159	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	8	0.30	3	Fair	Fair	Med		Med	Retain	-	Die-back branches
C04/022	T0713	160, 161	<i>Bombax ceiba</i>	木棉	LCSD	AFCD	12	0.40	4	Fair	Fair	High		Med	Retain	-	Broken branches
C04/022	T0714	161	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/022	T0715	162	-	-	LCSD	AFCD	6	0.10	3	-	-	-		-	Dead	-	-
C04/022	T0716	164	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	10	0.30	5	Good	Good	Med		Med	Retain	-	-
C04/022	T0717	165	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	8	0.10	2	Fair	Fair	Low		High	Retain	-	leaning trunk
C04/022	T0718	166	<i>Bauhinia purpurea</i>	紅花羊蹄甲	LCSD	AFCD	10	0.20	3	Fair	Good	Med		High	Retain	-	-
C04/022	T0719	167	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	8	0.20	3	Good	Good	Med		Med	Retain	-	-
C04/022	T0720	168	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	12	0.20	4	Fair	Good	Med		Med	Retain	-	-
C04/022	T0721	169	-	-	LCSD	AFCD	10	0.15	5	-	-	-		-	Dead	-	trunk stump remained
C04/022	T0722	170	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	3	Good	Good	Med		Low	Retain	-	-
C04/022	T0723	170	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/022	T0730	171	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T0731	171	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	3	Good	Good	Med		Low	Retain	-	-
C04/022	T0732	172	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T0733	172, 173	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	1.0	Fair	Fair	Med		Low	Retain	-	rotten base
C04/022	T0734	174, 176	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.15	2	Poor	Fair	Low		Low	Retain	-	leaning trunk, uprooted
C04/022	T0735	177	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	5	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/022	T0736	175	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	12	0.20	4	Fair	Fair	Med		Med	Retain	-	-
C04/022	T0802	178	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.30	2	Good	Good	Med		Low	Fell	Note A	Die-back branches
C04/022	T0802A	179	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.12	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T0802B	180	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	11	0.19	6	Fair	Good	Low		Low	Fell	Note A	leaning trunk
C04/022	T0803	181	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	11	0.25	2	Fair	Good	Med		Low	Fell	Note A	Die-back branches
C04/022	T0804	181	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.15	2	Fair	Good	Med		Low	Fell	Note A	Die-back branches
C04/022	T0805	181	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.15	2	Fair	Good	Med		Low	Fell	Note A	Die-back branches
C04/022	T0806	182	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	1.0	Fair	Good	Med		Low	Fell	Note A	Die-back branches
C04/022	T0807	182	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	3	Fair	Good	Med		Low	Fell	Note A	Die-back branches
C04/022	T0808	183	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.15	3	Fair	Fair	Med		Low	Fell	Note A	Bending trunk
C04/022	T2035	187	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.22	5	Fair	Fair	Med		Low	Retain	-	-
C04/022	T2036	188	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T2038	191	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.35	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/022	T2038B	193	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.11	4	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/022	T2043	198	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	4	0.25	4	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/022	T2043A	199	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	6	0.11	3	Fair	Fair	Low		Low	Retain	-	leaning trunk
C04/022	T2044	200	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.25	6.6	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/022	T2045	201	<i>Erythrina variegata</i>	刺桐	LCSD	AFCD	10	0.90	7	Fair	Fair	High		Low	Retain	-	pruned
C04/022	T2045A	202	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.10	4	Fair	Fair	Low		Low	Retain	-	-
C04/022	T2046	203	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.30	5	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/022	T2046B	205	<i>Bauhinia blakeana</i>	洋紫荊	LCSD	AFCD	8	0.15	5	Fair	Fair	Low		High	Retain	-	-
C04/022	T2047	206	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	7	0.25	4	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/022	T2048	207	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	5	0.15	4	Fair	Fair	Med		Med	Retain	-	-
C04/022	T2049	208	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.23	5	Fair	Fair	Med		Low	Retain	-	-
C04/022	T2050	209, 210	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	6	0.23	5	Fair	Fair	Med		Low	Fell	Note A	leaning trunk
C04/022	T2051	211, 212	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	9	0.25	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12897	217	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	5	0.14	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12904	224	<i>Cinnamomum burmannii</i>	陰香	LCSD	AFCD	7	0.17	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12905	225	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.16	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12906	226	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	7	0.15	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12907	227	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.19	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12908	228	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	5	0.13	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12909	229	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	9	0.18	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12910	230	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.18	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12911	231	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.14	4	Fair	Poor	Low		Low	Fell	Note A	Branch decay
C04/022	T12912	232	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.17	5	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/022	T12913	233	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	9	0.17	3	Fair	Fair	Med		Low	Fell	Note A	Branch decay
C04/022	T12914	234	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.12	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12915	235	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	5	0.12	4	Fair	Poor	Low		Low	Fell	Note A	Leaning trunk
C04/022	T12916	236	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	7	0.15	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12917	237	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	5	0.15	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12919	238	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.16	2	Fair	Fair	Med		Low	Fell	Note A	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T12921	239	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	6	0.11	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12922	240	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	AFCD	5	0.11	4	Fair	Poor	Low		Low	Fell	Note A	Branch decay
C04/022	T12923	241	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	9	0.21	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12924	242	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	7	0.13	3	Fair	Poor	Low		Low	Fell	Note A	leaning, branch decay
C04/022	T12925	243	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.20	3	Fair	Fair	Med		Low	Fell	Note A	Branch decay
C04/022	T12926	244	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.19	4	Fair	Fair	Med		Low	Fell	Note A	Branch decay
C04/022	T12927	245	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	7	0.31	5	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12929	246	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	7	0.12	3	Fair	Fair	Low		Low	Fell	Note A	Branch decay
C04/022	T12930	247	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	7	0.13	3	Fair	Fair	Low		Low	Fell	Note A	Branch decay
C04/022	T12931	248	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	7	0.12	3	Fair	Fair	Low		Low	Fell	Note A	Branch decay
C04/022	T12932	249	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.29	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12933	250	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.14	3	Fair	Poor	Low		Low	Fell	Note A	-
C04/022	T12934	251	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	9	0.24	5	Fair	Poor	Low		Low	Fell	Note A	Branch decay
C04/022	T12935	252	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.16	6	Fair	Poor	Low		Low	Fell	Note A	Branch decay
C04/022	T12936	253	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.14	3	Fair	Poor	Low		Low	Fell	Note A	-
C04/022	T12937	254	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.17	5	Fair	Poor	Low		Low	Fell	Note A	Branch decay
C04/022	T12938	255	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	6	0.15	3	Fair	Poor	Low		Low	Fell	Note A	-
C04/022	T12939	256	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.17	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12940	257	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.10	2	Poor	Poor	Low		Low	Fell	Note A	Main trunk broken
C04/022	T12941	258	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.29	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12942	259	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.25	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12943	260	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.21	3	Poor	Poor	Low		Low	Fell	Note A	Main trunk broken
C04/022	T12944	261	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	AFCD	4	0.11	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12945	262	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	9	0.26	7	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12946	263	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.19	4	Poor	Fair	Low		Low	Fell	Note A	Broken branch
C04/022	T12947	264	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	7	0.28	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12948	265	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.17	4	Fair	Poor	Low		Low	Fell	Note A	-
C04/022	T12949	266	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.16	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T12950	267	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.15	5	Poor	Fair	Low		Low	Fell	Note A	Branch decay
C04/022	T12951	268	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.18	4	Fair	Fair	Med		Low	Fell	Note A	Leaning trunk
C04/022	T12952	270	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	AFCD	5	0.11	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T12954	269	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	6	0.16	3	Fair	Fair	Med		Low	Fell	Note A	Leaning trunk
C04/022	T12955	271	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	4	0.13	2	Fair	Poor	Low		Low	Fell	Note A	-
C04/022	T12963	280	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.26	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12964	279	<i>Eucalyptus citriodora</i>	檸檬桉	LCSD	AFCD	5	0.26	3	Poor	Poor	Low		Low	Retain	-	Fallen down
C04/022	T12969	285	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	5	0.13	3	Poor	Fair	Low		Low	Retain	-	Leave infected
C04/022	T12970	286	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.14	4	Fair	Fair	Low		Low	Retain	-	-
C04/022	T12971	287	<i>Pterocarpus indicus</i>	紫檀	LCSD	AFCD	4	0.10	3	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/022	T12972	288	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.31	4	Fair	Fair	Med		Low	Retain	-	Minor branch decay
C04/022	T12973	289	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.23	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12974	291	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	3	0.10	2	Fair	Fair	Low		Low	Retain	-	Pruned
C04/022	T12976	290	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	3	0.10	4	Fair	Fair	Low		High	Retain	-	-
C04/022	T12977	292	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12978	293	<i>Erythrina variegata</i>	刺桐	LCSD	AFCD	4	0.23	4	Fair	Poor	Low		Low	Retain	-	Minor Pruned, Fork
C04/022	T12981	294	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.15	2	Poor	Fair	Low		Low	Retain	-	Sparse crown, Leave infected
C04/022	T12982	295	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.24	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12983	296	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	6	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12987	297	<i>Spathodea campanulata</i>	火焰樹	LCSD	AFCD	4	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/022	T12991	301	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.15	3	Fair	Fair	Med		Low	Retain	-	Slightly leaning trunk
C04/022	T12993	303	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.32	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12994	304	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12995	305	<i>Macaranga tanarius</i>	血桐	LCSD	AFCD	3	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T12996	306	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T12997	307	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	9	0.32	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13300	310	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	5	0.26	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13301	311	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.10	2	Fair	Poor	Low		Low	Retain	-	Sparse crown
C04/022	T13302	312	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13303	313	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.27	3	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/022	T13304	314	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/022	T13305	315	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.13	2	Poor	Poor	Low		Low	Retain	-	Branch decay
C04/022	T13306	316	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T13307	317	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	AFCD	6	0.17	4	Fair	Fair	Med		High	Retain	-	-
C04/022	T13308	318	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.24	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13309	319	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.15	2	Poor	Fair	Low		Low	Retain	-	Termite attack
C04/022	T13310	320	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13311	321	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13312	322	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13313	323	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13314	324	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.18	3	Fair	Fair	Med		Low	Retain	-	Slightly leaning trunk
C04/022	T13315	325	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.24	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13317	326	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	AFCD	6	0.18	3	Fair	Fair	Med		High	Retain	-	-
C04/022	T13318	327	<i>Melia azedarach</i>	楝	LCSD	AFCD	7	0.19	3	Fair	Fair	Med		High	Retain	-	Minor Pruned
C04/022	T13320	328	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	4	0.10	2	Fair	Fair	Low		High	Retain	-	Bending trunk
C04/022	T13321	329	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.27	3	Fair	Fair	Med		Low	Retain	-	Minor Pruned, Broken branch
C04/022	T13322	330	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.23	2	Fair	Fair	Med		Low	Retain	-	Pruned
C04/022	T13324	331	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13325	332	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13326	333	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13328	334	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.15	2	Fair	Fair	Med		Low	Retain	-	Slightly leaning trunk
C04/022	T13330	335	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13331	336	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13332	337	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	Broken branch
C04/022	T13333	338	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.27	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13334	339	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13335	340	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.14	3	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/022	T13336	341	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13337	342	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.22	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13338	343	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13339	344	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13340	345	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.24	4	Poor	Fair	Low		Low	Retain	-	Sparse leave
C04/022	T13341	346	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13342	347	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.11	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13344	348	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.26	5	Poor	Fair	Low		Low	Retain	-	Sparse leave
C04/022	T13345	350	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	5	0.13	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13348	354	<i>Melia azedarach</i>	楝	LCSD	AFCD	3	0.10	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13349	352	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.14	2	Fair	Fair	Low		Low	Fell	Note A	Bending trunk
C04/022	T13350	353	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.15	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T13351	355	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.19	3	Poor	Fair	Low		Low	Fell	Note A	Broken branch
C04/022	T13352	356	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.19	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T13353	357	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.18	3	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	T13354	358	<i>Araucaria heterophylla</i>	南洋杉	LCSD	AFCD	3	0.10	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13355	359	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	3	0.11	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13356	360	<i>Araucaria heterophylla</i>	南洋杉	LCSD	AFCD	4	0.10	2	Fair	Poor	Low		Low	Fell	Note A	Leaning trunk
C04/022	T13357	361	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	4	0.11	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13358	362	<i>Araucaria heterophylla</i>	南洋杉	LCSD	AFCD	3	0.11	2	Fair	Poor	Low		Low	Fell	Note A	Leaning trunk
C04/022	T13360	364	<i>Araucaria heterophylla</i>	南洋杉	LCSD	AFCD	4	0.10	2	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	T13372	375	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.16	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13373	376	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	5	0.11	5	Fair	Fair	Low		High	Retain	-	Branch decay, multi-stemmed
C04/022	T13374	377	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.16	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13376	379	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	6	0.21	4	Fair	Fair	Med		Med	Retain	-	Leaning trunk
C04/022	T13377	380	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.19	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/022	T13378	381	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.15	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/022	T13379	382	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	4	0.11	4	Fair	Fair	Low		High	Retain	-	Leaning trunk
C04/022	T13384	387	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	AFCD	4	0.11	4	Fair	Fair	Low		High	Retain	-	-
C04/022	T13385	388	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	AFCD	4	0.11	4	Fair	Fair	Low		High	Retain	-	-
C04/022	T13386	389	<i>Phoenix roebelenii</i>	日本葵	LCSD	AFCD	3	0.13	2	Fair	Fair	Low		High	Retain	-	-
C04/022	T13387	390	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.14	5	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13388	391	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	AFCD	5	0.13	4	Fair	Fair	Low		High	Retain	-	-
C04/022	T13389	392	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	6	0.14	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13391	393	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13393	394	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13394	395	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	5	0.14	3	Fair	Fair	Low		High	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T13395	396	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.19	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T13396	397	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13398	398	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	6	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T13399	399	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.16	5	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/022	T13400	400	<i>Celtis sinensis</i>	朴樹	LCSD	AFCD	7	0.26	5	Fair	Fair	Med		Med	Retain	-	-
C04/022	T13401	401	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	6	0.17	3	Fair	Fair	Med		Med	Retain	-	-
C04/022	T14003	405	<i>Melia azedarach</i>	楝	LCSD	AFCD	7	0.20	3	Fair	Poor	Low		Low	Retain	-	Bending trunk, Broken branch
C04/022	T14004	406	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.26	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14005	407	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	4	0.26	3	Fair	Fair	Med		High	Retain	-	-
C04/022	T14006	408	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.19	3	Fair	Fair	Med		Low	Retain	-	Minor pruned
C04/022	T14007	409	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.28	3	Fair	Fair	Med		Low	Retain	-	Minor pruned, Sparse crown
C04/022	T14008	410	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14009	411	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.26	3	Poor	Fair	Low		Low	Retain	-	Sparse Crown
C04/022	T14010	412	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14011	413	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.22	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14012	414	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.17	3	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/022	T14013	415	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14014	416	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	7	0.19	5	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14016	417	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	6	0.26	3	Fair	Fair	Med		High	Retain	-	-
C04/022	T14017	418	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.16	3	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/022	T14018	419	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	7	0.19	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14019	420	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.20	5	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14020	421	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.20	4	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14021	422	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.30	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14022	423	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14024	424	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.41	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14025	425	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.28	3	Fair	Fair	Med		Low	Retain	-	Leave infected, Pruned
C04/022	T14026	426	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.30	5	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14027	427	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.30	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14028	428	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.18	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14029	429	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.27	4	Fair	Fair	Med		Low	Retain	-	Termite attack
C04/022	T14030	430	<i>Ficus benjamina</i>	垂葉榕	LCSD	AFCD	6	0.14	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T14032	431	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	7	0.27	5	Fair	Fair	Med		High	Retain	-	-
C04/022	T14033	432	<i>Ficus benjamina</i>	垂葉榕	LCSD	AFCD	7	0.22	4	Fair	Fair	Med		High	Retain	-	-
C04/022	T14034	433	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.24	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14036	434	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.27	4	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14037	435	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14038	436	<i>Melia azedarach</i>	楝	LCSD	AFCD	7	0.21	4	Fair	Fair	Med		Med	Retain	-	-
C04/022	T14039	438	<i>Ficus benjamina</i>	垂葉榕	LCSD	AFCD	4	0.17	3	Fair	Fair	Med		High	Retain	-	-
C04/022	T14040	437	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14042	439	<i>Ficus benjamina</i>	垂葉榕	LCSD	AFCD	6	0.17	3	Fair	Fair	Med		High	Retain	-	-
C04/022	T14044	440	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	Broken branch
C04/022	T14045	441	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14046	442	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.20	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14047	443	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14049	445	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	4	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/022	T14050	446	<i>Spathodea campanulata</i>	火焰樹	LCSD	AFCD	5	0.10	2	Fair	Poor	Low		Low	Retain	-	Broken branch
C04/022	T14052	449	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	Pruned
C04/022	T14054	450	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	4	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T14055	451	<i>Melaleuca quinquenervia</i>	白千層	LCSD	AFCD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/022	T14056	452	<i>Melaleuca quinquenervia</i>	白千層	LCSD	AFCD	6	0.11	2	Fair	Fair	Low		High	Retain	-	-
C04/022	T14057	453	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	AFCD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T14058	454	<i>Ficus benjamina</i>	垂葉榕	LCSD	AFCD	5	0.15	3	Fair	Fair	Med		High	Retain	-	-
C04/022	T14059	455	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	6	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T14060	456	<i>Spathodea campanulata</i>	火焰樹	LCSD	AFCD	5	0.10	1	Fair	Fair	Low		High	Retain	-	-
C04/022	T14061	457	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	4	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14062	458	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.17	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14063	459	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	6	0.27	5	Fair	Fair	Med		High	Retain	-	Broken branch, branch decay
C04/022	T14064	460	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.28	3	Poor	Fair	Low		Low	Retain	-	Sparse crown
C04/022	T14065	461	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	6	0.17	4	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/022	T14066	462	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	AFCD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/022	T14069	465	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.19	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14070	466	<i>Leucaena leucocephala</i>	銀合歡	LCSD	AFCD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14071	467	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14072	468	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14073	469	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14074	470	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.23	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14075	471	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.19	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14076	472	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.20	2	Poor	Fair	Low		Low	Retain	-	Sparse Crown
C04/022	T14078	474	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.17	3	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/022	T14079	475	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.19	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14080	476	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.11	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14081	477	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.14	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14082	478	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.21	4	Fair	Fair	Med		Low	Retain	-	Minor Pruned
C04/022	T14083	479	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.15	4	Fair	Fair	Med		Low	Retain	-	Minor Pruned
C04/022	T14084	480	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	6	0.13	3	Poor	Fair	Low		Low	Retain	-	Sparse leave
C04/022	T14085	481	<i>Melia azedarach</i>	楝	LCSD	AFCD	6	0.21	4	Fair	Fair	Med		Med	Retain	-	Minor Pruned
C04/022	T14089	484	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.14	3	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14090	485	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.13	4	Fair	Poor	Low		Low	Retain	-	Bending trunk
C04/022	T14091	486	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.16	2	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14092	487	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	AFCD	5	0.14	3	Fair	Fair	Low		High	Retain	-	-
C04/022	T14093	488	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	AFCD	4	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/022	T14094	489	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14095	490	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	6	0.24	3	Poor	Fair	Low		Low	Retain	-	Main trunk broken
C04/022	T14096	491	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	5	0.13	2	Fair	Fair	Low		Low	Retain	-	Broken branch
C04/022	T14097	492	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	T14098	493	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	7	0.13	2	Fair	Fair	Low		Low	Retain	-	-
C04/022	T14099	494	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	9	0.23	3	Fair	Fair	Med		Low	Retain	-	-
C04/022	TA037	495	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	6	0.10	2	Poor	Poor	Low		Low	Fell	Note A	Cavity on trunk
C04/022	TA055	505	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.22	2	Poor	Poor	Low		Low	Fell	Note A	Toppled
C04/022	TA056	506	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	7	0.13	2	Good	Good	Med		Low	Fell	Note A	-
C04/022	TA057	507	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.27	3	Fair	Fair	Med		Low	Fell	Note A	Slightly leaning trunk
C04/022	TA058	508	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	9	0.15	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	TA061	509	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.13	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/022	TA062	510	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.19	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	TA063	512	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.19	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/022	TA064	511	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.14	2	Fair	Fair	Low		Low	Fell	Note A	Die-back branches
C04/022	TA065	513	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.12	1	Fair	Fair	Low		Low	Fell	Note A	Die-back branches
C04/022	TA066	514	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.16	4	Fair	Fair	Med		Low	Fell	Note A	Dieback branches, forked
C04/022	TA067	515	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.16	2	Fair	Fair	Med		Low	Fell	Note A	Leaning trunk
C04/022	TA068	516	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.19	5	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/022	TA069	517	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.13	3	Poor	Fair	Low		Low	Fell	Note A	Cavity on trunk
C04/022	TA070	518	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.13	2	Fair	Fair	Low		Low	Fell	Note A	Leaning trunk
C04/022	TA072	519	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.13	2	Fair	Fair	Low		Low	Fell	Note A	Leaning trunk, pruned branches
C04/023	T0582	2	<i>Albizia lebbek</i>	大葉合歡	LCSD	AFCD	7	0.25	4	Fair	Fair	Med		Med	Retain	-	unbalanced crown
C04/023	T0585	5	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.35	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0586	6	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	12	0.45	6	Fair	Fair	High		Med	Retain	-	-
C04/023	T0587	7	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	10	0.35	8	Fair	Fair	High		Med	Retain	-	-
C04/023	T0588	8	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	10	0.35	8	Fair	Fair	High		Med	Retain	-	-
C04/023	T0590	9	<i>Celtis sinensis</i>	朴樹	LCSD	AFCD	6	0.10	4	Fair	Good	Med		High	Retain	-	Bending trunk
C04/023	T0724	10	<i>Bombax ceiba</i>	木棉	LCSD	AFCD	10	0.40	4	Poor	Fair	Low		Med	Retain	-	contorted trunk
C04/023	T0725	11	-	-	LCSD	AFCD	12	0.10	2	-	-	-		-	Dead	-	-
C04/023	T0726	10	<i>Sapium sebiferum</i>	烏桕	LCSD	AFCD	10	0.20	1.0	Poor	Poor	Low		Low	Retain	-	leading shoot dieback
C04/023	T0727	12	<i>Albizia lebbek</i>	大葉合歡	LCSD	AFCD	10	0.40	5	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0728	13	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	12	0.40	4	Good	Good	Med		Med	Retain	-	-
C04/023	T0728A	14	-	-	LCSD	AFCD	10	0.12	2	-	-	-		-	Dead	-	-
C04/023	T0729	15	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	5	Fair	Fair	Med		Low	Retain	-	wound on trunk
C04/023	T0737	16	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	1.0	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0738	17	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	12	0.20	1.0	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0739	18	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0740	19	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	12	0.40	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0741	20	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T0742	21	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0743	22	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	12	0.40	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0744	23	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0745	24	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	12	0.20	1.0	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0746	25	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	10	0.40	5	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0746A	26	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	10	0.28	5	Fair	Fair	Med		Med	Retain	-	Broken branches
C04/023	T0747	27	<i>Melia azedarach</i>	楝	LCSD	AFCD	10	0.40	3	Fair	Fair	High		Low	Retain	-	leaning trunk
C04/023	T0748	27	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.25	4	Poor	Poor	Low		Low	Retain	-	Die-back branches
C04/023	T0749	28, 29	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0750	30	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.10	4	Fair	Fair	Med		Low	Retain	-	ants invasion, Multi-stemmeds
C04/023	T0751	31	<i>Melia azedarach</i>	楝	LCSD	AFCD	10	0.15	3	Fair	Fair	Med		High	Retain	-	leaning trunk
C04/023	T0752	32	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	1.0	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0753	33	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0754	33	<i>Eucalyptus exserta</i>	窿緣桉	LCSD	AFCD	10	0.40	3	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0755	29	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	10	0.30	4	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0756	34	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0757	34	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0758	34	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	1.0	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0759	35	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0760	36	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0761	37	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.30	5	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0762	38	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0762A	39	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	12	0.28	4	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0763	41	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0764	40	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	10	0.20	4	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0765	42	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.10	3	Poor	Poor	Low		Low	Retain	-	Die-back branches
C04/023	T0766	43	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	10	0.25	2	Fair	Fair	Med		Med	Retain	-	Die-back branches
C04/023	T0768	45	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	4	Fair	Poor	Low		Low	Retain	-	ants invasion, watersprouts
C04/023	T0769	46	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0770	47	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0771	47	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0772	48	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0776	52	<i>Melia azedarach</i>	楝	LCSD	AFCD	12	0.20	5	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0777	53	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0778	54	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0779	55	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	6	Fair	Fair	Med		Low	Retain	-	low branching
C04/023	T0780	56	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0781	57	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0782	58	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	8	0.25	2	Fair	Fair	Med		Low	Retain	-	Bending trunk, ants invasion
C04/023	T0783	59	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0784	60	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0785	61	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0786	62	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0787	63	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0788	64	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0789	65	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	10	0.30	7	Fair	Fair	Med		Med	Retain	-	Bifurcating trunk
C04/023	T0789A	66	<i>Melia azedarach</i>	楝	LCSD	AFCD	10	0.11	2	Fair	Fair	Low		Med	Retain	-	-
C04/023	T0790	67	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0791	68	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0792	69	<i>Albizia lebeck</i>	大葉合歡	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0793	70	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.40	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0794	71	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	Bending trunk, dieback branches
C04/023	T0795	72	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.40	7	Fair	Fair	Med		Low	Retain	-	ants invasion, dieback branches, Multi-stemmeds
C04/023	T0796	73	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.10	5	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T0797	74	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	ants invasion, Multi-stemmeds
C04/023	T0798	75	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.20	5	Fair	Fair	Med		Low	Retain	-	Dieback branches, Multi-stemmed
C04/023	T0799	76	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	Dieback branches, Multi-stemmed
C04/023	T0800	77	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.25	3	Fair	Fair	Med		Low	Retain	-	Dieback branches, Multi-stemmed
C04/023	T0801	78	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0810	79	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.10	3	Fair	Fair	Low		Low	Fell	Note A	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T0811	80	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.20	2	Good	Good	Med		Low	Retain	-	-
C04/023	T0811A	81	-	-	LCSD	AFCD	6	0.12	2	-	-	-		-	Dead	-	-
C04/023	T0811B	81	-	-	LCSD	AFCD	6	0.11	2	-	-	-		-	Dead	-	-
C04/023	T0812	82	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.10	3	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T0813	83	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	4	Good	Good	Med		Low	Retain	-	-
C04/023	T0814	83	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	11	0.20	3	Good	Good	Med		Low	Retain	-	-
C04/023	T0815	85	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0816	84, 85	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	8	0.15	3	Fair	Fair	Med		Low	Retain	-	unbalanced crown
C04/023	T0817	86	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.20	2	Good	Good	Med		Low	Retain	-	-
C04/023	T0817A	87	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	6	0.11	3	Fair	Fair	Low		Low	Retain	-	leaning trunk
C04/023	T0818	86	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	contorted trunk
C04/023	T0819	88	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.10	2	Poor	Fair	Low		Low	Retain	-	dieback branches, drying bark
C04/023	T0820	89	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	2	Good	Good	Med		Low	Retain	-	-
C04/023	T0821	89	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.25	2	Good	Good	Med		Low	Retain	-	-
C04/023	T0822	90	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0823	90	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.20	4	Fair	Fair	Med		Low	Retain	-	wound on trunk
C04/023	T0823A	91	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.11	1.0	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0824	91	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.25	4	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/023	T0825	91	<i>Sapium sebiferum</i>	烏柏	LCSD	AFCD	12	0.10	2	Fair	Fair	Med		Med	Retain	-	Die-back branches
C04/023	T0826	92	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	12	0.20	3	Good	Good	Med		High	Retain	-	-
C04/023	T0827	93	<i>Aleurites moluccana</i>	石栗	LCSD	AFCD	12	0.25	5	Good	Good	Med		Med	Retain	-	-
C04/023	T0828	94	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0829	95	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	bending and bifurcating trunk
C04/023	T0830	96	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0831	96	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.15	3	Fair	Fair	Med		Low	Retain	-	bending and bifurcating trunk
C04/023	T0832	97	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.15	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0833	98	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0834	99	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	12	0.30	6	Fair	Fair	High		Med	Retain	-	-
C04/023	T0835	100	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	12	0.25	3	Poor	Fair	Low		Med	Retain	-	leaning trunk, uprooted
C04/023	T0840	103	<i>Sapium sebiferum</i>	烏柏	LCSD	AFCD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	uprooted
C04/023	T0840A	104	<i>Melaleuca quinquenervia</i>	白千層	LCSD	AFCD	8	0.10	1.0	Fair	Fair	Low		High	Retain	-	-
C04/023	T0840B	104	<i>Melaleuca quinquenervia</i>	白千層	LCSD	AFCD	8	0.10	1.0	Fair	Fair	Low		High	Retain	-	-
C04/023	T0840C	104	<i>Melaleuca quinquenervia</i>	白千層	LCSD	AFCD	8	0.10	1.0	Fair	Fair	Low		High	Retain	-	-
C04/023	T0840D	105	<i>Melaleuca quinquenervia</i>	白千層	LCSD	AFCD	8	0.10	1.0	Fair	Fair	Low		High	Retain	-	-
C04/023	T0841	106	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	12	0.25	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0842	107	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	13	0.30	2	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0842A	108	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	9	0.12	6	Fair	Fair	Low		Low	Retain	-	bifurcating trunk
C04/023	T0842B	109	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	8	0.10	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0842C	110	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	8	0.11	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0842D	109	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	8	0.10	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0843	111	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.15	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0844	111	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.30	5	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0845	112	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/023	T0846	113	<i>Chukrasia tabularia</i>	麻楝	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0847	114	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0848	115	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0849	116	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	11	0.10	2	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T0850	117	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0851	118	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	11	0.10	3	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T0852	119	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	11	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0853	119	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0854	120	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0855	121	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	12	0.15	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0856	122	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	11	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0857	123	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T0857A	124	<i>Melia azedarach</i>	楝	LCSD	AFCD	10	0.11	2	Fair	Fair	Low		Med	Retain	-	leaning trunk
C04/023	T0858	125	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.25	1.0	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/023	T0859	126	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0860	126	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	11	0.15	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0861	126	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.15	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0861A	127	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	9	0.10	3	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T0861B	128	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	9	0.10	3	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T0861C	129	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0862	130	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	11	0.15	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0863	131	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0863A	132	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.14	4	Fair	Fair	Low		Low	Retain	-	bifurcating trunk
C04/023	T0863B	133	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	9	0.11	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0863C	134	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	9	0.11	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0863D	135	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	11	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0863E	135	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	8	0.11	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0864	138	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0864A	136	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.10	2	Fair	Fair	Low		Low	Retain	-	Die-back branches
C04/023	T0865	137	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0866	138	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0866A	139	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	6	0.11	6	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T0867	140	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	11	0.15	5	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0868	141	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0868A	142	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.10	4	Fair	Fair	Low		Low	Retain	-	bifurcating trunk
C04/023	T0869	143	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	10	0.15	4	Fair	Fair	Med		Med	Retain	-	Bending trunk
C04/023	T0870	144	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	10	0.20	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0871	144	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	12	0.15	4	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0872	145	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	11	0.20	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0872A	146	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.14	5	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T0872B	147	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	5	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0872C	148	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.15	7	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0872D	149	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.12	5	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T0872E	150	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	8	0.11	4	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T0873A	145	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	6	0.10	2	Fair	Fair	Low		Med	Retain	-	-
C04/023	T0876	158	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0878	159	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0879	160	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.40	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0879A	161	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.15	4	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/023	T0879C	163	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.10	3	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T0879D	164	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	7	0.12	3	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T0880	165	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	Bending trunk, dieback branches
C04/023	T0881	166	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0881A	167	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0882	168	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.30	5	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0883	169	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.15	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0883A	170	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.11	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0884	171	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0885	172	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.15	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0886	173	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0887	174	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0888	175	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0889	176	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0890	177	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0891	178	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	11	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0892	179	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0893	180	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0894	181	<i>Melia azedarach</i>	楝	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Med	Retain	-	slightly leaning trunk
C04/023	T0895	182	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	10	0.20	1.0	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0896	183	<i>Melia azedarach</i>	楝	LCSD	AFCD	10	0.20	5	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0904	190	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0905	190	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	10	0.20	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0906B	193	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	7	0.10	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0907	194	<i>Syzygium cumini</i>	海南蒲桃	LCSD	AFCD	10	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0926	212	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	11	0.20	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0927	213	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0946	244	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0947	245	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	11	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0948	246	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	bifurcating trunk

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T0949	246	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	11	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0950	247	<i>Albizia lebbek</i>	大葉合歡	LCSD	AFCD	10	0.20	3	Fair	Poor	Low		Low	Retain	-	leaning trunk
C04/023	T0951	248	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0952	249	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0952A	250	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	10	0.11	2	Fair	Fair	Low		Low	Retain	-	Die-back branches
C04/023	T0953	251	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	11	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0964	264	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	AFCD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0965	265	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T1062	349	<i>Ficus benjamina</i>	垂葉榕	LCSD	AFCD	8	0.20	2	Fair	Fair	Med		Med	Transplant	Note A	-
C04/023	T1063	350	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	12	0.50	6	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/023	T1064	350	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	AFCD	11	0.20	2	Fair	Fair	Med		Low	Fell	Note A	-
C04/023	T1070	357	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	10	0.40	6	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2031	462	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.26	5	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T2031A	463	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.13	5	Fair	Fair	Low		Low	Retain	-	Trifurcating trunk
C04/023	T13099	467	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13100	468	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13101	469	<i>Ficus microcarpa</i>	細葉榕	LCSD	AFCD	4	0.14	3	Fair	Fair	Med		High	Retain	-	Leaning trunk
C04/023	T13102	470	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	8	0.19	2	Fair	Fair	Med		Low	Retain	-	Partial Branch Decay
C04/023	T13104	472	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13105	473	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.21	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13110	478	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13120	488	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13124	492	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	9	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13125	494	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	8	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13403	643	<i>Acacia auriculiformis</i>	耳果相思	LCSD	AFCD	7	0.20	3	Fair	Fair	Med		Low	Retain	-	Cavity on trunk
C04/023	T13404	644	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13405	645	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.19	3	Fair	Fair	Med		Low	Retain	-	Broken branch, Sparse crown
C04/023	T13406	646	<i>Acacia mangium</i>	大葉相思	LCSD	AFCD	7	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13407	647	<i>Delonix regia</i>	鳳凰木	LCSD	AFCD	7	0.17	3	Fair	Fair	Med		High	Retain	-	-
C04/023	T13423	659	<i>Acacia confusa</i>	台灣相思	LCSD	AFCD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13471	72	<i>Acacia mangium</i>	大葉相思	LandsD	AFCD	7	0.18	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13472	73	<i>Acacia mangium</i>	大葉相思	LandsD	AFCD	7	0.16	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13473	74	<i>Syzygium cumini</i>	海南蒲桃	LandsD	AFCD	5	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13474	75	<i>Acacia mangium</i>	大葉相思	LandsD	AFCD	6	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13480	81	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	6	0.18	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13481	82	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	6	0.16	3	Fair	Fair	Med		Low	Retain	-	Slightly bark damage
C04/024	T13482	83	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	6	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13485	86	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	6	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13486	87	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	3	0.17	3	Fair	Poor	Low		Low	Retain	-	Unbalanced crown
C04/024	T13489	91	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.16	5	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13490	92	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.20	5	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/024	T13491	90	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/024	T13492	95	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.20	5	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13494	93	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	3	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13495	94	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13496	96	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LandsD	AFCD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13498	97	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13499	98	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13702	262	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LandsD	AFCD	5	0.10	3	Fair	Poor	Low		Low	Fell	-	Leaning trunk
C04/024	T13704	263	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.10	2	Fair	Fair	Low		High	Fell	-	-
C04/024	T13705	264	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	5	0.10	2	Fair	Fair	Low		High	Fell	-	-
C04/024	T13709	265	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	AFCD	7	0.11	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13710	266	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13712	267	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	AFCD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13719	270	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	AFCD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13721	271	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	AFCD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13727	272	<i>Spathodea campanulata</i>	火焰樹	LandsD	AFCD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13728	273	<i>Spathodea campanulata</i>	火焰樹	LandsD	AFCD	5	0.13	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13729	274	<i>Spathodea campanulata</i>	火焰樹	LandsD	AFCD	4	0.10	2	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/024	T13733	275	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LandsD	AFCD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13735	276	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.10	2	Fair	Fair	Low		High	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/024	T13736	277	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	AFCD	5	0.11	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13737	278	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13743	284	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	AFCD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13746	280	<i>Peltophorum pterocarpum</i>	雙翼豆	LandsD	AFCD	5	0.11	3	Fair	Fair	Low		High	Retain	-	Broken branch
C04/024	T13747	281	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.11	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13758	282	<i>Crateva unilocularis</i>	樹頭菜	LandsD	AFCD	4	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13760	283	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LandsD	AFCD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13761	285	<i>Spathodea campanulata</i>	火焰樹	LandsD	AFCD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

Remark: Revision highlighted in toned area



EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazetted boundary
C04/003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazetted boundary
C04/004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/016	T1137	4	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.40	4	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1138	4, 5	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.30	5	Fair	Fair	Med	-	Low	Fell	Note A	leaning trunk
C04/016	T1139	6	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.30	4	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1140	6	<i>Sapium sebiferum</i>	烏桕	HyD	HyD	10	0.20	2	Fair	Good	Med	-	Low	Fell	Note A	-
C04/016	T1141	6	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	4	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1142	7	<i>Sapium sebiferum</i>	烏桕	HyD	HyD	10	0.20	4	Fair	Good	Med	-	Med	Transplant	Note A	-
C04/016	T1143	8	<i>Sapium sebiferum</i>	烏桕	HyD	HyD	10	0.20	3	Fair	Good	Med	-	Med	Transplant	Note A	-
C04/016	T1143A	9	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	4	0.10	3	Fair	Fair	Low	-	High	Transplant	Note A	-
C04/016	T1144	10	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	10	0.30	4	Fair	Good	Med	-	Med	Transplant	Note A	-
C04/016	T1145	10	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	4	0.30	2	Fair	Good	Med	-	Med	Transplant	Note A	-
C04/016	T1146	11, 12	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.50	4	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1147	13	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.30	4	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1148	14	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	3	0.40	1.0	Poor	Fair	Low	-	Med	Fell	Note A	-
C04/016	T1149	14	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	3	0.40	1.0	Poor	Fair	Low	-	Med	Fell	Note A	-
C04/016	T1150	15	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.30	4	Good	Fair	Med	-	Med	Fell	Note A	-
C04/016	T1151	16	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.30	5	Fair	Fair	Med	-	Med	Fell	Note A	Multi-stemmed
C04/016	T1151A	17, 18	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.22	8	Good	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1151B	19	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.15	6	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1151C	20	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	4	0.10	3	Poor	Fair	Low	-	Low	Fell	Note A	leaning trunk
C04/016	T1152	21	<i>Melia azedarach</i>	楝	HyD	HyD	10	0.15	4	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1154	22	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	4	0.10	3	Fair	Fair	Low	-	High	Fell	Note A	unbalanced crown
C04/016	T1155	23	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.20	3	Fair	Fair	Med	-	Low	Fell	Note A	leaning trunk
C04/016	T1156	24	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.20	4	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1157	25	<i>Acacia mangium</i>	大葉相思	HyD	HyD	11	0.20	3	Good	Good	Med	-	Low	Fell	Note A	-
C04/016	T1193	60	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	8	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1194	61	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.15	4	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1195	62	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.10	3	Fair	Fair	Low	-	Low	Fell	Note A	-
C04/016	T1196	62	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.15	4	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1197	63	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	13	0.20	4	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1198	64	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	13	0.20	6	Fair	Fair	Med	-	Low	Fell	Note A	leaning trunk
C04/016	T1199	65	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.10	3	Fair	Fair	Low	-	Low	Fell	Note A	covered by climber, unbalanced crown
C04/016	T1200	66, 67	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.20	3	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1201	68	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.30	7	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1202	69	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.30	6	Fair	Fair	Med	-	Low	Fell	Note A	low branching
C04/016	T1203	70	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.10	3	Fair	Fair	Low	-	Low	Fell	Note A	-
C04/016	T1204	71	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.35	3	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1205	72	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	4	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1208	75	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.30	6	Fair	Fair	Med	-	Low	Fell	Note A	Die-back branches
C04/016	T1209	76	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.30	5	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1210	77	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.30	5	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1211	78	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.10	4	Fair	Fair	Low	-	Low	Fell	Note A	-
C04/016	T1212	79	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.20	6	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1213	80	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	6	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1219	88	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	3	Good	Good	Med	-	Low	Fell	Note A	-
C04/016	T1226	94	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	13	0.20	3	Good	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1227	89	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	12	0.30	3	Poor	Fair	Low	-	Med	Fell	Note A	Multi-stemmed
C04/016	T1228	92	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.30	4	Fair	Fair	Med	-	Low	Fell	Note A	low branching
C04/016	T1229	90	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	10	0.30	5	Poor	Fair	Med	-	Med	Fell	Note A	Multi-stemmed
C04/016	T1230	93	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	6	Fair	Fair	Med	-	Low	Fell	Note A	Multi-stemmed
C04/016	T1232	95	<i>Eucalyptus exserta</i>	窿緣桉	HyD	HyD	13	0.40	5	Good	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1233	96	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.40	5	Good	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1234	97	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.20	5	Good	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1235	98	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	13	0.20	5	Good	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1236	99	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.20	5	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1237	96	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	13	0.30	4	Good	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1238	101	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.15	2	Fair	Fair	Med	-	Low	Fell	Note A	-
C04/016	T1239	100	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.40	4	Good	Good	Med	-	Low	Fell	Note A	-
C04/016	T1240	100	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	13	0.40	3	Good	Fair	Med	-	Low	Fell	Note A	Die-back branches

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/016	T1241	102	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	3	Good	Good	Med		Low	Fell	Note A	-
C04/016	T1242	103	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.30	4	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/016	T1244	104	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	13	0.40	6	Good	Good	Med		Low	Retain	Note A	-
C04/016	T1250	111	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	8	0.20	3	Fair	Fair	Med		High	Transplant	Note A	-
C04/016	T1251	112	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	8	0.30	4	Fair	Fair	Med		Med	Transplant	Note A	-
C04/016	T1255	113	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.25	5	Good	Fair	Med		Low	Fell	Note A	-
C04/016	T1256	115	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.30	4	Fair	Good	Med		Low	Fell	Note A	Bending trunk, unbalanced crown
C04/016	T1257	116	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.30	5	Fair	Fair	Med		Low	Fell	Note A	Bending trunk, unbalanced crown
C04/016	T1258	117	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	13	0.40	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1259	118	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	7	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/016	T1823	128	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.21	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1824	129	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.26	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1825	130	<i>Melia azedarach</i>	楝	HyD	HyD	7	0.37	6	Fair	Good	High		Low	Fell	Note A	-
C04/016	T1826	131	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.30	5	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/016	T1827	132	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.12	5	Fair	Fair	Low		Low	Fell	Note A	Multi-stemmed
C04/016	T1828	133	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	6	0.21	7	Fair	Fair	Low		High	Fell	Note A	-
C04/016	T1829	134	<i>Melia azedarach</i>	楝	HyD	HyD	8	0.60	8	Good	Good	High		Low	Retain	Note A	-
C04/016	T1829A	135, 136, 1	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.15	6	Fair	Fair	Med		Low	Fell	Note A	unbalanced crown
C04/016	T1829B	138	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.12	4	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1829C	139	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.15	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1830	140	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.20	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1831	140	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.18	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1832	141, 142	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.20	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1832A	143	<i>Acacia mangium</i>	大葉相思	HyD	HyD	10	0.15	7	Good	Good	Med		Low	Fell	Note A	-
C04/016	T1832B	144, 145	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.15	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1833	146	<i>Carica papaya</i>	番木瓜	HyD	HyD	7	0.18	3	Good	Good	Med		Low	Fell	Note A	-
C04/016	T1836	152	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.18	6	Fair	Fair	Med		Low	Fell	Note A	unbalanced crown
C04/016	T1837	150	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.20	7	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1838	153	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.17	7	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1839	153	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.20	7	Fair	Fair	Med		Low	Fell	Note A	-
C04/016	T1840	154	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.18	6	Fair	Fair	Med		Low	Fell	Note A	unbalanced crown
C04/016	T1841	155	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	5	0.15	8	Fair	Fair	Low		High	Fell	Note A	leaning trunk
C04/016	T1842	156, 157	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	5	0.13	7	Fair	Fair	Low		Low	Fell	Note A	-
C04/016	T1843	158, 159	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	6	0.40	7	Fair	Good	Med		Low	Fell	Note A	-
C04/016	T1844	160	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.23	7	Fair	Fair	Med		Low	Fell	Note A	Die-back branches
C04/016	T1845	161	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.20	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/023	T0581	1	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	6	0.15	4	Fair	Fair	Med		High	Retain	-	Bifurcating trunk
C04/023	T0767	44	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.10	1.0	Poor	Poor	Low		Low	Retain	-	Watersprouts
C04/023	T0773	49	<i>Albizia lebeck</i>	大葉合歡	HyD	HyD	12	0.30	4	Fair	Fair	Med		Med	Retain	-	twisted trunks
C04/023	T0774	50	<i>Albizia lebeck</i>	大葉合歡	HyD	HyD	12	0.40	8	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0775	51	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0873	151	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0874	152	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0874A	153	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.15	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0874B	155	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0874C	154	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.12	2	Fair	Fair	Low		Med	Retain	-	Die-back branches
C04/023	T0874D	156	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.12	5	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0875	157	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.20	3	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/023	T0877	159	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	11	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0879B	162	<i>Acacia confusa</i>	台灣相思	HyD	HyD	9	0.14	5	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T0897	184	<i>Melia azedarach</i>	楝	HyD	HyD	10	0.30	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0898	185	<i>Acacia mangium</i>	大葉相思	HyD	HyD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0899	185	<i>Acacia mangium</i>	大葉相思	HyD	HyD	11	0.20	3	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0900	186	<i>Celtis sinensis</i>	朴樹	HyD	HyD	12	0.30	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0901	188	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0901A	187	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.15	5	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0901B	187	<i>Celtis sinensis</i>	朴樹	HyD	HyD	8	0.17	4	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0902	188	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0903	189	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.40	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0905A	191	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0906C	193	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.10	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0908	195	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.20	2	Fair	Fair	Med		Low	Retain	-	ants invasion

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T0909	195	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0910	195	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T0911	196	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0912	198	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.30	2	Fair	Fair	Med		Low	Retain	-	covered by climbers
C04/023	T0913	197	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0914	197	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	4	0.10	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0915	198	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0916	199	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	Bending trunk, unbalanced crown
C04/023	T0917	200	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.15	2	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/023	T0918	201	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0918A	202	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.10	3	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T0919	203	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0920	204	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T0921	205	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0922	206	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	13	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0923	207	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.15	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0924	208	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	13	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0924A	209	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.10	4	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T0924B	210	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	3	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T0924C	210	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.10	3	Fair	Fair	Low		Med	Retain	-	-
C04/023	T0925	211	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	10	0.25	5	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0931	217	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0932	218	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	11	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0932A	219	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.10	5	Fair	Fair	Low		Low	Retain	-	leaning trunk
C04/023	T0932B	220	<i>Pterocarpus indicus</i>	紫檀	HyD	HyD	6	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/023	T0933	221	<i>Albizia lebbek</i>	大葉合歡	HyD	HyD	12	0.25	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0933A	222	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0933B	223	<i>Pterocarpus indicus</i>	紫檀	HyD	HyD	8	0.12	3	Fair	Fair	Low		High	Retain	-	-
C04/023	T0933C	224	<i>Pterocarpus indicus</i>	紫檀	HyD	HyD	9	0.15	3	Poor	Poor	Low		Low	Retain	-	leaning trunk
C04/023	T0933D	224	-	-	HyD	HyD	6	0.14	1.0	-	-	-		-	Dead	-	-
C04/023	T0934	225	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	12	0.25	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0935	226	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.15	4	Fair	Fair	Med		Med	Retain	-	Bifurcating trunk
C04/023	T0936	226	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	13	0.50	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0936A	227	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.12	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0936B	228	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.12	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0937	229	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	12	0.25	2	Fair	Fair	Low		High	Retain	-	broken branches, leaning trunk
C04/023	T0937A	230	<i>Pterocarpus indicus</i>	紫檀	HyD	HyD	6	0.11	4	Fair	Fair	Low		High	Retain	-	-
C04/023	T0937B	231	<i>Albizia lebbek</i>	大葉合歡	HyD	HyD	5	0.10	3	Fair	Fair	Low		Med	Retain	-	-
C04/023	T0938	232	<i>Albizia lebbek</i>	大葉合歡	HyD	HyD	10	0.20	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0938A	233	<i>Pterocarpus indicus</i>	紫檀	HyD	HyD	5	0.10	5	Fair	Fair	Low		High	Retain	-	leaning trunk
C04/023	T0939	234	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.30	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T0939A	235	-	-	HyD	HyD	7	0.11	4	-	-	-		-	Dead	-	-
C04/023	T0939B	236	<i>Pterocarpus indicus</i>	紫檀	HyD	HyD	6	0.11	5	Fair	Fair	Low		High	Retain	-	-
C04/023	T0940	237	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.15	2	Fair	Fair	Med		Low	Retain	-	Bifurcating and leaning trunk
C04/023	T0941	238	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0942	239	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0943	240	<i>Acacia mangium</i>	大葉相思	HyD	HyD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T0943A	241	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0944	242	<i>Celtis sinensis</i>	朴樹	HyD	HyD	10	0.20	3	Fair	Fair	Med		Med	Retain	-	bifurcating trunk
C04/023	T0945	243	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0954	252	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0955	253	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	11	0.15	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0956	254	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0957	255	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0958	256	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.15	2	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0959	257	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.15	3	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0960	258	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	13	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0961	259	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0962	260	<i>Acacia mangium</i>	大葉相思	HyD	HyD	11	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0962A	261	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0963	262	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0963A	263	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.11	2	Fair	Fair	Low		Low	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T0966	266	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0967	267	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	13	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0968	268	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	5	Poor	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T0969	269	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0970	270	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.40	3	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0971	271	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	4	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T0972	272	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.15	2	Poor	Poor	Low		Low	Retain	-	leading shoot broken
C04/023	T0973	272	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0974	272	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0975	273	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0976	274	<i>Melia azedarach</i>	楝	HyD	HyD	11	0.15	3	Fair	Fair	Med		High	Retain	-	-
C04/023	T0977	275	<i>Acacia mangium</i>	大葉相思	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0978	276	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0979	277	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0980	278	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0981	278	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.40	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0981A	279	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.10	4	Fair	Fair	Low		High	Retain	-	-
C04/023	T0981B	280	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.10	4	Fair	Fair	Low		High	Retain	-	leaning trunk
C04/023	T0982	281	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0983	282	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0984	283	<i>Albizia lebeck</i>	大葉合歡	HyD	HyD	11	0.40	4	Fair	Fair	Med		Med	Retain	-	Bifurcating trunk
C04/023	T0985	284	<i>Albizia lebeck</i>	大葉合歡	HyD	HyD	10	0.20	4	Poor	Poor	Low		Low	Retain	-	ants invasion
C04/023	T0986	285	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.25	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0987	286	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0988	287	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0989	288	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.15	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T0990	289	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T0992	291	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.20	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0993	293	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	11	0.30	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0994	292, 293	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	12	0.20	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0995	294	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.20	2	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T0995A	295	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0996	296	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T0997	297	<i>Albizia lebeck</i>	大葉合歡	HyD	HyD	6	0.15	2	Fair	Fair	Med		Med	Retain	-	pruned
C04/023	T0997A	298	<i>Spathodea campanulata</i>	火焰樹	HyD	HyD	6	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T0997B	298	<i>Celtis sinensis</i>	朴樹	HyD	HyD	6	0.10	4	Fair	Fair	Med		High	Retain	-	-
C04/023	T0997C	299	<i>Melia azedarach</i>	楝	HyD	HyD	6	0.10	2	Fair	Fair	Low		Med	Retain	-	-
C04/023	T0998	300	<i>Bombax ceiba</i>	木棉	HyD	HyD	8	0.35	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T0998A	301	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.15	5	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T0998B	302	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.11	4	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T0998C	303	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.13	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T0999	304	<i>Acacia mangium</i>	大葉相思	HyD	HyD	10	0.30	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T1000	305	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	13	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1001	306	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/023	T1002	306	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1003	306	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1004	307	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1005	307	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T1005A	307	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.12	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1006	308	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T1007	309	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1008	310	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1009	311	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1010	312	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1011	313	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1012	314	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.30	4	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T1013	315	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1014	316	<i>Acacia mangium</i>	大葉相思	HyD	HyD	11	0.40	2	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T1015	317	<i>Acacia mangium</i>	大葉相思	HyD	HyD	10	0.40	3	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T1016	317	<i>Acacia mangium</i>	大葉相思	HyD	HyD	11	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1017	318	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	10	0.40	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1018	319	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.60	5	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T1019	320	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1019A	321	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.12	2	Fair	Fair	Low		Low	Retain	-	Die-back branches
C04/023	T1020	322	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.30	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1021	323	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.60	2	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1022	323	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.50	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1023	324	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1024	325	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.20	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T1025	326	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1026	327	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.50	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1027	328	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.30	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1036	329	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1037	330	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.30	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1038	331	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1039	332	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1040	333	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1041	334	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1041A	335	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.11	1.0	Poor	Poor	Low		Low	Retain	-	Bending trunk, pruned
C04/023	T1041B	336	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.12	2	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T1042	337	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	10	0.10	2	Fair	Fair	Low		Low	Retain	-	leaning trunk
C04/023	T1043	337	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.10	2	Fair	Fair	Low		Low	Retain	-	Die-back branches
C04/023	T1044	338	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1045	339	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.50	2	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1045A	340	<i>Acacia confusa</i>	台灣相思	HyD	HyD	9	0.18	5	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1045B	341	<i>Aleurites moluccana</i>	石栗	HyD	HyD	9	0.10	4	Fair	Fair	Low		Med	Retain	-	-
C04/023	T1047	342	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1048	343	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.40	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1049	343	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1055	344	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1056	345	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	11	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1057	346	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	11	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1060	347	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	11	0.50	3	Fair	Fair	High		Low	Retain	-	bifurcating trunk
C04/023	T1061	348	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	12	0.20	2	Fair	Fair	Med		Low	Retain	-	slightly leaning trunk
C04/023	T1065	351	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	4	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/023	T1066	352	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.30	6	Fair	Fair	Med		Low	Fell	Note A	-
C04/023	T1066A	353	<i>Ficus benjamina</i>	垂葉榕	HyD	HyD	7	0.13	3	Fair	Fair	Low		Low	Fell	Note A	-
C04/023	T1067	354	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.50	4	Fair	Fair	Med		Low	Fell	Note A	leaning trunk, Multi-stemmeds
C04/023	T1068	355	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.40	4	Fair	Fair	Med		Low	Fell	Note A	-
C04/023	T1069	356	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.50	5	Fair	Fair	Med		Low	Fell	Note A	Multi-stemmed
C04/023	T1070A	358	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	5	0.11	4	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T1071	359	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1071A	360	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.095	2.000	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1072	361	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	2	Fair	Fair	Med		Low	Retain	-	multi-stemmed
C04/023	T1073	362	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1074	363	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1075	363	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1076	364	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.25	4	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/023	T1077	365	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.25	6	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1078	366	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.25	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1079	367	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.25	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1080	368	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	10	0.25	5	Fair	Fair	Low		Low	Retain	-	-
C04/023	T1081	369	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1082	372	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.25	3	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/023	T1083	370	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.50	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1084	371	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.30	3	Fair	Fair	Med		Low	Retain	-	Leaning trunk, Multi-stemmeds
C04/023	T1085	373	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	10	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1086	373	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	12	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1087	374	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.50	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1088	375	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1089	376	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1090	377	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1091	378	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.25	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1092	379	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.30	3	Poor	Fair	Low		Low	Retain	-	Bending trunk

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T1093	380	<i>Sapium sebiferum</i>	烏桕	HyD	HyD	10	0.30	2	Fair	Fair	Med		Low	Retain	-	uprooted
C04/023	T1095	381	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	4	Fair	Fair	Med		Low	Retain	-	leaning trunk
C04/023	T1097	382	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	11	0.30	4	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T1098	383	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.30	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1099	383	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1101	384	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1102	385	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.30	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1103	386	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	4	0.30	1.0	Fair	Fair	Med		Low	Retain	-	Toppled
C04/023	T1104	386	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.10	1.0	Fair	Fair	Low		High	Retain	-	-
C04/023	T1105	387	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	3	0.10	1.0	Poor	Poor	Low		Low	Retain	-	Toppled
C04/023	T1106	388	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1107	389	<i>Acacia mangium</i>	大葉相思	HyD	HyD	11	0.40	6	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T1108	390	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	12	0.35	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1109	391	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1110	392	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1111	393	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1112	395	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.35	6	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1113	394	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1114	396	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.30	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1115	397	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	10	0.20	2	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T1116	398	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.30	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1117	399	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	6	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1118	400	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.20	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1119	402	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.40	6	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1120	401	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1121	403	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1122	404	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	12	0.25	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1123	405	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.25	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1124	406	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1125	407	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1126	408	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.40	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T1128	409	<i>Acacia confusa</i>	台灣相思	HyD	HyD	12	0.30	6	Fair	Fair	Med		Low	Retain	-	-
C04/023	T1851	410	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	4	0.20	4	Fair	Fair	Med		High	Retain	-	Multi-stemmed
C04/023	T1852	411, 412	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.40	6	Fair	Fair	Med		Low	Retain	-	Multi-stemmed, dieback branches
C04/023	T1853	413	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	5	Fair	Fair	Med		Low	Retain	-	Broken branches, 2 trunks
C04/023	T1854	414	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	6	0.17	5	Poor	Fair	Low		High	Retain	-	Broken branches, 2 trunks
C04/023	T1855	415	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	6	0.18	6	Fair	Fair	Low		High	Retain	-	Broken branches
C04/023	T1856	416	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	6	Poor	Fair	Low		Low	Retain	-	Bending trunk, cracking bark
C04/023	T1856A	417	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	4	Fair	Fair	Low		Low	Retain	-	Cracking bark, 3 trunks
C04/023	T1857	418	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.16	4	Fair	Fair	Med		Low	Fell	Note C	-
C04/023	T1858	419	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.20	6	Fair	Fair	Med		Med	Transplant	Note C	-
C04/023	T1859	420	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.16	4	Fair	Fair	Med		Med	Transplant	Note C	-
C04/023	T1860	421	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.15	5	Fair	Fair	Med		Med	Transplant	Note C	Broken branches
C04/023	T1861	422	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.25	9	Fair	Fair	Med		Low	Fell	Note C	Multi-stemmed
C04/023	T1861A	423	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	1.0	Poor	Poor	Low		Low	Fell	Note C	Leading shoot broken
C04/023	T1861B	424	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	4	0.11	4	Fair	Fair	Low		High	Fell	Note C	Multi-stemmed
C04/023	T2001	425	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	10	0.40	4	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, dieback branches
C04/023	T2001A	426	<i>Melaleuca quinquenervia</i>	白千層	HyD	HyD	7	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T2002	427	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2003	430	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.25	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk, wound on trunk
C04/023	T2003A	428	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.12	4	Fair	Fair	Low		Low	Retain	-	Bifurcating trunk
C04/023	T2003B	429	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.10	3	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T2004	430	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.30	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T2005	431	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.23	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2006	432	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.23	4	Fair	Fair	Med		Low	Retain	-	Bending trunk
C04/023	T2006A	433	<i>Acacia auriculiformis</i>	台灣相思	HyD	HyD	7	0.11	4	Poor	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T2007	434	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.18	3	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T2008	435	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.23	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2008A	436	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.13	3	Poor	Fair	Low		Low	Retain	-	leaning trunk
C04/023	T2009	437	<i>Albizia lebbek</i>	大葉合歡	HyD	HyD	6	0.26	4	Fair	Fair	Med		Med	Retain	-	Bifurcating trunk
C04/023	T2009A	438	<i>Sterculia lanceolata</i>	假蘋婆	HyD	HyD	7	0.18	5	Good	Good	Med		Med	Retain	-	Bifurcating trunk
C04/023	T2010	439	<i>Albizia lebbek</i>	大葉合歡	HyD	HyD	5	0.20	4	Fair	Fair	Med		Med	Retain	-	Bifurcating trunk

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T2011	440	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2012	441	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2013	442	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.15	3	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T2014	443	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.23	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T2015	444	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.20	4	Fair	Fair	Med		Low	Retain	-	bifurcating trunk
C04/023	T2016	445	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.25	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2017	446	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2018	447	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.20	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2019	448	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.28	5	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T2019A	449	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.12	2	Poor	Poor	Low		Low	Retain	-	-
C04/023	T2020	450	<i>Delonix regia</i>	鳳凰木	HyD	HyD	9	0.28	6	Fair	Fair	Med		Med	Retain	-	-
C04/023	T2020A	451, 452	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	9	0.17	4	Fair	Fair	Low		High	Retain	-	leaning trunk
C04/023	T2020B	453	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	9	0.15	3	Fair	Fair	Med		Low	Retain	-	ants invasion
C04/023	T2020C	453	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.13	4	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/023	T2020D	453	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.12	7	Fair	Fair	Low		Low	Retain	-	-
C04/023	T2021	454	<i>Delonix regia</i>	鳳凰木	HyD	HyD	8	0.15	5	Fair	Fair	Low		High	Retain	-	-
C04/023	T2022	455, 456	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	8	0.20	6	Fair	Fair	Low		High	Retain	-	-
C04/023	T2023	456	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.15	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/023	T2024	457	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.20	4	Poor	Poor	Low		Low	Retain	-	Die-back branches
C04/023	T2025	458	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.25	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T2026	459	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.18	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T2027	459	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	4	0.15	3	Fair	Fair	Low		High	Retain	-	-
C04/023	T2028	460	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.20	4	Fair	Fair	Med		Low	Retain	-	Die-back branches
C04/023	T2029	461	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.16	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13107	475	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.23	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13111	479	<i>Acacia mangium</i>	大葉相思	HyD	HyD	6	0.19	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13112	480	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.30	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/023	T13113	481	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.20	3	Poor	Poor	Low		Low	Retain	-	Leaning, Branch Decay
C04/023	T13114	482	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	3	0.10	3	Fair	Fair	Low		High	Retain	-	Leaning, Branch Decay
C04/023	T13115	483	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.19	4	Fair	Fair	Med		Low	Retain	-	Leaning, Branch Decay
C04/023	T13116	484	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13117	485	<i>Sterculia lanceolata</i>	假蘋婆	HyD	HyD	8	0.26	3	Fair	Fair	Med		Med	Retain	-	Leaning, Branch Decay
C04/023	T13118	486	<i>Acacia mangium</i>	大葉相思	HyD	HyD	9	0.33	4	Fair	Fair	Med		Low	Retain	-	Partial Branch Decay
C04/023	T13119	487	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13121	489	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.23	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13122	490	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13123	491	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13126	493	<i>Sterculia lanceolata</i>	假蘋婆	HyD	HyD	4	0.14	3	Fair	Fair	Med		Med	Retain	-	-
C04/023	T13127	495	<i>Litsea glutinosa</i>	潺槁樹	HyD	HyD	4	0.10	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13128	496	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.18	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13129	497	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	4	0.10	1	Poor	Poor	Low		Low	Retain	-	Leaning, Branch Decay
C04/023	T13130	498	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.15	4	Poor	Poor	Low		Low	Retain	-	Leaning, Branch Decay
C04/023	T13131	499	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.20	3	Poor	Poor	Low		Low	Retain	-	Multi-stemmed, Leaning
C04/023	T13132	500	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.28	5	Poor	Poor	Low		Low	Retain	-	Partial branch decay, leaning trunk
C04/023	T13134	501	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.17	4	Poor	Poor	Low		Low	Retain	-	Multi-stemmed, Leaning
C04/023	T13135	502	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13136	504	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.13	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13137	503	<i>Sterculia lanceolata</i>	假蘋婆	HyD	HyD	3	0.10	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T13138	505	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	7	0.12	2	Fair	Fair	Low		High	Retain	-	Leaning trunk
C04/023	T13139	506	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	4	0.13	3	Poor	Poor	Low		Low	Retain	-	Leaning trunk
C04/023	T13140	507	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	9	0.27	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13141	508	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.23	3	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay, Leaning
C04/023	T13142	509	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.21	4	Fair	Fair	Med		High	Retain	-	-
C04/023	T13143	510	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.20	4	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13144	511	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.25	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13145	512	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.13	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13146	513	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	5	0.11	1	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13147	514	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13148	515	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	3	0.11	2	Poor	Poor	Low		Low	Retain	-	Leaning trunk
C04/023	T13149	516	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13150	517	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.17	2	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay, Leaning
C04/023	T13151	518	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.16	4	Fair	Fair	Med		Low	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T13152	519	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	9	0.22	3	Fair	Fair	Med		Low	Retain	-	Partial Branch Decay
C04/023	T13153	520	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.19	3	Fair	Fair	Med		High	Retain	-	-
C04/023	T13155	521	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.29	6	Fair	Fair	Med		High	Retain	-	-
C04/023	T13156	522	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13157	523	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	3	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/023	T13161	524	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.13	1	Fair	Fair	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13162	525	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.25	4	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/023	T13163	526	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.10	1	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13164	527	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.17	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T13165	528	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13166	529	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.13	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13167	530	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.12	1	Fair	Fair	Low		High	Retain	-	-
C04/023	T13168	531	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	8	0.22	4	Fair	Fair	Med		High	Retain	-	-
C04/023	T13169	532	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.11	3	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13170	533	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	2	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13171	534	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.12	2	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13172	535	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.13	2	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13173	536	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.20	2	Fair	Fair	Med		Low	Retain	-	Partial Branch Decay
C04/023	T13174	537	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.17	4	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13175	538	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.16	4	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13176	539	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.13	4	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13177	540	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.16	5	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13178	541	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13179	542	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13180	543	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.12	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13181	544	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13182	545	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13183	546	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13184	547	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	8	0.21	5	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13185	548	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.22	4	Fair	Fair	Med		High	Retain	-	-
C04/023	T13186	549	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.20	4	Poor	Poor	Low		Low	Retain	-	Trunk Damage
C04/023	T13187	550	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.13	2	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13188	551	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	4	Poor	Poor	Low		Low	Retain	-	Leaning trunk
C04/023	T13189	552	<i>Acacia confusa</i>	台灣相思	HyD	HyD	8	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13190	553	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.12	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13191	554	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13192	555	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.14	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13193	556	<i>Celtis sinensis</i>	朴樹	HyD	HyD	5	0.10	3	Fair	Fair	Med		High	Retain	-	-
C04/023	T13194	557	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13195	558	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13197	560	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.23	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13198	561	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.31	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13199	562	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.33	6	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13200	563	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.27	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13201	564	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.31	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13202	565	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.11	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13203	566	<i>Acacia mangium</i>	大葉相思	HyD	HyD	9	0.27	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13204	567	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.28	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13205	568	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13206	569	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.27	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13207	570	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13208	571	<i>Acacia mangium</i>	大葉相思	HyD	HyD	9	0.33	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13209	572	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	9	0.32	6	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/023	T13210	573	<i>Acacia mangium</i>	大葉相思	HyD	HyD	8	0.28	3	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay, Leaning
C04/023	T13211	574	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13212	575	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.24	4	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/023	T13213	576	<i>Ficus microcarpa</i>	細葉榕	HyD	HyD	3	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/023	T13214	577	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.11	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13216	578	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/023	T13217	581	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/023	T13218	579	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.12	2	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13219	580	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.14	3	Fair	Fair	Low		High	Retain	-	Partial Branch Decay

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T13220	582	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13221	583	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.10	1	Fair	Fair	Low		High	Retain	-	-
C04/023	T13222	584	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13223	585	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.13	2	Fair	Fair	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13224	586	<i>Acacia mangium</i>	大葉相思	HyD	HyD	9	0.31	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13225	587	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.13	4	Fair	Fair	Low		High	Retain	-	-
C04/023	T13226	588	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.32	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13227	589	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	5	0.23	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13228	590	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.18	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13229	591	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	1	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13230	592	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13231	595	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.11	3	Poor	Poor	Low		Low	Retain	-	Multi-stemmed
C04/023	T13232	594	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.23	3	Fair	Fair	Med		Low	Retain	-	Trunk Damage
C04/023	T13233	593	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13234	596	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.16	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed, Partial Branch Decay
C04/023	T13235	597	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13236	598	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13237	599	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	1	Fair	Fair	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13238	600	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	5	0.10	1	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/023	T13241	601	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	2	Poor	Poor	Low		Low	Retain	-	Leaning trunk
C04/023	T13242	602	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.13	2	Fair	Fair	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13243	603	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13244	604	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.12	1	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13245	605	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13246	606	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.17	3	Fair	Fair	Med		Low	Retain	-	Partial Branch Decay
C04/023	T13247	607	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13248	608	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.23	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13249	609	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13250	610	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.18	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13251	611	<i>Mangifera indica</i>	芒果	HyD	HyD	3	0.11	2	Fair	Fair	Low		Med	Retain	-	-
C04/023	T13252	612	<i>Mangifera indica</i>	芒果	HyD	HyD	3	0.10	2	Fair	Fair	Low		Med	Retain	-	-
C04/023	T13253	613	<i>Mangifera indica</i>	芒果	HyD	HyD	3	0.10	2	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13254	614	<i>Dolichandrone cauda-felina</i>	貓尾木	HyD	HyD	3	0.10	1	Fair	Fair	Med		Med	Retain	-	-
C04/023	T13255	615	<i>Aleurites moluccana</i>	石栗	HyD	HyD	6	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13256	616	<i>Aleurites moluccana</i>	石栗	HyD	HyD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/023	T13257	617	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13258	619	-	-	HyD	HyD	3	0.10	1	-	-	-		-	Dead	-	-
C04/023	T13259	618	<i>Dolichandrone cauda-felina</i>	貓尾木	HyD	HyD	4	0.10	2	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13260	620	<i>Melaleuca quinquenervia</i>	白千層	HyD	HyD	6	0.15	2	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13261	621	<i>Dolichandrone cauda-felina</i>	貓尾木	HyD	HyD	6	0.21	5	Fair	Fair	Med		Med	Retain	-	-
C04/023	T13262	622	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13263	623	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.16	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13264	624	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13265	625	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.14	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13266	626	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.13	3	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13267	627	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.12	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13268	628	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13285	629	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.19	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13287	630	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	3	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13288	631	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.18	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13289	632	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	5	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13290	633	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	6	0.11	2	Poor	Poor	Low		Low	Retain	-	Leaning trunk
C04/023	T13291	634	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13292	635	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13293	636	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13294	637	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13295	638	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	9	0.19	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13296	639	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	7	0.17	4	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/023	T13297	640	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.27	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13299	641	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13408	648	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.19	6	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13411	650	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.16	3	Fair	Fair	Med		Low	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/023	T13412	651	<i>Acacia mangium</i>	大葉相思	HyD	HyD	6	0.20	3	Fair	Fair	Med		Low	Retain	-	Broken branch, Sparse crown
C04/023	T13413	652	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	
C04/023	T13414	653	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.18	5	Fair	Fair	Med		Low	Retain	-	
C04/023	T13415	654	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.16	4	Fair	Fair	Med		Low	Retain	-	
C04/023	T13417	655	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	5	0.19	2	Poor	Poor	Low		Low	Retain	-	Broken branch, Sparse crown, Leaning
C04/023	T13418	656	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.16	2	Poor	Fair	Low		Low	Retain	-	Sparse crown
C04/023	T13420	657	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.13	3	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/023	T13421	658	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.13	3	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/023	T13424	660	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	2	Fair	Fair	Low		Low	Retain	-	Slightly trunk bending
C04/023	T13500	661	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.24	3	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/023	T13501	662	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.23	4	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/023	T13502	663	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.16	4	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/023	T13503	664	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.24	4	Fair	Fair	Med		Low	Retain	-	Branch decay, vines
C04/023	T13504	665	<i>Ficus benjamina</i>	垂葉榕	HyD	HyD	4	0.12	3	Fair	Fair	Low		High	Retain	-	Multi-stemmed
C04/023	T13505	666	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.10	2	Poor	Fair	Low		High	Retain	-	-
C04/023	T13506	667	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.13	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13507	668	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.24	2	Fair	Fair	Med		Med	Retain	-	-
C04/023	T13508	669	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/023	T13509	670	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.21	2	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/023	T13534	671	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	1	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/023	T13535	672	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	2	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/023	T13536	673	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.17	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13537	674	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	3	0.13	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13538	675	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.35	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13539	676	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.26	4	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13542	677	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.23	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13543	678	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.26	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13544	679	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	4	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13545	680	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.10	1	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13546	681	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.13	2	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13547	682	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13548	686	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.13	4	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13549	684	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	5	0.17	4	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/023	T13550	685	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.20	3	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/023	T13551	683	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.28	3	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13552	687	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.20	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13553	688	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/023	T13554	689	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	3	Fair	Poor	Low		Low	Retain	-	-
C04/023	T13555	690	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	4	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/023	T13556	691	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13557	692	-	-	HyD	HyD	6	0.16	2	-	-	-		-	Dead	-	-
C04/023	T13558	693	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.16	2	Fair	Fair	Med		Low	Retain	-	-
C04/023	T13559	694	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	4	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13560	695	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.17	5	Poor	Poor	Low		Low	Retain	-	-
C04/023	T13561	696	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.23	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T1028	1	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	11	0.20	2	Fair	Fair	Med		Med	Retain	-	-
C04/024	T1029	2	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	12	0.30	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T1029A	3	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	2	Fair	Fair	Low		Low	Retain	-	Bending trunk
C04/024	T1030	4	<i>Acacia confusa</i>	台灣相思	HyD	HyD	11	0.40	3	Fair	Fair	Med		Low	Retain	-	Bifurcating trunk
C04/024	T1127	5	<i>Acacia confusa</i>	台灣相思	HyD	HyD	10	0.30	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T1129	6	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	12	0.40	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/024	T13271	11	<i>Sapium sebiferum</i>	烏桕	HyD	HyD	5	0.17	4	Fair	Fair	Med		Med	Retain	-	Leaning trunk
C04/024	T13272	12	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.37	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13273	13	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.16	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13274	14	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.12	4	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13275	15	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.11	1	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13276	16	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	2	Poor	Poor	Low		Low	Retain	-	-
C04/024	T13277	17	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	1	Poor	Poor	Low		Low	Retain	-	-
C04/024	T13278	18	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.11	2	Poor	Poor	Low		Low	Retain	-	-
C04/024	T13279	19	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.15	2	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/024	T13280	20	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.18	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13281	21	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.11	2	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/024	T13282	22	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.28	5	Poor	Poor	Low		Low	Retain	-	Multi-stemmed
C04/024	T13283	23	<i>Melaleuca quinquenervia</i>	白千層	HyD	HyD	6	0.10	1	Poor	Poor	Low		Low	Retain	-	Partial Branch Decay
C04/024	T13284	24	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13286	25	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	2	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/024	T13425	26	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.17	4	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/024	T13426	27	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.17	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13427	28	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13428	29	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.19	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13429	30	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13430	31	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13431	32	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.17	3	Fair	Fair	Med		Low	Retain	-	Root expose, Leaning
C04/024	T13432	33	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.14	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13433	34	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.17	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13434	35	<i>Delonix regia</i>	鳳凰木	HyD	HyD	6	0.14	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13435	36	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.15	4	Fair	Fair	Med		Med	Retain	-	-
C04/024	T13436	37	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.15	3	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/024	T13437	38	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13438	39	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.18	5	Fair	Fair	Med		Low	Retain	-	Trunk broken, branch decay
C04/024	T13439	40	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/024	T13440	41	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.20	6	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13441	42	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.23	6	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13442	43	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13443	46	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.11	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13444	44	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.16	4	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13445	45	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.19	4	Fair	Poor	Low		Low	Retain	-	Branch decay, vines
C04/024	T13446	47	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.24	5	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13447	48	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.30	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13448	49	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.16	5	Fair	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13449	51	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	5	Fair	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13450	50	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.20	4	Fair	Fair	Med		Med	Retain	-	Branch decay
C04/024	T13451	52	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.12	2	Fair	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13452	53	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.12	2	Fair	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13453	54	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.14	2	Fair	Fair	Low		High	Retain	-	Branch decay
C04/024	T13454	55	<i>Sapium sebiferum</i>	烏桕	HyD	HyD	4	0.18	2	Fair	Fair	Med		Med	Retain	-	Trunk broken
C04/024	T13455	56	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13456	57	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13457	58	<i>Delonix regia</i>	鳳凰木	HyD	HyD	6	0.18	5	Fair	Fair	Med		High	Retain	-	Branch decay
C04/024	T13458	59	<i>Delonix regia</i>	鳳凰木	HyD	HyD	7	0.23	4	Fair	Fair	Med		Med	Retain	-	broken branch, branch decay, leaning
C04/024	T13459	60	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.26	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13460	61	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13461	62	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.14	5	Fair	Poor	Low		Low	Retain	-	branch decay, Multistem, Leaning
C04/024	T13462	63	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.18	6	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13463	64	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.17	6	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/024	T13475	76	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.16	3	Fair	Fair	Med		Med	Retain	-	-
C04/024	T13476	77	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13477	78	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.23	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13478	79	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.22	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13479	80	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13483	84	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	3	Fair	Fair	Med		Low	Retain	-	Termite attack
C04/024	T13484	85	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13487	88	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.19	3	Fair	Fair	Med		Low	Retain	-	Slightly leaning trunk
C04/024	T13488	89	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.19	3	Fair	Poor	Low		Low	Retain	-	Bending trunk
C04/024	T13510	99	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.17	4	Poor	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13511	100	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	2	Poor	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13512	101	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.24	4	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/024	T13513	102	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.29	4	Poor	Poor	Low		Low	Retain	-	Branch decay, multi-stemmed
C04/024	T13514	103	-	-	HyD	HyD	4	0.10	2	-	-	-		-	Dead	-	-
C04/024	T13515	104	-	-	HyD	HyD	6	0.12	3	-	-	-		-	Dead	-	-
C04/024	T13516	105	<i>Celtis sinensis</i>	朴樹	HyD	HyD	5	0.20	4	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13517	106	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.27	4	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13518	107	<i>Crateva trifoliata</i>	鈍葉魚木	HyD	HyD	3	0.10	2	Fair	Poor	Low		Low	Retain	-	Multi-stemmed
C04/024	T13519	108	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.23	3	Fair	Fair	Med		Low	Retain	-	Trunk broken

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/024	T13520	109	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.30	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13521	110	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	3	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13522	111	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.11	1	Fair	Fair	Low		High	Retain	-	Branch decay
C04/024	T13523	112	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13524	113	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.16	2	Fair	Fair	Med		Med	Retain	-	-
C04/024	T13525	114	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13526	115	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13527	116	<i>Ficus benjamina</i>	垂葉榕	HyD	HyD	5	0.12	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13528	117	<i>Ficus benjamina</i>	垂葉榕	HyD	HyD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13529	118	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.11	2	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/024	T13530	119	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.18	3	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/024	T13531	120	-	-	HyD	HyD	3	0.12	1	-	-	-		-	Dead	-	-
C04/024	T13532	121	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.15	2	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/024	T13533	122	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.18	4	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13540	123	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.25	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13541	124	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13562	125	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.26	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/024	T13563	126	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.25	5	Fair	Fair	Med		Low	Retain	-	Broken branch
C04/024	T13564	127	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.17	4	Fair	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13565	128	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.20	4	Fair	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13566	129	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.12	4	Fair	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13567	130	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.12	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13568	131	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.11	3	Fair	Poor	Low		Low	Retain	-	Broken branch
C04/024	T13569	132	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.12	2	Fair	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13570	133	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/024	T13571	134	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.11	3	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/024	T13572	135	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13573	136	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	3	0.10	1	Fair	Fair	Low		High	Retain	-	Broken branch
C04/024	T13574	137	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.29	4	Fair	Fair	Med		High	Retain	-	Trunk broken,branch decay,leaning
C04/024	T13576	138	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.13	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13577	139	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.26	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13578	140	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.31	4	Fair	Fair	Med		Low	Retain	-	Broken branch
C04/024	T13579	141	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13580	142	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	Branch decay,multi-stemmed
C04/024	T13581	143	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13582	144	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	2	Fair	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13583	145	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.23	4	Fair	Fair	Med		Low	Retain	-	Branch decay,multi-stemmed
C04/024	T13584	146	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13585	147	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.21	3	Fair	Fair	Med		High	Retain	-	Pruned
C04/024	T13586	148	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.26	4	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/024	T13587	149	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.22	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13588	150	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	4	Fair	Fair	Low		Low	Retain	-	Multi-stemmed
C04/024	T13589	151	<i>Cassia siamea</i>	鐵刀木	HyD	HyD	5	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13590	152	<i>Cassia siamea</i>	鐵刀木	HyD	HyD	3	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13591	153	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	4	0.23	3	Fair	Fair	Med		Med	Retain	-	Trunk broken
C04/024	T13592	154	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.25	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/024	T13593	155	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	5	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13594	156	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.12	4	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/024	T13595	157	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.22	4	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/024	T13596	158	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.23	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13597	159	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13598	160	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.18	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13599	161	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13600	162	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.16	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/024	T13601	163	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.15	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13602	164	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.27	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13603	165	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13604	166	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13605	167	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.19	3	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/024	T13606	168	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.14	2	Fair	Fair	Low		Low	Retain	-	Branch decay, vines
C04/024	T13607	169	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.17	3	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/024	T13608	170	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.10	3	Fair	Fair	Low		Low	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/024	T13609	171	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.12	2	Fair	Fair	Low		Low	Retain	-	Trunk broken
C04/024	T13610	172	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	3	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13611	173	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.20	3	Fair	Fair	Med		Low	Retain	-	Branch decay
C04/024	T13612	174	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.11	2	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13613	175	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.19	2	Fair	Fair	Med		Med	Retain	-	Branch decay
C04/024	T13614	176	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.13	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13615	177	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13616	178	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.14	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13617	179	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.25	3	Fair	Fair	Med		Med	Retain	-	-
C04/024	T13618	180	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.22	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13619	181	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	7	0.18	2	Fair	Fair	Med		Med	Retain	-	-
C04/024	T13620	182	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	8	0.39	5	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/024	T13621	183	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13622	184	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.11	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13623	185	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13624	186	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13625	187	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.12	4	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13626	188	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.14	4	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13627	189	<i>Melaleuca quinquenervia</i>	白千層	HyD	HyD	5	0.10	2	Fair	Fair	Low		High	Retain	-	-
C04/024	T13628	190	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.18	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13629	191	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	6	0.13	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13630	192	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.11	3	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/024	T13631	193	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.14	4	Fair	Fair	Low		High	Retain	-	-
C04/024	T13632	194	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	4	0.10	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13633	195	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.23	2	Fair	Fair	Med		High	Retain	-	Branch decay
C04/024	T13634	196	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	6	0.20	3	Fair	Fair	Med		Med	Retain	-	-
C04/024	T13635	197	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13636	198	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	4	0.15	3	Fair	Fair	Med		Med	Retain	-	-
C04/024	T13637	199	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13638	200	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.13	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13639	201	<i>Syzygium cumini</i>	海南蒲桃	HyD	HyD	5	0.12	3	Fair	Fair	Low		High	Retain	-	-
C04/024	T13640	202	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.14	4	Fair	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13641	203	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.25	4	Fair	Poor	Low		Low	Retain	-	Branch decay, broken branches
C04/024	T13642	204	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	6	0.17	2	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/024	T13643	205	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.18	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13644	206	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13645	207	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.29	3	Fair	Fair	Med		Low	Retain	-	Branch decay, Pruned
C04/024	T13646	208	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	4	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13647	209	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.13	2	Fair	Fair	Low		Low	Retain	-	Pruned
C04/024	T13648	210	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.19	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13649	211	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13650	212	<i>Acacia confusa</i>	台灣相思	HyD	HyD	3	0.10	2	Fair	Fair	Low		Low	Retain	-	Pruned
C04/024	T13651	213	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13652	214	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.27	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13653	215	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.21	3	Fair	Fair	Med		Low	Retain	-	Pruned, leaning
C04/024	T13654	216	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	4	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13655	217	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.20	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13656	218	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.14	4	Fair	Fair	Low		Low	Retain	-	Leaning trunk
C04/024	T13657	219	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13658	220	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13659	221	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.16	3	Fair	Fair	Med		Low	Retain	-	Multi-stemmed
C04/024	T13660	222	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13661	223	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.13	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13662	224	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.13	2	Fair	Poor	Low		Low	Retain	-	Leaning trunk
C04/024	T13663	225	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13664	226	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	5	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13665	227	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	4	0.10	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13666	228	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.12	3	Fair	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13667	229	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.14	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13668	230	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	9	0.25	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13669	231	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.22	4	Fair	Fair	Med		High	Retain	-	-
C04/024	T13670	232	<i>Albizia lebbbeck</i>	大葉合歡	HyD	HyD	7	0.23	4	Fair	Fair	Med		High	Retain	-	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/024	T13671	233	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.13	2	Fair	Fair	Low		Low	Retain	-	
C04/024	T13672	234	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.16	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13673	235	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.13	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13674	236	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	6	0.13	2	Poor	Poor	Low		Low	Retain	-	-
C04/024	T13675	237	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13676	238	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	Branch decay
C04/024	T13677	239	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.21	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13678	240	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.12	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13679	241	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.15	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13680	242	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.24	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13681	244	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.14	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13682	243	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	4	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13683	245	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.16	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13684	246	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	4	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13685	247	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.14	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13686	248	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13687	249	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.12	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13688	250	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13689	251	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	5	0.10	2	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13690	252	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.10	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13691	253	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.19	3	Fair	Poor	Low		Low	Retain	-	Branch decay, root exposed
C04/024	T13692	254	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13693	255	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	6	0.11	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13694	256	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.13	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13695	257	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	8	0.12	2	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13696	258	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.14	4	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13697	259	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.13	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13698	260	<i>Acacia confusa</i>	台灣相思	HyD	HyD	5	0.10	3	Fair	Poor	Low		Low	Retain	-	Branch decay
C04/024	T13699	261	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	10	0.33	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13765	279	<i>Acacia mangium</i>	大葉相思	HyD	HyD	7	0.35	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13766	286	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.26	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13767	287	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.23	5	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13769	289	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.20	3	Fair	Fair	Med		Low	Fell	-	-
C04/024	T13772	292	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.17	3	Fair	Fair	Med		Low	Fell	-	-
C04/024	T13776	296	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.13	2	Fair	Fair	Low		Low	Fell	-	-
C04/024	T13778	298	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	6	0.10	3	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13779	299	<i>Casuarina equisetifolia</i>	木麻黃	HyD	HyD	7	0.19	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13795	315	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.18	2	Fair	Fair	Med		Low	Retain	-	Leaning trunk
C04/024	T13796	316	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.19	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13797	317	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.17	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13798	318	<i>Acacia confusa</i>	台灣相思	HyD	HyD	7	0.15	4	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13799	319	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.14	3	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13800	320	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.20	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13801	321	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.17	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13802	322	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.19	2	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13803	323	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.18	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13804	324	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.18	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13805	325	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13806	326	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	8	0.23	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13807	327	<i>Eucalyptus camaldulensis</i>	赤桉	HyD	HyD	7	0.21	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13808	328	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	6	0.13	3	Fair	Fair	Low		Low	Retain	-	Broken branch
C04/024	T13809	329	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.13	4	Fair	Fair	Low		Low	Retain	-	-
C04/024	T13810	330	<i>Acacia auriculiformis</i>	耳果相思	HyD	HyD	7	0.15	3	Fair	Fair	Med		Low	Retain	-	-
C04/024	T13811	331	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	2	Fair	Poor	Low		Low	Retain	-	-
C04/024	T13812	332	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.10	3	Fair	Poor	Low		Low	Retain	-	-

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Important Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

Remark: Revision highlighted in toned area



EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 4 - Existing Tree Assessment Schedule for ArchSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazettal boundary
C04/003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Tree outside gazettal boundary
C04/004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No tree in this sheet
C04/010	T1733	75	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	3	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	T1734	76	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.12	4	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	T1735	77	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.13	3	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	T1736	78	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	3	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	T1737	79, 80	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.13	4	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	T1738	81, 82	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.10	3	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	T1738A	83	<i>Michelia x alba</i>	白蘭	PRIVATE	ArchSD	4	0.10	2	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	T1762	84	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	2	0.18	2	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1763	85	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	3	0.20	3	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1764	86	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	2	0.18	2	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1765	87	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	2	0.15	2	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1765A	124	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	4	0.13	3	Fair	Fair	Low		High	Fell	Note D, E	-
C04/010	T1765B	125	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	4	0.13	3	Fair	Fair	Low		High	Fell	Note D, E	-
C04/010	T1765C	126	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	4	0.13	3	Fair	Fair	Low		High	Fell	Note D, E	-
C04/010	T1766	88	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.14	3	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1767	89	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.14	3	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1768	90	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	3	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1769	91	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.12	2	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1770	92	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	4	0.10	3	Fair	Fair	Med		High	Fell	Note D, E	Multi-stemmed, dieback branches
C04/010	T1771	93	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.10	3	Fair	Fair	Low		High	Fell	Note D, E	-
C04/010	T1772	94	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	4	Fair	Fair	Low		High	Fell	Note D, E	-
C04/010	T1773	95	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	4	Fair	Fair	Low		High	Fell	Note D, E	-
C04/010	T1774	96	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	6	0.12	6	Good	Good	Low		Low	Fell	Note D, E	-
C04/010	T1775	97, 98	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	6	0.14	6	Good	Good	Low		Low	Fell	Note D, E	Multi-stemmed
C04/010	T1776	99, 100	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	6	0.13	6	Good	Good	Low		Low	Fell	Note D, E	Multi-stemmed
C04/010	T1776A	101, 102, 103	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	6	0.11	6	Fair	Good	Low		Low	Fell	Note D, E	Multi-stemmed
C04/010	T1777	104, 105	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	6	0.11	4	Fair	Good	Low		Low	Fell	Note D, E	-
C04/010	T1778	106, 107	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	4	0.11	4	Fair	Good	Med		Low	Fell	Note D, E	Multi-stemmed, weak fork with split
C04/010	T1779	108	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	3	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1780	109	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	5	0.12	4	Poor	Fair	Low		High	Fell	Note D, E	-
C04/010	T1781	110	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	4	Fair	Good	Low		High	Fell	Note D, E	-
C04/010	T1782	111	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.18	4	Fair	Good	Med		High	Transplant	Note D, E	-
C04/010	T1783	112	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	4	0.14	4	Good	Good	Med		High	Transplant	Note D, E	Multi-stemmed
C04/010	TA159	113	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.13	4	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	TA160	114	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.16	3	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/010	TA161	115	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	3	0.10	3	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	TA162	116	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	4	0.10	3	Fair	Fair	Med		High	Transplant	Note A, D	Multi-stemmed
C04/010	TA163	117	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	6	0.26	4	Fair	Fair	Med		Med	Transplant	Note A, D	Multi-stemmed
C04/010	TA164	118	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	6	0.22	3	Fair	Fair	Med		High	Transplant	Note A, D	Multi-stemmed
C04/010	TA165	119	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	4	0.19	3	Fair	Fair	Med		High	Transplant	Note A, D	Multi-stemmed
C04/010	TA166	120	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	4	0.22	3	Fair	Fair	Med		High	Transplant	Note A, D	Multi-stemmed
C04/010	TA168	121	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.13	3	Fair	Good	Low		High	Fell	Note A, D	-
C04/010	TA170	122	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	3	0.16	3	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/010	TA172	123	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	3	0.16	3	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/011	T1757	23	<i>Leucaena leucocephala</i>	銀合歡	PRIVATE	ArchSD	6	0.13	4	Fair	Fair	Low		High	Fell	Note A, D	-
C04/011	T1758	24	<i>Macaranga tanarius</i>	血桐	PRIVATE	ArchSD	1.5	0.16	1.0	Fair	Fair	Med		High	Transplant	Note A	-
C04/011	T1759	25	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	1.5	0.22	0.6	Fair	Good	Low		High	Fell	Note A	-
C04/011	T1759A	26, 27	<i>Roystonea regia</i>	王棕	PRIVATE	ArchSD	2	0.11	1	Fair	Poor	Low		Low	Fell	Note A	-
C04/011	T1759B	28	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	2	0.10	2.000	Fair	Fair	Low		High	Fell	Note A	-
C04/011	T1759C	29	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	2	0.10	1	Fair	Poor	Low		Low	Fell	Note A	-
C04/011	T1759D	30	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	2	0.10	2.000	Fair	Fair	Low		High	Fell	Note A	-
C04/011	T1759E	31	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	2	0.10	2.000	Fair	Fair	Low		High	Fell	Note A	-
C04/011	T1760	32	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	3	0.10	1.5	Fair	Good	Low		High	Fell	Note A	-
C04/011	T1761	33	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	2	0.14	2	Fair	Good	Low		High	Fell	Note A	-
C04/012	T1726	78	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.19	5	Fair	Fair	Med		High	Transplant	Note A, D	-
C04/012	T1727	79	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.12	3	Fair	Good	Low		High	Fell	Note A, D	-

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 4 - Existing Tree Assessment Schedule for ArchSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSO, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/012	T1728	80, 81	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.13	4	Fair	Good	Low		High	Fell	Note A, D	wound on trunk
C04/012	T1729	82	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.14	4	Fair	Good	Low		High	Fell	Note A, D	-
C04/012	T1730	83	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.13	4	Fair	Good	Low		High	Fell	Note A, D	-
C04/012	T1731	84, 85	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.11	4	Fair	Fair	Low		Low	Fell	Note A, D	grow through wire netting
C04/012	T1732	86	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.11	4	Fair	Good	Low		High	Fell	Note A, D	-
C04/012	T1739	87, 88	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.14	5	Fair	Good	Low		Low	Fell	Note A, D	-
C04/012	T1740	89	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	3	0.11	3	Fair	Good	Low		High	Fell	Note A, D	-
C04/012	T1741	90	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.12	4	Poor	Fair	Low		High	Fell	Note A, D	Multi-stemmed
C04/012	T1742	91	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	3	0.16	3	Good	Good	Med		Med	Transplant	Note A, D	-
C04/012	T1743	92, 93	<i>Leucaena leucocephala</i>	銀合歡	PRIVATE	ArchSD	6	0.10	4	Fair	Fair	Low		High	Fell	Note A, D	-
C04/013	T1744	10	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	4	0.10	4	Good	Good	Med		High	Transplant	Note D, E	-
C04/013	T1745	11	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	3	0.10	3	Fair	Good	Low		High	Transplant	Note D, E	-
C04/013	T1746	12, 13	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.13	4	Good	Good	Low		High	Transplant	Note D, E	-
C04/013	T1747	14	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.10	4	Poor	Fair	Low		High	Fell	Note D, E	-
C04/013	T1748	15	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	5	0.10	3	Fair	Good	Med		High	Transplant	Note D, E	Multi-stemmed
C04/013	T1749	16	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	6	0.15	5	Good	Fair	Med		High	Transplant	Note D, E	-
C04/013	T1749A	62	<i>Plumeria rubra</i>	雞蛋花	PRIVATE	ArchSD	3	0.14	4	Fair	Fair	Low		High	Fell	Note D, E	-
C04/013	T1749B	63	<i>Plumeria rubra</i>	雞蛋花	PRIVATE	ArchSD	3	0.14	4	Fair	Fair	Low		High	Fell	Note D, E	-
C04/013	T1749C	64	<i>Carica papaya</i>	番木瓜	PRIVATE	ArchSD	10	0.13	3	Fair	Fair	Low		Low	Fell	Note D, E	-
C04/013	T1749D	65	<i>Caryota ochlandra</i>	魚尾葵	PRIVATE	ArchSD	4	0.11	3	Fair	Fair	Low		High	Fell	Note D, E	-
C04/013	T1750	17	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.13	4	Good	Good	Low		High	Transplant	Note A	-
C04/013	T1750A	18	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	4	0.10	4	Poor	Fair	Med		High	Fell	Note D, E	Multi-stemmed
C04/013	T1751	19	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	4	0.10	3	Good	Good	Low		High	Transplant	Note A	-
C04/013	T1752	20	<i>Cassia surattensis</i>	黃槐決明	PRIVATE	ArchSD	4	0.13	4	Good	Good	Med		High	Transplant	Note A	-
C04/013	T1753	21	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.11	4	Fair	Good	Low		High	Transplant	Note A	wound on trunk
C04/013	T1754	22	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	3	0.10	3	Fair	Good	Low		High	Transplant	Note A	-
C04/013	T1755	23	<i>Acacia confusa</i>	台灣相思	PRIVATE	ArchSD	7	0.20	6	Fair	Good	Med		Low	Fell	Note A	Bending trunk
C04/013	T1756	24	<i>Bauhinia purpurea</i>	紅花羊蹄甲	PRIVATE	ArchSD	5	0.12	5	Fair	Good	Low		High	Transplant	Note A	-
C04/013	T1756A	25	<i>Leucaena leucocephala</i>	銀合歡	PRIVATE	ArchSD	6	0.14	5	Fair	Fair	Low		High	Fell	Note A	-
C04/018	T1406	28	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	7	0.25	6	Good	Fair	Med		High	Retain	-	-
C04/018	T1407	29	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	7	0.25	6	Good	Good	Med		High	Retain	-	-
C04/018	T1408	30	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	7	0.25	6	Good	Good	Med		High	Retain	-	-
C04/018	T1409	31	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	7	0.25	6	Good	Good	Med		High	Retain	-	-
C04/018	T1410	32	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	7	0.25	6	Good	Good	Med		High	Retain	-	-
C04/018	T1411	33	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	7	0.25	6	Good	Good	Med		High	Retain	-	-
C04/018	T1412	34	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	10	0.20	4	Good	Good	Med		High	Retain	-	-
C04/018	T1413	35	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	10	0.20	4	Good	Good	Med		High	Retain	-	-
C04/018	T1414	36	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	10	0.40	4	Good	Good	Med		Med	Retain	-	-
C04/018	T1415	37	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	10	0.40	5	Good	Good	Med		Med	Retain	-	-
C04/018	T1416	38	<i>Ficus microcarpa</i>	細葉榕	PRIVATE	ArchSD	11	0.30	6	Good	Good	Med		Med	Retain	-	-
C04/018	U0001	44	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	5	0.15	4	Good	Good	Low		High	Retain	-	-
C04/018	U0002	45	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	4	0.28	4	Good	Good	Low		High	Retain	-	-
C04/018	U0003	46	<i>Ficus benjamina</i>	垂葉榕	PRIVATE	ArchSD	7	0.17	6	Good	Good	Med		High	Retain	-	-
C04/018	U0004	47	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	3	0.20	2	Good	Good	Low		High	Retain	-	-
C04/018	U0005	48	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	3	0.17	2	Good	Good	Low		High	Retain	-	-
C04/018	U0006	49	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	3	0.17	2	Good	Good	Low		High	Retain	-	-
C04/018	U0007	50	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	3	0.17	2	Good	Good	Low		High	Retain	-	-
C04/018	U0008	51	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	3	0.17	2	Good	Good	Low		High	Retain	-	-
C04/018	U0009	52	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	6	0.15	4	Good	Good	Low		High	Retain	-	-
C04/018	U0010	53	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	6	0.16	4	Good	Good	Low		High	Retain	-	-
C04/018	U0011	54	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	7	0.16	3	Good	Good	Low		High	Retain	-	-
C04/018	U0012	55	<i>Livistona chinensis</i>	蒲葵	PRIVATE	ArchSD	6	0.16	4	Good	Good	Low		High	Retain	-	-

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-1: WORKS IN YAU TSIM MONG DISTRICT

Part 4 - Existing Tree Assessment Schedule for ArchSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCS, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site