



## *Appendix I*

---

### *Tree Assessment Schedule*

*Part 1 : Schedule for LCSD*

*Part 2 : Schedule for AFCD*

*Part 3 : Schedule for HyD*

*Part 4 : Schedule for ArchSD*

---

















## EXPRESS RAIL LINK

## CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

## TLP-2: WORKS IN SHAM SHUI PO DISTRICT

## Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/TXRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, Hyd, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Important Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	GAZETTED BOUNDARY (In or Just in or Out)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD									
C04/108	U0017	152	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.14	4	Fair	Good	Low		High	In	Transplant	A	
C04/108	U0018	153	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.15	5	Fair	Good	Low		High	In	Transplant	A	
C04/108	U0021	156	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	7	0.20	6	Good	Good	Med		High	In	Transplant	A	
C04/108	U0022	157	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	8	0.20	5	Good	Good	Med		High	In	Transplant	A	
C04/108	U0023	158	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	8	0.25	7	Good	Good	Med		High	In	Transplant	A	
C04/108	U0024	159	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	8	0.22	6	Fair	Good	Med		High	In	Transplant	A	
C04/108	U0025	160	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	9	0.21	5	Good	Good	Med		High	In	Transplant	A	
C04/108	U0026	161	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	5	0.11	4	Good	Good	Low		High	In	Transplant	A	
C04/108	U0027	162	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	5	0.12	4	Fair	Good	Low		High	In	Transplant	A	
C04/108	U0029	164	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	9	0.18	7	Good	Good	Med		High	In	Transplant	A	
C04/108	U0030	165	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	9	0.23	6	Fair	Good	Med		High	In	Transplant	A	
C04/108	U0031	166	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	8	0.16	4	Fair	Good	Med		High	In	Transplant	A	
C04/108	U0032	167	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	8	0.17	5	Fair	Good	Med		High	In	Transplant	A	
C04/108	U0033	168	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	9	0.20	7	Good	Good	Med		High	In	Transplant	A	
C04/108	U0034	169	<i>Ficus virens var. sublaceolata</i>	黃葛樹	LCSD	LCSD	8	0.14	4	Fair	Good	Med		High	In	Transplant	A	Bending trunk
C04/108	U0036	171	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	6	0.10	4	Fair	Good	Med		High	In	Transplant	A	Unbalanced crown
C04/108	U0037	172	-	-	LCSD	LCSD	10	0.28	7	-	-	-		-	In	Dead	-	
C04/108	U0038	173	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	10	0.22	7	Good	Good	Med		High	In	Transplant	A	
C04/108	U0039	174	<i>Cinnamomum camphora</i>	樟樹	LCSD	LCSD	7	0.10	4	Fair	Good	Med		High	In	Transplant	A	Bending trunk
C04/108	U0040	175, 176	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	9	0.34	4	Poor	Fair	Low		High	In	Transplant	A	Main trunk pruned, wound on trunk
C04/108	U0041	177	<i>Roystonea regia</i>	王棕	LCSD	LCSD	8	0.32	5	Good	Good	Med		High	In	Transplant	A	
C04/108	U0042	178	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.13	3	Fair	Good	Low		High	In	Transplant	A	Wound on trunk
C04/108	U0043	179	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.16	5	Fair	Good	Low		High	In	Transplant	A	
C04/108	U0044	180	<i>Roystonea regia</i>	王棕	LCSD	LCSD	5	0.16	4	Fair	Fair	Low		High	In	Transplant	A	Wound on trunk
C04/108	U0045	181	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.16	5	Fair	Good	Med		High	In	Transplant	A	
C04/108	U0063	198	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	8	0.18	5	Fair	Good	Low		High	In	Retain	-	
C04/108	U0064	199	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	9	0.16	3	Fair	Good	Low		High	In	Retain	-	
C04/108	U0065	200	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	4	0.12	2	Fair	Good	Low		High	In	Retain	-	Leaning trunk
C04/108	U0066	201	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	6	0.13	3	Fair	Good	Low		High	In	Retain	-	
C04/109	T9400	1	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.21	3	Fair	Fair	Med		Med	In	Transplant	A, E	Partial Branch Decay
C04/109	T9401	2	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.14	3	Fair	Fair	Low		Med	In	Transplant	A, E	Partial branch pruned, Partial Branch Decay
C04/109	T9402	3	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.14	3	Fair	Fair	Low		Med	In	Transplant	A, E	Partial branch pruned, Partial Branch Decay
C04/109	T9403	4	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.19	3	Fair	Fair	Med		Med	In	Transplant	A, E	Partial branch pruned, Partial Branch Decay
C04/109	T9404	5	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.19	2	Fair	Fair	Med		Med	In	Transplant	A, E	Partial branch pruned, Partial Branch Decay
C04/109	T9405	6	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	4.5	0.12	2	Fair	Fair	Low		Med	In	Transplant	A, E	Partial Branch Decay, Leaning
C04/109	T9406	7	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.16	3	Fair	Fair	Med		Med	In	Transplant	A, E	Partial Branch Decay, Leaning
C04/109	T9407	8	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.16	3	Fair	Fair	Med		Med	In	Retain	-	
C04/109	T9408	9	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.16	3	Fair	Fair	Med		Med	In	Retain	-	Partial Branch Decay, Leaning
C04/109	T9409	10	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.14	3	Fair	Fair	Low		Med	In	Retain	-	Partial Branch Decay, Leaning
C04/109	T9410	11	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.21	3	Fair	Fair	Med		Med	In	Retain	-	Partial Branch Decay, Leaning
C04/109	T9411	12	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.17	3	Fair	Fair	Med		Med	In	Retain	-	Upright
C04/109	T9412	13	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.12	2	Fair	Fair	Low		Med	In	Retain	-	Upright
C04/109	T9413	14	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.17	3	Fair	Fair	Med		Med	In	Retain	-	Upright
C04/109	T9414	15	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	7	0.23	4	Fair	Fair	Med		Med	In	Retain	-	Upright
C04/109	T9415	16	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.27	5	Poor	Poor	Low		Low	In	Retain	-	Partial Branch Decay
C04/109	T9416	17	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	9	0.31	5	Poor	Poor	Low		Low	In	Retain	-	Partial Branch Decay
C04/109	T9417	18	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.24	4	Poor	Poor	Low		Low	In	Retain	-	Upright
C04/109	T9418	19	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.18	3	Poor	Poor	Low		Low	In	Retain	-	Upright
C04/109	T9419	20	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	5	0.19	3	Poor	Poor	Low		Low	In	Retain	-	Upright
C04/109	T9420	21	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.22	5	Poor	Poor	Low		Low	In	Retain	-	Upright
C04/109	T9421	22	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	6	0.21	5	Poor	Poor	Low		Low	In	Retain	-	Upright
C04/109	T9422	23	<i>Roystonea regia</i>	王棕	LCSD	LCSD	3	0.19	1.5	Fair	Fair	Low		High	In	Retain	-	Upright
C04/109	T9423	24	<i>Roystonea regia</i>	王棕	LCSD	LCSD	2.5	0.18	3	Fair	Fair	Low		High	In	Retain	-	Upright
C04/109	T9424	25	<i>Roystonea regia</i>	王棕	LCSD	LCSD	2.5	0.20	3	Fair	Fair	Low		High	In	Retain	-	Upright
C04/109	T9425	26	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.55	5	Fair	Fair	Med		High	In	Retain	-	Upright
C04/109	T9426	27	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6.5	0.38	5	Fair	Fair	Med		High	In	Retain	-	Upright
C04/109	T9427	28	<i>Roystonea regia</i>	王棕	LCSD	LCSD	4	0.20	4	Fair	Fair	Low		High	In	Retain	-	Upright



## EXPRESS RAIL LINK

## CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

## TLP-2: WORKS IN SHAM SHUI PO DISTRICT

## Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/TXRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, Hyd, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Important Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	GAZETAL BOUNDARY (In or Just in or Out)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD									
C04/109	T10591	96	<i>Magnolia grandiflora</i>	荷花玉蘭	Education Bureau	LCSD	4	0.10	3	Fair	Good	Low		In	Transplant	A, E, G	Leaning trunk	
C04/109	T10592	98	<i>Plumeria rubra</i>	雞蛋花	Education Bureau	LCSD	2	0.14	2	Poor	Poor	Low		In	Transplant	A, E, G	Leaning trunk	
C04/109	T10594	97	<i>Plumeria rubra</i>	雞蛋花	Education Bureau	LCSD	4.5	0.14	4.5	Poor	Poor	Low		In	Transplant	A, E, G		
C04/110	T9183	1	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	5	0.43	3	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T9184	2	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	11	0.43	7	Good	Good	High		In	Transplant	A, E, H	Forked	
C04/110	T9185	3	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	11	0.45	6	Good	Good	High		In	Transplant	A, E, H	Forked	
C04/110	T9186	4	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	7	0.12	3	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T9187	5	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	12	0.51	8	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T9188	6	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	11	0.22	7	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T9189	7	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	8	0.19	6	Poor	Poor	Low		In	Fell	A, E, H	Partial Branch Decay	
C04/110	T9190	8	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	3	0.11	1.5	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T9191	9	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	5	0.12	2	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T9192	10	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	6	0.11	3	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T9193	11	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	6	0.12	3	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T9194	12	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	8	0.24	7	Fair	Fair	Med		In	Transplant	A, E, H	Yellow leaves	
C04/110	T9195	13	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	12	0.50	11	Fair	Fair	Med		In	Transplant	A, E, H		
C04/110	T9196	14	<i>Cleistocalyx operculatus</i>	水翁	LCSD	LCSD	12	0.58	14	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9197	15	<i>Aleurites moluccana</i>	石栗	LCSD	LCSD	12	0.57	10	Good	Good	High		In	Transplant	A, E, H	Forked	
C04/110	T9198	17	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	12	0.45	7	Fair	Good	High		In	Transplant	A, E, H	Leaning trunk	
C04/110	T9199	16	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	8	0.25	5	Poor	Poor	Low		In	Fell	A, E, H	Trunk bending, on slope	
C04/110	T9601	18	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	6	0.38	7	Fair	Good	Med		In	Transplant	A, E, H		
C04/110	T9602	19	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.33	7	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T9603	20	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.23	4	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T9604	21	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	8	0.25	6	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T9605	22	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	8	0.49	7	Fair	Fair	Med		In	Transplant	A, E, H		
C04/110	T9606	23	<i>Grevillea robusta</i>	銀樺	LCSD	LCSD	7	0.10	3	Poor	Poor	Low		In	Fell	A, E, H	Partial Branch Decay	
C04/110	T9608	25	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	7	0.14	3	Poor	Poor	Low		In	Fell	A, E, H	Partial Branch Decay	
C04/110	T9609	26	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	7	0.12	3	Poor	Good	Low		In	Fell	A, E, H	Leaning trunk	
C04/110	T9641	54	<i>Roystonea regia</i>	王棕	LCSD	LCSD	6	0.23	3	Fair	Fair	Med		In	Transplant	A, E, H		
C04/110	T9643	55	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.16	4	Fair	Fair	Med		In	Retain	-	Leaning trunk	
C04/110	T9644	56	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		In	Retain	-	Leaning trunk	
C04/110	T9648	57	<i>Melia azedarach</i>	苦楝	LCSD	LCSD	10	0.69	8	Fair	Fair	Med		In	Retain	-		
C04/110	T9649	58	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	8	0.34	6	Poor	Fair	Low		In	Retain	-	Leaning trunk	
C04/110	T9650	59	<i>Ficus virens var. sublancoolata</i>	黃葛樹	LCSD	LCSD	6	0.13	3.5	Fair	Fair	Med		In	Retain	-	Leaning trunk	
C04/110	T9653	60	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.19	4.5	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9654	61	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6.5	0.18	4	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9655	62	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.17	4	Fair	Fair	Med		In	Transplant	A, E, H	Upright	
C04/110	T9656	63	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.16	4	Fair	Fair	Med		In	Transplant	A, E, H	Upright	
C04/110	T9657	64	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.18	4	Fair	Fair	Med		In	Transplant	A, E, H	Upright	
C04/110	T9658	65	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		In	Transplant	A, E, H	Upright	
C04/110	T9659	66	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6.5	0.16	4	Fair	Fair	Med		In	Transplant	A, E, H	Upright	
C04/110	T9660	67	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.14	4	Fair	Fair	Med		In	Transplant	A, E, H	Upright	
C04/110	T9661	68	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.15	4	Poor	Fair	Low		In	Transplant	A, E, H	Upright	
C04/110	T9662	69	<i>Ficus benjamina</i>	垂葉榕	LCSD	LCSD	7.5	0.17	5.5	Poor	Fair	Low		In	Transplant	A, E, H	Forked, Leaning	
C04/110	T9663	70	<i>Callistemon viminalis</i>	串錢柳	LCSD	LCSD	6	0.15	4	Fair	Fair	Med		In	Transplant	A, E, H	Upright	
C04/110	T9664	71	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	10	0.67	8	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9665	72	<i>Celtis sinensis</i>	朴樹	LCSD	LCSD	8	0.46	7	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T9666	73	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	6	0.17	4	Fair	Fair	Med		In	Retain	-	Upright	
C04/110	T9667	74	<i>Ficus virens var. sublancoolata</i>	黃葛樹	LCSD	LCSD	6	0.47	6	Fair	Fair	Med		In	Retain	-	Upright	
C04/110	T9677	83	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.31	4	Fair	Fair	Med		In	Retain	-	Forked	
C04/110	T9678	84	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	7	0.26	4	Fair	Fair	Med		In	Retain	-	Upright	
C04/110	T9679	85	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.28	4	Fair	Fair	Med		In	Retain	-	Forked	
C04/110	T9680	86	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.18	3.5	Fair	Fair	Med		In	Retain	-	Upright	
C04/110	T9681	87	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	3	0.10	3	Fair	Fair	Low		In	Retain	-	Upright	
C04/110	T9682	88	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	10	0.43	6.5	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T9683	89	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	6	0.14	4.5	Fair	Fair	Low		In	Fell	A, E, H	Broken branch	
C04/110	T9684	90	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	7	0.19	5	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9685	91	<i>Spathodea campanulata</i>	火焰樹	LCSD	LCSD	5	0.10	2.5	Poor	Poor	Low		In	Transplant	A, E, H	Forked	
C04/110	T9686	92	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	8	0.28	6	Fair	Fair	Med		In	Transplant	A, E, H	Partial Branch Decay	
C04/110	T9687	93	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	7	0.19	4.5	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9688	94	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	7	0.22	5.5	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9689	95	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	6	0.25	4.5	Poor	Poor	Low		In	Fell	A, E, H	Leaning trunk	
C04/110	T9690	97	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	6	0.14	3	Poor	Poor	Low		In	Fell	A, E, H	Leaning trunk	
C04/110	T9691	96	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	6	0.14	3	Fair	Fair	Med		In	Transplant	A, E, H	Forked	
C04/110	T9692	98	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	4	0.10	2.5	Poor	Poor	Low		In	Fell	A, E, H	Forked	



## EXPRESS RAIL LINK

## CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

## TLP-2: WORKS IN SHAM SHUI PO DISTRICT

## Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, Hyd, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Important Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	GAZETTL BOUNDARY (In or Just in or Out)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD									
C04/110	T10558	164	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	5	0.17	3	Fair	Good	Low		In	Transplant	A, E, H	Upright	
C04/110	T10559	165	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	6	0.15	3	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T10560	166	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	6	0.14	3	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T10561	167	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	5	0.14	3	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T10562	169	<i>Caryota ochlandra</i>	魚尾葵	LCSD	LCSD	5	0.12	1	Fair	Fair	Low		In	Transplant	A, E, H		
C04/110	T10563	168	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	11	0.49	6.5	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T10564	170	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	11	0.27	5.5	Fair	Fair	Med		In	Transplant	A, E, H		
C04/110	T10565	171	<i>Delonix regia</i>	鳳凰木	LCSD	LCSD	11	0.50	6	Fair	Fair	Med		In	Transplant	A, E, H	Leaning trunk	
C04/110	T10566	172	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	11	0.28	6	Poor	Fair	Low		In	Transplant	A, E, H	Leaning trunk	
C04/110	T10567	173	<i>Litsea glutinosa</i>	潺槁樹	LCSD	LCSD	6	0.15	4	Poor	Poor	Low		In	Fell	A, E, H	Leaning trunk	
C04/110	T10568	174	<i>Delonix regia</i>	鳳凰木	LCSD	LCSD	7	0.14	4	Poor	Poor	Low		In	Transplant	A, E, H	Leaning trunk	
C04/110	T10570	175	<i>Litsea glutinosa</i>	潺槁樹	LCSD	LCSD	4	0.17	4	Poor	Good	Low		In	Transplant	A, E, H		
C04/110	T10571	176	<i>Litsea glutinosa</i>	潺槁樹	LCSD	LCSD	8	0.25	6	Poor	Fair	Low		In	Fell	A, E, H	Leaning trunk	
C04/110	T10572	177	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	7	0.15	3	Poor	Poor	Low		In	Fell	A, E, H	Leaning trunk	
C04/110	T10573	178	<i>Phoenix roebelenii</i>	日本葵	LCSD	LCSD	2.5	0.14	2	Fair	Fair	Low		In	Transplant	A, E, H	Upright	
C04/110	T10600	179	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	8	0.22	4.5	Fair	Fair	Med		In	Transplant	A, C, H	Multistem	
C04/110	T10601	180	<i>Eucalyptus citriodora</i>	檸檬桉	LCSD	LCSD	8	0.26	4.5	Fair	Fair	Med		In	Transplant	A, C, H	Forked	
C04/110	T10602	181	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.25	4	Fair	Fair	Med		In	Transplant	A, C, H		
C04/110	T10603	182	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	7	0.23	4	Poor	Fair	Med		In	Transplant	A, C, H	Leaning trunk	
C04/110	T10604	183	<i>Eucalyptus camaldulensis</i>	赤桉	LCSD	LCSD	9	0.27	4	Fair	Fair	Med		In	Transplant	A, C, H		
C04/110	T10605	184	<i>Lophostemon confertus</i>	紅膠木	LCSD	LCSD	6	0.17	4	Poor	Good	Low		In	Fell	A, C, H	Leaning trunk	
C04/110	T10606	185	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	6	0.14	3	Poor	Poor	Low		In	Transplant	A, C, H	Partial Branch Decay	
C04/110	T10607	186	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	7	0.14	3	Poor	Poor	Low		In	Transplant	A, C, H	Partial Branch Decay	
C04/110	T10608	187	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	6	0.14	4	Poor	Poor	Low		In	Transplant	A, C, H	Partial Branch Decay	
C04/110	T10609	188	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	6	0.13	3.5	Poor	Poor	Low		In	Fell	A, C, H	Partial Branch Decay	
C04/110	T10610	189	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	7	0.14	5.5	Fair	Fair	Med		In	Transplant	A, C, H		
C04/110	T10611	190	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	8	0.24	6	Fair	Fair	Med		In	Transplant	A, C, H	Forked	
C04/110	T10612	191	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	6	0.11	2	Poor	Poor	Low		In	Fell	A, C, H	Partial Branch Decay	
C04/110	T10614	192	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	8	0.20	2	Fair	Fair	Med		In	Transplant	A, C, H	Upright	
C04/110	T10615	193	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	7	0.18	5	Fair	Fair	Med		In	Transplant	A, C, H		
C04/110	T10616	194	<i>Chukrasia tabularia</i>	麻棟	LCSD	LCSD	7	0.14	4	Poor	Poor	Low		In	Transplant	A, C, H	Partial Branch Decay	
C04/110	T10617	195	<i>Archontophoenix alexandrae</i>	假檳榔	LCSD	LCSD	4	0.11	2.5	Poor	Poor	Low		In	Transplant	A, C, H		
C04/110	T10618	196	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	6	0.14	4	Fair	Fair	Med		In	Transplant	A, C, H	Forked	
C04/110	T10619	197	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	7	0.12	3	Good	Fair	Low		In	Transplant	A, C, H		
C04/110	T10620	198	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	6	0.13	4	Fair	Fair	Med		In	Transplant	A, C, H	Leaning trunk	
C04/110	T10621	199	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	8	0.40	5.5	Fair	Fair	Med		In	Transplant	A, C, H	Forked	
C04/110	T10622	200	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	4	0.11	3	Poor	Poor	Low		In	Fell	A, C, H	Forked	
C04/110	T10623	201	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	9	0.45	6.5	Fair	Fair	Med		In	Fell	A, C, H	Forked	
C04/110	T10624	202	<i>Acacia confusa</i>	台灣相思	LCSD	LCSD	9	0.48	6.5	Fair	Fair	Med		In	Fell	A, C, H	Leaning, Branch Decay	
C04/110	T10625	203	<i>Bauhinia variegata</i>	宮粉羊蹄甲	LCSD	LCSD	4	0.12	3.5	Good	Fair	Low		In	Transplant	A, C, H		
C04/110	U0010	212	<i>Peltophorum pterocarpum</i>	雙翼豆	LCSD	LCSD	12	0.36	7	Fair	Good	Med		In	Transplant	A, C, H	Leaning trunk, loose bark	
C04/110	U0018	218	<i>Ficus microcarpa</i>	細葉榕	LCSD	LCSD	7	0.29	8	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0031	223	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.24	5	Good	Good	Low		In	Transplant	A, C, H		
C04/110	U0032	224	<i>Roystonea regia</i>	王棕	LCSD	LCSD	10	0.40	6	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0033	225	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.30	6	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0034	226	<i>Roystonea regia</i>	王棕	LCSD	LCSD	10	0.44	6	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0035	227	<i>Roystonea regia</i>	王棕	LCSD	LCSD	8	0.40	5	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0036	228	<i>Roystonea regia</i>	王棕	LCSD	LCSD	9	0.32	5	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0037	229	<i>Roystonea regia</i>	王棕	LCSD	LCSD	9	0.36	6	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0038	230	<i>Roystonea regia</i>	王棕	LCSD	LCSD	7	0.23	6	Good	Good	Low		In	Transplant	A, C, H		
C04/110	U0044	236	<i>Grevillea robusta</i>	銀樺	LCSD	LCSD	6	0.10	3	Fair	Good	Low		In	Transplant	A, C, H		
C04/110	U0045	237	<i>Cassia siamea</i>	鐵刀木	LCSD	LCSD	11	0.25	5	Fair	Good	Med		In	Transplant	A, C, H	Unbalanced crown	
C04/110	U0046	238	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	8	0.12	3	Good	Good	Low		In	Transplant	A, C, H		
C04/110	U0047	239	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.16	3	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0048	240	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	11	0.25	4	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0049	241	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	11	0.21	4	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0050	242	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	10	0.20	5	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0051	243	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	11	0.22	4	Good	Good	Med		In	Transplant	A, C, H		
C04/110	U0052	244	<i>Melaleuca quinquenervia</i>	白千層	LCSD	LCSD	12	0.24	6	Good	Good	Med		In	Transplant	A, C, H		
C04/111	T9001	1	<i>Ficus religiosa</i>	菩提樹	LandsD	LCSD	7	0.33	7	Fair	Fair	Med		In	Fell	E, H, J		





EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-2: WORKS IN SHAM SHUI PO DISTRICT

Part 1 - Existing Tree Assessment Schedule for LCSD

SURVEY SHEET No. C8001/TXRLU/RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, Hyd, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Important Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	GAZETTAL BOUNDARY (In or Just in or Out)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD									
C04/112	T9932	190	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	6	0.11	5	Poor	Poor	Low		In	Fell	A, E		
C04/112	T9933	191	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.17	4	Fair	Fair	Med		In	Transplant	A, E		
C04/112	T9934	192	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	6	0.17	5	Fair	Fair	Med		In	Transplant	A, E		
C04/112	T9935	193	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	3	0.10	3	Poor	Fair	Low		In	Fell	A, E	Leaning trunk	
C04/112	T9936	194	<i>Leucaena leucocephala</i>	銀合歡	LCSD	LCSD	7	0.14	1	Poor	Poor	Low		In	Fell	A, E	Forked, Leaning	
C04/112	T9937	195	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.14	5	Fair	Fair	Med		In	Transplant	A, E	Leaning trunk	
C04/112	T9938	196	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	6	0.16	5	Fair	Fair	Med		In	Transplant	A, E	Leaning trunk	
C04/112	T9939	197	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.10	3	Poor	Poor	Low		In	Fell	A, E	Leaning trunk	
C04/112	T9940	198	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.13	3	Fair	Fair	Med		In	Transplant	A, E		
C04/112	T9941	199	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.16	4	Fair	Fair	Med		In	Transplant	A, E	Leaning trunk	
C04/112	T9942	200	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	4	0.11	3	Poor	Poor	Low		In	Fell	A, E	Bending trunk	
C04/112	T9943	201	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	4	0.10	2	Poor	Poor	Low		In	Fell	A, E		
C04/112	T9944	202	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	6	0.16	5	Good	Good	High		In	Transplant	A, E		
C04/112	T9945	203	<i>Acacia mangium</i>	大葉相思	LCSD	LCSD	7	0.20	5	Poor	Poor	Low		In	Transplant	A, E	Leaning trunk	
C04/112	T9946	204	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	3	0.10	3	Poor	Poor	Low		In	Fell	A, E	Leaning trunk	
C04/112	T9947	205	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.13	5	Poor	Poor	Low		In	Fell	A, E		
C04/112	T9948	206	<i>Albizia lebbek</i>	大葉合歡	LCSD	LCSD	8	0.29	6	Fair	Fair	Low		In	Transplant	A, E	Forked	
C04/112	T9949	207	<i>Lophostemon confertus</i>	紅膠木	LCSD	LCSD	8	0.13	4	Poor	Poor	Low		In	Fell	A, E	Partial Branch Decay	
C04/112	T9950	208	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	7	0.24	5	Poor	Fair	Low		In	Transplant	A, E	Forked	
C04/112	T9951	209	<i>Ficus elastica</i>	印度橡樹	LCSD	LCSD	4	0.10	3	Poor	Poor	Low		In	Transplant	A, E	Leaning trunk	
C04/112	T9994	210	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	4	0.10	3	Poor	Poor	Low		In	Fell	A, E	Forked, Leaning	
C04/112	T9995	211	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	6	0.14	3	Poor	Poor	Low		In	Fell	A, E	Partial Branch Decay	
C04/112	T9996	212	<i>Litsea glutinosa</i>	潺槁樹	LCSD	LCSD	6	0.12	3	Poor	Poor	Low		In	Transplant	A, E	Partial Branch Decay	
C04/112	T9997	213	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	4	0.10	3	Poor	Poor	Low		In	Fell	A, E	Leaning trunk	
C04/112	T9998	214	<i>Litsea glutinosa</i>	潺槁樹	LCSD	LCSD	6	0.23	4	Fair	Fair	Med		In	Transplant	A, E		
C04/112	T9999	215	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.18	5	Poor	Poor	Low		In	Fell	A, E	Leaning trunk	
C04/112	T10000	217	<i>Litsea glutinosa</i>	潺槁樹	LCSD	LCSD	6	0.14	3	Poor	Poor	Low		In	Transplant	A, E	Leaning trunk	
C04/112	T10001	216	<i>Grevillea robusta</i>	銀樺	LCSD	LCSD	6	0.11	2	Good	Good	Low		In	Transplant	A, E		
C04/112	T10002	218	<i>Grevillea robusta</i>	銀樺	LCSD	LCSD	7	0.14	3	Fair	Fair	Med		In	Transplant	A, E	Partial Branch Decay	
C04/112	T10003	219	<i>Bombax ceiba</i>	木棉	LCSD	LCSD	9	0.33	4	Good	Good	High		In	Transplant	A, E	Partial Branch Decay	
C04/112	T10004	220	<i>Lagerstroemia speciosa</i>	洋紫薇	LCSD	LCSD	5	0.10	3	Poor	Poor	Low		In	Transplant	A, E	Upright	
C04/112	T10005	221	<i>Macaranga tanarius</i>	血桐	LCSD	LCSD	7	0.26	5	Fair	Fair	Med		In	Fell	A, E	Forked	
C04/112	T10006	222	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	6	0.14	2	Poor	Poor	Low		In	Fell	A, E	Forked	
C04/112	T10007	223	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	6	0.15	1	Fair	Fair	Med		In	Transplant	A, E	Forked	
C04/112	T10008	224	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	7	0.10	2	Poor	Poor	Low		In	Fell	A, E	Forked	
C04/112	T10009	225	<i>Litsea glutinosa</i>	潺槁樹	LCSD	LCSD	7	0.11	2	Poor	Poor	Low		In	Fell	A, E	Forked	
C04/112	T10010	226	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	5	0.10	3	Poor	Poor	Low		In	Fell	A, E	Leaning trunk	
C04/112	T10011	227	<i>Pongamia pinnata</i>	水黃皮	LCSD	LCSD	4	0.12	3	Poor	Poor	Low		In	Transplant	A, E	Leaning trunk	
C04/112	T10012	228	<i>Ailanthus fordii</i>	福氏臭椿	LCSD	LCSD	9	0.22	3	Fair	Fair	Med	IT	In	Transplant	A, E	Listed under the Forestry Regulations (Cap.96 sub.leg.)	

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

Note E: Affected by contractors works area

Note F: Affected by PTL construction

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

	Including Leu.Leu	excluding Leu.Leu
retained trees	365	328
transplanted trees	471	471
felled trees	87	79
total trees	923	878

\* excluding 8 nos. of Dead trees.







## EXPRESS RAIL LINK

## CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

## TLP-2: WORKS IN SHAM SHUI PO DISTRICT

## Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/JU RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Important Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/106	T10890	53	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.14	4	Poor	Fair	Low	Low	Fell	K	Leaning trunk	
C04/106	T10891	57	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.13	3	Poor	Poor	Low	Low	Fell	K		
C04/106	T10892	58	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.13	3	Poor	Poor	Low	Low	Fell	K	Leaning trunk	
C04/106	T10893	59	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.14	5	Poor	Fair	Low	Low	Fell	K	Partial Branch Decay	
C04/106	T10894	60	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.16	3	Poor	Fair	Low	Low	Fell	K	Leaning, Vines	
C04/106	T10895	61	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.15	4	Poor	Fair	Low	Low	Fell	K	Leaning, Vines	
C04/106	T10896	62	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.14	3	Poor	Fair	Low	Low	Fell	K	Leaning, Vines	
C04/106	T10897	63	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.17	4	Poor	Fair	Low	Low	Fell	K	Leaning, Vines	
C04/106	T10898	64	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.13	2	Poor	Poor	Low	Low	Fell	K	Leaning, Vines	
C04/106	T10899	65	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.16	4	Poor	Poor	Low	Low	Fell	K		
C04/106	T13880	66	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.14	2	Poor	Poor	Low	Low	Fell	K	Leaning, Branch Decay	
C04/106	T13881	67	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.22	2	Poor	Poor	Low	Low	Fell	K	Leaning trunk	
C04/106	T13882	68	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.18	3	Poor	Poor	Low	Low	Fell	K		
C04/106	T13884	69	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.21	3	Fair	Poor	Low	Low	Fell	K	Leaning trunk	
C04/106	T13885	70	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.16	3	Poor	Poor	Low	Low	Fell	K	Leaning, Branch Decay	
C04/106	T13886	71	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.11	4	Poor	Poor	Low	Low	Fell	K	Forked	
C04/106	T13887	72	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.23	2	Poor	Poor	Low	Low	Fell	K	Trunk bending	
C04/106	T13888	73	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.13	2	Poor	Poor	Low	Low	Fell	K	Forked, Partial Branch Decay	
C04/106	T13890	74	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.15	3	Poor	Poor	Low	Low	Fell	K	Toppled	
C04/106	T13891	75	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.14	4	Poor	Poor	Low	Low	Fell	K	Toppled	
C04/106	T13892	76	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.17	3	Poor	Fair	Low	Low	Fell	K	Multistem, Partial Branch Decay, Leaning	
C04/106	T13893	77	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.16	3	Poor	Poor	Low	Low	Fell	K	Leaning, Branch Decay	
C04/106	T13894	78	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.15	4	Fair	Fair	Low	Low	Fell	K	Toppled	
C04/106	U0002	79	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	9	0.13	6	Fair	Fair	Low	Med	Fell	K		
C04/106	U0003	80	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	10	0.12	7	Fair	Fair	Low	Med	Fell	K	On slope	
C04/106	U0004	80	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.12	5	Poor	Poor	Low	Low	Fell	K	On slope	
C04/106	U0005	81	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	10	0.22	7	Fair	Fair	Low	Med	Fell	K	On slope	
C04/106	U0006	82	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	12	0.23	8	Poor	Poor	Low	Low	Fell	K	On slope	
C04/106	U0007	83	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.10	2	Poor	Poor	Low	Low	Fell	K	On slope	
C04/106	U0037	84	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	14	0.26	6	Poor	Poor	Low	Low	Fell	K	On slope	
C04/107	T9144	20	<i>Bombax ceiba</i>	木棉	LandsD	AFCD	4	0.22	3	Fair	Fair	Med	High	Retain	-	Forked	
C04/107	T9145	21	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.13	4	Poor	Poor	Low	Low	Retain	-	Partial Branch Decay, Leaning	
C04/107	T9147	23	<i>Celtis sinensis</i>	朴樹	LandsD	AFCD	6	0.13	4	Good	Fair	Med	Med	Transplant	E		
C04/107	T9377	75	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.18	4	Poor	Poor	Low	Low	Fell	E	Partial Branch Decay, Leaning	
C04/107	T9378	76	<i>Leucaena leucocephala</i>	銀合歡	DLO	AFCD	7	0.15	7	Poor	Poor	Low	Low	Retain & Prune	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9379	77	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.14	6	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9380	78	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.11	6	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9381	79	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.14	6	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9382	80	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.12	6	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9383	81	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.12	6	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9384	82	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.14	4	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9386	83	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.12	5	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9387	84	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.12	4	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9388	85	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.12	4	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T9390	86	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.13	5	Poor	Poor	Low	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T10901	88	<i>Cassia surattensis</i>	黃槐	LandsD	AFCD	5	0.14	3	Fair	Fair	Med	Low	Fell	E	Leaning, Branch Decay	
C04/107	T10902	89	<i>Cassia surattensis</i>	黃槐	LandsD	AFCD	4	0.11	3	Fair	Fair	Med	Low	Fell	E	Leaning, Branch Decay	
C04/107	T10903	90	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	7	0.26	8	Fair	Fair	Med	Low	Fell	E	Multistem, Partial Branch Decay, Leaning	
C04/107	T10904	91	<i>Celtis sinensis</i>	朴樹	LandsD	AFCD	7	0.14	4	Fair	Fair	Med	High	Fell	E	Leaning trunk	
C04/107	T10919	106	<i>Bombax ceiba</i>	木棉	LandsD	AFCD	6	0.40	4	Fair	Fair	Med	Med	Transplant	C, E	Leaning trunk	
C04/107	T10920	107	<i>Bombax ceiba</i>	木棉	LandsD	AFCD	6	0.35	4	Good	Good	Med	Med	Transplant	C, E		
C04/107	T10930	111	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	6	0.32	4	Fair	Fair	Med	Low	Fell	C	Multistem	
C04/107	T10931	112	<i>Broussonetia papyrifera</i>	構樹	LandsD	AFCD	6	0.11	2	Fair	Fair	Low	Low	Fell	C	Leaning trunk	
C04/107	T10932	113	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.15	3	Poor	Poor	Low	Low	Fell	C	Leaning trunk	
C04/107	T10933	114	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.17	3	Poor	Poor	Low	Low	Fell	C	Leaning trunk	
C04/107	T10934	115	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.28	4	Poor	Poor	Low	Low	Fell	C	Leaning trunk	
C04/107	T10936	116	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	5	0.17	2	Poor	Poor	Low	Low	Fell	C	Multistem	
C04/107	T10937	117	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.11	2	Poor	Poor	Low	Low	Fell	C	Partial Branch Decay	
C04/107	T10946	126	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.16	4	Poor	Poor	Low	Low	Fell	C, E, I	Partial Branch Decay, Leaning	
C04/107	T11045	128	<i>Roystonea regia</i>	王棕	LandsD	AFCD	5	0.17	2	Fair	Fair	Low	Med	Retain	-	Yellow leaves	
C04/107	T11046	129	<i>Roystonea regia</i>	王棕	LandsD	AFCD	5	0.11	2	Poor	Fair	Low	Low	Retain	-	Yellow leaves	
C04/107	T11047	130	<i>Roystonea regia</i>	王棕	LandsD	AFCD	5	0.19	2	Poor	Fair	Low	Low	Retain	-	Yellow leaves	
C04/107	U0001	131	<i>Ficus variegata var. chlorocarpa</i>	青果榕	LandsD	AFCD	8	0.28	10	Good	Good	Med	Low	Fell	I		







EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-2: WORKS IN SHAM SHUI PO DISTRICT

Part 2 - Existing Tree Assessment Schedule for AFCD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/112	T8930	69	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.13	5	Fair	Poor	Low	Low	Retain	-	Multistem, Partial Branch Decay	
C04/112	T8932	72	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.16	3	Poor	Poor	Low	Low	Retain	-	Forked, Partial Branch Decay	
C04/112	T8933	73	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.12	1	Poor	Fair	Low	Low	Retain	-	Partial Branch Decay	
C04/112	T8934	74	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.12	1	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8935	75	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.24	5	Poor	Fair	Low	Low	Retain	-		
C04/112	T8936	76	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.11	3	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8937	77	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	1	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8938	78	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	1	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8940	79	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.13	3	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8942	80	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.14	2	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8943	81	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.10	1	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8944	82	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.12	3	Poor	Fair	Low	Low	Retain	-	Leaning trunk	
C04/112	T8945	83	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	2	Poor	Poor	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8946	84	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.18	4	Fair	Fair	Low	Low	Fell	A, E	Forked	
C04/112	T8947	85	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.10	1	Poor	Fair	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8948	86	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.23	6	Fair	Fair	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8949	87	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.19	5	Fair	Fair	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8950	88	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.11	1	Poor	Poor	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8952	89	<i>Acacia confusa</i>	台灣相思	LandsD	AFCD	7	0.20	4	Fair	Fair	Med	Low	Fell	A, E	Multistem, Vines	
C04/112	T8953	90	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.21	3	Poor	Fair	Low	Low	Fell	A, E	Partial Branch Decay	
C04/112	T8954	91	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	4	0.13	4	Poor	Poor	Low	Low	Fell	A, E	Leaning, Branch Decay	
C04/112	T8955	92	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	9	0.22	4	Fair	Fair	Low	Low	Fell	A, E	Partial Branch Decay	
C04/112	T8956	93	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	9	0.23	4	Poor	Fair	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8957	94	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.17	4	Poor	Poor	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8958	95	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.16	4	Poor	Poor	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8959	96	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.17	5	Poor	Fair	Low	Low	Retain	-	Multistem	
C04/112	T8960	97	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.15	5	Poor	Fair	Low	Low	Retain	-	Forked, Leaning	
C04/112	T8961	98	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.12	1	Poor	Fair	Low	Low	Retain	-	Multistem, Leaning	
C04/112	T8962	99	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	3	Poor	Fair	Low	Low	Retain	-	Multistem, Leaning	
C04/112	T8975	100	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.10	1	Fair	Fair	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8976	101	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.10	1	Poor	Poor	Low	Low	Fell	A, E	Leaning trunk	
C04/112	T8977	102	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.17	4	Fair	Fair	Low	Low	Retain	-		
C04/112	T8978	103	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	6	0.16	2	Poor	Fair	Low	Low	Fell	A, E	Multistem, Partial Branch Decay	
C04/112	T8979	104	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	8	0.19	4	Fair	Fair	Low	Low	Fell	A, E	Trunk Damage	
C04/112	T8980	105	<i>Leucaena leucocephala</i>	銀合歡	LandsD	AFCD	7	0.15	2	Poor	Fair	Low	Low	Fell	A, E	Forked, Leaning	

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

	Including Leu.Leu	excluding Leu.Leu
retained trees	178	52
transplanted trees	3	3
felled trees	228	60
total trees	409	115

\* excluding 1 nos. of Dead tree.





## EXPRESS RAIL LINK

## CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

## TLP-2: WORKS IN SHAM SHUI PO DISTRICT

## Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Importment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/111	T9067	32	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.12	3	Poor	Poor	Low		Low	Fell	A, E, H	Slightly leaning
C04/111	T9068	33	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.11	2	Fair	Fair	Low		High	Fell	A, E, H	
C04/111	T9069	34	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	8	0.15	5	Fair	Fair	Med		High	Fell	A, E, H	Forked
C04/111	T9070	35	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	6	0.15	4	Poor	Poor	Low		Low	Fell	A, E, H	
C04/111	T9071	36	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.25	6	Fair	Fair	Med		High	Fell	A, E, H	
C04/111	T9072	37	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	9	0.13	5	Fair	Fair	Low		High	Fell	A, E, H	Forked
C04/111	T9073	38	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.25	6	Fair	Fair	Med		High	Fell	A, E, H	Tree crown fused with other tree crown
C04/111	T9074	39	<i>Melia azedarach</i>	苦楝	HyD	HyD	9	0.12	3	Poor	Poor	Low		Low	Fell	A, E, H	Tree crown fused with other tree crown
C04/111	T9075	40	<i>Melia azedarach</i>	苦楝	HyD	HyD	12	0.25	6	Fair	Fair	Med		High	Fell	A, E, H	Tree crown fused with other tree crown
C04/111	T9076	41	<i>Melia azedarach</i>	苦楝	HyD	HyD	9	0.22	8	Fair	Fair	Med		High	Fell	A, E, H	Tree crown fused with other tree crown
C04/111	T9077	42	<i>Melia azedarach</i>	苦楝	HyD	HyD	9	0.14	4	Fair	Fair	Med		High	Fell	A, E, H	Tree crown fused with other tree crown
C04/111	T9078	43	<i>Melia azedarach</i>	苦楝	HyD	HyD	7	0.16	4	Poor	Poor	Low		Low	Fell	A, E, H	Tree crown fused with other tree crown
C04/111	T9079	44	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.25	7	Fair	Fair	Med		High	Fell	A, E, H	Tree crown fused with other tree crown
C04/111	T9080	45	<i>Albizia lebbek</i>	大葉合歡	HyD	HyD	4	0.11	2	Poor	Poor	Low		Low	Fell	E, H, J	Tree crown fused with other tree crown
C04/111	T9081	46	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	6	0.11	4	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9082	48	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	4	0.12	5	Poor	Poor	Low		Low	Fell	E, H, J	Forked
C04/111	T9083	47	-	-	HyD	HyD	9	0.15	1.5	-	-	-		-	Dead	-	
C04/111	T9084	49	-	-	HyD	HyD	9	0.20	1.5	-	-	-		-	Dead	-	
C04/111	T9085	50	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.17	4	Fair	Fair	Med		High	Fell	E, H, J	Forked
C04/111	T9086	51	<i>Macaranga tanarius</i>	血桐	HyD	HyD	7	0.20	6	Poor	Poor	Low		Low	Fell	E, H, J	Trunk bending
C04/111	T9087	53	<i>Albizia lebbek</i>	大葉合歡	HyD	HyD	3	0.11	1.5	Poor	Poor	Low		Low	Fell	E, H, J	Forked
C04/111	T9088	52	<i>Melia azedarach</i>	苦楝	HyD	HyD	10	0.28	5	Fair	Fair	Med		High	Fell	E, H, J	
C04/111	T9089	54	<i>Melia azedarach</i>	苦楝	HyD	HyD	7	0.13	5	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9090	55	<i>Melia azedarach</i>	苦楝	HyD	HyD	10	0.29	7	Fair	Poor	Med		High	Fell	E, H, J	Forked
C04/111	T9091	56	<i>Melia azedarach</i>	苦楝	HyD	HyD	7	0.19	3	Poor	Poor	Low		Low	Fell	E, H, J	Trunk bending
C04/111	T9092	57	-	-	HyD	HyD	6	0.12	1.5	-	-	-		-	Dead	-	
C04/111	T9093	58	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.17	6	Fair	Fair	Med		High	Fell	E, H, J	Forked
C04/111	T9094	59	<i>Acacia confusa</i>	台灣相思	HyD	HyD	6	0.11	4	Poor	Poor	Low		Low	Fell	E, H, J	Trunk bending
C04/111	T9095	60	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.23	3	Fair	Fair	Med		High	Fell	E, H, J	
C04/111	T9096	61	<i>Celtis sinensis</i>	朴樹	HyD	HyD	11	0.40	11	Fair	Fair	Med		Med	Fell	E, H, J	Forked
C04/111	T9097	62	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.20	5	Fair	Fair	Med		High	Fell	E, H, J	
C04/111	T9098	63	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.25	5	Fair	Fair	Med		High	Fell	E, H, J	
C04/111	T9099	64	<i>Acacia confusa</i>	台灣相思	HyD	HyD	4	0.11	3	Fair	Fair	Low		Low	Fell	E, H, J	Pruned, Forked
C04/111	T9151	65	<i>Celtis sinensis</i>	朴樹	HyD	HyD	11	0.57	8	Fair	Fair	Med		Med	Fell	E, H, J	Leaning trunk
C04/111	T9152	66	<i>Melia azedarach</i>	苦楝	HyD	HyD	11	0.25	5	Fair	Fair	Med		High	Fell	E, H, J	Slightly trunk bending
C04/111	T9153	67	<i>Celtis sinensis</i>	朴樹	HyD	HyD	11	0.40	10	Fair	Fair	Med		Med	Fell	E, H, J	Leaning trunk
C04/111	T9154	68	<i>Melia azedarach</i>	苦楝	HyD	HyD	12	0.17	3	Poor	Poor	Low		Low	Fell	E, H, J	
C04/111	T9155	69	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	6	0.11	4	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9156	70	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	5	0.12	2	Poor	Poor	Low		Low	Fell	E, H, J	
C04/111	T9157	71	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.11	3	Poor	Poor	Low		Low	Fell	E, H, J	
C04/111	T9158	72	<i>Melia azedarach</i>	苦楝	HyD	HyD	12	0.26	6	Fair	Fair	Med		High	Fell	E, H, J	Leaning trunk
C04/111	T9159	73	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	9	0.15	4	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9160	74	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	4	0.17	4	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9161	75	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.12	3	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9162	76	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	8	0.17	5	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9163	77	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.18	7	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9164	78	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	11	0.25	6	Fair	Fair	Med		High	Fell	E, H, J	
C04/111	T9165	79	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	8	0.11	4	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9166	80	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.17	6	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9167	81	-	-	HyD	HyD	6	0.13	6	-	-	-		-	Dead	-	
C04/111	T9168	82	-	-	HyD	HyD	5	0.11	3	-	-	-		-	Dead	-	
C04/111	T9169	83	-	-	HyD	HyD	12	0.40	4	-	-	-		-	Dead	-	
C04/111	T9170	84	<i>Melia azedarach</i>	苦楝	HyD	HyD	7	0.13	5	Fair	Fair	Low		High	Fell	E, H, J	
C04/111	T9171	85	<i>Macaranga tanarius</i>	血桐	HyD	HyD	6	0.12	4	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9172	86	<i>Leucaena leucocephala</i>	銀合歡	HyD	HyD	7	0.25	6	Poor	Poor	Low		Low	Fell	E, H, J	Partial Branch Decay, Leaning
C04/111	T9173	87	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	7	0.13	4	Poor	Poor	Low		Low	Fell	E, H, J	Leaning trunk
C04/111	T9174	88	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	11	0.55	9	Fair	Fair	Med		High	Fell	E, H, J	
C04/111	T9175	89	<i>Macaranga tanarius</i>	血桐	HyD	HyD	9	0.26	7	Fair	Fair	Med		Low	Fell	E, H, J	Forked, Partial Branch Decay
C04/111	T9176	91	<i>Bauhinia variegata</i>	宮粉羊蹄甲	HyD	HyD	10	0.25	8	Fair	Fair	Med		High	Retain & Prune	E, H, J	Forked, Partial Branch Decay

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-2: WORKS IN SHAM SHUI PO DISTRICT

Part 3 - Existing Tree Assessment Schedule for HyD

SURVEY SHEET No. C8001/T/XRL/U RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	SIZE (m)			FORM  (Good/Fair/Poor)	HEALTH  (Good/Fair/Poor)	AMENITY VALUE  (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
							OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

	Including Leu.Leu	excluding Leu.Leu
retained trees	37	37
transplanted trees	0	0
felled trees	73	71
total trees	110	108

\* excluding 9 nos. of Dead trees.

EXPRESS RAIL LINK

CONSULTANCY AGREEMENT NO. C8001 - TREE TRANSPLANTING / FELLING

TLP-2: WORKS IN SHAM SHUI PO DISTRICT

Part 4 - Existing Tree Assessment Schedule for ArchSD

SURVEY SHEET No. C8001/T/XR/LU RB/	TREE No.	PHOTO No.	BOTANICAL NAME	CHINESE COMMON NAME	MAINTENANCE DEPARTMENT	DEPARTMENT TO ADVISE LandsD (ArchSD, AFCD, LCSD, HyD, HD)	Original Location	TOP OF SOIL LEVEL ABOVE ROOT COLLAR	SIZE (m)			FORM (Good/Fair/Poor)	HEALTH (Good/Fair/Poor)	AMENITY VALUE (High/Med/Low)	Old & Valuable Tree or Imporment Tree (OVT/IT)	SURVIVAL RATE AFTER TRANSPLANTING (High/Med/Low)	RECOMMENDATION	JUSTIFICATION	REMARKS
									OVERALL HEIGHT	TRUNK DIAMETER	CROWN SPREAD								
C04/105	T8618	25	<i>Bauhinia variegata</i>	宮粉羊蹄甲	Private	ArchSD	NKIL 6436	6.14	4	0.10	3	Fair	Poor	Low		Low	Fell	I	Sparse crown
C04/105	T8619	23	<i>Cassia siamea</i>	鐵刀木	Private	ArchSD	NKIL 6436	5.94	6	0.12	4.8	Fair	Fair	Low		High	Fell	I, J	
C04/105	T8620	24	<i>Cassia siamea</i>	鐵刀木	Private	ArchSD	NKIL 6436	5.94	5	0.10	3	Fair	Fair	Low		High	Fell	I, J	Trunk bending
C04/105	T8633	38	<i>Melaleuca quinquenervia</i>	白千層	Private	ArchSD	NKIL 6436	5.79	6	0.13	2	Good	Good	Low		Med	Transplant	I, J	Forked
C04/105	T8634	39	<i>Melaleuca quinquenervia</i>	白千層	Private	ArchSD	NKIL 6436	5.78	5	0.12	2	Good	Good	Low		Med	Transplant	I, J	
C04/109	U0023	99	<i>Sterculia lanceolata</i>	假蘋婆	Private	ArchSD	NKIL 6363	4.5	5	0.14	4	Good	Fair	High		Med	Transplant	A,I	Size of leaves is smaller than normal size of this species
C04/109	U0024	100,101	<i>Camellia semiserrata</i>	廣寧油茶	Private	ArchSD	NKIL 6363	4.5	4	0.16	1	Fair	Fair	Med		Med	Transplant	A,I	
C04/109	U0025	102,103	<i>Ligustrum lucidum</i>	女貞	Private	ArchSD	NKIL 6363	4.5	6	0.14	5	Good	Good	High		High	Transplant	A,I	
C04/109	U0026	104,105	<i>Temstroemia gymnanthera</i>	厚皮香	Private	ArchSD	NKIL 6363	4.5	4	0.10	2	Good	Fair	High		Med	Transplant	A,I	Die-back branches
C04/109	U0027	106,107	<i>Elaeocarpus chinensis</i>	中華杜英	Private	ArchSD	NKIL 6363	4.5	4	0.12	2	Good	Good	High		High	Transplant	A,I	
C04/109	U0028	108,109	<i>Elaeocarpus decipiens</i>	杜英	Private	ArchSD	NKIL 6363	4.5	6	0.13	3	Good	Good	High		High	Transplant	A,I	
C04/109	U0029	110,111	<i>Cerbera manghas</i>	海芒果	Private	ArchSD	NKIL 6363	4.5	5	0.16	5	Good	Good	Med		High	Transplant	A,I	
C04/109	U0030	112,113	<i>Camellia oleifera</i>	油茶	Private	ArchSD	NKIL 6363	4.5	6	0.10	3	Good	Good	High	IT	High	Transplant	A,I	Multistemmed Listed under the Forestry Regulations (Cap.96 sub.leg.)

Key to notation in "Justification" column

Note A: Affected by Temporary Traffic Management works (TTM)

Note B: Affected by Retaining Walls and Slope Works construction

Note C: Affected by Vent Building construction

Note D: Affected by West Kowloon Terminus construction

Note E: Affected by contractors works area

Note F: Affected by PTI construction

Note G: Affected by Footbridge Demolition/ Reconstruction

Note H: Affected by Ground Treatment works

Note I: Affected by Utilities Diversion, Box Culvert Reconstruction, Pile Removal, Pier Demolition

Note J: Affected by TBM Launch Shaft Construction, Temporary Construction Shaft

Note K: Affected by Barging Point Area

Note L: Affected by Explosive Magazine Site

retained trees	0
transplanted trees	10
felled trees	3
total trees	13