





## Tree Survey Drawings (with Engineering Design overlaid)

















			•	
			ļ	
			i.	
	EV EV	V &	Rogin C	
			<sup>ر</sup> <sup>0</sup>	
			×	A CAN
·			1	
	•~		2325	
		•	ě	ě
				ى مى
				Š,
TTT I	\$ ×		~	•
			深	旺道
	( <u> </u>			
		\$ • •	<u>```</u>	
			I I I	
	SAL			
86 014		CW		
1960				
	•			
and the second s				
nd CW				
0				
	LEGEND	GAZETTAL BOUNDARY		4
	LEGEND	GAZETTAL BOUNDARY DIVIDING LINE FOR		04/104
南昌站	LEGEND	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES		URB/C04/104
	LEGEND	DIVIDING LINE FOR DEPARTMENTAL		/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES	VE	001/T/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT	IL INE	5 _ C8001/T/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT	ATCH ILINE Bis Constitution	.E DWG C09001/T/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED	MATCH  L INE	SEE DWG C8001/T/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE	MATCH IL INE	SEE DWG C0001/T/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING	MATCH LINE	SEE DWG C0001/T/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING	MATCH LL INE	SEE DWG C8001/1/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED	MATCH IL INE	SEE DWG C8001/T/XRL/URB/C04/104
	T0005(R) T0005(P) T0005(F)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED	MATCH IL INE	SEE DWG C8001/T/XRL/URB/C04/104
	T0005(R) T0005(P) T0005(F)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RELED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED		SEE
	T0005(R) T0005(R) T0005(P) T0005(F) T0005(T)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RELED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED	MATCH IL INE	SEE
	T0005(R) T0005(R) T0005(P) T0005(F) T0005(T)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE		SEE
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(P) T0005(P) T0005(P)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE	GHWA	
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(P) T0005(P) T0005(P)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE EXISTING TREE	GHWA	SEE
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(T) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE EXISTING TREE	им GHWA	
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(T) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING DEAD TREE EXISTING TREE OUTSIDE GAZETTAL BOUNDARY	им GHWA	
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(T) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING DEAD TREE EXISTING TREE OUTSIDE GAZETTAL BOUNDARY METRES	GHWA	
南昌站	T0005(R) T0005(R) T0005(P) T0005(P) T0005(P) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE EXISTING TREE D BE TRANSPLANTED EXISTING TREE 0 BE TRANSPLANTED EXISTING TREE 0 DIS 10 15 20 21 METRES 1 : 500	GHWA	
南昌站	T0005(R) T0005(R) T0005(P) T0005(P) T0005(D) T0005(D) T0005(D) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (SM OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE O BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING	GHWA	
南昌站	CY AGRE PLANTING	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE O BE TRANSPLANTED 0.5 10 15 20 2 METRES 1 : 500 EMENT NO. / FELLING	GHWA	
南昌站	T0005(R) T0005(R) T0005(P) T0005(	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (SM OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE O BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING	GHWA	
南昌站	CY AGRE PLANTING M OF SHAM SP	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE O BE TRANSPLANTED 0.5 10 15 20 2 METRES 1 : 500 EMENT NO. / FELLING	GHWA	SEE





			•	
			ļ	
			i.	
	EV EV	V &	Rogin C	
			<sup>ر</sup> <sup>0</sup>	
			×	A CAN
·			1	
	•~		2325	
		•	ě	ě
				ى مى
				Š,
TIT!	\$ ×		~	•
			深	旺道
	( <u> </u>			
		\$ • •	<u>```</u>	
			I I I	
	SAL			
86 014		CW		
1960				
	•			
and the second s				
nd CW				
0				
	LEGEND	GAZETTAL BOUNDARY		4
	LEGEND	GAZETTAL BOUNDARY DIVIDING LINE FOR		04/104
南昌站	LEGEND	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES		URB/C04/104
	LEGEND	DIVIDING LINE FOR DEPARTMENTAL		/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES	VE	001/T/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT	IL INE	5 _ C8001/T/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT	ATCH ILINE Bis Constitution	.E DWG C09001/T/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED	MATCH  L INE	SEE DWG C8001/T/XRL/URB/C04/104
		DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE	MATCH IL INE	SEE DWG C0001/T/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING	MATCH LINE	SEE DWG C0001/T/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING	MATCH LL INE	SEE DWG C8001/1/XRL/URB/C04/104
	T0005(R)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED	MATCH IL INE	SEE DWG C8001/T/XRL/URB/C04/104
	T0005(R) T0005(P) T0005(F)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED	MATCH IL INE	SEE DWG C8001/T/XRL/URB/C04/104
	T0005(R) T0005(P) T0005(F)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RELED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED		SEE
	T0005(R) T0005(R) T0005(P) T0005(F) T0005(T)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RELED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED	MATCH IL INE	SEE
	T0005(R) T0005(R) T0005(P) T0005(F) T0005(T)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE		SEE
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(P) T0005(P) T0005(P)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE	GHWA	
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(P) T0005(P) T0005(P)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE EXISTING TREE	GHWA	SEE
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(T) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE EXISTING TREE	им GHWA	
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(T) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING DEAD TREE EXISTING TREE OUTSIDE GAZETTAL BOUNDARY	им GHWA	
	T0005(R) T0005(R) T0005(P) T0005(P) T0005(T) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING DEAD TREE EXISTING TREE OUTSIDE GAZETTAL BOUNDARY METRES	GHWA	
南昌站	T0005(R) T0005(R) T0005(P) T0005(P) T0005(P) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE EXISTING TREE D BE TRANSPLANTED EXISTING TREE 0 BE TRANSPLANTED EXISTING TREE 0 DIS 10 15 20 21 METRES 1 : 500	GHWA	
南昌站	T0005(R) T0005(R) T0005(P) T0005(P) T0005(D) T0005(D) T0005(D) T0005(D) T0005(D) T0005(D) T0005(D)	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (SM OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE O BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING	GHWA	
南昌站	CY AGRE PLANTING	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE O BE TRANSPLANTED 0.5 10 15 20 2 METRES 1 : 500 EMENT NO. / FELLING	GHWA	
南昌站	T0005(R) T0005(R) T0005(P) T0005(	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (SM OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE O BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE EXISTING TREE TO BE TRANSPLANTED EXISTING TREE TO BE TRANSPLANTED EXISTING TREE EXISTING	GHWA	
南昌站	CY AGRE PLANTING M OF SHAM SP	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (Sm OFFSET FROM KERB OF PUBLIC ROAD) PROPOSED LAYOUT EXISTING TREE TO BE RETAINED EXISTING TREE TO BE RETAINED WITH PRUNING EXISTING TREE TO BE FELLED EXISTING TREE TO BE TRANSPLANTED EXISTING DEAD TREE EXISTING TREE O BE TRANSPLANTED 0.5 10 15 20 2 METRES 1 : 500 EMENT NO. / FELLING	GHWA	SEE






		0 5 10 15 20 25		D29(R) D24(R) 7(R)7 FECEND	GAZETTAL BOUNDARY	$\geq$		華書院 a Colle	
		METRES 1 : 500	0020(R) 00020(R) 00031(R) 00013(R)	4(R) 0018(R) / U0022(R), U0022(R) 100017(R) 100025(R) / U0022(R) 00016(R) / U0027(R) 00026(R) / U0027(R) 00026(R) / U0027(R) 00026(R) / U0027(R) 00026(R) / U0027(R) 00026(R) / U0027(R) 00026(R) / U0027(R) 00027(R) / U0027(R) / U0027(R) 00027(R) / U0027(R) / U0027(R) 00027(R) / U0027(R) /	DIVIDING LINE FOR DEPARTMENTAL RESPONSIBILITIES (5m OFFSET FROM KERB OF PUBLIC ROAD)		A CONTRACTOR CONTRACTO		
			U0020(R) 	T 10005(R 10005(R 10005(R 10005(R	PROPOSED LAYOUT		AT A CONTRACT	- 19347(R)	
			U0013(R)		EXISTING TREE TO BE RETAINED		े प् प्		19351(R) 19352(R) 19352(R) 19353(R) 19353(R) 019142(R) 019142(R) 019142(R) 019141(R) 019141(R)
<i>[</i> ,,	NY TIJOY		(1:250 @		EXISTING TREE TO BE RETAINED WITH PRUNING ) EXISTING TREE		}		
Ĩ,			NES.	T0005(T	EXISTING TREE TO BE FELLED			19345(R) (19346(R) (19346(R) (19346(R) (19346(R) (19346(R) (19346(R) (19346(R) (19349(R) (19348) (19	19350(R)
	87(0 110		PLAN	T0005(D	EXISTING TREE TO BE TRANSPLANTED ) EXISTING DEAD TREE		00111100 00111100 00111100 00111100 001010 00100 00000 00000 00000 000000 000000 000000	19341 R 1 19341 R 1 1935 (R) 193 193	
	T10187(	110 	7	5 3 <sub>1/73</sub> () () () () () () () () () ()		0) 0) 0) 1) 1922(20) 1922(20) 1922(20) 1922(20) 1923(20) 19318(20) 19318(20)	E61	110 0906(R)	
-		noosier,				0) 0) 0) <u>19323(0)</u> <u>19323(0)</u> <u>19320(0)</u>		10(R) 0110909(R) 0110909(R) 0110 01 010 100 100 100 100 10	
						192986(0) 193296(0) 19329(0) 19324(0) 19324(0) 19		(1) 1332(R) (1) 10909(R) (1)	19147(1) 19147(1)
	/	U00341R U00331R U0019161					R 1001210	(1)))(2))(2))(2))(2))(2))(2))(2))(2))(2)	
					T	Т 13295 (0) Ю	19325(0) 19326(0) 19326(0) 19336(0) 19336(0) 19336(0) 19336(0) 19336(0) 19336(0) 101013(0) 1011013(0) 1011011(0) 10110101010	11090411	
		s s		/		19294(0)	13325(0) 13325(0) 1332(10) 1932(10) 1932(10) 19332(10) 19332(10) 19335(10) 19335(10) 19335(10) 19335(10) 10913(10) 1	2366 (R)	
							+ 110915(R1) 110915(R1) 1100 1100 1100 1100 1100 1100 1100	11090240 1090240 11 11 11 12 12 12 12 12 12 12 12 12 12	
			<u>^</u>		19242(R) 19242(R) 19282(0) 19282(0) 19284(0) 19286(0)		7(R)		
~					19272(0) 19274(0) 19274(0) 19274(0) 19278(0) 19278(0) 19278(0) 19288(0)	132331(0) 132331(0) 132321(0)	(110011) (110011) (110010) (110010)		
				<i>Ni</i>		9239(R) 19241(R) 19240(R) 19240(R)	1108	110320(1)	
						241)13238(R) () 19239(R) () 19231(R) 1924(R) 110923(K)			73(F)
		•							- 19379(F)
2					9232( 9232)				(4)8761
28-0c+-2009   :13:57 .dgn	/C04/106			53(0) 53(10) 55(10) 55(20) 55(20) 57(20)	333011 1923 110 110 110 110 110 110 110 110			~ \$H0p <sup>2</sup>	
28-0 107A4.dgn	ON 1/T/XRL/URB			19253(0) 19253(0) 19220(0) 19220(1) 19200(1) 19220(	1229(T) 1229(T) 1229(T) 1229(T) 1229(T) 1229(T) 1229(T) 1229(T) 1229(T) 1109 1100 1109 1109 1100 1109 1109 1100 1109 1109 1100 110	6109431			-19377(F)
V\HPLJ-A3C.pI† PRINTED BY: EIIIs -CA\C800I_T_XRL_URB_C04_I I	FOR CONTINUATION SEE DWG C8001/1/XRL/URB/C04/106			19218 9019	19223(1) (1) 2326(1) 19226(1) 19226(1) 19226(1) 19226(1) 19226(1) 19226(1) 19226(1) 10338(1) 10338(1) 10338(1) 10947(1) 10940(1) 10940(1) 10940(1) 10946(1) 10940(1) 10946(1) 10940(1) 1094	56(F) (1104(6(F))) (1004(3(T)))) (1004(3(T))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T)))) (1004(3(T))))) (1004(3(T))))) (1004(3(T))))) (1004(3(T)))))) (1004(3(T))))))(1004(3(T)))))))))))))))))))))))))))))))))))			
:VNHPLJ-A3C.F PRINTED -GANC8001_T_	FOR	M /				DRAWN		R	
J:\SCL\PLOTDRV Default I:\MTRC23\DGN-I			A4 F	OURTH ISSUE		SAN 270CT09 AD APPROVED	TO AD ORIGINATOR	EXPRESS RAIL LINK	(XRL)
PLOT DRV: J: Modelname: De Filename: I:1			A2 S	HIRD ISSUE ECOND ISSUE RAFT TREE SURVEY REPORT		SAN 09JUN09 AD DATE SAN 30APR09 AD VERIFID ON 5 SAN 01APR09 AD VERIFID ON 5 SAN 01APR09 AD VESVET OF IN VIR COMPORTI	01.APR.2009 PRAVINGS. ALL DIMENSIONS SMALL BE ITC.	n Design, Landscape, Golf & EnvironmentalCo N/F Siu On Centre, 188 Lockhart Road, Wan ( Tax 2802 8662	hsultants hai, Hong Kong.
	REV	DESCRIPTION BY		DESCRIPTION		BY DATE APPROVED BY WHATEVER M WRITTEN CONSEL		8001_T_XRL_URB_C04_107A4.dgn	







111032(F) 111036(F)   111025(F) 111026(F)   111025(F) 111034(F)   111034(F) 111034(F)   111034(F) 111034(F)   111034(F) 111032(F)   111034(F) 111032(F)   111034(F) 111032(F)   111032(F) 111032(F)   111034(F) 111032(F)   111035(F) 111032(F)   111036(F) 111032(F)   111036(F) 111032(F)   111036(F) 111032(F)   111036(F) 111032(F)   111017(R) 111032(R)   111012(R) 111012(R)	5:E. UNV. GOULT I ARCURECUATION 5:8,4
1110094(F) T1 1110032(F) 1110032(F) 1110032(F) 1110032(F) 111003(F) 111008(F) 111008(F) 19369(0) 19369(0) 19366(0) 19366(0) 19366(0) 19366(0) 19366(0) 19366(0) 19366(0) 19366(0) 19366(0) 111009(F) 110	110452(0) 110452(0) 110449(0)
(11:520 @ V11) (11:520 @ V11) (11:0411(0)) (11:0411(0) (11:0411(0)) (11	T10421(0) T10445(0)
	110336(0)-C (f) 0) 0) 0) 0) 10325(0) 110324(0)
TILE CONSULTANCY AGREEMENT NO. C800 TREE TRANSPLANTING / FELLING	10322011 10322/0
TREE SURVEY PLAN OF SHAM SHUI PO DISTRICT (SHEET 7 OF 10) 	REV.

