





Environmental Permit (No. EP-537/2017)

19 July 2018

The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wanchai, Hong Kong

Attn: Director of Environmental Protection

Dear Sir/ Madam,

Expansion of Research and Residential Facilities for The Swire Institute of Marine Science, Faculty of Science, The University of Hong Kong at Cape d' Aguilar, Shek O, Hong Kong Submission of Monthly Environmental Monitoring and Audit Report No.9

Refer to the Environmental Permit No. EP-537/2017 under Environmental Impact Assessment Ordinance (Chapter 499) Section 10.

We are pleased to submit three hard copies and three electronic copies of the monthly environmental monitoring report certified by the IEC in responded to the Specific Conditions 2.3 of the Environmental Permit (No. EP-537/2017).

Should you have any queries, please feel free to contact our Mr Cliff Ip at 2957 9611.

Thank you for your attention.

Yours faithfully For and on behalf of Percy Thomas Partnership (HK) Ltd.

Vetus T C Lau Authorized Person

VL/CI/31122(1)31.3/ Z000576 P:\31122 Swire Institute of Marine Science\Correspondence\Letter\EPD\2018-7-19 IEC report.docx

Encl. cc The University of Hong Kong

Wong & Cheng Consulting Engineers Ltd

Arcadis Acuity Sustainability Consulting Limited

- Mr John Sung	w/o	(Fax: 2517 0456)
- Mr K B Wong		. ,
- Mr Sammy Cheng	w/o	(Fax: 2865 6610)
- Mr KW Yeung		
- Mr Chris Cheng1	w/o	(Fax: 2805 5028)
- Mr Jacky Leung	w/o	(Fax: 2333 1316)
- Mr Kevin Li		· · · ·

10/F, Cheung Wah Industrial Building, 10-12 Shipyard Lane, Quarry Bay, Hong Kong. Tel: (852) 2811 1310 Fax: (852) 2564 8274 ptphk@ptp-architects.com.hk www.ptp-architects.com.hk

By Hand & Fax (fax no. 2591 0558)



Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. Temporary Office: Lot 12, Tam Kon Shan Road, Tsing Yi, N.T. Tel.: (852) 2333 6823 Fax.: (852) 2333 1316

MONTHLY ENVIRONMENTAL MONITORING AND AUDIT

(EM&A) REPORT (NO. 9)

FOR

Expansion of Research and Residential Facilities for the Swire Institute of Marine Science, The University of Hong Kong at Cape D'Aguilar, Shek O

(**Rev. 0**)

MONTHLY ENVIRONMENTAL MONITORING AND AUDIT (EM&A) REPORT (NO.9) -

FOR

EXPANSION OF RESEARCH AND RESIDENTIAL FACILITIES FOR THE SWIRE INSTITUTE OF MARINE SCIENCE

	Name	Signature
Prepared by	Ms. Cheung, Karen, K.Y.	d
Checked & Reviewed by	Mr. Tsui, Nelson, T. H.	The second
Approved by	Mr. Li, Kevin, W. M. Independent Environmental Checker (IEC)	K.

TABLE OF CONTENTS

EXECUTIVE SUMMARY

- **1.** INTRODUCTION
 - **1.1 PROJECT BACKGROUND**
 - **1.2 ORGANIZATION STRUCTURE**
 - **1.3** Scope of Report
 - 1.4 SUMMARY OF CONSTRUCTION WORKS

2. EM&A RESULTS

- 2.1 EM&A BACKGROUND
- 2.2 Environmental Licenses and Permits
- 2.3 IMPLEMENTATION OF ENVIRONMENTAL MITIGATION MEASURES
- 2.4 EM&A SITE INSPECTIONS
- 2.5 SUMMARY IF EXCEEDANCES OF ENVIRONMENTAL QUALITY PERFORMANCE LIMIT
- **3.** FUTURE KEY ISSUES
 - 3.1 CONSTRUCTION PROGRAMME FOR COMING MONTHS
 - **3.2** KEY ISSUES FOR THE COMING MONTH
- 4. CONCLUSIONS AND RECOMMENDATIONS
 - 4.1 SUMMARY

I ICT	OF	APPENDICES
	VII.	ALLENDICES

Appendix A	Location of Construction Activities
Appendix B	Project Organization
Appendix C	Cumulative Statistics on, Complaints, Notifications of Summons and Successful Prosecutions
Appendix D	Environmental Monitoring Checklist

EXECUTIVE SUMMARY

- A.1 Pursuant to the Environmental Impact Assessment (EIA) Ordinance, the Director of Environmental Protection ("DEP") granted the Environmental Permit (No. EP- 537/2017) to The University of Hong Kong ("HKU") to construct and operate the designated project for "Extension of Academic Block, The Swire Institute of Marine Science, Faculty of Science, The University of Hong Kong, Cape D'Aguilar Road, Shek O" ("The Project").
- A.2 Seemly Building Construction Company Limited ("SBC") was commissioned by HKU to undertake the construction of the extension works until 9 February 2018. Percy Thomas Partnership (HK) Limited ("PTP") was appointed by HKU as the Architect. For implementation of the environmental monitoring and audit (EM&A) requirement under the Project Profile, Acuity Sustainability Consulting Limited ("ASC") was appointed by PTP as the Independent Environmental Checker (IEC).
- A.3 The construction phase of the Contract commenced on 6 October 2017 for completion by end of 2018. The environmental site inspections of the EM&A programme commenced on October 2017.
- A.4 Main contract of the project between Seemly SBC and HKU was terminated on 9 February 2018, whole contract period of SBC covered from 28 March 2017 to 9 February 2018. Notification of suspension of works had been submitted to Building Department on 9th February 2018 by PTP. HKU will take up all responsibility of the Contractor until further notice.
- A.5 This is the 9th monthly Environmental Monitoring and Audit Report for this Contract covering the period from 6 June 2018 to 5 July 2018 (the Reporting Period). The contract with SBC was terminated on 9 February 2018, thus no construction activities was conducted in the reporting period.
- A.6 IEC Monthly Environmental Site Audit under the EM&A requirement in this reporting period was conducted on 22 June 2018.
- A.7 No environmental complaint was received via EPD in this reporting period.
- A.8 No notification of any summons and successful prosecutions was received in this reporting period.
- A.9 No reporting change was made in this reporting period.
- A.10 No major works for this Project in July 2018 will be conducted.
- A.11 EM&A monitoring for the 9th reporting period has been completed. The 10th monthly EM&A report will cover the period from 6 July 2018 to 5 August 2018.

1. INTRODUCTION

1.1. PROJECT BACKGROUND

- 1.1.1. Pursuant to the Environmental Impact Assessment (EIA) Ordinance, the Director of Environmental Protection ("DEP") granted the Environmental Permit (No. EP- 537/2017) to The University of Hong Kong ("HKU") to construct and operate the designated project for "Extension of Academic Block, The Swire Institute of Marine Science, Faculty of Science, The University of Hong Kong, Cape D'Aguilar Road, Shek O" ("The Project").
- 1.1.2. Seemly Building Construction Company Limited ("SBC") was commissioned by HKU to undertake the construction of the extension works until 9 February 2018. Percy Thomas Partnership (HK) Limited ("PTP") was appointed by HKU as the Architect. For implementation of the environmental monitoring and audit (EM&A) requirement under the Project Profile, Acuity Sustainability Consulting Limited was appointed by PTP as the Independent Environmental Checker (IEC).
- 1.1.3. Main contract of the project between Seemly SBC and HKU was terminated on 9 February 2018, whole contract period of SBC covered from 28 March 2017 to 9 February 2018. Notification of suspension of works had been submitted to Building Department on 9 February 2018 by PTP. HKU will take up all responsibility of the Contractor until further notice.
- 1.1.4. The construction phase of the Contract commenced on 6 October 2017 for completion by end of 2018. The general layout plan of the Contract components is presented in Appendix A.

1.2. ORGANIZATION STRUCTURE

1.2.1. The organization structure of the Contract is shown in Appendix B. Contact details of key personnel are summarized in below table:

Party	Position	Name	Telephone
The University of	Assistant Director	John Sung	2816 8208
Hong Kong			
Seemly Building	Project Manager	Mr. S.K. Fan	6532 3490
Construction Co., Ltd.			
Percy Thomas	Senior Architect	Cliff Ip	2957 9611
Partnership (HK) Ltd		_	
Acuity Sustainability	Independent Environmental	Li, Kevin, W. M.	2333 6823
Consulting Limited	Checker (IEC)		

Table 1-1: Key Personnel Contact for Environmental Works

1.3. SCOPE OF REPORT

- 1.3.1. This is the 9th monthly IEC Report for "Extension of Academic Block, The Swire Institute of Marine Science, Faculty of Science, The University of Hong Kong, Cape D'Aguilar Road, Shek O" covering the period from 6 June 2018 to 5 July 2018 (the reporting period).
- 1.3.2. The EM&A requirements for impact monitoring are set out in the approved Project Profile (Register No. PP-548/2017). All mitigation measures recommended in the Project Profile such as the construction air quality, noise, water quality, waste management, landscape and visual, cultural heritage and ecology were identified as the key issues during the construction phase of the Project.

1.4. SUMMARY OF CONSTRUCTION WORKS

- 1.4.1. The construction phase of the Contract commenced on 6 October 2017.
- 1.4.2. The contract was terminated on 9 February 2018, thus no construction activities was conducted in the reporting period.
- 1.4.3. The locations of the construction activities are shown in Appendix A.

2. EM&A RESULTS

2.1. EM&A BACKGROUND

- 2.1.1. The Environmental Permit (No. EP-537/2017) required Independent Environmental Checker (IEC) to certify the implementation status of mitigation measures in a monthly audit report during the construction of the Project. Environmental site inspection for air quality, noise, water quality, waste management and ecology mitigation measures was conducted on 22 June 2018. A summary of mitigation measure is presented in Table 2-2.
- 2.1.2. The contract between SBC and HKU was terminated on 9 February, 2018. Thus, some of the mitigation measures will not be applicable for this stage. The monitoring checklist is shown in Appendix D.

2.2. ENVIRONMENTAL LICENSES AND PERMITS

2.2.1. The status of environmental license and permit is summarized in Table 2-2 below:

License / Permit	License /	Date of	Date of	License /	Remark
	Permit No.	Issue	Expiry	Permit	
				Holder	
Environmental Permit	EP-537/2017	18/05/2017	N/A	HKU	
Billing Account	Account No.	10/05/2017	-	SBC	
	7027765				
Waste Water Discharge	-	-	-	_	N/A
License					
Chemical Waste Producer	5292-197-S3753	01/12/2017	-	SBC	-
	-02				
Air Pollution Control	Ref. No. 422086	12/10/2017	-	SBC	-
Ordinance					
Construction Noise	-	-	-	-	N/A
Permit					

Table 2-1: Summary of Environmental License and Permit

2.3. IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES

- 2.3.1. In response to the Project Profile (Registar No. PP-548/2017). The status of the environmental mitigation measures implemented by the Contractor in this Reporting Period was audit on 22 June 2018 and the checklist is showed in Appendix D.
- 2.3.2. The environmental mitigation measures that recommended in the project profile and environmental permit covered the issues of dust, noise, air quality, water, ecology, landscape and visual, cultural heritage and waste management and they are showed Table 2-2.

Table 2-2: Environmental Mitigation Measures

Issues	Environmental Mitigation Measures
	- Erection of hoarding of not less than 2.4m high from ground level
	along the works area that adjoins a road or other area accessible to the
	public, where appropriate;
	- The works area of any excavation or earth moving operation shall be
	sprayed with water to maintain the entire surface wet;
	- All dusty materials shall be sprayed with water prior to any loading,
	unloading or transfer operation so as to maintain the dusty materials
	wet;
	- Cover stockpile of dusty materials by impervious sheeting or sprayed
	with water so as to maintain the entire surface wet or removed or
	backfilled within 24 hours of the excavation or unloading;
	- Any debris shall be covered entirely by impervious sheeting or stored in a debris collection area sheltered on the top and the 3 cides:
	 in a debris collection area sheltered on the top and the 3 sides; Ultra Low Sulphur Diesel (ULSD i.e. Sulphur content not more than
Air Quality	0.005%) should be used for all the onsite PME;
	 Every vehicle shall be washed to remove any dusty materials from its
	body and wheels;
	- Where a vehicle leaving the construction works area is carrying a load
	of dusty materials, the load shall be covered by clean impervious
	sheeting to ensure that the dusty materials do not leak from the vehicle;
	- Unpaved road shall be regularly compacted and the road surface shall
	be kept clear of loose materials;
	- The speed of all vehicles moving within the Site shall be restricted to
	minimize fugitive dust emission;
	- All on-site PME shall be well-maintained and operated in a good
	manner that no black smoke will be emitted; and
	- No PME in operation that any black smoke is emitted for more than 6
	minutes in any period of 4 hours or for more than 3 minutes
	continuously at any one time.
	- Care in the placement and orientation of noisy plants away from the
	NSRs and effective utilization of material stockpiles and other
	 structures in screening noise from the on-site construction activities; Careful planning of construction sequence;
	 The operation time of noisy PME should be kept at minimum;
	 Hoarding will be erected along the site boundary for noise screening
	purpose;
	- Only well-maintained plant should be operated on-site and plant should
Noise	be serviced regularly during the construction program;
	- All hoods, cover panels and inspection hatches of power mechanical
	plant such as generator, air compressor etc. should be closed during
	operation;
	- Machines and plant (such as trucks) that may be in intermittent use
	should be shut down between work periods or should be throttled down
	to a minimum;
	- Utilization of silencers or mufflers on the construction equipment to
	reduce noise without impairing machine efficiency,
	- Contractor shall obtain construction site discharge license from the
Water	EPD under WPCO;
	- To prevent sewage from entering the inland water and inshore water,
	hoardings will be erected along the site boundary. Surface run-off from

	construction site shall be treated via adequately designed sand/silt
	removal facilities such as sand traps, silt traps and sedimentation tank
	or STP first to prevent sewage from entering the inland water and
	inshore water, and then collected by licensed collector and discharged
	off site;
	- The vehicle washing bay shall be located on paved area and away from
	the sensitive receivers and provided with a suitable backfill to prevent
	the site run-off from entering the public roads;
	- All water used on site shall be re-circulated and re-used for beneficial
	uses as dust suppression, wheel washing and general cleaning;
	- Online standby water sump pumps of sufficient capacity and with
	automatic devices shall be provided to prevent overflow of sewage
	from any water recycling system;
	- Open stockpiles of construction materials on site or exposed earth
	surface shall be avoided as far as practicable or, where unavoidable,
	should be covered with impervious sheet such as tarpaulin sheet or
	similar fabric during rainstorms;
	- Stagnant water shall be removed every day. Extra pumps shall be used
	to pump the water into sedimentation tank during rainy days when
	necessary;
	- Earth bund or sand bag barriers shall be provided onsite to properly
	direct storm water to the silt removal facilities such as sedimentation
	tank provided;
	- Good site practices shall be adopted to remove rubbish and litter from
	construction site to prevent the rubbish and litter from spreading from
	the site area. It is recommended to clean the construction sites on a
	regular basis;
	- Sufficient chemical toilets shall be provided in the works area and a
	licensed waste collector should be deployed to clean the chemical
	toilets on a regular basis;
	- Notices shall be posted at conspicuous locations to remind the workers
	not to discharge any sewage or sewage into the nearby environment;
	and
	- It is recommend that the Contractor include the sewage control
	measures during their onsite toolbox talk to increase the awareness of
	all workers.
	•
	of wastes generated and avoid unnecessary generation of wastes;
	- Sufficient waste disposal points and regular collection of wastes shall
	be provided;
	- Different types of wastes shall be segregated and stored properly to
	promote reuse or recycling;
	- Dump truck leaving the Site shall be covered properly with impervious
	sheeting;
Waste	- Contractor shall register as a Chemical Waste Producer if chemical
Management	wastes such as spent lubricants are generated onsite. All chemical waste
U	shall be properly handled, stored, labeled, packaged and collected in
	accordance with the requirements of the Waste Disposal (Chemical
	Waste) (General) Regulation;
	- Surplus C&D materials (inert and non-inert) generated from the
	proposed works requiring disposal shall be properly transported to the
	designated disposal facilities managed by CEDD and EPD. A trip-ticket
	system shall be implemented by the Contractor and monitored as a
	standard item in the relevant technical audit, in accordance with the

	requirements specified in DEVB TC(W) No. 6/2010 Trip Ticket System
	for Disposal of Construction & Demolition Materials;
	- Waste Management Plan shall be prepared in accordance with the
	requirement specified in Building Departments Practice Note for
	Authorized Persons and Registered Structural Engineers – Construction
	and Demolition Waste (ADV-19);
	- Toolbox talks shall be arranged to workers on relevant topics including
	site cleanliness and appropriate waste management procedures,
	including waste reduction, reuse and recycling.
	- Access route and placement of equipment and stockpile in works area
	shall be selected at existing developed area and disturbed land to
	minimize disturbance on vegetation. The chosen temporary storage or
	stockpiling area and access routes shall be far away from any identified
	plant species of conservation importance;
	- Construction activities will be restricted to the clearly defined works
	area;
Ecology	- Temporary works area will be reinstated immediately after completion
Leology	of the construction works;
	- Disposal and treatment of waste shall be carried out in a timely and
	proper manner
	- Open fires will be strictly prohibited to prevent any risk of wildfire;
	- Fire-fighting equipment should be provided in the works area before
	the commencement of works and
	- Resident site personnel shall ensure the Implementation of the
	mitigation measures
	- Design with minimum vegetation clearance
	- Compensatory planting of native trees and shrubs
Landscape	- Retain and preserve all plant species of conservation importance on site
and Visual	- Amenity value improved by compensatory planting and natural
	regeneration of plants
	- Erection of hoarding with colour compatible to the surrounding around
	works areas
	- No-entry zone will be fenced off by eye-catching net at the Cape D'
	Aguilar Lighthouse
Cultural	- Placement of equipment and stockpile at the road section close to the
Heritage	Lighthouse are prohibited
Ŭ	- Using manual gear for trenching work near the Lighthouse
	- Monitor the vibration near the Lighthouse

2.3.3. The necessary mitigation measures were implemented properly for this Contract in the reporting period.

2.4. EM&A SITE INSPECTION

- 2.4.1. Site inspection was carried out on a monthly basis to monitor the implementation of mitigation measures under the Contract. In the reporting period, site inspection was carried out on 22 June 2018.
- 2.4.2. Minor deficiencies were observed during site inspection. Key observations during the site inspections are summarized in Table 2-3.

	Table 2-3: Site Observations				
Date	Environmental Observations	Follow-up Status			
	Orange net was found not erected properly	Rectified by HKU on 3-July-2018			
22-Jun-2018		Orange net was tidy up properly			
	Protected plants was found outside	Rectified by HKU on 3-Jul -2018			
	protected zone	Additional barrier with orange net was			
		placed to extend the protected zone.			
22-Jun-2018					
	Broken Tarpaulin and loose items was found outside Academic Block	Rectified by HKU on 3-Jul-2018 Broken tarpaulin and small loose items			
22-Jun-2018		were removed			

Table 2-3: Site Observations

Acuity Sustainability Consulting Limited

Project no.: CJO-3848

- 2.4.3. HKU has rectified all observations identified during environmental site inspection in the reporting period.
- 2.4.4. Ecology and landscape and visual monitoring had been conducted on 28 June 2018. As reported by Qualified Ecologist, observations and recommendations are summarised as below:
- 2.4.4.1. All six recorded plant species of conservation importance are in good to fair condition as the previous monthly monitoring. Some yellow leaves was observed in *Lysimachia mauritiana* (濱海珍珠菜). Such change is probably due to natural life cycle and environmental/ seasonal factors as observed during previous baseline surveys and monitoring.
- 2.4.4.2. The rediscovered patch of *Vitis bryoniifolia* (蘡薁) was found recovering at fair condition, with some larger new leaves compared to last monitoring. As wet season for cyclones is approaching, next few monitoring would be important to confirm the re-establishment of this plant species of conservation importance.
- 2.4.4.3. No human disturbance on the protected plants was detected or reported. Staff on site shall keep reminding hikers/ visitors not to enter/ disturb all fenced area/ plant protection zones and wildlife (Cover photo).
- 2.4.4.4. Protection zone has been provided in accordance with Condition 2.6 of the Environmental Permit. Any damage of the protection zone (due to coastal weather condition or disturbance of hikers and visitors) should be repaired promptly. Warning sign should be maintained at prominent positions within the works area to encourage hikers and visitors keeping away from any no-entry area or protection zone. It is feasible to build up additional assurance colonies of *Lysimachia mauritiana* (濱海珍珠菜) by collecting seeds year round and growing them in suitable habitat against uncontrollable human or natural disturbance.
- 2.4.4.5. No more new damages found on the three retained trees T5, T6 and TA since last monthly monitoring, therefore there is no change in their conditions.
- 2.4.4.6. The 15 trees applied for felling are still awaiting approval by Lands Department. Good written and photographic records should be made right before, during and after the tree removal works.
- 2.4.4.7. Construction works should be been optimized to avoid encroaching into the protection zone as far as possible. Any works inevitably conducted in the protection zone of these three trees (e.g. removing mad-made concrete surface of a path) shall be minimized its impact to the root system and avoid any damage to the anchor roots.
 - 2.4.5. To avoid/ reduce potential negative impacts to local native plant community and survival of plant species of conservation important, exotic and highly invasive tree *Leucaena leucocephala* (銀合歡), *herb Bidens alba* (白花鬼針草) and *climber Mikania micrantha* (薇甘菊) should be cleared and removed in whole, including the roots, whenever encountered throughout the construction phase, and packed properly before disposed as waste to prevent regrowth and dispersal of pollens and seeds.

2.4.6. SUMMARY OF COMPLAINTS, NOTIFICATION OF SUMMONS AND PROSECUTIONS

2.4.7. The Environmental Complaint Handling Procedure is shown in below table:

Table 2-4: Environmental Complaint Handling Procedure

Complaint Received via Liaison Officer		Complaint Received via 1823 or from other government departments		
Contractor notify PTP, HKU and IEC		Contractor notify PTP ,HKU, and IEC		
Register of the comp		nduct investigation of con ne investigation results	mplaint and report to	
If complaint is conside	If complaint is considered not valid		alid	
HKU or Contractor to reply the complainant if necessary		Contractor to implement necessary improvement measures in consultation with the IEC, HKU and PTP. HKU to check and inspect if the situation is improved. IEC to conduct further inspection as necessary.		
		HKU to report the follo Contractor and reply necessary. If the complaint is re Contractor to prepare status of the complaint investigation	to complainant is eferred by the EPD, interim report on the	

Contractor prepare complaint report for submission to EPD and to record the complaint case in monthly EM&A report

2.4.8. No environmental complaint was received in the reporting period.

2.4.9. No notification of summons and prosecution was received in the reporting period.

3. FUTURE KEY ISSUES

3.1. CONSTRUCTION PROGRAMME FOR THE COMING MONTHS

3.1.1. The contract of the Contractor was terminated on 9 February 2018, tendering for new Contractor is under progress, thus no construction activities will be conducted in the coming reporting period.

3.2. KEY ISSUES FOR COMING MONTH

- 3.2.1. Potential environmental impacts arising from the upcoming activities in July 2018 are mainly associated with ecology issues.
- 3.2.2. Particular issues to be considered in the coming month include:
 - Implementation of ecology mitigation measures


4. CONCLUSIONS AND RECOMMENDATIONS

4.1. SUMMARY


- 4.1.1. Inspection was carried out on 22 June 2018. Minor deficiencies were observed during site inspection and were rectified within the reporting period. Some mitigation measures were not applicable for the current construction stage, the mitigation measures were implemented properly in general. The environmental performance of the Project was therefore considered satisfactory.
- 4.1.2. HKU is also reminded to implement the recommended environmental mitigation measures according to the Project profile and Environmental Permit.
- 4.1.3. During the previous joint site inspection, *Vitis bryoniifolia* was recovering at fair condition, with some larger new leaves compared to last monitoring. The condition of *Vitis bryoniifolia* will keep monitoring and HKU is reminded to inspect the condition frequent.
- 4.1.4. Some yellow leaves was observed in *Lysimachia mauritiana* in the reporting period. The condition of *Lysimachia mauritiana* is being concerned and HKU is reminded to inspect the condition more frequent.
- 4.1.5. Main contract of the project between SBC and HKU was terminated on 9 February 2018. Notification of suspension of works had been submitted to Building Department on 9th February 2018 by PTP. HKU will take up all responsibility of the Contractor until further notice. Tendering for new Contractor is under progress, thus no construction activities was conducted in the reporting period.
- 4.1.6. No environmental complaint was received in the reporting period.
- 4.1.7. No notification of summons or prosecution was received since commencement of the Contract.
- 4.1.8. HKU will keep track on the construction works to confirm compliance of environmental requirements and the proper implementation of all necessary mitigation measures.

Appendix A : Location of Construction

The University of Hong Kong Expansion of Research and Residential Facilities for the Swire Institute of Marine Science Monthly EM&A Report



Appendix B: Project Organization



Channel

Appendix C: Cumulative Statistics on Complaints, Notifications of Summons and Successful Prosecutions

Statistical Summary of Environmental Complaints

Reporting	Environmental Complaint Statistics			
Period	Frequency Cumulative Complaint Nature			
6 Jun 2018-	0	0	N/A	
5 Jul 2018	0	0	IN/A	

Statistical Summary of Environmental Summons

Reporting	Er	Environmental Summons Statistics						
Period	Frequency	Cumulative	Details					
6 Jun 2018-	0	0	N/A					
5 Jul 2018	0	0	IN/A					

Statistical Summary of Environmental Prosecution

Reporting	Env	Environmental Prosecution Statistics						
Period	Frequency	Cumulative	Details					
6 Jun 2018-	0	0	NI/A					
5 Jul 2018	0	0	N/A					

Appendix D: Environmental Monitoring Checklist



2

Acuity Sustainability Consulting Limited

Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. O: 2333-6823 | F: 2333-1316 | E: general@acuityhk.com | www.acuityhk.com

Inspection Date:	22 June 2018
Inspected by:	Tanky Tee, Cliff Up.
Inspection Time:	10=15
Weather Condition:	Ram
Temperature:	31°C
Wind:	Light.

		N/A	Yes	No	Remarks
1. Noi	ise				
1.1	Is the placement and orientation of noisy plants away from the NSRs in screening noise from the on- site construction activities?	\checkmark			
1.2	Is the construction sequence carefully planned?	\checkmark			
1.3	Is the operation time of noisy PME keep at minimum?	\checkmark			
1.4	Are the hoarding erected along the site boundary for noise screening purpose?	\checkmark	-		
1.5	Do all plants operate on-site are well-maintained?	\checkmark			
1.6	Do all plants service regularly during the construction program?	\checkmark			
1.7	Do all hoods, cover panels and inspection hatches of power mechanical plant close during operation?	\checkmark			
1.8	Are the machines and plant shut down between work periods or throttled down to a minimum?	\checkmark			
2. Air Quality					
2.1	Is the erection of hoarding not less than 2.4m high from ground level along the works area?	\checkmark			
2.2	Is the hoarding not adjoined a road or other area accessible to the public?	\checkmark			



Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. O: 2333-6823 | F: 2333-1316 | E: general@acuityhk.com | www.acuityhk.com

		N/A	Yes	No	Remarks
	Is the excavation or earth moving operation in the				
2.3	site sprayed with water to maintain the entire	\checkmark			
	surface wet?				
	Are all dusty materials sprayed with water prior to				
2.4	any loading, unloading or transfer operation to	\bigvee			
	maintain the dusty materials wet?				
	Are the stockpile of dusty materials covered by				
	impervious sheeting or sprayed with water to				
2.5	maintain the entire surface wet or removed or				
	backfilled within 24 hours of the excavation or				
	unloading?				
2.6	Are debris covered entirely by impervious sheeting,	/			
2.6	placed in an area sheltered on the top and 3 sides?				
2.7	Is Ultra Low Sulphur Diesel used for all PME onsite?	\checkmark			
2.0	Do the site vehicles use the wheel wash at the site	\checkmark			
2.8	exits?				
2.9	Are materials transported on trucks covered?	V			
2.10	Are all trucks loaded to a level within the side and	1			
2.10	tail boards?				
	Is all operation less than 6 minutes in any period of 4				
2.11	hours or for less than 3 minutes continuously at any	$ $ \checkmark			
	one time?				
2.12	Is the unpaved road compacted regularly?	V			
2.13	Is the road surface kept clear of loose materials?	2/5	\checkmark		
2.4.4	Is the speed restricted for all vehicles moving within	./			
2.14	the site to minimize fugitive dust emission?				
2.45	Are PME operated in a good manner and no black	1			
2.15	smoke emitted? (If yes, skip to part 3)				
	Are PME in operation not emitted for more than 6				
2.16	minutes in any period of 4 hours or for more than 3	\checkmark			
	minutes continuously at any one time?				



Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. O: 2333-6823 | F: 2333-1316 | E: general@acuityhk.com | www.acuityhk.com

		N/A	Yes	No	Remarks	
3. Wa	3. Water Quality C					
3.1	Does the discharge licence obtain from EPD under WPCO by contractor?	\checkmark	Q			
3.2	Is the waste water prevented from entering the inland water and inshore water, and collected by licensed collector and discharged off site?	V				
3.3	Is the surface run-off from construction site treated via adequately designed sand/silt removal facilities such as sand traps, silt traps and sedimentation tank	\checkmark				
3.4	Is the STP first to prevent sewage from entering the inland water and inshore water, and then collected by licensed collector and discharged off site?	\checkmark				
3.5	Is the vehicle washing bay located on a paved area and away from the sensitive receivers?	\checkmark				
3.6	Is the contractor provide with a suitable backfill to prevent the site run-off from entering the public roads	\checkmark				
3.7	Is that all water used on site re-circulated and re- used as dust suppression, wheel washing and general cleaning?	\checkmark				
3.8	Are the online standby water sump pumps of sufficient capacity and with automatic devices provided on site?	\checkmark				
3.9	Are the open stockpiles of construction materials on site or exposed earth surface avoided as far as practicable?(If yes, answer 3.11)	\checkmark				
3.10	Are the open stockpiles covered with impervious sheet such as tarpaulin sheet or similar fabric during rainstorms?	\checkmark				
3.11	Is the site clear from stagnant water?		/			



Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. O: 2333-6823 | F: 2333-1316 | E: general@acuityhk.com | www.acuityhk.com

	N/A	Yes	No	Remarks
Are the extra pumps used to pump the water into	./			
sedimentation tank during rainy days?	V			
Is the Earth bund or sand bag barriers provided	_			
onsite to properly direct storm water to the silt	\checkmark	=		
removal facilities?				1 1 1 1 1
Is the construction sites cleaned on a regular basis?		\vee		observation (3
Are the good site practices adopted to remove		1		
rubbish and litter from construction site		V		
Are there sufficient chemical toilets provided in the	1			
works area?	V			
Is a licensed waste collector deployed to clean the				
chemical toilets on a regular basis?				
	/			
	\vee			
sewage into the nearby environment?				
Does the contractor include the sewage control	,			
measures during their onsite toolbox talk to increase	$ $ \checkmark			
the awareness of all workers?				
ste Management				
Did the construction works carefully plan to				
minimize the amount of wastes generated and avoid	\bigvee			
unnecessary generation of wastes?				
Are the sufficient waste disposal points and regular	\checkmark			
collection of wastes provided?	· ·			
Does the contractor segregate and store different				
types of waste properly?				
Are the dump trucks covered properly with	1			
impervious sheeting when leaving the site?				
Do the Contractor register as a Chemical Waste	/			
Producer?				
	 sedimentation tank during rainy days? Is the Earth bund or sand bag barriers provided onsite to properly direct storm water to the silt removal facilities? Is the construction sites cleaned on a regular basis? Are the good site practices adopted to remove rubbish and litter from construction site Are there sufficient chemical toilets provided in the works area? Is a licensed waste collector deployed to clean the chemical toilets on a regular basis? Are there notices posted at conspicuous locations to remind the workers not to discharge any sewage or sewage into the nearby environment? Does the contractor include the sewage control measures during their onsite toolbox talk to increase the awareness of all workers? ste Management Did the construction works carefully plan to minimize the amount of wastes generated and avoid unnecessary generation of wastes? Are the sufficient waste disposal points and regular collection of wastes provided? Does the contractor segregate and store different types of waste properly? Are the dump trucks covered properly with impervious sheeting when leaving the site? Do the Contractor register as a Chemical Waste 	Are the extra pumps used to pump the water into sedimentation tank during rainy days?✓Is the Earth bund or sand bag barriers provided onsite to properly direct storm water to the silt removal facilities?✓Is the construction sites cleaned on a regular basis?✓Are the good site practices adopted to remove rubbish and litter from construction site✓Are there sufficient chemical toilets provided in the works area?✓Is a licensed waste collector deployed to clean the chemical toilets on a regular basis?✓Are there notices posted at conspicuous locations to remind the workers not to discharge any sewage or sewage into the nearby environment?✓Does the contractor include the sewage control measures during their onsite toolbox talk to increase the awareness of all workers?✓Did the construction works carefully plan to minimize the amount of wastes generated and avoid unnecessary generation of wastes?✓Are the sufficient waste disposal points and regular collection of wastes provided?✓Does the contractor segregate and store different types of waste properly?✓Are the dump trucks covered properly with impervious sheeting when leaving the site?✓Do the Contractor register as a Chemical Waste✓	Are the extra pumps used to pump the water into sedimentation tank during rainy days?✓Is the Earth bund or sand bag barriers provided onsite to properly direct storm water to the silt removal facilities?✓Is the construction sites cleaned on a regular basis?✓Are the good site practices adopted to remove rubbish and litter from construction site✓Are there sufficient chemical toilets provided in the works area?✓Is a licensed waste collector deployed to clean the chemical toilets on a regular basis?✓Are there notices posted at conspicuous locations to remind the workers not to discharge any sewage or sewage into the nearby environment?✓Does the contractor include the sewage control measures during their onsite toolbox talk to increase the awareness of all workers?✓Did the construction works carefully plan to minimize the amount of wastes generated and avoid unnecessary generation of wastes?✓Are the sufficient waste disposal points and regular collection of wastes provided?✓Does the contractor segregate and store different types of waste properly?✓Are the dump trucks covered properly with impervious sheeting when leaving the site?✓Do the Contractor register as a Chemical Waste✓	Are the extra pumps used to pump the water into sedimentation tank during rainy days?VIs the Earth bund or sand bag barriers provided onsite to properly direct storm water to the silt removal facilities?VIs the construction sites cleaned on a regular basis?VAre the good site practices adopted to remove rubbish and litter from construction siteVAre there sufficient chemical toilets provided in the works area?VIs a licensed waste collector deployed to clean the chemical toilets on a regular basis?VAre there notices posted at conspicuous locations to remind the workers not to discharge any sewage or sewage into the nearby environment?VDoes the contractor include the sewage control measures during their onsite toolbox talk to increase the awareness of all workers?VDid the construction works carefully plan to minimize the amount of wastes generated and avoid unnecessary generation of wastes?VAre the sufficient waste disposal points and regular collection of wastes provided?VDoes the contractor segregate and store different types of waste properly?VAre the dump trucks covered properly with impervious sheeting when leaving the site?VDo the Contractor register as a Chemical WasteV



Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. O: 2333-6823 | F: 2333-1316 | E: general@acuityhk.com | www.acuityhk.com

		N/A	Yes	No	Remarks
4.6	Do all chemical waste properly handled, stored, labeled, packaged and collected in accordance with the requirements of the Waste Disposal (Chemical Waste) (General) Regulation?	\checkmark			
4.7	Do all C&D wastes be transported to the designated disposal facilities managed by CEDD and EPD?	\checkmark			
4.8	Did the contractor prepare Waste Management Plan?	V	-		
4.9	Did the toolbox talks include the specific topics?	\checkmark			
5. Eco	logy				-
5.1	Is the access route and placement of equipment and stockpile in work area selected at existing developed area and disturbed land to minimize disturbance on vegetation?	÷.	\checkmark		
5.2	Is the chosen temporary storage or stockpiling area and access routes far away from any identified plant species of conservation importance?	3.7	/		
5.3	Are the construction activities restricted to the clearly defined works area?	к. ⁹		-	
5.4	Are the temporary works area reinstated immediately after completion of the construction works?	\checkmark			
5.5	Are the disposal and treatment of waste carried out in a timely and proper manner		\checkmark		
5.6	Are the open fires strictly prohibited to prevent any risk of wildfire?		\checkmark		
5.7	Are the firefighting equipments prohibited in the works area before the commencement of works?	\checkmark			
5.8	Is there proper implementation of the mitigation measures ensured by the resident site personnel?		\checkmark		



Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. O: 2333-6823 | F: 2333-1316 | E: general@acuityhk.com | www.acuityhk.com

		N/A	Yes	No	Remarks
5.9	Do the peripheral plant individuals have a setback of		1		observation B
5.9	at least 1.5m in the protection zones?		\vee		
	Are the protection zones set up by contractor to				obsenation
5.10	fence off 6 plant species during construction with				
	orange nets of at least 1m in height?		Ť		
6. Lan	dscape and Visual				
6.1	Do LR1,LR2,LCA1 and LCA2 compensated with	1			
0.1	planting of native trees and shrubs?	\checkmark			
6.2	Do LR1,LR2,LCA1 and LCA2 designed with minimum		1		
6.2	vegetation clearance?		V		
6.2	Do LR1,LR2,LCA1 and LCA2 retain and preserve all				
6.3	plant species of conservation importance on site?				
6.4	Do LR3 improve its amenity value by compensatory	,			
6.4	planting and natural regeneration of plants	\checkmark			
6.5	Do VSR1,VSR2 and VSR3 erect hoarding with colour	7			
6.5	compatible to the surrounding around works area?	\checkmark			
7. Cu	tural Heritage				
	Is the no-entry zone at the Cape D' Aguilar				
7.1	Lighthouse not fenced off by eye-catching orange				
	net?		v		
7.2	Is the road section close to the Lighthouse clear?		V		
7.2	Is there no excavator used at the road section close		/		
7.3	to the Lighthouse?		V		
7.4	Is the manual gear used for trenching work near the	./			
	Lighthouse?	V			
7.5	Do they monitor the vibration near the Lighthouse?	\checkmark			
8. Ot		1			
8.1	Are the mitigation measures properly implement in		\bigvee		
	general?				



Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T. O: 2333-6823 | F: 2333-1316 | E: general@acuityhk.com | www.acuityhk.com

Observation:								
Observation (1)								
At Pac W entran	At Pac W entrance, tree tence is broken.							
Observation @		to la al						
path to site F, p	neterted plant frew	outsite Jencer.						
boindary		1 Dave Tterris						
obcer vertim 3		1 61 / 61						
At site A academic	block, tarpaulinka	thould be setting on.						
	,							
Signatures:								
IEC's Representative/	Main Contractor's Representative/	Architect's Representative/						
Designated Staff	Designated Staff	Designated Staff						
Lola J								
(Name: andy (se)	(Name:)	(Name: 0);# Ip .)						