



Agreement No.CE 30/2018(EP)
Kai Tak Sports Park –
Design and Construction

Baseline Monitoring Report (Rev. B)

August 2019

Home Affairs Bureau
Kai Tak Sports Park
Project Office
Suite 1801, 18/F
Guardian House
32 Oi Kwan Road
Wanchai, Hong Kong

Agreement No.CE 30/2018(EP) Kai Tak Sports Park – Design and Construction

Baseline Monitoring Report (Rev. B)

August 2019



Environmental Permit No. EP-544/2017

Kai Tak Sports Park - Investigation

Independent Environmental Checker Verification

Reference Document/Plan

| | |
|--|----------------------------|
| Document/ Plan to be Certified / Verified: | Baseline Monitoring Report |
| Date of Report: | August 2019 (Rev B) |
| Date received by IEC: | 23 August 2019 |

Reference EP Condition

Environmental Permit Condition: 3.3

Three hard copies and one electronic copy of the Baseline Monitoring Report shall be submitted to the Director at least two weeks before commencement of construction of the Project. The submissions shall be certified by the ET Leader and verified by the IEC as complied with the requirements as set out in the EM&A Manual before submission to the Director. Additional copies of the submission shall be made available to the Director upon his request.

IEC Verification

I hereby verify that the above referenced document/~~plan~~ complies with the above referenced condition of EP-544/2017.

Ms Mandy To
Independent Environmental Checker

Date: 23 August 2019



Environmental Permit No. EP- 544/2017

Kai Tak Sports Park – Investigation

Environmental Team Leader Certification

Reference Document /Plan

| | |
|--|----------------------------|
| Document/ Plan to be Certified: | Baseline Monitoring Report |
| Date of Report: | August 2019 (Rev. B) |
| Date received by ETL: | 23 August 2019 |

Reference EP Condition

| | |
|---------------------------------|-----|
| Environmental Permit Condition: | 3.3 |
|---------------------------------|-----|

Three hard copies and one electronic copy of the Baseline Monitoring Report shall be submitted to the Director at least two weeks before commencement of construction of the Project. The submissions shall be certified by the ET Leader and verified by the IEC as complied with the requirements as set out in the EM&A Manual before submission to the Director. Additional copies of the submission shall be made available to the Director upon his request.

ETL Certification

I hereby certify that the above reference document complies with the above referenced condition of EP-544/2017.

Mr Sunny Chan
Environmental Team Leader

Date: 23 August 2019

Contents

| | |
|---|-----------|
| Executive Summary | 1 |
| 1 Introduction | 2 |
| 1.1 Background | 2 |
| 1.2 Project Description | 2 |
| 1.3 Purpose of the Report | 3 |
| 1.4 Structure of the Report | 3 |
| 2 Air Quality | 4 |
| 2.1 Monitoring Requirement | 4 |
| 2.2 Monitoring Locations | 4 |
| 2.3 Monitoring Parameters, Frequency and Duration | 5 |
| 2.4 Monitoring Equipment | 5 |
| 2.5 Monitoring Methodology | 5 |
| 2.6 Weather Data | 6 |
| 2.7 Results and Observations | 6 |
| 2.8 Action and Limit Levels | 7 |
| 2.9 Event and Action Plan | 7 |
| 3 Noise | 10 |
| 3.1 Monitoring Requirement | 10 |
| 3.2 Monitoring Locations | 10 |
| 3.3 Monitoring Parameters, Frequency and Duration | 11 |
| 3.4 Monitoring Equipment | 11 |
| 3.5 Monitoring Methodology | 12 |
| 3.6 Results and Observations | 12 |
| 3.7 Action and Limit Levels | 14 |
| 3.8 Event and Action Plan | 14 |
| 4 Conclusions | 16 |
| 4.1 Conclusions | 16 |
| Appendices | 1 |
| A. Location of Monitoring Stations in EM&A Manual and Actual Baseline Monitoring | 2 |
| B. Details of Proposed Alternative Baseline Monitoring Stations (AMS3-4-5, NMS3-4-5) | 3 |

| | | |
|----|--|----|
| C. | Photos of Monitoring Equipment Set-up at Baseline Monitoring Locations | 4 |
| D. | Baseline Monitoring Schedule for Air Quality and Noise | 8 |
| E. | Air Quality Monitoring Equipment Calibration Certificates | 9 |
| F. | Noise Monitoring Equipment Calibration Certificates | 10 |
| G. | Wind Data at Kai Tak collected by The Hong Kong Observatory | 11 |
| H. | Baseline Air Quality Monitoring Results | 12 |
| I. | Baseline Noise Monitoring Results | 13 |
| J. | Supervising Officer’s Representative Correspondence | 15 |

Executive Summary

In February 2019, Mott MacDonald Hong Kong Limited (MMHK) was commissioned by Home Affairs Bureau (HAB) as the Environmental Team (ET) to provide services for “Agreement No. CE30/2018 (EP) Environmental Team for Kai Tak Sports Park – Design and Construction” (hereinafter referred to as “the Assignment”). The construction works of the Kai Tak Sports Park (hereinafter referred to as “the Project”) will commence in April 2019 with an expected duration of 60 months.

This Baseline Monitoring Report presents the monitoring works conducted from 11 March 2019 to 26 March 2019 and aims to establish the baseline levels of air quality (dust) and noise for reference and in accordance with the condition 3.3 of Environmental Permit (EP)(EP No.: EP-544/2017) and section 14.2 of the Environmental Monitoring and Audit (EM&A) Manual of the Project.

Baseline Air Quality Monitoring

Baseline air quality (dust) monitoring (1-hour TSP) was carried out at three monitoring locations (AMS1, AMS2 and AMS3-4-5). Baseline air quality monitoring has commenced on 11 March 2019. The premises owner of the air quality monitoring at AMS1 did not allow monitoring works on Sundays, i.e. 17 and 24 March 2019 due to safety reasons.. Therefore, additional dust monitoring was undertaken on 25 and 26 March 2019 to compensate 2 missing dates. Baseline air quality monitoring at AMS2 and AMS3-4-5 were carried out from 11 March 2019 to 24 March 2019. Overall the baseline air quality results are considered representative to the ambient air quality of the Project. The Action and Limit Levels for air quality (1-hour TSP levels) were established based on the baseline monitoring results.

Baseline Noise Monitoring

Baseline noise monitoring was carried out at three monitoring locations (NMS1, NMS2 and NMS3-4-5) between 11 March 2019 and 25 March 2019. The major noise sources identified at noise monitoring stations NMS1 and NMS2 are the road traffic along To Kwa Wan Road and Sung Wong Toi Road respectively. During baseline monitoring period, site activities were observed near the NMS3-4-5 and relatively high noise levels were recorded occasionally. Such noise data has been recorded for future reference. In general, the measured noise data is considered representative of the baseline condition for the Project.

1 Introduction

1.1 Background

In view of the growing population and general aspirations for healthy life and physical activities, the Hong Kong Government is planning for more sports grounds and indoor sports centres to make up for the general shortage in Hong Kong. Based on population projection, a shortfall of sports centres and standard sports ground in East Kowloon is anticipated. With overwhelming support from the sports communities and the local communities including district councils, the Hong Kong Government has proposed building a Multi-purpose Sports Complex at Kai Tak (hereafter called “Kai Tak Sports Park” or “the Project”) which will provide high-quality sports facilities to help alleviate Hong Kong’s shortage of public sports facilities and will also provide new venues suitable for hosting major local and international sports events. The Project will comprise a main stadium which shall be multi-functional to optimize utilization and to deliver a spectator experience. The Project will mainly cater for a wide range of major sports events but will also provide venues for other infrequent non-sports activities such as concerts, exhibitions, carnivals, etc.

In 2007, Civil Engineering and Development Department (CEDD) of HKSAR commissioned the “Kai Tak Development Engineering Study” including a Schedule 3 Environmental Impact Assessment (EIA) Study, to confirm the feasibility of the proposed development as recommended in the PODP. The Kai Tak Multi-purpose Sports Complex is one of the key components in the Preliminary Outline Development Plan (PODP). Besides, the statutory Kai Tak Outline Zoning Plan was formulated in 2007 with subsequent changes made in 2009. The then Kai Tak OZP (No. S/K22/4) was approved in 2012 with the Project as a planned development.

The environmental impacts of the Project have been broadly addressed in the Schedule 3 EIA report for the Kai Tak Development (KTD), which was approved under the Environmental Impact Assessment Ordinance (EIAO) on 4 March 2009. The approved EIA report for the KTD recommended that a further EIA study is required under the EIAO to address the potential environmental impacts of the Project in detail given that the Project has been identified as a designated project under Schedule 2 of the EIAO.

The Project is a designated project under Items O.6 and O.7 Part I, Schedule 2 of the EIAO. The EIA Report of for the Project (Register No.: AEIAR-204/2017) was approved with conditions on 6 January 2017 under EIAO. Following the approval of the EIA Report, an Environmental Permit (EP) (EP No. EP-544/2017) was issued on 8 September 2017 for the construction and operation of the Project.

In February 2019, Mott MacDonald Hong Kong Limited (MMHK) was commissioned by Home Affairs Bureau (HAB) as the Environmental Team (ET) to provide services for “Agreement No. CE30/2018 (EP) Environmental Team for Kai Tak Sports Park – Design and Construction” (hereinafter referred to as “the Assignment”). The construction works of the Project will commence in April 2019 with an expected duration of 60 months.

1.2 Project Description

The Project, which includes the KTSP project and the H/O Development, is a Designated Project under Part I, Schedule 2 of the EIAO.

The scope of the Project comprises the following elements:

KTSP project

- a multi-purpose Main Stadium with a spectator capacity of around 50,000;
- a Public Sports Ground with a spectator capacity of around 5,000;
- an Indoor Sports Centre with a multi-purpose main arena with a seating capacity of up to 10,000 and an ancillary sports hall with a seating capacity of 500;
- Retail and dining outlets with a gross floor area (GFA) of about 57,000 m²;
- More than 8 hectares of public open space including landscape deck structures across Shing Kai Road, passive amenities and park features, outdoor ball courts; and
- Ancillary facilities such as car parks, toilets, changing rooms, etc.

H/O Development

- An office development;
- A 300-room hotel with a GFA of about 16,000 m²; and
- Ancillary facilities such as retail, car parks, etc.

1.3 Purpose of the Report

The purpose of this Baseline Monitoring Report is to present the baseline levels of air quality (dust) and noise prior to the commencement of construction work of the Project in accordance with the condition 3.3 of Environmental Permit (EP) (EP No.: EP-544/2017) and section 14.2 of the Environmental Monitoring and Audit (EM&A) Manual of the Project.

This report presents the air quality and noise baseline monitoring works at designated environmental monitoring locations near the Project area. Details of the location of the monitoring stations and the monitoring schedule are provided in **Appendix A** and **Appendix D** respectively.

This report summarizes the time, locations, equipment, methodology, results as well as the observations obtained during the baseline air quality and noise monitoring and establishes the action and limit levels for the subsequent impact monitoring during the construction stage.

1.4 Structure of the Report

The structure of the report is as follows:

- Section 1 - Introduction, background, project description, purpose and the structure of the report.
- Section 2 - Air Quality – presents the methodology and findings of the baseline air quality monitoring.
- Section 3 - Noise – presents the methodology and findings of the baseline noise monitoring.
- Section 4 - Conclusions

2 Air Quality

2.1 Monitoring Requirement

According to the requirements in the EM&A Manual of the Project, baseline air quality monitoring shall be carried out at designated monitoring locations for at least 14 consecutive days prior to the commencement of the construction works to obtain 1-hour Total Suspended Particulate (TSP) sample. The selected baseline monitoring stations should reflect baseline conditions at the impact stations. One-hour sampling should be done at least 3 times per day while the highest dust impact is expected. Further details of the baseline air quality monitoring are presented in the following sections.

2.2 Monitoring Locations

According to the EM&A Manual, a total of five air quality monitoring stations are identified for the impact monitoring locations. Of these five air quality monitoring stations, three air sensitive receivers are planned residential use and are currently not available for baseline monitoring. Locations of the air quality monitoring stations in the EM&A Manual are listed in **Table 2.1** and shown in **Appendix A**.

Table 2.1: Air Quality Monitoring Station in EM&A Manual

| Monitoring Station | Location | Status |
|--------------------|--|---------------------------------|
| AMS1 | Hong Kong Society For The Blind Workshop And Hostel, 160 To Kwa Wan Road | Existing Air Sensitive Receiver |
| AMS2 | Sky Tower, Tower 7, 38 Sung Wong Toi Road | Existing Air Sensitive Receiver |
| AMS3 | Kai Tak Area 2B Site 4 (2B4) (residential use) | Planned Air Sensitive Receiver |
| AMS4 | Kai Tak Area 1K Site 3 (1K3) (residential use) | Planned Air Sensitive Receiver |
| AMS5 | Kai Tak Area 1L Site 3 (1L3) (residential use) | Planned Air Sensitive Receiver |

In order to capturing the baseline ambient air quality environment for the planned sensitive receivers, alternative baseline monitoring location was considered. A joint site walk with contractor and IEC was conducted on 5 March 2019 and all parties agreed that carrying out baseline monitoring at three planned sensitive receivers is not practical as two of them are heavily affected by the works of nearby construction sites and the last one is even located within CEDD's construction site.

An alternative monitoring location (AMS3-4-5) within the Project site was considered suitable to represent the baseline level of those three planned sensitive receivers AMS3, AMS4 and AMS5. AMS3-4-5 is physically located at the centre of the three planned sensitive receivers AMS3, AMS4 and AMS5 with relatively less influencing factors such as road traffic and without nearby obstruction. The baseline monitoring location AMS3-4-5 was proposed by ET and agreed with IEC and AR# on 7 March 2019 to represent the baseline air quality environments for the planned air sensitive receivers.

#Note: The Architect's Representative (AR) as specified in EM&A Manual was replaced by the Supervising Officer's Representative (SOR) as shown in the organization chart submitted to EPD on 27 March 2019. SOR correspondence is shown in **Appendix J**.

Locations of the baseline air quality monitoring stations are summarised in **Table 2.2** and shown in **Appendix A**. The details of the alternative monitoring station is shown in **Appendix B** and the photographs of the monitoring equipment set up at baseline monitoring locations are given in **Appendix C**.

Table 2.2: Baseline Air Quality Monitoring Station

| Monitoring Station | Location |
|--------------------|---|
| AMS1 | Hong Kong Society for the Blind Workshop Roof Floor |
| AMS2 | Sky Tower, Podium of Tower 7 |
| AMS3-4-5 | Proposed alternative baseline monitoring location in Project Site |

2.3 Monitoring Parameters, Frequency and Duration

Table 2.3 summarizes the monitoring parameters, frequency and duration of the baseline TSP monitoring. Baseline 1-hour TSP monitoring commenced from 11 March 2019 to 26 March 2019. The baseline air quality monitoring schedule is provided in **Appendix D**.

Table 2.3: Air Quality Monitoring Parameters, Frequency and Period

| Parameter | Frequency | Period |
|--|---------------|-----------------------------------|
| 1-hour Total Suspended Particulate (TSP) | 3 times a day | 0700-1900 for 14 consecutive days |

2.4 Monitoring Equipment

Portable direct reading dust meter was proposed by ET and agreed by IEC and AR# to carry out the 1-hour TSP monitoring. **Table 2.4** summarizes the equipment used in the baseline air quality monitoring. Copies of the calibration certificates for the portable dust meters are attached in **Appendix E**.

#Note: The Architect's Representative (AR) as specified in EM&A Manual was replaced by the Supervising Officer's Representative (SOR) as shown in the organization chart submitted to EPD on 27 March 2019. SOR correspondence is shown in **Appendix J**.

Table 2.4: 1-hour TSP Monitoring Equipment

| Equipment | Model |
|------------------------------------|---|
| Portable direct reading dust meter | SIBATA LD-5R (Serial No. 831656 & 831657) |

2.5 Monitoring Methodology

1-hour TSP Monitoring

Field Monitoring

The measuring procedures of the 1-hour dust meter are in accordance with the Manufacturer's Instruction Manual as follows:

- Turn the power on.
- Close the air collecting opening cover.
- Push the "TIME SETTING" switch to [BG].
- Push "START/STOP" switch to perform background measurement for 6 seconds.

- Turn the knob at SENSI ADJ position to insert the light scattering plate.
- Leave the equipment for 1 minute upon “SPAN CHECK” is indicated in the display.
- Push “START/STOP” switch to perform automatic sensitivity adjustment. This measurement takes 1 minute.
- Pull out the knob and return it to MEASURE position.
- Setting time period of 1 hour for the 1-hour TSP measurement.
- Push “START/STOP” to start the 1-hour TSP measurement.
- Regular checking of the time period setting to ensure monitoring time of 1 hour.

Maintenance and Calibration (QA/QC Procedure)

- The 1-hour dust meter would be checked at 3-month intervals and calibrated at 1-year intervals throughout all stages of the air quality monitoring.
- Calibration records for direct dust meters are given in **Appendix E**.

2.6 Weather Data

Wind data collected from the Hong Kong Observatory (HKO) Kai Tak Automatic Weather Station (SE AWS) were used for the air quality monitoring and they are shown in **Appendix G**. It is considered that the wind data obtained at the existing SE AWS are representative of the Project area and could be used for undertaking the baseline and construction phase air quality monitoring programme for the Project.

The proposed use of the existing wind data collected from HKO SE AWS for wind data collection instead of setting up wind monitoring equipment near the monitoring stations was proposed by ET and agreed by IEC and AR# in accordance with the requirements as stated in Section 3.4.7 of the EM&A Manual of the Project.

#Note: The Architect’s Representative (AR) as specified in EM&A Manual was replaced by the Supervising Officer’s Representative (SOR) as shown in the organization chart submitted to EPD on 27 March 2019. SOR correspondence is shown in **Appendix J**.

2.7 Results and Observations

The baseline air quality monitoring has been carried out at three monitoring locations, namely AMS1, AMS2 and AMS3-4-5. Baseline air quality monitoring has commenced on 11 March 2019. The premises owner of the air quality monitoring at AMS1 did not allow monitoring works on Sundays, i.e. 17 and 24 March 2019 due to safety reasons. Therefore, additional dust monitoring was undertaken on 25 and 26 March 2019 to compensate 2 missing dates. Baseline air quality monitoring at AMS2 and AMS3-4-5 were carried out from 11 March 2019 to 24 March 2019.

The detection limit of the portable dust meter is 1 µg/m³. All portable dust meters were calibrated before conducting baseline air quality monitoring as quality assurance measure. The digital dust meters used produced a correlation coefficient of 0.9949 and 0.9931, which is higher than the acceptable value of 0.990. Certificates of calibration of portable dust meter and calibrator are provided in **Appendix E**.

The weather was general fine and cloudy with few shower during the baseline monitoring period. Road traffic dust is identified as the influencing factors which may affect the results of baseline monitoring. The detailed 1-hour TSP monitoring results are summarised in **Table 2.5**. Graphical plots of the monitoring results are shown in **Appendix H**.

Table 2.5: Summary of Baseline 1-hour TSP Monitoring Results

| Monitoring Station | Average 1-hour TSP ($\mu\text{g}/\text{m}^3$) | 1-hour TSP Range ($\mu\text{g}/\text{m}^3$) |
|--------------------|---|---|
| AMS1 | 50 | 24 – 88 |
| AMS2 | 46 | 26 – 77 |
| AMS3-4-5 | 57 | 29 – 94 |

2.8 Action and Limit Levels

The Action and Limit Levels for 1-hour TSP have been set in accordance with the derivation criteria specified in the EM&A Manual requirement as shown below.

Table 2.6: Derivation of Action and Limit Levels for Air Quality

| Parameter | Action Level | Limit Level |
|--|---|-------------|
| 1-hour TSP Level in $\mu\text{g}/\text{m}^3$ | <ul style="list-style-type: none"> For baseline level $\leq 384 \mu\text{g}/\text{m}^3$, Action level = (130% of Baseline level + Limit level)/2 For baseline level $> 384 \mu\text{g}/\text{m}^3$, Action level = Limit level | 500 |

Following the criteria shown in **Table 2.6**, the Action and Limit Levels of 1-hour TSP for the monitoring stations are derived and presented in **Table 2.7**.

Table 2.7: Action and Limit Levels for 1-hour TSP

| Monitoring Station | Action Level ($\mu\text{g}/\text{m}^3$) | Limit Level ($\mu\text{g}/\text{m}^3$) |
|--------------------|---|--|
| AMS1 | 283 | 500 |
| AMS2 | 280 | 500 |
| AMS3-4-5 | 287 | 500 |

2.9 Event and Action Plan

Should non-compliance of the air quality criteria occur, actions in accordance with the Event and Action Plan in **Table 2.8** and **Table 2.9** shall be carried out.

Table 2.8: Event and Action Plan for Construction Air Quality (Action Level)

| Event | Action | | | |
|--|---|--|---|---|
| | ET | IEC | AR# | Contractor |
| Action Level | | | | |
| Exceedance for one sample | <ol style="list-style-type: none"> 1. Inform IEC, AR and Contractor; 2. Identify source, investigate the causes of exceedance and propose remedial measures; 3. Repeat measurement to confirm finding. | <ol style="list-style-type: none"> 1. Check monitoring data submitted by ET; 2. Check Contractor's working method. | <ol style="list-style-type: none"> 1. Notify Contractor. | <ol style="list-style-type: none"> 1. Rectify any unacceptable practice; 2. Amend working methods if appropriate. |
| Exceedance for two or more consecutive samples | <ol style="list-style-type: none"> 1. Inform IEC, AR and Contractor; 2. Identify source; 3. Advise the AR on the effectiveness of the proposed remedial measures; | <ol style="list-style-type: none"> 1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET and | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Ensure remedial measures | <ol style="list-style-type: none"> 1. Submit proposals for remedial to AR and IEC within 3 working days of notification; |

| Event | Action | | | Contractor |
|-------|---|---|-----------------------|---|
| | ET | IEC | AR# | |
| | 4. Repeat measurements to confirm findings; 5. Increase monitoring frequency to daily; 6. Discuss with IEC, AR and Contractor on remedial actions required; 7. If exceedance continues, arrange meeting with IEC and AR; 8. If exceedance stops, cease additional monitoring. | Contractor on possible remedial measures; 4. Advise the ET/AR on the effectiveness of the proposed remedial measures; 5. Supervise Implementation of remedial measures. | properly implemented. | 2. Implement the agreed proposals; 3. Amend proposal if appropriate. |

#Note: The Architect's Representative (AR) as specified in EM&A Manual was replaced by the Supervising Officer's Representative (SOR) as shown in the organization chart submitted to EPD on 27 March 2019.

Table 2.9: Event and Action Plan for Construction Air Quality (Limit Level)

| Event | Action | | | |
|--|--|--|--|---|
| | ET | IEC | AR# | Contractor |
| Limit Level | | | | |
| Exceedance for one sample | 1. Inform IEC, AR, Contractor and EPD; 2. Identify source, investigate the causes of exceedance and propose remedial measures; 3. Repeat measurement to confirm finding; 4. Increase monitoring frequency to daily; 5. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and AR informed of the results. | 1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET and Contractor on possible remedial measures; 4. Advise the AR on the effectiveness of the proposed remedial measures; 5. Supervise implementation of remedial measures. | 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Ensure remedial measures properly implemented. | 1. Take immediate action to avoid further exceedance; 2. Discuss with ET and IEC on remedial actions 3. Submit proposals for remedial actions to IEC within 3 working days of notification; 4. Implement the agreed proposals; 5. Amend proposal if appropriate. |
| Exceedance for two or more consecutive samples | 1. Notify IEC, AR, Contractor and EPD; 2. Identify source; 3. Repeat measurement to confirm findings; 4. Increase monitoring frequency to daily; 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 6. Arrange meeting with IEC and AR and Contractor to discuss the remedial actions to be taken; 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and AR informed of the results; 8. exceedance stops, cease additional monitoring. | 1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss amongst AR, ET, and Contractor on the potential remedial actions; 4. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the AR accordingly; 5. Supervise the implementation of remedial measures. | 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. In consultation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Ensure remedial measures properly implemented; 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to terminate that portion of work until the exceedance ceases. | 1. Take immediate action to avoid further exceedance; 2. Discuss with ET and IEC on remedial actions 3. Submit proposals for remedial actions to AR and IEC within 3 working days of notification; 4. Implement the agreed proposals; 5. Resubmit proposals if problem still not under control; 6. Stop the relevant portion of works as determined by the AR until the exceedance ceases. |

#Note: The Architect's Representative (AR) as specified in EM&A Manual was replaced by the Supervising Officer's Representative (SOR) as shown in the organization chart submitted to EPD on 27 March 2019.

3 Noise

3.1 Monitoring Requirement

According to the requirements in the EM&A Manual, baseline noise monitoring shall be carried out at the monitoring locations for a period of at least two weeks in a sample period interval of 5 minutes or 30 minutes between 0700 and 1900, and 5 minutes between 1900 and 0700 prior to the commencement of the construction works. The noise levels shall be measured in terms of A-weighted levels L_{eq} , L_{10} and L_{90} .

The baseline monitoring methodology for noise, including the monitoring locations, monitoring equipment used, monitoring parameters, and duration etc., are detailed in the following sections.

3.2 Monitoring Locations

According to the EM&A Manual, a total of seven noise monitoring stations are identified for the impact monitoring locations. Of these seven noise monitoring stations, five noise sensitive receivers are planned residential use (NMS1A, NMS2A, NMS3, NMS4 and NMS5) and are currently not available for baseline monitoring. Locations of the noise monitoring stations in the EM&A Manual are listed in **Table 3.1** and shown in **Appendix A**.

Table 3.1: Noise Monitoring Stations in EM&A Manual

| Monitoring Station | Location | Status |
|--------------------|---|-----------------------------------|
| NMS1 | Hong Kong Society for The Blind Workshop and Hostel, 19 Mok Cheong Street | Existing Noise Sensitive Receiver |
| NMS2 | Sky Towers, 38 Sung Wong Toi Road | Existing Noise Sensitive Receiver |
| NMS1A | Sung Wong Toi Road Public Housing Site | Planned Noise Sensitive Receiver |
| NMS2A | Sung Wong Toi Road CDA Site (mixed use) | Planned Noise Sensitive Receiver |
| NMS3 | Kai Tak Area 2B Site 4 (2B4) (residential use) | Planned Noise Sensitive Receiver |
| NMS4 | Kai Tak Area 1K Site 3 (1K3) (residential use) | Planned Noise Sensitive Receiver |
| NMS5 | Kai Tak Area 1L Site 3 (1L3) (residential use) | Planned Noise Sensitive Receiver |

Since NMS1A & NMS2A are planned (i.e. not existing) noise sensitive receivers, noise monitoring should be carried out at NMS1 & NMS2 respectively before the population intake of the planned developments. Once the planned developments are completed and occupied, NMS1A shall replace NMS1, while NMS2A shall replace NMS2.

In order to capturing the baseline noise environment for the three planned sensitive receivers (NMS3, NMS4 and NMS5), alternative baseline monitoring location was considered. A joint site walk with contractor and IEC was conducted on 5 March 2019 and all parties agreed that carrying out baseline monitoring at three planned sensitive receivers is not practical as two of them are

heavily affected by the works of nearby construction sites and the last one is even located within CEDD’s construction site.

An alternative monitoring location (NMS3-4-5) within the Project site is considered suitable to represent the baseline level of those three planned sensitive receivers NMS3, NMS4 and NMS5. The baseline monitoring location NMS3-4-5 was proposed by ET and agreed with IEC and AR# on 7 March 2019, to establish the baseline noise environments for the planned noise sensitive receivers.

#Note: The Architect’s Representative (AR) as specified in EM&A Manual was replaced by the Supervising Officer’s Representative (SOR) as shown in the organization chart submitted to EPD on 27 March 2019. SOR correspondence is shown in **Appendix J**.

Locations of the baseline noise monitoring stations are summarised in **Table 3.2** and shown in **Appendix A**. Details of the proposed alternative baseline monitoring location is shown in **Appendix B**. The photographs of the monitoring equipment set-up at baseline monitoring locations are presented in **Appendix C**.

Table 3.2: Baseline Noise Monitoring Stations

| Monitoring Station | Location | Type of measurement |
|--------------------|---|---------------------|
| NMS1 | Hong Kong Society for the Blind Workshop Roof Floor | At Facade |
| NMS2 | Sky Tower, Podium of Tower 7 | At Facade |
| NMS3-4-5 | Proposed alternative baseline monitoring location in Project Site | Free Field* |

*For Free Field measurement, +3dB(A) should be added to the measured results.

3.3 Monitoring Parameters, Frequency and Duration

Table 3.3 summarizes the monitoring parameters, frequency and duration of noise monitoring. Baseline noise monitoring commenced from 11 March 2019 to 25 March 2019. The baseline noise monitoring schedule is provided in **Appendix D**.

Table 3.3: Noise Monitoring Parameters, Period and Frequency

| Time Period | Parameters | Duration, min | Frequency |
|--|--------------------------------|---------------|-------------------------|
| Daytime on normal weekdays (0700-1900 hrs) | L_{eq} , L_{90} & L_{10} | 30 min | For 14 consecutive days |
| Evening and Night time on all days (1900-0700 hrs) and daytime during public holidays (including Sundays) (0700-1900 hrs) | L_{eq} , L_{90} & L_{10} | 5 min | For 14 consecutive days |

3.4 Monitoring Equipment

Integrating Sound Level Meter was used for noise monitoring. It is a Type 1 sound level meter capable of giving a continuous readout of the noise level readings including equivalent continuous sound pressure level (L_{Aeq}) and percentile sound pressure level (L_x). They also complied with International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1). **Table 3.4** summarizes the noise monitoring equipment models used. Copies of the calibration certificates for the sound level meters and calibrator are attached in **Appendix F**.

Table 3.4: Noise Monitoring Equipment

| Equipment | Monitoring Station | Model |
|-------------------------------|--------------------|----------------------------|
| Integrating Sound Level Meter | NMS1 | Rion NL-52 (S/N: 00542913) |
| | NMS2 | Rion NL-52 (S/N: 00643049) |
| | NMS3-4-5 | Rion NL-52 (S/N: 00331806) |
| Calibrator | All Station | CAL200 (S/N: 16172) |

3.5 Monitoring Methodology

- Façade and Free Field measurements were made at the monitoring locations.
- For Façade measurement, the microphone hear of the head level meter was positioned 1m exterior of the noise sensitive façade and lowered sufficiently so that the building’s external wall acts as a reflecting surface.
- For free field, the microphone of the Sound Level Meter was set at least 1.2 m above the ground.
- A correction of +3dB(A) was made for free field measurement.
- The battery condition was checked to ensure the correct functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - frequency weighting: A
 - time weighting: Fast
 - time measurement: 5 minutes ($L_{eq(30-min)}$ would be determined for daytime noise by calculating the logarithmic average of six $L_{eq(5min)}$ data)
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94 dB at 1 kHz. If the difference in the calibration level before and after measurement was more than 1 dB, the measurement would be considered invalid and repeated after the re-calibration or repair of the equipment.
- During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, any site observations and noise sources were recorded on a standard record sheet.
- Noise measurements were not made in presence of fog, rain, wind with a steady speed exceeding 5ms-1 or wind with gusts exceeding 10ms-1.

Maintenance and Calibration (QA/QC Procedure)

- The microphone head of the sound level meter and calibrator is cleaned with soft cloth at quarterly intervals.
- The sound level meter and calibrator are sent to the supplier or HOKLAS laboratory to check and calibrate at yearly intervals.
- Immediately prior to and following each noise measurement, the accuracy of the sound level meter should be checked using an acoustic calibrator generating known sound pressure level at known frequency. Measurement may be accepted as valid only if the calibration levels from before and after the noise measurement agree to within 1.0 dB.

3.6 Results and Observations

The baseline noise monitoring has been carried out at the three monitoring locations (NMS1, NMS2 and NMS3-4-5) between 11 March 2019 and 25 March 2019. Calibration for the sound level meter were conducted before and after baseline noise monitoring and quality assurance procedures as mentioned in **Section 3.5** has been followed. The detection limit of the sound level meter is 0.1 dB. The difference in the calibration level before and after measurement was less

than 1 dB(A), indicating that the measurement is considered valid. Certificates of calibration of sound level meter and calibrator are provided in **Appendix F**.

The weather during the baseline period was generally sunny with a few days of shower during the baseline monitoring period. The major noise sources identified at noise monitoring stations NMS1 and NMS2 are the road traffic along To Kwa Wan Road and Sung Wong Toi Road respectively.

During baseline monitoring period, site activities were observed near the NMS3-4-5 and relatively high noise levels were recorded occasionally. Such noise data has been recorded for future reference. In general, the measured noise data is considered representative of the baseline condition for the Project. The baseline monitoring results are summarised in **Table 3.5**, **Table 3.6** and **Table 3.7**. Detailed monitoring results are shown in **Appendix I**.

Table 3.5: Summary of Baseline Noise Monitoring Results during Normal Working Hours (0700-1900 hours; Normal Weekdays)

| Monitoring Station | Measured Noise Level Leq(30min), dB(A) | | |
|--------------------------------|--|------|------|
| | Average | Min | Max |
| Normal Weekdays, 0700-1900 hrs | | | |
| NMS1 | 69.3 | 65.3 | 76.5 |
| NMS2 | 72.5 | 66.3 | 78.5 |
| NMS3-4-5 | 70.4 | 54.6 | 86.8 |

Table 3.6: Summary of Baseline Noise Monitoring Results during Evening on Normal Weekdays (1900-2300 hours) and Holidays (0700-2300 hours)

| Monitoring Station | Measured Noise Level Leq(5min), dB(A) | | |
|---|---------------------------------------|------|------|
| | Average | Min | Max |
| Evening on Normal Weekdays (1900-2300 hours) and Holidays (0700-2300 hours) | | | |
| NMS1 | 66.1 | 57.4 | 75.6 |
| NMS2 | 69.8 | 61.8 | 83.1 |
| NMS3-4-5 | 58.1 | 52.1 | 78.0 |

Table 3.7: Summary of Baseline Noise Monitoring Results during Night-time (2300-0700 hours)

| Monitoring Station | Measured Noise Level Leq(5min), dB(A) | | |
|------------------------------|---------------------------------------|------|------|
| | Average | Min | Max |
| Night-time (2300-0700 hours) | | | |
| NMS1 | 61.5 | 46.4 | 78.8 |
| NMS2 | 65.2 | 56.1 | 75.0 |
| NMS3-4-5 | 54.1 | 48.0 | 66.9 |

3.7 Action and Limit Levels

The Action and Limit Levels were established in accordance with the EM&A Manual. The baseline noise level should be referenced during the compliance check during the impact noise monitoring period. The Action and Limit Levels for the construction noise are shown in **Table 3.8**.

Table 3.8: Action and Limit Levels for Construction Noise

| Time Period | Action | Limit Level (dB(A)) |
|------------------------------------|---|---------------------|
| 0700-1900 hours on normal weekdays | When one documented complaint is received | 75 dB(A) |

3.8 Event and Action Plan

Should non-compliance of the noise criteria occur, actions in accordance with the Event and Action Plan in **Table 3.9** shall be carried out.

Table 3.9: Event and Action Plan for Construction Noise

| Event | Action | | | |
|--------------|--|--|---|--|
| | ET | IEC | AR [†] | Contractor |
| Action Level | <ol style="list-style-type: none"> 1. Notify IEC, AR and Contractor of exceedance; 2. Identify source 3. Investigate the causes of exceedance and propose remedial measures; 4. Report the results of investigation to the IEC, AR and Contractor; 5. Discuss with the IEC, AR and Contractor and formulate remedial measures; 6. Increase monitoring frequency to check mitigation effectiveness. | <ol style="list-style-type: none"> 1. Review the analysed results submitted by the ET; 2. Review the proposed remedial measures by the Contractor and advise the AR accordingly; 3. Supervise the implementation of remedial measures. | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Require Contractor to propose remedial measures for the analysed noise problem; 4. Ensure remedial measures are properly implemented | <ol style="list-style-type: none"> 1. Submit noise mitigation proposals to AR with copy to ET and IEC; 2. Implement noise mitigation proposals. |
| Limit Level | <ol style="list-style-type: none"> 1. Inform IEC, AR, EPD and Contractor; 2. Identify source; 3. Repeat measurements to confirm findings; 4. Increase monitoring frequency; 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 6. Inform IEC, AR and EPD the causes and actions taken for the exceedances; 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and AR informed of the results; | <ol style="list-style-type: none"> 1. Discuss amongst AR, ET, and Contractor on the potential remedial actions; 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the AR accordingly; 3. Supervise the implementation of remedial measures. | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Require Contractor to propose remedial measures for the analysed noise problem; 4. Ensure remedial measures are properly implemented; 5. If exceedance continues, investigate what portion of the work is responsible and instruct | <ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Submit proposals for remedial actions to AR with copy to ET and IEC within 3 working days of notification; 3. Implement the agreed proposals; 4. Resubmit proposals if problem still not under control; 5. Terminate the relevant portion of works as determined by the AR until the exceedance ceases. |

| Event | Action | | |
|--|--------|---|------------|
| ET | IEC | AR [#] | Contractor |
| 8. If exceedance stops, cease additional monitoring. | | the Contractor to terminate that portion of work until the exceedance ceases. | |

Note: The Architect's Representative (AR) as specified in EM&A Manual was replaced by the Supervising Officer's Representative (SOR) as shown in the organization chart submitted to EPD on 27 March 2019.

4 Conclusions

4.1 Conclusions

In accordance with the EM&A Manual of the Project, baseline monitoring was undertaken prior to commencement of the construction works.

Baseline air quality monitoring was conducted at three air quality monitoring stations (AMS1, AMS2 and AMS3-4-5). Baseline air quality monitoring has commenced on 11 March 2019. The premises owner of the air quality monitoring at AMS1 did not allow monitoring works on Sundays, i.e. 17 and 24 March 2019 due to safety reasons. Therefore, additional dust monitoring was undertaken on 25 and 26 March 2019 to compensate 2 missing dates. Baseline air quality monitoring at AMS2 and AMS3-4-5 were carried out from 11 March 2019 to 24 March 2019. Overall the baseline air quality monitoring results are considered representative to the ambient air quality conditions of the sensitive receivers in the vicinity of the Project. The major dust sources were from the nearby intermittent road traffic and open areas. The Action and Limit Levels for air quality (1-hour TSP levels) were established based on the baseline monitoring results.

Baseline noise monitoring was carried out at three noise monitoring stations (NMS1, NMS2 and NMS3-4-5) between 11 March 2019 and 25 March 2019. The major noise sources identified at noise monitoring stations NMS1 and NMS2 are the road traffic along To Kwa Wan Road and Sung Wong Toi Road respectively. During baseline monitoring period, site activities were observed near the NMS3-4-5 and relatively high noise levels were recorded occasionally. Such noise data has been recorded for future reference. In general, the measured noise data is considered representative of the ambient background noise conditions prior to the commencement of works.


Action and Limit Levels of the relevant parameters at each monitoring location were derived from the baseline monitoring results and these will be adopted for impact monitoring during construction phase of the project.

Appendices

| | | |
|----|---|----|
| A. | Location of Monitoring Stations in EM&A Manual and Actual Baseline Monitoring | 2 |
| B. | Details of Proposed Alternative Baseline Monitoring Stations (AMS3-4-5, NMS3-4-5) | 3 |
| C. | Photos of Monitoring Equipment Set-up at Baseline Monitoring Locations | 4 |
| D. | Baseline Monitoring Schedule for Air Quality and Noise | 8 |
| E. | Air Quality Monitoring Equipment Calibration Certificates | 9 |
| F. | Noise Monitoring Equipment Calibration Certificates | 10 |
| G. | Wind Data at Kai Tak collected by The Hong Kong Observatory | 11 |
| H. | Baseline Air Quality Monitoring Results | 12 |
| I. | Baseline Noise Monitoring Results | 13 |
| J. | Supervising Officer's Representative Correspondence | 15 |

A. Location of Monitoring Stations in EM&A Manual and Actual Baseline Monitoring

Air Quality Monitoring Stations in EM&A Manual




LEGEND:

Project Site

AMS1 air quality monitoring station

| | |
|------|--|
| AMS1 | Hong Kong Society For The Blind Workshop And Hostel, 160 To Kwa Wan Road |
| AMS2 | Sky Tower, Tower 7, 38 Sung Wong Toi Road |
| AMS3 | Kai Tak Area 2B Site 4 (2B4) (residential use) |
| AMS4 | Kai Tak Area 1K Site 3 (1K3) (residential use) |
| AMS5 | Kai Tak Area 1L Site 3 (1L3) (residential use) |

Noise Monitoring Stations in EM&A Manual




LEGEND:


| | |
|---|-------------------------------|
|  | Project Site |
|  | NMS1 noise monitoring station |

| | |
|-------|---|
| NMS1 | Hong Kong Society for The Blind Workshop and Hostel, 19 Mok Cheong Street |
| NMS2 | Sky Towers, 38 Sung Wong Toi Road |
| NMS1A | Sung Wong Toi Road Public Housing Site |
| NMS2A | Sung Wong Toi Road CDA Site (mixed use) |
| NMS3 | Kai Tak Area 2B Site 4 (2B4) (residential use) |
| NMS4 | Kai Tak Area 1K Site 3 (1K3) (residential use) |
| NMS5 | Kai Tak Area 1L Site 3 (1L3) (residential use) |

Baseline Air Quality Monitoring Stations




LEGEND:

| | |
|---|-------------------------------------|
|  | Project Site |
|  | AMS1 air quality monitoring station |

| | |
|----------|---|
| AMS1 | Hong Kong Society for the Blind Workshop Roof Floor |
| AMS2 | Sky Tower, Podium of Tower 7 |
| AMS3-4-5 | Proposed alternative baseline monitoring location in Project Site |

Baseline Noise Monitoring Stations



LEGEND:

| | |
|---|-------------------------------|
|  | Project Site |
|  | NMS1 noise monitoring station |


| | |
|----------|---|
| NMS1 | Hong Kong Society for the Blind Workshop Roof Floor |
| NMS2 | Sky Tower, Podium of Tower 7 |
| NMS3-4-5 | Proposed alternative baseline monitoring location in Project Site |

B. Details of Proposed Alternative Baseline Monitoring Stations (AMS3-4-5, NMS3-4-5)


Details of Proposed Alternative Air Quality and Noise Baseline Monitoring Station (AMS3-4-5, NMS3-4-5)

LEGEND:

- Project Site
- AMS1 Air Monitoring Station 1



★ Proposed Alternative Baseline Monitoring Location in Project site



C. Photos of Monitoring Equipment Set-up at Baseline Monitoring Locations

AMS1/NMS1 – Hong Kong Society for The Blind Workshop Roof Floor



Air monitoring equipment at AMS1 and noise monitoring equipment at NMS1



Air monitoring equipment at AMS1 and noise monitoring equipment at NMS1




Overview of monitoring station AMS1/NMS1

AMS2/NMS2 – Sky Tower Podium of Tower 7



Air monitoring equipment at AMS2



Noise monitoring equipment at NMS2



Overview of monitoring station AMS2/NMS2

AMS3-4-5/NMS3-4-5 – Project Site



Air monitoring equipment at AMS3-4-5 and noise monitoring equipment at NMS3-4-5



Overview from AMS3-4-5/NMS3-4-5 (northern)



Overview from AMS3-4-5/NMS3-4-5 (southern)

D. Baseline Monitoring Schedule for Air Quality and Noise

Mar-19

| Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
|--|---|---|---|---|---|---|
| | | | | | 1 | 2 |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 10 | 11 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 12 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 13 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 14 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 15 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 16 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 |
| 17 AMS2, AMS3-4-5, NMS1, NMS2,NMS3-4-5 | 18 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 19 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 20 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 21 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 22 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 | 23 AMS1, AMS2, AMS3-4-5, NMS1,NMS2,NMS3-4-5 |
| 24 AMS2, AMS3-4-5, NMS1, NMS2,NMS3-4-5 | 25 AMS1* NMS1,NMS2,NMS3-4-5 | 26 AMS1* | 27 | 28 | 29 | 30 |
| 31 | | | | | | |

Note*:

The baseline air quality monitoring at AMS1 on 17 and 24 March 2019 are rejected by the workshop for blind due to security issues. Therefore, additional dust monitoring data are collected on 25 and 26 March 2019 for establishment of Action and Limit Levels.

E. Air Quality Monitoring Equipment Calibration Certificates


REPORT OF EQUIPMENT PERFORMANCE CHECK / CALIBRATION

REPORT NO. : HK180417
 PROJECT NAME : PERFORMANCE CHECK / CALIBRATION OF DUST METER
 DATE OF ISSUE : 2/5/2018

CUSTOMER : Envirotech Services Company
 ADDRESS : Rm. 113, 1/F., MY LOFT, 9 HOI WING ROAD, TUEN MUN, N.T.

REPORT NO. : HK180417
 PROJECT ITEM NO. : HK180417-01
PERFORMANCE CHECK / CALIBRATED EQUIPMENT
 TYPE : Digital Dust Indicator
 MANUFACTURER : SIBATA
 MODEL NO. : LD-5R
 SERIAL NO. : 831656
 EQUIPMENT NO. : ---
 RECEIPT DATE : 27/4/2018
 PERFORMANCE CHECK / CALIBRATION DATE : 27/4/2018

PERFORMANCE CHECK / CALIBRATION Information

| CODE | Calibration Parameter | Method Procedure | Reference Method |
|----------------|---|------------------|--|
| Dust PC/CAL | Performance Check / Calibration of Dust Meter | CAL003 | General Technical Requirements of Environmental Monitoring, Environmental Monitoring & Audit Guidelines for Development Projects in HK |

- Notes : 1. This report shall not be reproduced, except in full, without prior approval from Pilot Testing Limited.
 2. Performance Check / Calibration result relates to performance check / calibration item(s) as received.

Approved Signatory :

Wong Po Yan Pauline
 (Assistant Laboratory Manager)

Issue Date: 2/5/2018



REPORT OF PERFORMANCE CHECK / CALIBRATION

PROJECT NAME : PERFORMANCE CHECK / CALIBRATION OF DUST METER
 DATE OF ISSUE : 2/5/2018
 REPORT NO. : HK180417

PERFORMANCE CHECK / CALIBRATED EQUIPMENT

TYPE : Digital Dust Indicator
 MANUFACTURER : SIBATA
 MODEL NO. : LD-5R
 SERIAL NO. : 831656
 EQUIPMENT NO. : ---
 SENSITIVITY ADJUSTMENT (CPM) : 726
 PERFORMANCE CHECK / CALIBRATION DATE : 27/4/2018

STANDARD EQUIPMENT

TYPE : HIGH VOLUME AIR SAMPLER
 MANUFACTURER : TISCH
 MODEL NO. : TE-5170
 EQUIPMENT REF NO. : PTL_HV002
 LAST CALIBRATION DATE : 27/4/2018


EQUIPMENT PERFORMANCE CHECK / CALIBRATION RESULTS:

Sensitivity Adjustment Scale Setting (Before Performance check / Calibration): 726 CPM
 Sensitivity Adjustment Scale Setting (After Performance check / Calibration): 726 CPM

| Trial no. in 1-hr period | Time | Mean Temp (°C) | Mean Pressure (hPa) | Concentration in ug/m ³ (Standard equipment) (Y - Axis) | Total Count ² (Performance Check / Calibrated equipment) | Concentration in Count/Minute ³ (Performance Check / Calibrated equipment) (X - Axis) |
|--------------------------|------------------------|----------------|---------------------|--|---|--|
| Zero Check ¹ | 27/4/2018, 12:55:00 PM | 24.9 | 1015 | 0 | 0 | 0 |
| 1 | 27/4/2018, 1:56:00 PM | 24.9 | 1015 | 51 | 3695 | 62 |
| 2 | 27/4/2018, 3:00:00 PM | 24.9 | 1015 | 60 | 4423 | 74 |
| 3 | 27/4/2018, 4:07:00 PM | 24.9 | 1015 | 22 | 1143 | 19 |

Linear Regression of Y on X

Slope (K- factor) : 0.8
 Correlation Coefficient : 0.9949
 Validity of Performance Check / Calibration Record : 27/4/2019



- Notes :
1. Zero check conducted as per CAL003 SOP and manufacturer's manual as appropriate.
 2. Total Count was measured by Digital Dust Indicator.
 3. Count/minute was calculated by (Total Count/60)
 4. This report shall not be reproduced, except in full, without prior approval from Pilot Testing Limited.
 5. Performance Check / Calibration result relates to performance check / calibration item(s) as received.

Operator: MA Ching Him, Jackey Signature: [Signature] Date: 27/4/2018

Checked by: Wong Po Yan, Pauline Signature: [Signature] Date: 2/5/2018


REPORT OF EQUIPMENT PERFORMANCE CHECK / CALIBRATION

REPORT NO. : HK180418
 PROJECT NAME : PERFORMANCE CHECK / CALIBRATION OF DUST METER
 DATE OF ISSUE : 2/5/2018

CUSTOMER : Envirotech Services Company
 ADDRESS : Rm. 113, 1/F., MY LOFT, 9 HOI WING ROAD, TUEN MUN, N.T.


REPORT NO. : HK180418
 PROJECT ITEM NO. : HK180418-01
PERFORMANCE CHECK / CALIBRATED EQUIPMENT
 TYPE : Digital Dust Indicator
 MANUFACTURER : SIBATA
 MODEL NO. : LD-5R
 SERIAL NO. : 831657
 EQUIPMENT NO. : ---
 RECEIPT DATE : 27/4/2018
 PERFORMANCE CHECK / CALIBRATION DATE : 27/4/2018

PERFORMANCE CHECK / CALIBRATION Information

| CODE | Calibration Parameter | Method Procedure | Reference Method |
|----------------|---|------------------|--|
| Dust PC/CAL | Performance Check / Calibration of Dust Meter | CAL003 | General Technical Requirements of Environmental Monitoring, Environmental Monitoring & Audit Guidelines for Development Projects in HK |

- Notes : 1. This report shall not be reproduced, except in full, without prior approval from Pilot Testing Limited.
 2. Performance Check / Calibration result relates to performance check / calibration item(s) as received.

Approved Signatory :



 Wong Po Yan Pauline
 (Assistant Laboratory Manager)

Issue Date: 2/5/2018


REPORT OF PERFORMANCE CHECK / CALIBRATION

PROJECT NAME : PERFORMANCE CHECK / CALIBRATION OF DUST METER
 DATE OF ISSUE : 2/5/2018
 REPORT NO. : HK180418

PERFORMANCE CHECK / CALIBRATED EQUIPMENT

TYPE : Digital Dust Indicator
 MANUFACTURER : SIBATA
 MODEL NO. : LD-5R
 SERIAL NO. : 831657
 EQUIPMENT NO. : ---
 SENSITIVITY ADJUSTMENT (CPM) : 612
 PERFORMANCE CHECK / CALIBRATION DATE : 27/4/2018

STANDARD EQUIPMENT

TYPE : HIGH VOLUME AIR SAMPLER
 MANUFACTURER : TISCH
 MODEL NO. : TE-5170
 EQUIPMENT REF NO. : PTL_HV002
 LAST CALIBRATION DATE : 27/4/2018


EQUIPMENT PERFORMANCE CHECK / CALIBRATION RESULTS:

Sensitivity Adjustment Scale Setting (Before Performance check / Calibration): 611 CPM
 Sensitivity Adjustment Scale Setting (After Performance check / Calibration): 611 CPM

| Trial no. in 1-hr period | Time | Mean Temp (°C) | Mean Pressure (hPa) | Concentration in ug/m ³ (Standard equipment) (Y - Axis) | Total Count ² (Performance Check / Calibrated equipment) | Concentration in Count/Minute ³ (Performance Check / Calibrated equipment) (X - Axis) |
|--------------------------|------------------------|----------------|---------------------|--|--|--|
| Zero Check ¹ | 27/4/2018, 12:55:00 PM | 24.9 | 1015 | 0 | 0 | 0 |
| 1 | 27/4/2018, 1:56:00 PM | 24.9 | 1015 | 51 | 3693 | 62 |
| 2 | 27/4/2018, 3:00:00 PM | 24.9 | 1015 | 60 | 4112 | 69 |
| 3 | 27/4/2018, 4:07:00 PM | 24.9 | 1015 | 22 | 1067 | 18 |

Linear Regression of Y on X

Slope (K- factor) : 0.8
 Correlation Coefficient : 0.9931
 Validity of Performance Check / Calibration Record : 27/4/2019



- Notes : 1. Zero check conducted as per CAL003 SOP and manufacturer's manual as appropriate.
 2. Total Count was measured by Digital Dust Indicator.
 3. Count/minute was calculated by (Total Count/60)
 4. This report shall not be reproduced, except in full, without prior approval from Pilot Testing Limited.
 5. Performance Check / Calibration result relates to performance check / calibration item(s) as received.

Operator: MA Ching Him, Jackey Signature: [Signature] Date: 27/4/2018

Checked by: Wong Po Yan, Pauline Signature: [Signature] Date: 2/5/2018

F. Noise Monitoring Equipment Calibration Certificates



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C186273

證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC18-2243) Date of Receipt / 收件日期 : 2 November 2018

Description / 儀器名稱 : Precision Acoustic Calibrator

Manufacturer / 製造商 : LARSON DAVIS

Model No. / 型號 : CAL200

Serial No. / 編號 : 16172

Supplied By / 委託者 : Envirotech Services Co.

Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$

Relative Humidity / 相對濕度 : $(50 \pm 25)\%$

Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 18 November 2018

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.

The results do not exceed manufacturer's specification.

The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA
- The Bruel & Kjaer Calibration Laboratory, Denmark
- Rohde & Schwarz Laboratory, Germany

Tested By


測試



H T Wong
Technical Officer

Certified By

核證



K C Lee
Engineer

Date of Issue

簽發日期

19 November 2018

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com



Certificate of Calibration

校正證書

Certificate No. : C186273
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

| Equipment ID | Description | Certificate No. |
|--------------|-----------------------------------|-----------------|
| CL130 | Universal Counter | C183775 |
| CL281 | Multifunction Acoustic Calibrator | CDK1806821 |
| TST150A | Measuring Amplifier | C181288 |

- Test procedure : MA100N.

- Results :

5.1 Sound Level Accuracy

| UUT Nominal Value | Measured Value (dB) | Mfr's Spec. (dB) | Uncertainty of Measured Value (dB) |
|----------------------|------------------------|---------------------|---------------------------------------|
| 94 dB, 1 kHz | 94.0 | ± 0.2 | ± 0.2 |
| 114 dB, 1 kHz | 114.0 | | |

5.2 Frequency Accuracy

| UUT Nominal Value (kHz) | Measured Value (kHz) | Mfr's Spec. | Uncertainty of Measured Value (Hz) |
|----------------------------|-------------------------|----------------|---------------------------------------|
| 1 | 1.000 | 1 kHz ± 1 % | ± 1 |

Remark : The uncertainties are for a confidence probability of not less than 95 %.


Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration 校正證書

Certificate No. : C185974

證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC18-2206) Date of Receipt / 收件日期 : 29 October 2018

Description / 儀器名稱 : Sound Level Meter

Manufacturer / 製造商 : Rion

Model No. / 型號 : NL-52

Serial No. / 編號 : 00643049

Supplied By / 委託者 : Envirotech Services Co.

Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$

Relative Humidity / 相對濕度 : $(50 \pm 25)\%$

Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration

DATE OF TEST / 測試日期 : 4 November 2018

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.

The results do not exceed manufacturer's specification. (after adjustment)

The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- The Bruel & Kjaer Calibration Laboratory, Denmark
- Agilent Technologies / Keysight Technologies
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA


Tested By :

測試


K C Lee
Engineer

Certified By :

核證


H C Chan
Engineer

Date of Issue :

簽發日期

7 November 2018

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Certificate of Calibration

校正證書

Certificate No. : C185974
證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration using the internal standard (After Adjustment) was performed before the test 6.1.1.2 to 6.3.2.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

| Equipment ID | Description | Certificate No. |
|--------------|-------------------------------------|-----------------|
| CL280 | 40 MHz Arbitrary Waveform Generator | C180024 |
| CL281 | Multifunction Acoustic Calibrator | CDK1806821 |

5. Test procedure : MA101N.

6. Results :

- 6.1 Sound Pressure Level

- 6.1.1 Reference Sound Pressure Level

- 6.1.1.1 Before Adjustment

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | * 98.6 | ± 1.1 |

* Out of IEC 61672 Class 1 Spec.

- 6.1.1.2 After Adjustment

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 | ± 1.1 |

- 6.1.2 Linearity

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 (Ref.) |
| | | | | 104.00 | | 104.0 |
| | | | | 114.00 | | 114.0 |

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C185974
證書編號

6.2 Time Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 | Ref. |
| | | | Slow | | | 94.0 | ± 0.3 |

6.3 Frequency Weighting

6.3.1 A-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 63 Hz | 67.7 | -26.2 ± 1.5 |
| | | | | | 125 Hz | 77.8 | -16.1 ± 1.5 |
| | | | | | 250 Hz | 85.3 | -8.6 ± 1.4 |
| | | | | | 500 Hz | 90.7 | -3.2 ± 1.4 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 95.2 | +1.2 ± 1.6 |
| | | | | | 4 kHz | 95.0 | +1.0 ± 1.6 |
| | | | | | 8 kHz | 92.9 | -1.1 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 89.6 | -4.3 (+3.0 ; -6.0) |

6.3.2 C-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _C | C | Fast | 94.00 | 63 Hz | 93.1 | -0.8 ± 1.5 |
| | | | | | 125 Hz | 93.8 | -0.2 ± 1.5 |
| | | | | | 250 Hz | 94.0 | 0.0 ± 1.4 |
| | | | | | 500 Hz | 94.0 | 0.0 ± 1.4 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 93.8 | -0.2 ± 1.6 |
| | | | | | 4 kHz | 93.2 | -0.8 ± 1.6 |
| | | | | | 8 kHz | 91.0 | -3.0 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 87.6 | -6.2 (+3.0 ; -6.0) |

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。



輝創工程有限公司
Sun Creation Engineering Limited
Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C185974
證書編號

- Remarks : - UUT Microphone Model No. : UC-59 & S/N : 12128
- Mfr's Spec. : IEC 61672 Class 1
- Uncertainties of Applied Value :
- | | | |
|--------|------------------|--------------------------|
| 94 dB | : 63 Hz - 125 Hz | : ± 0.35 dB |
| | 250 Hz - 500 Hz | : ± 0.30 dB |
| | 1 kHz | : ± 0.20 dB |
| | 2 kHz - 4 kHz | : ± 0.35 dB |
| | 8 kHz | : ± 0.45 dB |
| | 12.5 kHz | : ± 0.70 dB |
| 104 dB | : 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
| 114 dB | : 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
- The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Sun Creation Engineering Limited – Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 — 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Page 4 of 4



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C182192

證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC18-0729)

Date of Receipt / 收件日期 : 6 April 2018

Description / 儀器名稱 : Sound Level Meter

Manufacturer / 製造商 : Rion

Model No. / 型號 : NL-52

Serial No. / 編號 : 00331806

Supplied By / 委託者 : Envirotech Services Co.

Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$

Relative Humidity / 相對濕度 : $(50 \pm 25)\%$

Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 28 April 2018

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.

The results do not exceed manufacturer's specification.


The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA

Tested By : 
測試

H T Wong
Technical Officer

Certified By : 
核證

K C Lee
Engineer

Date of Issue : 3 May 2018
簽發日期

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Sun Creation Engineering Limited – Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 — 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Certificate of Calibration

校正證書

Certificate No. : C182192
證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration was performed before the test.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

| Equipment ID | Description | Certificate No. |
|--------------|-------------------------------------|-----------------|
| CL280 | 40 MHz Arbitrary Waveform Generator | C180024 |
| CL281 | Multifunction Acoustic Calibrator | PA160023 |

5. Test procedure : MA101N.

6. Results :

- 6.1 Sound Pressure Level

- 6.1.1 Reference Sound Pressure Level

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 93.4 | ± 1.1 |

- 6.1.2 Linearity

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 93.4 (Ref.) |
| | | | | 104.00 | | 103.4 |
| | | | | 114.00 | | 113.4 |

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

- 6.2 Time Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 93.4 | Ref. |
| | | | Slow | | | | |

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C182192
證書編號

6.3 Frequency Weighting

6.3.1 A-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 63 Hz | 67.1 | -26.2 ± 1.5 |
| | | | | | 125 Hz | 77.2 | -16.1 ± 1.5 |
| | | | | | 250 Hz | 84.7 | -8.6 ± 1.4 |
| | | | | | 500 Hz | 90.2 | -3.2 ± 1.4 |
| | | | | | 1 kHz | 93.4 | Ref. |
| | | | | | 2 kHz | 94.6 | +1.2 ± 1.6 |
| | | | | | 4 kHz | 94.4 | +1.0 ± 1.6 |
| | | | | | 8 kHz | 92.4 | -1.1 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 89.0 | -4.3 (+3.0 ; -6.0) |

6.3.2 C-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _C | C | Fast | 94.00 | 63 Hz | 92.5 | -0.8 ± 1.5 |
| | | | | | 125 Hz | 93.2 | -0.2 ± 1.5 |
| | | | | | 250 Hz | 93.4 | 0.0 ± 1.4 |
| | | | | | 500 Hz | 93.4 | 0.0 ± 1.4 |
| | | | | | 1 kHz | 93.4 | Ref. |
| | | | | | 2 kHz | 93.3 | -0.2 ± 1.6 |
| | | | | | 4 kHz | 92.6 | -0.8 ± 1.6 |
| | | | | | 8 kHz | 90.5 | -3.0 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 87.1 | -6.2 (+3.0 ; -6.0) |

Remarks : - UUT Microphone Model No. : UC-59 & S/N : 04871

- Mfr's Spec. : IEC 61672 Class 1

- Uncertainties of Applied Value :

| | | |
|--------|-----------------|--------------------------|
| 94 dB | 63 Hz - 125 Hz | : ± 0.35 dB |
| | 250 Hz - 500 Hz | : ± 0.30 dB |
| | 1 kHz | : ± 0.20 dB |
| | 2 kHz - 4 kHz | : ± 0.35 dB |
| | 8 kHz | : ± 0.45 dB |
| | 12.5 kHz | : ± 0.70 dB |
| 104 dB | 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
| 114 dB | 1 kHz | : ± 0.10 dB (Ref. 94 dB) |

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。



輝創工程有限公司

Sun Creation Engineering Limited
Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C185972
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC18-2180) Date of Receipt / 收件日期 : 24 October 2018

Description / 儀器名稱 : Sound Level Meter
Manufacturer / 製造商 : Rion
Model No. / 型號 : NL-52
Serial No. / 編號 : 00542913
Supplied By / 委託者 : Envirotech Services Co.
Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(50 \pm 25)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration

DATE OF TEST / 測試日期 : 4 November 2018


TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
The results do not exceed manufacturer's specification. (after adjustment)
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- The Bruel & Kjaer Calibration Laboratory, Denmark
- Agilent Technologies / Keysight Technologies
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA

Tested By : 
測試 K C Lee
Engineer

Certified By : 
核證 H C Chan
Engineer

Date of Issue : 7 November 2018
簽發日期

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606 Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Page 1 of 4



Certificate of Calibration

校正證書

Certificate No. : C185972
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- Self-calibration using the internal standard (After Adjustment) was performed before the test 6.1.1.2 to 6.3.2.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

| Equipment ID | Description | Certificate No. |
|--------------|-------------------------------------|-----------------|
| CL280 | 40 MHz Arbitrary Waveform Generator | C180024 |
| CL281 | Multifunction Acoustic Calibrator | CDK1806821 |

5. Test procedure : MA101N.

6. Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

6.1.1.1 Before Adjustment

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | * 95.9 | ± 1.1 |

*Out of IEC 61672 Class 1 Spec.

6.1.1.2 After Adjustment

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 | ± 1.1 |

6.1.2 Linearity

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 (Ref.) |
| | | | | 104.00 | | 104.0 |
| | | | | 114.00 | | 114.0 |

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C185972

證書編號

6.2 Time Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 | Ref. |
| | | | Slow | | | 94.0 | ± 0.3 |

6.3 Frequency Weighting

6.3.1 A-Weighting


| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 63 Hz | 67.8 | -26.2 ± 1.5 |
| | | | | | 125 Hz | 77.8 | -16.1 ± 1.5 |
| | | | | | 250 Hz | 85.3 | -8.6 ± 1.4 |
| | | | | | 500 Hz | 90.7 | -3.2 ± 1.4 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 95.2 | +1.2 ± 1.6 |
| | | | | | 4 kHz | 95.0 | +1.0 ± 1.6 |
| | | | | | 8 kHz | 93.0 | -1.1 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 89.6 | -4.3 (+3.0 ; -6.0) |

6.3.2 C-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _C | C | Fast | 94.00 | 63 Hz | 93.1 | -0.8 ± 1.5 |
| | | | | | 125 Hz | 93.8 | -0.2 ± 1.5 |
| | | | | | 250 Hz | 94.0 | 0.0 ± 1.4 |
| | | | | | 500 Hz | 94.0 | 0.0 ± 1.4 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 93.8 | -0.2 ± 1.6 |
| | | | | | 4 kHz | 93.2 | -0.8 ± 1.6 |
| | | | | | 8 kHz | 91.1 | -3.0 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 87.6 | -6.2 (+3.0 ; -6.0) |

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C185972

證書編號

Remarks : - UUT Microphone Model No. : UC-53A & S/N : 320728
- Mfr's Spec. : IEC 61672 Class 1
- Uncertainties of Applied Value : 94 dB : 63 Hz - 125 Hz : ± 0.35 dB
250 Hz - 500 Hz : ± 0.30 dB
1 kHz : ± 0.20 dB
2 kHz - 4 kHz : ± 0.35 dB
8 kHz : ± 0.45 dB
12.5 kHz : ± 0.70 dB
104 dB : 1 kHz : ± 0.10 dB (Ref. 94 dB)
114 dB : 1 kHz : ± 0.10 dB (Ref. 94 dB)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Page 4 of 4

G. Wind Data at Kai Tak collected by The Hong Kong Observatory

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190311 | 100 | 80 | 0.8 |
| 20190311 | 200 | 290 | 1.6 |
| 20190311 | 300 | 290 | 2.1 |
| 20190311 | 400 | 290 | 1.7 |
| 20190311 | 500 | 310 | 1.7 |
| 20190311 | 600 | 230 | 1.4 |
| 20190311 | 700 | 250 | 0.8 |
| 20190311 | 800 | 230 | 0.4 |
| 20190311 | 900 | 250 | 0.3 |
| 20190311 | 1000 | 280 | 0.6 |
| 20190311 | 1100 | 290 | 0.4 |
| 20190311 | 1200 | 190 | 1.2 |
| 20190311 | 1300 | 190 | 1.5 |
| 20190311 | 1400 | 190 | 1.8 |
| 20190311 | 1500 | 160 | 2.4 |
| 20190311 | 1600 | 140 | 3.9 |
| 20190311 | 1700 | 100 | 4.0 |
| 20190311 | 1800 | 110 | 3.4 |
| 20190311 | 1900 | 110 | 2.9 |
| 20190311 | 2000 | 110 | 2.2 |
| 20190311 | 2100 | 40 | 1.3 |
| 20190311 | 2200 | 30 | 1.0 |
| 20190311 | 2300 | 130 | 0.5 |
| 20190311 | 2400 | 70 | 1.1 |
| 20190312 | 100 | 30 | 1.2 |
| 20190312 | 200 | 140 | 0.9 |
| 20190312 | 300 | 130 | 1.4 |
| 20190312 | 400 | 140 | 1.3 |
| 20190312 | 500 | 130 | 1.7 |
| 20190312 | 600 | 130 | 1.3 |
| 20190312 | 700 | 140 | 0.5 |
| 20190312 | 800 | 130 | 1.1 |
| 20190312 | 900 | 110 | 2.6 |
| 20190312 | 1000 | 110 | 3.6 |
| 20190312 | 1100 | 100 | 3.9 |
| 20190312 | 1200 | 90 | 3.7 |
| 20190312 | 1300 | 100 | 4.4 |
| 20190312 | 1400 | 90 | 3.8 |
| 20190312 | 1500 | 110 | 3.7 |
| 20190312 | 1600 | 80 | 3.8 |
| 20190312 | 1700 | 90 | 3.9 |
| 20190312 | 1800 | 100 | 4.3 |
| 20190312 | 1900 | 100 | 3.5 |
| 20190312 | 2000 | 90 | 2.7 |
| 20190312 | 2100 | 80 | 2.9 |
| 20190312 | 2200 | 90 | 2.9 |
| 20190312 | 2300 | 100 | 2.9 |
| 20190312 | 2400 | 110 | 2.4 |
| 20190313 | 100 | 20 | 2.3 |

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190313 | 200 | 50 | 1.8 |
| 20190313 | 300 | 130 | 2.3 |
| 20190313 | 400 | 120 | 2.8 |
| 20190313 | 500 | 120 | 2.7 |
| 20190313 | 600 | 120 | 3.3 |
| 20190313 | 700 | 120 | 3.5 |
| 20190313 | 800 | 110 | 3.8 |
| 20190313 | 900 | 110 | 4.1 |
| 20190313 | 1000 | 100 | 4.8 |
| 20190313 | 1100 | 110 | 5.7 |
| 20190313 | 1200 | 90 | 5.2 |
| 20190313 | 1300 | 80 | 5.8 |
| 20190313 | 1400 | 90 | 4.6 |
| 20190313 | 1500 | 110 | 4.4 |
| 20190313 | 1600 | 110 | 4.2 |
| 20190313 | 1700 | 100 | 5.1 |
| 20190313 | 1800 | 110 | 4.4 |
| 20190313 | 1900 | 110 | 4.8 |
| 20190313 | 2000 | 110 | 5.4 |
| 20190313 | 2100 | 100 | 5.4 |
| 20190313 | 2200 | 100 | 4.9 |
| 20190313 | 2300 | 110 | 3.3 |
| 20190313 | 2400 | 110 | 4.2 |
| 20190314 | 100 | 110 | 4.9 |
| 20190314 | 200 | 110 | 4.3 |
| 20190314 | 300 | 100 | 5.0 |
| 20190314 | 400 | 100 | 4.3 |
| 20190314 | 500 | 90 | 4.6 |
| 20190314 | 600 | 100 | 4.5 |
| 20190314 | 700 | 90 | 4.2 |
| 20190314 | 800 | 90 | 4.8 |
| 20190314 | 900 | 90 | 4.0 |
| 20190314 | 1000 | 110 | 4.3 |
| 20190314 | 1100 | 100 | 4.2 |
| 20190314 | 1200 | 110 | 3.6 |
| 20190314 | 1300 | 120 | 3.5 |
| 20190314 | 1400 | 110 | 2.6 |
| 20190314 | 1500 | 140 | 1.7 |
| 20190314 | 1600 | 130 | 1.6 |
| 20190314 | 1700 | 140 | 2.0 |
| 20190314 | 1800 | 160 | 1.3 |
| 20190314 | 1900 | 150 | 1.1 |
| 20190314 | 2000 | 140 | 1.3 |
| 20190314 | 2100 | 90 | 2.3 |
| 20190314 | 2200 | 70 | 1.1 |
| 20190314 | 2300 | 250 | 0.5 |
| 20190314 | 2400 | 30 | 1.2 |
| 20190315 | 100 | 40 | 1.2 |
| 20190315 | 200 | 70 | 1.4 |

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190315 | 300 | 120 | 1.7 |
| 20190315 | 400 | 50 | 2.0 |
| 20190315 | 500 | 80 | 2.2 |
| 20190315 | 600 | 70 | 2.4 |
| 20190315 | 700 | 40 | 2.4 |
| 20190315 | 800 | 40 | 2.1 |
| 20190315 | 900 | 20 | 1.9 |
| 20190315 | 1000 | 20 | 2.0 |
| 20190315 | 1100 | 330 | 1.1 |
| 20190315 | 1200 | 320 | 1.5 |
| 20190315 | 1300 | 320 | 0.8 |
| 20190315 | 1400 | 50 | 2.8 |
| 20190315 | 1500 | 30 | 2.3 |
| 20190315 | 1600 | 340 | 1.6 |
| 20190315 | 1700 | 30 | 1.0 |
| 20190315 | 1800 | 360 | 1.8 |
| 20190315 | 1900 | 10 | 2.2 |
| 20190315 | 2000 | 50 | 1.8 |
| 20190315 | 2100 | 40 | 2.3 |
| 20190315 | 2200 | 60 | 2.0 |
| 20190315 | 2300 | 30 | 1.8 |
| 20190315 | 2400 | 20 | 1.6 |
| 20190316 | 100 | 30 | 1.7 |
| 20190316 | 200 | 20 | 2.1 |
| 20190316 | 300 | 20 | 1.9 |
| 20190316 | 400 | 100 | 2.8 |
| 20190316 | 500 | 110 | 2.4 |
| 20190316 | 600 | 110 | 3.5 |
| 20190316 | 700 | 110 | 3.9 |
| 20190316 | 800 | 110 | 3.4 |
| 20190316 | 900 | 110 | 4.4 |
| 20190316 | 1000 | 100 | 5.3 |
| 20190316 | 1100 | 110 | 5.7 |
| 20190316 | 1200 | 90 | 5.7 |
| 20190316 | 1300 | 100 | 5.2 |
| 20190316 | 1400 | 100 | 5.8 |
| 20190316 | 1500 | 100 | 5.7 |
| 20190316 | 1600 | 100 | 5.5 |
| 20190316 | 1700 | 110 | 6.2 |
| 20190316 | 1800 | 110 | 6.1 |
| 20190316 | 1900 | 110 | 5.8 |
| 20190316 | 2000 | 110 | 5.5 |
| 20190316 | 2100 | 110 | 5.4 |
| 20190316 | 2200 | 110 | 4.7 |
| 20190316 | 2300 | 110 | 4.1 |
| 20190316 | 2400 | 110 | 4.2 |
| 20190317 | 100 | 100 | 4.1 |
| 20190317 | 200 | 100 | 4.2 |
| 20190317 | 300 | 90 | 4.5 |

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190317 | 400 | 90 | 4.5 |
| 20190317 | 500 | 100 | 4.7 |
| 20190317 | 600 | 110 | 4.6 |
| 20190317 | 700 | 110 | 4.9 |
| 20190317 | 800 | 100 | 5.0 |
| 20190317 | 900 | 110 | 5.3 |
| 20190317 | 1000 | 110 | 5.7 |
| 20190317 | 1100 | 100 | 4.5 |
| 20190317 | 1200 | 70 | 5.2 |
| 20190317 | 1300 | 100 | 5.1 |
| 20190317 | 1400 | 110 | 4.7 |
| 20190317 | 1500 | 100 | 4.3 |
| 20190317 | 1600 | 100 | 3.3 |
| 20190317 | 1700 | 100 | 3.0 |
| 20190317 | 1800 | 110 | 2.5 |
| 20190317 | 1900 | 110 | 2.6 |
| 20190317 | 2000 | 110 | 2.9 |
| 20190317 | 2100 | 120 | 2.4 |
| 20190317 | 2200 | 110 | 3.1 |
| 20190317 | 2300 | 110 | 3.7 |
| 20190317 | 2400 | 110 | 3.6 |
| 20190318 | 100 | 100 | 3.2 |
| 20190318 | 200 | 90 | 4.0 |
| 20190318 | 300 | 90 | 4.4 |
| 20190318 | 400 | 110 | 4.3 |
| 20190318 | 500 | 110 | 3.5 |
| 20190318 | 600 | 110 | 4.6 |
| 20190318 | 700 | 100 | 4.6 |
| 20190318 | 800 | 100 | 3.8 |
| 20190318 | 900 | 100 | 4.7 |
| 20190318 | 1000 | 80 | 4.3 |
| 20190318 | 1100 | 90 | 4.1 |
| 20190318 | 1200 | 100 | 3.1 |
| 20190318 | 1300 | 110 | 2.5 |
| 20190318 | 1400 | 120 | 2.4 |
| 20190318 | 1500 | 140 | 3.1 |
| 20190318 | 1600 | 140 | 3.3 |
| 20190318 | 1700 | 140 | 2.8 |
| 20190318 | 1800 | 140 | 3.2 |
| 20190318 | 1900 | 130 | 3.4 |
| 20190318 | 2000 | 130 | 2.4 |
| 20190318 | 2100 | 140 | 2.0 |
| 20190318 | 2200 | 140 | 1.9 |
| 20190318 | 2300 | 140 | 2.2 |
| 20190318 | 2400 | 130 | 2.0 |
| 20190319 | 100 | 130 | 1.9 |
| 20190319 | 200 | 140 | 1.4 |
| 20190319 | 300 | 130 | 1.8 |
| 20190319 | 400 | 100 | 1.4 |

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190319 | 500 | 150 | 1.1 |
| 20190319 | 600 | 130 | 0.8 |
| 20190319 | 700 | 140 | 1.1 |
| 20190319 | 800 | 150 | 0.2 |
| 20190319 | 900 | 150 | 0.1 |
| 20190319 | 1000 | 130 | 1.0 |
| 20190319 | 1100 | 130 | 1.2 |
| 20190319 | 1200 | 120 | 1.2 |
| 20190319 | 1300 | 120 | 4.8 |
| 20190319 | 1400 | 120 | 5.6 |
| 20190319 | 1500 | 120 | 5.4 |
| 20190319 | 1600 | 120 | 4.6 |
| 20190319 | 1700 | 130 | 4.5 |
| 20190319 | 1800 | 130 | 3.4 |
| 20190319 | 1900 | 130 | 3.1 |
| 20190319 | 2000 | 120 | 3.3 |
| 20190319 | 2100 | 120 | 2.2 |
| 20190319 | 2200 | 120 | 2.7 |
| 20190319 | 2300 | 130 | 2.5 |
| 20190319 | 2400 | 120 | 2.8 |
| 20190320 | 100 | 130 | 3.3 |
| 20190320 | 200 | 140 | 3.6 |
| 20190320 | 300 | 110 | 3.4 |
| 20190320 | 400 | 90 | 2.5 |
| 20190320 | 500 | 100 | 2.9 |
| 20190320 | 600 | 70 | 3.7 |
| 20190320 | 700 | 110 | 3.6 |
| 20190320 | 800 | 100 | 2.8 |
| 20190320 | 900 | 90 | 3.5 |
| 20190320 | 1000 | 110 | 3.4 |
| 20190320 | 1100 | 130 | 3.1 |
| 20190320 | 1200 | 130 | 2.7 |
| 20190320 | 1300 | 90 | 2.7 |
| 20190320 | 1400 | 140 | 3.2 |
| 20190320 | 1500 | 140 | 3.7 |
| 20190320 | 1600 | 140 | 3.6 |
| 20190320 | 1700 | 140 | 2.9 |
| 20190320 | 1800 | 140 | 2.8 |
| 20190320 | 1900 | 140 | 3.2 |
| 20190320 | 2000 | 130 | 3.0 |
| 20190320 | 2100 | 140 | 2.4 |
| 20190320 | 2200 | 130 | 1.8 |
| 20190320 | 2300 | 140 | 1.8 |
| 20190320 | 2400 | 130 | 1.8 |
| 20190321 | 100 | 140 | 1.7 |
| 20190321 | 200 | 140 | 2.0 |
| 20190321 | 300 | 130 | 1.3 |
| 20190321 | 400 | 130 | 1.6 |
| 20190321 | 500 | 140 | 1.0 |

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190321 | 600 | 140 | 1.4 |
| 20190321 | 700 | 130 | 1.7 |
| 20190321 | 800 | 130 | 2.2 |
| 20190321 | 900 | 130 | 1.6 |
| 20190321 | 1000 | 140 | 1.8 |
| 20190321 | 1100 | 190 | 1.8 |
| 20190321 | 1200 | 230 | 2.1 |
| 20190321 | 1300 | 200 | 2.9 |
| 20190321 | 1400 | 240 | 2.4 |
| 20190321 | 1500 | 220 | 3.0 |
| 20190321 | 1600 | 180 | 2.1 |
| 20190321 | 1700 | 210 | 2.4 |
| 20190321 | 1800 | 170 | 1.6 |
| 20190321 | 1900 | 170 | 1.3 |
| 20190321 | 2000 | 190 | 1.7 |
| 20190321 | 2100 | 190 | 2.3 |
| 20190321 | 2200 | 200 | 2.1 |
| 20190321 | 2300 | 190 | 2.3 |
| 20190321 | 2400 | 230 | 2.3 |
| 20190322 | 100 | 220 | 2.4 |
| 20190322 | 200 | 230 | 2.7 |
| 20190322 | 300 | 220 | 2.1 |
| 20190322 | 400 | 230 | 2.0 |
| 20190322 | 500 | 230 | 1.4 |
| 20190322 | 600 | 160 | 0.6 |
| 20190322 | 700 | 180 | 1.5 |
| 20190322 | 800 | 120 | 1.0 |
| 20190322 | 900 | 140 | 0.9 |
| 20190322 | 1000 | 140 | 1.4 |
| 20190322 | 1100 | 130 | 1.9 |
| 20190322 | 1200 | 130 | 1.5 |
| 20190322 | 1300 | 140 | 1.0 |
| 20190322 | 1400 | 230 | 2.3 |
| 20190322 | 1500 | 140 | 1.2 |
| 20190322 | 1600 | 130 | 1.7 |
| 20190322 | 1700 | 140 | 1.2 |
| 20190322 | 1800 | 130 | 2.1 |
| 20190322 | 1900 | 130 | 1.8 |
| 20190322 | 2000 | 130 | 1.5 |
| 20190322 | 2100 | 130 | 2.2 |
| 20190322 | 2200 | 130 | 2.6 |
| 20190322 | 2300 | 110 | 2.6 |
| 20190322 | 2400 | 130 | 3.3 |
| 20190323 | 100 | 70 | 4.5 |
| 20190323 | 200 | 100 | 5.0 |
| 20190323 | 300 | 100 | 4.9 |
| 20190323 | 400 | 110 | 5.8 |
| 20190323 | 500 | 110 | 5.5 |
| 20190323 | 600 | 110 | 5.6 |

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190323 | 700 | 110 | 5.6 |
| 20190323 | 800 | 110 | 5.1 |
| 20190323 | 900 | 110 | 5.2 |
| 20190323 | 1000 | 110 | 5.2 |
| 20190323 | 1100 | 110 | 5.2 |
| 20190323 | 1200 | 100 | 5.3 |
| 20190323 | 1300 | 100 | 5.4 |
| 20190323 | 1400 | 100 | 5.3 |
| 20190323 | 1500 | 110 | 5.2 |
| 20190323 | 1600 | 110 | 4.7 |
| 20190323 | 1700 | 110 | 3.5 |
| 20190323 | 1800 | 100 | 1.9 |
| 20190323 | 1900 | 150 | 1.6 |
| 20190323 | 2000 | 40 | 3.0 |
| 20190323 | 2100 | 60 | 1.7 |
| 20190323 | 2200 | 30 | 2.3 |
| 20190323 | 2300 | 20 | 2.7 |
| 20190323 | 2400 | 40 | 2.6 |
| 20190324 | 100 | 20 | 1.7 |
| 20190324 | 200 | 110 | 3.0 |
| 20190324 | 300 | 110 | 4.0 |
| 20190324 | 400 | 100 | 3.8 |
| 20190324 | 500 | 110 | 1.5 |
| 20190324 | 600 | 100 | 3.8 |
| 20190324 | 700 | 110 | 3.6 |
| 20190324 | 800 | 110 | 3.6 |
| 20190324 | 900 | 110 | 3.8 |
| 20190324 | 1000 | 100 | 4.6 |
| 20190324 | 1100 | 100 | 4.9 |
| 20190324 | 1200 | 110 | 6.3 |
| 20190324 | 1300 | 110 | 6.2 |
| 20190324 | 1400 | 100 | 5.3 |
| 20190324 | 1500 | 100 | 4.8 |
| 20190324 | 1600 | 100 | 4.4 |
| 20190324 | 1700 | 110 | 5.1 |
| 20190324 | 1800 | 110 | 5.4 |
| 20190324 | 1900 | 110 | 5.6 |
| 20190324 | 2000 | 100 | 5.5 |
| 20190324 | 2100 | 100 | 5.4 |
| 20190324 | 2200 | 100 | 4.8 |
| 20190324 | 2300 | 110 | 4.2 |
| 20190324 | 2400 | 110 | 3.8 |
| 20190325 | 100 | 120 | 3.0 |
| 20190325 | 200 | 110 | 4.8 |
| 20190325 | 300 | 110 | 4.5 |
| 20190325 | 400 | 110 | 3.5 |
| 20190325 | 500 | 100 | 1.7 |
| 20190325 | 600 | 100 | 2.2 |
| 20190325 | 700 | 110 | 2.0 |

Wind Station: Kai Tak Automatic Weather Station (SE AWS)

| Date | Time | Wind direction (degree) | Wind Speed (m/s) |
|----------|------|-------------------------|------------------|
| 20190325 | 800 | 280 | 1.4 |
| 20190325 | 900 | 290 | 2.5 |
| 20190325 | 1000 | 170 | 1.0 |
| 20190325 | 1100 | 190 | 1.1 |
| 20190325 | 1200 | 180 | 1.2 |
| 20190325 | 1300 | 130 | 1.0 |
| 20190325 | 1400 | 270 | 2.1 |
| 20190325 | 1500 | 160 | 1.5 |
| 20190325 | 1600 | 170 | 2.2 |
| 20190325 | 1700 | 160 | 2.0 |
| 20190325 | 1800 | 140 | 2.1 |
| 20190325 | 1900 | 140 | 3.5 |
| 20190325 | 2000 | 130 | 3.3 |
| 20190325 | 2100 | 130 | 2.3 |
| 20190325 | 2200 | 130 | 2.4 |
| 20190325 | 2300 | 140 | 2.3 |
| 20190325 | 2400 | 130 | 1.7 |
| 20190326 | 100 | 140 | 1.7 |
| 20190326 | 200 | 140 | 0.9 |
| 20190326 | 300 | 160 | 0.8 |
| 20190326 | 400 | 160 | 0.3 |
| 20190326 | 500 | 130 | 1.5 |
| 20190326 | 600 | 120 | 2.3 |
| 20190326 | 700 | 100 | 3.5 |
| 20190326 | 800 | 100 | 4.0 |
| 20190326 | 900 | 100 | 3.8 |
| 20190326 | 1000 | 90 | 4.4 |
| 20190326 | 1100 | 90 | 4.8 |
| 20190326 | 1200 | 80 | 5.3 |
| 20190326 | 1300 | 90 | 4.5 |
| 20190326 | 1400 | 80 | 4.7 |
| 20190326 | 1500 | 80 | 5.6 |
| 20190326 | 1600 | 100 | 5.5 |
| 20190326 | 1700 | 90 | 5.0 |
| 20190326 | 1800 | 90 | 5.2 |
| 20190326 | 1900 | 90 | 4.5 |
| 20190326 | 2000 | 110 | 3.6 |
| 20190326 | 2100 | 110 | 3.2 |
| 20190326 | 2200 | 110 | 2.6 |
| 20190326 | 2300 | 110 | 4.1 |
| 20190326 | 2400 | 90 | 3.2 |

H. Baseline Air Quality Monitoring Results




Figure 1: Measured 1-hour TSP Concentration at Station AMS1 between 11 and 26 March 2019

Note: The baseline air quality monitoring at AMS1 on 17 and 24 March 2019 are rejected by the workshop for blind due to security issues. Therefore, additional dust monitoring data are collected on 25 and 26 March 2019 for establishment of Action and Limit Levels.

1-hour TSP Monitoring Results at Station AMS1

| Date | Start Time | Finish Time | Weather | 1-hour TSP ($\mu\text{g}/\text{m}^3$) |
|-----------|------------|-------------|---------|---|
| 11-Mar-19 | 10:25 | 11:25 | Fine | 53 |
| 11-Mar-19 | 11:25 | 12:25 | Fine | 48 |
| 11-Mar-19 | 12:25 | 13:25 | Fine | 51 |
| 12-Mar-19 | 08:16 | 09:16 | Sunny | 62 |
| 12-Mar-19 | 09:16 | 10:16 | Sunny | 51 |
| 12-Mar-19 | 10:16 | 11:16 | Sunny | 54 |
| 13-Mar-19 | 08:15 | 09:15 | Sunny | 36 |
| 13-Mar-19 | 09:15 | 10:15 | Sunny | 45 |
| 13-Mar-19 | 10:15 | 11:15 | Sunny | 35 |
| 14-Mar-19 | 08:46 | 09:46 | Cloudy | 41 |
| 14-Mar-19 | 09:46 | 10:46 | Cloudy | 38 |
| 14-Mar-19 | 10:46 | 11:46 | Cloudy | 39 |
| 15-Mar-19 | 09:15 | 10:15 | Cloudy | 69 |
| 15-Mar-19 | 10:15 | 11:15 | Cloudy | 73 |
| 15-Mar-19 | 11:15 | 12:15 | Cloudy | 68 |
| 16-Mar-19 | 08:45 | 09:45 | Fine | 60 |
| 16-Mar-19 | 09:45 | 10:45 | Fine | 48 |
| 16-Mar-19 | 10:45 | 11:45 | Fine | 44 |
| 18-Mar-19 | 08:30 | 09:30 | Fine | 79 |
| 18-Mar-19 | 09:30 | 10:30 | Fine | 64 |
| 18-Mar-19 | 10:30 | 11:30 | Fine | 88 |
| 19-Mar-19 | 08:27 | 09:27 | Fine | 54 |
| 19-Mar-19 | 09:27 | 10:27 | Fine | 51 |
| 19-Mar-19 | 10:27 | 11:27 | Fine | 56 |
| 20-Mar-19 | 08:12 | 09:12 | Sunny | 38 |
| 20-Mar-19 | 09:12 | 10:12 | Sunny | 42 |
| 20-Mar-19 | 10:12 | 11:12 | Sunny | 40 |
| 21-Mar-19 | 09:15 | 10:15 | Fine | 61 |
| 21-Mar-19 | 10:15 | 11:15 | Fine | 59 |
| 21-Mar-19 | 11:15 | 12:15 | Fine | 55 |
| 22-Mar-19 | 08:16 | 09:16 | Cloudy | 43 |
| 22-Mar-19 | 09:16 | 10:16 | Cloudy | 47 |
| 22-Mar-19 | 10:16 | 11:16 | Cloudy | 34 |
| 23-Mar-19 | 09:16 | 10:16 | Cloudy | 37 |
| 23-Mar-19 | 10:16 | 11:16 | Cloudy | 32 |
| 23-Mar-19 | 11:16 | 12:16 | Cloudy | 47 |
| 25-Mar-19 | 10:01 | 11:01 | Cloudy | 24 |
| 25-Mar-19 | 11:01 | 12:01 | Cloudy | 34 |
| 25-Mar-19 | 12:01 | 13:01 | Cloudy | 30 |
| 26-Mar-19 | 09:25 | 10:25 | Cloudy | 54 |
| 26-Mar-19 | 10:25 | 11:25 | Cloudy | 52 |
| 26-Mar-19 | 11:25 | 12:25 | Cloudy | 61 |

Note:

The baseline air quality monitoring at AMS1 on 17 and 24 March 2019 are rejected by the workshop for blind due to security issues. Therefore, additional dust monitoring data are collected on 25 and 26 March 2019 for establishment of Action and Limit Levels.




Figure 2: Measured 1-hour TSP Concentration at Station AMS2 between 11 and 24 March 2019

1-hour TSP Monitoring Results at Station AMS2

| Date | Start Time | Finish Time | Weather | 1-hour TSP ($\mu\text{g}/\text{m}^3$) |
|-------------|-------------------|--------------------|----------------|---|
| 11-Mar-19 | 13:35 | 14:35 | Fine | 45 |
| 11-Mar-19 | 14:35 | 15:35 | Fine | 43 |
| 11-Mar-19 | 15:35 | 16:35 | Fine | 34 |
| 12-Mar-19 | 08:05 | 09:05 | Sunny | 35 |
| 12-Mar-19 | 09:05 | 10:05 | Sunny | 47 |
| 12-Mar-19 | 10:05 | 11:05 | Sunny | 38 |
| 13-Mar-19 | 08:01 | 09:01 | Sunny | 41 |
| 13-Mar-19 | 09:01 | 10:01 | Sunny | 32 |
| 13-Mar-19 | 10:01 | 11:01 | Sunny | 31 |
| 14-Mar-19 | 12:00 | 13:00 | Cloudy | 55 |
| 14-Mar-19 | 13:00 | 14:00 | Cloudy | 54 |
| 14-Mar-19 | 14:00 | 15:00 | Cloudy | 50 |
| 15-Mar-19 | 09:00 | 10:00 | Cloudy | 67 |
| 15-Mar-19 | 10:00 | 11:00 | Cloudy | 72 |
| 15-Mar-19 | 11:00 | 12:00 | Cloudy | 77 |
| 16-Mar-19 | 08:30 | 09:30 | Fine | 54 |
| 16-Mar-19 | 09:30 | 10:30 | Fine | 52 |
| 16-Mar-19 | 10:30 | 11:30 | Fine | 56 |
| 17-Mar-19 | 08:10 | 09:10 | Fine | 38 |
| 17-Mar-19 | 09:10 | 10:10 | Fine | 35 |
| 17-Mar-19 | 10:10 | 11:10 | Fine | 39 |
| 18-Mar-19 | 12:00 | 13:00 | Fine | 69 |
| 18-Mar-19 | 13:00 | 14:00 | Fine | 64 |
| 18-Mar-19 | 14:00 | 15:00 | Fine | 60 |
| 19-Mar-19 | 08:10 | 09:10 | Fine | 45 |
| 19-Mar-19 | 09:10 | 10:10 | Fine | 49 |
| 19-Mar-19 | 10:10 | 11:10 | Fine | 52 |
| 20-Mar-19 | 08:00 | 09:00 | Sunny | 35 |
| 20-Mar-19 | 09:00 | 10:00 | Sunny | 33 |
| 20-Mar-19 | 10:00 | 11:00 | Sunny | 36 |
| 21-Mar-19 | 09:00 | 10:00 | Fine | 64 |
| 21-Mar-19 | 10:00 | 11:00 | Fine | 72 |
| 21-Mar-19 | 11:00 | 12:00 | Fine | 70 |
| 22-Mar-19 | 07:50 | 08:50 | Cloudy | 34 |
| 22-Mar-19 | 08:50 | 09:50 | Cloudy | 31 |
| 22-Mar-19 | 09:50 | 10:50 | Cloudy | 30 |
| 23-Mar-19 | 08:00 | 09:00 | Cloudy | 41 |
| 23-Mar-19 | 09:00 | 10:00 | Cloudy | 26 |
| 23-Mar-19 | 10:00 | 11:00 | Cloudy | 36 |
| 24-Mar-19 | 08:25 | 09:25 | Cloudy | 34 |
| 24-Mar-19 | 09:25 | 10:25 | Cloudy | 26 |
| 24-Mar-19 | 10:25 | 11:25 | Cloudy | 39 |




Figure 3: Measured 1-hour TSP Concentration at Station AMS3-4-5 between 11 and 24 March 2019

1-hour TSP Monitoring Results at Station AMS3-4-5

| Date | Start Time | Finish Time | Weather | 1-hour TSP ($\mu\text{g}/\text{m}^3$) |
|-------------|-------------------|--------------------|----------------|---|
| 11-Mar-19 | 11:05 | 12:05 | Fine | 40 |
| 11-Mar-19 | 12:02 | 13:02 | Fine | 43 |
| 11-Mar-19 | 13:05 | 14:05 | Fine | 47 |
| 12-Mar-19 | 11:30 | 12:30 | Sunny | 49 |
| 12-Mar-19 | 12:30 | 13:30 | Sunny | 43 |
| 12-Mar-19 | 13:30 | 14:30 | Sunny | 51 |
| 13-Mar-19 | 11:25 | 12:25 | Sunny | 44 |
| 13-Mar-19 | 12:25 | 13:25 | Sunny | 37 |
| 13-Mar-19 | 13:25 | 14:25 | Sunny | 53 |
| 14-Mar-19 | 08:30 | 09:30 | Cloudy | 44 |
| 14-Mar-19 | 09:30 | 10:30 | Cloudy | 49 |
| 14-Mar-19 | 10:30 | 11:30 | Cloudy | 51 |
| 15-Mar-19 | 12:30 | 13:30 | Cloudy | 91 |
| 15-Mar-19 | 13:30 | 14:30 | Cloudy | 88 |
| 15-Mar-19 | 14:30 | 15:30 | Cloudy | 89 |
| 16-Mar-19 | 12:00 | 13:00 | Fine | 74 |
| 16-Mar-19 | 13:00 | 14:00 | Fine | 68 |
| 16-Mar-19 | 14:00 | 15:00 | Fine | 65 |
| 17-Mar-19 | 08:25 | 09:25 | Fine | 41 |
| 17-Mar-19 | 09:25 | 10:25 | Fine | 42 |
| 17-Mar-19 | 10:25 | 11:25 | Fine | 38 |
| 18-Mar-19 | 08:45 | 09:45 | Fine | 79 |
| 18-Mar-19 | 09:45 | 10:45 | Fine | 94 |
| 18-Mar-19 | 10:45 | 11:45 | Fine | 90 |
| 19-Mar-19 | 11:45 | 12:45 | Fine | 91 |
| 19-Mar-19 | 12:45 | 13:45 | Fine | 72 |
| 19-Mar-19 | 13:45 | 14:45 | Fine | 70 |
| 20-Mar-19 | 11:30 | 12:30 | Sunny | 57 |
| 20-Mar-19 | 12:30 | 13:30 | Sunny | 62 |
| 20-Mar-19 | 13:30 | 14:30 | Sunny | 59 |
| 21-Mar-19 | 12:30 | 13:30 | Fine | 79 |
| 21-Mar-19 | 13:30 | 14:30 | Fine | 82 |
| 21-Mar-19 | 14:30 | 15:30 | Fine | 86 |
| 22-Mar-19 | 11:35 | 12:35 | Cloudy | 36 |
| 22-Mar-19 | 12:35 | 13:35 | Cloudy | 37 |
| 22-Mar-19 | 13:35 | 14:35 | Cloudy | 37 |
| 23-Mar-19 | 11:34 | 12:34 | Cloudy | 40 |
| 23-Mar-19 | 12:34 | 13:34 | Cloudy | 46 |
| 23-Mar-19 | 13:34 | 14:34 | Cloudy | 40 |
| 24-Mar-19 | 08:43 | 09:43 | Cloudy | 29 |
| 24-Mar-19 | 09:43 | 10:43 | Cloudy | 29 |
| 24-Mar-19 | 10:43 | 11:43 | Cloudy | 40 |

I. Baseline Noise Monitoring Results




Figure 1: Measured $L_{Aeq(30min)}$ at Station NMS1 during Normal Working Hours (0700-1900 hours) between 11 and 25 March 2019




Figure 2: Measured $L_{Aeq(5min)}$ at Station NMS1 during Evening on Normal Weekdays (1900-2300 hours) and Holidays (0700-2300 hours) between 11 and 25 March 2019




Figure 3: Measured $L_{Aeq(5min)}$ at Station NMS1 during Night-time (2300-0700 hours) between 11 and 25 March 2019

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 11/03/2019 10:32 | 66.4 | 69.5 | 60.2 | 67.0 |
| 11/03/2019 10:37 | 66.2 | 69.8 | 59.6 | |
| 11/03/2019 10:42 | 66.3 | 69.4 | 59.6 | |
| 11/03/2019 10:47 | 66.8 | 70.2 | 60.1 | |
| 11/03/2019 10:52 | 68.5 | 71.9 | 60.8 | |
| 11/03/2019 10:57 | 67.4 | 70.7 | 61.6 | |
| 11/03/2019 11:02 | 67.5 | 70.3 | 61.0 | 67.6 |
| 11/03/2019 11:07 | 67.0 | 70.5 | 60.5 | |
| 11/03/2019 11:12 | 67.1 | 70.4 | 61.2 | |
| 11/03/2019 11:17 | 68.8 | 72.0 | 60.3 | |
| 11/03/2019 11:22 | 68.5 | 72.0 | 61.6 | |
| 11/03/2019 11:27 | 66.2 | 69.2 | 61.3 | |
| 11/03/2019 11:32 | 66.2 | 69.1 | 59.0 | 67.8 |
| 11/03/2019 11:37 | 67.6 | 71.4 | 60.2 | |
| 11/03/2019 11:42 | 67.5 | 71.0 | 60.2 | |
| 11/03/2019 11:47 | 68.5 | 71.9 | 59.8 | |
| 11/03/2019 11:52 | 67.8 | 71.2 | 59.9 | |
| 11/03/2019 11:57 | 68.7 | 71.4 | 60.1 | |
| 11/03/2019 12:02 | 67.2 | 70.8 | 57.9 | 68.2 |
| 11/03/2019 12:07 | 68.3 | 71.9 | 57.8 | |
| 11/03/2019 12:12 | 69.1 | 72.8 | 61.8 | |
| 11/03/2019 12:17 | 68.6 | 72.2 | 59.3 | |
| 11/03/2019 12:22 | 68.5 | 72.1 | 60.5 | |
| 11/03/2019 12:27 | 66.9 | 70.6 | 59.3 | |
| 11/03/2019 12:32 | 69.5 | 71.2 | 58.2 | 67.8 |
| 11/03/2019 12:37 | 67.9 | 71.6 | 59.6 | |
| 11/03/2019 12:42 | 67.3 | 70.7 | 60.7 | |
| 11/03/2019 12:47 | 68.0 | 71.1 | 60.6 | |
| 11/03/2019 12:52 | 67.2 | 71.2 | 57.7 | |
| 11/03/2019 12:57 | 65.9 | 69.2 | 60.1 | |
| 11/03/2019 13:02 | 68.0 | 71.0 | 59.3 | 69.4 |
| 11/03/2019 13:07 | 68.0 | 71.0 | 60.9 | |
| 11/03/2019 13:12 | 67.3 | 70.4 | 61.2 | |
| 11/03/2019 13:17 | 73.3 | 74.4 | 61.0 | |
| 11/03/2019 13:22 | 67.6 | 71.3 | 59.9 | |
| 11/03/2019 13:27 | 68.8 | 71.7 | 60.1 | |
| 11/03/2019 13:32 | 70.8 | 73.9 | 63.1 | 70.0 |
| 11/03/2019 13:37 | 69.7 | 72.4 | 64.7 | |
| 11/03/2019 13:42 | 68.5 | 71.5 | 63.4 | |
| 11/03/2019 13:47 | 69.7 | 72.7 | 64.7 | |
| 11/03/2019 13:52 | 71.0 | 73.5 | 65.5 | |
| 11/03/2019 13:57 | 69.7 | 72.7 | 65.1 | |
| 11/03/2019 14:02 | 71.3 | 74.0 | 65.8 | 69.7 |
| 11/03/2019 14:07 | 69.3 | 72.4 | 64.0 | |
| 11/03/2019 14:12 | 70.2 | 73.6 | 62.3 | |
| 11/03/2019 14:17 | 69.9 | 72.5 | 63.2 | |
| 11/03/2019 14:22 | 68.2 | 70.9 | 62.3 | |
| 11/03/2019 14:27 | 68.5 | 72.3 | 61.5 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 11/03/2019 14:32 | 68.9 | 71.3 | 63.3 | 68.8 |
| 11/03/2019 14:37 | 69.1 | 72.0 | 63.1 | |
| 11/03/2019 14:42 | 68.1 | 71.3 | 62.0 | |
| 11/03/2019 14:47 | 68.2 | 70.8 | 64.2 | |
| 11/03/2019 14:52 | 67.4 | 70.1 | 62.2 | |
| 11/03/2019 14:57 | 70.5 | 72.8 | 62.7 | |
| 11/03/2019 15:02 | 68.8 | 72.0 | 62.5 | 68.9 |
| 11/03/2019 15:07 | 68.7 | 72.0 | 62.8 | |
| 11/03/2019 15:12 | 70.1 | 72.5 | 65.3 | |
| 11/03/2019 15:17 | 69.2 | 72.5 | 61.6 | |
| 11/03/2019 15:22 | 68.4 | 71.6 | 61.7 | |
| 11/03/2019 15:27 | 68.0 | 70.7 | 61.3 | |
| 11/03/2019 15:32 | 70.1 | 73.3 | 62.0 | 70.3 |
| 11/03/2019 15:37 | 68.0 | 71.3 | 61.8 | |
| 11/03/2019 15:42 | 68.3 | 71.3 | 62.8 | |
| 11/03/2019 15:47 | 70.1 | 73.3 | 63.2 | |
| 11/03/2019 15:52 | 71.5 | 75.0 | 63.1 | |
| 11/03/2019 15:57 | 72.2 | 75.3 | 65.3 | |
| 11/03/2019 16:02 | 70.4 | 73.9 | 64.1 | 69.7 |
| 11/03/2019 16:07 | 69.1 | 72.5 | 62.3 | |
| 11/03/2019 16:12 | 70.6 | 73.3 | 63.4 | |
| 11/03/2019 16:17 | 71.6 | 75.0 | 61.9 | |
| 11/03/2019 16:22 | 67.5 | 70.6 | 59.7 | |
| 11/03/2019 16:27 | 67.0 | 70.2 | 59.6 | |
| 11/03/2019 16:32 | 67.0 | 69.9 | 60.6 | 68.4 |
| 11/03/2019 16:37 | 69.9 | 72.3 | 61.4 | |
| 11/03/2019 16:42 | 67.2 | 70.3 | 60.7 | |
| 11/03/2019 16:47 | 66.6 | 69.6 | 59.8 | |
| 11/03/2019 16:52 | 68.2 | 71.9 | 59.9 | |
| 11/03/2019 16:57 | 70.0 | 72.9 | 61.3 | |
| 11/03/2019 17:02 | 69.1 | 72.3 | 63.4 | 68.8 |
| 11/03/2019 17:07 | 70.5 | 69.5 | 59.8 | |
| 11/03/2019 17:12 | 70.0 | 73.8 | 59.1 | |
| 11/03/2019 17:17 | 67.7 | 70.7 | 62.2 | |
| 11/03/2019 17:22 | 66.0 | 69.5 | 56.9 | |
| 11/03/2019 17:27 | 68.3 | 71.3 | 63.5 | |
| 11/03/2019 17:32 | 69.1 | 72.2 | 59.5 | 67.4 |
| 11/03/2019 17:37 | 67.4 | 70.3 | 60.1 | |
| 11/03/2019 17:42 | 67.8 | 70.6 | 61.4 | |
| 11/03/2019 17:47 | 66.2 | 68.6 | 61.6 | |
| 11/03/2019 17:52 | 66.3 | 69.4 | 59.0 | |
| 11/03/2019 17:57 | 67.0 | 70.2 | 59.6 | |
| 11/03/2019 18:02 | 65.1 | 68.3 | 59.2 | 66.8 |
| 11/03/2019 18:07 | 66.6 | 69.8 | 57.8 | |
| 11/03/2019 18:12 | 69.4 | 72.4 | 62.9 | |
| 11/03/2019 18:17 | 65.6 | 68.9 | 57.9 | |
| 11/03/2019 18:22 | 66.3 | 69.2 | 58.2 | |
| 11/03/2019 18:27 | 66.1 | 68.1 | 58.8 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ | L_{eq} (30 min) |
|------------------------|-------------------------------|-----------------------|-----------------------|--------------------------------|
| 11/03/2019 18:32 | 67.3 | 71.0 | 57.8 | 67.7 |
| 11/03/2019 18:37 | 67.4 | 69.6 | 60.7 | |
| 11/03/2019 18:42 | 66.1 | 70.2 | 58.0 | |
| 11/03/2019 18:47 | 68.3 | 70.6 | 59.9 | |
| 11/03/2019 18:52 | 68.0 | 71.9 | 57.3 | |
| 11/03/2019 18:57 | 68.5 | 71.7 | 57.9 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/03/2019 07:02 | 64.5 | 67.9 | 57.2 | 66.5 |
| 12/03/2019 07:07 | 63.7 | 67.7 | 56.2 | |
| 12/03/2019 07:12 | 68.7 | 71.4 | 59.1 | |
| 12/03/2019 07:17 | 67.8 | 70.1 | 58.8 | |
| 12/03/2019 07:22 | 65.7 | 69.5 | 57.2 | |
| 12/03/2019 07:27 | 66.5 | 69.9 | 58.5 | |
| 12/03/2019 07:32 | 66.6 | 69.9 | 60.3 | 68.8 |
| 12/03/2019 07:37 | 68.0 | 71.0 | 60.3 | |
| 12/03/2019 07:42 | 68.9 | 72.7 | 60.3 | |
| 12/03/2019 07:47 | 67.8 | 69.8 | 57.7 | |
| 12/03/2019 07:52 | 68.1 | 71.6 | 59.1 | |
| 12/03/2019 07:57 | 71.5 | 72.0 | 61.1 | |
| 12/03/2019 08:02 | 67.9 | 71.5 | 60.5 | 68.7 |
| 12/03/2019 08:07 | 70.0 | 72.6 | 64.5 | |
| 12/03/2019 08:12 | 69.1 | 72.4 | 60.4 | |
| 12/03/2019 08:17 | 67.3 | 71.3 | 59.5 | |
| 12/03/2019 08:22 | 69.3 | 73.2 | 61.4 | |
| 12/03/2019 08:27 | 68.0 | 70.4 | 62.3 | |
| 12/03/2019 08:32 | 68.7 | 71.5 | 61.6 | 68.7 |
| 12/03/2019 08:37 | 66.9 | 69.2 | 62.5 | |
| 12/03/2019 08:42 | 68.4 | 70.9 | 63.0 | |
| 12/03/2019 08:47 | 69.1 | 71.5 | 65.1 | |
| 12/03/2019 08:52 | 70.2 | 73.2 | 64.4 | |
| 12/03/2019 08:57 | 68.0 | 70.9 | 63.3 | |
| 12/03/2019 09:02 | 68.0 | 70.6 | 63.8 | 67.4 |
| 12/03/2019 09:07 | 67.0 | 70.0 | 61.8 | |
| 12/03/2019 09:12 | 68.0 | 71.0 | 62.0 | |
| 12/03/2019 09:17 | 66.9 | 70.2 | 60.1 | |
| 12/03/2019 09:22 | 67.0 | 70.2 | 60.0 | |
| 12/03/2019 09:27 | 67.3 | 70.7 | 59.7 | |
| 12/03/2019 09:32 | 67.9 | 71.3 | 61.7 | 68.4 |
| 12/03/2019 09:37 | 66.4 | 68.9 | 61.3 | |
| 12/03/2019 09:42 | 68.4 | 71.4 | 62.2 | |
| 12/03/2019 09:47 | 69.7 | 72.2 | 64.6 | |
| 12/03/2019 09:52 | 69.8 | 71.8 | 64.4 | |
| 12/03/2019 09:57 | 67.3 | 70.4 | 61.0 | |
| 12/03/2019 10:02 | 68.1 | 71.0 | 62.5 | 67.7 |
| 12/03/2019 10:07 | 68.3 | 71.6 | 60.1 | |
| 12/03/2019 10:12 | 64.6 | 67.6 | 59.6 | |
| 12/03/2019 10:17 | 67.6 | 70.9 | 59.0 | |
| 12/03/2019 10:22 | 68.5 | 72.0 | 61.6 | |
| 12/03/2019 10:27 | 67.9 | 71.0 | 61.6 | |
| 12/03/2019 10:32 | 65.3 | 68.4 | 58.6 | 68.2 |
| 12/03/2019 10:37 | 66.9 | 69.8 | 61.6 | |
| 12/03/2019 10:42 | 69.5 | 74.2 | 61.3 | |
| 12/03/2019 10:47 | 66.4 | 69.5 | 59.7 | |
| 12/03/2019 10:52 | 70.7 | 72.5 | 60.2 | |
| 12/03/2019 10:57 | 67.9 | 70.5 | 62.9 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/03/2019 11:02 | 68.7 | 71.6 | 60.9 | 67.6 |
| 12/03/2019 11:07 | 68.1 | 71.6 | 61.0 | |
| 12/03/2019 11:12 | 67.4 | 70.5 | 60.3 | |
| 12/03/2019 11:17 | 66.1 | 69.0 | 61.2 | |
| 12/03/2019 11:22 | 68.5 | 71.7 | 62.1 | |
| 12/03/2019 11:27 | 65.8 | 69.4 | 59.1 | |
| 12/03/2019 11:32 | 66.4 | 70.0 | 58.6 | 68.0 |
| 12/03/2019 11:37 | 69.8 | 73.0 | 60.0 | |
| 12/03/2019 11:42 | 69.0 | 73.0 | 60.4 | |
| 12/03/2019 11:47 | 67.3 | 70.9 | 60.8 | |
| 12/03/2019 11:52 | 66.0 | 69.3 | 59.9 | |
| 12/03/2019 11:57 | 68.2 | 72.5 | 57.0 | |
| 12/03/2019 12:02 | 67.4 | 70.7 | 58.1 | 68.5 |
| 12/03/2019 12:07 | 66.8 | 70.2 | 58.4 | |
| 12/03/2019 12:12 | 68.9 | 72.6 | 59.5 | |
| 12/03/2019 12:17 | 68.9 | 71.7 | 60.6 | |
| 12/03/2019 12:22 | 67.2 | 69.9 | 59.0 | |
| 12/03/2019 12:27 | 70.6 | 75.2 | 60.4 | |
| 12/03/2019 12:32 | 67.1 | 70.7 | 59.2 | 68.0 |
| 12/03/2019 12:37 | 67.0 | 70.7 | 59.7 | |
| 12/03/2019 12:42 | 69.6 | 73.4 | 60.6 | |
| 12/03/2019 12:47 | 67.9 | 70.5 | 62.8 | |
| 12/03/2019 12:52 | 68.6 | 71.7 | 61.8 | |
| 12/03/2019 12:57 | 67.1 | 70.8 | 61.2 | |
| 12/03/2019 13:02 | 67.9 | 70.5 | 62.4 | 69.3 |
| 12/03/2019 13:07 | 69.0 | 72.0 | 62.5 | |
| 12/03/2019 13:12 | 70.8 | 73.8 | 65.2 | |
| 12/03/2019 13:17 | 68.9 | 71.2 | 65.3 | |
| 12/03/2019 13:22 | 69.1 | 71.5 | 65.3 | |
| 12/03/2019 13:27 | 69.3 | 72.0 | 66.1 | |
| 12/03/2019 13:32 | 67.4 | 70.5 | 62.2 | 69.3 |
| 12/03/2019 13:37 | 71.1 | 74.2 | 64.7 | |
| 12/03/2019 13:42 | 71.0 | 74.1 | 64.3 | |
| 12/03/2019 13:47 | 68.2 | 71.4 | 61.8 | |
| 12/03/2019 13:52 | 67.4 | 70.6 | 61.8 | |
| 12/03/2019 13:57 | 69.3 | 73.1 | 62.7 | |
| 12/03/2019 14:02 | 70.2 | 73.1 | 62.9 | 68.7 |
| 12/03/2019 14:07 | 68.0 | 70.8 | 60.8 | |
| 12/03/2019 14:12 | 67.8 | 70.2 | 63.9 | |
| 12/03/2019 14:17 | 69.6 | 73.4 | 60.6 | |
| 12/03/2019 14:22 | 68.1 | 70.9 | 58.2 | |
| 12/03/2019 14:27 | 68.2 | 70.9 | 59.7 | |
| 12/03/2019 14:32 | 65.9 | 68.8 | 59.5 | 68.9 |
| 12/03/2019 14:37 | 70.1 | 71.7 | 62.2 | |
| 12/03/2019 14:42 | 71.0 | 69.3 | 61.5 | |
| 12/03/2019 14:47 | 68.1 | 70.5 | 61.2 | |
| 12/03/2019 14:52 | 68.1 | 70.8 | 62.2 | |
| 12/03/2019 14:57 | 68.4 | 71.5 | 61.1 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/03/2019 15:02 | 65.6 | 68.6 | 60.0 | 67.5 |
| 12/03/2019 15:07 | 66.7 | 69.6 | 60.0 | |
| 12/03/2019 15:12 | 66.4 | 69.9 | 59.4 | |
| 12/03/2019 15:17 | 67.9 | 70.8 | 60.4 | |
| 12/03/2019 15:22 | 68.2 | 71.9 | 60.7 | |
| 12/03/2019 15:27 | 69.3 | 72.0 | 61.2 | |
| 12/03/2019 15:32 | 66.7 | 69.7 | 61.5 | 68.3 |
| 12/03/2019 15:37 | 71.4 | 73.2 | 62.8 | |
| 12/03/2019 15:42 | 67.5 | 70.8 | 61.2 | |
| 12/03/2019 15:47 | 66.4 | 69.8 | 60.3 | |
| 12/03/2019 15:52 | 68.2 | 70.3 | 62.3 | |
| 12/03/2019 15:57 | 67.4 | 70.9 | 60.0 | |
| 12/03/2019 16:02 | 66.8 | 69.8 | 60.8 | 69.8 |
| 12/03/2019 16:07 | 66.8 | 69.8 | 61.3 | |
| 12/03/2019 16:12 | 68.2 | 71.1 | 61.6 | |
| 12/03/2019 16:17 | 74.0 | 74.0 | 59.5 | |
| 12/03/2019 16:22 | 67.3 | 71.1 | 59.5 | |
| 12/03/2019 16:27 | 70.3 | 72.0 | 61.5 | |
| 12/03/2019 16:32 | 67.1 | 69.9 | 62.1 | 67.0 |
| 12/03/2019 16:37 | 67.6 | 71.1 | 60.3 | |
| 12/03/2019 16:42 | 67.0 | 70.9 | 59.8 | |
| 12/03/2019 16:47 | 67.6 | 70.9 | 61.9 | |
| 12/03/2019 16:52 | 65.2 | 68.4 | 59.3 | |
| 12/03/2019 16:57 | 67.1 | 70.7 | 59.0 | |
| 12/03/2019 17:02 | 70.0 | 74.1 | 59.2 | 70.2 |
| 12/03/2019 17:07 | 70.3 | 73.7 | 62.2 | |
| 12/03/2019 17:12 | 70.3 | 74.2 | 63.0 | |
| 12/03/2019 17:17 | 71.0 | 74.8 | 60.1 | |
| 12/03/2019 17:22 | 70.5 | 74.3 | 63.1 | |
| 12/03/2019 17:27 | 68.8 | 72.1 | 60.3 | |
| 12/03/2019 17:32 | 69.2 | 72.7 | 61.7 | 67.1 |
| 12/03/2019 17:37 | 66.4 | 69.8 | 59.2 | |
| 12/03/2019 17:42 | 66.0 | 69.4 | 58.2 | |
| 12/03/2019 17:47 | 65.9 | 69.3 | 58.5 | |
| 12/03/2019 17:52 | 67.4 | 70.5 | 59.0 | |
| 12/03/2019 17:57 | 66.7 | 70.1 | 57.3 | |
| 12/03/2019 18:02 | 64.5 | 67.0 | 58.7 | 66.6 |
| 12/03/2019 18:07 | 66.6 | 69.6 | 58.3 | |
| 12/03/2019 18:12 | 67.2 | 70.1 | 60.1 | |
| 12/03/2019 18:17 | 67.4 | 71.1 | 57.6 | |
| 12/03/2019 18:22 | 67.6 | 70.6 | 61.4 | |
| 12/03/2019 18:27 | 65.1 | 68.9 | 57.5 | |
| 12/03/2019 18:32 | 65.7 | 69.4 | 55.5 | 67.0 |
| 12/03/2019 18:37 | 65.6 | 68.3 | 57.4 | |
| 12/03/2019 18:42 | 65.7 | 69.8 | 54.3 | |
| 12/03/2019 18:47 | 67.0 | 70.2 | 59.4 | |
| 12/03/2019 18:52 | 65.0 | 69.3 | 53.4 | |
| 12/03/2019 18:57 | 70.4 | 73.0 | 57.0 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/03/2019 07:02 | 63.7 | 67.2 | 56.1 | 66.3 |
| 13/03/2019 07:07 | 66.2 | 68.4 | 56.2 | |
| 13/03/2019 07:12 | 67.6 | 70.9 | 59.0 | |
| 13/03/2019 07:17 | 65.5 | 69.5 | 56.8 | |
| 13/03/2019 07:22 | 64.9 | 68.2 | 58.5 | |
| 13/03/2019 07:27 | 68.3 | 71.7 | 59.0 | |
| 13/03/2019 07:32 | 67.0 | 70.7 | 58.6 | 66.8 |
| 13/03/2019 07:37 | 65.9 | 69.2 | 59.9 | |
| 13/03/2019 07:42 | 67.3 | 70.4 | 60.5 | |
| 13/03/2019 07:47 | 66.6 | 69.5 | 58.9 | |
| 13/03/2019 07:52 | 66.0 | 69.4 | 58.5 | |
| 13/03/2019 07:57 | 67.6 | 71.3 | 60.3 | |
| 13/03/2019 08:02 | 69.1 | 73.2 | 61.6 | 68.6 |
| 13/03/2019 08:07 | 67.2 | 70.1 | 61.0 | |
| 13/03/2019 08:12 | 66.9 | 70.2 | 60.2 | |
| 13/03/2019 08:17 | 68.7 | 70.7 | 60.9 | |
| 13/03/2019 08:22 | 67.3 | 70.7 | 59.8 | |
| 13/03/2019 08:27 | 71.1 | 72.2 | 61.8 | |
| 13/03/2019 08:32 | 67.1 | 69.4 | 61.2 | 68.2 |
| 13/03/2019 08:37 | 69.3 | 72.2 | 63.3 | |
| 13/03/2019 08:42 | 66.1 | 69.1 | 61.4 | |
| 13/03/2019 08:47 | 68.8 | 70.8 | 61.6 | |
| 13/03/2019 08:52 | 68.4 | 71.3 | 62.7 | |
| 13/03/2019 08:57 | 68.9 | 71.4 | 62.3 | |
| 13/03/2019 09:02 | 67.9 | 71.1 | 62.4 | 67.6 |
| 13/03/2019 09:07 | 67.3 | 70.0 | 61.4 | |
| 13/03/2019 09:12 | 68.1 | 70.7 | 62.5 | |
| 13/03/2019 09:17 | 67.3 | 69.9 | 62.7 | |
| 13/03/2019 09:22 | 67.3 | 70.6 | 61.2 | |
| 13/03/2019 09:27 | 67.4 | 70.2 | 60.7 | |
| 13/03/2019 09:32 | 67.7 | 71.0 | 61.4 | 67.0 |
| 13/03/2019 09:37 | 66.8 | 70.0 | 61.4 | |
| 13/03/2019 09:42 | 66.3 | 69.3 | 60.8 | |
| 13/03/2019 09:47 | 67.1 | 69.8 | 61.7 | |
| 13/03/2019 09:52 | 67.3 | 70.5 | 61.0 | |
| 13/03/2019 09:57 | 66.4 | 69.4 | 59.5 | |
| 13/03/2019 10:02 | 66.7 | 70.3 | 59.7 | 66.5 |
| 13/03/2019 10:07 | 67.5 | 70.7 | 60.8 | |
| 13/03/2019 10:12 | 66.6 | 69.5 | 60.4 | |
| 13/03/2019 10:17 | 66.1 | 70.0 | 59.3 | |
| 13/03/2019 10:22 | 66.1 | 69.1 | 58.9 | |
| 13/03/2019 10:27 | 65.7 | 69.1 | 59.9 | |
| 13/03/2019 10:32 | 65.9 | 69.4 | 59.7 | 67.0 |
| 13/03/2019 10:37 | 68.4 | 71.1 | 60.5 | |
| 13/03/2019 10:42 | 66.4 | 70.0 | 59.9 | |
| 13/03/2019 10:47 | 66.2 | 69.4 | 60.7 | |
| 13/03/2019 10:52 | 66.2 | 68.9 | 61.3 | |
| 13/03/2019 10:57 | 68.2 | 70.9 | 62.3 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/03/2019 11:02 | 66.8 | 69.4 | 60.5 | 67.3 |
| 13/03/2019 11:07 | 66.7 | 69.4 | 60.4 | |
| 13/03/2019 11:12 | 67.4 | 70.5 | 61.3 | |
| 13/03/2019 11:17 | 67.9 | 70.9 | 59.2 | |
| 13/03/2019 11:22 | 67.4 | 71.7 | 58.2 | |
| 13/03/2019 11:27 | 67.2 | 70.9 | 59.4 | |
| 13/03/2019 11:32 | 65.1 | 68.2 | 58.0 | 66.8 |
| 13/03/2019 11:37 | 68.7 | 72.2 | 59.0 | |
| 13/03/2019 11:42 | 67.8 | 70.4 | 58.5 | |
| 13/03/2019 11:47 | 66.0 | 69.7 | 56.6 | |
| 13/03/2019 11:52 | 66.4 | 69.7 | 60.4 | |
| 13/03/2019 11:57 | 66.0 | 69.3 | 59.8 | |
| 13/03/2019 12:02 | 66.4 | 69.9 | 58.0 | 67.5 |
| 13/03/2019 12:07 | 66.9 | 70.6 | 58.3 | |
| 13/03/2019 12:12 | 67.6 | 70.0 | 57.7 | |
| 13/03/2019 12:17 | 68.0 | 71.3 | 61.9 | |
| 13/03/2019 12:22 | 65.9 | 69.4 | 59.0 | |
| 13/03/2019 12:27 | 69.2 | 72.8 | 60.6 | |
| 13/03/2019 12:32 | 67.6 | 71.1 | 59.7 | 67.9 |
| 13/03/2019 12:37 | 69.9 | 73.5 | 61.8 | |
| 13/03/2019 12:42 | 67.5 | 70.5 | 61.2 | |
| 13/03/2019 12:47 | 67.3 | 70.7 | 58.6 | |
| 13/03/2019 12:52 | 67.5 | 70.8 | 59.0 | |
| 13/03/2019 12:57 | 66.7 | 69.8 | 59.3 | |
| 13/03/2019 13:02 | 67.5 | 71.7 | 59.0 | 68.1 |
| 13/03/2019 13:07 | 70.2 | 73.5 | 60.9 | |
| 13/03/2019 13:12 | 66.9 | 69.9 | 62.4 | |
| 13/03/2019 13:17 | 68.1 | 71.4 | 61.1 | |
| 13/03/2019 13:22 | 67.1 | 69.8 | 61.9 | |
| 13/03/2019 13:27 | 67.8 | 70.7 | 63.1 | |
| 13/03/2019 13:32 | 67.9 | 71.3 | 60.4 | 68.7 |
| 13/03/2019 13:37 | 67.6 | 70.0 | 61.8 | |
| 13/03/2019 13:42 | 68.0 | 70.9 | 61.7 | |
| 13/03/2019 13:47 | 66.9 | 70.5 | 60.5 | |
| 13/03/2019 13:52 | 68.1 | 70.7 | 63.1 | |
| 13/03/2019 13:57 | 71.8 | 71.9 | 63.4 | |
| 13/03/2019 14:02 | 69.2 | 71.7 | 60.9 | 69.7 |
| 13/03/2019 14:07 | 68.8 | 72.2 | 61.1 | |
| 13/03/2019 14:12 | 66.4 | 69.4 | 60.5 | |
| 13/03/2019 14:17 | 70.8 | 74.1 | 63.8 | |
| 13/03/2019 14:22 | 70.0 | 73.0 | 64.7 | |
| 13/03/2019 14:27 | 71.3 | 74.7 | 64.4 | |
| 13/03/2019 14:32 | 71.8 | 74.3 | 61.9 | 70.2 |
| 13/03/2019 14:37 | 69.4 | 72.7 | 62.3 | |
| 13/03/2019 14:42 | 72.8 | 76.3 | 65.7 | |
| 13/03/2019 14:47 | 68.8 | 72.6 | 62.3 | |
| 13/03/2019 14:52 | 68.9 | 73.1 | 61.8 | |
| 13/03/2019 14:57 | 66.6 | 69.7 | 60.8 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/03/2019 15:02 | 67.3 | 70.6 | 62.1 | 67.4 |
| 13/03/2019 15:07 | 67.4 | 70.6 | 61.3 | |
| 13/03/2019 15:12 | 67.6 | 70.6 | 62.2 | |
| 13/03/2019 15:17 | 67.6 | 71.2 | 62.1 | |
| 13/03/2019 15:22 | 67.2 | 70.7 | 60.7 | |
| 13/03/2019 15:27 | 67.5 | 70.8 | 61.0 | |
| 13/03/2019 15:32 | 66.7 | 69.9 | 61.2 | 68.6 |
| 13/03/2019 15:37 | 70.5 | 74.0 | 61.8 | |
| 13/03/2019 15:42 | 67.1 | 71.3 | 60.6 | |
| 13/03/2019 15:47 | 68.1 | 71.0 | 61.9 | |
| 13/03/2019 15:52 | 68.8 | 71.8 | 60.4 | |
| 13/03/2019 15:57 | 69.2 | 71.0 | 61.4 | |
| 13/03/2019 16:02 | 69.3 | 70.7 | 62.1 | 68.3 |
| 13/03/2019 16:07 | 67.8 | 70.4 | 62.2 | |
| 13/03/2019 16:12 | 67.5 | 69.7 | 61.5 | |
| 13/03/2019 16:17 | 70.2 | 72.4 | 62.3 | |
| 13/03/2019 16:22 | 67.2 | 69.8 | 61.9 | |
| 13/03/2019 16:27 | 66.7 | 69.6 | 60.4 | |
| 13/03/2019 16:32 | 67.6 | 70.9 | 61.9 | 67.4 |
| 13/03/2019 16:37 | 68.8 | 71.3 | 62.8 | |
| 13/03/2019 16:42 | 67.1 | 69.9 | 60.4 | |
| 13/03/2019 16:47 | 67.6 | 69.8 | 60.5 | |
| 13/03/2019 16:52 | 66.7 | 69.8 | 61.3 | |
| 13/03/2019 16:57 | 65.9 | 68.8 | 59.0 | |
| 13/03/2019 17:02 | 69.4 | 70.3 | 60.0 | 67.9 |
| 13/03/2019 17:07 | 68.4 | 70.7 | 62.9 | |
| 13/03/2019 17:12 | 68.2 | 71.4 | 60.7 | |
| 13/03/2019 17:17 | 66.0 | 69.0 | 59.4 | |
| 13/03/2019 17:22 | 66.6 | 70.2 | 59.1 | |
| 13/03/2019 17:27 | 67.8 | 71.1 | 60.3 | |
| 13/03/2019 17:32 | 66.5 | 68.6 | 61.4 | 66.7 |
| 13/03/2019 17:37 | 65.4 | 68.9 | 59.7 | |
| 13/03/2019 17:42 | 65.7 | 67.8 | 59.6 | |
| 13/03/2019 17:47 | 66.6 | 69.9 | 60.5 | |
| 13/03/2019 17:52 | 67.5 | 71.1 | 61.1 | |
| 13/03/2019 17:57 | 68.0 | 71.1 | 61.4 | |
| 13/03/2019 18:02 | 67.8 | 71.4 | 60.1 | 67.2 |
| 13/03/2019 18:07 | 68.3 | 72.2 | 60.6 | |
| 13/03/2019 18:12 | 67.3 | 70.0 | 57.9 | |
| 13/03/2019 18:17 | 68.3 | 70.7 | 61.7 | |
| 13/03/2019 18:22 | 65.9 | 69.7 | 57.1 | |
| 13/03/2019 18:27 | 64.6 | 67.9 | 57.2 | |
| 13/03/2019 18:32 | 66.0 | 68.8 | 59.6 | 66.2 |
| 13/03/2019 18:37 | 66.9 | 70.3 | 59.9 | |
| 13/03/2019 18:42 | 65.4 | 68.5 | 57.6 | |
| 13/03/2019 18:47 | 65.2 | 68.8 | 58.4 | |
| 13/03/2019 18:52 | 65.6 | 68.7 | 56.9 | |
| 13/03/2019 18:57 | 67.6 | 70.6 | 57.5 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/03/2019 07:02 | 65.2 | 68.7 | 58.1 | 66.0 |
| 14/03/2019 07:07 | 64.2 | 68.0 | 57.2 | |
| 14/03/2019 07:12 | 65.5 | 69.0 | 59.7 | |
| 14/03/2019 07:17 | 66.8 | 69.7 | 60.7 | |
| 14/03/2019 07:22 | 66.7 | 70.4 | 58.9 | |
| 14/03/2019 07:27 | 67.0 | 70.0 | 60.4 | |
| 14/03/2019 07:32 | 67.5 | 70.8 | 59.2 | 66.7 |
| 14/03/2019 07:37 | 67.9 | 71.4 | 60.4 | |
| 14/03/2019 07:42 | 67.2 | 70.4 | 60.9 | |
| 14/03/2019 07:47 | 65.3 | 69.0 | 58.7 | |
| 14/03/2019 07:52 | 66.3 | 70.2 | 58.6 | |
| 14/03/2019 07:57 | 65.3 | 69.0 | 58.4 | |
| 14/03/2019 08:02 | 68.3 | 71.6 | 61.2 | 70.0 |
| 14/03/2019 08:07 | 70.4 | 73.8 | 63.8 | |
| 14/03/2019 08:12 | 66.8 | 70.4 | 60.1 | |
| 14/03/2019 08:17 | 73.7 | 71.3 | 62.1 | |
| 14/03/2019 08:22 | 68.1 | 71.4 | 62.6 | |
| 14/03/2019 08:27 | 68.7 | 71.9 | 61.8 | |
| 14/03/2019 08:32 | 67.9 | 70.8 | 61.8 | 68.1 |
| 14/03/2019 08:37 | 67.9 | 70.8 | 62.3 | |
| 14/03/2019 08:42 | 68.1 | 71.2 | 61.8 | |
| 14/03/2019 08:47 | 68.1 | 71.1 | 61.3 | |
| 14/03/2019 08:52 | 68.3 | 71.0 | 62.6 | |
| 14/03/2019 08:57 | 68.5 | 71.9 | 62.9 | |
| 14/03/2019 09:02 | 68.9 | 71.3 | 63.8 | 67.7 |
| 14/03/2019 09:07 | 66.9 | 69.8 | 62.3 | |
| 14/03/2019 09:12 | 67.8 | 71.0 | 61.4 | |
| 14/03/2019 09:17 | 68.0 | 71.0 | 63.2 | |
| 14/03/2019 09:22 | 67.1 | 70.3 | 61.6 | |
| 14/03/2019 09:27 | 67.4 | 70.0 | 61.7 | |
| 14/03/2019 09:32 | 68.0 | 71.1 | 59.9 | 67.8 |
| 14/03/2019 09:37 | 68.9 | 71.6 | 63.5 | |
| 14/03/2019 09:42 | 66.3 | 69.1 | 60.3 | |
| 14/03/2019 09:47 | 68.1 | 70.4 | 62.2 | |
| 14/03/2019 09:52 | 67.3 | 70.1 | 61.9 | |
| 14/03/2019 09:57 | 67.8 | 70.4 | 63.5 | |
| 14/03/2019 10:33 | 69.6 | 72.7 | 62.6 | 69.7 |
| 14/03/2019 10:38 | 68.9 | 71.8 | 62.3 | |
| 14/03/2019 10:43 | 68.9 | 72.1 | 63.1 | |
| 14/03/2019 10:48 | 69.6 | 72.6 | 64.4 | |
| 14/03/2019 10:53 | 69.7 | 73.0 | 62.6 | |
| 14/03/2019 10:58 | 71.3 | 73.9 | 63.3 | |
| 14/03/2019 11:03 | 68.8 | 72.4 | 62.0 | 69.8 |
| 14/03/2019 11:08 | 70.0 | 73.1 | 62.7 | |
| 14/03/2019 11:13 | 68.1 | 70.9 | 61.6 | |
| 14/03/2019 11:18 | 70.3 | 73.5 | 62.4 | |
| 14/03/2019 11:23 | 70.6 | 75.0 | 61.0 | |
| 14/03/2019 11:28 | 70.2 | 73.7 | 62.2 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/03/2019 11:33 | 70.1 | 73.5 | 61.8 | 70.6 |
| 14/03/2019 11:38 | 70.3 | 73.9 | 61.3 | |
| 14/03/2019 11:43 | 70.4 | 74.0 | 63.1 | |
| 14/03/2019 11:48 | 71.8 | 74.6 | 63.6 | |
| 14/03/2019 11:53 | 69.1 | 72.7 | 60.9 | |
| 14/03/2019 11:58 | 71.2 | 73.3 | 61.0 | |
| 14/03/2019 12:03 | 70.2 | 73.5 | 59.5 | 70.4 |
| 14/03/2019 12:08 | 70.5 | 74.0 | 64.2 | |
| 14/03/2019 12:13 | 70.1 | 73.3 | 63.1 | |
| 14/03/2019 12:18 | 71.3 | 74.4 | 62.8 | |
| 14/03/2019 12:23 | 70.4 | 74.3 | 62.9 | |
| 14/03/2019 12:28 | 69.9 | 73.4 | 61.6 | |
| 14/03/2019 12:33 | 72.8 | 73.4 | 63.4 | 70.6 |
| 14/03/2019 12:38 | 70.2 | 74.2 | 62.5 | |
| 14/03/2019 12:43 | 68.4 | 72.4 | 58.8 | |
| 14/03/2019 12:48 | 70.3 | 74.5 | 60.0 | |
| 14/03/2019 12:53 | 69.3 | 72.6 | 61.3 | |
| 14/03/2019 12:58 | 71.2 | 73.8 | 62.3 | |
| 14/03/2019 13:03 | 71.1 | 74.7 | 64.6 | 70.9 |
| 14/03/2019 13:08 | 71.2 | 74.6 | 64.0 | |
| 14/03/2019 13:13 | 70.9 | 74.2 | 63.8 | |
| 14/03/2019 13:18 | 70.6 | 74.2 | 64.3 | |
| 14/03/2019 13:23 | 71.2 | 74.4 | 63.5 | |
| 14/03/2019 13:28 | 70.5 | 73.4 | 65.2 | |
| 14/03/2019 13:33 | 70.0 | 73.0 | 63.9 | 70.1 |
| 14/03/2019 13:38 | 69.8 | 73.3 | 63.5 | |
| 14/03/2019 13:43 | 70.5 | 73.0 | 63.8 | |
| 14/03/2019 13:48 | 70.3 | 73.8 | 64.3 | |
| 14/03/2019 13:53 | 70.0 | 73.3 | 63.5 | |
| 14/03/2019 13:58 | 69.7 | 72.6 | 64.4 | |
| 14/03/2019 14:03 | 69.5 | 72.5 | 62.8 | 70.9 |
| 14/03/2019 14:08 | 69.5 | 72.2 | 62.8 | |
| 14/03/2019 14:13 | 71.1 | 74.4 | 64.8 | |
| 14/03/2019 14:18 | 72.0 | 74.4 | 63.0 | |
| 14/03/2019 14:23 | 71.2 | 74.8 | 65.1 | |
| 14/03/2019 14:28 | 71.4 | 75.5 | 63.4 | |
| 14/03/2019 14:33 | 71.9 | 74.7 | 64.2 | 71.0 |
| 14/03/2019 14:38 | 70.7 | 73.9 | 65.9 | |
| 14/03/2019 14:43 | 72.0 | 75.3 | 64.5 | |
| 14/03/2019 14:48 | 69.2 | 72.6 | 61.4 | |
| 14/03/2019 14:53 | 71.6 | 75.2 | 63.7 | |
| 14/03/2019 14:58 | 69.8 | 73.0 | 62.6 | |
| 14/03/2019 15:03 | 71.1 | 73.6 | 64.1 | 70.3 |
| 14/03/2019 15:08 | 69.5 | 72.0 | 62.9 | |
| 14/03/2019 15:13 | 70.3 | 74.1 | 62.0 | |
| 14/03/2019 15:18 | 71.1 | 74.6 | 62.7 | |
| 14/03/2019 15:23 | 70.0 | 73.7 | 62.3 | |
| 14/03/2019 15:28 | 69.6 | 72.4 | 64.4 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/03/2019 15:33 | 70.1 | 73.4 | 63.9 | 76.5 |
| 14/03/2019 15:38 | 69.5 | 72.4 | 63.8 | |
| 14/03/2019 15:43 | 83.2 | 76.5 | 64.2 | |
| 14/03/2019 15:48 | 71.7 | 72.6 | 64.0 | |
| 14/03/2019 15:53 | 70.5 | 73.5 | 65.2 | |
| 14/03/2019 15:58 | 71.2 | 73.5 | 66.6 | |
| 14/03/2019 16:03 | 69.2 | 71.2 | 64.2 | 69.9 |
| 14/03/2019 16:08 | 70.0 | 73.2 | 63.5 | |
| 14/03/2019 16:13 | 69.7 | 71.4 | 63.2 | |
| 14/03/2019 16:18 | 70.6 | 73.0 | 65.1 | |
| 14/03/2019 16:23 | 68.7 | 71.4 | 63.9 | |
| 14/03/2019 16:28 | 70.6 | 73.6 | 65.9 | |
| 14/03/2019 16:33 | 70.0 | 73.1 | 64.3 | 69.6 |
| 14/03/2019 16:38 | 69.8 | 72.6 | 62.2 | |
| 14/03/2019 16:43 | 69.0 | 72.3 | 61.2 | |
| 14/03/2019 16:48 | 70.5 | 73.6 | 63.5 | |
| 14/03/2019 16:53 | 69.6 | 73.4 | 61.6 | |
| 14/03/2019 16:58 | 68.5 | 71.9 | 61.9 | |
| 14/03/2019 17:03 | 67.6 | 71.9 | 59.5 | 69.7 |
| 14/03/2019 17:08 | 68.8 | 71.2 | 61.1 | |
| 14/03/2019 17:13 | 68.4 | 71.4 | 60.5 | |
| 14/03/2019 17:18 | 71.2 | 74.4 | 62.9 | |
| 14/03/2019 17:23 | 70.8 | 74.6 | 61.5 | |
| 14/03/2019 17:28 | 70.1 | 74.4 | 60.4 | |
| 14/03/2019 17:33 | 68.5 | 71.7 | 60.9 | 69.5 |
| 14/03/2019 17:38 | 68.3 | 71.1 | 61.3 | |
| 14/03/2019 17:43 | 69.3 | 72.6 | 63.7 | |
| 14/03/2019 17:48 | 70.5 | 73.9 | 60.0 | |
| 14/03/2019 17:53 | 69.6 | 73.0 | 60.6 | |
| 14/03/2019 17:58 | 70.5 | 73.0 | 63.5 | |
| 14/03/2019 18:03 | 68.7 | 71.4 | 61.2 | 69.0 |
| 14/03/2019 18:08 | 70.8 | 72.6 | 61.0 | |
| 14/03/2019 18:13 | 68.8 | 71.8 | 58.5 | |
| 14/03/2019 18:18 | 67.5 | 71.2 | 58.0 | |
| 14/03/2019 18:23 | 69.4 | 74.1 | 57.4 | |
| 14/03/2019 18:28 | 68.3 | 72.0 | 59.2 | |
| 14/03/2019 18:33 | 68.3 | 72.4 | 59.0 | 74.7 |
| 14/03/2019 18:38 | 70.4 | 72.5 | 57.0 | |
| 14/03/2019 18:43 | 80.4 | 81.1 | 61.9 | |
| 14/03/2019 18:48 | 72.8 | 73.8 | 60.1 | |
| 14/03/2019 18:53 | 74.0 | 76.4 | 58.7 | |
| 14/03/2019 18:58 | 66.9 | 70.9 | 58.0 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/03/2019 07:03 | 65.8 | 69.0 | 58.9 | 68.5 |
| 15/03/2019 07:08 | 68.3 | 71.6 | 60.1 | |
| 15/03/2019 07:13 | 69.2 | 72.2 | 59.9 | |
| 15/03/2019 07:18 | 68.1 | 72.0 | 60.3 | |
| 15/03/2019 07:23 | 68.9 | 72.4 | 62.8 | |
| 15/03/2019 07:28 | 69.6 | 73.0 | 61.4 | |
| 15/03/2019 07:33 | 69.3 | 73.4 | 59.5 | 69.9 |
| 15/03/2019 07:38 | 68.5 | 72.1 | 60.3 | |
| 15/03/2019 07:43 | 70.4 | 74.2 | 62.3 | |
| 15/03/2019 07:48 | 70.1 | 73.3 | 61.3 | |
| 15/03/2019 07:53 | 69.0 | 72.7 | 59.2 | |
| 15/03/2019 07:58 | 71.5 | 74.3 | 59.9 | |
| 15/03/2019 08:03 | 71.2 | 73.8 | 62.4 | 70.8 |
| 15/03/2019 08:08 | 70.2 | 73.2 | 63.4 | |
| 15/03/2019 08:13 | 71.2 | 73.9 | 64.2 | |
| 15/03/2019 08:18 | 68.5 | 72.0 | 61.3 | |
| 15/03/2019 08:23 | 71.3 | 74.7 | 63.4 | |
| 15/03/2019 08:28 | 71.6 | 74.2 | 64.9 | |
| 15/03/2019 08:33 | 70.8 | 74.5 | 64.8 | 70.8 |
| 15/03/2019 08:38 | 70.9 | 73.4 | 63.3 | |
| 15/03/2019 08:43 | 70.1 | 73.3 | 63.0 | |
| 15/03/2019 08:48 | 71.4 | 74.5 | 62.0 | |
| 15/03/2019 08:53 | 71.1 | 74.3 | 63.4 | |
| 15/03/2019 08:58 | 70.1 | 73.3 | 64.2 | |
| 15/03/2019 09:03 | 75.4 | 76.3 | 64.7 | 73.0 |
| 15/03/2019 09:08 | 71.4 | 74.2 | 66.3 | |
| 15/03/2019 09:13 | 71.7 | 74.1 | 68.1 | |
| 15/03/2019 09:18 | 70.4 | 73.2 | 63.6 | |
| 15/03/2019 09:23 | 71.7 | 74.7 | 63.2 | |
| 15/03/2019 09:28 | 75.0 | 77.1 | 66.9 | |
| 15/03/2019 09:33 | 73.0 | 76.2 | 65.4 | 71.7 |
| 15/03/2019 09:38 | 70.9 | 74.4 | 63.6 | |
| 15/03/2019 09:43 | 72.4 | 76.0 | 65.3 | |
| 15/03/2019 09:48 | 69.5 | 72.4 | 62.3 | |
| 15/03/2019 09:53 | 71.6 | 74.1 | 62.5 | |
| 15/03/2019 09:58 | 72.0 | 75.5 | 64.3 | |
| 15/03/2019 10:03 | 71.1 | 74.7 | 62.8 | 70.8 |
| 15/03/2019 10:08 | 71.2 | 74.4 | 62.5 | |
| 15/03/2019 10:13 | 70.0 | 73.6 | 62.3 | |
| 15/03/2019 10:18 | 71.2 | 74.8 | 63.8 | |
| 15/03/2019 10:23 | 69.9 | 73.1 | 62.0 | |
| 15/03/2019 10:28 | 71.1 | 73.6 | 63.8 | |
| 15/03/2019 10:33 | 71.2 | 74.2 | 63.2 | 70.7 |
| 15/03/2019 10:38 | 69.7 | 73.1 | 62.4 | |
| 15/03/2019 10:43 | 70.0 | 72.9 | 63.4 | |
| 15/03/2019 10:48 | 70.4 | 74.1 | 63.5 | |
| 15/03/2019 10:53 | 71.5 | 75.4 | 62.8 | |
| 15/03/2019 10:58 | 71.2 | 74.4 | 63.9 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/03/2019 11:03 | 69.2 | 72.4 | 62.8 | 69.8 |
| 15/03/2019 11:08 | 69.5 | 73.0 | 61.5 | |
| 15/03/2019 11:13 | 70.9 | 73.9 | 62.8 | |
| 15/03/2019 11:18 | 69.4 | 73.2 | 61.8 | |
| 15/03/2019 11:23 | 69.4 | 72.4 | 60.7 | |
| 15/03/2019 11:28 | 70.0 | 73.7 | 60.5 | |
| 15/03/2019 11:33 | 70.0 | 74.2 | 59.9 | 69.6 |
| 15/03/2019 11:38 | 68.7 | 72.6 | 59.7 | |
| 15/03/2019 11:43 | 69.0 | 72.2 | 60.0 | |
| 15/03/2019 11:48 | 70.4 | 73.4 | 63.7 | |
| 15/03/2019 11:53 | 70.7 | 74.3 | 61.8 | |
| 15/03/2019 11:58 | 68.4 | 72.3 | 60.5 | |
| 15/03/2019 12:03 | 70.3 | 73.6 | 59.5 | 70.4 |
| 15/03/2019 12:08 | 69.1 | 73.3 | 59.2 | |
| 15/03/2019 12:13 | 69.0 | 72.5 | 60.4 | |
| 15/03/2019 12:18 | 70.4 | 74.6 | 60.6 | |
| 15/03/2019 12:23 | 72.8 | 77.0 | 61.2 | |
| 15/03/2019 12:28 | 69.2 | 75.4 | 59.1 | |
| 15/03/2019 12:33 | 68.9 | 72.6 | 59.7 | 69.8 |
| 15/03/2019 12:38 | 68.6 | 72.4 | 59.5 | |
| 15/03/2019 12:43 | 68.2 | 72.2 | 59.9 | |
| 15/03/2019 12:48 | 69.2 | 73.3 | 57.0 | |
| 15/03/2019 12:53 | 67.6 | 71.5 | 60.1 | |
| 15/03/2019 12:58 | 73.4 | 71.1 | 58.0 | |
| 15/03/2019 13:03 | 70.4 | 73.1 | 60.0 | 70.5 |
| 15/03/2019 13:08 | 70.2 | 73.3 | 61.0 | |
| 15/03/2019 13:13 | 69.9 | 72.5 | 62.7 | |
| 15/03/2019 13:18 | 71.0 | 72.5 | 62.3 | |
| 15/03/2019 13:23 | 69.9 | 71.7 | 62.2 | |
| 15/03/2019 13:28 | 71.5 | 74.9 | 64.4 | |
| 15/03/2019 13:33 | 69.6 | 72.5 | 62.6 | 70.4 |
| 15/03/2019 13:38 | 70.8 | 74.0 | 63.5 | |
| 15/03/2019 13:43 | 69.0 | 72.6 | 61.9 | |
| 15/03/2019 13:48 | 71.1 | 73.1 | 61.9 | |
| 15/03/2019 13:53 | 68.5 | 71.9 | 60.7 | |
| 15/03/2019 13:58 | 72.3 | 74.8 | 64.7 | |
| 15/03/2019 14:03 | 71.1 | 73.4 | 62.5 | 72.4 |
| 15/03/2019 14:08 | 73.6 | 75.0 | 65.6 | |
| 15/03/2019 14:13 | 72.3 | 74.4 | 64.8 | |
| 15/03/2019 14:18 | 71.4 | 74.1 | 65.2 | |
| 15/03/2019 14:23 | 72.9 | 75.9 | 65.9 | |
| 15/03/2019 14:28 | 72.4 | 76.2 | 63.8 | |
| 15/03/2019 14:33 | 72.7 | 76.0 | 65.2 | 70.5 |
| 15/03/2019 14:38 | 70.8 | 74.4 | 64.1 | |
| 15/03/2019 14:43 | 68.5 | 71.4 | 61.0 | |
| 15/03/2019 14:48 | 69.0 | 73.0 | 59.4 | |
| 15/03/2019 14:53 | 70.4 | 73.7 | 61.8 | |
| 15/03/2019 14:58 | 70.4 | 73.5 | 60.3 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/03/2019 15:03 | 69.9 | 73.8 | 60.7 | 70.6 |
| 15/03/2019 15:08 | 71.2 | 75.3 | 61.6 | |
| 15/03/2019 15:13 | 68.4 | 71.8 | 62.0 | |
| 15/03/2019 15:18 | 69.6 | 73.2 | 62.6 | |
| 15/03/2019 15:23 | 71.9 | 75.2 | 63.6 | |
| 15/03/2019 15:28 | 71.6 | 73.2 | 63.6 | |
| 15/03/2019 15:33 | 70.2 | 72.8 | 63.0 | 69.9 |
| 15/03/2019 15:38 | 68.9 | 72.6 | 61.1 | |
| 15/03/2019 15:43 | 69.3 | 72.8 | 61.7 | |
| 15/03/2019 15:48 | 69.1 | 72.7 | 61.3 | |
| 15/03/2019 15:53 | 69.5 | 72.9 | 62.9 | |
| 15/03/2019 15:58 | 71.7 | 74.4 | 64.3 | |
| 15/03/2019 16:03 | 71.6 | 74.1 | 62.5 | 70.3 |
| 15/03/2019 16:08 | 68.3 | 71.5 | 59.9 | |
| 15/03/2019 16:13 | 70.6 | 73.4 | 63.3 | |
| 15/03/2019 16:18 | 71.0 | 74.0 | 65.5 | |
| 15/03/2019 16:23 | 70.2 | 73.5 | 63.3 | |
| 15/03/2019 16:28 | 69.4 | 72.6 | 63.3 | |
| 15/03/2019 16:33 | 68.5 | 71.6 | 63.0 | 70.7 |
| 15/03/2019 16:38 | 70.6 | 74.4 | 64.5 | |
| 15/03/2019 16:43 | 69.7 | 73.0 | 62.8 | |
| 15/03/2019 16:48 | 69.3 | 73.1 | 63.2 | |
| 15/03/2019 16:53 | 73.5 | 73.9 | 63.8 | |
| 15/03/2019 16:58 | 70.8 | 73.9 | 62.1 | |
| 15/03/2019 17:03 | 69.0 | 72.3 | 61.5 | 68.6 |
| 15/03/2019 17:08 | 68.9 | 71.9 | 62.8 | |
| 15/03/2019 17:13 | 67.7 | 71.5 | 61.3 | |
| 15/03/2019 17:18 | 68.9 | 72.8 | 61.3 | |
| 15/03/2019 17:23 | 67.1 | 70.4 | 60.1 | |
| 15/03/2019 17:28 | 69.6 | 73.1 | 60.6 | |
| 15/03/2019 17:33 | 69.9 | 72.3 | 59.0 | 69.7 |
| 15/03/2019 17:38 | 70.3 | 74.4 | 59.9 | |
| 15/03/2019 17:43 | 69.8 | 73.5 | 61.1 | |
| 15/03/2019 17:48 | 69.1 | 72.4 | 62.5 | |
| 15/03/2019 17:53 | 67.9 | 71.4 | 61.1 | |
| 15/03/2019 17:58 | 70.6 | 74.2 | 61.1 | |
| 15/03/2019 18:03 | 68.1 | 71.6 | 59.9 | 69.2 |
| 15/03/2019 18:08 | 69.2 | 72.6 | 60.5 | |
| 15/03/2019 18:13 | 69.2 | 73.3 | 60.3 | |
| 15/03/2019 18:18 | 69.7 | 73.2 | 60.8 | |
| 15/03/2019 18:23 | 68.0 | 71.6 | 59.9 | |
| 15/03/2019 18:28 | 70.3 | 72.8 | 62.7 | |
| 15/03/2019 18:33 | 69.4 | 72.1 | 63.5 | 69.7 |
| 15/03/2019 18:38 | 69.4 | 73.1 | 59.7 | |
| 15/03/2019 18:43 | 70.6 | 74.5 | 58.3 | |
| 15/03/2019 18:48 | 70.6 | 72.3 | 57.7 | |
| 15/03/2019 18:53 | 68.4 | 71.7 | 57.2 | |
| 15/03/2019 18:58 | 69.2 | 71.5 | 56.9 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/03/2019 07:03 | 64.4 | 68.9 | 55.5 | 68.0 |
| 16/03/2019 07:08 | 67.2 | 70.7 | 57.4 | |
| 16/03/2019 07:13 | 67.0 | 71.5 | 57.3 | |
| 16/03/2019 07:18 | 67.9 | 71.0 | 58.0 | |
| 16/03/2019 07:23 | 70.6 | 73.7 | 59.9 | |
| 16/03/2019 07:28 | 68.8 | 71.7 | 62.0 | |
| 16/03/2019 07:33 | 67.7 | 71.3 | 59.0 | 68.4 |
| 16/03/2019 07:38 | 67.9 | 71.9 | 60.6 | |
| 16/03/2019 07:43 | 67.5 | 70.4 | 60.0 | |
| 16/03/2019 07:48 | 69.9 | 73.7 | 59.7 | |
| 16/03/2019 07:53 | 67.0 | 71.5 | 58.1 | |
| 16/03/2019 07:58 | 69.5 | 73.0 | 59.6 | |
| 16/03/2019 08:03 | 68.9 | 72.1 | 60.3 | 72.1 |
| 16/03/2019 08:08 | 69.5 | 73.4 | 63.9 | |
| 16/03/2019 08:13 | 70.2 | 73.6 | 63.2 | |
| 16/03/2019 08:18 | 71.4 | 74.1 | 66.8 | |
| 16/03/2019 08:23 | 73.2 | 75.5 | 69.3 | |
| 16/03/2019 08:28 | 75.5 | 78.4 | 70.9 | |
| 16/03/2019 08:33 | 79.6 | 79.6 | 66.2 | 72.9 |
| 16/03/2019 08:38 | 67.7 | 71.5 | 59.7 | |
| 16/03/2019 08:43 | 68.5 | 70.7 | 60.3 | |
| 16/03/2019 08:48 | 65.5 | 68.6 | 58.8 | |
| 16/03/2019 08:53 | 66.0 | 68.6 | 60.8 | |
| 16/03/2019 08:58 | 68.1 | 70.5 | 58.7 | |
| 16/03/2019 09:03 | 65.5 | 68.9 | 60.3 | 72.1 |
| 16/03/2019 09:08 | 69.4 | 73.4 | 59.9 | |
| 16/03/2019 09:13 | 73.8 | 76.8 | 69.4 | |
| 16/03/2019 09:18 | 73.3 | 76.3 | 66.5 | |
| 16/03/2019 09:23 | 75.4 | 79.1 | 67.2 | |
| 16/03/2019 09:28 | 67.2 | 70.2 | 60.7 | |
| 16/03/2019 09:33 | 65.4 | 68.2 | 61.6 | 66.4 |
| 16/03/2019 09:38 | 65.9 | 68.6 | 61.0 | |
| 16/03/2019 09:43 | 66.9 | 69.7 | 61.1 | |
| 16/03/2019 09:48 | 67.0 | 69.7 | 62.8 | |
| 16/03/2019 09:53 | 66.9 | 69.4 | 62.5 | |
| 16/03/2019 09:58 | 66.3 | 69.3 | 61.4 | |
| 16/03/2019 10:03 | 67.5 | 70.2 | 61.7 | 67.1 |
| 16/03/2019 10:08 | 68.6 | 71.1 | 63.6 | |
| 16/03/2019 10:13 | 65.2 | 68.5 | 59.5 | |
| 16/03/2019 10:18 | 66.7 | 69.8 | 60.5 | |
| 16/03/2019 10:23 | 66.9 | 69.2 | 60.0 | |
| 16/03/2019 10:28 | 66.7 | 69.6 | 60.1 | |
| 16/03/2019 10:33 | 66.0 | 69.0 | 59.5 | 66.8 |
| 16/03/2019 10:38 | 65.5 | 69.3 | 59.1 | |
| 16/03/2019 10:43 | 68.0 | 71.3 | 59.3 | |
| 16/03/2019 10:48 | 64.6 | 67.6 | 59.2 | |
| 16/03/2019 10:53 | 66.6 | 69.4 | 60.0 | |
| 16/03/2019 10:58 | 68.8 | 72.4 | 60.6 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/03/2019 11:03 | 65.3 | 68.9 | 58.1 | 66.8 |
| 16/03/2019 11:08 | 66.3 | 69.5 | 58.5 | |
| 16/03/2019 11:13 | 66.6 | 69.6 | 60.0 | |
| 16/03/2019 11:18 | 68.1 | 71.7 | 59.3 | |
| 16/03/2019 11:23 | 67.0 | 69.8 | 62.9 | |
| 16/03/2019 11:28 | 67.0 | 69.7 | 63.8 | |
| 16/03/2019 11:33 | 69.1 | 71.0 | 63.6 | 68.4 |
| 16/03/2019 11:38 | 68.2 | 70.8 | 64.9 | |
| 16/03/2019 11:43 | 67.9 | 69.9 | 63.6 | |
| 16/03/2019 11:48 | 68.4 | 70.9 | 63.8 | |
| 16/03/2019 11:53 | 67.1 | 70.1 | 63.0 | |
| 16/03/2019 11:58 | 69.1 | 72.0 | 63.6 | |
| 16/03/2019 12:03 | 67.0 | 69.2 | 64.0 | 67.4 |
| 16/03/2019 12:08 | 67.5 | 70.3 | 64.2 | |
| 16/03/2019 12:13 | 67.4 | 69.7 | 63.9 | |
| 16/03/2019 12:18 | 67.4 | 70.2 | 63.5 | |
| 16/03/2019 12:23 | 67.5 | 70.1 | 63.3 | |
| 16/03/2019 12:28 | 67.5 | 70.2 | 63.1 | |
| 16/03/2019 12:33 | 66.8 | 68.9 | 63.4 | 67.8 |
| 16/03/2019 12:38 | 68.2 | 71.1 | 63.6 | |
| 16/03/2019 12:43 | 67.5 | 70.3 | 63.5 | |
| 16/03/2019 12:48 | 67.5 | 69.9 | 63.5 | |
| 16/03/2019 12:53 | 68.4 | 71.4 | 63.4 | |
| 16/03/2019 12:58 | 68.3 | 71.0 | 63.8 | |
| 16/03/2019 13:03 | 68.6 | 71.5 | 64.4 | 68.4 |
| 16/03/2019 13:08 | 67.3 | 69.2 | 64.2 | |
| 16/03/2019 13:13 | 68.2 | 71.0 | 64.1 | |
| 16/03/2019 13:18 | 68.6 | 70.8 | 64.1 | |
| 16/03/2019 13:23 | 68.2 | 70.2 | 63.8 | |
| 16/03/2019 13:28 | 69.3 | 70.7 | 64.3 | |
| 16/03/2019 13:33 | 67.9 | 70.2 | 64.7 | 67.7 |
| 16/03/2019 13:38 | 67.5 | 69.8 | 63.7 | |
| 16/03/2019 13:43 | 69.1 | 71.1 | 64.2 | |
| 16/03/2019 13:48 | 67.4 | 70.3 | 59.6 | |
| 16/03/2019 13:53 | 67.2 | 70.1 | 58.7 | |
| 16/03/2019 13:58 | 66.8 | 70.3 | 60.9 | |
| 16/03/2019 14:03 | 65.2 | 68.1 | 60.5 | 67.2 |
| 16/03/2019 14:08 | 66.6 | 70.2 | 59.1 | |
| 16/03/2019 14:13 | 66.9 | 69.8 | 58.9 | |
| 16/03/2019 14:18 | 68.4 | 71.7 | 61.5 | |
| 16/03/2019 14:23 | 67.9 | 69.9 | 62.1 | |
| 16/03/2019 14:28 | 67.4 | 69.9 | 61.5 | |
| 16/03/2019 14:33 | 67.9 | 71.6 | 60.3 | 68.0 |
| 16/03/2019 14:38 | 67.4 | 70.4 | 60.6 | |
| 16/03/2019 14:43 | 70.3 | 71.9 | 62.5 | |
| 16/03/2019 14:48 | 67.3 | 69.7 | 61.4 | |
| 16/03/2019 14:53 | 67.5 | 70.4 | 61.5 | |
| 16/03/2019 14:58 | 66.1 | 68.8 | 61.1 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/03/2019 15:03 | 69.0 | 71.9 | 61.7 | 66.7 |
| 16/03/2019 15:08 | 66.9 | 69.7 | 59.5 | |
| 16/03/2019 15:13 | 65.8 | 68.6 | 59.6 | |
| 16/03/2019 15:18 | 65.8 | 68.7 | 60.2 | |
| 16/03/2019 15:23 | 64.9 | 68.4 | 59.3 | |
| 16/03/2019 15:28 | 66.6 | 69.5 | 58.9 | |
| 16/03/2019 15:33 | 67.0 | 70.2 | 59.3 | 66.5 |
| 16/03/2019 15:38 | 67.0 | 70.7 | 59.5 | |
| 16/03/2019 15:43 | 66.6 | 69.6 | 60.0 | |
| 16/03/2019 15:48 | 66.7 | 69.6 | 60.5 | |
| 16/03/2019 15:53 | 64.6 | 67.3 | 59.3 | |
| 16/03/2019 15:58 | 66.4 | 70.1 | 58.6 | |
| 16/03/2019 16:03 | 66.3 | 69.1 | 57.8 | 65.8 |
| 16/03/2019 16:08 | 66.2 | 69.5 | 59.6 | |
| 16/03/2019 16:13 | 64.2 | 67.0 | 58.9 | |
| 16/03/2019 16:18 | 66.3 | 69.1 | 59.7 | |
| 16/03/2019 16:23 | 66.7 | 70.1 | 57.8 | |
| 16/03/2019 16:28 | 64.4 | 68.6 | 57.4 | |
| 16/03/2019 16:33 | 64.5 | 67.6 | 58.3 | 66.1 |
| 16/03/2019 16:38 | 66.8 | 68.9 | 58.8 | |
| 16/03/2019 16:43 | 65.3 | 67.7 | 59.4 | |
| 16/03/2019 16:48 | 66.0 | 69.0 | 59.8 | |
| 16/03/2019 16:53 | 66.7 | 70.3 | 57.5 | |
| 16/03/2019 16:58 | 66.7 | 69.8 | 57.5 | |
| 16/03/2019 17:03 | 66.4 | 68.9 | 58.2 | 66.1 |
| 16/03/2019 17:08 | 64.3 | 67.3 | 58.7 | |
| 16/03/2019 17:13 | 65.4 | 68.1 | 59.2 | |
| 16/03/2019 17:18 | 66.4 | 69.4 | 58.0 | |
| 16/03/2019 17:23 | 67.5 | 71.2 | 60.3 | |
| 16/03/2019 17:28 | 66.2 | 68.9 | 58.9 | |
| 16/03/2019 17:33 | 67.6 | 69.9 | 61.6 | 66.0 |
| 16/03/2019 17:38 | 65.4 | 68.5 | 59.7 | |
| 16/03/2019 17:43 | 65.5 | 68.1 | 59.2 | |
| 16/03/2019 17:48 | 64.4 | 67.7 | 57.1 | |
| 16/03/2019 17:53 | 65.6 | 69.1 | 58.0 | |
| 16/03/2019 17:58 | 66.5 | 68.8 | 59.1 | |
| 16/03/2019 18:03 | 64.5 | 67.4 | 57.5 | 65.4 |
| 16/03/2019 18:08 | 65.2 | 69.0 | 57.1 | |
| 16/03/2019 18:13 | 65.9 | 69.1 | 57.3 | |
| 16/03/2019 18:18 | 64.4 | 68.0 | 56.3 | |
| 16/03/2019 18:23 | 67.8 | 70.9 | 58.6 | |
| 16/03/2019 18:28 | 63.0 | 67.0 | 54.9 | |
| 16/03/2019 18:33 | 65.1 | 68.5 | 56.2 | 65.7 |
| 16/03/2019 18:38 | 64.4 | 68.7 | 55.7 | |
| 16/03/2019 18:43 | 66.7 | 69.4 | 57.9 | |
| 16/03/2019 18:48 | 64.6 | 67.9 | 56.0 | |
| 16/03/2019 18:53 | 66.8 | 70.0 | 55.7 | |
| 16/03/2019 18:58 | 66.2 | 68.2 | 56.1 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/03/2019 07:03 | 65.2 | 68.8 | 56.2 | 67.1 |
| 18/03/2019 07:08 | 66.0 | 69.7 | 55.8 | |
| 18/03/2019 07:13 | 68.1 | 70.6 | 56.5 | |
| 18/03/2019 07:18 | 65.5 | 68.6 | 56.7 | |
| 18/03/2019 07:23 | 68.7 | 70.8 | 57.0 | |
| 18/03/2019 07:28 | 67.8 | 70.7 | 58.4 | |
| 18/03/2019 07:33 | 66.2 | 70.0 | 57.1 | 67.2 |
| 18/03/2019 07:38 | 67.3 | 69.7 | 59.7 | |
| 18/03/2019 07:43 | 67.4 | 70.2 | 55.7 | |
| 18/03/2019 07:48 | 66.2 | 69.6 | 57.3 | |
| 18/03/2019 07:53 | 69.3 | 73.7 | 58.8 | |
| 18/03/2019 07:58 | 65.4 | 69.3 | 56.0 | |
| 18/03/2019 08:03 | 67.1 | 70.0 | 60.0 | 68.1 |
| 18/03/2019 08:08 | 70.2 | 72.7 | 63.8 | |
| 18/03/2019 08:13 | 68.6 | 71.6 | 61.3 | |
| 18/03/2019 08:18 | 67.1 | 70.9 | 60.8 | |
| 18/03/2019 08:23 | 67.8 | 70.8 | 61.0 | |
| 18/03/2019 08:28 | 66.4 | 69.9 | 60.4 | |
| 18/03/2019 08:33 | 68.5 | 72.3 | 58.9 | 68.1 |
| 18/03/2019 08:38 | 66.4 | 69.4 | 60.3 | |
| 18/03/2019 08:43 | 68.4 | 71.9 | 59.8 | |
| 18/03/2019 08:48 | 67.0 | 70.0 | 58.3 | |
| 18/03/2019 08:53 | 67.6 | 70.9 | 60.5 | |
| 18/03/2019 08:58 | 69.8 | 72.6 | 64.0 | |
| 18/03/2019 09:03 | 67.0 | 69.6 | 60.0 | 67.4 |
| 18/03/2019 09:08 | 66.9 | 70.0 | 59.4 | |
| 18/03/2019 09:13 | 67.1 | 70.8 | 60.5 | |
| 18/03/2019 09:18 | 69.3 | 72.1 | 59.4 | |
| 18/03/2019 09:23 | 67.3 | 69.8 | 62.2 | |
| 18/03/2019 09:28 | 65.8 | 69.1 | 58.6 | |
| 18/03/2019 09:33 | 68.1 | 72.5 | 58.6 | 67.2 |
| 18/03/2019 09:38 | 68.0 | 71.6 | 59.8 | |
| 18/03/2019 09:43 | 67.2 | 69.6 | 60.9 | |
| 18/03/2019 09:48 | 66.0 | 69.1 | 59.7 | |
| 18/03/2019 09:53 | 66.4 | 69.3 | 59.4 | |
| 18/03/2019 09:58 | 67.1 | 70.6 | 58.6 | |
| 18/03/2019 10:03 | 67.4 | 70.5 | 58.6 | 68.5 |
| 18/03/2019 10:08 | 69.8 | 73.6 | 61.4 | |
| 18/03/2019 10:13 | 66.7 | 69.6 | 61.7 | |
| 18/03/2019 10:18 | 70.2 | 73.6 | 62.7 | |
| 18/03/2019 10:23 | 68.6 | 72.1 | 60.7 | |
| 18/03/2019 10:28 | 66.6 | 69.9 | 59.5 | |
| 18/03/2019 10:33 | 66.5 | 69.4 | 59.4 | 67.1 |
| 18/03/2019 10:38 | 67.0 | 70.0 | 60.0 | |
| 18/03/2019 10:43 | 67.7 | 70.7 | 59.9 | |
| 18/03/2019 10:48 | 66.0 | 69.3 | 60.0 | |
| 18/03/2019 10:53 | 68.2 | 71.2 | 59.2 | |
| 18/03/2019 10:58 | 67.1 | 69.8 | 60.9 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/03/2019 11:03 | 66.9 | 70.3 | 60.7 | 67.5 |
| 18/03/2019 11:08 | 67.6 | 69.7 | 62.6 | |
| 18/03/2019 11:13 | 66.5 | 69.6 | 60.2 | |
| 18/03/2019 11:18 | 66.9 | 69.5 | 59.8 | |
| 18/03/2019 11:23 | 69.3 | 71.4 | 62.0 | |
| 18/03/2019 11:28 | 67.0 | 70.0 | 58.8 | |
| 18/03/2019 11:33 | 69.5 | 70.8 | 59.9 | 67.8 |
| 18/03/2019 11:38 | 66.6 | 69.6 | 59.0 | |
| 18/03/2019 11:43 | 67.2 | 70.6 | 56.7 | |
| 18/03/2019 11:48 | 67.5 | 70.9 | 59.8 | |
| 18/03/2019 11:53 | 67.2 | 70.4 | 59.2 | |
| 18/03/2019 11:58 | 67.9 | 71.4 | 60.1 | |
| 18/03/2019 12:03 | 67.2 | 70.7 | 58.9 | 67.4 |
| 18/03/2019 12:08 | 66.8 | 70.6 | 59.2 | |
| 18/03/2019 12:13 | 66.9 | 70.4 | 56.8 | |
| 18/03/2019 12:18 | 66.6 | 70.0 | 56.6 | |
| 18/03/2019 12:23 | 68.9 | 73.0 | 60.3 | |
| 18/03/2019 12:28 | 67.8 | 70.8 | 61.9 | |
| 18/03/2019 12:33 | 68.4 | 72.7 | 60.4 | 68.0 |
| 18/03/2019 12:38 | 69.8 | 72.0 | 59.1 | |
| 18/03/2019 12:43 | 67.4 | 71.2 | 58.0 | |
| 18/03/2019 12:48 | 67.4 | 71.4 | 58.8 | |
| 18/03/2019 12:53 | 67.6 | 71.3 | 59.7 | |
| 18/03/2019 12:58 | 66.9 | 70.7 | 59.2 | |
| 18/03/2019 13:31 | 70.9 | 74.0 | 63.5 | 69.0 |
| 18/03/2019 13:36 | 71.2 | 75.8 | 60.2 | |
| 18/03/2019 13:41 | 68.4 | 72.3 | 59.1 | |
| 18/03/2019 13:46 | 66.9 | 70.1 | 58.6 | |
| 18/03/2019 13:51 | 66.4 | 69.9 | 59.6 | |
| 18/03/2019 13:56 | 67.7 | 71.4 | 60.9 | |
| 18/03/2019 14:01 | 66.4 | 69.3 | 58.6 | 67.0 |
| 18/03/2019 14:06 | 67.1 | 69.7 | 58.4 | |
| 18/03/2019 14:11 | 68.6 | 71.0 | 57.5 | |
| 18/03/2019 14:16 | 67.4 | 70.8 | 59.7 | |
| 18/03/2019 14:21 | 66.0 | 69.1 | 59.3 | |
| 18/03/2019 14:26 | 65.8 | 68.9 | 59.4 | |
| 18/03/2019 14:31 | 67.1 | 70.0 | 58.2 | 67.6 |
| 18/03/2019 14:36 | 66.6 | 69.4 | 57.6 | |
| 18/03/2019 14:41 | 67.8 | 70.7 | 60.2 | |
| 18/03/2019 14:46 | 65.5 | 68.3 | 60.2 | |
| 18/03/2019 14:51 | 67.7 | 70.1 | 59.7 | |
| 18/03/2019 14:56 | 69.7 | 73.4 | 62.4 | |
| 18/03/2019 15:01 | 66.6 | 69.7 | 60.5 | 68.5 |
| 18/03/2019 15:06 | 67.7 | 71.0 | 61.1 | |
| 18/03/2019 15:11 | 70.5 | 72.9 | 62.7 | |
| 18/03/2019 15:16 | 68.3 | 72.0 | 61.3 | |
| 18/03/2019 15:21 | 67.7 | 70.0 | 61.1 | |
| 18/03/2019 15:26 | 68.9 | 72.1 | 61.4 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/03/2019 15:31 | 72.6 | 72.7 | 61.5 | 70.1 |
| 18/03/2019 15:36 | 68.8 | 71.3 | 63.7 | |
| 18/03/2019 15:41 | 68.7 | 72.3 | 61.6 | |
| 18/03/2019 15:46 | 70.4 | 74.7 | 61.7 | |
| 18/03/2019 15:51 | 67.7 | 70.4 | 59.8 | |
| 18/03/2019 15:56 | 70.5 | 74.1 | 60.8 | |
| 18/03/2019 16:01 | 70.8 | 74.0 | 63.5 | 68.0 |
| 18/03/2019 16:06 | 67.6 | 70.1 | 62.8 | |
| 18/03/2019 16:11 | 67.9 | 71.0 | 62.0 | |
| 18/03/2019 16:16 | 66.7 | 69.8 | 59.8 | |
| 18/03/2019 16:21 | 67.0 | 71.5 | 58.0 | |
| 18/03/2019 16:26 | 66.5 | 69.9 | 59.2 | |
| 18/03/2019 16:31 | 71.4 | 73.0 | 63.5 | 68.1 |
| 18/03/2019 16:36 | 68.1 | 71.3 | 61.6 | |
| 18/03/2019 16:41 | 67.4 | 70.7 | 60.0 | |
| 18/03/2019 16:46 | 66.7 | 70.0 | 60.3 | |
| 18/03/2019 16:51 | 66.4 | 69.6 | 57.8 | |
| 18/03/2019 16:56 | 65.5 | 68.4 | 59.5 | |
| 18/03/2019 17:01 | 72.9 | 69.4 | 58.2 | 68.5 |
| 18/03/2019 17:06 | 66.1 | 68.8 | 61.3 | |
| 18/03/2019 17:11 | 66.7 | 70.3 | 60.1 | |
| 18/03/2019 17:16 | 66.1 | 69.3 | 58.3 | |
| 18/03/2019 17:21 | 67.3 | 69.9 | 59.9 | |
| 18/03/2019 17:26 | 67.1 | 67.9 | 57.6 | |
| 18/03/2019 17:31 | 65.8 | 69.1 | 59.9 | 67.2 |
| 18/03/2019 17:36 | 66.7 | 68.9 | 57.5 | |
| 18/03/2019 17:41 | 69.0 | 72.4 | 59.6 | |
| 18/03/2019 17:46 | 68.0 | 69.9 | 59.9 | |
| 18/03/2019 17:51 | 66.8 | 69.9 | 56.4 | |
| 18/03/2019 17:56 | 66.0 | 68.9 | 59.1 | |
| 18/03/2019 18:01 | 65.0 | 68.0 | 58.7 | 65.8 |
| 18/03/2019 18:06 | 66.5 | 69.8 | 58.3 | |
| 18/03/2019 18:11 | 65.7 | 68.4 | 58.1 | |
| 18/03/2019 18:16 | 65.1 | 68.4 | 57.9 | |
| 18/03/2019 18:21 | 65.5 | 68.4 | 58.5 | |
| 18/03/2019 18:26 | 66.6 | 69.6 | 57.1 | |
| 18/03/2019 18:31 | 67.0 | 70.6 | 55.2 | 65.8 |
| 18/03/2019 18:36 | 64.3 | 68.0 | 55.3 | |
| 18/03/2019 18:41 | 66.0 | 69.8 | 57.5 | |
| 18/03/2019 18:46 | 67.2 | 70.6 | 57.6 | |
| 18/03/2019 18:51 | 65.6 | 68.9 | 56.6 | |
| 18/03/2019 18:56 | 63.7 | 67.2 | 55.0 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/03/2019 07:01 | 64.4 | 67.6 | 56.6 | 66.5 |
| 19/03/2019 07:06 | 66.2 | 69.3 | 59.1 | |
| 19/03/2019 07:11 | 67.0 | 69.6 | 59.9 | |
| 19/03/2019 07:16 | 65.8 | 69.4 | 57.2 | |
| 19/03/2019 07:21 | 68.0 | 70.7 | 59.2 | |
| 19/03/2019 07:26 | 67.0 | 69.6 | 58.0 | |
| 19/03/2019 07:31 | 66.7 | 70.3 | 58.1 | 67.2 |
| 19/03/2019 07:36 | 68.1 | 71.2 | 61.4 | |
| 19/03/2019 07:41 | 66.6 | 69.9 | 56.4 | |
| 19/03/2019 07:46 | 67.8 | 71.7 | 57.8 | |
| 19/03/2019 07:51 | 67.9 | 70.9 | 59.5 | |
| 19/03/2019 07:56 | 65.8 | 69.6 | 58.4 | |
| 19/03/2019 08:01 | 65.8 | 68.5 | 58.7 | 67.1 |
| 19/03/2019 08:06 | 68.3 | 71.9 | 60.1 | |
| 19/03/2019 08:11 | 67.4 | 70.4 | 58.4 | |
| 19/03/2019 08:16 | 66.5 | 69.5 | 60.2 | |
| 19/03/2019 08:21 | 67.4 | 70.0 | 59.7 | |
| 19/03/2019 08:26 | 66.6 | 70.4 | 59.0 | |
| 19/03/2019 08:31 | 67.6 | 70.9 | 59.4 | 68.7 |
| 19/03/2019 08:36 | 70.6 | 72.3 | 61.5 | |
| 19/03/2019 08:41 | 67.2 | 70.2 | 61.7 | |
| 19/03/2019 08:46 | 69.3 | 72.4 | 61.1 | |
| 19/03/2019 08:51 | 67.8 | 70.4 | 60.2 | |
| 19/03/2019 08:56 | 68.7 | 70.5 | 59.6 | |
| 19/03/2019 09:01 | 66.3 | 69.5 | 59.2 | 67.7 |
| 19/03/2019 09:06 | 68.0 | 71.2 | 60.7 | |
| 19/03/2019 09:11 | 67.1 | 70.1 | 59.8 | |
| 19/03/2019 09:16 | 67.6 | 71.0 | 58.2 | |
| 19/03/2019 09:21 | 70.2 | 74.9 | 61.2 | |
| 19/03/2019 09:26 | 65.5 | 69.2 | 58.8 | |
| 19/03/2019 09:31 | 66.2 | 69.3 | 59.1 | 66.3 |
| 19/03/2019 09:36 | 65.8 | 68.4 | 59.2 | |
| 19/03/2019 09:41 | 66.1 | 69.3 | 58.9 | |
| 19/03/2019 09:46 | 66.7 | 69.9 | 57.8 | |
| 19/03/2019 09:51 | 68.4 | 71.7 | 60.5 | |
| 19/03/2019 09:56 | 63.2 | 66.7 | 56.7 | |
| 19/03/2019 10:01 | 67.6 | 70.7 | 59.1 | 68.3 |
| 19/03/2019 10:06 | 67.4 | 71.0 | 58.0 | |
| 19/03/2019 10:11 | 70.2 | 73.2 | 61.5 | |
| 19/03/2019 10:16 | 68.2 | 72.1 | 61.0 | |
| 19/03/2019 10:21 | 67.5 | 71.3 | 58.7 | |
| 19/03/2019 10:26 | 67.9 | 71.2 | 58.8 | |
| 19/03/2019 10:31 | 67.8 | 72.1 | 59.5 | 67.8 |
| 19/03/2019 10:36 | 68.9 | 72.2 | 58.9 | |
| 19/03/2019 10:41 | 68.0 | 70.7 | 58.9 | |
| 19/03/2019 10:46 | 67.7 | 70.8 | 61.8 | |
| 19/03/2019 10:51 | 67.6 | 70.9 | 61.1 | |
| 19/03/2019 10:56 | 66.7 | 69.8 | 58.9 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/03/2019 11:01 | 67.9 | 71.2 | 60.0 | 67.2 |
| 19/03/2019 11:06 | 67.1 | 70.5 | 61.2 | |
| 19/03/2019 11:11 | 67.4 | 71.1 | 61.0 | |
| 19/03/2019 11:16 | 66.9 | 70.5 | 61.2 | |
| 19/03/2019 11:21 | 67.8 | 70.2 | 60.5 | |
| 19/03/2019 11:26 | 65.4 | 68.9 | 56.9 | |
| 19/03/2019 11:31 | 67.7 | 71.1 | 58.1 | 68.1 |
| 19/03/2019 11:36 | 66.3 | 69.8 | 57.2 | |
| 19/03/2019 11:41 | 68.1 | 70.1 | 61.1 | |
| 19/03/2019 11:46 | 68.0 | 71.4 | 60.7 | |
| 19/03/2019 11:51 | 68.8 | 71.6 | 58.2 | |
| 19/03/2019 11:56 | 69.1 | 73.6 | 59.6 | |
| 19/03/2019 12:01 | 67.6 | 71.9 | 58.9 | 67.7 |
| 19/03/2019 12:06 | 67.9 | 71.6 | 57.5 | |
| 19/03/2019 12:11 | 68.9 | 71.7 | 57.1 | |
| 19/03/2019 12:16 | 68.3 | 72.5 | 55.9 | |
| 19/03/2019 12:21 | 65.9 | 69.2 | 55.7 | |
| 19/03/2019 12:26 | 67.2 | 70.4 | 59.4 | |
| 19/03/2019 12:31 | 67.1 | 71.2 | 56.6 | 66.8 |
| 19/03/2019 12:36 | 67.1 | 71.4 | 56.2 | |
| 19/03/2019 12:41 | 65.7 | 69.1 | 56.3 | |
| 19/03/2019 12:46 | 66.0 | 69.3 | 57.4 | |
| 19/03/2019 12:51 | 65.8 | 68.3 | 57.1 | |
| 19/03/2019 12:56 | 68.5 | 72.4 | 58.3 | |
| 19/03/2019 13:01 | 66.9 | 70.6 | 59.0 | 67.4 |
| 19/03/2019 13:06 | 66.4 | 69.6 | 56.0 | |
| 19/03/2019 13:11 | 66.1 | 70.0 | 57.3 | |
| 19/03/2019 13:16 | 68.9 | 72.8 | 60.5 | |
| 19/03/2019 13:21 | 67.2 | 70.2 | 59.8 | |
| 19/03/2019 13:26 | 68.4 | 71.4 | 60.8 | |
| 19/03/2019 13:31 | 68.9 | 71.4 | 60.1 | 69.8 |
| 19/03/2019 13:36 | 68.5 | 72.0 | 61.0 | |
| 19/03/2019 13:41 | 68.8 | 73.8 | 59.7 | |
| 19/03/2019 13:46 | 73.6 | 77.9 | 63.9 | |
| 19/03/2019 13:51 | 68.7 | 70.5 | 61.6 | |
| 19/03/2019 13:56 | 66.6 | 70.2 | 60.9 | |
| 19/03/2019 14:01 | 67.2 | 70.8 | 59.5 | 67.5 |
| 19/03/2019 14:06 | 67.2 | 70.2 | 60.3 | |
| 19/03/2019 14:11 | 65.7 | 67.4 | 59.3 | |
| 19/03/2019 14:16 | 69.2 | 71.8 | 59.9 | |
| 19/03/2019 14:21 | 65.5 | 68.6 | 59.2 | |
| 19/03/2019 14:26 | 68.8 | 72.0 | 61.2 | |
| 19/03/2019 14:31 | 67.3 | 70.3 | 61.5 | 67.0 |
| 19/03/2019 14:36 | 67.3 | 70.3 | 60.0 | |
| 19/03/2019 14:41 | 68.6 | 72.2 | 60.2 | |
| 19/03/2019 14:46 | 66.7 | 70.4 | 59.4 | |
| 19/03/2019 14:51 | 66.3 | 69.4 | 59.0 | |
| 19/03/2019 14:56 | 64.7 | 67.9 | 58.0 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/03/2019 15:01 | 65.1 | 68.7 | 57.4 | 67.4 |
| 19/03/2019 15:06 | 66.0 | 69.5 | 58.0 | |
| 19/03/2019 15:11 | 66.1 | 69.6 | 57.7 | |
| 19/03/2019 15:16 | 69.4 | 73.2 | 60.0 | |
| 19/03/2019 15:21 | 68.6 | 71.7 | 59.5 | |
| 19/03/2019 15:26 | 67.5 | 70.4 | 61.9 | |
| 19/03/2019 15:31 | 69.0 | 72.3 | 60.5 | 68.7 |
| 19/03/2019 15:36 | 67.5 | 70.4 | 61.3 | |
| 19/03/2019 15:41 | 68.8 | 72.7 | 61.1 | |
| 19/03/2019 15:46 | 70.1 | 73.4 | 62.3 | |
| 19/03/2019 15:51 | 67.4 | 70.7 | 60.6 | |
| 19/03/2019 15:56 | 69.0 | 72.3 | 62.0 | |
| 19/03/2019 16:01 | 71.0 | 74.5 | 63.5 | 68.5 |
| 19/03/2019 16:06 | 70.1 | 71.6 | 59.3 | |
| 19/03/2019 16:11 | 67.1 | 70.3 | 59.6 | |
| 19/03/2019 16:16 | 66.8 | 70.2 | 60.1 | |
| 19/03/2019 16:21 | 66.8 | 69.4 | 58.0 | |
| 19/03/2019 16:26 | 66.7 | 69.9 | 60.2 | |
| 19/03/2019 16:31 | 67.2 | 69.8 | 61.2 | 68.3 |
| 19/03/2019 16:36 | 66.7 | 69.6 | 61.4 | |
| 19/03/2019 16:41 | 66.5 | 69.6 | 59.3 | |
| 19/03/2019 16:46 | 65.4 | 68.3 | 58.9 | |
| 19/03/2019 16:51 | 72.4 | 71.9 | 61.3 | |
| 19/03/2019 16:56 | 67.1 | 70.8 | 60.9 | |
| 19/03/2019 17:01 | 68.1 | 69.5 | 61.0 | 67.3 |
| 19/03/2019 17:06 | 67.3 | 70.3 | 60.6 | |
| 19/03/2019 17:11 | 67.5 | 71.3 | 58.6 | |
| 19/03/2019 17:16 | 68.7 | 72.0 | 59.8 | |
| 19/03/2019 17:21 | 66.5 | 69.6 | 59.0 | |
| 19/03/2019 17:26 | 64.9 | 67.8 | 56.8 | |
| 19/03/2019 17:31 | 68.3 | 70.8 | 60.3 | 70.3 |
| 19/03/2019 17:36 | 70.7 | 73.8 | 63.8 | |
| 19/03/2019 17:41 | 69.1 | 72.1 | 58.9 | |
| 19/03/2019 17:46 | 71.0 | 73.9 | 62.3 | |
| 19/03/2019 17:51 | 72.5 | 74.1 | 68.3 | |
| 19/03/2019 17:56 | 68.8 | 71.6 | 62.3 | |
| 19/03/2019 18:01 | 68.8 | 71.3 | 59.6 | 66.8 |
| 19/03/2019 18:06 | 66.7 | 70.0 | 58.1 | |
| 19/03/2019 18:11 | 66.4 | 68.9 | 59.2 | |
| 19/03/2019 18:16 | 65.4 | 69.4 | 57.7 | |
| 19/03/2019 18:21 | 67.6 | 70.6 | 56.6 | |
| 19/03/2019 18:26 | 64.6 | 68.7 | 56.5 | |
| 19/03/2019 18:31 | 64.4 | 67.9 | 55.0 | 65.8 |
| 19/03/2019 18:36 | 67.4 | 70.9 | 57.6 | |
| 19/03/2019 18:41 | 63.4 | 67.2 | 55.8 | |
| 19/03/2019 18:46 | 68.3 | 70.8 | 54.8 | |
| 19/03/2019 18:51 | 64.8 | 68.5 | 54.8 | |
| 19/03/2019 18:56 | 64.3 | 68.1 | 54.3 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/03/2019 07:01 | 62.9 | 66.3 | 54.0 | 65.3 |
| 20/03/2019 07:06 | 64.0 | 67.7 | 56.9 | |
| 20/03/2019 07:11 | 66.8 | 70.5 | 57.1 | |
| 20/03/2019 07:16 | 62.9 | 66.7 | 53.4 | |
| 20/03/2019 07:21 | 66.1 | 69.6 | 54.6 | |
| 20/03/2019 07:26 | 67.1 | 71.1 | 59.4 | |
| 20/03/2019 07:31 | 66.5 | 70.2 | 56.8 | 67.0 |
| 20/03/2019 07:36 | 66.9 | 71.2 | 59.3 | |
| 20/03/2019 07:41 | 65.9 | 69.4 | 57.8 | |
| 20/03/2019 07:46 | 67.1 | 70.0 | 59.0 | |
| 20/03/2019 07:51 | 68.4 | 70.9 | 60.5 | |
| 20/03/2019 07:56 | 66.5 | 70.3 | 56.3 | |
| 20/03/2019 08:01 | 68.2 | 71.2 | 61.4 | 68.8 |
| 20/03/2019 08:06 | 68.2 | 70.8 | 63.6 | |
| 20/03/2019 08:11 | 69.7 | 72.6 | 63.2 | |
| 20/03/2019 08:16 | 68.6 | 71.6 | 63.7 | |
| 20/03/2019 08:21 | 69.9 | 72.3 | 64.3 | |
| 20/03/2019 08:26 | 67.4 | 70.5 | 61.4 | |
| 20/03/2019 08:31 | 67.8 | 70.7 | 61.3 | 67.3 |
| 20/03/2019 08:36 | 67.7 | 70.1 | 61.9 | |
| 20/03/2019 08:41 | 65.8 | 68.7 | 58.5 | |
| 20/03/2019 08:46 | 67.7 | 70.7 | 61.8 | |
| 20/03/2019 08:51 | 67.5 | 70.5 | 60.7 | |
| 20/03/2019 08:56 | 66.9 | 69.9 | 61.8 | |
| 20/03/2019 09:01 | 69.4 | 72.5 | 61.1 | 68.1 |
| 20/03/2019 09:06 | 68.4 | 71.2 | 61.7 | |
| 20/03/2019 09:11 | 68.4 | 71.2 | 60.6 | |
| 20/03/2019 09:16 | 67.1 | 69.8 | 61.1 | |
| 20/03/2019 09:21 | 66.4 | 69.4 | 60.1 | |
| 20/03/2019 09:26 | 68.0 | 70.1 | 64.8 | |
| 20/03/2019 09:31 | 68.5 | 70.7 | 61.9 | 68.3 |
| 20/03/2019 09:36 | 68.6 | 72.0 | 62.7 | |
| 20/03/2019 09:41 | 66.3 | 68.7 | 61.2 | |
| 20/03/2019 09:46 | 70.0 | 73.0 | 61.4 | |
| 20/03/2019 09:51 | 67.5 | 70.6 | 61.8 | |
| 20/03/2019 09:56 | 68.3 | 71.2 | 60.2 | |
| 20/03/2019 10:01 | 66.8 | 69.4 | 60.0 | 67.1 |
| 20/03/2019 10:06 | 67.5 | 70.6 | 60.5 | |
| 20/03/2019 10:11 | 67.3 | 70.5 | 60.9 | |
| 20/03/2019 10:16 | 66.7 | 70.2 | 59.7 | |
| 20/03/2019 10:21 | 67.9 | 71.4 | 59.8 | |
| 20/03/2019 10:26 | 66.3 | 69.2 | 59.5 | |
| 20/03/2019 10:31 | 67.8 | 70.5 | 61.9 | 67.6 |
| 20/03/2019 10:36 | 67.9 | 70.8 | 60.5 | |
| 20/03/2019 10:41 | 68.2 | 71.7 | 60.5 | |
| 20/03/2019 10:46 | 67.6 | 70.8 | 59.5 | |
| 20/03/2019 10:51 | 67.1 | 70.5 | 60.4 | |
| 20/03/2019 10:56 | 66.9 | 69.9 | 61.1 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/03/2019 11:01 | 66.5 | 69.7 | 60.8 | 68.1 |
| 20/03/2019 11:06 | 68.7 | 72.0 | 60.7 | |
| 20/03/2019 11:11 | 66.5 | 69.5 | 58.0 | |
| 20/03/2019 11:16 | 68.3 | 71.8 | 61.4 | |
| 20/03/2019 11:21 | 68.5 | 71.0 | 61.8 | |
| 20/03/2019 11:26 | 69.3 | 71.5 | 61.8 | |
| 20/03/2019 11:31 | 66.4 | 68.9 | 57.9 | 67.5 |
| 20/03/2019 11:36 | 66.7 | 70.4 | 56.9 | |
| 20/03/2019 11:41 | 67.5 | 70.9 | 58.2 | |
| 20/03/2019 11:46 | 67.0 | 69.8 | 57.1 | |
| 20/03/2019 11:51 | 68.1 | 70.5 | 60.9 | |
| 20/03/2019 11:56 | 68.8 | 72.8 | 59.0 | |
| 20/03/2019 12:01 | 67.3 | 70.4 | 57.1 | 68.1 |
| 20/03/2019 12:06 | 70.4 | 74.3 | 58.8 | |
| 20/03/2019 12:11 | 66.8 | 70.5 | 58.2 | |
| 20/03/2019 12:16 | 68.7 | 72.2 | 60.1 | |
| 20/03/2019 12:21 | 68.1 | 70.6 | 56.9 | |
| 20/03/2019 12:26 | 66.0 | 69.4 | 58.0 | |
| 20/03/2019 12:31 | 66.1 | 69.8 | 55.9 | 67.7 |
| 20/03/2019 12:36 | 68.5 | 71.6 | 61.7 | |
| 20/03/2019 12:41 | 69.0 | 72.2 | 62.0 | |
| 20/03/2019 12:46 | 66.3 | 69.7 | 59.6 | |
| 20/03/2019 12:51 | 68.8 | 72.1 | 59.0 | |
| 20/03/2019 12:56 | 66.4 | 69.7 | 60.1 | |
| 20/03/2019 13:01 | 68.0 | 70.6 | 59.0 | 67.6 |
| 20/03/2019 13:06 | 67.9 | 70.6 | 60.4 | |
| 20/03/2019 13:11 | 65.7 | 68.5 | 60.0 | |
| 20/03/2019 13:16 | 68.1 | 71.3 | 61.5 | |
| 20/03/2019 13:21 | 68.3 | 71.2 | 62.4 | |
| 20/03/2019 13:26 | 67.3 | 71.2 | 61.7 | |
| 20/03/2019 13:31 | 68.5 | 72.3 | 60.9 | 68.5 |
| 20/03/2019 13:36 | 70.4 | 74.2 | 62.5 | |
| 20/03/2019 13:41 | 68.3 | 71.0 | 62.6 | |
| 20/03/2019 13:46 | 67.1 | 70.4 | 61.1 | |
| 20/03/2019 13:51 | 66.6 | 70.1 | 60.2 | |
| 20/03/2019 13:56 | 68.8 | 72.0 | 61.7 | |
| 20/03/2019 14:01 | 69.2 | 72.7 | 64.1 | 67.8 |
| 20/03/2019 14:06 | 66.6 | 69.6 | 61.8 | |
| 20/03/2019 14:11 | 68.5 | 71.5 | 61.6 | |
| 20/03/2019 14:16 | 67.7 | 70.7 | 62.3 | |
| 20/03/2019 14:21 | 67.2 | 70.4 | 61.8 | |
| 20/03/2019 14:26 | 67.0 | 69.8 | 61.9 | |
| 20/03/2019 14:31 | 67.6 | 70.9 | 59.4 | 67.2 |
| 20/03/2019 14:36 | 68.7 | 71.3 | 64.2 | |
| 20/03/2019 14:41 | 67.7 | 70.4 | 61.2 | |
| 20/03/2019 14:46 | 65.7 | 69.1 | 59.8 | |
| 20/03/2019 14:51 | 66.0 | 68.6 | 60.4 | |
| 20/03/2019 14:56 | 66.5 | 69.5 | 59.7 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/03/2019 15:01 | 67.4 | 70.5 | 60.2 | 67.7 |
| 20/03/2019 15:06 | 68.5 | 71.9 | 59.5 | |
| 20/03/2019 15:11 | 67.6 | 70.3 | 60.9 | |
| 20/03/2019 15:16 | 68.5 | 72.0 | 61.7 | |
| 20/03/2019 15:21 | 67.6 | 70.7 | 61.8 | |
| 20/03/2019 15:26 | 66.5 | 69.8 | 59.3 | |
| 20/03/2019 15:31 | 65.8 | 69.1 | 58.4 | 66.8 |
| 20/03/2019 15:36 | 67.9 | 71.5 | 60.1 | |
| 20/03/2019 15:41 | 67.3 | 69.6 | 60.6 | |
| 20/03/2019 15:46 | 68.2 | 70.9 | 62.9 | |
| 20/03/2019 15:51 | 64.8 | 67.7 | 59.4 | |
| 20/03/2019 15:56 | 66.0 | 69.2 | 59.9 | |
| 20/03/2019 16:01 | 67.1 | 69.8 | 60.5 | 67.4 |
| 20/03/2019 16:06 | 65.2 | 67.8 | 59.9 | |
| 20/03/2019 16:11 | 66.9 | 69.3 | 62.1 | |
| 20/03/2019 16:16 | 69.8 | 71.7 | 62.3 | |
| 20/03/2019 16:21 | 67.0 | 70.3 | 61.2 | |
| 20/03/2019 16:26 | 67.1 | 71.0 | 58.4 | |
| 20/03/2019 16:31 | 67.6 | 71.5 | 59.9 | 67.3 |
| 20/03/2019 16:36 | 67.6 | 70.5 | 61.5 | |
| 20/03/2019 16:41 | 67.4 | 70.4 | 60.4 | |
| 20/03/2019 16:46 | 67.8 | 68.8 | 60.6 | |
| 20/03/2019 16:51 | 66.1 | 68.9 | 60.7 | |
| 20/03/2019 16:56 | 67.1 | 70.2 | 60.9 | |
| 20/03/2019 17:01 | 65.3 | 68.2 | 60.0 | 66.5 |
| 20/03/2019 17:06 | 67.6 | 70.5 | 59.8 | |
| 20/03/2019 17:11 | 66.7 | 69.8 | 60.0 | |
| 20/03/2019 17:16 | 64.9 | 68.5 | 57.4 | |
| 20/03/2019 17:21 | 67.0 | 70.4 | 59.9 | |
| 20/03/2019 17:26 | 66.7 | 70.2 | 58.4 | |
| 20/03/2019 17:31 | 67.0 | 69.0 | 58.3 | 66.8 |
| 20/03/2019 17:36 | 66.5 | 68.8 | 59.2 | |
| 20/03/2019 17:41 | 67.2 | 70.4 | 57.5 | |
| 20/03/2019 17:46 | 67.7 | 70.9 | 59.9 | |
| 20/03/2019 17:51 | 64.9 | 69.3 | 57.4 | |
| 20/03/2019 17:56 | 67.0 | 69.9 | 59.0 | |
| 20/03/2019 18:01 | 66.3 | 69.8 | 56.3 | 66.9 |
| 20/03/2019 18:06 | 66.6 | 69.8 | 58.6 | |
| 20/03/2019 18:11 | 67.6 | 71.1 | 58.9 | |
| 20/03/2019 18:16 | 66.7 | 70.5 | 57.8 | |
| 20/03/2019 18:21 | 66.5 | 70.5 | 56.7 | |
| 20/03/2019 18:26 | 67.4 | 70.6 | 57.9 | |
| 20/03/2019 18:31 | 65.9 | 69.3 | 57.5 | 66.6 |
| 20/03/2019 18:36 | 65.1 | 68.6 | 57.5 | |
| 20/03/2019 18:41 | 67.3 | 67.8 | 54.6 | |
| 20/03/2019 18:46 | 66.4 | 69.2 | 57.5 | |
| 20/03/2019 18:51 | 68.4 | 68.9 | 55.3 | |
| 20/03/2019 18:56 | 65.8 | 68.2 | 57.9 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/03/2019 07:01 | 65.7 | 68.6 | 55.1 | 66.1 |
| 21/03/2019 07:06 | 63.6 | 67.4 | 56.8 | |
| 21/03/2019 07:11 | 67.2 | 71.0 | 55.9 | |
| 21/03/2019 07:16 | 66.0 | 69.7 | 58.0 | |
| 21/03/2019 07:21 | 66.8 | 70.2 | 59.1 | |
| 21/03/2019 07:26 | 66.3 | 70.1 | 59.0 | |
| 21/03/2019 07:31 | 65.2 | 68.0 | 57.5 | 67.0 |
| 21/03/2019 07:36 | 65.6 | 69.1 | 59.3 | |
| 21/03/2019 07:41 | 66.5 | 70.1 | 58.5 | |
| 21/03/2019 07:46 | 69.1 | 71.7 | 58.1 | |
| 21/03/2019 07:51 | 68.7 | 71.5 | 58.9 | |
| 21/03/2019 07:56 | 65.3 | 68.7 | 59.0 | |
| 21/03/2019 08:01 | 66.3 | 69.3 | 58.2 | 67.9 |
| 21/03/2019 08:06 | 65.7 | 68.6 | 58.2 | |
| 21/03/2019 08:11 | 69.2 | 72.6 | 62.8 | |
| 21/03/2019 08:16 | 68.8 | 71.6 | 61.6 | |
| 21/03/2019 08:21 | 67.1 | 70.8 | 59.4 | |
| 21/03/2019 08:26 | 68.9 | 71.3 | 60.7 | |
| 21/03/2019 08:31 | 68.6 | 70.4 | 62.1 | 67.3 |
| 21/03/2019 08:36 | 66.8 | 70.1 | 61.7 | |
| 21/03/2019 08:41 | 66.4 | 69.0 | 62.2 | |
| 21/03/2019 08:46 | 66.7 | 70.1 | 60.3 | |
| 21/03/2019 08:51 | 67.9 | 70.7 | 60.3 | |
| 21/03/2019 08:56 | 66.9 | 69.8 | 61.2 | |
| 21/03/2019 09:01 | 66.4 | 69.5 | 57.9 | 68.2 |
| 21/03/2019 09:06 | 68.1 | 71.4 | 60.3 | |
| 21/03/2019 09:11 | 67.2 | 70.1 | 61.8 | |
| 21/03/2019 09:16 | 68.3 | 71.6 | 61.1 | |
| 21/03/2019 09:21 | 68.8 | 71.9 | 61.3 | |
| 21/03/2019 09:26 | 69.5 | 72.8 | 61.9 | |
| 21/03/2019 09:31 | 69.6 | 72.4 | 61.2 | 68.0 |
| 21/03/2019 09:36 | 68.5 | 71.5 | 62.3 | |
| 21/03/2019 09:41 | 66.5 | 69.9 | 58.4 | |
| 21/03/2019 09:46 | 68.1 | 71.2 | 62.8 | |
| 21/03/2019 09:51 | 68.5 | 71.7 | 60.9 | |
| 21/03/2019 09:56 | 65.4 | 68.4 | 59.0 | |
| 21/03/2019 10:01 | 67.6 | 70.3 | 58.8 | 67.1 |
| 21/03/2019 10:06 | 66.9 | 70.1 | 58.8 | |
| 21/03/2019 10:11 | 67.7 | 71.0 | 60.1 | |
| 21/03/2019 10:16 | 68.0 | 70.6 | 62.7 | |
| 21/03/2019 10:21 | 66.2 | 69.7 | 59.0 | |
| 21/03/2019 10:26 | 65.5 | 69.0 | 58.3 | |
| 21/03/2019 10:31 | 66.7 | 69.9 | 58.3 | 66.0 |
| 21/03/2019 10:36 | 64.2 | 67.7 | 57.7 | |
| 21/03/2019 10:41 | 66.7 | 70.0 | 60.0 | |
| 21/03/2019 10:46 | 64.8 | 68.4 | 58.2 | |
| 21/03/2019 10:51 | 66.5 | 69.7 | 58.2 | |
| 21/03/2019 10:56 | 66.3 | 69.6 | 58.7 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/03/2019 11:01 | 67.0 | 70.2 | 60.2 | 67.4 |
| 21/03/2019 11:06 | 66.2 | 69.3 | 59.0 | |
| 21/03/2019 11:11 | 68.9 | 72.9 | 57.9 | |
| 21/03/2019 11:16 | 68.2 | 71.4 | 61.9 | |
| 21/03/2019 11:21 | 67.0 | 70.8 | 60.1 | |
| 21/03/2019 11:26 | 66.2 | 69.2 | 59.0 | |
| 21/03/2019 11:31 | 66.4 | 69.9 | 58.5 | 67.4 |
| 21/03/2019 11:36 | 67.0 | 70.0 | 60.2 | |
| 21/03/2019 11:41 | 68.0 | 70.9 | 61.6 | |
| 21/03/2019 11:46 | 66.8 | 70.2 | 59.2 | |
| 21/03/2019 11:51 | 67.1 | 70.7 | 59.9 | |
| 21/03/2019 11:56 | 68.7 | 72.0 | 57.1 | |
| 21/03/2019 12:01 | 67.4 | 71.2 | 57.5 | 68.1 |
| 21/03/2019 12:06 | 66.9 | 70.4 | 55.6 | |
| 21/03/2019 12:11 | 70.9 | 72.8 | 60.5 | |
| 21/03/2019 12:16 | 66.6 | 69.8 | 59.4 | |
| 21/03/2019 12:21 | 67.3 | 71.1 | 57.6 | |
| 21/03/2019 12:26 | 67.7 | 71.7 | 58.4 | |
| 21/03/2019 12:31 | 68.5 | 72.3 | 60.8 | 67.6 |
| 21/03/2019 12:36 | 68.1 | 71.5 | 59.4 | |
| 21/03/2019 12:41 | 66.9 | 70.6 | 57.9 | |
| 21/03/2019 12:46 | 67.5 | 70.2 | 56.9 | |
| 21/03/2019 12:51 | 68.7 | 71.9 | 58.2 | |
| 21/03/2019 12:56 | 64.3 | 69.1 | 55.0 | |
| 21/03/2019 13:01 | 68.1 | 71.6 | 60.1 | 67.6 |
| 21/03/2019 13:06 | 66.5 | 69.8 | 60.0 | |
| 21/03/2019 13:11 | 65.7 | 68.5 | 59.7 | |
| 21/03/2019 13:16 | 67.1 | 70.3 | 59.5 | |
| 21/03/2019 13:21 | 67.8 | 71.5 | 58.6 | |
| 21/03/2019 13:26 | 69.3 | 71.6 | 63.7 | |
| 21/03/2019 13:31 | 67.9 | 71.4 | 62.0 | 68.5 |
| 21/03/2019 13:36 | 68.0 | 71.1 | 61.6 | |
| 21/03/2019 13:41 | 69.0 | 72.3 | 63.3 | |
| 21/03/2019 13:46 | 67.0 | 69.9 | 60.5 | |
| 21/03/2019 13:51 | 67.7 | 71.1 | 60.9 | |
| 21/03/2019 13:56 | 70.3 | 72.8 | 63.1 | |
| 21/03/2019 14:01 | 67.9 | 70.8 | 62.0 | 68.8 |
| 21/03/2019 14:06 | 68.6 | 72.3 | 61.5 | |
| 21/03/2019 14:11 | 69.1 | 72.1 | 63.1 | |
| 21/03/2019 14:16 | 69.3 | 72.3 | 62.2 | |
| 21/03/2019 14:21 | 69.6 | 72.6 | 62.4 | |
| 21/03/2019 14:26 | 67.8 | 70.7 | 63.2 | |
| 21/03/2019 14:31 | 66.5 | 69.9 | 61.3 | 67.0 |
| 21/03/2019 14:36 | 67.6 | 69.4 | 61.1 | |
| 21/03/2019 14:41 | 66.9 | 69.6 | 57.7 | |
| 21/03/2019 14:46 | 68.0 | 70.7 | 57.8 | |
| 21/03/2019 14:51 | 66.3 | 69.3 | 56.4 | |
| 21/03/2019 14:56 | 66.6 | 69.7 | 58.1 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/03/2019 15:01 | 67.0 | 69.9 | 58.0 | 66.5 |
| 21/03/2019 15:06 | 65.6 | 68.5 | 60.0 | |
| 21/03/2019 15:11 | 66.1 | 69.3 | 60.3 | |
| 21/03/2019 15:16 | 66.3 | 69.8 | 59.8 | |
| 21/03/2019 15:21 | 66.9 | 69.7 | 60.3 | |
| 21/03/2019 15:26 | 67.1 | 70.0 | 60.8 | |
| 21/03/2019 15:31 | 66.9 | 69.4 | 60.6 | 66.4 |
| 21/03/2019 15:36 | 67.9 | 71.4 | 61.7 | |
| 21/03/2019 15:41 | 66.3 | 69.7 | 59.3 | |
| 21/03/2019 15:46 | 65.7 | 69.1 | 59.0 | |
| 21/03/2019 15:51 | 64.7 | 67.7 | 58.2 | |
| 21/03/2019 15:56 | 66.5 | 69.4 | 58.5 | |
| 21/03/2019 16:01 | 65.0 | 68.9 | 55.3 | 68.2 |
| 21/03/2019 16:06 | 66.2 | 69.8 | 58.4 | |
| 21/03/2019 16:11 | 66.7 | 69.4 | 59.9 | |
| 21/03/2019 16:16 | 67.8 | 70.6 | 62.1 | |
| 21/03/2019 16:21 | 68.5 | 72.4 | 61.3 | |
| 21/03/2019 16:26 | 71.7 | 75.0 | 64.4 | |
| 21/03/2019 16:31 | 67.9 | 71.4 | 58.9 | 67.9 |
| 21/03/2019 16:36 | 66.5 | 69.2 | 61.2 | |
| 21/03/2019 16:41 | 67.2 | 70.3 | 61.0 | |
| 21/03/2019 16:46 | 68.0 | 70.3 | 63.6 | |
| 21/03/2019 16:51 | 67.1 | 70.2 | 60.6 | |
| 21/03/2019 16:56 | 69.9 | 72.1 | 67.0 | |
| 21/03/2019 17:01 | 71.0 | 73.3 | 67.3 | 69.8 |
| 21/03/2019 17:06 | 71.6 | 74.2 | 65.0 | |
| 21/03/2019 17:11 | 70.4 | 72.5 | 65.7 | |
| 21/03/2019 17:16 | 69.2 | 71.9 | 62.0 | |
| 21/03/2019 17:21 | 65.2 | 68.0 | 58.9 | |
| 21/03/2019 17:26 | 69.0 | 71.3 | 65.4 | |
| 21/03/2019 17:31 | 68.8 | 71.0 | 65.3 | 69.5 |
| 21/03/2019 17:36 | 68.3 | 70.4 | 65.1 | |
| 21/03/2019 17:41 | 70.6 | 72.9 | 62.6 | |
| 21/03/2019 17:46 | 69.4 | 72.7 | 62.8 | |
| 21/03/2019 17:51 | 68.4 | 71.0 | 61.1 | |
| 21/03/2019 17:56 | 70.8 | 73.1 | 65.7 | |
| 21/03/2019 18:01 | 69.5 | 72.0 | 62.7 | 67.6 |
| 21/03/2019 18:06 | 67.9 | 70.4 | 60.7 | |
| 21/03/2019 18:11 | 69.7 | 70.7 | 60.0 | |
| 21/03/2019 18:16 | 66.4 | 70.1 | 58.3 | |
| 21/03/2019 18:21 | 64.6 | 67.9 | 57.1 | |
| 21/03/2019 18:26 | 64.2 | 66.9 | 52.7 | |
| 21/03/2019 18:31 | 64.4 | 67.2 | 54.6 | 65.4 |
| 21/03/2019 18:36 | 66.5 | 69.9 | 58.6 | |
| 21/03/2019 18:41 | 66.4 | 70.1 | 54.9 | |
| 21/03/2019 18:46 | 65.4 | 69.3 | 53.8 | |
| 21/03/2019 18:51 | 64.4 | 67.1 | 54.8 | |
| 21/03/2019 18:56 | 64.7 | 68.5 | 54.2 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/03/2019 07:01 | 64.8 | 68.8 | 54.8 | 65.9 |
| 22/03/2019 07:06 | 64.9 | 68.6 | 55.5 | |
| 22/03/2019 07:11 | 68.0 | 71.5 | 57.5 | |
| 22/03/2019 07:16 | 64.7 | 68.3 | 55.7 | |
| 22/03/2019 07:21 | 66.5 | 70.2 | 57.0 | |
| 22/03/2019 07:26 | 65.4 | 69.0 | 57.4 | |
| 22/03/2019 07:31 | 64.2 | 68.3 | 53.6 | 66.7 |
| 22/03/2019 07:36 | 66.5 | 69.8 | 60.2 | |
| 22/03/2019 07:41 | 67.2 | 71.1 | 59.1 | |
| 22/03/2019 07:46 | 66.8 | 71.0 | 58.1 | |
| 22/03/2019 07:51 | 67.2 | 70.7 | 58.6 | |
| 22/03/2019 07:56 | 67.3 | 70.7 | 57.0 | |
| 22/03/2019 08:01 | 68.1 | 71.3 | 61.5 | 69.0 |
| 22/03/2019 08:06 | 70.4 | 72.6 | 66.6 | |
| 22/03/2019 08:11 | 68.9 | 71.7 | 61.0 | |
| 22/03/2019 08:16 | 68.8 | 71.4 | 60.6 | |
| 22/03/2019 08:21 | 68.8 | 72.6 | 60.9 | |
| 22/03/2019 08:26 | 68.6 | 72.0 | 61.1 | |
| 22/03/2019 10:01 | 77.5 | 80.8 | 68.0 | 74.2 |
| 22/03/2019 10:06 | 71.6 | 73.9 | 66.1 | |
| 22/03/2019 10:11 | 71.2 | 74.4 | 65.2 | |
| 22/03/2019 10:16 | 76.5 | 81.5 | 65.6 | |
| 22/03/2019 10:21 | 71.1 | 74.5 | 64.3 | |
| 22/03/2019 10:26 | 72.4 | 75.9 | 63.1 | |
| 22/03/2019 10:31 | 69.6 | 73.4 | 62.0 | 70.9 |
| 22/03/2019 10:36 | 70.5 | 73.3 | 63.4 | |
| 22/03/2019 10:41 | 71.9 | 75.4 | 62.3 | |
| 22/03/2019 10:46 | 69.7 | 73.1 | 61.7 | |
| 22/03/2019 10:51 | 70.7 | 74.5 | 61.8 | |
| 22/03/2019 10:56 | 72.2 | 74.7 | 63.0 | |
| 22/03/2019 11:01 | 71.5 | 74.7 | 60.0 | 71.2 |
| 22/03/2019 11:06 | 71.0 | 74.0 | 63.7 | |
| 22/03/2019 11:11 | 71.3 | 74.9 | 63.7 | |
| 22/03/2019 11:16 | 71.4 | 75.4 | 62.9 | |
| 22/03/2019 11:21 | 70.9 | 74.3 | 63.4 | |
| 22/03/2019 11:26 | 71.0 | 74.7 | 61.8 | |
| 22/03/2019 11:31 | 70.7 | 74.5 | 61.8 | 71.5 |
| 22/03/2019 11:36 | 70.9 | 75.2 | 60.9 | |
| 22/03/2019 11:41 | 72.8 | 76.6 | 63.8 | |
| 22/03/2019 11:46 | 72.7 | 76.0 | 63.0 | |
| 22/03/2019 11:51 | 71.5 | 75.0 | 62.5 | |
| 22/03/2019 11:56 | 69.1 | 73.2 | 61.0 | |
| 22/03/2019 12:01 | 71.9 | 75.7 | 61.2 | 71.5 |
| 22/03/2019 12:06 | 72.4 | 76.9 | 61.5 | |
| 22/03/2019 12:11 | 70.7 | 73.9 | 60.0 | |
| 22/03/2019 12:16 | 71.0 | 73.5 | 62.6 | |
| 22/03/2019 12:21 | 69.3 | 73.2 | 60.0 | |
| 22/03/2019 12:26 | 72.8 | 76.5 | 60.3 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/03/2019 12:31 | 71.5 | 75.0 | 62.0 | 71.3 |
| 22/03/2019 12:36 | 73.2 | 77.7 | 60.9 | |
| 22/03/2019 12:41 | 70.5 | 74.0 | 62.4 | |
| 22/03/2019 12:46 | 69.5 | 73.2 | 60.1 | |
| 22/03/2019 12:51 | 70.6 | 74.1 | 61.4 | |
| 22/03/2019 12:56 | 71.5 | 75.2 | 61.2 | |
| 22/03/2019 13:01 | 71.9 | 75.3 | 62.0 | 72.1 |
| 22/03/2019 13:06 | 69.5 | 72.0 | 61.9 | |
| 22/03/2019 13:11 | 70.4 | 73.3 | 63.9 | |
| 22/03/2019 13:16 | 69.8 | 73.4 | 62.7 | |
| 22/03/2019 13:21 | 72.7 | 75.2 | 64.3 | |
| 22/03/2019 13:26 | 75.2 | 78.7 | 66.6 | |
| 22/03/2019 13:31 | 71.2 | 74.4 | 61.9 | 71.2 |
| 22/03/2019 13:36 | 71.6 | 74.7 | 64.9 | |
| 22/03/2019 13:41 | 71.6 | 75.9 | 62.2 | |
| 22/03/2019 13:46 | 70.0 | 73.5 | 62.9 | |
| 22/03/2019 13:51 | 71.6 | 74.9 | 61.0 | |
| 22/03/2019 13:56 | 70.8 | 74.9 | 61.2 | |
| 22/03/2019 14:01 | 69.7 | 73.4 | 61.0 | 70.7 |
| 22/03/2019 14:06 | 72.1 | 75.4 | 64.3 | |
| 22/03/2019 14:11 | 69.8 | 73.1 | 62.1 | |
| 22/03/2019 14:16 | 70.7 | 74.6 | 62.0 | |
| 22/03/2019 14:21 | 70.8 | 73.2 | 59.6 | |
| 22/03/2019 14:26 | 70.5 | 73.6 | 63.3 | |
| 22/03/2019 14:31 | 72.1 | 75.4 | 64.0 | 72.5 |
| 22/03/2019 14:36 | 72.1 | 75.4 | 63.9 | |
| 22/03/2019 14:41 | 72.5 | 76.2 | 62.7 | |
| 22/03/2019 14:46 | 71.3 | 74.2 | 60.8 | |
| 22/03/2019 14:51 | 74.5 | 75.1 | 63.7 | |
| 22/03/2019 14:56 | 71.7 | 74.9 | 60.9 | |
| 22/03/2019 15:01 | 74.8 | 74.6 | 62.9 | 73.8 |
| 22/03/2019 15:06 | 76.1 | 75.8 | 61.8 | |
| 22/03/2019 15:11 | 71.4 | 75.0 | 61.2 | |
| 22/03/2019 15:16 | 72.4 | 75.4 | 63.5 | |
| 22/03/2019 15:21 | 72.7 | 75.6 | 64.7 | |
| 22/03/2019 15:26 | 73.8 | 76.8 | 67.0 | |
| 22/03/2019 15:31 | 71.2 | 74.1 | 65.8 | 72.4 |
| 22/03/2019 15:36 | 72.0 | 75.1 | 66.9 | |
| 22/03/2019 15:41 | 71.8 | 74.9 | 65.6 | |
| 22/03/2019 15:46 | 72.6 | 75.6 | 65.8 | |
| 22/03/2019 15:51 | 73.3 | 76.7 | 66.7 | |
| 22/03/2019 15:56 | 72.9 | 76.2 | 67.4 | |
| 22/03/2019 16:01 | 72.6 | 75.0 | 67.5 | 71.4 |
| 22/03/2019 16:06 | 71.2 | 73.2 | 65.9 | |
| 22/03/2019 16:11 | 70.2 | 73.3 | 65.0 | |
| 22/03/2019 16:16 | 71.5 | 74.1 | 64.6 | |
| 22/03/2019 16:21 | 71.0 | 75.0 | 61.3 | |
| 22/03/2019 16:26 | 71.4 | 75.2 | 60.6 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/03/2019 16:31 | 69.4 | 72.4 | 63.1 | 72.7 |
| 22/03/2019 16:36 | 70.9 | 74.1 | 62.1 | |
| 22/03/2019 16:41 | 77.2 | 73.8 | 60.1 | |
| 22/03/2019 16:46 | 70.7 | 74.5 | 61.6 | |
| 22/03/2019 16:51 | 71.7 | 75.1 | 64.0 | |
| 22/03/2019 16:56 | 70.9 | 73.4 | 61.2 | |
| 22/03/2019 17:01 | 72.6 | 75.6 | 61.1 | 72.1 |
| 22/03/2019 17:06 | 71.1 | 74.4 | 63.2 | |
| 22/03/2019 17:11 | 70.2 | 73.5 | 62.2 | |
| 22/03/2019 17:16 | 70.9 | 74.7 | 60.0 | |
| 22/03/2019 17:21 | 74.6 | 73.5 | 61.4 | |
| 22/03/2019 17:26 | 71.7 | 75.0 | 63.2 | |
| 22/03/2019 17:31 | 71.8 | 74.4 | 59.9 | 70.2 |
| 22/03/2019 17:36 | 67.6 | 71.2 | 58.8 | |
| 22/03/2019 17:41 | 69.9 | 72.9 | 61.0 | |
| 22/03/2019 17:46 | 69.5 | 74.2 | 58.3 | |
| 22/03/2019 17:51 | 70.9 | 73.2 | 64.5 | |
| 22/03/2019 17:56 | 70.5 | 74.1 | 58.9 | |
| 22/03/2019 18:01 | 68.5 | 72.6 | 57.4 | 69.2 |
| 22/03/2019 18:06 | 68.1 | 72.2 | 59.0 | |
| 22/03/2019 18:11 | 68.5 | 71.9 | 61.4 | |
| 22/03/2019 18:16 | 70.6 | 73.5 | 57.2 | |
| 22/03/2019 18:21 | 69.1 | 73.0 | 58.0 | |
| 22/03/2019 18:26 | 69.8 | 71.7 | 57.2 | |
| 22/03/2019 18:31 | 70.1 | 73.4 | 60.9 | 70.1 |
| 22/03/2019 18:36 | 72.6 | 74.4 | 59.1 | |
| 22/03/2019 18:41 | 67.7 | 72.1 | 56.4 | |
| 22/03/2019 18:46 | 66.7 | 70.7 | 53.8 | |
| 22/03/2019 18:51 | 71.5 | 74.9 | 55.3 | |
| 22/03/2019 18:56 | 68.8 | 72.2 | 58.8 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/03/2019 07:01 | 66.2 | 69.8 | 57.6 | 68.1 |
| 23/03/2019 07:06 | 66.1 | 69.7 | 57.3 | |
| 23/03/2019 07:11 | 66.3 | 69.9 | 58.7 | |
| 23/03/2019 07:16 | 70.3 | 73.8 | 62.1 | |
| 23/03/2019 07:21 | 69.5 | 72.7 | 59.1 | |
| 23/03/2019 07:26 | 68.2 | 71.9 | 58.7 | |
| 23/03/2019 07:31 | 70.1 | 73.6 | 61.8 | 70.2 |
| 23/03/2019 07:36 | 69.2 | 72.5 | 60.2 | |
| 23/03/2019 07:41 | 71.7 | 75.8 | 61.2 | |
| 23/03/2019 07:46 | 69.2 | 73.4 | 59.7 | |
| 23/03/2019 07:51 | 70.1 | 73.6 | 58.3 | |
| 23/03/2019 07:56 | 70.2 | 73.6 | 60.5 | |
| 23/03/2019 08:01 | 69.5 | 72.6 | 61.2 | 70.8 |
| 23/03/2019 08:06 | 68.9 | 72.8 | 61.2 | |
| 23/03/2019 08:11 | 71.1 | 74.6 | 64.0 | |
| 23/03/2019 08:16 | 73.2 | 76.6 | 65.7 | |
| 23/03/2019 08:21 | 71.0 | 73.6 | 65.3 | |
| 23/03/2019 08:26 | 69.6 | 73.5 | 62.4 | |
| 23/03/2019 08:31 | 71.4 | 73.9 | 63.7 | 71.4 |
| 23/03/2019 08:36 | 70.1 | 74.0 | 61.4 | |
| 23/03/2019 08:41 | 70.9 | 74.3 | 63.9 | |
| 23/03/2019 08:46 | 71.6 | 75.0 | 63.8 | |
| 23/03/2019 08:51 | 73.3 | 76.5 | 65.5 | |
| 23/03/2019 08:56 | 70.5 | 73.7 | 65.3 | |
| 23/03/2019 09:01 | 71.8 | 75.1 | 65.8 | 71.2 |
| 23/03/2019 09:06 | 71.3 | 74.3 | 66.5 | |
| 23/03/2019 09:11 | 70.2 | 73.1 | 65.4 | |
| 23/03/2019 09:16 | 72.5 | 74.8 | 63.5 | |
| 23/03/2019 09:21 | 71.1 | 74.2 | 63.4 | |
| 23/03/2019 09:26 | 70.1 | 73.7 | 62.8 | |
| 23/03/2019 09:31 | 69.1 | 72.9 | 61.9 | 69.8 |
| 23/03/2019 09:36 | 69.8 | 73.2 | 62.2 | |
| 23/03/2019 09:41 | 69.5 | 72.8 | 63.1 | |
| 23/03/2019 09:46 | 70.3 | 73.8 | 63.3 | |
| 23/03/2019 09:51 | 69.7 | 73.5 | 62.4 | |
| 23/03/2019 09:56 | 70.1 | 73.5 | 62.0 | |
| 23/03/2019 10:01 | 67.9 | 71.2 | 62.6 | 70.0 |
| 23/03/2019 10:06 | 70.0 | 73.3 | 61.8 | |
| 23/03/2019 10:11 | 70.8 | 74.8 | 63.4 | |
| 23/03/2019 10:16 | 68.5 | 72.0 | 62.3 | |
| 23/03/2019 10:21 | 69.5 | 73.1 | 63.2 | |
| 23/03/2019 10:26 | 72.0 | 74.0 | 64.2 | |
| 23/03/2019 10:31 | 71.4 | 73.9 | 62.5 | 71.5 |
| 23/03/2019 10:36 | 71.1 | 74.9 | 62.3 | |
| 23/03/2019 10:41 | 70.9 | 74.3 | 63.6 | |
| 23/03/2019 10:46 | 71.8 | 75.0 | 64.8 | |
| 23/03/2019 10:51 | 71.3 | 74.7 | 63.6 | |
| 23/03/2019 10:56 | 72.2 | 75.6 | 65.6 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/03/2019 11:01 | 70.0 | 73.0 | 64.4 | 70.9 |
| 23/03/2019 11:06 | 71.1 | 74.0 | 64.4 | |
| 23/03/2019 11:11 | 70.4 | 73.9 | 64.1 | |
| 23/03/2019 11:16 | 72.6 | 75.7 | 63.8 | |
| 23/03/2019 11:21 | 70.6 | 74.1 | 64.1 | |
| 23/03/2019 11:26 | 70.0 | 72.9 | 64.9 | |
| 23/03/2019 11:31 | 71.0 | 74.2 | 63.1 | 70.8 |
| 23/03/2019 11:36 | 70.1 | 73.5 | 63.4 | |
| 23/03/2019 11:41 | 70.1 | 73.6 | 63.5 | |
| 23/03/2019 11:46 | 69.9 | 73.6 | 61.6 | |
| 23/03/2019 11:51 | 70.2 | 73.6 | 62.6 | |
| 23/03/2019 11:56 | 72.9 | 76.6 | 62.8 | |
| 23/03/2019 12:01 | 69.2 | 72.8 | 60.2 | 71.6 |
| 23/03/2019 12:06 | 71.9 | 75.0 | 61.8 | |
| 23/03/2019 12:11 | 72.1 | 75.0 | 61.1 | |
| 23/03/2019 12:16 | 70.4 | 73.8 | 63.7 | |
| 23/03/2019 12:21 | 71.8 | 75.4 | 63.0 | |
| 23/03/2019 12:26 | 73.3 | 76.5 | 63.4 | |
| 23/03/2019 12:31 | 71.5 | 74.3 | 63.3 | 70.8 |
| 23/03/2019 12:36 | 69.4 | 73.0 | 60.7 | |
| 23/03/2019 12:41 | 71.4 | 75.3 | 60.4 | |
| 23/03/2019 12:46 | 67.9 | 72.1 | 59.9 | |
| 23/03/2019 12:51 | 71.2 | 74.5 | 62.0 | |
| 23/03/2019 12:56 | 71.9 | 75.2 | 61.6 | |
| 23/03/2019 13:01 | 72.0 | 74.7 | 62.1 | 72.6 |
| 23/03/2019 13:06 | 71.2 | 74.9 | 62.4 | |
| 23/03/2019 13:11 | 71.6 | 75.1 | 64.4 | |
| 23/03/2019 13:16 | 70.8 | 74.3 | 64.0 | |
| 23/03/2019 13:21 | 75.7 | 77.0 | 66.6 | |
| 23/03/2019 13:26 | 72.1 | 75.1 | 66.0 | |
| 23/03/2019 13:31 | 72.0 | 75.2 | 65.3 | 72.2 |
| 23/03/2019 13:36 | 73.1 | 76.2 | 67.2 | |
| 23/03/2019 13:41 | 72.4 | 75.7 | 66.3 | |
| 23/03/2019 13:46 | 72.5 | 74.8 | 63.7 | |
| 23/03/2019 13:51 | 70.7 | 73.4 | 64.9 | |
| 23/03/2019 13:56 | 71.9 | 74.4 | 65.6 | |
| 23/03/2019 14:01 | 72.1 | 75.8 | 65.0 | 73.9 |
| 23/03/2019 14:06 | 72.2 | 75.2 | 65.9 | |
| 23/03/2019 14:11 | 72.8 | 76.1 | 65.9 | |
| 23/03/2019 14:16 | 73.4 | 76.4 | 67.9 | |
| 23/03/2019 14:21 | 75.6 | 79.6 | 66.4 | |
| 23/03/2019 14:26 | 75.6 | 79.8 | 66.5 | |
| 23/03/2019 14:31 | 74.6 | 78.2 | 67.1 | 72.1 |
| 23/03/2019 14:36 | 73.2 | 76.8 | 66.2 | |
| 23/03/2019 14:41 | 71.9 | 75.3 | 65.4 | |
| 23/03/2019 14:46 | 70.3 | 73.5 | 65.0 | |
| 23/03/2019 14:51 | 70.9 | 73.5 | 64.5 | |
| 23/03/2019 14:56 | 69.8 | 72.8 | 64.4 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/03/2019 15:01 | 71.0 | 74.6 | 64.9 | 70.3 |
| 23/03/2019 15:06 | 71.2 | 75.2 | 61.8 | |
| 23/03/2019 15:11 | 70.2 | 74.0 | 61.5 | |
| 23/03/2019 15:16 | 69.5 | 73.0 | 62.8 | |
| 23/03/2019 15:21 | 70.3 | 73.6 | 63.5 | |
| 23/03/2019 15:26 | 69.3 | 72.4 | 62.2 | |
| 23/03/2019 15:31 | 70.1 | 73.0 | 63.0 | 70.5 |
| 23/03/2019 15:36 | 70.3 | 73.1 | 62.9 | |
| 23/03/2019 15:41 | 71.0 | 73.8 | 61.6 | |
| 23/03/2019 15:46 | 69.8 | 73.7 | 62.4 | |
| 23/03/2019 15:51 | 71.8 | 74.0 | 63.9 | |
| 23/03/2019 15:56 | 69.7 | 73.2 | 63.2 | |
| 23/03/2019 16:01 | 70.6 | 74.2 | 62.3 | 70.9 |
| 23/03/2019 16:06 | 72.9 | 75.2 | 61.2 | |
| 23/03/2019 16:11 | 68.8 | 72.3 | 61.3 | |
| 23/03/2019 16:16 | 70.7 | 73.9 | 64.0 | |
| 23/03/2019 16:21 | 70.8 | 74.1 | 63.4 | |
| 23/03/2019 16:26 | 70.4 | 73.2 | 64.2 | |
| 23/03/2019 16:31 | 69.6 | 71.3 | 61.3 | 69.8 |
| 23/03/2019 16:36 | 69.3 | 72.3 | 63.5 | |
| 23/03/2019 16:41 | 70.7 | 73.0 | 64.4 | |
| 23/03/2019 16:46 | 69.3 | 72.3 | 63.9 | |
| 23/03/2019 16:51 | 70.0 | 73.0 | 64.2 | |
| 23/03/2019 16:56 | 69.8 | 73.1 | 63.1 | |
| 23/03/2019 17:01 | 69.5 | 73.5 | 60.6 | 69.0 |
| 23/03/2019 17:06 | 69.6 | 73.5 | 61.5 | |
| 23/03/2019 17:11 | 68.2 | 71.7 | 60.9 | |
| 23/03/2019 17:16 | 68.5 | 72.0 | 60.4 | |
| 23/03/2019 17:21 | 68.8 | 72.6 | 60.9 | |
| 23/03/2019 17:26 | 69.4 | 73.1 | 60.2 | |
| 23/03/2019 17:31 | 70.3 | 73.6 | 61.4 | 70.1 |
| 23/03/2019 17:36 | 69.6 | 73.1 | 61.8 | |
| 23/03/2019 17:41 | 70.9 | 74.4 | 61.7 | |
| 23/03/2019 17:46 | 69.7 | 72.8 | 57.6 | |
| 23/03/2019 17:51 | 70.0 | 73.3 | 59.2 | |
| 23/03/2019 17:56 | 69.7 | 73.4 | 61.0 | |
| 23/03/2019 18:01 | 70.1 | 73.9 | 60.6 | 69.4 |
| 23/03/2019 18:06 | 68.6 | 72.3 | 57.9 | |
| 23/03/2019 18:11 | 68.3 | 72.5 | 56.7 | |
| 23/03/2019 18:16 | 68.9 | 73.3 | 58.5 | |
| 23/03/2019 18:21 | 69.6 | 73.7 | 56.2 | |
| 23/03/2019 18:26 | 70.6 | 74.2 | 59.8 | |
| 23/03/2019 18:31 | 69.0 | 73.3 | 57.1 | 69.4 |
| 23/03/2019 18:36 | 70.8 | 74.4 | 58.7 | |
| 23/03/2019 18:41 | 68.3 | 72.1 | 60.0 | |
| 23/03/2019 18:46 | 70.0 | 74.2 | 59.5 | |
| 23/03/2019 18:51 | 69.4 | 74.2 | 58.8 | |
| 23/03/2019 18:56 | 68.5 | 72.6 | 58.1 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 25/03/2019 07:01 | 68.9 | 71.9 | 59.7 | 70.9 |
| 25/03/2019 07:06 | 68.5 | 72.3 | 58.9 | |
| 25/03/2019 07:11 | 68.8 | 72.1 | 60.6 | |
| 25/03/2019 07:16 | 72.1 | 75.5 | 61.5 | |
| 25/03/2019 07:21 | 73.3 | 76.2 | 64.2 | |
| 25/03/2019 07:26 | 71.6 | 75.1 | 61.1 | |
| 25/03/2019 07:31 | 68.4 | 72.8 | 59.0 | 72.0 |
| 25/03/2019 07:36 | 70.3 | 73.7 | 64.0 | |
| 25/03/2019 07:41 | 73.1 | 76.4 | 63.7 | |
| 25/03/2019 07:46 | 73.3 | 75.9 | 63.5 | |
| 25/03/2019 07:51 | 71.7 | 75.6 | 61.5 | |
| 25/03/2019 07:56 | 73.2 | 74.3 | 62.4 | |
| 25/03/2019 08:01 | 70.8 | 74.4 | 62.0 | 72.2 |
| 25/03/2019 08:06 | 72.0 | 75.2 | 65.2 | |
| 25/03/2019 08:11 | 71.7 | 74.8 | 64.5 | |
| 25/03/2019 08:16 | 71.8 | 74.6 | 62.5 | |
| 25/03/2019 08:21 | 74.4 | 76.7 | 65.8 | |
| 25/03/2019 08:26 | 71.2 | 75.0 | 63.8 | |
| 25/03/2019 08:31 | 72.6 | 76.9 | 63.9 | 72.7 |
| 25/03/2019 08:36 | 73.2 | 75.1 | 66.2 | |
| 25/03/2019 08:41 | 73.0 | 77.1 | 65.2 | |
| 25/03/2019 08:46 | 72.1 | 75.8 | 65.2 | |
| 25/03/2019 08:51 | 72.1 | 75.4 | 64.5 | |
| 25/03/2019 08:56 | 73.3 | 75.9 | 66.0 | |
| 25/03/2019 09:01 | 72.4 | 75.4 | 65.9 | 71.8 |
| 25/03/2019 09:06 | 70.7 | 73.9 | 66.2 | |
| 25/03/2019 09:11 | 71.2 | 74.1 | 66.3 | |
| 25/03/2019 09:16 | 73.0 | 75.5 | 65.9 | |
| 25/03/2019 09:21 | 70.8 | 73.6 | 64.9 | |
| 25/03/2019 09:26 | 72.3 | 75.1 | 64.0 | |
| 25/03/2019 09:31 | 71.9 | 75.0 | 64.1 | 71.7 |
| 25/03/2019 09:36 | 70.1 | 73.2 | 62.7 | |
| 25/03/2019 09:41 | 72.3 | 74.4 | 62.9 | |
| 25/03/2019 09:46 | 70.9 | 74.3 | 64.3 | |
| 25/03/2019 09:51 | 73.2 | 75.4 | 62.8 | |
| 25/03/2019 09:56 | 71.3 | 75.0 | 63.6 | |
| 25/03/2019 10:01 | 70.9 | 74.4 | 64.0 | 72.8 |
| 25/03/2019 10:06 | 71.6 | 74.7 | 64.9 | |
| 25/03/2019 10:11 | 72.7 | 76.2 | 63.4 | |
| 25/03/2019 10:16 | 72.7 | 76.7 | 64.2 | |
| 25/03/2019 10:21 | 75.0 | 75.6 | 63.6 | |
| 25/03/2019 10:26 | 72.5 | 75.3 | 63.4 | |
| 25/03/2019 10:31 | 70.8 | 74.3 | 63.1 | 70.8 |
| 25/03/2019 10:36 | 70.1 | 73.4 | 62.5 | |
| 25/03/2019 10:41 | 70.8 | 74.3 | 64.7 | |
| 25/03/2019 10:46 | 71.2 | 73.8 | 66.5 | |
| 25/03/2019 10:51 | 71.0 | 74.0 | 64.0 | |
| 25/03/2019 10:56 | 71.1 | 74.4 | 64.1 | |

Measured Noise Levels (dB(A)) at NMS1 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|------------------|-------------------------|-----------------|-----------------|--------------------------|
| 25/03/2019 11:01 | 72.4 | 75.1 | 63.3 | 71.4 |
| 25/03/2019 11:06 | 69.1 | 72.2 | 62.6 | |
| 25/03/2019 11:11 | 70.8 | 74.6 | 62.9 | |
| 25/03/2019 11:16 | 73.5 | 76.4 | 64.7 | |
| 25/03/2019 11:21 | 70.3 | 74.3 | 60.8 | |
| 25/03/2019 11:26 | 70.6 | 74.4 | 61.6 | |
| 25/03/2019 11:31 | 72.7 | 76.7 | 61.1 | 71.6 |
| 25/03/2019 11:36 | 72.2 | 76.4 | 62.7 | |
| 25/03/2019 11:41 | 70.2 | 73.6 | 63.4 | |
| 25/03/2019 11:46 | 72.0 | 75.7 | 61.8 | |
| 25/03/2019 11:51 | 70.7 | 73.6 | 62.7 | |
| 25/03/2019 11:56 | 71.2 | 74.4 | 63.6 | |
| 25/03/2019 12:01 | 69.8 | 73.6 | 60.8 | 71.2 |
| 25/03/2019 12:06 | 71.1 | 73.9 | 60.2 | |
| 25/03/2019 12:11 | 71.5 | 75.1 | 64.0 | |
| 25/03/2019 12:16 | 72.7 | 76.3 | 63.7 | |
| 25/03/2019 12:21 | 68.2 | 72.5 | 59.7 | |
| 25/03/2019 12:26 | 72.6 | 76.4 | 61.8 | |
| 25/03/2019 12:31 | 73.9 | 75.7 | 61.2 | 73.2 |
| 25/03/2019 12:36 | 73.6 | 76.9 | 62.4 | |
| 25/03/2019 12:41 | 70.7 | 75.0 | 60.2 | |
| 25/03/2019 12:46 | 72.8 | 73.8 | 63.1 | |
| 25/03/2019 12:51 | 72.6 | 76.6 | 63.0 | |
| 25/03/2019 12:56 | 74.4 | 75.2 | 62.4 | |

Mean 69.3
 Maximum 76.5
 Minimum 65.3

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 11/3/2019 19:02 | 64.9 | 68.0 | 58.0 |
| 11/3/2019 19:07 | 67.4 | 70.4 | 56.0 |
| 11/3/2019 19:12 | 63.5 | 67.2 | 56.5 |
| 11/3/2019 19:17 | 65.0 | 68.3 | 56.8 |
| 11/3/2019 19:22 | 65.8 | 69.4 | 56.1 |
| 11/3/2019 19:27 | 65.5 | 68.7 | 59.9 |
| 11/3/2019 19:32 | 65.0 | 68.9 | 55.6 |
| 11/3/2019 19:37 | 68.4 | 70.8 | 57.4 |
| 11/3/2019 19:42 | 64.8 | 68.9 | 55.2 |
| 11/3/2019 19:47 | 65.4 | 69.7 | 56.7 |
| 11/3/2019 19:52 | 62.8 | 66.6 | 54.5 |
| 11/3/2019 19:57 | 63.8 | 67.6 | 56.2 |
| 11/3/2019 20:02 | 65.2 | 68.4 | 57.3 |
| 11/3/2019 20:07 | 65.6 | 69.4 | 56.0 |
| 11/3/2019 20:12 | 67.5 | 67.8 | 58.3 |
| 11/3/2019 20:17 | 66.2 | 70.4 | 55.8 |
| 11/3/2019 20:22 | 63.9 | 67.1 | 56.4 |
| 11/3/2019 20:27 | 62.4 | 66.2 | 53.9 |
| 11/3/2019 20:32 | 64.8 | 67.8 | 55.8 |
| 11/3/2019 20:37 | 63.4 | 67.1 | 55.3 |
| 11/3/2019 20:42 | 62.9 | 66.6 | 53.2 |
| 11/3/2019 20:47 | 66.0 | 69.7 | 56.8 |
| 11/3/2019 20:52 | 64.9 | 68.6 | 56.6 |
| 11/3/2019 20:57 | 65.9 | 69.5 | 54.5 |
| 11/3/2019 21:02 | 64.2 | 67.6 | 54.6 |
| 11/3/2019 21:07 | 64.7 | 67.7 | 54.2 |
| 11/3/2019 21:12 | 65.0 | 67.8 | 54.5 |
| 11/3/2019 21:17 | 65.1 | 68.2 | 52.7 |
| 11/3/2019 21:22 | 60.2 | 64.5 | 53.4 |
| 11/3/2019 21:27 | 67.0 | 70.0 | 54.2 |
| 11/3/2019 21:32 | 60.4 | 63.9 | 52.9 |
| 11/3/2019 21:37 | 64.4 | 69.5 | 53.6 |
| 11/3/2019 21:42 | 63.7 | 66.7 | 53.7 |
| 11/3/2019 21:47 | 61.2 | 65.0 | 53.9 |
| 11/3/2019 21:52 | 66.1 | 70.4 | 55.4 |
| 11/3/2019 21:57 | 63.8 | 66.5 | 54.7 |
| 11/3/2019 22:02 | 62.9 | 66.4 | 52.8 |
| 11/3/2019 22:07 | 62.7 | 66.5 | 54.4 |
| 11/3/2019 22:12 | 61.2 | 65.0 | 53.6 |
| 11/3/2019 22:17 | 62.0 | 66.3 | 52.8 |
| 11/3/2019 22:22 | 62.5 | 66.7 | 53.4 |
| 11/3/2019 22:27 | 68.3 | 66.6 | 53.3 |
| 11/3/2019 22:32 | 62.6 | 65.4 | 51.9 |
| 11/3/2019 22:37 | 61.7 | 65.7 | 52.2 |
| 11/3/2019 22:42 | 62.1 | 65.8 | 52.4 |
| 11/3/2019 22:47 | 58.1 | 61.9 | 50.9 |
| 11/3/2019 22:52 | 69.6 | 68.2 | 53.1 |
| 11/3/2019 22:57 | 59.9 | 63.4 | 51.6 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 19:02 | 65.5 | 69.5 | 57.2 |
| 12/3/2019 19:07 | 65.4 | 68.7 | 56.2 |
| 12/3/2019 19:12 | 66.7 | 70.0 | 55.8 |
| 12/3/2019 19:17 | 66.9 | 69.6 | 59.4 |
| 12/3/2019 19:22 | 66.2 | 70.2 | 54.9 |
| 12/3/2019 19:27 | 63.7 | 67.0 | 55.9 |
| 12/3/2019 19:32 | 66.5 | 70.7 | 54.3 |
| 12/3/2019 19:37 | 65.4 | 69.3 | 56.2 |
| 12/3/2019 19:42 | 62.1 | 66.5 | 53.6 |
| 12/3/2019 19:47 | 65.9 | 69.6 | 55.9 |
| 12/3/2019 19:52 | 67.0 | 71.0 | 57.0 |
| 12/3/2019 19:57 | 65.1 | 67.8 | 56.1 |
| 12/3/2019 20:02 | 62.4 | 66.5 | 53.3 |
| 12/3/2019 20:07 | 64.0 | 67.8 | 53.0 |
| 12/3/2019 20:12 | 64.4 | 68.7 | 53.5 |
| 12/3/2019 20:17 | 71.8 | 67.5 | 53.9 |
| 12/3/2019 20:22 | 63.5 | 68.5 | 53.3 |
| 12/3/2019 20:27 | 65.0 | 67.7 | 53.1 |
| 12/3/2019 20:32 | 62.7 | 67.3 | 52.7 |
| 12/3/2019 20:37 | 62.1 | 65.7 | 53.1 |
| 12/3/2019 20:42 | 61.5 | 64.8 | 53.6 |
| 12/3/2019 20:47 | 63.5 | 67.7 | 53.6 |
| 12/3/2019 20:52 | 62.0 | 66.6 | 52.4 |
| 12/3/2019 20:57 | 61.1 | 65.3 | 52.7 |
| 12/3/2019 21:02 | 62.7 | 66.3 | 55.7 |
| 12/3/2019 21:07 | 63.5 | 66.7 | 54.2 |
| 12/3/2019 21:12 | 60.8 | 64.6 | 51.7 |
| 12/3/2019 21:17 | 62.7 | 66.4 | 52.3 |
| 12/3/2019 21:22 | 61.9 | 65.7 | 52.0 |
| 12/3/2019 21:27 | 63.0 | 65.9 | 52.4 |
| 12/3/2019 21:32 | 60.0 | 64.2 | 52.0 |
| 12/3/2019 21:37 | 61.7 | 65.4 | 53.0 |
| 12/3/2019 21:42 | 63.2 | 65.7 | 50.9 |
| 12/3/2019 21:47 | 61.4 | 65.6 | 52.6 |
| 12/3/2019 21:52 | 60.8 | 65.2 | 52.0 |
| 12/3/2019 21:57 | 62.9 | 67.1 | 53.7 |
| 12/3/2019 22:02 | 63.3 | 66.0 | 55.3 |
| 12/3/2019 22:07 | 60.1 | 63.7 | 51.6 |
| 12/3/2019 22:12 | 61.3 | 64.0 | 52.1 |
| 12/3/2019 22:17 | 61.7 | 65.0 | 51.9 |
| 12/3/2019 22:22 | 62.1 | 66.1 | 53.2 |
| 12/3/2019 22:27 | 61.7 | 66.0 | 52.8 |
| 12/3/2019 22:32 | 61.8 | 65.8 | 52.7 |
| 12/3/2019 22:37 | 59.7 | 63.5 | 51.8 |
| 12/3/2019 22:42 | 62.3 | 67.0 | 52.0 |
| 12/3/2019 22:47 | 62.0 | 65.7 | 53.1 |
| 12/3/2019 22:52 | 62.7 | 66.7 | 51.3 |
| 12/3/2019 22:57 | 59.1 | 63.4 | 50.9 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 19:02 | 67.1 | 70.0 | 57.4 |
| 13/3/2019 19:07 | 66.9 | 70.2 | 56.9 |
| 13/3/2019 19:12 | 63.1 | 66.5 | 54.6 |
| 13/3/2019 19:17 | 68.3 | 71.4 | 55.3 |
| 13/3/2019 19:22 | 67.0 | 70.7 | 56.8 |
| 13/3/2019 19:27 | 66.7 | 69.7 | 55.4 |
| 13/3/2019 19:32 | 64.5 | 67.7 | 58.3 |
| 13/3/2019 19:37 | 65.0 | 69.3 | 55.3 |
| 13/3/2019 19:42 | 69.0 | 70.3 | 58.4 |
| 13/3/2019 19:47 | 65.9 | 69.6 | 57.1 |
| 13/3/2019 19:52 | 64.3 | 67.9 | 56.1 |
| 13/3/2019 19:57 | 64.6 | 68.6 | 55.2 |
| 13/3/2019 20:02 | 62.7 | 66.6 | 54.1 |
| 13/3/2019 20:07 | 62.3 | 66.3 | 53.8 |
| 13/3/2019 20:12 | 64.8 | 68.5 | 55.3 |
| 13/3/2019 20:17 | 65.6 | 68.8 | 57.8 |
| 13/3/2019 20:22 | 65.0 | 68.9 | 56.6 |
| 13/3/2019 20:27 | 65.6 | 69.0 | 55.2 |
| 13/3/2019 20:32 | 64.0 | 67.6 | 56.8 |
| 13/3/2019 20:37 | 61.5 | 64.9 | 54.8 |
| 13/3/2019 20:42 | 66.5 | 70.8 | 56.4 |
| 13/3/2019 20:47 | 61.7 | 65.5 | 54.6 |
| 13/3/2019 20:52 | 61.9 | 65.3 | 53.1 |
| 13/3/2019 20:57 | 65.4 | 68.4 | 55.1 |
| 13/3/2019 21:02 | 60.4 | 63.9 | 53.4 |
| 13/3/2019 21:07 | 64.1 | 67.3 | 55.4 |
| 13/3/2019 21:12 | 60.8 | 64.3 | 54.2 |
| 13/3/2019 21:17 | 62.7 | 67.6 | 54.4 |
| 13/3/2019 21:22 | 61.5 | 64.6 | 54.5 |
| 13/3/2019 21:27 | 60.6 | 64.1 | 54.2 |
| 13/3/2019 21:32 | 62.8 | 67.0 | 54.1 |
| 13/3/2019 21:37 | 65.9 | 67.0 | 54.9 |
| 13/3/2019 21:42 | 63.8 | 67.8 | 55.6 |
| 13/3/2019 21:47 | 63.1 | 66.2 | 55.4 |
| 13/3/2019 21:52 | 62.6 | 66.5 | 54.4 |
| 13/3/2019 21:57 | 64.1 | 67.5 | 55.0 |
| 13/3/2019 22:02 | 64.3 | 67.9 | 55.0 |
| 13/3/2019 22:07 | 63.0 | 65.2 | 54.3 |
| 13/3/2019 22:12 | 62.8 | 66.6 | 54.0 |
| 13/3/2019 22:17 | 60.6 | 65.1 | 53.7 |
| 13/3/2019 22:22 | 60.1 | 63.8 | 53.0 |
| 13/3/2019 22:27 | 60.4 | 64.2 | 53.7 |
| 13/3/2019 22:32 | 60.6 | 64.4 | 53.1 |
| 13/3/2019 22:37 | 61.3 | 65.8 | 52.7 |
| 13/3/2019 22:42 | 61.6 | 65.3 | 52.9 |
| 13/3/2019 22:47 | 60.1 | 64.7 | 51.9 |
| 13/3/2019 22:52 | 62.8 | 66.2 | 54.8 |
| 13/3/2019 22:57 | 62.8 | 66.5 | 53.2 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 19:03 | 68.4 | 72.1 | 57.6 |
| 14/3/2019 19:08 | 68.3 | 71.8 | 59.3 |
| 14/3/2019 19:13 | 68.2 | 72.1 | 60.2 |
| 14/3/2019 19:18 | 71.2 | 74.9 | 57.0 |
| 14/3/2019 19:23 | 69.6 | 73.0 | 57.7 |
| 14/3/2019 19:28 | 65.4 | 69.6 | 56.0 |
| 14/3/2019 19:33 | 67.2 | 71.0 | 57.8 |
| 14/3/2019 19:38 | 68.4 | 71.3 | 57.5 |
| 14/3/2019 19:43 | 68.1 | 71.0 | 56.9 |
| 14/3/2019 19:48 | 68.9 | 72.7 | 56.7 |
| 14/3/2019 19:53 | 69.5 | 73.4 | 57.0 |
| 14/3/2019 19:58 | 66.3 | 69.9 | 54.8 |
| 14/3/2019 20:03 | 65.1 | 68.8 | 56.7 |
| 14/3/2019 20:08 | 68.9 | 72.6 | 57.4 |
| 14/3/2019 20:13 | 67.4 | 71.2 | 58.3 |
| 14/3/2019 20:18 | 65.5 | 69.9 | 57.0 |
| 14/3/2019 20:23 | 67.2 | 70.3 | 57.7 |
| 14/3/2019 20:28 | 66.8 | 71.4 | 57.2 |
| 14/3/2019 20:33 | 67.6 | 71.2 | 57.5 |
| 14/3/2019 20:38 | 66.1 | 68.5 | 55.9 |
| 14/3/2019 20:43 | 68.8 | 72.4 | 57.4 |
| 14/3/2019 20:48 | 66.2 | 70.4 | 56.7 |
| 14/3/2019 20:53 | 63.9 | 68.1 | 55.3 |
| 14/3/2019 20:58 | 68.8 | 69.0 | 55.0 |
| 14/3/2019 21:03 | 65.8 | 70.3 | 56.1 |
| 14/3/2019 21:08 | 66.0 | 70.7 | 57.0 |
| 14/3/2019 21:13 | 65.1 | 69.4 | 55.2 |
| 14/3/2019 21:18 | 65.5 | 69.3 | 55.8 |
| 14/3/2019 21:23 | 65.8 | 70.4 | 55.2 |
| 14/3/2019 21:28 | 64.1 | 68.4 | 55.7 |
| 14/3/2019 21:33 | 64.1 | 68.5 | 54.8 |
| 14/3/2019 21:38 | 63.0 | 67.9 | 52.7 |
| 14/3/2019 21:43 | 64.4 | 69.0 | 54.1 |
| 14/3/2019 21:48 | 64.8 | 68.5 | 54.7 |
| 14/3/2019 21:53 | 61.2 | 64.2 | 53.7 |
| 14/3/2019 21:58 | 67.5 | 68.7 | 54.8 |
| 14/3/2019 22:03 | 66.8 | 70.8 | 56.4 |
| 14/3/2019 22:08 | 67.0 | 70.2 | 55.8 |
| 14/3/2019 22:13 | 64.7 | 68.3 | 56.0 |
| 14/3/2019 22:18 | 66.2 | 71.1 | 55.6 |
| 14/3/2019 22:23 | 63.7 | 68.0 | 55.7 |
| 14/3/2019 22:28 | 64.4 | 68.4 | 56.1 |
| 14/3/2019 22:33 | 63.9 | 67.4 | 56.0 |
| 14/3/2019 22:38 | 64.7 | 67.7 | 54.7 |
| 14/3/2019 22:43 | 67.8 | 69.9 | 56.8 |
| 14/3/2019 22:48 | 63.9 | 67.8 | 55.9 |
| 14/3/2019 22:53 | 64.6 | 68.6 | 55.2 |
| 14/3/2019 22:58 | 74.2 | 68.8 | 55.3 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 19:03 | 69.3 | 72.2 | 58.0 |
| 15/3/2019 19:08 | 69.0 | 72.8 | 58.1 |
| 15/3/2019 19:13 | 69.2 | 72.2 | 59.2 |
| 15/3/2019 19:18 | 67.3 | 71.4 | 58.3 |
| 15/3/2019 19:23 | 67.2 | 71.3 | 55.4 |
| 15/3/2019 19:28 | 70.8 | 73.2 | 59.3 |
| 15/3/2019 19:33 | 68.1 | 71.0 | 60.6 |
| 15/3/2019 19:38 | 69.4 | 72.1 | 58.5 |
| 15/3/2019 19:43 | 65.9 | 70.0 | 56.8 |
| 15/3/2019 19:48 | 66.3 | 71.2 | 56.2 |
| 15/3/2019 19:53 | 67.6 | 72.0 | 56.9 |
| 15/3/2019 19:58 | 66.9 | 70.2 | 57.1 |
| 15/3/2019 20:03 | 67.2 | 71.5 | 57.5 |
| 15/3/2019 20:08 | 73.8 | 71.0 | 56.5 |
| 15/3/2019 20:13 | 66.7 | 70.8 | 56.0 |
| 15/3/2019 20:18 | 68.6 | 72.8 | 57.1 |
| 15/3/2019 20:23 | 66.2 | 69.6 | 57.5 |
| 15/3/2019 20:28 | 67.8 | 72.5 | 57.4 |
| 15/3/2019 20:33 | 66.7 | 70.5 | 58.5 |
| 15/3/2019 20:38 | 67.4 | 71.2 | 56.5 |
| 15/3/2019 20:43 | 66.4 | 70.5 | 56.6 |
| 15/3/2019 20:48 | 66.2 | 70.2 | 55.2 |
| 15/3/2019 20:53 | 65.1 | 69.0 | 55.5 |
| 15/3/2019 20:58 | 64.0 | 67.8 | 55.2 |
| 15/3/2019 21:03 | 65.3 | 68.5 | 55.4 |
| 15/3/2019 21:08 | 62.4 | 66.2 | 55.4 |
| 15/3/2019 21:13 | 66.2 | 70.0 | 55.7 |
| 15/3/2019 21:18 | 65.0 | 69.5 | 57.1 |
| 15/3/2019 21:23 | 63.4 | 66.2 | 55.6 |
| 15/3/2019 21:28 | 65.1 | 68.9 | 55.9 |
| 15/3/2019 21:33 | 65.3 | 69.2 | 56.8 |
| 15/3/2019 21:38 | 63.8 | 68.6 | 55.3 |
| 15/3/2019 21:43 | 62.4 | 65.0 | 55.9 |
| 15/3/2019 21:48 | 66.1 | 69.6 | 57.7 |
| 15/3/2019 21:53 | 67.0 | 70.4 | 57.5 |
| 15/3/2019 21:58 | 65.2 | 69.7 | 56.4 |
| 15/3/2019 22:03 | 66.0 | 70.0 | 57.7 |
| 15/3/2019 22:08 | 65.9 | 68.3 | 56.8 |
| 15/3/2019 22:13 | 64.3 | 68.9 | 55.4 |
| 15/3/2019 22:18 | 65.2 | 69.6 | 54.8 |
| 15/3/2019 22:23 | 64.8 | 69.5 | 56.1 |
| 15/3/2019 22:28 | 64.3 | 68.4 | 55.2 |
| 15/3/2019 22:33 | 63.7 | 67.3 | 55.3 |
| 15/3/2019 22:38 | 66.6 | 70.4 | 57.2 |
| 15/3/2019 22:43 | 63.7 | 68.4 | 54.4 |
| 15/3/2019 22:48 | 64.3 | 68.4 | 56.9 |
| 15/3/2019 22:53 | 63.5 | 66.6 | 55.0 |
| 15/3/2019 22:58 | 72.6 | 73.3 | 55.6 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 19:03 | 65.0 | 68.8 | 57.3 |
| 16/3/2019 19:08 | 67.4 | 70.1 | 57.5 |
| 16/3/2019 19:13 | 65.2 | 69.3 | 55.4 |
| 16/3/2019 19:18 | 64.8 | 68.5 | 55.1 |
| 16/3/2019 19:23 | 67.0 | 68.7 | 55.0 |
| 16/3/2019 19:28 | 67.7 | 65.6 | 54.8 |
| 16/3/2019 19:33 | 65.6 | 68.0 | 54.9 |
| 16/3/2019 19:38 | 67.8 | 70.8 | 56.9 |
| 16/3/2019 19:43 | 65.4 | 69.7 | 56.8 |
| 16/3/2019 19:48 | 63.9 | 67.5 | 55.6 |
| 16/3/2019 19:53 | 65.8 | 68.9 | 54.6 |
| 16/3/2019 19:58 | 64.0 | 67.2 | 54.0 |
| 16/3/2019 20:03 | 62.3 | 66.2 | 53.8 |
| 16/3/2019 20:08 | 60.2 | 63.9 | 53.5 |
| 16/3/2019 20:13 | 61.8 | 65.8 | 53.5 |
| 16/3/2019 20:18 | 62.4 | 66.6 | 52.4 |
| 16/3/2019 20:23 | 62.4 | 65.5 | 52.9 |
| 16/3/2019 20:28 | 62.0 | 65.6 | 53.6 |
| 16/3/2019 20:33 | 65.0 | 68.1 | 54.3 |
| 16/3/2019 20:38 | 62.3 | 66.8 | 52.7 |
| 16/3/2019 20:43 | 62.6 | 64.5 | 52.6 |
| 16/3/2019 20:48 | 60.4 | 64.2 | 52.4 |
| 16/3/2019 20:53 | 66.0 | 66.4 | 54.6 |
| 16/3/2019 20:58 | 61.2 | 64.1 | 53.3 |
| 16/3/2019 21:03 | 60.7 | 64.2 | 54.0 |
| 16/3/2019 21:08 | 61.5 | 65.7 | 52.8 |
| 16/3/2019 21:13 | 63.4 | 66.5 | 53.5 |
| 16/3/2019 21:18 | 62.0 | 65.5 | 52.8 |
| 16/3/2019 21:23 | 59.1 | 62.5 | 52.7 |
| 16/3/2019 21:28 | 62.5 | 65.5 | 53.2 |
| 16/3/2019 21:33 | 63.0 | 65.4 | 54.0 |
| 16/3/2019 21:38 | 63.3 | 65.6 | 52.2 |
| 16/3/2019 21:43 | 63.0 | 65.6 | 52.4 |
| 16/3/2019 21:48 | 64.3 | 67.8 | 53.7 |
| 16/3/2019 21:53 | 62.1 | 66.6 | 52.6 |
| 16/3/2019 21:58 | 63.6 | 67.3 | 52.9 |
| 16/3/2019 22:03 | 63.4 | 67.3 | 54.4 |
| 16/3/2019 22:08 | 65.5 | 68.2 | 54.5 |
| 16/3/2019 22:13 | 63.3 | 64.2 | 54.3 |
| 16/3/2019 22:18 | 61.5 | 65.5 | 51.8 |
| 16/3/2019 22:23 | 66.7 | 69.8 | 53.2 |
| 16/3/2019 22:28 | 61.2 | 65.7 | 52.9 |
| 16/3/2019 22:33 | 65.3 | 64.7 | 51.9 |
| 16/3/2019 22:38 | 63.5 | 66.4 | 52.9 |
| 16/3/2019 22:43 | 60.8 | 64.5 | 52.9 |
| 16/3/2019 22:48 | 60.4 | 63.5 | 53.4 |
| 16/3/2019 22:53 | 63.9 | 64.1 | 52.6 |
| 16/3/2019 22:58 | 59.7 | 63.6 | 51.9 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 7:03 | 60.5 | 61.8 | 51.6 |
| 17/3/2019 7:08 | 57.4 | 60.7 | 50.2 |
| 17/3/2019 7:13 | 62.4 | 66.9 | 52.3 |
| 17/3/2019 7:18 | 60.9 | 63.8 | 50.8 |
| 17/3/2019 7:23 | 65.3 | 66.8 | 53.3 |
| 17/3/2019 7:28 | 60.3 | 64.1 | 51.4 |
| 17/3/2019 7:33 | 63.6 | 67.5 | 53.4 |
| 17/3/2019 7:38 | 61.2 | 64.9 | 52.8 |
| 17/3/2019 7:43 | 63.6 | 67.2 | 53.9 |
| 17/3/2019 7:48 | 60.3 | 63.3 | 53.9 |
| 17/3/2019 7:53 | 61.7 | 65.4 | 52.5 |
| 17/3/2019 7:58 | 66.7 | 69.4 | 60.5 |
| 17/3/2019 8:03 | 62.6 | 65.9 | 54.7 |
| 17/3/2019 8:08 | 61.8 | 66.4 | 53.4 |
| 17/3/2019 8:13 | 64.9 | 68.7 | 56.8 |
| 17/3/2019 8:18 | 65.6 | 69.7 | 55.4 |
| 17/3/2019 8:23 | 66.2 | 67.4 | 53.2 |
| 17/3/2019 8:28 | 61.9 | 65.8 | 54.0 |
| 17/3/2019 8:33 | 64.4 | 68.3 | 53.4 |
| 17/3/2019 8:38 | 64.0 | 67.7 | 56.2 |
| 17/3/2019 8:43 | 64.1 | 67.9 | 55.0 |
| 17/3/2019 8:48 | 62.8 | 65.8 | 54.4 |
| 17/3/2019 8:53 | 62.3 | 65.4 | 52.9 |
| 17/3/2019 8:58 | 61.7 | 65.5 | 53.5 |
| 17/3/2019 9:03 | 61.2 | 65.2 | 52.8 |
| 17/3/2019 9:08 | 62.4 | 66.2 | 53.7 |
| 17/3/2019 9:13 | 64.8 | 69.0 | 55.0 |
| 17/3/2019 9:18 | 62.2 | 66.4 | 53.9 |
| 17/3/2019 9:23 | 61.4 | 65.9 | 52.2 |
| 17/3/2019 9:28 | 63.5 | 66.7 | 54.0 |
| 17/3/2019 9:33 | 60.5 | 64.4 | 52.0 |
| 17/3/2019 9:38 | 59.8 | 63.5 | 52.9 |
| 17/3/2019 9:43 | 68.8 | 67.1 | 53.8 |
| 17/3/2019 9:48 | 60.6 | 64.7 | 52.8 |
| 17/3/2019 9:53 | 60.0 | 63.7 | 52.9 |
| 17/3/2019 9:58 | 63.7 | 67.9 | 54.0 |
| 17/3/2019 10:03 | 62.9 | 66.2 | 52.7 |
| 17/3/2019 10:08 | 60.9 | 64.8 | 52.9 |
| 17/3/2019 10:13 | 62.9 | 66.6 | 53.2 |
| 17/3/2019 10:18 | 66.6 | 69.9 | 53.9 |
| 17/3/2019 10:23 | 64.9 | 67.7 | 53.7 |
| 17/3/2019 10:28 | 63.7 | 67.8 | 53.8 |
| 17/3/2019 10:33 | 64.3 | 65.7 | 52.9 |
| 17/3/2019 10:38 | 64.9 | 69.7 | 53.2 |
| 17/3/2019 10:43 | 62.5 | 65.8 | 54.8 |
| 17/3/2019 10:48 | 63.9 | 67.6 | 55.6 |
| 17/3/2019 10:53 | 62.0 | 65.5 | 53.6 |
| 17/3/2019 10:58 | 62.5 | 66.8 | 53.3 |
| 17/3/2019 11:03 | 62.6 | 66.6 | 53.1 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 11:08 | 66.1 | 70.0 | 54.3 |
| 17/3/2019 11:13 | 63.9 | 67.7 | 56.4 |
| 17/3/2019 11:18 | 63.5 | 67.0 | 53.4 |
| 17/3/2019 11:23 | 64.7 | 67.5 | 55.7 |
| 17/3/2019 11:28 | 63.9 | 68.2 | 54.3 |
| 17/3/2019 11:33 | 63.9 | 67.4 | 54.5 |
| 17/3/2019 11:38 | 61.4 | 64.5 | 53.1 |
| 17/3/2019 11:43 | 64.7 | 69.0 | 53.5 |
| 17/3/2019 11:48 | 63.8 | 68.1 | 53.4 |
| 17/3/2019 11:53 | 65.1 | 68.7 | 57.8 |
| 17/3/2019 11:58 | 63.4 | 67.1 | 54.3 |
| 17/3/2019 12:03 | 64.8 | 68.0 | 56.7 |
| 17/3/2019 12:08 | 62.0 | 66.2 | 54.0 |
| 17/3/2019 12:13 | 65.6 | 68.3 | 55.1 |
| 17/3/2019 12:18 | 64.6 | 67.9 | 56.1 |
| 17/3/2019 12:23 | 66.2 | 68.2 | 55.8 |
| 17/3/2019 12:28 | 73.3 | 70.7 | 56.1 |
| 17/3/2019 12:33 | 62.4 | 66.0 | 54.1 |
| 17/3/2019 12:38 | 65.8 | 67.6 | 52.8 |
| 17/3/2019 12:43 | 67.8 | 71.6 | 57.1 |
| 17/3/2019 12:48 | 69.3 | 71.5 | 57.3 |
| 17/3/2019 12:53 | 64.2 | 68.2 | 54.6 |
| 17/3/2019 12:58 | 65.5 | 69.3 | 54.8 |
| 17/3/2019 13:03 | 68.8 | 72.6 | 56.8 |
| 17/3/2019 13:08 | 64.9 | 68.1 | 56.9 |
| 17/3/2019 13:13 | 64.4 | 68.1 | 56.3 |
| 17/3/2019 13:18 | 65.6 | 69.6 | 55.8 |
| 17/3/2019 13:23 | 66.6 | 69.5 | 58.2 |
| 17/3/2019 13:28 | 65.3 | 68.4 | 54.7 |
| 17/3/2019 13:33 | 65.2 | 69.6 | 54.9 |
| 17/3/2019 13:38 | 68.0 | 71.0 | 61.7 |
| 17/3/2019 13:43 | 63.6 | 66.4 | 56.1 |
| 17/3/2019 13:48 | 62.8 | 66.8 | 55.6 |
| 17/3/2019 13:53 | 65.0 | 69.0 | 55.4 |
| 17/3/2019 13:58 | 63.3 | 67.0 | 53.6 |
| 17/3/2019 14:03 | 64.0 | 68.0 | 56.0 |
| 17/3/2019 14:08 | 62.3 | 66.4 | 54.1 |
| 17/3/2019 14:13 | 65.4 | 68.5 | 56.8 |
| 17/3/2019 14:18 | 65.7 | 70.3 | 53.5 |
| 17/3/2019 14:23 | 65.1 | 69.1 | 54.4 |
| 17/3/2019 14:28 | 66.3 | 69.5 | 57.3 |
| 17/3/2019 14:33 | 63.7 | 67.4 | 54.4 |
| 17/3/2019 14:38 | 64.7 | 68.1 | 56.6 |
| 17/3/2019 14:43 | 65.4 | 65.9 | 54.8 |
| 17/3/2019 14:48 | 66.2 | 68.3 | 54.3 |
| 17/3/2019 14:53 | 63.7 | 67.6 | 53.1 |
| 17/3/2019 14:58 | 63.3 | 67.1 | 55.3 |
| 17/3/2019 15:03 | 65.8 | 67.6 | 55.3 |
| 17/3/2019 15:08 | 63.4 | 66.9 | 55.4 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 17/3/2019 15:13 | 64.6 | 69.1 | 54.3 |
| 17/3/2019 15:18 | 63.1 | 66.4 | 55.5 |
| 17/3/2019 15:23 | 63.9 | 68.0 | 56.5 |
| 17/3/2019 15:28 | 68.2 | 70.8 | 55.2 |
| 17/3/2019 15:33 | 62.7 | 66.3 | 55.0 |
| 17/3/2019 15:38 | 71.8 | 71.2 | 55.9 |
| 17/3/2019 15:43 | 68.4 | 71.2 | 58.0 |
| 17/3/2019 15:48 | 68.6 | 69.8 | 56.1 |
| 17/3/2019 15:53 | 64.7 | 68.4 | 57.0 |
| 17/3/2019 15:58 | 62.8 | 66.5 | 56.0 |
| 17/3/2019 16:03 | 65.5 | 68.4 | 57.1 |
| 17/3/2019 16:08 | 63.1 | 67.0 | 54.8 |
| 17/3/2019 16:13 | 65.5 | 68.3 | 55.4 |
| 17/3/2019 16:18 | 63.0 | 66.3 | 53.9 |
| 17/3/2019 16:23 | 63.3 | 66.9 | 54.4 |
| 17/3/2019 16:28 | 62.8 | 66.7 | 52.7 |
| 17/3/2019 16:33 | 63.2 | 67.0 | 54.8 |
| 17/3/2019 16:38 | 63.1 | 67.6 | 54.3 |
| 17/3/2019 16:43 | 61.8 | 65.4 | 54.8 |
| 17/3/2019 16:48 | 60.5 | 64.8 | 53.3 |
| 17/3/2019 16:53 | 64.4 | 68.2 | 55.2 |
| 17/3/2019 16:58 | 62.4 | 65.7 | 53.6 |
| 17/3/2019 17:03 | 63.4 | 66.8 | 56.0 |
| 17/3/2019 17:08 | 61.9 | 65.6 | 54.2 |
| 17/3/2019 17:13 | 63.6 | 67.6 | 54.2 |
| 17/3/2019 17:18 | 63.3 | 67.6 | 53.0 |
| 17/3/2019 17:23 | 64.8 | 67.7 | 53.7 |
| 17/3/2019 17:28 | 62.1 | 65.7 | 55.5 |
| 17/3/2019 17:33 | 63.4 | 67.1 | 54.4 |
| 17/3/2019 17:38 | 61.2 | 65.6 | 53.7 |
| 17/3/2019 17:43 | 64.1 | 68.9 | 52.2 |
| 17/3/2019 17:48 | 63.4 | 68.0 | 54.0 |
| 17/3/2019 17:53 | 62.0 | 66.3 | 53.6 |
| 17/3/2019 17:58 | 67.3 | 70.7 | 56.5 |
| 17/3/2019 18:03 | 64.8 | 64.8 | 54.3 |
| 17/3/2019 18:08 | 65.8 | 68.1 | 53.1 |
| 17/3/2019 18:13 | 72.3 | 66.6 | 54.8 |
| 17/3/2019 18:18 | 65.2 | 66.5 | 54.8 |
| 17/3/2019 18:23 | 62.3 | 65.6 | 52.6 |
| 17/3/2019 18:28 | 60.9 | 65.1 | 54.2 |
| 17/3/2019 18:33 | 64.9 | 68.0 | 52.5 |
| 17/3/2019 18:38 | 64.3 | 65.5 | 51.6 |
| 17/3/2019 18:43 | 60.9 | 65.4 | 52.7 |
| 17/3/2019 18:48 | 67.0 | 68.7 | 53.7 |
| 17/3/2019 18:53 | 65.2 | 69.7 | 56.4 |
| 17/3/2019 18:58 | 67.4 | 70.3 | 53.8 |
| 17/3/2019 19:03 | 61.3 | 65.1 | 51.9 |
| 17/3/2019 19:08 | 61.4 | 65.2 | 52.7 |
| 17/3/2019 19:13 | 62.5 | 65.9 | 53.7 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 17/3/2019 19:18 | 64.1 | 68.4 | 53.7 |
| 17/3/2019 19:23 | 59.5 | 63.5 | 50.8 |
| 17/3/2019 19:28 | 61.1 | 64.8 | 51.1 |
| 17/3/2019 19:33 | 63.1 | 66.4 | 52.3 |
| 17/3/2019 19:38 | 65.5 | 69.7 | 53.1 |
| 17/3/2019 19:43 | 62.8 | 64.9 | 50.7 |
| 17/3/2019 19:48 | 69.0 | 71.7 | 52.3 |
| 17/3/2019 19:53 | 61.8 | 65.9 | 49.9 |
| 17/3/2019 19:58 | 66.4 | 69.1 | 51.8 |
| 17/3/2019 20:03 | 64.1 | 68.5 | 52.2 |
| 17/3/2019 20:08 | 62.1 | 66.2 | 53.0 |
| 17/3/2019 20:13 | 70.7 | 65.8 | 51.7 |
| 17/3/2019 20:18 | 61.3 | 65.2 | 50.7 |
| 17/3/2019 20:23 | 60.7 | 64.6 | 51.7 |
| 17/3/2019 20:28 | 64.6 | 66.1 | 51.2 |
| 17/3/2019 20:33 | 60.0 | 63.9 | 50.9 |
| 17/3/2019 20:38 | 63.6 | 67.4 | 52.4 |
| 17/3/2019 20:43 | 60.9 | 64.0 | 51.4 |
| 17/3/2019 20:48 | 64.8 | 67.5 | 59.1 |
| 17/3/2019 20:53 | 62.5 | 66.7 | 53.1 |
| 17/3/2019 20:58 | 65.1 | 68.1 | 57.1 |
| 17/3/2019 21:03 | 62.0 | 65.5 | 54.4 |
| 17/3/2019 21:08 | 61.1 | 64.7 | 51.1 |
| 17/3/2019 21:13 | 60.2 | 63.6 | 50.7 |
| 17/3/2019 21:18 | 62.6 | 66.1 | 51.7 |
| 17/3/2019 21:23 | 59.3 | 63.6 | 51.5 |
| 17/3/2019 21:28 | 59.4 | 62.4 | 51.5 |
| 17/3/2019 21:33 | 62.2 | 65.7 | 51.9 |
| 17/3/2019 21:38 | 64.1 | 67.6 | 52.1 |
| 17/3/2019 21:43 | 62.3 | 66.7 | 53.0 |
| 17/3/2019 21:48 | 62.6 | 65.9 | 53.6 |
| 17/3/2019 21:53 | 61.8 | 66.0 | 53.3 |
| 17/3/2019 21:58 | 65.5 | 67.9 | 53.4 |
| 17/3/2019 22:03 | 62.1 | 65.8 | 52.9 |
| 17/3/2019 22:08 | 61.2 | 64.9 | 52.0 |
| 17/3/2019 22:13 | 63.1 | 65.5 | 50.6 |
| 17/3/2019 22:18 | 63.0 | 67.2 | 53.9 |
| 17/3/2019 22:23 | 60.0 | 64.3 | 52.6 |
| 17/3/2019 22:28 | 58.1 | 61.1 | 51.4 |
| 17/3/2019 22:33 | 60.7 | 64.7 | 51.5 |
| 17/3/2019 22:38 | 61.6 | 64.1 | 51.4 |
| 17/3/2019 22:43 | 61.2 | 64.6 | 51.9 |
| 17/3/2019 22:48 | 60.2 | 64.3 | 50.7 |
| 17/3/2019 22:53 | 58.7 | 62.7 | 51.3 |
| 17/3/2019 22:58 | 59.3 | 62.5 | 51.9 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 19:01 | 64.1 | 67.9 | 55.1 |
| 18/3/2019 19:06 | 66.5 | 70.3 | 54.7 |
| 18/3/2019 19:11 | 64.1 | 67.7 | 55.0 |
| 18/3/2019 19:16 | 71.0 | 71.9 | 56.3 |
| 18/3/2019 19:21 | 63.8 | 67.1 | 53.8 |
| 18/3/2019 19:26 | 65.9 | 69.6 | 58.3 |
| 18/3/2019 19:31 | 64.7 | 68.8 | 55.0 |
| 18/3/2019 19:36 | 67.3 | 69.6 | 55.8 |
| 18/3/2019 19:41 | 64.7 | 68.5 | 53.6 |
| 18/3/2019 19:46 | 64.3 | 68.3 | 54.5 |
| 18/3/2019 19:51 | 66.8 | 70.1 | 56.7 |
| 18/3/2019 19:56 | 65.9 | 69.9 | 54.3 |
| 18/3/2019 20:01 | 63.7 | 67.5 | 55.3 |
| 18/3/2019 20:06 | 61.4 | 65.8 | 51.7 |
| 18/3/2019 20:11 | 64.8 | 68.7 | 54.3 |
| 18/3/2019 20:16 | 61.3 | 65.8 | 51.2 |
| 18/3/2019 20:21 | 63.6 | 67.2 | 51.8 |
| 18/3/2019 20:26 | 62.7 | 66.3 | 52.1 |
| 18/3/2019 20:31 | 63.2 | 67.3 | 52.5 |
| 18/3/2019 20:36 | 63.3 | 67.2 | 53.8 |
| 18/3/2019 20:41 | 64.2 | 67.7 | 52.6 |
| 18/3/2019 20:46 | 62.0 | 65.4 | 51.9 |
| 18/3/2019 20:51 | 64.5 | 68.3 | 55.5 |
| 18/3/2019 20:56 | 61.6 | 65.4 | 52.8 |
| 18/3/2019 21:01 | 62.1 | 66.4 | 51.4 |
| 18/3/2019 21:06 | 60.2 | 64.3 | 51.6 |
| 18/3/2019 21:11 | 63.4 | 66.6 | 53.5 |
| 18/3/2019 21:16 | 64.3 | 66.2 | 53.3 |
| 18/3/2019 21:21 | 70.6 | 65.2 | 51.9 |
| 18/3/2019 21:26 | 59.5 | 63.2 | 51.8 |
| 18/3/2019 21:31 | 61.6 | 65.7 | 53.3 |
| 18/3/2019 21:36 | 62.7 | 65.6 | 53.1 |
| 18/3/2019 21:41 | 66.0 | 67.1 | 53.4 |
| 18/3/2019 21:46 | 64.5 | 65.3 | 52.7 |
| 18/3/2019 21:51 | 60.2 | 64.0 | 51.4 |
| 18/3/2019 21:56 | 62.7 | 67.0 | 50.2 |
| 18/3/2019 22:01 | 62.4 | 66.7 | 53.8 |
| 18/3/2019 22:06 | 67.5 | 66.0 | 50.6 |
| 18/3/2019 22:11 | 61.2 | 64.4 | 52.9 |
| 18/3/2019 22:16 | 61.8 | 65.5 | 53.7 |
| 18/3/2019 22:21 | 60.8 | 64.5 | 54.1 |
| 18/3/2019 22:26 | 61.7 | 65.4 | 54.6 |
| 18/3/2019 22:31 | 61.3 | 65.2 | 54.6 |
| 18/3/2019 22:36 | 62.3 | 66.1 | 54.3 |
| 18/3/2019 22:41 | 62.5 | 66.4 | 53.9 |
| 18/3/2019 22:46 | 59.8 | 62.9 | 51.0 |
| 18/3/2019 22:51 | 59.8 | 64.3 | 48.5 |
| 18/3/2019 22:56 | 64.3 | 68.1 | 51.7 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 19/3/2019 19:01 | 64.3 | 68.0 | 53.8 |
| 19/3/2019 19:06 | 66.5 | 70.3 | 54.4 |
| 19/3/2019 19:11 | 66.3 | 70.6 | 53.0 |
| 19/3/2019 19:16 | 67.5 | 70.8 | 53.8 |
| 19/3/2019 19:21 | 63.0 | 66.7 | 53.0 |
| 19/3/2019 19:26 | 64.9 | 68.0 | 55.0 |
| 19/3/2019 19:31 | 65.0 | 69.1 | 56.0 |
| 19/3/2019 19:36 | 68.0 | 69.8 | 59.8 |
| 19/3/2019 19:41 | 63.2 | 67.2 | 54.1 |
| 19/3/2019 19:46 | 63.7 | 67.5 | 53.5 |
| 19/3/2019 19:51 | 60.9 | 64.9 | 51.6 |
| 19/3/2019 19:56 | 62.4 | 66.8 | 52.5 |
| 19/3/2019 20:01 | 65.7 | 67.9 | 53.5 |
| 19/3/2019 20:06 | 63.4 | 67.0 | 54.2 |
| 19/3/2019 20:11 | 66.1 | 68.7 | 56.4 |
| 19/3/2019 20:16 | 63.6 | 68.0 | 53.9 |
| 19/3/2019 20:21 | 62.9 | 66.4 | 51.7 |
| 19/3/2019 20:26 | 59.4 | 64.2 | 50.2 |
| 19/3/2019 20:31 | 61.3 | 65.7 | 52.1 |
| 19/3/2019 20:36 | 63.9 | 68.3 | 51.7 |
| 19/3/2019 20:41 | 62.9 | 66.9 | 52.3 |
| 19/3/2019 20:46 | 62.5 | 64.6 | 49.7 |
| 19/3/2019 20:51 | 60.8 | 64.7 | 50.5 |
| 19/3/2019 20:56 | 61.9 | 66.1 | 51.7 |
| 19/3/2019 21:01 | 63.8 | 67.0 | 50.9 |
| 19/3/2019 21:06 | 61.9 | 65.6 | 50.8 |
| 19/3/2019 21:11 | 57.7 | 62.1 | 49.2 |
| 19/3/2019 21:16 | 59.8 | 65.0 | 50.9 |
| 19/3/2019 21:21 | 59.4 | 63.0 | 50.8 |
| 19/3/2019 21:26 | 59.5 | 63.4 | 50.1 |
| 19/3/2019 21:31 | 63.0 | 66.2 | 51.1 |
| 19/3/2019 21:36 | 63.1 | 67.4 | 51.7 |
| 19/3/2019 21:41 | 60.9 | 64.2 | 51.3 |
| 19/3/2019 21:46 | 62.4 | 66.6 | 52.3 |
| 19/3/2019 21:51 | 60.4 | 64.8 | 52.0 |
| 19/3/2019 21:56 | 63.1 | 67.3 | 50.9 |
| 19/3/2019 22:01 | 61.4 | 64.9 | 51.4 |
| 19/3/2019 22:06 | 62.5 | 67.1 | 51.3 |
| 19/3/2019 22:11 | 60.9 | 65.1 | 52.5 |
| 19/3/2019 22:16 | 61.3 | 65.1 | 51.1 |
| 19/3/2019 22:21 | 62.2 | 66.4 | 50.7 |
| 19/3/2019 22:26 | 59.1 | 62.3 | 51.6 |
| 19/3/2019 22:31 | 62.4 | 66.7 | 51.1 |
| 19/3/2019 22:36 | 66.7 | 66.5 | 49.5 |
| 19/3/2019 22:41 | 59.0 | 62.7 | 49.4 |
| 19/3/2019 22:46 | 62.4 | 66.0 | 50.2 |
| 19/3/2019 22:51 | 58.2 | 62.0 | 50.3 |
| 19/3/2019 22:56 | 60.8 | 66.3 | 49.9 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 19:01 | 67.0 | 69.7 | 56.4 |
| 20/3/2019 19:06 | 64.9 | 68.4 | 54.8 |
| 20/3/2019 19:11 | 66.8 | 68.9 | 57.2 |
| 20/3/2019 19:16 | 65.0 | 68.4 | 55.5 |
| 20/3/2019 19:21 | 63.6 | 67.5 | 54.7 |
| 20/3/2019 19:26 | 63.4 | 66.9 | 55.6 |
| 20/3/2019 19:31 | 64.5 | 68.4 | 55.1 |
| 20/3/2019 19:36 | 67.2 | 69.4 | 54.3 |
| 20/3/2019 19:41 | 62.8 | 66.9 | 53.2 |
| 20/3/2019 19:46 | 64.7 | 67.7 | 56.3 |
| 20/3/2019 19:51 | 62.9 | 67.0 | 51.8 |
| 20/3/2019 19:56 | 64.0 | 66.8 | 54.0 |
| 20/3/2019 20:01 | 64.7 | 67.9 | 52.5 |
| 20/3/2019 20:06 | 64.6 | 66.8 | 55.0 |
| 20/3/2019 20:11 | 70.3 | 74.2 | 54.8 |
| 20/3/2019 20:16 | 64.8 | 69.0 | 52.8 |
| 20/3/2019 20:21 | 64.0 | 67.2 | 53.1 |
| 20/3/2019 20:26 | 62.0 | 65.9 | 52.0 |
| 20/3/2019 20:31 | 64.9 | 67.2 | 53.4 |
| 20/3/2019 20:36 | 61.6 | 66.2 | 52.0 |
| 20/3/2019 20:41 | 64.8 | 67.7 | 53.2 |
| 20/3/2019 20:46 | 64.6 | 66.4 | 54.7 |
| 20/3/2019 20:51 | 61.3 | 65.0 | 54.5 |
| 20/3/2019 20:56 | 61.9 | 66.0 | 52.9 |
| 20/3/2019 21:01 | 65.1 | 66.5 | 52.2 |
| 20/3/2019 21:06 | 63.9 | 67.3 | 54.9 |
| 20/3/2019 21:11 | 60.1 | 64.0 | 52.5 |
| 20/3/2019 21:16 | 61.3 | 65.7 | 52.0 |
| 20/3/2019 21:21 | 61.5 | 65.5 | 52.6 |
| 20/3/2019 21:26 | 61.9 | 65.6 | 52.9 |
| 20/3/2019 21:31 | 62.0 | 66.5 | 51.2 |
| 20/3/2019 21:36 | 61.7 | 65.6 | 52.1 |
| 20/3/2019 21:41 | 64.7 | 69.5 | 51.8 |
| 20/3/2019 21:46 | 61.6 | 63.1 | 51.1 |
| 20/3/2019 21:51 | 61.4 | 65.3 | 53.6 |
| 20/3/2019 21:56 | 60.9 | 64.8 | 52.8 |
| 20/3/2019 22:01 | 62.0 | 66.4 | 52.9 |
| 20/3/2019 22:06 | 63.2 | 66.4 | 54.7 |
| 20/3/2019 22:11 | 60.7 | 64.1 | 53.4 |
| 20/3/2019 22:16 | 62.9 | 65.1 | 52.7 |
| 20/3/2019 22:21 | 67.2 | 66.1 | 52.7 |
| 20/3/2019 22:26 | 61.3 | 65.7 | 53.0 |
| 20/3/2019 22:31 | 65.5 | 67.3 | 55.3 |
| 20/3/2019 22:36 | 62.8 | 66.5 | 55.7 |
| 20/3/2019 22:41 | 63.3 | 65.3 | 53.6 |
| 20/3/2019 22:46 | 62.4 | 64.7 | 51.9 |
| 20/3/2019 22:51 | 62.2 | 65.7 | 51.7 |
| 20/3/2019 22:56 | 61.9 | 66.5 | 51.7 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 19:01 | 64.8 | 68.8 | 54.2 |
| 21/3/2019 19:06 | 67.8 | 71.8 | 57.2 |
| 21/3/2019 19:11 | 66.7 | 69.4 | 54.9 |
| 21/3/2019 19:16 | 65.7 | 70.0 | 52.9 |
| 21/3/2019 19:21 | 64.2 | 68.1 | 52.5 |
| 21/3/2019 19:26 | 66.8 | 69.3 | 53.2 |
| 21/3/2019 19:31 | 62.4 | 66.6 | 52.8 |
| 21/3/2019 19:36 | 64.8 | 68.2 | 57.3 |
| 21/3/2019 19:41 | 65.2 | 68.7 | 54.5 |
| 21/3/2019 19:46 | 63.4 | 67.5 | 53.1 |
| 21/3/2019 19:51 | 63.4 | 67.7 | 53.5 |
| 21/3/2019 19:56 | 63.7 | 67.2 | 53.4 |
| 21/3/2019 20:01 | 62.5 | 66.8 | 51.3 |
| 21/3/2019 20:06 | 64.1 | 68.8 | 54.6 |
| 21/3/2019 20:11 | 64.9 | 68.8 | 54.6 |
| 21/3/2019 20:16 | 66.3 | 69.9 | 56.8 |
| 21/3/2019 20:21 | 63.4 | 66.4 | 49.1 |
| 21/3/2019 20:26 | 65.0 | 68.5 | 51.2 |
| 21/3/2019 20:31 | 62.0 | 66.1 | 51.2 |
| 21/3/2019 20:36 | 62.0 | 65.5 | 51.5 |
| 21/3/2019 20:41 | 61.2 | 65.5 | 50.6 |
| 21/3/2019 20:46 | 61.9 | 65.8 | 51.3 |
| 21/3/2019 20:51 | 63.8 | 67.5 | 51.8 |
| 21/3/2019 20:56 | 62.7 | 66.2 | 54.9 |
| 21/3/2019 21:01 | 62.2 | 66.1 | 52.8 |
| 21/3/2019 21:06 | 60.5 | 64.4 | 52.1 |
| 21/3/2019 21:11 | 63.8 | 66.3 | 54.4 |
| 21/3/2019 21:16 | 60.3 | 64.4 | 49.8 |
| 21/3/2019 21:21 | 60.7 | 64.9 | 50.6 |
| 21/3/2019 21:26 | 59.9 | 64.0 | 50.1 |
| 21/3/2019 21:31 | 59.7 | 64.4 | 49.4 |
| 21/3/2019 21:36 | 61.3 | 65.9 | 50.8 |
| 21/3/2019 21:41 | 66.7 | 67.1 | 51.1 |
| 21/3/2019 21:46 | 62.5 | 63.6 | 50.6 |
| 21/3/2019 21:51 | 59.2 | 63.2 | 50.3 |
| 21/3/2019 21:56 | 62.0 | 65.9 | 51.0 |
| 21/3/2019 22:01 | 61.6 | 65.3 | 51.1 |
| 21/3/2019 22:06 | 62.5 | 67.1 | 51.9 |
| 21/3/2019 22:11 | 62.7 | 66.2 | 50.9 |
| 21/3/2019 22:16 | 59.8 | 63.9 | 50.0 |
| 21/3/2019 22:21 | 59.8 | 64.1 | 51.4 |
| 21/3/2019 22:26 | 59.1 | 63.1 | 51.2 |
| 21/3/2019 22:31 | 61.4 | 65.0 | 51.5 |
| 21/3/2019 22:36 | 59.1 | 63.1 | 50.7 |
| 21/3/2019 22:41 | 61.2 | 66.0 | 50.9 |
| 21/3/2019 22:46 | 60.8 | 65.2 | 50.0 |
| 21/3/2019 22:51 | 61.7 | 65.5 | 50.3 |
| 21/3/2019 22:56 | 63.5 | 66.4 | 56.0 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 19:01 | 69.1 | 72.4 | 60.4 |
| 22/3/2019 19:06 | 70.3 | 73.5 | 59.7 |
| 22/3/2019 19:11 | 68.3 | 71.9 | 56.9 |
| 22/3/2019 19:16 | 68.5 | 71.9 | 60.0 |
| 22/3/2019 19:21 | 68.6 | 73.3 | 56.2 |
| 22/3/2019 19:26 | 68.9 | 72.2 | 53.3 |
| 22/3/2019 19:31 | 72.0 | 74.8 | 55.5 |
| 22/3/2019 19:36 | 67.5 | 71.2 | 55.1 |
| 22/3/2019 19:41 | 68.5 | 72.1 | 56.5 |
| 22/3/2019 19:46 | 69.2 | 72.9 | 57.5 |
| 22/3/2019 19:51 | 66.2 | 69.8 | 56.2 |
| 22/3/2019 19:56 | 66.6 | 71.2 | 56.8 |
| 22/3/2019 20:01 | 66.3 | 69.4 | 53.9 |
| 22/3/2019 20:06 | 68.6 | 73.1 | 56.2 |
| 22/3/2019 20:11 | 68.3 | 71.6 | 59.1 |
| 22/3/2019 20:16 | 67.7 | 71.7 | 57.0 |
| 22/3/2019 20:21 | 68.0 | 71.9 | 53.7 |
| 22/3/2019 20:26 | 67.9 | 72.0 | 58.4 |
| 22/3/2019 20:31 | 65.5 | 69.3 | 55.0 |
| 22/3/2019 20:36 | 66.3 | 71.3 | 53.3 |
| 22/3/2019 20:41 | 65.2 | 69.8 | 54.2 |
| 22/3/2019 20:46 | 65.6 | 68.5 | 53.4 |
| 22/3/2019 20:51 | 65.1 | 70.2 | 54.6 |
| 22/3/2019 20:56 | 64.6 | 68.7 | 55.8 |
| 22/3/2019 21:01 | 65.6 | 69.8 | 54.1 |
| 22/3/2019 21:06 | 63.6 | 68.4 | 53.7 |
| 22/3/2019 21:11 | 66.1 | 70.1 | 53.8 |
| 22/3/2019 21:16 | 66.8 | 71.0 | 53.6 |
| 22/3/2019 21:21 | 63.8 | 68.7 | 54.1 |
| 22/3/2019 21:26 | 64.8 | 69.0 | 55.9 |
| 22/3/2019 21:31 | 68.0 | 72.2 | 53.8 |
| 22/3/2019 21:36 | 68.2 | 71.5 | 54.9 |
| 22/3/2019 21:41 | 66.5 | 70.3 | 56.6 |
| 22/3/2019 21:46 | 66.6 | 70.8 | 55.6 |
| 22/3/2019 21:51 | 66.1 | 70.8 | 54.3 |
| 22/3/2019 21:56 | 68.5 | 71.5 | 53.8 |
| 22/3/2019 22:01 | 65.4 | 70.2 | 53.4 |
| 22/3/2019 22:06 | 64.8 | 69.0 | 54.6 |
| 22/3/2019 22:11 | 66.0 | 70.2 | 53.6 |
| 22/3/2019 22:16 | 68.0 | 72.0 | 55.2 |
| 22/3/2019 22:21 | 62.8 | 66.6 | 53.4 |
| 22/3/2019 22:26 | 63.2 | 66.7 | 55.4 |
| 22/3/2019 22:31 | 64.7 | 69.1 | 54.9 |
| 22/3/2019 22:36 | 67.3 | 70.7 | 56.3 |
| 22/3/2019 22:41 | 63.1 | 67.1 | 52.4 |
| 22/3/2019 22:46 | 62.8 | 66.0 | 54.1 |
| 22/3/2019 22:51 | 64.3 | 67.4 | 53.4 |
| 22/3/2019 22:56 | 66.2 | 67.7 | 53.1 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 19:01 | 68.8 | 72.6 | 57.3 |
| 23/3/2019 19:06 | 68.9 | 72.8 | 59.7 |
| 23/3/2019 19:11 | 69.5 | 73.4 | 58.7 |
| 23/3/2019 19:16 | 68.6 | 72.9 | 58.9 |
| 23/3/2019 19:21 | 68.1 | 72.3 | 58.7 |
| 23/3/2019 19:26 | 71.1 | 73.4 | 63.2 |
| 23/3/2019 19:31 | 69.2 | 72.5 | 62.2 |
| 23/3/2019 19:36 | 69.6 | 72.6 | 60.4 |
| 23/3/2019 19:41 | 69.7 | 74.2 | 58.2 |
| 23/3/2019 19:46 | 66.9 | 71.0 | 58.5 |
| 23/3/2019 19:51 | 67.7 | 71.1 | 60.4 |
| 23/3/2019 19:56 | 71.3 | 72.9 | 58.0 |
| 23/3/2019 20:01 | 68.2 | 72.4 | 56.7 |
| 23/3/2019 20:06 | 66.9 | 70.7 | 57.4 |
| 23/3/2019 20:11 | 64.9 | 69.7 | 56.8 |
| 23/3/2019 20:16 | 68.0 | 72.2 | 57.4 |
| 23/3/2019 20:21 | 66.2 | 70.4 | 57.1 |
| 23/3/2019 20:26 | 65.9 | 69.7 | 57.1 |
| 23/3/2019 20:31 | 66.2 | 69.7 | 57.9 |
| 23/3/2019 20:36 | 68.6 | 72.1 | 60.8 |
| 23/3/2019 20:41 | 68.3 | 72.3 | 59.1 |
| 23/3/2019 20:46 | 66.3 | 69.9 | 58.6 |
| 23/3/2019 20:51 | 65.7 | 69.4 | 56.9 |
| 23/3/2019 20:56 | 68.0 | 72.1 | 60.3 |
| 23/3/2019 21:01 | 67.9 | 71.5 | 60.0 |
| 23/3/2019 21:06 | 63.8 | 66.3 | 57.4 |
| 23/3/2019 21:11 | 66.8 | 68.9 | 57.3 |
| 23/3/2019 21:16 | 68.0 | 72.6 | 56.6 |
| 23/3/2019 21:21 | 66.1 | 70.1 | 58.6 |
| 23/3/2019 21:26 | 66.1 | 69.7 | 56.6 |
| 23/3/2019 21:31 | 66.4 | 70.1 | 58.2 |
| 23/3/2019 21:36 | 66.4 | 70.9 | 58.4 |
| 23/3/2019 21:41 | 66.6 | 70.5 | 58.1 |
| 23/3/2019 21:46 | 66.5 | 71.0 | 58.4 |
| 23/3/2019 21:51 | 65.7 | 70.5 | 56.3 |
| 23/3/2019 21:56 | 67.3 | 71.5 | 57.8 |
| 23/3/2019 22:01 | 66.7 | 71.5 | 58.0 |
| 23/3/2019 22:06 | 64.8 | 67.9 | 57.2 |
| 23/3/2019 22:11 | 68.2 | 71.5 | 58.1 |
| 23/3/2019 22:16 | 66.5 | 70.8 | 58.0 |
| 23/3/2019 22:21 | 67.3 | 71.6 | 58.4 |
| 23/3/2019 22:26 | 64.8 | 69.8 | 57.3 |
| 23/3/2019 22:31 | 66.7 | 70.9 | 58.0 |
| 23/3/2019 22:36 | 65.9 | 70.2 | 57.6 |
| 23/3/2019 22:41 | 65.9 | 69.8 | 56.7 |
| 23/3/2019 22:46 | 66.8 | 70.6 | 57.2 |
| 23/3/2019 22:51 | 67.5 | 70.7 | 56.7 |
| 23/3/2019 22:56 | 64.7 | 67.8 | 56.0 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 7:01 | 65.9 | 71.1 | 55.4 |
| 24/3/2019 7:06 | 62.0 | 65.0 | 55.1 |
| 24/3/2019 7:11 | 66.2 | 70.0 | 57.7 |
| 24/3/2019 7:16 | 65.3 | 69.8 | 55.7 |
| 24/3/2019 7:21 | 69.6 | 69.3 | 56.9 |
| 24/3/2019 7:26 | 66.7 | 71.0 | 56.0 |
| 24/3/2019 7:31 | 66.5 | 70.5 | 56.6 |
| 24/3/2019 7:36 | 66.9 | 71.0 | 58.0 |
| 24/3/2019 7:41 | 65.9 | 69.3 | 57.4 |
| 24/3/2019 7:46 | 69.6 | 72.8 | 59.1 |
| 24/3/2019 7:51 | 65.9 | 70.6 | 55.7 |
| 24/3/2019 7:56 | 68.0 | 71.2 | 56.3 |
| 24/3/2019 8:01 | 68.7 | 72.1 | 60.2 |
| 24/3/2019 8:06 | 70.1 | 73.2 | 61.9 |
| 24/3/2019 8:11 | 71.0 | 74.8 | 59.7 |
| 24/3/2019 8:16 | 71.3 | 74.2 | 58.6 |
| 24/3/2019 8:21 | 66.7 | 70.6 | 58.3 |
| 24/3/2019 8:26 | 67.9 | 72.1 | 56.6 |
| 24/3/2019 8:31 | 69.7 | 72.4 | 57.6 |
| 24/3/2019 8:36 | 67.9 | 72.3 | 58.0 |
| 24/3/2019 8:41 | 69.5 | 74.1 | 56.3 |
| 24/3/2019 8:46 | 68.2 | 72.6 | 57.3 |
| 24/3/2019 8:51 | 69.6 | 72.9 | 59.9 |
| 24/3/2019 8:56 | 66.3 | 70.4 | 57.7 |
| 24/3/2019 9:01 | 66.8 | 70.4 | 59.2 |
| 24/3/2019 9:06 | 66.9 | 71.4 | 57.1 |
| 24/3/2019 9:11 | 66.2 | 71.0 | 56.7 |
| 24/3/2019 9:16 | 71.1 | 72.9 | 59.3 |
| 24/3/2019 9:21 | 67.4 | 71.5 | 58.1 |
| 24/3/2019 9:26 | 65.8 | 69.6 | 57.1 |
| 24/3/2019 9:31 | 70.0 | 72.7 | 57.4 |
| 24/3/2019 9:36 | 63.9 | 67.1 | 57.0 |
| 24/3/2019 9:41 | 68.3 | 72.1 | 58.5 |
| 24/3/2019 9:46 | 65.4 | 69.6 | 57.9 |
| 24/3/2019 9:51 | 68.7 | 73.1 | 59.6 |
| 24/3/2019 9:56 | 68.2 | 72.1 | 60.3 |
| 24/3/2019 10:01 | 68.0 | 72.1 | 58.8 |
| 24/3/2019 10:06 | 63.6 | 67.6 | 56.9 |
| 24/3/2019 10:11 | 65.5 | 69.9 | 57.3 |
| 24/3/2019 10:16 | 67.8 | 72.2 | 58.5 |
| 24/3/2019 10:21 | 67.1 | 71.2 | 58.3 |
| 24/3/2019 10:26 | 68.0 | 71.4 | 58.3 |
| 24/3/2019 10:31 | 66.1 | 70.3 | 58.4 |
| 24/3/2019 10:36 | 67.7 | 72.0 | 57.7 |
| 24/3/2019 10:41 | 71.9 | 74.3 | 58.9 |
| 24/3/2019 10:46 | 69.2 | 72.8 | 58.2 |
| 24/3/2019 10:51 | 68.8 | 71.1 | 59.1 |
| 24/3/2019 10:56 | 67.8 | 72.2 | 57.7 |
| 24/3/2019 11:01 | 70.7 | 73.1 | 59.4 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 11:06 | 67.8 | 72.6 | 57.1 |
| 24/3/2019 11:11 | 68.1 | 71.9 | 58.7 |
| 24/3/2019 11:16 | 69.0 | 72.3 | 57.6 |
| 24/3/2019 11:21 | 68.2 | 72.3 | 57.7 |
| 24/3/2019 11:26 | 68.1 | 72.3 | 59.8 |
| 24/3/2019 11:31 | 68.6 | 73.2 | 58.0 |
| 24/3/2019 11:36 | 66.7 | 70.3 | 59.2 |
| 24/3/2019 11:41 | 69.6 | 73.6 | 60.9 |
| 24/3/2019 11:46 | 68.8 | 72.9 | 58.4 |
| 24/3/2019 11:51 | 68.4 | 71.7 | 61.1 |
| 24/3/2019 11:56 | 68.4 | 72.1 | 58.6 |
| 24/3/2019 12:01 | 71.0 | 74.7 | 60.6 |
| 24/3/2019 12:06 | 68.8 | 72.7 | 59.4 |
| 24/3/2019 12:11 | 67.5 | 71.2 | 58.4 |
| 24/3/2019 12:16 | 69.3 | 72.6 | 58.3 |
| 24/3/2019 12:21 | 69.4 | 72.9 | 57.9 |
| 24/3/2019 12:26 | 68.1 | 72.3 | 58.5 |
| 24/3/2019 12:31 | 72.5 | 73.9 | 57.8 |
| 24/3/2019 12:36 | 70.1 | 74.3 | 57.7 |
| 24/3/2019 12:41 | 69.4 | 74.2 | 58.2 |
| 24/3/2019 12:46 | 68.5 | 73.1 | 59.1 |
| 24/3/2019 12:51 | 68.6 | 72.6 | 59.2 |
| 24/3/2019 12:56 | 74.3 | 74.8 | 59.6 |
| 24/3/2019 13:01 | 70.8 | 73.2 | 59.7 |
| 24/3/2019 13:06 | 71.5 | 75.3 | 60.9 |
| 24/3/2019 13:11 | 68.1 | 72.2 | 58.8 |
| 24/3/2019 13:16 | 69.2 | 73.2 | 58.3 |
| 24/3/2019 13:21 | 69.3 | 73.8 | 58.0 |
| 24/3/2019 13:26 | 72.9 | 74.2 | 60.1 |
| 24/3/2019 13:31 | 69.5 | 72.8 | 58.1 |
| 24/3/2019 13:36 | 69.7 | 74.0 | 58.9 |
| 24/3/2019 13:41 | 69.1 | 72.2 | 61.8 |
| 24/3/2019 13:46 | 69.9 | 73.7 | 58.9 |
| 24/3/2019 13:51 | 68.3 | 73.0 | 58.7 |
| 24/3/2019 13:56 | 70.7 | 74.4 | 59.3 |
| 24/3/2019 14:01 | 70.4 | 74.3 | 60.5 |
| 24/3/2019 14:06 | 72.6 | 75.1 | 61.4 |
| 24/3/2019 14:11 | 70.3 | 74.5 | 58.8 |
| 24/3/2019 14:16 | 72.9 | 75.8 | 63.1 |
| 24/3/2019 14:21 | 69.1 | 72.0 | 59.3 |
| 24/3/2019 14:26 | 67.4 | 71.1 | 58.1 |
| 24/3/2019 14:31 | 68.8 | 72.3 | 61.7 |
| 24/3/2019 14:36 | 69.9 | 73.9 | 61.6 |
| 24/3/2019 14:41 | 69.2 | 72.3 | 58.8 |
| 24/3/2019 14:46 | 69.0 | 72.7 | 58.3 |
| 24/3/2019 14:51 | 70.2 | 73.2 | 58.2 |
| 24/3/2019 14:56 | 69.7 | 72.9 | 58.9 |
| 24/3/2019 15:01 | 69.9 | 73.2 | 60.4 |
| 24/3/2019 15:06 | 70.7 | 73.0 | 62.0 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 15:11 | 68.1 | 72.3 | 59.5 |
| 24/3/2019 15:16 | 68.8 | 72.3 | 60.2 |
| 24/3/2019 15:21 | 68.6 | 72.4 | 59.9 |
| 24/3/2019 15:26 | 71.1 | 75.0 | 61.3 |
| 24/3/2019 15:31 | 69.9 | 73.3 | 59.0 |
| 24/3/2019 15:36 | 68.4 | 70.4 | 57.4 |
| 24/3/2019 15:41 | 67.0 | 71.0 | 56.4 |
| 24/3/2019 15:46 | 68.7 | 72.4 | 60.5 |
| 24/3/2019 15:51 | 69.7 | 72.3 | 60.1 |
| 24/3/2019 15:56 | 68.3 | 72.3 | 59.1 |
| 24/3/2019 16:01 | 67.3 | 72.0 | 58.3 |
| 24/3/2019 16:06 | 65.3 | 68.9 | 56.7 |
| 24/3/2019 16:11 | 68.8 | 72.8 | 58.9 |
| 24/3/2019 16:16 | 68.0 | 71.9 | 58.5 |
| 24/3/2019 16:21 | 69.7 | 73.4 | 58.7 |
| 24/3/2019 16:26 | 68.2 | 72.8 | 57.7 |
| 24/3/2019 16:31 | 65.4 | 68.7 | 56.6 |
| 24/3/2019 16:36 | 70.6 | 73.0 | 60.6 |
| 24/3/2019 16:41 | 67.9 | 72.6 | 58.7 |
| 24/3/2019 16:46 | 73.8 | 73.6 | 59.3 |
| 24/3/2019 16:51 | 69.1 | 73.1 | 57.6 |
| 24/3/2019 16:56 | 68.3 | 72.2 | 58.6 |
| 24/3/2019 17:01 | 67.6 | 71.4 | 59.3 |
| 24/3/2019 17:06 | 69.3 | 73.1 | 58.6 |
| 24/3/2019 17:11 | 66.8 | 70.9 | 58.3 |
| 24/3/2019 17:16 | 65.1 | 67.9 | 57.5 |
| 24/3/2019 17:21 | 70.3 | 73.5 | 59.5 |
| 24/3/2019 17:26 | 66.7 | 70.6 | 57.4 |
| 24/3/2019 17:31 | 68.5 | 71.9 | 59.1 |
| 24/3/2019 17:36 | 66.7 | 71.0 | 58.4 |
| 24/3/2019 17:41 | 68.2 | 70.2 | 59.7 |
| 24/3/2019 17:46 | 68.0 | 72.8 | 58.0 |
| 24/3/2019 17:51 | 68.6 | 72.1 | 59.4 |
| 24/3/2019 17:56 | 66.5 | 70.6 | 58.5 |
| 24/3/2019 18:01 | 67.0 | 71.1 | 57.6 |
| 24/3/2019 18:06 | 75.6 | 75.3 | 61.7 |
| 24/3/2019 18:11 | 69.3 | 73.4 | 58.4 |
| 24/3/2019 18:16 | 66.4 | 70.5 | 57.5 |
| 24/3/2019 18:21 | 71.6 | 73.1 | 57.5 |
| 24/3/2019 18:26 | 67.3 | 71.3 | 58.9 |
| 24/3/2019 18:31 | 67.8 | 71.2 | 60.7 |
| 24/3/2019 18:36 | 71.7 | 74.2 | 58.8 |
| 24/3/2019 18:41 | 68.3 | 72.4 | 58.0 |
| 24/3/2019 18:46 | 67.7 | 71.8 | 58.6 |
| 24/3/2019 18:51 | 67.8 | 70.9 | 60.1 |
| 24/3/2019 18:56 | 69.2 | 72.6 | 57.7 |
| 24/3/2019 19:01 | 67.2 | 71.4 | 57.0 |
| 24/3/2019 19:06 | 66.6 | 71.0 | 57.8 |
| 24/3/2019 19:11 | 65.8 | 70.3 | 56.8 |

Measured Noise Levels (dB(A)) at NMS1 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 19:16 | 66.5 | 70.1 | 57.5 |
| 24/3/2019 19:21 | 70.9 | 74.9 | 58.8 |
| 24/3/2019 19:26 | 73.9 | 72.9 | 56.9 |
| 24/3/2019 19:31 | 68.5 | 71.1 | 57.2 |
| 24/3/2019 19:36 | 69.7 | 72.7 | 57.3 |
| 24/3/2019 19:41 | 64.9 | 68.9 | 56.8 |
| 24/3/2019 19:46 | 66.5 | 71.1 | 56.3 |
| 24/3/2019 19:51 | 68.3 | 70.9 | 56.8 |
| 24/3/2019 19:56 | 67.1 | 71.2 | 58.1 |
| 24/3/2019 20:01 | 67.0 | 71.3 | 56.4 |
| 24/3/2019 20:06 | 66.8 | 70.9 | 58.1 |
| 24/3/2019 20:11 | 69.2 | 72.1 | 57.9 |
| 24/3/2019 20:16 | 67.7 | 72.0 | 57.9 |
| 24/3/2019 20:21 | 67.4 | 71.4 | 57.2 |
| 24/3/2019 20:26 | 69.9 | 73.6 | 56.6 |
| 24/3/2019 20:31 | 67.9 | 69.5 | 55.5 |
| 24/3/2019 20:36 | 67.1 | 71.2 | 57.3 |
| 24/3/2019 20:41 | 64.0 | 67.8 | 56.7 |
| 24/3/2019 20:46 | 67.0 | 69.9 | 56.5 |
| 24/3/2019 20:51 | 64.8 | 68.2 | 57.2 |
| 24/3/2019 20:56 | 64.8 | 68.1 | 57.2 |
| 24/3/2019 21:01 | 66.7 | 69.7 | 56.9 |
| 24/3/2019 21:06 | 66.6 | 71.3 | 56.6 |
| 24/3/2019 21:11 | 64.7 | 68.4 | 56.6 |
| 24/3/2019 21:16 | 67.0 | 71.0 | 56.5 |
| 24/3/2019 21:21 | 65.0 | 69.2 | 57.1 |
| 24/3/2019 21:26 | 66.2 | 69.8 | 58.8 |
| 24/3/2019 21:31 | 68.7 | 72.3 | 60.2 |
| 24/3/2019 21:36 | 67.1 | 71.0 | 57.4 |
| 24/3/2019 21:41 | 66.1 | 70.3 | 57.1 |
| 24/3/2019 21:46 | 65.2 | 69.7 | 56.5 |
| 24/3/2019 21:51 | 66.6 | 70.6 | 56.2 |
| 24/3/2019 21:56 | 66.0 | 70.2 | 56.1 |
| 24/3/2019 22:01 | 65.8 | 70.2 | 56.8 |
| 24/3/2019 22:06 | 68.1 | 70.4 | 57.2 |
| 24/3/2019 22:11 | 64.2 | 67.8 | 56.0 |
| 24/3/2019 22:16 | 65.4 | 69.6 | 56.4 |
| 24/3/2019 22:21 | 64.6 | 68.7 | 55.4 |
| 24/3/2019 22:26 | 63.6 | 67.7 | 56.9 |
| 24/3/2019 22:31 | 64.5 | 68.2 | 56.5 |
| 24/3/2019 22:36 | 65.7 | 68.4 | 56.1 |
| 24/3/2019 22:41 | 67.5 | 69.7 | 56.1 |
| 24/3/2019 22:46 | 63.9 | 68.0 | 55.8 |
| 24/3/2019 22:51 | 66.7 | 70.7 | 55.6 |
| 24/3/2019 22:56 | 64.6 | 68.7 | 55.6 |

Mean 66.1
Maximum 75.6
Minimum 57.4

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 11/3/2019 23:02 | 63.9 | 68.4 | 52.3 |
| 11/3/2019 23:07 | 62.8 | 66.9 | 52.4 |
| 11/3/2019 23:12 | 64.2 | 66.7 | 53.1 |
| 11/3/2019 23:17 | 65.3 | 67.6 | 53.2 |
| 11/3/2019 23:22 | 60.8 | 64.9 | 52.1 |
| 11/3/2019 23:27 | 62.5 | 64.5 | 51.0 |
| 11/3/2019 23:32 | 63.0 | 66.8 | 52.3 |
| 11/3/2019 23:37 | 64.7 | 66.3 | 51.4 |
| 11/3/2019 23:42 | 59.9 | 63.0 | 51.7 |
| 11/3/2019 23:47 | 59.8 | 63.0 | 49.4 |
| 11/3/2019 23:52 | 64.6 | 68.1 | 56.5 |
| 11/3/2019 23:57 | 61.7 | 65.2 | 52.2 |
| 12/3/2019 0:02 | 61.1 | 64.9 | 51.5 |
| 12/3/2019 0:07 | 70.1 | 65.0 | 50.2 |
| 12/3/2019 0:12 | 57.4 | 61.5 | 49.5 |
| 12/3/2019 0:17 | 58.8 | 62.3 | 50.3 |
| 12/3/2019 0:22 | 64.2 | 63.1 | 50.8 |
| 12/3/2019 0:27 | 61.5 | 64.9 | 50.9 |
| 12/3/2019 0:32 | 57.6 | 61.7 | 50.5 |
| 12/3/2019 0:37 | 58.1 | 62.3 | 50.4 |
| 12/3/2019 0:42 | 63.5 | 62.3 | 50.8 |
| 12/3/2019 0:47 | 58.9 | 63.3 | 50.9 |
| 12/3/2019 0:52 | 58.5 | 62.1 | 50.6 |
| 12/3/2019 0:57 | 63.6 | 62.2 | 49.6 |
| 12/3/2019 1:02 | 55.4 | 59.2 | 49.0 |
| 12/3/2019 1:07 | 62.4 | 66.4 | 49.3 |
| 12/3/2019 1:12 | 59.1 | 63.1 | 49.8 |
| 12/3/2019 1:17 | 58.4 | 62.0 | 49.4 |
| 12/3/2019 1:22 | 58.4 | 63.0 | 48.7 |
| 12/3/2019 1:27 | 56.9 | 61.8 | 48.3 |
| 12/3/2019 1:32 | 60.9 | 64.1 | 48.7 |
| 12/3/2019 1:37 | 54.7 | 58.4 | 46.9 |
| 12/3/2019 1:42 | 58.9 | 62.9 | 45.5 |
| 12/3/2019 1:47 | 63.3 | 65.1 | 46.5 |
| 12/3/2019 1:52 | 65.9 | 66.0 | 48.3 |
| 12/3/2019 1:57 | 57.3 | 60.5 | 46.7 |
| 12/3/2019 2:02 | 54.2 | 57.9 | 44.7 |
| 12/3/2019 2:07 | 70.2 | 59.1 | 46.2 |
| 12/3/2019 2:12 | 56.4 | 60.9 | 45.5 |
| 12/3/2019 2:17 | 57.4 | 60.5 | 45.4 |
| 12/3/2019 2:22 | 55.8 | 59.2 | 44.7 |
| 12/3/2019 2:27 | 59.6 | 63.3 | 44.7 |
| 12/3/2019 2:32 | 55.3 | 58.3 | 44.6 |
| 12/3/2019 2:37 | 58.4 | 61.3 | 45.2 |
| 12/3/2019 2:42 | 55.9 | 59.3 | 44.2 |
| 12/3/2019 2:47 | 54.8 | 57.9 | 44.8 |
| 12/3/2019 2:52 | 55.2 | 57.1 | 45.0 |
| 12/3/2019 2:57 | 49.1 | 52.0 | 43.7 |
| 12/3/2019 3:02 | 54.5 | 58.0 | 44.2 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 3:07 | 55.5 | 57.1 | 44.6 |
| 12/3/2019 3:12 | 55.2 | 57.5 | 44.9 |
| 12/3/2019 3:17 | 56.2 | 59.9 | 43.8 |
| 12/3/2019 3:22 | 56.4 | 60.3 | 43.9 |
| 12/3/2019 3:27 | 54.4 | 59.4 | 43.5 |
| 12/3/2019 3:32 | 53.2 | 56.6 | 43.2 |
| 12/3/2019 3:37 | 56.5 | 58.8 | 44.2 |
| 12/3/2019 3:42 | 57.9 | 60.8 | 43.4 |
| 12/3/2019 3:47 | 51.0 | 53.6 | 43.4 |
| 12/3/2019 3:52 | 57.1 | 58.9 | 44.7 |
| 12/3/2019 3:57 | 58.4 | 62.4 | 44.6 |
| 12/3/2019 4:02 | 55.0 | 58.6 | 44.7 |
| 12/3/2019 4:07 | 59.0 | 55.7 | 44.1 |
| 12/3/2019 4:12 | 51.3 | 53.9 | 43.9 |
| 12/3/2019 4:17 | 54.1 | 57.2 | 45.8 |
| 12/3/2019 4:22 | 54.5 | 56.9 | 45.7 |
| 12/3/2019 4:27 | 57.8 | 61.7 | 46.5 |
| 12/3/2019 4:32 | 53.4 | 55.4 | 46.1 |
| 12/3/2019 4:37 | 57.8 | 61.0 | 46.0 |
| 12/3/2019 4:42 | 53.8 | 58.3 | 45.6 |
| 12/3/2019 4:47 | 56.3 | 59.5 | 45.8 |
| 12/3/2019 4:52 | 58.3 | 60.7 | 47.8 |
| 12/3/2019 4:57 | 58.7 | 62.5 | 48.4 |
| 12/3/2019 5:02 | 56.2 | 60.0 | 46.7 |
| 12/3/2019 5:07 | 59.2 | 63.4 | 45.9 |
| 12/3/2019 5:12 | 56.4 | 55.0 | 45.2 |
| 12/3/2019 5:17 | 57.7 | 59.8 | 47.7 |
| 12/3/2019 5:22 | 56.5 | 61.6 | 46.3 |
| 12/3/2019 5:27 | 58.2 | 62.8 | 47.4 |
| 12/3/2019 5:32 | 53.7 | 56.7 | 46.1 |
| 12/3/2019 5:37 | 60.4 | 62.4 | 47.9 |
| 12/3/2019 5:42 | 63.0 | 67.7 | 48.5 |
| 12/3/2019 5:47 | 58.7 | 63.8 | 47.7 |
| 12/3/2019 5:52 | 61.0 | 64.2 | 50.0 |
| 12/3/2019 5:57 | 57.1 | 60.9 | 49.2 |
| 12/3/2019 6:02 | 60.1 | 62.4 | 49.1 |
| 12/3/2019 6:07 | 62.5 | 66.9 | 49.3 |
| 12/3/2019 6:12 | 63.1 | 65.9 | 51.7 |
| 12/3/2019 6:17 | 61.7 | 66.1 | 50.8 |
| 12/3/2019 6:22 | 61.2 | 65.1 | 52.2 |
| 12/3/2019 6:27 | 62.8 | 66.8 | 53.2 |
| 12/3/2019 6:32 | 64.2 | 68.2 | 53.6 |
| 12/3/2019 6:37 | 65.6 | 70.1 | 53.0 |
| 12/3/2019 6:42 | 64.2 | 68.4 | 55.4 |
| 12/3/2019 6:47 | 65.4 | 68.6 | 56.6 |
| 12/3/2019 6:52 | 64.6 | 67.5 | 55.0 |
| 12/3/2019 6:57 | 66.5 | 71.6 | 55.1 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 23:02 | 61.3 | 65.4 | 52.6 |
| 12/3/2019 23:07 | 61.4 | 65.4 | 51.2 |
| 12/3/2019 23:12 | 60.8 | 65.0 | 50.9 |
| 12/3/2019 23:17 | 64.5 | 67.0 | 52.3 |
| 12/3/2019 23:22 | 59.1 | 63.2 | 51.0 |
| 12/3/2019 23:27 | 64.8 | 65.5 | 51.9 |
| 12/3/2019 23:32 | 63.6 | 67.8 | 51.5 |
| 12/3/2019 23:37 | 60.1 | 64.7 | 51.4 |
| 12/3/2019 23:42 | 61.5 | 65.5 | 51.4 |
| 12/3/2019 23:47 | 60.7 | 64.6 | 50.3 |
| 12/3/2019 23:52 | 62.6 | 67.4 | 50.6 |
| 12/3/2019 23:57 | 57.7 | 61.6 | 50.8 |
| 13/3/2019 0:02 | 60.9 | 64.9 | 51.0 |
| 13/3/2019 0:07 | 61.2 | 63.5 | 51.6 |
| 13/3/2019 0:12 | 60.1 | 64.8 | 51.6 |
| 13/3/2019 0:17 | 58.0 | 61.9 | 49.7 |
| 13/3/2019 0:22 | 55.4 | 58.8 | 50.0 |
| 13/3/2019 0:27 | 61.6 | 65.5 | 50.9 |
| 13/3/2019 0:32 | 58.7 | 63.0 | 50.3 |
| 13/3/2019 0:37 | 57.8 | 61.4 | 49.3 |
| 13/3/2019 0:42 | 56.5 | 60.2 | 49.7 |
| 13/3/2019 0:47 | 56.6 | 60.4 | 49.5 |
| 13/3/2019 0:52 | 59.0 | 62.5 | 50.1 |
| 13/3/2019 0:57 | 60.2 | 62.8 | 49.2 |
| 13/3/2019 1:02 | 59.5 | 63.8 | 48.9 |
| 13/3/2019 1:07 | 70.0 | 65.2 | 49.8 |
| 13/3/2019 1:12 | 67.7 | 66.4 | 50.9 |
| 13/3/2019 1:17 | 56.4 | 60.3 | 49.2 |
| 13/3/2019 1:22 | 57.3 | 61.3 | 48.5 |
| 13/3/2019 1:27 | 57.0 | 61.3 | 49.2 |
| 13/3/2019 1:32 | 53.5 | 56.2 | 46.9 |
| 13/3/2019 1:37 | 58.9 | 63.1 | 49.0 |
| 13/3/2019 1:42 | 55.8 | 60.7 | 47.6 |
| 13/3/2019 1:47 | 55.1 | 59.0 | 48.3 |
| 13/3/2019 1:52 | 60.8 | 63.2 | 47.1 |
| 13/3/2019 1:57 | 55.5 | 59.0 | 48.2 |
| 13/3/2019 2:02 | 56.8 | 59.9 | 48.3 |
| 13/3/2019 2:07 | 61.6 | 60.8 | 48.6 |
| 13/3/2019 2:12 | 58.4 | 61.9 | 47.8 |
| 13/3/2019 2:17 | 55.9 | 59.9 | 46.0 |
| 13/3/2019 2:22 | 60.7 | 62.7 | 45.6 |
| 13/3/2019 2:27 | 56.4 | 58.6 | 45.3 |
| 13/3/2019 2:32 | 54.9 | 59.1 | 46.1 |
| 13/3/2019 2:37 | 48.7 | 49.2 | 45.2 |
| 13/3/2019 2:42 | 54.4 | 57.2 | 45.8 |
| 13/3/2019 2:47 | 53.6 | 57.2 | 46.3 |
| 13/3/2019 2:52 | 56.6 | 59.2 | 45.8 |
| 13/3/2019 2:57 | 58.3 | 62.9 | 45.6 |
| 13/3/2019 3:02 | 55.0 | 58.3 | 46.1 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 3:07 | 56.2 | 59.3 | 46.0 |
| 13/3/2019 3:12 | 57.2 | 61.9 | 47.0 |
| 13/3/2019 3:17 | 55.3 | 58.1 | 45.4 |
| 13/3/2019 3:22 | 52.6 | 55.8 | 44.2 |
| 13/3/2019 3:27 | 54.4 | 56.0 | 44.9 |
| 13/3/2019 3:32 | 56.9 | 60.5 | 46.1 |
| 13/3/2019 3:37 | 52.4 | 56.5 | 44.4 |
| 13/3/2019 3:42 | 58.9 | 62.2 | 46.6 |
| 13/3/2019 3:47 | 57.8 | 60.3 | 45.9 |
| 13/3/2019 3:52 | 57.1 | 59.4 | 45.3 |
| 13/3/2019 3:57 | 58.3 | 61.4 | 46.0 |
| 13/3/2019 4:02 | 54.3 | 57.9 | 46.2 |
| 13/3/2019 4:07 | 58.5 | 59.1 | 46.3 |
| 13/3/2019 4:12 | 54.1 | 56.9 | 44.5 |
| 13/3/2019 4:17 | 52.1 | 55.2 | 44.7 |
| 13/3/2019 4:22 | 60.3 | 61.6 | 46.4 |
| 13/3/2019 4:27 | 56.9 | 60.6 | 45.0 |
| 13/3/2019 4:32 | 56.9 | 60.6 | 45.2 |
| 13/3/2019 4:37 | 53.7 | 55.5 | 45.2 |
| 13/3/2019 4:42 | 52.1 | 54.7 | 45.7 |
| 13/3/2019 4:47 | 53.0 | 55.6 | 46.3 |
| 13/3/2019 4:52 | 57.9 | 59.4 | 46.0 |
| 13/3/2019 4:57 | 53.8 | 57.1 | 45.5 |
| 13/3/2019 5:02 | 57.1 | 58.1 | 46.4 |
| 13/3/2019 5:07 | 54.8 | 56.8 | 46.8 |
| 13/3/2019 5:12 | 54.9 | 57.9 | 47.5 |
| 13/3/2019 5:17 | 53.4 | 56.2 | 47.2 |
| 13/3/2019 5:22 | 60.8 | 64.1 | 48.1 |
| 13/3/2019 5:27 | 57.1 | 60.9 | 47.0 |
| 13/3/2019 5:32 | 52.5 | 54.0 | 46.7 |
| 13/3/2019 5:37 | 60.0 | 64.7 | 47.5 |
| 13/3/2019 5:42 | 58.6 | 62.9 | 49.0 |
| 13/3/2019 5:47 | 59.6 | 61.0 | 48.9 |
| 13/3/2019 5:52 | 58.0 | 61.8 | 48.7 |
| 13/3/2019 5:57 | 57.8 | 61.1 | 50.2 |
| 13/3/2019 6:02 | 58.5 | 61.9 | 48.4 |
| 13/3/2019 6:07 | 59.4 | 63.6 | 49.9 |
| 13/3/2019 6:12 | 60.7 | 65.0 | 50.4 |
| 13/3/2019 6:17 | 62.9 | 66.1 | 51.6 |
| 13/3/2019 6:22 | 61.1 | 65.6 | 52.6 |
| 13/3/2019 6:27 | 63.0 | 66.4 | 53.2 |
| 13/3/2019 6:32 | 62.5 | 65.3 | 55.0 |
| 13/3/2019 6:37 | 63.1 | 66.8 | 55.8 |
| 13/3/2019 6:42 | 63.5 | 67.8 | 54.6 |
| 13/3/2019 6:47 | 63.6 | 67.4 | 54.9 |
| 13/3/2019 6:52 | 68.0 | 70.6 | 57.0 |
| 13/3/2019 6:57 | 65.5 | 69.0 | 56.2 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 23:02 | 63.1 | 67.3 | 53.6 |
| 13/3/2019 23:07 | 61.1 | 63.8 | 52.8 |
| 13/3/2019 23:12 | 59.5 | 62.9 | 53.3 |
| 13/3/2019 23:17 | 67.9 | 66.0 | 53.8 |
| 13/3/2019 23:22 | 61.4 | 64.3 | 54.1 |
| 13/3/2019 23:27 | 64.6 | 68.4 | 52.7 |
| 13/3/2019 23:32 | 65.9 | 68.1 | 53.3 |
| 13/3/2019 23:37 | 61.4 | 65.4 | 52.7 |
| 13/3/2019 23:42 | 62.0 | 63.8 | 52.7 |
| 13/3/2019 23:47 | 61.6 | 65.9 | 53.0 |
| 13/3/2019 23:52 | 69.3 | 70.0 | 52.3 |
| 13/3/2019 23:57 | 63.7 | 66.2 | 52.3 |
| 14/3/2019 0:02 | 62.8 | 65.7 | 53.0 |
| 14/3/2019 0:07 | 60.1 | 64.3 | 52.1 |
| 14/3/2019 0:12 | 60.2 | 64.1 | 51.7 |
| 14/3/2019 0:17 | 62.1 | 66.2 | 51.7 |
| 14/3/2019 0:22 | 58.5 | 62.7 | 50.2 |
| 14/3/2019 0:27 | 59.8 | 63.8 | 51.2 |
| 14/3/2019 0:32 | 57.6 | 61.5 | 50.7 |
| 14/3/2019 0:37 | 58.9 | 62.8 | 50.6 |
| 14/3/2019 0:42 | 59.6 | 64.2 | 50.2 |
| 14/3/2019 0:47 | 58.0 | 61.8 | 49.5 |
| 14/3/2019 0:52 | 58.0 | 60.0 | 49.7 |
| 14/3/2019 0:57 | 57.5 | 61.5 | 49.9 |
| 14/3/2019 1:02 | 66.7 | 66.8 | 50.2 |
| 14/3/2019 1:07 | 59.1 | 63.8 | 50.1 |
| 14/3/2019 1:12 | 56.8 | 60.7 | 50.0 |
| 14/3/2019 1:17 | 58.5 | 62.6 | 49.6 |
| 14/3/2019 1:22 | 56.1 | 60.9 | 49.2 |
| 14/3/2019 1:27 | 58.0 | 62.5 | 50.3 |
| 14/3/2019 1:32 | 58.1 | 62.6 | 49.6 |
| 14/3/2019 1:37 | 63.2 | 66.2 | 49.9 |
| 14/3/2019 1:42 | 57.3 | 60.9 | 48.5 |
| 14/3/2019 1:47 | 56.9 | 60.8 | 49.2 |
| 14/3/2019 1:52 | 56.6 | 60.2 | 48.2 |
| 14/3/2019 1:57 | 58.8 | 62.8 | 48.1 |
| 14/3/2019 2:02 | 62.9 | 61.6 | 46.8 |
| 14/3/2019 2:07 | 56.3 | 60.6 | 47.7 |
| 14/3/2019 2:12 | 55.3 | 59.3 | 47.7 |
| 14/3/2019 2:17 | 56.8 | 60.2 | 48.5 |
| 14/3/2019 2:22 | 61.8 | 65.1 | 49.1 |
| 14/3/2019 2:27 | 58.3 | 62.2 | 49.4 |
| 14/3/2019 2:32 | 56.5 | 58.9 | 49.1 |
| 14/3/2019 2:37 | 53.4 | 56.0 | 48.0 |
| 14/3/2019 2:42 | 56.8 | 60.7 | 48.7 |
| 14/3/2019 2:47 | 54.2 | 56.7 | 48.3 |
| 14/3/2019 2:52 | 55.1 | 57.8 | 48.2 |
| 14/3/2019 2:57 | 56.5 | 59.6 | 49.2 |
| 14/3/2019 3:02 | 60.5 | 63.9 | 49.2 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 3:07 | 58.1 | 59.7 | 48.9 |
| 14/3/2019 3:12 | 53.6 | 53.9 | 47.5 |
| 14/3/2019 3:17 | 55.4 | 58.9 | 47.4 |
| 14/3/2019 3:22 | 51.0 | 52.9 | 47.5 |
| 14/3/2019 3:27 | 52.9 | 54.1 | 47.5 |
| 14/3/2019 3:32 | 58.0 | 57.4 | 48.0 |
| 14/3/2019 3:37 | 58.4 | 59.5 | 47.8 |
| 14/3/2019 3:42 | 53.2 | 54.1 | 47.0 |
| 14/3/2019 3:47 | 52.8 | 55.9 | 47.2 |
| 14/3/2019 3:52 | 53.4 | 56.7 | 47.9 |
| 14/3/2019 3:57 | 50.9 | 52.6 | 46.9 |
| 14/3/2019 4:02 | 62.2 | 64.7 | 47.6 |
| 14/3/2019 4:07 | 60.4 | 63.9 | 48.3 |
| 14/3/2019 4:12 | 58.0 | 58.3 | 48.5 |
| 14/3/2019 4:17 | 56.6 | 59.7 | 48.4 |
| 14/3/2019 4:22 | 51.7 | 53.5 | 47.6 |
| 14/3/2019 4:27 | 54.6 | 56.4 | 48.2 |
| 14/3/2019 4:32 | 55.9 | 60.1 | 48.2 |
| 14/3/2019 4:37 | 56.9 | 60.6 | 48.7 |
| 14/3/2019 4:42 | 54.9 | 57.9 | 47.4 |
| 14/3/2019 4:47 | 57.7 | 59.9 | 47.5 |
| 14/3/2019 4:52 | 58.7 | 58.6 | 47.2 |
| 14/3/2019 4:57 | 53.6 | 57.2 | 48.1 |
| 14/3/2019 5:02 | 61.6 | 64.2 | 48.0 |
| 14/3/2019 5:07 | 54.6 | 57.7 | 47.3 |
| 14/3/2019 5:12 | 56.9 | 61.2 | 48.1 |
| 14/3/2019 5:17 | 59.2 | 62.8 | 47.6 |
| 14/3/2019 5:22 | 58.3 | 60.8 | 47.4 |
| 14/3/2019 5:27 | 56.1 | 58.9 | 48.6 |
| 14/3/2019 5:32 | 56.1 | 59.4 | 48.4 |
| 14/3/2019 5:37 | 61.9 | 64.5 | 49.5 |
| 14/3/2019 5:42 | 59.4 | 62.8 | 50.0 |
| 14/3/2019 5:47 | 59.3 | 63.4 | 49.8 |
| 14/3/2019 5:52 | 58.0 | 59.9 | 50.6 |
| 14/3/2019 5:57 | 58.8 | 61.9 | 51.7 |
| 14/3/2019 6:02 | 59.6 | 63.4 | 51.5 |
| 14/3/2019 6:07 | 62.7 | 65.6 | 51.8 |
| 14/3/2019 6:12 | 59.7 | 62.9 | 51.8 |
| 14/3/2019 6:17 | 59.8 | 63.5 | 53.4 |
| 14/3/2019 6:22 | 62.2 | 65.7 | 54.0 |
| 14/3/2019 6:27 | 62.0 | 66.0 | 54.3 |
| 14/3/2019 6:32 | 63.4 | 67.2 | 54.2 |
| 14/3/2019 6:37 | 64.7 | 66.6 | 54.1 |
| 14/3/2019 6:42 | 64.8 | 68.4 | 58.1 |
| 14/3/2019 6:47 | 65.8 | 68.8 | 57.7 |
| 14/3/2019 6:52 | 64.5 | 68.5 | 56.2 |
| 14/3/2019 6:57 | 65.4 | 68.7 | 55.0 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 23:03 | 60.5 | 63.4 | 54.2 |
| 14/3/2019 23:08 | 64.3 | 68.5 | 54.4 |
| 14/3/2019 23:13 | 61.1 | 64.1 | 54.6 |
| 14/3/2019 23:18 | 63.4 | 67.2 | 55.2 |
| 14/3/2019 23:23 | 63.4 | 68.2 | 54.3 |
| 14/3/2019 23:28 | 63.1 | 66.1 | 54.4 |
| 14/3/2019 23:33 | 64.8 | 67.7 | 55.9 |
| 14/3/2019 23:38 | 66.5 | 70.1 | 58.4 |
| 14/3/2019 23:43 | 66.9 | 70.2 | 59.8 |
| 14/3/2019 23:48 | 65.0 | 68.7 | 55.5 |
| 14/3/2019 23:53 | 65.4 | 68.7 | 55.7 |
| 14/3/2019 23:58 | 67.1 | 70.6 | 57.7 |
| 15/3/2019 0:03 | 65.0 | 67.2 | 55.3 |
| 15/3/2019 0:08 | 63.0 | 66.5 | 54.8 |
| 15/3/2019 0:13 | 63.2 | 67.6 | 53.2 |
| 15/3/2019 0:18 | 62.9 | 67.0 | 53.4 |
| 15/3/2019 0:23 | 63.9 | 67.9 | 54.4 |
| 15/3/2019 0:28 | 62.3 | 66.0 | 53.2 |
| 15/3/2019 0:33 | 61.5 | 66.2 | 53.3 |
| 15/3/2019 0:38 | 60.0 | 62.4 | 52.8 |
| 15/3/2019 0:43 | 61.4 | 66.0 | 52.4 |
| 15/3/2019 0:48 | 61.4 | 64.1 | 52.7 |
| 15/3/2019 0:53 | 63.0 | 68.5 | 52.6 |
| 15/3/2019 0:58 | 61.5 | 65.2 | 52.6 |
| 15/3/2019 1:03 | 61.5 | 65.4 | 52.1 |
| 15/3/2019 1:08 | 60.4 | 64.3 | 51.7 |
| 15/3/2019 1:13 | 58.6 | 62.5 | 50.8 |
| 15/3/2019 1:18 | 62.2 | 66.2 | 51.8 |
| 15/3/2019 1:23 | 56.9 | 59.7 | 50.9 |
| 15/3/2019 1:28 | 61.6 | 65.5 | 51.1 |
| 15/3/2019 1:33 | 59.8 | 63.1 | 52.3 |
| 15/3/2019 1:38 | 58.7 | 60.5 | 51.3 |
| 15/3/2019 1:43 | 63.1 | 66.3 | 52.4 |
| 15/3/2019 1:48 | 56.2 | 59.1 | 50.9 |
| 15/3/2019 1:53 | 60.2 | 65.1 | 50.8 |
| 15/3/2019 1:58 | 61.5 | 62.9 | 50.3 |
| 15/3/2019 2:03 | 56.7 | 58.3 | 49.0 |
| 15/3/2019 2:08 | 59.1 | 62.8 | 49.5 |
| 15/3/2019 2:13 | 71.5 | 63.3 | 49.7 |
| 15/3/2019 2:18 | 62.7 | 67.0 | 49.8 |
| 15/3/2019 2:23 | 59.0 | 62.5 | 50.4 |
| 15/3/2019 2:28 | 64.4 | 62.5 | 50.3 |
| 15/3/2019 2:33 | 60.8 | 64.1 | 50.8 |
| 15/3/2019 2:38 | 61.2 | 65.3 | 50.7 |
| 15/3/2019 2:43 | 57.9 | 57.8 | 50.0 |
| 15/3/2019 2:48 | 61.7 | 60.9 | 49.9 |
| 15/3/2019 2:53 | 54.9 | 57.7 | 49.1 |
| 15/3/2019 2:58 | 57.6 | 59.9 | 47.5 |
| 15/3/2019 3:03 | 52.2 | 53.9 | 47.2 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 15/3/2019 3:08 | 54.8 | 56.5 | 46.8 |
| 15/3/2019 3:13 | 59.8 | 62.8 | 48.9 |
| 15/3/2019 3:18 | 59.7 | 62.0 | 48.7 |
| 15/3/2019 3:23 | 59.5 | 61.2 | 47.8 |
| 15/3/2019 3:28 | 57.6 | 59.3 | 47.7 |
| 15/3/2019 3:33 | 59.3 | 62.1 | 49.2 |
| 15/3/2019 3:38 | 60.4 | 60.4 | 48.8 |
| 15/3/2019 3:43 | 58.6 | 62.1 | 49.9 |
| 15/3/2019 3:48 | 59.8 | 61.5 | 50.5 |
| 15/3/2019 3:53 | 59.1 | 62.7 | 50.0 |
| 15/3/2019 3:58 | 57.9 | 61.8 | 49.4 |
| 15/3/2019 4:03 | 59.4 | 61.2 | 49.3 |
| 15/3/2019 4:08 | 54.0 | 54.2 | 49.2 |
| 15/3/2019 4:13 | 59.8 | 62.3 | 49.4 |
| 15/3/2019 4:18 | 57.3 | 60.7 | 49.4 |
| 15/3/2019 4:23 | 58.5 | 62.3 | 49.3 |
| 15/3/2019 4:28 | 59.6 | 63.7 | 50.8 |
| 15/3/2019 4:33 | 57.3 | 61.1 | 49.4 |
| 15/3/2019 4:38 | 57.4 | 59.7 | 49.3 |
| 15/3/2019 4:43 | 63.4 | 61.7 | 49.2 |
| 15/3/2019 4:48 | 59.6 | 61.6 | 49.2 |
| 15/3/2019 4:53 | 59.8 | 62.1 | 51.2 |
| 15/3/2019 4:58 | 60.8 | 62.0 | 50.3 |
| 15/3/2019 5:03 | 57.1 | 57.6 | 49.8 |
| 15/3/2019 5:08 | 59.4 | 59.9 | 49.5 |
| 15/3/2019 5:13 | 61.0 | 64.2 | 48.2 |
| 15/3/2019 5:18 | 54.8 | 57.5 | 49.4 |
| 15/3/2019 5:23 | 57.2 | 61.4 | 49.4 |
| 15/3/2019 5:28 | 60.5 | 63.9 | 49.9 |
| 15/3/2019 5:33 | 59.0 | 61.5 | 49.5 |
| 15/3/2019 5:38 | 55.9 | 58.1 | 49.8 |
| 15/3/2019 5:43 | 60.2 | 64.0 | 50.9 |
| 15/3/2019 5:48 | 63.4 | 68.4 | 51.2 |
| 15/3/2019 5:53 | 62.3 | 66.1 | 51.7 |
| 15/3/2019 5:58 | 58.9 | 60.8 | 52.4 |
| 15/3/2019 6:03 | 61.4 | 65.0 | 52.5 |
| 15/3/2019 6:08 | 62.9 | 66.9 | 53.8 |
| 15/3/2019 6:13 | 61.4 | 65.0 | 53.6 |
| 15/3/2019 6:18 | 61.5 | 65.6 | 53.0 |
| 15/3/2019 6:23 | 68.0 | 70.3 | 54.4 |
| 15/3/2019 6:28 | 62.1 | 66.9 | 54.5 |
| 15/3/2019 6:33 | 65.5 | 69.4 | 54.9 |
| 15/3/2019 6:38 | 65.7 | 69.7 | 56.2 |
| 15/3/2019 6:43 | 68.1 | 72.1 | 57.1 |
| 15/3/2019 6:48 | 67.0 | 69.8 | 56.7 |
| 15/3/2019 6:53 | 63.6 | 67.8 | 56.2 |
| 15/3/2019 6:58 | 63.8 | 67.9 | 57.0 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 23:03 | 65.6 | 69.1 | 55.7 |
| 15/3/2019 23:08 | 64.5 | 69.2 | 56.0 |
| 15/3/2019 23:13 | 63.8 | 67.7 | 55.8 |
| 15/3/2019 23:18 | 65.7 | 70.5 | 55.0 |
| 15/3/2019 23:23 | 64.9 | 69.1 | 56.0 |
| 15/3/2019 23:28 | 62.2 | 65.7 | 54.1 |
| 15/3/2019 23:33 | 64.9 | 67.6 | 55.0 |
| 15/3/2019 23:38 | 62.5 | 63.8 | 54.3 |
| 15/3/2019 23:43 | 64.5 | 68.8 | 55.1 |
| 15/3/2019 23:48 | 66.5 | 71.4 | 53.9 |
| 15/3/2019 23:53 | 63.3 | 66.7 | 53.9 |
| 15/3/2019 23:58 | 62.9 | 67.1 | 54.7 |
| 16/3/2019 0:03 | 65.3 | 68.8 | 54.5 |
| 16/3/2019 0:08 | 62.2 | 65.8 | 53.7 |
| 16/3/2019 0:13 | 78.8 | 68.3 | 53.1 |
| 16/3/2019 0:18 | 65.4 | 69.7 | 54.8 |
| 16/3/2019 0:23 | 65.2 | 69.5 | 54.3 |
| 16/3/2019 0:28 | 61.9 | 65.9 | 53.1 |
| 16/3/2019 0:33 | 64.1 | 68.4 | 53.0 |
| 16/3/2019 0:38 | 61.8 | 66.0 | 51.9 |
| 16/3/2019 0:43 | 62.6 | 67.4 | 53.0 |
| 16/3/2019 0:48 | 59.5 | 63.0 | 52.3 |
| 16/3/2019 0:53 | 63.6 | 66.1 | 52.1 |
| 16/3/2019 0:58 | 62.4 | 65.8 | 51.6 |
| 16/3/2019 1:03 | 62.6 | 67.0 | 52.8 |
| 16/3/2019 1:08 | 62.6 | 64.6 | 52.2 |
| 16/3/2019 1:13 | 60.1 | 63.5 | 50.9 |
| 16/3/2019 1:18 | 62.4 | 67.2 | 52.0 |
| 16/3/2019 1:23 | 62.9 | 66.9 | 52.3 |
| 16/3/2019 1:28 | 60.2 | 63.7 | 51.3 |
| 16/3/2019 1:33 | 60.7 | 64.4 | 51.7 |
| 16/3/2019 1:38 | 60.1 | 62.0 | 51.8 |
| 16/3/2019 1:43 | 61.7 | 64.2 | 51.3 |
| 16/3/2019 1:48 | 62.2 | 64.4 | 51.2 |
| 16/3/2019 1:53 | 65.5 | 66.3 | 52.4 |
| 16/3/2019 1:58 | 60.0 | 63.1 | 51.4 |
| 16/3/2019 2:03 | 62.7 | 66.1 | 51.3 |
| 16/3/2019 2:08 | 60.6 | 63.9 | 51.6 |
| 16/3/2019 2:13 | 61.9 | 66.2 | 51.2 |
| 16/3/2019 2:18 | 60.1 | 62.5 | 51.1 |
| 16/3/2019 2:23 | 65.3 | 68.1 | 51.0 |
| 16/3/2019 2:28 | 58.3 | 60.9 | 50.7 |
| 16/3/2019 2:33 | 61.8 | 63.1 | 51.0 |
| 16/3/2019 2:38 | 61.7 | 66.0 | 50.9 |
| 16/3/2019 2:43 | 58.1 | 61.0 | 49.8 |
| 16/3/2019 2:48 | 61.2 | 64.1 | 50.0 |
| 16/3/2019 2:53 | 57.3 | 58.4 | 49.9 |
| 16/3/2019 2:58 | 60.8 | 64.4 | 49.7 |
| 16/3/2019 3:03 | 60.2 | 64.4 | 49.4 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 3:08 | 57.5 | 58.9 | 49.7 |
| 16/3/2019 3:13 | 56.7 | 59.4 | 49.4 |
| 16/3/2019 3:18 | 60.6 | 64.7 | 49.5 |
| 16/3/2019 3:23 | 58.0 | 59.9 | 49.2 |
| 16/3/2019 3:28 | 58.6 | 62.7 | 48.5 |
| 16/3/2019 3:33 | 58.7 | 62.1 | 48.3 |
| 16/3/2019 3:38 | 61.5 | 63.5 | 48.7 |
| 16/3/2019 3:43 | 57.7 | 60.7 | 49.2 |
| 16/3/2019 3:48 | 60.3 | 63.2 | 48.6 |
| 16/3/2019 3:53 | 60.3 | 61.3 | 47.9 |
| 16/3/2019 3:58 | 59.1 | 60.6 | 47.6 |
| 16/3/2019 4:03 | 60.8 | 62.7 | 48.1 |
| 16/3/2019 4:08 | 59.8 | 62.1 | 48.2 |
| 16/3/2019 4:13 | 66.2 | 70.1 | 49.5 |
| 16/3/2019 4:18 | 61.9 | 63.6 | 49.2 |
| 16/3/2019 4:23 | 57.9 | 58.9 | 48.4 |
| 16/3/2019 4:28 | 61.1 | 63.9 | 49.4 |
| 16/3/2019 4:33 | 59.1 | 61.4 | 48.5 |
| 16/3/2019 4:38 | 56.8 | 56.9 | 48.1 |
| 16/3/2019 4:43 | 61.4 | 62.6 | 48.2 |
| 16/3/2019 4:48 | 61.2 | 64.0 | 48.4 |
| 16/3/2019 4:53 | 59.7 | 61.6 | 48.2 |
| 16/3/2019 4:58 | 57.1 | 59.3 | 47.7 |
| 16/3/2019 5:03 | 59.8 | 62.3 | 48.2 |
| 16/3/2019 5:08 | 56.7 | 59.1 | 47.7 |
| 16/3/2019 5:13 | 55.5 | 58.6 | 48.6 |
| 16/3/2019 5:18 | 58.6 | 61.7 | 48.4 |
| 16/3/2019 5:23 | 61.4 | 65.4 | 48.9 |
| 16/3/2019 5:28 | 62.9 | 65.1 | 48.5 |
| 16/3/2019 5:33 | 58.4 | 60.5 | 49.2 |
| 16/3/2019 5:38 | 64.0 | 65.8 | 49.4 |
| 16/3/2019 5:43 | 61.7 | 66.1 | 50.0 |
| 16/3/2019 5:48 | 59.7 | 61.8 | 49.9 |
| 16/3/2019 5:53 | 62.4 | 66.7 | 49.5 |
| 16/3/2019 5:58 | 62.8 | 66.4 | 50.7 |
| 16/3/2019 6:03 | 61.8 | 65.3 | 50.1 |
| 16/3/2019 6:08 | 62.9 | 66.2 | 52.2 |
| 16/3/2019 6:13 | 63.9 | 67.9 | 52.0 |
| 16/3/2019 6:18 | 60.9 | 64.6 | 52.3 |
| 16/3/2019 6:23 | 66.6 | 68.2 | 54.0 |
| 16/3/2019 6:28 | 65.7 | 69.8 | 53.6 |
| 16/3/2019 6:33 | 65.8 | 67.6 | 54.2 |
| 16/3/2019 6:38 | 63.5 | 67.2 | 54.0 |
| 16/3/2019 6:43 | 67.9 | 70.3 | 55.0 |
| 16/3/2019 6:48 | 65.9 | 69.9 | 56.0 |
| 16/3/2019 6:53 | 67.8 | 71.3 | 58.2 |
| 16/3/2019 6:58 | 67.1 | 70.9 | 57.0 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 23:03 | 62.8 | 66.7 | 52.2 |
| 16/3/2019 23:08 | 60.5 | 64.6 | 52.4 |
| 16/3/2019 23:13 | 61.4 | 65.4 | 52.1 |
| 16/3/2019 23:18 | 61.7 | 65.5 | 53.7 |
| 16/3/2019 23:23 | 59.4 | 64.3 | 49.4 |
| 16/3/2019 23:28 | 61.2 | 64.9 | 51.9 |
| 16/3/2019 23:33 | 62.1 | 65.4 | 52.4 |
| 16/3/2019 23:38 | 60.7 | 64.7 | 53.0 |
| 16/3/2019 23:43 | 58.4 | 63.2 | 50.6 |
| 16/3/2019 23:48 | 59.9 | 62.7 | 50.6 |
| 16/3/2019 23:53 | 60.1 | 64.4 | 50.7 |
| 16/3/2019 23:58 | 63.7 | 66.6 | 53.6 |
| 17/3/2019 0:03 | 61.5 | 65.5 | 50.9 |
| 17/3/2019 0:08 | 60.8 | 65.0 | 51.8 |
| 17/3/2019 0:13 | 60.2 | 64.4 | 50.4 |
| 17/3/2019 0:18 | 58.5 | 63.6 | 49.9 |
| 17/3/2019 0:23 | 61.9 | 67.3 | 50.1 |
| 17/3/2019 0:28 | 60.6 | 65.1 | 49.9 |
| 17/3/2019 0:33 | 57.4 | 59.7 | 49.7 |
| 17/3/2019 0:38 | 55.9 | 59.1 | 48.7 |
| 17/3/2019 0:43 | 60.3 | 63.0 | 49.0 |
| 17/3/2019 0:48 | 58.8 | 63.5 | 50.0 |
| 17/3/2019 0:53 | 60.8 | 63.1 | 50.1 |
| 17/3/2019 0:58 | 58.7 | 62.0 | 51.9 |
| 17/3/2019 1:03 | 57.2 | 61.0 | 48.6 |
| 17/3/2019 1:08 | 59.3 | 62.9 | 48.7 |
| 17/3/2019 1:13 | 57.0 | 61.1 | 48.8 |
| 17/3/2019 1:18 | 57.3 | 60.0 | 49.0 |
| 17/3/2019 1:23 | 56.8 | 61.1 | 47.7 |
| 17/3/2019 1:28 | 54.0 | 58.0 | 47.7 |
| 17/3/2019 1:33 | 57.5 | 61.4 | 49.4 |
| 17/3/2019 1:38 | 58.5 | 61.9 | 48.0 |
| 17/3/2019 1:43 | 56.2 | 59.4 | 48.0 |
| 17/3/2019 1:48 | 56.6 | 60.5 | 48.4 |
| 17/3/2019 1:53 | 55.4 | 58.4 | 47.3 |
| 17/3/2019 1:58 | 55.7 | 58.3 | 47.0 |
| 17/3/2019 2:03 | 60.0 | 63.1 | 48.4 |
| 17/3/2019 2:08 | 56.9 | 60.9 | 48.4 |
| 17/3/2019 2:13 | 57.1 | 60.3 | 49.3 |
| 17/3/2019 2:18 | 60.1 | 60.8 | 48.6 |
| 17/3/2019 2:23 | 62.3 | 66.2 | 48.4 |
| 17/3/2019 2:28 | 58.1 | 61.7 | 48.7 |
| 17/3/2019 2:33 | 56.4 | 59.8 | 47.8 |
| 17/3/2019 2:38 | 57.2 | 61.5 | 47.4 |
| 17/3/2019 2:43 | 52.4 | 55.3 | 47.4 |
| 17/3/2019 2:48 | 57.9 | 61.3 | 48.1 |
| 17/3/2019 2:53 | 57.4 | 61.1 | 47.8 |
| 17/3/2019 2:58 | 57.1 | 58.9 | 47.3 |
| 17/3/2019 3:03 | 59.0 | 60.2 | 47.6 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 17/3/2019 3:08 | 54.5 | 56.9 | 47.8 |
| 17/3/2019 3:13 | 56.2 | 59.3 | 48.3 |
| 17/3/2019 3:18 | 56.5 | 60.7 | 48.0 |
| 17/3/2019 3:23 | 56.4 | 59.4 | 46.7 |
| 17/3/2019 3:28 | 53.8 | 55.8 | 46.4 |
| 17/3/2019 3:33 | 53.5 | 57.0 | 46.7 |
| 17/3/2019 3:38 | 59.9 | 62.6 | 47.8 |
| 17/3/2019 3:43 | 56.4 | 59.0 | 47.6 |
| 17/3/2019 3:48 | 57.3 | 61.3 | 48.1 |
| 17/3/2019 3:53 | 55.6 | 59.7 | 46.5 |
| 17/3/2019 3:58 | 52.5 | 54.9 | 46.4 |
| 17/3/2019 4:03 | 57.9 | 61.3 | 47.6 |
| 17/3/2019 4:08 | 55.7 | 56.8 | 46.4 |
| 17/3/2019 4:13 | 53.8 | 57.4 | 47.2 |
| 17/3/2019 4:18 | 55.1 | 58.5 | 45.8 |
| 17/3/2019 4:23 | 54.1 | 57.7 | 46.3 |
| 17/3/2019 4:28 | 55.8 | 58.5 | 47.1 |
| 17/3/2019 4:33 | 58.7 | 57.4 | 47.1 |
| 17/3/2019 4:38 | 56.2 | 59.6 | 46.8 |
| 17/3/2019 4:43 | 55.1 | 56.8 | 46.0 |
| 17/3/2019 4:48 | 54.1 | 58.0 | 46.5 |
| 17/3/2019 4:53 | 53.3 | 54.6 | 45.8 |
| 17/3/2019 4:58 | 54.8 | 57.2 | 46.0 |
| 17/3/2019 5:03 | 55.7 | 58.1 | 46.5 |
| 17/3/2019 5:08 | 56.6 | 60.2 | 47.4 |
| 17/3/2019 5:13 | 52.7 | 55.2 | 47.0 |
| 17/3/2019 5:18 | 58.6 | 61.4 | 47.9 |
| 17/3/2019 5:23 | 56.0 | 59.1 | 46.2 |
| 17/3/2019 5:28 | 56.5 | 60.1 | 48.1 |
| 17/3/2019 5:33 | 59.5 | 60.8 | 48.5 |
| 17/3/2019 5:38 | 57.9 | 58.6 | 47.9 |
| 17/3/2019 5:43 | 56.9 | 60.4 | 48.7 |
| 17/3/2019 5:48 | 56.9 | 60.5 | 48.2 |
| 17/3/2019 5:53 | 55.3 | 58.7 | 47.9 |
| 17/3/2019 5:58 | 52.4 | 55.5 | 48.6 |
| 17/3/2019 6:03 | 56.2 | 59.4 | 48.8 |
| 17/3/2019 6:08 | 56.6 | 60.2 | 48.6 |
| 17/3/2019 6:13 | 59.0 | 64.1 | 50.1 |
| 17/3/2019 6:18 | 59.3 | 62.4 | 50.0 |
| 17/3/2019 6:23 | 61.3 | 64.6 | 51.1 |
| 17/3/2019 6:28 | 55.0 | 58.6 | 49.4 |
| 17/3/2019 6:33 | 59.8 | 62.5 | 50.1 |
| 17/3/2019 6:38 | 58.1 | 62.2 | 51.4 |
| 17/3/2019 6:43 | 62.3 | 66.0 | 50.5 |
| 17/3/2019 6:48 | 61.8 | 66.0 | 50.5 |
| 17/3/2019 6:53 | 59.3 | 61.5 | 51.9 |
| 17/3/2019 6:58 | 60.0 | 62.7 | 51.1 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 23:03 | 59.9 | 64.4 | 51.2 |
| 17/3/2019 23:08 | 63.4 | 66.4 | 53.2 |
| 17/3/2019 23:13 | 65.9 | 65.3 | 51.7 |
| 17/3/2019 23:18 | 59.4 | 62.6 | 50.9 |
| 17/3/2019 23:23 | 60.6 | 63.5 | 51.4 |
| 17/3/2019 23:28 | 64.0 | 64.1 | 50.4 |
| 17/3/2019 23:33 | 61.5 | 65.1 | 52.2 |
| 17/3/2019 23:38 | 61.4 | 63.1 | 49.9 |
| 17/3/2019 23:43 | 60.3 | 64.9 | 50.2 |
| 17/3/2019 23:48 | 61.8 | 65.9 | 50.9 |
| 17/3/2019 23:53 | 60.3 | 63.6 | 49.7 |
| 17/3/2019 23:58 | 60.4 | 63.2 | 49.8 |
| 18/3/2019 0:03 | 59.9 | 62.7 | 50.2 |
| 18/3/2019 0:08 | 60.4 | 65.5 | 48.8 |
| 18/3/2019 0:13 | 57.4 | 60.5 | 48.5 |
| 18/3/2019 0:18 | 68.8 | 71.3 | 49.4 |
| 18/3/2019 0:23 | 59.4 | 64.1 | 49.0 |
| 18/3/2019 0:28 | 59.3 | 63.7 | 48.5 |
| 18/3/2019 0:33 | 59.5 | 64.1 | 49.4 |
| 18/3/2019 0:38 | 59.6 | 62.8 | 49.0 |
| 18/3/2019 0:43 | 56.9 | 60.4 | 48.2 |
| 18/3/2019 0:48 | 54.9 | 57.8 | 47.2 |
| 18/3/2019 0:53 | 59.0 | 62.5 | 48.5 |
| 18/3/2019 0:58 | 54.4 | 57.5 | 47.2 |
| 18/3/2019 1:03 | 61.4 | 65.5 | 48.1 |
| 18/3/2019 1:08 | 56.2 | 60.9 | 46.6 |
| 18/3/2019 1:13 | 55.9 | 59.7 | 47.7 |
| 18/3/2019 1:18 | 61.7 | 63.1 | 48.6 |
| 18/3/2019 1:23 | 55.7 | 59.1 | 48.2 |
| 18/3/2019 1:28 | 55.7 | 58.8 | 47.3 |
| 18/3/2019 1:33 | 54.5 | 58.4 | 48.1 |
| 18/3/2019 1:38 | 57.8 | 62.3 | 48.6 |
| 18/3/2019 1:43 | 55.1 | 58.1 | 46.7 |
| 18/3/2019 1:48 | 55.4 | 58.5 | 46.7 |
| 18/3/2019 1:53 | 55.6 | 58.8 | 47.6 |
| 18/3/2019 1:58 | 53.9 | 56.2 | 46.7 |
| 18/3/2019 2:03 | 57.2 | 60.8 | 47.7 |
| 18/3/2019 2:08 | 53.2 | 56.1 | 46.4 |
| 18/3/2019 2:13 | 54.5 | 57.3 | 46.8 |
| 18/3/2019 2:18 | 57.2 | 59.4 | 47.2 |
| 18/3/2019 2:23 | 56.6 | 60.0 | 46.7 |
| 18/3/2019 2:28 | 55.1 | 58.8 | 46.7 |
| 18/3/2019 2:33 | 58.0 | 60.7 | 45.8 |
| 18/3/2019 2:38 | 55.7 | 59.4 | 46.9 |
| 18/3/2019 2:43 | 53.2 | 55.4 | 47.1 |
| 18/3/2019 2:48 | 55.9 | 59.8 | 46.2 |
| 18/3/2019 2:53 | 55.3 | 58.9 | 46.2 |
| 18/3/2019 2:58 | 52.5 | 56.3 | 45.5 |
| 18/3/2019 3:03 | 57.8 | 61.2 | 46.5 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 3:08 | 57.4 | 61.4 | 46.4 |
| 18/3/2019 3:13 | 54.4 | 55.8 | 46.5 |
| 18/3/2019 3:18 | 51.1 | 53.7 | 46.2 |
| 18/3/2019 3:23 | 52.4 | 55.9 | 46.9 |
| 18/3/2019 3:28 | 58.1 | 59.9 | 46.7 |
| 18/3/2019 3:33 | 53.6 | 52.8 | 45.0 |
| 18/3/2019 3:38 | 55.5 | 59.5 | 46.4 |
| 18/3/2019 3:43 | 53.9 | 59.4 | 45.5 |
| 18/3/2019 3:48 | 53.9 | 56.6 | 46.2 |
| 18/3/2019 3:53 | 59.5 | 60.6 | 46.4 |
| 18/3/2019 3:58 | 56.5 | 60.5 | 45.8 |
| 18/3/2019 4:03 | 53.6 | 56.7 | 45.4 |
| 18/3/2019 4:08 | 56.6 | 59.5 | 45.8 |
| 18/3/2019 4:13 | 54.7 | 56.8 | 45.7 |
| 18/3/2019 4:18 | 54.2 | 55.7 | 45.0 |
| 18/3/2019 4:23 | 56.4 | 60.1 | 45.3 |
| 18/3/2019 4:28 | 55.3 | 58.5 | 45.6 |
| 18/3/2019 4:33 | 53.3 | 56.5 | 45.0 |
| 18/3/2019 4:38 | 55.1 | 57.2 | 44.7 |
| 18/3/2019 4:43 | 55.7 | 57.7 | 44.3 |
| 18/3/2019 4:48 | 55.8 | 59.1 | 44.9 |
| 18/3/2019 4:53 | 55.3 | 59.4 | 45.1 |
| 18/3/2019 4:58 | 53.5 | 56.5 | 45.8 |
| 18/3/2019 5:03 | 60.5 | 62.2 | 46.5 |
| 18/3/2019 5:08 | 55.4 | 58.8 | 45.3 |
| 18/3/2019 5:13 | 53.3 | 56.0 | 45.2 |
| 18/3/2019 5:18 | 53.3 | 57.2 | 46.4 |
| 18/3/2019 5:23 | 59.9 | 62.7 | 46.8 |
| 18/3/2019 5:28 | 55.2 | 59.2 | 45.3 |
| 18/3/2019 5:33 | 52.6 | 55.8 | 46.0 |
| 18/3/2019 5:38 | 61.2 | 66.4 | 47.5 |
| 18/3/2019 5:43 | 58.5 | 63.3 | 47.4 |
| 18/3/2019 5:48 | 61.0 | 63.3 | 46.6 |
| 18/3/2019 5:53 | 54.9 | 57.2 | 47.3 |
| 18/3/2019 5:58 | 55.0 | 58.1 | 47.1 |
| 18/3/2019 6:03 | 57.5 | 60.4 | 46.9 |
| 18/3/2019 6:08 | 61.6 | 60.5 | 48.8 |
| 18/3/2019 6:13 | 60.8 | 64.7 | 50.3 |
| 18/3/2019 6:18 | 61.1 | 65.5 | 51.2 |
| 18/3/2019 6:23 | 62.4 | 66.2 | 52.4 |
| 18/3/2019 6:28 | 61.7 | 64.9 | 52.3 |
| 18/3/2019 6:33 | 65.3 | 68.6 | 56.1 |
| 18/3/2019 6:38 | 61.9 | 66.1 | 52.8 |
| 18/3/2019 6:43 | 63.2 | 66.1 | 54.2 |
| 18/3/2019 6:48 | 66.9 | 71.3 | 53.6 |
| 18/3/2019 6:53 | 63.4 | 67.9 | 53.4 |
| 18/3/2019 6:58 | 66.2 | 69.6 | 55.7 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 23:01 | 58.7 | 62.7 | 50.1 |
| 18/3/2019 23:06 | 60.5 | 64.6 | 50.7 |
| 18/3/2019 23:11 | 63.0 | 66.0 | 51.9 |
| 18/3/2019 23:16 | 58.9 | 63.1 | 49.3 |
| 18/3/2019 23:21 | 59.4 | 63.5 | 48.6 |
| 18/3/2019 23:26 | 59.4 | 63.4 | 50.1 |
| 18/3/2019 23:31 | 63.6 | 67.2 | 53.2 |
| 18/3/2019 23:36 | 61.7 | 65.6 | 50.7 |
| 18/3/2019 23:41 | 59.4 | 62.6 | 49.9 |
| 18/3/2019 23:46 | 61.8 | 66.2 | 48.4 |
| 18/3/2019 23:51 | 62.1 | 66.0 | 52.0 |
| 18/3/2019 23:56 | 59.1 | 62.3 | 49.7 |
| 19/3/2019 0:01 | 59.8 | 64.0 | 48.2 |
| 19/3/2019 0:06 | 61.5 | 64.7 | 48.1 |
| 19/3/2019 0:11 | 60.4 | 64.4 | 49.1 |
| 19/3/2019 0:16 | 57.0 | 60.7 | 47.0 |
| 19/3/2019 0:21 | 61.5 | 65.6 | 48.1 |
| 19/3/2019 0:26 | 59.5 | 63.8 | 47.3 |
| 19/3/2019 0:31 | 57.1 | 61.2 | 46.9 |
| 19/3/2019 0:36 | 57.3 | 62.1 | 47.7 |
| 19/3/2019 0:41 | 60.3 | 64.5 | 49.0 |
| 19/3/2019 0:46 | 63.7 | 64.4 | 47.6 |
| 19/3/2019 0:51 | 61.2 | 65.8 | 49.4 |
| 19/3/2019 0:56 | 57.5 | 61.7 | 47.8 |
| 19/3/2019 1:01 | 56.0 | 59.4 | 47.1 |
| 19/3/2019 1:06 | 59.1 | 63.9 | 48.7 |
| 19/3/2019 1:11 | 57.2 | 60.9 | 47.6 |
| 19/3/2019 1:16 | 56.6 | 60.8 | 46.7 |
| 19/3/2019 1:21 | 58.7 | 63.7 | 46.8 |
| 19/3/2019 1:26 | 58.1 | 62.1 | 47.3 |
| 19/3/2019 1:31 | 53.5 | 55.0 | 46.5 |
| 19/3/2019 1:36 | 58.3 | 61.6 | 48.2 |
| 19/3/2019 1:41 | 55.7 | 58.9 | 47.5 |
| 19/3/2019 1:46 | 52.8 | 55.5 | 47.3 |
| 19/3/2019 1:51 | 56.3 | 59.7 | 48.7 |
| 19/3/2019 1:56 | 57.5 | 62.4 | 47.0 |
| 19/3/2019 2:01 | 55.3 | 58.5 | 47.7 |
| 19/3/2019 2:06 | 56.2 | 59.3 | 47.4 |
| 19/3/2019 2:11 | 53.8 | 57.6 | 45.9 |
| 19/3/2019 2:16 | 57.2 | 61.1 | 46.0 |
| 19/3/2019 2:21 | 56.0 | 59.8 | 45.7 |
| 19/3/2019 2:26 | 52.7 | 55.1 | 44.5 |
| 19/3/2019 2:31 | 54.9 | 56.9 | 45.0 |
| 19/3/2019 2:36 | 61.6 | 61.7 | 45.3 |
| 19/3/2019 2:41 | 58.1 | 62.9 | 44.7 |
| 19/3/2019 2:46 | 52.5 | 55.9 | 44.9 |
| 19/3/2019 2:51 | 55.0 | 55.7 | 45.2 |
| 19/3/2019 2:56 | 53.3 | 56.0 | 45.4 |
| 19/3/2019 3:01 | 54.0 | 56.3 | 45.9 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 19/3/2019 3:06 | 55.5 | 58.1 | 46.6 |
| 19/3/2019 3:11 | 53.6 | 55.9 | 45.8 |
| 19/3/2019 3:16 | 55.9 | 59.3 | 44.7 |
| 19/3/2019 3:21 | 50.8 | 52.0 | 44.3 |
| 19/3/2019 3:26 | 53.9 | 57.3 | 46.0 |
| 19/3/2019 3:31 | 57.5 | 61.0 | 45.1 |
| 19/3/2019 3:36 | 54.3 | 57.8 | 44.4 |
| 19/3/2019 3:41 | 56.0 | 58.5 | 45.5 |
| 19/3/2019 3:46 | 55.5 | 58.3 | 45.4 |
| 19/3/2019 3:51 | 52.7 | 53.8 | 46.1 |
| 19/3/2019 3:56 | 53.8 | 54.9 | 45.9 |
| 19/3/2019 4:01 | 53.7 | 56.3 | 46.7 |
| 19/3/2019 4:06 | 53.4 | 54.0 | 46.4 |
| 19/3/2019 4:11 | 52.6 | 56.2 | 46.1 |
| 19/3/2019 4:16 | 53.6 | 56.6 | 46.4 |
| 19/3/2019 4:21 | 52.8 | 55.0 | 45.4 |
| 19/3/2019 4:26 | 53.5 | 56.3 | 46.3 |
| 19/3/2019 4:31 | 58.4 | 60.8 | 47.2 |
| 19/3/2019 4:36 | 56.9 | 61.0 | 47.6 |
| 19/3/2019 4:41 | 56.4 | 58.9 | 47.3 |
| 19/3/2019 4:46 | 55.1 | 55.7 | 45.3 |
| 19/3/2019 4:51 | 55.3 | 59.5 | 45.5 |
| 19/3/2019 4:56 | 51.8 | 53.4 | 44.6 |
| 19/3/2019 5:01 | 54.9 | 55.0 | 44.7 |
| 19/3/2019 5:06 | 57.3 | 60.5 | 45.9 |
| 19/3/2019 5:11 | 60.8 | 61.7 | 47.0 |
| 19/3/2019 5:16 | 56.4 | 58.9 | 46.4 |
| 19/3/2019 5:21 | 57.7 | 61.7 | 46.4 |
| 19/3/2019 5:26 | 57.3 | 62.0 | 46.5 |
| 19/3/2019 5:31 | 54.2 | 57.0 | 47.1 |
| 19/3/2019 5:36 | 57.8 | 62.3 | 48.0 |
| 19/3/2019 5:41 | 59.3 | 63.3 | 48.3 |
| 19/3/2019 5:46 | 58.7 | 63.0 | 48.3 |
| 19/3/2019 5:51 | 56.4 | 59.3 | 47.8 |
| 19/3/2019 5:56 | 58.2 | 60.4 | 49.9 |
| 19/3/2019 6:01 | 56.1 | 59.6 | 49.4 |
| 19/3/2019 6:06 | 62.9 | 65.9 | 48.9 |
| 19/3/2019 6:11 | 59.8 | 63.4 | 48.4 |
| 19/3/2019 6:16 | 60.3 | 64.5 | 50.1 |
| 19/3/2019 6:21 | 61.2 | 64.5 | 51.3 |
| 19/3/2019 6:26 | 63.4 | 67.7 | 53.4 |
| 19/3/2019 6:31 | 65.2 | 69.6 | 54.3 |
| 19/3/2019 6:36 | 62.9 | 67.0 | 52.1 |
| 19/3/2019 6:41 | 60.4 | 63.8 | 53.0 |
| 19/3/2019 6:46 | 66.2 | 68.8 | 54.9 |
| 19/3/2019 6:51 | 65.9 | 70.4 | 54.8 |
| 19/3/2019 6:56 | 63.6 | 67.6 | 54.8 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 19/3/2019 23:01 | 66.2 | 67.7 | 50.5 |
| 19/3/2019 23:06 | 60.5 | 64.0 | 51.5 |
| 19/3/2019 23:11 | 72.5 | 70.9 | 51.1 |
| 19/3/2019 23:16 | 60.3 | 64.6 | 49.8 |
| 19/3/2019 23:21 | 59.6 | 60.7 | 49.3 |
| 19/3/2019 23:26 | 60.9 | 65.4 | 48.9 |
| 19/3/2019 23:31 | 62.0 | 65.4 | 48.1 |
| 19/3/2019 23:36 | 60.8 | 63.8 | 50.6 |
| 19/3/2019 23:41 | 60.7 | 61.5 | 48.8 |
| 19/3/2019 23:46 | 62.1 | 65.7 | 50.3 |
| 19/3/2019 23:51 | 58.3 | 62.1 | 48.1 |
| 19/3/2019 23:56 | 60.5 | 64.8 | 49.7 |
| 20/3/2019 0:01 | 62.8 | 65.8 | 47.9 |
| 20/3/2019 0:06 | 63.3 | 64.5 | 48.6 |
| 20/3/2019 0:11 | 58.9 | 62.6 | 48.3 |
| 20/3/2019 0:16 | 60.5 | 65.6 | 47.8 |
| 20/3/2019 0:21 | 58.3 | 63.0 | 47.0 |
| 20/3/2019 0:26 | 59.5 | 64.3 | 47.0 |
| 20/3/2019 0:31 | 58.8 | 63.1 | 47.0 |
| 20/3/2019 0:36 | 59.7 | 63.8 | 48.0 |
| 20/3/2019 0:41 | 58.2 | 61.9 | 46.4 |
| 20/3/2019 0:46 | 54.7 | 57.7 | 46.7 |
| 20/3/2019 0:51 | 59.0 | 61.7 | 45.7 |
| 20/3/2019 0:56 | 59.6 | 63.2 | 46.7 |
| 20/3/2019 1:01 | 56.3 | 61.2 | 45.6 |
| 20/3/2019 1:06 | 55.8 | 60.1 | 45.7 |
| 20/3/2019 1:11 | 55.4 | 56.8 | 44.5 |
| 20/3/2019 1:16 | 55.0 | 56.5 | 44.7 |
| 20/3/2019 1:21 | 56.8 | 61.2 | 45.4 |
| 20/3/2019 1:26 | 55.7 | 58.9 | 44.7 |
| 20/3/2019 1:31 | 59.6 | 63.6 | 46.3 |
| 20/3/2019 1:36 | 60.0 | 64.1 | 44.6 |
| 20/3/2019 1:41 | 55.4 | 57.6 | 45.3 |
| 20/3/2019 1:46 | 54.6 | 57.7 | 43.8 |
| 20/3/2019 1:51 | 57.4 | 58.5 | 44.2 |
| 20/3/2019 1:56 | 55.4 | 58.7 | 44.3 |
| 20/3/2019 2:01 | 52.5 | 54.7 | 44.8 |
| 20/3/2019 2:06 | 62.7 | 65.9 | 46.5 |
| 20/3/2019 2:11 | 55.7 | 58.9 | 44.5 |
| 20/3/2019 2:16 | 55.3 | 59.8 | 45.3 |
| 20/3/2019 2:21 | 57.5 | 60.7 | 45.3 |
| 20/3/2019 2:26 | 54.8 | 58.5 | 44.3 |
| 20/3/2019 2:31 | 58.6 | 60.5 | 44.1 |
| 20/3/2019 2:36 | 55.5 | 57.7 | 43.9 |
| 20/3/2019 2:41 | 53.6 | 57.4 | 43.4 |
| 20/3/2019 2:46 | 58.0 | 59.6 | 45.1 |
| 20/3/2019 2:51 | 54.0 | 56.8 | 44.7 |
| 20/3/2019 2:56 | 49.9 | 53.2 | 44.3 |
| 20/3/2019 3:01 | 56.9 | 62.1 | 44.2 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 3:06 | 54.4 | 57.4 | 44.2 |
| 20/3/2019 3:11 | 57.0 | 60.0 | 43.8 |
| 20/3/2019 3:16 | 51.1 | 53.0 | 42.7 |
| 20/3/2019 3:21 | 55.7 | 56.1 | 42.8 |
| 20/3/2019 3:26 | 58.0 | 61.7 | 44.6 |
| 20/3/2019 3:31 | 54.7 | 56.9 | 43.1 |
| 20/3/2019 3:36 | 51.4 | 54.9 | 43.2 |
| 20/3/2019 3:41 | 56.6 | 59.0 | 43.9 |
| 20/3/2019 3:46 | 54.0 | 58.6 | 44.3 |
| 20/3/2019 3:51 | 52.4 | 53.6 | 43.5 |
| 20/3/2019 3:56 | 56.4 | 59.6 | 42.7 |
| 20/3/2019 4:01 | 57.6 | 58.8 | 43.1 |
| 20/3/2019 4:06 | 50.6 | 54.4 | 43.6 |
| 20/3/2019 4:11 | 52.1 | 54.8 | 44.8 |
| 20/3/2019 4:16 | 51.8 | 53.1 | 43.9 |
| 20/3/2019 4:21 | 49.4 | 50.8 | 43.3 |
| 20/3/2019 4:26 | 53.6 | 54.1 | 43.9 |
| 20/3/2019 4:31 | 59.3 | 58.1 | 43.9 |
| 20/3/2019 4:36 | 54.8 | 58.0 | 44.7 |
| 20/3/2019 4:41 | 53.3 | 53.0 | 43.9 |
| 20/3/2019 4:46 | 51.6 | 55.1 | 44.0 |
| 20/3/2019 4:51 | 57.0 | 60.8 | 44.6 |
| 20/3/2019 4:56 | 54.7 | 58.3 | 44.6 |
| 20/3/2019 5:01 | 57.8 | 59.7 | 44.9 |
| 20/3/2019 5:06 | 57.5 | 61.1 | 44.0 |
| 20/3/2019 5:11 | 56.5 | 54.6 | 43.7 |
| 20/3/2019 5:16 | 52.8 | 56.4 | 44.6 |
| 20/3/2019 5:21 | 54.3 | 57.9 | 45.0 |
| 20/3/2019 5:26 | 58.4 | 62.2 | 44.8 |
| 20/3/2019 5:31 | 59.1 | 60.6 | 45.3 |
| 20/3/2019 5:36 | 57.6 | 62.6 | 45.4 |
| 20/3/2019 5:41 | 57.7 | 62.5 | 46.4 |
| 20/3/2019 5:46 | 59.8 | 61.3 | 46.6 |
| 20/3/2019 5:51 | 57.6 | 60.8 | 46.9 |
| 20/3/2019 5:56 | 60.6 | 60.5 | 46.5 |
| 20/3/2019 6:01 | 55.7 | 58.7 | 47.2 |
| 20/3/2019 6:06 | 55.9 | 59.1 | 47.9 |
| 20/3/2019 6:11 | 62.1 | 66.0 | 53.9 |
| 20/3/2019 6:16 | 60.6 | 64.3 | 51.6 |
| 20/3/2019 6:21 | 65.8 | 69.5 | 53.8 |
| 20/3/2019 6:26 | 62.5 | 66.3 | 51.8 |
| 20/3/2019 6:31 | 64.3 | 68.4 | 51.4 |
| 20/3/2019 6:36 | 63.7 | 67.9 | 54.1 |
| 20/3/2019 6:41 | 66.6 | 69.6 | 53.8 |
| 20/3/2019 6:46 | 65.4 | 67.1 | 53.6 |
| 20/3/2019 6:51 | 66.0 | 68.6 | 54.4 |
| 20/3/2019 6:56 | 62.8 | 67.7 | 52.3 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 23:01 | 61.8 | 66.0 | 53.4 |
| 20/3/2019 23:06 | 58.4 | 62.3 | 50.8 |
| 20/3/2019 23:11 | 59.3 | 63.6 | 50.7 |
| 20/3/2019 23:16 | 61.0 | 63.5 | 51.9 |
| 20/3/2019 23:21 | 58.7 | 61.3 | 50.6 |
| 20/3/2019 23:26 | 59.9 | 62.8 | 52.1 |
| 20/3/2019 23:31 | 61.9 | 65.1 | 50.7 |
| 20/3/2019 23:36 | 60.0 | 63.7 | 50.9 |
| 20/3/2019 23:41 | 61.2 | 65.4 | 51.2 |
| 20/3/2019 23:46 | 64.0 | 67.4 | 53.5 |
| 20/3/2019 23:51 | 61.1 | 64.8 | 52.0 |
| 20/3/2019 23:56 | 62.9 | 67.2 | 52.2 |
| 21/3/2019 0:01 | 63.2 | 66.7 | 52.0 |
| 21/3/2019 0:06 | 59.3 | 63.8 | 50.5 |
| 21/3/2019 0:11 | 60.0 | 63.1 | 50.3 |
| 21/3/2019 0:16 | 59.9 | 64.3 | 49.1 |
| 21/3/2019 0:21 | 60.5 | 64.5 | 48.5 |
| 21/3/2019 0:26 | 59.3 | 64.4 | 47.8 |
| 21/3/2019 0:31 | 60.1 | 63.7 | 48.3 |
| 21/3/2019 0:36 | 58.0 | 61.8 | 48.0 |
| 21/3/2019 0:41 | 56.6 | 60.3 | 46.7 |
| 21/3/2019 0:46 | 57.0 | 60.6 | 47.5 |
| 21/3/2019 0:51 | 58.6 | 62.1 | 47.3 |
| 21/3/2019 0:56 | 53.8 | 56.0 | 46.8 |
| 21/3/2019 1:01 | 58.3 | 59.0 | 46.3 |
| 21/3/2019 1:06 | 55.8 | 58.8 | 46.1 |
| 21/3/2019 1:11 | 56.0 | 59.8 | 46.2 |
| 21/3/2019 1:16 | 55.9 | 60.0 | 47.4 |
| 21/3/2019 1:21 | 57.1 | 61.4 | 47.3 |
| 21/3/2019 1:26 | 56.5 | 61.0 | 46.1 |
| 21/3/2019 1:31 | 55.0 | 57.9 | 46.4 |
| 21/3/2019 1:36 | 58.5 | 61.6 | 47.8 |
| 21/3/2019 1:41 | 58.2 | 61.9 | 46.8 |
| 21/3/2019 1:46 | 55.1 | 58.1 | 45.9 |
| 21/3/2019 1:51 | 55.9 | 58.0 | 46.8 |
| 21/3/2019 1:56 | 54.1 | 57.5 | 46.0 |
| 21/3/2019 2:01 | 58.2 | 60.1 | 45.4 |
| 21/3/2019 2:06 | 57.5 | 61.6 | 46.0 |
| 21/3/2019 2:11 | 54.6 | 58.4 | 45.9 |
| 21/3/2019 2:16 | 57.5 | 60.6 | 46.4 |
| 21/3/2019 2:21 | 62.7 | 63.6 | 47.0 |
| 21/3/2019 2:26 | 55.6 | 59.0 | 45.9 |
| 21/3/2019 2:31 | 57.3 | 61.4 | 45.1 |
| 21/3/2019 2:36 | 62.2 | 61.7 | 44.8 |
| 21/3/2019 2:41 | 55.2 | 58.7 | 44.0 |
| 21/3/2019 2:46 | 46.4 | 48.6 | 42.9 |
| 21/3/2019 2:51 | 54.1 | 57.0 | 43.7 |
| 21/3/2019 2:56 | 51.2 | 53.7 | 44.6 |
| 21/3/2019 3:01 | 52.1 | 55.4 | 44.0 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 21/3/2019 3:06 | 50.5 | 51.9 | 43.4 |
| 21/3/2019 3:11 | 52.1 | 55.1 | 43.8 |
| 21/3/2019 3:16 | 51.7 | 54.4 | 44.1 |
| 21/3/2019 3:21 | 54.7 | 56.9 | 43.6 |
| 21/3/2019 3:26 | 56.9 | 56.5 | 44.1 |
| 21/3/2019 3:31 | 54.8 | 57.8 | 42.8 |
| 21/3/2019 3:36 | 51.5 | 52.2 | 42.6 |
| 21/3/2019 3:41 | 54.6 | 58.4 | 43.7 |
| 21/3/2019 3:46 | 54.4 | 56.8 | 43.6 |
| 21/3/2019 3:51 | 58.3 | 59.9 | 44.0 |
| 21/3/2019 3:56 | 57.7 | 60.5 | 43.1 |
| 21/3/2019 4:01 | 55.6 | 59.6 | 44.7 |
| 21/3/2019 4:06 | 50.6 | 53.0 | 42.8 |
| 21/3/2019 4:11 | 51.9 | 56.3 | 43.8 |
| 21/3/2019 4:16 | 55.0 | 58.8 | 44.0 |
| 21/3/2019 4:21 | 54.7 | 58.2 | 43.3 |
| 21/3/2019 4:26 | 51.2 | 52.5 | 43.7 |
| 21/3/2019 4:31 | 51.9 | 52.8 | 43.4 |
| 21/3/2019 4:36 | 55.0 | 57.9 | 44.0 |
| 21/3/2019 4:41 | 50.9 | 52.7 | 43.3 |
| 21/3/2019 4:46 | 61.1 | 61.1 | 45.2 |
| 21/3/2019 4:51 | 65.1 | 63.5 | 44.9 |
| 21/3/2019 4:56 | 53.6 | 56.6 | 44.2 |
| 21/3/2019 5:01 | 56.5 | 60.4 | 44.3 |
| 21/3/2019 5:06 | 56.6 | 59.7 | 43.7 |
| 21/3/2019 5:11 | 54.5 | 57.5 | 44.6 |
| 21/3/2019 5:16 | 60.8 | 65.6 | 45.1 |
| 21/3/2019 5:21 | 62.8 | 67.5 | 47.3 |
| 21/3/2019 5:26 | 54.9 | 58.1 | 46.1 |
| 21/3/2019 5:31 | 53.0 | 56.9 | 45.4 |
| 21/3/2019 5:36 | 56.4 | 61.0 | 45.9 |
| 21/3/2019 5:41 | 56.4 | 60.7 | 45.5 |
| 21/3/2019 5:46 | 56.9 | 60.9 | 46.0 |
| 21/3/2019 5:51 | 58.2 | 60.4 | 47.1 |
| 21/3/2019 5:56 | 58.5 | 61.0 | 47.6 |
| 21/3/2019 6:01 | 58.8 | 62.9 | 47.7 |
| 21/3/2019 6:06 | 64.9 | 68.9 | 52.0 |
| 21/3/2019 6:11 | 63.2 | 66.7 | 52.3 |
| 21/3/2019 6:16 | 61.6 | 64.3 | 54.6 |
| 21/3/2019 6:21 | 61.3 | 65.4 | 54.1 |
| 21/3/2019 6:26 | 65.6 | 70.4 | 53.8 |
| 21/3/2019 6:31 | 62.4 | 67.1 | 52.9 |
| 21/3/2019 6:36 | 61.7 | 65.3 | 51.2 |
| 21/3/2019 6:41 | 64.4 | 68.4 | 54.3 |
| 21/3/2019 6:46 | 64.9 | 67.9 | 53.2 |
| 21/3/2019 6:51 | 65.2 | 68.4 | 54.9 |
| 21/3/2019 6:56 | 62.4 | 66.1 | 54.3 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 23:01 | 61.7 | 62.9 | 48.2 |
| 21/3/2019 23:06 | 61.4 | 65.7 | 51.2 |
| 21/3/2019 23:11 | 56.6 | 60.0 | 48.9 |
| 21/3/2019 23:16 | 58.6 | 62.6 | 48.4 |
| 21/3/2019 23:21 | 60.5 | 62.9 | 49.7 |
| 21/3/2019 23:26 | 61.2 | 64.4 | 49.8 |
| 21/3/2019 23:31 | 60.1 | 63.6 | 50.6 |
| 21/3/2019 23:36 | 57.7 | 61.3 | 49.5 |
| 21/3/2019 23:41 | 60.9 | 65.1 | 49.1 |
| 21/3/2019 23:46 | 61.3 | 65.8 | 51.2 |
| 21/3/2019 23:51 | 61.0 | 64.9 | 47.4 |
| 21/3/2019 23:56 | 60.0 | 64.3 | 47.3 |
| 22/3/2019 0:01 | 63.2 | 66.5 | 55.6 |
| 22/3/2019 0:06 | 58.3 | 62.3 | 48.6 |
| 22/3/2019 0:11 | 60.0 | 64.5 | 47.6 |
| 22/3/2019 0:16 | 59.5 | 63.0 | 47.3 |
| 22/3/2019 0:21 | 58.6 | 62.4 | 46.2 |
| 22/3/2019 0:26 | 54.8 | 59.0 | 46.2 |
| 22/3/2019 0:31 | 61.0 | 63.6 | 46.9 |
| 22/3/2019 0:36 | 58.7 | 63.1 | 47.8 |
| 22/3/2019 0:41 | 62.5 | 65.6 | 47.7 |
| 22/3/2019 0:46 | 56.0 | 59.5 | 45.3 |
| 22/3/2019 0:51 | 55.0 | 59.0 | 46.9 |
| 22/3/2019 0:56 | 59.1 | 63.2 | 46.1 |
| 22/3/2019 1:01 | 59.4 | 63.4 | 46.6 |
| 22/3/2019 1:06 | 58.8 | 64.1 | 46.7 |
| 22/3/2019 1:11 | 58.2 | 61.9 | 45.8 |
| 22/3/2019 1:16 | 56.2 | 58.9 | 44.7 |
| 22/3/2019 1:21 | 56.5 | 60.5 | 45.0 |
| 22/3/2019 1:26 | 54.8 | 58.4 | 44.9 |
| 22/3/2019 1:31 | 56.1 | 59.9 | 46.0 |
| 22/3/2019 1:36 | 58.4 | 62.1 | 45.4 |
| 22/3/2019 1:41 | 56.0 | 60.3 | 44.3 |
| 22/3/2019 1:46 | 54.7 | 58.4 | 45.1 |
| 22/3/2019 1:51 | 57.3 | 61.5 | 45.5 |
| 22/3/2019 1:56 | 53.6 | 57.8 | 44.9 |
| 22/3/2019 2:01 | 56.5 | 60.4 | 44.7 |
| 22/3/2019 2:06 | 55.6 | 60.5 | 45.3 |
| 22/3/2019 2:11 | 58.7 | 63.1 | 46.5 |
| 22/3/2019 2:16 | 55.4 | 58.9 | 44.0 |
| 22/3/2019 2:21 | 49.4 | 51.5 | 43.6 |
| 22/3/2019 2:26 | 57.2 | 60.1 | 44.4 |
| 22/3/2019 2:31 | 74.5 | 62.3 | 44.4 |
| 22/3/2019 2:36 | 51.9 | 55.2 | 44.4 |
| 22/3/2019 2:41 | 55.8 | 59.5 | 44.0 |
| 22/3/2019 2:46 | 55.2 | 59.2 | 44.4 |
| 22/3/2019 2:51 | 56.1 | 60.8 | 44.0 |
| 22/3/2019 2:56 | 58.9 | 62.5 | 47.3 |
| 22/3/2019 3:01 | 55.8 | 59.8 | 44.7 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 3:06 | 55.3 | 58.1 | 45.4 |
| 22/3/2019 3:11 | 55.2 | 58.7 | 44.2 |
| 22/3/2019 3:16 | 57.6 | 57.4 | 44.1 |
| 22/3/2019 3:21 | 51.2 | 54.1 | 44.1 |
| 22/3/2019 3:26 | 50.5 | 53.8 | 43.6 |
| 22/3/2019 3:31 | 52.2 | 55.9 | 44.0 |
| 22/3/2019 3:36 | 54.1 | 56.3 | 43.2 |
| 22/3/2019 3:41 | 50.4 | 53.6 | 43.2 |
| 22/3/2019 3:46 | 58.0 | 59.5 | 44.1 |
| 22/3/2019 3:51 | 55.5 | 58.1 | 43.9 |
| 22/3/2019 3:56 | 52.7 | 55.8 | 44.2 |
| 22/3/2019 4:01 | 56.2 | 60.4 | 45.9 |
| 22/3/2019 4:06 | 51.9 | 56.5 | 43.8 |
| 22/3/2019 4:11 | 55.9 | 59.8 | 43.8 |
| 22/3/2019 4:16 | 55.5 | 59.8 | 43.3 |
| 22/3/2019 4:21 | 55.5 | 56.9 | 44.2 |
| 22/3/2019 4:26 | 51.9 | 54.4 | 43.4 |
| 22/3/2019 4:31 | 57.4 | 60.9 | 43.8 |
| 22/3/2019 4:36 | 54.6 | 56.4 | 44.2 |
| 22/3/2019 4:41 | 51.1 | 52.3 | 44.2 |
| 22/3/2019 4:46 | 55.5 | 58.5 | 46.4 |
| 22/3/2019 4:51 | 55.5 | 59.3 | 45.7 |
| 22/3/2019 4:56 | 58.3 | 60.3 | 45.0 |
| 22/3/2019 5:01 | 55.8 | 57.7 | 44.6 |
| 22/3/2019 5:06 | 52.1 | 54.6 | 44.6 |
| 22/3/2019 5:11 | 51.4 | 53.4 | 44.2 |
| 22/3/2019 5:16 | 54.6 | 57.3 | 44.1 |
| 22/3/2019 5:21 | 59.4 | 62.1 | 46.1 |
| 22/3/2019 5:26 | 58.1 | 60.8 | 45.9 |
| 22/3/2019 5:31 | 55.2 | 58.6 | 45.8 |
| 22/3/2019 5:36 | 56.1 | 60.4 | 45.2 |
| 22/3/2019 5:41 | 57.3 | 61.2 | 46.7 |
| 22/3/2019 5:46 | 59.3 | 61.8 | 47.2 |
| 22/3/2019 5:51 | 58.4 | 62.4 | 47.8 |
| 22/3/2019 5:56 | 57.2 | 61.8 | 45.5 |
| 22/3/2019 6:01 | 57.2 | 60.4 | 46.2 |
| 22/3/2019 6:06 | 58.4 | 61.6 | 49.7 |
| 22/3/2019 6:11 | 61.3 | 65.7 | 50.7 |
| 22/3/2019 6:16 | 62.5 | 66.6 | 50.5 |
| 22/3/2019 6:21 | 65.1 | 69.1 | 52.6 |
| 22/3/2019 6:26 | 60.7 | 65.1 | 51.3 |
| 22/3/2019 6:31 | 63.4 | 67.0 | 52.0 |
| 22/3/2019 6:36 | 60.9 | 65.6 | 51.4 |
| 22/3/2019 6:41 | 64.1 | 67.9 | 51.8 |
| 22/3/2019 6:46 | 63.9 | 67.0 | 52.6 |
| 22/3/2019 6:51 | 62.6 | 65.0 | 51.1 |
| 22/3/2019 6:56 | 65.1 | 68.7 | 52.3 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 23:01 | 67.0 | 70.3 | 54.1 |
| 22/3/2019 23:06 | 68.8 | 70.7 | 53.9 |
| 22/3/2019 23:11 | 66.0 | 70.9 | 52.6 |
| 22/3/2019 23:16 | 63.0 | 67.2 | 51.9 |
| 22/3/2019 23:21 | 64.2 | 69.3 | 52.4 |
| 22/3/2019 23:26 | 64.6 | 69.7 | 53.0 |
| 22/3/2019 23:31 | 63.1 | 67.2 | 53.5 |
| 22/3/2019 23:36 | 66.5 | 69.7 | 53.6 |
| 22/3/2019 23:41 | 63.5 | 67.7 | 52.7 |
| 22/3/2019 23:46 | 64.9 | 68.2 | 53.6 |
| 22/3/2019 23:51 | 65.7 | 69.3 | 55.9 |
| 22/3/2019 23:56 | 63.7 | 67.0 | 55.8 |
| 23/3/2019 0:01 | 67.7 | 71.2 | 55.6 |
| 23/3/2019 0:06 | 64.3 | 68.6 | 54.3 |
| 23/3/2019 0:11 | 65.3 | 68.9 | 54.2 |
| 23/3/2019 0:16 | 64.8 | 69.1 | 52.9 |
| 23/3/2019 0:21 | 63.6 | 68.1 | 53.9 |
| 23/3/2019 0:26 | 64.4 | 68.7 | 52.9 |
| 23/3/2019 0:31 | 63.3 | 67.2 | 53.5 |
| 23/3/2019 0:36 | 65.3 | 69.5 | 54.4 |
| 23/3/2019 0:41 | 64.6 | 69.0 | 54.7 |
| 23/3/2019 0:46 | 59.3 | 63.4 | 53.0 |
| 23/3/2019 0:51 | 63.7 | 68.2 | 53.6 |
| 23/3/2019 0:56 | 63.7 | 68.1 | 52.4 |
| 23/3/2019 1:01 | 67.4 | 70.1 | 53.1 |
| 23/3/2019 1:06 | 62.7 | 67.4 | 52.6 |
| 23/3/2019 1:11 | 64.1 | 68.7 | 53.4 |
| 23/3/2019 1:16 | 63.3 | 67.7 | 52.7 |
| 23/3/2019 1:21 | 64.5 | 68.7 | 52.6 |
| 23/3/2019 1:26 | 62.0 | 65.8 | 53.0 |
| 23/3/2019 1:31 | 62.4 | 65.8 | 54.4 |
| 23/3/2019 1:36 | 64.4 | 68.3 | 51.6 |
| 23/3/2019 1:41 | 63.2 | 67.3 | 51.5 |
| 23/3/2019 1:46 | 64.3 | 66.9 | 53.3 |
| 23/3/2019 1:51 | 61.3 | 65.4 | 52.0 |
| 23/3/2019 1:56 | 62.7 | 66.9 | 51.3 |
| 23/3/2019 2:01 | 63.0 | 66.1 | 51.7 |
| 23/3/2019 2:06 | 59.9 | 64.2 | 52.5 |
| 23/3/2019 2:11 | 60.9 | 64.5 | 52.4 |
| 23/3/2019 2:16 | 60.7 | 63.9 | 52.0 |
| 23/3/2019 2:21 | 60.9 | 65.1 | 51.1 |
| 23/3/2019 2:26 | 61.1 | 66.1 | 51.5 |
| 23/3/2019 2:31 | 64.8 | 67.2 | 52.2 |
| 23/3/2019 2:36 | 61.5 | 61.7 | 51.2 |
| 23/3/2019 2:41 | 64.1 | 63.6 | 51.1 |
| 23/3/2019 2:46 | 61.3 | 65.2 | 50.9 |
| 23/3/2019 2:51 | 57.9 | 58.8 | 50.3 |
| 23/3/2019 2:56 | 58.7 | 61.9 | 51.2 |
| 23/3/2019 3:01 | 60.8 | 63.4 | 50.5 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 3:06 | 58.5 | 59.4 | 50.7 |
| 23/3/2019 3:11 | 61.6 | 63.8 | 50.5 |
| 23/3/2019 3:16 | 59.4 | 63.6 | 50.6 |
| 23/3/2019 3:21 | 62.0 | 66.0 | 50.3 |
| 23/3/2019 3:26 | 59.3 | 62.3 | 50.1 |
| 23/3/2019 3:31 | 68.5 | 68.2 | 50.2 |
| 23/3/2019 3:36 | 59.3 | 62.1 | 49.9 |
| 23/3/2019 3:41 | 62.7 | 64.9 | 50.5 |
| 23/3/2019 3:46 | 57.8 | 59.3 | 50.4 |
| 23/3/2019 3:51 | 59.2 | 61.3 | 51.2 |
| 23/3/2019 3:56 | 57.4 | 59.2 | 50.2 |
| 23/3/2019 4:01 | 56.7 | 59.9 | 49.9 |
| 23/3/2019 4:06 | 61.7 | 64.3 | 50.8 |
| 23/3/2019 4:11 | 58.3 | 59.4 | 50.7 |
| 23/3/2019 4:16 | 58.7 | 61.5 | 50.9 |
| 23/3/2019 4:21 | 57.6 | 59.0 | 50.2 |
| 23/3/2019 4:26 | 60.4 | 63.7 | 51.3 |
| 23/3/2019 4:31 | 61.0 | 64.7 | 50.6 |
| 23/3/2019 4:36 | 62.9 | 67.2 | 51.5 |
| 23/3/2019 4:41 | 61.3 | 65.3 | 51.8 |
| 23/3/2019 4:46 | 59.2 | 61.7 | 51.0 |
| 23/3/2019 4:51 | 59.4 | 61.6 | 51.3 |
| 23/3/2019 4:56 | 62.5 | 66.6 | 50.9 |
| 23/3/2019 5:01 | 61.5 | 60.8 | 50.1 |
| 23/3/2019 5:06 | 59.2 | 61.3 | 49.7 |
| 23/3/2019 5:11 | 60.5 | 63.6 | 49.5 |
| 23/3/2019 5:16 | 65.9 | 71.2 | 52.0 |
| 23/3/2019 5:21 | 60.6 | 62.9 | 51.9 |
| 23/3/2019 5:26 | 61.9 | 65.5 | 51.6 |
| 23/3/2019 5:31 | 59.6 | 62.2 | 51.6 |
| 23/3/2019 5:36 | 58.4 | 60.7 | 51.9 |
| 23/3/2019 5:41 | 63.7 | 65.3 | 52.1 |
| 23/3/2019 5:46 | 66.1 | 71.3 | 51.1 |
| 23/3/2019 5:51 | 66.0 | 70.7 | 53.5 |
| 23/3/2019 5:56 | 66.8 | 71.7 | 53.4 |
| 23/3/2019 6:01 | 62.6 | 65.8 | 51.9 |
| 23/3/2019 6:06 | 66.3 | 71.1 | 53.1 |
| 23/3/2019 6:11 | 62.8 | 66.8 | 53.3 |
| 23/3/2019 6:16 | 62.4 | 64.8 | 53.6 |
| 23/3/2019 6:21 | 64.9 | 68.0 | 55.7 |
| 23/3/2019 6:26 | 64.1 | 68.9 | 54.7 |
| 23/3/2019 6:31 | 64.0 | 66.6 | 55.2 |
| 23/3/2019 6:36 | 67.0 | 71.3 | 54.9 |
| 23/3/2019 6:41 | 67.2 | 71.2 | 56.5 |
| 23/3/2019 6:46 | 70.1 | 72.2 | 58.0 |
| 23/3/2019 6:51 | 66.8 | 70.8 | 56.5 |
| 23/3/2019 6:56 | 66.1 | 69.0 | 57.1 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 23:01 | 64.7 | 68.6 | 57.2 |
| 23/3/2019 23:06 | 66.7 | 69.5 | 56.5 |
| 23/3/2019 23:11 | 65.1 | 69.1 | 56.1 |
| 23/3/2019 23:16 | 63.3 | 67.3 | 55.8 |
| 23/3/2019 23:21 | 66.7 | 71.4 | 56.8 |
| 23/3/2019 23:26 | 64.7 | 68.5 | 56.3 |
| 23/3/2019 23:31 | 65.7 | 68.9 | 56.3 |
| 23/3/2019 23:36 | 65.7 | 69.2 | 56.5 |
| 23/3/2019 23:41 | 65.0 | 69.5 | 55.5 |
| 23/3/2019 23:46 | 66.0 | 70.3 | 56.0 |
| 23/3/2019 23:51 | 63.3 | 67.4 | 55.9 |
| 23/3/2019 23:56 | 64.5 | 68.1 | 55.0 |
| 24/3/2019 0:01 | 66.0 | 70.3 | 56.6 |
| 24/3/2019 0:06 | 66.2 | 70.9 | 54.6 |
| 24/3/2019 0:11 | 66.0 | 70.4 | 55.4 |
| 24/3/2019 0:16 | 61.7 | 65.4 | 54.3 |
| 24/3/2019 0:21 | 65.6 | 70.4 | 55.3 |
| 24/3/2019 0:26 | 63.9 | 67.2 | 55.3 |
| 24/3/2019 0:31 | 64.8 | 68.6 | 55.1 |
| 24/3/2019 0:36 | 64.3 | 67.9 | 55.2 |
| 24/3/2019 0:41 | 65.2 | 69.7 | 54.1 |
| 24/3/2019 0:46 | 64.4 | 69.6 | 53.7 |
| 24/3/2019 0:51 | 66.3 | 70.0 | 55.9 |
| 24/3/2019 0:56 | 62.9 | 66.2 | 54.5 |
| 24/3/2019 1:01 | 67.0 | 71.2 | 53.5 |
| 24/3/2019 1:06 | 64.4 | 68.8 | 52.4 |
| 24/3/2019 1:11 | 62.2 | 65.6 | 53.5 |
| 24/3/2019 1:16 | 63.5 | 67.6 | 55.0 |
| 24/3/2019 1:21 | 65.4 | 67.6 | 54.6 |
| 24/3/2019 1:26 | 62.6 | 66.6 | 54.9 |
| 24/3/2019 1:31 | 62.7 | 67.0 | 54.1 |
| 24/3/2019 1:36 | 59.0 | 62.0 | 54.2 |
| 24/3/2019 1:41 | 63.4 | 66.3 | 54.0 |
| 24/3/2019 1:46 | 62.4 | 65.9 | 53.5 |
| 24/3/2019 1:51 | 60.4 | 63.3 | 54.0 |
| 24/3/2019 1:56 | 60.2 | 63.3 | 53.0 |
| 24/3/2019 2:01 | 59.8 | 63.3 | 53.4 |
| 24/3/2019 2:06 | 60.7 | 64.3 | 53.5 |
| 24/3/2019 2:11 | 62.0 | 64.4 | 53.3 |
| 24/3/2019 2:16 | 62.8 | 66.4 | 53.5 |
| 24/3/2019 2:21 | 58.8 | 60.5 | 52.6 |
| 24/3/2019 2:26 | 65.7 | 66.9 | 53.9 |
| 24/3/2019 2:31 | 63.1 | 67.2 | 52.9 |
| 24/3/2019 2:36 | 61.7 | 64.0 | 53.1 |
| 24/3/2019 2:41 | 59.9 | 61.2 | 53.0 |
| 24/3/2019 2:46 | 60.9 | 62.7 | 53.1 |
| 24/3/2019 2:51 | 62.9 | 65.1 | 53.5 |
| 24/3/2019 2:56 | 60.4 | 63.8 | 52.9 |
| 24/3/2019 3:01 | 61.3 | 65.7 | 53.3 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 3:06 | 59.4 | 61.1 | 53.0 |
| 24/3/2019 3:11 | 62.1 | 64.4 | 52.3 |
| 24/3/2019 3:16 | 61.0 | 63.8 | 51.3 |
| 24/3/2019 3:21 | 60.0 | 58.9 | 51.2 |
| 24/3/2019 3:26 | 61.8 | 64.7 | 51.8 |
| 24/3/2019 3:31 | 61.1 | 63.5 | 51.6 |
| 24/3/2019 3:36 | 62.9 | 66.5 | 52.2 |
| 24/3/2019 3:41 | 61.9 | 64.2 | 50.5 |
| 24/3/2019 3:46 | 58.5 | 62.6 | 50.1 |
| 24/3/2019 3:51 | 56.5 | 57.5 | 49.5 |
| 24/3/2019 3:56 | 62.5 | 62.9 | 50.1 |
| 24/3/2019 4:01 | 60.1 | 62.4 | 50.6 |
| 24/3/2019 4:06 | 55.3 | 57.6 | 50.2 |
| 24/3/2019 4:11 | 62.0 | 66.4 | 50.3 |
| 24/3/2019 4:16 | 60.0 | 61.1 | 51.1 |
| 24/3/2019 4:21 | 58.7 | 59.6 | 51.7 |
| 24/3/2019 4:26 | 60.0 | 60.5 | 50.5 |
| 24/3/2019 4:31 | 58.1 | 60.8 | 51.3 |
| 24/3/2019 4:36 | 60.7 | 61.5 | 51.2 |
| 24/3/2019 4:41 | 58.6 | 58.9 | 50.3 |
| 24/3/2019 4:46 | 59.8 | 62.5 | 50.3 |
| 24/3/2019 4:51 | 60.2 | 61.2 | 50.1 |
| 24/3/2019 4:56 | 62.6 | 64.7 | 51.8 |
| 24/3/2019 5:01 | 61.7 | 63.8 | 51.5 |
| 24/3/2019 5:06 | 57.9 | 58.2 | 50.7 |
| 24/3/2019 5:11 | 57.3 | 58.5 | 51.6 |
| 24/3/2019 5:16 | 62.3 | 65.0 | 51.4 |
| 24/3/2019 5:21 | 60.2 | 63.7 | 51.4 |
| 24/3/2019 5:26 | 61.1 | 65.9 | 51.7 |
| 24/3/2019 5:31 | 59.5 | 59.9 | 50.8 |
| 24/3/2019 5:36 | 58.3 | 61.2 | 51.6 |
| 24/3/2019 5:41 | 62.4 | 66.3 | 53.1 |
| 24/3/2019 5:46 | 65.0 | 65.8 | 51.4 |
| 24/3/2019 5:51 | 62.8 | 65.1 | 52.9 |
| 24/3/2019 5:56 | 62.6 | 64.5 | 51.5 |
| 24/3/2019 6:01 | 59.8 | 61.5 | 52.3 |
| 24/3/2019 6:06 | 63.4 | 66.7 | 53.6 |
| 24/3/2019 6:11 | 65.3 | 69.4 | 54.5 |
| 24/3/2019 6:16 | 63.9 | 67.9 | 53.5 |
| 24/3/2019 6:21 | 63.4 | 66.7 | 52.7 |
| 24/3/2019 6:26 | 62.7 | 65.6 | 51.8 |
| 24/3/2019 6:31 | 66.6 | 70.8 | 53.4 |
| 24/3/2019 6:36 | 63.3 | 67.2 | 55.0 |
| 24/3/2019 6:41 | 63.8 | 67.4 | 55.8 |
| 24/3/2019 6:46 | 60.6 | 63.7 | 54.6 |
| 24/3/2019 6:51 | 61.5 | 64.9 | 53.9 |
| 24/3/2019 6:56 | 61.5 | 64.1 | 54.2 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 23:01 | 65.7 | 70.3 | 55.1 |
| 24/3/2019 23:06 | 65.5 | 70.2 | 55.2 |
| 24/3/2019 23:11 | 64.0 | 67.4 | 54.2 |
| 24/3/2019 23:16 | 66.7 | 71.4 | 55.2 |
| 24/3/2019 23:21 | 62.7 | 66.7 | 54.9 |
| 24/3/2019 23:26 | 65.3 | 69.0 | 55.8 |
| 24/3/2019 23:31 | 66.3 | 69.4 | 54.6 |
| 24/3/2019 23:36 | 65.2 | 69.8 | 55.4 |
| 24/3/2019 23:41 | 65.4 | 68.1 | 54.7 |
| 24/3/2019 23:46 | 65.9 | 69.9 | 55.5 |
| 24/3/2019 23:51 | 63.8 | 67.8 | 53.5 |
| 24/3/2019 23:56 | 63.3 | 66.9 | 53.8 |
| 25/3/2019 0:01 | 64.7 | 68.7 | 53.4 |
| 25/3/2019 0:06 | 67.3 | 68.5 | 54.1 |
| 25/3/2019 0:11 | 63.9 | 68.3 | 52.8 |
| 25/3/2019 0:16 | 63.2 | 68.1 | 51.7 |
| 25/3/2019 0:21 | 63.7 | 68.1 | 51.9 |
| 25/3/2019 0:26 | 62.1 | 64.8 | 52.1 |
| 25/3/2019 0:31 | 61.7 | 65.5 | 51.8 |
| 25/3/2019 0:36 | 65.5 | 68.7 | 52.4 |
| 25/3/2019 0:41 | 63.0 | 67.2 | 51.9 |
| 25/3/2019 0:46 | 61.1 | 63.6 | 52.2 |
| 25/3/2019 0:51 | 61.8 | 65.3 | 51.0 |
| 25/3/2019 0:56 | 62.2 | 63.6 | 52.1 |
| 25/3/2019 1:01 | 60.0 | 61.4 | 51.3 |
| 25/3/2019 1:06 | 63.4 | 66.7 | 52.0 |
| 25/3/2019 1:11 | 62.2 | 66.5 | 52.5 |
| 25/3/2019 1:16 | 74.6 | 73.5 | 50.1 |
| 25/3/2019 1:21 | 63.7 | 68.4 | 50.3 |
| 25/3/2019 1:26 | 60.3 | 60.9 | 50.8 |
| 25/3/2019 1:31 | 59.7 | 62.5 | 50.3 |
| 25/3/2019 1:36 | 62.0 | 66.4 | 51.2 |
| 25/3/2019 1:41 | 62.6 | 65.1 | 51.3 |
| 25/3/2019 1:46 | 60.2 | 64.9 | 50.7 |
| 25/3/2019 1:51 | 58.6 | 60.2 | 50.2 |
| 25/3/2019 1:56 | 57.9 | 59.3 | 49.7 |
| 25/3/2019 2:01 | 60.0 | 62.0 | 50.3 |
| 25/3/2019 2:06 | 57.7 | 60.4 | 49.7 |
| 25/3/2019 2:11 | 62.3 | 65.7 | 49.3 |
| 25/3/2019 2:16 | 58.1 | 61.0 | 50.0 |
| 25/3/2019 2:21 | 58.7 | 58.9 | 49.4 |
| 25/3/2019 2:26 | 59.0 | 59.9 | 48.0 |
| 25/3/2019 2:31 | 56.4 | 57.8 | 48.6 |
| 25/3/2019 2:36 | 58.2 | 58.3 | 48.4 |
| 25/3/2019 2:41 | 58.9 | 60.2 | 48.7 |
| 25/3/2019 2:46 | 56.3 | 57.6 | 49.0 |
| 25/3/2019 2:51 | 61.2 | 61.0 | 47.9 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 25/3/2019 2:56 | 58.2 | 58.6 | 48.0 |
| 25/3/2019 3:01 | 56.5 | 58.9 | 48.4 |
| 25/3/2019 3:06 | 56.3 | 57.2 | 48.6 |
| 25/3/2019 3:11 | 58.3 | 60.7 | 48.6 |
| 25/3/2019 3:16 | 57.5 | 58.2 | 47.8 |
| 25/3/2019 3:21 | 56.2 | 56.0 | 47.4 |
| 25/3/2019 3:26 | 55.4 | 54.4 | 47.8 |
| 25/3/2019 3:31 | 59.2 | 61.7 | 48.3 |
| 25/3/2019 3:36 | 60.5 | 62.5 | 48.7 |
| 25/3/2019 3:41 | 62.1 | 64.8 | 48.2 |
| 25/3/2019 3:46 | 54.7 | 55.5 | 47.6 |
| 25/3/2019 3:51 | 62.7 | 66.4 | 50.0 |
| 25/3/2019 3:56 | 62.4 | 58.7 | 46.8 |
| 25/3/2019 4:01 | 53.7 | 53.8 | 46.9 |
| 25/3/2019 4:06 | 59.4 | 62.0 | 48.1 |
| 25/3/2019 4:11 | 55.0 | 53.9 | 47.1 |
| 25/3/2019 4:16 | 59.7 | 61.0 | 47.6 |
| 25/3/2019 4:21 | 57.1 | 55.9 | 47.7 |
| 25/3/2019 4:26 | 57.0 | 56.2 | 47.2 |
| 25/3/2019 4:31 | 58.1 | 57.7 | 47.2 |
| 25/3/2019 4:36 | 57.6 | 59.5 | 48.6 |
| 25/3/2019 4:41 | 56.6 | 55.4 | 48.0 |
| 25/3/2019 4:46 | 61.4 | 65.3 | 48.5 |
| 25/3/2019 4:51 | 57.9 | 60.5 | 47.6 |
| 25/3/2019 4:56 | 63.7 | 62.2 | 47.8 |
| 25/3/2019 5:01 | 61.9 | 65.0 | 48.2 |
| 25/3/2019 5:06 | 59.7 | 60.2 | 48.3 |
| 25/3/2019 5:11 | 61.2 | 65.5 | 47.9 |
| 25/3/2019 5:16 | 60.8 | 62.3 | 47.9 |
| 25/3/2019 5:21 | 58.6 | 61.2 | 48.6 |
| 25/3/2019 5:26 | 58.2 | 60.3 | 48.8 |
| 25/3/2019 5:31 | 58.6 | 60.6 | 48.5 |
| 25/3/2019 5:36 | 61.3 | 64.5 | 48.5 |
| 25/3/2019 5:41 | 64.0 | 68.2 | 50.1 |
| 25/3/2019 5:46 | 62.1 | 66.1 | 49.0 |
| 25/3/2019 5:51 | 58.8 | 60.9 | 50.1 |
| 25/3/2019 5:56 | 64.1 | 68.3 | 52.9 |
| 25/3/2019 6:01 | 62.1 | 64.9 | 51.5 |
| 25/3/2019 6:06 | 66.6 | 69.4 | 52.5 |
| 25/3/2019 6:11 | 66.0 | 70.6 | 53.7 |
| 25/3/2019 6:16 | 67.6 | 68.4 | 53.6 |
| 25/3/2019 6:21 | 65.4 | 69.4 | 53.7 |
| 25/3/2019 6:26 | 67.7 | 71.8 | 57.0 |
| 25/3/2019 6:31 | 67.9 | 71.5 | 57.3 |
| 25/3/2019 6:36 | 63.9 | 68.0 | 53.5 |
| 25/3/2019 6:41 | 66.8 | 70.4 | 55.5 |
| 25/3/2019 6:46 | 67.6 | 71.0 | 59.1 |

Measured Noise Levels (dB(A)) at NMS1 during Night-time (2300-0700 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 25/3/2019 6:51 | 70.5 | 73.6 | 56.9 |
| 25/3/2019 6:56 | 65.9 | 70.3 | 56.1 |

Mean 61.5
 Maximum 78.8
 Minimum 46.4




Figure 4: Measured $L_{Aeq(30min)}$ at Station NMS2 during Normal Working Hours (0700-1900 hours) between 11 and 25 March 2019




Figure 5: Measured $L_{Aeq(5min)}$ at Station NMS2 during Evening on Normal Weekdays (1900-2300 hours) and Holidays (0700-2300 hours) between 11 and 25 March 2019




Figure 6: Measured $L_{Aeq(5min)}$ at Station NMS2 during Night-time (2300-0700 hours) between 11 and 25 March 2019

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 11/3/2019 10:02 | 68.8 | 70.9 | 65.9 | 68.9 |
| 11/3/2019 10:07 | 68.4 | 71.0 | 62.7 | |
| 11/3/2019 10:12 | 68.8 | 70.9 | 65.9 | |
| 11/3/2019 10:17 | 69.0 | 71.4 | 63.9 | |
| 11/3/2019 10:22 | 69.0 | 71.9 | 63.5 | |
| 11/3/2019 10:27 | 69.3 | 71.9 | 65.1 | |
| 11/3/2019 10:32 | 69.3 | 72.1 | 64.3 | 69.4 |
| 11/3/2019 10:37 | 70.6 | 73.2 | 65.5 | |
| 11/3/2019 10:42 | 68.9 | 71.7 | 63.3 | |
| 11/3/2019 10:47 | 69.4 | 72.5 | 65.3 | |
| 11/3/2019 10:52 | 70.0 | 71.3 | 64.2 | |
| 11/3/2019 10:57 | 67.6 | 70.6 | 62.7 | |
| 11/3/2019 11:02 | 68.7 | 71.5 | 63.8 | 69.4 |
| 11/3/2019 11:07 | 69.0 | 72.2 | 64.7 | |
| 11/3/2019 11:12 | 70.6 | 72.7 | 64.8 | |
| 11/3/2019 11:17 | 68.9 | 72.2 | 63.7 | |
| 11/3/2019 11:22 | 69.4 | 72.0 | 64.7 | |
| 11/3/2019 11:27 | 69.7 | 71.2 | 62.7 | |
| 11/3/2019 11:32 | 68.4 | 71.0 | 62.7 | 69.4 |
| 11/3/2019 11:37 | 68.2 | 70.7 | 64.5 | |
| 11/3/2019 11:42 | 69.2 | 72.3 | 64.3 | |
| 11/3/2019 11:47 | 70.4 | 73.1 | 65.3 | |
| 11/3/2019 11:52 | 70.3 | 72.8 | 65.0 | |
| 11/3/2019 11:57 | 69.7 | 72.6 | 64.1 | |
| 11/3/2019 12:02 | 69.3 | 72.4 | 64.2 | 69.7 |
| 11/3/2019 12:07 | 70.0 | 72.6 | 65.3 | |
| 11/3/2019 12:12 | 70.0 | 73.2 | 64.2 | |
| 11/3/2019 12:17 | 69.9 | 72.5 | 65.1 | |
| 11/3/2019 12:22 | 69.5 | 72.7 | 64.2 | |
| 11/3/2019 12:27 | 69.2 | 71.7 | 65.3 | |
| 11/3/2019 12:32 | 70.4 | 72.7 | 66.5 | 70.0 |
| 11/3/2019 12:37 | 70.0 | 72.3 | 65.2 | |
| 11/3/2019 12:42 | 69.6 | 71.5 | 65.1 | |
| 11/3/2019 12:47 | 69.7 | 72.2 | 65.0 | |
| 11/3/2019 12:52 | 70.5 | 73.1 | 65.5 | |
| 11/3/2019 12:57 | 69.5 | 71.5 | 65.3 | |
| 11/3/2019 13:02 | 69.2 | 71.5 | 65.7 | 69.9 |
| 11/3/2019 13:07 | 69.4 | 72.2 | 64.0 | |
| 11/3/2019 13:12 | 68.7 | 71.3 | 64.5 | |
| 11/3/2019 13:17 | 71.5 | 73.5 | 65.3 | |
| 11/3/2019 13:22 | 70.0 | 72.5 | 66.2 | |
| 11/3/2019 13:27 | 70.2 | 72.6 | 66.9 | |
| 11/3/2019 13:32 | 69.6 | 71.9 | 64.8 | 70.7 |
| 11/3/2019 13:37 | 71.0 | 72.9 | 64.3 | |
| 11/3/2019 13:42 | 69.2 | 71.6 | 65.0 | |
| 11/3/2019 13:47 | 70.0 | 72.9 | 64.3 | |
| 11/3/2019 13:52 | 71.7 | 74.6 | 66.6 | |
| 11/3/2019 13:57 | 71.8 | 72.3 | 65.5 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 11/3/2019 14:02 | 69.3 | 71.6 | 65.6 | 70.8 |
| 11/3/2019 14:07 | 71.1 | 73.8 | 66.3 | |
| 11/3/2019 14:12 | 70.3 | 72.0 | 66.8 | |
| 11/3/2019 14:17 | 70.7 | 72.3 | 68.3 | |
| 11/3/2019 14:22 | 71.3 | 73.3 | 69.1 | |
| 11/3/2019 14:27 | 71.8 | 73.8 | 67.4 | |
| 11/3/2019 14:32 | 69.4 | 71.6 | 64.3 | 69.4 |
| 11/3/2019 14:37 | 69.3 | 71.9 | 65.0 | |
| 11/3/2019 14:42 | 69.7 | 72.6 | 65.4 | |
| 11/3/2019 14:47 | 70.1 | 73.0 | 65.1 | |
| 11/3/2019 14:52 | 70.0 | 72.3 | 66.2 | |
| 11/3/2019 14:57 | 67.7 | 70.4 | 63.9 | |
| 11/3/2019 15:02 | 69.8 | 72.6 | 65.4 | 70.1 |
| 11/3/2019 15:07 | 69.2 | 71.8 | 65.2 | |
| 11/3/2019 15:12 | 70.0 | 71.4 | 66.4 | |
| 11/3/2019 15:17 | 70.5 | 72.6 | 64.6 | |
| 11/3/2019 15:22 | 71.7 | 71.5 | 64.9 | |
| 11/3/2019 15:27 | 68.8 | 71.6 | 64.3 | |
| 11/3/2019 15:32 | 69.0 | 71.4 | 63.7 | 71.3 |
| 11/3/2019 15:37 | 69.5 | 71.7 | 65.6 | |
| 11/3/2019 15:42 | 73.1 | 74.8 | 69.2 | |
| 11/3/2019 15:47 | 72.9 | 75.8 | 68.6 | |
| 11/3/2019 15:52 | 69.9 | 71.9 | 66.9 | |
| 11/3/2019 15:57 | 71.3 | 73.4 | 68.6 | |
| 11/3/2019 16:02 | 70.7 | 73.1 | 66.3 | 70.0 |
| 11/3/2019 16:07 | 70.4 | 72.8 | 66.8 | |
| 11/3/2019 16:12 | 68.7 | 70.7 | 66.0 | |
| 11/3/2019 16:17 | 69.9 | 72.0 | 66.4 | |
| 11/3/2019 16:22 | 71.5 | 74.0 | 66.5 | |
| 11/3/2019 16:27 | 67.7 | 69.6 | 65.0 | |
| 11/3/2019 16:32 | 68.6 | 70.4 | 65.9 | 70.2 |
| 11/3/2019 16:37 | 70.8 | 73.2 | 67.5 | |
| 11/3/2019 16:42 | 70.3 | 72.8 | 66.5 | |
| 11/3/2019 16:47 | 70.2 | 72.8 | 65.5 | |
| 11/3/2019 16:52 | 69.7 | 72.2 | 65.8 | |
| 11/3/2019 16:57 | 71.2 | 74.1 | 65.0 | |
| 11/3/2019 17:02 | 69.4 | 71.7 | 64.4 | 69.7 |
| 11/3/2019 17:07 | 70.1 | 72.9 | 65.7 | |
| 11/3/2019 17:12 | 69.9 | 72.2 | 64.4 | |
| 11/3/2019 17:17 | 69.6 | 72.1 | 63.8 | |
| 11/3/2019 17:22 | 69.8 | 72.1 | 66.1 | |
| 11/3/2019 17:27 | 69.6 | 72.1 | 65.1 | |
| 11/3/2019 17:32 | 69.9 | 72.3 | 65.4 | 69.4 |
| 11/3/2019 17:37 | 68.8 | 71.5 | 64.0 | |
| 11/3/2019 17:42 | 69.2 | 71.7 | 64.6 | |
| 11/3/2019 17:47 | 70.1 | 72.6 | 64.9 | |
| 11/3/2019 17:52 | 68.9 | 71.2 | 64.8 | |
| 11/3/2019 17:57 | 69.3 | 72.3 | 64.4 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 11/3/2019 18:02 | 69.5 | 71.9 | 66.0 | 70.1 |
| 11/3/2019 18:07 | 70.6 | 73.1 | 65.5 | |
| 11/3/2019 18:12 | 68.8 | 71.6 | 64.4 | |
| 11/3/2019 18:17 | 70.4 | 72.7 | 66.7 | |
| 11/3/2019 18:22 | 71.4 | 71.9 | 65.1 | |
| 11/3/2019 18:27 | 69.6 | 71.9 | 62.2 | |
| 11/3/2019 18:32 | 70.9 | 73.9 | 65.8 | 70.5 |
| 11/3/2019 18:37 | 68.6 | 71.2 | 63.3 | |
| 11/3/2019 18:42 | 73.3 | 72.0 | 65.1 | |
| 11/3/2019 18:47 | 69.0 | 72.4 | 64.2 | |
| 11/3/2019 18:52 | 69.2 | 72.1 | 63.4 | |
| 11/3/2019 18:57 | 70.2 | 72.7 | 64.9 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/3/2019 7:02 | 63.4 | 66.7 | 58.0 | 66.3 |
| 12/3/2019 7:07 | 64.6 | 68.0 | 59.5 | |
| 12/3/2019 7:12 | 68.0 | 71.5 | 60.7 | |
| 12/3/2019 7:17 | 67.5 | 71.3 | 59.4 | |
| 12/3/2019 7:22 | 65.5 | 68.8 | 60.5 | |
| 12/3/2019 7:27 | 67.1 | 70.1 | 61.0 | |
| 12/3/2019 7:32 | 68.1 | 71.5 | 61.9 | 68.7 |
| 12/3/2019 7:37 | 67.3 | 70.3 | 62.1 | |
| 12/3/2019 7:42 | 68.4 | 71.3 | 63.3 | |
| 12/3/2019 7:47 | 68.9 | 72.6 | 63.5 | |
| 12/3/2019 7:52 | 68.2 | 70.8 | 64.1 | |
| 12/3/2019 7:57 | 70.5 | 73.4 | 66.2 | |
| 12/3/2019 8:02 | 69.7 | 72.2 | 64.6 | 70.6 |
| 12/3/2019 8:07 | 71.3 | 73.5 | 65.8 | |
| 12/3/2019 8:12 | 70.6 | 73.3 | 65.4 | |
| 12/3/2019 8:17 | 70.2 | 73.1 | 65.5 | |
| 12/3/2019 8:22 | 71.5 | 74.0 | 66.4 | |
| 12/3/2019 8:27 | 70.3 | 72.3 | 65.2 | |
| 12/3/2019 8:32 | 72.4 | 74.5 | 67.3 | 70.9 |
| 12/3/2019 8:37 | 71.1 | 74.0 | 66.7 | |
| 12/3/2019 8:42 | 70.4 | 72.8 | 66.9 | |
| 12/3/2019 8:47 | 70.6 | 73.5 | 66.0 | |
| 12/3/2019 8:52 | 70.8 | 73.9 | 65.5 | |
| 12/3/2019 8:57 | 69.4 | 72.3 | 65.0 | |
| 12/3/2019 9:02 | 70.9 | 73.6 | 65.9 | 71.7 |
| 12/3/2019 9:07 | 71.8 | 73.8 | 67.2 | |
| 12/3/2019 9:12 | 70.8 | 73.6 | 67.0 | |
| 12/3/2019 9:17 | 71.4 | 73.6 | 67.7 | |
| 12/3/2019 9:22 | 72.4 | 74.7 | 67.1 | |
| 12/3/2019 9:27 | 72.4 | 75.1 | 68.2 | |
| 12/3/2019 9:32 | 72.7 | 73.6 | 67.7 | 71.3 |
| 12/3/2019 9:37 | 71.1 | 73.2 | 67.9 | |
| 12/3/2019 9:42 | 72.0 | 73.4 | 68.4 | |
| 12/3/2019 9:47 | 70.9 | 72.9 | 68.1 | |
| 12/3/2019 9:52 | 70.7 | 72.9 | 68.0 | |
| 12/3/2019 9:57 | 69.8 | 72.0 | 66.7 | |
| 12/3/2019 10:02 | 71.0 | 73.0 | 67.2 | 70.9 |
| 12/3/2019 10:07 | 70.4 | 72.7 | 67.8 | |
| 12/3/2019 10:12 | 70.9 | 72.9 | 67.8 | |
| 12/3/2019 10:17 | 70.2 | 72.4 | 67.2 | |
| 12/3/2019 10:22 | 71.3 | 73.7 | 66.8 | |
| 12/3/2019 10:27 | 71.5 | 73.5 | 68.1 | |
| 12/3/2019 10:32 | 71.5 | 73.5 | 67.9 | 71.2 |
| 12/3/2019 10:37 | 70.6 | 72.6 | 68.2 | |
| 12/3/2019 10:42 | 71.5 | 73.8 | 67.9 | |
| 12/3/2019 10:47 | 70.9 | 72.5 | 67.6 | |
| 12/3/2019 10:52 | 70.6 | 72.3 | 67.4 | |
| 12/3/2019 10:57 | 72.1 | 74.2 | 68.3 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/3/2019 11:02 | 70.7 | 73.2 | 67.9 | 71.5 |
| 12/3/2019 11:07 | 69.8 | 71.6 | 66.6 | |
| 12/3/2019 11:12 | 71.4 | 73.2 | 69.1 | |
| 12/3/2019 11:17 | 71.8 | 73.9 | 68.4 | |
| 12/3/2019 11:22 | 72.2 | 74.3 | 69.2 | |
| 12/3/2019 11:27 | 72.4 | 74.1 | 70.6 | |
| 12/3/2019 11:32 | 73.0 | 75.3 | 69.7 | 71.9 |
| 12/3/2019 11:37 | 71.5 | 73.1 | 69.2 | |
| 12/3/2019 11:42 | 72.8 | 76.1 | 68.7 | |
| 12/3/2019 11:47 | 72.1 | 73.6 | 69.4 | |
| 12/3/2019 11:52 | 70.9 | 72.9 | 68.0 | |
| 12/3/2019 11:57 | 70.1 | 71.9 | 66.7 | |
| 12/3/2019 12:02 | 71.3 | 73.2 | 66.8 | 71.8 |
| 12/3/2019 12:07 | 70.6 | 72.8 | 67.5 | |
| 12/3/2019 12:12 | 71.9 | 74.0 | 69.1 | |
| 12/3/2019 12:17 | 72.1 | 74.0 | 68.6 | |
| 12/3/2019 12:22 | 73.6 | 75.8 | 70.0 | |
| 12/3/2019 12:27 | 70.8 | 72.7 | 68.0 | |
| 12/3/2019 12:32 | 72.3 | 75.8 | 68.3 | 72.3 |
| 12/3/2019 12:37 | 71.8 | 74.0 | 68.5 | |
| 12/3/2019 12:42 | 71.9 | 74.0 | 69.0 | |
| 12/3/2019 12:47 | 73.4 | 74.1 | 69.2 | |
| 12/3/2019 12:52 | 72.5 | 74.9 | 68.6 | |
| 12/3/2019 12:57 | 71.8 | 74.1 | 68.3 | |
| 12/3/2019 13:02 | 71.2 | 73.2 | 68.3 | 71.6 |
| 12/3/2019 13:07 | 71.0 | 73.1 | 67.9 | |
| 12/3/2019 13:12 | 71.5 | 73.7 | 68.3 | |
| 12/3/2019 13:17 | 72.1 | 74.2 | 68.6 | |
| 12/3/2019 13:22 | 71.6 | 73.8 | 68.7 | |
| 12/3/2019 13:27 | 72.1 | 73.2 | 69.8 | |
| 12/3/2019 13:32 | 73.2 | 75.5 | 69.6 | 72.0 |
| 12/3/2019 13:37 | 71.5 | 73.5 | 69.2 | |
| 12/3/2019 13:42 | 72.4 | 75.1 | 68.7 | |
| 12/3/2019 13:47 | 71.5 | 73.8 | 68.3 | |
| 12/3/2019 13:52 | 72.0 | 73.9 | 68.9 | |
| 12/3/2019 13:57 | 71.4 | 73.8 | 68.7 | |
| 12/3/2019 14:02 | 72.8 | 75.3 | 68.2 | 72.4 |
| 12/3/2019 14:07 | 71.8 | 73.8 | 68.9 | |
| 12/3/2019 14:12 | 71.5 | 74.1 | 67.0 | |
| 12/3/2019 14:17 | 71.8 | 73.9 | 68.7 | |
| 12/3/2019 14:22 | 72.3 | 74.4 | 69.8 | |
| 12/3/2019 14:27 | 73.7 | 75.3 | 70.7 | |
| 12/3/2019 14:32 | 72.9 | 75.5 | 69.9 | 73.2 |
| 12/3/2019 14:37 | 72.7 | 74.4 | 69.5 | |
| 12/3/2019 14:42 | 72.0 | 73.9 | 69.3 | |
| 12/3/2019 14:47 | 73.2 | 74.9 | 69.8 | |
| 12/3/2019 14:52 | 72.5 | 74.4 | 69.2 | |
| 12/3/2019 14:57 | 75.1 | 79.7 | 67.8 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/3/2019 15:02 | 75.3 | 75.7 | 69.2 | 72.7 |
| 12/3/2019 15:07 | 70.7 | 73.8 | 66.0 | |
| 12/3/2019 15:12 | 71.2 | 73.2 | 68.1 | |
| 12/3/2019 15:17 | 72.3 | 75.2 | 67.4 | |
| 12/3/2019 15:22 | 72.7 | 74.9 | 68.7 | |
| 12/3/2019 15:27 | 72.1 | 74.3 | 69.5 | |
| 12/3/2019 15:32 | 72.4 | 74.2 | 70.2 | 74.9 |
| 12/3/2019 15:37 | 71.6 | 73.2 | 69.3 | |
| 12/3/2019 15:42 | 73.5 | 75.7 | 70.2 | |
| 12/3/2019 15:47 | 73.0 | 74.9 | 69.8 | |
| 12/3/2019 15:52 | 75.4 | 80.1 | 68.1 | |
| 12/3/2019 15:57 | 78.9 | 82.8 | 69.7 | |
| 12/3/2019 16:02 | 77.0 | 82.3 | 69.5 | 76.6 |
| 12/3/2019 16:07 | 72.1 | 73.3 | 68.4 | |
| 12/3/2019 16:12 | 70.9 | 72.9 | 67.9 | |
| 12/3/2019 16:17 | 79.2 | 83.2 | 69.0 | |
| 12/3/2019 16:22 | 79.5 | 83.3 | 69.4 | |
| 12/3/2019 16:27 | 73.1 | 74.8 | 69.7 | |
| 12/3/2019 16:32 | 78.5 | 82.7 | 70.3 | 76.2 |
| 12/3/2019 16:37 | 79.5 | 82.5 | 71.5 | |
| 12/3/2019 16:42 | 73.4 | 75.2 | 70.7 | |
| 12/3/2019 16:47 | 71.3 | 73.1 | 68.7 | |
| 12/3/2019 16:52 | 76.2 | 79.1 | 69.2 | |
| 12/3/2019 16:57 | 71.7 | 73.8 | 69.1 | |
| 12/3/2019 17:02 | 70.9 | 72.5 | 69.0 | 75.7 |
| 12/3/2019 17:07 | 72.2 | 73.8 | 69.2 | |
| 12/3/2019 17:12 | 71.1 | 73.0 | 68.7 | |
| 12/3/2019 17:17 | 72.2 | 74.2 | 68.8 | |
| 12/3/2019 17:22 | 80.0 | 82.9 | 68.9 | |
| 12/3/2019 17:27 | 78.0 | 82.7 | 67.5 | |
| 12/3/2019 17:32 | 71.3 | 72.5 | 67.7 | 73.5 |
| 12/3/2019 17:37 | 71.3 | 73.2 | 68.2 | |
| 12/3/2019 17:42 | 77.4 | 81.6 | 69.0 | |
| 12/3/2019 17:47 | 72.8 | 74.4 | 68.8 | |
| 12/3/2019 17:52 | 72.5 | 74.8 | 68.4 | |
| 12/3/2019 17:57 | 72.1 | 72.5 | 67.3 | |
| 12/3/2019 18:02 | 69.0 | 71.0 | 65.5 | 69.8 |
| 12/3/2019 18:07 | 70.0 | 72.0 | 67.2 | |
| 12/3/2019 18:12 | 68.8 | 70.9 | 65.9 | |
| 12/3/2019 18:17 | 69.2 | 71.3 | 66.3 | |
| 12/3/2019 18:22 | 71.0 | 73.4 | 67.4 | |
| 12/3/2019 18:27 | 70.5 | 72.2 | 65.6 | |
| 12/3/2019 18:32 | 70.7 | 74.1 | 64.8 | 70.6 |
| 12/3/2019 18:37 | 70.6 | 72.6 | 66.5 | |
| 12/3/2019 18:42 | 70.5 | 72.5 | 65.9 | |
| 12/3/2019 18:47 | 70.1 | 72.8 | 67.1 | |
| 12/3/2019 18:52 | 69.8 | 71.1 | 65.6 | |
| 12/3/2019 18:57 | 71.7 | 73.5 | 66.2 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/3/2019 7:02 | 65.3 | 68.2 | 56.7 | 66.9 |
| 13/3/2019 7:07 | 65.2 | 68.7 | 58.2 | |
| 13/3/2019 7:12 | 64.7 | 67.7 | 59.6 | |
| 13/3/2019 7:17 | 68.4 | 72.0 | 62.2 | |
| 13/3/2019 7:22 | 68.4 | 71.7 | 60.8 | |
| 13/3/2019 7:27 | 67.7 | 71.5 | 60.9 | |
| 13/3/2019 7:32 | 66.4 | 69.3 | 60.3 | 68.2 |
| 13/3/2019 7:37 | 67.2 | 70.5 | 61.4 | |
| 13/3/2019 7:42 | 68.3 | 71.1 | 61.1 | |
| 13/3/2019 7:47 | 68.8 | 71.7 | 62.9 | |
| 13/3/2019 7:52 | 68.9 | 72.5 | 62.6 | |
| 13/3/2019 7:57 | 69.0 | 72.1 | 63.4 | |
| 13/3/2019 8:02 | 69.7 | 71.6 | 64.2 | 69.6 |
| 13/3/2019 8:07 | 69.9 | 72.8 | 63.7 | |
| 13/3/2019 8:12 | 68.2 | 70.5 | 63.8 | |
| 13/3/2019 8:17 | 69.8 | 72.7 | 64.9 | |
| 13/3/2019 8:22 | 69.6 | 73.1 | 63.9 | |
| 13/3/2019 8:27 | 70.4 | 73.4 | 65.2 | |
| 13/3/2019 8:32 | 69.2 | 72.5 | 62.9 | 69.8 |
| 13/3/2019 8:37 | 70.7 | 73.6 | 65.3 | |
| 13/3/2019 8:42 | 68.8 | 71.0 | 64.9 | |
| 13/3/2019 8:47 | 69.3 | 72.1 | 62.6 | |
| 13/3/2019 8:52 | 71.1 | 73.7 | 65.2 | |
| 13/3/2019 8:57 | 69.3 | 72.3 | 64.9 | |
| 13/3/2019 9:02 | 72.2 | 73.3 | 64.1 | 70.2 |
| 13/3/2019 9:07 | 68.8 | 71.5 | 64.6 | |
| 13/3/2019 9:12 | 70.7 | 73.4 | 66.0 | |
| 13/3/2019 9:17 | 70.0 | 72.5 | 65.3 | |
| 13/3/2019 9:22 | 69.0 | 72.0 | 64.0 | |
| 13/3/2019 9:27 | 69.6 | 71.7 | 64.7 | |
| 13/3/2019 9:32 | 68.7 | 71.8 | 64.5 | 69.5 |
| 13/3/2019 9:37 | 68.7 | 71.4 | 64.0 | |
| 13/3/2019 9:42 | 71.2 | 74.0 | 63.5 | |
| 13/3/2019 9:47 | 69.6 | 72.3 | 64.4 | |
| 13/3/2019 9:52 | 68.2 | 70.7 | 63.9 | |
| 13/3/2019 9:57 | 69.7 | 72.5 | 64.7 | |
| 13/3/2019 10:02 | 69.4 | 72.9 | 64.3 | 69.4 |
| 13/3/2019 10:07 | 69.4 | 72.1 | 64.2 | |
| 13/3/2019 10:12 | 70.3 | 73.5 | 64.3 | |
| 13/3/2019 10:17 | 69.0 | 71.9 | 64.2 | |
| 13/3/2019 10:22 | 68.8 | 71.8 | 63.6 | |
| 13/3/2019 10:27 | 69.5 | 72.5 | 65.3 | |
| 13/3/2019 10:32 | 70.0 | 72.8 | 64.8 | 69.7 |
| 13/3/2019 10:37 | 70.5 | 72.7 | 64.9 | |
| 13/3/2019 10:42 | 69.5 | 72.4 | 63.9 | |
| 13/3/2019 10:47 | 69.8 | 72.7 | 65.1 | |
| 13/3/2019 10:52 | 69.4 | 71.9 | 65.4 | |
| 13/3/2019 10:57 | 68.9 | 72.1 | 64.2 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/3/2019 11:02 | 70.1 | 72.7 | 65.7 | 70.1 |
| 13/3/2019 11:07 | 68.9 | 71.8 | 64.5 | |
| 13/3/2019 11:12 | 70.2 | 72.7 | 65.3 | |
| 13/3/2019 11:17 | 69.8 | 72.2 | 65.2 | |
| 13/3/2019 11:22 | 71.9 | 72.1 | 66.3 | |
| 13/3/2019 11:27 | 69.1 | 71.3 | 65.7 | |
| 13/3/2019 11:32 | 70.5 | 73.1 | 65.7 | 69.8 |
| 13/3/2019 11:37 | 69.6 | 72.3 | 64.0 | |
| 13/3/2019 11:42 | 69.2 | 71.6 | 63.8 | |
| 13/3/2019 11:47 | 70.1 | 73.2 | 64.2 | |
| 13/3/2019 11:52 | 69.2 | 71.2 | 65.6 | |
| 13/3/2019 11:57 | 70.0 | 72.8 | 64.2 | |
| 13/3/2019 12:02 | 68.3 | 71.0 | 63.6 | 69.8 |
| 13/3/2019 12:07 | 70.7 | 73.3 | 64.9 | |
| 13/3/2019 12:12 | 69.1 | 71.8 | 64.6 | |
| 13/3/2019 12:17 | 70.2 | 73.0 | 65.8 | |
| 13/3/2019 12:22 | 69.8 | 72.6 | 65.2 | |
| 13/3/2019 12:27 | 70.1 | 72.5 | 64.7 | |
| 13/3/2019 12:32 | 70.1 | 72.4 | 66.5 | 73.1 |
| 13/3/2019 12:37 | 77.8 | 82.5 | 68.3 | |
| 13/3/2019 12:42 | 72.6 | 77.4 | 65.5 | |
| 13/3/2019 12:47 | 70.8 | 72.3 | 67.2 | |
| 13/3/2019 12:52 | 70.7 | 73.1 | 66.7 | |
| 13/3/2019 12:57 | 69.8 | 71.6 | 66.0 | |
| 13/3/2019 13:02 | 69.7 | 71.8 | 65.5 | 70.7 |
| 13/3/2019 13:07 | 69.7 | 72.2 | 64.7 | |
| 13/3/2019 13:12 | 71.0 | 74.2 | 65.1 | |
| 13/3/2019 13:17 | 70.8 | 72.7 | 67.4 | |
| 13/3/2019 13:22 | 72.6 | 73.4 | 68.8 | |
| 13/3/2019 13:27 | 69.6 | 71.5 | 66.9 | |
| 13/3/2019 13:32 | 70.1 | 72.6 | 65.8 | 70.4 |
| 13/3/2019 13:37 | 70.0 | 72.5 | 66.5 | |
| 13/3/2019 13:42 | 69.7 | 72.2 | 65.9 | |
| 13/3/2019 13:47 | 69.2 | 71.2 | 66.1 | |
| 13/3/2019 13:52 | 69.9 | 72.1 | 66.0 | |
| 13/3/2019 13:57 | 72.6 | 74.4 | 68.3 | |
| 13/3/2019 14:02 | 71.2 | 74.2 | 66.3 | 71.9 |
| 13/3/2019 14:07 | 71.0 | 73.8 | 66.6 | |
| 13/3/2019 14:12 | 72.5 | 74.5 | 67.8 | |
| 13/3/2019 14:17 | 73.1 | 75.6 | 69.8 | |
| 13/3/2019 14:22 | 72.8 | 74.9 | 69.7 | |
| 13/3/2019 14:27 | 69.8 | 72.5 | 65.6 | |
| 13/3/2019 14:32 | 70.4 | 72.3 | 66.6 | 71.7 |
| 13/3/2019 14:37 | 73.9 | 74.3 | 66.8 | |
| 13/3/2019 14:42 | 71.2 | 72.3 | 66.0 | |
| 13/3/2019 14:47 | 71.0 | 73.0 | 66.8 | |
| 13/3/2019 14:52 | 72.5 | 73.9 | 67.8 | |
| 13/3/2019 14:57 | 70.1 | 72.0 | 66.1 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/3/2019 15:02 | 68.8 | 71.4 | 64.9 | 70.3 |
| 13/3/2019 15:07 | 70.9 | 73.6 | 65.9 | |
| 13/3/2019 15:12 | 69.5 | 72.4 | 65.8 | |
| 13/3/2019 15:17 | 70.1 | 72.5 | 66.4 | |
| 13/3/2019 15:22 | 69.0 | 71.8 | 65.5 | |
| 13/3/2019 15:27 | 72.5 | 72.4 | 64.3 | |
| 13/3/2019 15:32 | 70.2 | 72.6 | 66.2 | 70.1 |
| 13/3/2019 15:37 | 70.5 | 72.6 | 65.6 | |
| 13/3/2019 15:42 | 70.1 | 72.1 | 66.6 | |
| 13/3/2019 15:47 | 70.1 | 72.1 | 67.1 | |
| 13/3/2019 15:52 | 69.5 | 71.6 | 66.5 | |
| 13/3/2019 15:57 | 70.4 | 73.3 | 65.5 | |
| 13/3/2019 16:02 | 70.3 | 72.1 | 66.5 | 70.1 |
| 13/3/2019 16:07 | 69.4 | 71.6 | 66.0 | |
| 13/3/2019 16:12 | 71.7 | 74.7 | 66.7 | |
| 13/3/2019 16:17 | 69.9 | 71.7 | 65.6 | |
| 13/3/2019 16:22 | 69.2 | 71.5 | 64.9 | |
| 13/3/2019 16:27 | 69.5 | 72.0 | 65.5 | |
| 13/3/2019 16:32 | 69.7 | 71.9 | 66.5 | 70.1 |
| 13/3/2019 16:37 | 69.4 | 71.5 | 64.9 | |
| 13/3/2019 16:42 | 69.6 | 71.9 | 64.6 | |
| 13/3/2019 16:47 | 70.9 | 73.5 | 65.1 | |
| 13/3/2019 16:52 | 69.9 | 72.3 | 64.7 | |
| 13/3/2019 16:57 | 70.6 | 72.4 | 65.8 | |
| 13/3/2019 17:02 | 70.8 | 73.3 | 65.8 | 70.6 |
| 13/3/2019 17:07 | 71.4 | 73.4 | 66.1 | |
| 13/3/2019 17:12 | 71.1 | 73.7 | 66.9 | |
| 13/3/2019 17:17 | 69.3 | 71.7 | 64.7 | |
| 13/3/2019 17:22 | 69.4 | 72.0 | 64.1 | |
| 13/3/2019 17:27 | 71.2 | 73.4 | 65.4 | |
| 13/3/2019 17:32 | 69.7 | 72.1 | 64.4 | 70.4 |
| 13/3/2019 17:37 | 70.1 | 72.6 | 65.7 | |
| 13/3/2019 17:42 | 70.1 | 73.0 | 65.5 | |
| 13/3/2019 17:47 | 71.7 | 73.5 | 66.0 | |
| 13/3/2019 17:52 | 70.1 | 72.4 | 66.2 | |
| 13/3/2019 17:57 | 70.2 | 73.3 | 66.0 | |
| 13/3/2019 18:02 | 70.4 | 73.4 | 66.5 | 69.9 |
| 13/3/2019 18:07 | 70.2 | 72.7 | 66.2 | |
| 13/3/2019 18:12 | 69.2 | 71.4 | 63.7 | |
| 13/3/2019 18:17 | 69.9 | 72.4 | 65.7 | |
| 13/3/2019 18:22 | 69.3 | 71.9 | 65.2 | |
| 13/3/2019 18:27 | 70.3 | 72.7 | 64.4 | |
| 13/3/2019 18:32 | 69.1 | 72.4 | 64.0 | 69.5 |
| 13/3/2019 18:37 | 69.3 | 71.5 | 65.7 | |
| 13/3/2019 18:42 | 69.7 | 72.0 | 65.7 | |
| 13/3/2019 18:47 | 69.5 | 72.6 | 64.7 | |
| 13/3/2019 18:52 | 69.8 | 73.1 | 64.5 | |
| 13/3/2019 18:57 | 69.3 | 72.2 | 63.0 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/3/2019 7:02 | 66.7 | 69.8 | 60.8 | 66.3 |
| 14/3/2019 7:07 | 66.3 | 69.5 | 59.5 | |
| 14/3/2019 7:12 | 65.4 | 67.8 | 58.1 | |
| 14/3/2019 7:17 | 66.0 | 69.8 | 59.3 | |
| 14/3/2019 7:22 | 65.4 | 68.9 | 59.0 | |
| 14/3/2019 7:27 | 67.4 | 70.9 | 62.2 | |
| 14/3/2019 7:32 | 66.4 | 69.9 | 60.4 | 69.1 |
| 14/3/2019 7:37 | 67.2 | 70.8 | 61.2 | |
| 14/3/2019 7:42 | 67.9 | 70.1 | 62.3 | |
| 14/3/2019 7:47 | 68.3 | 71.0 | 61.9 | |
| 14/3/2019 7:52 | 67.4 | 70.5 | 61.3 | |
| 14/3/2019 7:57 | 73.1 | 70.9 | 61.8 | |
| 14/3/2019 8:02 | 68.7 | 71.9 | 62.4 | 69.3 |
| 14/3/2019 8:07 | 69.8 | 71.7 | 64.1 | |
| 14/3/2019 8:12 | 68.8 | 71.8 | 62.2 | |
| 14/3/2019 8:17 | 69.0 | 71.5 | 64.0 | |
| 14/3/2019 8:22 | 70.2 | 73.0 | 65.4 | |
| 14/3/2019 8:27 | 69.1 | 72.0 | 64.8 | |
| 14/3/2019 8:32 | 69.1 | 71.8 | 63.3 | 69.4 |
| 14/3/2019 8:37 | 68.8 | 71.7 | 64.1 | |
| 14/3/2019 8:42 | 69.9 | 72.9 | 63.7 | |
| 14/3/2019 8:47 | 69.4 | 72.1 | 64.4 | |
| 14/3/2019 8:52 | 69.0 | 71.4 | 63.7 | |
| 14/3/2019 8:57 | 70.2 | 72.8 | 65.7 | |
| 14/3/2019 9:02 | 74.7 | 78.0 | 67.4 | 74.2 |
| 14/3/2019 9:07 | 73.0 | 76.5 | 67.0 | |
| 14/3/2019 9:12 | 74.5 | 77.2 | 69.6 | |
| 14/3/2019 9:17 | 74.5 | 77.3 | 68.1 | |
| 14/3/2019 9:22 | 73.8 | 76.7 | 68.6 | |
| 14/3/2019 9:27 | 74.5 | 77.4 | 68.8 | |
| 14/3/2019 9:32 | 76.0 | 78.2 | 69.8 | 74.9 |
| 14/3/2019 9:37 | 74.6 | 77.6 | 68.6 | |
| 14/3/2019 9:42 | 74.8 | 77.8 | 69.3 | |
| 14/3/2019 9:47 | 75.2 | 78.5 | 67.7 | |
| 14/3/2019 9:51 | 74.4 | 77.0 | 68.2 | |
| 14/3/2019 9:56 | 74.1 | 77.0 | 68.9 | |
| 14/3/2019 10:01 | 75.1 | 77.0 | 67.6 | 74.5 |
| 14/3/2019 10:06 | 74.4 | 78.0 | 68.8 | |
| 14/3/2019 10:11 | 74.8 | 78.2 | 69.9 | |
| 14/3/2019 10:16 | 74.4 | 77.1 | 69.2 | |
| 14/3/2019 10:21 | 74.5 | 75.7 | 65.7 | |
| 14/3/2019 10:26 | 73.4 | 76.9 | 67.0 | |
| 14/3/2019 10:31 | 73.0 | 76.3 | 67.3 | 74.2 |
| 14/3/2019 10:36 | 73.6 | 76.8 | 68.3 | |
| 14/3/2019 10:41 | 74.8 | 77.7 | 68.3 | |
| 14/3/2019 10:46 | 74.5 | 77.7 | 68.0 | |
| 14/3/2019 10:51 | 73.7 | 76.6 | 67.9 | |
| 14/3/2019 10:56 | 75.0 | 77.6 | 69.9 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/3/2019 11:01 | 73.5 | 76.6 | 67.8 | 73.9 |
| 14/3/2019 11:06 | 74.2 | 76.6 | 68.9 | |
| 14/3/2019 11:11 | 73.4 | 76.0 | 66.3 | |
| 14/3/2019 11:16 | 73.7 | 76.4 | 68.8 | |
| 14/3/2019 11:21 | 74.1 | 77.2 | 69.8 | |
| 14/3/2019 11:26 | 74.6 | 77.7 | 68.1 | |
| 14/3/2019 11:31 | 74.2 | 76.6 | 68.9 | 74.6 |
| 14/3/2019 11:36 | 73.1 | 77.2 | 67.0 | |
| 14/3/2019 11:41 | 74.0 | 77.2 | 68.5 | |
| 14/3/2019 11:46 | 74.0 | 77.2 | 68.5 | |
| 14/3/2019 11:51 | 76.1 | 78.1 | 73.4 | |
| 14/3/2019 11:56 | 75.7 | 77.7 | 72.6 | |
| 14/3/2019 12:30 | 73.4 | 76.0 | 67.5 | 73.9 |
| 14/3/2019 12:35 | 74.0 | 77.2 | 67.8 | |
| 14/3/2019 12:40 | 73.5 | 75.7 | 69.6 | |
| 14/3/2019 12:45 | 74.0 | 77.1 | 68.6 | |
| 14/3/2019 12:50 | 74.6 | 77.0 | 68.7 | |
| 14/3/2019 12:55 | 73.7 | 76.4 | 69.1 | |
| 14/3/2019 13:00 | 73.4 | 76.1 | 68.7 | 77.8 |
| 14/3/2019 13:05 | 76.8 | 79.7 | 71.1 | |
| 14/3/2019 13:10 | 74.8 | 77.6 | 69.0 | |
| 14/3/2019 13:15 | 73.8 | 76.7 | 68.8 | |
| 14/3/2019 13:20 | 83.0 | 89.2 | 69.5 | |
| 14/3/2019 13:25 | 75.7 | 78.5 | 72.3 | |
| 14/3/2019 13:30 | 76.2 | 78.6 | 72.6 | 76.2 |
| 14/3/2019 13:35 | 76.1 | 78.1 | 73.4 | |
| 14/3/2019 13:40 | 77.5 | 79.3 | 73.6 | |
| 14/3/2019 13:45 | 75.6 | 78.3 | 68.9 | |
| 14/3/2019 13:50 | 75.9 | 78.1 | 73.0 | |
| 14/3/2019 13:55 | 75.3 | 77.9 | 71.3 | |
| 14/3/2019 14:00 | 76.5 | 78.7 | 71.5 | 75.3 |
| 14/3/2019 14:05 | 73.7 | 76.7 | 68.4 | |
| 14/3/2019 14:10 | 73.6 | 76.5 | 68.4 | |
| 14/3/2019 14:15 | 75.0 | 77.6 | 71.7 | |
| 14/3/2019 14:20 | 74.9 | 77.2 | 70.2 | |
| 14/3/2019 14:25 | 77.0 | 78.7 | 71.4 | |
| 14/3/2019 14:30 | 75.7 | 77.7 | 72.6 | 78.5 |
| 14/3/2019 14:35 | 76.0 | 78.0 | 71.7 | |
| 14/3/2019 14:40 | 73.5 | 76.4 | 69.0 | |
| 14/3/2019 14:45 | 73.4 | 76.4 | 68.8 | |
| 14/3/2019 14:50 | 80.9 | 85.6 | 70.6 | |
| 14/3/2019 14:55 | 82.5 | 78.4 | 68.2 | |
| 14/3/2019 15:00 | 75.1 | 77.9 | 69.0 | 74.7 |
| 14/3/2019 15:05 | 74.2 | 76.5 | 69.7 | |
| 14/3/2019 15:10 | 75.6 | 78.0 | 71.9 | |
| 14/3/2019 15:15 | 75.1 | 77.3 | 72.4 | |
| 14/3/2019 15:20 | 74.2 | 76.5 | 70.2 | |
| 14/3/2019 15:25 | 73.4 | 75.9 | 69.5 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/3/2019 15:30 | 74.7 | 77.0 | 70.2 | 74.8 |
| 14/3/2019 15:35 | 75.3 | 77.0 | 70.3 | |
| 14/3/2019 15:40 | 76.6 | 79.7 | 69.7 | |
| 14/3/2019 15:45 | 74.1 | 77.5 | 68.4 | |
| 14/3/2019 15:50 | 74.0 | 76.3 | 69.2 | |
| 14/3/2019 15:55 | 73.1 | 75.6 | 69.3 | |
| 14/3/2019 16:00 | 73.6 | 76.0 | 68.8 | 74.1 |
| 14/3/2019 16:05 | 73.5 | 76.3 | 69.2 | |
| 14/3/2019 16:10 | 73.1 | 76.2 | 68.7 | |
| 14/3/2019 16:15 | 74.2 | 76.9 | 69.9 | |
| 14/3/2019 16:20 | 75.5 | 77.1 | 71.2 | |
| 14/3/2019 16:25 | 74.0 | 76.7 | 70.3 | |
| 14/3/2019 16:30 | 74.4 | 76.7 | 69.4 | 73.9 |
| 14/3/2019 16:35 | 74.4 | 76.6 | 70.5 | |
| 14/3/2019 16:40 | 73.9 | 76.6 | 68.9 | |
| 14/3/2019 16:45 | 73.8 | 76.7 | 69.0 | |
| 14/3/2019 16:50 | 74.0 | 76.7 | 69.0 | |
| 14/3/2019 16:55 | 72.6 | 75.5 | 67.3 | |
| 14/3/2019 17:00 | 73.5 | 76.0 | 67.7 | 73.7 |
| 14/3/2019 17:05 | 74.1 | 77.8 | 67.7 | |
| 14/3/2019 17:10 | 73.1 | 75.5 | 67.2 | |
| 14/3/2019 17:15 | 74.5 | 76.8 | 70.3 | |
| 14/3/2019 17:20 | 72.6 | 75.9 | 67.2 | |
| 14/3/2019 17:25 | 73.9 | 77.1 | 68.8 | |
| 14/3/2019 17:30 | 73.3 | 75.7 | 68.5 | 76.2 |
| 14/3/2019 17:35 | 73.5 | 76.3 | 68.6 | |
| 14/3/2019 17:40 | 73.4 | 76.0 | 68.3 | |
| 14/3/2019 17:45 | 81.2 | 77.0 | 68.3 | |
| 14/3/2019 17:50 | 74.4 | 77.4 | 68.9 | |
| 14/3/2019 17:55 | 73.8 | 76.5 | 68.0 | |
| 14/3/2019 18:00 | 73.7 | 77.1 | 68.8 | 74.1 |
| 14/3/2019 18:05 | 75.0 | 78.0 | 68.8 | |
| 14/3/2019 18:10 | 74.7 | 78.1 | 68.8 | |
| 14/3/2019 18:15 | 73.6 | 75.7 | 65.5 | |
| 14/3/2019 18:20 | 73.9 | 76.9 | 69.0 | |
| 14/3/2019 18:25 | 73.5 | 76.9 | 67.7 | |
| 14/3/2019 18:30 | 73.6 | 76.7 | 68.2 | 75.6 |
| 14/3/2019 18:35 | 73.1 | 76.8 | 64.7 | |
| 14/3/2019 18:40 | 79.7 | 75.1 | 64.7 | |
| 14/3/2019 18:45 | 75.4 | 77.4 | 68.3 | |
| 14/3/2019 18:50 | 74.2 | 77.1 | 66.9 | |
| 14/3/2019 18:55 | 73.0 | 76.0 | 66.6 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/3/2019 7:00 | 74.2 | 77.7 | 67.1 | 73.3 |
| 15/3/2019 7:05 | 73.2 | 76.4 | 66.6 | |
| 15/3/2019 7:10 | 74.3 | 77.7 | 67.2 | |
| 15/3/2019 7:15 | 72.7 | 75.6 | 67.5 | |
| 15/3/2019 7:20 | 72.6 | 75.6 | 65.4 | |
| 15/3/2019 7:25 | 72.4 | 75.8 | 66.5 | |
| 15/3/2019 7:30 | 74.8 | 77.9 | 69.5 | 74.4 |
| 15/3/2019 7:35 | 73.7 | 77.3 | 66.8 | |
| 15/3/2019 7:40 | 73.8 | 76.5 | 68.8 | |
| 15/3/2019 7:45 | 75.1 | 78.2 | 69.6 | |
| 15/3/2019 7:50 | 75.1 | 78.3 | 69.6 | |
| 15/3/2019 7:55 | 73.5 | 76.4 | 69.2 | |
| 15/3/2019 8:00 | 74.8 | 77.8 | 69.1 | 74.6 |
| 15/3/2019 8:05 | 74.0 | 76.8 | 68.7 | |
| 15/3/2019 8:10 | 75.8 | 78.7 | 70.0 | |
| 15/3/2019 8:15 | 74.2 | 77.6 | 69.1 | |
| 15/3/2019 8:20 | 74.1 | 77.3 | 69.1 | |
| 15/3/2019 8:25 | 74.2 | 77.2 | 68.6 | |
| 15/3/2019 8:30 | 76.2 | 77.9 | 70.1 | 74.6 |
| 15/3/2019 8:35 | 73.4 | 76.0 | 70.2 | |
| 15/3/2019 8:40 | 74.5 | 77.2 | 70.0 | |
| 15/3/2019 8:45 | 74.2 | 76.4 | 69.3 | |
| 15/3/2019 8:50 | 74.9 | 78.1 | 68.2 | |
| 15/3/2019 8:55 | 73.8 | 76.3 | 68.6 | |
| 15/3/2019 9:00 | 73.9 | 77.4 | 67.3 | 74.4 |
| 15/3/2019 9:05 | 74.8 | 78.1 | 69.0 | |
| 15/3/2019 9:10 | 72.5 | 75.8 | 67.4 | |
| 15/3/2019 9:15 | 74.9 | 77.1 | 69.5 | |
| 15/3/2019 9:20 | 74.3 | 76.7 | 69.9 | |
| 15/3/2019 9:25 | 75.3 | 78.4 | 69.4 | |
| 15/3/2019 9:30 | 76.1 | 78.4 | 72.2 | 74.8 |
| 15/3/2019 9:35 | 75.1 | 77.6 | 70.1 | |
| 15/3/2019 9:40 | 75.2 | 78.2 | 69.9 | |
| 15/3/2019 9:45 | 74.2 | 76.8 | 70.2 | |
| 15/3/2019 9:50 | 73.4 | 75.6 | 68.1 | |
| 15/3/2019 9:55 | 74.6 | 77.2 | 69.9 | |
| 15/3/2019 10:00 | 74.7 | 77.5 | 69.7 | 74.8 |
| 15/3/2019 10:05 | 75.9 | 79.2 | 69.4 | |
| 15/3/2019 10:10 | 74.7 | 77.8 | 68.9 | |
| 15/3/2019 10:15 | 74.3 | 77.5 | 69.1 | |
| 15/3/2019 10:20 | 74.3 | 77.0 | 69.1 | |
| 15/3/2019 10:25 | 74.6 | 77.5 | 69.5 | |
| 15/3/2019 10:30 | 74.5 | 77.7 | 69.8 | 74.7 |
| 15/3/2019 10:35 | 74.3 | 76.3 | 68.3 | |
| 15/3/2019 10:40 | 75.2 | 78.8 | 70.1 | |
| 15/3/2019 10:45 | 74.8 | 78.3 | 68.9 | |
| 15/3/2019 10:50 | 75.1 | 77.7 | 69.4 | |
| 15/3/2019 10:55 | 74.2 | 77.4 | 69.1 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/3/2019 11:00 | 74.1 | 76.9 | 69.7 | 73.9 |
| 15/3/2019 11:05 | 74.3 | 77.0 | 69.0 | |
| 15/3/2019 11:10 | 73.2 | 76.4 | 67.2 | |
| 15/3/2019 11:15 | 74.3 | 77.7 | 67.9 | |
| 15/3/2019 11:20 | 72.4 | 75.0 | 68.4 | |
| 15/3/2019 11:25 | 74.6 | 76.7 | 68.9 | |
| 15/3/2019 11:30 | 74.9 | 77.3 | 70.5 | 74.9 |
| 15/3/2019 11:35 | 74.1 | 76.8 | 69.7 | |
| 15/3/2019 11:40 | 75.5 | 78.4 | 71.4 | |
| 15/3/2019 11:45 | 75.8 | 78.9 | 70.5 | |
| 15/3/2019 11:50 | 74.7 | 77.3 | 70.1 | |
| 15/3/2019 11:55 | 74.2 | 76.8 | 68.4 | |
| 15/3/2019 12:00 | 74.8 | 78.1 | 68.4 | 74.4 |
| 15/3/2019 12:05 | 73.9 | 77.2 | 68.9 | |
| 15/3/2019 12:10 | 74.2 | 76.6 | 69.6 | |
| 15/3/2019 12:15 | 75.0 | 78.0 | 69.7 | |
| 15/3/2019 12:20 | 75.3 | 78.5 | 69.7 | |
| 15/3/2019 12:25 | 72.7 | 74.9 | 66.7 | |
| 15/3/2019 12:30 | 73.6 | 75.8 | 69.3 | 73.7 |
| 15/3/2019 12:35 | 73.3 | 76.3 | 67.3 | |
| 15/3/2019 12:40 | 73.6 | 76.9 | 67.4 | |
| 15/3/2019 12:45 | 73.2 | 76.5 | 67.5 | |
| 15/3/2019 12:50 | 73.5 | 76.3 | 69.0 | |
| 15/3/2019 12:55 | 75.0 | 77.7 | 69.5 | |
| 15/3/2019 13:00 | 78.9 | 80.9 | 70.7 | 76.4 |
| 15/3/2019 13:05 | 77.6 | 78.2 | 71.1 | |
| 15/3/2019 13:10 | 75.0 | 77.5 | 70.8 | |
| 15/3/2019 13:15 | 75.5 | 78.2 | 68.5 | |
| 15/3/2019 13:20 | 75.1 | 77.8 | 68.2 | |
| 15/3/2019 13:25 | 74.8 | 77.0 | 69.9 | |
| 15/3/2019 13:30 | 76.7 | 79.7 | 70.7 | 75.7 |
| 15/3/2019 13:35 | 75.6 | 78.0 | 71.9 | |
| 15/3/2019 13:40 | 75.4 | 78.3 | 70.8 | |
| 15/3/2019 13:45 | 76.3 | 78.6 | 71.9 | |
| 15/3/2019 13:50 | 75.4 | 78.4 | 71.3 | |
| 15/3/2019 13:55 | 74.3 | 76.9 | 68.7 | |
| 15/3/2019 14:00 | 73.7 | 76.1 | 69.6 | 75.5 |
| 15/3/2019 14:05 | 76.3 | 78.1 | 71.8 | |
| 15/3/2019 14:10 | 75.2 | 78.2 | 70.1 | |
| 15/3/2019 14:14 | 75.8 | 78.8 | 70.7 | |
| 15/3/2019 14:19 | 76.0 | 78.8 | 71.8 | |
| 15/3/2019 14:24 | 75.4 | 78.2 | 69.3 | |
| 15/3/2019 14:29 | 73.5 | 76.2 | 69.6 | 74.5 |
| 15/3/2019 14:34 | 75.8 | 78.6 | 71.5 | |
| 15/3/2019 14:39 | 74.1 | 76.6 | 70.3 | |
| 15/3/2019 14:44 | 74.7 | 77.9 | 69.1 | |
| 15/3/2019 14:49 | 73.7 | 76.3 | 67.8 | |
| 15/3/2019 14:54 | 74.9 | 77.9 | 70.1 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/3/2019 14:59 | 73.5 | 76.0 | 69.8 | 75.0 |
| 15/3/2019 15:04 | 75.4 | 78.3 | 70.3 | |
| 15/3/2019 15:09 | 75.8 | 78.0 | 70.3 | |
| 15/3/2019 15:14 | 74.8 | 77.4 | 69.3 | |
| 15/3/2019 15:19 | 75.1 | 77.3 | 70.5 | |
| 15/3/2019 15:24 | 74.9 | 77.3 | 70.7 | |
| 15/3/2019 15:29 | 75.4 | 78.3 | 71.7 | 75.2 |
| 15/3/2019 15:34 | 75.7 | 78.8 | 70.7 | |
| 15/3/2019 15:39 | 75.2 | 78.0 | 71.0 | |
| 15/3/2019 15:44 | 75.3 | 78.1 | 70.0 | |
| 15/3/2019 15:49 | 74.3 | 77.0 | 69.0 | |
| 15/3/2019 15:54 | 75.2 | 77.6 | 70.4 | |
| 15/3/2019 15:59 | 76.1 | 78.9 | 70.2 | 75.4 |
| 15/3/2019 16:04 | 76.2 | 77.6 | 70.3 | |
| 15/3/2019 16:09 | 74.3 | 76.9 | 68.3 | |
| 15/3/2019 16:14 | 76.1 | 78.3 | 70.3 | |
| 15/3/2019 16:19 | 74.6 | 77.5 | 68.8 | |
| 15/3/2019 16:24 | 74.3 | 77.0 | 69.0 | |
| 15/3/2019 16:29 | 73.7 | 76.3 | 67.8 | 74.4 |
| 15/3/2019 16:34 | 74.2 | 76.5 | 68.3 | |
| 15/3/2019 16:39 | 75.0 | 77.3 | 71.4 | |
| 15/3/2019 16:44 | 75.0 | 77.7 | 70.1 | |
| 15/3/2019 16:49 | 74.9 | 77.0 | 69.3 | |
| 15/3/2019 16:54 | 73.5 | 76.5 | 68.7 | |
| 15/3/2019 16:59 | 75.2 | 77.5 | 70.5 | 75.2 |
| 15/3/2019 17:04 | 75.8 | 78.0 | 70.7 | |
| 15/3/2019 17:09 | 74.7 | 77.6 | 70.2 | |
| 15/3/2019 17:14 | 75.2 | 77.4 | 69.4 | |
| 15/3/2019 17:19 | 75.2 | 77.7 | 69.6 | |
| 15/3/2019 17:24 | 74.8 | 77.1 | 69.3 | |
| 15/3/2019 17:29 | 74.5 | 77.3 | 69.3 | 74.9 |
| 15/3/2019 17:34 | 74.5 | 77.4 | 68.5 | |
| 15/3/2019 17:39 | 75.0 | 78.2 | 69.7 | |
| 15/3/2019 17:44 | 75.7 | 78.4 | 68.5 | |
| 15/3/2019 17:49 | 74.4 | 77.6 | 68.0 | |
| 15/3/2019 17:54 | 75.1 | 77.8 | 69.9 | |
| 15/3/2019 17:59 | 74.4 | 77.9 | 68.0 | 74.2 |
| 15/3/2019 18:04 | 74.7 | 77.3 | 69.7 | |
| 15/3/2019 18:09 | 74.0 | 77.1 | 66.8 | |
| 15/3/2019 18:14 | 73.7 | 76.3 | 69.5 | |
| 15/3/2019 18:19 | 74.0 | 77.3 | 67.7 | |
| 15/3/2019 18:24 | 74.4 | 77.2 | 70.0 | |
| 15/3/2019 18:29 | 76.4 | 78.6 | 70.7 | 74.8 |
| 15/3/2019 18:34 | 74.1 | 77.6 | 67.2 | |
| 15/3/2019 18:39 | 73.9 | 77.5 | 66.8 | |
| 15/3/2019 18:44 | 74.7 | 77.9 | 69.3 | |
| 15/3/2019 18:49 | 75.0 | 78.3 | 68.2 | |
| 15/3/2019 18:54 | 74.5 | 76.7 | 68.1 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/3/2019 7:04 | 70.7 | 74.6 | 62.8 | 71.1 |
| 16/3/2019 7:09 | 70.5 | 74.4 | 65.1 | |
| 16/3/2019 7:14 | 71.9 | 76.0 | 64.2 | |
| 16/3/2019 7:19 | 70.5 | 74.3 | 62.8 | |
| 16/3/2019 7:24 | 70.7 | 74.4 | 63.2 | |
| 16/3/2019 7:29 | 71.9 | 76.0 | 65.2 | |
| 16/3/2019 7:34 | 70.4 | 72.9 | 65.3 | 71.8 |
| 16/3/2019 7:39 | 74.2 | 77.5 | 66.0 | |
| 16/3/2019 7:44 | 72.8 | 76.7 | 66.2 | |
| 16/3/2019 7:49 | 72.8 | 76.2 | 66.2 | |
| 16/3/2019 7:54 | 69.6 | 71.4 | 62.1 | |
| 16/3/2019 7:59 | 68.6 | 71.4 | 63.5 | |
| 16/3/2019 8:04 | 69.0 | 72.1 | 63.8 | 69.7 |
| 16/3/2019 8:09 | 68.4 | 70.9 | 63.7 | |
| 16/3/2019 8:14 | 70.6 | 73.7 | 65.7 | |
| 16/3/2019 8:19 | 68.8 | 71.6 | 64.2 | |
| 16/3/2019 8:24 | 70.4 | 73.3 | 65.3 | |
| 16/3/2019 8:29 | 70.6 | 73.2 | 64.4 | |
| 16/3/2019 8:34 | 69.3 | 71.6 | 65.1 | 69.4 |
| 16/3/2019 8:39 | 69.9 | 72.5 | 64.0 | |
| 16/3/2019 8:44 | 68.6 | 71.3 | 63.3 | |
| 16/3/2019 8:49 | 70.1 | 72.6 | 65.6 | |
| 16/3/2019 8:54 | 69.1 | 71.2 | 63.8 | |
| 16/3/2019 8:59 | 69.2 | 72.5 | 63.9 | |
| 16/3/2019 9:04 | 71.2 | 72.3 | 64.8 | 70.3 |
| 16/3/2019 9:09 | 71.1 | 73.1 | 65.6 | |
| 16/3/2019 9:14 | 69.4 | 71.8 | 65.8 | |
| 16/3/2019 9:19 | 69.4 | 72.4 | 64.5 | |
| 16/3/2019 9:24 | 71.3 | 74.2 | 65.6 | |
| 16/3/2019 9:29 | 68.5 | 71.0 | 63.9 | |
| 16/3/2019 9:34 | 68.3 | 70.7 | 63.8 | 69.0 |
| 16/3/2019 9:39 | 70.1 | 72.6 | 64.0 | |
| 16/3/2019 9:44 | 68.9 | 71.6 | 64.4 | |
| 16/3/2019 9:49 | 69.3 | 71.3 | 64.2 | |
| 16/3/2019 9:54 | 68.7 | 71.4 | 64.1 | |
| 16/3/2019 9:59 | 68.7 | 72.4 | 63.0 | |
| 16/3/2019 10:04 | 69.5 | 72.0 | 64.9 | 69.4 |
| 16/3/2019 10:09 | 69.0 | 71.4 | 63.3 | |
| 16/3/2019 10:14 | 68.5 | 71.0 | 63.5 | |
| 16/3/2019 10:19 | 69.6 | 72.0 | 64.0 | |
| 16/3/2019 10:24 | 70.1 | 72.8 | 64.9 | |
| 16/3/2019 10:29 | 69.3 | 71.9 | 64.1 | |
| 16/3/2019 10:34 | 68.9 | 71.6 | 65.2 | 69.6 |
| 16/3/2019 10:39 | 70.3 | 71.9 | 63.3 | |
| 16/3/2019 10:44 | 70.1 | 72.0 | 63.4 | |
| 16/3/2019 10:49 | 68.9 | 72.0 | 63.2 | |
| 16/3/2019 10:54 | 68.8 | 71.6 | 64.1 | |
| 16/3/2019 10:59 | 70.2 | 73.2 | 65.2 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/3/2019 11:04 | 70.5 | 72.8 | 66.3 | 70.0 |
| 16/3/2019 11:09 | 69.3 | 72.4 | 64.9 | |
| 16/3/2019 11:14 | 70.6 | 72.4 | 67.0 | |
| 16/3/2019 11:19 | 68.8 | 71.2 | 65.3 | |
| 16/3/2019 11:24 | 69.5 | 72.1 | 65.6 | |
| 16/3/2019 11:29 | 70.7 | 73.0 | 64.6 | |
| 16/3/2019 11:34 | 70.2 | 73.3 | 64.7 | 69.9 |
| 16/3/2019 11:39 | 69.9 | 72.1 | 66.1 | |
| 16/3/2019 11:44 | 69.8 | 72.0 | 65.1 | |
| 16/3/2019 11:49 | 70.3 | 73.3 | 64.8 | |
| 16/3/2019 11:54 | 69.6 | 72.4 | 65.8 | |
| 16/3/2019 11:59 | 69.7 | 71.1 | 65.5 | |
| 16/3/2019 12:04 | 70.0 | 72.0 | 66.0 | 69.8 |
| 16/3/2019 12:09 | 69.8 | 72.4 | 65.9 | |
| 16/3/2019 12:14 | 69.0 | 71.7 | 64.5 | |
| 16/3/2019 12:19 | 68.7 | 72.2 | 63.4 | |
| 16/3/2019 12:24 | 69.1 | 72.0 | 65.0 | |
| 16/3/2019 12:29 | 71.4 | 71.6 | 64.6 | |
| 16/3/2019 12:34 | 69.4 | 71.8 | 65.2 | 70.4 |
| 16/3/2019 12:39 | 69.8 | 72.3 | 64.8 | |
| 16/3/2019 12:44 | 70.5 | 72.8 | 66.1 | |
| 16/3/2019 12:49 | 70.9 | 73.5 | 66.4 | |
| 16/3/2019 12:54 | 70.5 | 73.4 | 66.0 | |
| 16/3/2019 12:59 | 71.0 | 73.3 | 66.4 | |
| 16/3/2019 13:04 | 69.5 | 71.4 | 65.0 | 72.1 |
| 16/3/2019 13:09 | 68.3 | 71.2 | 64.3 | |
| 16/3/2019 13:14 | 70.6 | 73.3 | 66.5 | |
| 16/3/2019 13:19 | 77.1 | 72.9 | 65.8 | |
| 16/3/2019 13:24 | 69.6 | 72.3 | 64.8 | |
| 16/3/2019 13:29 | 70.0 | 73.0 | 64.9 | |
| 16/3/2019 13:34 | 72.9 | 72.4 | 66.2 | 71.8 |
| 16/3/2019 13:39 | 69.7 | 71.8 | 66.5 | |
| 16/3/2019 13:44 | 71.9 | 73.3 | 65.6 | |
| 16/3/2019 13:49 | 71.2 | 72.9 | 66.9 | |
| 16/3/2019 13:54 | 72.2 | 74.0 | 69.6 | |
| 16/3/2019 13:59 | 72.4 | 73.6 | 69.4 | |
| 16/3/2019 14:04 | 72.2 | 74.0 | 68.7 | 70.9 |
| 16/3/2019 14:09 | 70.9 | 72.4 | 68.8 | |
| 16/3/2019 14:14 | 71.4 | 74.9 | 66.1 | |
| 16/3/2019 14:19 | 69.5 | 70.9 | 66.0 | |
| 16/3/2019 14:24 | 70.1 | 72.4 | 66.1 | |
| 16/3/2019 14:29 | 70.5 | 72.4 | 67.6 | |
| 16/3/2019 14:34 | 70.3 | 72.9 | 66.1 | 70.7 |
| 16/3/2019 14:39 | 70.0 | 72.3 | 67.0 | |
| 16/3/2019 14:44 | 72.8 | 73.7 | 65.9 | |
| 16/3/2019 14:49 | 70.1 | 73.0 | 65.0 | |
| 16/3/2019 14:54 | 69.4 | 71.8 | 64.9 | |
| 16/3/2019 14:59 | 70.5 | 73.1 | 66.6 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/3/2019 15:04 | 71.7 | 73.5 | 66.5 | 70.2 |
| 16/3/2019 15:09 | 70.8 | 73.3 | 66.4 | |
| 16/3/2019 15:14 | 68.7 | 71.1 | 64.3 | |
| 16/3/2019 15:19 | 69.3 | 71.6 | 65.1 | |
| 16/3/2019 15:24 | 70.5 | 73.0 | 65.3 | |
| 16/3/2019 15:29 | 69.7 | 72.4 | 65.7 | |
| 16/3/2019 15:34 | 73.3 | 73.2 | 65.7 | 71.2 |
| 16/3/2019 15:39 | 70.2 | 72.6 | 65.5 | |
| 16/3/2019 15:44 | 68.6 | 70.9 | 65.4 | |
| 16/3/2019 15:49 | 69.3 | 71.1 | 65.3 | |
| 16/3/2019 15:54 | 72.6 | 74.5 | 67.3 | |
| 16/3/2019 15:59 | 71.4 | 73.0 | 67.3 | |
| 16/3/2019 16:04 | 70.4 | 71.6 | 66.3 | 70.6 |
| 16/3/2019 16:09 | 70.5 | 72.9 | 65.9 | |
| 16/3/2019 16:14 | 70.2 | 72.7 | 66.1 | |
| 16/3/2019 16:19 | 70.7 | 72.4 | 66.6 | |
| 16/3/2019 16:24 | 71.7 | 73.7 | 65.6 | |
| 16/3/2019 16:29 | 69.8 | 72.8 | 65.4 | |
| 16/3/2019 16:34 | 70.4 | 72.8 | 65.9 | 71.7 |
| 16/3/2019 16:39 | 72.5 | 74.0 | 66.9 | |
| 16/3/2019 16:44 | 70.9 | 72.9 | 65.5 | |
| 16/3/2019 16:49 | 69.9 | 71.7 | 64.9 | |
| 16/3/2019 16:54 | 73.6 | 73.3 | 64.6 | |
| 16/3/2019 16:59 | 71.8 | 73.0 | 67.2 | |
| 16/3/2019 17:04 | 70.8 | 73.1 | 66.6 | 70.5 |
| 16/3/2019 17:09 | 68.8 | 70.8 | 64.7 | |
| 16/3/2019 17:14 | 68.9 | 71.1 | 64.6 | |
| 16/3/2019 17:19 | 72.9 | 73.8 | 65.7 | |
| 16/3/2019 17:24 | 69.8 | 72.5 | 65.1 | |
| 16/3/2019 17:29 | 70.6 | 73.0 | 65.8 | |
| 16/3/2019 17:34 | 69.8 | 72.3 | 65.3 | 69.0 |
| 16/3/2019 17:39 | 69.3 | 71.4 | 64.9 | |
| 16/3/2019 17:44 | 68.4 | 71.1 | 64.6 | |
| 16/3/2019 17:49 | 68.6 | 71.7 | 62.8 | |
| 16/3/2019 17:54 | 69.6 | 72.3 | 65.1 | |
| 16/3/2019 17:59 | 68.3 | 71.0 | 62.4 | |
| 16/3/2019 18:04 | 68.6 | 71.5 | 62.5 | 68.9 |
| 16/3/2019 18:09 | 68.3 | 70.7 | 64.8 | |
| 16/3/2019 18:14 | 69.9 | 72.8 | 63.7 | |
| 16/3/2019 18:19 | 68.9 | 72.0 | 62.6 | |
| 16/3/2019 18:24 | 68.6 | 71.5 | 63.2 | |
| 16/3/2019 18:29 | 68.7 | 71.9 | 63.6 | |
| 16/3/2019 18:34 | 68.1 | 69.8 | 61.4 | 69.2 |
| 16/3/2019 18:39 | 70.7 | 72.7 | 63.8 | |
| 16/3/2019 18:44 | 68.2 | 71.1 | 62.8 | |
| 16/3/2019 18:49 | 70.1 | 72.6 | 62.8 | |
| 16/3/2019 18:54 | 67.7 | 70.4 | 63.5 | |
| 16/3/2019 18:59 | 69.4 | 72.6 | 63.1 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/3/2019 7:04 | 68.2 | 71.8 | 62.1 | 68.1 |
| 18/3/2019 7:09 | 67.7 | 70.4 | 60.8 | |
| 18/3/2019 7:14 | 67.6 | 70.9 | 60.3 | |
| 18/3/2019 7:19 | 68.5 | 71.8 | 61.4 | |
| 18/3/2019 7:24 | 68.9 | 72.2 | 64.5 | |
| 18/3/2019 7:29 | 67.5 | 70.7 | 60.9 | |
| 18/3/2019 7:34 | 69.0 | 71.7 | 63.8 | 69.3 |
| 18/3/2019 7:39 | 68.8 | 71.6 | 63.4 | |
| 18/3/2019 7:44 | 69.3 | 72.6 | 63.4 | |
| 18/3/2019 7:49 | 69.5 | 72.5 | 64.5 | |
| 18/3/2019 7:54 | 70.5 | 73.8 | 64.2 | |
| 18/3/2019 7:59 | 68.7 | 71.6 | 62.4 | |
| 18/3/2019 8:04 | 69.3 | 72.4 | 63.6 | 70.1 |
| 18/3/2019 8:09 | 70.0 | 72.5 | 64.9 | |
| 18/3/2019 8:14 | 70.2 | 73.2 | 64.6 | |
| 18/3/2019 8:19 | 70.4 | 73.3 | 64.4 | |
| 18/3/2019 8:24 | 70.3 | 73.2 | 63.5 | |
| 18/3/2019 8:29 | 70.3 | 73.1 | 64.5 | |
| 18/3/2019 8:34 | 69.4 | 72.1 | 63.8 | 69.9 |
| 18/3/2019 8:39 | 70.8 | 73.0 | 65.5 | |
| 18/3/2019 8:44 | 69.7 | 73.1 | 64.8 | |
| 18/3/2019 8:49 | 69.0 | 72.2 | 63.5 | |
| 18/3/2019 8:54 | 69.6 | 72.2 | 64.9 | |
| 18/3/2019 8:59 | 70.5 | 73.7 | 64.9 | |
| 18/3/2019 9:04 | 69.3 | 71.9 | 64.7 | 70.3 |
| 18/3/2019 9:09 | 70.4 | 72.6 | 63.8 | |
| 18/3/2019 9:14 | 69.0 | 71.8 | 64.4 | |
| 18/3/2019 9:19 | 69.4 | 72.4 | 64.1 | |
| 18/3/2019 9:24 | 69.3 | 71.8 | 64.5 | |
| 18/3/2019 9:29 | 72.9 | 73.3 | 65.3 | |
| 18/3/2019 9:34 | 70.4 | 73.2 | 65.9 | 69.9 |
| 18/3/2019 9:39 | 69.5 | 72.5 | 65.0 | |
| 18/3/2019 9:44 | 70.2 | 73.0 | 66.3 | |
| 18/3/2019 9:49 | 69.2 | 71.7 | 64.9 | |
| 18/3/2019 9:54 | 70.2 | 72.8 | 66.4 | |
| 18/3/2019 9:59 | 69.5 | 71.5 | 66.1 | |
| 18/3/2019 10:04 | 71.1 | 74.6 | 65.6 | 69.8 |
| 18/3/2019 10:09 | 69.6 | 72.3 | 65.1 | |
| 18/3/2019 10:14 | 70.0 | 73.0 | 62.8 | |
| 18/3/2019 10:19 | 69.4 | 72.1 | 64.1 | |
| 18/3/2019 10:24 | 69.7 | 72.2 | 64.7 | |
| 18/3/2019 10:29 | 68.9 | 71.5 | 64.4 | |
| 18/3/2019 10:34 | 69.4 | 71.2 | 65.7 | 69.7 |
| 18/3/2019 10:39 | 68.8 | 71.3 | 62.8 | |
| 18/3/2019 10:44 | 69.0 | 71.7 | 63.8 | |
| 18/3/2019 10:49 | 70.6 | 72.8 | 66.0 | |
| 18/3/2019 10:54 | 70.3 | 72.9 | 66.4 | |
| 18/3/2019 10:59 | 69.7 | 71.9 | 66.3 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/3/2019 11:04 | 69.6 | 71.5 | 65.7 | 69.8 |
| 18/3/2019 11:09 | 68.9 | 71.2 | 65.9 | |
| 18/3/2019 11:14 | 70.6 | 73.4 | 65.2 | |
| 18/3/2019 11:19 | 69.7 | 72.0 | 64.0 | |
| 18/3/2019 11:24 | 70.3 | 72.6 | 66.3 | |
| 18/3/2019 11:29 | 69.8 | 72.3 | 66.1 | |
| 18/3/2019 11:34 | 69.7 | 72.0 | 65.4 | 70.7 |
| 18/3/2019 11:39 | 70.8 | 73.3 | 67.1 | |
| 18/3/2019 11:44 | 71.1 | 73.1 | 67.0 | |
| 18/3/2019 11:49 | 70.3 | 72.4 | 66.8 | |
| 18/3/2019 11:54 | 70.2 | 72.7 | 66.5 | |
| 18/3/2019 11:59 | 71.6 | 73.9 | 68.5 | |
| 18/3/2019 12:04 | 74.8 | 80.2 | 67.6 | 72.5 |
| 18/3/2019 12:09 | 71.5 | 73.3 | 67.6 | |
| 18/3/2019 12:14 | 73.1 | 74.7 | 66.8 | |
| 18/3/2019 12:19 | 71.3 | 74.0 | 67.4 | |
| 18/3/2019 12:24 | 71.9 | 74.3 | 68.3 | |
| 18/3/2019 12:29 | 71.3 | 74.0 | 68.4 | |
| 18/3/2019 12:34 | 70.4 | 72.5 | 66.1 | 70.6 |
| 18/3/2019 12:39 | 68.2 | 70.5 | 65.7 | |
| 18/3/2019 12:42 | 70.8 | 74.1 | 66.8 | |
| 18/3/2019 12:47 | 71.0 | 72.7 | 68.4 | |
| 18/3/2019 12:52 | 71.4 | 73.6 | 67.8 | |
| 18/3/2019 12:57 | 71.3 | 73.8 | 67.0 | |
| 18/3/2019 13:02 | 72.7 | 74.5 | 69.9 | 72.5 |
| 18/3/2019 13:07 | 73.4 | 75.1 | 70.7 | |
| 18/3/2019 13:12 | 72.1 | 74.3 | 68.6 | |
| 18/3/2019 13:17 | 71.3 | 73.3 | 67.9 | |
| 18/3/2019 13:22 | 71.0 | 72.8 | 67.4 | |
| 18/3/2019 13:27 | 73.7 | 75.7 | 69.5 | |
| 18/3/2019 13:32 | 71.5 | 73.5 | 68.8 | 71.6 |
| 18/3/2019 13:37 | 71.6 | 74.1 | 67.4 | |
| 18/3/2019 13:42 | 72.5 | 74.4 | 68.2 | |
| 18/3/2019 13:47 | 70.7 | 72.2 | 68.1 | |
| 18/3/2019 13:52 | 72.0 | 74.8 | 68.9 | |
| 18/3/2019 13:57 | 71.1 | 73.2 | 68.3 | |
| 18/3/2019 14:02 | 71.0 | 73.0 | 67.5 | 72.3 |
| 18/3/2019 14:07 | 74.8 | 75.1 | 68.7 | |
| 18/3/2019 14:12 | 71.9 | 74.3 | 68.2 | |
| 18/3/2019 14:17 | 71.8 | 74.0 | 67.4 | |
| 18/3/2019 14:22 | 71.0 | 73.3 | 67.4 | |
| 18/3/2019 14:27 | 72.1 | 74.2 | 69.5 | |
| 18/3/2019 14:32 | 72.3 | 74.6 | 68.8 | 71.2 |
| 18/3/2019 14:37 | 71.0 | 73.3 | 67.6 | |
| 18/3/2019 14:42 | 71.9 | 74.4 | 68.6 | |
| 18/3/2019 14:47 | 71.0 | 73.0 | 67.4 | |
| 18/3/2019 14:52 | 70.2 | 73.0 | 66.1 | |
| 18/3/2019 14:57 | 70.4 | 73.1 | 66.5 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/3/2019 15:02 | 70.7 | 73.1 | 67.1 | 71.7 |
| 18/3/2019 15:07 | 71.2 | 73.3 | 67.2 | |
| 18/3/2019 15:12 | 72.6 | 75.1 | 68.3 | |
| 18/3/2019 15:17 | 72.3 | 74.3 | 68.2 | |
| 18/3/2019 15:22 | 71.4 | 72.9 | 67.7 | |
| 18/3/2019 15:27 | 71.6 | 74.5 | 67.8 | |
| 18/3/2019 15:32 | 71.1 | 73.4 | 67.3 | 71.2 |
| 18/3/2019 15:37 | 73.7 | 72.3 | 67.7 | |
| 18/3/2019 15:42 | 70.5 | 72.9 | 67.0 | |
| 18/3/2019 15:47 | 71.5 | 74.2 | 67.7 | |
| 18/3/2019 15:52 | 69.7 | 71.9 | 65.7 | |
| 18/3/2019 15:57 | 69.2 | 71.7 | 64.9 | |
| 18/3/2019 16:02 | 71.1 | 74.0 | 66.5 | 70.7 |
| 18/3/2019 16:07 | 69.8 | 72.1 | 66.6 | |
| 18/3/2019 16:12 | 70.7 | 72.9 | 67.3 | |
| 18/3/2019 16:17 | 69.9 | 72.2 | 67.0 | |
| 18/3/2019 16:22 | 70.9 | 72.3 | 67.0 | |
| 18/3/2019 16:27 | 71.4 | 73.2 | 67.6 | |
| 18/3/2019 16:32 | 71.1 | 73.9 | 67.3 | 70.8 |
| 18/3/2019 16:37 | 71.4 | 74.5 | 67.7 | |
| 18/3/2019 16:42 | 70.9 | 72.9 | 67.4 | |
| 18/3/2019 16:47 | 70.3 | 72.5 | 66.0 | |
| 18/3/2019 16:52 | 70.1 | 72.4 | 66.3 | |
| 18/3/2019 16:57 | 71.1 | 73.9 | 65.8 | |
| 18/3/2019 17:02 | 76.6 | 82.2 | 65.4 | 72.8 |
| 18/3/2019 17:07 | 69.9 | 72.2 | 66.1 | |
| 18/3/2019 17:12 | 73.6 | 78.4 | 66.1 | |
| 18/3/2019 17:17 | 70.6 | 73.4 | 66.1 | |
| 18/3/2019 17:22 | 71.2 | 73.8 | 65.0 | |
| 18/3/2019 17:27 | 70.0 | 72.1 | 65.0 | |
| 18/3/2019 17:32 | 69.9 | 72.2 | 65.9 | 70.5 |
| 18/3/2019 17:37 | 71.3 | 73.6 | 67.0 | |
| 18/3/2019 17:42 | 69.0 | 71.3 | 65.0 | |
| 18/3/2019 17:47 | 71.7 | 71.7 | 65.2 | |
| 18/3/2019 17:52 | 69.1 | 71.9 | 65.0 | |
| 18/3/2019 17:57 | 71.4 | 74.1 | 66.1 | |
| 18/3/2019 18:02 | 70.3 | 72.2 | 67.0 | 69.8 |
| 18/3/2019 18:07 | 69.9 | 72.1 | 66.1 | |
| 18/3/2019 18:12 | 69.7 | 71.9 | 63.9 | |
| 18/3/2019 18:17 | 69.3 | 71.2 | 66.3 | |
| 18/3/2019 18:22 | 70.0 | 71.8 | 64.2 | |
| 18/3/2019 18:27 | 69.2 | 71.8 | 64.6 | |
| 18/3/2019 18:32 | 68.9 | 71.0 | 63.4 | 69.5 |
| 18/3/2019 18:37 | 71.0 | 73.7 | 64.6 | |
| 18/3/2019 18:42 | 70.3 | 72.6 | 64.6 | |
| 18/3/2019 18:47 | 69.8 | 72.2 | 64.0 | |
| 18/3/2019 18:52 | 68.7 | 71.7 | 61.7 | |
| 18/3/2019 18:57 | 67.7 | 70.0 | 63.5 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/3/2019 7:02 | 67.5 | 71.1 | 62.4 | 68.3 |
| 19/3/2019 7:07 | 68.4 | 71.5 | 63.4 | |
| 19/3/2019 7:12 | 67.9 | 71.0 | 62.5 | |
| 19/3/2019 7:17 | 67.5 | 70.9 | 61.6 | |
| 19/3/2019 7:22 | 69.0 | 72.4 | 63.1 | |
| 19/3/2019 7:27 | 69.0 | 71.7 | 61.8 | |
| 19/3/2019 7:32 | 70.4 | 73.1 | 64.8 | 69.6 |
| 19/3/2019 7:37 | 68.6 | 71.4 | 64.5 | |
| 19/3/2019 7:42 | 70.9 | 74.4 | 64.0 | |
| 19/3/2019 7:47 | 68.4 | 71.2 | 62.7 | |
| 19/3/2019 7:52 | 69.0 | 72.1 | 64.4 | |
| 19/3/2019 7:57 | 69.8 | 72.5 | 65.2 | |
| 19/3/2019 8:02 | 69.4 | 73.1 | 64.2 | 69.7 |
| 19/3/2019 8:07 | 71.1 | 73.5 | 64.9 | |
| 19/3/2019 8:12 | 70.1 | 72.9 | 63.8 | |
| 19/3/2019 8:17 | 69.5 | 71.9 | 65.0 | |
| 19/3/2019 8:22 | 68.4 | 71.6 | 62.7 | |
| 19/3/2019 8:27 | 69.3 | 72.2 | 64.1 | |
| 19/3/2019 8:32 | 69.0 | 71.6 | 64.6 | 70.3 |
| 19/3/2019 8:37 | 71.9 | 74.6 | 66.3 | |
| 19/3/2019 8:42 | 70.1 | 72.4 | 63.6 | |
| 19/3/2019 8:47 | 69.6 | 72.1 | 65.4 | |
| 19/3/2019 8:52 | 71.0 | 74.5 | 64.3 | |
| 19/3/2019 8:57 | 69.4 | 71.5 | 66.0 | |
| 19/3/2019 9:02 | 69.0 | 71.6 | 63.5 | 69.4 |
| 19/3/2019 9:07 | 68.5 | 72.0 | 62.5 | |
| 19/3/2019 9:12 | 69.2 | 71.6 | 63.8 | |
| 19/3/2019 9:17 | 69.6 | 72.2 | 64.6 | |
| 19/3/2019 9:22 | 70.5 | 73.7 | 65.4 | |
| 19/3/2019 9:27 | 69.2 | 71.9 | 66.0 | |
| 19/3/2019 9:32 | 68.5 | 70.9 | 64.7 | 68.9 |
| 19/3/2019 9:37 | 68.2 | 71.0 | 62.9 | |
| 19/3/2019 9:42 | 69.6 | 72.2 | 62.6 | |
| 19/3/2019 9:47 | 68.5 | 71.4 | 64.1 | |
| 19/3/2019 9:52 | 69.9 | 73.4 | 64.3 | |
| 19/3/2019 9:57 | 68.1 | 70.7 | 62.8 | |
| 19/3/2019 10:02 | 69.4 | 72.2 | 65.1 | 70.1 |
| 19/3/2019 10:07 | 70.7 | 72.8 | 65.3 | |
| 19/3/2019 10:12 | 70.0 | 72.6 | 64.8 | |
| 19/3/2019 10:17 | 69.6 | 72.0 | 65.4 | |
| 19/3/2019 10:22 | 70.9 | 74.0 | 66.4 | |
| 19/3/2019 10:27 | 70.0 | 72.6 | 65.8 | |
| 19/3/2019 10:32 | 71.5 | 74.0 | 67.3 | 71.3 |
| 19/3/2019 10:37 | 70.7 | 73.5 | 66.1 | |
| 19/3/2019 10:42 | 70.2 | 72.9 | 66.0 | |
| 19/3/2019 10:47 | 71.6 | 74.2 | 66.9 | |
| 19/3/2019 10:52 | 72.1 | 74.5 | 68.9 | |
| 19/3/2019 10:57 | 71.4 | 74.3 | 66.8 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/3/2019 11:02 | 71.3 | 73.1 | 67.1 | 71.1 |
| 19/3/2019 11:07 | 71.2 | 74.2 | 66.6 | |
| 19/3/2019 11:12 | 70.8 | 73.5 | 66.7 | |
| 19/3/2019 11:17 | 69.9 | 71.8 | 66.5 | |
| 19/3/2019 11:22 | 71.5 | 73.8 | 68.5 | |
| 19/3/2019 11:27 | 71.5 | 73.8 | 68.1 | |
| 19/3/2019 11:32 | 72.8 | 72.6 | 65.2 | 70.8 |
| 19/3/2019 11:37 | 70.3 | 73.3 | 65.8 | |
| 19/3/2019 11:42 | 69.4 | 72.1 | 65.6 | |
| 19/3/2019 11:47 | 71.0 | 74.0 | 65.6 | |
| 19/3/2019 11:52 | 70.2 | 72.5 | 65.9 | |
| 19/3/2019 11:57 | 70.5 | 72.6 | 67.4 | |
| 19/3/2019 12:02 | 72.2 | 74.3 | 68.2 | 71.2 |
| 19/3/2019 12:07 | 71.2 | 73.9 | 66.5 | |
| 19/3/2019 12:12 | 71.1 | 72.8 | 67.9 | |
| 19/3/2019 12:17 | 71.1 | 73.8 | 67.4 | |
| 19/3/2019 12:22 | 71.0 | 72.8 | 68.0 | |
| 19/3/2019 12:27 | 70.2 | 72.2 | 67.7 | |
| 19/3/2019 12:32 | 71.7 | 73.4 | 68.9 | 71.9 |
| 19/3/2019 12:37 | 72.2 | 73.8 | 68.5 | |
| 19/3/2019 12:42 | 71.8 | 74.0 | 68.9 | |
| 19/3/2019 12:47 | 72.3 | 73.3 | 68.9 | |
| 19/3/2019 12:52 | 72.2 | 74.3 | 69.5 | |
| 19/3/2019 12:57 | 71.4 | 73.6 | 67.4 | |
| 19/3/2019 13:02 | 70.5 | 72.9 | 64.8 | 71.7 |
| 19/3/2019 13:07 | 71.1 | 74.0 | 66.7 | |
| 19/3/2019 13:12 | 71.5 | 74.0 | 67.4 | |
| 19/3/2019 13:17 | 72.7 | 74.8 | 68.9 | |
| 19/3/2019 13:22 | 71.8 | 74.2 | 68.4 | |
| 19/3/2019 13:27 | 72.3 | 74.6 | 68.0 | |
| 19/3/2019 13:32 | 72.0 | 74.5 | 67.9 | 72.4 |
| 19/3/2019 13:37 | 72.6 | 74.3 | 68.3 | |
| 19/3/2019 13:42 | 72.0 | 74.3 | 68.7 | |
| 19/3/2019 13:47 | 71.7 | 73.6 | 67.9 | |
| 19/3/2019 13:52 | 72.8 | 75.3 | 68.4 | |
| 19/3/2019 13:57 | 73.3 | 75.1 | 70.0 | |
| 19/3/2019 14:02 | 73.0 | 74.8 | 68.7 | 72.2 |
| 19/3/2019 14:07 | 71.9 | 74.4 | 68.3 | |
| 19/3/2019 14:12 | 71.7 | 73.9 | 66.7 | |
| 19/3/2019 14:17 | 70.9 | 73.0 | 68.0 | |
| 19/3/2019 14:22 | 73.1 | 75.2 | 68.5 | |
| 19/3/2019 14:27 | 72.1 | 73.7 | 67.1 | |
| 19/3/2019 14:32 | 71.9 | 73.9 | 68.7 | 72.1 |
| 19/3/2019 14:37 | 73.0 | 75.2 | 69.7 | |
| 19/3/2019 14:42 | 71.6 | 73.9 | 68.8 | |
| 19/3/2019 14:47 | 72.5 | 74.4 | 69.3 | |
| 19/3/2019 14:52 | 72.7 | 75.3 | 69.0 | |
| 19/3/2019 14:57 | 70.4 | 72.4 | 67.3 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/3/2019 15:02 | 71.7 | 74.4 | 67.7 | 71.5 |
| 19/3/2019 15:07 | 71.3 | 73.9 | 68.1 | |
| 19/3/2019 15:12 | 71.2 | 73.8 | 68.2 | |
| 19/3/2019 15:17 | 72.2 | 73.6 | 68.5 | |
| 19/3/2019 15:22 | 70.6 | 72.6 | 68.0 | |
| 19/3/2019 15:27 | 71.6 | 74.0 | 67.8 | |
| 19/3/2019 15:32 | 70.4 | 72.4 | 66.9 | 70.8 |
| 19/3/2019 15:37 | 69.9 | 72.4 | 65.6 | |
| 19/3/2019 15:42 | 71.3 | 73.7 | 67.4 | |
| 19/3/2019 15:47 | 70.2 | 72.1 | 67.2 | |
| 19/3/2019 15:52 | 71.3 | 73.4 | 67.9 | |
| 19/3/2019 15:57 | 71.4 | 74.2 | 66.9 | |
| 19/3/2019 16:02 | 71.0 | 73.2 | 66.6 | 71.3 |
| 19/3/2019 16:07 | 71.9 | 74.1 | 68.4 | |
| 19/3/2019 16:12 | 71.4 | 73.4 | 66.7 | |
| 19/3/2019 16:17 | 70.5 | 72.8 | 66.9 | |
| 19/3/2019 16:22 | 70.7 | 73.2 | 66.7 | |
| 19/3/2019 16:27 | 72.3 | 74.1 | 67.8 | |
| 19/3/2019 16:32 | 74.4 | 74.9 | 67.8 | 73.3 |
| 19/3/2019 16:37 | 73.4 | 74.5 | 67.2 | |
| 19/3/2019 16:42 | 71.0 | 73.6 | 67.4 | |
| 19/3/2019 16:47 | 70.8 | 73.1 | 67.2 | |
| 19/3/2019 16:52 | 76.5 | 76.2 | 67.5 | |
| 19/3/2019 16:57 | 70.2 | 72.6 | 66.3 | |
| 19/3/2019 17:02 | 72.2 | 73.8 | 66.2 | 71.4 |
| 19/3/2019 17:07 | 71.2 | 73.2 | 68.0 | |
| 19/3/2019 17:12 | 71.5 | 74.7 | 67.0 | |
| 19/3/2019 17:17 | 71.0 | 72.6 | 66.8 | |
| 19/3/2019 17:22 | 69.8 | 72.3 | 65.0 | |
| 19/3/2019 17:27 | 72.0 | 72.8 | 65.9 | |
| 19/3/2019 17:32 | 69.7 | 72.0 | 64.5 | 70.0 |
| 19/3/2019 17:37 | 70.4 | 72.5 | 65.8 | |
| 19/3/2019 17:42 | 69.9 | 72.5 | 64.5 | |
| 19/3/2019 17:47 | 70.8 | 73.5 | 65.7 | |
| 19/3/2019 17:52 | 69.4 | 72.3 | 65.2 | |
| 19/3/2019 17:57 | 69.6 | 72.1 | 65.7 | |
| 19/3/2019 18:02 | 71.4 | 72.2 | 64.7 | 69.7 |
| 19/3/2019 18:07 | 68.3 | 71.0 | 64.1 | |
| 19/3/2019 18:12 | 69.0 | 71.5 | 64.6 | |
| 19/3/2019 18:17 | 68.8 | 71.7 | 63.6 | |
| 19/3/2019 18:22 | 70.5 | 72.6 | 64.3 | |
| 19/3/2019 18:27 | 69.6 | 71.1 | 63.0 | |
| 19/3/2019 18:32 | 68.8 | 71.1 | 63.0 | 68.7 |
| 19/3/2019 18:37 | 69.5 | 72.3 | 63.3 | |
| 19/3/2019 18:42 | 67.5 | 70.6 | 61.7 | |
| 19/3/2019 18:47 | 70.1 | 72.3 | 62.8 | |
| 19/3/2019 18:52 | 67.6 | 70.7 | 62.7 | |
| 19/3/2019 18:57 | 68.0 | 71.0 | 62.4 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/3/2019 7:02 | 67.4 | 70.9 | 61.3 | 68.3 |
| 20/3/2019 7:07 | 67.0 | 70.3 | 60.9 | |
| 20/3/2019 7:12 | 68.9 | 72.4 | 60.9 | |
| 20/3/2019 7:17 | 68.6 | 71.7 | 62.7 | |
| 20/3/2019 7:22 | 68.5 | 71.9 | 62.0 | |
| 20/3/2019 7:27 | 69.1 | 72.5 | 64.0 | |
| 20/3/2019 7:32 | 68.5 | 71.7 | 63.4 | 68.8 |
| 20/3/2019 7:37 | 68.4 | 71.3 | 63.1 | |
| 20/3/2019 7:42 | 68.2 | 71.3 | 61.2 | |
| 20/3/2019 7:47 | 68.4 | 71.0 | 61.9 | |
| 20/3/2019 7:52 | 69.9 | 73.3 | 63.8 | |
| 20/3/2019 7:57 | 68.9 | 71.6 | 64.8 | |
| 20/3/2019 8:02 | 69.3 | 71.8 | 64.7 | 69.7 |
| 20/3/2019 8:07 | 70.4 | 73.3 | 65.1 | |
| 20/3/2019 8:12 | 70.4 | 72.7 | 63.8 | |
| 20/3/2019 8:17 | 68.2 | 70.5 | 63.8 | |
| 20/3/2019 8:22 | 69.9 | 73.0 | 64.6 | |
| 20/3/2019 8:27 | 69.8 | 73.0 | 63.9 | |
| 20/3/2019 8:32 | 70.9 | 73.9 | 64.1 | 70.5 |
| 20/3/2019 8:37 | 70.6 | 73.3 | 65.5 | |
| 20/3/2019 8:42 | 70.6 | 73.3 | 65.3 | |
| 20/3/2019 8:47 | 70.8 | 73.6 | 65.7 | |
| 20/3/2019 8:52 | 69.6 | 71.6 | 64.0 | |
| 20/3/2019 8:57 | 70.4 | 72.8 | 64.8 | |
| 20/3/2019 9:02 | 70.5 | 73.0 | 65.8 | 70.3 |
| 20/3/2019 9:07 | 70.9 | 74.0 | 65.2 | |
| 20/3/2019 9:12 | 69.7 | 71.8 | 65.5 | |
| 20/3/2019 9:17 | 69.8 | 72.2 | 65.6 | |
| 20/3/2019 9:22 | 71.0 | 73.6 | 65.4 | |
| 20/3/2019 9:27 | 69.6 | 72.0 | 65.9 | |
| 20/3/2019 9:32 | 69.8 | 72.1 | 66.2 | 69.8 |
| 20/3/2019 9:37 | 69.5 | 71.7 | 66.1 | |
| 20/3/2019 9:42 | 69.4 | 71.6 | 66.2 | |
| 20/3/2019 9:47 | 69.8 | 72.6 | 65.9 | |
| 20/3/2019 9:52 | 70.5 | 72.6 | 66.0 | |
| 20/3/2019 9:57 | 69.8 | 72.6 | 64.6 | |
| 20/3/2019 10:02 | 68.9 | 72.2 | 64.2 | 69.3 |
| 20/3/2019 10:07 | 69.4 | 71.9 | 64.3 | |
| 20/3/2019 10:12 | 68.6 | 72.0 | 64.2 | |
| 20/3/2019 10:17 | 70.0 | 72.3 | 64.3 | |
| 20/3/2019 10:22 | 68.3 | 70.7 | 63.4 | |
| 20/3/2019 10:27 | 70.3 | 72.7 | 66.4 | |
| 20/3/2019 10:32 | 68.7 | 71.2 | 64.6 | 69.9 |
| 20/3/2019 10:37 | 69.4 | 72.1 | 65.1 | |
| 20/3/2019 10:42 | 70.6 | 73.2 | 65.1 | |
| 20/3/2019 10:47 | 70.4 | 72.3 | 64.5 | |
| 20/3/2019 10:52 | 70.2 | 71.5 | 65.0 | |
| 20/3/2019 10:57 | 70.0 | 72.9 | 63.7 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/3/2019 11:02 | 69.3 | 71.8 | 63.3 | 69.8 |
| 20/3/2019 11:07 | 69.8 | 72.2 | 65.4 | |
| 20/3/2019 11:12 | 69.2 | 71.4 | 64.8 | |
| 20/3/2019 11:17 | 69.6 | 72.2 | 65.5 | |
| 20/3/2019 11:22 | 70.4 | 73.3 | 65.7 | |
| 20/3/2019 11:27 | 70.4 | 72.7 | 65.3 | |
| 20/3/2019 11:32 | 70.5 | 72.7 | 66.0 | 70.3 |
| 20/3/2019 11:37 | 69.3 | 71.9 | 63.9 | |
| 20/3/2019 11:42 | 69.9 | 72.3 | 66.4 | |
| 20/3/2019 11:47 | 70.5 | 73.2 | 67.2 | |
| 20/3/2019 11:52 | 70.3 | 72.7 | 66.5 | |
| 20/3/2019 11:57 | 71.2 | 73.8 | 67.0 | |
| 20/3/2019 12:02 | 71.2 | 73.1 | 67.9 | 71.5 |
| 20/3/2019 12:07 | 71.9 | 74.9 | 67.7 | |
| 20/3/2019 12:12 | 71.7 | 74.1 | 68.3 | |
| 20/3/2019 12:17 | 71.3 | 73.9 | 67.1 | |
| 20/3/2019 12:22 | 71.9 | 74.1 | 68.5 | |
| 20/3/2019 12:27 | 70.7 | 73.0 | 66.8 | |
| 20/3/2019 12:32 | 71.1 | 73.8 | 67.1 | 70.7 |
| 20/3/2019 12:37 | 71.6 | 73.4 | 66.7 | |
| 20/3/2019 12:42 | 70.3 | 72.6 | 67.0 | |
| 20/3/2019 12:47 | 70.6 | 72.4 | 67.2 | |
| 20/3/2019 12:52 | 69.9 | 72.9 | 65.1 | |
| 20/3/2019 12:57 | 70.3 | 72.8 | 66.3 | |
| 20/3/2019 13:02 | 71.0 | 73.1 | 66.1 | 71.5 |
| 20/3/2019 13:07 | 71.7 | 75.1 | 66.8 | |
| 20/3/2019 13:12 | 71.2 | 73.9 | 68.1 | |
| 20/3/2019 13:17 | 72.1 | 73.8 | 67.7 | |
| 20/3/2019 13:22 | 71.9 | 74.1 | 68.9 | |
| 20/3/2019 13:27 | 71.0 | 72.9 | 68.3 | |
| 20/3/2019 13:32 | 72.8 | 75.4 | 69.7 | 72.4 |
| 20/3/2019 13:37 | 72.3 | 74.2 | 69.8 | |
| 20/3/2019 13:42 | 73.0 | 75.5 | 68.7 | |
| 20/3/2019 13:47 | 72.8 | 75.2 | 67.7 | |
| 20/3/2019 13:52 | 72.2 | 74.2 | 68.8 | |
| 20/3/2019 13:57 | 71.0 | 73.5 | 67.0 | |
| 20/3/2019 14:02 | 72.2 | 75.2 | 67.9 | 73.8 |
| 20/3/2019 14:07 | 79.0 | 75.2 | 69.0 | |
| 20/3/2019 14:12 | 71.8 | 74.2 | 68.1 | |
| 20/3/2019 14:17 | 69.9 | 71.7 | 67.6 | |
| 20/3/2019 14:22 | 70.0 | 71.9 | 66.5 | |
| 20/3/2019 14:27 | 71.0 | 73.5 | 67.3 | |
| 20/3/2019 14:32 | 71.8 | 74.3 | 67.9 | 71.2 |
| 20/3/2019 14:37 | 71.0 | 72.9 | 67.7 | |
| 20/3/2019 14:42 | 73.0 | 74.2 | 67.1 | |
| 20/3/2019 14:47 | 70.2 | 72.6 | 66.0 | |
| 20/3/2019 14:52 | 70.1 | 72.7 | 65.9 | |
| 20/3/2019 14:57 | 70.6 | 72.3 | 67.3 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/3/2019 15:02 | 70.7 | 73.3 | 66.0 | 71.7 |
| 20/3/2019 15:07 | 72.0 | 73.7 | 68.5 | |
| 20/3/2019 15:12 | 70.7 | 72.5 | 68.5 | |
| 20/3/2019 15:17 | 71.8 | 74.1 | 67.3 | |
| 20/3/2019 15:22 | 72.8 | 74.1 | 68.2 | |
| 20/3/2019 15:27 | 72.0 | 74.4 | 67.6 | |
| 20/3/2019 15:32 | 70.9 | 73.4 | 66.7 | 70.6 |
| 20/3/2019 15:37 | 71.1 | 72.9 | 67.3 | |
| 20/3/2019 15:42 | 72.1 | 73.2 | 66.7 | |
| 20/3/2019 15:47 | 69.7 | 72.1 | 65.9 | |
| 20/3/2019 15:52 | 69.5 | 71.1 | 67.3 | |
| 20/3/2019 15:57 | 69.8 | 72.5 | 66.7 | |
| 20/3/2019 16:02 | 70.3 | 71.3 | 67.0 | 70.1 |
| 20/3/2019 16:07 | 68.4 | 70.1 | 66.7 | |
| 20/3/2019 16:12 | 69.4 | 71.4 | 66.9 | |
| 20/3/2019 16:17 | 69.8 | 71.7 | 66.2 | |
| 20/3/2019 16:22 | 71.9 | 74.4 | 67.6 | |
| 20/3/2019 16:27 | 69.9 | 72.0 | 67.0 | |
| 20/3/2019 16:32 | 70.5 | 71.6 | 67.1 | 70.7 |
| 20/3/2019 16:37 | 69.6 | 72.2 | 66.8 | |
| 20/3/2019 16:42 | 70.6 | 72.7 | 67.0 | |
| 20/3/2019 16:47 | 70.7 | 72.5 | 67.6 | |
| 20/3/2019 16:52 | 71.6 | 73.4 | 66.0 | |
| 20/3/2019 16:57 | 71.0 | 73.6 | 66.1 | |
| 20/3/2019 17:02 | 71.9 | 74.5 | 67.4 | 70.9 |
| 20/3/2019 17:07 | 71.3 | 74.9 | 66.4 | |
| 20/3/2019 17:12 | 71.1 | 72.7 | 66.3 | |
| 20/3/2019 17:17 | 69.0 | 71.9 | 63.7 | |
| 20/3/2019 17:22 | 70.7 | 73.1 | 64.8 | |
| 20/3/2019 17:27 | 71.0 | 73.1 | 65.1 | |
| 20/3/2019 17:32 | 70.3 | 72.9 | 65.3 | 70.1 |
| 20/3/2019 17:37 | 70.9 | 74.2 | 65.4 | |
| 20/3/2019 17:42 | 69.1 | 71.6 | 65.3 | |
| 20/3/2019 17:47 | 70.4 | 73.4 | 64.5 | |
| 20/3/2019 17:52 | 69.7 | 72.3 | 64.3 | |
| 20/3/2019 17:57 | 69.8 | 72.7 | 63.9 | |
| 20/3/2019 18:02 | 69.9 | 72.1 | 64.4 | 70.3 |
| 20/3/2019 18:07 | 69.9 | 72.3 | 65.0 | |
| 20/3/2019 18:12 | 70.5 | 72.4 | 64.3 | |
| 20/3/2019 18:17 | 71.5 | 71.3 | 63.8 | |
| 20/3/2019 18:22 | 68.5 | 71.0 | 63.3 | |
| 20/3/2019 18:27 | 71.0 | 73.1 | 61.6 | |
| 20/3/2019 18:32 | 71.1 | 74.4 | 63.7 | 69.3 |
| 20/3/2019 18:37 | 68.5 | 71.2 | 63.2 | |
| 20/3/2019 18:42 | 67.7 | 71.0 | 61.6 | |
| 20/3/2019 18:47 | 70.3 | 72.8 | 63.9 | |
| 20/3/2019 18:52 | 67.7 | 70.3 | 63.2 | |
| 20/3/2019 18:57 | 69.4 | 71.3 | 64.0 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/3/2019 7:02 | 68.4 | 71.6 | 62.1 | 68.1 |
| 21/3/2019 7:07 | 68.2 | 71.1 | 63.4 | |
| 21/3/2019 7:12 | 67.1 | 70.1 | 62.0 | |
| 21/3/2019 7:17 | 67.9 | 71.0 | 61.8 | |
| 21/3/2019 7:22 | 67.9 | 71.0 | 63.2 | |
| 21/3/2019 7:27 | 68.9 | 71.8 | 60.9 | |
| 21/3/2019 7:32 | 69.5 | 72.4 | 63.7 | 69.3 |
| 21/3/2019 7:37 | 68.9 | 71.8 | 64.1 | |
| 21/3/2019 7:42 | 68.8 | 72.0 | 63.6 | |
| 21/3/2019 7:47 | 70.3 | 73.2 | 64.8 | |
| 21/3/2019 7:52 | 69.3 | 71.6 | 64.6 | |
| 21/3/2019 7:57 | 68.5 | 71.7 | 61.9 | |
| 21/3/2019 8:02 | 70.0 | 73.2 | 63.5 | 70.4 |
| 21/3/2019 8:07 | 69.5 | 72.7 | 64.5 | |
| 21/3/2019 8:12 | 71.1 | 74.4 | 65.3 | |
| 21/3/2019 8:17 | 70.7 | 73.4 | 65.1 | |
| 21/3/2019 8:22 | 69.1 | 71.7 | 64.7 | |
| 21/3/2019 8:27 | 71.3 | 73.9 | 66.1 | |
| 21/3/2019 8:32 | 70.3 | 73.3 | 65.8 | 70.5 |
| 21/3/2019 8:37 | 71.0 | 73.9 | 65.9 | |
| 21/3/2019 8:42 | 71.3 | 72.9 | 64.8 | |
| 21/3/2019 8:47 | 70.2 | 72.8 | 64.7 | |
| 21/3/2019 8:52 | 70.1 | 72.8 | 65.9 | |
| 21/3/2019 8:57 | 70.0 | 72.9 | 65.6 | |
| 21/3/2019 9:02 | 70.1 | 72.4 | 65.4 | 70.1 |
| 21/3/2019 9:07 | 69.7 | 72.9 | 64.1 | |
| 21/3/2019 9:12 | 70.1 | 72.9 | 65.5 | |
| 21/3/2019 9:17 | 69.8 | 73.0 | 65.5 | |
| 21/3/2019 9:22 | 70.1 | 72.3 | 65.7 | |
| 21/3/2019 9:27 | 70.9 | 73.9 | 66.6 | |
| 21/3/2019 9:32 | 68.9 | 71.6 | 62.5 | 70.0 |
| 21/3/2019 9:37 | 71.0 | 73.0 | 66.7 | |
| 21/3/2019 9:42 | 70.9 | 73.2 | 66.5 | |
| 21/3/2019 9:47 | 68.9 | 71.3 | 64.6 | |
| 21/3/2019 9:52 | 70.1 | 72.4 | 64.0 | |
| 21/3/2019 9:57 | 69.7 | 72.3 | 64.7 | |
| 21/3/2019 10:02 | 69.8 | 71.9 | 66.4 | 69.3 |
| 21/3/2019 10:07 | 69.9 | 71.9 | 65.2 | |
| 21/3/2019 10:12 | 68.7 | 71.1 | 64.4 | |
| 21/3/2019 10:17 | 68.6 | 71.1 | 63.7 | |
| 21/3/2019 10:22 | 69.5 | 72.4 | 65.1 | |
| 21/3/2019 10:27 | 69.4 | 72.2 | 64.5 | |
| 21/3/2019 10:32 | 69.2 | 71.5 | 65.2 | 70.2 |
| 21/3/2019 10:37 | 70.3 | 72.5 | 65.7 | |
| 21/3/2019 10:42 | 71.6 | 72.3 | 65.0 | |
| 21/3/2019 10:47 | 70.0 | 72.4 | 66.6 | |
| 21/3/2019 10:52 | 70.2 | 72.9 | 66.1 | |
| 21/3/2019 10:57 | 69.8 | 72.2 | 66.2 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/3/2019 11:02 | 70.8 | 72.8 | 66.9 | 70.3 |
| 21/3/2019 11:07 | 70.5 | 73.6 | 66.0 | |
| 21/3/2019 11:12 | 70.3 | 72.0 | 65.8 | |
| 21/3/2019 11:17 | 70.4 | 72.9 | 66.7 | |
| 21/3/2019 11:22 | 69.7 | 72.4 | 65.8 | |
| 21/3/2019 11:27 | 69.7 | 72.1 | 64.9 | |
| 21/3/2019 11:32 | 70.7 | 72.7 | 64.7 | 70.4 |
| 21/3/2019 11:37 | 69.9 | 72.1 | 66.5 | |
| 21/3/2019 11:42 | 71.1 | 73.2 | 67.3 | |
| 21/3/2019 11:47 | 69.9 | 72.4 | 66.8 | |
| 21/3/2019 11:52 | 70.2 | 72.6 | 65.8 | |
| 21/3/2019 11:57 | 70.5 | 73.1 | 66.8 | |
| 21/3/2019 12:02 | 69.5 | 72.5 | 65.4 | 70.7 |
| 21/3/2019 12:07 | 71.5 | 73.2 | 67.1 | |
| 21/3/2019 12:12 | 71.2 | 73.8 | 67.3 | |
| 21/3/2019 12:17 | 69.8 | 71.7 | 66.3 | |
| 21/3/2019 12:22 | 71.5 | 73.5 | 68.2 | |
| 21/3/2019 12:27 | 70.5 | 72.6 | 67.2 | |
| 21/3/2019 12:32 | 72.0 | 74.9 | 67.8 | 71.2 |
| 21/3/2019 12:37 | 71.8 | 74.6 | 67.4 | |
| 21/3/2019 12:42 | 69.4 | 72.3 | 65.7 | |
| 21/3/2019 12:47 | 71.3 | 73.2 | 67.1 | |
| 21/3/2019 12:52 | 72.1 | 74.9 | 66.5 | |
| 21/3/2019 12:57 | 69.6 | 71.7 | 66.9 | |
| 21/3/2019 13:02 | 71.3 | 73.5 | 67.4 | 70.6 |
| 21/3/2019 13:07 | 70.4 | 73.2 | 66.0 | |
| 21/3/2019 13:12 | 69.4 | 72.1 | 65.0 | |
| 21/3/2019 13:17 | 70.0 | 72.4 | 66.3 | |
| 21/3/2019 13:22 | 70.5 | 72.6 | 67.0 | |
| 21/3/2019 13:27 | 71.7 | 73.9 | 68.5 | |
| 21/3/2019 13:32 | 71.1 | 73.2 | 68.1 | 72.1 |
| 21/3/2019 13:37 | 71.8 | 73.9 | 68.9 | |
| 21/3/2019 13:42 | 71.6 | 74.5 | 68.2 | |
| 21/3/2019 13:47 | 72.3 | 74.3 | 69.2 | |
| 21/3/2019 13:52 | 72.3 | 74.5 | 68.4 | |
| 21/3/2019 13:57 | 73.0 | 74.9 | 70.0 | |
| 21/3/2019 14:02 | 71.6 | 73.7 | 67.9 | 71.1 |
| 21/3/2019 14:07 | 71.5 | 73.6 | 68.7 | |
| 21/3/2019 14:12 | 71.6 | 74.5 | 68.4 | |
| 21/3/2019 14:17 | 70.4 | 72.8 | 67.5 | |
| 21/3/2019 14:22 | 71.6 | 73.5 | 67.3 | |
| 21/3/2019 14:27 | 69.7 | 71.8 | 66.8 | |
| 21/3/2019 14:32 | 69.8 | 71.5 | 67.1 | 71.3 |
| 21/3/2019 14:37 | 72.7 | 73.5 | 68.1 | |
| 21/3/2019 14:42 | 71.1 | 73.0 | 67.2 | |
| 21/3/2019 14:47 | 71.3 | 73.8 | 68.4 | |
| 21/3/2019 14:52 | 71.4 | 72.8 | 68.7 | |
| 21/3/2019 14:57 | 71.2 | 73.5 | 67.3 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/3/2019 15:02 | 71.1 | 73.4 | 66.7 | 71.0 |
| 21/3/2019 15:07 | 70.5 | 72.2 | 67.6 | |
| 21/3/2019 15:12 | 72.9 | 74.2 | 67.7 | |
| 21/3/2019 15:17 | 69.4 | 71.9 | 65.5 | |
| 21/3/2019 15:22 | 70.4 | 73.2 | 66.9 | |
| 21/3/2019 15:27 | 70.7 | 72.5 | 66.9 | |
| 21/3/2019 15:32 | 71.1 | 73.3 | 68.2 | 71.0 |
| 21/3/2019 15:37 | 71.3 | 73.2 | 68.5 | |
| 21/3/2019 15:42 | 71.0 | 72.8 | 67.7 | |
| 21/3/2019 15:47 | 71.4 | 73.1 | 68.3 | |
| 21/3/2019 15:52 | 70.5 | 73.1 | 66.4 | |
| 21/3/2019 15:57 | 70.5 | 73.0 | 66.3 | |
| 21/3/2019 16:02 | 69.9 | 72.9 | 65.5 | 70.1 |
| 21/3/2019 16:07 | 71.5 | 73.3 | 67.0 | |
| 21/3/2019 16:12 | 70.0 | 72.5 | 66.8 | |
| 21/3/2019 16:17 | 69.0 | 70.9 | 66.0 | |
| 21/3/2019 16:22 | 70.4 | 72.3 | 67.5 | |
| 21/3/2019 16:27 | 69.6 | 72.5 | 65.3 | |
| 21/3/2019 16:32 | 68.9 | 71.5 | 64.5 | 70.0 |
| 21/3/2019 16:37 | 69.9 | 72.5 | 66.6 | |
| 21/3/2019 16:42 | 69.9 | 71.9 | 67.2 | |
| 21/3/2019 16:47 | 70.7 | 72.6 | 65.1 | |
| 21/3/2019 16:52 | 70.6 | 72.9 | 67.2 | |
| 21/3/2019 16:57 | 69.7 | 72.1 | 66.6 | |
| 21/3/2019 17:02 | 70.7 | 72.5 | 67.9 | 70.4 |
| 21/3/2019 17:07 | 72.6 | 75.4 | 66.1 | |
| 21/3/2019 17:12 | 69.8 | 72.1 | 64.3 | |
| 21/3/2019 17:17 | 69.7 | 72.2 | 64.7 | |
| 21/3/2019 17:22 | 70.2 | 73.0 | 66.6 | |
| 21/3/2019 17:27 | 68.3 | 70.6 | 63.8 | |
| 21/3/2019 17:32 | 68.8 | 71.1 | 65.5 | 70.1 |
| 21/3/2019 17:37 | 70.7 | 72.6 | 65.3 | |
| 21/3/2019 17:42 | 70.7 | 73.5 | 66.1 | |
| 21/3/2019 17:47 | 70.9 | 72.7 | 65.3 | |
| 21/3/2019 17:52 | 69.2 | 71.9 | 64.3 | |
| 21/3/2019 17:57 | 70.0 | 72.8 | 64.7 | |
| 21/3/2019 18:02 | 69.2 | 72.1 | 65.3 | 69.1 |
| 21/3/2019 18:07 | 69.2 | 72.1 | 64.0 | |
| 21/3/2019 18:12 | 70.7 | 73.8 | 64.7 | |
| 21/3/2019 18:17 | 68.4 | 71.3 | 63.1 | |
| 21/3/2019 18:22 | 68.4 | 71.9 | 62.8 | |
| 21/3/2019 18:27 | 68.0 | 70.5 | 62.8 | |
| 21/3/2019 18:32 | 69.6 | 71.5 | 63.6 | 69.2 |
| 21/3/2019 18:37 | 70.1 | 72.5 | 64.3 | |
| 21/3/2019 18:42 | 70.1 | 73.1 | 64.5 | |
| 21/3/2019 18:47 | 69.3 | 71.3 | 64.7 | |
| 21/3/2019 18:52 | 68.1 | 71.4 | 61.5 | |
| 21/3/2019 18:57 | 67.3 | 70.0 | 62.0 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/3/2019 7:02 | 66.5 | 70.0 | 60.7 | 68.4 |
| 22/3/2019 7:07 | 67.9 | 71.0 | 63.0 | |
| 22/3/2019 7:12 | 69.2 | 72.0 | 64.0 | |
| 22/3/2019 7:17 | 67.7 | 69.9 | 63.6 | |
| 22/3/2019 7:22 | 69.3 | 72.3 | 63.7 | |
| 22/3/2019 7:27 | 69.2 | 72.4 | 63.4 | |
| 22/3/2019 7:32 | 68.6 | 71.9 | 61.8 | 69.6 |
| 22/3/2019 7:37 | 69.1 | 71.2 | 65.3 | |
| 22/3/2019 7:42 | 70.1 | 73.5 | 62.7 | |
| 22/3/2019 7:47 | 71.0 | 72.9 | 67.4 | |
| 22/3/2019 7:49 | 69.7 | 72.5 | 64.8 | |
| 22/3/2019 7:54 | 68.8 | 71.6 | 63.4 | |
| 22/3/2019 7:59 | 71.5 | 73.8 | 65.8 | 70.0 |
| 22/3/2019 8:04 | 69.8 | 72.7 | 64.3 | |
| 22/3/2019 8:09 | 69.5 | 73.5 | 63.8 | |
| 22/3/2019 8:14 | 69.8 | 73.2 | 64.4 | |
| 22/3/2019 8:19 | 69.2 | 71.4 | 65.2 | |
| 22/3/2019 8:24 | 69.8 | 71.6 | 64.2 | |
| 22/3/2019 8:29 | 69.2 | 70.9 | 66.8 | 69.9 |
| 22/3/2019 8:34 | 70.4 | 72.9 | 67.1 | |
| 22/3/2019 8:39 | 68.9 | 71.5 | 65.1 | |
| 22/3/2019 8:44 | 69.4 | 73.1 | 64.5 | |
| 22/3/2019 8:49 | 71.0 | 73.6 | 65.3 | |
| 22/3/2019 8:54 | 70.4 | 73.4 | 65.7 | |
| 22/3/2019 8:59 | 71.2 | 74.2 | 66.4 | 74.7 |
| 22/3/2019 9:04 | 70.5 | 72.9 | 66.9 | |
| 22/3/2019 9:09 | 69.9 | 72.4 | 64.9 | |
| 22/3/2019 9:14 | 79.6 | 79.1 | 66.4 | |
| 22/3/2019 9:19 | 73.4 | 76.5 | 68.5 | |
| 22/3/2019 9:24 | 74.5 | 76.7 | 71.2 | |
| 22/3/2019 9:29 | 73.0 | 75.7 | 68.8 | 73.7 |
| 22/3/2019 9:34 | 74.0 | 76.5 | 69.2 | |
| 22/3/2019 9:39 | 74.1 | 76.8 | 68.8 | |
| 22/3/2019 9:44 | 73.7 | 77.3 | 67.3 | |
| 22/3/2019 9:49 | 73.4 | 76.2 | 69.0 | |
| 22/3/2019 9:54 | 74.1 | 77.0 | 68.0 | |
| 22/3/2019 9:59 | 73.9 | 77.1 | 68.9 | 73.7 |
| 22/3/2019 10:04 | 73.9 | 77.2 | 67.0 | |
| 22/3/2019 10:09 | 73.7 | 77.1 | 67.5 | |
| 22/3/2019 10:14 | 74.2 | 76.6 | 70.3 | |
| 22/3/2019 10:19 | 73.4 | 76.3 | 68.5 | |
| 22/3/2019 10:24 | 73.0 | 76.2 | 68.1 | |
| 22/3/2019 10:29 | 73.4 | 76.5 | 67.4 | 73.8 |
| 22/3/2019 10:34 | 73.8 | 77.2 | 66.8 | |
| 22/3/2019 10:39 | 72.9 | 75.6 | 68.0 | |
| 22/3/2019 10:44 | 74.9 | 77.3 | 69.6 | |
| 22/3/2019 10:49 | 73.3 | 76.3 | 66.8 | |
| 22/3/2019 10:54 | 74.1 | 77.0 | 69.2 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/3/2019 10:59 | 73.8 | 76.7 | 68.3 | 73.5 |
| 22/3/2019 11:04 | 73.9 | 77.0 | 69.3 | |
| 22/3/2019 11:09 | 73.6 | 76.5 | 67.6 | |
| 22/3/2019 11:14 | 73.4 | 75.4 | 68.9 | |
| 22/3/2019 11:19 | 72.7 | 75.5 | 68.6 | |
| 22/3/2019 11:24 | 73.5 | 75.7 | 69.4 | |
| 22/3/2019 11:29 | 73.6 | 76.0 | 69.2 | 74.4 |
| 22/3/2019 11:34 | 72.4 | 75.2 | 67.5 | |
| 22/3/2019 11:39 | 75.9 | 78.8 | 69.3 | |
| 22/3/2019 11:44 | 74.5 | 77.0 | 71.3 | |
| 22/3/2019 11:49 | 75.1 | 78.1 | 70.3 | |
| 22/3/2019 11:54 | 73.9 | 76.9 | 69.0 | |
| 22/3/2019 11:59 | 74.7 | 77.7 | 68.9 | 74.6 |
| 22/3/2019 12:04 | 75.2 | 78.2 | 70.4 | |
| 22/3/2019 12:09 | 74.9 | 77.2 | 71.5 | |
| 22/3/2019 12:14 | 74.4 | 76.9 | 70.0 | |
| 22/3/2019 12:19 | 73.1 | 75.5 | 68.9 | |
| 22/3/2019 12:24 | 74.8 | 77.9 | 70.1 | |
| 22/3/2019 12:29 | 73.3 | 76.3 | 68.9 | 74.3 |
| 22/3/2019 12:34 | 74.8 | 77.6 | 70.7 | |
| 22/3/2019 12:39 | 75.1 | 78.1 | 69.8 | |
| 22/3/2019 12:44 | 72.7 | 75.5 | 68.3 | |
| 22/3/2019 12:49 | 73.7 | 76.6 | 69.2 | |
| 22/3/2019 12:54 | 75.7 | 77.1 | 72.1 | |
| 22/3/2019 12:59 | 76.0 | 78.1 | 72.2 | 75.9 |
| 22/3/2019 13:04 | 76.9 | 78.2 | 72.0 | |
| 22/3/2019 13:09 | 74.3 | 76.8 | 70.2 | |
| 22/3/2019 13:14 | 75.1 | 77.5 | 71.7 | |
| 22/3/2019 13:19 | 75.7 | 78.0 | 71.5 | |
| 22/3/2019 13:24 | 77.0 | 80.5 | 72.1 | |
| 22/3/2019 13:29 | 75.0 | 77.1 | 71.5 | 75.2 |
| 22/3/2019 13:34 | 75.8 | 78.1 | 72.3 | |
| 22/3/2019 13:39 | 74.4 | 77.2 | 70.5 | |
| 22/3/2019 13:44 | 75.1 | 77.0 | 71.7 | |
| 22/3/2019 13:49 | 74.4 | 76.6 | 71.3 | |
| 22/3/2019 13:54 | 76.2 | 78.5 | 72.3 | |
| 22/3/2019 13:59 | 76.9 | 77.6 | 70.8 | 75.6 |
| 22/3/2019 14:04 | 76.0 | 78.0 | 72.1 | |
| 22/3/2019 14:09 | 75.6 | 77.2 | 70.9 | |
| 22/3/2019 14:14 | 75.1 | 77.9 | 70.6 | |
| 22/3/2019 14:19 | 74.0 | 76.0 | 70.6 | |
| 22/3/2019 14:24 | 75.3 | 77.7 | 71.3 | |
| 22/3/2019 14:29 | 74.8 | 77.6 | 70.7 | 74.6 |
| 22/3/2019 14:34 | 73.6 | 76.3 | 69.6 | |
| 22/3/2019 14:39 | 73.9 | 76.5 | 68.7 | |
| 22/3/2019 14:44 | 75.1 | 77.2 | 70.9 | |
| 22/3/2019 14:49 | 75.2 | 77.0 | 71.3 | |
| 22/3/2019 14:54 | 74.9 | 76.7 | 70.3 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/3/2019 14:59 | 74.4 | 76.8 | 71.3 | 75.6 |
| 22/3/2019 15:04 | 74.9 | 77.3 | 71.2 | |
| 22/3/2019 15:09 | 77.0 | 78.7 | 72.1 | |
| 22/3/2019 15:14 | 75.7 | 78.1 | 72.3 | |
| 22/3/2019 15:19 | 75.8 | 78.1 | 72.1 | |
| 22/3/2019 15:24 | 75.0 | 77.0 | 71.7 | |
| 22/3/2019 15:29 | 75.9 | 78.5 | 70.9 | 75.2 |
| 22/3/2019 15:34 | 74.8 | 76.9 | 72.2 | |
| 22/3/2019 15:39 | 75.9 | 77.6 | 71.9 | |
| 22/3/2019 15:44 | 75.8 | 78.4 | 71.3 | |
| 22/3/2019 15:49 | 74.4 | 76.7 | 70.6 | |
| 22/3/2019 15:54 | 73.8 | 76.9 | 69.8 | |
| 22/3/2019 15:59 | 74.5 | 76.9 | 70.3 | 74.2 |
| 22/3/2019 16:04 | 74.6 | 77.8 | 69.0 | |
| 22/3/2019 16:09 | 75.7 | 78.2 | 70.0 | |
| 22/3/2019 16:14 | 74.0 | 76.6 | 69.2 | |
| 22/3/2019 16:19 | 73.0 | 76.0 | 67.6 | |
| 22/3/2019 16:24 | 72.8 | 75.2 | 68.6 | |
| 22/3/2019 16:29 | 73.6 | 76.3 | 67.7 | 73.9 |
| 22/3/2019 16:34 | 73.0 | 75.7 | 68.4 | |
| 22/3/2019 16:39 | 75.3 | 78.1 | 70.4 | |
| 22/3/2019 16:44 | 72.9 | 75.5 | 68.7 | |
| 22/3/2019 16:49 | 74.5 | 77.4 | 68.9 | |
| 22/3/2019 16:54 | 73.7 | 75.8 | 68.3 | |
| 22/3/2019 16:59 | 75.1 | 78.1 | 69.7 | 74.8 |
| 22/3/2019 17:04 | 74.9 | 77.8 | 70.4 | |
| 22/3/2019 17:09 | 74.6 | 77.6 | 70.7 | |
| 22/3/2019 17:14 | 73.6 | 76.5 | 67.8 | |
| 22/3/2019 17:19 | 74.4 | 77.2 | 68.8 | |
| 22/3/2019 17:24 | 75.8 | 78.8 | 69.0 | |
| 22/3/2019 17:29 | 74.4 | 77.5 | 67.4 | 74.7 |
| 22/3/2019 17:34 | 74.1 | 77.2 | 68.1 | |
| 22/3/2019 17:39 | 76.5 | 77.0 | 68.4 | |
| 22/3/2019 17:44 | 74.0 | 76.5 | 69.3 | |
| 22/3/2019 17:49 | 73.8 | 76.6 | 69.0 | |
| 22/3/2019 17:54 | 75.0 | 78.1 | 69.7 | |
| 22/3/2019 17:59 | 73.1 | 76.4 | 67.9 | 73.5 |
| 22/3/2019 18:04 | 72.9 | 74.6 | 67.3 | |
| 22/3/2019 18:09 | 72.2 | 75.5 | 65.5 | |
| 22/3/2019 18:14 | 73.3 | 76.1 | 66.2 | |
| 22/3/2019 18:19 | 74.8 | 75.6 | 67.4 | |
| 22/3/2019 18:24 | 74.2 | 76.9 | 68.3 | |
| 22/3/2019 18:29 | 76.1 | 77.0 | 67.2 | 73.9 |
| 22/3/2019 18:34 | 74.2 | 77.5 | 67.9 | |
| 22/3/2019 18:39 | 73.2 | 76.3 | 67.1 | |
| 22/3/2019 18:44 | 71.9 | 74.7 | 66.3 | |
| 22/3/2019 18:49 | 72.9 | 75.6 | 67.8 | |
| 22/3/2019 18:54 | 74.0 | 76.4 | 66.9 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/3/2019 7:04 | 70.8 | 74.5 | 64.3 | 71.0 |
| 23/3/2019 7:09 | 68.9 | 71.8 | 63.2 | |
| 23/3/2019 7:14 | 70.2 | 72.9 | 63.6 | |
| 23/3/2019 7:19 | 72.1 | 75.4 | 63.8 | |
| 23/3/2019 7:24 | 69.9 | 73.1 | 64.4 | |
| 23/3/2019 7:29 | 72.7 | 77.0 | 65.6 | |
| 23/3/2019 7:34 | 71.1 | 74.1 | 65.3 | 71.9 |
| 23/3/2019 7:39 | 71.5 | 75.2 | 64.4 | |
| 23/3/2019 7:44 | 73.5 | 77.9 | 66.9 | |
| 23/3/2019 7:49 | 71.9 | 74.9 | 66.8 | |
| 23/3/2019 7:54 | 71.7 | 75.2 | 66.3 | |
| 23/3/2019 7:59 | 71.3 | 74.3 | 66.3 | |
| 23/3/2019 8:04 | 72.3 | 75.3 | 67.2 | 73.1 |
| 23/3/2019 8:09 | 74.8 | 77.6 | 67.2 | |
| 23/3/2019 8:14 | 72.9 | 75.9 | 67.7 | |
| 23/3/2019 8:19 | 73.1 | 77.2 | 64.9 | |
| 23/3/2019 8:24 | 73.3 | 76.6 | 67.3 | |
| 23/3/2019 8:29 | 71.7 | 74.9 | 66.9 | |
| 23/3/2019 8:34 | 71.9 | 74.9 | 66.7 | 73.8 |
| 23/3/2019 8:39 | 74.7 | 77.0 | 68.8 | |
| 23/3/2019 8:44 | 75.0 | 78.3 | 70.1 | |
| 23/3/2019 8:49 | 74.5 | 77.7 | 68.0 | |
| 23/3/2019 8:54 | 74.2 | 76.6 | 67.4 | |
| 23/3/2019 8:59 | 71.2 | 74.4 | 65.7 | |
| 23/3/2019 9:04 | 72.5 | 75.2 | 67.5 | 73.7 |
| 23/3/2019 9:09 | 72.7 | 75.4 | 68.3 | |
| 23/3/2019 9:14 | 72.9 | 75.7 | 66.2 | |
| 23/3/2019 9:19 | 73.9 | 76.7 | 68.3 | |
| 23/3/2019 9:24 | 76.2 | 79.0 | 70.2 | |
| 23/3/2019 9:29 | 72.5 | 75.6 | 66.6 | |
| 23/3/2019 9:34 | 71.8 | 75.0 | 66.2 | 73.5 |
| 23/3/2019 9:39 | 73.7 | 76.7 | 68.6 | |
| 23/3/2019 9:44 | 74.4 | 77.7 | 68.1 | |
| 23/3/2019 9:49 | 73.5 | 76.5 | 69.0 | |
| 23/3/2019 9:54 | 73.4 | 77.0 | 67.5 | |
| 23/3/2019 9:59 | 74.0 | 76.4 | 69.4 | |
| 23/3/2019 10:04 | 73.4 | 75.9 | 68.6 | 73.6 |
| 23/3/2019 10:09 | 73.9 | 77.0 | 69.3 | |
| 23/3/2019 10:14 | 73.2 | 75.6 | 68.3 | |
| 23/3/2019 10:19 | 73.9 | 77.0 | 69.3 | |
| 23/3/2019 10:24 | 73.0 | 74.9 | 69.1 | |
| 23/3/2019 10:29 | 74.3 | 77.0 | 69.3 | |
| 23/3/2019 10:34 | 72.8 | 75.2 | 67.5 | 73.8 |
| 23/3/2019 10:39 | 74.8 | 77.8 | 69.1 | |
| 23/3/2019 10:44 | 73.2 | 76.4 | 68.1 | |
| 23/3/2019 10:49 | 73.5 | 76.4 | 67.8 | |
| 23/3/2019 10:54 | 73.8 | 76.4 | 68.6 | |
| 23/3/2019 10:59 | 74.3 | 77.2 | 68.8 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/3/2019 11:04 | 72.9 | 76.0 | 68.5 | 74.5 |
| 23/3/2019 11:09 | 74.4 | 77.9 | 67.8 | |
| 23/3/2019 11:14 | 74.1 | 77.0 | 68.1 | |
| 23/3/2019 11:19 | 73.7 | 77.0 | 68.9 | |
| 23/3/2019 11:24 | 74.2 | 76.7 | 68.0 | |
| 23/3/2019 11:29 | 76.7 | 77.8 | 70.2 | |
| 23/3/2019 11:34 | 73.0 | 75.6 | 68.7 | 73.9 |
| 23/3/2019 11:39 | 72.8 | 76.4 | 67.7 | |
| 23/3/2019 11:44 | 73.3 | 76.4 | 68.0 | |
| 23/3/2019 11:49 | 74.8 | 77.2 | 68.3 | |
| 23/3/2019 11:54 | 74.9 | 77.9 | 69.7 | |
| 23/3/2019 11:59 | 73.9 | 76.7 | 68.9 | |
| 23/3/2019 12:04 | 74.2 | 77.1 | 69.0 | 74.3 |
| 23/3/2019 12:09 | 74.0 | 76.0 | 68.6 | |
| 23/3/2019 12:14 | 74.5 | 78.0 | 67.3 | |
| 23/3/2019 12:19 | 74.8 | 78.3 | 68.7 | |
| 23/3/2019 12:24 | 74.3 | 77.2 | 68.2 | |
| 23/3/2019 12:29 | 73.9 | 76.7 | 66.8 | |
| 23/3/2019 12:34 | 74.5 | 77.1 | 68.9 | 74.0 |
| 23/3/2019 12:39 | 72.7 | 74.9 | 69.5 | |
| 23/3/2019 12:44 | 73.4 | 76.0 | 69.5 | |
| 23/3/2019 12:49 | 74.5 | 77.2 | 70.4 | |
| 23/3/2019 12:54 | 74.1 | 76.7 | 69.2 | |
| 23/3/2019 12:59 | 74.7 | 77.1 | 71.1 | |
| 23/3/2019 13:04 | 74.7 | 76.7 | 69.2 | 75.2 |
| 23/3/2019 13:09 | 74.1 | 76.6 | 69.5 | |
| 23/3/2019 13:14 | 74.9 | 77.3 | 70.0 | |
| 23/3/2019 13:19 | 74.0 | 76.6 | 69.3 | |
| 23/3/2019 13:24 | 75.8 | 78.1 | 71.7 | |
| 23/3/2019 13:29 | 76.9 | 78.9 | 71.4 | |
| 23/3/2019 13:34 | 75.7 | 78.9 | 70.8 | 75.5 |
| 23/3/2019 13:39 | 75.4 | 78.1 | 70.1 | |
| 23/3/2019 13:44 | 74.0 | 76.7 | 69.6 | |
| 23/3/2019 13:49 | 73.6 | 76.2 | 69.6 | |
| 23/3/2019 13:54 | 78.2 | 77.5 | 69.0 | |
| 23/3/2019 13:59 | 74.5 | 77.2 | 69.9 | |
| 23/3/2019 14:04 | 74.5 | 76.0 | 68.8 | 75.6 |
| 23/3/2019 14:09 | 75.5 | 78.1 | 71.3 | |
| 23/3/2019 14:14 | 75.7 | 78.5 | 70.9 | |
| 23/3/2019 14:19 | 76.8 | 79.3 | 71.2 | |
| 23/3/2019 14:24 | 75.0 | 77.8 | 70.5 | |
| 23/3/2019 14:29 | 75.5 | 78.2 | 69.6 | |
| 23/3/2019 14:34 | 74.3 | 76.4 | 70.4 | 73.3 |
| 23/3/2019 14:39 | 73.0 | 76.1 | 68.3 | |
| 23/3/2019 14:44 | 72.5 | 75.4 | 68.0 | |
| 23/3/2019 14:49 | 73.9 | 76.4 | 69.2 | |
| 23/3/2019 14:54 | 72.4 | 74.3 | 68.4 | |
| 23/3/2019 14:59 | 73.6 | 76.3 | 68.6 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/3/2019 15:04 | 74.4 | 77.3 | 70.2 | 74.6 |
| 23/3/2019 15:09 | 73.4 | 76.4 | 67.9 | |
| 23/3/2019 15:14 | 74.4 | 76.7 | 70.8 | |
| 23/3/2019 15:19 | 75.1 | 77.2 | 70.3 | |
| 23/3/2019 15:24 | 74.7 | 77.3 | 70.5 | |
| 23/3/2019 15:29 | 75.3 | 77.2 | 69.8 | |
| 23/3/2019 15:34 | 73.6 | 76.3 | 68.7 | 74.5 |
| 23/3/2019 15:39 | 74.4 | 75.8 | 67.1 | |
| 23/3/2019 15:44 | 73.8 | 76.5 | 69.8 | |
| 23/3/2019 15:49 | 74.1 | 77.1 | 68.9 | |
| 23/3/2019 15:54 | 75.9 | 78.3 | 71.9 | |
| 23/3/2019 15:59 | 74.8 | 77.2 | 69.2 | |
| 23/3/2019 16:04 | 74.3 | 76.7 | 70.7 | 74.3 |
| 23/3/2019 16:09 | 74.9 | 77.2 | 70.9 | |
| 23/3/2019 16:14 | 74.3 | 76.6 | 70.1 | |
| 23/3/2019 16:19 | 74.5 | 76.5 | 68.9 | |
| 23/3/2019 16:24 | 75.1 | 77.1 | 69.8 | |
| 23/3/2019 16:29 | 72.0 | 74.8 | 67.2 | |
| 23/3/2019 16:34 | 74.5 | 77.2 | 70.4 | 73.8 |
| 23/3/2019 16:39 | 75.0 | 77.7 | 70.2 | |
| 23/3/2019 16:44 | 73.5 | 75.8 | 70.0 | |
| 23/3/2019 16:49 | 73.6 | 76.0 | 69.9 | |
| 23/3/2019 16:54 | 73.2 | 75.7 | 68.0 | |
| 23/3/2019 16:59 | 72.9 | 75.2 | 67.5 | |
| 23/3/2019 17:04 | 72.6 | 75.8 | 68.5 | 73.2 |
| 23/3/2019 17:09 | 73.6 | 76.4 | 68.5 | |
| 23/3/2019 17:14 | 73.3 | 76.1 | 68.0 | |
| 23/3/2019 17:19 | 73.1 | 76.0 | 69.1 | |
| 23/3/2019 17:24 | 73.3 | 75.7 | 68.7 | |
| 23/3/2019 17:29 | 73.5 | 76.4 | 68.9 | |
| 23/3/2019 17:34 | 72.5 | 75.3 | 67.5 | 75.0 |
| 23/3/2019 17:39 | 80.0 | 76.7 | 68.3 | |
| 23/3/2019 17:44 | 72.7 | 76.4 | 67.3 | |
| 23/3/2019 17:49 | 72.4 | 75.3 | 67.3 | |
| 23/3/2019 17:54 | 72.5 | 75.1 | 67.8 | |
| 23/3/2019 17:59 | 73.0 | 75.5 | 68.0 | |
| 23/3/2019 18:04 | 72.6 | 74.8 | 66.0 | 72.5 |
| 23/3/2019 18:09 | 72.6 | 75.3 | 66.2 | |
| 23/3/2019 18:14 | 72.3 | 75.5 | 67.4 | |
| 23/3/2019 18:19 | 71.8 | 74.8 | 65.9 | |
| 23/3/2019 18:24 | 73.0 | 76.1 | 65.3 | |
| 23/3/2019 18:29 | 72.5 | 75.3 | 66.8 | |
| 23/3/2019 18:34 | 74.6 | 77.9 | 65.2 | 72.7 |
| 23/3/2019 18:39 | 71.1 | 74.2 | 63.8 | |
| 23/3/2019 18:44 | 73.1 | 76.7 | 66.6 | |
| 23/3/2019 18:49 | 71.7 | 74.7 | 65.0 | |
| 23/3/2019 18:54 | 71.2 | 74.9 | 65.1 | |
| 23/3/2019 18:59 | 73.1 | 75.8 | 67.7 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 25/3/2019 7:04 | 73.3 | 76.7 | 66.8 | 73.7 |
| 25/3/2019 7:09 | 74.3 | 77.6 | 66.5 | |
| 25/3/2019 7:14 | 73.9 | 77.3 | 66.6 | |
| 25/3/2019 7:19 | 71.8 | 75.5 | 64.7 | |
| 25/3/2019 7:24 | 75.3 | 77.9 | 65.6 | |
| 25/3/2019 7:29 | 73.1 | 76.7 | 67.2 | |
| 25/3/2019 7:34 | 72.7 | 75.7 | 67.6 | 73.8 |
| 25/3/2019 7:39 | 73.7 | 76.5 | 68.8 | |
| 25/3/2019 7:44 | 74.4 | 77.4 | 68.4 | |
| 25/3/2019 7:49 | 73.4 | 76.5 | 68.1 | |
| 25/3/2019 7:54 | 74.2 | 77.1 | 68.5 | |
| 25/3/2019 7:59 | 74.2 | 77.5 | 67.7 | |
| 25/3/2019 8:04 | 74.2 | 77.0 | 68.6 | 74.2 |
| 25/3/2019 8:09 | 74.6 | 77.3 | 69.0 | |
| 25/3/2019 8:14 | 73.4 | 76.3 | 66.5 | |
| 25/3/2019 8:19 | 73.7 | 76.8 | 68.1 | |
| 25/3/2019 8:24 | 74.0 | 76.4 | 69.4 | |
| 25/3/2019 8:29 | 75.3 | 78.3 | 69.8 | |
| 25/3/2019 8:34 | 73.1 | 75.9 | 68.4 | 74.6 |
| 25/3/2019 8:39 | 75.0 | 78.1 | 69.1 | |
| 25/3/2019 8:44 | 75.1 | 78.1 | 70.5 | |
| 25/3/2019 8:49 | 73.9 | 77.2 | 68.7 | |
| 25/3/2019 8:54 | 74.2 | 77.7 | 67.8 | |
| 25/3/2019 8:59 | 75.6 | 78.2 | 69.8 | |
| 25/3/2019 9:04 | 75.3 | 77.8 | 70.9 | 74.3 |
| 25/3/2019 9:09 | 73.4 | 75.7 | 70.2 | |
| 25/3/2019 9:14 | 74.2 | 77.4 | 69.4 | |
| 25/3/2019 9:19 | 74.6 | 77.6 | 70.4 | |
| 25/3/2019 9:24 | 74.5 | 77.8 | 68.5 | |
| 25/3/2019 9:29 | 73.4 | 75.8 | 70.0 | |
| 25/3/2019 9:34 | 74.8 | 77.3 | 70.9 | 74.9 |
| 25/3/2019 9:39 | 75.0 | 77.6 | 68.9 | |
| 25/3/2019 9:44 | 75.2 | 77.0 | 70.9 | |
| 25/3/2019 9:49 | 73.8 | 76.1 | 70.4 | |
| 25/3/2019 9:54 | 75.7 | 77.2 | 71.5 | |
| 25/3/2019 9:59 | 74.5 | 77.0 | 69.5 | |
| 25/3/2019 10:04 | 73.4 | 76.1 | 69.5 | 74.9 |
| 25/3/2019 10:09 | 75.0 | 76.7 | 69.1 | |
| 25/3/2019 10:14 | 74.6 | 77.2 | 68.3 | |
| 25/3/2019 10:19 | 73.2 | 76.0 | 69.5 | |
| 25/3/2019 10:24 | 75.0 | 77.4 | 71.0 | |
| 25/3/2019 10:29 | 76.9 | 77.3 | 70.4 | |
| 25/3/2019 10:34 | 77.4 | 81.5 | 71.3 | 75.9 |
| 25/3/2019 10:39 | 74.6 | 76.9 | 71.3 | |
| 25/3/2019 10:44 | 74.8 | 77.5 | 71.1 | |
| 25/3/2019 10:49 | 75.1 | 77.3 | 71.9 | |
| 25/3/2019 10:54 | 76.3 | 78.0 | 71.6 | |
| 25/3/2019 10:59 | 76.3 | 78.4 | 72.2 | |

Measured Noise Levels (dB(A)) at NMS2 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 25/3/2019 11:04 | 76.5 | 78.6 | 70.8 | 75.4 |
| 25/3/2019 11:09 | 74.4 | 77.4 | 70.0 | |
| 25/3/2019 11:14 | 74.7 | 76.5 | 69.4 | |
| 25/3/2019 11:19 | 74.3 | 76.9 | 69.6 | |
| 25/3/2019 11:24 | 75.2 | 77.5 | 71.2 | |
| 25/3/2019 11:29 | 76.8 | 77.9 | 70.6 | |
| 25/3/2019 11:34 | 76.5 | 78.7 | 70.9 | 75.9 |
| 25/3/2019 11:39 | 77.4 | 78.9 | 73.2 | |
| 25/3/2019 11:44 | 76.9 | 78.1 | 73.2 | |
| 25/3/2019 11:49 | 73.9 | 76.0 | 70.6 | |
| 25/3/2019 11:54 | 74.0 | 76.3 | 70.6 | |
| 25/3/2019 11:59 | 75.2 | 77.1 | 72.6 | |
| 25/3/2019 12:04 | 76.0 | 78.8 | 70.4 | 75.9 |
| 25/3/2019 12:09 | 74.9 | 76.7 | 72.6 | |
| 25/3/2019 12:14 | 77.3 | 79.6 | 73.6 | |
| 25/3/2019 12:19 | 76.5 | 78.8 | 72.6 | |
| 25/3/2019 12:24 | 74.6 | 76.8 | 70.7 | |
| 25/3/2019 12:29 | 75.3 | 78.5 | 70.6 | |

| | |
|---------|------|
| Mean | 72.5 |
| Maximum | 78.5 |
| Minimum | 66.3 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 11/3/2019 19:02 | 69.3 | 71.9 | 64.7 |
| 11/3/2019 19:07 | 69.4 | 72.7 | 64.7 |
| 11/3/2019 19:12 | 70.1 | 72.6 | 64.6 |
| 11/3/2019 19:17 | 68.8 | 71.9 | 62.3 |
| 11/3/2019 19:22 | 71.2 | 72.8 | 65.2 |
| 11/3/2019 19:27 | 71.6 | 73.9 | 64.8 |
| 11/3/2019 19:32 | 68.6 | 71.2 | 63.6 |
| 11/3/2019 19:37 | 68.7 | 71.3 | 63.6 |
| 11/3/2019 19:42 | 69.8 | 73.2 | 63.6 |
| 11/3/2019 19:47 | 67.8 | 71.5 | 62.4 |
| 11/3/2019 19:52 | 70.3 | 73.2 | 63.7 |
| 11/3/2019 19:57 | 68.3 | 70.6 | 62.9 |
| 11/3/2019 20:02 | 69.2 | 71.3 | 64.1 |
| 11/3/2019 20:07 | 67.5 | 70.5 | 61.6 |
| 11/3/2019 20:12 | 69.9 | 72.1 | 63.1 |
| 11/3/2019 20:17 | 69.6 | 73.4 | 61.8 |
| 11/3/2019 20:22 | 68.3 | 71.5 | 60.9 |
| 11/3/2019 20:27 | 66.2 | 69.6 | 60.2 |
| 11/3/2019 20:32 | 66.6 | 69.7 | 59.2 |
| 11/3/2019 20:37 | 68.2 | 70.7 | 61.9 |
| 11/3/2019 20:42 | 67.7 | 70.9 | 60.6 |
| 11/3/2019 20:47 | 66.0 | 69.6 | 59.7 |
| 11/3/2019 20:52 | 68.2 | 71.1 | 61.2 |
| 11/3/2019 20:57 | 66.3 | 68.7 | 61.0 |
| 11/3/2019 21:02 | 67.9 | 70.9 | 61.7 |
| 11/3/2019 21:07 | 67.0 | 70.4 | 61.1 |
| 11/3/2019 21:12 | 66.3 | 70.4 | 59.4 |
| 11/3/2019 21:17 | 67.7 | 71.2 | 59.6 |
| 11/3/2019 21:22 | 68.7 | 71.2 | 61.7 |
| 11/3/2019 21:27 | 66.6 | 70.0 | 59.9 |
| 11/3/2019 21:32 | 67.8 | 71.8 | 59.2 |
| 11/3/2019 21:37 | 68.3 | 71.0 | 60.0 |
| 11/3/2019 21:42 | 68.8 | 69.3 | 60.5 |
| 11/3/2019 21:47 | 66.9 | 69.7 | 60.4 |
| 11/3/2019 21:52 | 66.4 | 70.0 | 58.2 |
| 11/3/2019 21:57 | 66.0 | 69.8 | 58.7 |
| 11/3/2019 22:02 | 66.1 | 69.7 | 60.2 |
| 11/3/2019 22:07 | 66.0 | 68.9 | 59.6 |
| 11/3/2019 22:12 | 66.0 | 69.4 | 58.3 |
| 11/3/2019 22:17 | 66.1 | 71.0 | 58.2 |
| 11/3/2019 22:22 | 66.9 | 68.7 | 59.7 |
| 11/3/2019 22:27 | 66.3 | 69.3 | 59.7 |
| 11/3/2019 22:32 | 66.7 | 69.7 | 58.3 |
| 11/3/2019 22:37 | 64.5 | 68.1 | 57.7 |
| 11/3/2019 22:42 | 64.2 | 66.7 | 58.9 |
| 11/3/2019 22:47 | 66.3 | 69.5 | 59.6 |
| 11/3/2019 22:52 | 66.4 | 69.9 | 59.4 |
| 11/3/2019 22:57 | 65.5 | 68.6 | 59.8 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 19:02 | 70.2 | 73.0 | 65.5 |
| 12/3/2019 19:07 | 72.2 | 74.7 | 67.2 |
| 12/3/2019 19:12 | 71.0 | 73.6 | 66.1 |
| 12/3/2019 19:17 | 69.8 | 72.8 | 64.6 |
| 12/3/2019 19:22 | 68.7 | 71.3 | 64.1 |
| 12/3/2019 19:27 | 68.8 | 71.8 | 64.8 |
| 12/3/2019 19:32 | 70.6 | 72.7 | 65.5 |
| 12/3/2019 19:37 | 66.6 | 69.6 | 61.2 |
| 12/3/2019 19:42 | 70.8 | 70.1 | 62.9 |
| 12/3/2019 19:47 | 67.7 | 70.3 | 61.4 |
| 12/3/2019 19:52 | 68.8 | 72.3 | 60.8 |
| 12/3/2019 19:57 | 66.5 | 69.2 | 60.7 |
| 12/3/2019 20:02 | 68.3 | 71.0 | 61.0 |
| 12/3/2019 20:07 | 70.1 | 73.1 | 63.2 |
| 12/3/2019 20:12 | 68.4 | 71.4 | 61.1 |
| 12/3/2019 20:17 | 68.4 | 71.2 | 61.9 |
| 12/3/2019 20:22 | 68.4 | 71.6 | 60.7 |
| 12/3/2019 20:27 | 68.5 | 70.7 | 61.8 |
| 12/3/2019 20:32 | 68.0 | 71.0 | 61.4 |
| 12/3/2019 20:37 | 68.9 | 70.1 | 62.3 |
| 12/3/2019 20:42 | 66.2 | 68.4 | 61.3 |
| 12/3/2019 20:47 | 67.1 | 70.3 | 62.0 |
| 12/3/2019 20:52 | 66.3 | 69.7 | 61.3 |
| 12/3/2019 20:57 | 66.7 | 70.0 | 61.4 |
| 12/3/2019 21:02 | 65.1 | 68.5 | 58.8 |
| 12/3/2019 21:07 | 66.8 | 71.2 | 57.9 |
| 12/3/2019 21:12 | 67.3 | 71.2 | 58.5 |
| 12/3/2019 21:17 | 67.5 | 71.7 | 58.3 |
| 12/3/2019 21:22 | 68.0 | 71.5 | 59.4 |
| 12/3/2019 21:27 | 66.7 | 70.2 | 60.0 |
| 12/3/2019 21:32 | 67.5 | 70.8 | 60.6 |
| 12/3/2019 21:37 | 65.0 | 68.6 | 59.9 |
| 12/3/2019 21:42 | 64.5 | 67.7 | 58.7 |
| 12/3/2019 21:47 | 64.8 | 68.5 | 58.4 |
| 12/3/2019 21:52 | 67.6 | 69.9 | 59.1 |
| 12/3/2019 21:57 | 65.0 | 67.9 | 58.1 |
| 12/3/2019 22:02 | 63.5 | 66.9 | 58.3 |
| 12/3/2019 22:07 | 65.1 | 67.9 | 58.8 |
| 12/3/2019 22:12 | 65.8 | 69.1 | 59.4 |
| 12/3/2019 22:17 | 64.7 | 67.9 | 57.7 |
| 12/3/2019 22:22 | 64.9 | 67.7 | 59.2 |
| 12/3/2019 22:27 | 64.6 | 68.3 | 58.7 |
| 12/3/2019 22:32 | 66.2 | 69.6 | 59.0 |
| 12/3/2019 22:37 | 65.0 | 68.0 | 59.3 |
| 12/3/2019 22:42 | 65.0 | 68.8 | 57.8 |
| 12/3/2019 22:47 | 66.4 | 69.7 | 59.2 |
| 12/3/2019 22:52 | 65.4 | 69.2 | 58.6 |
| 12/3/2019 22:57 | 64.8 | 69.0 | 58.0 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 19:02 | 72.5 | 73.5 | 64.1 |
| 13/3/2019 19:07 | 67.1 | 69.7 | 62.3 |
| 13/3/2019 19:12 | 68.5 | 70.9 | 63.7 |
| 13/3/2019 19:17 | 67.4 | 69.8 | 63.5 |
| 13/3/2019 19:22 | 68.8 | 71.6 | 62.9 |
| 13/3/2019 19:27 | 69.3 | 72.2 | 64.1 |
| 13/3/2019 19:32 | 68.1 | 70.9 | 62.8 |
| 13/3/2019 19:37 | 66.8 | 69.6 | 61.7 |
| 13/3/2019 19:42 | 68.9 | 72.3 | 62.5 |
| 13/3/2019 19:47 | 68.0 | 70.6 | 62.1 |
| 13/3/2019 19:52 | 71.2 | 74.4 | 63.0 |
| 13/3/2019 19:57 | 71.8 | 74.3 | 62.7 |
| 13/3/2019 20:02 | 69.1 | 72.1 | 62.0 |
| 13/3/2019 20:07 | 69.0 | 71.1 | 62.2 |
| 13/3/2019 20:12 | 69.2 | 70.1 | 61.4 |
| 13/3/2019 20:17 | 67.6 | 71.1 | 61.6 |
| 13/3/2019 20:22 | 69.2 | 71.8 | 61.0 |
| 13/3/2019 20:27 | 71.0 | 71.4 | 61.1 |
| 13/3/2019 20:32 | 67.4 | 70.7 | 59.5 |
| 13/3/2019 20:37 | 68.0 | 71.5 | 60.3 |
| 13/3/2019 20:42 | 68.0 | 71.2 | 60.5 |
| 13/3/2019 20:47 | 65.9 | 69.4 | 61.1 |
| 13/3/2019 20:52 | 68.2 | 70.7 | 61.0 |
| 13/3/2019 20:57 | 68.2 | 70.3 | 60.9 |
| 13/3/2019 21:02 | 65.3 | 68.5 | 59.9 |
| 13/3/2019 21:07 | 69.2 | 72.3 | 61.4 |
| 13/3/2019 21:12 | 66.8 | 69.4 | 60.4 |
| 13/3/2019 21:17 | 70.7 | 72.1 | 60.9 |
| 13/3/2019 21:22 | 66.0 | 68.9 | 60.2 |
| 13/3/2019 21:27 | 64.7 | 67.4 | 58.4 |
| 13/3/2019 21:32 | 65.4 | 68.6 | 58.8 |
| 13/3/2019 21:37 | 65.0 | 68.2 | 58.8 |
| 13/3/2019 21:42 | 66.3 | 69.3 | 59.3 |
| 13/3/2019 21:47 | 63.8 | 67.0 | 59.3 |
| 13/3/2019 21:52 | 65.2 | 68.8 | 57.9 |
| 13/3/2019 21:57 | 65.4 | 69.9 | 59.1 |
| 13/3/2019 22:02 | 65.3 | 69.7 | 58.5 |
| 13/3/2019 22:07 | 65.3 | 68.6 | 59.7 |
| 13/3/2019 22:12 | 67.4 | 70.2 | 59.2 |
| 13/3/2019 22:17 | 66.6 | 69.9 | 59.2 |
| 13/3/2019 22:22 | 65.5 | 68.6 | 60.0 |
| 13/3/2019 22:27 | 64.2 | 68.1 | 58.8 |
| 13/3/2019 22:32 | 64.4 | 67.9 | 58.5 |
| 13/3/2019 22:37 | 63.5 | 66.4 | 58.4 |
| 13/3/2019 22:42 | 67.1 | 66.9 | 59.3 |
| 13/3/2019 22:47 | 70.4 | 69.4 | 59.1 |
| 13/3/2019 22:52 | 64.6 | 68.0 | 58.6 |
| 13/3/2019 22:57 | 64.6 | 67.5 | 58.5 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 19:00 | 75.8 | 76.9 | 66.4 |
| 14/3/2019 19:05 | 72.5 | 75.8 | 65.7 |
| 14/3/2019 19:10 | 72.0 | 75.6 | 64.8 |
| 14/3/2019 19:15 | 73.3 | 76.4 | 67.4 |
| 14/3/2019 19:20 | 72.5 | 75.8 | 65.3 |
| 14/3/2019 19:25 | 74.2 | 77.8 | 68.3 |
| 14/3/2019 19:30 | 72.6 | 75.3 | 64.8 |
| 14/3/2019 19:35 | 73.3 | 75.9 | 66.6 |
| 14/3/2019 19:40 | 73.4 | 76.3 | 65.4 |
| 14/3/2019 19:45 | 72.4 | 74.8 | 65.6 |
| 14/3/2019 19:50 | 74.6 | 77.2 | 65.7 |
| 14/3/2019 19:55 | 71.4 | 75.5 | 63.8 |
| 14/3/2019 20:00 | 71.0 | 75.0 | 64.4 |
| 14/3/2019 20:05 | 73.7 | 77.7 | 65.0 |
| 14/3/2019 20:10 | 73.1 | 76.6 | 64.0 |
| 14/3/2019 20:15 | 73.1 | 76.2 | 66.8 |
| 14/3/2019 20:20 | 73.5 | 77.1 | 67.0 |
| 14/3/2019 20:25 | 72.4 | 76.1 | 64.3 |
| 14/3/2019 20:30 | 73.6 | 77.5 | 64.4 |
| 14/3/2019 20:35 | 73.3 | 76.7 | 67.0 |
| 14/3/2019 20:40 | 73.2 | 77.0 | 63.1 |
| 14/3/2019 20:45 | 71.6 | 74.8 | 63.5 |
| 14/3/2019 20:50 | 68.2 | 71.9 | 62.5 |
| 14/3/2019 20:55 | 70.1 | 74.4 | 62.7 |
| 14/3/2019 21:00 | 70.1 | 73.4 | 64.3 |
| 14/3/2019 21:05 | 68.2 | 71.4 | 63.2 |
| 14/3/2019 21:10 | 69.9 | 73.0 | 64.7 |
| 14/3/2019 21:15 | 69.5 | 72.5 | 64.1 |
| 14/3/2019 21:20 | 71.1 | 74.7 | 63.8 |
| 14/3/2019 21:25 | 70.8 | 73.2 | 63.8 |
| 14/3/2019 21:30 | 71.2 | 74.3 | 63.2 |
| 14/3/2019 21:35 | 71.9 | 74.2 | 63.2 |
| 14/3/2019 21:40 | 70.8 | 73.9 | 62.0 |
| 14/3/2019 21:45 | 70.6 | 74.7 | 63.4 |
| 14/3/2019 21:50 | 71.0 | 74.6 | 62.8 |
| 14/3/2019 21:55 | 70.7 | 75.2 | 63.1 |
| 14/3/2019 22:00 | 70.6 | 73.8 | 62.8 |
| 14/3/2019 22:05 | 72.7 | 76.4 | 64.2 |
| 14/3/2019 22:10 | 71.1 | 75.1 | 62.3 |
| 14/3/2019 22:15 | 71.6 | 74.4 | 63.7 |
| 14/3/2019 22:20 | 69.1 | 72.8 | 63.7 |
| 14/3/2019 22:25 | 69.8 | 73.6 | 63.5 |
| 14/3/2019 22:30 | 69.0 | 72.6 | 63.6 |
| 14/3/2019 22:35 | 68.6 | 72.8 | 62.6 |
| 14/3/2019 22:40 | 70.5 | 73.7 | 63.3 |
| 14/3/2019 22:45 | 69.2 | 72.9 | 63.4 |
| 14/3/2019 22:50 | 70.0 | 73.4 | 63.2 |
| 14/3/2019 22:55 | 70.9 | 75.3 | 62.1 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 19:04 | 73.9 | 77.0 | 68.2 |
| 15/3/2019 19:09 | 73.9 | 76.8 | 67.4 |
| 15/3/2019 19:14 | 73.3 | 76.1 | 66.8 |
| 15/3/2019 19:19 | 72.2 | 76.1 | 65.8 |
| 15/3/2019 19:24 | 72.4 | 76.1 | 65.9 |
| 15/3/2019 19:29 | 73.0 | 75.7 | 68.1 |
| 15/3/2019 19:34 | 73.1 | 75.1 | 65.1 |
| 15/3/2019 19:39 | 72.6 | 75.5 | 65.9 |
| 15/3/2019 19:44 | 72.7 | 75.7 | 67.0 |
| 15/3/2019 19:49 | 73.5 | 76.0 | 68.4 |
| 15/3/2019 19:54 | 71.8 | 75.4 | 63.2 |
| 15/3/2019 19:59 | 71.7 | 75.4 | 62.7 |
| 15/3/2019 20:04 | 72.8 | 75.3 | 65.0 |
| 15/3/2019 20:09 | 74.1 | 73.8 | 63.0 |
| 15/3/2019 20:14 | 70.9 | 74.0 | 65.3 |
| 15/3/2019 20:19 | 71.3 | 74.9 | 65.4 |
| 15/3/2019 20:24 | 73.2 | 76.1 | 64.3 |
| 15/3/2019 20:29 | 70.9 | 74.2 | 64.2 |
| 15/3/2019 20:34 | 73.0 | 75.3 | 64.5 |
| 15/3/2019 20:39 | 70.1 | 72.9 | 64.3 |
| 15/3/2019 20:44 | 71.5 | 74.9 | 64.2 |
| 15/3/2019 20:49 | 71.5 | 74.2 | 65.6 |
| 15/3/2019 20:54 | 70.9 | 74.2 | 64.1 |
| 15/3/2019 20:59 | 70.2 | 74.0 | 63.3 |
| 15/3/2019 21:04 | 69.9 | 74.2 | 63.2 |
| 15/3/2019 21:09 | 69.3 | 72.9 | 62.9 |
| 15/3/2019 21:14 | 69.0 | 72.4 | 63.9 |
| 15/3/2019 21:19 | 69.4 | 73.1 | 62.9 |
| 15/3/2019 21:24 | 70.4 | 75.0 | 63.6 |
| 15/3/2019 21:29 | 70.5 | 73.3 | 63.9 |
| 15/3/2019 21:34 | 70.2 | 73.4 | 63.5 |
| 15/3/2019 21:39 | 70.7 | 72.9 | 64.6 |
| 15/3/2019 21:44 | 70.0 | 73.0 | 62.9 |
| 15/3/2019 21:49 | 69.8 | 73.4 | 64.2 |
| 15/3/2019 21:54 | 70.8 | 74.4 | 63.0 |
| 15/3/2019 21:59 | 69.9 | 73.4 | 64.1 |
| 15/3/2019 22:04 | 68.9 | 71.7 | 63.6 |
| 15/3/2019 22:09 | 68.5 | 72.6 | 63.0 |
| 15/3/2019 22:14 | 70.4 | 73.5 | 63.6 |
| 15/3/2019 22:19 | 69.5 | 73.1 | 63.8 |
| 15/3/2019 22:24 | 69.5 | 73.2 | 62.7 |
| 15/3/2019 22:29 | 69.9 | 72.8 | 63.6 |
| 15/3/2019 22:34 | 69.2 | 72.8 | 63.8 |
| 15/3/2019 22:39 | 69.8 | 74.5 | 63.1 |
| 15/3/2019 22:44 | 71.6 | 75.1 | 64.6 |
| 15/3/2019 22:49 | 71.2 | 75.7 | 62.3 |
| 15/3/2019 22:54 | 71.9 | 76.1 | 63.1 |
| 15/3/2019 22:59 | 69.5 | 72.7 | 62.6 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 16/3/2019 19:04 | 67.6 | 70.5 | 62.8 |
| 16/3/2019 19:09 | 66.6 | 69.7 | 60.9 |
| 16/3/2019 19:14 | 67.0 | 70.0 | 61.0 |
| 16/3/2019 19:19 | 67.4 | 70.9 | 61.0 |
| 16/3/2019 19:24 | 70.7 | 73.8 | 62.1 |
| 16/3/2019 19:29 | 68.8 | 72.2 | 62.2 |
| 16/3/2019 19:34 | 68.9 | 70.6 | 60.6 |
| 16/3/2019 19:39 | 68.8 | 71.6 | 61.2 |
| 16/3/2019 19:44 | 67.3 | 70.3 | 61.1 |
| 16/3/2019 19:49 | 68.6 | 71.3 | 60.1 |
| 16/3/2019 19:54 | 65.7 | 68.7 | 59.1 |
| 16/3/2019 19:59 | 66.8 | 70.0 | 61.4 |
| 16/3/2019 20:04 | 66.9 | 69.5 | 60.7 |
| 16/3/2019 20:09 | 64.8 | 67.3 | 60.3 |
| 16/3/2019 20:14 | 66.0 | 68.2 | 60.1 |
| 16/3/2019 20:19 | 65.4 | 68.7 | 59.7 |
| 16/3/2019 20:24 | 66.6 | 70.0 | 60.0 |
| 16/3/2019 20:29 | 67.0 | 70.1 | 60.1 |
| 16/3/2019 20:34 | 66.8 | 70.0 | 60.0 |
| 16/3/2019 20:39 | 68.5 | 69.5 | 59.9 |
| 16/3/2019 20:44 | 65.5 | 68.3 | 59.2 |
| 16/3/2019 20:49 | 66.5 | 69.6 | 60.0 |
| 16/3/2019 20:54 | 64.6 | 67.7 | 59.5 |
| 16/3/2019 20:59 | 65.4 | 67.9 | 59.6 |
| 16/3/2019 21:04 | 63.4 | 65.6 | 58.9 |
| 16/3/2019 21:09 | 67.0 | 69.3 | 60.8 |
| 16/3/2019 21:14 | 64.8 | 67.8 | 59.3 |
| 16/3/2019 21:19 | 66.1 | 70.1 | 59.2 |
| 16/3/2019 21:24 | 64.8 | 67.9 | 59.8 |
| 16/3/2019 21:29 | 68.8 | 69.5 | 61.6 |
| 16/3/2019 21:34 | 66.1 | 69.8 | 61.9 |
| 16/3/2019 21:39 | 65.3 | 68.4 | 60.0 |
| 16/3/2019 21:44 | 69.8 | 70.1 | 59.5 |
| 16/3/2019 21:49 | 65.7 | 68.8 | 59.9 |
| 16/3/2019 21:54 | 69.4 | 69.5 | 59.0 |
| 16/3/2019 21:59 | 66.7 | 68.3 | 58.7 |
| 16/3/2019 22:04 | 66.9 | 69.5 | 59.4 |
| 16/3/2019 22:09 | 69.3 | 69.1 | 59.7 |
| 16/3/2019 22:14 | 64.4 | 67.2 | 59.7 |
| 16/3/2019 22:19 | 71.9 | 72.9 | 61.3 |
| 16/3/2019 22:24 | 65.8 | 68.3 | 60.4 |
| 16/3/2019 22:29 | 64.9 | 68.6 | 57.8 |
| 16/3/2019 22:34 | 68.4 | 69.9 | 58.9 |
| 16/3/2019 22:39 | 65.8 | 70.0 | 58.6 |
| 16/3/2019 22:44 | 65.6 | 69.1 | 59.9 |
| 16/3/2019 22:49 | 64.7 | 68.3 | 57.7 |
| 16/3/2019 22:54 | 66.6 | 68.6 | 57.5 |
| 16/3/2019 22:59 | 65.7 | 69.3 | 58.3 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 7:04 | 64.0 | 67.4 | 56.7 |
| 17/3/2019 7:09 | 63.6 | 67.3 | 56.9 |
| 17/3/2019 7:14 | 61.8 | 63.9 | 55.8 |
| 17/3/2019 7:19 | 64.9 | 68.7 | 57.4 |
| 17/3/2019 7:24 | 66.9 | 71.2 | 58.1 |
| 17/3/2019 7:29 | 63.7 | 67.8 | 57.1 |
| 17/3/2019 7:34 | 63.7 | 67.7 | 57.9 |
| 17/3/2019 7:39 | 65.6 | 68.5 | 58.3 |
| 17/3/2019 7:44 | 64.3 | 67.5 | 58.0 |
| 17/3/2019 7:49 | 65.7 | 69.4 | 59.0 |
| 17/3/2019 7:54 | 65.4 | 68.8 | 59.4 |
| 17/3/2019 7:59 | 67.3 | 69.9 | 59.4 |
| 17/3/2019 8:04 | 65.9 | 68.7 | 60.3 |
| 17/3/2019 8:09 | 64.7 | 67.0 | 58.6 |
| 17/3/2019 8:14 | 67.7 | 71.7 | 57.9 |
| 17/3/2019 8:19 | 66.1 | 69.7 | 58.6 |
| 17/3/2019 8:24 | 65.7 | 69.2 | 59.2 |
| 17/3/2019 8:29 | 66.0 | 69.2 | 58.7 |
| 17/3/2019 8:34 | 68.3 | 72.5 | 59.5 |
| 17/3/2019 8:39 | 67.4 | 70.9 | 59.9 |
| 17/3/2019 8:44 | 64.3 | 67.0 | 59.1 |
| 17/3/2019 8:49 | 66.7 | 70.6 | 60.0 |
| 17/3/2019 8:54 | 67.3 | 71.3 | 61.3 |
| 17/3/2019 8:59 | 67.5 | 70.9 | 61.9 |
| 17/3/2019 9:04 | 65.7 | 69.8 | 59.6 |
| 17/3/2019 9:09 | 67.7 | 71.7 | 61.1 |
| 17/3/2019 9:14 | 65.3 | 68.5 | 59.1 |
| 17/3/2019 9:19 | 66.0 | 69.5 | 59.9 |
| 17/3/2019 9:24 | 65.9 | 69.6 | 59.2 |
| 17/3/2019 9:29 | 66.8 | 70.0 | 59.8 |
| 17/3/2019 9:34 | 65.5 | 69.0 | 59.9 |
| 17/3/2019 9:39 | 65.4 | 68.9 | 59.8 |
| 17/3/2019 9:44 | 65.1 | 68.2 | 60.8 |
| 17/3/2019 9:49 | 66.5 | 70.3 | 60.4 |
| 17/3/2019 9:54 | 67.3 | 70.8 | 60.4 |
| 17/3/2019 9:59 | 64.5 | 67.3 | 59.4 |
| 17/3/2019 10:04 | 66.4 | 70.0 | 59.8 |
| 17/3/2019 10:09 | 65.1 | 67.8 | 59.3 |
| 17/3/2019 10:14 | 68.8 | 71.6 | 61.6 |
| 17/3/2019 10:19 | 67.9 | 71.8 | 61.7 |
| 17/3/2019 10:24 | 68.5 | 71.8 | 62.8 |
| 17/3/2019 10:29 | 65.4 | 68.0 | 59.9 |
| 17/3/2019 10:34 | 65.5 | 68.1 | 60.7 |
| 17/3/2019 10:39 | 66.2 | 68.3 | 60.6 |
| 17/3/2019 10:44 | 67.1 | 70.4 | 61.7 |
| 17/3/2019 10:49 | 66.1 | 69.0 | 61.4 |
| 17/3/2019 10:54 | 66.4 | 69.2 | 61.1 |
| 17/3/2019 10:59 | 66.5 | 70.0 | 60.4 |
| 17/3/2019 11:04 | 67.5 | 71.3 | 60.9 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 11:09 | 68.5 | 70.7 | 62.4 |
| 17/3/2019 11:14 | 65.2 | 68.0 | 59.8 |
| 17/3/2019 11:19 | 67.1 | 69.3 | 60.3 |
| 17/3/2019 11:24 | 68.0 | 70.1 | 61.2 |
| 17/3/2019 11:29 | 66.8 | 69.7 | 60.4 |
| 17/3/2019 11:34 | 67.6 | 70.5 | 62.8 |
| 17/3/2019 11:39 | 67.3 | 70.1 | 63.0 |
| 17/3/2019 11:44 | 67.5 | 70.3 | 63.3 |
| 17/3/2019 11:49 | 67.8 | 71.1 | 62.1 |
| 17/3/2019 11:54 | 67.3 | 69.8 | 63.3 |
| 17/3/2019 11:59 | 70.1 | 72.7 | 65.2 |
| 17/3/2019 12:04 | 67.1 | 69.5 | 62.0 |
| 17/3/2019 12:09 | 66.7 | 69.6 | 61.5 |
| 17/3/2019 12:14 | 68.5 | 70.2 | 63.4 |
| 17/3/2019 12:19 | 65.5 | 68.1 | 61.4 |
| 17/3/2019 12:24 | 66.6 | 69.8 | 62.0 |
| 17/3/2019 12:29 | 67.4 | 70.5 | 62.2 |
| 17/3/2019 12:34 | 67.2 | 69.7 | 61.2 |
| 17/3/2019 12:39 | 68.5 | 70.4 | 62.9 |
| 17/3/2019 12:44 | 68.2 | 70.6 | 63.8 |
| 17/3/2019 12:49 | 68.3 | 70.8 | 64.5 |
| 17/3/2019 12:54 | 72.7 | 72.4 | 64.9 |
| 17/3/2019 12:59 | 69.1 | 71.6 | 64.8 |
| 17/3/2019 13:04 | 68.3 | 71.0 | 64.2 |
| 17/3/2019 13:09 | 69.4 | 71.8 | 65.2 |
| 17/3/2019 13:14 | 69.9 | 72.2 | 65.7 |
| 17/3/2019 13:19 | 70.7 | 72.8 | 67.2 |
| 17/3/2019 13:24 | 70.7 | 72.3 | 67.3 |
| 17/3/2019 13:29 | 70.1 | 72.4 | 66.5 |
| 17/3/2019 13:34 | 71.7 | 74.4 | 67.3 |
| 17/3/2019 13:39 | 72.6 | 74.1 | 68.2 |
| 17/3/2019 13:44 | 69.6 | 71.5 | 66.0 |
| 17/3/2019 13:49 | 71.7 | 74.4 | 67.6 |
| 17/3/2019 13:54 | 69.8 | 72.1 | 65.6 |
| 17/3/2019 13:59 | 70.4 | 72.9 | 65.7 |
| 17/3/2019 14:04 | 67.8 | 70.4 | 64.1 |
| 17/3/2019 14:09 | 70.3 | 73.4 | 65.4 |
| 17/3/2019 14:14 | 69.6 | 71.5 | 64.9 |
| 17/3/2019 14:19 | 70.0 | 73.4 | 65.2 |
| 17/3/2019 14:24 | 67.8 | 70.6 | 63.5 |
| 17/3/2019 14:29 | 68.7 | 70.8 | 61.9 |
| 17/3/2019 14:34 | 69.6 | 72.6 | 63.3 |
| 17/3/2019 14:39 | 68.7 | 70.6 | 65.0 |
| 17/3/2019 14:44 | 69.1 | 71.1 | 65.5 |
| 17/3/2019 14:49 | 71.7 | 73.4 | 69.3 |
| 17/3/2019 14:54 | 70.8 | 72.5 | 66.2 |
| 17/3/2019 14:59 | 69.5 | 71.4 | 66.4 |
| 17/3/2019 15:04 | 69.0 | 71.1 | 64.8 |
| 17/3/2019 15:09 | 72.0 | 74.5 | 68.7 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 15:14 | 70.6 | 72.8 | 67.3 |
| 17/3/2019 15:19 | 70.2 | 72.4 | 67.4 |
| 17/3/2019 15:24 | 69.9 | 72.2 | 66.6 |
| 17/3/2019 15:29 | 68.1 | 70.1 | 65.1 |
| 17/3/2019 15:34 | 71.1 | 71.5 | 64.8 |
| 17/3/2019 15:39 | 68.6 | 71.3 | 64.6 |
| 17/3/2019 15:44 | 71.1 | 72.4 | 66.7 |
| 17/3/2019 15:49 | 73.1 | 75.7 | 68.2 |
| 17/3/2019 15:54 | 71.1 | 72.3 | 65.6 |
| 17/3/2019 15:59 | 69.3 | 71.1 | 66.9 |
| 17/3/2019 16:04 | 70.3 | 72.2 | 66.5 |
| 17/3/2019 16:09 | 70.1 | 71.7 | 65.5 |
| 17/3/2019 16:14 | 68.2 | 70.4 | 65.0 |
| 17/3/2019 16:19 | 68.7 | 71.4 | 64.9 |
| 17/3/2019 16:24 | 67.6 | 70.0 | 64.7 |
| 17/3/2019 16:29 | 68.5 | 70.8 | 64.3 |
| 17/3/2019 16:34 | 67.9 | 71.0 | 63.5 |
| 17/3/2019 16:39 | 66.4 | 69.0 | 62.5 |
| 17/3/2019 16:44 | 68.5 | 71.7 | 63.3 |
| 17/3/2019 16:49 | 68.1 | 70.3 | 62.9 |
| 17/3/2019 16:54 | 67.8 | 69.8 | 64.2 |
| 17/3/2019 16:59 | 67.7 | 70.7 | 62.4 |
| 17/3/2019 17:04 | 68.9 | 71.2 | 62.7 |
| 17/3/2019 17:09 | 68.2 | 70.6 | 62.9 |
| 17/3/2019 17:14 | 69.9 | 72.5 | 62.1 |
| 17/3/2019 17:19 | 64.5 | 67.2 | 60.2 |
| 17/3/2019 17:24 | 66.5 | 69.5 | 62.5 |
| 17/3/2019 17:29 | 67.9 | 71.1 | 62.5 |
| 17/3/2019 17:34 | 65.9 | 68.4 | 61.4 |
| 17/3/2019 17:39 | 70.4 | 72.2 | 63.4 |
| 17/3/2019 17:44 | 69.0 | 71.3 | 61.6 |
| 17/3/2019 17:49 | 66.1 | 69.4 | 60.6 |
| 17/3/2019 17:54 | 68.3 | 71.2 | 60.9 |
| 17/3/2019 17:59 | 67.0 | 69.6 | 60.5 |
| 17/3/2019 18:04 | 66.6 | 69.9 | 58.8 |
| 17/3/2019 18:09 | 76.5 | 70.3 | 61.6 |
| 17/3/2019 18:14 | 68.0 | 70.3 | 60.4 |
| 17/3/2019 18:19 | 68.4 | 70.9 | 60.3 |
| 17/3/2019 18:24 | 66.1 | 69.4 | 59.3 |
| 17/3/2019 18:29 | 66.0 | 68.7 | 61.0 |
| 17/3/2019 18:34 | 67.0 | 70.9 | 60.7 |
| 17/3/2019 18:39 | 66.3 | 68.8 | 60.9 |
| 17/3/2019 18:44 | 68.6 | 71.5 | 60.5 |
| 17/3/2019 18:49 | 67.0 | 70.2 | 60.6 |
| 17/3/2019 18:54 | 64.5 | 67.9 | 58.9 |
| 17/3/2019 18:59 | 67.7 | 71.4 | 61.3 |
| 17/3/2019 19:04 | 65.8 | 69.8 | 58.0 |
| 17/3/2019 19:09 | 65.2 | 68.3 | 57.9 |
| 17/3/2019 19:14 | 66.2 | 69.8 | 58.4 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 17/3/2019 19:19 | 65.1 | 68.2 | 58.7 |
| 17/3/2019 19:24 | 65.4 | 69.0 | 57.7 |
| 17/3/2019 19:29 | 68.0 | 69.8 | 59.1 |
| 17/3/2019 19:34 | 67.1 | 70.5 | 59.6 |
| 17/3/2019 19:39 | 64.3 | 67.8 | 58.6 |
| 17/3/2019 19:44 | 65.9 | 66.5 | 58.6 |
| 17/3/2019 19:49 | 69.8 | 73.2 | 58.8 |
| 17/3/2019 19:54 | 67.8 | 72.3 | 60.1 |
| 17/3/2019 19:59 | 65.1 | 68.6 | 57.4 |
| 17/3/2019 20:04 | 64.1 | 67.5 | 58.5 |
| 17/3/2019 20:09 | 66.0 | 69.3 | 58.9 |
| 17/3/2019 20:14 | 64.7 | 67.9 | 56.7 |
| 17/3/2019 20:19 | 63.5 | 66.6 | 58.2 |
| 17/3/2019 20:24 | 65.8 | 67.9 | 57.9 |
| 17/3/2019 20:29 | 69.4 | 71.2 | 57.5 |
| 17/3/2019 20:34 | 66.7 | 69.7 | 57.4 |
| 17/3/2019 20:39 | 64.3 | 67.8 | 57.5 |
| 17/3/2019 20:44 | 65.5 | 68.8 | 58.8 |
| 17/3/2019 20:49 | 64.9 | 69.0 | 57.3 |
| 17/3/2019 20:54 | 63.0 | 66.5 | 56.9 |
| 17/3/2019 20:59 | 63.1 | 65.8 | 56.9 |
| 17/3/2019 21:04 | 64.4 | 67.3 | 59.5 |
| 17/3/2019 21:09 | 65.1 | 68.4 | 58.3 |
| 17/3/2019 21:14 | 63.8 | 67.2 | 58.1 |
| 17/3/2019 21:19 | 66.6 | 68.7 | 59.2 |
| 17/3/2019 21:24 | 65.2 | 68.2 | 58.6 |
| 17/3/2019 21:29 | 63.5 | 67.1 | 57.8 |
| 17/3/2019 21:34 | 64.8 | 68.3 | 58.7 |
| 17/3/2019 21:39 | 66.2 | 68.4 | 59.5 |
| 17/3/2019 21:44 | 66.4 | 70.3 | 59.7 |
| 17/3/2019 21:49 | 65.8 | 68.5 | 59.6 |
| 17/3/2019 21:54 | 65.5 | 68.4 | 59.3 |
| 17/3/2019 21:59 | 68.5 | 71.1 | 58.2 |
| 17/3/2019 22:04 | 64.5 | 67.6 | 59.2 |
| 17/3/2019 22:09 | 64.8 | 67.0 | 58.0 |
| 17/3/2019 22:14 | 67.4 | 68.4 | 56.9 |
| 17/3/2019 22:19 | 65.9 | 70.1 | 57.5 |
| 17/3/2019 22:24 | 63.2 | 66.5 | 57.8 |
| 17/3/2019 22:29 | 63.6 | 67.2 | 58.3 |
| 17/3/2019 22:34 | 64.3 | 67.7 | 58.9 |
| 17/3/2019 22:39 | 64.0 | 67.5 | 58.1 |
| 17/3/2019 22:44 | 66.4 | 70.0 | 58.9 |
| 17/3/2019 22:49 | 64.8 | 67.7 | 59.1 |
| 17/3/2019 22:54 | 62.9 | 65.4 | 56.8 |
| 17/3/2019 22:59 | 64.2 | 67.5 | 57.4 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 19:02 | 68.4 | 71.0 | 63.8 |
| 18/3/2019 19:07 | 70.2 | 73.2 | 63.8 |
| 18/3/2019 19:12 | 67.5 | 70.0 | 62.5 |
| 18/3/2019 19:17 | 67.9 | 70.5 | 63.5 |
| 18/3/2019 19:22 | 68.3 | 70.7 | 63.0 |
| 18/3/2019 19:27 | 70.4 | 70.6 | 63.4 |
| 18/3/2019 19:32 | 69.5 | 71.8 | 63.0 |
| 18/3/2019 19:37 | 68.4 | 71.9 | 61.9 |
| 18/3/2019 19:42 | 66.9 | 69.9 | 62.2 |
| 18/3/2019 19:47 | 69.1 | 73.3 | 61.8 |
| 18/3/2019 19:52 | 68.4 | 71.5 | 61.9 |
| 18/3/2019 19:57 | 69.6 | 71.0 | 61.1 |
| 18/3/2019 20:02 | 67.8 | 71.5 | 59.9 |
| 18/3/2019 20:07 | 69.0 | 71.6 | 59.4 |
| 18/3/2019 20:12 | 67.8 | 71.0 | 61.2 |
| 18/3/2019 20:17 | 67.8 | 71.4 | 61.4 |
| 18/3/2019 20:22 | 67.4 | 70.3 | 59.4 |
| 18/3/2019 20:27 | 67.2 | 70.4 | 58.7 |
| 18/3/2019 20:32 | 65.7 | 69.0 | 59.6 |
| 18/3/2019 20:37 | 67.0 | 69.2 | 59.7 |
| 18/3/2019 20:42 | 66.9 | 70.5 | 60.1 |
| 18/3/2019 20:47 | 64.2 | 67.7 | 58.9 |
| 18/3/2019 20:52 | 67.2 | 71.3 | 59.1 |
| 18/3/2019 20:57 | 67.6 | 70.3 | 59.2 |
| 18/3/2019 21:02 | 65.3 | 68.0 | 59.6 |
| 18/3/2019 21:07 | 66.6 | 69.1 | 58.7 |
| 18/3/2019 21:12 | 66.2 | 69.5 | 58.6 |
| 18/3/2019 21:17 | 65.6 | 69.2 | 58.9 |
| 18/3/2019 21:22 | 65.7 | 68.8 | 58.9 |
| 18/3/2019 21:27 | 64.3 | 67.5 | 58.4 |
| 18/3/2019 21:32 | 67.5 | 70.9 | 60.5 |
| 18/3/2019 21:37 | 64.8 | 68.0 | 58.5 |
| 18/3/2019 21:42 | 64.2 | 67.3 | 58.0 |
| 18/3/2019 21:47 | 64.3 | 67.9 | 57.6 |
| 18/3/2019 21:52 | 64.6 | 67.8 | 58.0 |
| 18/3/2019 21:57 | 65.1 | 68.8 | 57.7 |
| 18/3/2019 22:02 | 64.3 | 67.9 | 57.5 |
| 18/3/2019 22:07 | 64.2 | 67.9 | 57.2 |
| 18/3/2019 22:12 | 64.4 | 67.3 | 58.4 |
| 18/3/2019 22:17 | 65.6 | 68.2 | 59.0 |
| 18/3/2019 22:22 | 64.0 | 67.5 | 55.9 |
| 18/3/2019 22:27 | 64.8 | 68.4 | 58.7 |
| 18/3/2019 22:32 | 67.1 | 67.6 | 56.9 |
| 18/3/2019 22:37 | 64.4 | 68.8 | 58.1 |
| 18/3/2019 22:42 | 65.5 | 69.7 | 55.9 |
| 18/3/2019 22:47 | 67.4 | 71.1 | 59.2 |
| 18/3/2019 22:52 | 65.2 | 68.8 | 57.6 |
| 18/3/2019 22:57 | 65.9 | 70.0 | 57.8 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 19/3/2019 19:02 | 68.9 | 71.6 | 63.3 |
| 19/3/2019 19:07 | 70.4 | 73.6 | 63.5 |
| 19/3/2019 19:12 | 69.5 | 70.1 | 63.3 |
| 19/3/2019 19:17 | 71.3 | 72.6 | 61.9 |
| 19/3/2019 19:22 | 68.1 | 70.6 | 62.4 |
| 19/3/2019 19:27 | 68.5 | 69.2 | 61.5 |
| 19/3/2019 19:32 | 66.8 | 69.4 | 61.6 |
| 19/3/2019 19:37 | 67.3 | 70.1 | 61.2 |
| 19/3/2019 19:42 | 67.3 | 70.5 | 61.1 |
| 19/3/2019 19:47 | 67.8 | 71.0 | 59.5 |
| 19/3/2019 19:52 | 65.8 | 68.5 | 60.7 |
| 19/3/2019 19:57 | 67.0 | 70.7 | 61.1 |
| 19/3/2019 20:02 | 74.4 | 70.5 | 59.9 |
| 19/3/2019 20:07 | 67.4 | 70.8 | 59.5 |
| 19/3/2019 20:12 | 68.6 | 70.9 | 61.6 |
| 19/3/2019 20:17 | 65.8 | 68.8 | 58.6 |
| 19/3/2019 20:22 | 63.4 | 66.8 | 57.3 |
| 19/3/2019 20:27 | 64.8 | 68.0 | 59.1 |
| 19/3/2019 20:32 | 68.2 | 71.2 | 59.5 |
| 19/3/2019 20:37 | 71.1 | 71.7 | 60.7 |
| 19/3/2019 20:42 | 68.0 | 71.1 | 58.1 |
| 19/3/2019 20:47 | 64.8 | 67.7 | 57.2 |
| 19/3/2019 20:52 | 65.1 | 68.1 | 59.3 |
| 19/3/2019 20:57 | 65.7 | 68.8 | 58.4 |
| 19/3/2019 21:02 | 63.3 | 66.7 | 57.5 |
| 19/3/2019 21:07 | 65.3 | 69.1 | 57.9 |
| 19/3/2019 21:12 | 64.3 | 68.0 | 58.3 |
| 19/3/2019 21:17 | 64.8 | 68.2 | 58.1 |
| 19/3/2019 21:22 | 64.4 | 67.4 | 58.7 |
| 19/3/2019 21:27 | 65.2 | 68.6 | 59.0 |
| 19/3/2019 21:32 | 65.0 | 68.6 | 57.3 |
| 19/3/2019 21:37 | 67.0 | 68.1 | 58.3 |
| 19/3/2019 21:42 | 66.6 | 66.9 | 56.6 |
| 19/3/2019 21:47 | 64.2 | 67.1 | 59.2 |
| 19/3/2019 21:52 | 64.8 | 67.4 | 57.5 |
| 19/3/2019 21:57 | 65.0 | 68.1 | 56.8 |
| 19/3/2019 22:02 | 64.4 | 68.2 | 58.2 |
| 19/3/2019 22:07 | 63.9 | 67.5 | 57.0 |
| 19/3/2019 22:12 | 65.1 | 68.2 | 58.2 |
| 19/3/2019 22:17 | 64.5 | 67.7 | 58.2 |
| 19/3/2019 22:22 | 66.3 | 68.0 | 57.6 |
| 19/3/2019 22:27 | 64.4 | 68.3 | 57.7 |
| 19/3/2019 22:32 | 63.9 | 67.4 | 57.2 |
| 19/3/2019 22:37 | 63.3 | 67.0 | 56.8 |
| 19/3/2019 22:42 | 65.2 | 69.5 | 56.9 |
| 19/3/2019 22:47 | 66.4 | 70.0 | 56.7 |
| 19/3/2019 22:52 | 64.4 | 67.8 | 56.9 |
| 19/3/2019 22:57 | 64.8 | 68.3 | 57.9 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 20/3/2019 19:02 | 67.7 | 70.8 | 62.0 |
| 20/3/2019 19:07 | 68.6 | 71.5 | 62.6 |
| 20/3/2019 19:12 | 68.1 | 71.2 | 62.0 |
| 20/3/2019 19:17 | 70.2 | 72.9 | 62.3 |
| 20/3/2019 19:22 | 67.1 | 69.9 | 61.5 |
| 20/3/2019 19:27 | 66.9 | 69.8 | 61.0 |
| 20/3/2019 19:32 | 67.6 | 69.8 | 61.7 |
| 20/3/2019 19:37 | 66.8 | 70.2 | 60.2 |
| 20/3/2019 19:42 | 68.3 | 71.1 | 62.0 |
| 20/3/2019 19:47 | 67.5 | 70.3 | 62.0 |
| 20/3/2019 19:52 | 68.0 | 70.5 | 61.6 |
| 20/3/2019 19:57 | 67.9 | 69.4 | 61.0 |
| 20/3/2019 20:02 | 68.7 | 69.8 | 59.4 |
| 20/3/2019 20:07 | 72.8 | 75.7 | 61.4 |
| 20/3/2019 20:12 | 68.6 | 70.9 | 61.5 |
| 20/3/2019 20:17 | 66.5 | 70.2 | 61.4 |
| 20/3/2019 20:22 | 65.8 | 68.2 | 60.2 |
| 20/3/2019 20:27 | 66.3 | 70.3 | 59.7 |
| 20/3/2019 20:32 | 67.4 | 71.2 | 59.3 |
| 20/3/2019 20:37 | 65.9 | 69.7 | 59.1 |
| 20/3/2019 20:42 | 67.5 | 71.0 | 59.1 |
| 20/3/2019 20:47 | 65.8 | 69.2 | 57.7 |
| 20/3/2019 20:52 | 65.8 | 69.5 | 59.4 |
| 20/3/2019 20:57 | 66.6 | 69.8 | 58.3 |
| 20/3/2019 21:02 | 64.5 | 68.3 | 57.6 |
| 20/3/2019 21:07 | 64.9 | 67.5 | 59.7 |
| 20/3/2019 21:12 | 64.1 | 66.5 | 57.5 |
| 20/3/2019 21:17 | 65.8 | 69.0 | 58.4 |
| 20/3/2019 21:22 | 65.2 | 68.3 | 56.8 |
| 20/3/2019 21:27 | 63.6 | 67.7 | 57.4 |
| 20/3/2019 21:32 | 63.9 | 66.9 | 59.1 |
| 20/3/2019 21:37 | 69.4 | 65.5 | 58.7 |
| 20/3/2019 21:42 | 65.0 | 67.2 | 58.1 |
| 20/3/2019 21:47 | 65.0 | 68.6 | 58.0 |
| 20/3/2019 21:52 | 64.9 | 68.4 | 59.7 |
| 20/3/2019 21:57 | 65.3 | 68.5 | 58.5 |
| 20/3/2019 22:02 | 65.6 | 69.0 | 58.9 |
| 20/3/2019 22:07 | 66.4 | 70.8 | 57.4 |
| 20/3/2019 22:12 | 65.5 | 70.3 | 58.1 |
| 20/3/2019 22:17 | 65.9 | 69.8 | 59.4 |
| 20/3/2019 22:22 | 66.0 | 68.6 | 58.6 |
| 20/3/2019 22:27 | 68.1 | 70.3 | 58.3 |
| 20/3/2019 22:32 | 69.2 | 70.1 | 57.6 |
| 20/3/2019 22:37 | 64.6 | 67.2 | 57.9 |
| 20/3/2019 22:42 | 63.9 | 66.5 | 58.7 |
| 20/3/2019 22:47 | 63.8 | 67.1 | 57.7 |
| 20/3/2019 22:52 | 65.5 | 68.5 | 57.5 |
| 20/3/2019 22:57 | 67.0 | 70.7 | 58.6 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 19:02 | 70.3 | 72.9 | 65.2 |
| 21/3/2019 19:07 | 70.0 | 72.5 | 62.5 |
| 21/3/2019 19:12 | 67.7 | 71.2 | 62.3 |
| 21/3/2019 19:17 | 69.6 | 72.6 | 61.8 |
| 21/3/2019 19:22 | 67.0 | 69.5 | 61.7 |
| 21/3/2019 19:27 | 67.2 | 70.0 | 60.9 |
| 21/3/2019 19:32 | 66.0 | 69.1 | 60.5 |
| 21/3/2019 19:37 | 67.2 | 70.3 | 61.2 |
| 21/3/2019 19:42 | 66.9 | 70.1 | 61.6 |
| 21/3/2019 19:47 | 68.6 | 71.3 | 61.5 |
| 21/3/2019 19:52 | 66.6 | 69.3 | 61.7 |
| 21/3/2019 19:57 | 67.0 | 70.2 | 59.5 |
| 21/3/2019 20:02 | 65.8 | 68.3 | 59.7 |
| 21/3/2019 20:07 | 68.9 | 73.5 | 58.8 |
| 21/3/2019 20:12 | 68.1 | 69.0 | 59.7 |
| 21/3/2019 20:17 | 67.7 | 71.1 | 60.6 |
| 21/3/2019 20:22 | 65.0 | 68.3 | 59.1 |
| 21/3/2019 20:27 | 65.2 | 68.7 | 58.1 |
| 21/3/2019 20:32 | 65.8 | 69.4 | 59.1 |
| 21/3/2019 20:37 | 70.4 | 72.7 | 58.8 |
| 21/3/2019 20:42 | 66.4 | 70.2 | 56.8 |
| 21/3/2019 20:47 | 65.9 | 68.5 | 57.5 |
| 21/3/2019 20:52 | 67.5 | 71.6 | 59.0 |
| 21/3/2019 20:57 | 66.5 | 70.1 | 59.0 |
| 21/3/2019 21:02 | 64.3 | 67.0 | 59.0 |
| 21/3/2019 21:07 | 65.6 | 68.0 | 58.3 |
| 21/3/2019 21:12 | 69.0 | 71.7 | 59.5 |
| 21/3/2019 21:17 | 64.0 | 67.2 | 57.9 |
| 21/3/2019 21:22 | 64.1 | 67.3 | 58.7 |
| 21/3/2019 21:27 | 65.2 | 68.0 | 60.3 |
| 21/3/2019 21:32 | 65.8 | 68.7 | 58.1 |
| 21/3/2019 21:37 | 64.0 | 67.2 | 58.4 |
| 21/3/2019 21:42 | 66.0 | 68.6 | 58.3 |
| 21/3/2019 21:47 | 66.0 | 69.5 | 58.5 |
| 21/3/2019 21:52 | 63.4 | 66.4 | 59.1 |
| 21/3/2019 21:57 | 65.8 | 69.0 | 58.3 |
| 21/3/2019 22:02 | 66.4 | 69.5 | 59.5 |
| 21/3/2019 22:07 | 65.1 | 68.4 | 58.6 |
| 21/3/2019 22:12 | 65.8 | 69.5 | 57.8 |
| 21/3/2019 22:17 | 66.7 | 70.0 | 59.1 |
| 21/3/2019 22:22 | 65.4 | 69.6 | 57.0 |
| 21/3/2019 22:27 | 63.7 | 67.0 | 58.6 |
| 21/3/2019 22:32 | 63.4 | 66.8 | 56.4 |
| 21/3/2019 22:37 | 63.1 | 66.1 | 57.3 |
| 21/3/2019 22:42 | 65.7 | 67.3 | 58.3 |
| 21/3/2019 22:47 | 63.5 | 67.6 | 56.9 |
| 21/3/2019 22:52 | 62.9 | 66.4 | 57.5 |
| 21/3/2019 22:57 | 64.0 | 67.4 | 58.0 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 19:04 | 71.7 | 74.6 | 65.8 |
| 22/3/2019 19:09 | 72.1 | 75.0 | 65.5 |
| 22/3/2019 19:14 | 71.2 | 74.1 | 65.9 |
| 22/3/2019 19:19 | 71.0 | 73.8 | 65.4 |
| 22/3/2019 19:24 | 72.2 | 75.3 | 64.9 |
| 22/3/2019 19:29 | 74.9 | 76.1 | 64.2 |
| 22/3/2019 19:34 | 71.5 | 75.1 | 64.2 |
| 22/3/2019 19:39 | 70.3 | 73.6 | 64.3 |
| 22/3/2019 19:44 | 73.5 | 75.6 | 66.0 |
| 22/3/2019 19:49 | 70.0 | 72.3 | 63.8 |
| 22/3/2019 19:54 | 70.7 | 73.8 | 64.6 |
| 22/3/2019 19:59 | 69.4 | 73.1 | 62.2 |
| 22/3/2019 20:04 | 68.6 | 72.0 | 62.2 |
| 22/3/2019 20:09 | 70.1 | 73.4 | 63.5 |
| 22/3/2019 20:14 | 70.3 | 73.9 | 62.3 |
| 22/3/2019 20:19 | 69.8 | 73.1 | 61.8 |
| 22/3/2019 20:24 | 71.5 | 75.2 | 64.3 |
| 22/3/2019 20:29 | 69.8 | 72.0 | 61.8 |
| 22/3/2019 20:34 | 69.7 | 72.6 | 61.5 |
| 22/3/2019 20:39 | 69.1 | 72.5 | 62.5 |
| 22/3/2019 20:44 | 70.5 | 73.9 | 63.1 |
| 22/3/2019 20:49 | 69.5 | 72.3 | 63.4 |
| 22/3/2019 20:54 | 69.8 | 73.4 | 61.7 |
| 22/3/2019 20:59 | 69.3 | 73.6 | 62.4 |
| 22/3/2019 21:04 | 71.2 | 75.4 | 61.3 |
| 22/3/2019 21:09 | 70.3 | 74.8 | 62.1 |
| 22/3/2019 21:14 | 68.2 | 71.7 | 61.1 |
| 22/3/2019 21:19 | 77.9 | 74.9 | 63.5 |
| 22/3/2019 21:24 | 70.2 | 74.5 | 62.2 |
| 22/3/2019 21:29 | 68.6 | 71.9 | 60.8 |
| 22/3/2019 21:34 | 69.5 | 73.2 | 62.1 |
| 22/3/2019 21:39 | 69.2 | 72.8 | 63.1 |
| 22/3/2019 21:44 | 69.0 | 72.2 | 62.3 |
| 22/3/2019 21:49 | 69.9 | 74.1 | 61.7 |
| 22/3/2019 21:54 | 68.8 | 72.1 | 61.2 |
| 22/3/2019 21:59 | 68.5 | 71.9 | 61.8 |
| 22/3/2019 22:04 | 67.9 | 71.1 | 62.0 |
| 22/3/2019 22:09 | 70.2 | 72.4 | 61.6 |
| 22/3/2019 22:14 | 70.3 | 73.8 | 63.0 |
| 22/3/2019 22:19 | 68.1 | 71.8 | 61.1 |
| 22/3/2019 22:24 | 69.9 | 74.5 | 60.5 |
| 22/3/2019 22:29 | 69.6 | 72.9 | 63.9 |
| 22/3/2019 22:34 | 71.3 | 75.2 | 64.6 |
| 22/3/2019 22:39 | 70.6 | 75.0 | 64.6 |
| 22/3/2019 22:44 | 69.6 | 74.2 | 61.0 |
| 22/3/2019 22:49 | 70.6 | 75.2 | 61.5 |
| 22/3/2019 22:54 | 70.7 | 74.7 | 61.6 |
| 22/3/2019 22:59 | 69.8 | 73.6 | 61.9 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 19:04 | 72.0 | 74.2 | 64.8 |
| 23/3/2019 19:09 | 71.1 | 74.4 | 65.7 |
| 23/3/2019 19:14 | 73.2 | 76.1 | 64.8 |
| 23/3/2019 19:19 | 71.7 | 75.4 | 65.6 |
| 23/3/2019 19:24 | 72.6 | 75.6 | 65.0 |
| 23/3/2019 19:29 | 70.4 | 73.9 | 63.3 |
| 23/3/2019 19:34 | 72.6 | 76.3 | 64.6 |
| 23/3/2019 19:39 | 69.9 | 73.6 | 63.3 |
| 23/3/2019 19:44 | 70.7 | 73.9 | 63.6 |
| 23/3/2019 19:49 | 69.8 | 72.9 | 63.6 |
| 23/3/2019 19:54 | 74.0 | 77.0 | 64.4 |
| 23/3/2019 19:59 | 71.0 | 75.2 | 63.4 |
| 23/3/2019 20:04 | 71.3 | 74.6 | 63.2 |
| 23/3/2019 20:09 | 71.1 | 74.0 | 63.4 |
| 23/3/2019 20:14 | 70.4 | 73.2 | 62.6 |
| 23/3/2019 20:19 | 71.0 | 74.8 | 63.3 |
| 23/3/2019 20:24 | 70.2 | 72.9 | 63.1 |
| 23/3/2019 20:29 | 71.3 | 75.4 | 62.9 |
| 23/3/2019 20:34 | 70.0 | 73.3 | 62.8 |
| 23/3/2019 20:39 | 71.5 | 75.3 | 64.2 |
| 23/3/2019 20:44 | 70.2 | 73.8 | 62.5 |
| 23/3/2019 20:49 | 71.2 | 75.2 | 63.6 |
| 23/3/2019 20:54 | 71.5 | 74.3 | 63.5 |
| 23/3/2019 20:59 | 69.3 | 73.4 | 62.1 |
| 23/3/2019 21:04 | 69.0 | 72.2 | 63.0 |
| 23/3/2019 21:09 | 70.8 | 74.1 | 63.9 |
| 23/3/2019 21:14 | 70.2 | 74.5 | 61.9 |
| 23/3/2019 21:19 | 70.3 | 73.7 | 64.1 |
| 23/3/2019 21:24 | 71.6 | 75.6 | 62.5 |
| 23/3/2019 21:29 | 71.6 | 74.6 | 64.1 |
| 23/3/2019 21:34 | 70.1 | 73.6 | 63.3 |
| 23/3/2019 21:39 | 69.7 | 72.5 | 64.3 |
| 23/3/2019 21:44 | 68.4 | 72.0 | 62.8 |
| 23/3/2019 21:49 | 69.0 | 72.9 | 62.4 |
| 23/3/2019 21:54 | 69.0 | 73.1 | 62.9 |
| 23/3/2019 21:59 | 69.5 | 72.0 | 64.1 |
| 23/3/2019 22:04 | 68.4 | 71.2 | 62.5 |
| 23/3/2019 22:09 | 70.1 | 74.3 | 62.1 |
| 23/3/2019 22:14 | 71.0 | 74.1 | 63.6 |
| 23/3/2019 22:19 | 69.9 | 73.3 | 63.0 |
| 23/3/2019 22:24 | 68.8 | 72.7 | 61.9 |
| 23/3/2019 22:29 | 69.0 | 72.6 | 63.1 |
| 23/3/2019 22:34 | 69.7 | 73.3 | 62.5 |
| 23/3/2019 22:39 | 69.2 | 73.1 | 62.4 |
| 23/3/2019 22:44 | 71.1 | 71.4 | 62.5 |
| 23/3/2019 22:49 | 69.5 | 72.4 | 63.6 |
| 23/3/2019 22:54 | 71.7 | 75.1 | 65.1 |
| 23/3/2019 22:59 | 69.7 | 73.6 | 62.2 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 24/3/2019 7:04 | 68.6 | 73.0 | 60.2 |
| 24/3/2019 7:09 | 70.7 | 74.8 | 62.1 |
| 24/3/2019 7:14 | 69.3 | 72.7 | 61.1 |
| 24/3/2019 7:19 | 68.7 | 72.6 | 62.1 |
| 24/3/2019 7:24 | 69.0 | 72.9 | 61.6 |
| 24/3/2019 7:29 | 69.0 | 72.7 | 61.5 |
| 24/3/2019 7:34 | 69.4 | 73.5 | 63.1 |
| 24/3/2019 7:39 | 70.7 | 74.2 | 61.5 |
| 24/3/2019 7:44 | 70.0 | 74.2 | 61.9 |
| 24/3/2019 7:49 | 70.9 | 75.0 | 62.5 |
| 24/3/2019 7:54 | 72.2 | 75.8 | 62.9 |
| 24/3/2019 7:59 | 71.6 | 74.4 | 61.9 |
| 24/3/2019 8:04 | 70.5 | 73.3 | 61.0 |
| 24/3/2019 8:09 | 69.7 | 73.3 | 61.5 |
| 24/3/2019 8:14 | 69.7 | 73.1 | 62.2 |
| 24/3/2019 8:19 | 68.6 | 72.6 | 62.0 |
| 24/3/2019 8:24 | 71.3 | 75.3 | 63.8 |
| 24/3/2019 8:29 | 70.2 | 72.9 | 62.5 |
| 24/3/2019 8:34 | 70.3 | 73.9 | 62.1 |
| 24/3/2019 8:39 | 70.3 | 73.8 | 63.3 |
| 24/3/2019 8:44 | 71.4 | 75.0 | 62.1 |
| 24/3/2019 8:49 | 71.5 | 74.9 | 63.1 |
| 24/3/2019 8:54 | 69.4 | 72.2 | 64.2 |
| 24/3/2019 8:59 | 70.1 | 74.3 | 62.1 |
| 24/3/2019 9:04 | 69.4 | 73.3 | 62.4 |
| 24/3/2019 9:09 | 69.0 | 72.2 | 61.8 |
| 24/3/2019 9:14 | 72.1 | 76.6 | 63.2 |
| 24/3/2019 9:19 | 71.1 | 75.0 | 62.6 |
| 24/3/2019 9:24 | 69.3 | 72.5 | 63.2 |
| 24/3/2019 9:29 | 69.7 | 73.7 | 63.4 |
| 24/3/2019 9:34 | 69.4 | 73.1 | 62.5 |
| 24/3/2019 9:39 | 71.8 | 75.1 | 64.0 |
| 24/3/2019 9:44 | 71.6 | 74.7 | 64.0 |
| 24/3/2019 9:49 | 70.2 | 73.5 | 62.7 |
| 24/3/2019 9:54 | 72.2 | 75.8 | 63.6 |
| 24/3/2019 9:59 | 70.3 | 74.6 | 63.8 |
| 24/3/2019 10:04 | 71.2 | 76.1 | 62.3 |
| 24/3/2019 10:09 | 71.1 | 73.7 | 63.9 |
| 24/3/2019 10:14 | 71.3 | 73.3 | 65.6 |
| 24/3/2019 10:19 | 70.6 | 73.4 | 65.0 |
| 24/3/2019 10:24 | 72.4 | 75.8 | 65.6 |
| 24/3/2019 10:29 | 71.0 | 74.6 | 63.4 |
| 24/3/2019 10:34 | 73.4 | 75.1 | 63.4 |
| 24/3/2019 10:39 | 83.1 | 78.4 | 60.6 |
| 24/3/2019 10:44 | 71.7 | 75.0 | 65.0 |
| 24/3/2019 10:49 | 71.3 | 75.2 | 64.4 |
| 24/3/2019 10:54 | 68.8 | 72.0 | 63.2 |
| 24/3/2019 10:59 | 72.9 | 76.3 | 65.7 |
| 24/3/2019 11:04 | 71.3 | 74.0 | 65.2 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 11:09 | 71.1 | 74.0 | 65.1 |
| 24/3/2019 11:14 | 71.7 | 75.7 | 65.2 |
| 24/3/2019 11:19 | 70.0 | 73.0 | 64.8 |
| 24/3/2019 11:24 | 71.7 | 74.5 | 66.2 |
| 24/3/2019 11:29 | 71.5 | 75.3 | 65.4 |
| 24/3/2019 11:34 | 71.6 | 75.1 | 64.6 |
| 24/3/2019 11:39 | 73.5 | 76.9 | 64.9 |
| 24/3/2019 11:44 | 70.8 | 73.8 | 64.8 |
| 24/3/2019 11:49 | 73.2 | 75.9 | 67.8 |
| 24/3/2019 11:54 | 72.4 | 74.6 | 67.2 |
| 24/3/2019 11:59 | 72.0 | 75.3 | 66.7 |
| 24/3/2019 12:04 | 72.0 | 75.4 | 65.3 |
| 24/3/2019 12:09 | 73.7 | 76.0 | 66.3 |
| 24/3/2019 12:14 | 71.7 | 75.6 | 64.8 |
| 24/3/2019 12:19 | 74.4 | 75.7 | 67.8 |
| 24/3/2019 12:24 | 73.7 | 75.6 | 68.3 |
| 24/3/2019 12:29 | 73.8 | 77.2 | 68.1 |
| 24/3/2019 12:34 | 73.4 | 76.9 | 67.0 |
| 24/3/2019 12:39 | 73.3 | 74.6 | 67.3 |
| 24/3/2019 12:44 | 72.5 | 75.9 | 66.0 |
| 24/3/2019 12:49 | 72.5 | 75.5 | 67.2 |
| 24/3/2019 12:54 | 73.4 | 76.4 | 68.9 |
| 24/3/2019 12:59 | 74.9 | 77.6 | 68.7 |
| 24/3/2019 13:04 | 75.3 | 77.8 | 69.2 |
| 24/3/2019 13:09 | 72.2 | 73.9 | 68.6 |
| 24/3/2019 13:14 | 73.5 | 76.1 | 69.3 |
| 24/3/2019 13:19 | 72.9 | 75.1 | 70.0 |
| 24/3/2019 13:24 | 74.5 | 77.3 | 70.1 |
| 24/3/2019 13:29 | 74.1 | 77.4 | 69.1 |
| 24/3/2019 13:34 | 74.2 | 76.5 | 68.8 |
| 24/3/2019 13:39 | 73.5 | 76.3 | 69.0 |
| 24/3/2019 13:44 | 73.4 | 76.1 | 66.4 |
| 24/3/2019 13:49 | 74.1 | 77.2 | 69.0 |
| 24/3/2019 13:54 | 74.9 | 77.4 | 70.3 |
| 24/3/2019 13:59 | 75.2 | 77.4 | 70.9 |
| 24/3/2019 14:04 | 75.2 | 77.5 | 70.2 |
| 24/3/2019 14:09 | 77.0 | 78.8 | 71.4 |
| 24/3/2019 14:14 | 75.2 | 78.2 | 70.6 |
| 24/3/2019 14:19 | 74.1 | 77.0 | 69.3 |
| 24/3/2019 14:24 | 74.0 | 76.7 | 68.9 |
| 24/3/2019 14:29 | 73.1 | 77.1 | 67.4 |
| 24/3/2019 14:34 | 73.6 | 75.7 | 68.6 |
| 24/3/2019 14:39 | 74.4 | 77.2 | 69.0 |
| 24/3/2019 14:44 | 73.9 | 74.0 | 67.8 |
| 24/3/2019 14:49 | 72.2 | 74.9 | 67.9 |
| 24/3/2019 14:54 | 72.0 | 74.9 | 66.9 |
| 24/3/2019 14:59 | 72.6 | 75.2 | 67.6 |
| 24/3/2019 15:04 | 72.4 | 74.9 | 68.5 |
| 24/3/2019 15:09 | 73.2 | 76.2 | 69.2 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 15:14 | 73.6 | 77.3 | 67.9 |
| 24/3/2019 15:19 | 73.1 | 76.0 | 68.4 |
| 24/3/2019 15:24 | 74.5 | 76.5 | 68.8 |
| 24/3/2019 15:29 | 74.7 | 76.9 | 69.6 |
| 24/3/2019 15:34 | 74.1 | 75.5 | 68.1 |
| 24/3/2019 15:39 | 72.5 | 74.9 | 67.5 |
| 24/3/2019 15:44 | 72.9 | 75.4 | 68.4 |
| 24/3/2019 15:49 | 70.8 | 73.6 | 65.8 |
| 24/3/2019 15:54 | 70.8 | 74.0 | 66.4 |
| 24/3/2019 15:59 | 72.2 | 74.9 | 67.4 |
| 24/3/2019 16:04 | 72.1 | 74.3 | 67.6 |
| 24/3/2019 16:09 | 76.4 | 77.9 | 72.3 |
| 24/3/2019 16:14 | 73.9 | 75.8 | 69.9 |
| 24/3/2019 16:19 | 72.5 | 75.2 | 67.7 |
| 24/3/2019 16:24 | 71.0 | 73.6 | 67.2 |
| 24/3/2019 16:29 | 72.9 | 74.4 | 65.7 |
| 24/3/2019 16:34 | 72.1 | 75.0 | 65.7 |
| 24/3/2019 16:39 | 73.1 | 76.3 | 67.4 |
| 24/3/2019 16:44 | 72.0 | 75.2 | 67.9 |
| 24/3/2019 16:49 | 71.3 | 73.9 | 65.5 |
| 24/3/2019 16:54 | 72.8 | 76.0 | 65.7 |
| 24/3/2019 16:59 | 71.9 | 75.3 | 66.4 |
| 24/3/2019 17:04 | 71.5 | 74.3 | 67.2 |
| 24/3/2019 17:09 | 72.6 | 76.0 | 66.7 |
| 24/3/2019 17:14 | 73.5 | 77.3 | 65.9 |
| 24/3/2019 17:19 | 72.0 | 75.0 | 63.9 |
| 24/3/2019 17:24 | 72.1 | 75.7 | 63.8 |
| 24/3/2019 17:29 | 72.8 | 77.1 | 65.4 |
| 24/3/2019 17:34 | 71.2 | 74.6 | 63.9 |
| 24/3/2019 17:39 | 72.5 | 76.3 | 63.9 |
| 24/3/2019 17:44 | 72.1 | 75.4 | 66.1 |
| 24/3/2019 17:49 | 73.8 | 77.3 | 64.9 |
| 24/3/2019 17:54 | 71.5 | 75.4 | 64.9 |
| 24/3/2019 17:59 | 78.6 | 78.1 | 65.6 |
| 24/3/2019 18:04 | 72.2 | 75.7 | 64.7 |
| 24/3/2019 18:09 | 72.6 | 76.1 | 65.8 |
| 24/3/2019 18:14 | 71.3 | 75.1 | 64.1 |
| 24/3/2019 18:19 | 72.6 | 76.3 | 63.7 |
| 24/3/2019 18:24 | 71.3 | 74.7 | 64.6 |
| 24/3/2019 18:29 | 70.3 | 73.6 | 64.3 |
| 24/3/2019 18:34 | 71.2 | 74.0 | 65.3 |
| 24/3/2019 18:39 | 74.4 | 75.3 | 63.3 |
| 24/3/2019 18:44 | 71.8 | 75.4 | 64.4 |
| 24/3/2019 18:49 | 70.6 | 74.3 | 63.6 |
| 24/3/2019 18:54 | 71.3 | 75.2 | 62.9 |
| 24/3/2019 18:59 | 73.0 | 76.7 | 64.4 |
| 24/3/2019 19:04 | 70.8 | 74.2 | 64.7 |
| 24/3/2019 19:09 | 69.8 | 72.7 | 62.8 |
| 24/3/2019 19:14 | 70.6 | 73.0 | 64.6 |

Measured Noise Levels (dB(A)) at NMS2 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 19:19 | 69.8 | 73.2 | 64.8 |
| 24/3/2019 19:24 | 71.8 | 75.9 | 65.1 |
| 24/3/2019 19:29 | 71.5 | 75.3 | 63.7 |
| 24/3/2019 19:34 | 70.6 | 74.9 | 63.2 |
| 24/3/2019 19:39 | 71.9 | 74.5 | 63.3 |
| 24/3/2019 19:44 | 69.1 | 72.7 | 63.2 |
| 24/3/2019 19:49 | 70.6 | 74.0 | 64.0 |
| 24/3/2019 19:54 | 72.9 | 76.7 | 63.6 |
| 24/3/2019 19:59 | 70.8 | 74.2 | 64.9 |
| 24/3/2019 20:04 | 69.3 | 71.5 | 63.0 |
| 24/3/2019 20:09 | 71.7 | 75.7 | 62.9 |
| 24/3/2019 20:14 | 69.7 | 73.3 | 62.5 |
| 24/3/2019 20:19 | 70.1 | 73.7 | 63.3 |
| 24/3/2019 20:24 | 71.3 | 74.1 | 61.8 |
| 24/3/2019 20:29 | 71.5 | 76.2 | 61.5 |
| 24/3/2019 20:34 | 71.5 | 74.3 | 63.5 |
| 24/3/2019 20:39 | 71.0 | 74.3 | 62.3 |
| 24/3/2019 20:44 | 69.6 | 73.1 | 62.6 |
| 24/3/2019 20:49 | 71.3 | 75.6 | 62.4 |
| 24/3/2019 20:54 | 70.8 | 74.7 | 62.2 |
| 24/3/2019 20:59 | 69.8 | 73.7 | 63.6 |
| 24/3/2019 21:04 | 69.5 | 74.1 | 62.7 |
| 24/3/2019 21:09 | 71.2 | 75.5 | 63.3 |
| 24/3/2019 21:14 | 70.3 | 72.5 | 62.0 |
| 24/3/2019 21:19 | 70.6 | 74.2 | 64.6 |
| 24/3/2019 21:24 | 69.4 | 73.1 | 62.0 |
| 24/3/2019 21:29 | 70.9 | 74.6 | 63.4 |
| 24/3/2019 21:34 | 70.5 | 74.1 | 63.9 |
| 24/3/2019 21:39 | 69.9 | 74.2 | 62.0 |
| 24/3/2019 21:44 | 70.5 | 74.5 | 61.7 |
| 24/3/2019 21:49 | 68.3 | 71.8 | 62.7 |
| 24/3/2019 21:54 | 70.0 | 73.4 | 62.9 |
| 24/3/2019 21:59 | 74.1 | 75.5 | 61.7 |
| 24/3/2019 22:04 | 69.1 | 72.0 | 62.2 |
| 24/3/2019 22:09 | 69.9 | 73.4 | 62.2 |
| 24/3/2019 22:14 | 70.5 | 72.6 | 62.6 |
| 24/3/2019 22:19 | 69.6 | 74.6 | 61.7 |
| 24/3/2019 22:24 | 69.2 | 72.8 | 62.4 |
| 24/3/2019 22:29 | 68.3 | 71.7 | 61.9 |
| 24/3/2019 22:34 | 69.2 | 73.4 | 61.2 |
| 24/3/2019 22:39 | 70.1 | 74.9 | 62.2 |
| 24/3/2019 22:44 | 66.7 | 70.2 | 61.3 |
| 24/3/2019 22:49 | 68.7 | 71.6 | 62.6 |
| 24/3/2019 22:54 | 72.9 | 77.2 | 62.8 |
| 24/3/2019 22:59 | 69.2 | 73.1 | 61.7 |

Mean 69.8
Maximum 83.1
Minimum 61.8

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 11/3/2019 23:02 | 65.9 | 69.7 | 58.1 |
| 11/3/2019 23:07 | 63.6 | 67.0 | 58.1 |
| 11/3/2019 23:12 | 67.5 | 69.5 | 59.3 |
| 11/3/2019 23:17 | 67.0 | 70.7 | 60.5 |
| 11/3/2019 23:22 | 65.1 | 68.2 | 57.5 |
| 11/3/2019 23:27 | 65.7 | 67.8 | 58.3 |
| 11/3/2019 23:32 | 65.0 | 68.1 | 58.5 |
| 11/3/2019 23:37 | 67.8 | 70.7 | 58.3 |
| 11/3/2019 23:42 | 64.8 | 68.2 | 58.9 |
| 11/3/2019 23:47 | 66.5 | 70.2 | 58.6 |
| 11/3/2019 23:52 | 70.2 | 70.3 | 58.5 |
| 11/3/2019 23:57 | 65.3 | 68.9 | 58.0 |
| 12/3/2019 0:02 | 64.4 | 68.1 | 58.7 |
| 12/3/2019 0:07 | 66.6 | 70.5 | 60.0 |
| 12/3/2019 0:12 | 69.4 | 69.8 | 58.5 |
| 12/3/2019 0:17 | 63.7 | 67.7 | 57.1 |
| 12/3/2019 0:22 | 61.9 | 65.1 | 56.0 |
| 12/3/2019 0:27 | 62.4 | 65.3 | 56.7 |
| 12/3/2019 0:32 | 65.4 | 66.8 | 56.3 |
| 12/3/2019 0:37 | 64.0 | 67.9 | 56.8 |
| 12/3/2019 0:42 | 65.5 | 67.7 | 57.0 |
| 12/3/2019 0:47 | 62.4 | 65.9 | 56.1 |
| 12/3/2019 0:52 | 61.8 | 64.9 | 57.0 |
| 12/3/2019 0:57 | 63.4 | 67.4 | 56.4 |
| 12/3/2019 1:02 | 64.1 | 68.2 | 56.1 |
| 12/3/2019 1:07 | 62.2 | 64.8 | 55.8 |
| 12/3/2019 1:12 | 61.2 | 64.7 | 55.9 |
| 12/3/2019 1:17 | 67.1 | 67.1 | 56.6 |
| 12/3/2019 1:22 | 63.0 | 66.1 | 55.8 |
| 12/3/2019 1:27 | 68.2 | 68.2 | 55.1 |
| 12/3/2019 1:32 | 65.7 | 68.5 | 56.2 |
| 12/3/2019 1:37 | 62.5 | 66.0 | 55.2 |
| 12/3/2019 1:42 | 69.1 | 71.4 | 55.8 |
| 12/3/2019 1:47 | 67.1 | 70.2 | 57.3 |
| 12/3/2019 1:52 | 63.2 | 67.7 | 55.7 |
| 12/3/2019 1:57 | 64.3 | 66.1 | 56.4 |
| 12/3/2019 2:02 | 61.7 | 65.5 | 54.5 |
| 12/3/2019 2:07 | 63.4 | 67.2 | 55.6 |
| 12/3/2019 2:12 | 62.1 | 64.3 | 54.9 |
| 12/3/2019 2:17 | 63.0 | 67.0 | 53.8 |
| 12/3/2019 2:22 | 72.5 | 67.7 | 53.6 |
| 12/3/2019 2:27 | 61.7 | 64.7 | 54.6 |
| 12/3/2019 2:32 | 62.6 | 66.3 | 53.5 |
| 12/3/2019 2:37 | 59.0 | 62.0 | 51.9 |
| 12/3/2019 2:42 | 60.9 | 62.7 | 52.8 |
| 12/3/2019 2:47 | 61.3 | 64.6 | 52.5 |
| 12/3/2019 2:52 | 62.2 | 66.0 | 51.9 |
| 12/3/2019 2:57 | 60.5 | 63.6 | 53.2 |
| 12/3/2019 3:02 | 62.4 | 66.2 | 52.9 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 3:07 | 64.8 | 67.0 | 52.1 |
| 12/3/2019 3:12 | 61.9 | 60.4 | 51.8 |
| 12/3/2019 3:17 | 61.8 | 64.5 | 50.8 |
| 12/3/2019 3:22 | 64.7 | 66.6 | 52.7 |
| 12/3/2019 3:27 | 60.2 | 63.2 | 52.2 |
| 12/3/2019 3:32 | 59.0 | 62.4 | 52.2 |
| 12/3/2019 3:37 | 60.3 | 63.6 | 52.2 |
| 12/3/2019 3:42 | 62.2 | 64.1 | 51.5 |
| 12/3/2019 3:47 | 58.3 | 61.9 | 51.9 |
| 12/3/2019 3:52 | 58.3 | 62.8 | 50.7 |
| 12/3/2019 3:57 | 59.4 | 62.9 | 52.5 |
| 12/3/2019 4:02 | 58.4 | 62.1 | 50.6 |
| 12/3/2019 4:07 | 58.4 | 62.4 | 51.1 |
| 12/3/2019 4:12 | 61.0 | 64.4 | 52.1 |
| 12/3/2019 4:17 | 61.7 | 66.8 | 50.7 |
| 12/3/2019 4:22 | 60.9 | 63.7 | 51.8 |
| 12/3/2019 4:27 | 59.6 | 63.4 | 53.0 |
| 12/3/2019 4:32 | 59.6 | 61.6 | 51.2 |
| 12/3/2019 4:37 | 59.4 | 63.7 | 50.6 |
| 12/3/2019 4:42 | 61.4 | 64.3 | 51.2 |
| 12/3/2019 4:47 | 59.8 | 62.8 | 52.7 |
| 12/3/2019 4:52 | 58.8 | 62.1 | 51.9 |
| 12/3/2019 4:57 | 61.9 | 66.6 | 51.6 |
| 12/3/2019 5:02 | 60.9 | 64.6 | 52.0 |
| 12/3/2019 5:07 | 58.6 | 62.7 | 51.2 |
| 12/3/2019 5:12 | 61.2 | 64.8 | 52.7 |
| 12/3/2019 5:17 | 57.1 | 59.9 | 50.8 |
| 12/3/2019 5:22 | 61.2 | 65.9 | 50.7 |
| 12/3/2019 5:27 | 66.7 | 69.8 | 55.2 |
| 12/3/2019 5:32 | 66.5 | 70.3 | 53.9 |
| 12/3/2019 5:37 | 60.5 | 64.2 | 53.3 |
| 12/3/2019 5:42 | 63.5 | 67.2 | 54.9 |
| 12/3/2019 5:47 | 62.7 | 66.9 | 53.1 |
| 12/3/2019 5:52 | 60.8 | 62.9 | 53.6 |
| 12/3/2019 5:57 | 61.2 | 64.8 | 53.5 |
| 12/3/2019 6:02 | 60.6 | 63.6 | 53.3 |
| 12/3/2019 6:07 | 58.0 | 61.6 | 52.4 |
| 12/3/2019 6:12 | 61.3 | 64.8 | 53.9 |
| 12/3/2019 6:17 | 63.7 | 67.8 | 55.4 |
| 12/3/2019 6:22 | 61.2 | 65.1 | 53.8 |
| 12/3/2019 6:27 | 62.0 | 65.8 | 54.4 |
| 12/3/2019 6:32 | 63.5 | 67.7 | 54.5 |
| 12/3/2019 6:37 | 64.6 | 67.5 | 55.8 |
| 12/3/2019 6:42 | 64.1 | 66.8 | 56.1 |
| 12/3/2019 6:47 | 63.3 | 66.2 | 56.5 |
| 12/3/2019 6:52 | 64.6 | 68.4 | 55.8 |
| 12/3/2019 6:57 | 63.7 | 67.5 | 57.9 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 23:02 | 64.6 | 69.1 | 57.8 |
| 12/3/2019 23:07 | 65.6 | 68.6 | 57.6 |
| 12/3/2019 23:12 | 64.5 | 67.9 | 58.5 |
| 12/3/2019 23:17 | 63.6 | 67.0 | 58.0 |
| 12/3/2019 23:22 | 65.0 | 68.9 | 59.0 |
| 12/3/2019 23:27 | 64.7 | 68.9 | 57.3 |
| 12/3/2019 23:32 | 63.1 | 66.5 | 57.0 |
| 12/3/2019 23:37 | 64.0 | 67.4 | 57.9 |
| 12/3/2019 23:42 | 64.9 | 67.3 | 57.7 |
| 12/3/2019 23:47 | 64.7 | 68.4 | 59.3 |
| 12/3/2019 23:52 | 65.3 | 67.9 | 58.2 |
| 12/3/2019 23:57 | 63.6 | 67.1 | 57.3 |
| 13/3/2019 0:02 | 66.5 | 68.9 | 57.9 |
| 13/3/2019 0:07 | 64.8 | 67.2 | 57.7 |
| 13/3/2019 0:12 | 62.8 | 66.5 | 56.5 |
| 13/3/2019 0:17 | 63.9 | 65.4 | 57.1 |
| 13/3/2019 0:22 | 62.4 | 65.2 | 57.7 |
| 13/3/2019 0:27 | 63.0 | 67.2 | 56.3 |
| 13/3/2019 0:32 | 62.4 | 65.0 | 57.3 |
| 13/3/2019 0:37 | 61.3 | 65.0 | 57.1 |
| 13/3/2019 0:42 | 61.2 | 64.4 | 55.6 |
| 13/3/2019 0:47 | 61.7 | 64.5 | 56.4 |
| 13/3/2019 0:52 | 61.2 | 64.6 | 56.7 |
| 13/3/2019 0:57 | 62.3 | 66.0 | 56.3 |
| 13/3/2019 1:02 | 63.5 | 67.3 | 56.5 |
| 13/3/2019 1:07 | 62.7 | 65.8 | 56.2 |
| 13/3/2019 1:12 | 63.5 | 67.8 | 56.1 |
| 13/3/2019 1:17 | 61.7 | 64.6 | 55.1 |
| 13/3/2019 1:22 | 62.8 | 66.7 | 55.4 |
| 13/3/2019 1:27 | 62.7 | 66.3 | 56.1 |
| 13/3/2019 1:32 | 64.9 | 67.7 | 54.1 |
| 13/3/2019 1:37 | 66.7 | 68.3 | 55.5 |
| 13/3/2019 1:42 | 63.4 | 67.1 | 55.8 |
| 13/3/2019 1:47 | 67.1 | 70.3 | 58.6 |
| 13/3/2019 1:52 | 62.9 | 67.2 | 53.6 |
| 13/3/2019 1:57 | 61.5 | 64.3 | 54.7 |
| 13/3/2019 2:02 | 63.3 | 67.4 | 54.2 |
| 13/3/2019 2:07 | 62.0 | 65.6 | 54.9 |
| 13/3/2019 2:12 | 62.7 | 65.3 | 56.3 |
| 13/3/2019 2:17 | 60.4 | 63.0 | 55.0 |
| 13/3/2019 2:22 | 60.9 | 64.9 | 54.8 |
| 13/3/2019 2:27 | 63.5 | 61.1 | 54.8 |
| 13/3/2019 2:32 | 61.6 | 64.4 | 55.6 |
| 13/3/2019 2:37 | 63.4 | 67.2 | 55.4 |
| 13/3/2019 2:42 | 61.8 | 65.1 | 54.2 |
| 13/3/2019 2:47 | 62.3 | 65.1 | 54.0 |
| 13/3/2019 2:52 | 59.7 | 63.8 | 53.4 |
| 13/3/2019 2:57 | 64.0 | 65.7 | 53.6 |
| 13/3/2019 3:02 | 62.2 | 63.7 | 53.7 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 3:07 | 61.5 | 65.3 | 53.4 |
| 13/3/2019 3:12 | 56.9 | 60.1 | 51.6 |
| 13/3/2019 3:17 | 59.8 | 63.1 | 51.5 |
| 13/3/2019 3:22 | 60.4 | 63.2 | 52.3 |
| 13/3/2019 3:27 | 60.5 | 64.5 | 52.9 |
| 13/3/2019 3:32 | 62.0 | 65.4 | 51.8 |
| 13/3/2019 3:37 | 59.7 | 62.2 | 52.5 |
| 13/3/2019 3:42 | 62.5 | 66.6 | 53.8 |
| 13/3/2019 3:47 | 59.6 | 62.8 | 53.0 |
| 13/3/2019 3:52 | 62.0 | 66.0 | 53.3 |
| 13/3/2019 3:57 | 58.2 | 62.2 | 51.3 |
| 13/3/2019 4:02 | 57.4 | 60.1 | 50.3 |
| 13/3/2019 4:07 | 61.5 | 65.3 | 52.3 |
| 13/3/2019 4:12 | 59.7 | 63.6 | 51.9 |
| 13/3/2019 4:17 | 59.4 | 61.2 | 51.5 |
| 13/3/2019 4:22 | 62.7 | 65.4 | 51.9 |
| 13/3/2019 4:27 | 57.3 | 59.9 | 51.4 |
| 13/3/2019 4:32 | 60.0 | 64.3 | 51.9 |
| 13/3/2019 4:37 | 59.3 | 61.8 | 51.2 |
| 13/3/2019 4:42 | 60.6 | 63.5 | 52.9 |
| 13/3/2019 4:47 | 59.6 | 61.9 | 50.3 |
| 13/3/2019 4:52 | 59.5 | 62.1 | 51.9 |
| 13/3/2019 4:57 | 58.0 | 61.9 | 52.4 |
| 13/3/2019 5:02 | 59.1 | 61.9 | 51.6 |
| 13/3/2019 5:07 | 60.8 | 64.4 | 51.5 |
| 13/3/2019 5:12 | 57.8 | 62.4 | 50.4 |
| 13/3/2019 5:17 | 57.5 | 61.8 | 51.2 |
| 13/3/2019 5:22 | 57.0 | 60.4 | 51.2 |
| 13/3/2019 5:27 | 62.4 | 65.1 | 53.8 |
| 13/3/2019 5:32 | 60.3 | 65.1 | 52.2 |
| 13/3/2019 5:37 | 60.0 | 62.7 | 52.4 |
| 13/3/2019 5:42 | 62.1 | 66.8 | 51.2 |
| 13/3/2019 5:47 | 66.4 | 70.7 | 52.3 |
| 13/3/2019 5:52 | 62.9 | 65.7 | 53.7 |
| 13/3/2019 5:57 | 63.8 | 67.5 | 53.3 |
| 13/3/2019 6:02 | 59.1 | 63.4 | 52.2 |
| 13/3/2019 6:07 | 59.6 | 62.9 | 53.7 |
| 13/3/2019 6:12 | 62.3 | 66.2 | 53.0 |
| 13/3/2019 6:17 | 61.5 | 65.2 | 54.4 |
| 13/3/2019 6:22 | 60.5 | 64.1 | 54.1 |
| 13/3/2019 6:27 | 62.1 | 66.6 | 53.2 |
| 13/3/2019 6:32 | 62.9 | 66.8 | 54.0 |
| 13/3/2019 6:37 | 62.7 | 65.5 | 53.9 |
| 13/3/2019 6:42 | 62.4 | 66.2 | 55.8 |
| 13/3/2019 6:47 | 62.5 | 66.0 | 55.0 |
| 13/3/2019 6:52 | 63.7 | 67.3 | 56.4 |
| 13/3/2019 6:57 | 65.0 | 68.4 | 56.8 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 23:02 | 64.2 | 67.0 | 59.0 |
| 13/3/2019 23:07 | 63.6 | 66.1 | 57.4 |
| 13/3/2019 23:12 | 64.6 | 68.3 | 57.8 |
| 13/3/2019 23:17 | 63.2 | 66.1 | 58.7 |
| 13/3/2019 23:22 | 64.8 | 68.8 | 57.4 |
| 13/3/2019 23:27 | 67.1 | 70.6 | 58.3 |
| 13/3/2019 23:32 | 66.0 | 69.2 | 57.9 |
| 13/3/2019 23:37 | 65.1 | 68.3 | 58.5 |
| 13/3/2019 23:42 | 67.4 | 71.2 | 58.5 |
| 13/3/2019 23:47 | 63.8 | 67.0 | 58.2 |
| 13/3/2019 23:52 | 65.1 | 68.1 | 59.2 |
| 13/3/2019 23:57 | 64.0 | 66.7 | 57.7 |
| 14/3/2019 0:02 | 69.6 | 68.4 | 57.3 |
| 14/3/2019 0:07 | 65.6 | 66.3 | 57.4 |
| 14/3/2019 0:12 | 64.5 | 67.3 | 56.7 |
| 14/3/2019 0:17 | 68.4 | 69.2 | 58.7 |
| 14/3/2019 0:22 | 64.2 | 67.0 | 57.6 |
| 14/3/2019 0:27 | 65.2 | 68.5 | 56.4 |
| 14/3/2019 0:32 | 74.0 | 68.9 | 57.9 |
| 14/3/2019 0:37 | 63.1 | 66.3 | 57.3 |
| 14/3/2019 0:42 | 63.4 | 67.1 | 57.5 |
| 14/3/2019 0:47 | 62.8 | 66.4 | 56.7 |
| 14/3/2019 0:52 | 71.2 | 70.2 | 55.3 |
| 14/3/2019 0:57 | 60.1 | 63.9 | 54.7 |
| 14/3/2019 1:02 | 64.4 | 68.0 | 56.2 |
| 14/3/2019 1:07 | 61.1 | 64.8 | 55.7 |
| 14/3/2019 1:12 | 62.6 | 65.0 | 56.1 |
| 14/3/2019 1:17 | 61.6 | 65.9 | 55.3 |
| 14/3/2019 1:22 | 63.5 | 65.9 | 57.2 |
| 14/3/2019 1:27 | 60.4 | 63.4 | 55.2 |
| 14/3/2019 1:32 | 63.7 | 65.3 | 54.8 |
| 14/3/2019 1:37 | 67.3 | 69.8 | 56.8 |
| 14/3/2019 1:42 | 66.5 | 70.4 | 56.5 |
| 14/3/2019 1:47 | 60.9 | 64.7 | 55.7 |
| 14/3/2019 1:52 | 62.4 | 66.4 | 55.2 |
| 14/3/2019 1:57 | 61.2 | 63.8 | 53.3 |
| 14/3/2019 2:02 | 60.7 | 63.7 | 53.8 |
| 14/3/2019 2:07 | 62.8 | 67.1 | 54.9 |
| 14/3/2019 2:12 | 67.8 | 67.9 | 55.2 |
| 14/3/2019 2:17 | 61.9 | 65.3 | 55.0 |
| 14/3/2019 2:22 | 60.7 | 64.6 | 53.9 |
| 14/3/2019 2:27 | 61.8 | 65.0 | 53.9 |
| 14/3/2019 2:32 | 62.4 | 64.3 | 53.8 |
| 14/3/2019 2:37 | 60.6 | 64.1 | 53.3 |
| 14/3/2019 2:42 | 59.8 | 63.0 | 53.2 |
| 14/3/2019 2:47 | 60.6 | 64.6 | 52.9 |
| 14/3/2019 2:52 | 59.4 | 63.1 | 52.2 |
| 14/3/2019 2:57 | 61.1 | 65.5 | 53.7 |
| 14/3/2019 3:02 | 61.5 | 65.7 | 54.0 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 3:07 | 58.0 | 61.2 | 52.1 |
| 14/3/2019 3:12 | 60.5 | 64.4 | 53.0 |
| 14/3/2019 3:17 | 61.3 | 64.9 | 54.1 |
| 14/3/2019 3:22 | 57.6 | 61.2 | 52.4 |
| 14/3/2019 3:27 | 58.4 | 61.2 | 53.9 |
| 14/3/2019 3:32 | 61.6 | 64.2 | 53.4 |
| 14/3/2019 3:37 | 57.7 | 61.7 | 52.8 |
| 14/3/2019 3:42 | 63.1 | 64.3 | 53.7 |
| 14/3/2019 3:47 | 59.5 | 62.5 | 52.8 |
| 14/3/2019 3:52 | 58.0 | 61.4 | 52.0 |
| 14/3/2019 3:57 | 58.0 | 62.8 | 51.9 |
| 14/3/2019 4:02 | 59.7 | 64.5 | 52.0 |
| 14/3/2019 4:07 | 59.2 | 63.3 | 52.3 |
| 14/3/2019 4:12 | 60.4 | 64.1 | 52.8 |
| 14/3/2019 4:17 | 60.8 | 64.3 | 52.4 |
| 14/3/2019 4:22 | 56.4 | 59.9 | 51.0 |
| 14/3/2019 4:27 | 58.1 | 61.7 | 52.2 |
| 14/3/2019 4:32 | 58.1 | 62.3 | 52.6 |
| 14/3/2019 4:37 | 57.5 | 61.1 | 51.1 |
| 14/3/2019 4:42 | 62.6 | 65.4 | 53.2 |
| 14/3/2019 4:47 | 59.0 | 62.7 | 52.6 |
| 14/3/2019 4:52 | 62.2 | 65.5 | 51.7 |
| 14/3/2019 4:57 | 58.3 | 62.4 | 52.1 |
| 14/3/2019 5:02 | 60.7 | 65.1 | 54.3 |
| 14/3/2019 5:07 | 60.4 | 63.2 | 50.5 |
| 14/3/2019 5:12 | 60.5 | 63.8 | 52.5 |
| 14/3/2019 5:17 | 56.2 | 58.2 | 51.5 |
| 14/3/2019 5:22 | 60.5 | 64.4 | 52.1 |
| 14/3/2019 5:27 | 59.2 | 63.3 | 51.9 |
| 14/3/2019 5:32 | 58.5 | 62.2 | 52.8 |
| 14/3/2019 5:37 | 61.5 | 65.5 | 53.6 |
| 14/3/2019 5:42 | 63.8 | 68.5 | 52.9 |
| 14/3/2019 5:47 | 62.9 | 67.1 | 53.5 |
| 14/3/2019 5:52 | 59.4 | 61.8 | 53.5 |
| 14/3/2019 5:57 | 60.7 | 64.0 | 52.7 |
| 14/3/2019 6:02 | 61.8 | 64.3 | 52.9 |
| 14/3/2019 6:07 | 61.1 | 64.7 | 53.9 |
| 14/3/2019 6:12 | 61.1 | 65.1 | 54.2 |
| 14/3/2019 6:17 | 62.1 | 66.0 | 54.5 |
| 14/3/2019 6:22 | 63.9 | 67.2 | 53.9 |
| 14/3/2019 6:27 | 60.6 | 63.9 | 54.5 |
| 14/3/2019 6:32 | 62.2 | 65.0 | 55.9 |
| 14/3/2019 6:37 | 63.1 | 66.0 | 56.2 |
| 14/3/2019 6:42 | 62.3 | 65.7 | 56.5 |
| 14/3/2019 6:47 | 62.8 | 66.2 | 57.1 |
| 14/3/2019 6:52 | 66.5 | 69.5 | 60.5 |
| 14/3/2019 6:57 | 65.9 | 68.8 | 60.1 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 23:00 | 69.2 | 73.0 | 62.5 |
| 14/3/2019 23:05 | 70.2 | 73.5 | 63.1 |
| 14/3/2019 23:10 | 68.6 | 72.0 | 62.2 |
| 14/3/2019 23:15 | 69.6 | 73.2 | 62.9 |
| 14/3/2019 23:20 | 67.2 | 70.4 | 62.4 |
| 14/3/2019 23:25 | 69.0 | 72.3 | 62.9 |
| 14/3/2019 23:30 | 67.2 | 70.3 | 62.3 |
| 14/3/2019 23:35 | 70.6 | 74.5 | 62.9 |
| 14/3/2019 23:40 | 68.7 | 70.8 | 62.9 |
| 14/3/2019 23:45 | 67.0 | 69.9 | 61.7 |
| 14/3/2019 23:50 | 66.7 | 70.0 | 61.3 |
| 14/3/2019 23:55 | 68.4 | 72.0 | 62.3 |
| 15/3/2019 0:00 | 69.8 | 73.2 | 62.0 |
| 15/3/2019 0:05 | 70.0 | 74.3 | 61.8 |
| 15/3/2019 0:10 | 67.5 | 71.6 | 61.1 |
| 15/3/2019 0:15 | 68.7 | 72.1 | 62.1 |
| 15/3/2019 0:20 | 68.2 | 71.3 | 62.2 |
| 15/3/2019 0:25 | 67.7 | 70.0 | 61.6 |
| 15/3/2019 0:30 | 67.2 | 71.0 | 60.5 |
| 15/3/2019 0:35 | 69.3 | 73.0 | 61.5 |
| 15/3/2019 0:40 | 68.7 | 72.1 | 61.6 |
| 15/3/2019 0:45 | 66.6 | 70.7 | 59.8 |
| 15/3/2019 0:50 | 70.0 | 73.4 | 59.0 |
| 15/3/2019 0:55 | 66.0 | 70.1 | 60.1 |
| 15/3/2019 1:00 | 69.0 | 72.8 | 61.8 |
| 15/3/2019 1:05 | 66.8 | 70.0 | 60.2 |
| 15/3/2019 1:10 | 66.1 | 69.5 | 60.2 |
| 15/3/2019 1:15 | 67.0 | 71.9 | 59.4 |
| 15/3/2019 1:20 | 66.7 | 70.6 | 59.0 |
| 15/3/2019 1:25 | 67.0 | 69.8 | 60.7 |
| 15/3/2019 1:30 | 68.5 | 72.5 | 60.3 |
| 15/3/2019 1:35 | 65.4 | 67.8 | 59.5 |
| 15/3/2019 1:40 | 65.7 | 69.3 | 60.2 |
| 15/3/2019 1:45 | 75.0 | 70.1 | 60.0 |
| 15/3/2019 1:50 | 66.4 | 70.0 | 59.7 |
| 15/3/2019 1:55 | 67.7 | 71.4 | 58.8 |
| 15/3/2019 2:00 | 63.4 | 65.4 | 58.2 |
| 15/3/2019 2:05 | 63.1 | 66.1 | 58.5 |
| 15/3/2019 2:10 | 64.4 | 68.6 | 58.5 |
| 15/3/2019 2:15 | 66.7 | 69.8 | 58.9 |
| 15/3/2019 2:20 | 64.1 | 67.1 | 58.4 |
| 15/3/2019 2:25 | 63.8 | 68.5 | 59.1 |
| 15/3/2019 2:30 | 67.6 | 71.3 | 59.2 |
| 15/3/2019 2:35 | 68.5 | 72.4 | 58.7 |
| 15/3/2019 2:40 | 65.0 | 68.0 | 58.0 |
| 15/3/2019 2:45 | 64.3 | 68.6 | 57.4 |
| 15/3/2019 2:50 | 63.7 | 66.7 | 58.4 |
| 15/3/2019 2:55 | 63.9 | 67.3 | 57.1 |
| 15/3/2019 3:00 | 59.5 | 62.2 | 55.9 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 3:05 | 62.1 | 66.3 | 56.3 |
| 15/3/2019 3:10 | 67.9 | 71.8 | 57.6 |
| 15/3/2019 3:15 | 66.8 | 69.9 | 57.4 |
| 15/3/2019 3:20 | 63.9 | 66.9 | 56.8 |
| 15/3/2019 3:25 | 65.2 | 68.6 | 57.0 |
| 15/3/2019 3:30 | 65.4 | 69.3 | 57.6 |
| 15/3/2019 3:35 | 65.7 | 68.9 | 58.6 |
| 15/3/2019 3:40 | 62.9 | 66.0 | 58.2 |
| 15/3/2019 3:45 | 67.1 | 70.5 | 58.5 |
| 15/3/2019 3:50 | 66.5 | 70.9 | 59.0 |
| 15/3/2019 3:55 | 66.3 | 69.6 | 59.7 |
| 15/3/2019 4:00 | 64.3 | 67.3 | 57.2 |
| 15/3/2019 4:05 | 64.3 | 68.6 | 56.8 |
| 15/3/2019 4:10 | 65.1 | 68.2 | 55.6 |
| 15/3/2019 4:15 | 66.5 | 69.9 | 56.6 |
| 15/3/2019 4:20 | 64.8 | 68.1 | 56.4 |
| 15/3/2019 4:25 | 63.0 | 66.6 | 57.4 |
| 15/3/2019 4:30 | 64.3 | 68.6 | 56.1 |
| 15/3/2019 4:35 | 63.5 | 67.0 | 57.2 |
| 15/3/2019 4:40 | 61.2 | 64.2 | 57.0 |
| 15/3/2019 4:45 | 65.6 | 68.8 | 56.9 |
| 15/3/2019 4:50 | 66.9 | 71.3 | 58.8 |
| 15/3/2019 4:55 | 65.5 | 69.6 | 58.4 |
| 15/3/2019 5:00 | 62.9 | 66.0 | 57.8 |
| 15/3/2019 5:05 | 68.0 | 70.6 | 58.2 |
| 15/3/2019 5:10 | 64.0 | 68.5 | 56.5 |
| 15/3/2019 5:15 | 63.4 | 66.5 | 57.2 |
| 15/3/2019 5:20 | 64.9 | 68.5 | 58.2 |
| 15/3/2019 5:25 | 64.8 | 68.7 | 57.6 |
| 15/3/2019 5:30 | 65.2 | 67.0 | 57.2 |
| 15/3/2019 5:35 | 65.8 | 68.7 | 58.3 |
| 15/3/2019 5:40 | 67.1 | 71.4 | 57.4 |
| 15/3/2019 5:45 | 66.0 | 68.6 | 59.2 |
| 15/3/2019 5:50 | 66.9 | 70.3 | 61.1 |
| 15/3/2019 5:55 | 68.2 | 70.5 | 58.9 |
| 15/3/2019 6:00 | 66.5 | 68.0 | 58.7 |
| 15/3/2019 6:05 | 67.6 | 70.8 | 60.2 |
| 15/3/2019 6:10 | 67.2 | 69.7 | 63.4 |
| 15/3/2019 6:15 | 69.2 | 71.4 | 63.6 |
| 15/3/2019 6:20 | 70.5 | 73.9 | 63.7 |
| 15/3/2019 6:25 | 70.2 | 73.8 | 62.2 |
| 15/3/2019 6:30 | 69.8 | 73.6 | 62.7 |
| 15/3/2019 6:35 | 69.1 | 71.9 | 63.3 |
| 15/3/2019 6:40 | 69.8 | 72.6 | 62.5 |
| 15/3/2019 6:45 | 70.9 | 74.3 | 63.8 |
| 15/3/2019 6:50 | 70.9 | 75.1 | 63.8 |
| 15/3/2019 6:55 | 72.9 | 76.3 | 66.4 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 23:04 | 71.1 | 74.7 | 63.3 |
| 15/3/2019 23:09 | 71.4 | 75.6 | 64.4 |
| 15/3/2019 23:14 | 70.2 | 74.0 | 63.1 |
| 15/3/2019 23:19 | 70.6 | 73.0 | 62.9 |
| 15/3/2019 23:24 | 69.8 | 73.6 | 62.8 |
| 15/3/2019 23:29 | 66.4 | 69.3 | 62.3 |
| 15/3/2019 23:34 | 67.6 | 70.9 | 62.0 |
| 15/3/2019 23:39 | 68.8 | 71.3 | 63.7 |
| 15/3/2019 23:44 | 68.0 | 72.3 | 62.0 |
| 15/3/2019 23:49 | 69.4 | 72.6 | 62.7 |
| 15/3/2019 23:54 | 67.2 | 70.1 | 61.9 |
| 15/3/2019 23:59 | 70.5 | 74.2 | 63.3 |
| 16/3/2019 0:04 | 68.6 | 72.1 | 62.8 |
| 16/3/2019 0:09 | 68.5 | 71.7 | 62.0 |
| 16/3/2019 0:14 | 68.3 | 72.1 | 61.2 |
| 16/3/2019 0:19 | 71.3 | 72.0 | 62.2 |
| 16/3/2019 0:24 | 68.6 | 72.5 | 62.3 |
| 16/3/2019 0:29 | 71.6 | 72.3 | 60.8 |
| 16/3/2019 0:34 | 67.4 | 70.3 | 61.4 |
| 16/3/2019 0:39 | 67.2 | 70.5 | 60.8 |
| 16/3/2019 0:44 | 69.3 | 70.6 | 60.6 |
| 16/3/2019 0:49 | 66.5 | 70.1 | 60.2 |
| 16/3/2019 0:54 | 67.0 | 69.6 | 60.3 |
| 16/3/2019 0:59 | 68.7 | 72.1 | 60.5 |
| 16/3/2019 1:04 | 67.3 | 70.4 | 59.9 |
| 16/3/2019 1:09 | 68.3 | 72.8 | 60.6 |
| 16/3/2019 1:14 | 68.0 | 71.7 | 62.0 |
| 16/3/2019 1:19 | 68.1 | 72.1 | 61.1 |
| 16/3/2019 1:24 | 65.5 | 69.3 | 60.4 |
| 16/3/2019 1:29 | 68.6 | 72.6 | 61.1 |
| 16/3/2019 1:34 | 64.5 | 68.0 | 59.3 |
| 16/3/2019 1:39 | 66.1 | 69.0 | 61.0 |
| 16/3/2019 1:44 | 66.9 | 70.0 | 60.1 |
| 16/3/2019 1:49 | 68.4 | 70.0 | 60.3 |
| 16/3/2019 1:54 | 66.5 | 70.2 | 60.0 |
| 16/3/2019 1:59 | 66.4 | 70.1 | 59.9 |
| 16/3/2019 2:04 | 67.9 | 71.7 | 59.5 |
| 16/3/2019 2:09 | 68.4 | 69.8 | 60.7 |
| 16/3/2019 2:14 | 65.1 | 68.6 | 59.5 |
| 16/3/2019 2:19 | 67.4 | 69.7 | 59.4 |
| 16/3/2019 2:24 | 68.5 | 71.1 | 59.1 |
| 16/3/2019 2:29 | 66.6 | 69.5 | 59.6 |
| 16/3/2019 2:34 | 67.2 | 71.3 | 60.5 |
| 16/3/2019 2:39 | 65.8 | 69.8 | 58.5 |
| 16/3/2019 2:44 | 67.1 | 70.7 | 58.6 |
| 16/3/2019 2:49 | 68.0 | 70.3 | 58.6 |
| 16/3/2019 2:54 | 67.1 | 70.8 | 58.2 |
| 16/3/2019 2:59 | 65.5 | 69.3 | 58.3 |
| 16/3/2019 3:04 | 68.3 | 70.0 | 58.3 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 3:09 | 65.7 | 68.6 | 57.9 |
| 16/3/2019 3:14 | 63.8 | 66.9 | 57.7 |
| 16/3/2019 3:19 | 67.3 | 70.6 | 57.8 |
| 16/3/2019 3:24 | 67.1 | 71.3 | 58.7 |
| 16/3/2019 3:29 | 64.9 | 68.0 | 57.0 |
| 16/3/2019 3:34 | 67.3 | 70.0 | 57.6 |
| 16/3/2019 3:39 | 62.9 | 66.5 | 57.5 |
| 16/3/2019 3:44 | 68.6 | 72.3 | 56.9 |
| 16/3/2019 3:49 | 63.3 | 67.2 | 55.5 |
| 16/3/2019 3:54 | 70.0 | 71.9 | 57.3 |
| 16/3/2019 3:59 | 66.0 | 69.6 | 57.2 |
| 16/3/2019 4:04 | 64.6 | 67.5 | 57.9 |
| 16/3/2019 4:09 | 65.4 | 68.7 | 57.3 |
| 16/3/2019 4:14 | 67.0 | 69.0 | 56.6 |
| 16/3/2019 4:19 | 65.9 | 69.0 | 56.0 |
| 16/3/2019 4:24 | 64.3 | 66.6 | 56.8 |
| 16/3/2019 4:29 | 64.8 | 67.1 | 57.2 |
| 16/3/2019 4:34 | 65.4 | 68.7 | 56.7 |
| 16/3/2019 4:39 | 62.9 | 67.6 | 56.3 |
| 16/3/2019 4:44 | 71.3 | 71.1 | 57.1 |
| 16/3/2019 4:49 | 65.4 | 68.9 | 56.9 |
| 16/3/2019 4:54 | 64.7 | 67.9 | 55.3 |
| 16/3/2019 4:59 | 70.1 | 70.0 | 58.8 |
| 16/3/2019 5:04 | 63.7 | 67.1 | 56.6 |
| 16/3/2019 5:09 | 64.0 | 67.3 | 56.4 |
| 16/3/2019 5:14 | 63.7 | 67.5 | 56.8 |
| 16/3/2019 5:19 | 67.1 | 71.5 | 58.2 |
| 16/3/2019 5:24 | 65.7 | 69.6 | 57.9 |
| 16/3/2019 5:29 | 64.7 | 66.8 | 57.5 |
| 16/3/2019 5:34 | 66.1 | 70.1 | 59.0 |
| 16/3/2019 5:39 | 65.0 | 68.5 | 58.7 |
| 16/3/2019 5:44 | 69.9 | 73.5 | 59.5 |
| 16/3/2019 5:49 | 67.0 | 69.9 | 60.7 |
| 16/3/2019 5:54 | 64.2 | 67.0 | 59.8 |
| 16/3/2019 5:59 | 68.6 | 72.1 | 60.0 |
| 16/3/2019 6:04 | 66.0 | 69.3 | 58.9 |
| 16/3/2019 6:09 | 66.3 | 69.4 | 58.6 |
| 16/3/2019 6:14 | 67.3 | 70.6 | 59.7 |
| 16/3/2019 6:19 | 67.1 | 70.6 | 59.0 |
| 16/3/2019 6:24 | 68.1 | 71.2 | 61.7 |
| 16/3/2019 6:29 | 68.5 | 72.1 | 60.3 |
| 16/3/2019 6:34 | 71.3 | 75.0 | 60.8 |
| 16/3/2019 6:39 | 68.6 | 71.5 | 62.4 |
| 16/3/2019 6:44 | 69.9 | 73.2 | 62.0 |
| 16/3/2019 6:49 | 71.5 | 74.6 | 63.2 |
| 16/3/2019 6:54 | 70.3 | 74.1 | 63.4 |
| 16/3/2019 6:59 | 70.3 | 74.1 | 63.4 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 23:04 | 67.2 | 70.5 | 59.1 |
| 16/3/2019 23:09 | 64.4 | 67.8 | 58.5 |
| 16/3/2019 23:14 | 64.7 | 68.1 | 59.0 |
| 16/3/2019 23:19 | 64.1 | 67.4 | 58.4 |
| 16/3/2019 23:24 | 65.6 | 68.3 | 58.9 |
| 16/3/2019 23:29 | 63.8 | 67.7 | 58.1 |
| 16/3/2019 23:34 | 67.9 | 68.0 | 57.2 |
| 16/3/2019 23:39 | 63.1 | 66.4 | 56.9 |
| 16/3/2019 23:44 | 65.3 | 69.0 | 58.0 |
| 16/3/2019 23:49 | 64.9 | 68.5 | 57.6 |
| 16/3/2019 23:54 | 63.2 | 66.7 | 57.0 |
| 16/3/2019 23:59 | 64.7 | 68.1 | 57.8 |
| 17/3/2019 0:04 | 63.4 | 66.3 | 57.3 |
| 17/3/2019 0:09 | 64.9 | 68.5 | 57.1 |
| 17/3/2019 0:14 | 62.0 | 65.1 | 57.6 |
| 17/3/2019 0:19 | 63.5 | 65.7 | 57.3 |
| 17/3/2019 0:24 | 62.9 | 66.5 | 56.2 |
| 17/3/2019 0:29 | 63.7 | 67.3 | 55.5 |
| 17/3/2019 0:34 | 61.5 | 65.0 | 55.4 |
| 17/3/2019 0:39 | 62.9 | 66.9 | 55.6 |
| 17/3/2019 0:44 | 62.2 | 66.0 | 55.0 |
| 17/3/2019 0:49 | 61.4 | 64.9 | 55.7 |
| 17/3/2019 0:54 | 63.1 | 66.8 | 55.2 |
| 17/3/2019 0:59 | 64.3 | 68.2 | 55.7 |
| 17/3/2019 1:04 | 63.8 | 65.6 | 55.8 |
| 17/3/2019 1:09 | 66.3 | 67.3 | 55.8 |
| 17/3/2019 1:14 | 62.4 | 65.5 | 55.1 |
| 17/3/2019 1:19 | 63.1 | 65.9 | 54.7 |
| 17/3/2019 1:24 | 60.7 | 63.7 | 54.4 |
| 17/3/2019 1:29 | 64.5 | 67.9 | 55.7 |
| 17/3/2019 1:34 | 63.3 | 67.1 | 55.8 |
| 17/3/2019 1:39 | 62.3 | 65.0 | 55.4 |
| 17/3/2019 1:44 | 64.3 | 65.5 | 55.1 |
| 17/3/2019 1:49 | 60.2 | 63.8 | 55.1 |
| 17/3/2019 1:54 | 59.0 | 61.4 | 54.1 |
| 17/3/2019 1:59 | 61.1 | 64.4 | 54.1 |
| 17/3/2019 2:04 | 65.7 | 66.7 | 55.9 |
| 17/3/2019 2:09 | 63.9 | 68.7 | 54.0 |
| 17/3/2019 2:14 | 61.4 | 65.8 | 55.0 |
| 17/3/2019 2:19 | 63.4 | 66.1 | 53.9 |
| 17/3/2019 2:24 | 63.0 | 64.5 | 53.6 |
| 17/3/2019 2:29 | 61.2 | 64.3 | 54.2 |
| 17/3/2019 2:34 | 61.8 | 65.9 | 53.9 |
| 17/3/2019 2:39 | 62.4 | 65.4 | 53.8 |
| 17/3/2019 2:44 | 60.5 | 64.5 | 54.3 |
| 17/3/2019 2:49 | 63.0 | 66.6 | 53.8 |
| 17/3/2019 2:54 | 57.2 | 59.8 | 53.1 |
| 17/3/2019 2:59 | 60.6 | 63.4 | 52.9 |
| 17/3/2019 3:04 | 58.8 | 61.8 | 53.8 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 3:09 | 62.0 | 65.3 | 54.7 |
| 17/3/2019 3:14 | 63.9 | 67.1 | 52.8 |
| 17/3/2019 3:19 | 60.2 | 64.5 | 53.1 |
| 17/3/2019 3:24 | 59.8 | 63.5 | 53.0 |
| 17/3/2019 3:29 | 59.1 | 62.8 | 52.8 |
| 17/3/2019 3:34 | 61.2 | 64.7 | 54.2 |
| 17/3/2019 3:39 | 60.8 | 64.5 | 52.5 |
| 17/3/2019 3:44 | 63.5 | 66.4 | 55.1 |
| 17/3/2019 3:49 | 61.7 | 65.1 | 54.1 |
| 17/3/2019 3:54 | 59.3 | 62.1 | 52.9 |
| 17/3/2019 3:59 | 59.1 | 61.6 | 54.1 |
| 17/3/2019 4:04 | 61.4 | 64.5 | 53.8 |
| 17/3/2019 4:09 | 58.4 | 62.6 | 52.1 |
| 17/3/2019 4:14 | 58.8 | 62.3 | 52.6 |
| 17/3/2019 4:19 | 58.7 | 62.7 | 51.4 |
| 17/3/2019 4:24 | 58.5 | 62.7 | 53.1 |
| 17/3/2019 4:29 | 59.5 | 63.4 | 52.6 |
| 17/3/2019 4:34 | 60.3 | 63.4 | 52.1 |
| 17/3/2019 4:39 | 59.0 | 62.0 | 52.0 |
| 17/3/2019 4:44 | 62.4 | 64.7 | 52.9 |
| 17/3/2019 4:49 | 57.5 | 62.2 | 51.8 |
| 17/3/2019 4:54 | 60.8 | 65.7 | 53.5 |
| 17/3/2019 4:59 | 59.9 | 62.9 | 52.6 |
| 17/3/2019 5:04 | 61.1 | 63.8 | 53.5 |
| 17/3/2019 5:09 | 61.4 | 64.9 | 53.6 |
| 17/3/2019 5:14 | 62.6 | 66.3 | 53.5 |
| 17/3/2019 5:19 | 57.1 | 61.0 | 51.3 |
| 17/3/2019 5:24 | 63.0 | 65.1 | 54.1 |
| 17/3/2019 5:29 | 60.6 | 64.2 | 53.2 |
| 17/3/2019 5:34 | 60.5 | 63.8 | 53.3 |
| 17/3/2019 5:39 | 58.6 | 61.5 | 53.6 |
| 17/3/2019 5:44 | 59.9 | 62.8 | 53.4 |
| 17/3/2019 5:49 | 61.6 | 65.8 | 53.5 |
| 17/3/2019 5:54 | 61.5 | 66.0 | 55.2 |
| 17/3/2019 5:59 | 57.8 | 61.5 | 52.6 |
| 17/3/2019 6:04 | 61.6 | 64.1 | 53.6 |
| 17/3/2019 6:09 | 61.2 | 64.5 | 54.6 |
| 17/3/2019 6:14 | 62.2 | 66.3 | 55.3 |
| 17/3/2019 6:19 | 63.2 | 66.6 | 55.4 |
| 17/3/2019 6:24 | 62.2 | 65.3 | 55.8 |
| 17/3/2019 6:29 | 61.3 | 64.6 | 55.5 |
| 17/3/2019 6:34 | 61.3 | 64.6 | 56.6 |
| 17/3/2019 6:39 | 63.7 | 67.4 | 55.9 |
| 17/3/2019 6:44 | 67.0 | 69.2 | 57.3 |
| 17/3/2019 6:49 | 64.6 | 68.6 | 57.0 |
| 17/3/2019 6:54 | 62.9 | 66.5 | 57.0 |
| 17/3/2019 6:59 | 62.4 | 65.7 | 55.9 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 23:04 | 66.3 | 70.1 | 57.8 |
| 17/3/2019 23:09 | 63.7 | 67.1 | 57.4 |
| 17/3/2019 23:14 | 65.1 | 68.4 | 58.5 |
| 17/3/2019 23:19 | 64.6 | 68.2 | 59.1 |
| 17/3/2019 23:24 | 63.7 | 67.7 | 57.2 |
| 17/3/2019 23:29 | 63.4 | 66.9 | 56.2 |
| 17/3/2019 23:34 | 66.0 | 66.9 | 57.2 |
| 17/3/2019 23:39 | 62.7 | 66.4 | 56.6 |
| 17/3/2019 23:44 | 62.5 | 65.9 | 55.4 |
| 17/3/2019 23:49 | 64.2 | 68.8 | 56.2 |
| 17/3/2019 23:54 | 66.6 | 69.1 | 56.7 |
| 17/3/2019 23:59 | 62.2 | 65.1 | 55.1 |
| 18/3/2019 0:04 | 63.2 | 64.1 | 55.8 |
| 18/3/2019 0:09 | 62.1 | 66.0 | 53.9 |
| 18/3/2019 0:14 | 68.0 | 68.2 | 56.3 |
| 18/3/2019 0:19 | 72.9 | 71.0 | 56.2 |
| 18/3/2019 0:24 | 61.2 | 60.9 | 53.9 |
| 18/3/2019 0:29 | 68.9 | 71.0 | 55.8 |
| 18/3/2019 0:34 | 61.9 | 64.9 | 54.2 |
| 18/3/2019 0:39 | 63.3 | 68.2 | 54.5 |
| 18/3/2019 0:44 | 60.4 | 64.7 | 53.9 |
| 18/3/2019 0:49 | 60.7 | 64.4 | 53.9 |
| 18/3/2019 0:54 | 61.2 | 64.6 | 53.7 |
| 18/3/2019 0:59 | 63.0 | 67.9 | 54.3 |
| 18/3/2019 1:04 | 66.1 | 69.0 | 53.6 |
| 18/3/2019 1:09 | 67.2 | 70.9 | 56.7 |
| 18/3/2019 1:14 | 68.5 | 70.2 | 55.5 |
| 18/3/2019 1:19 | 69.0 | 69.5 | 54.5 |
| 18/3/2019 1:24 | 65.3 | 68.4 | 54.8 |
| 18/3/2019 1:29 | 67.2 | 70.8 | 55.3 |
| 18/3/2019 1:34 | 67.1 | 69.8 | 56.5 |
| 18/3/2019 1:39 | 64.8 | 68.1 | 53.9 |
| 18/3/2019 1:44 | 68.0 | 70.6 | 55.7 |
| 18/3/2019 1:49 | 65.8 | 68.8 | 57.3 |
| 18/3/2019 1:54 | 65.9 | 69.3 | 56.2 |
| 18/3/2019 1:59 | 66.9 | 70.4 | 54.4 |
| 18/3/2019 2:04 | 66.9 | 68.8 | 55.7 |
| 18/3/2019 2:09 | 66.4 | 68.5 | 54.7 |
| 18/3/2019 2:14 | 65.1 | 68.0 | 56.6 |
| 18/3/2019 2:19 | 65.3 | 68.7 | 56.3 |
| 18/3/2019 2:24 | 67.6 | 70.3 | 57.5 |
| 18/3/2019 2:29 | 63.8 | 67.5 | 52.9 |
| 18/3/2019 2:34 | 64.8 | 68.4 | 55.2 |
| 18/3/2019 2:39 | 66.7 | 70.2 | 53.5 |
| 18/3/2019 2:44 | 64.0 | 68.2 | 52.2 |
| 18/3/2019 2:49 | 65.5 | 68.9 | 54.9 |
| 18/3/2019 2:54 | 64.9 | 68.3 | 55.6 |
| 18/3/2019 2:59 | 65.1 | 68.0 | 54.5 |
| 18/3/2019 3:04 | 65.9 | 69.8 | 54.8 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 18/3/2019 3:09 | 64.9 | 67.8 | 52.3 |
| 18/3/2019 3:14 | 64.6 | 67.8 | 54.1 |
| 18/3/2019 3:19 | 63.4 | 66.7 | 53.6 |
| 18/3/2019 3:24 | 64.7 | 68.3 | 52.9 |
| 18/3/2019 3:29 | 64.0 | 67.8 | 52.9 |
| 18/3/2019 3:34 | 64.4 | 68.1 | 52.7 |
| 18/3/2019 3:39 | 64.0 | 67.6 | 51.9 |
| 18/3/2019 3:44 | 66.6 | 70.7 | 52.3 |
| 18/3/2019 3:49 | 63.4 | 67.5 | 52.7 |
| 18/3/2019 3:54 | 67.3 | 71.4 | 55.4 |
| 18/3/2019 3:59 | 67.4 | 70.6 | 54.3 |
| 18/3/2019 4:04 | 64.2 | 67.8 | 52.5 |
| 18/3/2019 4:09 | 64.7 | 69.6 | 51.8 |
| 18/3/2019 4:14 | 64.5 | 67.2 | 55.7 |
| 18/3/2019 4:19 | 64.9 | 68.3 | 52.7 |
| 18/3/2019 4:24 | 64.2 | 67.7 | 52.7 |
| 18/3/2019 4:29 | 66.9 | 68.9 | 53.5 |
| 18/3/2019 4:34 | 64.2 | 67.9 | 52.5 |
| 18/3/2019 4:39 | 63.1 | 67.3 | 50.8 |
| 18/3/2019 4:44 | 64.3 | 67.9 | 51.7 |
| 18/3/2019 4:49 | 67.5 | 71.3 | 53.8 |
| 18/3/2019 4:54 | 66.0 | 69.7 | 54.1 |
| 18/3/2019 4:59 | 65.7 | 69.3 | 54.2 |
| 18/3/2019 5:04 | 66.5 | 69.6 | 53.7 |
| 18/3/2019 5:09 | 66.1 | 69.1 | 54.0 |
| 18/3/2019 5:14 | 64.7 | 68.5 | 54.7 |
| 18/3/2019 5:19 | 66.7 | 69.4 | 54.2 |
| 18/3/2019 5:24 | 60.8 | 63.0 | 53.2 |
| 18/3/2019 5:29 | 58.6 | 62.1 | 51.9 |
| 18/3/2019 5:34 | 60.4 | 64.1 | 53.6 |
| 18/3/2019 5:39 | 60.5 | 63.6 | 55.0 |
| 18/3/2019 5:44 | 61.3 | 65.2 | 54.6 |
| 18/3/2019 5:49 | 62.1 | 65.9 | 53.8 |
| 18/3/2019 5:54 | 64.2 | 68.6 | 54.2 |
| 18/3/2019 5:59 | 62.3 | 66.3 | 53.9 |
| 18/3/2019 6:04 | 62.9 | 65.5 | 55.5 |
| 18/3/2019 6:09 | 62.0 | 64.8 | 54.9 |
| 18/3/2019 6:14 | 62.3 | 65.6 | 55.4 |
| 18/3/2019 6:19 | 65.5 | 69.3 | 58.0 |
| 18/3/2019 6:24 | 64.0 | 67.6 | 58.2 |
| 18/3/2019 6:29 | 66.6 | 70.1 | 59.8 |
| 18/3/2019 6:34 | 66.0 | 69.5 | 60.5 |
| 18/3/2019 6:39 | 68.5 | 72.0 | 60.0 |
| 18/3/2019 6:44 | 66.8 | 70.3 | 60.1 |
| 18/3/2019 6:49 | 67.2 | 70.9 | 59.9 |
| 18/3/2019 6:54 | 67.2 | 71.1 | 61.0 |
| 18/3/2019 6:59 | 68.2 | 71.0 | 60.7 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 23:02 | 66.1 | 70.9 | 57.3 |
| 18/3/2019 23:07 | 65.2 | 67.7 | 56.8 |
| 18/3/2019 23:12 | 64.3 | 67.8 | 58.1 |
| 18/3/2019 23:17 | 66.1 | 69.7 | 56.9 |
| 18/3/2019 23:22 | 64.4 | 68.6 | 56.6 |
| 18/3/2019 23:27 | 62.6 | 66.3 | 56.1 |
| 18/3/2019 23:32 | 62.9 | 67.1 | 55.7 |
| 18/3/2019 23:37 | 62.3 | 66.3 | 55.9 |
| 18/3/2019 23:42 | 63.0 | 66.7 | 56.1 |
| 18/3/2019 23:47 | 63.1 | 66.3 | 57.3 |
| 18/3/2019 23:52 | 61.9 | 66.2 | 54.9 |
| 18/3/2019 23:57 | 62.9 | 67.0 | 55.7 |
| 19/3/2019 0:02 | 63.2 | 66.2 | 56.6 |
| 19/3/2019 0:07 | 63.0 | 66.5 | 55.1 |
| 19/3/2019 0:12 | 62.2 | 66.2 | 56.4 |
| 19/3/2019 0:17 | 64.9 | 67.7 | 56.5 |
| 19/3/2019 0:22 | 64.2 | 66.6 | 55.2 |
| 19/3/2019 0:27 | 61.2 | 64.6 | 54.1 |
| 19/3/2019 0:32 | 61.6 | 64.3 | 55.3 |
| 19/3/2019 0:37 | 62.0 | 65.9 | 54.9 |
| 19/3/2019 0:42 | 60.6 | 64.0 | 54.5 |
| 19/3/2019 0:47 | 63.2 | 66.8 | 55.9 |
| 19/3/2019 0:52 | 66.4 | 67.9 | 56.0 |
| 19/3/2019 0:57 | 63.0 | 66.7 | 53.4 |
| 19/3/2019 1:02 | 65.7 | 68.9 | 53.9 |
| 19/3/2019 1:07 | 62.1 | 64.7 | 53.6 |
| 19/3/2019 1:12 | 63.1 | 67.0 | 53.7 |
| 19/3/2019 1:17 | 61.3 | 64.6 | 53.1 |
| 19/3/2019 1:22 | 61.2 | 64.1 | 54.0 |
| 19/3/2019 1:27 | 61.5 | 65.4 | 54.1 |
| 19/3/2019 1:32 | 59.4 | 62.8 | 53.3 |
| 19/3/2019 1:37 | 63.0 | 67.1 | 53.5 |
| 19/3/2019 1:42 | 60.3 | 64.0 | 53.1 |
| 19/3/2019 1:47 | 58.8 | 62.4 | 53.3 |
| 19/3/2019 1:52 | 61.4 | 64.3 | 53.6 |
| 19/3/2019 1:57 | 60.7 | 62.1 | 52.7 |
| 19/3/2019 2:02 | 61.5 | 64.6 | 53.7 |
| 19/3/2019 2:07 | 59.6 | 63.3 | 53.3 |
| 19/3/2019 2:12 | 60.6 | 64.5 | 52.9 |
| 19/3/2019 2:17 | 61.6 | 64.5 | 53.2 |
| 19/3/2019 2:22 | 60.5 | 62.4 | 51.8 |
| 19/3/2019 2:27 | 70.0 | 66.1 | 52.4 |
| 19/3/2019 2:32 | 60.6 | 63.9 | 53.9 |
| 19/3/2019 2:37 | 58.9 | 62.8 | 52.6 |
| 19/3/2019 2:42 | 58.4 | 61.2 | 51.7 |
| 19/3/2019 2:47 | 56.3 | 60.1 | 51.1 |
| 19/3/2019 2:52 | 61.2 | 64.2 | 52.6 |
| 19/3/2019 2:57 | 60.0 | 63.0 | 54.0 |
| 19/3/2019 3:02 | 58.1 | 62.4 | 51.8 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 19/3/2019 3:07 | 59.0 | 59.6 | 51.1 |
| 19/3/2019 3:12 | 57.9 | 61.8 | 52.4 |
| 19/3/2019 3:17 | 62.7 | 67.7 | 51.7 |
| 19/3/2019 3:22 | 59.5 | 63.6 | 52.4 |
| 19/3/2019 3:27 | 59.4 | 63.1 | 50.8 |
| 19/3/2019 3:32 | 59.7 | 62.1 | 51.0 |
| 19/3/2019 3:37 | 61.8 | 62.5 | 51.0 |
| 19/3/2019 3:42 | 58.1 | 62.2 | 52.0 |
| 19/3/2019 3:47 | 58.2 | 61.6 | 52.1 |
| 19/3/2019 3:52 | 61.0 | 63.2 | 52.2 |
| 19/3/2019 3:57 | 59.8 | 64.6 | 51.2 |
| 19/3/2019 4:02 | 58.7 | 62.3 | 52.1 |
| 19/3/2019 4:07 | 57.6 | 61.3 | 52.0 |
| 19/3/2019 4:12 | 61.3 | 63.6 | 52.5 |
| 19/3/2019 4:17 | 59.7 | 63.7 | 51.4 |
| 19/3/2019 4:22 | 58.3 | 61.0 | 52.5 |
| 19/3/2019 4:27 | 61.5 | 66.3 | 52.9 |
| 19/3/2019 4:32 | 64.3 | 68.6 | 52.8 |
| 19/3/2019 4:37 | 61.1 | 65.3 | 53.1 |
| 19/3/2019 4:42 | 58.1 | 60.5 | 51.2 |
| 19/3/2019 4:47 | 58.3 | 62.2 | 52.2 |
| 19/3/2019 4:52 | 60.5 | 65.1 | 52.6 |
| 19/3/2019 4:57 | 61.2 | 65.4 | 51.0 |
| 19/3/2019 5:02 | 59.6 | 62.9 | 52.2 |
| 19/3/2019 5:07 | 61.2 | 64.1 | 53.5 |
| 19/3/2019 5:12 | 61.3 | 65.0 | 52.0 |
| 19/3/2019 5:17 | 59.2 | 61.9 | 53.4 |
| 19/3/2019 5:22 | 59.4 | 62.6 | 52.4 |
| 19/3/2019 5:27 | 58.1 | 61.7 | 51.8 |
| 19/3/2019 5:32 | 62.5 | 66.2 | 52.5 |
| 19/3/2019 5:37 | 59.9 | 64.0 | 53.3 |
| 19/3/2019 5:42 | 60.6 | 63.9 | 53.7 |
| 19/3/2019 5:47 | 62.9 | 67.0 | 54.5 |
| 19/3/2019 5:52 | 63.2 | 66.9 | 54.2 |
| 19/3/2019 5:57 | 62.1 | 66.3 | 54.4 |
| 19/3/2019 6:02 | 62.4 | 64.4 | 56.8 |
| 19/3/2019 6:07 | 63.9 | 67.9 | 56.4 |
| 19/3/2019 6:12 | 65.3 | 68.6 | 58.4 |
| 19/3/2019 6:17 | 64.5 | 67.7 | 57.9 |
| 19/3/2019 6:22 | 67.8 | 71.1 | 60.2 |
| 19/3/2019 6:27 | 65.1 | 67.5 | 57.9 |
| 19/3/2019 6:32 | 66.0 | 69.5 | 59.8 |
| 19/3/2019 6:37 | 65.5 | 68.4 | 59.1 |
| 19/3/2019 6:42 | 66.1 | 69.1 | 58.1 |
| 19/3/2019 6:47 | 68.0 | 71.8 | 60.0 |
| 19/3/2019 6:52 | 66.1 | 69.7 | 59.2 |
| 19/3/2019 6:57 | 66.3 | 69.1 | 61.2 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 19/3/2019 23:02 | 70.2 | 69.7 | 57.2 |
| 19/3/2019 23:07 | 63.9 | 67.2 | 56.6 |
| 19/3/2019 23:12 | 67.9 | 68.7 | 56.2 |
| 19/3/2019 23:17 | 62.6 | 66.2 | 56.5 |
| 19/3/2019 23:22 | 62.1 | 65.5 | 56.0 |
| 19/3/2019 23:27 | 63.5 | 66.9 | 57.1 |
| 19/3/2019 23:32 | 65.9 | 66.4 | 56.9 |
| 19/3/2019 23:37 | 62.5 | 66.0 | 55.7 |
| 19/3/2019 23:42 | 61.1 | 65.3 | 55.2 |
| 19/3/2019 23:47 | 63.1 | 65.5 | 55.6 |
| 19/3/2019 23:52 | 61.8 | 65.4 | 55.5 |
| 19/3/2019 23:57 | 64.5 | 68.1 | 56.3 |
| 20/3/2019 0:02 | 68.2 | 67.2 | 55.4 |
| 20/3/2019 0:07 | 70.2 | 65.7 | 56.0 |
| 20/3/2019 0:12 | 62.6 | 65.5 | 55.0 |
| 20/3/2019 0:17 | 63.7 | 66.5 | 55.5 |
| 20/3/2019 0:22 | 65.8 | 69.1 | 55.6 |
| 20/3/2019 0:27 | 60.6 | 63.6 | 55.1 |
| 20/3/2019 0:32 | 63.2 | 67.1 | 55.6 |
| 20/3/2019 0:37 | 62.5 | 66.2 | 55.4 |
| 20/3/2019 0:42 | 67.5 | 68.6 | 54.7 |
| 20/3/2019 0:47 | 62.8 | 67.6 | 55.6 |
| 20/3/2019 0:52 | 61.5 | 64.8 | 53.1 |
| 20/3/2019 0:57 | 63.9 | 66.2 | 53.4 |
| 20/3/2019 1:02 | 59.9 | 62.8 | 52.5 |
| 20/3/2019 1:07 | 59.7 | 62.9 | 53.3 |
| 20/3/2019 1:12 | 62.5 | 65.0 | 52.9 |
| 20/3/2019 1:17 | 61.3 | 64.2 | 54.4 |
| 20/3/2019 1:22 | 62.0 | 66.0 | 55.8 |
| 20/3/2019 1:27 | 62.3 | 65.1 | 54.7 |
| 20/3/2019 1:32 | 63.8 | 67.0 | 55.7 |
| 20/3/2019 1:37 | 62.1 | 66.0 | 55.9 |
| 20/3/2019 1:42 | 59.7 | 63.5 | 54.6 |
| 20/3/2019 1:47 | 61.3 | 64.2 | 52.5 |
| 20/3/2019 1:52 | 65.2 | 65.3 | 53.6 |
| 20/3/2019 1:57 | 60.7 | 64.1 | 55.0 |
| 20/3/2019 2:02 | 59.5 | 62.4 | 53.5 |
| 20/3/2019 2:07 | 65.3 | 68.0 | 53.9 |
| 20/3/2019 2:12 | 60.4 | 63.9 | 52.5 |
| 20/3/2019 2:17 | 61.6 | 66.5 | 52.6 |
| 20/3/2019 2:22 | 63.4 | 65.8 | 53.5 |
| 20/3/2019 2:27 | 61.6 | 64.1 | 52.3 |
| 20/3/2019 2:32 | 61.7 | 62.8 | 51.8 |
| 20/3/2019 2:37 | 64.2 | 68.0 | 54.5 |
| 20/3/2019 2:42 | 59.4 | 63.0 | 52.6 |
| 20/3/2019 2:47 | 59.2 | 61.0 | 52.5 |
| 20/3/2019 2:52 | 57.8 | 62.3 | 52.3 |
| 20/3/2019 2:57 | 58.0 | 62.3 | 52.3 |
| 20/3/2019 3:02 | 60.7 | 64.1 | 52.9 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 3:07 | 60.5 | 63.3 | 51.3 |
| 20/3/2019 3:12 | 58.9 | 62.2 | 52.6 |
| 20/3/2019 3:17 | 60.6 | 63.4 | 52.5 |
| 20/3/2019 3:22 | 59.2 | 63.9 | 51.6 |
| 20/3/2019 3:27 | 60.5 | 63.4 | 53.1 |
| 20/3/2019 3:32 | 59.8 | 63.5 | 52.2 |
| 20/3/2019 3:37 | 59.6 | 64.8 | 50.9 |
| 20/3/2019 3:42 | 56.7 | 60.4 | 51.1 |
| 20/3/2019 3:47 | 59.8 | 63.8 | 51.5 |
| 20/3/2019 3:52 | 57.7 | 61.3 | 51.3 |
| 20/3/2019 3:57 | 62.0 | 64.9 | 53.0 |
| 20/3/2019 4:02 | 62.3 | 64.8 | 51.5 |
| 20/3/2019 4:07 | 57.7 | 61.8 | 50.7 |
| 20/3/2019 4:12 | 59.4 | 63.6 | 51.2 |
| 20/3/2019 4:17 | 57.2 | 61.2 | 51.4 |
| 20/3/2019 4:22 | 59.9 | 62.9 | 50.2 |
| 20/3/2019 4:27 | 60.5 | 64.7 | 51.3 |
| 20/3/2019 4:32 | 62.0 | 63.1 | 52.6 |
| 20/3/2019 4:37 | 60.4 | 63.8 | 51.8 |
| 20/3/2019 4:42 | 57.6 | 60.7 | 50.0 |
| 20/3/2019 4:47 | 57.9 | 61.9 | 51.5 |
| 20/3/2019 4:52 | 60.5 | 65.2 | 51.0 |
| 20/3/2019 4:57 | 59.1 | 63.4 | 51.9 |
| 20/3/2019 5:02 | 59.9 | 64.0 | 52.3 |
| 20/3/2019 5:07 | 61.7 | 64.4 | 52.9 |
| 20/3/2019 5:12 | 59.5 | 62.9 | 52.5 |
| 20/3/2019 5:17 | 61.0 | 64.1 | 53.9 |
| 20/3/2019 5:22 | 60.6 | 63.5 | 53.5 |
| 20/3/2019 5:27 | 58.6 | 62.5 | 51.7 |
| 20/3/2019 5:32 | 59.8 | 63.3 | 53.0 |
| 20/3/2019 5:37 | 60.9 | 63.7 | 53.1 |
| 20/3/2019 5:42 | 62.1 | 66.1 | 52.5 |
| 20/3/2019 5:47 | 62.5 | 65.4 | 52.8 |
| 20/3/2019 5:52 | 62.9 | 67.2 | 54.0 |
| 20/3/2019 5:57 | 61.9 | 65.2 | 54.8 |
| 20/3/2019 6:02 | 60.7 | 64.3 | 53.1 |
| 20/3/2019 6:07 | 61.6 | 65.1 | 56.0 |
| 20/3/2019 6:12 | 63.1 | 66.2 | 58.2 |
| 20/3/2019 6:17 | 65.7 | 68.4 | 61.4 |
| 20/3/2019 6:22 | 65.7 | 68.8 | 58.4 |
| 20/3/2019 6:27 | 65.0 | 68.9 | 56.7 |
| 20/3/2019 6:32 | 65.6 | 69.1 | 60.0 |
| 20/3/2019 6:37 | 67.1 | 69.9 | 60.5 |
| 20/3/2019 6:42 | 68.0 | 71.1 | 61.1 |
| 20/3/2019 6:47 | 68.3 | 70.4 | 60.1 |
| 20/3/2019 6:52 | 66.5 | 70.0 | 60.4 |
| 20/3/2019 6:57 | 65.0 | 67.9 | 59.3 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 23:02 | 69.5 | 70.5 | 59.1 |
| 20/3/2019 23:07 | 64.7 | 68.3 | 58.4 |
| 20/3/2019 23:12 | 61.8 | 64.3 | 56.7 |
| 20/3/2019 23:17 | 64.6 | 67.5 | 58.1 |
| 20/3/2019 23:22 | 63.3 | 67.1 | 57.3 |
| 20/3/2019 23:27 | 67.0 | 70.2 | 58.2 |
| 20/3/2019 23:32 | 62.9 | 66.2 | 57.3 |
| 20/3/2019 23:37 | 65.0 | 68.5 | 56.8 |
| 20/3/2019 23:42 | 65.0 | 67.3 | 57.6 |
| 20/3/2019 23:47 | 65.1 | 67.9 | 58.6 |
| 20/3/2019 23:52 | 64.2 | 68.7 | 56.4 |
| 20/3/2019 23:57 | 66.2 | 69.1 | 56.6 |
| 21/3/2019 0:02 | 63.0 | 66.1 | 56.2 |
| 21/3/2019 0:07 | 61.6 | 65.4 | 56.0 |
| 21/3/2019 0:12 | 62.6 | 66.7 | 55.2 |
| 21/3/2019 0:17 | 63.9 | 66.5 | 55.2 |
| 21/3/2019 0:22 | 63.7 | 67.9 | 54.8 |
| 21/3/2019 0:27 | 63.9 | 67.7 | 55.7 |
| 21/3/2019 0:32 | 64.3 | 66.6 | 55.9 |
| 21/3/2019 0:37 | 65.4 | 67.6 | 54.5 |
| 21/3/2019 0:42 | 65.3 | 68.8 | 54.5 |
| 21/3/2019 0:47 | 59.5 | 63.9 | 53.8 |
| 21/3/2019 0:52 | 62.5 | 65.8 | 54.4 |
| 21/3/2019 0:57 | 61.8 | 64.8 | 53.4 |
| 21/3/2019 1:02 | 60.8 | 63.7 | 53.2 |
| 21/3/2019 1:07 | 61.8 | 64.3 | 54.8 |
| 21/3/2019 1:12 | 59.9 | 63.7 | 54.0 |
| 21/3/2019 1:17 | 61.7 | 65.4 | 53.9 |
| 21/3/2019 1:22 | 62.3 | 64.9 | 54.0 |
| 21/3/2019 1:27 | 60.5 | 64.1 | 52.5 |
| 21/3/2019 1:32 | 61.1 | 62.1 | 53.6 |
| 21/3/2019 1:37 | 60.6 | 64.8 | 53.6 |
| 21/3/2019 1:42 | 64.4 | 69.2 | 53.7 |
| 21/3/2019 1:47 | 61.9 | 65.0 | 53.2 |
| 21/3/2019 1:52 | 61.5 | 64.8 | 53.6 |
| 21/3/2019 1:57 | 59.5 | 63.3 | 52.4 |
| 21/3/2019 2:02 | 61.7 | 60.7 | 51.8 |
| 21/3/2019 2:07 | 58.7 | 62.0 | 51.7 |
| 21/3/2019 2:12 | 63.6 | 67.1 | 53.8 |
| 21/3/2019 2:17 | 64.1 | 67.9 | 53.4 |
| 21/3/2019 2:22 | 62.7 | 66.0 | 52.4 |
| 21/3/2019 2:27 | 60.1 | 63.5 | 52.4 |
| 21/3/2019 2:32 | 63.3 | 66.9 | 52.2 |
| 21/3/2019 2:37 | 57.5 | 60.9 | 52.4 |
| 21/3/2019 2:42 | 61.1 | 65.2 | 50.9 |
| 21/3/2019 2:47 | 56.9 | 60.4 | 51.3 |
| 21/3/2019 2:52 | 56.5 | 59.5 | 51.8 |
| 21/3/2019 2:57 | 61.0 | 64.9 | 51.6 |
| 21/3/2019 3:02 | 59.5 | 63.0 | 53.5 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 3:07 | 57.4 | 61.5 | 51.4 |
| 21/3/2019 3:12 | 61.6 | 65.1 | 51.9 |
| 21/3/2019 3:17 | 59.5 | 63.5 | 52.5 |
| 21/3/2019 3:22 | 57.4 | 60.3 | 51.7 |
| 21/3/2019 3:27 | 60.0 | 64.8 | 51.8 |
| 21/3/2019 3:32 | 61.6 | 65.5 | 52.1 |
| 21/3/2019 3:37 | 56.1 | 59.7 | 50.5 |
| 21/3/2019 3:42 | 56.1 | 58.8 | 50.9 |
| 21/3/2019 3:47 | 59.6 | 63.2 | 51.6 |
| 21/3/2019 3:52 | 61.6 | 66.2 | 50.9 |
| 21/3/2019 3:57 | 62.2 | 65.8 | 52.5 |
| 21/3/2019 4:02 | 58.2 | 59.8 | 51.9 |
| 21/3/2019 4:07 | 58.2 | 61.2 | 51.5 |
| 21/3/2019 4:12 | 60.7 | 62.9 | 51.5 |
| 21/3/2019 4:17 | 59.5 | 64.1 | 50.3 |
| 21/3/2019 4:22 | 59.3 | 63.0 | 51.7 |
| 21/3/2019 4:27 | 59.7 | 63.2 | 52.2 |
| 21/3/2019 4:32 | 58.6 | 62.6 | 51.4 |
| 21/3/2019 4:37 | 56.5 | 58.9 | 51.5 |
| 21/3/2019 4:42 | 56.7 | 58.8 | 52.0 |
| 21/3/2019 4:47 | 62.1 | 65.8 | 53.7 |
| 21/3/2019 4:52 | 59.5 | 62.4 | 52.9 |
| 21/3/2019 4:57 | 59.2 | 63.1 | 51.9 |
| 21/3/2019 5:02 | 60.3 | 64.1 | 54.2 |
| 21/3/2019 5:07 | 61.5 | 65.0 | 51.9 |
| 21/3/2019 5:12 | 58.0 | 61.9 | 52.2 |
| 21/3/2019 5:17 | 59.5 | 63.1 | 53.1 |
| 21/3/2019 5:22 | 60.2 | 64.2 | 52.5 |
| 21/3/2019 5:27 | 58.4 | 62.1 | 51.1 |
| 21/3/2019 5:32 | 59.4 | 63.3 | 52.0 |
| 21/3/2019 5:37 | 60.1 | 63.9 | 52.2 |
| 21/3/2019 5:42 | 59.8 | 62.4 | 52.1 |
| 21/3/2019 5:47 | 64.0 | 66.9 | 52.7 |
| 21/3/2019 5:52 | 62.5 | 66.8 | 54.1 |
| 21/3/2019 5:57 | 62.3 | 64.9 | 56.8 |
| 21/3/2019 6:02 | 62.1 | 65.4 | 54.6 |
| 21/3/2019 6:07 | 65.3 | 68.0 | 58.0 |
| 21/3/2019 6:12 | 64.8 | 66.7 | 60.4 |
| 21/3/2019 6:17 | 66.2 | 67.7 | 59.3 |
| 21/3/2019 6:22 | 63.4 | 66.5 | 58.0 |
| 21/3/2019 6:27 | 65.9 | 69.2 | 60.1 |
| 21/3/2019 6:32 | 63.9 | 67.3 | 59.0 |
| 21/3/2019 6:37 | 65.5 | 69.1 | 59.8 |
| 21/3/2019 6:42 | 65.6 | 69.2 | 58.2 |
| 21/3/2019 6:47 | 67.7 | 71.6 | 60.8 |
| 21/3/2019 6:52 | 64.9 | 68.0 | 59.7 |
| 21/3/2019 6:57 | 67.1 | 70.1 | 60.8 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 23:02 | 62.9 | 65.9 | 56.7 |
| 21/3/2019 23:07 | 63.3 | 66.0 | 56.7 |
| 21/3/2019 23:12 | 63.3 | 67.1 | 57.1 |
| 21/3/2019 23:17 | 61.8 | 64.4 | 56.4 |
| 21/3/2019 23:22 | 61.2 | 63.5 | 57.3 |
| 21/3/2019 23:27 | 64.0 | 67.0 | 56.9 |
| 21/3/2019 23:32 | 64.9 | 68.8 | 57.3 |
| 21/3/2019 23:37 | 62.8 | 66.2 | 57.4 |
| 21/3/2019 23:42 | 64.6 | 69.0 | 57.3 |
| 21/3/2019 23:47 | 64.8 | 68.4 | 57.9 |
| 21/3/2019 23:52 | 64.6 | 68.6 | 55.1 |
| 21/3/2019 23:57 | 62.5 | 65.3 | 56.0 |
| 22/3/2019 0:02 | 62.6 | 65.6 | 56.5 |
| 22/3/2019 0:07 | 63.3 | 66.7 | 55.2 |
| 22/3/2019 0:12 | 64.7 | 68.1 | 56.4 |
| 22/3/2019 0:17 | 63.0 | 66.7 | 54.9 |
| 22/3/2019 0:22 | 61.3 | 64.9 | 54.6 |
| 22/3/2019 0:27 | 61.2 | 64.1 | 56.1 |
| 22/3/2019 0:32 | 64.9 | 67.4 | 55.2 |
| 22/3/2019 0:37 | 61.3 | 64.9 | 55.7 |
| 22/3/2019 0:42 | 62.6 | 67.0 | 53.8 |
| 22/3/2019 0:47 | 64.4 | 67.5 | 55.6 |
| 22/3/2019 0:52 | 60.8 | 64.0 | 54.8 |
| 22/3/2019 0:57 | 61.9 | 65.3 | 54.8 |
| 22/3/2019 1:02 | 64.8 | 67.5 | 55.5 |
| 22/3/2019 1:07 | 63.9 | 67.6 | 54.9 |
| 22/3/2019 1:12 | 62.4 | 64.5 | 54.8 |
| 22/3/2019 1:17 | 59.2 | 62.7 | 53.7 |
| 22/3/2019 1:22 | 59.7 | 61.6 | 53.3 |
| 22/3/2019 1:27 | 61.4 | 65.0 | 54.1 |
| 22/3/2019 1:32 | 62.7 | 66.8 | 53.3 |
| 22/3/2019 1:37 | 63.0 | 65.2 | 55.2 |
| 22/3/2019 1:42 | 60.0 | 63.1 | 53.7 |
| 22/3/2019 1:47 | 60.9 | 64.2 | 54.1 |
| 22/3/2019 1:52 | 62.7 | 66.7 | 54.2 |
| 22/3/2019 1:57 | 60.1 | 64.5 | 52.4 |
| 22/3/2019 2:02 | 58.0 | 61.1 | 52.7 |
| 22/3/2019 2:07 | 57.9 | 60.9 | 53.4 |
| 22/3/2019 2:12 | 59.3 | 63.2 | 53.3 |
| 22/3/2019 2:17 | 59.8 | 64.4 | 52.4 |
| 22/3/2019 2:22 | 59.9 | 64.2 | 52.6 |
| 22/3/2019 2:27 | 62.8 | 65.1 | 54.9 |
| 22/3/2019 2:32 | 60.2 | 63.7 | 53.1 |
| 22/3/2019 2:37 | 58.0 | 60.8 | 52.5 |
| 22/3/2019 2:42 | 61.7 | 66.5 | 52.2 |
| 22/3/2019 2:47 | 61.5 | 64.1 | 52.8 |
| 22/3/2019 2:52 | 60.4 | 62.1 | 52.3 |
| 22/3/2019 2:57 | 61.7 | 65.2 | 52.4 |
| 22/3/2019 3:02 | 58.3 | 61.0 | 53.5 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 3:07 | 59.9 | 63.3 | 52.9 |
| 22/3/2019 3:12 | 58.0 | 61.9 | 52.5 |
| 22/3/2019 3:17 | 58.6 | 62.0 | 51.1 |
| 22/3/2019 3:22 | 56.9 | 60.7 | 51.9 |
| 22/3/2019 3:27 | 60.2 | 63.7 | 54.1 |
| 22/3/2019 3:32 | 59.8 | 63.7 | 52.0 |
| 22/3/2019 3:37 | 60.5 | 64.0 | 52.9 |
| 22/3/2019 3:42 | 59.0 | 62.2 | 51.4 |
| 22/3/2019 3:47 | 58.1 | 62.4 | 51.2 |
| 22/3/2019 3:52 | 57.9 | 61.6 | 51.4 |
| 22/3/2019 3:57 | 58.8 | 62.3 | 50.1 |
| 22/3/2019 4:02 | 58.9 | 63.5 | 51.3 |
| 22/3/2019 4:07 | 56.8 | 59.7 | 50.5 |
| 22/3/2019 4:12 | 61.9 | 66.0 | 53.4 |
| 22/3/2019 4:17 | 61.3 | 64.0 | 51.9 |
| 22/3/2019 4:22 | 61.6 | 65.3 | 51.5 |
| 22/3/2019 4:27 | 59.2 | 63.2 | 51.1 |
| 22/3/2019 4:32 | 57.4 | 60.3 | 51.4 |
| 22/3/2019 4:37 | 58.3 | 62.6 | 51.7 |
| 22/3/2019 4:42 | 59.1 | 61.7 | 51.4 |
| 22/3/2019 4:47 | 60.2 | 64.2 | 52.2 |
| 22/3/2019 4:52 | 58.8 | 63.2 | 51.1 |
| 22/3/2019 4:57 | 61.1 | 64.3 | 53.1 |
| 22/3/2019 5:02 | 58.6 | 62.8 | 53.2 |
| 22/3/2019 5:07 | 59.3 | 63.7 | 51.3 |
| 22/3/2019 5:12 | 58.9 | 62.3 | 51.7 |
| 22/3/2019 5:17 | 61.7 | 65.7 | 53.4 |
| 22/3/2019 5:22 | 59.9 | 64.8 | 51.6 |
| 22/3/2019 5:27 | 61.5 | 64.3 | 52.6 |
| 22/3/2019 5:32 | 64.2 | 68.3 | 54.1 |
| 22/3/2019 5:37 | 60.7 | 64.5 | 53.4 |
| 22/3/2019 5:42 | 63.9 | 67.9 | 54.1 |
| 22/3/2019 5:47 | 62.9 | 66.6 | 54.4 |
| 22/3/2019 5:52 | 63.0 | 67.0 | 55.2 |
| 22/3/2019 5:57 | 62.9 | 66.2 | 54.2 |
| 22/3/2019 6:02 | 61.8 | 65.0 | 54.5 |
| 22/3/2019 6:07 | 64.6 | 66.7 | 57.5 |
| 22/3/2019 6:12 | 66.0 | 69.4 | 57.7 |
| 22/3/2019 6:17 | 65.7 | 69.2 | 60.6 |
| 22/3/2019 6:22 | 67.0 | 70.7 | 58.6 |
| 22/3/2019 6:27 | 64.1 | 67.3 | 57.7 |
| 22/3/2019 6:32 | 64.9 | 68.6 | 58.9 |
| 22/3/2019 6:37 | 64.5 | 68.3 | 58.0 |
| 22/3/2019 6:42 | 66.1 | 69.4 | 60.9 |
| 22/3/2019 6:47 | 69.0 | 72.5 | 60.4 |
| 22/3/2019 6:52 | 67.3 | 70.4 | 60.7 |
| 22/3/2019 6:57 | 65.7 | 69.1 | 59.5 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 23:04 | 70.5 | 74.6 | 63.0 |
| 22/3/2019 23:09 | 71.5 | 74.6 | 62.5 |
| 22/3/2019 23:14 | 69.0 | 70.8 | 61.7 |
| 22/3/2019 23:19 | 68.0 | 71.7 | 62.4 |
| 22/3/2019 23:24 | 70.0 | 74.1 | 62.5 |
| 22/3/2019 23:29 | 68.2 | 71.9 | 60.6 |
| 22/3/2019 23:34 | 67.5 | 70.5 | 62.1 |
| 22/3/2019 23:39 | 65.5 | 69.6 | 60.5 |
| 22/3/2019 23:44 | 67.8 | 71.7 | 60.1 |
| 22/3/2019 23:49 | 67.7 | 71.7 | 60.2 |
| 22/3/2019 23:54 | 66.8 | 70.6 | 60.7 |
| 22/3/2019 23:59 | 69.2 | 72.6 | 61.9 |
| 23/3/2019 0:04 | 67.1 | 71.5 | 60.0 |
| 23/3/2019 0:09 | 68.3 | 71.8 | 60.9 |
| 23/3/2019 0:14 | 68.1 | 71.9 | 60.4 |
| 23/3/2019 0:19 | 68.9 | 70.2 | 60.2 |
| 23/3/2019 0:24 | 67.4 | 70.3 | 59.4 |
| 23/3/2019 0:29 | 66.6 | 69.1 | 60.9 |
| 23/3/2019 0:34 | 66.0 | 69.8 | 60.4 |
| 23/3/2019 0:39 | 70.3 | 74.0 | 61.1 |
| 23/3/2019 0:44 | 67.3 | 69.6 | 60.6 |
| 23/3/2019 0:49 | 66.7 | 69.9 | 59.8 |
| 23/3/2019 0:54 | 68.6 | 73.2 | 58.5 |
| 23/3/2019 0:59 | 68.2 | 71.6 | 58.9 |
| 23/3/2019 1:04 | 67.4 | 70.9 | 59.5 |
| 23/3/2019 1:09 | 67.0 | 70.8 | 58.9 |
| 23/3/2019 1:14 | 67.1 | 70.6 | 59.8 |
| 23/3/2019 1:19 | 65.9 | 69.3 | 57.8 |
| 23/3/2019 1:24 | 68.0 | 71.6 | 59.8 |
| 23/3/2019 1:29 | 67.7 | 71.4 | 59.3 |
| 23/3/2019 1:34 | 65.4 | 69.2 | 58.6 |
| 23/3/2019 1:39 | 68.3 | 70.6 | 57.8 |
| 23/3/2019 1:44 | 68.8 | 72.1 | 57.7 |
| 23/3/2019 1:49 | 65.7 | 68.2 | 57.5 |
| 23/3/2019 1:54 | 64.9 | 67.9 | 57.5 |
| 23/3/2019 1:59 | 63.5 | 66.9 | 58.0 |
| 23/3/2019 2:04 | 66.8 | 69.1 | 57.6 |
| 23/3/2019 2:09 | 65.9 | 69.6 | 57.8 |
| 23/3/2019 2:14 | 65.0 | 69.8 | 57.5 |
| 23/3/2019 2:19 | 64.7 | 67.3 | 58.6 |
| 23/3/2019 2:24 | 65.7 | 68.7 | 58.3 |
| 23/3/2019 2:29 | 65.3 | 69.2 | 58.6 |
| 23/3/2019 2:34 | 66.3 | 70.7 | 58.0 |
| 23/3/2019 2:39 | 68.4 | 72.1 | 59.3 |
| 23/3/2019 2:44 | 64.8 | 68.6 | 56.5 |
| 23/3/2019 2:49 | 65.1 | 68.1 | 55.9 |
| 23/3/2019 2:54 | 63.1 | 66.2 | 56.8 |
| 23/3/2019 2:59 | 65.5 | 66.9 | 57.3 |
| 23/3/2019 3:04 | 62.4 | 66.3 | 56.3 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 3:09 | 66.0 | 69.1 | 57.0 |
| 23/3/2019 3:14 | 65.2 | 69.4 | 56.7 |
| 23/3/2019 3:19 | 66.5 | 68.9 | 57.8 |
| 23/3/2019 3:24 | 64.5 | 67.7 | 57.8 |
| 23/3/2019 3:29 | 66.2 | 68.5 | 55.9 |
| 23/3/2019 3:34 | 67.6 | 69.4 | 59.2 |
| 23/3/2019 3:39 | 65.4 | 69.3 | 55.7 |
| 23/3/2019 3:44 | 64.3 | 67.1 | 56.4 |
| 23/3/2019 3:49 | 66.8 | 67.2 | 56.5 |
| 23/3/2019 3:54 | 65.1 | 68.4 | 56.0 |
| 23/3/2019 3:59 | 64.9 | 68.9 | 56.0 |
| 23/3/2019 4:04 | 65.7 | 68.0 | 56.3 |
| 23/3/2019 4:09 | 61.4 | 65.7 | 56.0 |
| 23/3/2019 4:14 | 61.7 | 64.2 | 56.8 |
| 23/3/2019 4:19 | 67.4 | 70.0 | 56.8 |
| 23/3/2019 4:24 | 63.9 | 67.3 | 56.6 |
| 23/3/2019 4:29 | 64.2 | 65.6 | 55.7 |
| 23/3/2019 4:34 | 64.8 | 67.5 | 56.7 |
| 23/3/2019 4:39 | 63.8 | 68.4 | 55.9 |
| 23/3/2019 4:44 | 63.4 | 68.0 | 56.1 |
| 23/3/2019 4:49 | 66.1 | 69.1 | 56.8 |
| 23/3/2019 4:54 | 63.4 | 65.6 | 57.2 |
| 23/3/2019 4:59 | 65.3 | 69.2 | 56.5 |
| 23/3/2019 5:04 | 66.1 | 68.8 | 55.9 |
| 23/3/2019 5:09 | 63.1 | 66.9 | 55.9 |
| 23/3/2019 5:14 | 65.9 | 69.5 | 55.3 |
| 23/3/2019 5:19 | 63.4 | 65.6 | 56.1 |
| 23/3/2019 5:24 | 63.4 | 66.9 | 56.3 |
| 23/3/2019 5:29 | 65.5 | 69.1 | 57.2 |
| 23/3/2019 5:34 | 65.7 | 69.2 | 58.1 |
| 23/3/2019 5:39 | 63.1 | 67.0 | 55.7 |
| 23/3/2019 5:44 | 66.0 | 70.3 | 57.3 |
| 23/3/2019 5:49 | 63.0 | 66.6 | 57.0 |
| 23/3/2019 5:54 | 67.2 | 70.9 | 60.3 |
| 23/3/2019 5:59 | 66.3 | 68.9 | 59.6 |
| 23/3/2019 6:04 | 65.8 | 69.8 | 59.6 |
| 23/3/2019 6:09 | 65.5 | 68.5 | 58.5 |
| 23/3/2019 6:14 | 67.1 | 70.6 | 59.2 |
| 23/3/2019 6:19 | 68.5 | 72.1 | 60.9 |
| 23/3/2019 6:24 | 68.6 | 72.4 | 61.2 |
| 23/3/2019 6:29 | 68.8 | 72.3 | 61.2 |
| 23/3/2019 6:34 | 67.5 | 70.9 | 61.5 |
| 23/3/2019 6:39 | 68.6 | 72.3 | 61.2 |
| 23/3/2019 6:44 | 69.2 | 72.6 | 60.2 |
| 23/3/2019 6:49 | 69.1 | 73.5 | 61.5 |
| 23/3/2019 6:54 | 70.0 | 73.2 | 62.2 |
| 23/3/2019 6:59 | 67.9 | 70.8 | 62.5 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 23:04 | 67.6 | 71.4 | 61.5 |
| 23/3/2019 23:09 | 70.6 | 74.2 | 63.3 |
| 23/3/2019 23:14 | 69.2 | 73.0 | 61.0 |
| 23/3/2019 23:19 | 70.6 | 74.4 | 62.4 |
| 23/3/2019 23:24 | 69.4 | 73.3 | 62.4 |
| 23/3/2019 23:29 | 69.6 | 72.6 | 61.8 |
| 23/3/2019 23:34 | 68.3 | 71.7 | 61.4 |
| 23/3/2019 23:39 | 68.8 | 72.6 | 62.5 |
| 23/3/2019 23:44 | 69.0 | 72.1 | 61.3 |
| 23/3/2019 23:49 | 69.7 | 74.1 | 61.7 |
| 23/3/2019 23:54 | 70.9 | 74.1 | 61.4 |
| 23/3/2019 23:59 | 67.7 | 71.0 | 61.7 |
| 24/3/2019 0:04 | 69.0 | 73.2 | 61.2 |
| 24/3/2019 0:09 | 68.9 | 73.4 | 60.1 |
| 24/3/2019 0:14 | 69.5 | 72.5 | 60.9 |
| 24/3/2019 0:19 | 66.1 | 69.5 | 60.6 |
| 24/3/2019 0:24 | 67.2 | 71.1 | 60.2 |
| 24/3/2019 0:29 | 71.7 | 75.1 | 60.9 |
| 24/3/2019 0:34 | 67.2 | 71.4 | 60.1 |
| 24/3/2019 0:39 | 67.7 | 70.4 | 60.3 |
| 24/3/2019 0:44 | 66.8 | 70.5 | 59.8 |
| 24/3/2019 0:49 | 68.2 | 72.4 | 60.8 |
| 24/3/2019 0:54 | 66.4 | 70.8 | 59.0 |
| 24/3/2019 0:59 | 68.8 | 72.4 | 60.4 |
| 24/3/2019 1:04 | 68.4 | 72.3 | 59.3 |
| 24/3/2019 1:09 | 66.8 | 70.1 | 59.8 |
| 24/3/2019 1:14 | 66.2 | 69.7 | 59.3 |
| 24/3/2019 1:19 | 65.4 | 67.9 | 59.1 |
| 24/3/2019 1:24 | 67.6 | 71.4 | 58.9 |
| 24/3/2019 1:29 | 65.8 | 68.8 | 59.2 |
| 24/3/2019 1:34 | 65.2 | 68.0 | 59.1 |
| 24/3/2019 1:39 | 64.9 | 68.5 | 59.7 |
| 24/3/2019 1:44 | 65.7 | 69.6 | 59.2 |
| 24/3/2019 1:49 | 65.6 | 68.4 | 58.0 |
| 24/3/2019 1:54 | 65.8 | 70.0 | 58.3 |
| 24/3/2019 1:59 | 67.5 | 71.1 | 58.0 |
| 24/3/2019 2:04 | 66.8 | 70.2 | 58.3 |
| 24/3/2019 2:09 | 67.0 | 71.1 | 58.3 |
| 24/3/2019 2:14 | 65.1 | 69.0 | 58.9 |
| 24/3/2019 2:19 | 62.6 | 65.5 | 57.3 |
| 24/3/2019 2:24 | 66.0 | 70.2 | 58.2 |
| 24/3/2019 2:29 | 65.1 | 68.8 | 58.6 |
| 24/3/2019 2:34 | 65.6 | 69.2 | 58.0 |
| 24/3/2019 2:39 | 67.3 | 70.7 | 57.8 |
| 24/3/2019 2:44 | 66.2 | 69.3 | 58.8 |
| 24/3/2019 2:49 | 66.8 | 69.9 | 58.2 |
| 24/3/2019 2:54 | 65.5 | 69.4 | 58.0 |
| 24/3/2019 2:59 | 67.4 | 70.1 | 58.0 |
| 24/3/2019 3:04 | 65.6 | 69.7 | 57.4 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 3:09 | 67.3 | 71.1 | 57.7 |
| 24/3/2019 3:14 | 63.7 | 66.5 | 57.3 |
| 24/3/2019 3:19 | 62.9 | 66.7 | 56.5 |
| 24/3/2019 3:24 | 63.8 | 66.8 | 55.9 |
| 24/3/2019 3:29 | 63.1 | 66.9 | 56.0 |
| 24/3/2019 3:34 | 66.7 | 68.0 | 56.9 |
| 24/3/2019 3:39 | 66.9 | 69.9 | 56.4 |
| 24/3/2019 3:44 | 61.1 | 63.5 | 55.8 |
| 24/3/2019 3:49 | 64.0 | 67.8 | 55.6 |
| 24/3/2019 3:54 | 66.2 | 68.8 | 56.6 |
| 24/3/2019 3:59 | 64.0 | 67.7 | 56.1 |
| 24/3/2019 4:04 | 62.6 | 66.3 | 55.2 |
| 24/3/2019 4:09 | 62.7 | 66.4 | 56.5 |
| 24/3/2019 4:14 | 63.2 | 66.7 | 56.3 |
| 24/3/2019 4:19 | 66.2 | 69.1 | 57.0 |
| 24/3/2019 4:24 | 64.5 | 66.6 | 56.6 |
| 24/3/2019 4:29 | 64.7 | 68.8 | 57.4 |
| 24/3/2019 4:34 | 66.9 | 71.5 | 56.8 |
| 24/3/2019 4:39 | 63.0 | 66.4 | 56.4 |
| 24/3/2019 4:44 | 65.1 | 68.6 | 57.5 |
| 24/3/2019 4:49 | 61.7 | 64.1 | 55.0 |
| 24/3/2019 4:54 | 66.2 | 68.7 | 57.2 |
| 24/3/2019 4:59 | 66.2 | 70.1 | 56.9 |
| 24/3/2019 5:04 | 63.6 | 67.7 | 55.4 |
| 24/3/2019 5:09 | 64.9 | 68.4 | 56.7 |
| 24/3/2019 5:14 | 67.6 | 72.6 | 55.4 |
| 24/3/2019 5:19 | 64.2 | 67.6 | 56.8 |
| 24/3/2019 5:24 | 62.8 | 65.8 | 55.8 |
| 24/3/2019 5:29 | 62.1 | 66.3 | 55.8 |
| 24/3/2019 5:34 | 64.4 | 68.7 | 56.1 |
| 24/3/2019 5:39 | 63.7 | 68.5 | 56.3 |
| 24/3/2019 5:44 | 64.7 | 68.3 | 57.0 |
| 24/3/2019 5:49 | 63.5 | 65.6 | 56.1 |
| 24/3/2019 5:54 | 65.3 | 69.9 | 56.2 |
| 24/3/2019 5:59 | 63.2 | 66.6 | 56.7 |
| 24/3/2019 6:04 | 64.8 | 69.0 | 57.8 |
| 24/3/2019 6:09 | 64.9 | 68.8 | 58.4 |
| 24/3/2019 6:14 | 66.7 | 70.4 | 59.2 |
| 24/3/2019 6:19 | 66.3 | 69.7 | 59.1 |
| 24/3/2019 6:24 | 64.1 | 68.0 | 57.3 |
| 24/3/2019 6:29 | 65.6 | 67.1 | 58.6 |
| 24/3/2019 6:34 | 66.3 | 71.1 | 58.0 |
| 24/3/2019 6:39 | 65.7 | 69.5 | 58.7 |
| 24/3/2019 6:44 | 66.9 | 70.5 | 59.4 |
| 24/3/2019 6:49 | 69.2 | 73.3 | 60.2 |
| 24/3/2019 6:54 | 63.7 | 66.8 | 59.3 |
| 24/3/2019 6:59 | 65.2 | 68.3 | 60.0 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 23:04 | 71.8 | 73.2 | 61.3 |
| 24/3/2019 23:09 | 68.3 | 71.0 | 61.3 |
| 24/3/2019 23:14 | 67.7 | 71.6 | 59.5 |
| 24/3/2019 23:19 | 69.3 | 70.5 | 61.5 |
| 24/3/2019 23:24 | 66.9 | 70.4 | 59.9 |
| 24/3/2019 23:29 | 66.5 | 69.4 | 58.9 |
| 24/3/2019 23:34 | 68.0 | 71.6 | 60.5 |
| 24/3/2019 23:39 | 71.3 | 75.5 | 61.1 |
| 24/3/2019 23:44 | 68.4 | 72.3 | 61.7 |
| 24/3/2019 23:49 | 67.3 | 71.5 | 60.4 |
| 24/3/2019 23:54 | 68.5 | 72.7 | 60.9 |
| 24/3/2019 23:59 | 64.7 | 68.0 | 59.7 |
| 25/3/2019 0:04 | 68.7 | 73.0 | 60.4 |
| 25/3/2019 0:09 | 65.8 | 69.6 | 59.6 |
| 25/3/2019 0:14 | 66.7 | 69.3 | 59.6 |
| 25/3/2019 0:19 | 67.9 | 72.6 | 58.5 |
| 25/3/2019 0:24 | 65.3 | 68.7 | 58.8 |
| 25/3/2019 0:29 | 66.2 | 70.3 | 59.5 |
| 25/3/2019 0:34 | 67.0 | 71.6 | 58.1 |
| 25/3/2019 0:39 | 63.5 | 66.6 | 58.0 |
| 25/3/2019 0:44 | 68.3 | 72.0 | 58.9 |
| 25/3/2019 0:49 | 65.1 | 68.8 | 58.1 |
| 25/3/2019 0:54 | 64.5 | 67.3 | 57.1 |
| 25/3/2019 0:59 | 67.8 | 72.8 | 58.3 |
| 25/3/2019 1:04 | 69.5 | 73.2 | 59.1 |
| 25/3/2019 1:09 | 65.6 | 69.4 | 58.3 |
| 25/3/2019 1:14 | 64.9 | 68.4 | 57.8 |
| 25/3/2019 1:19 | 66.4 | 68.1 | 56.0 |
| 25/3/2019 1:24 | 65.3 | 69.5 | 57.8 |
| 25/3/2019 1:29 | 66.1 | 70.0 | 59.3 |
| 25/3/2019 1:34 | 69.3 | 72.8 | 61.4 |
| 25/3/2019 1:39 | 72.0 | 75.2 | 64.0 |
| 25/3/2019 1:44 | 70.5 | 74.1 | 61.4 |
| 25/3/2019 1:49 | 69.8 | 73.5 | 59.8 |
| 25/3/2019 1:54 | 65.7 | 69.2 | 58.3 |
| 25/3/2019 1:59 | 63.6 | 67.3 | 55.8 |
| 25/3/2019 2:04 | 64.9 | 67.9 | 56.5 |
| 25/3/2019 2:09 | 62.3 | 65.9 | 54.2 |
| 25/3/2019 2:14 | 65.2 | 69.2 | 55.6 |
| 25/3/2019 2:19 | 64.2 | 67.3 | 56.9 |
| 25/3/2019 2:24 | 63.4 | 67.0 | 56.3 |
| 25/3/2019 2:29 | 64.0 | 66.9 | 56.5 |
| 25/3/2019 2:34 | 65.9 | 70.2 | 56.7 |
| 25/3/2019 2:39 | 65.3 | 68.3 | 56.7 |
| 25/3/2019 2:44 | 67.7 | 72.3 | 55.4 |
| 25/3/2019 2:49 | 63.2 | 66.1 | 55.2 |
| 25/3/2019 2:54 | 61.9 | 64.4 | 53.8 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 25/3/2019 2:59 | 60.8 | 61.5 | 54.4 |
| 25/3/2019 3:04 | 63.1 | 66.0 | 56.1 |
| 25/3/2019 3:09 | 65.2 | 68.4 | 55.1 |
| 25/3/2019 3:14 | 65.8 | 65.3 | 54.2 |
| 25/3/2019 3:19 | 64.4 | 67.6 | 55.8 |
| 25/3/2019 3:24 | 59.1 | 61.5 | 54.3 |
| 25/3/2019 3:29 | 64.5 | 67.5 | 55.1 |
| 25/3/2019 3:34 | 65.7 | 70.2 | 53.4 |
| 25/3/2019 3:39 | 64.4 | 69.1 | 54.4 |
| 25/3/2019 3:44 | 62.0 | 65.9 | 55.3 |
| 25/3/2019 3:49 | 66.4 | 69.9 | 55.2 |
| 25/3/2019 3:54 | 64.4 | 66.2 | 53.9 |
| 25/3/2019 3:59 | 57.9 | 60.9 | 52.4 |
| 25/3/2019 4:04 | 64.4 | 65.6 | 55.0 |
| 25/3/2019 4:09 | 59.0 | 63.2 | 53.1 |
| 25/3/2019 4:14 | 62.6 | 64.5 | 54.0 |
| 25/3/2019 4:19 | 61.8 | 66.2 | 54.5 |
| 25/3/2019 4:24 | 61.1 | 63.9 | 54.5 |
| 25/3/2019 4:29 | 58.7 | 61.1 | 53.2 |
| 25/3/2019 4:34 | 64.7 | 69.1 | 55.7 |
| 25/3/2019 4:39 | 63.5 | 67.4 | 54.3 |
| 25/3/2019 4:44 | 64.2 | 65.9 | 53.4 |
| 25/3/2019 4:49 | 62.1 | 65.5 | 54.4 |
| 25/3/2019 4:54 | 67.2 | 70.2 | 55.5 |
| 25/3/2019 4:59 | 70.3 | 74.5 | 57.9 |
| 25/3/2019 5:04 | 67.2 | 72.0 | 56.2 |
| 25/3/2019 5:09 | 63.8 | 68.3 | 55.4 |
| 25/3/2019 5:14 | 67.1 | 70.3 | 56.1 |
| 25/3/2019 5:19 | 63.2 | 66.3 | 55.1 |
| 25/3/2019 5:24 | 63.5 | 68.1 | 55.3 |
| 25/3/2019 5:29 | 64.5 | 68.5 | 56.4 |
| 25/3/2019 5:34 | 65.4 | 68.1 | 56.4 |
| 25/3/2019 5:39 | 63.7 | 67.2 | 56.2 |
| 25/3/2019 5:44 | 66.8 | 71.1 | 56.3 |
| 25/3/2019 5:49 | 65.1 | 67.6 | 55.6 |
| 25/3/2019 5:54 | 67.4 | 71.0 | 59.0 |
| 25/3/2019 5:59 | 66.9 | 71.1 | 58.0 |
| 25/3/2019 6:04 | 66.3 | 70.0 | 59.0 |
| 25/3/2019 6:09 | 65.2 | 69.3 | 58.8 |
| 25/3/2019 6:14 | 69.9 | 71.7 | 61.5 |
| 25/3/2019 6:19 | 69.3 | 72.3 | 60.2 |
| 25/3/2019 6:24 | 70.6 | 74.8 | 61.8 |
| 25/3/2019 6:29 | 66.8 | 70.4 | 60.7 |
| 25/3/2019 6:34 | 69.8 | 72.3 | 62.6 |
| 25/3/2019 6:39 | 71.6 | 75.2 | 62.0 |
| 25/3/2019 6:44 | 69.8 | 73.2 | 61.9 |
| 25/3/2019 6:49 | 70.6 | 75.0 | 62.2 |

Measured Noise Levels (dB(A)) at NMS2 during Night-time (2300-0700 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 25/3/2019 6:54 | 71.6 | 75.4 | 63.3 |
| 25/3/2019 6:59 | 72.3 | 76.4 | 63.6 |

Mean 65.2
 Maximum 75.0
 Minimum 56.1




Figure 7: Measured $L_{Aeq(30min)}$ at Station NMS3-4-5 during Normal Working Hours (0700-1900 hours) between 11 and 25 March 2019




Figure 8: Measured $L_{Aeq(5min)}$ at Station NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and Holidays (0700-2300 hours) between 11 and 25 March 2019




Figure 9: Measured $L_{Aeq(5min)}$ at Station NMS3-4-5 during Night-time (2300-0700 hours) between 11 and 25 March 2019

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 11/3/2019 11:00 | 68.6 | 71.8 | 63.6 | 64.9 |
| 11/3/2019 11:05 | 66.0 | 68.9 | 61.3 | |
| 11/3/2019 11:10 | 61.1 | 62.2 | 59.9 | |
| 11/3/2019 11:15 | 62.2 | 64.4 | 60.1 | |
| 11/3/2019 11:20 | 64.4 | 67.3 | 60.8 | |
| 11/3/2019 11:25 | 61.6 | 63.2 | 59.9 | 60.7 |
| 11/3/2019 11:30 | 62.2 | 61.3 | 59.4 | |
| 11/3/2019 11:35 | 60.6 | 61.9 | 59.1 | |
| 11/3/2019 11:40 | 61.5 | 63.7 | 59.4 | |
| 11/3/2019 11:45 | 59.7 | 60.2 | 59.0 | |
| 11/3/2019 11:50 | 59.6 | 60.5 | 58.3 | 59.7 |
| 11/3/2019 11:55 | 59.7 | 60.4 | 59.0 | |
| 11/3/2019 12:00 | 59.8 | 60.7 | 58.8 | |
| 11/3/2019 12:05 | 59.3 | 60.1 | 58.6 | |
| 11/3/2019 12:10 | 59.7 | 60.6 | 58.6 | |
| 11/3/2019 12:15 | 59.6 | 60.5 | 58.6 | 60.1 |
| 11/3/2019 12:20 | 59.8 | 60.5 | 58.9 | |
| 11/3/2019 12:25 | 59.9 | 60.8 | 58.9 | |
| 11/3/2019 12:30 | 60.8 | 62.5 | 58.6 | |
| 11/3/2019 12:35 | 59.6 | 60.4 | 58.9 | |
| 11/3/2019 12:40 | 60.3 | 62.1 | 58.7 | 59.9 |
| 11/3/2019 12:45 | 60.8 | 63.5 | 58.2 | |
| 11/3/2019 12:50 | 59.0 | 59.6 | 58.2 | |
| 11/3/2019 12:55 | 59.6 | 60.8 | 58.6 | |
| 11/3/2019 13:00 | 59.7 | 60.4 | 58.8 | |
| 11/3/2019 13:05 | 60.4 | 61.9 | 59.1 | 63.0 |
| 11/3/2019 13:10 | 59.3 | 60.1 | 58.3 | |
| 11/3/2019 13:15 | 59.5 | 60.6 | 58.3 | |
| 11/3/2019 13:20 | 59.7 | 60.8 | 58.5 | |
| 11/3/2019 13:25 | 60.4 | 62.0 | 58.8 | |
| 11/3/2019 13:30 | 61.6 | 63.2 | 59.1 | 61.6 |
| 11/3/2019 13:35 | 63.0 | 63.3 | 59.3 | |
| 11/3/2019 13:40 | 62.5 | 64.6 | 59.8 | |
| 11/3/2019 13:45 | 63.9 | 67.6 | 59.6 | |
| 11/3/2019 13:50 | 64.4 | 64.4 | 59.3 | |
| 11/3/2019 13:55 | 62.0 | 65.1 | 59.0 | 61.8 |
| 11/3/2019 14:00 | 60.6 | 62.3 | 58.6 | |
| 11/3/2019 14:05 | 63.2 | 64.8 | 59.8 | |
| 11/3/2019 14:10 | 61.0 | 62.2 | 59.2 | |
| 11/3/2019 14:15 | 59.9 | 61.1 | 58.3 | |
| 11/3/2019 14:20 | 61.4 | 62.5 | 59.7 | 61.8 |
| 11/3/2019 14:25 | 62.4 | 63.8 | 59.7 | |
| 11/3/2019 14:30 | 60.6 | 61.8 | 58.7 | |
| 11/3/2019 14:35 | 62.0 | 63.9 | 60.0 | |
| 11/3/2019 14:40 | 61.8 | 63.6 | 59.8 | |
| 11/3/2019 14:45 | 62.5 | 64.6 | 59.9 | 61.8 |
| 11/3/2019 14:50 | 61.7 | 62.7 | 60.2 | |
| 11/3/2019 14:55 | 61.9 | 63.1 | 60.6 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 11/3/2019 15:00 | 62.3 | 63.6 | 60.8 | 64.1 |
| 11/3/2019 15:05 | 63.9 | 65.6 | 62.0 | |
| 11/3/2019 15:10 | 63.6 | 65.3 | 61.6 | |
| 11/3/2019 15:15 | 66.1 | 68.3 | 63.2 | |
| 11/3/2019 15:20 | 64.1 | 66.2 | 61.3 | |
| 11/3/2019 15:25 | 63.4 | 65.6 | 61.4 | |
| 11/3/2019 15:30 | 65.8 | 69.2 | 61.3 | 65.5 |
| 11/3/2019 15:35 | 65.5 | 68.1 | 61.6 | |
| 11/3/2019 15:40 | 63.3 | 65.0 | 61.8 | |
| 11/3/2019 15:45 | 64.8 | 67.5 | 62.0 | |
| 11/3/2019 15:50 | 65.2 | 67.6 | 61.8 | |
| 11/3/2019 15:55 | 67.2 | 70.3 | 62.7 | |
| 11/3/2019 16:00 | 66.4 | 68.2 | 63.0 | 64.4 |
| 11/3/2019 16:05 | 65.8 | 69.4 | 61.0 | |
| 11/3/2019 16:10 | 62.6 | 63.6 | 61.4 | |
| 11/3/2019 16:15 | 63.7 | 65.4 | 62.0 | |
| 11/3/2019 16:20 | 63.0 | 64.2 | 61.3 | |
| 11/3/2019 16:25 | 63.3 | 65.1 | 61.1 | |
| 11/3/2019 16:30 | 62.7 | 64.5 | 60.5 | 63.8 |
| 11/3/2019 16:35 | 63.3 | 64.6 | 61.5 | |
| 11/3/2019 16:40 | 65.2 | 68.2 | 62.2 | |
| 11/3/2019 16:45 | 63.9 | 66.2 | 61.3 | |
| 11/3/2019 16:50 | 62.9 | 64.0 | 61.1 | |
| 11/3/2019 16:55 | 64.4 | 66.8 | 61.0 | |
| 11/3/2019 17:00 | 63.6 | 66.2 | 60.5 | 62.9 |
| 11/3/2019 17:05 | 63.6 | 66.6 | 59.8 | |
| 11/3/2019 17:10 | 63.2 | 66.3 | 59.1 | |
| 11/3/2019 17:15 | 63.2 | 65.1 | 60.9 | |
| 11/3/2019 17:20 | 60.3 | 61.7 | 59.0 | |
| 11/3/2019 17:25 | 62.4 | 64.6 | 59.5 | |
| 11/3/2019 17:30 | 63.4 | 65.9 | 59.9 | 61.6 |
| 11/3/2019 17:35 | 60.7 | 62.2 | 58.7 | |
| 11/3/2019 17:40 | 60.6 | 62.1 | 59.1 | |
| 11/3/2019 17:45 | 62.8 | 65.9 | 59.1 | |
| 11/3/2019 17:50 | 60.5 | 62.9 | 58.6 | |
| 11/3/2019 17:55 | 60.8 | 63.7 | 58.6 | |
| 11/3/2019 18:00 | 60.0 | 62.1 | 58.1 | 60.1 |
| 11/3/2019 18:05 | 60.8 | 60.9 | 58.2 | |
| 11/3/2019 18:10 | 61.2 | 63.6 | 58.6 | |
| 11/3/2019 18:15 | 59.3 | 60.2 | 58.3 | |
| 11/3/2019 18:20 | 59.7 | 60.9 | 58.0 | |
| 11/3/2019 18:25 | 58.9 | 59.8 | 57.9 | |
| 11/3/2019 18:30 | 59.2 | 61.2 | 57.1 | 57.9 |
| 11/3/2019 18:35 | 57.9 | 58.6 | 57.0 | |
| 11/3/2019 18:40 | 58.3 | 59.5 | 57.2 | |
| 11/3/2019 18:45 | 57.6 | 58.8 | 56.4 | |
| 11/3/2019 18:50 | 57.4 | 59.1 | 55.6 | |
| 11/3/2019 18:55 | 56.8 | 58.3 | 55.4 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/3/2019 7:00 | 57.8 | 58.9 | 56.5 | 58.7 |
| 12/3/2019 7:05 | 58.6 | 59.3 | 57.8 | |
| 12/3/2019 7:10 | 58.8 | 59.6 | 58.1 | |
| 12/3/2019 7:15 | 58.8 | 59.9 | 57.9 | |
| 12/3/2019 7:20 | 58.8 | 59.5 | 58.0 | |
| 12/3/2019 7:25 | 59.2 | 60.2 | 58.0 | 61.2 |
| 12/3/2019 7:30 | 58.6 | 59.3 | 57.9 | |
| 12/3/2019 7:35 | 61.3 | 62.9 | 58.3 | |
| 12/3/2019 7:40 | 60.1 | 61.0 | 58.3 | |
| 12/3/2019 7:45 | 60.4 | 62.0 | 58.7 | |
| 12/3/2019 7:50 | 64.5 | 62.0 | 58.6 | 60.9 |
| 12/3/2019 7:55 | 59.1 | 60.5 | 57.9 | |
| 12/3/2019 8:00 | 59.1 | 59.7 | 58.3 | |
| 12/3/2019 8:05 | 59.8 | 60.8 | 58.8 | |
| 12/3/2019 8:10 | 60.7 | 62.0 | 59.4 | |
| 12/3/2019 8:15 | 61.6 | 62.3 | 59.5 | 63.5 |
| 12/3/2019 8:20 | 61.8 | 62.7 | 60.1 | |
| 12/3/2019 8:25 | 61.6 | 63.1 | 59.9 | |
| 12/3/2019 8:30 | 61.9 | 63.3 | 60.2 | |
| 12/3/2019 8:35 | 63.4 | 64.7 | 61.9 | |
| 12/3/2019 8:40 | 62.7 | 64.3 | 60.6 | 63.8 |
| 12/3/2019 8:45 | 64.5 | 67.1 | 60.9 | |
| 12/3/2019 8:50 | 64.2 | 66.2 | 61.8 | |
| 12/3/2019 8:55 | 63.5 | 65.2 | 61.1 | |
| 12/3/2019 9:00 | 62.7 | 64.2 | 61.1 | |
| 12/3/2019 9:05 | 64.2 | 65.5 | 61.9 | 64.5 |
| 12/3/2019 9:10 | 62.5 | 64.2 | 60.8 | |
| 12/3/2019 9:15 | 66.0 | 68.2 | 62.8 | |
| 12/3/2019 9:20 | 63.3 | 64.8 | 61.8 | |
| 12/3/2019 9:25 | 62.7 | 64.1 | 60.8 | |
| 12/3/2019 9:30 | 63.0 | 65.6 | 60.0 | 61.7 |
| 12/3/2019 9:35 | 63.3 | 65.5 | 60.2 | |
| 12/3/2019 9:40 | 63.7 | 65.7 | 61.0 | |
| 12/3/2019 9:45 | 63.7 | 66.2 | 60.2 | |
| 12/3/2019 9:50 | 67.4 | 71.0 | 61.0 | |
| 12/3/2019 9:55 | 64.1 | 67.5 | 60.0 | 62.8 |
| 12/3/2019 10:00 | 62.1 | 63.8 | 60.3 | |
| 12/3/2019 10:05 | 61.7 | 63.0 | 60.0 | |
| 12/3/2019 10:10 | 61.8 | 62.9 | 60.5 | |
| 12/3/2019 10:15 | 61.7 | 63.6 | 59.5 | |
| 12/3/2019 10:20 | 61.9 | 63.1 | 60.5 | 62.8 |
| 12/3/2019 10:25 | 61.0 | 62.6 | 59.3 | |
| 12/3/2019 10:30 | 62.8 | 65.2 | 59.5 | |
| 12/3/2019 10:35 | 63.4 | 65.7 | 59.0 | |
| 12/3/2019 10:40 | 62.6 | 63.7 | 60.0 | |
| 12/3/2019 10:45 | 63.0 | 65.3 | 60.2 | 62.8 |
| 12/3/2019 10:50 | 62.5 | 64.2 | 60.4 | |
| 12/3/2019 10:55 | 62.6 | 64.6 | 60.0 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/3/2019 11:00 | 62.9 | 64.7 | 60.5 | 62.8 |
| 12/3/2019 11:05 | 63.8 | 65.9 | 60.0 | |
| 12/3/2019 11:10 | 62.2 | 63.7 | 60.0 | |
| 12/3/2019 11:15 | 62.4 | 64.6 | 59.7 | |
| 12/3/2019 11:20 | 63.4 | 65.8 | 59.5 | |
| 12/3/2019 11:25 | 62.1 | 63.9 | 58.9 | |
| 12/3/2019 11:30 | 63.3 | 66.3 | 59.2 | 61.2 |
| 12/3/2019 11:35 | 61.0 | 63.2 | 57.7 | |
| 12/3/2019 11:40 | 62.4 | 65.1 | 57.5 | |
| 12/3/2019 11:45 | 60.1 | 61.7 | 57.3 | |
| 12/3/2019 11:50 | 57.6 | 58.3 | 56.6 | |
| 12/3/2019 11:55 | 60.5 | 62.0 | 56.5 | |
| 12/3/2019 12:00 | 57.7 | 58.6 | 56.8 | 58.2 |
| 12/3/2019 12:05 | 58.1 | 58.8 | 57.3 | |
| 12/3/2019 12:10 | 57.4 | 58.2 | 56.6 | |
| 12/3/2019 12:15 | 58.2 | 59.7 | 56.4 | |
| 12/3/2019 12:20 | 58.7 | 59.5 | 57.3 | |
| 12/3/2019 12:25 | 58.8 | 59.9 | 57.3 | |
| 12/3/2019 12:30 | 59.2 | 60.5 | 57.7 | 59.5 |
| 12/3/2019 12:35 | 59.4 | 60.3 | 58.4 | |
| 12/3/2019 12:40 | 59.1 | 59.7 | 58.3 | |
| 12/3/2019 12:45 | 59.8 | 60.9 | 58.3 | |
| 12/3/2019 12:50 | 59.1 | 60.2 | 57.8 | |
| 12/3/2019 12:55 | 60.4 | 62.3 | 58.4 | |
| 12/3/2019 13:00 | 59.8 | 60.8 | 58.7 | 62.2 |
| 12/3/2019 13:05 | 60.9 | 62.5 | 59.3 | |
| 12/3/2019 13:10 | 62.0 | 63.6 | 60.4 | |
| 12/3/2019 13:15 | 63.5 | 65.0 | 60.7 | |
| 12/3/2019 13:20 | 62.9 | 64.3 | 61.1 | |
| 12/3/2019 13:25 | 62.8 | 65.2 | 60.1 | |
| 12/3/2019 13:30 | 61.7 | 63.5 | 59.2 | 62.1 |
| 12/3/2019 13:35 | 62.4 | 64.1 | 59.9 | |
| 12/3/2019 13:40 | 62.7 | 64.8 | 60.4 | |
| 12/3/2019 13:45 | 61.4 | 63.7 | 59.6 | |
| 12/3/2019 13:50 | 62.4 | 64.0 | 59.4 | |
| 12/3/2019 13:55 | 61.9 | 63.4 | 59.9 | |
| 12/3/2019 14:00 | 61.8 | 63.3 | 59.6 | 62.4 |
| 12/3/2019 14:05 | 63.5 | 66.0 | 59.8 | |
| 12/3/2019 14:10 | 63.7 | 66.1 | 59.6 | |
| 12/3/2019 14:15 | 61.3 | 62.9 | 59.4 | |
| 12/3/2019 14:20 | 61.8 | 64.0 | 59.1 | |
| 12/3/2019 14:25 | 61.6 | 63.7 | 59.3 | |
| 12/3/2019 14:30 | 61.4 | 62.9 | 59.8 | 62.6 |
| 12/3/2019 14:35 | 60.4 | 61.6 | 59.2 | |
| 12/3/2019 14:40 | 64.5 | 66.7 | 60.4 | |
| 12/3/2019 14:45 | 63.3 | 65.9 | 60.2 | |
| 12/3/2019 14:50 | 62.2 | 64.0 | 59.6 | |
| 12/3/2019 14:55 | 62.6 | 65.5 | 59.4 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 12/3/2019 15:00 | 61.5 | 62.7 | 58.7 | 62.0 |
| 12/3/2019 15:05 | 61.7 | 63.9 | 59.1 | |
| 12/3/2019 15:10 | 61.7 | 63.2 | 58.7 | |
| 12/3/2019 15:15 | 64.3 | 66.5 | 61.1 | |
| 12/3/2019 15:20 | 60.9 | 62.2 | 59.4 | |
| 12/3/2019 15:25 | 60.6 | 61.8 | 59.3 | |
| 12/3/2019 15:30 | 60.1 | 61.4 | 58.6 | 61.1 |
| 12/3/2019 15:35 | 61.1 | 62.6 | 59.3 | |
| 12/3/2019 15:40 | 62.0 | 64.4 | 58.9 | |
| 12/3/2019 15:45 | 60.9 | 62.8 | 58.7 | |
| 12/3/2019 15:50 | 59.8 | 60.7 | 58.7 | |
| 12/3/2019 15:55 | 62.0 | 63.9 | 59.8 | |
| 12/3/2019 16:00 | 60.8 | 62.2 | 59.4 | 63.0 |
| 12/3/2019 16:05 | 61.4 | 62.8 | 60.0 | |
| 12/3/2019 16:10 | 65.8 | 68.5 | 61.4 | |
| 12/3/2019 16:15 | 62.7 | 62.8 | 59.7 | |
| 12/3/2019 16:20 | 63.6 | 64.2 | 61.0 | |
| 12/3/2019 16:25 | 61.2 | 62.6 | 59.8 | |
| 12/3/2019 16:30 | 63.4 | 65.2 | 60.7 | 62.5 |
| 12/3/2019 16:35 | 61.5 | 63.5 | 59.2 | |
| 12/3/2019 16:40 | 64.5 | 66.8 | 60.9 | |
| 12/3/2019 16:45 | 61.9 | 63.9 | 59.5 | |
| 12/3/2019 16:50 | 61.8 | 63.5 | 59.5 | |
| 12/3/2019 16:55 | 60.6 | 62.3 | 58.6 | |
| 12/3/2019 17:00 | 64.8 | 68.0 | 60.0 | 62.9 |
| 12/3/2019 17:05 | 60.5 | 62.2 | 58.9 | |
| 12/3/2019 17:10 | 61.0 | 62.9 | 59.0 | |
| 12/3/2019 17:15 | 64.0 | 66.8 | 59.2 | |
| 12/3/2019 17:20 | 62.3 | 64.6 | 58.7 | |
| 12/3/2019 17:25 | 63.0 | 65.6 | 58.8 | |
| 12/3/2019 17:30 | 61.4 | 63.5 | 58.6 | 60.9 |
| 12/3/2019 17:35 | 60.7 | 62.4 | 58.7 | |
| 12/3/2019 17:40 | 60.3 | 62.4 | 57.9 | |
| 12/3/2019 17:45 | 62.7 | 64.9 | 58.6 | |
| 12/3/2019 17:50 | 59.2 | 60.2 | 57.9 | |
| 12/3/2019 17:55 | 60.0 | 61.9 | 57.8 | |
| 12/3/2019 18:00 | 59.0 | 60.1 | 58.0 | 59.1 |
| 12/3/2019 18:05 | 58.6 | 59.8 | 57.2 | |
| 12/3/2019 18:10 | 59.9 | 62.2 | 57.2 | |
| 12/3/2019 18:15 | 59.4 | 60.2 | 57.5 | |
| 12/3/2019 18:20 | 58.2 | 59.5 | 57.1 | |
| 12/3/2019 18:25 | 59.4 | 61.3 | 57.1 | |
| 12/3/2019 18:30 | 58.3 | 59.6 | 56.8 | 57.8 |
| 12/3/2019 18:35 | 57.9 | 58.9 | 56.8 | |
| 12/3/2019 18:40 | 56.9 | 58.0 | 55.7 | |
| 12/3/2019 18:45 | 56.2 | 57.4 | 55.0 | |
| 12/3/2019 18:50 | 56.5 | 57.8 | 55.2 | |
| 12/3/2019 18:55 | 59.9 | 62.3 | 55.0 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/3/2019 7:00 | 57.6 | 58.7 | 56.2 | 58.9 |
| 13/3/2019 7:05 | 57.8 | 58.8 | 56.8 | |
| 13/3/2019 7:10 | 57.8 | 58.5 | 56.9 | |
| 13/3/2019 7:15 | 58.4 | 59.5 | 57.2 | |
| 13/3/2019 7:20 | 61.0 | 63.6 | 57.3 | |
| 13/3/2019 7:25 | 59.9 | 60.1 | 57.8 | 60.7 |
| 13/3/2019 7:30 | 59.2 | 60.3 | 58.0 | |
| 13/3/2019 7:35 | 61.2 | 63.6 | 58.2 | |
| 13/3/2019 7:40 | 62.1 | 64.1 | 58.4 | |
| 13/3/2019 7:45 | 61.1 | 63.0 | 59.2 | |
| 13/3/2019 7:50 | 59.6 | 60.5 | 58.5 | 66.8 |
| 13/3/2019 7:55 | 60.4 | 61.8 | 59.0 | |
| 13/3/2019 8:00 | 61.2 | 63.3 | 59.1 | |
| 13/3/2019 8:05 | 60.4 | 61.4 | 59.4 | |
| 13/3/2019 8:10 | 65.3 | 64.6 | 59.6 | |
| 13/3/2019 8:15 | 61.9 | 63.2 | 60.4 | 70.4 |
| 13/3/2019 8:20 | 67.4 | 68.9 | 61.2 | |
| 13/3/2019 8:25 | 72.0 | 73.6 | 69.1 | |
| 13/3/2019 8:30 | 72.7 | 74.5 | 69.0 | |
| 13/3/2019 8:35 | 72.7 | 74.5 | 69.2 | |
| 13/3/2019 8:40 | 73.2 | 75.5 | 68.2 | 64.3 |
| 13/3/2019 8:45 | 64.3 | 66.7 | 61.2 | |
| 13/3/2019 8:50 | 63.6 | 66.0 | 60.8 | |
| 13/3/2019 8:55 | 63.4 | 64.9 | 61.0 | |
| 13/3/2019 9:00 | 63.8 | 66.2 | 61.0 | |
| 13/3/2019 9:05 | 63.1 | 64.9 | 60.9 | 65.1 |
| 13/3/2019 9:10 | 65.2 | 67.9 | 61.4 | |
| 13/3/2019 9:15 | 63.2 | 65.1 | 61.0 | |
| 13/3/2019 9:20 | 65.1 | 67.8 | 61.9 | |
| 13/3/2019 9:25 | 64.8 | 66.8 | 62.2 | |
| 13/3/2019 9:30 | 63.1 | 64.0 | 61.6 | 71.3 |
| 13/3/2019 9:35 | 63.9 | 65.6 | 62.1 | |
| 13/3/2019 9:40 | 63.7 | 65.3 | 61.8 | |
| 13/3/2019 9:45 | 63.4 | 64.9 | 61.4 | |
| 13/3/2019 9:50 | 65.7 | 68.0 | 62.2 | |
| 13/3/2019 9:55 | 68.2 | 70.2 | 62.6 | 70.5 |
| 13/3/2019 10:00 | 72.3 | 73.0 | 71.1 | |
| 13/3/2019 10:05 | 70.8 | 71.5 | 69.5 | |
| 13/3/2019 10:10 | 70.5 | 71.1 | 69.4 | |
| 13/3/2019 10:15 | 71.7 | 72.5 | 69.4 | |
| 13/3/2019 10:20 | 70.9 | 71.9 | 69.8 | 70.5 |
| 13/3/2019 10:25 | 71.2 | 72.3 | 69.9 | |
| 13/3/2019 10:30 | 71.5 | 72.1 | 70.7 | |
| 13/3/2019 10:35 | 71.4 | 71.9 | 70.6 | |
| 13/3/2019 10:40 | 70.8 | 72.1 | 68.4 | |
| 13/3/2019 10:45 | 69.2 | 70.1 | 68.1 | 70.5 |
| 13/3/2019 10:50 | 70.3 | 72.4 | 68.2 | |
| 13/3/2019 10:55 | 69.2 | 69.9 | 68.3 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/3/2019 11:00 | 69.9 | 71.2 | 68.4 | 67.3 |
| 13/3/2019 11:05 | 68.4 | 69.8 | 66.0 | |
| 13/3/2019 11:10 | 69.1 | 71.6 | 66.2 | |
| 13/3/2019 11:15 | 67.1 | 68.7 | 62.6 | |
| 13/3/2019 11:20 | 61.8 | 63.9 | 58.9 | |
| 13/3/2019 11:25 | 59.8 | 61.6 | 57.8 | |
| 13/3/2019 11:30 | 58.4 | 59.4 | 57.3 | 58.5 |
| 13/3/2019 11:35 | 58.9 | 59.9 | 57.6 | |
| 13/3/2019 11:40 | 58.4 | 59.6 | 57.0 | |
| 13/3/2019 11:45 | 59.3 | 60.8 | 57.4 | |
| 13/3/2019 11:50 | 58.4 | 59.6 | 57.0 | |
| 13/3/2019 11:55 | 57.7 | 58.8 | 56.3 | |
| 13/3/2019 12:00 | 59.0 | 60.6 | 57.3 | 68.0 |
| 13/3/2019 12:05 | 61.3 | 62.7 | 57.2 | |
| 13/3/2019 12:10 | 59.3 | 61.3 | 57.2 | |
| 13/3/2019 12:15 | 65.8 | 70.2 | 58.6 | |
| 13/3/2019 12:20 | 72.1 | 72.8 | 70.4 | |
| 13/3/2019 12:25 | 71.8 | 72.0 | 71.1 | |
| 13/3/2019 12:30 | 70.9 | 72.3 | 67.4 | 69.8 |
| 13/3/2019 12:35 | 68.4 | 68.6 | 67.2 | |
| 13/3/2019 12:40 | 69.0 | 69.7 | 67.3 | |
| 13/3/2019 12:45 | 70.4 | 71.5 | 67.9 | |
| 13/3/2019 12:50 | 70.7 | 71.0 | 69.5 | |
| 13/3/2019 12:55 | 68.4 | 70.2 | 65.1 | |
| 13/3/2019 13:00 | 66.6 | 67.0 | 65.0 | 67.1 |
| 13/3/2019 13:05 | 67.7 | 68.8 | 64.9 | |
| 13/3/2019 13:10 | 67.4 | 69.0 | 65.3 | |
| 13/3/2019 13:15 | 67.3 | 68.3 | 65.3 | |
| 13/3/2019 13:20 | 67.0 | 68.2 | 65.2 | |
| 13/3/2019 13:25 | 66.4 | 67.4 | 65.2 | |
| 13/3/2019 13:30 | 67.6 | 69.2 | 65.3 | 70.8 |
| 13/3/2019 13:35 | 73.4 | 77.2 | 65.6 | |
| 13/3/2019 13:40 | 67.4 | 68.9 | 65.2 | |
| 13/3/2019 13:45 | 68.3 | 70.1 | 65.6 | |
| 13/3/2019 13:50 | 67.0 | 68.8 | 65.0 | |
| 13/3/2019 13:55 | 74.4 | 75.9 | 66.1 | |
| 13/3/2019 14:00 | 76.7 | 75.6 | 74.3 | 74.8 |
| 13/3/2019 14:05 | 75.2 | 75.4 | 74.3 | |
| 13/3/2019 14:10 | 74.9 | 75.6 | 74.0 | |
| 13/3/2019 14:15 | 75.1 | 75.9 | 73.8 | |
| 13/3/2019 14:20 | 74.6 | 75.5 | 73.7 | |
| 13/3/2019 14:25 | 70.0 | 70.7 | 68.9 | |
| 13/3/2019 14:30 | 74.8 | 77.0 | 69.9 | 75.8 |
| 13/3/2019 14:35 | 76.4 | 77.3 | 75.2 | |
| 13/3/2019 14:40 | 76.4 | 77.0 | 75.4 | |
| 13/3/2019 14:45 | 76.1 | 76.9 | 74.4 | |
| 13/3/2019 14:50 | 75.1 | 75.9 | 74.1 | |
| 13/3/2019 14:55 | 75.6 | 76.3 | 73.9 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 13/3/2019 15:00 | 75.2 | 76.3 | 73.8 | 75.9 |
| 13/3/2019 15:05 | 75.2 | 75.8 | 73.8 | |
| 13/3/2019 15:10 | 75.5 | 76.2 | 73.8 | |
| 13/3/2019 15:15 | 77.2 | 78.1 | 74.1 | |
| 13/3/2019 15:20 | 76.3 | 77.8 | 74.2 | |
| 13/3/2019 15:25 | 75.5 | 76.3 | 74.2 | |
| 13/3/2019 15:30 | 75.6 | 76.5 | 74.4 | 75.9 |
| 13/3/2019 15:35 | 76.1 | 77.0 | 74.7 | |
| 13/3/2019 15:40 | 75.4 | 76.3 | 74.3 | |
| 13/3/2019 15:45 | 76.1 | 76.5 | 74.4 | |
| 13/3/2019 15:50 | 76.1 | 76.6 | 74.5 | |
| 13/3/2019 15:55 | 76.3 | 78.1 | 74.6 | |
| 13/3/2019 16:00 | 76.5 | 77.5 | 75.5 | 77.0 |
| 13/3/2019 16:05 | 76.5 | 77.1 | 75.6 | |
| 13/3/2019 16:10 | 77.6 | 78.6 | 75.9 | |
| 13/3/2019 16:15 | 78.0 | 78.6 | 77.4 | |
| 13/3/2019 16:20 | 77.2 | 78.4 | 75.0 | |
| 13/3/2019 16:25 | 76.1 | 76.4 | 74.6 | |
| 13/3/2019 16:30 | 75.7 | 76.3 | 74.5 | 76.0 |
| 13/3/2019 16:35 | 76.6 | 77.1 | 74.5 | |
| 13/3/2019 16:40 | 75.5 | 76.3 | 74.3 | |
| 13/3/2019 16:45 | 75.7 | 76.6 | 74.4 | |
| 13/3/2019 16:50 | 76.1 | 76.7 | 74.9 | |
| 13/3/2019 16:55 | 76.2 | 76.7 | 75.2 | |
| 13/3/2019 17:00 | 76.8 | 77.5 | 75.9 | 79.9 |
| 13/3/2019 17:05 | 77.1 | 77.8 | 76.4 | |
| 13/3/2019 17:10 | 76.7 | 77.5 | 74.1 | |
| 13/3/2019 17:15 | 83.3 | 79.8 | 74.5 | |
| 13/3/2019 17:20 | 80.8 | 80.9 | 75.1 | |
| 13/3/2019 17:25 | 80.2 | 81.7 | 75.0 | |
| 13/3/2019 17:30 | 80.9 | 79.4 | 74.7 | 80.7 |
| 13/3/2019 17:35 | 80.5 | 80.1 | 74.9 | |
| 13/3/2019 17:40 | 80.4 | 81.5 | 74.6 | |
| 13/3/2019 17:45 | 81.1 | 82.9 | 74.9 | |
| 13/3/2019 17:50 | 81.5 | 83.9 | 75.5 | |
| 13/3/2019 17:55 | 79.5 | 81.2 | 74.9 | |
| 13/3/2019 18:00 | 78.6 | 79.8 | 74.9 | 72.8 |
| 13/3/2019 18:05 | 75.9 | 77.6 | 60.7 | |
| 13/3/2019 18:10 | 59.9 | 61.9 | 57.9 | |
| 13/3/2019 18:15 | 59.0 | 60.3 | 57.6 | |
| 13/3/2019 18:20 | 59.6 | 61.5 | 57.2 | |
| 13/3/2019 18:25 | 59.5 | 61.2 | 57.3 | |
| 13/3/2019 18:30 | 58.5 | 59.7 | 57.1 | 57.8 |
| 13/3/2019 18:35 | 58.3 | 59.7 | 56.8 | |
| 13/3/2019 18:40 | 58.2 | 59.1 | 56.9 | |
| 13/3/2019 18:45 | 57.4 | 58.4 | 56.3 | |
| 13/3/2019 18:50 | 56.7 | 57.4 | 55.8 | |
| 13/3/2019 18:55 | 57.5 | 58.8 | 55.8 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/3/2019 7:00 | 57.5 | 58.5 | 56.1 | 58.8 |
| 14/3/2019 7:05 | 57.8 | 58.9 | 56.4 | |
| 14/3/2019 7:10 | 59.1 | 60.4 | 57.5 | |
| 14/3/2019 7:15 | 59.2 | 60.4 | 57.7 | |
| 14/3/2019 7:20 | 60.0 | 61.7 | 58.3 | |
| 14/3/2019 7:25 | 58.7 | 59.4 | 57.8 | 60.1 |
| 14/3/2019 7:30 | 59.9 | 61.6 | 58.1 | |
| 14/3/2019 7:35 | 59.6 | 60.6 | 58.3 | |
| 14/3/2019 7:40 | 59.9 | 61.3 | 58.7 | |
| 14/3/2019 7:45 | 60.0 | 60.8 | 59.0 | |
| 14/3/2019 7:50 | 60.6 | 61.8 | 59.3 | 62.0 |
| 14/3/2019 7:55 | 60.4 | 61.2 | 59.4 | |
| 14/3/2019 8:00 | 60.4 | 61.3 | 59.4 | |
| 14/3/2019 8:05 | 63.0 | 64.7 | 60.9 | |
| 14/3/2019 8:10 | 62.8 | 64.5 | 60.3 | |
| 14/3/2019 8:15 | 61.7 | 63.0 | 60.3 | 77.8 |
| 14/3/2019 8:20 | 61.4 | 62.4 | 60.2 | |
| 14/3/2019 8:25 | 62.2 | 63.5 | 60.6 | |
| 14/3/2019 8:30 | 62.7 | 64.2 | 60.8 | |
| 14/3/2019 8:35 | 63.2 | 64.9 | 61.2 | |
| 14/3/2019 8:40 | 81.8 | 80.0 | 66.8 | 81.9 |
| 14/3/2019 8:45 | 77.0 | 77.5 | 73.7 | |
| 14/3/2019 8:50 | 79.3 | 79.0 | 74.2 | |
| 14/3/2019 8:55 | 78.4 | 79.0 | 74.4 | |
| 14/3/2019 9:00 | 83.1 | 82.2 | 75.4 | |
| 14/3/2019 9:05 | 83.0 | 81.3 | 75.5 | 81.4 |
| 14/3/2019 9:10 | 82.3 | 81.5 | 74.7 | |
| 14/3/2019 9:15 | 80.8 | 81.8 | 75.5 | |
| 14/3/2019 9:20 | 81.4 | 82.0 | 75.4 | |
| 14/3/2019 9:25 | 80.2 | 80.1 | 75.4 | |
| 14/3/2019 9:30 | 83.7 | 82.5 | 75.9 | 71.3 |
| 14/3/2019 9:35 | 82.7 | 81.8 | 75.7 | |
| 14/3/2019 9:40 | 82.7 | 80.7 | 75.4 | |
| 14/3/2019 9:45 | 79.7 | 78.8 | 75.0 | |
| 14/3/2019 9:50 | 80.5 | 78.6 | 74.2 | |
| 14/3/2019 9:55 | 70.9 | 74.4 | 67.4 | 81.3 |
| 14/3/2019 10:00 | 69.9 | 70.8 | 67.8 | |
| 14/3/2019 10:05 | 70.9 | 72.1 | 69.6 | |
| 14/3/2019 10:10 | 70.6 | 71.8 | 69.0 | |
| 14/3/2019 10:15 | 70.9 | 72.2 | 69.2 | |
| 14/3/2019 10:20 | 70.8 | 72.2 | 69.5 | 81.3 |
| 14/3/2019 10:28 | 73.7 | 75.1 | 71.6 | |
| 14/3/2019 10:33 | 72.6 | 74.2 | 71.1 | |
| 14/3/2019 10:38 | 72.8 | 74.3 | 71.3 | |
| 14/3/2019 10:43 | 72.6 | 74.0 | 71.1 | |
| 14/3/2019 10:48 | 83.1 | 84.5 | 74.1 | 81.3 |
| 14/3/2019 10:53 | 83.7 | 82.8 | 76.7 | |
| 14/3/2019 10:58 | 85.0 | 87.3 | 76.7 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/3/2019 11:03 | 82.5 | 83.0 | 77.0 | 82.3 |
| 14/3/2019 11:08 | 85.0 | 87.6 | 77.7 | |
| 14/3/2019 11:13 | 82.7 | 83.5 | 77.8 | |
| 14/3/2019 11:18 | 79.8 | 81.3 | 71.2 | |
| 14/3/2019 11:23 | 79.2 | 80.7 | 70.0 | |
| 14/3/2019 11:28 | 81.8 | 82.6 | 71.4 | |
| 14/3/2019 11:33 | 84.7 | 85.0 | 79.8 | 85.0 |
| 14/3/2019 11:38 | 88.7 | 84.6 | 80.6 | |
| 14/3/2019 11:43 | 84.1 | 83.8 | 78.4 | |
| 14/3/2019 11:48 | 83.1 | 82.3 | 79.1 | |
| 14/3/2019 11:53 | 83.1 | 84.6 | 77.4 | |
| 14/3/2019 11:58 | 82.8 | 82.2 | 77.9 | |
| 14/3/2019 12:03 | 85.5 | 80.7 | 78.2 | 79.8 |
| 14/3/2019 12:08 | 78.6 | 79.3 | 59.4 | |
| 14/3/2019 12:13 | 59.1 | 60.1 | 57.9 | |
| 14/3/2019 12:18 | 63.4 | 64.5 | 58.6 | |
| 14/3/2019 12:23 | 81.0 | 83.0 | 58.9 | |
| 14/3/2019 12:28 | 72.4 | 63.1 | 59.0 | |
| 14/3/2019 12:33 | 63.2 | 65.6 | 60.9 | 63.6 |
| 14/3/2019 12:38 | 61.0 | 62.7 | 59.0 | |
| 14/3/2019 12:43 | 60.7 | 62.6 | 59.1 | |
| 14/3/2019 12:48 | 62.7 | 64.1 | 60.1 | |
| 14/3/2019 12:53 | 63.1 | 63.9 | 62.3 | |
| 14/3/2019 12:58 | 67.2 | 67.9 | 62.5 | |
| 14/3/2019 13:03 | 73.6 | 70.5 | 66.0 | 86.8 |
| 14/3/2019 13:08 | 81.0 | 77.8 | 67.3 | |
| 14/3/2019 13:13 | 87.0 | 82.1 | 68.1 | |
| 14/3/2019 13:18 | 86.3 | 85.0 | 77.2 | |
| 14/3/2019 13:23 | 92.1 | 86.8 | 79.5 | |
| 14/3/2019 13:28 | 83.1 | 83.9 | 79.3 | |
| 14/3/2019 13:33 | 82.8 | 82.0 | 79.4 | 85.2 |
| 14/3/2019 13:38 | 83.9 | 83.0 | 78.1 | |
| 14/3/2019 13:43 | 89.1 | 81.3 | 78.0 | |
| 14/3/2019 13:48 | 82.1 | 82.4 | 78.1 | |
| 14/3/2019 13:53 | 83.5 | 81.8 | 79.0 | |
| 14/3/2019 13:58 | 85.6 | 84.6 | 79.1 | |
| 14/3/2019 14:03 | 80.7 | 80.7 | 79.3 | 74.0 |
| 14/3/2019 14:08 | 68.0 | 71.3 | 63.1 | |
| 14/3/2019 14:13 | 69.6 | 71.9 | 62.0 | |
| 14/3/2019 14:18 | 68.2 | 71.2 | 63.1 | |
| 14/3/2019 14:23 | 68.7 | 70.8 | 64.8 | |
| 14/3/2019 14:28 | 67.4 | 69.0 | 62.8 | |
| 14/3/2019 14:33 | 67.7 | 69.2 | 61.9 | 67.3 |
| 14/3/2019 14:38 | 69.9 | 73.0 | 62.7 | |
| 14/3/2019 14:43 | 64.5 | 66.1 | 61.1 | |
| 14/3/2019 14:48 | 64.2 | 67.2 | 61.1 | |
| 14/3/2019 14:53 | 69.5 | 72.0 | 61.6 | |
| 14/3/2019 14:58 | 64.0 | 66.0 | 60.4 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 14/3/2019 15:03 | 67.5 | 70.9 | 60.4 | 65.4 |
| 14/3/2019 15:08 | 64.9 | 67.5 | 59.7 | |
| 14/3/2019 15:13 | 66.1 | 68.8 | 59.6 | |
| 14/3/2019 15:18 | 62.6 | 63.9 | 59.3 | |
| 14/3/2019 15:23 | 64.9 | 66.1 | 60.0 | |
| 14/3/2019 15:28 | 64.6 | 66.2 | 60.2 | |
| 14/3/2019 15:33 | 63.8 | 66.2 | 60.2 | 63.1 |
| 14/3/2019 15:38 | 63.4 | 66.1 | 60.2 | |
| 14/3/2019 15:43 | 63.5 | 65.5 | 60.8 | |
| 14/3/2019 15:48 | 62.3 | 63.8 | 60.2 | |
| 14/3/2019 15:53 | 62.6 | 63.5 | 61.0 | |
| 14/3/2019 15:58 | 62.5 | 63.8 | 61.1 | |
| 14/3/2019 16:03 | 64.6 | 67.8 | 61.4 | 65.4 |
| 14/3/2019 16:08 | 62.6 | 63.6 | 61.6 | |
| 14/3/2019 16:13 | 63.4 | 65.4 | 61.0 | |
| 14/3/2019 16:18 | 65.7 | 66.8 | 64.4 | |
| 14/3/2019 16:23 | 66.3 | 67.8 | 64.3 | |
| 14/3/2019 16:28 | 67.9 | 68.9 | 63.1 | |
| 14/3/2019 16:33 | 61.7 | 64.0 | 59.1 | 61.7 |
| 14/3/2019 16:38 | 62.1 | 63.8 | 60.2 | |
| 14/3/2019 16:43 | 61.7 | 63.0 | 59.9 | |
| 14/3/2019 16:48 | 62.3 | 64.4 | 60.0 | |
| 14/3/2019 16:53 | 61.8 | 63.9 | 59.5 | |
| 14/3/2019 16:58 | 60.7 | 61.7 | 59.7 | |
| 14/3/2019 17:03 | 60.7 | 62.2 | 59.3 | 60.4 |
| 14/3/2019 17:08 | 60.8 | 62.7 | 59.1 | |
| 14/3/2019 17:13 | 59.9 | 60.7 | 59.1 | |
| 14/3/2019 17:18 | 61.0 | 63.9 | 58.4 | |
| 14/3/2019 17:23 | 60.3 | 63.0 | 57.8 | |
| 14/3/2019 17:28 | 59.8 | 62.6 | 57.7 | |
| 14/3/2019 17:33 | 59.3 | 60.9 | 57.7 | 59.4 |
| 14/3/2019 17:38 | 59.0 | 60.4 | 57.7 | |
| 14/3/2019 17:43 | 59.4 | 61.0 | 57.2 | |
| 14/3/2019 17:48 | 60.2 | 62.0 | 57.5 | |
| 14/3/2019 17:53 | 59.0 | 60.9 | 57.2 | |
| 14/3/2019 17:58 | 59.1 | 60.2 | 57.5 | |
| 14/3/2019 18:03 | 58.1 | 58.9 | 57.4 | 58.1 |
| 14/3/2019 18:08 | 59.4 | 61.0 | 57.8 | |
| 14/3/2019 18:13 | 57.3 | 58.1 | 56.6 | |
| 14/3/2019 18:18 | 57.9 | 58.4 | 57.4 | |
| 14/3/2019 18:23 | 58.0 | 58.7 | 57.1 | |
| 14/3/2019 18:28 | 57.6 | 58.5 | 56.7 | |
| 14/3/2019 18:33 | 57.5 | 58.2 | 56.6 | 58.4 |
| 14/3/2019 18:38 | 57.6 | 59.0 | 56.3 | |
| 14/3/2019 18:43 | 61.6 | 65.6 | 56.4 | |
| 14/3/2019 18:48 | 56.4 | 57.7 | 55.3 | |
| 14/3/2019 18:53 | 58.1 | 60.3 | 55.2 | |
| 14/3/2019 18:58 | 57.0 | 58.9 | 55.5 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/3/2019 7:03 | 57.5 | 58.4 | 56.3 | 59.8 |
| 15/3/2019 7:08 | 60.9 | 62.3 | 57.8 | |
| 15/3/2019 7:13 | 59.1 | 59.9 | 57.3 | |
| 15/3/2019 7:18 | 59.8 | 59.6 | 57.6 | |
| 15/3/2019 7:23 | 60.7 | 61.4 | 57.7 | |
| 15/3/2019 7:28 | 60.1 | 61.2 | 58.9 | 62.0 |
| 15/3/2019 7:33 | 59.1 | 59.8 | 58.4 | |
| 15/3/2019 7:38 | 61.3 | 61.1 | 58.8 | |
| 15/3/2019 7:43 | 62.2 | 62.0 | 58.9 | |
| 15/3/2019 7:48 | 61.7 | 63.6 | 59.2 | |
| 15/3/2019 7:53 | 61.7 | 63.4 | 59.5 | 62.9 |
| 15/3/2019 7:58 | 64.2 | 66.7 | 59.4 | |
| 15/3/2019 8:03 | 60.7 | 62.4 | 59.0 | |
| 15/3/2019 8:08 | 62.3 | 65.9 | 59.2 | |
| 15/3/2019 8:13 | 64.0 | 66.3 | 59.9 | |
| 15/3/2019 8:18 | 63.7 | 66.0 | 60.1 | 61.5 |
| 15/3/2019 8:23 | 63.4 | 65.6 | 60.8 | |
| 15/3/2019 8:28 | 62.5 | 63.7 | 61.2 | |
| 15/3/2019 8:33 | 63.0 | 64.8 | 61.2 | |
| 15/3/2019 8:38 | 62.3 | 64.0 | 60.1 | |
| 15/3/2019 8:43 | 60.5 | 61.2 | 59.5 | 73.9 |
| 15/3/2019 8:48 | 60.8 | 61.8 | 59.7 | |
| 15/3/2019 8:53 | 60.9 | 62.0 | 59.3 | |
| 15/3/2019 8:58 | 60.7 | 61.8 | 59.5 | |
| 15/3/2019 9:03 | 63.3 | 65.4 | 61.4 | |
| 15/3/2019 9:08 | 62.4 | 64.8 | 59.9 | 75.0 |
| 15/3/2019 9:13 | 61.8 | 63.2 | 60.1 | |
| 15/3/2019 9:18 | 62.1 | 63.2 | 60.6 | |
| 15/3/2019 9:23 | 77.3 | 73.6 | 61.8 | |
| 15/3/2019 9:28 | 79.3 | 77.7 | 63.3 | |
| 15/3/2019 9:33 | 82.4 | 84.5 | 67.2 | 62.3 |
| 15/3/2019 9:38 | 68.5 | 70.7 | 62.8 | |
| 15/3/2019 9:43 | 66.4 | 68.4 | 61.7 | |
| 15/3/2019 9:48 | 62.0 | 63.9 | 60.0 | |
| 15/3/2019 9:53 | 60.8 | 61.5 | 59.8 | |
| 15/3/2019 9:58 | 61.3 | 62.2 | 60.5 | 61.8 |
| 15/3/2019 10:03 | 62.1 | 63.4 | 60.5 | |
| 15/3/2019 10:08 | 61.7 | 63.0 | 60.2 | |
| 15/3/2019 10:13 | 61.8 | 62.8 | 60.2 | |
| 15/3/2019 10:18 | 64.6 | 65.9 | 61.1 | |
| 15/3/2019 10:23 | 61.8 | 63.2 | 60.1 | 61.8 |
| 15/3/2019 10:28 | 61.0 | 62.0 | 59.8 | |
| 15/3/2019 10:33 | 62.3 | 63.6 | 60.4 | |
| 15/3/2019 10:38 | 62.3 | 63.7 | 60.0 | |
| 15/3/2019 10:43 | 61.8 | 63.1 | 60.2 | |
| 15/3/2019 10:48 | 62.0 | 63.3 | 60.0 | 61.8 |
| 15/3/2019 10:53 | 61.1 | 62.3 | 60.0 | |
| 15/3/2019 10:58 | 60.9 | 62.3 | 59.6 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/3/2019 11:03 | 63.0 | 65.7 | 60.3 | 61.7 |
| 15/3/2019 11:08 | 61.8 | 63.2 | 59.8 | |
| 15/3/2019 11:13 | 62.5 | 64.9 | 60.2 | |
| 15/3/2019 11:18 | 61.1 | 62.4 | 59.5 | |
| 15/3/2019 11:23 | 61.0 | 62.4 | 59.5 | |
| 15/3/2019 11:28 | 60.4 | 61.2 | 59.6 | |
| 15/3/2019 11:33 | 59.7 | 60.6 | 58.6 | 59.8 |
| 15/3/2019 11:38 | 59.9 | 60.9 | 58.7 | |
| 15/3/2019 11:43 | 60.1 | 61.0 | 58.7 | |
| 15/3/2019 11:48 | 59.8 | 60.5 | 58.9 | |
| 15/3/2019 11:53 | 60.0 | 60.8 | 59.0 | |
| 15/3/2019 11:58 | 59.4 | 60.0 | 58.7 | |
| 15/3/2019 12:03 | 59.5 | 60.3 | 58.6 | 60.1 |
| 15/3/2019 12:08 | 59.8 | 60.6 | 58.2 | |
| 15/3/2019 12:13 | 60.4 | 62.1 | 58.3 | |
| 15/3/2019 12:18 | 60.8 | 62.6 | 58.4 | |
| 15/3/2019 12:23 | 60.9 | 60.8 | 58.3 | |
| 15/3/2019 12:28 | 58.9 | 59.8 | 58.1 | |
| 15/3/2019 12:33 | 61.1 | 63.9 | 58.4 | 59.4 |
| 15/3/2019 12:38 | 58.5 | 59.2 | 57.5 | |
| 15/3/2019 12:43 | 58.5 | 59.1 | 57.9 | |
| 15/3/2019 12:48 | 58.6 | 59.2 | 58.0 | |
| 15/3/2019 12:53 | 59.0 | 60.0 | 58.1 | |
| 15/3/2019 12:58 | 60.1 | 60.7 | 58.0 | |
| 15/3/2019 13:03 | 61.9 | 64.8 | 59.3 | 61.1 |
| 15/3/2019 13:08 | 60.2 | 60.9 | 59.6 | |
| 15/3/2019 13:13 | 60.3 | 61.0 | 59.4 | |
| 15/3/2019 13:18 | 60.6 | 62.4 | 59.1 | |
| 15/3/2019 13:23 | 60.7 | 62.1 | 59.1 | |
| 15/3/2019 13:28 | 62.5 | 63.6 | 59.3 | |
| 15/3/2019 13:33 | 63.7 | 65.8 | 60.4 | 62.6 |
| 15/3/2019 13:38 | 63.5 | 65.2 | 59.6 | |
| 15/3/2019 13:43 | 61.3 | 62.5 | 59.8 | |
| 15/3/2019 13:48 | 61.2 | 62.3 | 60.0 | |
| 15/3/2019 13:53 | 63.0 | 65.0 | 60.8 | |
| 15/3/2019 13:58 | 62.2 | 63.2 | 60.9 | |
| 15/3/2019 14:03 | 61.3 | 62.2 | 60.3 | 62.2 |
| 15/3/2019 14:08 | 63.8 | 65.6 | 60.8 | |
| 15/3/2019 14:13 | 61.9 | 62.6 | 61.0 | |
| 15/3/2019 14:18 | 62.1 | 63.1 | 61.0 | |
| 15/3/2019 14:23 | 62.2 | 63.1 | 61.2 | |
| 15/3/2019 14:28 | 61.5 | 62.3 | 59.9 | |
| 15/3/2019 14:33 | 62.0 | 62.7 | 60.3 | 62.0 |
| 15/3/2019 14:38 | 61.4 | 62.2 | 60.3 | |
| 15/3/2019 14:43 | 61.7 | 63.2 | 60.0 | |
| 15/3/2019 14:48 | 62.0 | 63.2 | 60.6 | |
| 15/3/2019 14:53 | 63.0 | 64.8 | 60.2 | |
| 15/3/2019 14:58 | 62.0 | 62.4 | 60.5 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 15/3/2019 15:03 | 61.2 | 62.1 | 60.2 | 61.3 |
| 15/3/2019 15:08 | 62.1 | 63.5 | 60.2 | |
| 15/3/2019 15:13 | 61.3 | 62.0 | 60.4 | |
| 15/3/2019 15:18 | 62.1 | 63.4 | 61.0 | |
| 15/3/2019 15:23 | 60.7 | 61.7 | 59.7 | |
| 15/3/2019 15:28 | 60.1 | 61.1 | 59.2 | |
| 15/3/2019 15:33 | 60.2 | 61.1 | 58.9 | 60.6 |
| 15/3/2019 15:38 | 60.0 | 61.3 | 58.9 | |
| 15/3/2019 15:43 | 60.0 | 61.0 | 59.1 | |
| 15/3/2019 15:48 | 60.3 | 61.1 | 59.5 | |
| 15/3/2019 15:53 | 60.6 | 61.5 | 59.5 | |
| 15/3/2019 15:58 | 62.1 | 64.2 | 59.8 | |
| 15/3/2019 16:03 | 62.3 | 63.8 | 59.7 | 62.4 |
| 15/3/2019 16:08 | 61.5 | 62.6 | 59.7 | |
| 15/3/2019 16:13 | 62.2 | 63.9 | 60.3 | |
| 15/3/2019 16:18 | 62.7 | 64.1 | 60.7 | |
| 15/3/2019 16:23 | 63.3 | 66.0 | 60.2 | |
| 15/3/2019 16:28 | 62.0 | 63.9 | 59.7 | |
| 15/3/2019 16:33 | 60.6 | 61.6 | 59.5 | 61.6 |
| 15/3/2019 16:38 | 61.6 | 63.2 | 59.9 | |
| 15/3/2019 16:43 | 61.7 | 63.5 | 59.9 | |
| 15/3/2019 16:48 | 61.7 | 62.7 | 59.2 | |
| 15/3/2019 16:53 | 60.9 | 62.4 | 59.0 | |
| 15/3/2019 16:58 | 62.7 | 62.9 | 59.3 | |
| 15/3/2019 17:03 | 60.6 | 61.7 | 58.6 | 61.3 |
| 15/3/2019 17:08 | 62.5 | 63.5 | 59.1 | |
| 15/3/2019 17:13 | 63.5 | 66.5 | 59.2 | |
| 15/3/2019 17:18 | 60.0 | 61.2 | 58.5 | |
| 15/3/2019 17:23 | 59.6 | 60.4 | 58.7 | |
| 15/3/2019 17:28 | 59.8 | 60.4 | 58.1 | |
| 15/3/2019 17:33 | 59.7 | 60.9 | 58.4 | 59.6 |
| 15/3/2019 17:38 | 59.2 | 60.0 | 58.3 | |
| 15/3/2019 17:43 | 59.7 | 61.1 | 58.3 | |
| 15/3/2019 17:48 | 61.0 | 62.7 | 58.3 | |
| 15/3/2019 17:53 | 59.0 | 60.0 | 58.1 | |
| 15/3/2019 17:58 | 58.9 | 59.9 | 58.0 | |
| 15/3/2019 18:03 | 58.7 | 59.3 | 58.0 | 58.4 |
| 15/3/2019 18:08 | 58.7 | 59.4 | 58.0 | |
| 15/3/2019 18:13 | 58.3 | 58.9 | 57.7 | |
| 15/3/2019 18:18 | 58.1 | 58.7 | 57.5 | |
| 15/3/2019 18:23 | 58.6 | 59.8 | 56.8 | |
| 15/3/2019 18:28 | 58.0 | 59.4 | 56.7 | |
| 15/3/2019 18:33 | 57.1 | 57.9 | 56.3 | 56.8 |
| 15/3/2019 18:38 | 57.6 | 58.4 | 56.4 | |
| 15/3/2019 18:43 | 56.5 | 57.3 | 55.8 | |
| 15/3/2019 18:48 | 56.6 | 57.6 | 55.6 | |
| 15/3/2019 18:53 | 56.4 | 57.4 | 55.0 | |
| 15/3/2019 18:58 | 56.5 | 57.5 | 55.1 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/3/2019 7:03 | 56.5 | 57.6 | 55.3 | 60.2 |
| 16/3/2019 7:08 | 59.9 | 61.4 | 56.6 | |
| 16/3/2019 7:13 | 58.1 | 59.3 | 56.9 | |
| 16/3/2019 7:18 | 58.2 | 59.6 | 56.2 | |
| 16/3/2019 7:23 | 64.1 | 66.1 | 57.1 | |
| 16/3/2019 7:28 | 60.0 | 61.0 | 58.8 | |
| 16/3/2019 7:33 | 60.6 | 61.9 | 59.3 | 62.5 |
| 16/3/2019 7:38 | 62.4 | 64.6 | 59.9 | |
| 16/3/2019 7:43 | 61.6 | 63.1 | 60.0 | |
| 16/3/2019 7:48 | 65.7 | 68.9 | 60.2 | |
| 16/3/2019 7:53 | 60.5 | 61.4 | 59.4 | |
| 16/3/2019 7:58 | 61.5 | 63.3 | 59.7 | |
| 16/3/2019 8:03 | 67.0 | 68.2 | 61.1 | 69.7 |
| 16/3/2019 8:08 | 64.9 | 66.4 | 63.1 | |
| 16/3/2019 8:13 | 66.5 | 67.1 | 62.8 | |
| 16/3/2019 8:18 | 74.4 | 69.8 | 60.4 | |
| 16/3/2019 8:23 | 64.5 | 67.8 | 61.0 | |
| 16/3/2019 8:28 | 71.3 | 75.8 | 63.8 | |
| 16/3/2019 8:33 | 66.6 | 69.5 | 61.0 | 64.7 |
| 16/3/2019 8:38 | 64.7 | 68.1 | 61.4 | |
| 16/3/2019 8:43 | 64.6 | 67.0 | 61.6 | |
| 16/3/2019 8:48 | 63.1 | 64.9 | 60.8 | |
| 16/3/2019 8:53 | 63.7 | 65.7 | 61.1 | |
| 16/3/2019 8:58 | 64.4 | 66.4 | 61.0 | |
| 16/3/2019 9:03 | 63.6 | 65.8 | 61.1 | 65.8 |
| 16/3/2019 9:08 | 62.9 | 65.3 | 60.3 | |
| 16/3/2019 9:13 | 68.2 | 70.7 | 64.2 | |
| 16/3/2019 9:18 | 65.8 | 68.5 | 62.2 | |
| 16/3/2019 9:23 | 67.9 | 71.1 | 61.9 | |
| 16/3/2019 9:28 | 63.3 | 65.2 | 61.3 | |
| 16/3/2019 9:33 | 63.4 | 64.8 | 61.4 | 63.2 |
| 16/3/2019 9:38 | 63.3 | 64.1 | 61.0 | |
| 16/3/2019 9:43 | 62.0 | 63.3 | 60.4 | |
| 16/3/2019 9:48 | 63.8 | 65.9 | 61.3 | |
| 16/3/2019 9:53 | 61.5 | 62.6 | 60.5 | |
| 16/3/2019 9:58 | 64.6 | 65.0 | 60.4 | |
| 16/3/2019 10:03 | 62.7 | 64.2 | 61.1 | 62.6 |
| 16/3/2019 10:08 | 64.2 | 65.8 | 61.9 | |
| 16/3/2019 10:13 | 62.4 | 63.5 | 60.4 | |
| 16/3/2019 10:18 | 62.9 | 65.4 | 60.3 | |
| 16/3/2019 10:23 | 61.0 | 61.9 | 59.7 | |
| 16/3/2019 10:28 | 62.0 | 63.7 | 60.2 | |
| 16/3/2019 10:33 | 60.9 | 61.8 | 59.4 | 61.4 |
| 16/3/2019 10:38 | 61.0 | 62.2 | 59.8 | |
| 16/3/2019 10:43 | 61.3 | 62.3 | 59.8 | |
| 16/3/2019 10:48 | 61.7 | 63.5 | 59.9 | |
| 16/3/2019 10:53 | 61.4 | 63.0 | 59.6 | |
| 16/3/2019 10:58 | 62.2 | 64.3 | 59.8 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) | |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|------|
| 16/3/2019 11:03 | 59.9 | 61.0 | 58.7 | 60.9 | |
| 16/3/2019 11:08 | 60.8 | 62.3 | 59.3 | | |
| 16/3/2019 11:13 | 60.9 | 62.2 | 59.6 | | |
| 16/3/2019 11:18 | 61.0 | 62.0 | 59.4 | | |
| 16/3/2019 11:23 | 61.7 | 63.1 | 59.3 | | |
| 16/3/2019 11:28 | 61.1 | 62.4 | 59.5 | 59.5 | |
| 16/3/2019 11:33 | 60.1 | 61.2 | 58.5 | | |
| 16/3/2019 11:38 | 59.8 | 60.9 | 58.4 | | |
| 16/3/2019 11:43 | 59.4 | 60.6 | 57.9 | | |
| 16/3/2019 11:48 | 58.9 | 59.9 | 57.8 | | |
| 16/3/2019 11:53 | 58.7 | 59.6 | 57.6 | | |
| 16/3/2019 11:58 | 59.9 | 60.8 | 57.4 | | |
| 16/3/2019 12:03 | 59.5 | 61.1 | 57.5 | 60.1 | |
| 16/3/2019 12:08 | 59.9 | 62.2 | 57.0 | | |
| 16/3/2019 12:13 | 61.3 | 62.2 | 58.2 | | |
| 16/3/2019 12:18 | 61.0 | 62.8 | 58.1 | | |
| 16/3/2019 12:23 | 59.6 | 61.1 | 58.1 | | |
| 16/3/2019 12:28 | 58.7 | 59.4 | 57.9 | | |
| 16/3/2019 12:33 | 59.8 | 61.9 | 57.8 | | |
| 16/3/2019 12:38 | 58.5 | 59.4 | 57.5 | 60.8 | |
| 16/3/2019 12:43 | 60.6 | 62.4 | 57.8 | | |
| 16/3/2019 12:48 | 59.3 | 60.5 | 57.5 | | |
| 16/3/2019 12:53 | 64.1 | 67.1 | 58.5 | | |
| 16/3/2019 12:58 | 59.7 | 60.2 | 58.2 | | |
| 16/3/2019 13:03 | 59.9 | 61.0 | 58.5 | | |
| 16/3/2019 13:08 | 60.6 | 61.8 | 59.3 | | 60.9 |
| 16/3/2019 13:13 | 61.9 | 63.4 | 59.8 | | |
| 16/3/2019 13:18 | 61.0 | 62.2 | 59.7 | | |
| 16/3/2019 13:23 | 61.2 | 62.3 | 59.6 | | |
| 16/3/2019 13:28 | 60.6 | 61.8 | 59.2 | | |
| 16/3/2019 13:33 | 62.8 | 64.4 | 60.6 | | |
| 16/3/2019 13:38 | 62.2 | 64.0 | 60.1 | 62.7 | |
| 16/3/2019 13:43 | 62.3 | 64.0 | 60.0 | | |
| 16/3/2019 13:48 | 62.0 | 63.6 | 60.0 | | |
| 16/3/2019 13:53 | 62.9 | 64.7 | 60.4 | | |
| 16/3/2019 13:58 | 63.7 | 65.5 | 61.1 | | |
| 16/3/2019 14:03 | 61.6 | 63.0 | 59.9 | | |
| 16/3/2019 14:08 | 62.1 | 64.3 | 59.6 | | 62.6 |
| 16/3/2019 14:13 | 61.7 | 63.1 | 59.5 | | |
| 16/3/2019 14:18 | 62.6 | 64.3 | 60.3 | | |
| 16/3/2019 14:23 | 63.4 | 65.1 | 61.1 | | |
| 16/3/2019 14:28 | 63.6 | 65.9 | 60.6 | | |
| 16/3/2019 14:33 | 62.5 | 64.9 | 59.4 | 62.4 | |
| 16/3/2019 14:38 | 61.5 | 63.2 | 59.3 | | |
| 16/3/2019 14:43 | 64.8 | 67.4 | 59.4 | | |
| 16/3/2019 14:48 | 61.6 | 62.5 | 60.0 | | |
| 16/3/2019 14:53 | 61.7 | 63.2 | 59.8 | | |
| 16/3/2019 14:58 | 61.3 | 62.5 | 59.6 | | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 16/3/2019 15:03 | 63.2 | 65.2 | 59.0 | 62.6 |
| 16/3/2019 15:08 | 62.1 | 63.6 | 60.0 | |
| 16/3/2019 15:13 | 62.7 | 64.7 | 59.4 | |
| 16/3/2019 15:18 | 62.3 | 64.5 | 59.8 | |
| 16/3/2019 15:23 | 63.2 | 65.6 | 60.1 | |
| 16/3/2019 15:28 | 61.6 | 62.9 | 59.8 | |
| 16/3/2019 15:33 | 64.2 | 66.6 | 60.6 | 63.4 |
| 16/3/2019 15:38 | 64.5 | 66.7 | 61.1 | |
| 16/3/2019 15:43 | 63.0 | 65.4 | 60.3 | |
| 16/3/2019 15:48 | 63.5 | 65.6 | 60.7 | |
| 16/3/2019 15:53 | 63.0 | 65.2 | 60.4 | |
| 16/3/2019 15:58 | 62.0 | 64.3 | 59.6 | |
| 16/3/2019 16:03 | 61.6 | 63.3 | 59.7 | 63.7 |
| 16/3/2019 16:08 | 62.1 | 63.8 | 60.1 | |
| 16/3/2019 16:13 | 62.9 | 64.9 | 60.1 | |
| 16/3/2019 16:18 | 63.4 | 65.1 | 61.3 | |
| 16/3/2019 16:23 | 64.9 | 66.3 | 62.5 | |
| 16/3/2019 16:28 | 65.9 | 68.2 | 62.5 | |
| 16/3/2019 16:33 | 66.1 | 67.3 | 64.3 | 64.9 |
| 16/3/2019 16:38 | 65.2 | 67.0 | 62.2 | |
| 16/3/2019 16:43 | 64.8 | 66.3 | 63.0 | |
| 16/3/2019 16:48 | 65.0 | 66.6 | 62.1 | |
| 16/3/2019 16:53 | 64.5 | 66.0 | 62.4 | |
| 16/3/2019 16:58 | 63.4 | 64.8 | 61.5 | |
| 16/3/2019 17:03 | 61.5 | 62.9 | 59.8 | 62.3 |
| 16/3/2019 17:08 | 61.9 | 63.9 | 59.4 | |
| 16/3/2019 17:13 | 63.6 | 66.5 | 59.7 | |
| 16/3/2019 17:18 | 62.1 | 64.2 | 59.7 | |
| 16/3/2019 17:23 | 61.9 | 63.8 | 59.4 | |
| 16/3/2019 17:28 | 62.3 | 65.2 | 59.3 | |
| 16/3/2019 17:33 | 61.1 | 62.8 | 59.3 | 60.2 |
| 16/3/2019 17:38 | 59.7 | 61.0 | 58.2 | |
| 16/3/2019 17:43 | 59.6 | 60.7 | 58.5 | |
| 16/3/2019 17:48 | 59.8 | 60.9 | 58.5 | |
| 16/3/2019 17:53 | 59.6 | 60.7 | 58.2 | |
| 16/3/2019 17:58 | 61.1 | 62.8 | 59.2 | |
| 16/3/2019 18:03 | 60.8 | 62.3 | 59.1 | 60.0 |
| 16/3/2019 18:08 | 61.1 | 62.2 | 58.6 | |
| 16/3/2019 18:13 | 59.7 | 60.8 | 58.2 | |
| 16/3/2019 18:18 | 59.4 | 60.3 | 58.2 | |
| 16/3/2019 18:23 | 58.9 | 59.9 | 57.7 | |
| 16/3/2019 18:28 | 59.8 | 61.5 | 57.7 | |
| 16/3/2019 18:33 | 58.4 | 59.4 | 57.4 | 59.7 |
| 16/3/2019 18:38 | 62.6 | 61.1 | 57.3 | |
| 16/3/2019 18:43 | 59.0 | 60.5 | 57.2 | |
| 16/3/2019 18:48 | 58.6 | 59.9 | 56.8 | |
| 16/3/2019 18:53 | 58.8 | 60.4 | 57.0 | |
| 16/3/2019 18:58 | 58.8 | 61.0 | 56.3 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/3/2019 7:03 | 55.7 | 57.1 | 54.2 | 57.7 |
| 18/3/2019 7:08 | 55.8 | 57.3 | 54.2 | |
| 18/3/2019 7:13 | 56.7 | 58.1 | 54.7 | |
| 18/3/2019 7:18 | 56.7 | 58.2 | 55.0 | |
| 18/3/2019 7:23 | 61.1 | 61.3 | 55.3 | |
| 18/3/2019 7:28 | 57.5 | 58.5 | 56.4 | |
| 18/3/2019 7:33 | 58.0 | 58.9 | 56.5 | 58.6 |
| 18/3/2019 7:38 | 59.2 | 60.6 | 57.5 | |
| 18/3/2019 7:43 | 58.5 | 59.7 | 57.3 | |
| 18/3/2019 7:48 | 58.2 | 59.6 | 56.9 | |
| 18/3/2019 7:53 | 58.0 | 58.9 | 57.0 | |
| 18/3/2019 7:58 | 59.5 | 61.4 | 57.3 | |
| 18/3/2019 8:03 | 59.3 | 60.1 | 57.7 | 60.0 |
| 18/3/2019 8:08 | 60.0 | 61.0 | 58.8 | |
| 18/3/2019 8:13 | 60.0 | 61.0 | 59.0 | |
| 18/3/2019 8:18 | 60.6 | 62.3 | 59.0 | |
| 18/3/2019 8:23 | 59.9 | 60.7 | 59.0 | |
| 18/3/2019 8:28 | 60.0 | 60.9 | 59.1 | |
| 18/3/2019 8:33 | 61.6 | 62.7 | 60.4 | 64.2 |
| 18/3/2019 8:38 | 61.4 | 62.6 | 60.0 | |
| 18/3/2019 8:43 | 61.8 | 63.2 | 59.8 | |
| 18/3/2019 8:48 | 62.6 | 64.2 | 60.3 | |
| 18/3/2019 8:53 | 65.0 | 67.1 | 60.8 | |
| 18/3/2019 8:58 | 68.2 | 73.9 | 59.5 | |
| 18/3/2019 9:03 | 71.0 | 75.9 | 64.5 | 69.9 |
| 18/3/2019 9:08 | 71.6 | 76.1 | 63.9 | |
| 18/3/2019 9:13 | 71.9 | 75.8 | 63.9 | |
| 18/3/2019 9:18 | 69.8 | 75.0 | 62.6 | |
| 18/3/2019 9:23 | 66.6 | 69.8 | 60.6 | |
| 18/3/2019 9:28 | 62.7 | 65.4 | 59.3 | |
| 18/3/2019 9:33 | 62.2 | 63.5 | 58.8 | 61.6 |
| 18/3/2019 9:38 | 60.6 | 62.2 | 58.8 | |
| 18/3/2019 9:43 | 62.7 | 64.6 | 60.1 | |
| 18/3/2019 9:48 | 61.1 | 62.7 | 59.5 | |
| 18/3/2019 9:53 | 61.3 | 62.8 | 59.5 | |
| 18/3/2019 9:58 | 61.6 | 63.4 | 59.6 | |
| 18/3/2019 10:03 | 62.2 | 64.7 | 59.1 | 60.9 |
| 18/3/2019 10:08 | 60.7 | 62.0 | 59.0 | |
| 18/3/2019 10:13 | 60.7 | 62.5 | 59.0 | |
| 18/3/2019 10:18 | 60.9 | 62.7 | 59.1 | |
| 18/3/2019 10:23 | 60.0 | 61.5 | 58.6 | |
| 18/3/2019 10:28 | 60.3 | 62.2 | 58.5 | |
| 18/3/2019 10:33 | 60.0 | 61.3 | 58.6 | 60.0 |
| 18/3/2019 10:38 | 59.7 | 60.9 | 58.3 | |
| 18/3/2019 10:43 | 60.2 | 61.9 | 58.5 | |
| 18/3/2019 10:48 | 59.6 | 60.7 | 58.5 | |
| 18/3/2019 10:53 | 60.4 | 61.8 | 58.8 | |
| 18/3/2019 10:58 | 59.8 | 61.1 | 58.5 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/3/2019 11:03 | 60.1 | 61.3 | 58.8 | 60.8 |
| 18/3/2019 11:08 | 61.6 | 63.4 | 59.6 | |
| 18/3/2019 11:13 | 61.7 | 63.3 | 59.5 | |
| 18/3/2019 11:18 | 61.7 | 64.3 | 59.1 | |
| 18/3/2019 11:23 | 59.6 | 61.6 | 57.5 | |
| 18/3/2019 11:28 | 59.4 | 60.9 | 57.4 | 57.7 |
| 18/3/2019 11:33 | 58.1 | 59.2 | 56.9 | |
| 18/3/2019 11:38 | 57.7 | 58.7 | 56.6 | |
| 18/3/2019 11:43 | 57.6 | 58.6 | 56.6 | |
| 18/3/2019 11:48 | 57.8 | 58.8 | 56.6 | |
| 18/3/2019 11:53 | 57.6 | 58.4 | 56.7 | |
| 18/3/2019 11:58 | 57.6 | 58.5 | 56.5 | |
| 18/3/2019 12:03 | 58.0 | 59.3 | 56.5 | 57.7 |
| 18/3/2019 12:08 | 57.3 | 58.3 | 56.2 | |
| 18/3/2019 12:13 | 57.2 | 57.9 | 56.4 | |
| 18/3/2019 12:18 | 56.9 | 57.7 | 56.1 | |
| 18/3/2019 12:23 | 57.4 | 58.2 | 56.6 | |
| 18/3/2019 12:28 | 59.1 | 60.0 | 56.9 | |
| 18/3/2019 12:33 | 57.5 | 58.5 | 56.6 | |
| 18/3/2019 12:38 | 57.3 | 58.3 | 56.3 | 57.5 |
| 18/3/2019 12:43 | 56.6 | 57.3 | 55.9 | |
| 18/3/2019 12:48 | 58.4 | 61.0 | 56.1 | |
| 18/3/2019 12:53 | 57.2 | 58.2 | 56.0 | |
| 18/3/2019 12:58 | 57.9 | 59.6 | 56.2 | |
| 18/3/2019 13:03 | 59.9 | 61.5 | 57.3 | |
| 18/3/2019 13:08 | 59.2 | 60.9 | 57.5 | |
| 18/3/2019 13:13 | 62.2 | 65.0 | 58.1 | |
| 18/3/2019 13:18 | 64.3 | 68.0 | 57.3 | |
| 18/3/2019 13:22 | 66.0 | 70.0 | 57.1 | |
| 18/3/2019 13:27 | 62.4 | 65.1 | 57.8 | |
| 18/3/2019 13:32 | 64.2 | 66.9 | 60.3 | |
| 18/3/2019 13:37 | 64.7 | 69.2 | 57.9 | |
| 18/3/2019 13:42 | 62.0 | 65.7 | 57.6 | 62.2 |
| 18/3/2019 13:47 | 59.7 | 61.3 | 57.7 | |
| 18/3/2019 13:52 | 59.5 | 61.1 | 57.3 | |
| 18/3/2019 13:57 | 59.5 | 61.2 | 57.6 | |
| 18/3/2019 14:02 | 62.3 | 64.8 | 58.5 | |
| 18/3/2019 14:07 | 60.3 | 61.9 | 58.4 | |
| 18/3/2019 14:12 | 61.5 | 64.1 | 58.8 | |
| 18/3/2019 14:17 | 62.4 | 65.3 | 58.8 | |
| 18/3/2019 14:22 | 61.7 | 63.6 | 58.7 | |
| 18/3/2019 14:27 | 60.2 | 61.9 | 58.3 | |
| 18/3/2019 14:32 | 61.3 | 63.3 | 59.0 | |
| 18/3/2019 14:37 | 62.4 | 64.1 | 59.9 | |
| 18/3/2019 14:42 | 61.5 | 63.3 | 59.3 | 61.7 |
| 18/3/2019 14:47 | 62.8 | 65.1 | 58.7 | |
| 18/3/2019 14:52 | 60.9 | 63.8 | 58.1 | |
| 18/3/2019 14:57 | 60.7 | 63.0 | 57.7 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 18/3/2019 15:02 | 62.2 | 64.3 | 59.1 | 61.8 |
| 18/3/2019 15:07 | 62.3 | 63.5 | 60.3 | |
| 18/3/2019 15:12 | 62.1 | 63.6 | 60.5 | |
| 18/3/2019 15:17 | 62.7 | 64.9 | 60.0 | |
| 18/3/2019 15:22 | 60.8 | 62.5 | 58.5 | |
| 18/3/2019 15:27 | 59.9 | 61.4 | 58.1 | |
| 18/3/2019 15:32 | 61.3 | 64.0 | 58.4 | 60.5 |
| 18/3/2019 15:37 | 61.4 | 63.4 | 58.9 | |
| 18/3/2019 15:42 | 60.6 | 62.1 | 58.4 | |
| 18/3/2019 15:47 | 60.3 | 61.6 | 58.6 | |
| 18/3/2019 15:52 | 59.9 | 61.1 | 58.6 | |
| 18/3/2019 15:57 | 59.4 | 60.1 | 57.5 | |
| 18/3/2019 16:02 | 60.7 | 63.2 | 58.4 | 62.3 |
| 18/3/2019 16:07 | 59.6 | 61.1 | 57.8 | |
| 18/3/2019 16:12 | 63.2 | 65.7 | 59.5 | |
| 18/3/2019 16:17 | 63.1 | 65.6 | 59.8 | |
| 18/3/2019 16:22 | 62.3 | 64.3 | 60.1 | |
| 18/3/2019 16:27 | 63.4 | 67.0 | 58.9 | |
| 18/3/2019 16:32 | 66.9 | 69.9 | 60.1 | 63.3 |
| 18/3/2019 16:37 | 63.4 | 66.6 | 59.5 | |
| 18/3/2019 16:42 | 63.1 | 66.4 | 59.2 | |
| 18/3/2019 16:47 | 61.8 | 64.5 | 59.2 | |
| 18/3/2019 16:52 | 60.1 | 62.8 | 57.7 | |
| 18/3/2019 16:57 | 60.1 | 61.3 | 57.9 | |
| 18/3/2019 17:02 | 60.5 | 62.7 | 57.8 | 60.3 |
| 18/3/2019 17:07 | 60.3 | 62.8 | 57.5 | |
| 18/3/2019 17:12 | 59.5 | 60.9 | 57.7 | |
| 18/3/2019 17:17 | 60.2 | 62.8 | 57.6 | |
| 18/3/2019 17:22 | 61.4 | 64.2 | 57.9 | |
| 18/3/2019 17:27 | 59.6 | 61.6 | 57.3 | |
| 18/3/2019 17:32 | 59.4 | 62.6 | 56.9 | 59.2 |
| 18/3/2019 17:37 | 58.5 | 60.7 | 56.4 | |
| 18/3/2019 17:42 | 59.8 | 62.5 | 57.2 | |
| 18/3/2019 17:47 | 59.7 | 61.2 | 57.6 | |
| 18/3/2019 17:52 | 59.1 | 60.9 | 57.0 | |
| 18/3/2019 17:57 | 58.6 | 59.8 | 57.1 | |
| 18/3/2019 18:02 | 59.2 | 61.2 | 57.1 | 59.1 |
| 18/3/2019 18:07 | 59.6 | 61.2 | 57.6 | |
| 18/3/2019 18:12 | 59.8 | 62.4 | 57.2 | |
| 18/3/2019 18:17 | 57.8 | 58.7 | 56.7 | |
| 18/3/2019 18:22 | 59.8 | 62.7 | 56.1 | |
| 18/3/2019 18:27 | 57.9 | 59.5 | 56.3 | |
| 18/3/2019 18:32 | 57.7 | 58.6 | 55.6 | 56.6 |
| 18/3/2019 18:37 | 56.4 | 57.3 | 55.5 | |
| 18/3/2019 18:42 | 57.4 | 59.8 | 54.2 | |
| 18/3/2019 18:47 | 55.7 | 57.4 | 54.0 | |
| 18/3/2019 18:52 | 55.0 | 56.1 | 54.0 | |
| 18/3/2019 18:57 | 57.0 | 59.5 | 54.5 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/3/2019 7:02 | 55.8 | 56.6 | 54.9 | 58.9 |
| 19/3/2019 7:07 | 59.3 | 60.7 | 55.5 | |
| 19/3/2019 7:12 | 57.2 | 58.3 | 56.2 | |
| 19/3/2019 7:17 | 61.3 | 61.3 | 55.9 | |
| 19/3/2019 7:22 | 59.2 | 61.0 | 57.2 | |
| 19/3/2019 7:27 | 58.7 | 59.5 | 57.9 | |
| 19/3/2019 7:32 | 59.1 | 59.9 | 58.4 | 59.1 |
| 19/3/2019 7:37 | 59.1 | 59.8 | 58.4 | |
| 19/3/2019 7:42 | 59.7 | 60.5 | 59.0 | |
| 19/3/2019 7:47 | 59.7 | 60.8 | 58.9 | |
| 19/3/2019 7:52 | 58.3 | 59.2 | 57.6 | |
| 19/3/2019 7:57 | 58.7 | 59.8 | 57.2 | |
| 19/3/2019 8:02 | 57.5 | 58.4 | 56.6 | 57.8 |
| 19/3/2019 8:07 | 57.4 | 58.2 | 56.6 | |
| 19/3/2019 8:12 | 57.1 | 58.4 | 56.0 | |
| 19/3/2019 8:17 | 57.3 | 58.8 | 55.9 | |
| 19/3/2019 8:22 | 58.3 | 59.3 | 56.7 | |
| 19/3/2019 8:27 | 58.9 | 60.9 | 57.2 | |
| 19/3/2019 8:32 | 60.4 | 62.1 | 58.2 | 60.5 |
| 19/3/2019 8:37 | 60.8 | 62.8 | 58.1 | |
| 19/3/2019 8:42 | 59.7 | 62.0 | 57.5 | |
| 19/3/2019 8:47 | 61.5 | 63.5 | 58.0 | |
| 19/3/2019 8:52 | 59.7 | 60.9 | 57.3 | |
| 19/3/2019 8:57 | 60.6 | 62.4 | 58.1 | |
| 19/3/2019 9:02 | 60.7 | 62.9 | 57.8 | 59.1 |
| 19/3/2019 9:07 | 58.9 | 60.7 | 56.8 | |
| 19/3/2019 9:12 | 58.8 | 59.9 | 57.5 | |
| 19/3/2019 9:17 | 58.5 | 59.3 | 57.1 | |
| 19/3/2019 9:22 | 58.3 | 59.1 | 56.6 | |
| 19/3/2019 9:27 | 59.1 | 60.7 | 57.0 | |
| 19/3/2019 9:32 | 60.0 | 62.3 | 57.1 | 60.1 |
| 19/3/2019 9:37 | 62.2 | 64.2 | 59.5 | |
| 19/3/2019 9:42 | 59.3 | 61.4 | 57.5 | |
| 19/3/2019 9:47 | 58.7 | 59.9 | 57.2 | |
| 19/3/2019 9:52 | 60.7 | 60.1 | 57.3 | |
| 19/3/2019 9:57 | 58.6 | 59.7 | 57.5 | |
| 19/3/2019 10:02 | 59.7 | 62.0 | 56.5 | 61.2 |
| 19/3/2019 10:07 | 57.4 | 58.4 | 56.1 | |
| 19/3/2019 10:12 | 60.0 | 62.2 | 56.8 | |
| 19/3/2019 10:17 | 61.9 | 65.0 | 56.4 | |
| 19/3/2019 10:22 | 63.9 | 66.6 | 57.8 | |
| 19/3/2019 10:27 | 61.3 | 64.0 | 56.8 | |
| 19/3/2019 10:32 | 60.3 | 62.8 | 56.4 | 59.1 |
| 19/3/2019 10:37 | 58.9 | 61.3 | 56.0 | |
| 19/3/2019 10:42 | 60.6 | 63.9 | 57.0 | |
| 19/3/2019 10:47 | 58.0 | 59.1 | 56.6 | |
| 19/3/2019 10:52 | 58.4 | 60.0 | 56.5 | |
| 19/3/2019 10:57 | 57.3 | 58.4 | 56.2 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/3/2019 11:02 | 56.9 | 57.9 | 55.7 | 58.0 |
| 19/3/2019 11:07 | 57.6 | 59.0 | 56.0 | |
| 19/3/2019 11:12 | 57.8 | 59.6 | 55.8 | |
| 19/3/2019 11:17 | 60.1 | 60.3 | 55.4 | |
| 19/3/2019 11:22 | 57.2 | 58.9 | 55.4 | |
| 19/3/2019 11:27 | 57.6 | 59.8 | 55.0 | |
| 19/3/2019 11:32 | 55.9 | 56.8 | 55.0 | 56.5 |
| 19/3/2019 11:37 | 59.0 | 63.1 | 55.0 | |
| 19/3/2019 11:42 | 55.5 | 56.3 | 54.6 | |
| 19/3/2019 11:47 | 55.5 | 56.4 | 54.6 | |
| 19/3/2019 11:52 | 56.0 | 57.0 | 54.4 | |
| 19/3/2019 11:57 | 56.1 | 58.3 | 54.3 | |
| 19/3/2019 12:02 | 57.5 | 59.4 | 54.9 | 56.1 |
| 19/3/2019 12:07 | 55.1 | 55.8 | 54.3 | |
| 19/3/2019 12:12 | 55.2 | 56.3 | 54.2 | |
| 19/3/2019 12:17 | 55.3 | 56.2 | 54.5 | |
| 19/3/2019 12:22 | 55.7 | 56.5 | 54.9 | |
| 19/3/2019 12:27 | 57.3 | 58.8 | 55.9 | |
| 19/3/2019 12:32 | 56.8 | 57.8 | 55.7 | 56.8 |
| 19/3/2019 12:37 | 56.5 | 57.4 | 55.5 | |
| 19/3/2019 12:42 | 56.7 | 57.6 | 55.7 | |
| 19/3/2019 12:47 | 56.7 | 57.5 | 55.9 | |
| 19/3/2019 12:52 | 56.7 | 57.6 | 55.8 | |
| 19/3/2019 12:57 | 57.5 | 58.5 | 56.3 | |
| 19/3/2019 13:02 | 59.0 | 60.6 | 56.9 | 61.1 |
| 19/3/2019 13:07 | 60.7 | 62.4 | 57.8 | |
| 19/3/2019 13:12 | 61.7 | 64.1 | 58.4 | |
| 19/3/2019 13:17 | 60.1 | 61.6 | 58.5 | |
| 19/3/2019 13:22 | 61.3 | 63.2 | 58.8 | |
| 19/3/2019 13:27 | 62.7 | 65.4 | 59.2 | |
| 19/3/2019 13:32 | 63.0 | 65.7 | 59.0 | 64.0 |
| 19/3/2019 13:37 | 62.4 | 64.9 | 58.2 | |
| 19/3/2019 13:42 | 62.0 | 64.6 | 58.0 | |
| 19/3/2019 13:47 | 68.1 | 72.0 | 59.1 | |
| 19/3/2019 13:52 | 62.5 | 65.1 | 58.6 | |
| 19/3/2019 13:57 | 62.2 | 64.9 | 58.1 | |
| 19/3/2019 14:02 | 60.5 | 63.4 | 57.3 | 61.6 |
| 19/3/2019 14:07 | 62.4 | 65.6 | 58.8 | |
| 19/3/2019 14:12 | 61.7 | 64.8 | 58.2 | |
| 19/3/2019 14:17 | 62.4 | 64.9 | 58.8 | |
| 19/3/2019 14:22 | 62.1 | 64.9 | 58.4 | |
| 19/3/2019 14:27 | 60.3 | 61.6 | 58.8 | |
| 19/3/2019 14:32 | 60.3 | 61.6 | 58.9 | 62.2 |
| 19/3/2019 14:37 | 61.5 | 62.9 | 59.4 | |
| 19/3/2019 14:42 | 63.2 | 65.8 | 59.6 | |
| 19/3/2019 14:47 | 62.6 | 65.3 | 59.2 | |
| 19/3/2019 14:52 | 63.9 | 64.8 | 58.4 | |
| 19/3/2019 14:57 | 60.4 | 62.6 | 58.2 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 19/3/2019 15:02 | 60.5 | 62.2 | 57.8 | 61.1 |
| 19/3/2019 15:07 | 61.2 | 63.2 | 58.6 | |
| 19/3/2019 15:12 | 59.9 | 61.7 | 58.0 | |
| 19/3/2019 15:17 | 60.2 | 61.9 | 58.4 | |
| 19/3/2019 15:22 | 62.3 | 64.5 | 59.1 | |
| 19/3/2019 15:27 | 62.1 | 63.9 | 58.6 | |
| 19/3/2019 15:32 | 63.3 | 65.8 | 59.3 | 62.4 |
| 19/3/2019 15:37 | 61.5 | 64.0 | 57.9 | |
| 19/3/2019 15:42 | 62.8 | 65.6 | 58.5 | |
| 19/3/2019 15:47 | 63.6 | 65.8 | 58.6 | |
| 19/3/2019 15:52 | 61.0 | 62.8 | 58.6 | |
| 19/3/2019 15:57 | 61.2 | 63.7 | 58.0 | |
| 19/3/2019 16:02 | 63.8 | 65.7 | 58.2 | 62.4 |
| 19/3/2019 16:07 | 61.6 | 63.5 | 58.7 | |
| 19/3/2019 16:12 | 62.8 | 64.8 | 59.6 | |
| 19/3/2019 16:17 | 61.7 | 63.8 | 59.2 | |
| 19/3/2019 16:22 | 61.6 | 63.5 | 59.0 | |
| 19/3/2019 16:27 | 62.4 | 64.6 | 59.7 | |
| 19/3/2019 16:32 | 62.0 | 63.7 | 59.9 | 63.0 |
| 19/3/2019 16:37 | 61.2 | 62.9 | 59.2 | |
| 19/3/2019 16:42 | 61.9 | 64.0 | 59.1 | |
| 19/3/2019 16:47 | 62.1 | 64.2 | 59.4 | |
| 19/3/2019 16:52 | 64.5 | 67.7 | 59.8 | |
| 19/3/2019 16:57 | 65.0 | 68.2 | 59.8 | |
| 19/3/2019 17:02 | 63.0 | 64.4 | 59.3 | 60.6 |
| 19/3/2019 17:07 | 61.9 | 63.3 | 58.3 | |
| 19/3/2019 17:12 | 60.1 | 62.4 | 57.6 | |
| 19/3/2019 17:17 | 59.2 | 61.4 | 57.2 | |
| 19/3/2019 17:22 | 58.3 | 59.2 | 57.0 | |
| 19/3/2019 17:27 | 58.7 | 59.4 | 57.0 | |
| 19/3/2019 17:32 | 59.5 | 62.0 | 57.5 | 65.5 |
| 19/3/2019 17:37 | 62.8 | 65.3 | 57.9 | |
| 19/3/2019 17:42 | 61.3 | 64.2 | 57.5 | |
| 19/3/2019 17:47 | 67.1 | 70.3 | 58.3 | |
| 19/3/2019 17:52 | 70.1 | 73.5 | 64.4 | |
| 19/3/2019 17:57 | 62.4 | 66.0 | 57.6 | |
| 19/3/2019 18:02 | 62.5 | 65.3 | 58.0 | 59.6 |
| 19/3/2019 18:07 | 61.1 | 64.2 | 57.2 | |
| 19/3/2019 18:12 | 58.4 | 59.7 | 56.8 | |
| 19/3/2019 18:17 | 57.8 | 59.1 | 56.5 | |
| 19/3/2019 18:22 | 57.8 | 58.8 | 56.5 | |
| 19/3/2019 18:27 | 57.2 | 58.2 | 56.0 | |
| 19/3/2019 18:32 | 56.7 | 58.1 | 55.3 | 56.1 |
| 19/3/2019 18:37 | 57.4 | 59.1 | 55.3 | |
| 19/3/2019 18:42 | 55.8 | 57.4 | 54.1 | |
| 19/3/2019 18:47 | 55.0 | 56.2 | 53.9 | |
| 19/3/2019 18:52 | 55.9 | 57.3 | 54.1 | |
| 19/3/2019 18:57 | 55.1 | 56.0 | 53.8 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/3/2019 7:02 | 54.1 | 55.0 | 53.1 | 56.4 |
| 20/3/2019 7:07 | 55.2 | 56.6 | 53.8 | |
| 20/3/2019 7:12 | 56.6 | 58.1 | 54.8 | |
| 20/3/2019 7:17 | 57.5 | 59.4 | 55.0 | |
| 20/3/2019 7:22 | 57.8 | 59.6 | 55.0 | |
| 20/3/2019 7:27 | 56.1 | 56.8 | 54.9 | |
| 20/3/2019 7:32 | 57.7 | 60.0 | 55.1 | 57.9 |
| 20/3/2019 7:37 | 57.8 | 59.6 | 56.1 | |
| 20/3/2019 7:42 | 58.1 | 59.9 | 56.1 | |
| 20/3/2019 7:47 | 58.3 | 60.3 | 56.0 | |
| 20/3/2019 7:52 | 57.8 | 58.9 | 56.4 | |
| 20/3/2019 7:57 | 57.5 | 58.8 | 56.3 | |
| 20/3/2019 8:02 | 57.7 | 58.5 | 56.8 | 59.2 |
| 20/3/2019 8:07 | 58.4 | 59.8 | 56.9 | |
| 20/3/2019 8:12 | 59.0 | 60.9 | 57.2 | |
| 20/3/2019 8:17 | 59.8 | 61.0 | 58.4 | |
| 20/3/2019 8:22 | 59.8 | 61.1 | 58.2 | |
| 20/3/2019 8:27 | 59.9 | 61.1 | 58.3 | |
| 20/3/2019 8:32 | 60.3 | 61.8 | 58.8 | 60.9 |
| 20/3/2019 8:37 | 60.3 | 60.9 | 58.5 | |
| 20/3/2019 8:42 | 59.4 | 60.4 | 58.0 | |
| 20/3/2019 8:47 | 62.7 | 64.7 | 59.9 | |
| 20/3/2019 8:52 | 60.7 | 62.2 | 59.1 | |
| 20/3/2019 8:57 | 61.2 | 63.3 | 59.2 | |
| 20/3/2019 9:02 | 62.1 | 64.3 | 59.7 | 63.5 |
| 20/3/2019 9:07 | 61.8 | 63.7 | 59.6 | |
| 20/3/2019 9:12 | 63.6 | 66.1 | 59.8 | |
| 20/3/2019 9:17 | 62.0 | 63.6 | 59.9 | |
| 20/3/2019 9:22 | 64.1 | 66.5 | 58.9 | |
| 20/3/2019 9:27 | 65.9 | 69.6 | 59.4 | |
| 20/3/2019 9:32 | 61.5 | 63.2 | 59.7 | 69.7 |
| 20/3/2019 9:37 | 67.2 | 70.8 | 60.3 | |
| 20/3/2019 9:42 | 75.4 | 77.8 | 59.4 | |
| 20/3/2019 9:47 | 71.0 | 75.0 | 63.2 | |
| 20/3/2019 9:52 | 60.3 | 62.0 | 58.4 | |
| 20/3/2019 9:57 | 60.2 | 61.7 | 58.7 | |
| 20/3/2019 10:02 | 62.1 | 63.9 | 59.5 | 66.1 |
| 20/3/2019 10:07 | 60.6 | 62.2 | 58.9 | |
| 20/3/2019 10:12 | 67.1 | 69.5 | 62.8 | |
| 20/3/2019 10:17 | 69.1 | 73.5 | 60.2 | |
| 20/3/2019 10:22 | 68.7 | 71.4 | 60.4 | |
| 20/3/2019 10:27 | 60.6 | 62.1 | 59.0 | |
| 20/3/2019 10:32 | 61.7 | 63.5 | 59.8 | 61.0 |
| 20/3/2019 10:37 | 60.8 | 62.4 | 59.1 | |
| 20/3/2019 10:42 | 60.2 | 61.3 | 58.5 | |
| 20/3/2019 10:47 | 62.0 | 64.3 | 59.2 | |
| 20/3/2019 10:52 | 60.7 | 62.5 | 58.7 | |
| 20/3/2019 10:57 | 60.6 | 61.9 | 58.6 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/3/2019 11:02 | 60.6 | 62.3 | 58.3 | 61.4 |
| 20/3/2019 11:07 | 64.2 | 67.1 | 58.8 | |
| 20/3/2019 11:12 | 62.6 | 64.4 | 60.0 | |
| 20/3/2019 11:17 | 60.3 | 63.1 | 57.8 | |
| 20/3/2019 11:22 | 59.4 | 60.8 | 57.9 | |
| 20/3/2019 11:27 | 58.9 | 60.3 | 57.2 | |
| 20/3/2019 11:32 | 57.5 | 58.3 | 56.4 | 58.4 |
| 20/3/2019 11:37 | 57.5 | 58.4 | 56.4 | |
| 20/3/2019 11:42 | 57.3 | 58.3 | 56.3 | |
| 20/3/2019 11:47 | 58.3 | 60.1 | 56.3 | |
| 20/3/2019 11:52 | 58.4 | 60.2 | 56.6 | |
| 20/3/2019 11:57 | 60.5 | 61.6 | 59.6 | |
| 20/3/2019 12:02 | 60.2 | 61.6 | 55.5 | 57.9 |
| 20/3/2019 12:07 | 56.4 | 57.5 | 55.4 | |
| 20/3/2019 12:12 | 57.2 | 58.4 | 55.6 | |
| 20/3/2019 12:17 | 56.9 | 57.7 | 55.8 | |
| 20/3/2019 12:22 | 58.5 | 61.0 | 55.9 | |
| 20/3/2019 12:27 | 56.9 | 57.8 | 55.9 | |
| 20/3/2019 12:32 | 58.0 | 60.4 | 55.5 | 59.3 |
| 20/3/2019 12:37 | 57.6 | 60.0 | 55.6 | |
| 20/3/2019 12:42 | 63.5 | 65.3 | 55.9 | |
| 20/3/2019 12:47 | 56.6 | 57.5 | 55.6 | |
| 20/3/2019 12:52 | 57.8 | 59.7 | 56.0 | |
| 20/3/2019 12:57 | 57.4 | 58.3 | 56.4 | |
| 20/3/2019 13:02 | 58.0 | 59.1 | 56.8 | 64.2 |
| 20/3/2019 13:07 | 59.5 | 60.2 | 57.3 | |
| 20/3/2019 13:12 | 65.0 | 67.1 | 62.3 | |
| 20/3/2019 13:17 | 65.7 | 67.9 | 63.3 | |
| 20/3/2019 13:22 | 65.5 | 68.0 | 60.8 | |
| 20/3/2019 13:27 | 65.9 | 69.6 | 59.8 | |
| 20/3/2019 13:32 | 61.6 | 63.2 | 58.7 | 60.8 |
| 20/3/2019 13:37 | 61.2 | 63.2 | 58.4 | |
| 20/3/2019 13:42 | 59.8 | 61.4 | 58.0 | |
| 20/3/2019 13:47 | 61.2 | 63.4 | 58.0 | |
| 20/3/2019 13:52 | 60.7 | 62.5 | 58.2 | |
| 20/3/2019 13:57 | 60.0 | 61.1 | 58.4 | |
| 20/3/2019 14:02 | 59.8 | 61.6 | 57.7 | 61.5 |
| 20/3/2019 14:07 | 60.9 | 63.1 | 58.2 | |
| 20/3/2019 14:12 | 61.1 | 63.3 | 58.3 | |
| 20/3/2019 14:17 | 64.0 | 65.2 | 58.4 | |
| 20/3/2019 14:22 | 61.2 | 63.5 | 58.3 | |
| 20/3/2019 14:27 | 60.9 | 63.0 | 57.9 | |
| 20/3/2019 14:32 | 63.9 | 65.6 | 59.8 | 61.5 |
| 20/3/2019 14:37 | 61.9 | 63.8 | 59.5 | |
| 20/3/2019 14:42 | 60.8 | 63.0 | 58.7 | |
| 20/3/2019 14:47 | 60.9 | 63.0 | 58.5 | |
| 20/3/2019 14:52 | 60.9 | 63.3 | 58.3 | |
| 20/3/2019 14:57 | 58.9 | 60.3 | 57.4 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 20/3/2019 15:02 | 59.7 | 61.1 | 58.1 | 64.9 |
| 20/3/2019 15:07 | 63.3 | 64.5 | 59.4 | |
| 20/3/2019 15:12 | 60.2 | 61.4 | 59.1 | |
| 20/3/2019 15:17 | 61.4 | 62.5 | 58.9 | |
| 20/3/2019 15:22 | 61.0 | 62.8 | 58.6 | |
| 20/3/2019 15:27 | 70.7 | 74.6 | 61.9 | |
| 20/3/2019 15:32 | 66.1 | 68.7 | 62.3 | 65.3 |
| 20/3/2019 15:37 | 62.6 | 64.1 | 60.5 | |
| 20/3/2019 15:42 | 63.1 | 64.2 | 60.1 | |
| 20/3/2019 15:47 | 61.1 | 62.1 | 60.0 | |
| 20/3/2019 15:52 | 66.9 | 64.0 | 60.1 | |
| 20/3/2019 15:57 | 68.0 | 68.2 | 59.3 | |
| 20/3/2019 16:02 | 63.5 | 66.3 | 59.6 | 66.0 |
| 20/3/2019 16:07 | 66.2 | 68.8 | 63.0 | |
| 20/3/2019 16:12 | 66.4 | 68.7 | 63.4 | |
| 20/3/2019 16:17 | 67.1 | 69.7 | 63.2 | |
| 20/3/2019 16:22 | 68.1 | 71.5 | 60.0 | |
| 20/3/2019 16:27 | 62.0 | 64.4 | 59.2 | |
| 20/3/2019 16:32 | 61.2 | 63.0 | 58.8 | 60.9 |
| 20/3/2019 16:37 | 61.3 | 63.3 | 58.3 | |
| 20/3/2019 16:42 | 60.9 | 63.1 | 58.6 | |
| 20/3/2019 16:47 | 60.0 | 61.3 | 58.2 | |
| 20/3/2019 16:52 | 61.3 | 62.8 | 59.4 | |
| 20/3/2019 16:57 | 60.6 | 62.1 | 58.8 | |
| 20/3/2019 17:02 | 64.9 | 68.7 | 59.6 | 61.6 |
| 20/3/2019 17:07 | 63.8 | 68.6 | 57.4 | |
| 20/3/2019 17:12 | 59.0 | 60.3 | 57.6 | |
| 20/3/2019 17:17 | 59.2 | 61.2 | 57.4 | |
| 20/3/2019 17:22 | 58.4 | 59.2 | 57.5 | |
| 20/3/2019 17:27 | 59.2 | 59.9 | 57.7 | |
| 20/3/2019 17:32 | 60.1 | 62.2 | 57.9 | 59.4 |
| 20/3/2019 17:37 | 60.5 | 63.4 | 57.3 | |
| 20/3/2019 17:42 | 59.9 | 63.4 | 57.0 | |
| 20/3/2019 17:47 | 58.8 | 60.5 | 57.0 | |
| 20/3/2019 17:52 | 58.6 | 60.2 | 56.9 | |
| 20/3/2019 17:57 | 58.2 | 59.3 | 57.1 | |
| 20/3/2019 18:02 | 58.3 | 59.3 | 56.9 | 57.9 |
| 20/3/2019 18:07 | 58.7 | 59.8 | 56.6 | |
| 20/3/2019 18:12 | 57.2 | 58.2 | 56.3 | |
| 20/3/2019 18:17 | 57.1 | 58.0 | 56.1 | |
| 20/3/2019 18:22 | 58.2 | 60.2 | 56.2 | |
| 20/3/2019 18:27 | 57.7 | 59.1 | 56.3 | |
| 20/3/2019 18:32 | 56.5 | 57.6 | 55.4 | 56.3 |
| 20/3/2019 18:37 | 56.5 | 57.7 | 55.0 | |
| 20/3/2019 18:42 | 56.1 | 57.7 | 54.6 | |
| 20/3/2019 18:47 | 56.6 | 58.1 | 54.9 | |
| 20/3/2019 18:52 | 55.0 | 56.0 | 54.0 | |
| 20/3/2019 18:57 | 56.9 | 59.1 | 54.4 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/3/2019 7:02 | 55.5 | 56.8 | 54.2 | 56.2 |
| 21/3/2019 7:07 | 54.9 | 55.8 | 54.1 | |
| 21/3/2019 7:12 | 55.4 | 56.3 | 54.5 | |
| 21/3/2019 7:17 | 57.1 | 58.5 | 55.7 | |
| 21/3/2019 7:22 | 57.2 | 58.1 | 56.4 | |
| 21/3/2019 7:27 | 56.6 | 57.2 | 56.0 | |
| 21/3/2019 7:32 | 56.7 | 57.4 | 56.0 | 58.0 |
| 21/3/2019 7:37 | 58.5 | 60.2 | 57.1 | |
| 21/3/2019 7:42 | 57.3 | 57.9 | 56.6 | |
| 21/3/2019 7:47 | 57.7 | 59.5 | 56.3 | |
| 21/3/2019 7:52 | 59.1 | 61.7 | 56.2 | |
| 21/3/2019 7:57 | 58.2 | 60.6 | 56.0 | |
| 21/3/2019 8:02 | 57.5 | 58.2 | 56.5 | 57.9 |
| 21/3/2019 8:07 | 57.4 | 58.6 | 56.4 | |
| 21/3/2019 8:12 | 57.7 | 58.5 | 56.7 | |
| 21/3/2019 8:17 | 57.8 | 59.0 | 56.7 | |
| 21/3/2019 8:22 | 58.1 | 59.8 | 56.3 | |
| 21/3/2019 8:27 | 58.9 | 60.2 | 57.0 | |
| 21/3/2019 8:32 | 60.3 | 63.1 | 57.3 | 62.8 |
| 21/3/2019 8:37 | 63.6 | 66.2 | 58.3 | |
| 21/3/2019 8:42 | 62.4 | 64.9 | 59.0 | |
| 21/3/2019 8:47 | 66.1 | 69.0 | 60.2 | |
| 21/3/2019 8:52 | 60.7 | 63.0 | 58.1 | |
| 21/3/2019 8:57 | 60.6 | 62.5 | 58.1 | |
| 21/3/2019 9:02 | 60.9 | 62.0 | 58.4 | 62.1 |
| 21/3/2019 9:07 | 64.6 | 68.0 | 58.6 | |
| 21/3/2019 9:12 | 59.2 | 60.5 | 57.6 | |
| 21/3/2019 9:17 | 61.0 | 64.2 | 57.8 | |
| 21/3/2019 9:22 | 60.3 | 62.1 | 57.8 | |
| 21/3/2019 9:27 | 63.7 | 67.0 | 58.6 | |
| 21/3/2019 9:32 | 62.5 | 65.1 | 58.7 | 62.5 |
| 21/3/2019 9:37 | 63.7 | 67.1 | 59.6 | |
| 21/3/2019 9:42 | 61.2 | 62.7 | 59.4 | |
| 21/3/2019 9:47 | 63.9 | 66.1 | 60.8 | |
| 21/3/2019 9:52 | 62.2 | 64.2 | 59.4 | |
| 21/3/2019 9:57 | 60.9 | 62.4 | 58.7 | |
| 21/3/2019 10:02 | 61.1 | 63.0 | 58.6 | 62.1 |
| 21/3/2019 10:07 | 63.3 | 65.2 | 60.1 | |
| 21/3/2019 10:12 | 62.4 | 63.4 | 58.3 | |
| 21/3/2019 10:17 | 62.5 | 63.6 | 59.7 | |
| 21/3/2019 10:22 | 59.1 | 60.4 | 57.8 | |
| 21/3/2019 10:27 | 62.8 | 64.4 | 57.4 | |
| 21/3/2019 10:32 | 61.1 | 62.5 | 57.8 | 60.2 |
| 21/3/2019 10:37 | 60.1 | 61.7 | 58.1 | |
| 21/3/2019 10:42 | 61.2 | 64.0 | 57.6 | |
| 21/3/2019 10:47 | 59.6 | 61.0 | 57.4 | |
| 21/3/2019 10:52 | 59.1 | 61.1 | 57.0 | |
| 21/3/2019 10:57 | 59.9 | 61.6 | 57.6 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/3/2019 11:02 | 62.5 | 62.3 | 57.9 | 63.2 |
| 21/3/2019 11:07 | 60.9 | 62.8 | 58.3 | |
| 21/3/2019 11:12 | 67.1 | 70.3 | 59.4 | |
| 21/3/2019 11:17 | 62.9 | 66.1 | 58.1 | |
| 21/3/2019 11:22 | 61.4 | 64.2 | 57.5 | |
| 21/3/2019 11:27 | 59.7 | 62.4 | 57.0 | |
| 21/3/2019 11:32 | 58.9 | 60.2 | 57.0 | 61.4 |
| 21/3/2019 11:37 | 61.4 | 63.4 | 58.5 | |
| 21/3/2019 11:42 | 61.5 | 62.3 | 60.7 | |
| 21/3/2019 11:47 | 63.2 | 64.2 | 61.1 | |
| 21/3/2019 11:52 | 61.1 | 62.2 | 60.0 | |
| 21/3/2019 11:57 | 61.1 | 62.1 | 59.9 | |
| 21/3/2019 12:02 | 62.2 | 64.5 | 60.1 | 62.4 |
| 21/3/2019 12:07 | 62.4 | 64.7 | 60.0 | |
| 21/3/2019 12:12 | 62.1 | 64.8 | 60.6 | |
| 21/3/2019 12:17 | 61.4 | 62.0 | 60.5 | |
| 21/3/2019 12:22 | 63.1 | 64.8 | 60.4 | |
| 21/3/2019 12:27 | 62.8 | 65.1 | 60.4 | |
| 21/3/2019 12:32 | 63.9 | 64.9 | 60.6 | 59.9 |
| 21/3/2019 12:37 | 60.0 | 64.2 | 55.9 | |
| 21/3/2019 12:42 | 57.4 | 58.4 | 55.9 | |
| 21/3/2019 12:47 | 58.1 | 59.3 | 56.3 | |
| 21/3/2019 12:52 | 57.8 | 58.7 | 56.9 | |
| 21/3/2019 12:57 | 57.7 | 58.6 | 56.6 | |
| 21/3/2019 13:02 | 59.4 | 60.8 | 56.8 | 62.1 |
| 21/3/2019 13:07 | 60.8 | 62.5 | 58.3 | |
| 21/3/2019 13:12 | 60.4 | 62.1 | 58.1 | |
| 21/3/2019 13:17 | 60.9 | 63.1 | 58.6 | |
| 21/3/2019 13:22 | 65.0 | 69.4 | 59.1 | |
| 21/3/2019 13:27 | 63.4 | 65.7 | 60.3 | |
| 21/3/2019 13:32 | 62.8 | 64.7 | 60.4 | 63.1 |
| 21/3/2019 13:37 | 62.1 | 64.0 | 59.2 | |
| 21/3/2019 13:42 | 63.6 | 65.6 | 60.9 | |
| 21/3/2019 13:47 | 63.1 | 64.7 | 61.1 | |
| 21/3/2019 13:52 | 63.7 | 64.6 | 61.0 | |
| 21/3/2019 13:57 | 63.3 | 64.4 | 61.1 | |
| 21/3/2019 14:02 | 63.3 | 65.2 | 61.1 | 65.1 |
| 21/3/2019 14:07 | 64.4 | 66.8 | 61.5 | |
| 21/3/2019 14:12 | 64.0 | 66.0 | 61.3 | |
| 21/3/2019 14:17 | 68.0 | 70.1 | 63.5 | |
| 21/3/2019 14:22 | 66.1 | 69.6 | 61.5 | |
| 21/3/2019 14:27 | 62.6 | 64.0 | 59.7 | |
| 21/3/2019 14:32 | 62.0 | 64.0 | 58.5 | 60.8 |
| 21/3/2019 14:37 | 60.5 | 61.8 | 58.9 | |
| 21/3/2019 14:42 | 60.7 | 62.1 | 58.6 | |
| 21/3/2019 14:47 | 60.6 | 62.6 | 58.6 | |
| 21/3/2019 14:52 | 60.1 | 62.1 | 58.2 | |
| 21/3/2019 14:57 | 60.6 | 62.0 | 58.9 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 21/3/2019 15:02 | 60.9 | 62.4 | 58.8 | 61.2 |
| 21/3/2019 15:07 | 60.0 | 61.3 | 58.5 | |
| 21/3/2019 15:12 | 60.1 | 62.0 | 58.2 | |
| 21/3/2019 15:17 | 61.9 | 63.7 | 59.6 | |
| 21/3/2019 15:22 | 62.4 | 64.1 | 60.7 | |
| 21/3/2019 15:27 | 61.4 | 63.0 | 59.0 | |
| 21/3/2019 15:32 | 61.7 | 63.5 | 59.8 | 61.7 |
| 21/3/2019 15:37 | 61.0 | 62.7 | 58.8 | |
| 21/3/2019 15:42 | 60.0 | 61.6 | 58.3 | |
| 21/3/2019 15:47 | 64.8 | 68.4 | 57.9 | |
| 21/3/2019 15:52 | 60.4 | 61.9 | 58.3 | |
| 21/3/2019 15:57 | 60.1 | 61.5 | 58.7 | |
| 21/3/2019 16:02 | 63.5 | 65.6 | 58.6 | 63.6 |
| 21/3/2019 16:07 | 59.9 | 61.5 | 58.1 | |
| 21/3/2019 16:12 | 61.6 | 63.8 | 59.0 | |
| 21/3/2019 16:17 | 62.7 | 64.4 | 60.6 | |
| 21/3/2019 16:22 | 64.2 | 68.4 | 59.0 | |
| 21/3/2019 16:27 | 66.7 | 69.7 | 59.5 | |
| 21/3/2019 16:32 | 63.7 | 66.4 | 58.4 | 63.1 |
| 21/3/2019 16:37 | 61.0 | 62.7 | 59.2 | |
| 21/3/2019 16:42 | 61.8 | 64.0 | 59.2 | |
| 21/3/2019 16:47 | 61.4 | 63.2 | 59.4 | |
| 21/3/2019 16:52 | 62.8 | 66.3 | 58.8 | |
| 21/3/2019 16:57 | 65.9 | 68.4 | 62.3 | |
| 21/3/2019 17:02 | 64.8 | 66.4 | 62.8 | 64.6 |
| 21/3/2019 17:07 | 65.5 | 68.1 | 60.3 | |
| 21/3/2019 17:12 | 64.5 | 66.9 | 61.8 | |
| 21/3/2019 17:17 | 63.2 | 65.3 | 60.0 | |
| 21/3/2019 17:22 | 61.4 | 63.7 | 59.1 | |
| 21/3/2019 17:27 | 66.5 | 69.2 | 62.7 | |
| 21/3/2019 17:32 | 63.7 | 65.7 | 60.0 | 63.6 |
| 21/3/2019 17:37 | 63.8 | 65.7 | 60.7 | |
| 21/3/2019 17:42 | 63.2 | 65.4 | 57.5 | |
| 21/3/2019 17:47 | 64.7 | 70.3 | 57.1 | |
| 21/3/2019 17:52 | 61.7 | 65.1 | 57.2 | |
| 21/3/2019 17:57 | 64.2 | 66.5 | 61.3 | |
| 21/3/2019 18:02 | 66.1 | 71.1 | 56.9 | 60.9 |
| 21/3/2019 18:07 | 60.5 | 63.4 | 56.4 | |
| 21/3/2019 18:12 | 58.7 | 61.8 | 55.7 | |
| 21/3/2019 18:17 | 58.2 | 60.2 | 55.8 | |
| 21/3/2019 18:22 | 56.6 | 58.3 | 54.3 | |
| 21/3/2019 18:27 | 54.8 | 55.8 | 53.3 | |
| 21/3/2019 18:32 | 54.3 | 55.0 | 53.6 | 54.6 |
| 21/3/2019 18:37 | 55.2 | 56.6 | 53.8 | |
| 21/3/2019 18:42 | 54.3 | 55.4 | 52.9 | |
| 21/3/2019 18:47 | 54.7 | 56.6 | 52.8 | |
| 21/3/2019 18:52 | 54.0 | 55.1 | 52.7 | |
| 21/3/2019 18:57 | 54.7 | 56.2 | 53.1 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/3/2019 7:02 | 53.4 | 54.5 | 52.5 | 56.0 |
| 22/3/2019 7:07 | 56.3 | 57.8 | 53.0 | |
| 22/3/2019 7:12 | 56.3 | 58.4 | 53.7 | |
| 22/3/2019 7:17 | 54.2 | 55.3 | 53.0 | |
| 22/3/2019 7:22 | 56.1 | 56.3 | 54.2 | |
| 22/3/2019 7:27 | 58.1 | 61.3 | 55.5 | 56.7 |
| 22/3/2019 7:32 | 56.1 | 57.0 | 55.0 | |
| 22/3/2019 7:37 | 57.1 | 58.8 | 55.4 | |
| 22/3/2019 7:42 | 56.0 | 56.6 | 55.3 | |
| 22/3/2019 7:47 | 57.6 | 59.1 | 55.4 | |
| 22/3/2019 7:52 | 56.9 | 58.6 | 55.2 | |
| 22/3/2019 7:57 | 56.3 | 57.1 | 55.2 | 58.9 |
| 22/3/2019 8:02 | 58.4 | 59.8 | 56.8 | |
| 22/3/2019 8:07 | 61.1 | 64.0 | 56.1 | |
| 22/3/2019 8:12 | 59.6 | 63.0 | 56.4 | |
| 22/3/2019 8:17 | 57.7 | 58.8 | 56.6 | |
| 22/3/2019 8:22 | 57.8 | 58.7 | 56.7 | |
| 22/3/2019 8:27 | 57.6 | 58.5 | 56.7 | |
| 22/3/2019 8:32 | 59.7 | 60.9 | 58.3 | 60.8 |
| 22/3/2019 8:37 | 61.7 | 64.0 | 58.9 | |
| 22/3/2019 8:42 | 61.2 | 63.2 | 57.8 | |
| 22/3/2019 8:47 | 60.0 | 62.1 | 57.3 | |
| 22/3/2019 8:52 | 61.1 | 63.3 | 57.6 | |
| 22/3/2019 8:57 | 60.8 | 62.0 | 59.6 | |
| 22/3/2019 9:03 | 66.7 | 68.7 | 62.9 | |
| 22/3/2019 9:08 | 67.5 | 68.5 | 65.7 | |
| 22/3/2019 9:13 | 64.0 | 66.0 | 60.6 | |
| 22/3/2019 9:18 | 66.1 | 69.1 | 61.2 | |
| 22/3/2019 9:23 | 72.4 | 73.3 | 71.7 | |
| 22/3/2019 9:28 | 70.7 | 72.5 | 60.0 | |
| 22/3/2019 9:33 | 59.8 | 61.1 | 57.9 | 66.3 |
| 22/3/2019 9:38 | 64.2 | 66.2 | 61.2 | |
| 22/3/2019 9:43 | 63.5 | 65.9 | 58.9 | |
| 22/3/2019 9:48 | 66.3 | 67.9 | 62.9 | |
| 22/3/2019 9:53 | 66.3 | 69.0 | 60.2 | |
| 22/3/2019 9:58 | 70.5 | 72.7 | 61.8 | |
| 22/3/2019 10:03 | 66.0 | 66.4 | 57.9 | |
| 22/3/2019 10:08 | 61.2 | 64.1 | 57.4 | |
| 22/3/2019 10:13 | 59.6 | 61.7 | 57.2 | |
| 22/3/2019 10:18 | 67.4 | 71.8 | 58.2 | |
| 22/3/2019 10:23 | 67.4 | 68.9 | 59.0 | |
| 22/3/2019 10:28 | 60.8 | 62.5 | 58.4 | |
| 22/3/2019 10:33 | 59.7 | 61.3 | 57.7 | 64.6 |
| 22/3/2019 10:38 | 60.4 | 61.3 | 57.7 | |
| 22/3/2019 10:43 | 59.7 | 60.9 | 57.9 | |
| 22/3/2019 10:48 | 69.4 | 73.3 | 61.1 | |
| 22/3/2019 10:53 | 61.8 | 64.0 | 59.0 | |
| 22/3/2019 10:58 | 66.2 | 69.5 | 59.2 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/3/2019 11:03 | 63.1 | 65.7 | 59.0 | 63.4 |
| 22/3/2019 11:08 | 63.2 | 65.0 | 60.1 | |
| 22/3/2019 11:13 | 63.0 | 64.8 | 61.0 | |
| 22/3/2019 11:18 | 63.1 | 64.5 | 60.2 | |
| 22/3/2019 11:23 | 60.3 | 61.6 | 58.8 | |
| 22/3/2019 11:28 | 66.0 | 67.6 | 58.9 | 59.3 |
| 22/3/2019 11:33 | 59.6 | 61.3 | 57.2 | |
| 22/3/2019 11:38 | 60.5 | 63.5 | 56.7 | |
| 22/3/2019 11:43 | 60.6 | 61.4 | 56.4 | |
| 22/3/2019 11:48 | 59.2 | 60.5 | 56.7 | |
| 22/3/2019 11:53 | 57.4 | 58.0 | 56.3 | |
| 22/3/2019 11:58 | 57.0 | 57.7 | 56.4 | 58.5 |
| 22/3/2019 12:03 | 59.9 | 62.2 | 56.9 | |
| 22/3/2019 12:08 | 60.8 | 62.3 | 57.2 | |
| 22/3/2019 12:13 | 57.9 | 59.2 | 56.3 | |
| 22/3/2019 12:18 | 56.8 | 57.6 | 56.1 | |
| 22/3/2019 12:23 | 56.7 | 57.4 | 56.1 | |
| 22/3/2019 12:28 | 57.0 | 57.6 | 56.4 | 59.8 |
| 22/3/2019 12:33 | 57.3 | 58.1 | 56.5 | |
| 22/3/2019 12:38 | 57.2 | 58.0 | 56.4 | |
| 22/3/2019 12:43 | 63.2 | 65.5 | 56.9 | |
| 22/3/2019 12:48 | 58.8 | 59.4 | 57.9 | |
| 22/3/2019 12:53 | 59.1 | 60.4 | 57.7 | |
| 22/3/2019 12:58 | 60.1 | 61.6 | 58.4 | 69.0 |
| 22/3/2019 13:03 | 66.8 | 68.3 | 63.1 | |
| 22/3/2019 13:08 | 68.0 | 69.4 | 66.9 | |
| 22/3/2019 13:13 | 66.1 | 68.8 | 61.0 | |
| 22/3/2019 13:18 | 72.5 | 76.2 | 65.5 | |
| 22/3/2019 13:23 | 69.1 | 70.9 | 66.9 | |
| 22/3/2019 13:28 | 68.4 | 69.3 | 67.4 | 69.7 |
| 22/3/2019 13:33 | 68.7 | 70.1 | 67.1 | |
| 22/3/2019 13:38 | 67.4 | 68.0 | 66.0 | |
| 22/3/2019 13:43 | 67.9 | 68.7 | 66.9 | |
| 22/3/2019 13:48 | 68.0 | 69.2 | 66.8 | |
| 22/3/2019 13:53 | 71.2 | 75.5 | 67.0 | |
| 22/3/2019 13:58 | 72.5 | 76.1 | 67.2 | 69.4 |
| 22/3/2019 14:03 | 68.6 | 69.8 | 67.2 | |
| 22/3/2019 14:08 | 67.7 | 68.5 | 66.8 | |
| 22/3/2019 14:13 | 67.3 | 68.7 | 66.1 | |
| 22/3/2019 14:18 | 72.0 | 75.4 | 67.3 | |
| 22/3/2019 14:23 | 70.8 | 72.3 | 67.5 | |
| 22/3/2019 14:28 | 68.1 | 68.7 | 66.8 | 68.2 |
| 22/3/2019 14:33 | 68.9 | 70.4 | 66.7 | |
| 22/3/2019 14:38 | 67.6 | 68.2 | 66.7 | |
| 22/3/2019 14:43 | 67.4 | 68.2 | 66.7 | |
| 22/3/2019 14:48 | 67.2 | 67.8 | 66.5 | |
| 22/3/2019 14:53 | 69.3 | 69.3 | 67.3 | |
| 22/3/2019 14:58 | 68.1 | 68.8 | 67.2 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 22/3/2019 15:03 | 68.8 | 69.7 | 67.4 | 68.6 |
| 22/3/2019 15:08 | 68.0 | 69.1 | 66.9 | |
| 22/3/2019 15:13 | 68.2 | 69.3 | 67.1 | |
| 22/3/2019 15:18 | 69.0 | 70.4 | 67.5 | |
| 22/3/2019 15:23 | 67.8 | 68.7 | 66.9 | |
| 22/3/2019 15:28 | 69.4 | 72.0 | 67.3 | |
| 22/3/2019 15:33 | 69.2 | 70.9 | 67.2 | 68.5 |
| 22/3/2019 15:38 | 67.7 | 68.3 | 66.7 | |
| 22/3/2019 15:43 | 65.4 | 68.5 | 61.1 | |
| 22/3/2019 15:48 | 66.5 | 70.1 | 61.2 | |
| 22/3/2019 15:53 | 68.4 | 69.8 | 67.3 | |
| 22/3/2019 15:58 | 71.2 | 73.0 | 68.3 | |
| 22/3/2019 16:03 | 70.4 | 72.4 | 68.0 | 69.8 |
| 22/3/2019 16:08 | 68.8 | 69.6 | 67.8 | |
| 22/3/2019 16:13 | 68.9 | 69.9 | 67.9 | |
| 22/3/2019 16:18 | 69.0 | 69.9 | 67.9 | |
| 22/3/2019 16:23 | 70.7 | 72.4 | 68.5 | |
| 22/3/2019 16:28 | 70.6 | 71.7 | 69.4 | |
| 22/3/2019 16:33 | 70.6 | 71.3 | 69.8 | 71.3 |
| 22/3/2019 16:38 | 71.6 | 72.2 | 69.9 | |
| 22/3/2019 16:43 | 71.3 | 72.4 | 69.9 | |
| 22/3/2019 16:48 | 71.2 | 72.1 | 70.2 | |
| 22/3/2019 16:53 | 70.9 | 71.8 | 69.8 | |
| 22/3/2019 16:58 | 72.0 | 73.8 | 68.9 | |
| 22/3/2019 17:03 | 70.5 | 72.3 | 67.8 | 69.3 |
| 22/3/2019 17:08 | 69.1 | 70.1 | 68.0 | |
| 22/3/2019 17:13 | 68.5 | 69.4 | 67.5 | |
| 22/3/2019 17:18 | 69.3 | 70.6 | 67.8 | |
| 22/3/2019 17:23 | 69.0 | 70.4 | 67.5 | |
| 22/3/2019 17:28 | 68.9 | 70.6 | 67.3 | |
| 22/3/2019 17:33 | 62.0 | 63.5 | 57.7 | 61.3 |
| 22/3/2019 17:38 | 63.0 | 65.6 | 59.4 | |
| 22/3/2019 17:43 | 60.9 | 62.7 | 58.4 | |
| 22/3/2019 17:48 | 60.3 | 61.5 | 58.2 | |
| 22/3/2019 17:53 | 60.7 | 62.9 | 58.2 | |
| 22/3/2019 17:58 | 59.9 | 61.7 | 58.0 | |
| 22/3/2019 18:03 | 59.8 | 60.7 | 57.7 | 58.4 |
| 22/3/2019 18:08 | 58.0 | 58.9 | 57.1 | |
| 22/3/2019 18:13 | 58.5 | 59.2 | 57.1 | |
| 22/3/2019 18:18 | 58.3 | 59.4 | 56.9 | |
| 22/3/2019 18:23 | 58.2 | 59.0 | 56.8 | |
| 22/3/2019 18:28 | 57.3 | 58.0 | 56.7 | |
| 22/3/2019 18:33 | 57.8 | 58.4 | 56.4 | 56.6 |
| 22/3/2019 18:38 | 57.0 | 57.6 | 56.3 | |
| 22/3/2019 18:43 | 57.3 | 58.6 | 56.0 | |
| 22/3/2019 18:48 | 55.6 | 56.6 | 54.3 | |
| 22/3/2019 18:53 | 55.8 | 56.7 | 54.8 | |
| 22/3/2019 18:58 | 55.9 | 57.1 | 54.7 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/3/2019 7:03 | 57.5 | 58.9 | 56.1 | 58.7 |
| 23/3/2019 7:08 | 59.5 | 61.6 | 56.4 | |
| 23/3/2019 7:13 | 58.3 | 59.7 | 56.8 | |
| 23/3/2019 7:18 | 59.3 | 60.6 | 57.3 | |
| 23/3/2019 7:23 | 58.5 | 59.7 | 57.0 | |
| 23/3/2019 7:28 | 59.0 | 60.0 | 57.2 | |
| 23/3/2019 7:33 | 59.2 | 60.2 | 57.8 | 59.6 |
| 23/3/2019 7:38 | 59.6 | 60.6 | 58.1 | |
| 23/3/2019 7:43 | 59.1 | 59.9 | 58.2 | |
| 23/3/2019 7:48 | 59.2 | 60.2 | 58.2 | |
| 23/3/2019 7:53 | 59.8 | 60.9 | 58.7 | |
| 23/3/2019 7:58 | 60.4 | 61.1 | 59.2 | |
| 23/3/2019 8:03 | 61.7 | 63.2 | 59.7 | 63.4 |
| 23/3/2019 8:08 | 61.2 | 62.2 | 60.0 | |
| 23/3/2019 8:13 | 64.2 | 67.1 | 61.3 | |
| 23/3/2019 8:18 | 63.1 | 65.0 | 60.6 | |
| 23/3/2019 8:23 | 63.7 | 65.4 | 61.9 | |
| 23/3/2019 8:28 | 65.1 | 66.1 | 62.7 | |
| 23/3/2019 8:33 | 64.9 | 65.9 | 63.6 | 68.4 |
| 23/3/2019 8:38 | 65.9 | 67.3 | 64.0 | |
| 23/3/2019 8:43 | 69.2 | 72.1 | 65.4 | |
| 23/3/2019 8:48 | 69.6 | 70.5 | 68.6 | |
| 23/3/2019 8:53 | 69.8 | 70.7 | 68.3 | |
| 23/3/2019 8:58 | 68.6 | 69.4 | 67.7 | |
| 23/3/2019 9:03 | 69.9 | 70.9 | 68.2 | 70.3 |
| 23/3/2019 9:08 | 70.8 | 70.4 | 68.0 | |
| 23/3/2019 9:13 | 68.6 | 69.6 | 67.5 | |
| 23/3/2019 9:18 | 69.4 | 70.7 | 67.9 | |
| 23/3/2019 9:23 | 68.8 | 69.8 | 67.8 | |
| 23/3/2019 9:28 | 72.9 | 73.4 | 69.5 | |
| 23/3/2019 9:33 | 72.6 | 73.1 | 71.2 | 70.2 |
| 23/3/2019 9:38 | 69.6 | 71.4 | 67.5 | |
| 23/3/2019 9:43 | 69.5 | 71.1 | 67.8 | |
| 23/3/2019 9:48 | 69.2 | 70.5 | 67.9 | |
| 23/3/2019 9:53 | 69.9 | 71.1 | 68.3 | |
| 23/3/2019 9:58 | 69.2 | 70.8 | 67.5 | |
| 23/3/2019 10:03 | 68.2 | 69.1 | 67.3 | 69.8 |
| 23/3/2019 10:08 | 69.5 | 71.2 | 68.0 | |
| 23/3/2019 10:13 | 69.9 | 70.6 | 68.3 | |
| 23/3/2019 10:18 | 69.9 | 71.9 | 67.8 | |
| 23/3/2019 10:23 | 70.5 | 71.8 | 68.8 | |
| 23/3/2019 10:28 | 70.4 | 71.5 | 69.1 | |
| 23/3/2019 10:33 | 69.3 | 70.6 | 67.7 | 70.0 |
| 23/3/2019 10:38 | 69.3 | 70.5 | 67.9 | |
| 23/3/2019 10:43 | 70.4 | 70.8 | 68.2 | |
| 23/3/2019 10:48 | 70.1 | 71.5 | 68.4 | |
| 23/3/2019 10:53 | 69.4 | 70.5 | 68.1 | |
| 23/3/2019 10:58 | 71.0 | 71.9 | 69.8 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/3/2019 11:03 | 70.7 | 71.4 | 69.8 | 70.4 |
| 23/3/2019 11:08 | 70.3 | 71.6 | 68.4 | |
| 23/3/2019 11:13 | 70.1 | 71.4 | 68.5 | |
| 23/3/2019 11:18 | 71.7 | 73.5 | 69.9 | |
| 23/3/2019 11:23 | 69.6 | 72.8 | 67.5 | |
| 23/3/2019 11:28 | 69.9 | 71.9 | 67.6 | |
| 23/3/2019 11:33 | 68.3 | 69.6 | 67.1 | 68.9 |
| 23/3/2019 11:38 | 69.0 | 72.0 | 66.8 | |
| 23/3/2019 11:43 | 72.7 | 73.8 | 71.5 | |
| 23/3/2019 11:48 | 70.0 | 73.1 | 61.2 | |
| 23/3/2019 11:53 | 61.5 | 61.9 | 59.4 | |
| 23/3/2019 11:58 | 61.8 | 62.5 | 59.3 | |
| 23/3/2019 12:03 | 61.3 | 61.8 | 59.4 | 60.7 |
| 23/3/2019 12:08 | 60.5 | 61.6 | 58.8 | |
| 23/3/2019 12:13 | 60.3 | 61.4 | 59.2 | |
| 23/3/2019 12:18 | 61.2 | 62.3 | 59.6 | |
| 23/3/2019 12:23 | 60.7 | 61.7 | 59.7 | |
| 23/3/2019 12:28 | 59.9 | 60.7 | 59.1 | |
| 23/3/2019 12:33 | 61.2 | 62.7 | 59.2 | 61.4 |
| 23/3/2019 12:38 | 63.3 | 64.8 | 59.5 | |
| 23/3/2019 12:43 | 60.6 | 62.1 | 59.2 | |
| 23/3/2019 12:48 | 60.4 | 61.2 | 59.4 | |
| 23/3/2019 12:53 | 60.6 | 61.6 | 59.7 | |
| 23/3/2019 12:58 | 61.6 | 62.3 | 60.6 | |
| 23/3/2019 13:03 | 66.1 | 67.4 | 61.2 | 69.4 |
| 23/3/2019 13:08 | 69.5 | 71.1 | 66.1 | |
| 23/3/2019 13:13 | 70.8 | 72.1 | 69.1 | |
| 23/3/2019 13:18 | 69.5 | 70.7 | 68.3 | |
| 23/3/2019 13:23 | 69.5 | 70.7 | 68.0 | |
| 23/3/2019 13:28 | 70.0 | 71.3 | 68.3 | |
| 23/3/2019 13:33 | 70.9 | 71.9 | 69.9 | 70.6 |
| 23/3/2019 13:38 | 71.1 | 72.4 | 69.5 | |
| 23/3/2019 13:43 | 71.6 | 72.6 | 70.2 | |
| 23/3/2019 13:48 | 70.1 | 70.7 | 68.3 | |
| 23/3/2019 13:53 | 70.7 | 72.4 | 68.3 | |
| 23/3/2019 13:58 | 68.8 | 69.7 | 67.8 | |
| 23/3/2019 14:03 | 71.7 | 72.6 | 68.0 | 71.6 |
| 23/3/2019 14:08 | 69.3 | 70.6 | 68.1 | |
| 23/3/2019 14:13 | 70.2 | 71.6 | 68.6 | |
| 23/3/2019 14:18 | 72.0 | 74.8 | 68.5 | |
| 23/3/2019 14:23 | 71.5 | 74.9 | 68.3 | |
| 23/3/2019 14:28 | 73.5 | 75.5 | 69.5 | |
| 23/3/2019 14:33 | 69.8 | 70.8 | 68.5 | 70.8 |
| 23/3/2019 14:38 | 70.2 | 70.5 | 68.4 | |
| 23/3/2019 14:43 | 70.5 | 71.1 | 68.8 | |
| 23/3/2019 14:48 | 70.7 | 72.0 | 69.0 | |
| 23/3/2019 14:53 | 71.9 | 72.8 | 70.9 | |
| 23/3/2019 14:58 | 71.2 | 72.3 | 69.3 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 23/3/2019 15:03 | 71.2 | 72.4 | 69.3 | 71.2 |
| 23/3/2019 15:08 | 70.4 | 71.6 | 68.5 | |
| 23/3/2019 15:13 | 70.3 | 71.3 | 68.5 | |
| 23/3/2019 15:18 | 70.6 | 71.7 | 68.0 | |
| 23/3/2019 15:23 | 73.8 | 75.3 | 69.0 | |
| 23/3/2019 15:28 | 69.5 | 70.3 | 68.4 | |
| 23/3/2019 15:33 | 69.3 | 70.3 | 68.0 | 71.0 |
| 23/3/2019 15:38 | 72.7 | 73.0 | 68.2 | |
| 23/3/2019 15:43 | 70.2 | 71.5 | 68.0 | |
| 23/3/2019 15:48 | 72.6 | 74.7 | 68.9 | |
| 23/3/2019 15:53 | 70.3 | 71.9 | 68.4 | |
| 23/3/2019 15:58 | 69.3 | 70.2 | 67.9 | |
| 23/3/2019 16:03 | 68.8 | 69.6 | 67.9 | 69.9 |
| 23/3/2019 16:08 | 68.4 | 69.1 | 67.4 | |
| 23/3/2019 16:13 | 71.0 | 72.1 | 68.2 | |
| 23/3/2019 16:18 | 70.4 | 71.9 | 67.8 | |
| 23/3/2019 16:23 | 69.0 | 69.9 | 67.9 | |
| 23/3/2019 16:28 | 70.8 | 72.1 | 68.2 | |
| 23/3/2019 16:33 | 75.2 | 76.5 | 69.9 | 71.6 |
| 23/3/2019 16:38 | 73.8 | 74.3 | 69.4 | |
| 23/3/2019 16:43 | 68.9 | 69.7 | 67.5 | |
| 23/3/2019 16:48 | 68.9 | 69.8 | 67.6 | |
| 23/3/2019 16:53 | 68.5 | 69.5 | 67.3 | |
| 23/3/2019 16:58 | 68.9 | 70.1 | 67.2 | |
| 23/3/2019 17:03 | 70.3 | 71.4 | 68.4 | 68.5 |
| 23/3/2019 17:08 | 69.3 | 70.1 | 68.0 | |
| 23/3/2019 17:13 | 70.1 | 71.3 | 68.9 | |
| 23/3/2019 17:18 | 70.5 | 71.5 | 67.6 | |
| 23/3/2019 17:23 | 59.7 | 60.6 | 57.6 | |
| 23/3/2019 17:28 | 58.2 | 58.7 | 57.4 | |
| 23/3/2019 17:33 | 58.5 | 59.6 | 57.4 | 58.4 |
| 23/3/2019 17:38 | 58.0 | 58.9 | 57.1 | |
| 23/3/2019 17:43 | 59.5 | 58.9 | 57.2 | |
| 23/3/2019 17:48 | 57.9 | 58.4 | 57.4 | |
| 23/3/2019 17:53 | 58.4 | 59.4 | 57.5 | |
| 23/3/2019 17:58 | 58.0 | 58.6 | 57.3 | |
| 23/3/2019 18:03 | 57.6 | 58.3 | 56.9 | 57.9 |
| 23/3/2019 18:08 | 58.1 | 59.5 | 57.0 | |
| 23/3/2019 18:13 | 57.6 | 58.6 | 56.8 | |
| 23/3/2019 18:18 | 58.5 | 59.0 | 56.8 | |
| 23/3/2019 18:23 | 57.5 | 58.4 | 56.7 | |
| 23/3/2019 18:28 | 58.1 | 59.1 | 57.1 | |
| 23/3/2019 18:33 | 57.8 | 58.8 | 57.0 | 57.3 |
| 23/3/2019 18:38 | 57.7 | 58.5 | 56.8 | |
| 23/3/2019 18:43 | 57.2 | 57.8 | 56.5 | |
| 23/3/2019 18:48 | 57.2 | 57.8 | 56.6 | |
| 23/3/2019 18:53 | 57.3 | 58.1 | 56.4 | |
| 23/3/2019 18:58 | 56.1 | 56.7 | 55.6 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 25/3/2019 7:03 | 57.0 | 58.0 | 56.0 | 58.2 |
| 25/3/2019 7:08 | 56.8 | 57.7 | 55.7 | |
| 25/3/2019 7:13 | 58.1 | 59.0 | 57.1 | |
| 25/3/2019 7:18 | 58.4 | 59.2 | 57.7 | |
| 25/3/2019 7:23 | 58.9 | 59.8 | 57.9 | |
| 25/3/2019 7:28 | 59.2 | 59.8 | 58.4 | |
| 25/3/2019 7:33 | 60.4 | 61.1 | 59.3 | 59.6 |
| 25/3/2019 7:38 | 59.2 | 59.9 | 58.4 | |
| 25/3/2019 7:43 | 59.3 | 60.3 | 58.3 | |
| 25/3/2019 7:48 | 59.3 | 60.0 | 58.7 | |
| 25/3/2019 7:53 | 59.7 | 61.1 | 58.5 | |
| 25/3/2019 7:58 | 59.6 | 60.6 | 58.3 | |
| 25/3/2019 8:03 | 60.3 | 61.2 | 58.5 | 61.1 |
| 25/3/2019 8:08 | 62.7 | 62.4 | 59.4 | |
| 25/3/2019 8:13 | 60.6 | 62.0 | 59.2 | |
| 25/3/2019 8:18 | 60.8 | 62.4 | 59.3 | |
| 25/3/2019 8:23 | 61.1 | 62.0 | 60.0 | |
| 25/3/2019 8:28 | 60.6 | 61.5 | 59.3 | |
| 25/3/2019 8:33 | 61.5 | 63.1 | 59.8 | 69.0 |
| 25/3/2019 8:38 | 73.9 | 79.0 | 61.4 | |
| 25/3/2019 8:43 | 69.1 | 70.9 | 60.5 | |
| 25/3/2019 8:48 | 64.4 | 67.4 | 60.7 | |
| 25/3/2019 8:53 | 67.8 | 68.6 | 65.5 | |
| 25/3/2019 8:58 | 66.9 | 68.6 | 65.4 | |
| 25/3/2019 9:03 | 70.8 | 73.0 | 66.7 | 71.0 |
| 25/3/2019 9:08 | 69.6 | 71.3 | 67.7 | |
| 25/3/2019 9:13 | 69.3 | 70.0 | 68.5 | |
| 25/3/2019 9:18 | 71.4 | 71.5 | 68.5 | |
| 25/3/2019 9:23 | 74.3 | 76.2 | 69.9 | |
| 25/3/2019 9:28 | 67.8 | 69.3 | 65.9 | |
| 25/3/2019 9:33 | 69.2 | 70.6 | 67.4 | 67.6 |
| 25/3/2019 9:38 | 68.8 | 70.4 | 66.2 | |
| 25/3/2019 9:43 | 67.1 | 68.1 | 66.2 | |
| 25/3/2019 9:48 | 67.5 | 69.1 | 65.9 | |
| 25/3/2019 9:53 | 66.2 | 67.0 | 65.5 | |
| 25/3/2019 9:58 | 65.6 | 67.6 | 60.5 | |
| 25/3/2019 10:03 | 66.3 | 68.3 | 63.1 | 69.1 |
| 25/3/2019 10:08 | 68.3 | 70.6 | 66.8 | |
| 25/3/2019 10:13 | 69.6 | 71.8 | 67.4 | |
| 25/3/2019 10:18 | 70.2 | 71.7 | 68.9 | |
| 25/3/2019 10:23 | 69.5 | 70.9 | 68.3 | |
| 25/3/2019 10:28 | 69.5 | 71.1 | 68.2 | |
| 25/3/2019 10:33 | 70.0 | 71.4 | 68.0 | 70.8 |
| 25/3/2019 10:38 | 74.1 | 75.2 | 68.0 | |
| 25/3/2019 10:43 | 70.7 | 71.4 | 68.1 | |
| 25/3/2019 10:48 | 69.9 | 71.2 | 68.2 | |
| 25/3/2019 10:53 | 68.9 | 70.1 | 67.2 | |
| 25/3/2019 10:58 | 68.2 | 69.4 | 67.0 | |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Normal Working Hours (0700-1900 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ | L _{eq} (30 min) |
|-----------------|-------------------------|-----------------|-----------------|--------------------------|
| 25/3/2019 11:03 | 69.4 | 70.9 | 66.8 | 70.9 |
| 25/3/2019 11:08 | 69.6 | 71.2 | 68.2 | |
| 25/3/2019 11:13 | 70.3 | 72.6 | 67.3 | |
| 25/3/2019 11:18 | 73.2 | 75.1 | 71.5 | |
| 25/3/2019 11:23 | 71.5 | 72.1 | 70.4 | |
| 25/3/2019 11:28 | 70.0 | 71.8 | 68.3 | |
| 25/3/2019 11:33 | 71.0 | 71.7 | 70.2 | 69.7 |
| 25/3/2019 11:38 | 70.0 | 71.3 | 68.2 | |
| 25/3/2019 11:43 | 68.3 | 68.6 | 67.6 | |
| 25/3/2019 11:48 | 68.7 | 69.7 | 67.8 | |
| 25/3/2019 11:53 | 70.0 | 70.4 | 68.8 | |
| 25/3/2019 11:58 | 69.8 | 70.4 | 68.6 | |
| 25/3/2019 12:03 | 67.3 | 69.7 | 58.8 | 62.0 |
| 25/3/2019 12:08 | 61.1 | 60.5 | 58.0 | |
| 25/3/2019 12:13 | 59.1 | 60.2 | 57.8 | |
| 25/3/2019 12:18 | 58.2 | 58.9 | 57.4 | |
| 25/3/2019 12:23 | 58.3 | 59.1 | 57.5 | |
| 25/3/2019 12:28 | 58.6 | 59.6 | 57.7 | |
| 25/3/2019 12:33 | 58.5 | 59.4 | 57.5 | 62.9 |
| 25/3/2019 12:38 | 65.2 | 67.2 | 58.8 | |
| 25/3/2019 12:43 | 66.3 | 67.5 | 63.6 | |
| 25/3/2019 12:48 | 61.1 | 61.1 | 58.1 | |
| 25/3/2019 12:53 | 60.7 | 62.5 | 58.8 | |
| 25/3/2019 12:58 | 59.9 | 61.5 | 57.8 | |

| | |
|---------|------|
| Mean | 70.4 |
| Maximum | 86.8 |
| Minimum | 54.6 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 11/3/2019 19:00 | 56.4 | 57.9 | 55.0 |
| 11/3/2019 19:05 | 55.4 | 56.2 | 54.5 |
| 11/3/2019 19:10 | 55.9 | 57.9 | 54.3 |
| 11/3/2019 19:15 | 56.7 | 58.6 | 54.7 |
| 11/3/2019 19:20 | 55.9 | 57.1 | 54.4 |
| 11/3/2019 19:25 | 57.3 | 59.5 | 55.2 |
| 11/3/2019 19:30 | 57.8 | 60.5 | 54.8 |
| 11/3/2019 19:35 | 56.1 | 57.6 | 54.6 |
| 11/3/2019 19:40 | 56.4 | 57.3 | 55.2 |
| 11/3/2019 19:45 | 55.7 | 57.0 | 54.6 |
| 11/3/2019 19:50 | 56.0 | 57.6 | 54.6 |
| 11/3/2019 19:55 | 56.1 | 57.3 | 54.7 |
| 11/3/2019 20:00 | 57.3 | 59.4 | 55.0 |
| 11/3/2019 20:05 | 55.6 | 56.8 | 54.1 |
| 11/3/2019 20:10 | 57.6 | 60.6 | 54.9 |
| 11/3/2019 20:15 | 55.0 | 56.1 | 53.9 |
| 11/3/2019 20:20 | 55.1 | 56.0 | 54.1 |
| 11/3/2019 20:25 | 55.6 | 57.2 | 53.9 |
| 11/3/2019 20:30 | 54.7 | 56.2 | 53.5 |
| 11/3/2019 20:35 | 55.0 | 56.2 | 53.6 |
| 11/3/2019 20:40 | 54.3 | 55.7 | 53.0 |
| 11/3/2019 20:45 | 57.5 | 61.9 | 53.3 |
| 11/3/2019 20:50 | 58.6 | 60.2 | 53.4 |
| 11/3/2019 20:55 | 57.4 | 61.0 | 53.0 |
| 11/3/2019 21:00 | 55.3 | 57.5 | 53.0 |
| 11/3/2019 21:05 | 53.4 | 54.1 | 52.7 |
| 11/3/2019 21:10 | 55.4 | 57.7 | 53.6 |
| 11/3/2019 21:15 | 54.5 | 55.5 | 53.5 |
| 11/3/2019 21:20 | 54.7 | 55.5 | 53.8 |
| 11/3/2019 21:25 | 54.9 | 55.7 | 54.0 |
| 11/3/2019 21:30 | 55.0 | 56.3 | 53.7 |
| 11/3/2019 21:35 | 54.4 | 55.8 | 53.4 |
| 11/3/2019 21:40 | 55.4 | 56.9 | 54.0 |
| 11/3/2019 21:45 | 54.8 | 56.1 | 53.6 |
| 11/3/2019 21:50 | 54.8 | 56.2 | 53.4 |
| 11/3/2019 21:55 | 57.8 | 61.1 | 53.7 |
| 11/3/2019 22:00 | 53.8 | 54.9 | 52.8 |
| 11/3/2019 22:05 | 53.9 | 54.6 | 53.0 |
| 11/3/2019 22:10 | 54.4 | 55.4 | 53.4 |
| 11/3/2019 22:15 | 54.7 | 55.8 | 53.5 |
| 11/3/2019 22:20 | 56.3 | 58.5 | 54.1 |
| 11/3/2019 22:25 | 55.2 | 56.2 | 53.7 |
| 11/3/2019 22:30 | 54.2 | 55.3 | 52.9 |
| 11/3/2019 22:35 | 54.7 | 56.7 | 52.9 |
| 11/3/2019 22:40 | 53.9 | 55.0 | 52.8 |
| 11/3/2019 22:45 | 53.7 | 54.8 | 52.7 |
| 11/3/2019 22:50 | 54.5 | 56.4 | 52.4 |
| 11/3/2019 22:55 | 53.0 | 53.7 | 52.2 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 19:00 | 56.0 | 57.4 | 54.3 |
| 12/3/2019 19:05 | 55.4 | 56.2 | 54.3 |
| 12/3/2019 19:10 | 55.1 | 56.1 | 54.2 |
| 12/3/2019 19:15 | 56.1 | 57.9 | 54.3 |
| 12/3/2019 19:20 | 56.8 | 58.6 | 54.5 |
| 12/3/2019 19:25 | 57.5 | 60.2 | 54.2 |
| 12/3/2019 19:30 | 56.4 | 58.1 | 54.8 |
| 12/3/2019 19:35 | 55.4 | 56.4 | 54.4 |
| 12/3/2019 19:40 | 56.4 | 58.6 | 54.2 |
| 12/3/2019 19:45 | 55.5 | 57.0 | 54.0 |
| 12/3/2019 19:50 | 55.7 | 56.1 | 54.2 |
| 12/3/2019 19:55 | 56.9 | 58.7 | 54.4 |
| 12/3/2019 20:00 | 55.4 | 56.5 | 54.2 |
| 12/3/2019 20:05 | 56.6 | 58.8 | 53.9 |
| 12/3/2019 20:10 | 54.3 | 55.0 | 53.6 |
| 12/3/2019 20:15 | 54.7 | 55.6 | 53.9 |
| 12/3/2019 20:20 | 55.1 | 56.3 | 53.7 |
| 12/3/2019 20:25 | 54.4 | 55.6 | 53.3 |
| 12/3/2019 20:30 | 55.9 | 58.9 | 53.1 |
| 12/3/2019 20:35 | 54.9 | 55.8 | 53.7 |
| 12/3/2019 20:40 | 54.2 | 55.4 | 52.9 |
| 12/3/2019 20:45 | 55.0 | 57.0 | 53.0 |
| 12/3/2019 20:50 | 53.8 | 54.7 | 52.6 |
| 12/3/2019 20:55 | 57.5 | 60.8 | 52.9 |
| 12/3/2019 21:00 | 56.3 | 59.9 | 52.9 |
| 12/3/2019 21:05 | 54.5 | 56.3 | 52.9 |
| 12/3/2019 21:10 | 54.1 | 55.6 | 52.7 |
| 12/3/2019 21:15 | 54.3 | 55.4 | 53.3 |
| 12/3/2019 21:20 | 53.4 | 54.2 | 52.6 |
| 12/3/2019 21:25 | 54.0 | 55.0 | 53.1 |
| 12/3/2019 21:30 | 54.1 | 55.3 | 52.8 |
| 12/3/2019 21:35 | 54.5 | 56.2 | 53.1 |
| 12/3/2019 21:40 | 53.7 | 54.5 | 52.9 |
| 12/3/2019 21:45 | 54.1 | 55.2 | 52.7 |
| 12/3/2019 21:50 | 55.6 | 57.5 | 53.1 |
| 12/3/2019 21:55 | 54.8 | 56.5 | 53.4 |
| 12/3/2019 22:00 | 54.6 | 56.2 | 53.1 |
| 12/3/2019 22:05 | 55.2 | 57.5 | 53.3 |
| 12/3/2019 22:10 | 55.0 | 56.4 | 53.5 |
| 12/3/2019 22:15 | 54.1 | 55.0 | 53.3 |
| 12/3/2019 22:20 | 54.3 | 55.6 | 53.0 |
| 12/3/2019 22:25 | 54.6 | 56.4 | 52.9 |
| 12/3/2019 22:30 | 54.4 | 55.4 | 53.5 |
| 12/3/2019 22:35 | 54.0 | 54.9 | 53.2 |
| 12/3/2019 22:40 | 54.4 | 55.4 | 53.5 |
| 12/3/2019 22:45 | 54.4 | 54.9 | 53.3 |
| 12/3/2019 22:50 | 54.2 | 55.3 | 53.0 |
| 12/3/2019 22:55 | 54.1 | 54.8 | 53.4 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 19:00 | 56.7 | 57.5 | 55.3 |
| 13/3/2019 19:05 | 56.5 | 57.7 | 55.2 |
| 13/3/2019 19:10 | 56.3 | 57.5 | 54.6 |
| 13/3/2019 19:15 | 56.0 | 57.0 | 55.1 |
| 13/3/2019 19:20 | 56.5 | 57.5 | 55.4 |
| 13/3/2019 19:25 | 57.5 | 58.7 | 56.1 |
| 13/3/2019 19:30 | 57.6 | 59.3 | 55.8 |
| 13/3/2019 19:35 | 57.0 | 58.6 | 55.5 |
| 13/3/2019 19:40 | 57.4 | 58.6 | 55.6 |
| 13/3/2019 19:45 | 57.1 | 58.2 | 55.7 |
| 13/3/2019 19:50 | 56.8 | 57.6 | 56.0 |
| 13/3/2019 19:55 | 56.6 | 57.6 | 55.4 |
| 13/3/2019 20:00 | 56.6 | 58.1 | 55.2 |
| 13/3/2019 20:05 | 56.7 | 57.7 | 55.3 |
| 13/3/2019 20:10 | 56.1 | 57.0 | 55.0 |
| 13/3/2019 20:15 | 56.6 | 57.7 | 55.5 |
| 13/3/2019 20:20 | 57.4 | 58.1 | 55.7 |
| 13/3/2019 20:25 | 56.8 | 58.4 | 55.4 |
| 13/3/2019 20:30 | 56.5 | 57.7 | 55.4 |
| 13/3/2019 20:35 | 56.5 | 57.9 | 55.1 |
| 13/3/2019 20:40 | 57.0 | 58.6 | 55.1 |
| 13/3/2019 20:45 | 56.8 | 58.0 | 55.6 |
| 13/3/2019 20:50 | 56.3 | 57.6 | 55.0 |
| 13/3/2019 20:55 | 57.1 | 58.7 | 54.2 |
| 13/3/2019 21:00 | 57.2 | 59.6 | 54.4 |
| 13/3/2019 21:05 | 56.6 | 58.0 | 54.7 |
| 13/3/2019 21:10 | 56.2 | 57.3 | 54.9 |
| 13/3/2019 21:15 | 56.1 | 56.8 | 55.1 |
| 13/3/2019 21:20 | 55.8 | 56.8 | 54.7 |
| 13/3/2019 21:25 | 56.3 | 57.3 | 55.0 |
| 13/3/2019 21:30 | 56.5 | 57.6 | 55.2 |
| 13/3/2019 21:35 | 56.3 | 57.5 | 55.2 |
| 13/3/2019 21:40 | 57.6 | 57.7 | 55.5 |
| 13/3/2019 21:45 | 56.7 | 57.7 | 55.5 |
| 13/3/2019 21:50 | 56.9 | 59.2 | 54.9 |
| 13/3/2019 21:55 | 56.3 | 57.5 | 55.2 |
| 13/3/2019 22:00 | 55.7 | 56.8 | 54.7 |
| 13/3/2019 22:05 | 56.0 | 57.1 | 54.8 |
| 13/3/2019 22:10 | 56.5 | 57.9 | 55.2 |
| 13/3/2019 22:15 | 56.1 | 57.0 | 55.2 |
| 13/3/2019 22:20 | 55.9 | 57.1 | 54.4 |
| 13/3/2019 22:25 | 55.3 | 56.1 | 54.3 |
| 13/3/2019 22:30 | 55.2 | 56.1 | 54.5 |
| 13/3/2019 22:35 | 54.7 | 55.6 | 53.9 |
| 13/3/2019 22:40 | 54.7 | 55.6 | 53.7 |
| 13/3/2019 22:45 | 53.7 | 54.8 | 52.7 |
| 13/3/2019 22:50 | 54.3 | 55.3 | 53.1 |
| 13/3/2019 22:55 | 55.0 | 55.9 | 53.7 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 19:03 | 56.8 | 58.1 | 55.5 |
| 14/3/2019 19:08 | 56.4 | 57.3 | 55.5 |
| 14/3/2019 19:13 | 57.0 | 58.2 | 55.2 |
| 14/3/2019 19:18 | 56.8 | 58.0 | 55.2 |
| 14/3/2019 19:23 | 56.7 | 58.5 | 54.9 |
| 14/3/2019 19:28 | 56.1 | 56.7 | 55.4 |
| 14/3/2019 19:33 | 55.8 | 56.6 | 54.9 |
| 14/3/2019 19:38 | 56.4 | 57.2 | 55.5 |
| 14/3/2019 19:43 | 55.4 | 56.1 | 54.6 |
| 14/3/2019 19:48 | 55.7 | 56.8 | 54.6 |
| 14/3/2019 19:53 | 56.2 | 57.2 | 54.8 |
| 14/3/2019 19:58 | 55.6 | 56.6 | 54.5 |
| 14/3/2019 20:03 | 56.1 | 57.1 | 55.0 |
| 14/3/2019 20:08 | 56.7 | 57.5 | 55.9 |
| 14/3/2019 20:13 | 56.2 | 57.6 | 55.1 |
| 14/3/2019 20:18 | 56.6 | 57.5 | 55.7 |
| 14/3/2019 20:23 | 59.7 | 61.9 | 55.8 |
| 14/3/2019 20:28 | 57.0 | 58.6 | 55.0 |
| 14/3/2019 20:33 | 56.7 | 58.4 | 54.8 |
| 14/3/2019 20:38 | 56.2 | 57.5 | 54.4 |
| 14/3/2019 20:43 | 56.0 | 56.9 | 55.0 |
| 14/3/2019 20:48 | 57.2 | 59.2 | 55.1 |
| 14/3/2019 20:53 | 56.4 | 57.2 | 54.9 |
| 14/3/2019 20:58 | 56.6 | 57.9 | 55.0 |
| 14/3/2019 21:03 | 55.6 | 56.4 | 54.6 |
| 14/3/2019 21:08 | 56.4 | 57.3 | 55.3 |
| 14/3/2019 21:13 | 57.0 | 57.9 | 55.8 |
| 14/3/2019 21:18 | 56.5 | 57.8 | 55.0 |
| 14/3/2019 21:23 | 55.5 | 56.4 | 54.5 |
| 14/3/2019 21:28 | 55.4 | 56.3 | 54.6 |
| 14/3/2019 21:33 | 55.8 | 56.9 | 54.2 |
| 14/3/2019 21:38 | 55.4 | 56.2 | 54.5 |
| 14/3/2019 21:43 | 55.0 | 55.7 | 54.3 |
| 14/3/2019 21:48 | 55.5 | 56.2 | 54.8 |
| 14/3/2019 21:53 | 55.6 | 56.5 | 54.8 |
| 14/3/2019 21:58 | 56.4 | 57.0 | 55.8 |
| 14/3/2019 22:03 | 57.5 | 58.6 | 55.2 |
| 14/3/2019 22:08 | 58.1 | 59.8 | 56.0 |
| 14/3/2019 22:13 | 57.3 | 58.5 | 56.1 |
| 14/3/2019 22:18 | 57.8 | 59.6 | 55.8 |
| 14/3/2019 22:23 | 56.9 | 57.9 | 56.0 |
| 14/3/2019 22:28 | 57.9 | 59.5 | 56.1 |
| 14/3/2019 22:33 | 58.1 | 59.8 | 56.1 |
| 14/3/2019 22:38 | 58.8 | 60.9 | 56.0 |
| 14/3/2019 22:43 | 57.3 | 58.8 | 55.6 |
| 14/3/2019 22:48 | 58.1 | 59.7 | 56.1 |
| 14/3/2019 22:53 | 57.9 | 59.6 | 56.2 |
| 14/3/2019 22:58 | 59.6 | 62.5 | 56.4 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 19:03 | 56.3 | 57.1 | 55.3 |
| 15/3/2019 19:08 | 60.7 | 63.8 | 55.4 |
| 15/3/2019 19:13 | 56.3 | 57.2 | 55.5 |
| 15/3/2019 19:18 | 56.0 | 56.8 | 55.0 |
| 15/3/2019 19:23 | 56.0 | 56.7 | 55.3 |
| 15/3/2019 19:28 | 57.3 | 58.8 | 55.3 |
| 15/3/2019 19:33 | 56.7 | 57.7 | 55.5 |
| 15/3/2019 19:38 | 56.3 | 57.1 | 55.3 |
| 15/3/2019 19:43 | 56.5 | 57.1 | 55.8 |
| 15/3/2019 19:48 | 56.5 | 57.2 | 55.8 |
| 15/3/2019 19:53 | 58.5 | 60.0 | 56.1 |
| 15/3/2019 19:58 | 56.6 | 57.7 | 55.4 |
| 15/3/2019 20:03 | 57.4 | 58.8 | 55.9 |
| 15/3/2019 20:08 | 57.4 | 59.0 | 55.9 |
| 15/3/2019 20:13 | 57.2 | 58.0 | 56.1 |
| 15/3/2019 20:18 | 57.8 | 58.9 | 56.6 |
| 15/3/2019 20:23 | 57.2 | 58.6 | 56.0 |
| 15/3/2019 20:28 | 57.0 | 58.0 | 55.9 |
| 15/3/2019 20:33 | 56.9 | 57.9 | 55.9 |
| 15/3/2019 20:38 | 57.3 | 58.4 | 56.0 |
| 15/3/2019 20:43 | 57.3 | 58.4 | 56.3 |
| 15/3/2019 20:48 | 57.3 | 58.5 | 56.1 |
| 15/3/2019 20:53 | 57.1 | 58.2 | 55.6 |
| 15/3/2019 20:58 | 55.7 | 56.4 | 55.0 |
| 15/3/2019 21:03 | 56.6 | 57.8 | 55.2 |
| 15/3/2019 21:08 | 55.9 | 56.8 | 54.8 |
| 15/3/2019 21:13 | 61.5 | 58.2 | 55.6 |
| 15/3/2019 21:18 | 61.0 | 62.6 | 56.0 |
| 15/3/2019 21:23 | 58.7 | 61.7 | 55.7 |
| 15/3/2019 21:28 | 58.1 | 60.6 | 55.4 |
| 15/3/2019 21:33 | 56.6 | 57.2 | 55.9 |
| 15/3/2019 21:38 | 56.6 | 57.3 | 55.7 |
| 15/3/2019 21:43 | 56.9 | 57.7 | 56.1 |
| 15/3/2019 21:48 | 56.6 | 57.3 | 55.8 |
| 15/3/2019 21:53 | 56.9 | 57.5 | 56.2 |
| 15/3/2019 21:58 | 57.4 | 58.2 | 56.6 |
| 15/3/2019 22:03 | 57.7 | 59.0 | 56.4 |
| 15/3/2019 22:08 | 57.3 | 58.4 | 56.1 |
| 15/3/2019 22:13 | 57.0 | 58.0 | 56.1 |
| 15/3/2019 22:18 | 56.4 | 57.3 | 55.3 |
| 15/3/2019 22:23 | 56.7 | 57.6 | 55.7 |
| 15/3/2019 22:28 | 56.4 | 57.8 | 55.1 |
| 15/3/2019 22:33 | 56.7 | 57.6 | 55.7 |
| 15/3/2019 22:38 | 56.9 | 57.9 | 55.9 |
| 15/3/2019 22:43 | 56.5 | 57.3 | 55.5 |
| 15/3/2019 22:48 | 57.1 | 58.2 | 55.9 |
| 15/3/2019 22:53 | 56.9 | 57.9 | 55.7 |
| 15/3/2019 22:58 | 56.5 | 57.3 | 55.4 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 19:03 | 57.6 | 59.2 | 55.8 |
| 16/3/2019 19:08 | 57.8 | 59.3 | 56.2 |
| 16/3/2019 19:13 | 57.0 | 58.5 | 55.4 |
| 16/3/2019 19:18 | 57.5 | 58.9 | 55.5 |
| 16/3/2019 19:23 | 59.2 | 61.1 | 56.1 |
| 16/3/2019 19:28 | 57.2 | 58.9 | 55.5 |
| 16/3/2019 19:33 | 56.8 | 57.8 | 55.0 |
| 16/3/2019 19:38 | 57.8 | 60.2 | 55.1 |
| 16/3/2019 19:43 | 57.3 | 59.4 | 54.5 |
| 16/3/2019 19:48 | 59.1 | 61.1 | 54.5 |
| 16/3/2019 19:53 | 56.7 | 58.1 | 55.0 |
| 16/3/2019 19:58 | 56.6 | 57.8 | 55.0 |
| 16/3/2019 20:03 | 55.8 | 57.5 | 54.0 |
| 16/3/2019 20:08 | 58.1 | 60.2 | 54.6 |
| 16/3/2019 20:13 | 55.6 | 56.1 | 53.8 |
| 16/3/2019 20:18 | 56.6 | 57.9 | 54.5 |
| 16/3/2019 20:23 | 56.4 | 57.3 | 54.4 |
| 16/3/2019 20:28 | 55.4 | 56.9 | 53.8 |
| 16/3/2019 20:33 | 56.9 | 59.4 | 54.3 |
| 16/3/2019 20:38 | 56.7 | 59.1 | 53.7 |
| 16/3/2019 20:43 | 55.1 | 56.8 | 53.2 |
| 16/3/2019 20:48 | 55.3 | 56.4 | 53.8 |
| 16/3/2019 20:53 | 58.7 | 61.0 | 53.8 |
| 16/3/2019 20:58 | 57.6 | 60.5 | 54.0 |
| 16/3/2019 21:03 | 55.6 | 56.7 | 54.2 |
| 16/3/2019 21:08 | 57.2 | 59.0 | 54.9 |
| 16/3/2019 21:13 | 57.7 | 59.9 | 54.5 |
| 16/3/2019 21:18 | 57.7 | 59.0 | 54.4 |
| 16/3/2019 21:23 | 58.1 | 59.4 | 54.3 |
| 16/3/2019 21:28 | 57.7 | 59.0 | 53.9 |
| 16/3/2019 21:33 | 58.1 | 60.5 | 54.4 |
| 16/3/2019 21:38 | 56.9 | 58.4 | 54.9 |
| 16/3/2019 21:43 | 58.3 | 59.9 | 54.6 |
| 16/3/2019 21:48 | 56.3 | 57.6 | 54.8 |
| 16/3/2019 21:53 | 55.7 | 56.8 | 54.1 |
| 16/3/2019 21:58 | 55.0 | 56.2 | 53.5 |
| 16/3/2019 22:03 | 55.4 | 56.6 | 53.9 |
| 16/3/2019 22:08 | 56.6 | 56.7 | 54.0 |
| 16/3/2019 22:13 | 59.1 | 61.1 | 54.0 |
| 16/3/2019 22:18 | 54.4 | 55.5 | 53.4 |
| 16/3/2019 22:23 | 54.5 | 55.3 | 53.7 |
| 16/3/2019 22:28 | 54.5 | 55.7 | 53.3 |
| 16/3/2019 22:33 | 54.0 | 54.9 | 53.1 |
| 16/3/2019 22:38 | 54.5 | 55.7 | 53.0 |
| 16/3/2019 22:43 | 54.8 | 56.0 | 53.5 |
| 16/3/2019 22:48 | 54.6 | 55.5 | 53.5 |
| 16/3/2019 22:53 | 56.0 | 57.0 | 54.1 |
| 16/3/2019 22:58 | 56.1 | 56.7 | 53.3 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 7:03 | 57.0 | 61.3 | 51.0 |
| 17/3/2019 7:08 | 52.2 | 53.3 | 50.8 |
| 17/3/2019 7:13 | 54.3 | 56.2 | 51.7 |
| 17/3/2019 7:18 | 57.4 | 60.6 | 52.1 |
| 17/3/2019 7:23 | 54.1 | 55.1 | 51.8 |
| 17/3/2019 7:28 | 53.6 | 54.9 | 52.4 |
| 17/3/2019 7:33 | 54.0 | 55.6 | 52.0 |
| 17/3/2019 7:38 | 56.1 | 57.9 | 53.1 |
| 17/3/2019 7:43 | 54.7 | 56.5 | 52.8 |
| 17/3/2019 7:48 | 55.0 | 56.6 | 53.1 |
| 17/3/2019 7:53 | 55.2 | 57.1 | 52.9 |
| 17/3/2019 7:58 | 58.4 | 61.8 | 53.7 |
| 17/3/2019 8:03 | 57.0 | 59.6 | 54.0 |
| 17/3/2019 8:08 | 59.2 | 62.2 | 54.4 |
| 17/3/2019 8:13 | 59.5 | 63.2 | 53.7 |
| 17/3/2019 8:18 | 55.9 | 56.7 | 53.6 |
| 17/3/2019 8:23 | 56.0 | 57.1 | 53.9 |
| 17/3/2019 8:28 | 58.5 | 60.4 | 55.1 |
| 17/3/2019 8:33 | 56.4 | 57.0 | 54.3 |
| 17/3/2019 8:38 | 59.7 | 62.9 | 55.0 |
| 17/3/2019 8:43 | 57.8 | 60.3 | 54.5 |
| 17/3/2019 8:48 | 56.1 | 57.4 | 54.6 |
| 17/3/2019 8:53 | 55.9 | 57.3 | 54.2 |
| 17/3/2019 8:58 | 55.3 | 56.6 | 53.9 |
| 17/3/2019 9:03 | 56.0 | 57.1 | 54.2 |
| 17/3/2019 9:08 | 55.6 | 57.8 | 53.7 |
| 17/3/2019 9:13 | 56.5 | 56.6 | 54.4 |
| 17/3/2019 9:18 | 56.7 | 57.9 | 54.6 |
| 17/3/2019 9:23 | 55.2 | 56.5 | 53.7 |
| 17/3/2019 9:28 | 56.4 | 58.2 | 54.1 |
| 17/3/2019 9:33 | 55.2 | 55.9 | 54.2 |
| 17/3/2019 9:38 | 55.6 | 56.9 | 54.1 |
| 17/3/2019 9:43 | 57.5 | 59.3 | 54.4 |
| 17/3/2019 9:48 | 56.1 | 58.0 | 54.1 |
| 17/3/2019 9:53 | 58.3 | 60.8 | 54.3 |
| 17/3/2019 9:58 | 57.5 | 59.0 | 54.8 |
| 17/3/2019 10:03 | 55.6 | 56.7 | 54.4 |
| 17/3/2019 10:08 | 55.4 | 56.8 | 53.8 |
| 17/3/2019 10:13 | 57.3 | 59.0 | 54.6 |
| 17/3/2019 10:18 | 57.3 | 58.8 | 54.9 |
| 17/3/2019 10:23 | 55.5 | 57.1 | 53.9 |
| 17/3/2019 10:28 | 58.7 | 60.2 | 54.4 |
| 17/3/2019 10:33 | 57.5 | 59.2 | 55.1 |
| 17/3/2019 10:38 | 59.6 | 62.4 | 55.2 |
| 17/3/2019 10:43 | 58.8 | 62.0 | 54.3 |
| 17/3/2019 10:48 | 57.6 | 59.1 | 54.7 |
| 17/3/2019 10:53 | 56.0 | 57.6 | 54.4 |
| 17/3/2019 10:58 | 55.5 | 56.4 | 54.0 |
| 17/3/2019 11:03 | 58.1 | 60.8 | 54.4 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 11:08 | 62.9 | 64.5 | 55.2 |
| 17/3/2019 11:13 | 57.8 | 59.6 | 54.8 |
| 17/3/2019 11:18 | 57.0 | 59.1 | 54.8 |
| 17/3/2019 11:23 | 57.3 | 59.0 | 55.0 |
| 17/3/2019 11:28 | 58.6 | 60.3 | 54.4 |
| 17/3/2019 11:33 | 56.2 | 57.6 | 54.6 |
| 17/3/2019 11:38 | 58.1 | 59.8 | 55.2 |
| 17/3/2019 11:43 | 60.6 | 63.9 | 55.1 |
| 17/3/2019 11:48 | 58.6 | 60.5 | 54.0 |
| 17/3/2019 11:53 | 60.3 | 63.4 | 55.6 |
| 17/3/2019 11:58 | 58.2 | 60.4 | 54.6 |
| 17/3/2019 12:03 | 57.9 | 59.7 | 54.5 |
| 17/3/2019 12:08 | 58.0 | 60.5 | 54.8 |
| 17/3/2019 12:13 | 57.5 | 59.7 | 54.2 |
| 17/3/2019 12:18 | 56.4 | 58.4 | 53.5 |
| 17/3/2019 12:23 | 56.9 | 58.8 | 54.0 |
| 17/3/2019 12:28 | 58.1 | 59.8 | 54.8 |
| 17/3/2019 12:33 | 58.7 | 61.3 | 55.4 |
| 17/3/2019 12:38 | 56.5 | 57.9 | 54.9 |
| 17/3/2019 12:43 | 57.7 | 60.3 | 54.0 |
| 17/3/2019 12:48 | 56.7 | 58.8 | 54.2 |
| 17/3/2019 12:53 | 58.8 | 61.5 | 54.6 |
| 17/3/2019 12:58 | 56.3 | 58.1 | 54.0 |
| 17/3/2019 13:03 | 58.0 | 60.5 | 54.8 |
| 17/3/2019 13:08 | 56.3 | 58.3 | 53.9 |
| 17/3/2019 13:13 | 56.1 | 58.2 | 53.8 |
| 17/3/2019 13:18 | 55.6 | 57.1 | 53.8 |
| 17/3/2019 13:23 | 54.6 | 55.5 | 53.8 |
| 17/3/2019 13:28 | 55.6 | 56.6 | 54.5 |
| 17/3/2019 13:33 | 55.9 | 57.0 | 54.6 |
| 17/3/2019 13:38 | 56.5 | 58.3 | 54.4 |
| 17/3/2019 13:43 | 55.3 | 56.6 | 54.0 |
| 17/3/2019 13:48 | 56.0 | 57.6 | 54.0 |
| 17/3/2019 13:53 | 55.6 | 56.8 | 53.8 |
| 17/3/2019 13:58 | 55.5 | 57.0 | 53.6 |
| 17/3/2019 14:03 | 56.6 | 58.7 | 53.8 |
| 17/3/2019 14:08 | 56.9 | 58.6 | 54.9 |
| 17/3/2019 14:13 | 56.1 | 57.4 | 54.3 |
| 17/3/2019 14:18 | 55.7 | 57.3 | 53.6 |
| 17/3/2019 14:23 | 57.1 | 59.1 | 54.8 |
| 17/3/2019 14:28 | 61.2 | 57.8 | 54.0 |
| 17/3/2019 14:33 | 56.2 | 57.1 | 55.0 |
| 17/3/2019 14:38 | 56.8 | 57.8 | 54.6 |
| 17/3/2019 14:43 | 57.1 | 59.9 | 54.0 |
| 17/3/2019 14:48 | 55.2 | 55.7 | 53.6 |
| 17/3/2019 14:53 | 56.1 | 56.7 | 54.3 |
| 17/3/2019 14:58 | 56.1 | 57.2 | 54.0 |
| 17/3/2019 15:03 | 55.1 | 55.9 | 54.1 |
| 17/3/2019 15:08 | 58.2 | 60.0 | 54.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 15:13 | 55.1 | 56.3 | 54.0 |
| 17/3/2019 15:18 | 55.8 | 57.2 | 54.1 |
| 17/3/2019 15:23 | 59.5 | 61.6 | 55.1 |
| 17/3/2019 15:28 | 57.1 | 59.2 | 54.4 |
| 17/3/2019 15:33 | 55.4 | 56.3 | 53.9 |
| 17/3/2019 15:38 | 60.0 | 59.5 | 53.9 |
| 17/3/2019 15:43 | 58.0 | 59.8 | 54.4 |
| 17/3/2019 15:48 | 55.3 | 56.5 | 54.0 |
| 17/3/2019 15:53 | 55.9 | 57.0 | 54.3 |
| 17/3/2019 15:58 | 56.4 | 58.3 | 54.0 |
| 17/3/2019 16:03 | 56.0 | 57.2 | 54.4 |
| 17/3/2019 16:08 | 55.8 | 56.8 | 54.7 |
| 17/3/2019 16:13 | 55.3 | 56.3 | 54.0 |
| 17/3/2019 16:18 | 55.4 | 56.7 | 54.2 |
| 17/3/2019 16:23 | 54.7 | 55.9 | 53.5 |
| 17/3/2019 16:28 | 56.1 | 58.2 | 53.4 |
| 17/3/2019 16:33 | 54.8 | 55.6 | 53.8 |
| 17/3/2019 16:38 | 56.0 | 57.2 | 53.1 |
| 17/3/2019 16:43 | 53.8 | 55.1 | 52.4 |
| 17/3/2019 16:48 | 55.5 | 57.7 | 52.9 |
| 17/3/2019 16:53 | 54.2 | 55.0 | 52.5 |
| 17/3/2019 16:58 | 55.7 | 57.9 | 53.1 |
| 17/3/2019 17:03 | 54.9 | 57.1 | 52.3 |
| 17/3/2019 17:08 | 54.2 | 56.1 | 52.2 |
| 17/3/2019 17:13 | 54.0 | 55.2 | 52.6 |
| 17/3/2019 17:18 | 58.6 | 56.5 | 52.5 |
| 17/3/2019 17:23 | 55.0 | 56.4 | 52.1 |
| 17/3/2019 17:28 | 54.3 | 56.0 | 52.4 |
| 17/3/2019 17:33 | 54.7 | 56.7 | 52.4 |
| 17/3/2019 17:38 | 54.4 | 55.4 | 53.2 |
| 17/3/2019 17:43 | 53.7 | 54.5 | 52.7 |
| 17/3/2019 17:48 | 56.0 | 58.6 | 53.0 |
| 17/3/2019 17:53 | 54.6 | 55.6 | 53.2 |
| 17/3/2019 17:58 | 55.0 | 56.5 | 53.3 |
| 17/3/2019 18:03 | 53.6 | 54.5 | 52.6 |
| 17/3/2019 18:08 | 54.4 | 55.7 | 52.8 |
| 17/3/2019 18:13 | 57.1 | 59.4 | 53.0 |
| 17/3/2019 18:18 | 55.7 | 58.2 | 53.0 |
| 17/3/2019 18:23 | 53.0 | 53.9 | 52.2 |
| 17/3/2019 18:28 | 52.6 | 53.2 | 51.9 |
| 17/3/2019 18:33 | 53.0 | 54.5 | 51.6 |
| 17/3/2019 18:38 | 53.1 | 54.2 | 51.7 |
| 17/3/2019 18:43 | 53.0 | 53.7 | 52.2 |
| 17/3/2019 18:48 | 56.0 | 57.9 | 52.6 |
| 17/3/2019 18:53 | 55.6 | 58.3 | 51.4 |
| 17/3/2019 18:58 | 53.2 | 54.2 | 51.7 |
| 17/3/2019 19:03 | 52.9 | 54.2 | 51.3 |
| 17/3/2019 19:08 | 52.5 | 53.9 | 51.0 |
| 17/3/2019 19:13 | 54.0 | 56.0 | 52.0 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 19:18 | 53.2 | 54.5 | 51.5 |
| 17/3/2019 19:23 | 52.4 | 53.6 | 51.1 |
| 17/3/2019 19:28 | 52.6 | 53.8 | 51.3 |
| 17/3/2019 19:33 | 53.9 | 55.9 | 51.3 |
| 17/3/2019 19:38 | 52.8 | 54.4 | 51.0 |
| 17/3/2019 19:43 | 52.9 | 54.4 | 51.0 |
| 17/3/2019 19:48 | 53.5 | 55.7 | 51.2 |
| 17/3/2019 19:53 | 52.1 | 53.5 | 50.6 |
| 17/3/2019 19:58 | 52.2 | 53.3 | 51.1 |
| 17/3/2019 20:03 | 53.0 | 54.9 | 51.1 |
| 17/3/2019 20:08 | 52.9 | 54.0 | 51.7 |
| 17/3/2019 20:13 | 54.6 | 55.6 | 51.7 |
| 17/3/2019 20:18 | 52.5 | 53.7 | 51.4 |
| 17/3/2019 20:23 | 53.0 | 54.2 | 51.7 |
| 17/3/2019 20:28 | 52.8 | 54.0 | 51.7 |
| 17/3/2019 20:33 | 53.5 | 55.6 | 51.2 |
| 17/3/2019 20:38 | 52.2 | 53.5 | 50.9 |
| 17/3/2019 20:43 | 53.2 | 55.1 | 51.1 |
| 17/3/2019 20:48 | 53.6 | 56.0 | 51.0 |
| 17/3/2019 20:53 | 52.6 | 53.5 | 51.5 |
| 17/3/2019 20:58 | 53.3 | 54.8 | 51.3 |
| 17/3/2019 21:03 | 53.0 | 54.4 | 51.3 |
| 17/3/2019 21:08 | 53.0 | 54.6 | 51.4 |
| 17/3/2019 21:13 | 53.9 | 56.2 | 50.9 |
| 17/3/2019 21:18 | 54.0 | 55.5 | 52.4 |
| 17/3/2019 21:23 | 52.6 | 53.3 | 51.8 |
| 17/3/2019 21:28 | 53.2 | 54.2 | 51.8 |
| 17/3/2019 21:33 | 53.7 | 54.8 | 52.2 |
| 17/3/2019 21:38 | 54.2 | 56.0 | 52.4 |
| 17/3/2019 21:43 | 54.2 | 55.7 | 52.3 |
| 17/3/2019 21:48 | 54.1 | 55.6 | 52.3 |
| 17/3/2019 21:53 | 54.3 | 55.9 | 52.7 |
| 17/3/2019 21:58 | 53.8 | 55.0 | 52.1 |
| 17/3/2019 22:03 | 54.3 | 55.7 | 52.4 |
| 17/3/2019 22:08 | 54.1 | 55.8 | 52.4 |
| 17/3/2019 22:13 | 54.5 | 56.2 | 52.5 |
| 17/3/2019 22:18 | 54.2 | 55.9 | 52.3 |
| 17/3/2019 22:23 | 54.3 | 55.8 | 52.4 |
| 17/3/2019 22:28 | 54.6 | 56.5 | 52.5 |
| 17/3/2019 22:33 | 54.5 | 55.9 | 52.3 |
| 17/3/2019 22:38 | 53.2 | 54.0 | 52.4 |
| 17/3/2019 22:43 | 54.6 | 56.3 | 52.4 |
| 17/3/2019 22:48 | 53.9 | 55.1 | 51.8 |
| 17/3/2019 22:53 | 53.1 | 54.3 | 51.7 |
| 17/3/2019 22:58 | 53.2 | 54.4 | 51.8 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 19:02 | 55.2 | 56.8 | 53.7 |
| 18/3/2019 19:07 | 54.8 | 56.2 | 53.5 |
| 18/3/2019 19:12 | 55.2 | 56.3 | 54.1 |
| 18/3/2019 19:17 | 58.4 | 61.4 | 54.2 |
| 18/3/2019 19:22 | 55.4 | 56.5 | 54.3 |
| 18/3/2019 19:27 | 55.0 | 55.9 | 53.8 |
| 18/3/2019 19:32 | 54.6 | 55.5 | 53.6 |
| 18/3/2019 19:37 | 55.5 | 57.3 | 53.8 |
| 18/3/2019 19:42 | 56.9 | 59.9 | 53.9 |
| 18/3/2019 19:47 | 55.3 | 57.0 | 53.5 |
| 18/3/2019 19:52 | 56.0 | 58.8 | 53.7 |
| 18/3/2019 19:57 | 54.8 | 57.2 | 52.7 |
| 18/3/2019 20:02 | 54.3 | 55.3 | 53.0 |
| 18/3/2019 20:07 | 54.8 | 56.6 | 53.1 |
| 18/3/2019 20:12 | 55.7 | 58.3 | 53.1 |
| 18/3/2019 20:17 | 53.7 | 55.2 | 52.5 |
| 18/3/2019 20:22 | 54.5 | 56.3 | 52.6 |
| 18/3/2019 20:27 | 53.1 | 54.3 | 52.1 |
| 18/3/2019 20:32 | 53.5 | 54.5 | 52.6 |
| 18/3/2019 20:37 | 55.5 | 57.8 | 52.5 |
| 18/3/2019 20:42 | 54.2 | 56.5 | 52.5 |
| 18/3/2019 20:47 | 53.5 | 54.4 | 52.6 |
| 18/3/2019 20:52 | 58.3 | 61.9 | 52.9 |
| 18/3/2019 20:57 | 53.1 | 53.8 | 52.3 |
| 18/3/2019 21:02 | 61.6 | 64.7 | 52.7 |
| 18/3/2019 21:07 | 54.9 | 58.7 | 52.2 |
| 18/3/2019 21:12 | 60.5 | 63.0 | 52.9 |
| 18/3/2019 21:17 | 54.6 | 56.6 | 52.9 |
| 18/3/2019 21:22 | 56.7 | 61.2 | 52.1 |
| 18/3/2019 21:27 | 53.0 | 53.9 | 52.3 |
| 18/3/2019 21:32 | 54.4 | 55.9 | 53.1 |
| 18/3/2019 21:37 | 54.3 | 56.0 | 52.8 |
| 18/3/2019 21:42 | 55.6 | 57.0 | 53.4 |
| 18/3/2019 21:47 | 55.3 | 56.4 | 53.5 |
| 18/3/2019 21:52 | 53.8 | 55.0 | 52.9 |
| 18/3/2019 21:57 | 53.1 | 53.7 | 52.3 |
| 18/3/2019 22:02 | 54.1 | 56.4 | 52.3 |
| 18/3/2019 22:07 | 54.1 | 55.9 | 52.2 |
| 18/3/2019 22:12 | 53.7 | 55.2 | 52.4 |
| 18/3/2019 22:17 | 54.6 | 56.6 | 52.9 |
| 18/3/2019 22:22 | 54.9 | 57.6 | 51.8 |
| 18/3/2019 22:27 | 53.4 | 54.6 | 52.0 |
| 18/3/2019 22:32 | 53.0 | 53.8 | 52.0 |
| 18/3/2019 22:37 | 54.6 | 57.4 | 52.5 |
| 18/3/2019 22:42 | 53.1 | 54.1 | 52.1 |
| 18/3/2019 22:47 | 53.0 | 54.2 | 52.1 |
| 18/3/2019 22:52 | 52.6 | 53.6 | 51.5 |
| 18/3/2019 22:57 | 53.8 | 55.8 | 51.6 |
| 19/3/2019 19:02 | 55.4 | 56.9 | 53.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 19/3/2019 19:07 | 55.8 | 57.2 | 54.2 |
| 19/3/2019 19:12 | 55.6 | 57.3 | 53.7 |
| 19/3/2019 19:17 | 57.5 | 59.8 | 54.1 |
| 19/3/2019 19:22 | 55.3 | 56.5 | 53.9 |
| 19/3/2019 19:27 | 57.3 | 59.7 | 54.3 |
| 19/3/2019 19:32 | 55.6 | 57.6 | 53.7 |
| 19/3/2019 19:37 | 59.6 | 57.9 | 53.7 |
| 19/3/2019 19:42 | 54.7 | 55.8 | 53.6 |
| 19/3/2019 19:47 | 57.0 | 59.9 | 53.6 |
| 19/3/2019 19:52 | 55.2 | 56.9 | 53.6 |
| 19/3/2019 19:57 | 55.6 | 57.4 | 53.7 |
| 19/3/2019 20:02 | 55.6 | 57.5 | 53.7 |
| 19/3/2019 20:07 | 56.5 | 59.0 | 53.7 |
| 19/3/2019 20:12 | 57.0 | 59.6 | 53.7 |
| 19/3/2019 20:17 | 55.8 | 58.2 | 52.9 |
| 19/3/2019 20:22 | 54.3 | 55.9 | 52.2 |
| 19/3/2019 20:27 | 53.7 | 55.0 | 52.4 |
| 19/3/2019 20:32 | 54.3 | 55.9 | 52.4 |
| 19/3/2019 20:37 | 54.3 | 55.8 | 52.4 |
| 19/3/2019 20:42 | 53.8 | 55.2 | 52.2 |
| 19/3/2019 20:47 | 53.0 | 54.1 | 52.0 |
| 19/3/2019 20:52 | 54.4 | 55.9 | 52.8 |
| 19/3/2019 20:57 | 53.5 | 54.7 | 52.3 |
| 19/3/2019 21:02 | 56.0 | 59.3 | 52.2 |
| 19/3/2019 21:07 | 54.2 | 55.8 | 52.2 |
| 19/3/2019 21:12 | 54.4 | 56.1 | 52.6 |
| 19/3/2019 21:17 | 54.5 | 56.5 | 52.3 |
| 19/3/2019 21:22 | 53.7 | 55.1 | 52.5 |
| 19/3/2019 21:27 | 53.6 | 55.0 | 52.0 |
| 19/3/2019 21:32 | 53.7 | 55.2 | 52.1 |
| 19/3/2019 21:37 | 53.5 | 54.6 | 52.0 |
| 19/3/2019 21:42 | 55.2 | 57.6 | 52.6 |
| 19/3/2019 21:47 | 53.5 | 54.7 | 52.3 |
| 19/3/2019 21:52 | 53.1 | 53.9 | 52.2 |
| 19/3/2019 21:57 | 53.3 | 54.7 | 52.0 |
| 19/3/2019 22:02 | 53.4 | 54.7 | 51.8 |
| 19/3/2019 22:07 | 53.0 | 54.4 | 51.8 |
| 19/3/2019 22:12 | 53.3 | 54.3 | 52.3 |
| 19/3/2019 22:17 | 55.5 | 56.5 | 52.4 |
| 19/3/2019 22:22 | 54.6 | 55.9 | 52.5 |
| 19/3/2019 22:27 | 54.4 | 56.4 | 52.3 |
| 19/3/2019 22:32 | 54.2 | 55.8 | 52.7 |
| 19/3/2019 22:37 | 54.4 | 55.5 | 52.9 |
| 19/3/2019 22:42 | 53.5 | 54.9 | 52.2 |
| 19/3/2019 22:47 | 53.2 | 54.5 | 51.9 |
| 19/3/2019 22:52 | 54.2 | 55.9 | 52.1 |
| 19/3/2019 22:57 | 53.3 | 54.5 | 51.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 19:02 | 56.3 | 58.0 | 54.4 |
| 20/3/2019 19:07 | 56.2 | 57.9 | 54.1 |
| 20/3/2019 19:12 | 55.4 | 56.9 | 54.0 |
| 20/3/2019 19:17 | 54.4 | 55.3 | 53.5 |
| 20/3/2019 19:22 | 56.6 | 59.2 | 54.1 |
| 20/3/2019 19:27 | 55.8 | 57.2 | 53.8 |
| 20/3/2019 19:32 | 54.9 | 56.4 | 53.4 |
| 20/3/2019 19:37 | 55.8 | 57.9 | 53.5 |
| 20/3/2019 19:42 | 55.4 | 57.3 | 53.4 |
| 20/3/2019 19:47 | 55.2 | 56.8 | 53.6 |
| 20/3/2019 19:52 | 55.1 | 56.7 | 53.3 |
| 20/3/2019 19:57 | 55.4 | 56.9 | 53.4 |
| 20/3/2019 20:02 | 54.9 | 56.1 | 53.5 |
| 20/3/2019 20:07 | 55.7 | 57.4 | 54.0 |
| 20/3/2019 20:12 | 57.0 | 58.8 | 53.3 |
| 20/3/2019 20:17 | 54.8 | 56.4 | 53.1 |
| 20/3/2019 20:22 | 54.9 | 56.6 | 53.0 |
| 20/3/2019 20:27 | 55.0 | 57.4 | 52.6 |
| 20/3/2019 20:32 | 57.1 | 60.7 | 52.9 |
| 20/3/2019 20:37 | 55.0 | 56.3 | 52.6 |
| 20/3/2019 20:42 | 55.4 | 57.9 | 52.6 |
| 20/3/2019 20:47 | 55.1 | 56.8 | 52.8 |
| 20/3/2019 20:52 | 55.3 | 58.3 | 52.7 |
| 20/3/2019 20:57 | 54.3 | 55.9 | 52.6 |
| 20/3/2019 21:02 | 54.8 | 55.8 | 52.6 |
| 20/3/2019 21:07 | 53.4 | 54.6 | 52.2 |
| 20/3/2019 21:12 | 53.7 | 55.2 | 52.2 |
| 20/3/2019 21:17 | 52.8 | 53.7 | 52.1 |
| 20/3/2019 21:22 | 54.4 | 56.5 | 52.4 |
| 20/3/2019 21:27 | 53.3 | 54.5 | 51.7 |
| 20/3/2019 21:32 | 53.7 | 55.1 | 52.3 |
| 20/3/2019 21:37 | 54.5 | 56.0 | 52.3 |
| 20/3/2019 21:42 | 54.9 | 55.6 | 53.2 |
| 20/3/2019 21:47 | 58.3 | 58.5 | 53.2 |
| 20/3/2019 21:52 | 53.7 | 54.2 | 52.4 |
| 20/3/2019 21:57 | 54.4 | 56.1 | 52.6 |
| 20/3/2019 22:02 | 53.5 | 54.5 | 52.4 |
| 20/3/2019 22:07 | 55.3 | 57.2 | 52.9 |
| 20/3/2019 22:12 | 54.7 | 56.4 | 52.9 |
| 20/3/2019 22:17 | 55.3 | 57.1 | 53.6 |
| 20/3/2019 22:22 | 55.0 | 56.9 | 53.1 |
| 20/3/2019 22:27 | 55.0 | 56.3 | 53.7 |
| 20/3/2019 22:32 | 55.5 | 56.7 | 54.0 |
| 20/3/2019 22:37 | 54.9 | 56.1 | 53.7 |
| 20/3/2019 22:42 | 54.0 | 55.5 | 52.6 |
| 20/3/2019 22:47 | 53.5 | 54.8 | 52.0 |
| 20/3/2019 22:52 | 52.8 | 53.7 | 51.9 |
| 20/3/2019 22:57 | 53.4 | 54.4 | 52.5 |
| 21/3/2019 19:02 | 54.7 | 56.4 | 52.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 19:07 | 55.6 | 57.3 | 53.7 |
| 21/3/2019 19:12 | 54.7 | 56.8 | 53.0 |
| 21/3/2019 19:17 | 54.7 | 56.6 | 52.8 |
| 21/3/2019 19:22 | 54.1 | 55.0 | 53.1 |
| 21/3/2019 19:27 | 55.2 | 56.6 | 53.4 |
| 21/3/2019 19:32 | 53.8 | 54.8 | 52.7 |
| 21/3/2019 19:37 | 54.7 | 55.9 | 53.5 |
| 21/3/2019 19:42 | 55.2 | 57.0 | 53.4 |
| 21/3/2019 19:47 | 54.0 | 55.2 | 52.8 |
| 21/3/2019 19:52 | 54.1 | 55.7 | 52.6 |
| 21/3/2019 19:57 | 54.2 | 55.8 | 52.7 |
| 21/3/2019 20:02 | 54.3 | 55.4 | 53.0 |
| 21/3/2019 20:07 | 53.9 | 55.0 | 52.7 |
| 21/3/2019 20:12 | 54.3 | 56.3 | 52.7 |
| 21/3/2019 20:17 | 56.7 | 58.3 | 53.1 |
| 21/3/2019 20:22 | 54.9 | 56.9 | 52.7 |
| 21/3/2019 20:27 | 54.0 | 55.0 | 52.7 |
| 21/3/2019 20:32 | 53.3 | 54.5 | 52.0 |
| 21/3/2019 20:37 | 54.1 | 55.6 | 52.7 |
| 21/3/2019 20:42 | 54.6 | 56.4 | 52.4 |
| 21/3/2019 20:47 | 53.7 | 55.1 | 52.2 |
| 21/3/2019 20:52 | 55.7 | 58.1 | 52.4 |
| 21/3/2019 20:57 | 54.2 | 55.6 | 52.4 |
| 21/3/2019 21:02 | 53.9 | 55.1 | 52.4 |
| 21/3/2019 21:07 | 54.9 | 55.5 | 52.6 |
| 21/3/2019 21:12 | 53.4 | 54.4 | 52.3 |
| 21/3/2019 21:17 | 53.9 | 54.9 | 52.5 |
| 21/3/2019 21:22 | 53.0 | 54.0 | 51.9 |
| 21/3/2019 21:27 | 53.9 | 54.9 | 52.4 |
| 21/3/2019 21:32 | 53.0 | 53.8 | 52.0 |
| 21/3/2019 21:37 | 53.3 | 54.2 | 52.4 |
| 21/3/2019 21:42 | 54.7 | 55.1 | 52.3 |
| 21/3/2019 21:47 | 54.5 | 56.5 | 52.5 |
| 21/3/2019 21:52 | 53.7 | 55.2 | 52.2 |
| 21/3/2019 21:57 | 54.7 | 56.7 | 52.7 |
| 21/3/2019 22:02 | 53.2 | 54.4 | 51.7 |
| 21/3/2019 22:07 | 54.1 | 55.2 | 52.2 |
| 21/3/2019 22:12 | 53.7 | 55.3 | 52.2 |
| 21/3/2019 22:17 | 52.8 | 53.6 | 51.9 |
| 21/3/2019 22:22 | 53.5 | 54.8 | 52.1 |
| 21/3/2019 22:27 | 53.4 | 54.4 | 52.3 |
| 21/3/2019 22:32 | 52.7 | 53.6 | 51.7 |
| 21/3/2019 22:37 | 52.4 | 53.2 | 51.6 |
| 21/3/2019 22:42 | 54.0 | 55.3 | 52.5 |
| 21/3/2019 22:47 | 53.0 | 54.0 | 52.0 |
| 21/3/2019 22:52 | 52.5 | 53.5 | 51.3 |
| 21/3/2019 22:57 | 53.6 | 54.9 | 52.0 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 19:03 | 56.2 | 56.8 | 54.9 |
| 22/3/2019 19:08 | 55.0 | 55.9 | 54.3 |
| 22/3/2019 19:13 | 55.0 | 55.8 | 54.0 |
| 22/3/2019 19:18 | 54.7 | 55.6 | 53.8 |
| 22/3/2019 19:23 | 55.0 | 56.0 | 54.2 |
| 22/3/2019 19:28 | 55.4 | 56.3 | 54.2 |
| 22/3/2019 19:33 | 55.6 | 56.5 | 54.6 |
| 22/3/2019 19:38 | 54.7 | 55.4 | 54.0 |
| 22/3/2019 19:43 | 54.7 | 55.7 | 53.8 |
| 22/3/2019 19:48 | 54.4 | 55.1 | 53.7 |
| 22/3/2019 19:53 | 55.1 | 55.8 | 54.3 |
| 22/3/2019 19:58 | 54.9 | 55.7 | 54.0 |
| 22/3/2019 20:03 | 55.4 | 56.2 | 54.3 |
| 22/3/2019 20:08 | 54.8 | 55.9 | 53.8 |
| 22/3/2019 20:13 | 54.9 | 55.7 | 53.8 |
| 22/3/2019 20:18 | 54.6 | 55.4 | 53.8 |
| 22/3/2019 20:23 | 55.4 | 56.4 | 54.3 |
| 22/3/2019 20:28 | 55.3 | 56.2 | 54.4 |
| 22/3/2019 20:33 | 54.8 | 55.7 | 54.1 |
| 22/3/2019 20:38 | 54.7 | 55.3 | 53.9 |
| 22/3/2019 20:43 | 55.4 | 56.4 | 54.3 |
| 22/3/2019 20:48 | 54.7 | 55.6 | 53.8 |
| 22/3/2019 20:53 | 54.9 | 55.8 | 54.0 |
| 22/3/2019 20:58 | 54.3 | 55.1 | 53.5 |
| 22/3/2019 21:03 | 54.8 | 55.8 | 53.8 |
| 22/3/2019 21:08 | 55.5 | 57.0 | 54.0 |
| 22/3/2019 21:13 | 54.8 | 55.7 | 53.9 |
| 22/3/2019 21:18 | 55.3 | 56.2 | 53.9 |
| 22/3/2019 21:23 | 54.9 | 55.6 | 54.0 |
| 22/3/2019 21:28 | 54.7 | 55.6 | 53.7 |
| 22/3/2019 21:33 | 55.3 | 56.7 | 53.8 |
| 22/3/2019 21:38 | 55.1 | 55.9 | 54.3 |
| 22/3/2019 21:43 | 55.6 | 56.4 | 54.2 |
| 22/3/2019 21:48 | 54.8 | 55.8 | 53.8 |
| 22/3/2019 21:53 | 55.8 | 56.6 | 54.5 |
| 22/3/2019 21:58 | 56.1 | 57.7 | 54.4 |
| 22/3/2019 22:03 | 56.4 | 57.8 | 54.6 |
| 22/3/2019 22:08 | 55.1 | 56.0 | 54.1 |
| 22/3/2019 22:13 | 55.6 | 57.3 | 54.0 |
| 22/3/2019 22:18 | 55.7 | 57.0 | 54.1 |
| 22/3/2019 22:23 | 56.5 | 58.7 | 54.3 |
| 22/3/2019 22:28 | 56.8 | 59.2 | 54.2 |
| 22/3/2019 22:33 | 55.6 | 57.7 | 53.5 |
| 22/3/2019 22:38 | 55.6 | 56.9 | 54.1 |
| 22/3/2019 22:43 | 54.5 | 55.3 | 53.7 |
| 22/3/2019 22:48 | 56.0 | 57.4 | 53.9 |
| 22/3/2019 22:53 | 54.4 | 55.3 | 53.4 |
| 22/3/2019 22:58 | 56.5 | 58.8 | 53.4 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 19:03 | 56.7 | 57.3 | 56.0 |
| 23/3/2019 19:08 | 56.5 | 57.1 | 55.9 |
| 23/3/2019 19:13 | 57.8 | 59.4 | 56.3 |
| 23/3/2019 19:18 | 57.5 | 58.4 | 56.6 |
| 23/3/2019 19:23 | 57.4 | 58.2 | 56.6 |
| 23/3/2019 19:28 | 57.7 | 58.4 | 56.9 |
| 23/3/2019 19:33 | 57.6 | 58.5 | 56.7 |
| 23/3/2019 19:38 | 57.3 | 58.4 | 56.2 |
| 23/3/2019 19:43 | 57.1 | 58.0 | 56.0 |
| 23/3/2019 19:48 | 56.4 | 57.2 | 55.6 |
| 23/3/2019 19:53 | 56.9 | 57.8 | 55.9 |
| 23/3/2019 19:58 | 56.5 | 57.5 | 55.4 |
| 23/3/2019 20:03 | 56.3 | 57.0 | 55.6 |
| 23/3/2019 20:08 | 56.6 | 57.6 | 55.7 |
| 23/3/2019 20:13 | 56.6 | 57.3 | 55.9 |
| 23/3/2019 20:18 | 57.5 | 58.4 | 56.2 |
| 23/3/2019 20:23 | 57.1 | 58.2 | 55.9 |
| 23/3/2019 20:28 | 58.0 | 59.1 | 56.7 |
| 23/3/2019 20:33 | 58.2 | 59.0 | 57.4 |
| 23/3/2019 20:38 | 58.5 | 59.6 | 57.5 |
| 23/3/2019 20:43 | 59.0 | 60.2 | 57.5 |
| 23/3/2019 20:48 | 58.4 | 59.7 | 56.9 |
| 23/3/2019 20:53 | 58.7 | 59.9 | 57.5 |
| 23/3/2019 20:58 | 58.1 | 59.1 | 56.9 |
| 23/3/2019 21:03 | 57.6 | 58.7 | 56.4 |
| 23/3/2019 21:08 | 57.8 | 58.6 | 56.8 |
| 23/3/2019 21:13 | 57.1 | 57.9 | 56.1 |
| 23/3/2019 21:18 | 57.5 | 58.4 | 56.6 |
| 23/3/2019 21:23 | 57.4 | 58.7 | 56.1 |
| 23/3/2019 21:28 | 58.2 | 59.4 | 57.0 |
| 23/3/2019 21:33 | 58.4 | 59.2 | 57.3 |
| 23/3/2019 21:38 | 58.0 | 59.2 | 56.9 |
| 23/3/2019 21:43 | 58.4 | 59.4 | 57.5 |
| 23/3/2019 21:48 | 57.9 | 58.9 | 56.9 |
| 23/3/2019 21:53 | 58.7 | 59.9 | 56.7 |
| 23/3/2019 21:58 | 58.5 | 59.3 | 57.5 |
| 23/3/2019 22:03 | 58.0 | 58.8 | 57.1 |
| 23/3/2019 22:08 | 58.6 | 59.5 | 57.5 |
| 23/3/2019 22:13 | 60.9 | 63.2 | 57.3 |
| 23/3/2019 22:18 | 59.1 | 61.0 | 56.6 |
| 23/3/2019 22:23 | 60.3 | 61.5 | 56.9 |
| 23/3/2019 22:28 | 58.5 | 59.7 | 57.5 |
| 23/3/2019 22:33 | 58.5 | 59.8 | 56.7 |
| 23/3/2019 22:38 | 57.8 | 59.1 | 56.8 |
| 23/3/2019 22:43 | 58.1 | 59.0 | 57.2 |
| 23/3/2019 22:48 | 57.2 | 58.2 | 55.9 |
| 23/3/2019 22:53 | 57.8 | 58.8 | 56.7 |
| 23/3/2019 22:58 | 57.6 | 58.6 | 56.4 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 7:03 | 57.8 | 59.7 | 55.6 |
| 24/3/2019 7:08 | 56.9 | 58.0 | 55.6 |
| 24/3/2019 7:13 | 57.3 | 58.2 | 55.7 |
| 24/3/2019 7:18 | 61.0 | 61.7 | 57.7 |
| 24/3/2019 7:23 | 57.8 | 58.9 | 56.1 |
| 24/3/2019 7:28 | 57.1 | 58.3 | 55.8 |
| 24/3/2019 7:33 | 58.7 | 61.0 | 56.4 |
| 24/3/2019 7:38 | 58.0 | 59.6 | 56.1 |
| 24/3/2019 7:43 | 57.8 | 59.1 | 56.3 |
| 24/3/2019 7:48 | 56.8 | 57.7 | 55.7 |
| 24/3/2019 7:53 | 57.0 | 58.0 | 55.9 |
| 24/3/2019 7:58 | 58.0 | 59.4 | 56.4 |
| 24/3/2019 8:03 | 57.5 | 59.3 | 55.8 |
| 24/3/2019 8:08 | 58.5 | 60.2 | 56.8 |
| 24/3/2019 8:13 | 57.8 | 58.9 | 56.8 |
| 24/3/2019 8:18 | 58.1 | 59.2 | 56.8 |
| 24/3/2019 8:23 | 57.4 | 58.5 | 56.2 |
| 24/3/2019 8:28 | 58.9 | 60.5 | 57.1 |
| 24/3/2019 8:33 | 59.5 | 60.6 | 58.0 |
| 24/3/2019 8:38 | 58.9 | 59.8 | 57.7 |
| 24/3/2019 8:43 | 58.5 | 59.7 | 57.1 |
| 24/3/2019 8:48 | 59.3 | 60.5 | 57.8 |
| 24/3/2019 8:53 | 59.0 | 60.0 | 57.9 |
| 24/3/2019 8:58 | 59.4 | 60.5 | 57.9 |
| 24/3/2019 9:03 | 58.7 | 60.0 | 57.4 |
| 24/3/2019 9:08 | 59.3 | 60.2 | 57.9 |
| 24/3/2019 9:13 | 59.3 | 60.4 | 58.1 |
| 24/3/2019 9:18 | 59.5 | 60.7 | 58.3 |
| 24/3/2019 9:23 | 59.7 | 60.9 | 58.2 |
| 24/3/2019 9:28 | 70.5 | 67.1 | 59.4 |
| 24/3/2019 9:33 | 60.4 | 60.9 | 58.5 |
| 24/3/2019 9:38 | 59.9 | 60.8 | 58.1 |
| 24/3/2019 9:43 | 60.5 | 61.4 | 58.7 |
| 24/3/2019 9:48 | 59.7 | 60.6 | 58.5 |
| 24/3/2019 9:53 | 59.5 | 60.8 | 58.4 |
| 24/3/2019 9:58 | 59.5 | 60.2 | 58.8 |
| 24/3/2019 10:03 | 59.0 | 60.1 | 57.6 |
| 24/3/2019 10:08 | 58.6 | 59.6 | 57.5 |
| 24/3/2019 10:13 | 76.1 | 71.7 | 55.4 |
| 24/3/2019 10:18 | 78.0 | 74.7 | 58.9 |
| 24/3/2019 10:23 | 60.2 | 61.3 | 58.9 |
| 24/3/2019 10:28 | 60.3 | 60.9 | 58.7 |
| 24/3/2019 10:33 | 61.5 | 62.2 | 59.2 |
| 24/3/2019 10:38 | 60.6 | 62.1 | 59.1 |
| 24/3/2019 10:43 | 61.6 | 62.9 | 59.8 |
| 24/3/2019 10:48 | 61.2 | 62.5 | 59.5 |
| 24/3/2019 10:53 | 63.6 | 66.9 | 60.1 |
| 24/3/2019 10:58 | 61.0 | 62.5 | 59.3 |
| 24/3/2019 11:03 | 60.8 | 63.2 | 58.7 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 11:08 | 59.5 | 60.5 | 58.3 |
| 24/3/2019 11:13 | 62.4 | 64.3 | 59.9 |
| 24/3/2019 11:18 | 61.9 | 62.9 | 59.8 |
| 24/3/2019 11:23 | 60.5 | 61.9 | 59.2 |
| 24/3/2019 11:28 | 60.5 | 61.9 | 59.0 |
| 24/3/2019 11:33 | 62.8 | 64.0 | 60.1 |
| 24/3/2019 11:38 | 62.0 | 63.6 | 59.4 |
| 24/3/2019 11:43 | 59.6 | 61.2 | 58.0 |
| 24/3/2019 11:48 | 61.0 | 62.7 | 59.2 |
| 24/3/2019 11:53 | 60.9 | 62.2 | 59.4 |
| 24/3/2019 11:58 | 60.0 | 61.1 | 58.9 |
| 24/3/2019 12:03 | 60.1 | 61.8 | 58.4 |
| 24/3/2019 12:08 | 60.8 | 62.1 | 59.0 |
| 24/3/2019 12:13 | 59.8 | 61.2 | 58.2 |
| 24/3/2019 12:18 | 59.6 | 61.1 | 58.5 |
| 24/3/2019 12:23 | 61.3 | 62.4 | 59.0 |
| 24/3/2019 12:28 | 60.1 | 61.3 | 58.8 |
| 24/3/2019 12:33 | 60.3 | 61.7 | 58.8 |
| 24/3/2019 12:38 | 60.7 | 62.3 | 58.9 |
| 24/3/2019 12:43 | 60.4 | 61.6 | 59.2 |
| 24/3/2019 12:48 | 59.9 | 60.8 | 58.9 |
| 24/3/2019 12:53 | 62.1 | 63.4 | 59.7 |
| 24/3/2019 12:58 | 62.7 | 64.9 | 60.0 |
| 24/3/2019 13:03 | 61.7 | 63.0 | 60.3 |
| 24/3/2019 13:08 | 61.3 | 62.8 | 59.6 |
| 24/3/2019 13:13 | 60.8 | 62.2 | 58.5 |
| 24/3/2019 13:18 | 59.3 | 60.4 | 58.3 |
| 24/3/2019 13:23 | 61.3 | 62.3 | 59.2 |
| 24/3/2019 13:28 | 61.4 | 63.0 | 59.0 |
| 24/3/2019 13:33 | 60.1 | 61.2 | 58.5 |
| 24/3/2019 13:38 | 59.7 | 60.6 | 58.5 |
| 24/3/2019 13:43 | 60.2 | 61.5 | 58.7 |
| 24/3/2019 13:48 | 60.3 | 61.2 | 58.9 |
| 24/3/2019 13:53 | 60.6 | 61.7 | 59.1 |
| 24/3/2019 13:58 | 62.9 | 65.4 | 60.3 |
| 24/3/2019 14:03 | 61.5 | 63.1 | 60.0 |
| 24/3/2019 14:08 | 60.8 | 62.0 | 59.4 |
| 24/3/2019 14:13 | 62.9 | 64.6 | 58.8 |
| 24/3/2019 14:18 | 59.8 | 61.0 | 58.5 |
| 24/3/2019 14:23 | 60.0 | 61.2 | 58.7 |
| 24/3/2019 14:28 | 60.8 | 61.9 | 58.9 |
| 24/3/2019 14:33 | 60.3 | 61.4 | 58.3 |
| 24/3/2019 14:38 | 59.9 | 60.9 | 58.6 |
| 24/3/2019 14:43 | 59.6 | 60.3 | 58.5 |
| 24/3/2019 14:48 | 59.3 | 60.3 | 58.2 |
| 24/3/2019 14:53 | 60.0 | 61.6 | 58.2 |
| 24/3/2019 14:58 | 60.8 | 62.1 | 58.9 |
| 24/3/2019 15:03 | 60.7 | 62.1 | 58.5 |
| 24/3/2019 15:08 | 59.8 | 61.2 | 58.2 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 15:13 | 60.0 | 61.3 | 58.2 |
| 24/3/2019 15:18 | 58.8 | 59.8 | 57.8 |
| 24/3/2019 15:23 | 59.0 | 60.0 | 58.1 |
| 24/3/2019 15:28 | 59.6 | 61.1 | 58.1 |
| 24/3/2019 15:33 | 59.1 | 60.5 | 57.6 |
| 24/3/2019 15:38 | 61.0 | 62.6 | 58.6 |
| 24/3/2019 15:43 | 61.3 | 63.1 | 58.2 |
| 24/3/2019 15:48 | 59.3 | 60.3 | 57.7 |
| 24/3/2019 15:53 | 59.4 | 60.5 | 58.1 |
| 24/3/2019 15:58 | 60.1 | 61.3 | 58.7 |
| 24/3/2019 16:03 | 62.5 | 64.5 | 58.7 |
| 24/3/2019 16:08 | 59.5 | 60.8 | 58.1 |
| 24/3/2019 16:13 | 59.6 | 60.8 | 58.1 |
| 24/3/2019 16:18 | 60.0 | 61.3 | 58.2 |
| 24/3/2019 16:23 | 59.7 | 60.8 | 58.5 |
| 24/3/2019 16:28 | 59.3 | 60.3 | 58.3 |
| 24/3/2019 16:33 | 59.8 | 60.8 | 58.7 |
| 24/3/2019 16:38 | 59.3 | 60.5 | 58.0 |
| 24/3/2019 16:43 | 59.4 | 60.6 | 58.2 |
| 24/3/2019 16:48 | 59.9 | 61.6 | 57.9 |
| 24/3/2019 16:53 | 59.1 | 60.3 | 57.8 |
| 24/3/2019 16:58 | 59.9 | 61.2 | 57.8 |
| 24/3/2019 17:03 | 60.4 | 61.7 | 58.7 |
| 24/3/2019 17:08 | 59.6 | 61.2 | 58.2 |
| 24/3/2019 17:13 | 59.4 | 61.1 | 58.0 |
| 24/3/2019 17:18 | 60.2 | 61.9 | 58.0 |
| 24/3/2019 17:23 | 59.9 | 60.9 | 58.7 |
| 24/3/2019 17:28 | 60.1 | 61.4 | 58.6 |
| 24/3/2019 17:33 | 59.7 | 60.7 | 58.6 |
| 24/3/2019 17:38 | 60.6 | 61.9 | 58.3 |
| 24/3/2019 17:43 | 61.5 | 62.8 | 58.5 |
| 24/3/2019 17:48 | 60.7 | 61.0 | 58.0 |
| 24/3/2019 17:53 | 60.0 | 61.0 | 58.2 |
| 24/3/2019 17:58 | 59.7 | 61.5 | 57.8 |
| 24/3/2019 18:03 | 59.5 | 60.7 | 58.2 |
| 24/3/2019 18:08 | 62.2 | 63.3 | 58.1 |
| 24/3/2019 18:13 | 59.5 | 60.9 | 57.9 |
| 24/3/2019 18:18 | 59.9 | 61.4 | 58.3 |
| 24/3/2019 18:23 | 61.8 | 63.6 | 58.8 |
| 24/3/2019 18:28 | 59.3 | 60.7 | 57.9 |
| 24/3/2019 18:33 | 61.6 | 63.4 | 58.6 |
| 24/3/2019 18:38 | 60.6 | 62.4 | 58.4 |
| 24/3/2019 18:43 | 60.6 | 62.0 | 58.6 |
| 24/3/2019 18:48 | 60.3 | 62.0 | 58.2 |
| 24/3/2019 18:53 | 60.6 | 62.5 | 58.6 |
| 24/3/2019 18:58 | 59.4 | 60.3 | 58.3 |
| 24/3/2019 19:03 | 59.5 | 60.9 | 58.0 |
| 24/3/2019 19:08 | 60.3 | 61.5 | 58.1 |
| 24/3/2019 19:13 | 60.7 | 62.6 | 58.2 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Evening on Normal Weekdays (1900-2300 hours) and
Holidays (0700-2300 Hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 19:18 | 60.9 | 62.4 | 57.9 |
| 24/3/2019 19:23 | 66.7 | 66.0 | 58.8 |
| 24/3/2019 19:28 | 60.6 | 61.1 | 57.9 |
| 24/3/2019 19:33 | 59.6 | 61.1 | 57.7 |
| 24/3/2019 19:38 | 60.3 | 62.0 | 58.3 |
| 24/3/2019 19:43 | 59.8 | 61.3 | 58.0 |
| 24/3/2019 19:48 | 59.0 | 60.7 | 57.2 |
| 24/3/2019 19:53 | 57.9 | 58.9 | 56.8 |
| 24/3/2019 19:58 | 58.4 | 59.8 | 56.8 |
| 24/3/2019 20:03 | 59.1 | 60.5 | 57.5 |
| 24/3/2019 20:08 | 60.3 | 62.0 | 57.9 |
| 24/3/2019 20:13 | 59.0 | 60.4 | 57.6 |
| 24/3/2019 20:18 | 59.2 | 60.2 | 57.9 |
| 24/3/2019 20:23 | 58.9 | 60.1 | 57.2 |
| 24/3/2019 20:28 | 58.9 | 59.9 | 57.4 |
| 24/3/2019 20:33 | 60.4 | 61.6 | 57.8 |
| 24/3/2019 20:38 | 58.9 | 60.3 | 57.4 |
| 24/3/2019 20:43 | 59.4 | 61.0 | 57.3 |
| 24/3/2019 20:48 | 59.5 | 60.9 | 57.8 |
| 24/3/2019 20:53 | 59.8 | 61.2 | 58.4 |
| 24/3/2019 20:58 | 60.2 | 61.4 | 58.4 |
| 24/3/2019 21:03 | 59.0 | 60.3 | 57.5 |
| 24/3/2019 21:08 | 59.3 | 60.5 | 57.4 |
| 24/3/2019 21:13 | 59.5 | 60.8 | 57.8 |
| 24/3/2019 21:18 | 59.0 | 59.7 | 57.9 |
| 24/3/2019 21:23 | 59.5 | 60.8 | 57.6 |
| 24/3/2019 21:28 | 60.0 | 61.8 | 58.1 |
| 24/3/2019 21:33 | 59.6 | 60.6 | 58.0 |
| 24/3/2019 21:38 | 58.8 | 59.7 | 57.9 |
| 24/3/2019 21:43 | 58.6 | 59.6 | 57.3 |
| 24/3/2019 21:48 | 58.6 | 59.7 | 57.4 |
| 24/3/2019 21:53 | 57.7 | 58.8 | 56.5 |
| 24/3/2019 21:58 | 58.2 | 59.2 | 57.1 |
| 24/3/2019 22:03 | 58.2 | 59.3 | 57.3 |
| 24/3/2019 22:08 | 57.6 | 58.8 | 56.4 |
| 24/3/2019 22:13 | 58.4 | 59.9 | 56.9 |
| 24/3/2019 22:18 | 58.6 | 60.2 | 57.2 |
| 24/3/2019 22:23 | 59.0 | 60.7 | 57.0 |
| 24/3/2019 22:28 | 58.6 | 60.0 | 57.2 |
| 24/3/2019 22:33 | 58.3 | 59.5 | 56.9 |
| 24/3/2019 22:38 | 58.7 | 60.0 | 57.0 |
| 24/3/2019 22:43 | 58.0 | 59.2 | 56.6 |
| 24/3/2019 22:48 | 57.4 | 58.4 | 56.2 |
| 24/3/2019 22:53 | 58.5 | 59.6 | 57.2 |
| 24/3/2019 22:58 | 58.2 | 59.8 | 56.6 |

Mean 58.1
Maximum 78.0
Minimum 52.1

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 11/3/2019 23:00 | 53.5 | 54.6 | 52.4 |
| 11/3/2019 23:05 | 53.6 | 54.5 | 52.7 |
| 11/3/2019 23:10 | 53.2 | 54.2 | 52.2 |
| 11/3/2019 23:15 | 54.2 | 55.0 | 53.3 |
| 11/3/2019 23:20 | 53.3 | 54.0 | 52.5 |
| 11/3/2019 23:25 | 52.9 | 53.5 | 52.3 |
| 11/3/2019 23:30 | 53.1 | 53.9 | 52.4 |
| 11/3/2019 23:35 | 53.1 | 53.9 | 52.1 |
| 11/3/2019 23:40 | 53.0 | 53.6 | 52.3 |
| 11/3/2019 23:45 | 53.4 | 54.4 | 52.2 |
| 11/3/2019 23:50 | 52.8 | 53.8 | 52.0 |
| 11/3/2019 23:55 | 52.8 | 53.9 | 51.9 |
| 12/3/2019 0:00 | 52.9 | 53.6 | 51.9 |
| 12/3/2019 0:05 | 53.6 | 54.3 | 52.5 |
| 12/3/2019 0:10 | 53.3 | 54.2 | 51.9 |
| 12/3/2019 0:15 | 53.6 | 54.4 | 52.6 |
| 12/3/2019 0:20 | 54.0 | 55.1 | 53.0 |
| 12/3/2019 0:25 | 56.2 | 57.0 | 52.9 |
| 12/3/2019 0:30 | 53.8 | 54.9 | 52.5 |
| 12/3/2019 0:35 | 54.6 | 55.7 | 53.5 |
| 12/3/2019 0:40 | 55.1 | 55.9 | 54.0 |
| 12/3/2019 0:45 | 54.4 | 55.3 | 53.3 |
| 12/3/2019 0:50 | 54.0 | 54.9 | 53.1 |
| 12/3/2019 0:55 | 54.2 | 55.3 | 52.8 |
| 12/3/2019 1:00 | 57.3 | 56.3 | 52.7 |
| 12/3/2019 1:05 | 53.1 | 54.5 | 51.6 |
| 12/3/2019 1:10 | 53.0 | 53.9 | 51.9 |
| 12/3/2019 1:15 | 53.1 | 54.7 | 51.7 |
| 12/3/2019 1:20 | 54.3 | 54.2 | 51.5 |
| 12/3/2019 1:25 | 52.9 | 54.0 | 51.7 |
| 12/3/2019 1:30 | 52.2 | 53.4 | 51.1 |
| 12/3/2019 1:35 | 52.0 | 52.7 | 51.2 |
| 12/3/2019 1:40 | 52.2 | 53.4 | 51.1 |
| 12/3/2019 1:45 | 54.0 | 56.1 | 50.5 |
| 12/3/2019 1:50 | 51.5 | 52.5 | 50.4 |
| 12/3/2019 1:55 | 54.2 | 56.7 | 50.2 |
| 12/3/2019 2:00 | 50.4 | 51.1 | 49.6 |
| 12/3/2019 2:05 | 53.1 | 54.7 | 50.1 |
| 12/3/2019 2:10 | 50.6 | 51.6 | 49.4 |
| 12/3/2019 2:15 | 50.8 | 52.4 | 49.4 |
| 12/3/2019 2:20 | 49.9 | 50.8 | 49.1 |
| 12/3/2019 2:25 | 50.1 | 50.9 | 49.3 |
| 12/3/2019 2:30 | 50.3 | 51.3 | 48.8 |
| 12/3/2019 2:35 | 50.2 | 51.5 | 48.9 |
| 12/3/2019 2:40 | 50.7 | 51.6 | 49.6 |
| 12/3/2019 2:45 | 50.6 | 52.3 | 49.1 |
| 12/3/2019 2:50 | 51.2 | 52.2 | 50.1 |
| 12/3/2019 2:55 | 51.2 | 52.4 | 49.5 |
| 12/3/2019 3:00 | 51.1 | 52.2 | 50.2 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 3:05 | 52.0 | 54.0 | 50.4 |
| 12/3/2019 3:10 | 52.4 | 53.5 | 51.0 |
| 12/3/2019 3:15 | 51.9 | 53.8 | 50.2 |
| 12/3/2019 3:20 | 51.9 | 53.4 | 50.2 |
| 12/3/2019 3:25 | 51.3 | 52.7 | 50.2 |
| 12/3/2019 3:30 | 52.1 | 53.3 | 51.0 |
| 12/3/2019 3:35 | 51.3 | 52.4 | 50.1 |
| 12/3/2019 3:40 | 51.6 | 52.5 | 50.6 |
| 12/3/2019 3:45 | 52.0 | 54.1 | 50.5 |
| 12/3/2019 3:50 | 51.6 | 52.5 | 50.6 |
| 12/3/2019 3:55 | 51.3 | 52.4 | 50.3 |
| 12/3/2019 4:00 | 51.7 | 52.7 | 50.3 |
| 12/3/2019 4:05 | 51.8 | 52.9 | 50.4 |
| 12/3/2019 4:10 | 51.7 | 52.6 | 50.8 |
| 12/3/2019 4:15 | 52.9 | 54.2 | 51.7 |
| 12/3/2019 4:20 | 52.8 | 54.3 | 51.1 |
| 12/3/2019 4:25 | 52.8 | 53.8 | 51.7 |
| 12/3/2019 4:30 | 52.0 | 53.1 | 51.0 |
| 12/3/2019 4:35 | 52.3 | 53.5 | 50.9 |
| 12/3/2019 4:40 | 52.0 | 53.8 | 50.5 |
| 12/3/2019 4:45 | 51.9 | 52.8 | 50.8 |
| 12/3/2019 4:50 | 52.3 | 53.4 | 51.2 |
| 12/3/2019 4:55 | 53.1 | 54.3 | 51.7 |
| 12/3/2019 5:00 | 53.8 | 55.2 | 51.5 |
| 12/3/2019 5:05 | 52.5 | 53.9 | 51.1 |
| 12/3/2019 5:10 | 53.3 | 55.0 | 51.3 |
| 12/3/2019 5:15 | 51.7 | 52.5 | 50.9 |
| 12/3/2019 5:20 | 52.3 | 53.4 | 51.3 |
| 12/3/2019 5:25 | 52.7 | 53.6 | 50.9 |
| 12/3/2019 5:30 | 51.9 | 53.1 | 51.0 |
| 12/3/2019 5:35 | 51.8 | 52.7 | 50.9 |
| 12/3/2019 5:40 | 52.4 | 53.4 | 51.2 |
| 12/3/2019 5:45 | 53.4 | 54.8 | 51.9 |
| 12/3/2019 5:50 | 54.2 | 55.3 | 52.5 |
| 12/3/2019 5:55 | 54.2 | 55.2 | 53.1 |
| 12/3/2019 6:00 | 54.9 | 55.2 | 53.6 |
| 12/3/2019 6:05 | 53.7 | 54.4 | 52.9 |
| 12/3/2019 6:10 | 53.1 | 53.9 | 52.2 |
| 12/3/2019 6:15 | 54.5 | 55.4 | 53.3 |
| 12/3/2019 6:20 | 54.3 | 55.2 | 53.5 |
| 12/3/2019 6:25 | 53.9 | 54.7 | 53.1 |
| 12/3/2019 6:30 | 54.6 | 55.8 | 53.5 |
| 12/3/2019 6:35 | 55.4 | 56.9 | 53.7 |
| 12/3/2019 6:40 | 55.6 | 56.6 | 54.5 |
| 12/3/2019 6:45 | 56.2 | 57.0 | 55.5 |
| 12/3/2019 6:50 | 55.9 | 56.8 | 55.0 |
| 12/3/2019 6:55 | 56.8 | 57.7 | 56.1 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 12/3/2019 23:00 | 54.1 | 55.0 | 53.1 |
| 12/3/2019 23:05 | 53.5 | 54.4 | 52.6 |
| 12/3/2019 23:10 | 53.4 | 54.2 | 52.6 |
| 12/3/2019 23:15 | 53.9 | 54.8 | 52.8 |
| 12/3/2019 23:20 | 54.1 | 55.2 | 53.2 |
| 12/3/2019 23:25 | 55.2 | 55.3 | 52.8 |
| 12/3/2019 23:30 | 53.7 | 54.3 | 52.7 |
| 12/3/2019 23:35 | 53.7 | 54.9 | 52.7 |
| 12/3/2019 23:40 | 53.1 | 53.9 | 52.3 |
| 12/3/2019 23:45 | 53.0 | 53.8 | 52.0 |
| 12/3/2019 23:50 | 53.3 | 54.0 | 52.6 |
| 12/3/2019 23:55 | 53.4 | 54.3 | 52.4 |
| 13/3/2019 0:00 | 53.2 | 54.2 | 52.3 |
| 13/3/2019 0:05 | 54.4 | 55.5 | 52.6 |
| 13/3/2019 0:10 | 53.7 | 54.7 | 52.8 |
| 13/3/2019 0:15 | 53.9 | 54.6 | 53.2 |
| 13/3/2019 0:20 | 53.4 | 54.3 | 52.5 |
| 13/3/2019 0:25 | 53.5 | 54.3 | 52.6 |
| 13/3/2019 0:30 | 54.0 | 54.8 | 53.1 |
| 13/3/2019 0:35 | 52.3 | 53.4 | 51.3 |
| 13/3/2019 0:40 | 51.9 | 52.5 | 51.3 |
| 13/3/2019 0:45 | 52.1 | 53.1 | 51.2 |
| 13/3/2019 0:50 | 52.5 | 53.5 | 51.5 |
| 13/3/2019 0:55 | 52.7 | 53.6 | 51.9 |
| 13/3/2019 1:00 | 52.1 | 53.2 | 51.3 |
| 13/3/2019 1:05 | 53.0 | 53.5 | 51.2 |
| 13/3/2019 1:10 | 55.8 | 56.4 | 50.9 |
| 13/3/2019 1:15 | 52.4 | 53.3 | 51.5 |
| 13/3/2019 1:20 | 51.4 | 52.1 | 50.5 |
| 13/3/2019 1:25 | 51.4 | 52.3 | 50.3 |
| 13/3/2019 1:30 | 50.7 | 51.6 | 49.9 |
| 13/3/2019 1:35 | 51.6 | 52.6 | 50.6 |
| 13/3/2019 1:40 | 51.4 | 52.6 | 50.3 |
| 13/3/2019 1:45 | 51.6 | 52.7 | 50.6 |
| 13/3/2019 1:50 | 51.0 | 52.2 | 49.9 |
| 13/3/2019 1:55 | 51.9 | 53.3 | 50.6 |
| 13/3/2019 2:00 | 51.2 | 52.2 | 50.3 |
| 13/3/2019 2:05 | 51.7 | 52.8 | 50.3 |
| 13/3/2019 2:10 | 52.0 | 53.4 | 50.5 |
| 13/3/2019 2:15 | 50.8 | 51.7 | 49.8 |
| 13/3/2019 2:20 | 51.1 | 52.0 | 49.8 |
| 13/3/2019 2:25 | 50.1 | 50.9 | 49.2 |
| 13/3/2019 2:30 | 50.8 | 51.7 | 49.8 |
| 13/3/2019 2:35 | 50.1 | 51.0 | 49.2 |
| 13/3/2019 2:40 | 50.5 | 51.4 | 49.4 |
| 13/3/2019 2:45 | 50.4 | 51.2 | 49.5 |
| 13/3/2019 2:50 | 50.9 | 51.7 | 50.0 |
| 13/3/2019 2:55 | 49.9 | 51.0 | 48.9 |
| 13/3/2019 3:00 | 49.9 | 50.9 | 49.0 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 3:05 | 50.7 | 51.7 | 49.4 |
| 13/3/2019 3:10 | 50.1 | 50.9 | 49.3 |
| 13/3/2019 3:15 | 50.3 | 51.7 | 49.1 |
| 13/3/2019 3:20 | 49.5 | 50.3 | 48.6 |
| 13/3/2019 3:25 | 49.3 | 50.1 | 48.5 |
| 13/3/2019 3:30 | 49.6 | 50.7 | 48.4 |
| 13/3/2019 3:35 | 50.1 | 51.1 | 49.1 |
| 13/3/2019 3:40 | 49.5 | 50.5 | 48.4 |
| 13/3/2019 3:45 | 49.9 | 50.9 | 48.9 |
| 13/3/2019 3:50 | 51.3 | 53.5 | 48.7 |
| 13/3/2019 3:55 | 50.2 | 51.1 | 49.1 |
| 13/3/2019 4:00 | 50.4 | 52.4 | 48.9 |
| 13/3/2019 4:05 | 50.2 | 51.1 | 49.2 |
| 13/3/2019 4:10 | 50.2 | 51.3 | 48.8 |
| 13/3/2019 4:15 | 49.5 | 50.5 | 48.5 |
| 13/3/2019 4:20 | 51.4 | 53.5 | 49.0 |
| 13/3/2019 4:25 | 51.2 | 52.6 | 49.6 |
| 13/3/2019 4:30 | 50.8 | 52.3 | 49.3 |
| 13/3/2019 4:35 | 50.4 | 51.0 | 48.7 |
| 13/3/2019 4:40 | 50.3 | 51.2 | 49.2 |
| 13/3/2019 4:45 | 50.2 | 51.1 | 49.3 |
| 13/3/2019 4:50 | 50.8 | 51.8 | 49.7 |
| 13/3/2019 4:55 | 50.5 | 51.5 | 49.4 |
| 13/3/2019 5:00 | 51.1 | 52.1 | 49.5 |
| 13/3/2019 5:05 | 51.3 | 52.7 | 49.9 |
| 13/3/2019 5:10 | 50.9 | 52.0 | 49.7 |
| 13/3/2019 5:15 | 51.3 | 53.1 | 49.5 |
| 13/3/2019 5:20 | 51.3 | 52.1 | 50.3 |
| 13/3/2019 5:25 | 51.7 | 53.2 | 50.2 |
| 13/3/2019 5:30 | 51.3 | 52.3 | 50.3 |
| 13/3/2019 5:35 | 50.9 | 51.8 | 49.7 |
| 13/3/2019 5:40 | 51.9 | 53.1 | 50.6 |
| 13/3/2019 5:45 | 51.7 | 52.8 | 50.6 |
| 13/3/2019 5:50 | 51.9 | 52.8 | 50.6 |
| 13/3/2019 5:55 | 51.4 | 52.4 | 50.5 |
| 13/3/2019 6:00 | 51.9 | 52.6 | 51.0 |
| 13/3/2019 6:05 | 52.6 | 53.7 | 51.4 |
| 13/3/2019 6:10 | 52.5 | 53.6 | 51.4 |
| 13/3/2019 6:15 | 53.3 | 54.5 | 51.9 |
| 13/3/2019 6:20 | 53.4 | 54.2 | 52.3 |
| 13/3/2019 6:25 | 53.4 | 54.3 | 52.2 |
| 13/3/2019 6:30 | 54.3 | 55.4 | 53.1 |
| 13/3/2019 6:35 | 55.1 | 56.2 | 54.0 |
| 13/3/2019 6:40 | 54.8 | 55.6 | 53.8 |
| 13/3/2019 6:45 | 55.7 | 57.0 | 54.5 |
| 13/3/2019 6:50 | 55.5 | 56.2 | 54.8 |
| 13/3/2019 6:55 | 56.3 | 57.4 | 55.2 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 13/3/2019 23:00 | 54.8 | 55.9 | 53.6 |
| 13/3/2019 23:05 | 55.0 | 55.8 | 53.9 |
| 13/3/2019 23:10 | 55.4 | 56.6 | 53.7 |
| 13/3/2019 23:15 | 54.9 | 55.6 | 54.0 |
| 13/3/2019 23:20 | 55.6 | 56.2 | 53.6 |
| 13/3/2019 23:25 | 55.1 | 56.2 | 53.6 |
| 13/3/2019 23:30 | 54.5 | 55.8 | 53.2 |
| 13/3/2019 23:35 | 55.0 | 56.1 | 53.5 |
| 13/3/2019 23:40 | 55.7 | 56.9 | 53.3 |
| 13/3/2019 23:45 | 54.4 | 55.3 | 53.5 |
| 13/3/2019 23:50 | 54.6 | 55.4 | 53.4 |
| 13/3/2019 23:55 | 54.7 | 56.0 | 53.3 |
| 14/3/2019 0:00 | 54.5 | 55.9 | 53.2 |
| 14/3/2019 0:05 | 55.0 | 56.3 | 53.1 |
| 14/3/2019 0:10 | 53.8 | 54.8 | 52.9 |
| 14/3/2019 0:15 | 54.3 | 55.3 | 52.9 |
| 14/3/2019 0:20 | 53.8 | 54.8 | 52.7 |
| 14/3/2019 0:25 | 55.2 | 56.4 | 53.7 |
| 14/3/2019 0:30 | 54.3 | 55.1 | 53.4 |
| 14/3/2019 0:35 | 53.7 | 54.6 | 52.7 |
| 14/3/2019 0:40 | 53.1 | 54.2 | 52.1 |
| 14/3/2019 0:45 | 53.5 | 54.4 | 52.5 |
| 14/3/2019 0:50 | 52.4 | 53.1 | 51.6 |
| 14/3/2019 0:55 | 53.6 | 54.8 | 51.7 |
| 14/3/2019 1:00 | 53.1 | 54.2 | 51.7 |
| 14/3/2019 1:05 | 52.8 | 53.8 | 51.8 |
| 14/3/2019 1:10 | 52.9 | 54.0 | 51.7 |
| 14/3/2019 1:15 | 52.9 | 54.0 | 51.7 |
| 14/3/2019 1:20 | 53.0 | 53.9 | 52.0 |
| 14/3/2019 1:25 | 52.4 | 53.3 | 51.4 |
| 14/3/2019 1:30 | 52.9 | 53.9 | 51.6 |
| 14/3/2019 1:35 | 52.6 | 53.6 | 51.7 |
| 14/3/2019 1:40 | 52.5 | 53.3 | 51.5 |
| 14/3/2019 1:45 | 53.5 | 55.2 | 51.5 |
| 14/3/2019 1:50 | 52.3 | 53.2 | 51.0 |
| 14/3/2019 1:55 | 51.5 | 52.4 | 50.6 |
| 14/3/2019 2:00 | 55.4 | 57.9 | 51.5 |
| 14/3/2019 2:05 | 52.0 | 52.9 | 50.8 |
| 14/3/2019 2:10 | 52.3 | 53.4 | 50.8 |
| 14/3/2019 2:15 | 52.1 | 53.3 | 51.0 |
| 14/3/2019 2:20 | 52.2 | 53.1 | 51.1 |
| 14/3/2019 2:25 | 53.3 | 54.8 | 51.4 |
| 14/3/2019 2:30 | 52.3 | 53.1 | 51.3 |
| 14/3/2019 2:35 | 52.3 | 53.4 | 51.1 |
| 14/3/2019 2:40 | 52.1 | 53.0 | 51.2 |
| 14/3/2019 2:45 | 52.5 | 53.8 | 50.7 |
| 14/3/2019 2:50 | 52.4 | 53.3 | 51.2 |
| 14/3/2019 2:55 | 52.2 | 53.5 | 50.9 |
| 14/3/2019 3:00 | 52.1 | 53.3 | 50.8 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 3:05 | 51.5 | 52.4 | 50.5 |
| 14/3/2019 3:10 | 51.8 | 52.6 | 50.9 |
| 14/3/2019 3:15 | 51.5 | 52.6 | 50.1 |
| 14/3/2019 3:20 | 51.1 | 51.7 | 50.3 |
| 14/3/2019 3:25 | 51.3 | 52.2 | 50.5 |
| 14/3/2019 3:30 | 52.0 | 52.9 | 50.9 |
| 14/3/2019 3:35 | 52.9 | 53.9 | 50.8 |
| 14/3/2019 3:40 | 52.1 | 53.4 | 50.6 |
| 14/3/2019 3:45 | 51.4 | 52.4 | 50.1 |
| 14/3/2019 3:50 | 51.8 | 52.9 | 50.7 |
| 14/3/2019 3:55 | 51.0 | 51.8 | 50.1 |
| 14/3/2019 4:00 | 51.2 | 52.1 | 50.0 |
| 14/3/2019 4:05 | 51.0 | 51.9 | 50.1 |
| 14/3/2019 4:10 | 51.3 | 52.7 | 50.0 |
| 14/3/2019 4:15 | 51.5 | 52.4 | 50.3 |
| 14/3/2019 4:20 | 52.0 | 53.2 | 50.4 |
| 14/3/2019 4:25 | 52.4 | 53.6 | 50.6 |
| 14/3/2019 4:30 | 52.2 | 53.4 | 50.9 |
| 14/3/2019 4:35 | 52.0 | 53.5 | 50.5 |
| 14/3/2019 4:40 | 51.2 | 52.0 | 50.4 |
| 14/3/2019 4:45 | 50.8 | 51.6 | 50.0 |
| 14/3/2019 4:50 | 51.8 | 52.7 | 50.7 |
| 14/3/2019 4:55 | 51.2 | 52.2 | 50.1 |
| 14/3/2019 5:00 | 51.0 | 52.0 | 50.0 |
| 14/3/2019 5:05 | 51.8 | 52.7 | 50.2 |
| 14/3/2019 5:10 | 51.2 | 52.4 | 49.8 |
| 14/3/2019 5:15 | 52.1 | 53.2 | 50.8 |
| 14/3/2019 5:20 | 51.7 | 52.8 | 50.5 |
| 14/3/2019 5:25 | 51.6 | 52.6 | 50.6 |
| 14/3/2019 5:30 | 51.1 | 52.0 | 50.2 |
| 14/3/2019 5:35 | 53.6 | 54.9 | 51.9 |
| 14/3/2019 5:40 | 52.7 | 53.5 | 51.6 |
| 14/3/2019 5:45 | 52.9 | 54.4 | 51.3 |
| 14/3/2019 5:50 | 52.5 | 53.5 | 51.5 |
| 14/3/2019 5:55 | 52.8 | 53.8 | 51.5 |
| 14/3/2019 6:00 | 54.1 | 56.1 | 52.4 |
| 14/3/2019 6:05 | 54.0 | 55.4 | 52.2 |
| 14/3/2019 6:10 | 54.5 | 56.1 | 52.5 |
| 14/3/2019 6:15 | 56.3 | 58.1 | 53.4 |
| 14/3/2019 6:20 | 55.5 | 56.8 | 53.8 |
| 14/3/2019 6:25 | 56.7 | 58.1 | 54.6 |
| 14/3/2019 6:30 | 55.7 | 57.3 | 53.7 |
| 14/3/2019 6:35 | 55.3 | 56.6 | 54.2 |
| 14/3/2019 6:40 | 55.2 | 56.0 | 54.4 |
| 14/3/2019 6:45 | 55.7 | 56.9 | 54.4 |
| 14/3/2019 6:50 | 56.9 | 58.3 | 55.3 |
| 14/3/2019 6:55 | 57.3 | 58.5 | 55.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 14/3/2019 23:03 | 59.2 | 61.1 | 56.3 |
| 14/3/2019 23:08 | 59.0 | 61.1 | 56.0 |
| 14/3/2019 23:13 | 58.5 | 60.2 | 56.2 |
| 14/3/2019 23:18 | 62.4 | 65.8 | 56.9 |
| 14/3/2019 23:23 | 60.4 | 63.8 | 56.1 |
| 14/3/2019 23:28 | 61.4 | 64.8 | 56.0 |
| 14/3/2019 23:33 | 60.8 | 63.4 | 57.2 |
| 14/3/2019 23:38 | 59.7 | 62.1 | 56.2 |
| 14/3/2019 23:43 | 61.3 | 65.2 | 55.6 |
| 14/3/2019 23:48 | 64.0 | 67.8 | 55.6 |
| 14/3/2019 23:53 | 62.6 | 65.7 | 55.8 |
| 14/3/2019 23:58 | 62.3 | 65.8 | 55.3 |
| 15/3/2019 0:03 | 60.1 | 62.8 | 54.9 |
| 15/3/2019 0:08 | 59.8 | 63.2 | 55.6 |
| 15/3/2019 0:13 | 65.2 | 68.9 | 56.3 |
| 15/3/2019 0:18 | 64.2 | 68.1 | 56.4 |
| 15/3/2019 0:23 | 66.8 | 70.6 | 56.2 |
| 15/3/2019 0:28 | 62.1 | 65.5 | 54.8 |
| 15/3/2019 0:33 | 58.6 | 60.9 | 54.7 |
| 15/3/2019 0:38 | 60.4 | 64.1 | 54.7 |
| 15/3/2019 0:43 | 57.0 | 57.7 | 53.6 |
| 15/3/2019 0:48 | 54.9 | 56.2 | 53.2 |
| 15/3/2019 0:53 | 55.5 | 56.4 | 53.6 |
| 15/3/2019 0:58 | 60.5 | 64.1 | 53.9 |
| 15/3/2019 1:03 | 65.6 | 69.3 | 55.2 |
| 15/3/2019 1:08 | 63.1 | 66.2 | 54.9 |
| 15/3/2019 1:13 | 59.7 | 63.0 | 54.0 |
| 15/3/2019 1:18 | 59.0 | 61.6 | 53.6 |
| 15/3/2019 1:23 | 56.8 | 59.2 | 52.9 |
| 15/3/2019 1:28 | 59.0 | 61.0 | 53.2 |
| 15/3/2019 1:33 | 60.7 | 64.4 | 54.4 |
| 15/3/2019 1:38 | 61.9 | 65.2 | 54.4 |
| 15/3/2019 1:43 | 66.9 | 71.1 | 54.6 |
| 15/3/2019 1:48 | 60.5 | 64.1 | 53.5 |
| 15/3/2019 1:53 | 53.6 | 55.2 | 52.0 |
| 15/3/2019 1:58 | 52.6 | 53.8 | 51.2 |
| 15/3/2019 2:03 | 52.1 | 53.6 | 50.8 |
| 15/3/2019 2:08 | 51.9 | 52.7 | 51.1 |
| 15/3/2019 2:13 | 53.5 | 55.7 | 50.9 |
| 15/3/2019 2:18 | 51.9 | 52.7 | 51.0 |
| 15/3/2019 2:23 | 52.1 | 53.0 | 51.2 |
| 15/3/2019 2:28 | 52.6 | 53.5 | 51.5 |
| 15/3/2019 2:33 | 57.8 | 61.2 | 51.7 |
| 15/3/2019 2:38 | 61.9 | 65.9 | 53.4 |
| 15/3/2019 2:43 | 53.8 | 55.2 | 51.6 |
| 15/3/2019 2:48 | 52.0 | 52.8 | 51.0 |
| 15/3/2019 2:53 | 52.7 | 53.4 | 51.7 |
| 15/3/2019 2:58 | 51.0 | 52.0 | 50.0 |
| 15/3/2019 3:03 | 50.3 | 51.0 | 49.5 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 3:08 | 50.8 | 51.6 | 49.8 |
| 15/3/2019 3:13 | 51.6 | 52.5 | 50.8 |
| 15/3/2019 3:18 | 51.4 | 52.3 | 50.5 |
| 15/3/2019 3:23 | 50.4 | 51.4 | 49.5 |
| 15/3/2019 3:28 | 50.5 | 51.1 | 49.7 |
| 15/3/2019 3:33 | 51.9 | 53.2 | 50.1 |
| 15/3/2019 3:38 | 53.6 | 55.2 | 51.2 |
| 15/3/2019 3:43 | 55.7 | 57.6 | 51.4 |
| 15/3/2019 3:48 | 55.0 | 57.4 | 51.9 |
| 15/3/2019 3:53 | 57.3 | 59.5 | 52.7 |
| 15/3/2019 3:58 | 53.1 | 54.8 | 50.9 |
| 15/3/2019 4:03 | 52.5 | 53.8 | 51.1 |
| 15/3/2019 4:08 | 52.2 | 53.6 | 50.6 |
| 15/3/2019 4:13 | 51.0 | 52.1 | 49.8 |
| 15/3/2019 4:18 | 51.5 | 52.3 | 50.7 |
| 15/3/2019 4:23 | 51.8 | 53.0 | 50.5 |
| 15/3/2019 4:28 | 53.7 | 54.9 | 51.9 |
| 15/3/2019 4:33 | 51.9 | 53.0 | 50.6 |
| 15/3/2019 4:38 | 52.4 | 53.6 | 50.8 |
| 15/3/2019 4:43 | 51.8 | 52.9 | 50.6 |
| 15/3/2019 4:48 | 52.1 | 53.1 | 50.8 |
| 15/3/2019 4:53 | 53.1 | 54.0 | 52.1 |
| 15/3/2019 4:58 | 52.5 | 53.3 | 51.7 |
| 15/3/2019 5:03 | 53.6 | 54.5 | 51.4 |
| 15/3/2019 5:08 | 52.1 | 53.2 | 50.9 |
| 15/3/2019 5:13 | 51.4 | 52.2 | 50.5 |
| 15/3/2019 5:18 | 52.0 | 53.4 | 50.5 |
| 15/3/2019 5:23 | 53.5 | 54.2 | 50.7 |
| 15/3/2019 5:28 | 51.7 | 52.9 | 50.6 |
| 15/3/2019 5:33 | 51.9 | 52.8 | 51.1 |
| 15/3/2019 5:38 | 52.0 | 52.8 | 51.1 |
| 15/3/2019 5:43 | 52.8 | 54.3 | 51.2 |
| 15/3/2019 5:48 | 61.6 | 64.0 | 51.9 |
| 15/3/2019 5:53 | 54.1 | 55.2 | 52.1 |
| 15/3/2019 5:58 | 55.0 | 55.3 | 53.1 |
| 15/3/2019 6:03 | 55.9 | 56.7 | 52.6 |
| 15/3/2019 6:08 | 53.2 | 54.4 | 51.9 |
| 15/3/2019 6:13 | 56.1 | 58.6 | 53.1 |
| 15/3/2019 6:18 | 54.6 | 55.4 | 52.8 |
| 15/3/2019 6:23 | 55.0 | 56.4 | 53.2 |
| 15/3/2019 6:28 | 54.2 | 55.1 | 52.9 |
| 15/3/2019 6:33 | 59.0 | 61.2 | 54.1 |
| 15/3/2019 6:38 | 57.5 | 59.3 | 54.1 |
| 15/3/2019 6:43 | 58.4 | 61.2 | 54.8 |
| 15/3/2019 6:48 | 57.8 | 59.8 | 55.0 |
| 15/3/2019 6:53 | 58.0 | 59.8 | 55.2 |
| 15/3/2019 6:58 | 57.6 | 58.8 | 56.1 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 15/3/2019 23:03 | 56.5 | 57.8 | 55.0 |
| 15/3/2019 23:08 | 56.2 | 57.0 | 55.4 |
| 15/3/2019 23:13 | 56.2 | 57.1 | 55.3 |
| 15/3/2019 23:18 | 56.4 | 57.2 | 55.5 |
| 15/3/2019 23:23 | 55.8 | 56.4 | 55.2 |
| 15/3/2019 23:28 | 56.0 | 56.6 | 55.1 |
| 15/3/2019 23:33 | 55.9 | 56.8 | 54.8 |
| 15/3/2019 23:38 | 55.6 | 56.3 | 54.9 |
| 15/3/2019 23:43 | 55.7 | 56.5 | 54.9 |
| 15/3/2019 23:48 | 56.3 | 57.6 | 54.7 |
| 15/3/2019 23:53 | 55.9 | 56.8 | 55.0 |
| 15/3/2019 23:58 | 56.2 | 56.9 | 55.1 |
| 16/3/2019 0:03 | 55.2 | 55.9 | 54.4 |
| 16/3/2019 0:08 | 55.2 | 55.8 | 54.6 |
| 16/3/2019 0:13 | 56.0 | 56.7 | 53.4 |
| 16/3/2019 0:18 | 55.4 | 56.2 | 54.4 |
| 16/3/2019 0:23 | 55.6 | 56.5 | 54.8 |
| 16/3/2019 0:28 | 55.4 | 56.4 | 54.5 |
| 16/3/2019 0:33 | 54.8 | 55.5 | 54.0 |
| 16/3/2019 0:38 | 55.1 | 55.8 | 53.3 |
| 16/3/2019 0:43 | 54.1 | 54.9 | 53.3 |
| 16/3/2019 0:48 | 54.1 | 54.9 | 53.1 |
| 16/3/2019 0:53 | 54.6 | 55.3 | 53.7 |
| 16/3/2019 0:58 | 54.1 | 54.9 | 53.2 |
| 16/3/2019 1:03 | 54.1 | 55.0 | 53.2 |
| 16/3/2019 1:08 | 53.8 | 54.7 | 52.9 |
| 16/3/2019 1:13 | 53.9 | 54.7 | 53.0 |
| 16/3/2019 1:18 | 54.4 | 55.3 | 53.0 |
| 16/3/2019 1:23 | 54.0 | 55.2 | 52.9 |
| 16/3/2019 1:28 | 54.0 | 54.9 | 53.0 |
| 16/3/2019 1:33 | 54.0 | 54.9 | 53.1 |
| 16/3/2019 1:38 | 54.5 | 56.0 | 53.1 |
| 16/3/2019 1:43 | 54.0 | 54.8 | 53.2 |
| 16/3/2019 1:48 | 54.1 | 54.8 | 53.3 |
| 16/3/2019 1:53 | 55.3 | 55.1 | 53.2 |
| 16/3/2019 1:58 | 53.5 | 54.6 | 52.4 |
| 16/3/2019 2:03 | 54.1 | 55.1 | 53.0 |
| 16/3/2019 2:08 | 54.3 | 55.1 | 53.6 |
| 16/3/2019 2:13 | 54.3 | 55.3 | 53.1 |
| 16/3/2019 2:18 | 53.7 | 54.7 | 52.9 |
| 16/3/2019 2:23 | 54.6 | 55.6 | 53.1 |
| 16/3/2019 2:28 | 53.8 | 54.5 | 53.0 |
| 16/3/2019 2:33 | 54.3 | 55.5 | 52.8 |
| 16/3/2019 2:38 | 54.0 | 54.9 | 52.9 |
| 16/3/2019 2:43 | 54.3 | 55.2 | 53.2 |
| 16/3/2019 2:48 | 53.4 | 54.2 | 52.7 |
| 16/3/2019 2:53 | 53.7 | 54.8 | 52.5 |
| 16/3/2019 2:58 | 53.5 | 54.5 | 52.3 |
| 16/3/2019 3:03 | 53.7 | 55.0 | 52.6 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 3:08 | 54.4 | 55.4 | 53.3 |
| 16/3/2019 3:13 | 55.4 | 57.5 | 52.9 |
| 16/3/2019 3:18 | 53.4 | 54.6 | 52.4 |
| 16/3/2019 3:23 | 53.4 | 54.3 | 52.5 |
| 16/3/2019 3:28 | 53.4 | 54.2 | 52.3 |
| 16/3/2019 3:33 | 52.7 | 53.6 | 51.7 |
| 16/3/2019 3:38 | 53.2 | 54.1 | 51.6 |
| 16/3/2019 3:43 | 53.3 | 54.4 | 52.1 |
| 16/3/2019 3:48 | 52.3 | 53.1 | 51.5 |
| 16/3/2019 3:53 | 51.9 | 52.5 | 51.1 |
| 16/3/2019 3:58 | 53.1 | 54.3 | 51.9 |
| 16/3/2019 4:03 | 53.9 | 55.2 | 52.6 |
| 16/3/2019 4:08 | 53.1 | 54.2 | 52.0 |
| 16/3/2019 4:13 | 53.3 | 54.3 | 52.2 |
| 16/3/2019 4:18 | 52.9 | 53.9 | 51.8 |
| 16/3/2019 4:23 | 53.1 | 53.9 | 52.2 |
| 16/3/2019 4:28 | 53.2 | 54.4 | 51.9 |
| 16/3/2019 4:33 | 53.1 | 54.2 | 52.1 |
| 16/3/2019 4:38 | 52.9 | 53.8 | 51.9 |
| 16/3/2019 4:43 | 53.0 | 53.7 | 52.2 |
| 16/3/2019 4:48 | 53.1 | 54.2 | 52.2 |
| 16/3/2019 4:53 | 52.9 | 54.0 | 51.9 |
| 16/3/2019 4:58 | 52.7 | 53.8 | 51.5 |
| 16/3/2019 5:03 | 52.8 | 54.2 | 51.6 |
| 16/3/2019 5:08 | 52.3 | 53.0 | 51.6 |
| 16/3/2019 5:13 | 53.5 | 54.5 | 52.5 |
| 16/3/2019 5:18 | 54.2 | 55.4 | 52.8 |
| 16/3/2019 5:23 | 53.6 | 54.5 | 52.6 |
| 16/3/2019 5:28 | 54.0 | 54.9 | 53.1 |
| 16/3/2019 5:33 | 54.2 | 55.4 | 53.0 |
| 16/3/2019 5:38 | 55.5 | 56.8 | 53.2 |
| 16/3/2019 5:43 | 53.8 | 54.6 | 52.9 |
| 16/3/2019 5:48 | 53.8 | 54.6 | 53.0 |
| 16/3/2019 5:53 | 54.1 | 55.1 | 53.1 |
| 16/3/2019 5:58 | 54.3 | 55.1 | 53.4 |
| 16/3/2019 6:03 | 54.1 | 55.1 | 53.2 |
| 16/3/2019 6:08 | 55.0 | 56.3 | 53.7 |
| 16/3/2019 6:13 | 55.3 | 56.4 | 54.1 |
| 16/3/2019 6:18 | 56.2 | 57.1 | 55.1 |
| 16/3/2019 6:23 | 57.2 | 58.8 | 55.2 |
| 16/3/2019 6:28 | 57.6 | 59.3 | 55.2 |
| 16/3/2019 6:33 | 56.4 | 57.7 | 54.8 |
| 16/3/2019 6:38 | 56.3 | 57.2 | 55.4 |
| 16/3/2019 6:43 | 56.7 | 57.8 | 55.3 |
| 16/3/2019 6:48 | 56.8 | 58.3 | 55.2 |
| 16/3/2019 6:53 | 56.5 | 57.6 | 55.4 |
| 16/3/2019 6:58 | 57.2 | 58.2 | 55.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 16/3/2019 23:03 | 53.4 | 54.6 | 52.1 |
| 16/3/2019 23:08 | 53.7 | 54.9 | 52.7 |
| 16/3/2019 23:13 | 54.9 | 56.4 | 53.1 |
| 16/3/2019 23:18 | 54.7 | 56.0 | 53.1 |
| 16/3/2019 23:23 | 53.7 | 54.6 | 52.9 |
| 16/3/2019 23:28 | 53.8 | 55.0 | 52.7 |
| 16/3/2019 23:33 | 54.0 | 54.9 | 52.8 |
| 16/3/2019 23:38 | 53.6 | 54.3 | 52.2 |
| 16/3/2019 23:43 | 53.2 | 53.8 | 52.4 |
| 16/3/2019 23:48 | 53.4 | 54.1 | 52.7 |
| 16/3/2019 23:53 | 53.1 | 53.8 | 52.1 |
| 16/3/2019 23:58 | 54.1 | 54.8 | 52.6 |
| 17/3/2019 0:03 | 54.0 | 55.4 | 51.8 |
| 17/3/2019 0:08 | 53.8 | 54.9 | 52.5 |
| 17/3/2019 0:13 | 53.1 | 54.1 | 51.9 |
| 17/3/2019 0:18 | 53.1 | 53.8 | 52.1 |
| 17/3/2019 0:23 | 53.3 | 54.6 | 52.2 |
| 17/3/2019 0:28 | 52.7 | 54.3 | 51.3 |
| 17/3/2019 0:33 | 52.5 | 53.6 | 51.0 |
| 17/3/2019 0:38 | 52.8 | 54.4 | 50.9 |
| 17/3/2019 0:43 | 54.2 | 54.9 | 51.6 |
| 17/3/2019 0:48 | 53.2 | 54.7 | 51.0 |
| 17/3/2019 0:53 | 53.3 | 54.2 | 50.8 |
| 17/3/2019 0:58 | 52.8 | 54.1 | 50.9 |
| 17/3/2019 1:03 | 55.1 | 57.1 | 51.0 |
| 17/3/2019 1:08 | 52.1 | 53.2 | 50.9 |
| 17/3/2019 1:13 | 52.6 | 53.7 | 51.3 |
| 17/3/2019 1:18 | 52.2 | 53.1 | 50.8 |
| 17/3/2019 1:23 | 51.5 | 52.6 | 50.4 |
| 17/3/2019 1:28 | 52.8 | 54.2 | 50.5 |
| 17/3/2019 1:33 | 52.3 | 53.7 | 50.7 |
| 17/3/2019 1:38 | 51.9 | 53.4 | 50.6 |
| 17/3/2019 1:43 | 52.4 | 53.0 | 50.5 |
| 17/3/2019 1:48 | 52.1 | 53.6 | 50.4 |
| 17/3/2019 1:53 | 51.2 | 52.5 | 49.7 |
| 17/3/2019 1:58 | 51.8 | 52.7 | 50.4 |
| 17/3/2019 2:03 | 51.8 | 53.8 | 49.7 |
| 17/3/2019 2:08 | 52.1 | 53.3 | 50.2 |
| 17/3/2019 2:13 | 51.9 | 53.2 | 50.7 |
| 17/3/2019 2:18 | 54.0 | 56.6 | 51.5 |
| 17/3/2019 2:23 | 56.4 | 56.1 | 50.5 |
| 17/3/2019 2:28 | 52.9 | 54.2 | 50.7 |
| 17/3/2019 2:33 | 53.8 | 56.4 | 50.8 |
| 17/3/2019 2:38 | 54.0 | 54.9 | 51.0 |
| 17/3/2019 2:43 | 55.9 | 56.6 | 50.9 |
| 17/3/2019 2:48 | 51.8 | 53.0 | 50.0 |
| 17/3/2019 2:53 | 53.3 | 54.8 | 49.8 |
| 17/3/2019 2:58 | 50.9 | 51.9 | 49.7 |
| 17/3/2019 3:03 | 53.9 | 54.5 | 49.4 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 3:08 | 51.3 | 52.4 | 50.2 |
| 17/3/2019 3:13 | 52.4 | 53.6 | 50.6 |
| 17/3/2019 3:18 | 51.9 | 53.4 | 49.8 |
| 17/3/2019 3:23 | 50.1 | 51.3 | 48.9 |
| 17/3/2019 3:28 | 51.1 | 51.9 | 49.3 |
| 17/3/2019 3:33 | 51.9 | 53.3 | 50.0 |
| 17/3/2019 3:38 | 51.2 | 52.0 | 49.5 |
| 17/3/2019 3:43 | 51.0 | 52.2 | 49.5 |
| 17/3/2019 3:48 | 52.3 | 53.8 | 50.2 |
| 17/3/2019 3:53 | 55.6 | 57.6 | 50.2 |
| 17/3/2019 3:58 | 53.5 | 55.5 | 49.7 |
| 17/3/2019 4:03 | 51.7 | 53.0 | 49.3 |
| 17/3/2019 4:08 | 50.9 | 51.8 | 49.4 |
| 17/3/2019 4:13 | 50.5 | 51.7 | 49.3 |
| 17/3/2019 4:18 | 52.8 | 52.4 | 49.1 |
| 17/3/2019 4:23 | 52.6 | 55.3 | 49.0 |
| 17/3/2019 4:28 | 51.8 | 53.3 | 49.8 |
| 17/3/2019 4:33 | 51.1 | 52.9 | 49.3 |
| 17/3/2019 4:38 | 50.0 | 51.0 | 48.9 |
| 17/3/2019 4:43 | 51.4 | 53.0 | 48.8 |
| 17/3/2019 4:48 | 51.9 | 53.2 | 49.7 |
| 17/3/2019 4:53 | 50.5 | 51.4 | 49.2 |
| 17/3/2019 4:58 | 50.5 | 51.9 | 48.7 |
| 17/3/2019 5:03 | 52.8 | 53.5 | 49.2 |
| 17/3/2019 5:08 | 50.3 | 51.3 | 49.1 |
| 17/3/2019 5:13 | 51.6 | 53.1 | 49.2 |
| 17/3/2019 5:18 | 50.8 | 51.9 | 49.3 |
| 17/3/2019 5:23 | 50.6 | 52.1 | 49.2 |
| 17/3/2019 5:28 | 50.8 | 51.9 | 49.5 |
| 17/3/2019 5:33 | 52.5 | 53.9 | 50.0 |
| 17/3/2019 5:38 | 51.0 | 52.0 | 49.7 |
| 17/3/2019 5:43 | 52.0 | 53.3 | 50.4 |
| 17/3/2019 5:48 | 51.5 | 52.6 | 50.3 |
| 17/3/2019 5:53 | 51.3 | 52.3 | 50.2 |
| 17/3/2019 5:58 | 51.8 | 53.1 | 50.1 |
| 17/3/2019 6:03 | 54.5 | 55.0 | 50.7 |
| 17/3/2019 6:08 | 51.5 | 52.7 | 50.1 |
| 17/3/2019 6:13 | 54.5 | 55.1 | 51.0 |
| 17/3/2019 6:18 | 54.4 | 54.6 | 51.1 |
| 17/3/2019 6:23 | 54.3 | 56.2 | 50.8 |
| 17/3/2019 6:28 | 54.8 | 56.4 | 51.0 |
| 17/3/2019 6:33 | 52.6 | 53.7 | 51.1 |
| 17/3/2019 6:38 | 52.5 | 53.5 | 51.4 |
| 17/3/2019 6:43 | 52.9 | 54.2 | 51.4 |
| 17/3/2019 6:48 | 52.5 | 53.6 | 51.3 |
| 17/3/2019 6:53 | 55.9 | 58.6 | 52.3 |
| 17/3/2019 6:58 | 52.3 | 53.2 | 51.3 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 17/3/2019 23:03 | 54.1 | 54.7 | 51.4 |
| 17/3/2019 23:08 | 53.7 | 55.0 | 52.4 |
| 17/3/2019 23:13 | 53.2 | 54.3 | 52.0 |
| 17/3/2019 23:18 | 52.8 | 53.7 | 51.7 |
| 17/3/2019 23:23 | 52.7 | 53.4 | 51.9 |
| 17/3/2019 23:28 | 52.6 | 53.6 | 51.3 |
| 17/3/2019 23:33 | 53.2 | 53.9 | 51.4 |
| 17/3/2019 23:38 | 53.0 | 54.1 | 51.5 |
| 17/3/2019 23:43 | 53.2 | 54.2 | 51.4 |
| 17/3/2019 23:48 | 52.6 | 53.6 | 51.8 |
| 17/3/2019 23:53 | 52.0 | 53.6 | 50.3 |
| 17/3/2019 23:58 | 52.2 | 53.7 | 50.7 |
| 18/3/2019 0:03 | 53.6 | 55.6 | 51.1 |
| 18/3/2019 0:08 | 51.0 | 51.7 | 50.3 |
| 18/3/2019 0:13 | 51.0 | 51.6 | 50.3 |
| 18/3/2019 0:18 | 52.3 | 53.4 | 50.9 |
| 18/3/2019 0:23 | 52.6 | 53.3 | 50.8 |
| 18/3/2019 0:28 | 51.2 | 52.3 | 49.9 |
| 18/3/2019 0:33 | 53.7 | 55.9 | 50.8 |
| 18/3/2019 0:38 | 50.9 | 51.9 | 50.0 |
| 18/3/2019 0:43 | 50.9 | 51.9 | 49.8 |
| 18/3/2019 0:48 | 51.0 | 52.5 | 49.0 |
| 18/3/2019 0:53 | 50.7 | 51.8 | 49.5 |
| 18/3/2019 0:58 | 50.7 | 52.4 | 49.1 |
| 18/3/2019 1:03 | 51.6 | 51.5 | 49.0 |
| 18/3/2019 1:08 | 50.5 | 51.1 | 48.4 |
| 18/3/2019 1:13 | 51.1 | 52.0 | 48.9 |
| 18/3/2019 1:18 | 51.8 | 54.2 | 49.1 |
| 18/3/2019 1:23 | 52.0 | 54.1 | 49.7 |
| 18/3/2019 1:28 | 51.3 | 52.6 | 49.0 |
| 18/3/2019 1:33 | 50.6 | 52.0 | 49.0 |
| 18/3/2019 1:38 | 51.6 | 53.1 | 50.0 |
| 18/3/2019 1:43 | 51.5 | 54.4 | 48.3 |
| 18/3/2019 1:48 | 50.2 | 51.2 | 48.8 |
| 18/3/2019 1:53 | 50.2 | 51.6 | 48.6 |
| 18/3/2019 1:58 | 50.1 | 51.4 | 48.5 |
| 18/3/2019 2:03 | 50.5 | 52.1 | 48.5 |
| 18/3/2019 2:08 | 51.0 | 52.4 | 49.0 |
| 18/3/2019 2:13 | 50.8 | 51.6 | 49.1 |
| 18/3/2019 2:18 | 50.1 | 51.2 | 48.8 |
| 18/3/2019 2:23 | 50.6 | 52.0 | 49.1 |
| 18/3/2019 2:28 | 50.8 | 52.5 | 48.9 |
| 18/3/2019 2:33 | 50.0 | 50.9 | 48.5 |
| 18/3/2019 2:38 | 50.5 | 51.9 | 48.6 |
| 18/3/2019 2:43 | 52.5 | 52.7 | 49.3 |
| 18/3/2019 2:48 | 49.2 | 50.3 | 48.1 |
| 18/3/2019 2:53 | 49.1 | 50.3 | 47.8 |
| 18/3/2019 2:58 | 49.5 | 50.7 | 48.0 |
| 18/3/2019 3:03 | 49.0 | 50.2 | 47.7 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 3:08 | 49.7 | 51.4 | 47.2 |
| 18/3/2019 3:13 | 51.6 | 53.0 | 48.6 |
| 18/3/2019 3:18 | 50.2 | 51.7 | 47.5 |
| 18/3/2019 3:23 | 50.9 | 52.4 | 48.8 |
| 18/3/2019 3:28 | 49.7 | 51.4 | 48.1 |
| 18/3/2019 3:33 | 51.6 | 51.9 | 48.4 |
| 18/3/2019 3:38 | 50.5 | 51.4 | 48.4 |
| 18/3/2019 3:43 | 50.6 | 51.2 | 48.0 |
| 18/3/2019 3:48 | 49.7 | 50.9 | 48.0 |
| 18/3/2019 3:53 | 50.3 | 52.0 | 48.0 |
| 18/3/2019 3:58 | 54.2 | 58.3 | 48.3 |
| 18/3/2019 4:03 | 49.8 | 50.9 | 47.9 |
| 18/3/2019 4:08 | 50.8 | 52.7 | 48.6 |
| 18/3/2019 4:13 | 51.3 | 54.0 | 47.6 |
| 18/3/2019 4:18 | 48.8 | 50.0 | 47.5 |
| 18/3/2019 4:23 | 49.0 | 50.0 | 47.8 |
| 18/3/2019 4:28 | 50.3 | 52.3 | 47.8 |
| 18/3/2019 4:33 | 50.5 | 52.0 | 48.3 |
| 18/3/2019 4:38 | 48.6 | 49.9 | 47.4 |
| 18/3/2019 4:43 | 48.8 | 50.6 | 46.8 |
| 18/3/2019 4:48 | 48.9 | 50.6 | 47.3 |
| 18/3/2019 4:53 | 49.4 | 50.6 | 47.9 |
| 18/3/2019 4:58 | 49.6 | 51.0 | 48.1 |
| 18/3/2019 5:03 | 49.0 | 50.2 | 47.5 |
| 18/3/2019 5:08 | 48.0 | 48.8 | 47.1 |
| 18/3/2019 5:13 | 49.2 | 50.6 | 47.7 |
| 18/3/2019 5:18 | 49.2 | 50.3 | 47.8 |
| 18/3/2019 5:23 | 49.9 | 51.1 | 48.7 |
| 18/3/2019 5:28 | 49.0 | 50.0 | 47.9 |
| 18/3/2019 5:33 | 50.0 | 51.1 | 48.8 |
| 18/3/2019 5:38 | 51.6 | 53.5 | 49.0 |
| 18/3/2019 5:43 | 50.3 | 51.6 | 49.0 |
| 18/3/2019 5:48 | 50.1 | 51.3 | 49.0 |
| 18/3/2019 5:53 | 50.6 | 51.5 | 49.4 |
| 18/3/2019 5:58 | 52.3 | 53.3 | 49.6 |
| 18/3/2019 6:03 | 51.2 | 52.3 | 49.9 |
| 18/3/2019 6:08 | 50.7 | 51.8 | 49.7 |
| 18/3/2019 6:13 | 52.7 | 53.9 | 50.8 |
| 18/3/2019 6:18 | 52.0 | 52.9 | 51.1 |
| 18/3/2019 6:23 | 52.9 | 54.1 | 51.1 |
| 18/3/2019 6:28 | 53.1 | 54.2 | 51.9 |
| 18/3/2019 6:33 | 53.5 | 54.7 | 52.3 |
| 18/3/2019 6:38 | 53.4 | 54.6 | 52.2 |
| 18/3/2019 6:43 | 54.1 | 55.1 | 52.8 |
| 18/3/2019 6:48 | 54.5 | 55.6 | 53.2 |
| 18/3/2019 6:53 | 54.8 | 56.3 | 53.6 |
| 18/3/2019 6:58 | 54.8 | 55.7 | 53.5 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 18/3/2019 23:02 | 52.4 | 53.2 | 51.6 |
| 18/3/2019 23:07 | 53.0 | 53.9 | 52.1 |
| 18/3/2019 23:12 | 53.7 | 55.4 | 51.9 |
| 18/3/2019 23:17 | 52.1 | 52.7 | 51.4 |
| 18/3/2019 23:22 | 53.3 | 54.8 | 51.7 |
| 18/3/2019 23:27 | 52.9 | 54.2 | 51.6 |
| 18/3/2019 23:32 | 53.3 | 55.0 | 51.8 |
| 18/3/2019 23:37 | 52.5 | 53.4 | 51.4 |
| 18/3/2019 23:42 | 51.9 | 52.6 | 51.2 |
| 18/3/2019 23:47 | 52.1 | 53.0 | 51.3 |
| 18/3/2019 23:52 | 52.0 | 52.9 | 51.2 |
| 18/3/2019 23:57 | 52.3 | 53.1 | 51.1 |
| 19/3/2019 0:02 | 52.4 | 53.4 | 51.4 |
| 19/3/2019 0:07 | 52.4 | 53.1 | 51.3 |
| 19/3/2019 0:12 | 52.7 | 53.7 | 51.3 |
| 19/3/2019 0:17 | 52.4 | 53.8 | 51.1 |
| 19/3/2019 0:22 | 51.9 | 52.8 | 50.9 |
| 19/3/2019 0:27 | 51.2 | 52.2 | 50.4 |
| 19/3/2019 0:32 | 51.4 | 52.4 | 50.4 |
| 19/3/2019 0:37 | 51.2 | 51.9 | 50.2 |
| 19/3/2019 0:42 | 51.2 | 52.3 | 50.2 |
| 19/3/2019 0:47 | 53.3 | 54.9 | 50.5 |
| 19/3/2019 0:52 | 51.5 | 52.6 | 50.4 |
| 19/3/2019 0:57 | 51.1 | 51.8 | 50.2 |
| 19/3/2019 1:02 | 50.5 | 51.4 | 49.5 |
| 19/3/2019 1:07 | 50.5 | 51.2 | 49.7 |
| 19/3/2019 1:12 | 50.4 | 51.2 | 49.7 |
| 19/3/2019 1:17 | 51.0 | 51.6 | 50.4 |
| 19/3/2019 1:22 | 51.0 | 51.6 | 50.3 |
| 19/3/2019 1:27 | 50.7 | 51.4 | 49.9 |
| 19/3/2019 1:32 | 51.1 | 52.0 | 50.0 |
| 19/3/2019 1:37 | 50.9 | 52.0 | 49.9 |
| 19/3/2019 1:42 | 50.9 | 51.7 | 50.0 |
| 19/3/2019 1:47 | 51.0 | 51.5 | 50.4 |
| 19/3/2019 1:52 | 51.6 | 52.4 | 50.7 |
| 19/3/2019 1:57 | 51.7 | 52.2 | 50.7 |
| 19/3/2019 2:02 | 51.6 | 52.6 | 50.4 |
| 19/3/2019 2:07 | 51.1 | 51.8 | 50.4 |
| 19/3/2019 2:12 | 51.3 | 51.5 | 49.8 |
| 19/3/2019 2:17 | 53.3 | 52.3 | 50.4 |
| 19/3/2019 2:22 | 50.4 | 51.1 | 49.7 |
| 19/3/2019 2:27 | 50.4 | 51.4 | 49.3 |
| 19/3/2019 2:32 | 50.6 | 51.8 | 49.3 |
| 19/3/2019 2:37 | 52.0 | 54.5 | 49.2 |
| 19/3/2019 2:42 | 50.9 | 52.4 | 48.9 |
| 19/3/2019 2:47 | 50.6 | 51.6 | 49.2 |
| 19/3/2019 2:52 | 50.6 | 51.4 | 49.7 |
| 19/3/2019 2:57 | 50.8 | 51.6 | 50.0 |
| 19/3/2019 3:02 | 50.3 | 50.9 | 49.7 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 19/3/2019 3:07 | 50.7 | 51.8 | 49.7 |
| 19/3/2019 3:12 | 50.2 | 50.9 | 49.3 |
| 19/3/2019 3:17 | 50.2 | 50.9 | 49.4 |
| 19/3/2019 3:22 | 49.9 | 50.6 | 49.2 |
| 19/3/2019 3:27 | 50.5 | 51.2 | 49.9 |
| 19/3/2019 3:32 | 51.4 | 52.5 | 49.8 |
| 19/3/2019 3:37 | 49.4 | 50.1 | 48.7 |
| 19/3/2019 3:42 | 50.4 | 51.3 | 49.5 |
| 19/3/2019 3:47 | 50.4 | 51.4 | 49.4 |
| 19/3/2019 3:52 | 50.9 | 51.9 | 49.8 |
| 19/3/2019 3:57 | 50.3 | 51.2 | 49.4 |
| 19/3/2019 4:02 | 50.3 | 51.0 | 49.6 |
| 19/3/2019 4:07 | 50.3 | 51.0 | 49.4 |
| 19/3/2019 4:12 | 50.9 | 51.9 | 49.7 |
| 19/3/2019 4:17 | 51.3 | 52.4 | 49.9 |
| 19/3/2019 4:22 | 50.9 | 52.1 | 49.7 |
| 19/3/2019 4:27 | 51.2 | 52.3 | 50.0 |
| 19/3/2019 4:32 | 51.6 | 52.8 | 50.2 |
| 19/3/2019 4:37 | 51.2 | 52.2 | 50.1 |
| 19/3/2019 4:42 | 50.6 | 51.3 | 49.9 |
| 19/3/2019 4:47 | 52.1 | 53.3 | 50.1 |
| 19/3/2019 4:52 | 50.8 | 51.5 | 49.9 |
| 19/3/2019 4:57 | 50.1 | 50.8 | 49.4 |
| 19/3/2019 5:02 | 50.2 | 50.9 | 49.1 |
| 19/3/2019 5:07 | 51.5 | 52.2 | 49.5 |
| 19/3/2019 5:12 | 52.2 | 53.6 | 49.7 |
| 19/3/2019 5:17 | 50.2 | 50.8 | 49.5 |
| 19/3/2019 5:22 | 50.4 | 51.2 | 49.5 |
| 19/3/2019 5:27 | 51.2 | 52.7 | 49.8 |
| 19/3/2019 5:32 | 50.6 | 51.4 | 49.8 |
| 19/3/2019 5:37 | 50.6 | 51.5 | 49.7 |
| 19/3/2019 5:42 | 50.8 | 51.4 | 50.0 |
| 19/3/2019 5:47 | 51.4 | 52.3 | 50.5 |
| 19/3/2019 5:52 | 51.2 | 51.9 | 50.4 |
| 19/3/2019 5:57 | 52.2 | 53.1 | 51.0 |
| 19/3/2019 6:02 | 51.9 | 52.6 | 51.1 |
| 19/3/2019 6:07 | 52.5 | 53.6 | 51.3 |
| 19/3/2019 6:12 | 52.1 | 53.0 | 51.2 |
| 19/3/2019 6:17 | 52.9 | 53.8 | 51.9 |
| 19/3/2019 6:22 | 52.9 | 54.1 | 51.4 |
| 19/3/2019 6:27 | 53.0 | 54.0 | 52.1 |
| 19/3/2019 6:32 | 53.9 | 55.0 | 52.7 |
| 19/3/2019 6:37 | 54.1 | 54.8 | 53.1 |
| 19/3/2019 6:42 | 54.9 | 55.8 | 53.9 |
| 19/3/2019 6:47 | 54.8 | 55.6 | 54.0 |
| 19/3/2019 6:52 | 55.3 | 56.4 | 54.1 |
| 19/3/2019 6:57 | 55.0 | 56.0 | 54.2 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 19/3/2019 23:02 | 52.5 | 53.3 | 51.6 |
| 19/3/2019 23:07 | 52.6 | 53.5 | 51.8 |
| 19/3/2019 23:12 | 53.8 | 54.7 | 51.8 |
| 19/3/2019 23:17 | 52.6 | 53.5 | 51.6 |
| 19/3/2019 23:22 | 52.8 | 54.1 | 51.6 |
| 19/3/2019 23:27 | 53.1 | 55.0 | 51.6 |
| 19/3/2019 23:32 | 52.8 | 53.9 | 51.8 |
| 19/3/2019 23:37 | 52.8 | 53.8 | 51.7 |
| 19/3/2019 23:42 | 52.8 | 53.7 | 51.6 |
| 19/3/2019 23:47 | 52.5 | 53.8 | 51.1 |
| 19/3/2019 23:52 | 52.1 | 53.2 | 51.3 |
| 19/3/2019 23:57 | 52.4 | 53.6 | 51.3 |
| 20/3/2019 0:02 | 53.5 | 54.3 | 51.3 |
| 20/3/2019 0:07 | 53.8 | 54.5 | 51.7 |
| 20/3/2019 0:12 | 52.6 | 53.7 | 51.4 |
| 20/3/2019 0:17 | 52.2 | 53.2 | 51.2 |
| 20/3/2019 0:22 | 52.3 | 53.3 | 51.3 |
| 20/3/2019 0:27 | 52.5 | 53.7 | 51.3 |
| 20/3/2019 0:32 | 52.4 | 53.5 | 51.2 |
| 20/3/2019 0:37 | 52.2 | 53.3 | 51.0 |
| 20/3/2019 0:42 | 51.7 | 52.5 | 50.7 |
| 20/3/2019 0:47 | 51.7 | 52.4 | 50.8 |
| 20/3/2019 0:52 | 51.9 | 52.9 | 50.6 |
| 20/3/2019 0:57 | 52.2 | 53.7 | 50.6 |
| 20/3/2019 1:02 | 50.2 | 51.0 | 49.5 |
| 20/3/2019 1:07 | 50.6 | 51.4 | 49.6 |
| 20/3/2019 1:12 | 51.7 | 53.2 | 50.1 |
| 20/3/2019 1:17 | 53.1 | 54.8 | 51.1 |
| 20/3/2019 1:22 | 51.4 | 52.7 | 50.1 |
| 20/3/2019 1:27 | 51.1 | 52.2 | 50.1 |
| 20/3/2019 1:32 | 52.8 | 54.6 | 50.7 |
| 20/3/2019 1:37 | 52.8 | 54.4 | 51.2 |
| 20/3/2019 1:42 | 52.5 | 53.5 | 50.8 |
| 20/3/2019 1:47 | 51.1 | 52.3 | 50.2 |
| 20/3/2019 1:52 | 51.6 | 53.1 | 50.3 |
| 20/3/2019 1:57 | 52.6 | 53.9 | 50.9 |
| 20/3/2019 2:02 | 53.4 | 55.4 | 50.7 |
| 20/3/2019 2:07 | 51.9 | 54.0 | 50.0 |
| 20/3/2019 2:12 | 50.3 | 51.0 | 49.5 |
| 20/3/2019 2:17 | 50.0 | 50.7 | 49.3 |
| 20/3/2019 2:22 | 50.0 | 50.8 | 49.1 |
| 20/3/2019 2:27 | 50.4 | 51.7 | 49.1 |
| 20/3/2019 2:32 | 51.7 | 53.6 | 49.5 |
| 20/3/2019 2:37 | 51.5 | 53.1 | 49.7 |
| 20/3/2019 2:42 | 51.4 | 52.9 | 49.8 |
| 20/3/2019 2:47 | 50.9 | 52.0 | 49.6 |
| 20/3/2019 2:52 | 51.0 | 52.6 | 49.3 |
| 20/3/2019 2:57 | 49.7 | 50.5 | 48.9 |
| 20/3/2019 3:02 | 50.1 | 51.3 | 48.8 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 3:07 | 49.6 | 50.4 | 48.7 |
| 20/3/2019 3:12 | 49.3 | 50.0 | 48.6 |
| 20/3/2019 3:17 | 49.1 | 50.1 | 48.3 |
| 20/3/2019 3:22 | 49.1 | 50.0 | 48.3 |
| 20/3/2019 3:27 | 49.6 | 50.3 | 48.9 |
| 20/3/2019 3:32 | 49.6 | 50.3 | 48.9 |
| 20/3/2019 3:37 | 50.1 | 51.0 | 49.2 |
| 20/3/2019 3:42 | 50.1 | 51.2 | 49.1 |
| 20/3/2019 3:47 | 49.7 | 50.7 | 48.9 |
| 20/3/2019 3:52 | 49.5 | 50.3 | 48.7 |
| 20/3/2019 3:57 | 50.1 | 51.1 | 49.0 |
| 20/3/2019 4:02 | 50.1 | 51.1 | 49.2 |
| 20/3/2019 4:07 | 49.9 | 50.6 | 48.8 |
| 20/3/2019 4:12 | 49.7 | 50.3 | 48.5 |
| 20/3/2019 4:17 | 49.4 | 50.3 | 48.5 |
| 20/3/2019 4:22 | 48.8 | 49.3 | 48.2 |
| 20/3/2019 4:27 | 49.2 | 49.9 | 48.4 |
| 20/3/2019 4:32 | 49.9 | 50.6 | 48.7 |
| 20/3/2019 4:37 | 49.4 | 50.4 | 48.4 |
| 20/3/2019 4:42 | 49.0 | 50.0 | 47.9 |
| 20/3/2019 4:47 | 49.4 | 50.4 | 48.3 |
| 20/3/2019 4:52 | 49.6 | 50.3 | 48.3 |
| 20/3/2019 4:57 | 50.1 | 51.1 | 49.0 |
| 20/3/2019 5:02 | 49.3 | 50.1 | 48.4 |
| 20/3/2019 5:07 | 49.1 | 49.9 | 48.2 |
| 20/3/2019 5:12 | 48.8 | 49.4 | 48.1 |
| 20/3/2019 5:17 | 49.7 | 50.5 | 48.7 |
| 20/3/2019 5:22 | 50.1 | 51.0 | 49.0 |
| 20/3/2019 5:27 | 50.3 | 51.1 | 49.4 |
| 20/3/2019 5:32 | 50.2 | 51.2 | 49.1 |
| 20/3/2019 5:37 | 50.6 | 51.6 | 49.7 |
| 20/3/2019 5:42 | 51.0 | 52.1 | 49.7 |
| 20/3/2019 5:47 | 50.3 | 51.1 | 49.4 |
| 20/3/2019 5:52 | 50.6 | 51.3 | 49.8 |
| 20/3/2019 5:57 | 50.4 | 51.1 | 49.5 |
| 20/3/2019 6:02 | 50.8 | 51.7 | 50.0 |
| 20/3/2019 6:07 | 50.9 | 51.6 | 50.2 |
| 20/3/2019 6:12 | 51.0 | 51.6 | 50.3 |
| 20/3/2019 6:17 | 51.6 | 52.4 | 50.8 |
| 20/3/2019 6:22 | 51.7 | 52.8 | 50.7 |
| 20/3/2019 6:27 | 52.4 | 53.3 | 51.4 |
| 20/3/2019 6:32 | 52.0 | 52.8 | 51.3 |
| 20/3/2019 6:37 | 52.2 | 53.3 | 51.2 |
| 20/3/2019 6:42 | 53.4 | 54.6 | 52.2 |
| 20/3/2019 6:47 | 53.6 | 54.5 | 52.4 |
| 20/3/2019 6:52 | 53.2 | 54.0 | 52.2 |
| 20/3/2019 6:57 | 53.9 | 54.9 | 53.0 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 20/3/2019 23:02 | 52.7 | 53.4 | 52.0 |
| 20/3/2019 23:07 | 52.8 | 53.6 | 51.9 |
| 20/3/2019 23:12 | 52.2 | 52.9 | 51.5 |
| 20/3/2019 23:17 | 53.6 | 54.6 | 52.5 |
| 20/3/2019 23:22 | 52.9 | 53.5 | 52.2 |
| 20/3/2019 23:27 | 52.5 | 53.6 | 51.4 |
| 20/3/2019 23:32 | 53.7 | 55.6 | 51.7 |
| 20/3/2019 23:37 | 52.6 | 53.5 | 51.8 |
| 20/3/2019 23:42 | 53.0 | 53.7 | 52.0 |
| 20/3/2019 23:47 | 53.6 | 55.2 | 51.9 |
| 20/3/2019 23:52 | 53.5 | 54.6 | 52.3 |
| 20/3/2019 23:57 | 53.7 | 54.4 | 52.8 |
| 21/3/2019 0:02 | 53.5 | 54.4 | 52.0 |
| 21/3/2019 0:07 | 53.6 | 54.9 | 52.5 |
| 21/3/2019 0:12 | 53.2 | 54.6 | 52.0 |
| 21/3/2019 0:17 | 53.4 | 54.4 | 52.2 |
| 21/3/2019 0:22 | 52.6 | 53.5 | 51.8 |
| 21/3/2019 0:27 | 52.2 | 52.9 | 51.4 |
| 21/3/2019 0:32 | 52.8 | 53.8 | 51.7 |
| 21/3/2019 0:37 | 51.5 | 52.3 | 50.6 |
| 21/3/2019 0:42 | 50.8 | 51.7 | 50.0 |
| 21/3/2019 0:47 | 52.1 | 53.3 | 50.9 |
| 21/3/2019 0:52 | 51.4 | 52.3 | 50.5 |
| 21/3/2019 0:57 | 51.4 | 52.4 | 50.5 |
| 21/3/2019 1:02 | 51.6 | 52.5 | 50.6 |
| 21/3/2019 1:07 | 51.5 | 52.4 | 50.5 |
| 21/3/2019 1:12 | 51.5 | 52.4 | 50.6 |
| 21/3/2019 1:17 | 51.5 | 52.3 | 50.6 |
| 21/3/2019 1:22 | 51.7 | 52.5 | 50.5 |
| 21/3/2019 1:27 | 50.9 | 52.0 | 49.9 |
| 21/3/2019 1:32 | 50.6 | 51.4 | 49.8 |
| 21/3/2019 1:37 | 51.0 | 51.9 | 50.0 |
| 21/3/2019 1:42 | 51.6 | 53.6 | 49.8 |
| 21/3/2019 1:47 | 51.1 | 51.9 | 50.2 |
| 21/3/2019 1:52 | 50.9 | 51.7 | 50.2 |
| 21/3/2019 1:57 | 51.1 | 51.8 | 50.3 |
| 21/3/2019 2:02 | 51.0 | 52.1 | 49.8 |
| 21/3/2019 2:07 | 51.3 | 53.0 | 49.5 |
| 21/3/2019 2:12 | 50.8 | 51.8 | 49.8 |
| 21/3/2019 2:17 | 51.5 | 52.9 | 50.1 |
| 21/3/2019 2:22 | 52.1 | 53.1 | 50.7 |
| 21/3/2019 2:27 | 50.9 | 52.2 | 49.4 |
| 21/3/2019 2:32 | 51.0 | 52.0 | 49.9 |
| 21/3/2019 2:37 | 52.3 | 55.5 | 49.7 |
| 21/3/2019 2:42 | 51.1 | 52.5 | 49.5 |
| 21/3/2019 2:47 | 50.9 | 52.0 | 49.9 |
| 21/3/2019 2:52 | 50.8 | 51.8 | 49.8 |
| 21/3/2019 2:57 | 51.3 | 53.1 | 49.4 |
| 21/3/2019 3:02 | 50.9 | 52.2 | 49.7 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 3:07 | 50.4 | 51.4 | 49.5 |
| 21/3/2019 3:12 | 51.8 | 53.9 | 49.5 |
| 21/3/2019 3:17 | 50.1 | 51.1 | 49.0 |
| 21/3/2019 3:22 | 50.2 | 51.1 | 49.2 |
| 21/3/2019 3:27 | 50.2 | 51.0 | 49.5 |
| 21/3/2019 3:32 | 50.1 | 50.7 | 49.3 |
| 21/3/2019 3:37 | 50.4 | 51.2 | 49.5 |
| 21/3/2019 3:42 | 51.2 | 52.3 | 50.0 |
| 21/3/2019 3:47 | 50.6 | 51.7 | 49.7 |
| 21/3/2019 3:52 | 51.0 | 52.1 | 49.9 |
| 21/3/2019 3:57 | 50.7 | 51.6 | 49.9 |
| 21/3/2019 4:02 | 50.6 | 51.6 | 49.6 |
| 21/3/2019 4:07 | 50.0 | 51.0 | 49.1 |
| 21/3/2019 4:12 | 51.3 | 51.9 | 49.7 |
| 21/3/2019 4:17 | 51.8 | 54.1 | 49.8 |
| 21/3/2019 4:22 | 50.3 | 51.1 | 49.5 |
| 21/3/2019 4:27 | 49.9 | 50.6 | 49.2 |
| 21/3/2019 4:32 | 49.5 | 50.0 | 49.0 |
| 21/3/2019 4:37 | 49.6 | 50.3 | 49.0 |
| 21/3/2019 4:42 | 49.8 | 50.7 | 49.1 |
| 21/3/2019 4:47 | 50.3 | 50.8 | 49.0 |
| 21/3/2019 4:52 | 50.0 | 50.9 | 48.9 |
| 21/3/2019 4:57 | 49.4 | 50.0 | 48.8 |
| 21/3/2019 5:02 | 49.8 | 50.7 | 49.0 |
| 21/3/2019 5:07 | 50.0 | 50.9 | 49.1 |
| 21/3/2019 5:12 | 50.8 | 51.5 | 50.0 |
| 21/3/2019 5:17 | 50.3 | 51.6 | 49.2 |
| 21/3/2019 5:22 | 51.0 | 52.0 | 50.1 |
| 21/3/2019 5:27 | 50.3 | 51.1 | 49.5 |
| 21/3/2019 5:32 | 50.1 | 50.8 | 49.5 |
| 21/3/2019 5:37 | 50.3 | 51.0 | 49.7 |
| 21/3/2019 5:42 | 50.5 | 51.3 | 49.5 |
| 21/3/2019 5:47 | 51.1 | 52.2 | 49.9 |
| 21/3/2019 5:52 | 51.9 | 52.8 | 50.9 |
| 21/3/2019 5:57 | 51.3 | 52.3 | 50.2 |
| 21/3/2019 6:02 | 51.7 | 52.4 | 50.9 |
| 21/3/2019 6:07 | 52.4 | 53.4 | 51.4 |
| 21/3/2019 6:12 | 52.1 | 53.0 | 51.3 |
| 21/3/2019 6:17 | 52.8 | 53.5 | 52.1 |
| 21/3/2019 6:22 | 53.3 | 54.2 | 52.4 |
| 21/3/2019 6:27 | 53.6 | 54.7 | 52.7 |
| 21/3/2019 6:32 | 54.2 | 55.8 | 52.8 |
| 21/3/2019 6:37 | 53.9 | 55.0 | 52.8 |
| 21/3/2019 6:42 | 54.3 | 55.1 | 52.9 |
| 21/3/2019 6:47 | 54.1 | 55.0 | 52.9 |
| 21/3/2019 6:52 | 54.7 | 55.4 | 53.8 |
| 21/3/2019 6:57 | 54.6 | 55.4 | 53.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 21/3/2019 23:02 | 53.6 | 55.6 | 51.7 |
| 21/3/2019 23:07 | 53.2 | 55.2 | 51.2 |
| 21/3/2019 23:12 | 52.2 | 52.9 | 51.4 |
| 21/3/2019 23:17 | 52.3 | 53.0 | 51.6 |
| 21/3/2019 23:22 | 53.1 | 53.8 | 51.3 |
| 21/3/2019 23:27 | 51.8 | 52.8 | 50.7 |
| 21/3/2019 23:32 | 52.6 | 53.5 | 51.5 |
| 21/3/2019 23:37 | 53.0 | 53.6 | 51.5 |
| 21/3/2019 23:42 | 52.2 | 53.1 | 51.3 |
| 21/3/2019 23:47 | 52.2 | 53.1 | 51.3 |
| 21/3/2019 23:52 | 52.1 | 53.1 | 51.1 |
| 21/3/2019 23:57 | 52.0 | 52.7 | 50.9 |
| 22/3/2019 0:02 | 53.1 | 54.1 | 50.9 |
| 22/3/2019 0:07 | 53.2 | 54.8 | 51.2 |
| 22/3/2019 0:12 | 52.8 | 53.9 | 51.5 |
| 22/3/2019 0:17 | 52.7 | 54.6 | 51.3 |
| 22/3/2019 0:22 | 52.4 | 54.4 | 50.5 |
| 22/3/2019 0:27 | 51.4 | 52.0 | 50.8 |
| 22/3/2019 0:32 | 52.5 | 52.8 | 51.0 |
| 22/3/2019 0:37 | 52.0 | 53.0 | 50.9 |
| 22/3/2019 0:42 | 52.8 | 54.2 | 50.2 |
| 22/3/2019 0:47 | 51.1 | 52.2 | 49.9 |
| 22/3/2019 0:52 | 51.1 | 51.8 | 50.1 |
| 22/3/2019 0:57 | 51.4 | 52.6 | 50.2 |
| 22/3/2019 1:02 | 51.5 | 52.3 | 50.6 |
| 22/3/2019 1:07 | 52.3 | 53.5 | 50.9 |
| 22/3/2019 1:12 | 51.6 | 52.5 | 50.7 |
| 22/3/2019 1:17 | 50.3 | 51.2 | 49.3 |
| 22/3/2019 1:22 | 49.9 | 50.6 | 49.3 |
| 22/3/2019 1:27 | 50.4 | 51.3 | 49.7 |
| 22/3/2019 1:32 | 50.3 | 51.1 | 49.5 |
| 22/3/2019 1:37 | 51.7 | 53.2 | 50.3 |
| 22/3/2019 1:42 | 50.9 | 52.4 | 49.4 |
| 22/3/2019 1:47 | 50.0 | 50.8 | 49.1 |
| 22/3/2019 1:52 | 50.5 | 51.4 | 49.7 |
| 22/3/2019 1:57 | 49.9 | 50.8 | 49.2 |
| 22/3/2019 2:02 | 50.0 | 50.8 | 49.2 |
| 22/3/2019 2:07 | 50.0 | 50.9 | 49.2 |
| 22/3/2019 2:12 | 49.8 | 50.8 | 48.9 |
| 22/3/2019 2:17 | 49.5 | 50.1 | 48.8 |
| 22/3/2019 2:22 | 49.4 | 50.0 | 48.7 |
| 22/3/2019 2:27 | 50.6 | 51.6 | 49.3 |
| 22/3/2019 2:32 | 55.7 | 57.2 | 49.2 |
| 22/3/2019 2:37 | 50.3 | 51.2 | 49.2 |
| 22/3/2019 2:42 | 49.7 | 50.4 | 48.7 |
| 22/3/2019 2:47 | 49.8 | 50.9 | 48.7 |
| 22/3/2019 2:52 | 50.1 | 50.9 | 49.2 |
| 22/3/2019 2:57 | 49.5 | 50.1 | 48.7 |
| 22/3/2019 3:02 | 49.5 | 50.3 | 48.7 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 3:07 | 50.5 | 51.6 | 49.2 |
| 22/3/2019 3:12 | 49.7 | 50.5 | 48.7 |
| 22/3/2019 3:17 | 49.7 | 50.6 | 48.9 |
| 22/3/2019 3:22 | 49.6 | 50.4 | 48.8 |
| 22/3/2019 3:27 | 49.7 | 50.7 | 48.6 |
| 22/3/2019 3:32 | 49.6 | 50.7 | 48.5 |
| 22/3/2019 3:37 | 49.2 | 49.9 | 48.5 |
| 22/3/2019 3:42 | 49.4 | 50.1 | 48.7 |
| 22/3/2019 3:47 | 50.2 | 50.8 | 48.6 |
| 22/3/2019 3:52 | 49.2 | 50.0 | 48.4 |
| 22/3/2019 3:57 | 48.7 | 49.6 | 47.9 |
| 22/3/2019 4:02 | 48.9 | 49.6 | 48.2 |
| 22/3/2019 4:07 | 48.9 | 49.9 | 47.6 |
| 22/3/2019 4:12 | 49.2 | 50.1 | 48.1 |
| 22/3/2019 4:17 | 49.5 | 50.5 | 48.4 |
| 22/3/2019 4:22 | 50.0 | 50.7 | 49.2 |
| 22/3/2019 4:27 | 49.2 | 49.9 | 48.3 |
| 22/3/2019 4:32 | 49.2 | 49.9 | 48.5 |
| 22/3/2019 4:37 | 49.2 | 50.3 | 48.1 |
| 22/3/2019 4:42 | 49.6 | 50.4 | 48.7 |
| 22/3/2019 4:47 | 49.4 | 50.3 | 48.6 |
| 22/3/2019 4:52 | 49.6 | 50.5 | 48.6 |
| 22/3/2019 4:57 | 49.6 | 50.5 | 48.8 |
| 22/3/2019 5:02 | 49.3 | 50.3 | 48.3 |
| 22/3/2019 5:07 | 49.6 | 50.4 | 48.7 |
| 22/3/2019 5:12 | 49.3 | 50.0 | 48.4 |
| 22/3/2019 5:17 | 49.0 | 50.0 | 48.1 |
| 22/3/2019 5:22 | 49.7 | 50.4 | 48.7 |
| 22/3/2019 5:27 | 50.3 | 51.2 | 49.3 |
| 22/3/2019 5:32 | 49.8 | 50.6 | 48.9 |
| 22/3/2019 5:37 | 50.1 | 51.1 | 49.1 |
| 22/3/2019 5:42 | 49.6 | 50.5 | 48.7 |
| 22/3/2019 5:47 | 49.8 | 50.7 | 48.8 |
| 22/3/2019 5:52 | 50.4 | 51.9 | 48.9 |
| 22/3/2019 5:57 | 49.9 | 50.9 | 48.9 |
| 22/3/2019 6:02 | 50.3 | 50.9 | 49.4 |
| 22/3/2019 6:07 | 50.7 | 51.4 | 50.0 |
| 22/3/2019 6:12 | 51.1 | 51.6 | 50.1 |
| 22/3/2019 6:17 | 51.9 | 53.2 | 50.7 |
| 22/3/2019 6:22 | 53.0 | 54.6 | 51.6 |
| 22/3/2019 6:27 | 53.1 | 54.1 | 51.9 |
| 22/3/2019 6:32 | 52.5 | 53.7 | 51.4 |
| 22/3/2019 6:37 | 51.8 | 52.5 | 51.1 |
| 22/3/2019 6:42 | 52.4 | 53.3 | 51.5 |
| 22/3/2019 6:47 | 53.1 | 53.8 | 52.1 |
| 22/3/2019 6:52 | 53.3 | 54.3 | 52.2 |
| 22/3/2019 6:57 | 53.3 | 54.4 | 52.2 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 22/3/2019 23:03 | 55.7 | 57.2 | 53.7 |
| 22/3/2019 23:08 | 56.1 | 56.7 | 53.5 |
| 22/3/2019 23:13 | 54.4 | 55.4 | 53.4 |
| 22/3/2019 23:18 | 53.8 | 54.7 | 53.1 |
| 22/3/2019 23:23 | 54.7 | 56.1 | 53.3 |
| 22/3/2019 23:28 | 54.3 | 55.1 | 53.4 |
| 22/3/2019 23:33 | 55.0 | 56.2 | 53.6 |
| 22/3/2019 23:38 | 54.0 | 54.9 | 53.0 |
| 22/3/2019 23:43 | 54.7 | 55.7 | 53.4 |
| 22/3/2019 23:48 | 56.3 | 57.7 | 54.2 |
| 22/3/2019 23:53 | 55.4 | 56.5 | 54.2 |
| 22/3/2019 23:58 | 55.3 | 56.1 | 54.4 |
| 23/3/2019 0:03 | 55.1 | 55.7 | 53.8 |
| 23/3/2019 0:08 | 55.9 | 58.4 | 53.7 |
| 23/3/2019 0:13 | 54.3 | 55.1 | 53.5 |
| 23/3/2019 0:18 | 54.8 | 55.5 | 53.7 |
| 23/3/2019 0:23 | 54.5 | 55.4 | 53.5 |
| 23/3/2019 0:28 | 54.1 | 55.1 | 53.1 |
| 23/3/2019 0:33 | 55.0 | 55.7 | 54.1 |
| 23/3/2019 0:38 | 56.1 | 57.5 | 54.0 |
| 23/3/2019 0:43 | 56.1 | 57.1 | 54.2 |
| 23/3/2019 0:48 | 54.5 | 55.2 | 53.7 |
| 23/3/2019 0:53 | 55.3 | 57.0 | 53.6 |
| 23/3/2019 0:58 | 55.1 | 56.4 | 52.9 |
| 23/3/2019 1:03 | 54.9 | 56.0 | 53.4 |
| 23/3/2019 1:08 | 54.7 | 56.0 | 53.3 |
| 23/3/2019 1:13 | 57.6 | 58.0 | 53.5 |
| 23/3/2019 1:18 | 55.7 | 57.1 | 53.7 |
| 23/3/2019 1:23 | 58.4 | 61.4 | 54.3 |
| 23/3/2019 1:28 | 56.6 | 58.2 | 54.0 |
| 23/3/2019 1:33 | 56.6 | 58.3 | 53.7 |
| 23/3/2019 1:38 | 55.0 | 56.4 | 53.2 |
| 23/3/2019 1:43 | 54.8 | 56.0 | 53.3 |
| 23/3/2019 1:48 | 54.6 | 56.2 | 53.0 |
| 23/3/2019 1:53 | 55.8 | 56.4 | 53.0 |
| 23/3/2019 1:58 | 55.6 | 57.2 | 53.0 |
| 23/3/2019 2:03 | 54.8 | 55.6 | 53.0 |
| 23/3/2019 2:08 | 54.1 | 55.4 | 52.9 |
| 23/3/2019 2:13 | 56.8 | 59.0 | 53.3 |
| 23/3/2019 2:18 | 57.6 | 59.4 | 52.4 |
| 23/3/2019 2:23 | 54.0 | 55.0 | 52.6 |
| 23/3/2019 2:28 | 56.8 | 59.6 | 52.7 |
| 23/3/2019 2:33 | 55.3 | 57.6 | 52.6 |
| 23/3/2019 2:38 | 57.5 | 60.2 | 53.5 |
| 23/3/2019 2:43 | 55.1 | 56.7 | 52.7 |
| 23/3/2019 2:48 | 56.6 | 59.3 | 52.8 |
| 23/3/2019 2:53 | 56.9 | 60.2 | 52.6 |
| 23/3/2019 2:58 | 55.1 | 56.1 | 52.5 |
| 23/3/2019 3:03 | 56.6 | 59.4 | 52.8 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 3:08 | 56.0 | 57.3 | 53.2 |
| 23/3/2019 3:13 | 56.3 | 58.6 | 53.0 |
| 23/3/2019 3:18 | 54.8 | 56.4 | 52.4 |
| 23/3/2019 3:23 | 54.9 | 56.6 | 52.5 |
| 23/3/2019 3:28 | 56.5 | 59.5 | 53.0 |
| 23/3/2019 3:33 | 54.1 | 55.6 | 52.4 |
| 23/3/2019 3:38 | 56.9 | 59.3 | 53.0 |
| 23/3/2019 3:43 | 56.2 | 57.9 | 52.6 |
| 23/3/2019 3:48 | 58.5 | 61.4 | 52.5 |
| 23/3/2019 3:53 | 57.3 | 59.4 | 52.1 |
| 23/3/2019 3:58 | 54.5 | 56.2 | 52.4 |
| 23/3/2019 4:03 | 58.3 | 59.1 | 52.0 |
| 23/3/2019 4:08 | 53.8 | 55.3 | 52.4 |
| 23/3/2019 4:13 | 53.3 | 54.6 | 52.0 |
| 23/3/2019 4:18 | 53.4 | 54.8 | 51.8 |
| 23/3/2019 4:23 | 57.4 | 59.5 | 52.3 |
| 23/3/2019 4:28 | 55.3 | 57.8 | 52.0 |
| 23/3/2019 4:33 | 53.5 | 55.0 | 51.2 |
| 23/3/2019 4:38 | 55.4 | 57.4 | 52.5 |
| 23/3/2019 4:43 | 55.2 | 57.4 | 52.1 |
| 23/3/2019 4:48 | 52.6 | 53.3 | 51.7 |
| 23/3/2019 4:53 | 54.0 | 54.7 | 52.0 |
| 23/3/2019 4:58 | 52.8 | 53.6 | 51.8 |
| 23/3/2019 5:03 | 54.9 | 57.4 | 51.7 |
| 23/3/2019 5:08 | 53.0 | 53.3 | 51.7 |
| 23/3/2019 5:13 | 53.7 | 54.8 | 52.4 |
| 23/3/2019 5:18 | 60.2 | 62.8 | 53.1 |
| 23/3/2019 5:23 | 56.9 | 59.9 | 53.0 |
| 23/3/2019 5:28 | 56.6 | 56.8 | 52.5 |
| 23/3/2019 5:33 | 59.6 | 63.5 | 52.9 |
| 23/3/2019 5:38 | 59.5 | 62.7 | 54.5 |
| 23/3/2019 5:43 | 55.5 | 57.5 | 52.8 |
| 23/3/2019 5:48 | 55.5 | 56.6 | 53.2 |
| 23/3/2019 5:53 | 54.7 | 56.4 | 53.1 |
| 23/3/2019 5:58 | 54.1 | 55.6 | 52.3 |
| 23/3/2019 6:03 | 55.1 | 56.8 | 53.2 |
| 23/3/2019 6:08 | 56.1 | 57.6 | 53.5 |
| 23/3/2019 6:13 | 55.4 | 56.7 | 53.9 |
| 23/3/2019 6:18 | 57.0 | 59.7 | 54.4 |
| 23/3/2019 6:23 | 59.8 | 63.3 | 55.0 |
| 23/3/2019 6:28 | 58.1 | 60.0 | 54.9 |
| 23/3/2019 6:33 | 56.0 | 57.0 | 54.4 |
| 23/3/2019 6:38 | 57.2 | 59.2 | 54.9 |
| 23/3/2019 6:43 | 61.6 | 59.2 | 55.4 |
| 23/3/2019 6:48 | 56.2 | 57.2 | 55.1 |
| 23/3/2019 6:53 | 57.4 | 59.0 | 55.3 |
| 23/3/2019 6:58 | 62.0 | 65.4 | 56.8 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 23/3/2019 23:03 | 57.4 | 58.5 | 56.2 |
| 23/3/2019 23:08 | 56.5 | 57.8 | 55.2 |
| 23/3/2019 23:13 | 56.7 | 57.8 | 55.3 |
| 23/3/2019 23:18 | 57.7 | 58.8 | 56.5 |
| 23/3/2019 23:23 | 57.3 | 58.1 | 56.4 |
| 23/3/2019 23:28 | 56.9 | 57.7 | 56.1 |
| 23/3/2019 23:33 | 57.9 | 58.8 | 56.7 |
| 23/3/2019 23:38 | 58.1 | 59.3 | 56.6 |
| 23/3/2019 23:43 | 57.2 | 58.2 | 56.2 |
| 23/3/2019 23:48 | 56.5 | 57.8 | 54.4 |
| 23/3/2019 23:53 | 56.4 | 57.5 | 55.2 |
| 23/3/2019 23:58 | 56.2 | 56.8 | 55.5 |
| 24/3/2019 0:03 | 55.6 | 57.0 | 54.1 |
| 24/3/2019 0:08 | 55.5 | 56.6 | 54.3 |
| 24/3/2019 0:13 | 55.8 | 57.0 | 54.7 |
| 24/3/2019 0:18 | 56.8 | 57.8 | 55.5 |
| 24/3/2019 0:23 | 56.3 | 57.3 | 55.1 |
| 24/3/2019 0:28 | 56.3 | 57.2 | 55.2 |
| 24/3/2019 0:33 | 56.2 | 57.6 | 54.6 |
| 24/3/2019 0:38 | 55.7 | 56.6 | 54.4 |
| 24/3/2019 0:43 | 55.3 | 56.4 | 54.0 |
| 24/3/2019 0:48 | 55.4 | 56.2 | 54.5 |
| 24/3/2019 0:53 | 55.6 | 56.6 | 54.5 |
| 24/3/2019 0:58 | 54.8 | 56.1 | 53.4 |
| 24/3/2019 1:03 | 55.1 | 56.4 | 53.7 |
| 24/3/2019 1:08 | 55.3 | 56.6 | 53.6 |
| 24/3/2019 1:13 | 55.4 | 57.4 | 53.4 |
| 24/3/2019 1:18 | 56.8 | 58.7 | 54.8 |
| 24/3/2019 1:23 | 57.2 | 59.2 | 55.0 |
| 24/3/2019 1:28 | 56.1 | 57.6 | 54.4 |
| 24/3/2019 1:33 | 56.1 | 57.3 | 54.4 |
| 24/3/2019 1:38 | 56.8 | 57.8 | 54.2 |
| 24/3/2019 1:43 | 55.6 | 57.3 | 53.9 |
| 24/3/2019 1:48 | 56.1 | 57.5 | 54.4 |
| 24/3/2019 1:53 | 55.4 | 56.4 | 53.6 |
| 24/3/2019 1:58 | 56.4 | 58.1 | 54.3 |
| 24/3/2019 2:03 | 55.6 | 57.3 | 54.0 |
| 24/3/2019 2:08 | 55.5 | 56.9 | 53.8 |
| 24/3/2019 2:13 | 57.0 | 58.4 | 55.1 |
| 24/3/2019 2:18 | 56.0 | 57.4 | 54.7 |
| 24/3/2019 2:23 | 55.2 | 56.2 | 53.9 |
| 24/3/2019 2:28 | 54.7 | 55.5 | 53.8 |
| 24/3/2019 2:33 | 55.4 | 56.4 | 54.3 |
| 24/3/2019 2:38 | 56.2 | 57.5 | 54.2 |
| 24/3/2019 2:43 | 58.0 | 60.9 | 54.0 |
| 24/3/2019 2:48 | 56.2 | 57.2 | 54.8 |
| 24/3/2019 2:53 | 55.5 | 56.7 | 54.0 |
| 24/3/2019 2:58 | 55.5 | 56.3 | 54.5 |
| 24/3/2019 3:03 | 55.3 | 56.2 | 54.1 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 3:08 | 55.5 | 56.4 | 54.3 |
| 24/3/2019 3:13 | 54.6 | 56.3 | 52.7 |
| 24/3/2019 3:18 | 55.1 | 55.8 | 53.1 |
| 24/3/2019 3:23 | 54.7 | 56.1 | 53.2 |
| 24/3/2019 3:28 | 53.3 | 54.5 | 52.2 |
| 24/3/2019 3:33 | 53.9 | 55.6 | 52.2 |
| 24/3/2019 3:38 | 56.4 | 57.9 | 53.9 |
| 24/3/2019 3:43 | 54.6 | 55.6 | 53.2 |
| 24/3/2019 3:48 | 52.6 | 54.1 | 51.2 |
| 24/3/2019 3:53 | 52.1 | 53.1 | 51.0 |
| 24/3/2019 3:58 | 53.8 | 55.3 | 51.5 |
| 24/3/2019 4:03 | 52.9 | 53.7 | 51.8 |
| 24/3/2019 4:08 | 53.5 | 55.1 | 51.9 |
| 24/3/2019 4:13 | 52.9 | 54.1 | 51.2 |
| 24/3/2019 4:18 | 52.8 | 53.9 | 51.4 |
| 24/3/2019 4:23 | 53.0 | 54.3 | 51.0 |
| 24/3/2019 4:28 | 53.4 | 54.4 | 52.3 |
| 24/3/2019 4:33 | 54.3 | 55.7 | 52.4 |
| 24/3/2019 4:38 | 53.4 | 54.9 | 51.2 |
| 24/3/2019 4:43 | 52.9 | 54.3 | 51.5 |
| 24/3/2019 4:48 | 52.7 | 54.0 | 51.0 |
| 24/3/2019 4:53 | 53.2 | 54.3 | 51.6 |
| 24/3/2019 4:58 | 53.4 | 54.9 | 52.0 |
| 24/3/2019 5:03 | 54.0 | 53.7 | 51.2 |
| 24/3/2019 5:08 | 53.2 | 54.5 | 51.9 |
| 24/3/2019 5:13 | 54.5 | 55.7 | 53.1 |
| 24/3/2019 5:18 | 53.9 | 55.2 | 52.4 |
| 24/3/2019 5:23 | 53.4 | 54.4 | 52.2 |
| 24/3/2019 5:28 | 53.3 | 54.6 | 51.8 |
| 24/3/2019 5:33 | 54.7 | 56.5 | 52.6 |
| 24/3/2019 5:38 | 54.3 | 55.5 | 52.9 |
| 24/3/2019 5:43 | 52.9 | 53.6 | 51.9 |
| 24/3/2019 5:48 | 53.7 | 54.8 | 52.2 |
| 24/3/2019 5:53 | 54.3 | 55.9 | 52.6 |
| 24/3/2019 5:58 | 54.4 | 55.6 | 53.2 |
| 24/3/2019 6:03 | 55.2 | 56.5 | 53.7 |
| 24/3/2019 6:08 | 55.1 | 56.3 | 53.9 |
| 24/3/2019 6:13 | 54.1 | 54.8 | 53.2 |
| 24/3/2019 6:18 | 53.6 | 54.5 | 52.5 |
| 24/3/2019 6:23 | 53.9 | 54.9 | 52.9 |
| 24/3/2019 6:28 | 54.7 | 56.3 | 53.2 |
| 24/3/2019 6:33 | 55.9 | 57.2 | 54.2 |
| 24/3/2019 6:38 | 56.0 | 57.1 | 54.6 |
| 24/3/2019 6:43 | 56.3 | 57.7 | 54.9 |
| 24/3/2019 6:48 | 56.2 | 57.1 | 55.3 |
| 24/3/2019 6:53 | 56.2 | 57.0 | 55.1 |
| 24/3/2019 6:58 | 56.6 | 58.1 | 55.0 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|-----------------|-------------------------|-----------------|-----------------|
| 24/3/2019 23:03 | 58.0 | 59.2 | 56.9 |
| 24/3/2019 23:08 | 57.8 | 59.3 | 56.2 |
| 24/3/2019 23:13 | 58.3 | 59.3 | 56.9 |
| 24/3/2019 23:18 | 59.0 | 60.5 | 57.3 |
| 24/3/2019 23:23 | 57.8 | 59.2 | 56.0 |
| 24/3/2019 23:28 | 57.9 | 59.3 | 56.3 |
| 24/3/2019 23:33 | 57.9 | 59.4 | 56.4 |
| 24/3/2019 23:38 | 58.1 | 59.2 | 56.5 |
| 24/3/2019 23:43 | 58.9 | 59.1 | 56.1 |
| 24/3/2019 23:48 | 57.5 | 58.8 | 56.0 |
| 24/3/2019 23:53 | 57.7 | 59.1 | 55.1 |
| 24/3/2019 23:58 | 56.2 | 57.8 | 54.8 |
| 25/3/2019 0:03 | 55.9 | 57.1 | 54.7 |
| 25/3/2019 0:08 | 58.0 | 59.1 | 54.9 |
| 25/3/2019 0:13 | 55.5 | 56.7 | 54.4 |
| 25/3/2019 0:18 | 55.5 | 56.7 | 53.9 |
| 25/3/2019 0:23 | 55.3 | 56.5 | 53.9 |
| 25/3/2019 0:28 | 55.3 | 56.7 | 53.7 |
| 25/3/2019 0:33 | 54.9 | 56.3 | 53.3 |
| 25/3/2019 0:38 | 56.7 | 58.5 | 54.5 |
| 25/3/2019 0:43 | 55.6 | 56.7 | 54.4 |
| 25/3/2019 0:48 | 55.9 | 57.6 | 53.9 |
| 25/3/2019 0:53 | 58.0 | 60.5 | 54.2 |
| 25/3/2019 0:58 | 56.9 | 59.0 | 54.4 |
| 25/3/2019 1:03 | 55.9 | 57.9 | 53.4 |
| 25/3/2019 1:08 | 57.5 | 59.2 | 53.9 |
| 25/3/2019 1:13 | 56.0 | 58.4 | 53.7 |
| 25/3/2019 1:18 | 58.1 | 58.2 | 53.5 |
| 25/3/2019 1:23 | 55.7 | 56.6 | 54.2 |
| 25/3/2019 1:28 | 54.1 | 55.1 | 53.0 |
| 25/3/2019 1:33 | 54.7 | 56.2 | 53.0 |
| 25/3/2019 1:38 | 56.1 | 58.0 | 53.6 |
| 25/3/2019 1:43 | 56.3 | 58.1 | 54.0 |
| 25/3/2019 1:48 | 56.0 | 57.8 | 53.7 |
| 25/3/2019 1:53 | 55.6 | 56.4 | 53.2 |
| 25/3/2019 1:58 | 53.5 | 54.8 | 52.2 |
| 25/3/2019 2:03 | 53.0 | 54.1 | 51.8 |
| 25/3/2019 2:08 | 54.7 | 56.6 | 52.8 |
| 25/3/2019 2:13 | 54.8 | 56.3 | 52.3 |
| 25/3/2019 2:18 | 54.1 | 55.3 | 53.1 |
| 25/3/2019 2:23 | 53.0 | 54.0 | 52.0 |
| 25/3/2019 2:28 | 53.5 | 54.6 | 52.2 |
| 25/3/2019 2:33 | 53.4 | 55.4 | 51.6 |
| 25/3/2019 2:38 | 53.7 | 55.5 | 51.7 |
| 25/3/2019 2:43 | 52.6 | 54.1 | 51.4 |
| 25/3/2019 2:48 | 52.0 | 53.2 | 50.6 |
| 25/3/2019 2:53 | 52.3 | 53.4 | 50.7 |
| 25/3/2019 2:58 | 53.3 | 55.1 | 51.3 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L _{eq} (5 min) | L ₁₀ | L ₉₀ |
|----------------|-------------------------|-----------------|-----------------|
| 25/3/2019 3:03 | 54.0 | 55.3 | 52.2 |
| 25/3/2019 3:08 | 51.9 | 53.6 | 50.7 |
| 25/3/2019 3:13 | 53.2 | 54.5 | 51.0 |
| 25/3/2019 3:18 | 51.9 | 53.3 | 50.1 |
| 25/3/2019 3:23 | 53.4 | 55.1 | 51.2 |
| 25/3/2019 3:28 | 52.3 | 53.0 | 50.5 |
| 25/3/2019 3:33 | 52.1 | 53.5 | 50.6 |
| 25/3/2019 3:38 | 53.5 | 55.5 | 51.1 |
| 25/3/2019 3:43 | 53.6 | 54.8 | 51.2 |
| 25/3/2019 3:48 | 54.3 | 55.8 | 51.6 |
| 25/3/2019 3:53 | 52.2 | 53.9 | 50.0 |
| 25/3/2019 3:58 | 50.8 | 51.9 | 49.6 |
| 25/3/2019 4:03 | 52.0 | 53.9 | 49.6 |
| 25/3/2019 4:08 | 50.2 | 51.5 | 48.9 |
| 25/3/2019 4:13 | 51.5 | 53.3 | 49.5 |
| 25/3/2019 4:18 | 51.9 | 53.7 | 50.0 |
| 25/3/2019 4:23 | 51.1 | 53.0 | 49.0 |
| 25/3/2019 4:28 | 52.6 | 55.0 | 49.6 |
| 25/3/2019 4:33 | 51.6 | 53.0 | 50.1 |
| 25/3/2019 4:38 | 52.2 | 54.0 | 50.1 |
| 25/3/2019 4:43 | 52.6 | 53.4 | 50.3 |
| 25/3/2019 4:48 | 51.4 | 52.9 | 49.9 |
| 25/3/2019 4:53 | 51.3 | 52.6 | 49.7 |
| 25/3/2019 4:58 | 51.4 | 53.0 | 49.7 |
| 25/3/2019 5:03 | 52.7 | 55.2 | 50.2 |
| 25/3/2019 5:08 | 52.5 | 54.6 | 49.8 |
| 25/3/2019 5:13 | 52.5 | 54.2 | 50.5 |
| 25/3/2019 5:18 | 52.2 | 53.5 | 50.4 |
| 25/3/2019 5:23 | 53.3 | 55.7 | 50.1 |
| 25/3/2019 5:28 | 53.3 | 54.9 | 51.5 |
| 25/3/2019 5:33 | 53.1 | 54.6 | 51.5 |
| 25/3/2019 5:38 | 53.2 | 54.5 | 51.9 |
| 25/3/2019 5:43 | 53.2 | 54.7 | 50.9 |
| 25/3/2019 5:48 | 52.2 | 53.7 | 50.7 |
| 25/3/2019 5:53 | 54.2 | 55.6 | 52.2 |
| 25/3/2019 5:58 | 53.3 | 54.6 | 52.0 |
| 25/3/2019 6:03 | 53.9 | 55.4 | 52.1 |
| 25/3/2019 6:08 | 54.5 | 56.1 | 52.9 |
| 25/3/2019 6:13 | 55.0 | 56.8 | 52.9 |
| 25/3/2019 6:18 | 54.2 | 55.4 | 52.9 |
| 25/3/2019 6:23 | 54.3 | 55.6 | 52.9 |
| 25/3/2019 6:28 | 54.7 | 55.9 | 53.4 |
| 25/3/2019 6:33 | 55.0 | 56.0 | 53.8 |
| 25/3/2019 6:38 | 55.1 | 56.1 | 53.9 |
| 25/3/2019 6:43 | 55.2 | 56.0 | 54.2 |
| 25/3/2019 6:48 | 54.8 | 55.9 | 53.9 |

Measured Noise Levels (dB(A)) at NMS3-4-5 during Night-time (2300-0700 hours)

| Date & Time | L_{eq} (5 min) | L₁₀ | L₉₀ |
|------------------------|-------------------------------|-----------------------|-----------------------|
| 25/3/2019 6:53 | 53.9 | 54.6 | 53.2 |
| 25/3/2019 6:58 | 55.2 | 56.3 | 53.8 |

Mean 54.1
 Maximum 66.9
 Minimum 48.0

J. Supervising Officer's Representative Correspondence

Our Ref: IL/ALi/NL/IDA/JW/dc/15112/5.1/0457
Direct Fax No.: 2503 4936

Mott MacDonald Hong Kong Limited
3/F, Mapletree Bay Point
348 Kwun Tong Road,
Kowloon, Hong Kong

Attn: Mr. Sunny Chan

19 August, 2019

Dear Sir,

Agreement No. CE 30/2018 (EP)
Environmental Team for Design, Construction of the Kai Tak Sports Park
Request for approval on the supporting information of the Baseline Monitoring Report

This refers to your letter ref.: 403329/EC/TC/sc/L-20 dated 9 August 2019 raising that EPD request confirmation from SOR on the following items,

1. monitoring at alternative baseline air quality monitoring station AMS3-4-5;
2. using direct reading from portable dust meters for 1-hour TSP levels measurement;
3. using wind data collected from Hong Kong Observatory Kai Tak Automatic Weather Station for air quality monitoring; and
4. monitoring at alternative baseline noise monitoring station NMS3-4-5.

We confirm that we concur with your professional advice and action on the above.

Thank you for your attention.

Yours faithfully,
Leigh & Orange Ltd.



Dr. Nicholas Lai
Director
SOR/ Technical Services (2)

c.c.: HAB - Mr. Victor Tai
- Mr. Keith Man/ Mr. Michael Chu
- Ms. Vivian Ho
WSP(C&S) - Mr. Henry Wong/ Mr. Dennis Lee
WSP (BS) - Mr. Michael Sung/ Mr. WS Tam
WSP (ENV) - Mr. CK Chan
MMD - Mr. Sunny Chan
ERM - Ms. Mandy To