MTR Corporation Limited

Tung Chung Line Extension

Monthly EM&A Report No.8 (for January 2024)

(Condition 3.4 of EP-614/2022)

Verified by:	Adi Lee	KM
Position: Indepe	endent Environm	ental Checker
Date:	16 February 2024	4

MTR Corporation Limited

Tung Chung Line Extension

Monthly EM&A Report No.8 (for January 2024)

(Condition 3.4 of EP-614/2022)

Certified by:_	Edan Li & den
Position:	Environmental Team Leader
Date:	16 February 2024

MTR Corporation Limited

Tung Chung Line Extension

Monthly EM&A Report No. 8

[for January 2024]

Table of Contents

		Page
1	INTRO	DUCTION1
	1.1 1.2 1.3	Background
2	ENVIR	ONMENTAL MONITORING AND AUDIT2
	2.1	EM&A Results
3	IMPLEI	MENTATION STATUS ON THE ENVIRONMENTAL PROTECTION REQUIREMENTS
List of	Tables	
Table 1 Table 2 Table 2 Table 2 Table 2 Table 3	2.1 2.2 2.3 2.4	Summary of Awarded Works Contracts Summary of Major Construction Activities in the Reporting Period Summary of 1-Hour TSP Monitoring Results in the Reporting Period Summary of Construction Noise Monitoring Results in the Reporting Period Log for Environmental Complaints, Notification of Summons and Successful Prosecutions for the Reporting Month Summary of EP Submissions Status
List of	Append	lices
Append		Monthly EM&A Report for January 2024 – Contract 1201 Tung Chung West Station and Tunnels
Append	dix B	Monthly EM&A Report for January 2024 – Contract 1202 Tung Chung East Station and Associated Enabling Works for Track Diversions

1 INTRODUCTION

1.1 Background

- 1.1.1 The Railway Development Strategy 2014 (RDS-2014) announced by the Government of the Hong Kong Special Administrative Region included the conceptual scheme of Tung Chung West (TCW) Extension and a possible Tung Chung East (TCE) Station.
- 1.1.2 This new railway system has been included in the approved Schedule 3 Environmental Impact Assessment (EIA) for Tung Chung New Town Extension (TCNTE), which has included the new stations at TCE area and TCW area and the associated trackwork and tunnel. However, a separate Schedule 2 EIA study for this railway system is conducted to address the associated environmental impacts, taking into account of the latest design.
- 1.1.3 The EIA Report for Tung Chung Line Extension (the Project) was approved on 12 July 2022 (Register No. AEIAR-235/2022). The Environmental Permit (EP) No. EP-614/2022 was then issued on 9 August 2022.

1.2 Project Programme

1.2.1 Two construction Works Contracts of the Project have been awarded since May 2023. The construction of the Project commenced in June 2023 and is expected to complete in 2029. **Table 1.1** summarises the information of the awarded Works Contracts.

Table 1.1 Summary of Awarded Works Contracts

Works Contract	Description	Construction Start Date	Contractor	Environmental Team
1201	Tung Chung West Station and Tunnels	June 2023	Bouygues – Dragages (1201) JV	AECOM Asia Co. Ltd.
1202	Tung Chung East Station and Associated Enabling Works for Track Diversions	July 2023	Paul Y. – CRCC (TUE1202) JV	Acuity Sustainability Consulting Limited

1.3 Purpose of the Report

1.3.1 The Environmental Monitoring and Audit (EM&A) programme for the Project commenced in June 2023. This is the eighth EM&A Report for the Project which summarises the EM&A works undertaken by the respective Contractor's ET during the period from 1 to 31 January 2024.

2 ENVIRONMENTAL MONITORING AND AUDIT

2.1 EM&A Results

- 2.1.1 The EM&A Report for Works Contracts 1201 and 1202 prepared by the Contractor's ET are provided in **Appendix A** and **Appendix B**. The EM&A Report provides details of the project information, EM&A requirements, impact monitoring and audit results for the Contracts.
- 2.1.2 A summary of the major construction activities undertaken by the Contractor of Works Contract during the reporting period are presented in **Table 2.1**.

Table 2.1 Summary of Major Construction Activities in the Reporting Period

lable 2.1	Summary of Major Construction Activities in the Reporting Period			
Works Contract	Site	Construction Activities		
	Tung Chung West (TCW) Area	 Site set up Temporary Substation Setup Ground investigation Pretreatment & Guide Wall D wall Panel construction 		
1201	Tung Chung Cresecent (TCC) and Tung Chung Ancillary Building (TCA) Areas	Site set upPipe Pile WallTTMS SetupSlope Formation		
	Barging Facility Area	Site set upRebar fabrication		
1202	Tung Chung East (TCE) Area	 Site formation works Piling works in TCE Retaining wall construction PM site office construction Piling works in Integrated Entrance Noise barrier removal Construct gate entrance 		
	Area 138			

2.1.3 During the reporting month, impact monitoring for air quality and construction noise were conducted in accordance with the EM&A Manual. No exceedance of the Action / Limit Level of 1-hour TSP and Limit Level of construction noise due to the Project construction was recorded. Five noise related complaints were received which triggered the exceedance of Action Level for construction noise. Results of air quality and construction noise are summarised in Tables 2.2 and 2.3 respectively. Details of the monitoring requirements, locations, equipment and methodology are presented in the EM&A Report (Appendix A and Appendix B).

Table 2.2 Summary of 1-Hour TSP Monitoring Results in the Reporting Period

Monitoring Station ID	Location	TSP Concentration (µg/m³)	Action Level (μg/m³)	Limit Level (µg/m³)	Exceedance due to the Project Construction (Yes/No)
Works Cont	ract 1201				
DM-2	Sheraton Hong Kong Tung Chung Hotel Shopping Mall	55.3 – 246.7	326	500	No
DM-3	Shops at Tung Chung Crescent	57.2 – 221.2	327	500	No
DM-4	Yat Tung Shopping Centre	52.2 – 275.4	312	500	No

Monitoring Station ID	Location	TSP Concentration (µg/m³)	Action Level (μg/m³)	Limit Level (µg/m³)	Exceedance due to the Project Construction (Yes/No)
DM-5b ⁽²⁾	Ma Wan Chung Village	47.1 – 248.6	333	500	No
Works Cont	ract 1202				
DM-1b ⁽³⁾	G/F of Ying Yuet House	143.9 – 310.4	327	500	No
DM-1a	TCNTE East - Planned Commercial Development (COM-1/Area 57)	N/A ⁽⁴⁾	342	500	No

Note:

- (1) Impact monitoring to be carried out during the construction period of corresponding activity
- (2) Alternative monitoring location to DM-5 Ma Wan Chung Village in the approved EM&A Manual
- (3) Alternative monitoring location to DM-1 Rosita Yuen Kindergarten in the approved EM&A Manual
- (4) Impact monitoring to be carried out upon the commence of operation and during the construction period of the corresponding activity

Table 2.3 Summary of Construction Noise Monitoring Results in the Reporting Period

Monitoring Station ID	Location	Noise Level (Leq,30mins, dB(A))	Limit Level (Leq,30mins, dB(A))	Exceedance due to the Project Construction (Yes/No)
Works Cont	ract 1201			
NM2	Block 9 of Tung Chung Crescent	Below baseline level – 64.5	75	No
NM3a ⁽²⁾	2/F rooftop of Yat Tung Shopping Centre	67.7 – 68.8	75	No
Works Cont	ract 1202			
NM1	Ying Tung Estate	53.8 – 69.7	75	No
NM4	Tung Chung Area 113	N/A ⁽¹⁾	75	No
NM6	Tung Chung Area 100	N/A ⁽¹⁾	75	No

Note:

- Impact monitoring to be carried out upon the intake of the population and during the construction period of the corresponding activity
- (2) Alternative monitoring location to NM3 Yat Tung Estate in approved EM&A Manual
- 2.1.4 Six environmental complaints were recorded in the reporting period. No notification of summons and successful prosecutions were recorded in the reporting period. Log for environmental complaints, notification of summons and successful prosecutions is provided in **Table 2.4**.

Table 2.4 Log for Environmental Complaints, Notification of Summons and Successful Prosecutions for the Reporting Month

Works	Environmental	Notification of Summons	Successful
Contract	Complaints		Prosecutions
1201	5	0	0

Works	Environmental Complaints	Notification of	Successful
Contract		Summons	Prosecutions
1202	1	0	0

2.1.5 Regular site inspections were conducted by the Contractor's ET on a weekly basis to check the implementation of environmental pollution control and mitigation measures for the Project. No non-conformance was identified in the reporting period.

3 IMPLEMENTATION STATUS ON THE ENVIRONMENTAL PROTECTION REQUIREMENTS

3.1.1 The respective Contractors have implemented all mitigation measures and requirements as stated in the EIA Report, EM&A Manual and EP (EP-614/2022). The status of required submissions under the EP as of the reporting period are summarised in **Table 3.1**.

Table 3.1 Summary of EP Submissions Status

	Immary of EP Submissions Status	1
EP Condition (EP-614/2022)	Submission	Submission date
Condition 1.12	Notification of Commencement Date of Construction	9 Mar 2023 9 May 2023 (update)
Condition 1.14	Notification of Commencement Date of Operation	No later than 1 month prior to the commencement of operation
Condition 2.9	Notification of Setup of Community Liaison Group	21 Mar 2023
Condition 2.10	Construction Works Phasing Schedule	14 Apr 2023
Condition 2.11	EP Submission Schedule	14 Apr 2023
Condition 2.12	Management Organization	28 Apr 2023 18 Sep 2023 (update) 22 Jan 2024 (update)
Condition 2.13	Construction Noise Management Plan (CNMP) Works Contract No. 1201 Works Contract No. 1202	10 Mar 2023 31 May 2023 (approval) 28 Sep 2023 (approval) 30 Oct 2023 (approval) 10 Mar 2023 27 Jun 2023 (approval) 28 Sep 2023 (approval)
Condition 2.14	Rail Noise Mitigation Plan (RNMP)	1 Nov 2023 (approval) 13 Jan 2023 25 Aug 2023 (approval)
Condition 2.15	Plan on Noise Enclosure at Tung Chung Crescent	13 Apr 2023 29 Aug 2023 (approval)
Condition 2.16	Compensatory Tree Planting Implementation Plan	To be submitted at least 2 months before the commencement of the compensatory tree planting
Condition 2.17	Landscape and Visual Mitigation Plan (LVMP)	12 Apr 2023 30 Nov 2023
Condition 2.18	Contingency and Response Plan	To be submitted at least 2 months before the commencement of relevant part of the construction works
Condition 2.19	Wastewater Management Plan (WWMP)	9 Mar 2023 29 May 2023 (approval) 13 Sep 2023 (approval)
Condition 2.20	Waste Management Plan (WMP)	16 Feb 2023
Condition 2.23	Further Archaeological Testing Report	28 Sep 2022
Condition 2.25	Fixed Plant Noise Audit Report	To be submitted at least 1 month before commencement of operation of the Project
Condition 3.3	Baseline Monitoring Report	28 Apr 2023
Condition 3.4	Monthly EM&A Report No.1 to 7 Monthly EM&A Report No.8	Reported in previous Monthly EM&A Reports This submission
Condition 4.2	Dedicated Internet Website	10 Jul 2023

Appendix A

Monthly EM&A Report for Contract 1201 Tung Chung West Station and Tunnels

(January 2024)





Tung Chung Line Extension Contract 1201 Tung Chung West Station and Tunnels

Monthly EM&A Report for January 2024

Ref: 1201-B-TCW-BDJ-510-000071A-8

February 2024



Quality Information

Prepared by		Checked and Certified by Contractor's ET Leader		Approved by	
Jimmy LUI	5	Lemon LAM	Jem	Ilias TSAI	PARAS (A)
Revision His	story				
Revision	Revision date	Details	Authorized	Name	Position
Distribution	List				
# Hard Copies	PDF Required	Association / Co	mpany Name		

Prepared for:

BOUYGUES – DRAGAGES (1201) Joint Venture P.O. Box 289 Tung Chung Post Office Lantau Island Hong Kong

Prepared by:

AECOM

AECOM Asia Company Limited 12/F, Block 2, Grand Central Plaza, 138 Shatin Rural Committee Road, Shatin Hong Kong aecom.com

© 2023 AECOM Asia Company Limited. All Rights Reserved.

This document has been prepared by AECOM Asia Company Limited ("AECOM") for sole use of our client (Dragages Hong Kong) in accordance with generally accepted consultancy principles, the budget for fees and the terms of reference agreed between AECOM and the Client. Any information provided by third parties and referred to herein has not been checked or verified by AECOM, unless otherwise expressly stated in the document. No third party may rely upon this document without the prior and express written agreement of AECOM.

Table of Contents

EXEC	CUTIVE SUMMARY	1
1.	Introduction	
1.1 1.2	Propose of the ReportReport Structure	
2. P	Project Information	4
2.1	Background	
2.2	- · · · · · · · · · · · · · · · · · · ·	
2.3		
2.4	, 0	
2.5	, and the second	
3.	Environmental Monitoring Requirement	
3.1	Construction Dust Monitoring	
3.2	Construction Noise Monitoring	7
4.	Implementation Status of Environmental Mitigation Measures	10
5.	Monitoring Results	11
5.1	Construction Dust Monitoring	
5.2		
5.3		
5.4	Landscape and Visual	12
6.	Environmental Site Inspection and Audit	13
7.	Environmental Non-Conformance	15
7.1	Summary of Monitoring Exceedances	
7.2	,	
7.3	,	
7.4	•	
8.	Further Key Issues	
8.1	Construction Programme for the Next Three Month	
8.2	,	
8.3	Monitoring Schedule for the Next Three Month	16
9.	Conclusions and Recommendation	
9.1	Conclusions	17
Tab	les	
	2-1 Major Construction Activities in the Reporting Month	
	2-2 Contact Information of Key Personnel	
	2-3 Status of Environmental Licenses, Notifications and Permits	
	3-1 Air Monitoring Equipment	
	3-3 Noise Monitoring Parameters, Frequency and Duration	
	3-4 Noise Monitoring Equipment for Regular Noise Monitoring	
	3-5 Noise Monitoring Station during Construction Phase	
	4-1 Status of Required Submission under Environmental Permit	
	5-1 Summary of 1-hour TSP Monitoring Result in the Reporting Period	
Table	5-2 Summary of Construction Noise Monitoring Results in the Reporting Period	11
	6-1 Observation and Recommendations of Site Audit	
Table	8-1 Major Construction for the Next Three Month	16

Figures

Figure 2.1 Site Layout Plan of Contract 1201

Figure 3.1 Locations of Construction Dust Monitoring Stations Figure 3.2 Locations of Construction Noise Monitoring Stations

Appendices

Tentative Construction Programme
Project Organization Structure
Implementation Schedule of Environmental Mitigation Measures
Summary of Action and Limit Levels
Calibration Certificates of Equipment
EM&A Monitoring Schedules
Air Quality Monitoring Results and their Graphical Presentations
Noise Monitoring Results and their Graphical Presentations
Event and Action Plan
Cumulative Statistics on Complaints, Notification of Summons and Successful
Prosecutions
Summary of Notification of Exceedance
Monthly Summary Waste Flow Table

EXECUTIVE SUMMARY

Tung Chung Line Extension Contract 1201 – Tung Chung West (TCW) Station and Tunnels (hereafter called "Contract 1201") covers part of the Tung Chung Line Extension (hereafter called "the Project") construction.

The Contract 1201 comprises the constructions for extending the existing Tung Chung Line (TCL) from the existing overrun tunnel of Tung Chung Station (TUC) to the new underground TCW Station near Yat Tung Estate including Emergency Access Point (EAP) / Emergency Egress Point (EEP) building, station associated facilities and overrun tunnel.

The EM&A programme commenced on 1 June 2023. The impact EM&A for the Project includes air quality and noise monitoring.

This report documents the findings of EM&A works conducted in the period between 1 and 31 January 2024.

Breaches of Action and Limit Levels for Air Quality

No exceedance of Action and Limit Level of air quality was recorded in the reporting month.

Breaches of Action and Limit Levels for Noise

Four noise related complaint were received in the reporting month which triggered the exceedance of action level for noise monitoring. Thus, a total of four action level exceedance for noise monitoring was recorded during the reporting month.

No exceedance of Limit Level of noise was recorded in the reporting month.

Complaint, Notification of Summons and Successful Prosecution

Two noise, one noise and dust, one noise and one dust and smell related complaints were referred by EPD on 2, 10, 15 and 19 January 2024, respectively. The complaint investigation reports were submitted to EPD on 15, 23, 26 January and 1 February 2024. No notification of summons and successful prosecution were received in the reporting month. No Notification of Summons or Successful Prosecution was recorded in the reporting month.

Reporting Changes

There was no reporting change in the reporting month.

Future Key Issues

Key issues to be considered in the next three months included:

Location	Site Activities		
Tung Chung West (TCW)	Temporary Substation Setup		
Area	Ground investigation		
	Pretreatment & Guide Wall		
	D wall Panel construction		
	H-pile construction		
Tung Chung Cresecent	Pipe Pile Wall		
(TCC) and Tung Chung	TBM interface Grouting Works		
Ancillary Building (TCA)	Site Roof		
Areas	Noise Enclosure		
	Shaft ELS		
	TTMS Setup		
	Slurry Treatment Plant		
	Temporary Substation Setup		
	Slope Formation		
Barging Facility Area	Site set up		
	Rebar fabrication		

Potential environmental impacts arising from the above construction activities are mainly associated with construction dust, construction noise, water quality and waste management.

1. Introduction

Bouygues - Dragages (1201) Joint Venture (BDJV) was commissioned by the MTR Corporation (MTRC) as the Civil Contractor for Works Contract 1201. AECOM Asia Company Limited (AECOM) was appointed by BDJV as the Contractor's Environmental Team (ET) to undertake the Environmental Monitoring and Audit (EM&A) programme during construction phase of the Project.

1.1 Propose of the Report

1.1.1 This is the 8th monthly EM&A Report which summaries the impact monitoring results and audit findings for the Project during the reporting period between 1 and 31 January 2024.

1.2 Report Structure

- 1.2.1 This monthly EM&A Report is organized as follows:
 - Section 1: Introduction
 - Section 2: Project Information
 - Section 3: Environmental Monitoring Requirement
 - Section 4: Implementation Status of Environmental Mitigation Measures
 - Section 5: Monitoring Results
 - Section 6: Environmental Site Inspection and Audit
 - Section 7: Environmental Non-conformance
 - Section 8: Future Key Issues
 - Section 9: Conclusions and Recommendations

2. Project Information

2.1 Background

- 2.1.1 Tung Chung Line Extension (TUE) was first initiated in the Railway Development Strategy 2014 (RDS-2014) announced by the Government of the Hong Kong Special Administrative Region, which includes the conceptual scheme of Tung Chung West (TCW) Extension and a possible Tung Chung East (TCE) Station.
- 2.1.2 The Tung Chung Line Extension (TUE) Project is an approximately 1.3km extension of the existing Tung Chung Line (TCL) with two new stations namely TCE Station and TCW Station.
- 2.1.3 The Environmental Impact Assessment (EIA) Reports for TUE (Register No.: AEIAR-235/2022) was approved on 12 July 2022 under the Environmental Impact Assessment Ordinance (EIAO). Following the approval of the EIA Report, an Environmental Permit (EP) was granted on 9 August 2022 (EP No.: EP-614/2022), for the construction and operation.
- 2.1.4 According to the approved EM&A Manual of TUE, the EM&A monitoring for the Project includes air quality and noise monitoring. Baseline monitoring for TUE was carried out from Nov 2022 to Mar 2023.

2.2 General Description of the Project

- 2.2.1 The key elements of this Contract 1201 are comprise below:
 - Extending the existing TCL from the existing overrun tunnel of TUC to the new TCW Station (in the form of a tunnel);
 - Construction of a new TCW Station (underground) and overrun tunnel;
 - · Construction of the EAP/EEP building; and
 - Construction of station associated facilities (entrances, vent shaft structures, etc.)
- 2.2.2 The layout plan of the Project is shown in **Figure 2.1**.

2.3 Construction Programme and Activities

2.3.1 The major construction activities undertaken in the reporting month are summarised below:

Table 2-1 Major Construction Activities in the Reporting Month

Location	Site Activities
Tung Chung West (TCW) Area	 Site set up Temporary Substation Setup Ground investigation Pretreatment & Guide Wall D wall Panel construction
Tung Chung Cresecent (TCC) and Tung Chung Ancillary Building (TCA) Areas	 Site set up Pipe Pile Wall TTMS Setup Slope Formation
Barging Facility Area	Site set up Rebar fabrication

2.3.2 The tentative construction programmes for the next three months is presented in **Appendix A**.

2.4 Project Organization

2.4.1 The project organization structure is shown in **Appendix B**. The key personnel contact names and numbers for the Project are summarized in **Table 2-2**.

Table 2-2 Contact Information of Key Personnel

Party	Role	Position	Name	Telephone	Fax
MTRC	Project Environmental Team	Project Environmental Team Leader	Mr. Edan Li	2621 7194	3761 4610
Meinhardt	Independent Environmental Checker	Independent Environmental Checker	Mr. Adi Lee	2859 5443	2540 1580
BDJV	Contractor	Project's Environmental Officer	Ms. Gena Tsang	9511 2283	2588 1979
450014	Contractor's DM Environmental	ET Leader	Ms. Lemon Lam	3922 9381	3922 9797
AECOM	Team (ET)	Deputy ET Leader	Mr. Jimmy Lui	6067 5063	3922 9191

2.5 Status of Environmental Licences, Notification and Permits

2.5.1 Relevant environmental licenses, permits and/or notifications on environmental protection for this Project and valid in the reporting month are summarized in **Table 2-3**.

Table 2-3 Status of Environmental Licenses, Notifications and Permits

Permit / License No.	Valid Period				
/ Notification/ Reference No.	From	То	Status	Remarks	
Environmental Permit	1				
EP-614/2022	9 Aug 2022	-	Valid	-	
Construction Noise Po	ermit				
GW-RS0650-23	5 Aug 2023	3 Feb 2024	Valid	At TCC area	
GW-RS0951-23	5 Nov 2023	3 May 2024	Valid	At W1 area	
GW-RS1136-23	28 Dec 2023	27 June 2024	Valid	At TCW area	
Wastewater Discharge	e License				
WT10001420-2023	29 Nov 2023	30 Nov 2028	Valid	For TCC area	
WT10001776-2023	9 Nov 2023	30 Nov 2028	Valid	For A1 area	
WT10001417-2023	29 Dec 2023	31 Dec 2028	Valid	For TCW	
Chemical Waste Prod	ucer Registratio	n			
5213-950-B2705-01	26 June 2023	-	Valid	-	
Billing Account for Co	Billing Account for Construction Waste Disposal				
7047572	1 June 2023	-	Valid	-	
Notification Under Air Pollution Control (Construction Dust) Regulation					
492760	18 May 2023	-	Valid	-	
Notification for Asbestos Works					
AX230550	6 Nov 2023	-	Valid	House HK/21/AE/57-59 and House HK/21/AE/42/52 at Lot No. DD3 TC, Tung Chung	

3. Environmental Monitoring Requirement

3.1 Construction Dust Monitoring

Monitoring Requirements

3.1.1 In accordance with the approved EM&A Manual, 1-hour Total Suspended Particulates (TSP) level at the designated air quality monitoring station is required. Impact 1-hour TSP monitoring should be carried out for at least 3 times every 6 days. The Action and Limit level of the air quality monitoring is provided in **Appendix D**.

Monitoring Equipment

3.1.2 1-hour TSP air quality monitoring was performed using High Volume Sampler (HVS) located at the designated monitoring stations. The HVS meets all the requirements of the EM&A Manual. Brand and model of the equipment is given in **Table 3-1**.

Table 3-1 Air Quality Monitoring Equipment

Equipment	Brand and Model	
High Volume Sampler (1-hour TSP)	Andersen Total Suspended Particulate Mass Flow Controlled High Volume Air Sampler (Model No. TE-5170 (S/N:1303, 5007, 5008, 5009)	
Calibration Kit	TISCH Environmental Orifice (Model TE-5025A (Orifice I.D.: 0843)	

Monitoring Locations

3.1.3 The monitoring station for construction dust monitoring pertinent to the Project has been identified based on the approved EM&A Manual for TUE of the Project. As limitations and technical difficulties were identified, the alternative impact monitoring location at DM-5b has been proposed and approved by EPD on 30 May 2023. The location of the construction dust monitoring stations are summarised in **Table 3-2** and shown in **Figure 3.1**.

Table 3-2 Locations of Construction Dust Monitoring Station

Monitoring Location ID	Dust Monitoring Location	
DM-2	Sheraton Hong Kong Tung Chung Hotel Shopping Mall	
DM-3	Shops at Tung Chung Crescent	
DM-4	Yat Tung Shopping Centre	
DM-5b*	Ma Wan Chung Village	

Remark: * - Alternative impact monitoring location.

Monitoring Methodology

- 3.1.4 1-hour TSP Monitoring
 - (a) The HVS was installed in the vicinity of the air sensitive receivers. The following criteria were considered in the installation of the HVS as far as practicable:-
 - (i) A horizontal platform with appropriate support to secure the sampler against gusty wind was provided.
 - (ii) Two samplers should not be placed less than 2m apart from each others;
 - (iii) The distance between the HVS and any obstacles, such as buildings, was at least twice the height that the obstacle protrudes above the HVS.
 - (iv) A minimum of 2 meters separation from walls, parapets and penthouse for rooftop sampler.
 - A minimum of 2 meters separation from any supporting structure, measured horizontally is required.
 - (vi) No furnace or incinerator flues nearby.
 - (vii) Airflow around the sampler was unrestricted.
 - (viii) The sampler was located more than 20 meters from any dripline.
 - (ix) Any wire fence and gate, required to protect the sampler, did not obstruct the monitoring process.
 - (x) Permission was obtained to set up the samplers and access to the monitoring station.

(xi) A secured supply of electricity was obtained to operate the sampler.

(b) Preparation of Filter Papers

- Glass fibre filters, G810 were labelled and sufficient filters that were clean and without pinholes were selected.
- (ii) All filters were equilibrated in the conditioning environment for 24 hours before weighing. The conditioning environment temperature was around 25 °C and not variable by more than ±3 °C; the relative humidity (RH) was < 50% and not variable by more than ±5%. A convenient working RH was 40%.
- (iii) All filter papers were prepared and analysed by ALS Technichem (HK) Pty Ltd., which is a HOKLAS accredited laboratory and has comprehensive quality assurance and quality control programmes.

(c) Field Monitoring

- (i) The power supply was checked to ensure the HVS works properly.
- (ii) The filter holder and the area surrounding the filter were cleaned.
- (iii) The filter holder was removed by loosening the four bolts and a new filter, with stamped number upward, on a supporting screen was aligned carefully.
- (iv) The filter was properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter.
- (v) The swing bolts were fastened to hold the filter holder down to the frame. The pressure applied was sufficient to avoid air leakage at the edges.
- (vi) Then the shelter lid was closed and was secured with the aluminium strip.
- (vii) The HVS was warmed-up for about 5 minutes to establish run-temperature conditions.
- (viii) A new flow rate record sheet was set into the flow recorder.
- (ix) On site temperature and atmospheric pressure readings were taken and the flow rate of the HVS was checked and adjusted at around 1.3 m³/min, and complied with the range specified in the EM&A Manual (i.e. 0.6-1.7 m³/min).
- (x) The programmable digital timer was set for a sampling period of 1 hrs, and the starting time, weather condition and the filter number were recorded.
- (xi) The initial elapsed time was recorded.
- (xii) At the end of sampling, on site temperature and atmospheric pressure readings were taken and the final flow rate of the HVS was checked and recorded.
- (xiii) The final elapsed time was recorded.
- (xiv) The sampled filter was removed carefully and folded in half length so that only surfaces with collected particulate matter were in contact.
- (xv) It was then placed in a clean envelope and sealed.
- (xvi) All monitoring information was recorded on a standard data sheet.
- (xvii) Filters were then sent to ALS Technichem (HK) Pty Ltd. for analysis.

(d) Maintenance and Calibration

- (i) The HVS and its accessories were maintained in good working condition, such as replacing motor brushes routinely and checking electrical wiring to ensure a continuous power supply.
- (ii) HVSs were calibrated using TE-5025A Calibration Kit upon installation and thereafter at bi-monthly intervals.
- (iii) Calibration certificate of the TE-5025A Calibration Kit and the HVSs are provided in **Appendix E**.

Monitoring Schedule for the Reporting Month

3.1.5 The schedule for environmental monitoring in January 2024 is provided in Appendix F.

3.2 Construction Noise Monitoring

Monitoring Requirements

3.2.1 In accordance with the approved EM&A Manual, impact noise monitoring should be conducted for at least once a week during the construction phase of the Project. **Table 3-3** summarises the monitoring

parameters, frequency and duration of impact noise monitoring. The Action and Limit level of the noise monitoring is provided in **Appendix D**.

Table 3-3 Noise Monitoring Parameters, Frequency and Duration

Parameter and Duration	Frequency
30-mins measurement at each monitoring station between 0700 and 1900 on normal weekdays. Leq, L ₁₀ and L ₉₀ would be recorded.	At least once per week

Monitoring Equipment

3.2.2 Noise monitoring was performed using sound level meter at each designated monitoring station. The sound level meters deployed comply with the International Electrotechnical Commission Publications (IEC) 651:1979 (Type 1) and 804:1985 (Type 1) specifications. Acoustic calibrator was deployed to check the sound level meters at a known sound pressure level. Brand and model of the equipment is given in **Table 3-4**.

Table 3-4 Noise Monitoring Equipment for Regular Noise Monitoring

Equipment	Brand and Model	
Integrated Sound Level Meter	NTi XL2 (S/N: A2A-17788-EO)	
Acoustic Calibrator	Model No. B&K 4231 (S/N: 3006428)	

Monitoring Locations

3.2.3 The monitoring station for construction noise monitoring pertinent to the Project has been identified based on the approved EM&A Manual for TUE of the Project. Alternative impact monitoring location was proposed at NM3a due to safety considerations for monitoring at public accessible areas and was approved by EPD on 30 May 2022. The location of the construction noise monitoring station is summarised in **Table 3-5** and shown in **Figure 3.2**.

Table 3-5 Noise Monitoring Station during Construction Phase

Identification No.	Noise Monitoring Station	
NM2	Block 9 of Tung Chung Crescent	
NM3a	2/F rooftop of Yat Tung Shopping Centre	

Monitoring Methodology

- 3.2.4 Monitoring Procedure
 - (a) Façade measurement was made at NM2 and NM3a.
 - (b) The battery condition was checked to ensure the correct functioning of the meter.
 - (c) Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - (i) frequency weighting: A
 - (ii) time weighting: Fast
 - (iii) time measurement: L_{eq(30-minutes)} during non-restricted hours i.e. 0700 1900 on normal weekdays.
 - (d) Prior to and after each noise measurement, the meter was calibrated using the acoustic calibrator for 94 dB(A) at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1 dB(A), the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
 - (e) During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.

- (f) Noise measurement was paused during periods of high intrusive noise (e.g. dog barking, helicopter noise) if possible. Observations were recorded when intrusive noise was unavoidable.
- (g) Noise monitoring was cancelled in the presence of fog, rain, wind with a steady speed exceeding 5m/s, or wind with gusts exceeding 10m/s.

Maintenance and Calibration

- 3.2.5 Maintenance and Calibration procedures are as follows:
 - (a) The microphone head of the sound level meter and calibrator should be cleaned with a soft cloth at quarterly intervals.
 - (b) The meter and calibrator were sent to the supplier or HOKLAS laboratory to check and calibrate at yearly intervals.
 - (c) Relevant calibration certificates are provided in Appendix E.

Monitoring Schedule for the Reporting Month

3.2.6 The schedule for environmental monitoring in January 2024 is provided in **Appendix F**.

4. Implementation Status of Environmental Mitigation Measures

4.1.1 The Contractor has implemented environmental mitigation measures and requirements as stated in the EIA Report, the EP and EM&A Manual. The implementation status of the environmental mitigation measures during the reporting period is summarized in **Appendix C**. Status of required submissions under the EP during the reporting period is summarised in **Table 4-1**.

Table 4-1 Status of Required Submission under Environmental Permit

EP Condition	Submission	Submission Date
Condition 3.4	Monthly EM&A Report (December 2023)	15 January 2024

5. Monitoring Results

5.1 Construction Dust Monitoring

5.1.1 The monitoring results for 1-hour TSP are summarised in **Table 5-1**. Detailed air quality monitoring results and wind monitoring data extracted from the Chek Lap Kok Automatic Weather Station operated by Hong Kong Observatory are presented in **Appendix G**.

Table 5-1 Summary of 1-hour TSP Monitoring Result in the Reporting Period

ID	Average (μg/m³)	Range (μg/m³)	Action Level (μg/m³)	Limit Level (μg/m³)
DM-2	129.5	55.3 – 246.7	326	500
DM-3	120.1	57.2 – 221.2	327	500
DM-4	133.8	52.2 – 275.4	312	500
DM-5b	123.9	47.1 – 248.6	333	500

- 5.1.2 No Action and Limit Level exceedance were recorded for 1-hour TSP monitoring in the reporting month.
- 5.1.3 The event and action plan is annexed in **Appendix I**.
- 5.1.4 Major dust sources during the monitoring included construction dust, nearby traffic emission and other nearby construction sites.

5.2 Regular Construction Noise Monitoring

5.2.1 The monitoring results for noise are summarized in **Table 5-2** and the monitoring data is provided in **Appendix H**.

Table 5-2 Summary of Construction Noise Monitoring Results in the Reporting Period

ID Range, dB(A), L _{eq (30 mins)}		Limit Level, dB(A), L _{eq (30 mins)}	
NM2	Below baseline level – 64.5	75	
NM3a ^(*)	67.7–68.8	75	

- (*) Baseline correction will be made to the measured L_{eq} when the measured noise level exceeded the corresponding baseline noise level and presented in the table.
- 5.2.2 Four Action Level exceedance were recorded since four noise related complaints were received in the reporting month.
- 5.2.3 No Limit Level exceedance of noise was recorded at the monitoring station in the reporting month.
- 5.2.4 The event and action plan is annexed in **Appendix I**.
- 5.2.5 Major noise sources during the monitoring included construction noise from the Project site, nearby traffic noise and the community.

5.3 Waste Management

- 5.3.1 C&D materials and wastes sorting were carried out on site. Receptacles were available for C&D wastes and general refuse collection.
- 5.3.2 As advised by the Contractor, 3,209 m³ inert C&D material was generated and 1,182 m³ disposed of as public fill in the reporting month, 2,027 m³ inert C&D materials were reused in other contracts or projects in the reporting month. No fill material was imported in the reporting month. 33.38 tonnes general refuse was generated in the reporting month. 0.021 tonnes other wastes were generated and

Tung Chung Line Extension Contract 1201 – Tung Chung West Station and Tunnels Monthly EM&A Report (January 2024)

disposed into GREEN@ISLANDS for recycling. 0.105 tonnes paper/cardboard packaging material and no plastic was collected by recycle contractor in the reporting month. No chemical waste was collected by licensed contractor in the reporting month. No metal was collected by licensed contractor in the reporting month. The waste flow table is annexed in **Appendix L**.

- 5.3.3 The Contractor is advised to properly maintain on site C&D materials and wastes collection, sorting and recording system and maximize reuse / recycle of C&D materials and wastes. The Contractor is reminded to properly maintain the site tidiness and dispose of the wastes accumulated on site regularly and properly.
- 5.3.4 The Contractor is reminded that chemical waste containers should be properly treated and stored temporarily in designated chemical waste storage area on site in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.
- 5.3.5 All dump trucks for C&D materials transportation and disposal had equipped with Global Positioning System (GPS) for real-time tracking and monitoring of their travel routings and parking locations.

 According to the record of travel routings and parking locations of all dump trucks provided by the Contractor, no track deviation or abnormal parking location was observed during the reporting period.

5.4 Landscape and Visual

5.4.1 Bi-weekly inspection of the implementation of landscape and visual mitigation measures was conducted on 8 and 22 January 2024. A summary of the site inspection is provided on **Appendix C**. The observations and recommendations made during the site inspections are presented in **Table 6-1**.

6. Environmental Site Inspection and Audit

- 6.1.1 Site inspections were carried out on a weekly basis to monitor the implementation of proper environmental pollution control and mitigation measures for the Project. A summary of the mitigation measures implementation schedule is provided in **Appendix C**.
- 6.1.2 In the reporting month, 5 site inspections were carried out on 2, 8, 15, 22 and 29 January 2024. Joint inspections with the IEC, ER, the Contractor and the ET were conducted on 8 January 2024. No non-compliance was recorded during the site inspection. Details of observations recorded during the site inspections are presented in **Table 6-1**.

Table 6-1 Observation and Recommendations of Site Audit

Parameters	Date	Observations and Recommendations	Follow-up
Air Quality	2 January 2024	Observation Water spray or proper cover should be provided for the stockpiles at TCW area.	Proper cover had been provided for the stockpile at TCW area on 3 January 2024.
	15 January 2024	Observation Proper cover or water spray should be provided for the dusty stockpile as dust suppression measures at the TCW area. Observation	The dusty stockpile had been removed at the TCW area on 22 January 2024. Water truck had been provided as dust
		Water spray should be provided for the haul road as dust suppression measures at the TCW area.	suppression measures for the haul road at the TCW area on 22 January 2024.
	22 January 2024	Reminder The contractor was reminded to provide water spray as dust suppression measures at the TCA area.	
		Reminder The contractor was reminded to replace the faded NRMM label for the mobile crane at the TCW area.	
	29 January 2024	Observation Proper cover or storage should be provided for the opened cement bags as dust suppression measures.	Proper cover had been provided for the opened cement bags as dust suppression measures on 31 January 2024.
Noise	2 January 2024	Reminder The contractor was reminded to relocate noise barrier for the diesel pump of GI works at TCW.	-
	15 January 2024	Observation Temporary noise barrier should be provided for GI works as noise mitigation measures at the TCW area.	Temporary noise barrier had been provided for GI works as noise mitigation measures at the TCW area on 22 January 2024.
Water Quality	Nil	Nil	Nil
Waste/ Chemical Management	Nil	Nil	Nil

1201-B-TCW-BDJ-510-000071A-8

Parameters	Date	Observations and Recommendations	Follow-up
Landscape	8 January 2024	Reminder The Contractor was reminded to provide proper tree protection fencing for the tree protection zone at TCA area.	
& Visual	22 January 2024	Reminder The contractor was reminded to provide signages for the tree protection zones at the TCA area.	1
Permits/ Licenses	Nil	Nil	Nil

6.1.3 All follow-up actions requested by Contractor's ET and IEC during the site inspection were undertaken as reported by the Contractor and confirmed in the following weekly site inspection conducted during the reporting period.

7. Environmental Non-Conformance

7.1 Summary of Monitoring Exceedances

- 7.1.1 No Action and Limit Level exceedance was recorded for 1-hour TSP monitoring in the reporting month.
- 7.1.2 Four noise related complaints were received in the reporting month which triggered the exceedance of action level for noise monitoring. Thus, a total of four action level exceedances for noise monitoring was recorded during the reporting month.
- 7.1.3 No Limit Level exceedance for noise was recorded at all monitoring stations in the reporting month.
 Summary of Notification of Exceedance is provided in **Appendix K.**

7.2 Summary of Environmental Non-Compliance

7.2.1 No environmental non-compliance was recorded in the reporting month.

7.3 Summary of Environmental Complaints

7.3.1 Two noise, one noise and dust, one noise and one dust and smell related complaints were referred by EPD on 2, 10, 15 and 19 January 2024, respectively. The complaint investigation reports were submitted to EPD on 15, 23, 26 January and 1 February 2024. After the investigations, the above two noise complaints were considered as non-project related and one noise and dust, one noise and one dust and smell complaints were considered as project related. Cumulative statistics on environmental complaints is provided in **Appendix J.**

7.4 Summary of Environmental Summon and Successful Prosecutions

7.4.1 No environmental related prosecution or notification of summons was received in the reporting month. Cumulative statistics on notification of summons and successful prosecutions is provided in **Appendix J**.

8. Further Key Issues

8.1 Construction Programme for the Next Three Month

8.1.1 The tentative construction programme for the next three months is presented in **Appendix A**. The major construction works between February 2024 to April 2024 will be:

Table 8-1 Major Construction for the Next Three Month

Location	Site Activities
Tung Chung West (TCW)	Temporary Substation Setup
Area	Ground investigation
	Pretreatment & Guide Wall
	D wall Panel construction
	H-pile construction
Tung Chung Cresecent	Pipe Pile Wall
(TCC) and Tung Chung	TBM interface Grouting Works
Ancillary Building (TCA)	Site Roof
Areas	Noise Enclosure
	Shaft ELS
	TTMS Setup
	Slurry Treatment Plant
	Temporary Substation Setup
	Slope Formation
Barging Facility Area	Site set up
	Rebar fabrication

8.2 Key Issues for the Coming Month

8.2.1 Potential environmental impacts arising from the above construction activities are mainly associated with construction dust, construction noise, water quality and waste management.

8.3 Monitoring Schedule for the Next Month

8.3.1 The tentative schedule for environmental monitoring in February 2024 is provided in **Appendix F**.

9. Conclusions and Recommendation

9.1 Conclusions

- 9.1.1 1-hour TSP and noise monitoring were carried out in the reporting month.
- 9.1.2 No Action and Limit Level exceedance was recorded for 1-hour TSP monitoring in the reporting month.
- 9.1.3 Four noise related complaint was received in the reporting month which triggered the exceedance of action level for noise monitoring. Thus, a total of four action level exceedances for noise monitoring was recorded during the reporting month.
- 9.1.4 No Limit Level exceedance for noise was recorded at the monitoring stations in the reporting month.
- 9.1.5 5 nos. of environmental site inspections were carried out in January 2024. Recommendations on remedial actions were given to the Contractor for the deficiencies identified during the site audit.
- 9.1.6 Two noise, one noise and dust, one noise and one dust related complaints were referred by EPD on 2, 10, 15 and 19 January 2024, respectively. The complaint investigation reports were submitted to EPD on 15, 23, 26 January and 1 February 2024.
- 9.1.7 No notification of summons and successful prosecution were received in the reporting month.

9.2 Recommendations

9.2.1 According to the environmental site inspections performed in the reporting month, the following recommendations were provided:

Air Quality Impact

- Ensure the NRMM Label conditions were compliance with the requirement of APCO.
- Provide proper cover or water spraying for the dusty stockpile, haul road and cement bags as dust suppression measure.

Construction Noise Impact

Provide noise mitigation measures for the diesel dump of GI works.

Water Quality Impact

No specific observation was identified in the reporting month.

Chemical and Waste Management

No specific observation was identified in the reporting month.


Landscape & Visual Impact


Provide tree protection zones and relevant signages for the retaining trees.


Permits/licenses

No specific observation was identified in the reporting month.









APPENDIX A


Tentative Construction Programme



APPENDIX B

Project Organization Structure

Appendix B Project Organization Structure



Appendix B AECOM

APPENDIX C

Implementation Schedule of Environmental Mitigation Measures

Appendix C Implementation Schedule of Environmental Mitigation Measures

EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	
Environmenta	Permit Condition	on .	
General Cond	ition		
EP	General Condition Clause 1.5	The Permit Holder shall display conspicuously a copy of this Permit on the construction site(s) at all vehicular site always entrances/exits or at a convenient location for public's information. The Permit Holder shall ensure that the most updated information bout this Permit, including any amended Permit, is displayed at such locations.	
Air Quality			
Construction D	ust Impact		
S3.8.1	D1	Regular watering once per hour on all exposed construction areas with dust emission and haul road will be implemented.	@
		Vehicle washing facilities should be provided at every designated exit point of the construction worksites.	✓
		Any excavated or stockpile of dusty material should be covered entirely by impervious sheeting or sprayed with water to maintain the entire surface wet and then removed or backfilled or reinstated where practicable for the excavation or unloading.	@
		Any dusty materials remaining after a stockpile is removed should be wetted with water and cleared from the surface of roads.	✓
		A stockpile of dusty material should not be extended beyond the pedestrian barriers, fencing or traffic cones.	✓
		The load of dusty materials on a vehicle leaving a construction site should be covered entirely by impervious sheeting to ensure that the dusty materials do not leak from the vehicle.	✓
		Where practicable, vehicle washing facilities with high pressure water jet should be provided at every discernible or designated vehicle exit point. The area where vehicle washing takes place and the road section between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.	✓
		When there are open excavation and reinstatement works, hoarding of not less than 2.4m high should be provided as far as practicable along the site boundary with provision for public crossing. Good site practice shall also be adopted by the Contractor to ensure the conditions of the hoardings are properly maintained throughout the construction period.	✓
		• Surfaces where any pneumatic or power-driven drilling, cutting, polishing or other mechanical breaking operation takes place should be sprayed with water or a dust suppression chemical continuously.	✓
		• Any area that involves demolition activities should be sprayed with water or a dust suppression chemical immediately prior to, during and immediately after the activities so as to maintain the entire surface wet.	✓
		 Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading. 	@
		Where scaffolding is erected around the perimeter of a building under construction, effective dust screens, sheeting or netting should be provided to enclose the scaffolding from the ground floor level of the building, or a canopy should be provided from the first floor level up to the highest level of the scaffolding.	N.A.
		Dusty materials remaining after a stockpile is removed should be wetted with water.	✓
		Any skip hoist for material transport should be totally enclosed by impervious sheeting.	✓
		• Every stock of more than 20 bags of cement or dry pulverised fuel ash (PFA) should be covered entirely by impervious sheeting or placed in an area sheltered on the top and the 3 sides.	@
		Cement or dry PFA delivered in bulk should be stored in a closed silo fitted with an audible high level alarm which is interlocked with the material filling line and no overfilling is allowed.	N.A.
		• Loading, unloading, transfer, handling or storage of bulk cement or dry PFA should be carried out in a totally enclosed system or facility, and any vent or exhaust should be fitted with an effective fabric filter or equivalent air pollution control system.	✓
		• Exposed earth should be properly treated by compaction, turfing, hydroseeding, vegetation planting or sealing with latex, vinyl,	N.A.

onthly EM&A Report			
EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	Implementation Status
S3.8.1	D1	bitumen, shotcrete or other suitable surface stabilisers within six months after the last construction activity on the construction site or part of the construction site where the exposed earth lies.	
		 The following measures related to drill-&-blast activities should be incorporated: Drill-&-blast Activities Any drill-&-blast activities should be conducted underneath the concrete slabs for concourses and platforms at the bottom of the TCW Station and underneath a roof cover at the bottom of the shaft between the proposed EAP / EEP and the tunnel. Impermeable blast covers at the mucking out locations should be shut. The blasting should only be carried out in a fully enclosed environment; All neighbouring construction activities should be suspended during blasting; The areas within 30m from the blasting area should be wetted with water prior to blasting and blasting shall not be carried out when the strong wind signal or tropical cyclone warning signal No. 3 or higher is hoisted; Where necessary, mist spraying measures should be installed at the mucking out locations. 	N.A.
		The following measures related to barging facilities should be incorporated: Barging facilities All construction vehicles should be washed at the exit before leaving the construction worksites; The entire area of the barging facility should be paved with concrete, bituminous materials or hardcores; Regular watering once per hour on all exposed stockpiles. The unloading points at the barging facility are recommended to be provided with an enclosed system with a 3-side screen with top cover and provision of water spraying system. After unloading the spoil into barge inside the enclosed system, the trucks should be sprayed by water inside the unloading point. If barges would need to stay overnight at the barging point, spoils on the deck of the barges shall be covered by tarpaulin to avoid dust emission.	*
S3.8.2	The following good site practices to reduce the exhaust emission from the use of non-road mobile machinery and construct plant and equipment should be implemented: Regulated machines shall be used and exempted NRMMs should be avoided where practicable; Use cleaner fuel such as ULSD in diesel-operated construction plant to reduce sulphur dioxide emission; Use of electric PMEs where practicable; Use power supplied from power utilities when practicable (e.g. to replace generators); Switch off the engine of PMEs when idling; Implement regular and proper maintenance for plant and equipment; Employ plant and equipment of adequate size and power output and avoid overloading of the plant; Locate the PMEs away from sensitive receivers as far as possible; and Erect screen to shield the emission source from sensitive receivers where necessary and practicable.		✓
S3.8.3	D3	Implement regular dust monitoring under EM&A programme during the construction phase.	✓

EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	Implementation Status
Noise			
S4.4.4.4	N1	The following measures should be implemented:	
S4.4.4.6	N2	Use of quiet plant which should be made reference to the Powered Mechanical Equipment (PME) listed in the Technical Memorandum or the Quality Powered Mechanical Equipment (QPME) / other commonly used PME listed in Environmental Protection Department (EPD) web pages as far as possible which includes the Sound Power Level (SWLs) for specific quiet PME.	√
\$4.4.4.7 - \$4.4.4.10	N3	Install movable temporary noise barriers (typical design is wooden framed barrier with a small-cantilevered upper portion of superficial density no less than 7kg/m² on a skid footing with 25mm thick internal sound absorptive lining), and full enclosure, screen the noisy plants including water pump etc.	√
S4.4.4.11	N4	Use of 3-side temporary movable enclosure to screen trench cutters and concrete lorry mixer near Yat Tung Estate. The design of the enclosure shall include the followings: • Gaps and openings at joints should be avoided; • Enclose the equipment on three sides with cover; and • Absorptive lining should be provided at the sides facing the PME as far as practicable.	✓
S4.4.4.12	· · · · · · · · · · · · · · · · · · ·		✓
S4.4.4.4	N6	Implement an airborne construction noise monitoring under EM&A programme.	✓
Water Quality			
S5.7.1	W1	General Construction Activities Best Management Practices (BMPs) should be implemented as far as practicable according to The Professional Persons Environmental Consultative Committee (ProPECC) Practice Note (PN) 1/94 "Construction Site Drainage". The details of BMPs are presented as follows: • All effluent discharged from the construction site should comply with the standards stipulated in the DSS-TM; • Discharge surface and road runoff from construction sites including barging point into storm drains via adequately designed sand/silt removal facilities such as sand traps, silt traps, and sedimentation tanks with sufficient retention time. Provide channels or earth bunds or sandbag barriers on-site during construction works to properly direct stormwater to such silt removal facilities.	✓

EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	Implementation Status
S5.7.1			
S5.7.1	W1	Recondition and reuse the bentonite wherever practicable to minimise the disposal volume of used bentonite slurries. Provide temporary enclosed storage locations on-site for any unused bentonite that needs to be transported away after the related construction activities are completed. The process of handling and disposing of bentonite slurries should follow the requirements as stipulated in ProPECC PN 1/94: Handling and Disposing of Bentonite Slurries Bentonite slurries used in diaphragm wall and bore-pile construction should be reconditioned and reused wherever practicable. If the disposal of at the marine spoil quantity cannot be avoided, the used slurry may be disposed of at the marine spoil grounds subject to obtaining a marine dumping licence from EPD on a case-by-case basis. If the used bentonite slurry is intended to be disposed of through the public drainage system, it should be treated to the respective effluent standards applicable to foul sewers, storm drains or the receiving waters as set out in the WPCO Technical Memorandum on Effluent Standards.	N.A.
S5.7.2	W2	 Mitigation measures/ enhancement measures for TCW Area Install a barrier such as sheet pile/hoarding with concrete footing along the western boundary of the construction site/works areas. This barrier shall be able to contain the surface run-off from releasing to the estuary in an uncontrolled manner during heavy rainfall; Contractor should apply for a discharge licence under the WPCO and conduct necessary water quality measurements at the discharge location(s) to demonstrate compliance with the licence conditions; and Maintain the silt removal facilities, channels, and manholes and remove the deposited silt and grit regularly, at the onset of and after each rainstorm to prevent local flooding if necessary. 	→

EIA Ref.	EM&A log Ref. Environmental Protection Measures during Construction Phase		Implementation Status	
\$5.7.3	W3	Mitigation measures for Barging Point Maintain adequate clearance between vessels and the seabed in all tide conditions to minimise undue turbidity generated by turbulence from vessel movement or propeller wash; and Control the loading of barges and hoppers to prevent the splashing of material into the surrounding water. Barges or hoppers should not be filled to a level that will cause the overflow of materials or polluted water during loading or transportation.		
S5.7.4	W4	 Wastewater Discharge from Tunnelling and Open Cut Excavation Treat the wastewater, especially with a high level of suspended solids, by settling tanks with sufficient retention time before discharging to the stormwater drain; Remove oil, lubricants, and grease from wastewater by oil interceptors whenever necessary; and Apply for a discharge licence under the Water Pollution Control Ordinance (WPCO) for discharging to the stormwater drain. 	ore N.A.	
S5.7.5	W5	 Alteration of Groundwater Level Install groundwater monitoring wells as a precautionary measure in the area closed to TBM and other potential underground works; and An action plan is recommended to guide the work arrangement in case of appearing change of groundwater level. 	N.A.	
\$5.7.6	W6	 An action plan is recommended to guide the work arrangement in case of appearing change of groundwater level. Sewage Effluent from Construction Workforce No discharge of sewage to the stormwater system and marine water will be allowed; Establish adequate and sufficient portable chemical toilets in the works areas to handle sewage from the construction workforce; Employ a registered waste collector to clean and maintain the chemical toilets on a regular basis; and Notices should be posted at conspicuous locations to remind the workers not to discharge any sewage or wastewater into the surrounding environment. 		
\$5.7.7	W7	 Accidental Spillage Contractor must register as a chemical waste producer if chemical wastes would be produced from the construction activities; Any chemical waste generated shall be managed in accordance with the Waste Disposal (Chemical Waste) (General) Regulation; The Contractor should develop management procedures for chemicals used and prepare an emergency spillage handling procedure to deal with chemical spillage in case of an accident occurs; Any services and maintenance facilities should be located on hard standings within a bunded area, and sumps and oil interceptors should be provided. Maintenance of vehicles and equipment involving activities with the potential for leakage and spillage should only be undertaken within the areas appropriately equipped to control these discharges; The service and maintenance as well as any chemical storage area would be avoided to position near the watercourse as a safe guard; The Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes published under the Waste Disposal Ordinance shall be followed to deal with chemical wastes; Suitable containers should be used to hold the chemical wastes to avoid leakage or spillage during storage, handling, and transport; Chemical waste containers should be suitably labelled, to notify and warn the personnel who are handling the wastes, to avoid accidents; Storage area should be selected at a safe location on-site and adequate space should be allocated to the storage area; Sufficient ground investigation and soil testing should be carried out; All charted drill holes should be checked by engineer to ensure proper seal up prior to the TBM passing; and The Contractor should devise a contingency plan for any accidental spillage and heavy rainfall event. 	✓	

EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	Implementation Status
Waste Manag	<u>ement</u>		
\$6.2.3.2	WM1	 Good Site Practices The following good site practices are recommended to reduce waste generation during construction: Nomination of an approved personnel, such as a site manager, to be responsible for the implementation of good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site; Training of site personnel in site cleanliness, appropriate waste management procedures and concepts of waste reduction, reuse and recycling; Provision of sufficient waste disposal points and regular collection for disposal; Appropriate measures to minimize windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers; Regular cleaning and maintenance programme for drainage systems, sumps and oil interceptors; Provision of wheel washing facilities at the site exit before the trucks leave the works areas; and The Contractor should prepare a Waste Management Plan (WMP) as part of the Environmental Management Plan (EMP) in accordance with the ETWB TCW No. 19/2005. The WMP should be submitted to the Engineer for approval. Mitigation measures proposed in the EIA Report and the EM&A Manual should be adopted. 	√
S6.2.3.3	WM2	 Waste Reduction Measures The following recommendations are proposed to achieve reduction of waste: Segregate and store different types of waste in different containers, skip or stockpiles to enhance reuse or recycling of materials and their proper disposal; Proper storage and good site practices to minimize the potential for damage and contamination of construction materials; Plan and stock construction materials carefully to minimize amount of waste generated and avoid unnecessary generation of waste; Sort out demolition debris and excavated materials from demolition works to recover reusable/ recyclable portions (i.e. soil, broken concrete, metal etc.); and Provide training to workers on the importance of appropriate waste management procedures, including waste reduction, reuse and recycling. 	√
S6.2.3.4 – S6.2.3.8	WM3	Storage, Collection and Transportation of Waste The following recommendation should be implemented to minimise the impacts from storage, collection and transportation of waste: • Non-inert C&D materials such as top soil should be handled and stored well to ensure secure containment of the materials; • Stockpiling area should be provided with covers and water spraying system to prevent materials from windblown or being washed away; and • Different locations should be designated to stockpile each material to enhance reuse. • Remove waste in timely manner; • Employ the trucks with cover or enclosed containers for waste transportation; • Obtain relevant waste disposal permits from the appropriate authorities; • Disposal of waste should be done at licensed waste disposal facilities; • All dump trucks engaged on site for delivery of inert C&D material from the site to PFRFs should be equipped with GPS or equivalent system for tracking and monitoring of their travel routings and parking locations by the Contractor. The data collected by GPS or equivalent system should be recorded properly for checking and analysis by ET and IEC; • A Construction and Demolition Material Management Plan (C&DMMP) should be prepared in accordance with Section 4.1.3 "Construction and Demolition Materials" of the Project Administration Handbook for Civil Engineering Works and will be submitted together with the EIA Report to Public Fill Committee (PFC) for approval; • Carry out on-site sorting for C&D materials;	✓

EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	Implementation Status
S6.2.3.4 -	WM3	Make provisions in the Contract documents to allow and promote the use of recycled aggregates where appropriate.	
\$6.2.3.8		Implement a trip-ticket system for each works contract in accordance with DEVB TCW No. 06/2010: <u>Trip-Ticket System</u> • CHIT in lieu of DDF shall be used at public fill facilities, sorting facilities, outlying island transfer facilities and landfills for disposal tracking purpose shall be used and the associated duties and responsibilities of supervisory staff in enforcing the TTS	
		 are revised. The Contractor shall propose only private construction sites, private recycling facilities, or construction sites of Government, Hong Kong Housing Authority and Mass Transit Railway Corporation as alternative disposal grounds. In assessing proposal for alternative disposal ground, the Architect/ Engineer/ Supervising Office/ Maintenance Surveyor shall consult the relevant Government department and seek the approval of a D2 officer or above from his/her department. 	Y
\$6.2.3.10 – \$62.3.12	WM4	 On-site Sorting of C&D Materials Storage areas should be provided in the site for temporary storage of inert C&D materials during construction phase. All C&D materials arising from the construction would be sorted on-site to recover the inert C&D materials and reusable and recyclable materials prior to disposal off-site as far as practicable. Non-inert portion of C&D materials should be reused whenever possible and be disposal of at landfills as a last resort. The Contractor should devise a system to work for on-site sorting of C&D materials and promptly remove all sorted and processed material arising from the construction activities to minimize temporary stockpiling on-site. The system should include the identification of the source of generation, estimated quantity, arrangement for onsite sorting and/ or collection, temporary storage areas, and frequency of collection by recycling contractors or frequency of removal off-site. 	
S6.2.3.13	WM5	Reuse of C&D Materials Reuse suitable inert C&D materials on-site as far as practicable; Reuse suitable excavated rock by reworking at approved quarries (e.g. crushed as aggregates); Sorting of demolition debris and excavated materials from demolition works to recover reusable/ recyclable portions (e.g. soil, broken concrete, metal); and Protect recyclable material to keep it in usable condition.	
S6.2.3.15	WM6	Specification of Inert C&D Materials to be Delivered Off-site In case there are surplus inert C&D materials generated in the Project and are required to delivered to the Public Fill Reception Facilities (PFRFs), the inert C&D materials should fulfill the following requirements: Reclaimed asphalt pavement will not be mixed with other materials when delivered to the public fill reception facilities; Moisture content of inert C&D materials will be lowered to 25% max. when delivered to the public fill reception facilities; Inert C&D materials delivered to the public fill reception facilities should be a size less than 250mm; and Inert construction waste shall not be in liquid form such that it can be contained and delivered by dump truck as far as possible. Inert C&D materials in liquid form shall be solidified before delivering to the public fill reception facilities.	
S6.2.3.17	WM7	Use of Standard Formwork and Planning of Construction Materials purchasing Standard formwork should also be used as far as practicable to minimise the arising of non-inert C&D materials; Use of more durable formwork (e.g. metal hoarding) or plastic facing should be encouraged in order to enhance the possibility of recycling; and Purchasing of construction materials should be carefully planned in order to avoid over ordering and wastage.	
\$6.2.3.18 – \$6.2.3.20	WM8	 Land-based Marine Sediment Excavated land-based marine sediment should be reused as far as possible within the Project Site before considering disposal. Marine disposal option for the land-based marine sediment should only be considered as the last resort upon exhaustion of reuse options. All construction plant and equipment shall be designed and maintained to minimise the risk of sediments being released into the water column or deposited in the locations other than designated location. 	N.A.

EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	
\$6.2.3.18 - \$6.2.3.20			
S6.2.3.21	WM9	 If mixing of land-based marine sediment with cement is to be used for backfilling on-site, the following mitigation measures should be followed. The loading, unloading, handling, transfer or storage of bulk cement should be carried out in an enclosed system as far as practicable; Mixing process and other associated material handling activities should be properly scheduled to minimise potential noise impact and dust emission; and The mixing facilities should be sited as far apart as practicable from the nearby NSRs and to be sited under covers to minimise 	
\$6.2.3.22 – \$6.2.3.23	WM10	 dust nuisance to the nearby receivers. Chemical Waste Reduce the generation quantities or select a chemical type of less impact on environment, health and safety as far as possible; and If chemical wastes are produced at the construction site, the Contractors should register with EPD as chemical waste producer. Chemical wastes should be stored in appropriate containers and collected by a licensed chemical waste collector. Chemical wastes (e.g. spent lubricant oil) should be recycled at an appropriate facility as far as possible, while the chemical waste that cannot be recycled should be disposed of at either the Chemical Waste Treatment Centre, or another licensed facility, in accordance with the Waste Disposal (Chemical Waste) (General) Regulation. 	
\$6.2.3.24 – \$6.2.3.25	WM11	 General Refuse General refuse should be stored in enclosed bins separately from construction and chemical wastes. Recycling bins should also be placed to encourage recycling; Preferably enclosed and covered areas should be provided for general refuse collection and routine cleaning for these areas should also be implemented to keep areas clean; A reputable waste collector should be employed to remove general refuse on a daily basis; Arrangements should be made with the recycling companies to collect the recycle waste as required; The Contractor should implement an education programme for workers relating to avoiding, reducing, reusing and recycling general waste; and Participation in a local collection scheme should be considered by the Contractor to facilitate waste reduction. 	
Ecology			
S8.9.1	E1	Avoidance of marine works.	✓
S8.9.1	E3	Avoidance of works within intertidal zone of Tung Chung Bay.	✓
S8.9.1	E4	Avoidance of country parks, SSSI, CA and CPA.	✓
S8.9.1	E5	Avoidance of mature woodland.	✓
S8.9.1	E6	Avoidance of re-diversion of Wong Lung Hang Nullah.	✓

nonting LiviaA Report	M&A Report (January 2024)		1201-B-1CW-BDJ-510-000071A
EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	Implementation Status
S8.9.7	E7	A protection zone should be set up for one individual of Aquilaria sinensis and Canthium Dicoccum on the plantation slope along Shun Tung Road.	N.A.
\$8.9.11	E8	 Minimisation of Human Disturbance during Construction Install site hoarding of appropriate height along site boundaries; Construction activities and material storage should be strictly confined within the construction sites; and For TCW section, dedicated access to the nearby ecologically sensitive areas outside of the construction sites, works areas, and works sites is not allowed due to the proximity to the Wong Lung Hang estuary and Tung Chung Bay. 	N.A.
Landscape an	d Visual		
S10.8.2	LV1	<u>Tree Preservation</u> • Existing trees to be retained within the Project Site shall be protected carefully during construction.	✓
S10.8.2	LV2	 Tree Transplanting Trees unavoidably affected by the Project works shall be transplanted where practical. Approximately 170 nos. of trees are proposed to be transplanted at Shun Tung Road and Yu Tung Road. 	✓
S10.8.2	LV3	 Landscape Reinstatement All hard and soft landscape areas disturbed temporarily during construction shall be reinstated on like-to-like basis as far as possible, to the satisfaction of the relevant Government Departments. 	N.A.
S10.8.2	LV4	Lighting Control • All security floodlights for construction sites should be carefully controlled to minimize light pollution and night time glare to nearby users.	N.A.
S10.8.2	LV5	 Erection of Screen Hoarding Construction site hoarding should be erected around the work sites and work areas to screen pedestrian level views into the construction area from visual sensitive receivers. Hoarding design shall be compatible with the surrounding context as far as practicable 	✓
S10.8.2	LV6	Optimization of Construction Areas • Control of construction areas shall be enforced, where possible, to ensure that the landscape and visual impacts arising from the construction activities are minimised. It includes optimising the extent of working areas and temporary works areas, management on storing and using the construction equipment and materials, and consideration of detailed schedules to shorten the construction period.	N.A.
Cultural Herit	age		
S11.5.5	CH1	Terrestrial Archaeology • Conduct field scan, 6 auger tests and 2 test pit excavations within the area of archaeological interest by a qualified archaeologist who obtains a licence under the Antiquities and Monuments Ordinance (Cap. 53). Locations and scope should be agreed with AMO prior to implementation. The exact locations of the auger tests and test pits would be subject to site circumstances and constraints. Subject to the findings of the further archaeological testing, options for mitigation measures such as in-situ preservation, relocation and preservation by record etc would be fully investigated and agreed with AMO.	N.A.
S11.5.5	CH2	Terrestrial Archaeology • AMO should be informed immediately in case of discovery of antiquities or supposed antiquities in the course of the project works in accordance with the Antiquities and Monuments Ordinance (Cap. 53), so that appropriate mitigation measures, if needed, can be timely formulated and implemented in agreement with AMO.	N.A.

EIA Ref.	EM&A log Ref.	Environmental Protection Measures during Construction Phase	
Hazard to Life			
\$12.3.2.1	H1	 Design Measures Implement emergency plan for efficient excavation including good practice; Adopt site-sensitised bulk emulsion explosives for blasting; No overnight storage of explosives; Provide impermeable blast covers for the TCW Station and EAP/ EEP; Prior to blasting, all the construction workforce for EAP/EEP and TCW station shall be evacuated and all the impermeable blast covers shall be closed; Limit to one blast per day for each blasting location (i.e. total of two blasts each day for the entire project). 	~
\$12.3.2.2	H2	 Good Site Practices Temporary mitigation measures such as blast doors or heavy duty blast curtains should be installed at the access adits, shafts/ portals and at suitable locations underground to prevent flyrock and control the air overpressure; Blasting at different locations will be carried out for this project. Good communication and control will need to be adopted in ensuring that the works are carried out safely; A Chief Shotfirer and a Blasting Engineer shall be employed in addition to the normal blasting personnel to ensure that the works are coordinated between blasting areas and between adjacent contracts; Shotfirer to be provided with a lightning detector, and appropriate control measures should be in place; Provide full-time supervision and blast checking by Blast Competent Supervisors (BCS) as mentioned in Project Administration Handbook for Civil Engineering Works; Checking (including both document and site checks) for each blast including the installation of protective, precautionary, preventive measures, comply with the Blasting Permit requirements; Inspecting the condition of all sensitive receivers before and after each blast; Inspecting the construction of preventive works, if required, for the sensitive receivers; Monitoring the site operations and working methods to ensure that they meet the safety requirements set out in the Blasting Permit; Inspect consequence-to-life category 1 and 2 slopes that are subjected to significant blasting vibration before and after each blast; Limit blast charge weight based on the allowable Peak Particle Velocity (PPV) for the controlling sensitive receivers surrounding the site; Monitor regularly the condition of all sensitive receivers and carry out inspections and reviews before and after each blast; Resolve any stability concerns observed at the slopes (e.g. persistent adverse discontinuity or other adverse geology, or loose boulde	N.A.

^{*}Note: N.A = Not Available; N.O = Not Observed, ✓ = Implemented; 🗴 = Not Implemented; @ = Partially Implemented

APPENDIX D

Summary of Action and Limit Levels

Appendix D - Summary of Action and Limit Levels

Table 1 Action and Limit Levels for 1-hour TSP

ID	Location	Action Level	Limit Level
DM-2	Sheraton Hong Kong Tung Chung Hotel Shopping Mall	326 μg/m³	500 μg/m³
DM-3	Shops at Tung Chung Crescent	327 μg/m³	500 μg/m³
DM-4	Yat Tung Shopping Centre	312 μg/m³	500 μg/m³
DM-5b	Ma Wan Chung Village	333 μg/m³	500 μg/m³

Table 2 Action and Limit Levels for Construction Noise (0700 – 1900 hrs of normal weekdays)

ID	Location	Action Level	Limit Level
NM2	Block 9 of Tung Chung Crescent	When one documented complaint is received	75 dB(A)
NM3a	2/F rooftop of Yat Tung Shopping Centre	When one documented complaint is received	75 dB(A)

Appendix D AECOM

APPENDIX E

Calibration Certificates of Equipments

Station	Sheraton Hong Kong	g Tung Chung Hotel	Shopping Mall (DM-2)	Operator:	Shum K	am Yuen	
Cal. Date:	1/12/2023			Next Due Date:	1/2/2024		-
Model No.:	TE-5170	_		Serial No.	13	303	•
Equipment No.:	A-001-30T	_		•			-
		_					
			Ambient (Condition			
Temperatur	re, Ta (K)	296.0	Pressure, F	Pa (mmHg)		775.2	
		(<mark>Orifice Transfer St</mark> a	ındard Informatior	1		
Serial	No:	843	Slope, mc	2.03	3196	Intercept, bc	-0.04813
Last Calibra	tion Date:	16-Jan-23		ma v Oatd ± ba	: = [H x (Pa/760) x	(200/Ta)1 ^{1/2}	
Next Calibra	ition Date:	16-Jan-24		mc x Qsta + bc	: — [П X (Ра// 60) X	(290/18)]	
			Calibration of	TSP Sampler			
			Orfice		HV	S Flow Recorder	
Resistance Plate No.	DH (orifice), in. of water	[DH x (Pa/7	[DH x (Pa/760) x (298/Ta)] ^{1/2}		Flow Recorder Reading (CFM)	Continuous Flov Reading IC (CFI	
18	6.5		2.58	1.30	45.0	45.60)
13	5.6		2.40	1.20	40.0	40.53	
10	4.7		2.20	1.10	36.0	36.48	
7	3.0		1.76	0.89	30.0	30.40	
5	2.0		1.43	0.73	23.0	23.31	
By Linear Regress Slope , mw = Correlation Coeffi *If Correlation Coef	37.2120 cient* =		.9942 ate.	Intercept, bw = _	-3.5	5867	-
			Set Point C	alculation			
From the TSP Field	d Calibration Curv	e, take Qstd = 1.	30m³/min				
From the Regression	on Equation, the "	Y" value accordi	ng to				
		mw :	x Qstd + bw = IC x	[(Pa/760) x (298/Ta	a)] ^{1/2}		
Therefore, Set Poir	nt; IC = (mw x Qs	td + bw) x [(760) / Pa) x (Ta / 298)] ^{1/2} =		44.20	-
Remarks:							
QC Reviewer:	WS CHAN		Signature:	R	Date:	1/12/2023	

Station	Outside Shop 16	of G/F shopping	g mall (DM-3)	Operator:	Shum Ka	am Yuen	
Cal. Date:	3/1/2024			Next Due Date:	3/3/2024		
Model No.:	TE-5170	_		Serial No.	50	09	•
Equipment No.:	A.001.84T	_		•			•
		_					
			Ambient (Condition			
Temperatur	e, Ta (K)	293.0	Pressure, F	Pa (mmHg)		774.7	
		(Orifice Transfer Sta	ndard Information	ı		
Serial	No:	843	Slope, mc	2.00	3196	Intercept, bc	-0.04813
Last Calibrat	tion Date:	16-Jan-23			- []] (D-/700) ((200/T-)1 ^{1/2}	
Next Calibra	tion Date:	16-Jan-24		mc x Qsta + bo	: = [H x (Pa/760) x ((298/1a)] ***	
			Calibration of	TSP Sampler			
			Orfice		HV	S Flow Recorder	
Resistance Plate No.	DH (orifice), in. of water	[DH x (Pa/7	[DH x (Pa/760) x (298/Ta)] ^{1/2}		Flow Recorder Reading (CFM)	Continuous Flow Reading IC (CFM	
18	7.7		2.83	1.41	46.0	46.84	
13	6.6		2.62	1.31	40.0	40.73	
10	5.6		2.41	1.21	38.0	38.69	
7	4.0		2.04	1.03	31.0	31.56	
5	2.6		1.64	0.83	24.0	24.44	
By Linear Regress Slope , mw = Correlation Coeffie *If Correlation Coef	37.0849 cient* =		. 9952 ate.	Intercept, bw =	-6.5	091	
In contolation cool	11010111 - 0.000, 011	ook and rocalist	ato.				
			Set Point C	alculation			
From the TSP Field	Calibration Curve	e, take Qstd = 1.					
From the Regression							
	•						
		mw :	x Qstd + bw = IC x	[(Pa/760) x (298/Ta	a)] ^{1/2}		
				1/2			
Therefore, Set Poin	it; IC = (mw x Qst	td + bw) x [(760) / Pa) x (Ta / 298)]"=		40.96	
Remarks:							
QC Reviewer:	WS CHAN		Signature:	21	Date:	3/1/2024	

Station	Yat Tung Shopp	ing Centre (DM-	4)	Operator:	Shum K	am Yuen	
Cal. Date:	3/1/2024	Next Due Date:		3/3/2024		-	
Model No.:	TE-5170	_	 Serial No.		5007		-
Equipment No.:	A-001-86T	_		•			-
			Ambient (Condition			
Temperatu	re Ta (K)	293.0	Pressure, F			774.7	
Tomporata	10, 10 (11)	20010	1 1000010,1	u (
		(Orifice Transfer Sta	andard Information	1		
Serial	No:	843	Slope, mc	2.03	3196	Intercept, bc	-0.04813
Last Calibra		16-Jan-23	1	mc x Qstd + bo	c = [H x (Pa/760) x	(298/Ta)] ^{1/2}	
Next Calibra	ation Date:	16-Jan-24			[((
			Calibration of	TSP Sampler			
			Orfice	Tor Gampier	HV	S Flow Recorder	
Resistance Plate No.	DH (orifice), in. of water	[DH x (Pa/ī	[DH x (Pa/760) x (298/Ta)] ^{1/2}		Flow Recorder Reading (CFM)	Continuous Flow Reading IC (CF	
18	6.8		2.66	1.33	46.0	46.84	1
13	6.0		2.49	1.25	43.0	43.78	3
10	5.0		2.28	1.14	40.0	40.73	}
7	3.6		1.93	0.97	34.0	34.62	<u>)</u>
5	2.7		1.67	0.85	29.0	29.53	}
By Linear Regres Slope , mw = Correlation Coeff	35.2891 icient* =		.9989	Intercept, bw =	-0.0	9519	-
*If Correlation Coe	fficient < 0.990, ch	neck and recalibr	rate.				
			Set Point C	Calculation			
From the TSP Field	d Calibration Curv	e, take Qstd = 1	.30m³/min				
From the Regressi	on Equation, the "	Y" value accordi	ng to				
		mw	x Qstd + bw = IC x	[/Da/760) v /209/T	a)1 ^{1/2}		
		IIIVV	A QStu + DW - IC A	[(Fa/100) X (290/16	a)]		
Therefore, Set Poi	nt; IC = (mw x Qs	td + bw) x [(760	0 / Pa) x (Ta / 298))] ^{1/2} =		45.00	_
Remarks:							
QC Reviewer:	WS CHAN		Signature:	R	Date:	3/1/2024	

Station	Ma Wan Chung	Village (DM-5b)		_ Operator:	Shum K	am Yuen	_
Cal. Date:	3/1/2024			Next Due Date:	3/3/2024		_
Model No.:	TE-5170			Serial No.	50	008	_
Equipment No.:	A-001-85T	_		•			-
			Ambient (Condition			
Temperatur	e, Ta (K)	293.0	Pressure, F	Pa (mmHg)		774.7	
			<mark>Orifice Transfer Sta</mark>	T			
Serial		843	Slope, mc	2.03	3196	Intercept, bc	-0.04813
Last Calibra		16-Jan-23		mc x Ostd + bo	c = [H x (Pa/760) x	(298/Ta)] ^{1/2}	
Next Calibra	tion Date:	16-Jan-24			[x (. u/. co/ x	(200/: 4/]	
			Calibration of	TSP Sampler			
		(Orfice		HV	S Flow Recorder	
Resistance Plate No.	DH (orifice), in. of water	[DH x (Pa/7	760) x (298/Ta)] ^{1/2}	Qstd (m³/min) X - axis	Flow Recorder Reading (CFM)	Continuous Flov Reading IC (CFI	
18	7.0		2.69	1.35	41.0	41.75	
13	5.9		2.47	1.24	37.0	37.67	,
10	4.8		2.23	1.12	33.0	33.60	
7	3.4		1.88	0.95	29.0	29.53	
5	2.1		1.48	0.75	22.0	22.40	
By Linear Regress Slope , mw = Correlation Coeffi *If Correlation Coef	31.2855 cient* =		. 9973 ate.	Intercept, bw =	-0.8	3569	-
			Set Point C	alculation			
From the TSP Field	d Calibration Curv	e, take Qstd = 1.	30m³/min				
From the Regression	on Equation, the "	Y" value accordir	ng to				
			A 41-1 - 15		·-1/2		
		mw :	x Qstd + bw = IC x	[(Pa//60) x (298/T	a)] ''-		
Therefore, Set Poir	nt; IC = (mw x Qs	td + bw) x [(760) / Pa) x (Ta / 298)] ^{1/2} =		39.10	-
Remarks:							
QC Reviewer:	WS CHAN		Signature:	1	Date:	3/1/2024	_





RECALIBRATION DUE DATE:

January 16, 2024

Calibration Certification Information

Cal. Date:

January 16, 2023

Rootsmeter S/N: 438320

Ta: 293 Pa: 748.8

12.7

°K

8.00

Operator: Jim Tisch

Calibrator S/N: 0843

mm Hg

Calibration Model #:

TE-5025A

Run	Vol. Init (m3)	Vol. Final (m3)	ΔVol. (m3)	ΔTime (min)	ΔP (mm Hg)	ΔH (in H2O)
1	1	2	1	1.3860	3.2	2.00
2	3	4	1	0.9840	6.4	4.00
3	5	6	1	0.8780	8.0	5.00
4	7	8	1	0.8430	8.8	5.50

0.6950

10

	Data Tabulation							
Vstd	Qstd	$\sqrt{\Delta H \left(\frac{Pa}{Pstd} \right) \left(\frac{Tstd}{Ta} \right)}$		Qa	√∆H(Ta/Pa)			
(m3)	(x-axis)	(y-axis)	Va	(x-axis)	(y-axis)			
0.9978	0.7199	1.4157	0.9957	0.7184	0.8846			
0.9935	1.0097	2.0021	0.9915	1.0076	1.2511			
0.9914	1.1291	2.2384	0.9893	1.1268	1.3987			
0.9903	1.1747	2.3476	0.9882	1.1723	1.4670			
0.9851	1.4174	2.8313	0.9830	1.4144	1.7693			
	m=	2.03196		m=	1.27238			
QSTD	b=	-0.04813	QA	b=	-0.03007			
	r=	0.99993		r=	0.99993			

	Calculation	ıs	
Vstd=	ΔVol((Pa-ΔP)/Pstd)(Tstd/Ta)	Va=	ΔVol((Pa-ΔP)/Pa)
Qstd= Vstd/ΔTime			Va/ΔTime
	For subsequent flow rat	e calculatio	ns:
Qstd=	$1/m\left(\left(\sqrt{\Delta H\left(\frac{Pa}{Pstd}\right)\left(\frac{Tstd}{Ta}\right)}\right)-b\right)$	Qa=	$1/m\left(\left(\sqrt{\Delta H\left(Ta/Pa\right)}\right)-b\right)$

	Standard Conditions
Tstd:	298.15 °K
Pstd:	760 mm Hg
	Key
ΔH: calibrator	manometer reading (in H2O)
ΔP: rootsmete	er manometer reading (mm Hg)
Ta: actual abs	olute temperature (°K)
Pa: actual bar	ometric pressure (mm Hg)
b: intercept	
m: slope	

RECALIBRATION

US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30

Tisch Environmental, Inc. 145 South Miami Avenue Village of Cleves, OH 45002

www.tisch-env.com

TOLL FREE: (877)263-7610

FAX: (513)467-9009



香港新界葵涌水基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com



2

CERTIFICATE OF CALIBRATION

Certificate No.:

23CA0427 01-02

A2A-17788-EO

Page

of

Item tested

Description: Manufacturer: Sound Level Meter (Type 1)

XI2

MC230A

Microphone Nti Andio

A18398

Preamp Nti Andio MA220

Serial/Equipment No.: Adaptors used:

Type/Model No.:

9065

Item submitted by

Customer Name:

AECOM

Address of Customer:

Request No .: Date of receipt:

27-Apr-2023

Date of test:

29-Apr-2023

Reference equipment used in the calibration

Description:

Multi function sound calibrator

Model:

Serial No.

Expiry Date:

Traceable to:

Signal generator

B&K 4226 DS 360

2288444 61227

23-Aug-2023 08-Jun-2023

CIGISMEC CEPREI

Ambient conditions

Temperature:

22 ± 1 °C

Relative humidity:

55 ± 10 %

Air pressure:

1005 ± 5 hPa

Test specifications

The Sound Level Meter has been calibrated in accordance with the requirements as specified in BS 7580: Part 1: 1997 1, and the lab calibration procedure SMTP004-CA-152.

The electrical tests were performed using an electrical signal substituted for the microphone which was removed and 2 replaced by an equivalent capacitance within a tolerance of ±20%.

The acoustic calibration was performed using an B&K 4226 sound calibrator and corrections was applied for the difference 3, between the free-field and pressure responsess of the Sound Level Meter.

Test results

This is to certify that the Sound Level Meter conforms to BS 7580: Part 1: 1997 for the conditions under which the test was performed.

Details of the performed measurements are presented on page 2 of this certificate.

Actual Measurement data are documented on worksheets.

Approved Signatory:

Date:

02-May-2023

Company Chop:

ENGIN

Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP152-1/Issue 1/Rev.C/01/02/2007



香港新界葵涌水基路 2 2 - 2 4 號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com





CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.:

23CA0427 01-02

Page

2

1, Electrical Tests

The electrical tests were performed using an equivalent capacitance substituted for the microphone. The results are given in below with test status and the estimated uncertainties. The "Pass" means the result of the test is inside the tolerances stated in the test specifications. The "-" means the result of test is outside these tolerances.

Test:	Subtest:	Status:	Expanded Uncertanity (dB)	Coverage Factor
Calf annual and ancies		-		
Self-generated noise	A	Pass	0.3	
	С	Pass	0.8	2.1
	Lin	Pass	1.6	2.2
Linearity range for Leq	At reference range, Step 5 dB at 4 kHz	Pass	0.3	
	Reference SPL on all other ranges	Pass	0.3	
	2 dB below upper limit of each range	Pass	0.3	
	2 dB above lower limit of each range	Pass	0.3	
Linearity range for SPL	At reference range, Step 5 dB at 4 kHz	Pass	0.3	
Frequency weightings	A	Pass	0.3	
	С	Pass	0.3	
	Lin	Pass	0.3	
Time weightings	Single Burst Fast	Pass	0.3	
250 = 100 tr 1	Single Burst Slow	Pass	0.3	
Peak response	Single 100µs rectangular pulse	Pass	0.3	
R.M.S. accuracy	Crest factor of 3	Pass	0.3	
Time weighting I	Single burst 5 ms at 2000 Hz	Pass	0.3	
	Repeated at frequency of 100 Hz	Pass	0.3	
Time averaging	1 ms burst duty factor 1/103 at 4kHz	Pass	0.3	
	1 ms burst duty factor 1/104 at 4kHz	Pass	0.3	
Pulse range	Single burst 10 ms at 4 kHz	Pass	0.4	
Sound exposure level	Single burst 10 ms at 4 kHz	Pass	0.4	
Overload indication	SPL	Pass	0.3	
	Leq	Pass	0.4	

2, Acoustic tests

The complete sound level meter was calibrated on the reference range using a B&K 4226 acoustic calibrator with 1000Hz and SPL 94 dB. The sensitivity of the sound level meter was adjusted. The test result at 125 Hz and 8000 Hz are given in below with test status and the estimated uncertainties.

Test:	Subtest	Status	Expanded Uncertanity (dB)	Coverage Factor
Acoustic response	Weighting A at 125 Hz	Pass	0.3	
	Weighting A at 8000 Hz	Pass	0.5	

3, Response to associated sound calibrator

N/A

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

- End

Checked by:

ecked by:

Chan Yuk Yiu

Date: 29

Fung Chi Yip

29-Apr-2023 Date:

02-May-2023

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP152-2/Issue 1/Rev.C/01/02/2007



香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com



CERTIFICATE OF CALIBRATION

Certificate No.:

23CA0427 01-03

Page:

of

2

Item tested

Description:

Acoustical Calibrator (Class 1) **B&K**

Manufacturer: Type/Model No.:

4231

Serial/Equipment No.:

3006428

Adaptors used:

Item submitted by

Curstomer:

AECOM

Address of Customer:

Request No.: Date of receipt:

27-Apr-2023

Date of test:

29-Apr-2023

Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Lab standard microphone	B&K 4180	2412857	23-May-2023	SCL
Preamplifier	B&K 2673	2743150	28-Jun-2023	CEPREI
Measuring amplifier	B&K 2610	2346941	30-Jun-2023	CEPREI
Signal generator	DS 360	61227	08-Jun-2023	CEPREI
Digital multi-meter	34401A	US36087050	30-May-2023	CEPREI
Audio analyzer	8903B	GB41300350	06-Jul-2023	CEPREI
Universal counter	53132A	MY40003662	13-Jun-2023	CEPREI

Ambient conditions

Temperature:

22 ± 1 °C

Relative humidity:

55 ± 10 %

Air pressure:

1005 ± 5 hPa

Test specifications

- 1, The Sound Calibrator has been calibrated in accordance with the requirements as specified in IEC 60942 1997 Annex B and the lab calibration procedure SMTP004-CA-156.
- The calibrator was tested with its axis vertical facing downwards at the specific frequency using insert voltage technique. 2,
- 3, The results are rounded to the nearest 0.01 dB and 0.1 Hz and have not been corrected for variations from a reference pressure of 1013.25 hectoPascals as the maker's information indicates that the instrument is insensitive to pressure changes.

Test results

This is to certify that the sound calibrator conforms to the requirements of annex B of IEC 60942: 1997 for the conditions under which the test was performed. This does not imply that the sound calibrator meets IEC 60942 under any other conditions.

Details of the performed measurements are presented on page 2 of this certificate.

Feng unai

Approved Signatory:

Date:

02-May-2023

Company Chop:

Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP156-1/Issue 1/Rev.D/01/03/2007



香港新界葵涌水基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com



CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.:

23CA0427 01-03

Page:

2

1. Measured Sound Pressure Level

The output Sound Pressure Level in the calibrator head was measured at the setting and frequency shown using a calibrated laboratory standard microphone and insert voltage technique. The results are given in below with the estimated uncertainties.

			(Output level in dB re 20 µPa
Frequency Shown Hz	Output Sound Pressure Level Setting dB	Measured Output Sound Pressure Level dB	Estimated Expanded Uncertainty dB
1000	94.00	94.22	0.10

2, Sound Pressure Level Stability - Short Term Fluctuations

The Short Term Fluctuations was determined by measuring the maximum and minimum of the fast weighted DC output of the B&K 2610 measuring amplifier over a 20 second time interval as required in the standard. The Short Term Fluctuation was found to be:

At 1000 Hz

STF = 0.016 dB

Estimated expanded uncertainty

0.005 dB

3, **Actual Output Frequency**

The determination of actual output frequency was made using a B&K 4180 microphone together with a B&K 2673 preamplifier connected to a B&K 2610 measuring amplifier. The AC output of the B&K 2610 was taken to an universal counter which was used to determine the frequency averaged over 20 second of operation as required by the standard. The actual output frequency at 1 KHz was:

At 1000 Hz

Actual Frequency = 1000.0 Hz

Estimated expanded uncertainty

0.1 Hz

Coverage factor k = 2.2

4, **Total Noise and Distortion**

For the Total Noise and Distortion measurement, the unfiltered AC output of the B&K 2610 measuring amplifier was connected to an Agilent Type 8903 B distortion analyser. The TND result at 1 KHz was:

At 1000 Hz

TND = 0.7 %

Estimated expanded uncertainty

0.7 %

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

Date: 29-Apr-2023

Fung Chi Yip

Date:

02-May-2023

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP156-2/Issue 1/Rev.C/01/05/2005

APPENDIX F

EM&A Monitoring Schedules

Contract 1201 - Tung Chung West Station and Tunnels Impact Monitoring Schedule for January 2024

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1-Jan	2-Jan	3-Jan	4-Jan	5-Jan	6-Jan
			Noise	Air Quality		
7-Jan	8-Jan	9-Jan	10-Jan	11-Jan	12-Jan	13-Jan
		Noise	Air Quality			
14-Jan	15-Jan	16-Jan	17-Jan	18-Jan	19-Jan	20-Jan
	Noise	Air Quality				
21-Jan	22-Jan	23-Jan	24-Jan	25-Jan	26-Jan	27-Jan
	Air Quality				Noise	Air Quality
28-Jan	29-Jan	30-Jan	31-Jan			

Remarks:

Air Qaulity - Air Quality Monitoring including monitoring location DM-2, DM-3, DM-4 & DM-5b. Noise - Noise Impact Monitoring including monitoring location NM2 & NM3a.

Contract 1201 - Tung Chung West Station and Tunnels Tentative Impact Monitoring Schedule for February 2024

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1-Feb	2-Feb	3-Feb
				Noise	Air Quality	
4-Feb	5-Feb	6-Feb	7-Feb	8-Feb	9-Feb	10-Feb
		Noise		Air Quality		
11-Feb	12-Feb	13-Feb	14-Feb	15-Feb	16-Feb	17-Feb
			Air Quality	Noise		
18-Feb	19-Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb
		Air Quality	Noise			
25-Feb	26-Feb	27-Feb	28-Feb	29-Feb		
	Air Quality	Noise				

The schedule is subject to change due to unforeseeable circumstances (e.g. adverse weather, etc)

Remarks:

Air Qaulity - Air Quality Monitoring including monitoring location DM-2, DM-3, DM-4 & DM-5b.

Noise - Noise Impact Monitoring including monitoring location NM2 & NM3a.

APPENDIX G

Air Quality Monitoring Results and their Graphical Presentations

Appendix G

1-hour TSP Impact Monitoring Result for

Tung Chug Line Extension - Contract 1201 Tung Chung West Station and Tunnels

DM-2 - Sheraton Hong Kong Tung Chung Hotel Shopping Mall

•	1-hour TSP (μg/m³)											
Date	Start Time	1 st hr	Start Time	2 ^{na} hr	Start Time	3 ^{ra} hr	Action Level	Limit Level	Weather			
4 Jan 2024	9:00	55.3	10:05	90.0	13:00	63.0		5 500	Sunny			
10 Jan 2024	9:00	86.1	10:05	233.9	13:00	134.9	326		Sunny			
16 Jan 2024	9:00	147.8	10:05	246.7	13:00	141.4			Sunny			
22 Jan 2024	9:00	102.8	13:00	182.5	14:05	109.2			Sunny			
27 Jan 2024	9:00	105.4	10:10	75.8	13:00	167.1			Sunny			
	Average			129.5								
	Max			246.7	•							
	Min			55.3								

DM-3 Shops at Tung Chung Crescent


	1-hour TSP (µg/m³)										
Date	Start Time	1 st hr	Start Time	2 ^{na} hr	Start Time	3 ^{ra} hr	Action Level	Limit Level	Weather		
4-Jan-24	9:00	100.2	10:30	78.1	13:00	84.6			Sunny		
10-Jan-24	9:00	92.4	10:25	196.5	13:00	57.2			Sunny		
16-Jan-24	9:00	101.5	10:25	221.2	13:00	79.4	327	500	Sunny		
22-Jan-24	9:00	96.3	13:00	175.6	14:25	97.6			Sunny		
27-Jan-24	9:00	104.1	10:30	98.9	13:00	218.6			Sunny		
	Average			120.1							
	Max			221.2							
	Min			57.2							


DM-4 Yat Tung Shopping Centre

	1-hour TSP (μg/m³)										
Date	Start Time	1 st hr	Start Time	2 nd hr	Start Time	3 rd hr	Action Level	Limit Level	Weather		
4-Jan-24	9:00	52.2	11:00	73.1	13:00	275.4		500	Sunny		
10-Jan-24	9:00	91.4	11:00	157.9	13:00	206.2	312		Sunny		
16-Jan-24	9:00	108.3	11:00	204.9	13:00	126.6			Sunny		
22-Jan-24	9:00	73.1	13:00	80.9	15:00	189.2	1		Sunny		
27-Jan-24	9:00	96.6	11:00	91.4	13:00	180.1			Sunny		
	Average			133.8							
	Max			275.4							
	Min			52.2							

DM-5b - Ma Wan Chung Village

D 3D 111	SM-SD - Ma Wan Chung Vinage											
	1-hour TSP (μg/m³)											
Date	Start Time	1 st hr	Start Time	2 nd hr	Start Time	3 rd hr	Action Level	Limit Level	Weather			
4-Jan-24	9:00	201.5	13:00	171.4	14:20	248.6			Sunny			
10-Jan-24	9:00	98.1	13:00	87.7	14:20	72.0			Sunny			
16-Jan-24	9:00	81.1	13:00	193.6	14:20	86.3	333	500	Sunny			
22-Jan-24	9:00	154.4	13:00	47.1	15:20	56.3			Sunny			
27-Jan-24	9:00	176.6	13:00	99.4	14:30	85.0			Sunny			
	Average 123.9											
	Max			248.6								





Tung Chung Line Extension - Contract No. 1201


Tung Chung West Station and Tunnels




Graphical Presentation of Impact 1-hr TSP Monitoring Results

Date: January 2024 Appendix G

is Drawing has been prepared for the use of AECON's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECON or as required by law. AECON accepts no responsibility, and denies any liability whatover, to any party that uses or relies on this drawing without AECON's express written con





to Drawing has been prepared for the use of Action's closes. It may not be used, modified, reproduced or relaed upon by third partnes, except as agreed by ACLUM or as required by law. ACLUM accepts no responsibility, and denot any habitity wilsolover, to any party that uses or relae

Tung Chung Line Extension - Contract No. 1201

Tung Chung West Station and Tunnels


A**ECOM**

Graphical Presentation of Impact 1-hr TSP Monitoring Results

Date: January 2024 Appendix G

Appendix G – Extract of Meteorological Observations for Chek Lap Kok Automatic Weather Station in January 2024


Wind Direction:





Appendix G – Extract of Meteorological Observations for Chek Lap Kok Automatic Weather Station in January 2024


Wind Direction:






Appendix G – Extract of Meteorological Observations for Chek Lap Kok Automatic Weather Station in January 2024


Wind Direction:






Appendix G – Extract of Meteorological Observations for Chek Lap Kok Automatic Weather Station in January 2024

Wind Direction:






Appendix G – Extract of Meteorological Observations for Chek Lap Kok Automatic Weather Station in January 2024

Wind Direction:





APPENDIX H

Noise Monitoring Results and their Graphical Presentations

Appendix H Regular Construction Noise Monitoring Results

Daytime Noise Monitoring Results at Station NM2 (Block 9 of Tung Chung Crescent)


Date	Weather Condition	Time	Measured Noise Level,dB(A) ⁺	Baseline Noise Level, dB(A)	Impact Noise Level, dB(A)	Limit Level, dB(A)	Exceedance (Y/N)
3-Jan-24	Sunny	14:45	68.8	68.0	61.1	75	N
9-Jan-24	Sunny	13:14	67.2	68.0	Below Baseline Level	75	N
15-Jan-24	Sunny	14:40	65.8	68.0	Below Baseline Level	75	N
26-Jan-24	Sunny	15:35	69.6	68.0	64.5	75	N

Daytime Noise Monitoring Results at Station NM3a (2/F rooftop of Yat Tung Shopping Centre)

Date	Weather Condition	Time	Measured Noise Level,dB(A) ⁺	Baseline Noise Level, dB(A)	Impact Noise Level, dB(A)	Limit Level, dB(A)	Exceedance (Y/N)
3-Jan-24	Sunny	16:00	67.9	54.0	67.7	75	N
9-Jan-24	Sunny	10:15	68.3	54.0	68.1	75	N
15-Jan-24	Sunny	10:30	68.9	54.0	68.8	75	N
26-Jan-24	Sunny	10:50	68.7	54.0	68.6	75	N

Note: Impact noise level has been corrected with baseline noise level.

⁺ - Façade measurement



Tung Chug Line Extension - Contract 1201 Tung Chung West Station and Tunnels

Date: January-2024 Appendix H

APPENDIX I

Event Action Plan

Appendix I

Event / Action Plan for Construction Dust Monitoring

	ACTION								
EVENT	ET	IEC ER		Contractor					
ACTION LEVEL									
Action level exceedance for one sample	 Repeat measurement to confirm finding; If exceedance is confirmed, inform Contractor, IEC and ER; Identify source, investigate the causes of exceedance and propose remedial measures; Discuss with the Contractor, IEC and ER on theremedial measures required; Increase monitoring frequency to daily. 	 Check monitoring data submitted by ET; Check Contractor's working method; Discuss with ET, ER and Contractor on possible remedial measures; Review and advise the ET and ER on the effectiveness of the proposed remedial measures. 	Confirm receipt of notification of exceedance in writing.	Identify source(s), investigate the causes of exceedance and propose remedial measures; Implement remedial measures; Amend working methods agreed with the ER as appropriate.					
Action level exceedance for two or more consecutive samples	 Repeat measurement to confirm finding; If exceedance is confirmed, inform Contractor, IEC and ER; Identify source, investigate the causes of exceedance and propose remedial measures; Advise the Contractor and ER on the effectiveness of the proposed remedial measures; Increase monitoring frequency to daily; Discuss with IEC and Contractor on remedial actions required; If exceedance continues, arrange meeting with IEC and ER to discuss the remedial measures to be taken; If exceedance stops, cease additional monitoring. 	 Check monitoring data submitted by ET; Check Contractor's working method; Discuss with ET, ER and Contractor on possible remedial measures; Review and advise the ET and ER on the effectiveness of the proposed remedial measures. 	Confirm receipt of notification of exceedance in writing; In consultation with the ET and IEC agree with the Contractor on the remedial measures to be implemented; Supervise implementation of remedial measures.	 Identify source(s), investigate the causes of exceedance and propose remedial measures; Submit proposals for remedial measures to the ER, ET and IEC within three working days of notification for agreement; Implement the agreed proposals; Amend proposal if appropriate. 					

ET – Environmental Team; IEC – Environmental Independent Checker; ER – Engineer

Event / Action Plan for Construction Dust Monitoring

EVENIT	ACTION							
EVENT	ET	IEC	ER	Contractor				
LIMIT LEVEL Limit level exceedance for one sample	 Repeat measurement to confirm finding; If exceedance is confirmed, inform IEC, ER, Contractor and EPD; Increase monitoring frequency to daily; Discuss with the ER, IEC and Contractor on the remedial measures and assess effectiveness; Keep ER, IEC and EPD informed of the results of the 	1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET, ER and Contractor on possible remedial measures; 4. Review and advise the ET and ER on the effectiveness of the proposed remedial measures.	Confirm receipt of notification of exceedance in writing; Review and agree on the remedial measures proposed by the Contractor; Ensure remedial measures properly implemented; Supervise implementation of remedial measures.	 Identify source(s), investigate the causes of exceedance and propose remedial measures Take immediate action to avoid further exceedance; Submit proposals for remedial actions to ER, ET and IEC within three working days of notification for agreement; Implement the agreed proposals; Amend proposal if appropriate. 				
Limit level exceedance for two or more consecutive samples	effectiveness of remedial measures. 1. Repeat measurement to confirm finding; 2. If exceedance is confirmed, inform IEC, ER, Contractor and EPD; 3. Increase monitoring frequency; 4. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 5. Arrange meeting with IEC and ER to discuss the remedial actions to be taken; 6. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results; 7. If exceedance stops, cease additional monitoring.	1. Check monitoring data submitted by ET 2. Discuss amongst ER, ET, and Contractor on the potential remedial actions; 3. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly.	1. Confirm receipt of notification of exceedance in writing; 2. In consultation with the ET and IEC, agree with the Contractor on the remedial measures to be implemented; 3. Supervise the implementation of remedial measures; 4. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated.	 Identify source(s), investigate the causes of exceedance and propose remedial measures Take immediate action to avoid further exceedance; Submit proposals for remedial actions to ER, IEC and ET within three working days of notification for agreement; Implement the agreed proposals; Review and resubmit proposals if problem still not under control; Stop the relevant portion of works as determined by the ER until the exceedance is abated. 				

ET – Environmental Team; IEC – Environmental Independent Checker; ER – Engineer

Event and Action Plan for Construction Noise Monitoring

EVENIT	ACTION								
EVENT	ET	IEC	ER	Contractor					
Action Level Exceedance	 Notify IEC, ER and Contractor; Identify source and carry out investigation; Discuss with the Contractor and formulate remedial measures; Increase monitoring frequency to check mitigation effectiveness. 	Review the analysed results submitted by the ET; Review the proposed remedial measures by the Contractor and advise the ER accordingly.	 Confirm receipt of notification of failure in writing; Notify Contractor; Require Contractor to propose remedial measures for the analysed noise problem; Ensure remedial measures are properly implemented. 	 Identify source, and carry out investigation and report the investigation to the ET, IEC and ER; Submit noise mitigation proposals to IEC and ER; Implement noise mitigation proposals. 					
Limit Level Exceedance	 Inform IEC, ER, EPD and Contractor; Repeat measurements to confirm findings; Increase monitoring frequency; Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; Inform IEC, ER and EPD the causes and actions taken for the exceedances; Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results; If exceedance stops, cease additional monitoring. 	 Check monitoring results and discuss amongst ER, ET, and Contractor on the potential remedial actions; Ensure remedial measures properly implemented; and Review Contractors remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly. 	 Confirm receipt of notification of failure in writing; Notify Contractor; Require Contractor to propose remedial measures for the analysed noise problem; Ensure remedial measures properly implemented; If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated. 	 Identify source and carry out investigation and report the investigation to the ET, IEC and ER; Take immediate action to avoid further exceedance; Submit proposals for remedial actions to ER, ET and IEC within 3 working days of notification; Implement the agreed proposals; Resubmit proposals if problem still not under control; Stop the relevant portion of works as determined by the ER until the exceedance is abated. 					

ET – Environmental Team; IEC – Environmental Independent Checker; ER – Engineer

APPENDIX J

Cumulative Statistics of Exceedances, Complaints, Notification of Summons and Successful Prosecutions

Appendix J
Cumulative Statistics on Complaints, Notifications of Summons and Successful Prosecutions

	Complaint Receive Date by ET	Details of Complaint	Status	Total no. received in this month	Total no. received since project commencement
Environmental Complaints	2 January 2024	Details of Complaint: It was reported that piling noise was emanated from a MTR construction site near TCC from 11:00am to 12:00nn on 31 December 2023 (Sunday). Therefore, the construction activities during the above period have been investigated. Finding: Based on the investigation result and information provided by the Contractor, no construction works or vehicle or PMEs was operating at works areas near TCC of the project on 31 December 2023. Toolbox training of noise mitigation measures for construction works had been provided for the frontline staffs to enhance their awareness and ensure the noise mitigation measures could be properly implemented (e.g., provision of noise barrier) at works areas. Mitigation measures were implemented by the contractor where available to minimize the noise generated from works areas. After the investigation, the complaint was considered as non-project related.	Closed	5	31

Complaint Receive Date by ET	Details of Complaint	Status	Total no. received in this month	Total no. received since project commencement
2 January 2024	It was reported that construction noise was emanated from the MTR construction site next to TCC around 11:00 pm. Therefore, the construction activities conducted during the recent period (26 December 2023 to 1 January 2024) have been investigated. Finding: Based on the investigation result and information provided by the Contractor, no construction works or vehicle or PMEs was operating at works areas near TCC of the project around 11:00 pm from 26 December 2023 to 1 January 2024. Toolbox training of noise mitigation measures for construction works had been provided for the frontline staffs to enhance their awareness and ensure the noise mitigation measures could be properly implemented (e.g., provision of noise barrier) at works areas. Mitigation measures were implemented by the contractor where available to minimize the noise generated from works areas. After the investigation, the complaint was considered as non-project related.	Closed	5	31
10 January 2024	Details of Complaint: It was reported that piling noise was emanated from a MTR	Closed		

Complaint Receive Date by ET	Details of Complaint	Status	Total no. received in this month	Total no. received since project commencement
10 January 2024	construction site near Tung Chung Crescent and construction dust was also seen emitted from the site. Therefore, the construction activities conducted during the recent period (1 January 2024 - 9 January 2024) have been investigated. Finding: Based on the investigation result and information provided by the Contractor, impervious sheet and retractable impervious tube had been wrapped at the drill rig and movable noise barrier had been set up close to the drill rig as the noise mitigation and dust suppression measure. Pipe pile installation was carried out during non-restricted hours. Mitigation measures were implemented by the contractor to minimize the noise and dust generated from pipe pile installation. No major dust emission sources such as breaking works and unpaved roads were identified onsite. Regular watering was provided onsite as dust suppression measure. Toolbox training of noise mitigation measures for noisy construction works had been provided for the frontline staffs to enhance their awareness and ensure the dust and noise mitigation measures could be properly implemented (e.g., provision of movable temporary noise barrier and water	Closed	5	31

Complaint Receive Date by ET	Details of Complaint	Status	Total no. received in this month	Total no. received since project commencement
10 January 2024	spraying) during construction works. Regular noise monitoring levels and ad hoc noise monitoring level measured at NM2 (Block 9 of Tung Chung Crescent) on 3 and 9 January 2024, and 11 January 2024 respectively were ranged from 61.1 dB(A) to 69.8 dB(A) and no exceedance was recorded. Regular construction dust monitoring at DM-3 (Shops at Tung Chung Crescent) were conducted on 4 and 10 January 2024 were ranged from 78.1 ug/m³ to 196.5 ug/m³ and no exceedance was recorded. After the investigation, the complaint was considered as project related.	Closed	5	31
15 January 2024	Details of Complaint: It was reported that construction noise (over 80dB) was heard from a construction site at Shun Tung Road, Tung Chung. Therefore, the construction activities conducted during the recent period (9 January 2024 – 13 January 2024) have been investigated. Finding: Based on the investigation result and information provided by the Contractor, temporary noise barrier had been set up close to the excavator mounted breaker as the noise mitigation	Closed		

Complaint Receive Date by ET	Details of Complaint	Status	Total no. received in this month	Total no. received since project commencement
15 January 2024	measure to minimize the noise impact from breaking works and noise barrier mat had been wrapped at the main noise source (breaker's head) of the excavator mounted breaker. Breaking works were carried out during non-restricted hours. Mitigation measures were implemented by the contractor to minimize the noise generated from breaking works. Toolbox training of noise mitigation measures for noisy construction works had been provided for the frontline staffs to enhance their awareness and ensure the noise mitigation measures could be properly implemented (e.g., provision of movable temporary noise barrier) before and during noisy construction works. Regular noise monitoring levels recorded at NM2 (Block 9 of Tung Chung Crescent) on 9 and 15 January 2024 were below baseline noise level of 68.0 dB(A) and no exceedance was recorded. After the investigation, the complaint was considered as project related.	Closed	5	31
19 January 2024	Details of Complaint: It was reported that solvent smell and dust emission was detected at the Tung Chung Promenade Park. It was agreed with EPD that construction activities on 10 Jan 2024 would be focused for the complaint investigation. Therefore, the	Closed		

	Complaint Receive Date by ET	Details of Complaint	Status	Total no. received in this month	Total no. received since project commencement
	19 January 2024	construction activities conducted on the abovementioned date have been investigated. Finding: Based on the investigation result and information provided by the Contractor, water spraying by the water truck was provided for the haul road as dust suppression measure at the barging facility area. Mitigation measures were implemented by the contractor to minimize the dust generated from barging facility area. Regular construction dust monitoring at DM-2 (Sheraton Hong Kong Tung Chung Hotel Shopping Mall) were conducted on 4, 10 and 16 January 2024 were ranged from 55.3 ug/m³ to 246.7 ug/m³, and no exceedance was recorded. After the investigation, the complaint was considered as project related.	Closed	5	31
Notification of summons	-	-	-	0	0
Successful Prosecutions	-	-	-	0	0

APPENDIX K

Summary of Notification of Exceedance

Appendix K

Summary of Notification of Exceedance

Environmental Parameter	No. of Exceed	ance This Month	Cumulative No. of Exceedance Project-to-Date		
Exceeded Level	Action Level	Limit Level	Action Level	Limit Level	
Air Quality	0	0	0	0	
(Construction Dust - 1-hour TSP)	0	0	0	0	
Noise	4	0	26	0	
(Construction Noise - Leq(30 min),dB(A))					
Total	4	0	26	0	

Appendix K

APPENDIX L

Waste Flow Table

MONTHLY SUMMARY WASTE FLOW TABLE

Contract 1201 - Tung Chung Line Extension Tung Chung West Station and Tunnels

Reporting Month: January 2024

	Act	ual Quantities	s of Inert C&D) Materials Ge	enerated Mon	thly	Actual Quantities of C&D Wastes Generated Monthly			,		
Month	Total Quantity Generated	Stockpiled for Reuse or Recycle	Reused in the Contract	Reused in other Contracts or Projects	Disposed to Public Fill Banks	Imported Fill	Metals	Paper/ cardboard packaging	Plastics	Chemical Waste	Other Waste	Disposed to Landfill (e.g. general refuse)
	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000 kg)	(in '000kg)	(in '000kg)	(in '000L)	(in '000kg)	(in '000kg)
Yr 2024												
Jan	3.209	0	0	2.027 ⁽¹⁾	1.182	0	0	0.105	0	0	0.021 ⁽²⁾	33.38
Feb	-	-	-	-	-	-	-	-	-	-	-	-
Mar	-	-	-	-	-	-	-	-	-	-	-	-
Apr	-	-	-	-	-	-	-	-	-	-	-	-
May	-	-	-	-	-	-	-	-	-	-	-	-
Jun												
Jul												
Aug												
Sep Oct												
Nov												
Dec												
Total	3.209	0	0	2.027	1.182	0	0	0.105	0	0	0.021	33.38
Yr 2023	18.209	0	0	0.115	8.12	9.974	163.735	0.541	0.002	0.7	93.37	3820.98
Accumulated Total	21.418	0	0	2.142	9.302	9.974	163.735	0.646	0.002	0.7	93.391	3854.36

^{(1) :} Recycled by Tapbo Environmental Limited (EPD Listed Construction and Demolition Materials Recyclers)

^{(2) :} Glass recycled by GREEN@ISLANDS

^{(3) :} The waste data are updated as of 21 Jan 2024 according to EPD website.

Appendix B

Monthly EM&A Report
for
Contract 1202
Tung Chung East Station and Associated Enabling Works for Track
Diversions

(January 2024)





MTR Corporation Limited

Tung Chung Line Extension

Contract 1202

Tung Chung East Station and

Associated Enabling Works for Track Diversions

Monthly EM&A Report

(for January 2024)

	Name	Post	Signature	Date
Prepared by	Johnny Kwong	Environmental Consultant	M	9/2/2024
Certified by	F. C. Tsang	Contractor's Environmental Team Leader	Tour Failbeary	9/2/2024





TABLE OF CONTENTS

EXECUTIVE SUMMARY

1.	INTRODU	JCTION	1
	1.1	Propose of the Report	1
	1.2	Report Structure	
2.	Project I	NFORMATION	2
	2.1	Background	2
	2.2	General Description of the Project	2
	2.3	Construction Programme and Activities	2
	2.4	Project Organization	3
	2.5	Status of Environmental Licences, Notification and Permits	3
3.	ENVIRON	MENTAL MONITORING REQUIREMENT	5
	3.1	Construction Dust Monitoring	5
	3.2	Construction Noise Monitoring	
4.	IMPLEM	ENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASUR	ES 10
5.	Monitori	NG RESULTS	11
	5.1	Construction Dust Monitoring	11
	5.2	Regular Construction Noise Monitoring	11
	<i>5.3</i>	Waste Management	11
	5.4	Landscape and Visual	12
6.	ENVIRONM	IENTAL SITE INSPECTION AND AUDIT	13
7.	ENVIRON	MENTAL NON-CONFORMANCE	15
	7.1	Summary of Monitoring Exceedances	15
	7.2	Summary of Environmental Non-Compliance	
	7.3	Summary of Environmental Complaints	15
	7.4	Summary of Environmental Summon and Successful Prosecutions	15
8.	FUTURE K	EY ISSUES	16
	8.1	Construction Programme for the Next Three Months	16
	8.2	Key Issues for the Coming Month	16
	8.3	Monitoring Schedule for the Next Month	16

Tung Chung Line Extension Contract 1202
Tung Chung East Station and
Associated Enabling Works for Track Diversions
Monthly EM&A Report (January 2024)





9.	Conclusio	N AND RECOMMENDATIONS	17
	9.1	Conclusions	17
	9.2	Comments and Recommendations	17





<u></u>	TABLES	
Table 2.1	Major Construction Activities in the Reporting Month	2
Table 2.2	Contact Information of Key Personnel	3
Table 2.3	Status of Environmental Licenses, Notifications and Permits	3
Table 3.1	Air Monitoring Equipment	4
Table 3.2	Locations of Construction Dust Monitoring Station	4
Table 3.3	Noise Monitoring Parameters, Frequency and Duration	6
Table 3.4	Noise Monitoring Equipment for Regular Noise Monitoring	7
Table 3.5	Noise Monitoring Station during Construction Phase	7
Table 4.1	Status of Required Submission under Environmental Permit	9
Table 5.1	Summary of 1-hour TSP Monitoring Result in the Reporting Period	10
Table 5.2	Summary of Construction Noise Monitoring Results in the Reporting Period	10
Table 6.1	Observations and Reminders of Site Audit	12
Table 8.1	Major Construction for the Next Three Months	15
	FIGURES	

Figure 2.1	Site Layout Plan of Contract 1202
Figure 3.1	Location of Construction Dust Monitoring Station
Figure 3.2	Location of Construction Noise Monitoring Station





LIST OF APPENDICES

Appendix A	Tentative Construction Programme
Appendix B	Project Organization Structure
Appendix C	Implementation Schedule of Environmental Mitigation Measures
Appendix D	Summary of Action and Limit Levels
Appendix E	Calibration Certificates of Equipment
Appendix F	EM&A Monitoring Schedules
Appendix G	Air Quality Monitoring Results and their Graphical Presentations
Appendix H	Noise Monitoring Results and their Graphical Presentations
Appendix I	Event and Action Plan
Appendix J	Cumulative Statistics on Complaints, Notification of Summons and Successful
	Prosecutions
Appendix K	Summary of Notification of Exceedance
Appendix L	Monthly Summary Waste Flow Table





EXECUTIVE SUMMARY

Tung Chung Line Extension Contract 1202 – Tung Chung East (TCE) Station and Associated Enabling Works for Track Diversions (hereafter called "Contract 1202") covers part of the Tung Chung Line Extension (hereafter called "the Project") construction.

The at-grade TCE Station will be located approximately 2km east of the existing Tung Chung Station (TUC) at the south of the future Tung Chung New Town extension (TCNTE (East)) new reclamation area. The station is bounded by the future roads in the reclamation area and the existing Tung Chung Line (TCL) and Airport Express Line (AEL).

The Environmental Monitoring and Audit (EM&A) programme commenced on 1 July 2023. The impact monitoring for the Project includes air quality and noise monitoring.

This Monthly EM&A Report presents the EM&A works carried out during the reporting period from 1 January to 31 January 2024.

Breaches of Action and Limit Levels for Air Quality

No exceedance of Action and Limit Levels of air quality was recorded in the reporting month.

Breaches of Action and Limit Levels for Construction Noise

One noise related complaint was received in the reporting month which triggered the exceedance of action level for noise monitoring.

No exceedance of Limit Levels of construction noise was recorded in the reporting month.

Complaint, Notification of Summons and Successful Prosecution

One complaint was reported in the reporting period. No non-compliance was reported in the reporting period. No notification of summon or prosecution was received in this reporting period.

Reporting changes

There was no reporting change in the reporting month.

Future key issues

A summary of the construction activities provided by the Main Contractor in the next three reporting months is listed below:





Location	Site Activities					
TCE	Site formation works					
	Piling works in Integrated Entrance					
	Retaining wall construction					
	Construction of OHL Mast & Portal and plate load test					
	Construction of Cable Draw Pit and Cable Trough					
	PM site office construction					
	Load test and proof drill for piles in Station and Integrated Entrance area					
	Construction of temp plant room at Area W1					
	Earth mat installation					
	Drainage works and ELS works in Station area and Integrated Entrance					

Potential environmental impacts arising from the above construction activities are mainly associated with construction dust, construction noise, water quality and waste management.





1. INTRODUCTION

Paul Y. – CRCC (TUE 1202) Joint Venture (PCJV) was commissioned by the MTR Corporation (MTRC) as the Contractor for Works Contract 1202. Acuity Sustainability Consultant Limited (Acuity) was appointed by PCJV as the Contractor's Environmental Team (ET) to undertake the Environmental Monitoring and Audit (EM&A) programme during construction phase of the Project.

1.1 Propose of the Report

1.1.1. This Monthly EM&A Report presents the EM&A works carried out during the reporting period from 1 January to 31 January 2024.

1.2 Report Structure

- 1.2.1. The monthly EM&A Report is organized as follows:
 - Section 1: Introduction
 - Section 2: Project Information
 - Section 3: Environmental Monitoring Requirement
 - Section 4: Implementation Status of Environmental Mitigation Measures
 - Section 5: Monitoring Results
 - Section 6: Environmental Site Inspection and Audit
 - Section 7: Environmental Non-conformance
 - Section 8: Future Key Issues
 - Section 9 Conclusions and Recommendations





2. PROJECT INFORMATION

2.1 Background

- 2.1.1 Tung Chung Line Extension (TUE) was first initiated in the Railway Development Strategy 2014 (RDS- 2014) announced by the Government of the Hong Kong Special Administrative Region, which includes the conceptual scheme of Tung Chung West (TCW) Extension and a possible Tung Chung East (TCE) Station.
- 2.1.2 The Tung Chung Line Extension (TUE) Project is an approximately 1.3km extension of the existing Tung Chung Line (TCL) with two new stations namely TCE Station and TCW Station.
- 2.1.3 The Environmental Impact Assessment (EIA) Reports for TUE (Register No.: AEIAR-235/2022) was approved on 12 July 2022 under the Environmental Impact Assessment Ordinance (EIAO). Following the approval of the EIA Report, an Environmental Permit (EP) was granted on 9 August 2022 (EP No.: EP-614/2022) for the construction and operation.
- 2.1.4 According to the approved EM&A Manual of TUE, the EM&A monitoring for the Project includes air quality and noise monitoring. Baseline monitoring for TUE was carried out from Nov 2022 to Mar 2023.

2.2 General Description of the Project

- 2.2.1 The key elements of Contract 1202 comprise:
 - Construction of a new TCE Station between Sunny Bay Station and Tung Chung Station.
 - Construction of two footbridges connecting TCE and Area 113 development.
 - Cable containment and associated enabling works for track diversions.
 - Construction of station associated building services and Architectural Builders Works and Finishes (ABWF).
- 2.2.2 The layout plan of the Project is shown in **Figure 2.1**.

2.3 Construction Programme and Activities

2.3.1 The major construction activities undertaken in the reporting month are summarised in **Table 2.1** below:





Table 2.1 Major Construction Activities in the Reporting Month

Location	Site Activities
TCE	Site formation works
	Piling works in TCE
	Retaining wall construction
	PM site office construction
	Piling Works in Integrated Entrance
	Noise barrier removal
	Construct gate entrance

2.3.2 The tentative Construction programme for the next three months is presented in **Appendix A**.

2.4 **Project Organization**

2.4.1 The project organization structure is presented in **Appendix B**. The key personal contact names and numbers for the Project are summarized in **Table 2.2**.

Table 2.2 Contact Information of Key Personnel

Party	Role	Position	Name	Telephone
MTRC	Project Environmental Team	Project Environmental Team leader	Mr. Edan Li	2621 7194
Meinhardt	Independent Environmental Checker (IEC)	Independent Environmental Checker (IEC)	Mr. Adi Lee	2859 5443
PCJV	Contractor	Environmental Manager	Mr. Pan Fong	9436 9435
Acuity	Contractor's Environmental Team (ET)	ET Leader	Mr. Tsang, Fan Cheong	2698 8060

2.5 Status of Environmental Licences, Notification and Permits

2.5.1 A summary of the valid permits, licences, and/or notifications on environmental protection for this Project is presented in **Table 2.3**.





Table 2.3 Summary of the Status of Valid Environmental License Notification, Permit and Documentations

Permit/ Licences/	Valid	Period	~					
Notification/ Reference No.	From	То	Status	Remark				
Environmental Permit								
EP-614/2022	9-Aug-2022	-	Valid	-				
Construction Noise Permit								
GW-RS0878-23	15-Oct-2023	14-Apr-2024	Valid	-				
GW-RS1049-23	01-Dec-2023	31-May-2024	Valid	-				
GW-RS1050-23	03-Dec-2023	26-May-2024	Valid	-				
GW-RS1123-23	13-Jan-2024	15-Jun-2024	Valid	-				
GW-RS1126-23	18-Dec-2023	17-Jun-2024	Valid until 29- Jan-2024	Superseded by GW-RS0058-24				
GW-RS1149-23	29-Dec-2023	28-Jun-2024	Valid	-				
GW-RS1153-23	04-Jan-2024	29-Jun-2024	Valid	-				
GW-RS1165-23	06-Jan-2024	23-Jun-2024	Valid	-				
GW-RS0028-24	20-Jan-2024	30-Jun-2024	Valid	-				
GW-RS0019-24	17-Jan-2024	16-Jul-2024	Valid	-				
GW-RS0058-24	29-Jan-2024	28-Jul-2024	Valid	-				
Wastewater Discharge L	icense		1					
WT10001052-2023	18-Oct-2023	31-Oct-2028	Valid	-				
WT10001151-2023	27-Oct-2023	31-Oct-2028	Valid	-				
WT10001533-2023	5-Dec-2023	31-Dec-2028	Valid	-				
Chemical Waste Produce								
5111-950-P3457-02	28-Jun-2023	-	Valid	-				
Billing Account for Construction Waste Disposal								
7047632	6-Jun-2023	-	Valid					
Notification Under Air P	ollution Contro	ol (Construction	Dust)					
493225	31-May-2023	-	Valid					





3. ENVIRONMENTAL MONITORING REQUIREMENT

3.1 Construction Dust Monitoring

Monitoring Requirements

3.1.1 In accordance with the EM&A Manual, the ET shall carry out impact monitoring during construction phase of the project. For 1-hour Total Suspended Particulates (TSP) monitoring, the sampling frequency of at least three times every six days should be undertaken when the highest dust impact occurs. The Action and Limit levels of the air quality monitoring are provided in **Appendix D**.

Monitoring Equipment

3.1.2 1-hour TSP air quality monitoring was preformed using High Volume Sampler (HVS) located at the designated monitoring station. The HVS meets all the requirements of the EM&A Manual. The equipment used for 1-hour TSP measurement during the reporting month are summarised in **Table 3.1**.

Table 3.1 Construction Dust Monitoring Equipment

Measuring Parameter	Monitoring Equipment	Brand and Model	Serial Number	Expiry Date
1 1 TCD	High Volume Sampler	TE-5170X	1086	6-6-2024
1-hour TSP	Calibration Kit	TE-5028A	3702	31-3-2024

3.1.3 Initial calibration of HVS with mass flow controller was conducted upon installation and will be conducted every six months. Copies of calibration certificates of the HVS is presented in **Appendix E.**

Monitoring Locations

3.1.4 The monitoring station for construction dust monitoring pertinent to the Project has been identified based on the approved EM&A Manual for TUE of the Project. As public safety concerns were identified, the alternative impact monitoring location at DM-1b has been proposed and approved by EPD on 30 May 2023. The location of the construction dust monitoring station during the reporting period is summarised in **Table 3.2** and shown in **Figure 3.1**.

Table 3.2 Location of Construction Dust Monitoring Station

Monitoring Station ID	Monitoring Station
DM-1b	G/F of Ying Yuet House





Monitoring Methodology

- 3.1.5 The 1-hour TSP monitoring equipment, High Volume Sampler (Tisch TE-5170X High Volume Air Sampler), was deployed for the impact monitoring. The HVS was free-standing with no obstruction. The following criteria were considered in the installation of the HVS:
 - A horizontal platform with appropriate support to secure the samples against gusty wind was provided;
 - The distance between the sampler and an obstacle, such as buildings, at least twice the height that the obstacle protrudes above the HVS;
 - A minimum of 2 meters separation from any supporting structure and measured horizontally;
 - No furnace or incinerator flues was nearby;
 - Airflow around the sampler was unrestricted;
 - The sampler was located more than 20 meters from the dripline;
 - Wire fence and gate did not cause any obstruction during monitoring;
 - Permission was obtained to set up the samplers and gain access to the monitoring station; and
 - A secured supply of electricity was obtained to operate the samplers.

3.1.6 Preparation of Filter Papers

- Glass fiber filters were labelled and sufficient filters that were clean and without pinholes were selected;
- All filters were equilibrated in the conditioning environment for 24 hours before weighing. The conditioning environment temperature was around 25 °C and not varied by more than ±3 °C; the relative humidity (RH) was 40%; and
- Acumen Laboratory and Testing Limited, as a HOKLAS accredited laboratory, implemented comprehensive quality assurance and quality control programmes on the filters.

3.1.7 Field Monitoring

- The power supply was checked to ensure that the HVS was working properly;
- The filter holder and area surrounding the filter were cleaned;
- The filter holder was removed by loosening the foul bolts, and a new filter, with stamped number upward, on a supporting screen was aligned carefully;
- The filter was properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter;
- The swing bolts were fastened to hold the filter holder down to the frame. The pressure applied should be sufficient to avoid air leakage at the edges;
- The shelter lid was closed and secured with an aluminium strip;
- A new flow rate record sheet was inserted into the flow recorder;
- The flow rates of the HVS was checked and adjusted to between 0.6- 1.7 m³/min, which was within the range specified in the EM&A Manual (i.e. 0.6- 1.7 m³/min);
- The programmable timer was set for a sampling period of 1 hour, and the starting time, weather condition and filter number were recorded;





- The initial elapsed time was recorded;
- At the end of sampling, the sampled filter was removed carefully and folded in half so that only surfaces with collected particulate matter were in contact;
- The filter paper was placed in a clean plastic envelope and sealed; all monitoring information was recorded on a standard data sheet; and
- The filters were sent to Acumen Laboratory and Testing Ltd for analysis.

3.1.8 Maintenance and Calibration

- The HVS and its accessories were maintained in good working condition, such as replacing
 motor brushes routinely and checking electrical wiring to ensure a continuous power
 supply.
- HVS was calibrated using TE-5028A Calibration Kit upon installation.
- Calibration certificate of the TE-5028A Calibration Kit and the HVS is provided in **Appendix E**.

Monitoring Schedule for the Reporting Month

3.1.9 The schedule for environmental monitoring in January 2024 is provided in **Appendix F**.

3.2 Construction Noise Monitoring

Monitoring Requirements

3.2.1 In accordance with the approved EM&A Manual, impact noise monitoring should be conducted for at least once a week during the construction phase of the Project. **Table 3.3** summarises the monitoring parameters, frequency and duration of impact noise monitoring. The Action and Limit levels of the construction noise monitoring are presented in **Appendix D**.

Table 3.3 Noise Monitoring Parameters, Frequency and Duration

Parameter and Duration	Frequency
30-min measurement at each monitoring station between	
0700 and 1900 hours on normal weekdays. L_{eq} , L_{10} and L_{90}	At least once per week
would be recorded	

Monitoring Equipment

3.2.2 Noise monitoring was performed using sound level meter at the designated monitoring station. The sound level meters deployed comply with the International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications. Acoustic calibrator was deployed to check the sound level meters at a known sound pressure level. Brand and model of the equipment is given in **Table 3.4.**





Table 3.4 Noise Monitoring Equipment for Regular Noise Monitoring

Equipment	Model	Serial No.	Calibration Certificate Expiry Date
	NTi XL2	A2A-13548-E0	5 February 2024
Sound Level Meter	NTi XL2	A2A-13663-F0	14 February 2024
Sound Level Meter	NTi XL2	A2A-17638-E0	3 April 2024
	NTi XL2	A2A-09696-E0	3 April 2024
Acoustic Calibrator	Rion NC-75	34724243	2 August 2024
Acoustic Calibrator	Rion NC-74	34615222	20 March 2024

Monitoring Locations

3.2.3 The monitoring station for construction noise monitoring pertinent to the Project has been identified based on the approved EM&A Manual for TUE of the Project. The location of the construction noise monitoring station during the reporting period is summarised in **Table 3.5** and shown in **Figure 3.2**.

Table 3.5 Noise Monitoring Station during Construction Phase

Monitoring Station ID	Monitoring Station
NM1	Ying Tung Estate

Monitoring Methodology

3.2.4 Monitoring Procedure

- a. Façade measurement was made at NM1.
- b. The battery condition was checked to ensure the correct functioning of the meter.
- c. Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - I. frequency weighting: A
 - II. time weighting: Fast
 - III. time measurement: $L_{eq(30-minutes)}$ during non-restricted hours i.e. 0700-1900 hours on normal weekdays.
- d. Prior to and after each noise measurement, the meter was calibrated using the acoustic calibrator for 94 dB(A) at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1 dB(A), the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
- e. During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.





- f. Noise measurement was paused during periods of high intrusive noise (e.g. dog barking, helicopter noise, etc) if possible. Observations were recorded when intrusive noise was unavoidable.
- g. Noise monitoring was cancelled in the presence of fog, rain, wind with a steady speed exceeding 5m/s, or wind with gusts exceeding 10m/s.

Maintenance and Calibration

- 3.2.5 Maintenance and Calibration procedures are as follows:
 - a. The microphone head of the sound level meter and calibrator were cleaned with a soft cloth at quarterly intervals.
 - b. The meter and calibrator were sent to the supplier or HOKLAS laboratory to check and calibrate at yearly intervals.
 - c. Relevant calibration certificates of the monitoring equipment are provided in **Appendix E**.

Monitoring Schedule for the Reporting Month

3.2.6 The schedule for environmental monitoring in January 2024 is provided in **Appendix F**.





4. IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES

4.1.1 The Contractor has implemented environmental mitigation measures and requirements as stated in the EIA Report, the EP and EM&A Manual. The implementation status of the environmental mitigation measures during the reporting period is summarized in **Appendix C**. Status of required submissions under the EP during the reporting period is summarised in **Table 4.1**.

Table 4.1 Status of Required Submission under Environmental Permit

EP condition	Submission	Submission Date
Condition 3.4	Monthly EM&A Report	15 January 2024
	(December 2023)	13 January 2024





5. MONITORING RESULTS

5.1 Construction Dust Monitoring

5.1.1 The results for 1-hour TSP are summarized in **Table 5.1**. Detailed air quality monitoring results and wind monitoring data extracted from the Chek Lap Kok Automatic Weather Station operated by Hong Kong Observatory are presented in **Appendix G**.

Table 5.1 Summary of 1-hour TSP Monitoring Results

Monitoring	Average	Range	Action Level (μg/m³)	Limit Level
Location	(μg/m³)	(μg/m³)		(μg/m³)
DM-1b	222.2	143.9 – 310.4	327.0	500.0

- 5.1.2 No exceedance of Action or Limit Level was recorded for 1-hour TSP monitoring in the reporting month.
- 5.1.3 The Event and Action Plan is annexed in **Appendix I**.
- 5.1.4 Major dust sources during the monitoring included construction dust and other nearby construction sites.

5.2 Regular Construction Noise Monitoring

5.2.1 The monitoring results for construction noise monitoring are summarized in **Table 5.2** and the monitoring data is provided in **Appendix H**.

Table 5.2 Summary of Construction Noise Monitoring Results

Monitoring Station ID	Range, dB(A), Leq(30mins)	Limit Level, dB(A), Leq(30mins)
NM1*	53.8 – 69.7	75

Remark: * Baseline correction will be made to the measured when the measured noise level exceeded the corresponding baseline noise level and presented in the table.

- 5.2.2 A total of one action level exceedance for noise monitoring was recorded during the reporting month.
- 5.2.3 No Limit Level exceedance was recorded in the reporting month.
- 5.2.4 The Event and Action Plan is annexed in **Appendix I**.
- 5.2.5 Major noise sources during the monitoring included construction noise from the Project site, and other nearby construction sites.

5.3 Waste Management

5.3.1 C&D materials and wastes sorting were carried out on site. Receptacles were available for C&D wastes and general refuse collection,





- 5.3.2 As advised by the Contractor, about 855.22 m³ inert C&D material was generated, 855.22 m³ was disposed of as public fill in the reporting month. No inert C&D materials were reused in other projects or in the Contract in the reporting month. No fill material was imported in the reporting month. About 16.13 tonnes of general refuse was generated in the reporting month. No paper/ cardboard packaging material and plastic was collected by a recycle contractor in the reporting month. No metal was collected by a licensed contractor in the reporting month. No chemical waste was collected by a licensed contractor in the reporting month. The waste flow table is annexed in **Appendix L**.
- 5.3.3 The Contractor is advised to properly maintain on site C&D materials and wastes collection sorting and recording system and maximize reuse/ recycle of C&D materials and wastes. The Contractor is reminded to properly maintain the site tidiness and dispose of the wastes accumulated on site regularly and property.
- 5.3.4 The Contractor is reminded that chemical waste containers should be properly treated and stored temporarily in designated chemical waste storage area on site in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.
- 5.3.5 All dump trucks for C&D materials transportation and disposal had equipped with Global Positioning System (GPS) for real-time tracking and monitoring of their travel routings and parking locations. According to the record of travel routings and parking locations of all dump trucks provided by the Contractor, no track deviation or abnormal parking location was observed during the reporting period.

5.4 Landscape and Visual

5.4.1 Bi-weekly inspection of the implementation of landscape and visual mitigation measures was conducted on 2, 16 and 30 January 2024. A summary of the site inspection is provided on **Appendix C**. The observations and recommendations made during the site inspections are presented in **Table 6.1**.





6. ENVIRONMENTAL SITE INSPECTION AND AUDIT

- 6.1.1 Site inspections were carried out on a weekly basis to monitor the implementation of proper environmental pollution control and mitigation measures for the Project. A summary of the mitigation measures implementation schedule is provided in **Appendix C**.
- 6.1.2 In the reporting month, 5 site inspections were carried out on 2, 9, 16, 23 and 30 January 2024. Joint inspections with the IEC, ER, the Contractor and the ET were conducted on 16 January 2024. No non-compliance was recorded during the site inspection. Details of observations recorded during the site inspections are presented in **Table 6.1**.

Table 6.1 Observations and Reminders of Site Audit

Parameters	Date	Observation/ Reminder	Follow-up Status
	2 January 2024	Reminder 1. The NRMM label on the equipment was found faded at gate 4. The Contractor shall replace it with a new label.	Nil
	9 January 2024	Reminder 1. The contractor was reminded to provide the wheel washing facilities at gate 5.	Nil
Air Quality	16 January 2024	Reminder 1. Dusty materials should be covered with impervious sheeting	Nil
	23 January 2024	Reminder 1. The NRMM label on the equipment was found faded at PM office. The Contractor shall replace it with a new label.	Nil
Noise	Nil	Nil	Nil
Water Quality	Nil	Nil	Nil





Parameters	Date	Observation/ Reminder	Follow-up Status
	2 January 2024	Observation 1. The contractor shall use a drip tray for chemicals to prevent chemical leakage at area W4.	Observation 1. The chemicals were placed on a drip tray on 4 January 2024.
Waste/chemical management	16 January 2024	 Observation The contractor shall provide drip tray for chemical storage properly at area W3 and W4. Oil stain was found at area W4. The contractor shall remove the oil stain. 	Observation 1. The chemicals were placed on a drip tray on 17 January 2024. 2. Oil stain was removed on 17 January 2024.
	30 January 2024	Observation 1. The contractor shall use a drip tray for chemicals to prevent chemical leakage at area W3. Reminder 1. The contractor shall label the designated waste area and use the designated area for keeping waste.	Observation 1. The chemicals were placed on a drip tray on 1 February 2024.
Landscape & Visual	Nil	Nil	Nil
	2 January 2024	Observation 1. The contractor shall display EP at the entrance of PM office.	Observation 1. The EP was displayed on 4 January 2024.
Permits/licenses	9 January 2024	Observation 1. The contractor shall display EP at the entrance of gate 5.	Observation 1. The EP was displayed on 9 January 2024.
	16 January 2024	Observation 1. The contractor shall display EP at the entrance of PM office.	Observation 1. The EP was displayed on 17 January 2024.

6.1.3 All follow-up actions requested by Contractor's ET and IEC during the site inspection were undertaken as reported by the Contractor and confirmed in the following weekly site inspection conducted during the reporting period.





7. ENVIRONMENTAL NON-CONFORMANCE

7.1 Summary of Monitoring Exceedances

- 7.1.1 No Action or Limit Level exceedance was recorded for 1-hour TSP monitoring in the reporting month.
- 7.1.2 A total of one action level exceedance for noise monitoring was recorded during the reporting month.
- 7.1.3 No Limit Level exceedance for construction noise monitoring was recorded at the monitoring station in the reporting month.
- 7.1.4 Summary of Notification of Exceedance is provided in **Appendix K**.

7.2 <u>Summary of Environmental Non-Compliance</u>

7.2.1 No environmental non-compliance was recorded in the reporting month.

7.3 <u>Summary of Environmental Complaints</u>

7.3.1 One noise related complaint was referred by EPD on 16 January 2024. The complaint investigation report was submitted to EPD on 29 January 2024. Cumulative statistics on environmental complaints is provided in **Appendix J**.

7.4 Summary of Environmental Summon and Successful Prosecutions

7.4.1 No environmental related prosecution or notification of summons was received in the reporting month. Cumulative statistics on notification of summons and successful prosecutions is provided in **Appendix J**.





8. FUTURE KEY ISSUES

8.1 Construction Programme for the Next Three Months

8.1.1 The tentative construction programme for the next three months is presented in **Appendix A**.

The major construction works between February 2024 to April 2024 will be:

Table 8.1 Major Construction for the Next Three Months

Location	Site Activities					
TCE	Site formation works					
	Piling works in Integrated Entrance					
	Retaining wall construction					
	Construction of OHL Mast & Portal and plate load test					
	Construction of Cable Draw Pit and Cable Trough					
	PM site office construction					
	Load test and proof drill for piles in Station and Integrated Entrance					
	area					
	Construction of temp plant room at Area W1					
	Earth mat installation					
	Drainage works and ELS works in Station area and Integrated					
	Entrance					

8.2 <u>Key Issues for the Coming Month</u>

8.2.1 Potential environmental impacts arising from the above construction activities are mainly associated with construction dust impact, noise impact, water quality and waste management.

8.3 Monitoring Schedule for the Next Month

8.3.1 The monitoring schedule for the next reporting month is presented in **Appendix F**.





9. CONCLUSION AND RECOMMENDATIONS

9.1 Conclusions

- 9.1.1 1-hour TSP and noise monitoring were carried out in the reporting month.
- 9.1.2 No Action or Limit Level exceedance was recorded for 1-hour TSP monitoring in the reporting month.
- 9.1.3 A total of one action level exceedance for noise monitoring was recorded during the reporting month.
- 9.1.4 No Limit Level exceedance was recorded for noise monitoring in the reporting month.
- 9.1.5 5 nos. of environmental site inspections were carried out in January 2024. Recommendations on remedial actions were given to the Contractor for the deficiencies identified during the site audit.
- 9.1.6 One complaint was reported in the reporting month. And no non-compliance was reported in the reporting month.
- 9.1.7 No notification of summons or prosecution was received in the reporting month.

9.2 Comments and Recommendations

9.2.1 According to the environmental site inspections performed in the reporting month, the following recommendations were provided:

Air Quality Impact

- Display proper NRMM Label.
- Wash the vehicle wheel properly before leaving the site.
- Cover the dusty materials.

Construction Noise Impact

• No specific observation was identified in the reporting month.

Water Quality Impact

• No specific observation was identified in the reporting month.

Chemical and Waste Management

- Provide drip tray for chemicals and equipment to prevent chemical leakage.
- Clear the waste sorting area regularly.

Landscape & Visual Impact

• No specific observation was identified in the reporting month.





Permits/licenses

• Display the EP at the site entrance.






Figures


























Appendix A Tentative Construction Programm












Appendix B Project Organization Structure





Project O-Chart







Appendix C Implementation Schedule of Environmental Mitigation Measures





Appendix C

Implementation Schedule of Environmental Mitigation Measures

EM&A Log Ref Constru	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
D1	 The following dust suppression measures/practices should be incorporated: Regular watering once per hour on all exposed construction areas with dust emission and haul road will be implemented; Vehicle washing facilities should be provided at every designated exit point of the construction worksites; Any excavated or stockpile of dusty material should be covered entirely by impervious sheeting or sprayed with water to maintain the entire surface wet and then removed or backfilled or reinstated where practicable for the excavation or unloading; 	Minimise dust impact at the nearby sensitive receivers	Contractor	All construction sites	Construction phase	APCO To control the dust impact to meet HKAQO and EIAO- TM	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Any dusty materials remaining after a stockpile is removed should be wetted with water and cleared from the surface of roads; A stockpile of dusty material should not be extended beyond the pedestrian barriers, fencing or traffic cones; The load of dusty materials on a vehicle leaving a construction site should be covered entirely by impervious sheeting to ensure that the dusty materials do not leak from the vehicle; Where practicable, vehicle washing facilities with high pressure water jet should be provided at every discernible or designated vehicle exit point. The area where vehicle washing takes place and the road section between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores; 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 When there are open excavation and reinstatement works, hoarding of not less than 2.4m high should be provided as far as practicable along the site boundary with provision for public crossing. Good site practice shall also be adopted by the Contractor to ensure the conditions of the hoardings are properly maintained throughout the construction period; The portion of any road leading only to the construction site that is within 30m of a vehicle entrance or exit should be kept clear of dusty materials; Surfaces where any pneumatic or power-driven drilling, cutting, polishing or other mechanical breaking operation takes place should be sprayed with water or a dust suppression chemical continuously; Any area that involves demolition activities should be sprayed with water or a dust 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	suppression chemical immediately prior to, during and immediately after the activities so as to maintain the entire surface wet; • Where scaffolding is erected around the perimeter of a building under construction, effective dust screens, sheeting or netting should be provided to enclose the scaffolding from the ground floor level of the building, or a canopy should be provided from the first floor level up to the highest level of the scaffolding; • Any skip hoist for material transport should be totally enclosed by impervious sheeting; • Every stock of more than 20 bags of cement or dry pulverised fuel ash (PFA) should be covered entirely by impervious sheeting or placed in an area sheltered on the top and the 3 sides; • Cement or dry PFA delivered in bulk should be stored in a closed silo fitted with an						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 audible high level alarm which is interlocked with the material filling line and no overfilling is allowed; Loading, unloading, transfer, handling or storage of bulk cement or dry PFA should be carried out in a totally enclosed system or facility, and any vent or exhaust should be fitted with an effective fabric filter or equivalent air pollution control system; Cement or dry PFA delivered in bulk should be stored in a closed silo fitted with an audible high level alarm which is interlocked with the material filling line and no overfilling is allowed; Loading, unloading, transfer, handling or storage of bulk cement or dry PFA should be carried out in a totally enclosed system or facility, and any vent or exhaust should be fitted with an effective fabric filter or equivalent air pollution control system; and 						





	Therriteport (Sundary 2021)						
EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	• Exposed earth should be properly treated by compaction, turfing, hydroseeding, vegetation planting or sealing with latex, vinyl, bitumen, shotcrete or other suitable surface stabilisers within six months after the last construction activity on the construction site or part of the construction site where the exposed earth lies.						
D2	The following good site practices to reduce the exhaust emission from the use of non-road mobile machinery and construction plant and equipment should be implemented: Regulated machines shall be used and exempted NRMMs should be avoided where practicable; Use cleaner fuel such as ULSD in dieseloperated construction plant to reduce sulphur dioxide emission; Use of electric PMEs where practicable;	Control emissions from non-road mobile machinery	Contractor	All construction sites	Construction phase	• Air Pollution Control (NRMMs) (Emission) Regulation • To control the fuel combustion	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Use power supplied from power utilities when practicable (e.g. to replace generators); Switch off the engine of PMEs when idling; Implement regular and proper maintenance for plant and equipment; Employ plant and equipment of adequate size and power output and avoid overloading of the plant; Locate the PMEs away from sensitive receivers as far as possible; and Erect screen to shield the emission source from sensitive receivers where necessary and practicable 					emission from PMEs	





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
D3	Implement regular dust monitoring under EM&A programme during the construction phase.	Monitoring of dust impact		Selected dust monitoring stations	Construction phase	• EIAO-TM	Implemented
Construc	ction Noise						
N1	 The following measures should be implemented: only well-maintained plant should be operated onsite and plant should be serviced regularly during the construction programme; machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum; 	Control construction airborne noise		All construction sites	Construction	• Annex 5, EIAO-TM	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs; silencers or mufflers which available on construction equipment should be properly fitted and maintained during the construction works; spoil transportation routes should be directed away from NSRs as far as practicable; mobile plant should be sited as far away from NSRs as possible and practicable; material stockpiles, site office and other structures should be effectively utilised, where practicable, to screen noise from onsite construction activities; noise monitoring at selected NSRs should be conducted as far as practicable; and 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 provide designated unloading areas at barging point away from the NSR as far as possible 						
N2	Use of quiet plant which should be made reference to the Powered Mechanical Equipment (PME) listed in the Technical Memorandum or the Quality Powered Mechanical Equipment (QPME) / other commonly used PME listed in Environmental Protection Department (EPD) web pages as far as possible which includes the Sound Power Level (SWLs) for specific quiet PME.	Reduce the noise levels from plant items	Contractor	All construction sites where practicable	Construction	• Annex 5, EIAO-TM	Implemented
N3	Install movable temporary noise barriers (typical design is wooden framed barrier with a small-cantilevered upper portion of superficial density no less than 7kg/m² on a skid footing with 25mm thick internal sound absorptive lining), and full enclosure, screen the noisy plants including water pump etc.	Minimize the construction noise levels through screening	Contractor	All construction sites	Construction phase	• Annex 5, EIAO-TM	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
N6	Implement an airborne construction noise monitoring under EM&A programme.	Monitor the airborne construction noise levels at the selected representative locations		Selected noise monitoring stations	Construction phase	• Annex 5, EIAO-TM	Implemented
Water Q	uality (Construction Phase)						
W1	General Construction Activities Best Management Practices (BMPs) should be implemented as far as practicable according to The Professional Persons Environmental Consultative Committee (ProPECC) Practice Note (PN) 1/94 "Construction Site Drainage". The details of BMPs are presented as follows: • All effluent discharged from the construction site should comply with the standards stipulated in the DSS-TM;	To reduce water quality impact from construction site runoff and general construction activities	Contractor	All construction sites	Construction phase	 WPCO ProPECC (PN1/94) EIAO-TM DSS-TM DSD Technical Circular No. 1/2017 	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	Discharge surface and road runoff from construction sites including barging point into storm drains via adequately designed sand/silt removal facilities such as sand traps, silt traps, and sedimentation tanks with sufficient retention time. Provide channels or earth bunds or sandbag barriers on-site during construction works to properly direct stormwater to such silt removal facilities. Provide perimeter channels on-site boundaries where necessary to intercept storm runoff from outside the site so that it will not wash across the site. Install catch pits and perimeter channels in advance of site formation works and earthworks;						





	1 () /						
EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures& Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Covered the temporarily exposed slope surfaces e.g. by a tarpaulin. Protect the temporary access roads by crushed stone or gravel, as excavation proceeds as far as practicable. Install intercepting channels (e.g. along the crest/edge of excavation) to prevent storm runoff from washing across exposed soil surfaces. Carried out adequate surface protection measures safely well before the arrival of a rainstorm; Compact the final surfaces of earthworks properly and execute the subsequent permanent work or surface protection immediately after the final surfaces are formed to prevent erosion caused by rainstorms. Install appropriate drainage like intercepting channels where necessary; 						
			1				





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures& Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation
	 If excavation of trenches in wet seasons is necessary, they should be dug and backfilled in short sections as far as practicable to minimize the ingress of rainwater into trenches. Discharge the rainwater pumped out from trenches or foundation excavations into storm drains via silt removal facilities; Recondition and reuse the bentonite wherever practicable to minimise the disposal volume of used bentonite slurries. Provide temporary enclosed storage locations on-site for any unused bentonite that needs to be transported away after the related construction activities are completed. The process of handling and disposing of bentonite slurries should follow the requirements as stipulated in ProPECC PN 1/94; 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Cover the open stockpiles of construction materials (e.g. aggregates, sand and fill material) on sites with tarpaulin or similar fabric during rainstorms; Cover and temporarily sealed manholes (including newly constructed ones) adequately so as to prevent silt, construction materials, or debris from getting into the drainage system, and to prevent storm runoff from getting into foul sewers. Avoid discharging surface runoff into foul sewers in order not to unduly overload the foul sewerage system; and Clean the construction sites on a regular basis (e.g. remove the rubbish and litter from the construction sites). 						
W6	Sewage Effluent from Construction Workforce	To reduce water quality impact from	Contractor	All construction	Construction phase	• WPCO	Implemented





EM&A Log	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be	Implementation status
Ref		Concerns to address				achieved	
	 No discharge of sewage to the stormwater system and marine water will be allowed; Establish adequate and sufficient portable chemical toilets in the works areas to 	wastewater from construction workforce.		sites		ProPECC (PN1/94)EIAO-TMDSS-TM	
	handle sewage from the construction workforce; • Employ a registered waste collector to					D55-1W	
	clean and maintain the chemical toilets on a regular basis; and						
	 Notices should be posted at conspicuous locations to remind the workers not to discharge any sewage or wastewater into the surrounding environment. 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location /	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
W7	 Contractor must register as a chemical waste producer if chemical wastes would be produced from the construction activities; Any chemical waste generated shall be managed in accordance with the Waste Disposal (Chemical Waste) (General) Regulation; The Contractor should develop management procedures for chemicals used and prepare an emergency spillage handling procedure to deal with chemical spillage in case of an accident occurs; Any services and maintenance facilities should be located on hard standings within a bunded area, and sumps and oil interceptors should be provided. 	To minimise water quality impact from accidental spillage of chemicals	Contractor	All construction sites	Construction phase	 WPCO ProPECC (PN1/94) EIAO-TM DSS-TM WDO 	Implemented after observation





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location /	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	Maintenance of vehicles and equipment involving activities with the potential for leakage and spillage should only be undertaken within the areas appropriately equipped to control these discharges; The service and maintenance as well as any chemical storage area would be avoided to position near the watercourse as a safe guard; The Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes published under the Waste Disposal Ordinance shall be followed to deal with chemical wastes; Suitable containers should be used to hold the chemical wastes to avoid leakage or						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location /	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 spillage during storage, handling, and transport; Chemical waste containers should be suitably labelled, to notify and warn the personnel who are handling the wastes, to avoid accidents; Storage area should be selected at a safe location on-site and adequate space should be allocated to the storage area; Sufficient ground investigation and soil testing should be carried out; All charted drill holes should be checked by engineer to ensure proper seal up prior to the TBM passing; and The Contractor should devise a contingency plan for any accidental spillage and heavy rainfall event. 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location /	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
W9	 The following mitigation measures for sewage and other wastewater will be implemented. Standard oil/grit interceptors/chambers should be provided where necessary before discharge to public sewers; A discharge licence for the discharge of commercial and industrial effluent shall be applied; The bleed off water from the freshwater cooling chiller should be recycled for flushing use as far as practical, with any excess bleed off be discharged into the sewerage system; and The practices outlined in ProPECC PN 5/93 for handling, treatment and disposal of effluent should be adopted. 	To minimize the water quality impact from sewage and other wastewater	MTR Corporation	Whole alignment	Operational Phase	 WPCO ProPECC PN 5/93 DSS-TM 	NA





EM&A Log Ref Waste M	Recommended Mitigation Measures Sanagement (Construction Phase)	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
WM1	 Good Site Practices The following good site practices are recommended to reduce waste generation during construction: Nomination of an approved personnel, such as a site manager, to be responsible for the implementation of good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site; Training of site personnel in site cleanliness, appropriate waste management procedures and concepts of waste reduction, reuse and recycling; 	throughout the	Contractor	All construction sites	Construction phase	 WDO ETWB TCW No. 19/2005 	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Provision of sufficient waste disposal points and regular collection for disposal; Appropriate measures to minimize windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers; Regular cleaning and maintenance programme for drainage systems, sumps and oil interceptors; Provision of wheel washing facilities at the site exit before the trucks leave the works areas; and The Contractor should prepare a Waste Management Plan (WMP) as part of the Environmental Management Plan (EMP) in accordance with the ETWB TCW No. 19/2005. The WMP should be submitted to 						





EM&A Log Ref	Recommended Mitigation Measures the Engineer for approval. Mitigation	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	measures proposed in the EIA Report and the EM&A Manual should be adopted.						
WM2	 Waste Reduction Measures The following recommendations are proposed to achieve reduction of waste: Segregate and store different types of waste in different containers, skip or stockpiles to enhance reuse or recycling of materials and their proper disposal; Proper storage and good site practices to minimize the potential for damage and contamination of construction materials; Plan and stock construction materials carefully to minimize amount of waste generated and avoid unnecessary generation of waste; 	Reduce waste generation	Contractor	All construction sites	Construction phase	• WDO	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Sort out demolition debris and excavated materials from demolition works to recover reusable/ recyclable portions (i.e. soil, broken concrete, metal etc.); and Provide training to workers on the importance of appropriate waste management procedures, including waste reduction, reuse and recycling. 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
WM3	 Storage, Collection and Transportation of Waste The following recommendation should be implemented to minimise the impacts from storage, collection and transportation of waste: Non-inert C&D materials such as top soil should be handled and stored well to ensure secure containment of the materials; Stockpiling area should be provided with covers and water spraying system to prevent materials from windblown or being washed away; and 	Minimise impact to the environment due to storage, collection and transport of waste		All construction sites	Construction phase	 WDO Land (Miscellaneous Provisions) Ordinance ETWB TCW No. 19/2005 	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Different locations should be designated to stockpile each material to enhance reuse. Remove waste in timely manner; Employ the trucks with cover or enclosed containers for waste transportation; Obtain relevant waste disposal permits from the appropriate authorities; Disposal of waste should be done at licensed waste disposal facilities; All dump trucks engaged on site for delivery of inert C&D material from the site to PFRFs should be equipped with GPS or equivalent system for tracking and monitoring of their travel routings and parking locations by the Contractor. The data collected by GPS or equivalent system should be recorded properly for checking and analysis by ET and IEC; 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 A Construction and Demolition Material Management Plan (C&DMMP) should be prepared in accordance with Section 4.1.3 "Construction and Demolition Materials" of the Project Administration Handbook for Civil Engineering Works and will be submitted together with the EIA Report to Public Fill Committee (PFC) for approval; Carry out on-site sorting for C&D materials; 						
	 Make provisions in the Contract documents to allow and promote the use of recycled aggregates where appropriate; and Implement a trip-ticket system for each works contract in accordance with DEVB TCW No. 06/2010. 						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation
WM4	 On-site Sorting of C&D Materials Storage areas should be provided in the site for temporary storage of inert C&D materials during construction phase. All C&D materials arising from the construction would be sorted on-site to recover the inert C&D materials and reusable and recyclable materials prior to disposal off-site as far as practicable. Non-inert portion of C&D materials should be reused whenever possible and be disposal of at landfills as a last resort. The Contractor should devise a system to work for on-site sorting of C&D materials and promptly 	Minimize impacts from C&D handling waste materials	Contractor	All construction sites	Construction phase	 WDO ETWB TCW No. 19/2005 Land (Miscellaneous Provisions) Ordinance 	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	remove all sorted and processed material arising from the construction activities to minimize temporary stockpiling on-site. The system should include the identification of the source of generation, estimated quantity, arrangement for onsite sorting and/or collection, temporary storage areas, and frequency of collection by recycling contractors or frequency of removal off-site.						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
WM5	 Reuse of C&D Materials Reuse suitable inert C&D materials on-site as far as practicable; Reuse suitable excavated rock by reworking at approved quarries (e.g. crushed as aggregates); Sorting of demolition debris and excavated materials from demolition works to recover reusable/ recyclable portions (e.g. soil, broken concrete, metal); and Protect recyclable material to keep it in usable condition. 	materials handling	Contractor	All construction sites	Construction phase	 WDO ETWB TCW No. 19/2005 Land (Miscellaneous Provisions) Ordinance 	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation
WM6	 Specification of Inert C&D Materials to be Delivered Offsite In case there are surplus inert C&D materials generated in the Project and are required to delivered to the Public Fill Reception Facilities (PFRFs), the inert C&D materials should fulfil the following requirements: Reclaimed asphalt pavement will not be mixed with other materials when delivered to the public fill reception facilities; Moisture content of inert C&D materials will be lowered to 25% max. when delivered to the public fill reception facilities; Inert C&D materials delivered to the public fill reception facilities should be a size less than 250mm; and 	generation	Contractor	All construction sites	Construction phase	ETWB TCW No. 19/2005 Land (Miscellaneous Provisions) Ordinance	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation
	Inert construction waste shall not be in liquid form such that it can be contained and delivered by dump truck as far as possible. Inert C&D materials in liquid form shall be solidified before delivering to the public fill reception facilities.						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
WM7	 Use of Standard Formwork and Planning of Construction Materials purchasing Standard formwork should also be used as far as practicable to minimise the arising of non-inert C&D materials; Use of more durable formwork (e.g. metal hoarding) or plastic facing should be encouraged in order to enhance the possibility of recycling; and Purchasing of construction materials should be carefully planned in order to avoid over ordering and wastage. 	Reduce waste generation	Contractor	All construction sites	Construction phase	• N.A.	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation
WM8	 Excavated land-based marine sediment should be reused as far as possible within the Project Site before considering disposal. Marine disposal option for the land-based marine sediment should only be considered as the last resort upon exhaustion of reuse options. All construction plant and equipment shall be designed and maintained to minimise the risk of sediments being released into the water column or deposited in the locations other than designated location. All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to minimise that undue 	Handling excavated sediment	Contractor	All construction sites where applicable	Construction phase	 ETWB TCW No. 34/2002 DASO 	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation
	turbidity is not generated by turbulence from vessel movement or propeller wash. • Adequate freeboard shall be maintained on barges to ensure that decks are not washed by wave action. • The Contractor shall monitor all vessels transporting the excavated sediment. The Contractor shall keep and produce logs and other records to demonstrate compliance and that journeys are consistent with designated locations and copies of such records shall be submitted to the Engineers. • The Contractor shall comply with the conditions in the dumping permit issued under the Dumping at Sea Ordinance (DASO).						





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 The Contractor shall comply with the conditions in the dumping permit issued under the Dumping at Sea Ordinance (DASO). All bottom dumping vessels (hopper barges) shall be fitted with tight fittings seals to their bottom openings to prevent leakage of material. The excavated sediment shall be placed into the disposal pit by bottom dumping. Discharge shall be undertaken rapidly and the hoppers shall be closed immediately. Sediment adhering to the sides of the hopper shall not be washed out of the hopper and the hopper shall remain closed until the barge returns to the disposal site. 						





cement is to be used for backfilling on-site, the sediment construction phase No. 34/2002	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation
followed. • The loading, unloading, handling, transfer or storage of bulk cement should be carried out in an enclosed system as far as practicable; • Mixing process and other associated material handling activities should be properly scheduled to minimise potential noise impact and dust emission; and • The mixing facilities should be sited as far apart as practicable from the nearby NSRs and to be sited under covers to minimise dust nuisance to the nearby		 cement is to be used for backfilling on-site, the following mitigation measures should be followed. The loading, unloading, handling, transfer or storage of bulk cement should be carried out in an enclosed system as far as practicable; Mixing process and other associated material handling activities should be properly scheduled to minimise potential noise impact and dust emission; and The mixing facilities should be sited as far apart as practicable from the nearby NSRs and to be sited under covers to 		Contractor	construction sites where			Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
WM10	Reduce the generation quantities or select a chemical type of less impact on environment, health and safety as far as possible; and If chemical wastes are produced at the construction site, the Contractors should register with EPD as chemical waste producer. Chemical wastes should be stored in appropriate containers and collected by a licensed chemical waste collector. Chemical wastes (e.g. spent lubricant oil) should be recycled at an appropriate facility as far as possible, while the chemical waste that cannot be recycled should be disposed of at either the Chemical Waste Treatment Centre, or another licensed facility, in accordance	Control the chemical waste and ensure proper storage, handling and disposal	Contractor	All construction sites	Construction phase	 Waste Disposal (Chemical Waste) (General) Regulation Code of Practice on the Packaging, Labelling and Storage of Chemical Waste 	





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	with the Waste Disposal (Chemical Waste) (General) Regulation.						
WM11	 General Refuse General refuse should be stored in enclosed bins separately from construction and chemical wastes. Recycling bins should also be placed to encourage recycling; Preferably enclosed and covered areas should be provided for general refuse collection and routine cleaning for these areas should also be implemented to keep areas clean; A reputable waste collector should be employed to remove general refuse on a daily basis; 	Minimise production of the general refuse and avoid odour, pest and litter impacts	Contractor	All construction sites	Construction phase	• WDO	Implemented





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
	 Arrangements should be made with the recycling companies to collect the recycle waste as required; The Contractor should implement an education programme for workers relating to avoiding, reducing, reusing and recycling general waste; and Participation in a local collection scheme should be considered by the Contractor to facilitate waste reduction. 						



EM&A		Objectives of the				Requirements	
	D	Recommended	Implementation	Location /	Implementation	and / or	Implementation
Log	Recommended Mitigation Measures	Measures & Main	Agent	Timing	Phase	standards to be	status
Ref		Concerns to address				achieved	
Ecology	Ecology (Construction Phase)						
E1	Avoidance of marine works	To avoid any	Contractor	All	Construction	• EIA	NA
		impacts on the		construction	phase		
		important marine/		sites			
		intertidal					
		ecological resources					
E2	Avoidance of Tung Chung River and its estuary,	To avoid any impacts	Contractor	All	Construction	• EIA	Implemented
	and Tai Ho Wan	on the ecological		construction	phase		
		important area		sites near			
				Tung Chung			
				River and			
				Tai Ho Wan			
E3	Avoidance of works within intertidal zone of Tung	To avoid any	Contractor	All	Construction	• EIA	NA
	Chung Bay	impacts on the		construction	phase		
		important intertidal		sites			
		ecological resources		near			
		_		Tung Chung			
				Bay			





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
E4	Avoidance of country parks, SSSI, CA and CPA	To avoid any ecological impacts	Contractor	All construction sites	Construction phase	• EIA	NA
E5	Avoidance of mature woodland	To avoid impact on mature woodland	Contractor	All construction sites	Construction phase	• EIA	NA
E6	Avoidance of re-diversion of Wong Lung Hang Nullah	To avoid any direct impacts on the Wong Lung Hang Estuary area	Contractor	All construction sites	Construction phase	• EIA	NA
E7	A protection zone should be set up for one individual of <i>Aquilaria sinensis</i> and <i>Canthium Dicoccum</i> on the plantation slope along Shun Tung Road	To protect the individuals of flora species	Contractor	Construction sites at the EAP/ EEP	Construction phase	• EIA	NA





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
E8	 Minimisation of Human Disturbance during Construction Install site hoarding of appropriate height along site boundaries; Construction activities and material storage should be strictly confined within the construction sites; and For TCW section, dedicated access to the nearby ecologically sensitive areas outside of the construction sites, works areas, and works sites is not allowed due to the proximity to the Wong Lung Hang estuary and Tung Chung Bay. 	To minimise disturbance due to human activities during construction to the nearby areas.	Contractor	All construction sites	Construction phase	• EIA	Implemented
Landsca	pe and Visual (Construction Phase)						
CM1	Tree Preservation Existing trees to be retained within the Project Site shall be protected carefully during construction.	Protect and preserve tree	Contractor	All construction sites	Construction Phase	EIAO-TMDEVB TCWNo. 4/2020	Implemented





EM&A Log Ref	Recommended Mitigation Measures Tree Transplanting Trees unavoidably affected by the Project works shall be transplanted where practical. Approximately 170 nos. of trees are proposed to	Objectives of the Recommended Measures & Main Concerns to address Transplant Trees where suitable for transplantation	Implementation Agent Contractor/ MTR Corporation	Location / Timing All construction sites	Implementation Phase Construction Phase	Requirements and / or standards to be achieved • EIAO-TM • DEVB TCW No. 4/2020	Implementation status
CM3	be transplanted at Shun Tung Road and Yu Tung Road. Landscape Reinstatement All hard and soft landscape areas disturbed temporarily during construction shall be reinstated on like-to-like basis as far as possible, to the satisfaction of the relevant Government Departments.	Reinstate the landscape environment	Contractor	All construction sites	Construction Phase	• EIAO-TM	NA
CM4	Lighting Control All security floodlights for construction sites should be carefully controlled to minimize light pollution and nighttime glare to nearby users.	Minimise impact of nighttime lighting and glare	Contractor	All construction sites	F	Guidelines on Industry Best Practices for External Lighting Installations	NA





EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
CM5	Erection of Screen Hoarding Construction site hoarding should be erected around the work sites and work areas to screen pedestrian level views into the construction area from visual sensitive receivers. Hoarding design shall be compatible with the surrounding context as far as practicable.	Screen undesirable views of the construction sites	Contractor	All construction sites	Construction phase		Implemented
CM6	Optimization of Construction Areas Control of construction areas shall be enforced, where possible, to ensure that the landscape and visual impacts arising from the construction activities are minimised. It includes optimising the extent of working areas and temporary works areas, management on storing and using the construction equipment and materials, and consideration of detailed schedules to shorten the construction period.	Minimise impacts from construction activities on adjacent landscape and visual sensitive receivers.	Contractor	All construction sites	Construction phase		Implemented





EM&A Log Ref EM&A	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Implementation Agent	Location / Timing	Implementation Phase	Requirements and / or standards to be achieved	Implementation status
EM1	An Independent Environmental Checker needs to be employed as per the EM&A Manual.	Control EM&A performance	MTR Corporation	All construction sites	Construction Phase	 EIAO Guidance Note No.4/2010 EIAO-TM 	Implemented
EM2	 An Environmental Team needs to be employed as per the EM&A Manual. An environmental impact monitoring needs to be implementing by the Environmental Team to ensure all the requirements given in the EM&A Manual are fully complied with. 	Perform environmental monitoring and auditing	Contractor/ MTR Corporation	All construction sites	Construction Phase	 EIAO Guidance Note No.4/2010 EIAO-TM 	Implemented





Appendix D
Summary of Action and Limit Levels





Appendix D – Summary of Action and Limit Levels

Table 1 Action and Limit levels for 1-hour TSP

Monitoring Location ID	Location	Action Level (μg/m³)	Limit Level (μg/m³)
DM-1b	G/F of Ying Yuet House	327	500

Table 2 Action and Limit Levels for Construction Noise (0700-1900 hrs of normal weekdays)

Monitoring Location ID	Location	Action Level	Limit Level (dB(A))
NM1	Ying Tung Estate	When one documented complaint is received	75





Appendix E Calibration Certificates of Equipment





Air Quality Monitoring Equipment





HIVOL SAMPLER CALIBRATION DATA SHEET (TSP)

Site information						
Location: Tung Chung East Site ID: DM-1b Date: 06-Dec-2023						
Serial No:	1086	Model:	TE-5170X	Operator:	Andy Li	

Ambient Condition

	Tanbient Condition						
Actual Pressure during Calibration (P _a) (mm Hg):	762 2	Actual Temperature during Calibration (T _a) (deg K):	294.7				

Calibration Orifice

		••	
Model:	TE-5028A	Slope (m _c):	1.68024
Serial No.:	3702	Intercept (b _c):	-0.04353
Calibration Due Date:	31-Mar-24	Corr. Coeff:	0.99994

Calibration Data

Plate or	∆H ₂ O	Qa, X-Axis	I, CFM	IC, Y-Axis
Test#	(in)	(m³/min)	(chart)	(corrected)
1	1.80	0.831	40.0	40.31
2	3.00	1.065	49.0	49.38
3	3.90	1.210	53.0	53.41
4	4.80	1.340	56.0	56.44
5	5.40	1.420	60.0	60.47

Sampler Calibtation Relationship (Qa on x-axis, IC on y-axis)

m=	32.7174	b= 13.6220	Corr. Coeff= 0.99	51
m=		b= 13.6220	Corr. Coeff= 0.99	51


Calculations

Qa = $1/m_c^*[Sqrt (\Delta H_2O^*(P_a/P_{Std})^*(T_{Std}/T_a)) - b_c]$ $IC = I*(Sqrt(P_a/P_{Std})*(T_{Std}/T_a))$

Oa = actual flow rate IC = corrected chart response I = actual chart response b_c = calibrator intercept

m = sampler slope b = sampler intercept T_{Std} = 298 deg K P_{Std} = 760 mm Hg

T_a = actual temperature during calibration (deg K) P_a = actual pressure during calibration (mm Hg)



Checked by: F.C Tsang Joseph Beng Environemntal Team Leader

06-Dec-2023 Date:







RECALIBRATION DUE DATE:

March 31, 2024

Certificate of Calibration

Calibration Certification Information

Cal. Date: March 31, 2023 Rootsmeter S/N: 438320 Ta: 294 °K

Operator: Jim Tisch Pa: 748.54 mm Hg

Calibration Model #: TE-5028A Calibrator S/N: 3702

Run	Vol. Init (m3)	Vol. Final (m3)	ΔVol. (m3)	ΔTime (min)	ΔP (mm Hg)	ΔH (in H2O)
1	1	2	1	1.3110	4.1	1.50
2	3	4	1	1.0280	6.7	2.50
3	5	6	1	0.9340	8.1	3.00
4	7	8	1	0.8680	9.4	3.50
5	9	10	1	0.6580	16.2	6.00

		Data Tabulat	ion		
Vstd (m3)	Qstd (x-axis)	$\sqrt{\Delta H \left(\frac{Pa}{Pstd}\right) \left(\frac{Tstd}{Ta}\right)}$ (y-axis)	Va	Qa (x-axis)	√∆H(Ta/Pa)
0.9929	0.7573	1.2237	0.9945	0.7586	0.7676
0.9894	0.9624	1.5798	0.9910	0.9641	0.9909
0.9875	1.0573	1.7306	0.9892	1.0591	1.0855
0.9858	1.1357	1.8693	0.9874	1.1376	1.1725
0.9767	1.4844	2.4474	0.9784	1.4869	1.5351
	m=	1.68024		m=	1.05214
QSTD	b=	-0.04353	QA	b=	-0.02731
	Γ=	0.99994		r=	0.99994

	Calculation	15	
Vstd=	ΔVol((Pa-ΔP)/Pstd)(Tstd/Ta)	Va≕	ΔVol((Pa-ΔP)/Pa)
Qstd=	Vstd/\DeltaTime	Qa=	Va/ΔTime
	For subsequent flow rat	e calculatio	ns:
Qstd=	$1/m\left(\left(\sqrt{\Delta H\left(\frac{P_{a}}{Pstd}\right)\left(\frac{Tstd}{Ta}\right)}\right)-b\right)$	Qa=	1/m ((√∆H(Ta/Pa))-b

No.	
	Standard Conditions
Tstd:	298.15 °K
Pstd:	760 mm Hg
	Key
ΔH: calibrator	manometer reading (in H2O)
ΔP: rootsmete	er manometer reading (mm Hg)
Ta: actual abs	olute temperature (°K)
Pa: actual bar	ometric pressure (mm Hg)
b: intercept	
m: slope	

RECALIBRATION

US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30.

Tisch Environmental, Inc. 145 South Miami Avenue /illage of Cleves, OH 45002 www.tisch-env.com

TOLL FREE: (877)263-7610 FAX: (513)467-9009





Noise Monitoring Equipment



Certificate of Calibration

for

Description:

Sound Level Meter

Manufacturer:

NTi Audio

Type No.:

XL2 (Serial No.: A2A-13548-E0)

Microphone:

ACO 7052 (Serial No.: 73912)

Preamplifier:

NTi Audio M2211 MA220 (Serial No.:5735)

Submitted by:

Customer:

Acuity Sustainability Consulting Limited

Address:

Unit E, 12/F, Ford Glory Plaza,

Nos. 37-39 Wing Hong Street,

Cheung Sha Wan, Kowloon, Hong Kong

Upon receipt for calibration, the instrument was found to be:

Within (31.5Hz – 8kHz)

☐ Outside

the allowable tolerance.

The test equipment used for calibration are traceable to National Standards via:

 The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

Date of receipt: 2 February 2023

Date of calibration: 6 February 2023

Date of NEXT calibration: 5 February 2024

Calibrated by:

Calibration Technician

Certified by:

Mr. Ng Yan Wa Laboratory Manager

Date of issue: 6 February 2023

Certificate No.: APJ22-124-CC001

ion in the second

Page 1 of 4

Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street , Fo Tan, Shatin, N.T., Hong Kong Tel: (852) 2668 3423 Fax: (852) 2668 6946

Homepage: http://www.aa-lab.com

E-mail: inquiry@aa-lab.com







1. Calibration Precaution:

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

2. Calibration Conditions:

Air Temperature: 23.9 °C Air Pressure: 1006 hPa Relative Humidity: 47.9 %

3. Calibration Equipment:

Calibration Type Serial No. Traceable to Report Number **Multifunction Calibrator** B&K 4226 2288467 AV220061 HOKLAS

4. Calibration Results

Sound Pressure Level

Reference Sound Pressure Level

Setting of Unit-under-test (UUT)			Appl	ied value	UUT Reading,	IEC 61672 Class 1	
Range, dB	Freq. V	Veighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
30-130	dBA	SPL	Fast	94	1000	94.1	±0.4

Linearity

Sett	ing of U	nit-under-t	est (UUT)	App	Applied value		IEC 61672 Class 1
Range, dB	Freq.	Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
				94		94.1	Ref
30-130	dBA	SPL	Fast	104	1000	104.1	±0.3
				114		114.1	±0.3

Time Weighting

Setting of Unit-under-test (UUT)			App	lied value	UUT Reading,	IEC 61672 Class 1	
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
30-130	dBA	SPL	Fast	0.4	1000	94.1	Ref
30-130	UDA	SFL	Slow	94	1000	94.1	±0.3

Certificate No.: APJ22-124-CC001

Page 2 of 4

Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street, Fo Tan, Shatin, N.T., Hong Kong Tel: (852) 2668 3423 Fax:(852) 2668 6946







Acoustics and Air Testing Laboratory Co. Ltd. 聲學及空氣測試實驗室有限公司

Frequency Response

Linear Response

Setting of Unit-under-test (UUT)				Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. V	Veighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
					31.5	94.1	±2.0
					63	94.2	±1.5
					125	94.1	±1.5
					250	94.1	±1.4
30-130	dB	SPL	Fast	94	500	94.2	±1.4
					1000	94.1	Ref
					2000	94.5	±1.6
					4000	95.2	±1.6
					8000	94.9	+2.1; -3.1

A-weighting

Setting of Unit-under-test (UUT)				App	lied value	UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
					31.5	54.8	-39.4 ±2.0
					63	68.0	-26.2 ±1.5
					125	78.0	-16.1 ±1.5
					250	85.5	-8.6 ±1.4
30-130	dBA	SPL	Fast	94	500	91.0	-3.2 ±1.4
					1000	94.1	Ref
					2000	95.7	+1.2±1.6
					4000	96.2	+1.0±1.6
					8000	93.9	-1.1+2.1; -3.1

C-weighting

Setting of Unit-under-test (UUT)				App	lied value	UUT Reading,	IEC 61672 Class
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
					31.5	91.2	-3.0 ±2.0
					63	93.4	-0.8 ±1.5
					125	94.0	-0.2 ±1.5
					250	94.1	-0.0 ±1.4
30-130	dBC	SPL	Fast	94	500	94.2	-0.0 ±1.4
					1000	94.1	Ref
					2000	94.3	-0.2 ±1.6
					4000	94.4	-0.8 ±1.6
					8000	92.0	-3.0 +2.1: -3.1

Certificate No.: APJ22-124-CC001



Page 3 of 4

Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street, Fo Tan, Shatin, N.T., Hong Kong Tel: (852) 2668 3423 Fax:(852) 2668 6946 E-mail:inquiry@aa-lab.com Homepage: http://www.aa-lab.com







5. Calibration Results Applied

The results apply to the particular unit-under-test only. All calibration points are within manufacture's specification as IEC 61672 Class 1.

Uncertainties of Applied Value:

94 dB	31.5 Hz	± 0.10
	63 Hz	± 0.10
	125 Hz	± 0.10
	250 Hz	± 0.05
	500 Hz	± 0.10
	1000 Hz	± 0.05
	2000 Hz	± 0.05
	4000 Hz	± 0.05
	8000 Hz	± 0.10
104 dB	1000 Hz	± 0.05
114 dB	1000 Hz	± 0.05

The uncertainties are evaluated for a 95% confidence level.

Note:

The values given in this certification only related to the values measured at the time of the calibration and any uncertainties quoted will not allow for the equipment long-term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the calibration. (A+A)*L shall not be liable for any loss or damage resulting from the use of the equipment.

Certificate No.: APJ22-124-CC001









Manufacturer Calibration Certificate

The following instrument has been tested and calibrated to the manufacturer specifications. The calibration is traceable in accordance with ISO/IEC 17025 covering all instrument functions.

Device Type:

XL2 Audio and Acoustic Analyzer

· Serial Number:

A2A-13663-F0

· Certificate Issued:

15 February 2023

· Certificate Number:

44972-A2A-13663-F0

· Results:

PASSED

(for detailed report see next page)

Tested by:

M. Frick

Signature:

Stamp:

M Audio AG m alten Rist 102 LI - 9494 Schaan www.nti-audio.com





Calibration of:

XL2 Audio and Acoustic Analyzer

Serial Number:

A2A-13663-F0

Date:

15 February 2023

· Detailed Calibration Test Results:

						actual	XL2	calibration	
			reference	actual	unit	error	tolerance	uncertainty ²	
	RMS Level @ 1kHz, XLR	Input	0.1	0.100	V	≤0.1%	±0.5%	±0.10%	
			1	0.999	V	-0.1%	±0.5%	±0.09%	
			10	9.982	V	-0.2%	±0.5%	±0.09%	
								0.000/	
	Flatness, XLR Input ¹	20 Hz	1	0.995	V	-0.5%	±1.1%	±0.09%	
		20 kHz	1	1.003	V	0.3%	±1.1%	±0.09%	
	Frequency		1000	1000.00	Hz	≤0.003%	±0.003%	±0.01%	
	Residual Noise	XLR		< 2 uV			<2 uV	±0.50%	
	THD+N @ 0 dBu, 1 kHz,	XLR Inpu	ıt	-100.5	dB		typ100 dB	±0.50%	
0	Test Conditions:	Tempe Relative	rature: e Humidity:	24.9 19.8	°C %				

Calibration Equipment Used:

Agilent Multimeter, Typ 34401A, Serial No. MY 5300 4607
 Last calibration: 15.09.2022, Next calibration: 15.09.2023
 Calibrated by ELCAL to the national standards maintained at Swiss Federal Office of Metrology. SCS 0002

FX100 Audio Analyzer, Serial No. 10408
 Last Calibration: 11.10.2022, Next Calibration: 11.10.2023
 Manufacturer calibration based on Agilent 34410, Serial No. MY47014254,
 Last Calibration: 26.05.2022, Next Calibration: 26.05.2023
 which is calibrated by ELCAL to national standards maintained at Swiss Federal Office of Metrology. SCS 002

 $^{^{1}}$ The specified tolerance +/-0.1 dB @ 1V = +/- 1.1%

² The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with the regulations of the GUM.







Certificate of Calibration

for

Description:

Sound Level Meter

Manufacturer:

NTi Audio

Type No.:

XL2 (Serial No.: A2A-17638-E0)

Microphone:

ACO 7052 (Serial No.:84413)

Preamplifier:

NTi Audio M2211 MA220 (Serial No.:7014)

Submitted by:

Customer:

Acuity Sustainability Consulting Limited

Address:

Unit E, 12/F, Ford Glory Plaza,

Nos. 37-39 Wing Hong Street,

Cheung Sha Wan, Kowloon, Hong Kong

Upon receipt for calibration, the instrument was found to be:

Within (31.5Hz - 8kHz)

☐ Outside

the allowable tolerance.

The test equipment used for calibration are traceable to National Standards via:

 The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

Date of receipt: 30 March 2023

Date of calibration: 04 April 2023

Date of NEXT calibration: 03 April 2024

Calibrated by:_

Calibration Technician

Cartified by

Mr. Ng Yan Wa Laboratory Manager

Date of issue: 04 April 2023

Certificate No.: APJ22-164-CC001

Page I of 4







1. Calibration Precaution:

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

2. Calibration Conditions:

Air Temperature: 21.6 °C
Air Pressure: 1005 hPa
Relative Humidity: 71.6 %

3. Calibration Equipment:

Type Serial No. Calibration Report Number Traceable to

Multifunction Calibrator B&K 4226 2288467 AV220061 HOKLAS

4. Calibration Results

Sound Pressure Level

Reference Sound Pressure Level

Setting of Unit-under-test (UUT)			App	lied value	UUT Reading,	IEC 61672 Class 1	
Range, dB	Freq.	Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
30-130	dBA	SPL	Fast	94	1000	94.1	±0,4

Linearity

Setting of Unit-under-test (UUT)				Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
				94		94.1	Ref
30-130	dBA	SPL	Fast	104	1000	104,1	±0.3
	3-2000		G-VAXCA	114		114.1	±0.3

Time Weighting

Sett	ing of Ur	it-under-t	est (UUT)	App	lied value	UUT Reading,	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. V	Veighting	Time Weighting	Level, dB	Frequency, Hz	dB	
30-130	dBA	ent	Fast 04	1000	94.1	Ref	
20-130	GDA	SPL	Slow	94	1000	94.1	±0.3

Certificate No.: APJ22-164-CC001

S (A+A) *L

Page 2 of 4

Room 422,Leader Industrial Centre,57-59 Au Pui Wan Street ,Fo Tan, Shatin,N.T.,Hong Kong
Tel: (852) 2668 3423 Fax:(852) 2668 6946
Homepage: http://www.aa-lab.com E-mail: inquiry@aa-lab.com







Acoustics and Air Testing Laboratory Co. Ltd. 聲學及空氣測試實驗室有限公司

Frequency Response

Linear Response

Sett	ing of Unit-under-t	est (UUT)	App	lied value	UUT Reading,	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	
	30-110			31.5	94.1	±2.0
				63	94.1	±1.5
		Fast	94	125	94.1	±1.5
				250	94.0	±1.4
30-130	dB SPL			500	94.1	±1.4
				1000	94.1	Ref
				2000	94.3	±1.6
				4000	94.9	±1.6
				8000	93.9	+2.1; -3.1

A-weighting

Setting of Unit-under-test (UUT)				Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
10000	5.0				31.5	54.7	-39.4±2.0
					63	67.9	-26.2±1.5
Service Control Control			125	78.0	-16.1±1.5		
					250	85.4	-8.6 ±1.4
30-130	dBA	SPL	Fast	94	500	90.9	-3.2±1.4
					1000	94.1	Ref
					2000	95.5	+1.2±1.6
			4000	95.9	+1.0±1.6		
					8000	92.8	-1,1+2,1; -3,1

C-weighting

Sett	Setting of Unit-under-test (UUT)				lied value	UUT Reading,	IEC 61672 Class	
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB	
72			31.5	91.0	-3.0±2.0			
					63	93,3	-0.8±1.5	
			125	93.9	-0.2±1.5			
			250	94.1	-0.0±1.4			
30-130	dBC	SPL	Fast	94	500	94.2	-0.0±1,4	
					1000	00 94,1	Ref	
				4000	2000	94.2	-0.2±1.6	
						4000	94.1	-0.8±1.6
					8000	90.9	-3.0 +2.1: -3.1	

Certificate No.; APJ22-164-CC001



Page 3 of 4







5. Calibration Results Applied

The results apply to the particular unit-under-test only. All calibration points are within manufacture's specification as IEC 61672 Class 1.

Uncertainties of Applied Value:

94 dB	31.5 Hz	± 0.10
	63 Hz	± 0.10
	125 Hz	± 0.05
	250 Hz	± 0.05
	500 Hz	± 0.05
	1000 Hz	± 0.05
	2000 Hz	± 0.05
	4000 Hz	± 0.05
	8000 Hz	± 0.10
104 dB	1000 Hz	± 0.05
114 dB	1000 Hz	± 0.05

The uncertainties are evaluated for a 95% confidence level.

Note

The values given in this certification only related to the values measured at the time of the calibration and any uncertainties quoted will not allow for the equipment long-term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the calibration. (A+A)*L shall not be liable for any loss or damage resulting from the use of the equipment.

Certificate No.: APJ22-164-CC001



Page 4 of 4







Acoustics and Air Testing Laboratory Co. Ltd.

聲學及空氣測試實驗室有限公司

Certificate of Calibration

for

Description:

Sound Level Meter

Manufacturer:

NTi Audio

Type No .:

XL2 (Serial No.: A2A-09696-E0)

Microphone:

ACO 7052 (Serial No.: 68914)

Preamplifier:

NTi Audio MA220 (Serial No.:10390)

Submitted by:

Customer:

Acuity Sustainability Consulting Limited

Address:

Unit E, 12/F, Ford Glory Plaza,

Nos. 37-39 Wing Hong Street,

Cheung Sha Wan, Kowloon, Hong Kong

Upon receipt for calibration, the instrument was found to be:

✓ Within (31.5Hz – 4kHz)

☐ Outside

the allowable tolerance.

The test equipment used for calibration are traceable to National Standards via:

The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

Date of receipt: 30 March 2023

Date of calibration: 04 April 2023

Date of NEXT calibration: 03 April 2024

Calibrated by:

Calibration Technician

Certified by:

Mr. Ng Yan Wa Kaboratory Manager

Date of issue: 04 April 2023

Certificate No.: APJ22-164-CC002

E-mail: inquiry@aa-lab.com

Page 1 of 4





(**A+A**) * L Acoustics and Air Testing Laboratory Co. Ltd. 聲學及空氣測試實驗室有限公司

1. Calibration Precaution:

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

2. Calibration Conditions:

Air Temperature: $21.5\,^{\circ}$ CAir Pressure: $1005\,\text{hPa}$ Relative Humidity: $71.4\,\%$

3. Calibration Equipment:

	Туре	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV220061	HOKLAS

4. Calibration Results

Sound Pressure Level

Reference Sound Pressure Level

Setting of Unit-under-test (UUT)			Applied value		UUT Reading,	IEC 61672 Class 1	
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
30-130	dΒΛ	SPL	Fast	94	1000	94.1	±0.4

Linearity

Setting of Unit-under-test (UUT)		Applied value		UUT Reading,	IEC 61672 Class 1		
Range, dB	Freq. W	Veighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
				94		94.1	Ref
30-130	dBA SPL	Fast	104	1000	104.1	±0.3	
				114		114.1	±0.3

Time Weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading,	IEC 61672 Class 1	
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
30-130	dBA	dBA SPL	Fast	94	1000	94.1	Ref
	dBA		Slow	94		94.1	±0.3

Certificate No.: APJ22-164-CC002

A TESTING LIBOR Page 2 of 4





Acoustics and Air Testing Laboratory Co. Ltd. 聲學及空氣測試實驗室有限公司



Frequency Response

Linear Response

Sett	Setting of Unit-under-test (UUT) Applied				ied value	UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. We	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
				31.5	94.3	±2.0	
				63	94.3	±1.5	
30-130 dB SPL			125	94.3	±1.5		
	do en	Pers	94	250	94.2	±1.4	
30-130	uБ	SFL	SPL Fast	94	500	94.2	±1.4
					1000	94.1	Ref
					2000	93.8	±1.6
					4000	93.1	±1.6

A-weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading,	IEC 61672 Class 1	
Range, dB	Freq. V	Veighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
			31.5	55.0	-39.4 ±2.0		
				63	68.2	-26.2 ±1.5	
30-130 dBA					125	78.2	-16.1 ±1.5
	dBA SPL	Fast	0.4	250	85.6	-8.6±1.4	
30-130	UDA	SFL	rast	94	500	91.0	-3.2 ±1.4
					1000	94.1	Ref
					2000	95.0	+1.2±1.6
					4000	94.1	+1.0±1.6

C-weighting

Sett	ing of Uni	t-under-t	est (UUT)	Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. W	eighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
				31.5	91.3	-3.0 ±2.0	
					63	93.5	-0.8 ±1.5
30-130 dBC				125	94.1	-0.2 ±1.5	
	dBC	SPL	Fast	94	250	94.2	-0.0 ±1.4
30-130	ubc.	SIL	Past	94	500	94.2	-0.0 ± 1.4
					1000	94.1	Ref
					2000	93.6	-0.2 ±1.6
			4000	92.3	-0.8 ±1.6		

Page 3 of 4

Certificate No.: APJ22-164-CC002







5. Calibration Results Applied

The results apply to the particular unit-under-test only. All calibration points are within manufacture's specification as IEC 61672 Class 1.

Uncertainties of Applied Value:

94 dB	31.5 Hz	± 0.15
	63 Hz	± 0.10
	125 Hz	± 0.05
	250 Hz	± 0.05
	500 Hz	± 0.05
	1000 Hz	+ 0.05
	2000 Hz	± 0.05
	4000 Hz	+ 0.05
104 dB	1000 Hz	± 0.05
114 dB	1000 Hz	± 0.05

The uncertainties are evaluated for a 95% confidence level.

Note

The values given in this certification only related to the values measured at the time of the calibration and any uncertainties quoted will not allow for the equipment long-term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the calibration. (A+A)*L shall not be liable for any loss or damage resulting from the use of the equipment.



Page 4 of 4







Certificate of Calibration

for

Sound Level Calibrator

Manufacturer:

RION

Type No.:

NC-74

Serial No .:

34615222

Submitted by:

Customer:

Acuity Sustainability Consulting Limited

Address:

Unit E, 12/F, Ford Glory Plaza,

Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon,

Hong Kong

✓ Within

☐ Outside

the allowable tolerance.

The test equipments used for calibration are traceable to National Standards via:

The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

Date of receipt: 16 March 2023

Date of calibration: 21 March 2023

Date of NEXT calibration: 20 March 2024

Calibrated by:

Calibration Technician

Certified by:

Mr. Ng Yan Wa Laboratory Manager

Date of issue: 21 March 2023

Certificate No.: APJ22-157-CC004

Page 1 of 2







1. Calibration Precautions:

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

2. Calibration Specifications:

Calibration check

3. Calibration Conditions:

Air Temperature:	22.1 °C
Air Pressure:	1006 hPa
Relative Humidity:	61.7 %

4. Calibration Equipment:

Test Equipment	Type	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV220061	HOKLAS
Sound Level Meter	RION NA-28	30721812	AV220120	HOKLAS

5. Calibration Results

5.1 Sound Pressure Level

Nominal value	Accept lower level	Accept upper level	Measured value
dB	dB	dB	dB
94.0	93.6	94.4	93.9

The values given in this certification only related to the values measured at the time of the calibration.









Acoustics and Air Testing Laboratory Co. Ltd.

醫學及空氣測試實驗室有限公司

Certificate of Calibration

for

Description:

Sound Level Calibrator

Manufacturer:

RION

Type No.:

NC-75

Serial No .:

34724243

Submitted by:

Customer:

Acuity Sustainability Consulting Limited

Address:

Unit E, 12/F, Ford Glory Plaza,

Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon,

Hong Kong

		1.00	•	***		¥ 12				-
U	pon	receipt	for	calibration.	the	instrument	was	found	to	he:

✓ Within

☐ Outside

the allowable tolerance.

The test equipments used for calibration are traceable to National Standards via:

 The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

Date of receipt: 27 July 2023

Date of calibration: 3 August 2023

Date of NEXT calibration: 2 August 2024

Calibrated by:

Calibration Technician

Certified by:

Mr. Ng Yan Wa Laboratory Manager

Date of issue: 3 August 2023

Certificate No.: APJ23-049-CC005

Page 1 of 2







1. Calibration Precautions:

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

2. Calibration Specifications:

Calibration check

3. Calibration Conditions:

Air Temperature:	22.6 °C
Air Pressure:	1006 hP
Relative Humidity:	52.9 %

4. Calibration Equipment:

Test Equipment	Type	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV220061	HOKLAS
Sound Level Meter	RION NA-28	30721812	AV220120	HOKLAS

5. Calibration Results

5.1 Sound Pressure Level

Nominal value	Accept lower level	Accept upper level dB	Measured value
dB	dB		dB
94.0 93.6		94.4	94.0

Note:

The values given in this certification only related to the values measured at the time of the calibration.



Certificate No.: APJ23-049-CC005

Page 2 of 2

Tung Chung Line Extension Contract 1202 Tung Chung East Station and Associated Enabling Works for Track Diversions Monthly EM&A Report (January 2024)





Appendix F
EM&A Monitoring Schedules





Impact Monitoring Schedule for Tung Chung Line Extension Contract 1202 - Tung Chung East Station and Associated Enabling Works for Track Diversions (January 2024) (Version 1.0) January 2024 Mon Tue Wed Thur Fri Sat Sun 4 Impact **Dust Monitoring Noise Monitoring** 11 10 Impact **Dust Monitoring Noise Monitoring** 16 17 Impact **Dust Monitoring Noise Monitoring** 23 22 24 25 Impact Impact **Dust Monitoring Dust Monitoring Noise Monitoring** 29 31 The schedule may be changed due to unforeseen circumstances (adverse weather, etc.) Air Quality Monitoring Station: Noise Monitoring Station: DM-1b - G/F of Ying Yuet House NM1 - Ying Tung Estate





February 2024							
un	Mon	Tue	Wed	Thur	Fri	Sat	
				1	2 Impact Dust Monitoring Noise Monitoring	3	
	5	6	7	8 Impact Dust Monitoring Noise Monitoring	9	10	
1	12	13	14 Impact Dust Monitoring Noise Monitoring	15	16	17	
В	19	20 Impact Dust Monitoring Noise Monitoring	21	22	23	24	
5	26 Impact Dust Monitor Noise Monito		28	29			





Appendix G Air Quality Monitoring Results and their Graphical Presentations





Appendix G

1-hour TSP Impact Monitoring Result for

Tung Chung Line Extension- Contract 1202 Tung Chung East Station


Monitoring Location: DM-1b - G/F of Ying Yuet House

		Start Time	End time	Concentration	Action	Limit
Date	Weather	(hh:mm)	(hh:mm) μg/m ³		Level μg/m³	Level µg/m ³
4 Jan 2024	Fine	9:20	10:20	270.3		
4 Jan 2024	Fine	10:22	11:22	310.4		
4 Jan 2024	Fine	13:05	14:05	302.4		
10 Jan 2024	Sunny	9:00	10:00	143.9		
10 Jan 2024	Sunny	10:05	11:05	164.1		
10 Jan 2024	Sunny	13:00	14:00	196.6		
16 Jan 2024	Fine	9:08	10:08	174.7		
16 Jan 2024	Fine	10:09	11:09	146.6	327.0	500.0
16 Jan 2024	Fine	13:05	14:05	216.8		
22 Jan 2024	Fine	10:00	11:00	228.3		
22 Jan 2024	Fine	11:01	12:01	271.9		
22 Jan 2024	Fine	15:43	16:43	148.9		
27 Jan 2024	Fine	8:06	9:06	225.8		
27 Jan 2024	Fine	9:07	10:07	235.7		
27 Jan 2024	Fine	10:08	11:08	297.1		
	•	•	Average	222.2		•
			Max	310.4		
			Min	143.9		





Graphical Presentation of Impact 1-hour TSP Monitoring results for Tung Chung Line Extension- Contract 1202 Tung Chung East Station








Wind Direction:

(於香港時間05/01/2024 00 時 00 分更新) (Updated at 00:00H on 05/01/2024)




Wind Speed:








Wind Direction:




Wind Speed:














Wind Direction:




Wind Speed:













Appendix H Noise Monitoring Results and their Graphical Presentations





Appendix H Regular Construction Noise Monitoring Results

Daytime Noise Monitoring Results at Station NM1 (Ying Tung Estate)

Date	Weather	Start Time	Measured $L_{eq} \end{cases} (30\mbox{-min}) \end{cases} (dB(A))^+$	Baseline Level (dB(A))	Results (dB(A)) (Baseline- corrected Leq, 30mins)+	Limit Level (dB(A))	Exceedance (Y/N)
4 January 2024	Fine	11:28	70.7	64.0	69.7		N
10 January 2024	Sunny	11:15	69.5	64.0	68.1	75	N
16 January 2024	Fine	14:30	67.4	64.0	64.7	75	N
22 January 2024	Fine	09:05	64.4	64.0	53.8		N


Note: Impact noise level has been corrected with baseline noise level

^{+ :} Façade measurement





Appendix H Regular Construction Noise Monitoring Results



Tung Chung Line Extension Contract 1202 Tung Chung East Station and Associated Enabling Works for Track Diversions Monthly EM&A Report (January 2024)





Appendix I
Event Action Plan





Event/Action Plan for Construction Dust Monitoring

		Action		
Event	ET	IEC	PM	Contractor
Action level exceedance for one sample	 Repeat measurement to confirm finding; If exceedance is confirmed, inform Contractor, IEC and PM; Identify source, investigate the causes of exceedance and propose remedial measures; Discuss with the Contractor, IEC and PM on the remedial measures required; Increase monitoring frequency to daily. 	 Check monitoring data submitted by ET; Check Contractor's working method; Discuss with ET, PM and Contractor on possible remedial measures; Review and advise the ET and PM on the effectiveness of the proposed remedial measures. 	Confirm receipt of notification of exceedance in writing.	 Identify source(s), investigate the causes of exceedance and propose remedial measures; Implement remedial measures; Amend working methods agreed with the PM as appropriate.
Action level exceedance for two or more consecutive samples	 Repeat measurement to confirm finding; If exceedance is confirmed, inform Contractor, IEC and PM; Identify source, investigate the causes of exceedance and propose remedial measures; Advise the Contractor and PM on the effectiveness of the proposed remedial measures; Increase monitoring frequency to daily; Discuss with IEC and Contractor on remedial actions required; If exceedance continues, arrange meeting with IEC and PM to discuss the remedial measures to be taken; If exceedance stops, cease additional monitoring. 	 Check Contractor's working method; Discuss with ET, PM and Contractor on possible remedial measures; Review and advise the ET and PM on the effectiveness of the proposed remedial measures. 	Confirm receipt of notification of exceedance in writing; In consultation with the ET and IEC agree with the Contractor on the remedial measures to be implemented; Supervise implementation of remedial measures.	Identify source(s), investigate the causes of exceedance and propose remedial measures; Submit proposals for remedial measures to the PM, ET and IEC within three working days of notification for agreement; Implement the agreed proposals; Amend proposal if appropriate.

Tung Chung Line Extension Contract 1202
Tung Chung East Station and
Associated Enabling Works for Track Diversions
Monthly EM&A Report (January 2024)





Event	Action						
Event	ET	IEC	PM	Contractor			
Limit level	1. Repeat measurement to confirm	1. Check monitoring data	1. Confirm receipt of	1. Identify source(s), investigate the			
exceedance for one	finding;	submitted by ET;	notification of exceedance	causes of exceedance and propose			
sample	2. If exceedance is confirmed, inform	2. Check Contractor's	in writing;	remedial measures			
	IEC, PM, Contractor and EPD;	working method;	2. Review and agree on the	2. Take immediate action to avoid			
	3. Increase monitoring frequency to daily;	3. Discuss with ET, PM and remedial measures		further exceedance;			
	4. Discuss with the PM, IEC and	Contractor on possible	proposed by the	3. Submit proposals for remedial			
	Contractor on the remedial measures	remedial measures;	Contractor;	actions to PM, ET and IEC within			
	and assess effectiveness;	4. Review and advise the	3. Ensure remedial measures	three working days of notification			
	5. Keep PM, IEC and EPD informed of	ET and PM on the	properly implemented;	for agreement;			
	the results of the effectiveness of	effectiveness of the	4. Supervise implementation	4. Implement the agreed proposals;			
	remedial measures.	proposed remedial	of remedial measures.	5. Amend proposal if appropriate.			
		measures.					





Farant		Actio	on		
Event	ET	IEC	PM	Contractor	
Limit level	1. Repeat measurement to confirm	1. Check monitoring data	1. Confirm receipt of	1. Identify source(s), investigate	
exceedance for	finding;	submitted by ET	notification of	the causes of exceedance and	
two or more	2. If exceedance is confirmed, inform	2. Discuss amongst PM,	exceedance in writing;	propose remedial measures	
consecutive	IEC, PM, Contractor and EPD;	ET, and Contractor on	2. In consultation with the	2. Take immediate action to avoid	
samples	3. Increase monitoring frequency;	the potential remedial	ET and IEC, agree with	further exceedance;	
	4. Carry out analysis of Contractor's	actions;	the Contractor on the	3. Submit proposals for remedial	
	working procedures to determine	3. Review Contractor's	remedial measures to be	actions to PM, IEC and ET	
	possible mitigation to be	remedial actions	implemented;	within three working days of	
	implemented;	whenever necessary to	3. Supervise the	notification for agreement;	
	5. Arrange meeting with IEC and PM	assure their	implementation of	4. Implement the agreed	
	to discuss the remedial actions to be	effectiveness and	remedial measures;	proposals;	
	taken;	advise the PM	4. If exceedance continues,	5. Review and resubmit proposals	
	6. Assess effectiveness of Contractor's	accordingly.	consider what portion of	if the problem is still not under	
	remedial actions and keep IEC,		the work is responsible	control;	
	EPD and PM informed of the		and instruct the	6. Stop the relevant portion of	
	results;		Contractor to stop that	works as determined by the	
	7. If exceedance stops, cease		portion of work until the	PM until the exceedance is	
	additional monitoring.		exceedance is abated.	abated.	

Note:

ET – Environmental Team

IEC – Independent Environmental Checker

PM – Project Manager





Event/Action Plan for Construction Noise Monitoring

Event	Action							
Event	ET	IEC	PM	Contractor				
Action	1. Notify IEC, PM and Contractor;	1. Review the analysed	1. Confirm receipt of	1. Identify source, and carry out				
Level	2. Identify source and carry out	results submitted by the	notification of failure in	investigation and report the				
Exceedance	investigation;	ET;	writing;	investigation to the ET, IEC and				
	3. Discuss with the Contractor and	2. Review the proposed	2. Notify Contractor;	PM;				
	formulate remedial measures;	remedial measures by	3. Require Contractor to	2. Submit noise mitigation				
	4. Increase monitoring frequency to	the Contractor and	propose remedial	proposals to IEC and PM;				
	check mitigation effectiveness.	advise the PM	measures for the	3. Implement noise mitigation				
		accordingly.	analysed noise problem;	proposals.				
			4. Ensure remedial					
			measures are properly					
			implemented.					
Limit	1. Inform IEC, PM, EPD and	1. Check monitoring	1. Confirm receipt of	1. Identify source and carry out				
Level	Contractor;	results and discuss	notification of failure in	investigation and report the				
Exceedance	2. Repeat measurements to confirm	amongst PM, ET, and	writing;	investigation to the ET, IEC and				
	findings;	Contractor on the	2. Notify Contractor;	PM;				
	3. Increase monitoring frequency;	potential remedial	3. Require Contractor to	2. Take immediate action to avoid				
	4. Carry out analysis of Contractor's	actions;	propose remedial	further exceedance;				
	working procedures to determine	2. Ensure remedial	measures for the	3. Submit proposals for remedial				
	possible mitigation to be	measures properly	analysed noise problem;	actions to PM, ET and IEC				
	implemented;	implemented; and	4. Ensure remedial	within 3 working days of				
	5. Inform IEC, PM and EPD the causes	3. Review Contractors	measures properly	notification;				

Tung Chung Line Extension Contract 1202
Tung Chung East Station and
Associated Enabling Works for Track Diversions
Monthly EM&A Report (January 2024)





and actions taken for the	remedial actions	implemented;	4. Implement the agreed proposals;
exceedances;	whenever necessary to	5. If exceedance continues,	5. Resubmit proposals if the problem
6. Assess effectiveness of Contractor's	assure their	consider what portion of	is still not under control;
remedial actions and keep IEC, EPD	effectiveness and advise	the work is responsible	6. Stop the relevant portion of works
and PM informed of the results;	the PM accordingly.	and instruct the	as determined by the PM until the
7. If exceedance stops, cease additional		Contractor to stop that	exceedance is abated.
monitoring.		portion of work until the	
		exceedance is abated.	

Note:

ET – Environmental Team

IEC – Independent Environmental Checker

PM – Project Manager





Appendix J
Cumulative Statistics of Exceedances,
Complaints, Notification of Summons and
Successful Prosecutions





Appendix J

Cumulative Statistics of Exceedances, Complaints, Notification of Summons and Successful Prosecutions

	Date Received	Subject	Status	Total no. received in this month	Total no. received since project commencement
Environmental complaints	16-1-2024	Complaint description The complainant raised the complaint to EPD on 13 January 2024, regarding construction noise from a construction site near Ying Tung Estate, Tung Chung. The complainant alleged the noise issue was occurred at 9am on 13 January 2024. EPD referred the case to MTRC on 16 January 2024. Investigation Finding According to the information from Contractor, the concerned area is site office area1, and the site office area had no major construction work on 13 January 2024. An ad hoc site inspection was conducted by the Contractor and its Environmental Team specifically for the concerned area on 18 January 2024. According to the site observation, the concerned area is mainly site office, and no noisy construction works in the site office area. For the noise control, the contractor used a generator in site office area	The investigation report was submitted to EPD on 29 January 2024.	1	2

Tung Chung Line Extension Contract 1202
Tung Chung East Station and
Associated Enabling Works for Track Diversions
Monthly EM&A Report (January 2024)





	Date Received	Subject	Status	Total no. received in this month	Total no. received since project commencement
		which is Quality Powered Mechanical Equipment (QPME). Regular noise monitoring was conducted at the designated monitoring station at Ying Tung Estate on 10 January 2024 and 16 January 2024. No exceedance of Action or Limit Level was recorded. In conclusion, the complaint is considered not related to the construction works of Contract 1202.			
Notification of summons	-	-	-	0	0
Successful Prosecutions	-	-	-	0	0





Appendix K Summary of Notification of Exceedance





Appendix K

Summary of Notification of Exceedance

Environmental Parameter	Environmental Parameter No. of Exceedance This Month		Cumulative No. of Exceedance Project-to-Date		
Exceeded Level	Action Level	Limit Level	Action Level	Limit Level	
Air Quality (Construction Dust- 1-hour TSP)	0	0	0	0	
$Noise \\ (Construction \ Noise-L_{eq(30min),dB(A)})$	1	0	1	0	
Total	1	0	1	0	

Tung Chung Line Extension Contract 1202 Tung Chung East Station and Associated Enabling Works for Track Diversions Monthly EM&A Report (January 2024)





Appendix L Waste Flow Table





Appendix L

Monthly Summary Waste Flow Table

Contract 1202 – Tung Chung East Station and Associated Enabling Works for Track Diversions

Reporting Month: January 2024

		A	ctual Quantities of <u>Inert</u> Construction M	aterials Generated Monthly		
Month	(a) Total Quantity Generated (a=b+c+d+e+f)	(b) Stockpiled for Reuse or Recycle	(c) Reused in the Contract	(d) Reused in other Contracts or Projects**	(e) Disposed of as Public Fill	(f) Imported Fill
	(in m ³)	(in m³)	(in m ³)	(in m ³)	(in m ³)	(in m ³)
Jan-24*	855.220	0.000	0.000	0.000	855.220	0.000
Feb-24	-	-	-	-	-	-
Mar-24	-	-	-	-	-	-
Apr-24	-	-	-	-	-	-
May-24	-	-	-	-	-	-
Jun-24	-	-	-	-	-	-
Sub-total	855.220	0.000	0.000	0.000	855.220	0.000
Jul-24	-	-	-	-	-	-
Aug-24	-	-	-	-	-	-
Sep-24	-	-	-	-	-	-
Oct-24	-	-	-	-	-	-
Nov-24	-	-	-	-	-	-
Dec-24	-	-	-	-	-	-
Total	855.220	0.000	0.000	0.000	855.220	0.000
2023	5870.703	0.000	0.000	94.353	5776.350	0.000
Accumulated Total	6725.903	0.000	0.000	94.353	6631.570	0.000

Note: *Waste flow data of January 2024 was updated to 21 January 2024.

^{**}Fill Materials have been transferred to the construction site of TUE Contract 1201 as alternative disposal ground.

Tung Chung Line Extension Contract 1202
Tung Chung East Station and
Associated Enabling Works for Track Diversions
Monthly EM&A Report (January 2024)





Monthly EM&A Repor	rt (January 2024)							
	Actual Quantities of Non-inert Construction Materials Generated Monthly							
Month	(g) Metals	(h) Paper/ cardboard packaging	(i) Plastics	(j) Chemical Waste	(k) Recyclable Yard Waste	(l) Others, e.g. General Refuse disposed of at Landfill		
	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)		
	generated	generated	generated	generated	generated	generated		
Jan-24*	0.000	0.000	0.000	0.000	0.000	16.130		
Feb-24	-	-	-	-	-	-		
Mar-24	-	-	-	-	-	-		
Apr-24	-	-	-	-	-	-		
May-24	-	-	-	-	-	-		
Jun-24	-	-	-	-	-	-		
Sub-total	0.000	0.000	0.000	0.000	0.000	16.130		
Jul-24	-	-	-	-	-	-		
Aug-24	-	-	-	-	-	-		
Sep-24	-	-	-	-	-	-		
Oct-24	-	-	-	-	-	-		
Nov-24	-	-	•	-	-	-		
Dec-24	-	-	•	-	-	-		
Total	0.000	0.000	0.000	0.000	0.000	16.130		
2023	3.611	0.000	0.000	0.000	0.000	239.270		
Accumulated Total	3.611	0.000	0.000	0.000	0.000	255.400		

Note: * Waste flow data of January 2024 was updated to 21 January 2024.