

Dragages-Nishimatsu Joint Venture


Contract No. DC/2007/10

Design and Construction of Hong Kong West Drainage Tunnel

Monthly EM&A Report

(version 1.0)

February 2009

Approved By	 (Environmental Team Leader)
-------------	---

REMARKS:

The information supplied and contained within this report is, to the best of our knowledge, correct at the time of printing.

CINOTECH accepts no responsibility for changes made to this report by third parties

CINOTECH CONSULTANTS LTD

Room 1710, Technology Park,

18 On Lai Street,

Shatin, NT, Hong Kong

Tel: (852) 2151 2083 Fax: (852) 3107 1388

Email: info@cinotech.com.hk

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
Introduction.....	1
Environmental Monitoring Works.....	1
Environmental Licenses and Permits.....	3
Key Information in the Reporting Month	4
1. INTRODUCTION.....	5
Background.....	5
Project Organizations.....	5
Construction Programme	6
Summary of EM&A Requirements	8
2. AIR QUALITY	9
Monitoring Requirements	9
Monitoring Locations	9
Monitoring Equipment.....	9
Monitoring Parameters, Frequency and Duration.....	9
Monitoring Methodology and QA/QC Procedure	10
Results and Observations.....	12
3. NOISE	14
Monitoring Requirements	14
Monitoring Locations	14
Monitoring Equipment.....	14
Monitoring Parameters, Frequency and Duration.....	14
Monitoring Methodology and QA/QC Procedures.....	15
Maintenance and Calibration	15
Results and Observations.....	16
4. WATER QUALITY	20
Monitoring Requirements	20
Monitoring Locations	20
Monitoring Equipment.....	20
Monitoring Parameters, Frequency and Duration.....	21
Monitoring Methodology, Calibration Details and QA/QC Procedures.....	21
Results and Observations.....	22
Underground water level.....	22
5. ENVIRONMENTAL AUDIT.....	24
Site Audits	24
Review of Environmental Monitoring Procedures	24
Status of Environmental Licensing and Permitting	24
Status of Waste Management	24
Implementation Status of Environmental Mitigation Measures	25
Non-compliance Recorded during Site Inspections.....	28
Summary of Mitigation Measures Implemented	28
Implementation Status of Event Action Plans	29

Summary of Complaint, Warning, Notification of any Summons and Successful Prosecution	30
6. FUTURE KEY ISSUES	31
Key Issues for the Coming Month	31
Monitoring Schedule for the Next Month.....	32
Construction Program for the Next Month.....	32
7. CONCLUSIONS AND RECOMMENDATIONS	33
Conclusions.....	33
Recommendations.....	33

LIST OF TABLES

Table I	Summary Table for Non-compliance Recorded in the Reporting Month
Table II	Summary Table for Key Information in the Reporting Month
Table 1.1	Key Project Contacts
Table 1.2	Construction programme showing the inter-relationship with environmental protection/mitigation measures
Table 2.1	Locations for Air Quality Monitoring
Table 2.2	Air Quality Monitoring Equipment
Table 2.3	Impact Dust Monitoring Parameters, Frequency and Duration
Table 2.4	Summary Table of Air Quality Monitoring Results during the reporting month
Table 3.1	Noise Monitoring Stations
Table 3.2	Noise Monitoring Equipment
Table 3.3	Noise Monitoring Parameters, Frequency and Duration
Table 3.4	Baseline Noise Level and Noise Limit Level for Monitoring Stations
Table 3.5	Summary Table of Noise Monitoring Results during the reporting month.
Table 4.1	Locations for Water Quality Monitoring
Table 4.2	Water Quality Monitoring Equipment
Table 4.3	Frequency and Parameters of Water Quality Monitoring
Table 4.4	Ground Water Level Monitoring Data at Location ADH48
Table 5.1	Summary of Environmental Licensing and Permit Status
Table 5.2	Observations and Recommendations of Site Inspections

LIST OF FIGURES

Figure 1.1	Layout Plan of the Project Site
Figure 2.1	ET's Organization Chart
Figure 3.1a	Locations of Air Quality and Construction Noise Monitoring Stations at Eastern Portal
Figure 3.1b	Locations of Air Quality and Construction Noise Monitoring Stations at Western Portal
Figure 4.1a-b	Locations of Water Quality Monitoring Stations
Figure 4.2	Location of Ground Water Level Monitoring Stations

LIST OF APPENDICES

A	Action and Limit Levels for Air Quality and Noise
B	Copies of Calibration Certificates
C	Quality Control Reports for SS Laboratory Analysis
D	Environmental Monitoring Schedules
E	1-hour TSP Monitoring Results, Graphical Presentations
F	24-hour TSP Monitoring Results, Graphical Presentations
G	Noise Monitoring Results and Graphical Presentations
H	Water Quality Monitoring Results and Graphical Presentations
I	Summary of Exceedance
J	Wind Data
K	Site Audit Summary
L	Environmental Mitigation Implementation Schedule (EMIS)
M	Event Action Plans
N	Complaint Logs
O	Construction Programme
P	Waste Generated Quantity

ABBREVIATION AND ACRONYM

AL Levels	Action and Limit Levels
CEDD	Civil Engineering & Development Department
E / ER	Engineer/Engineer's Representative
EIA	Environmental Impact Assessment
EM&A	Environmental Monitoring and Audit
EMIS	Environmental Mitigation Implementation Schedule
EP	Environmental Permit
EPD	Environmental Protection Department
ET	Environmental Team
HVS	High Volume Sampler
IEC	Independent Environmental Checker
RE	Resident Engineer
RH	Relative Humidity
TSP	Total Suspended Particulates
QA/QC	Quality Assurance / Quality Control
SLM	Sound Level Meter
WMP	Waste Management Plan

EXECUTIVE SUMMARY

Introduction

1. This is the 11th Environmental Monitoring and Audit (EM&A) Report prepared by Cinotech Consultants Limited for the “Drainage Improvement in Northern Hong Kong Island – Hong Kong West Drainage Tunnel” (the Project). This report documents the findings of EM&A Works conducted in February 2009.
2. The site activities undertaken in the reporting month included:
 - Further establishment of project organization and staffing;
 - Initial tunnel excavation, tunnel invert concrete, construction of Intake Cofferdam & River Channel and installation of temporary facilities at Eastern Portal (EP);
 - Arch tunnel excavation, tunnel invert concrete, TBM assembly, deep excavation works and installation of temporary facilities at Western Portal (WP);
 - Site preparation works at Intake W0;
 - Utilities trial pits and additional site investigation works at Intakes SM1 & PFLR1;
 - Approved in Principle (AIP) & Detailed Design Approval (DDA) submissions for temporary works at both portals;
 - AIP & DDA submissions for temporary and permanent works for 32 nos. Intakes;
 - AIP & DDA submissions for Adit/Main Tunnel Intersection, Adits, Stilling Chambers and Turning Bays;
 - Environmental impact monitoring;
 - Casting of tunnel segments;
 - TBM fabrication, delivery, inland transportation and assembly planning; and
 - Fabrication of gantries for WP cranes and conveyors for EP & WP.

Environmental Monitoring Works

3. Environmental monitoring for the Project was performed in accordance with the updated EM&A Manual and the monitoring results were checked and reviewed. Site audits were conducted once per week. The implementation of the environmental mitigation measures, Event Action Plans and environmental complaint handling procedures were also checked.

4. Summary of the non-compliance of the reporting month is tabulated in Table I.

Table I Summary Table for Non-compliance Recorded in the Reporting Month

Parameter	No. of Exceedance		No. of Exceedance Due to the Project		Action Taken
	Action Level	Limit Level	Action Level	Limit Level	
Eastern Portal					
1-hr TSP	0	0	0	0	N/A
24-hr TSP	0	0	0	0	N/A
Noise	0	0	0	0	N/A
Western Portal					
1-hr TSP	0	0	0	0	N/A
24-hr TSP	0	0	0	0	N/A
Noise	0	0	0	0	N/A
Water	0	0	0	0	N/A

Eastern Portal

1-hour TSP Monitoring

5. All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

24-hour TSP Monitoring

6. All 24-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Construction Noise

7. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Western Portal

1-hour TSP Monitoring

8. All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

24-hour TSP Monitoring

9. All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Construction Noise

10. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Water Quality

11. All water quality monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Environmental Licenses and Permits

12. Licenses/Permits granted to the Project include the Environmental Permit (EP) for the Project, An Environmental Permit No. EP-272/2007 was issued on 26 April 2007 and Environmental Permit No. EP-272/2007/A was issue on 26 October 2007. Later, the further Environmental Permit (FEP-01/272/2007/A) was issued on 28 January 2008 to Dragages-Nishimatsu Joint Venture as the Permit Holder.
13. Registration of Chemical Waste Producer (License: 5213-148-D2393-02 for Eastern Portal and No. 5213-172-D2393-01 for Western Portal), Water Discharge License (License No.: EP860/W10/XY0175 for Area of Mount Butler Office, EP860/W10/XY0177 for Eastern Portal, EP820/W9/XT086 for Western Portal and EP680/W10/XY0183 for Intake W0) and Construction Noise Permit (License No.: GW-RS0035-09 for Eastern Portal and GW-RS0076-09 for Western Portal).

Key Information in the Reporting Month

14. Summary of key information in the reporting month is tabulated in Table II.

Table II Summary Table for Key Information in the Reporting Month

Event	Event Details		Action Taken	Status	Remark
	Number	Nature			
Complaint received	1	Construction Noise at Eastern Portal	Complaint of Construction Noise at Early Morning at Eastern Portal Site (Letter with investigation findings was submitted)	Verified by IEC	---
Changes to the assumptions and key construction / operation activities recorded	0	---	N/A	N/A	---
Status of submissions under EP	1	Monthly EM&A Report (January 2009)	Submitted to EPD on 14 February 2009 (EP condition 3.3)	Verified by IEC	---
Notifications of any summons & prosecutions received	0	---	N/A	N/A	---

Future Key Issues:

Major site activities for the coming month include:

- Tunnel invert concrete, temporary drainage diversion and temporary cofferdam for River Channel and site installation for TBM operation at Eastern Portal;
- Tunnel invert concrete, TBM assembly, deep excavation and site installation for TBM operation at Western Portal;
- Preliminary and design works, preparation works at Intake W0;
- Utilities trial pits and additional site investigation works at available intakes;
- Casting of tunnel segments in China;
- Assembly & testing in factory and delivery and assembly on site of East TBM; and
- Gantries and Conveyor erection for West Portal.

1. INTRODUCTION

Background

- 1.1 Drainage Improvement in Northern Hong Kong Island – Hong Kong West Drainage Tunnel is a Designated Project (hereafter referred to as “the Project”) under the Environmental Impact Assessment Ordinance (Cap. 449). A study of environmental impact assessment (EIA) was undertaken to consider the key issues of air quality, noise, water quality, ecological, construction waste, landscape and visual, land use, cultural impacts, and identify possible mitigation measures associated with the works. An EIA Report was approved by the Environmental Protection Department (EPD) on 7 April 2006.
- 1.2 The project comprises the construction of a drainage tunnel deep into the ground in Mid-levels of the Northern Hong Kong Island from Tai Hang to Pokfulam to intercept and convey the stormwater from the upper catchment directly to the sea near Cyberport. The Drainage tunnel alignment starts from the Eastern Portal near Haw Par Mansion in Tai Hang and ends at the Western Portal located to the north of Cyberport running underneath the Pok Fu Lam, Tai Tam, Aberdeen and Lung Fu Shan Country Parks. The underground main drainage tunnel is 6.25m-7.25m in diameter and about 11km long. Two portals and a series of connecting adits and drop shafts are also been constructed. The general layout of the Project is shown in **Figure 1.1**.
- 1.3 An Environmental Permit (EP) No. EP-272/2007 was issued on 26 April 2007 for Drainage Improvement in Northern Hong Kong Island – Hong Kong West Drainage Tunnel to Drainage Services Department as the Permit Holder. Later, the further Environmental Permit (FEP-01/272/2007/A) was issued on 28 January 2008 to Dragages-Nishimatsu Joint Venture as the Permit Holder.
- 1.4 Cinotech Consultants Limited was commissioned by the Dragages-Nishimatsu Joint Venture (the Contractor) to undertake the Environmental Monitoring and Audit (EM&A) works for the Project. The Updated EM&A Manual was prepared by Cinotech to fulfill the requirements of the EP. The construction commencement of this Contract at Eastern Portal was on 17th April 2008 and 2nd May 2008 at Western Portal (land-based). The marine construction works was commenced on 30 May 2008. This is the 11th monthly EM&A report summarizing the EM&A works for the Project in February 2009 at Eastern and Western Portals.

Project Organizations

- 1.5 Different parties with different levels of involvement in the project organization include:
- Project Proponent – Drainage Services Department (DSD).
 - The Supervising Officer or Supervising Officer's Representative (SO or SOR) – Ove Arup & Partners (ARUP).
 - Environmental Team (ET) – Cinotech Consultants Limited (CCL).
 - Independent Environmental Checker (IEC) – Allied Environmental Consultants Limited (AEC).
 - Contractor - Dragages-Nishimatsu Joint Venture (DNJV).

1.6 The responsibilities of respective parties are detailed in Sections 1.14 to 1.28 of the updated EM&A Manual of the Project.

1.7 The key contacts of the Project are shown in Table 1.1 and the organization chart of ET is shown in **Figure 2.1**.

Table 1.1 Key Project Contacts

Party	Role	Name	Position	Phone No.	Fax No.
DNJV	Permit Holder	Mr. ALTIER Daniel	Project Manager	2671 7333	2671 9300
		Mr. UETAKE H.	Deputy Project Manager		
ARUP	Supervising Officer	Mr. Ted Tang	CRE	6117 6639	2436 1012
		Mr. Jackson Wong	SRE	6117 6636	
		Mr. Alan Ng	RE	9668 8350	
		Mr. Bernard Cheng	RE	98614939	
Cinotech	Environmental Team	Dr. Priscilla Choy	ET Leader	2151 2089	3107 1388
		Mr. Alex Ngai	Project Coordinator	2151 2076	
		Ms. Ivy Tam	Audit Team Leader	2151 2095	
		Mr. Henry Leung	Monitoring Team Leader	2151 2087	
AEC	Independent Environmental Checker	Ms. Claudine Lee	Independent Environmental Checker	2815 7028	2815 5399
DNJV	Contractor	Mr. Ben Ho	Environmental Officer	2671 7333	2671 9300

Construction Programme

1.8 The site activities undertaken in the reporting month included:

- Further establishment of project organization and staffing;
- Initial tunnel excavation, tunnel invert concrete, construction of Intake Cofferdam & River Channel and installation of temporary facilities at Eastern Portal (EP);
- Arch tunnel excavation, tunnel invert concrete, TBM assembly, deep excavation works and installation of temporary facilities at Western Portal (WP);
- Site preparation works at Intake W0;
- Utilities trial pits and additional site investigation works at Intakes SM1 & PFLR1;

- Approved in Principle (AIP) & Detailed Design Approval (DDA) submissions for temporary works at both portals;
- AIP & DDA submissions for temporary and permanent works for 32 nos. Intakes;
- AIP & DDA submissions for Adit/Main Tunnel Intersection, Adits, Stilling Chambers and Turning Bays;
- Environmental impact monitoring;
- Casting of tunnel segments;
- TBM fabrication, delivery, inland transportation and assembly planning; and
- Fabrication of gantries for WP cranes and conveyors for EP & WP.

Table 1.2 Construction programme showing the Inter-Relationship with Environmental Protection/Mitigation Measures

Construction Works	Major Environmental Impact	Control Measures
Further establishment of project organization and staffing	Nil	Nil
Initial tunnel excavation, tunnel invert concrete, construction of Intake Cofferdam & River Channel and installation of temporary facilities at Eastern Portal (EP)	Noise, dust impact, water quality and waste generation	Provided water spraying during excavation works On-site waste sorting and implementation of trip ticket system Appropriate desilting/sedimentation devices provided on site for treatment before discharge
Arch tunnel excavation, tunnel invert concrete, TBM assembly, deep excavation works and installation of temporary facilities at Western Portal (WP)	Noise, dust impact, water quality and waste generation	Provided water spraying during excavation works On-site waste sorting and implementation of trip ticket system Appropriate desilting/sedimentation devices provided on site for treatment before discharge
Site preparation works at Intake W0	Nil	Nil
Utilities trial pits and additional site investigation works at Intakes SM1 & PFLR1	Nil	Nil
Approved in Principle (AIP) & Detailed Design Approval (DDA) submissions for temporary works at both portals	Nil	Nil
AIP & DDA submissions for temporary and permanent works for 32 nos. Intakes	Nil	Nil
AIP & DDA submissions for Adit/Main Tunnel Intersection, Adits, Stilling	Nil	Nil

Chambers and Turning Bays		
Environmental impact monitoring	Nil	Nil
Casting of tunnel segments	Nil	Nil
TBM fabrication; delivery, inland transportation and assembly planning	Noise Impact and ground water	Double-shielded Tunnel Boring Machine to minimize seepage of groundwater
Fabrication of gantries for WP cranes and conveyors for EP & WP	Nil	Nil

Summary of EM&A Requirements

- 1.9 The EM&A programme requires construction phase monitoring construction noise, air quality and water quality and environmental site audit. The EM&A requirements for each parameter are described in the following sections, including:
- All monitoring parameters;
 - Action and Limit levels for all environmental parameters;
 - Event Action Plans;
 - Environmental mitigation measures, as recommended in the project EIA study final report; and
 - Environmental requirements in contract documents.
- 1.10 The advice on the implementation status of environmental protection and pollution control/mitigation measures is summarized in Section 5 of this report.
- 1.11 This report presents the monitoring results, observations, locations, equipment, period, methodology and QA/QC procedures of the required monitoring parameters, namely air quality, water quality and noise levels and audit works for the Project in February 2009.

2. AIR QUALITY

Monitoring Requirements

2.1 1-hour and 24-hour TSP monitoring were conducted to monitor the air quality at Eastern and Western Portals. **Appendix A** shows the established Action/Limit Levels for the environmental monitoring works.

Monitoring Locations

2.2 Three designated monitoring stations, AQ1, AQ2 and AQ3 were selected for impact dust monitoring. Table 2.1 describes the air quality monitoring locations, which are also depicted in **Figure 3.1a-b**.

Table 2.1 Locations for Air Quality Monitoring

Monitoring Stations	Locations
AQ1	True Light Middle School of Hong Kong
AQ2	Outside Aegean Terrace
AQ3	Outside The Site Office at Western Portal

Monitoring Equipment

2.3 Table 2.2 summarizes the equipment used in the impact air monitoring programme. Copies of calibration certificates are attached in **Appendix B**.

Table 2.2 Air Quality Monitoring Equipment

Equipment	Model and Make	Quantity
Calibrator	G25A; S/N: 1536	1
1-hour TSP Dust Meter	Laser Dust Monitor – Model LD3	1
HVS Sampler	GMWS 2310 c/w of TSP sampling inlet	2

Monitoring Parameters, Frequency and Duration

2.4 Table 2.3 summarizes the monitoring parameters and frequencies of impact dust monitoring for the whole construction period. The air quality monitoring schedule for the reporting month is shown in **Appendix D**.

Table 2.3 Impact Dust Monitoring Parameters, Frequency and Duration

Parameters	Frequency
1-hr TSP	Three times / 6 days
24-hr TSP	Once / 6 days

Monitoring Methodology and QA/QC Procedure

1-hour TSP Monitoring

Measuring Procedures

2.5 The measuring procedures of the 1-hour dust meters were in accordance with the Manufacturer's Instruction Manual as follows:

- Pull up the air sampling inlet cover
- Change the Mode 0 to BG with once
- Push Start/Stop switch once
- Turn the knob to SENSI.ADJ and press it
- Push Start/Stop switch once
- Return the knob to the position MEASURE slowly
- Push the timer set switch to set measuring time
- Remove the cap and make a measurement

Maintenance/Calibration

2.6 The following maintenance/calibration was required for the direct dust meters:

- Check the meter at a 3-month interval and calibrate the meter at a 1-year interval throughout all stages of the air quality monitoring.

24-hour TSP Monitoring

Instrumentation

2.7 High volume (HVS) samplers (Model GMWS-2310 Accu-Vol) completed with appropriate sampling inlets were employed for 24-hour TSP monitoring. The sampler was composed of a motor, a filter holder, a flow controller and a sampling inlet and its performance specification complied with that required by USEPA Standard Title 40, Code of Federation Regulations Chapter 1 (Part 50). Moreover, the HVS also met all the requirements in section 2.5 of the updated EM&A Manual.

Operating/Analytical Procedures

2.8 Operating/analytical procedures for the operation of HVS were as follows:

- A horizontal platform was provided with appropriate support to secure the samplers against gusty wind.
- No two samplers were placed less than 2 meters apart.
- The distance between the sampler and an obstacle, such as buildings, was at least twice the height that the obstacle protrudes above the sampler.
- A minimum of 2 meters of separation from walls, parapets and penthouses was required for rooftop samples.
- A minimum of 2 meters separation from any supporting structure, measured horizontally was required.
- No furnaces or incineration flues were nearby.

- Airflow around the sampler was unrestricted.
 - The sampler was more than 20 meters from the drip line.
 - Any wire fence and gate, to protect the sampler, should not cause any obstruction during monitoring.
- 2.9 Prior to the commencement of the dust sampling, the flow rate of the high volume sampler was properly set (between 1.1 m³/min. and 1.4 m³/min.) in accordance with the manufacturer's instruction to within the range recommended in USEPA Standard Title 40, CFR Part 50.
- 2.10 For TSP sampling, fiberglass filters (G810) were used [Note: these filters have a collection efficiency of > 99% for particles of 0.3 mm diameter].
- 2.11 The power supply was checked to ensure the sampler worked properly. On sampling, the sampler was operated for 5 minutes to establish thermal equilibrium before placing any filter media at the designated air monitoring station.
- 2.12 The filter holding frame was then removed by loosening the four nuts and a weighted and conditioned filter was carefully centered with the stamped number upwards, on a supporting screen.
- 2.13 The filter was aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter. Then the filter holding frame was tightened to the filter holder with swing bolts. The applied pressure should be sufficient to avoid air leakage at the edges.
- 2.14 The shelter lid was closed and secured with the aluminum strip.
- 2.15 The timer was then programmed. Information was recorded on the record sheet, which included the starting time, the weather condition and the filter number (the initial weight of the filter paper can be found out by using the filter number).
- 2.16 After sampling, the filter was removed and sent to the HOKLAS laboratory (Wellab Ltd.) for weighing. The elapsed time was also recorded.
- 2.17 Before weighing, all filters were equilibrated in a conditioning environment for 24 hours. The conditioning environment temperature should be between 25°C and 30°C and not vary by more than ±3°C; the relative humidity (RH) should be < 50% and not vary by more than ±5%. A convenient working RH is 40%.

Maintenance/Calibration

- 2.18 The following maintenance/calibration was required for the HVS:
- The high volume motors and their accessories were properly maintained. Appropriate maintenance such as routine motor brushes replacement and electrical wiring checking were made to ensure that the equipment and necessary power supply are in good working condition.
 - High volume samplers were calibrated at bi-monthly intervals using GMW-25 Calibration Kit throughout all stages of the air quality monitoring.

Results and Observations

Eastern Portal (AQ1)

- 2.19 All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.
- 2.20 All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Western Portal (AQ2)

- 2.21 All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Western Portal (AQ3)

- 2.22 All 24-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.
- 2.23 Wind data was obtained from the Meteorological Observations for King's Park Automatic Weather Station for Eastern Portal and Wong Chuk Hang Automatic Weather Station for Western Portal. These wind data for the reporting period is summarized in **Appendix J**.
- 2.24 The monitoring data and graphical presentations of 1-hour and 24-hour TSP monitoring results are shown in **Appendices E and F** respectively.
- 2.25 In accordance with Condition 4.2 of the EP, all environmental monitoring data was made available to the public via internet access at the website <http://www.cinotech.com.hk/projects/WestDrainageTunnel/>.
- 2.26 According to our field observations, the identified dust sources at the monitoring stations were mainly from the excavation works, loading/unloading activities and the road traffic for Eastern and Western Portals.

Table 2.4 Summary Table of Air Quality Monitoring Results during the reporting month

Parameter	Date	Concentration (µg/m ³)	Action Level, µg/m ³	Limit Level, µg/m ³
Eastern Portal				
1-hr TSP (AQ1)	3-Feb-09	223.5	345	500
	4-Feb-09	50.8		
	6-Feb-09	125.2		
	10-Feb-09	292.8		
	12-Feb-09	123.5		
	13-Feb-09	176.9		
	17-Feb-09	332.8		
	18-Feb-09	160.0		
	20-Feb-09	211.2		
	24-Feb-09	200.3		
	25-Feb-09	123.8		
27-Feb-09	83.7			
24-hr TSP (AQ1)	5-Feb-09	83.9	201	260
	11-Feb-09	157.8		
	17-Feb-09	104.1		
	23-Feb-09	84.9		
	28-Feb-09	76.2		
Western Portal				
1-hr TSP (AQ2)	3-Feb-09	47.1	321	500
	4-Feb-09	37.2		
	6-Feb-09	50.8		
	10-Feb-09	47.5		
	12-Feb-09	51.1		
	13-Feb-09	51.1		
	17-Feb-09	42.8		
	18-Feb-09	51.3		
	20-Feb-09	40.9		
	24-Feb-09	41.3		
	25-Feb-09	50.0		
27-Feb-09	43.9			
24-hr TSP (AQ3)	5-Feb-09	106.4	156	260
	11-Feb-09	122.0		
	17-Feb-09	94.9		
	23-Feb-09	38.5		
	28-Feb-09	131.1		

3. NOISE

Monitoring Requirements

3.1 Three noise monitoring stations, namely NC1, NC2 and NC3 were selected for impact monitoring. **Appendix A** shows the established Action and Limit Levels for the environmental monitoring works.

Monitoring Locations

3.2 Noise monitoring was conducted at three designated monitoring stations as listed in Table 3.1. **Figure 3.1a-b** shows the locations of these stations.

Table 3.1 Noise Monitoring Stations

Monitoring Stations	Locations
NC1/NC1a	True Light Middle School of Hong Kong/Outside True Light Middle School of Hong Kong
NC2	The Legend
NC3	Outside Aegean Terrace

Monitoring Equipment

3.3 Table 3.2 summarizes the noise monitoring equipment. Copies of calibration certificates are provided in **Appendix B**.

Table 3.2 Noise Monitoring Equipment

Equipment	Model and Make	Qty.
Integrating Sound Level Meter	B&K Model 2238	4
Calibrator	B&K 4231	2

Monitoring Parameters, Frequency and Duration

3.4 Table 3.3 summarizes the monitoring parameters, frequency and total duration of monitoring. The noise monitoring schedule is shown in **Appendix D**.

Table 3.3 Noise Monitoring Parameters, Frequency and Duration

Monitoring Stations	Parameter	Period	Frequency	Measurement
NC1 NC2 NC3	L ₁₀ (30 min.) dB(A) L ₉₀ (30 min.) dB(A) L _{eq} (30 min.) dB(A)	0700-1900 hrs on normal weekdays	Once per week	Façade
NC1a NC2 NC3	L _{eq} (5 min.) dB(A) L ₉₀ (5 min.) dB(A) L _{eq} (5 min.) dB(A)	1900 - 2300 hrs on all other days 0700 - 2300 hrs holidays & 2300 – 0700 hrs of next day		

Monitoring Methodology and QA/QC Procedures

- The Sound Level Meter was set on a tripod at a height of 1.2 m above the ground.
- For free field measurement, the meter was positioned away from any nearby reflective surfaces. All records for free field noise levels were adjusted with a correction of +3 dB(A).
- The battery condition was checked to ensure the correct functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - frequency weighting : A
 - time weighting : Fast
 - time measurement : 30 minutes / 5 minutes
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94.0 dB at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1.0 dB, the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
- The wind speed was frequently checked with the portable wind meter.
- At the end of the monitoring period, the L_{eq}, L₉₀ and L₁₀ were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.
- Noise measurement was paused temporarily during periods of high intrusive noise if possible and observation was recorded when intrusive noise was not avoided.
- Noise monitoring was cancelled in the presence of fog, rain, and wind with a steady speed exceeding 5 m/s, or wind with gusts exceeding 10 m/s.

Maintenance and Calibration

- 3.5 The microphone head of the sound level meter and calibrator were cleaned with a soft cloth at quarterly intervals.
- 3.6 The sound level meter and calibrator were checked and calibrated at yearly intervals.

- 3.7 Immediately prior to and following each noise measurement the accuracy of the sound level meter shall be checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements may be accepted as valid only if the calibration levels from before and after the noise measurement agree to within 1.0 dB.

Results and Observations

- 3.8 Noise monitoring (0700-1900 hrs on normal weekdays, 1900-2300 hrs on all other days, 2300-0700 hrs of next day and 0700-1900 hrs on holidays) at the three designated locations (NC1/NC1a (for restricted hours), NC2 and NC3) was conducted as scheduled in the reporting month.
- 3.9 As noise monitoring for evening time inside the True Light Middle School of Hong Kong (NC1) throughout the construction period will cause disturbance to them. Thus, the noise monitoring for evening time will be conducted at outside the school (NC1a) at the nearest of the staff accommodation. As no baseline noise monitoring has been conducted at NC1a and the major noise source was the traffic noise along Tai Hang Road. The noise monitoring results will be adjusted with the reference baseline noise level at NC1 (1900-2300 on all other days and 0700 - 2300 hrs holidays & 2300 – 0700 hrs of next day) and will be used as reference only.

Eastern Portal (NC1 & NC2) - 0700-1900 hrs on normal weekdays

- 3.10 No Action/Limit Level exceedance was recorded.

Eastern Portal (NC1a & NC2) - 1900-2300 hrs on all other days and 0700-2300 hrs on holidays

- 3.11 No Action/Limit Level exceedance was recorded.

Eastern Portal (NC1a & NC2) - 2300-0700 hrs of next day

- 3.12 No Action/Limit Level exceedance was recorded.

Western Portal (NC3) - 0700-1900 hrs on normal weekdays

- 3.13 No Action/Limit Level exceedance was recorded.

Western Portal (NC3) - 1900-2300 hrs on all other days and 0700-2300 hrs on holidays

- 3.14 No Action/Limit Level exceedance was recorded.

Western Portal (NC3) – 2300-0700 hrs of next day

- 3.15 No Action/Limit Level exceedance was recorded.

- 3.16 All the Construction Noise Levels (CNLs) reported in this report were adjusted with the corresponding baseline level (i.e. Measured Leq – Baseline Leq = Measured CNL), in order to facilitate the interpretation of the noise exceedance. The baseline noise level and the

Noise Limit Level at each designated noise monitoring station are presented at Table 3.4.

- 3.17 Noise monitoring results and graphical presentations are shown in **Appendix G**. In accordance with Condition 4.2 of the EP, all environmental monitoring data was made available to the public via internet access at the website <http://www.cinotech.com.hk/projects/WestDrainageTunnel/>.
- 3.18 The major noise source identified at the designated noise monitoring stations was the traffic noise, loading/unloading activities and excavation works for Eastern Portal and Western Portal.

Table 3.4 Baseline Noise Level and Noise Limit Level for Monitoring Stations

Station	Baseline Noise Level, dB (A)	Noise Limit Level, dB (A)
NC1 – True Light Middle School of Hong Kong	70.2 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC1a – Outside True Light Middle School of Hong Kong (the nearest of staff accommodation)	65.8 (at 0700 - 2300 hrs holidays & 1900 - 2300 hrs on all other days) 60.7 (at 2300 – 0700 hrs of next day) (reference)	65 (at 0700 - 2300 hrs holidays & 1900 - 2300 hrs on all other days) 50 (at 2300 – 0700 hrs of next day)
NC2 – The Legend	64.8 (at 0700 – 1900 hrs on normal weekdays) 59.1 (at 0700 - 2300 hrs holidays & 1900 - 2300 hrs on all other days) 53.9 (at 2300 – 0700 hrs of next day)	75 (at 0700 – 1900 hrs on normal weekdays) 65 (at 0700 - 2300 hrs holidays & 1900 - 2300 hrs on all other days)
NC3 – Outside Aegean Terrace	57.7 (at 0700 – 1900 hrs on normal weekdays) 53.8 (at 0700 - 2300 hrs holidays & 1900 - 2300 hrs on all other days) 52.0 (at 2300 – 0700 hrs of next day)	50 (at 2300 – 0700 hrs of next day)

(*) reduce to 65 dB(A) during school examination periods.

Table 3.5 Summary Table of Noise Monitoring Results during the Reporting Month

Parameter	Date	Construction Noise Level : Leq(30min) dB (A)	Action Level	Limit Level,
Eastern Portal				
NC1	4-Feb-09	67.9, Measured \leq Baseline	When one documented complaint is received	70*dB(A)
	13-Feb-09	69.4, Measured \leq Baseline		
	20-Feb-09	67.3, Measured \leq Baseline		
	27-Feb-09	67.8, Measured \leq Baseline		
NC2	4-Feb-09	61.0		75dB(A)
	13-Feb-09	66.3		
	20-Feb-09	62.5		
	27-Feb-09	62.2		
Western Portal				
NC3	4-Feb-09	56.8	When one documented complaint is received	75dB(A)
	13-Feb-09	57.9		
	20-Feb-09	55.4		
	27-Feb-09	57.7		
(Restricted Hours - 07:00 - 23:00 hrs holidays & 19:00 - 23:00 hrs on all other days)				
Parameter	Date	Construction Noise Level : Leq(5min) dB (A)	Action Level	Limit Level,
Eastern Portal				
NC1a (Reference)	4-Feb-09	63.2	When one documented complaint is received	65dB(A)
	8-Feb-09	61.5, Measured \leq Baseline		
	13-Feb-09	62.6		
	15-Feb-09	65.8, Measured \leq Baseline		
	20-Feb-09	62.0		
	22-Feb-09	62.3, Measured \leq Baseline		
	27-Feb-09	58.9		
NC2	4-Feb-09	59.5		
	8-Feb-09	62.4		
	13-Feb-09	60.2		
	15-Feb-09	50.0		
	20-Feb-09	61.7		
	22-Feb-09	61.4		
	27-Feb-09	62.0		
Western Portal				
NC3	1-Feb-09	53.2, Measured \leq Baseline	When one documented complaint is received	65dB(A)
	4-Feb-09	45.5		
	8-Feb-09	55.1		
	13-Feb-09	45.5		
	15-Feb-09	51.6, Measured \leq Baseline		
	20-Feb-09	52.0		
	22-Feb-09	43.6		
	27-Feb-09	47.9		
(Restricted Hours – 23:00 – 07:00 hrs of next day)				
Eastern Portal				

NC1a (Reference)	4-Feb-09	60.1, Measured \leq Baseline	When one documented complaint is received	50dB(A)
	13-Feb-09	60.2, Measured \leq Baseline		
	20-Feb-09	60.7, Measured \leq Baseline		
	27-Feb-09	60.5, Measured \leq Baseline		
NC2	4-Feb-09	42.4		
	13-Feb-09	45.6		
	20-Feb-09	44.8		
	27-Feb-09	44.8		
Western Portal				
NC3	5-Feb-09	48.8	When one documented complaint is received	50dB(A)
	14-Feb-09	45.1		
	20-Feb-09	43.7		
	28-Feb-09	49.7, Measured \leq Baseline		

(*) reduce to 65 dB(A) during school examination periods.

4. WATER QUALITY

Monitoring Requirements

4.1 Dissolved oxygen (DO concentration in mg/L and DO saturation in percentage), Turbidity (Tby in NTU), Suspended Solid (SS in mg/L), pH, salinity and both water and ambient temperature monitoring were conducted to monitor the water quality. **Appendix A** shows the established Action/Limit Levels for the environmental monitoring works.

Monitoring Locations

4.2 Locations of designated Water Quality Monitoring Stations are shown in **Figure 4.1a-b** and described in Table 4.1. Samples shall be taken at all designated Monitoring and Control Stations.

Table 4.1 Locations for Water Quality Monitoring

Monitoring Stations	Coordinates	
	Northing	Easting
<i>Control Stations</i>		
CE (Ebb)	814956	830026
CF (Flood)	812420	831778
<i>Impact Stations</i>		
I1	813654	831088
I2	813582	831105
Intake A	813044	831603
Intake B	814583	830606

Monitoring Equipment

4.3 Table 4.2 summarizes the equipment used in the water quality monitoring program. All the monitoring equipment complied with the specifications stipulated in the Updated EM&A Manual. Copies of the calibration certificates of the equipment are shown in **Appendix B**.

Table 4.2 Water Quality Monitoring Equipment

Equipment	Model and Make	Qty.
Water Sampler	Kahlsico Water-Bottle Model 135DW 150	1
Multi-parameter Water Quality System	YSI 6820	2
Monitoring Position Equipment	“Magellan” Handheld GPS Model GPS-320	1

Monitoring Parameters, Frequency and Duration

4.4 Table 4.3 summarizes the monitoring parameters, monitoring period and frequencies of water quality monitoring.

Table 4.3 Frequency and Parameters of Water Quality Monitoring

Station	Parameters	Frequency	No. of depth sampled	Depth	No. of samples events
CE	<ul style="list-style-type: none"> • Temperature (°C) • pH (pH unit) • turbidity (NTU) • water depth (m) • salinity (mg/L) • dissolved oxygen (DO) (mg/L and % of saturation) • suspended solids (SS) (mg/L) 	3 times per week during the course of the marine works	3	<ul style="list-style-type: none"> • 3 water depths: 1m below water surface, mid-depth and 1m above sea bed. • If the water depth is less than 3m, mid-depth sampling only. • If the water depth is less than 6m, omit mid-depth sampling. 	2 per monitoring day (1 for mid-ebb and 1 for mid-flood)
CF			2		
I1			3		
I2			3		
Intake A			3		
Intake B			3		

Monitoring Methodology, Calibration Details and QA/QC Procedures

Instrumentation

4.5 A multi-parameter meter (Model YSI 6820 C-M) was used to measure DO, DO saturation, turbidity, salinity and temperature.

Operating/Analytical Procedures

4.6 At each measurement, two consecutive measurements of DO concentration, DO saturation, salinity, turbidity and temperature were taken. Where the difference in the value between the first and second readings of each set was more than 25% of the value of the first reading, the reading was discarded and further readings were taken.

4.7 For SS measurement, duplicate water samples for SS were taken and analysed at each

monitoring station at each sample depth. The sample bottles were then packed in cool-boxes (without being frozen), and delivered to a HOKLAS accredited laboratory for analysis of suspended solids concentrations within 24 hours.

Maintenance and Calibration

- 4.8 Before each round of monitoring, a zero check in distilled water was performed with the turbidity probe of YSI 6820-C-M. The probe was then calibrated with a solution of known NTU.
- 4.9 QA/QC procedures as attached in **Appendix C** are available for the SS analyzed in the HOKLAS-accredited laboratory, WELLAB Ltd.

Results and Observations

- 4.10 All water quality monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded. The monitoring data and graphical presentations of the monitoring results are shown in **Appendix H**.
- 4.11 In accordance with Condition 4.2 of the EP, all environmental monitoring data was made available to the public via internet access at the website <http://www.cinotech.com.hk/projects/WestDrainageTunnel/>.
- 4.12 During the water quality monitoring, the areas of inspection included the general environmental conditions in the vicinity of the site, pollution control and mitigation measures within the site; and also review on the environmental conditions outside the site area that are likely to be affected, directly or indirectly, by site activities. The findings have been recorded in our Field Record Sheets.
- 4.13 No Action/Limit Level exceedance was recorded.
- 4.14 The summary of exceedance record in reporting month is shown in **Appendix I**.

Underground water level

- 4.15 Ground water levels were measured once per month during the construction phase in order to ensure the water levels at those intakes near to the natural stream courses and thus on the surrounding habitats will not be significantly affected.
- 4.16 Locations of designated ground water level (borehole with piezometer) monitoring station UC1 at Eastern Portal has been changed to ADH48 which was verified by IEC on 5th June 2008. Ground water level monitoring location is shown in **Figure 4.2** and the Monitoring data are shown in Table 4.4.

Table 4.4 Ground Water Level Monitoring Data at Location ADH48

Date	Water Level (from ground)/m
4 February 2009	9.95

5. ENVIRONMENTAL AUDIT

Site Audits

- 5.1 Site audits were carried out on a weekly basis to monitor the timely implementation of proper environmental management practices and mitigation measures in the Project site. The summaries of site audits are attached in **Appendix K**.
- 5.2 Site audits were conducted on 4th, 11th, 18nd and 27th February 2009. IEC site inspections were conducted on 27th February 2009. No non-compliance was observed during the site audits.

Review of Environmental Monitoring Procedures

- 5.3 The monitoring works conducted by the monitoring team were inspected regularly. The following observations have been recorded for the monitoring works:

Air Quality Monitoring

- The monitoring team recorded all observations around the monitoring stations within and outside the construction site.
- The monitoring team recorded the temperature and weather conditions on the monitoring days.

Noise Monitoring

- The monitoring team recorded all observations around the monitoring stations, which might affect the monitoring result.
- Major noise sources were identified and recorded. Other intrusive noise attributing to the result was trimmed off by pausing the monitoring temporarily.

Water Quality Monitoring

- The monitoring team recorded all observations around the monitoring stations, which might affect the monitoring result.
- The monitoring team recorded the weather condition on the monitoring day.

Status of Environmental Licensing and Permitting

- 5.4 All permits/licenses obtained for the Project are summarized in Table 5.1.

Status of Waste Management

- 5.5 The waste management of the Project has to follow the requirements and procedures stated in the Waste Management Plan which was prepared by the Contractor.

- 5.6 During this reporting period, a total 8 nos. of dump trucks of waste were delivered to SENT landfill and 1094 nos. of C&D waste was delivered to Public Fill Reception Facilities (Chai Wan Baring Point). Both the trip ticket system and chit accounting system for disposal of waste were operating smoothly to date. No overloading case was recorded during this reporting period. No disposal of inert C&D material to public sorting facilities and no dump truck without cover were reported from CEDD. In respect of the dump truck cover, DNJV keeps on take record photos and inspection to ensure that all dump trucks have fully covered the skip before leaving the site.
- 5.7 The amount of wastes generated by the activities of the Project during the reporting month is shown in **Appendix P**.

Table 5.1 Summary of Environmental Licensing and Permit Status

Permit No.	Valid Period		Details	Status
	From	To		
Environmental Permit (EP)				
FEP-01/272/2007/A	28/1/08	N/A	Construction of a 6.25m-7.25m in diameter and about 11 km long underground main drainage tunnel, 2 portals and a series of connecting adits and drop shafts.	Valid
Effluent Discharge License				
EP860/W10/XY0175	23/06/08	30/06/13	Industrial discharge (Area of Mount Butler Office)	Valid
EP860/W10/XY0177	23/06/08	30/06/13	Industrial discharge (Eastern Portal Site)	Valid
EP820/W9/XT086	22/07/08	31/07/13	Industrial discharge (Western Portal Site)	Valid
EP680/W10/XY0183	19/11/08	30/11/13	Industrial discharge (Intake W0, Stubbs Road, Wan Chai, HK)	Valid
Registration of Chemical Waste Producer				
5213-148-D2393-02	---	N/A	Chemical waste types: Spent oil	Valid
5213-172-D2393-01	---	N/A	Chemical waste types: Spent oil	Valid
Construction Noise Permit (CNP)				
GW-RS0035-09	19/01/09	18/07/09	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work at Hong Kong West Drainage Tunnel (Eastern Portal) (DSD Contract No. DC/2007/10), Tai Hang Road, Causeway Bay, Hong Kong.	Valid
GW-RS0076-09	12/02/09	11/05/09	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work at Hong Kong West Drainage Tunnel (Western Portal), Cyberport Road, Cyberport, Hong Kong (DSD Contract No. Dc/2007/10).	Valid

Implementation Status of Environmental Mitigation Measures

- 5.8 During site inspections in the reporting month, no non-conformance was identified. ET weekly site inspections were carried out during the reporting month and the observations and recommendations are summarized in Table 5.2.

Table 5.2 Observations and Recommendations of Site Inspections

Parameters	Date	Observations and Recommendations	Follow-up
<i>Water Quality</i>	04/02/2009	Silty water was observed discharging out to the public road and U-Channel at Eastern Portal. The Contractor was reminded to seal the hoarding and provide mitigation measures to prevent any wastewater from discharging out.	The item was not rectified during the follow-up audit session.
	04/02/2009	Sediment was observed accumulate at the culvert at Eastern Portal. The Contractor was reminded to clear them frequently.	Rectification/improvement was observed during the follow-up audit session.
	04/02/2009	Debris and stones were observed accumulate at the U-Channel near the Wetsep at Western Portal. The Contractor was reminded to clear them.	Rectification/improvement was observed during the follow-up audit session.
	11/02/2009	Silty water was observed discharging out to the public road at Eastern Portal. The Contractor was reminded to seal the hoarding to prevent any wastewater from discharging out.	Rectification/improvement was observed during the follow-up audit session.
	18/02/2009	Standing water was observed at the drip tray at Intake PFLR1. The Contractor was reminded to dry it out.	The site was not observed during the site inspection.
	18/02/2009	Drainage channel was observed without cover at near the works at Intake PFLR1. The Contractor was reminded was reminded to cover it properly.	The site was not observed during the site inspection.
	18/02/2009	Standing water was observed at the pit area of the concrete blocks. The Contractor was reminded to pave them properly.	The item was not rectified during the follow-up audit session.
	27/02/2009	Standing water was observed at the pit area of the concrete blocks at Eastern Portal. The Contractor was reminded to pave them properly.	Rectification/improvement was observed during the follow-up audit session.
	27/02/2009	Sediment was observed accumulated at the boundary of the access road at Eastern Portal. The Contractor was reminded to erect sand bag/concrete bund to prevent any sediment from carrying out.	The item was not rectified during the follow-up audit session.
	<i>Air Quality</i>	11/02/2009	Dry unpaved area was observed at Western Portal. The Contractor was reminded to provide water-spray more frequently.
11/02/2009		Discarded cement bags were observed at near the nullah at Western Portal. The Contractor was reminded to clear them.	The site was not observed during the site inspection.
18/02/2009		Dry unpaved area was observed at Western Portal. The Contractor was reminded to provide water-spray more frequently.	Rectification/improvement was observed during the follow-up audit session.
18/02/2009		Over 20 cement bags were observed partly cover at Western Portal. The Contractor was reminded to cover them properly to prevent dust emission.	The item was not rectified during the follow-up audit session.
27/02/2009		Discarded cement bags were observed at Eastern Portal. The Contractor was reminded to clear them.	Rectification/improvement was observed during the follow-up audit session.

Parameters	Date	Observations and Recommendations	Follow-up
Waste / Chemical Management	11/02/2009	Oil leakage was observed at the coffer dam at Western Portal. The Contractor was reminded to clear them as soon as possible.	Rectification/improvement was observed during the follow-up audit session.
	11/02/2009	General refuses were observed disposed not properly at Western Portal. The Contractor was reminded to clean them up.	Rectification/improvement was observed during the follow-up audit session.
	11/02/2009	Sediment and general refuses were observed deposited at the nullah at Western Portal. The Contractor was reminded to clear them.	The site was not observed during the site inspection.
	27/02/2009	Paint was observed leaking to the drainage channel at Intake W0. The Contractor was reminded to clear them properly.	Rectification/improvement was observed during the follow-up audit session.
	27/02/2009	General refuses were observed around the site at Western Portal. The Contractor was reminded to maintain the site tidiness.	*Follow-up action was needed for the item.
Reminders	04/02/2009	The Contractor was reminded of the followings: - Stockpile should be covered with tarpaulin after the works at Intake W0 and SM1 to control dust generation.	Rectification/improvement was observed during the follow-up audit session.
	04/02/2009	The Contractor was reminded of the followings: - Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	*Follow-up action was needed for the item.
	11/02/2009	The Contractor was reminded of the followings: - Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	*Follow-up action was needed for the item.
	18/02/2009	The Contractor was reminded of the followings: - Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	*Follow-up action was needed for the item.
	27/02/2009	The Contractor was reminded of the followings: - Properly maintain the treatment process for the silty water at Tai Hang Stream at Eastern Portal.	*Follow-up action was needed for the item.
	27/02/2009	The Contractor was reminded of the followings: - Properly maintain the silt curtain at Western Portal to ensure that the silt curtain can function properly.	Rectification/improvement was observed during the follow-up audit session.
	27/02/2009	The Contractor was reminded of the followings: - Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	*Follow-up action was needed for the item.

Note: (*) The Environmental deficiencies have been rectified by the Contractor. However, the item was reoccurred during the follow-up site audit due to construction activities/rainstorm. The Contractor was reminded to rectify the deficiencies more frequently.

5.9 The monthly IEC audit was carried out on 27th February 2009, the observations were recorded and they are presented as follows:

- 5.10 Follow-up and rectification works in response to IEC observations on 14 January 2009 were satisfied.

27th February 2009

Eastern Portal

- Two sedimentation pits were observed at nullah work site. Wastewater inside the pits was silty with mud. The wastewater and surface runoff collection as well as the treatment capacity should be reviewed to ensure water discharge from site could comply with Effluent Discharge License requirements.
- The bund (sand bags) along access road was incomplete. The condition of sand bags was poor. Prompt rectification is necessary.
- Water sampling point was located after mixing with outside surface runoff from manhole. It is recommended that water sampling should be collected before mixing with other water sources. The sampling arrangement should be reported to EPD as appropriate.

W0

- Paint spillage at U-Channel was observed. Prompt cleaning up and precautionary measures should be carried out.

Western Portal

- Paper was mixed with other C&D waste in the skip. Waste segregation should be properly performed.
- Rubbish discarded next to the water discharge point was observed.
- Cement bags delivered to site were not covered.

Non-compliance Recorded during Site Inspections

- 5.11 No non-compliance was recorded in the reporting month.

Summary of Mitigation Measures Implemented

- 5.12 The Contractor has implemented the mitigation measures as recommended in the EIA and the updated EM&A Manual in the reporting period except those mitigation measures not applicable at this stage. Status of the implementation of mitigation measures is presented in Table 1.2 and **Appendix L**.
- 5.13 According to the updated EM&A Manual and EP condition, mitigation measures such as noise enclosure and use of quiet PME are required to be implemented.
- 5.14 The actual implementation status of major mitigation measures required under the EP is as follows:
- Installation of silt curtain during the course of marine works.
 - Design of noise enclosure at Eastern Portal.
 - Submitted the Alternative Plant Inventory (EP condition 2.8(c)).
- 5.15 An updated summary of the EMIS is provided in **Appendix L**.

Implementation Status of Event Action Plans

5.16 The Event Action Plans for air quality and noise are presented in **Appendix M**.

*Eastern Portal*1-hr TSP Monitoring

5.17 No Action/Limit Level exceedance was recorded in the reporting month.

24-hr TSP Monitoring

5.18 No Action/Limit Level exceedance was recorded in the reporting month.

Construction Noise

5.19 No Action/Limit Level exceedance was recorded in the reporting month.

*Western Portal*1-hr TSP Monitoring

5.20 No Action/Limit Level exceedance was recorded in the reporting month.

24-hr TSP Monitoring

5.21 No Action/Limit Level exceedance was recorded in the reporting month.

Construction Noise

5.22 No Action/Limit Level exceedance was recorded for construction noise.

Water Quality

5.23 No Action/Limit Level exceedance was recorded for water quality.

Summary of Complaint, Warning, Notification of any Summons and Successful Prosecution

- 5.24 One environmental complaint was received in the reporting month. For the details, please refer to the following table: -

Complaint No.	Date	Complaint Details
COM-2009-02-022	7 February 2009	Complaint of Construction Noise at Early Morning (07:45hrs) at Eastern Portal Site

- 5.25 No warning, summon and notification of successful prosecution was received in the reporting month.
- 5.26 There were a total of 12 environmental complaints, no warning, summons and successful prosecution received since the commencement of the Project. The Complaint Log is attached in **Appendix N**.

6. FUTURE KEY ISSUES

Key Issues for the Coming Month

6.1 Key environmental issues at both Eastern and Western Portals in the coming month include:

Both Eastern and Western Portal

- Noise from operation of the equipment, especially for rock-breaking activities and machinery on-site;
- Dust generation from stockpiles of dusty materials, excavation works and rock breaking activities;
- Runoff from exposed slope;
- Wastewater and runoff discharge from site;
- Regular removal of silt, mud and sand along u-channels and sedimentation tanks;
- Review and implementation of temporary drainage system for the surface runoff;
- Proper storage of construction materials on site;
- Storage of chemicals/fuel and chemical waste/waste oil on site;
- Watering for rock breaking activity, soil nailing and on haul road;
- Accumulation of general and construction waste on site.

Only at Western Portal

- Contamination of marine water.

6.2 The tentative program of major site activities and the impact prediction and control measures for the coming two month, i.e. March 2009 to April 2009 are summarized as follows:

Construction Works	Major Impact Prediction	Control Measures
- Tunnel invert concrete, temporary drainage diversion and temporary cofferdam for River Channel and site installation for TBM operation at Eastern Portal - Tunnel invert concrete, TBM assembly, deep	Air impact (dust)	a) Frequent watering of haul road and unpaved/exposed areas; b) Frequent watering or covering stockpiles with tarpaulin or similar means; and c) Watering of any earth moving activities.
	Water quality impact (surface run-off)	d) Diversion of the collected effluent to de-silting facilities for treatment prior to discharge to public storm water drains; e) Provision of adequate de-silting facilities for treating surface run-off and other collected effluents prior to discharge; f) Provision of perimeter protection such as sealing of hoarding footings to avoid run-off from entering the existing storm water drainage system via public road; and g) Provision of measures to prevent discharge into the stream.

Construction Works	Major Impact Prediction	Control Measures
excavation and site installation for TBM operation at Western Portal - Preliminary and design works, preparation works at Intake W0 - Utilities trial pits and additional site investigation works at available intakes - Casting of tunnel segments in China - Assembly & testing in factory and delivery and assembly on site of East TBM - Gantries and Conveyor erection for West Portal	Noise Impact	h) Scheduling of noisy construction activities if necessary to avoid persistent noisy operation; i) Controlling the number of plants use on site; j) Regular maintenance of machines; and k) Use of acoustic barriers if necessary.

Monitoring Schedule for the Next Month

6.3 The tentative environmental monitoring schedules for the next month are shown in **Appendix D**.

Construction Program for the Next Month

6.4 The tentative construction program for the Project is provided in **Appendix O**.

7. CONCLUSIONS AND RECOMMENDATIONS

Conclusions

- 7.1 Environmental monitoring works were performed in the reporting month and all monitoring results were checked and reviewed.

1-hr TSP Monitoring

- 7.2 All 1-hr TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

24-hr TSP Monitoring

- 7.3 All 24-hr TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Construction Noise Monitoring

- 7.4 All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Water Quality

- 7.5 All water quality monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Complaint and Prosecution

- 7.6 One environmental complaints and no environmental prosecution were received in the reporting month.

Recommendations

- 7.7 According to the environmental audit performed in the reporting period, the following recommendations were made:

Air Quality Impact

- To prohibit any open burning on site.
- To regularly maintain the machinery and vehicles on site.
- To implement dust suppression measures on all haul roads, stockpiles, dry surfaces and excavation works.
- To provide hoarding

Noise Impact

- To inspect the noise sources inside the site.
- To space out noisy equipment and position the equipment as far away as possible from

sensitive receivers.

- To provide temporary noise barriers for operations of noisy equipment near the noise sensitive receivers in an appropriate location.

Water Impact

- To prevent any surface runoff discharge into any stream course.
- To review and implement temporary drainage system.
- To identify any wastewater discharges from site.
- To ensure properly maintenance for de-silting facilities.
- To clear the silt and sediment in the sedimentation tanks.
- To review the capacity of de-silting facilities for discharge.
- To divert all the water generated from construction site to de-silting facilities with enough handling capacity before discharge.
- To avoid accumulation of stagnant and ponding water on site.

Waste/Chemical Management


- To check for any accumulation of waste materials or rubbish on site.
- To ensure the performance of sorting of C&D materials at source (during generation);
- To carry out inspection of dump truck at site exit to ensure inert and non-inert C&D materials are properly segregated before removing off site.
- To avoid any discharge or accidental spillage of chemical waste or oil directly from the site.
- To avoid improper handling or storage of oil drum on site.

FIGURES



Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel		N.T.S	No. MA8001
	Site Layout Plan		Date	Figure
			Apr-08	1.1





Title	Contract No. DC/2007/10	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Design and Construction of Hong Kong West Drainage Tunnel	Date	Apr-08	Figure	2.1	
Organization Chart						




Title	Contract No. DC/2007/10		Scale	Project	
	Design and Construction of Hong Kong West Drainage Tunnel (Eastern Portal)		N.T.S	No.	MA8001
	Locations of Air Quality and Noise Monitoring Station		Date	Figure	
			Nov-08	3.1a	





Title	Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel (Western Portal) Locations of Air Quality and Noise Monitoring Station	Scale	N.T.S	Project No.	MA8001	
		Date	Jun-08	Figure	3.1b	




Point No.	Co-ordinates	
	Easting	Westing
CE	830026	814956
I1	831088	813654
I2	831105	813582
CF	831778	812420
Intake A	831603	813044
Intake B	830606	814583

Title
 Contract No. DC/2007/10
 Design and Construction of Hong Kong West Drainage Tunnel
 Locations of Water Quality Monitoring Stations

Scale	N.T.S	Project No.	MA8001
Date	Jun-08	Figure	4.1






Title Contract No. DC/2007/10
 Design and Construction of Hong Kong West Drainage Tunnel
 Locations of Water Quality Monitoring Stations

Scale	N.T.S	Project No.	MA8001
Date	Jun-08	Figure	4.1a





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Locations of Water Quality Monitoring Stations	Scale	Project	
	Date	Figure	
	N.T.S	No. MA8001	
	Jun-08	4.1b	



Title	Contract No. DC/2007/10		Scale	Project	CINOTECH
	Design and Construction of Hong Kong West Drainage Tunnel (Eastern Portal)		N.T.S	No. MA8001	
	Location of ground water level Monitoring Station		Date	Figure	
			Jun-08	4.2	

**APPENDIX A
ACTION AND LIMIT LEVELS**

Appendix A - Action and Limit Levels

Table A-1 Action and Limit Levels for 1-Hour TSP

Location	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AQ1	345	500
AQ2	321	

Table A-2 Action and Limit Levels for 24-Hour TSP

Location	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AQ1	201	260
AQ3	156	

Table A-3 Action and Limit Levels for Construction Noise

Time Period	Action Level	Limit Level
0700-1900 hrs on normal weekdays	When one documented complaint is received	75* dB(A)
0700-2300 hrs on holidays; and 1900-2300 hrs on all other days		60/65/70** dB(A)
2300-0700 hrs of next day		45/50/55** dB(A)

(*) reduce to 70 dB(A) for schools and 65 dB(A) during school examination periods.

(**) to be selected based on Area Sensitivity Rating.

Table A-4 Action and Limit Levels for Water Quality

Parameter		Action	Limit
DO, mg/L	Surface and Middle	6.3	6.2
	Bottom	6.0	5.8
SS, mg/L		15.7 or 120% of upstream control station's SS at the same tide of the same day	16.4 or 130% of SS readings at the upstream control station at the same tide of same day and specific sensitive receiver water quality requirements
Turbidity, NTU		10.2 or 120% of upstream control station's turbidity at the same tide of the same day	11.1 or 130% of turbidity at the upstream control station at the same tide of same day

**APPENDIX B
COPIES OF CALIBRATION
CERTIFICATES**

High-Volume TSP Sampler

5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/44/0006

Station AQ1 - True Light Middle School of Hong Kong Operator: WK
 Date: 11-Dec-08 Next Due Date: 10-Feb-09
 Equipment No.: A-01-44 Serial No. 1316

Ambient Condition			
Temperature, Ta (K)	292.3	Pressure, Pa (mmHg)	767

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0575	Intercept, bc	0.0395
Last Calibration Date:	10-Mar-08	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	9-Mar-09	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	$[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	$[\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$ Y-axis
1	12.1	3.53	60.68	8.6	2.97
2	10.7	3.32	57.02	7.2	2.72
3	7.4	2.76	47.30	5.0	2.27
4	5.1	2.29	39.15	3.3	1.84
5	3.2	1.81	30.87	1.9	1.40

By Linear Regression of Y on X

Slope, mw = 0.0518 Intercept, bw = -0.1952
 Correlation coefficient* = 0.9993

*If Correlation Coefficient < 0.990, check and recalibrate.

Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 43 CFM
 From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; W = $(mw \times Qstd + bw)^2 \times (760 / Pa) \times (Ta / 298) =$ 4.02

Remarks: _____

Conducted by: Wk Tang Signature: [Signature]
 Checked by: [Signature] Signature: [Signature]

Date: 11/12/08
 Date: 11 Dec 2008

High-Volume TSP Sampler 5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/44/0007

Station AQ1 - True Light Middle School of Hong Kong Operator: WK
 Date: 10-Feb-09 Next Due Date: 9-Apr-09
 Equipment No.: A-01-44 Serial No. 1316

Ambient Condition			
Temperature, Ta (K)	293.4	Pressure, Pa (mmHg)	766.3

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0575	Intercept, bc	0.0395
Last Calibration Date:	10-Mar-08	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	9-Mar-09	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	[ΔH x (Pa/760) x (298/Ta)] ^{1/2}	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	[ΔW x (Pa/760) x (298/Ta)] ^{1/2} Y-axis
1	11.8	3.48	59.77	8.4	2.93
2	9.5	3.12	53.56	6.9	2.66
3	7.0	2.68	45.88	5.1	2.29
4	5.1	2.29	39.06	3.2	1.81
5	3.2	1.81	30.80	2.0	1.43

By Linear Regression of Y on X
 Slope, mw = 0.0532 Intercept, bw = -0.2122
 Correlation coefficient* = 0.9973
 *If Correlation Coefficient < 0.990, check and recalibrate.

Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 43 CFM
 From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; W = $(mw \times Qstd + bw)^2 \times (760 / Pa) \times (Ta / 298) =$ 4.20

Remarks: _____

Conducted by: Wk. Tang Signature: [Signature] Date: 10/2/09
 Checked by: lav Signature: [Signature] Date: 10 Feb 2009

High-Volume TSP Sampler 5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/18/0005

Station AQ3 - Outside Site Office (Western Portal) Operator: WK
 Date: 11-Dec-08 Next Due Date: 10-Feb-09
 Equipment No.: A-01-18 Serial No. 0723

Ambient Condition			
Temperature, Ta (K)	292.3	Pressure, Pa (mmHg)	767

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0575	Intercept, bc	0.0395
Last Calibration Date:	10-Mar-08	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	9-Mar-09	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	[ΔH x (Pa/760) x (298/Ta)] ^{1/2}	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	[ΔW x (Pa/760) x (298/Ta)] ^{1/2} Y-axis
1	11.8	3.48	59.91	8.3	2.92
2	9.6	3.14	53.97	6.7	2.63
3	7.4	2.76	47.30	4.9	2.25
4	5.1	2.29	39.15	3.4	1.87
5	3.0	1.76	29.87	1.9	1.40

By Linear Regression of Y on X

Slope, mw = 0.0507 Intercept, bw = -0.1218
 Correlation coefficient* = 0.9996

*If Correlation Coefficient < 0.990, check and recalibrate.

Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 43 CFM

From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; W = (mw x Qstd + bw)² x (760 / Pa) x (Ta / 298) = 4.12

Remarks: _____

Conducted by: W.K. Tang Signature: [Signature] Date: 11/12/08
 Checked by: WK Signature: [Signature] Date: 11 Dec 2008

High-Volume TSP Sampler

5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/18/0006

Station AQ3 - Outside Site Office (Western Portal) Operator: WK
 Date: 10-Feb-09 Next Due Date: 9-Apr-09
 Equipment No.: A-01-18 Serial No. 0723

Ambient Condition			
Temperature, Ta (K)	294	Pressure, Pa (mmHg)	765.8

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0575	Intercept, bc	0.0395
Last Calibration Date:	10-Mar-08	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	9-Mar-09	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	$[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	$[\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$ Y-axis
1	11.7	3.46	59.43	7.9	2.84
2	9.4	3.10	53.20	6.8	2.64
3	7.0	2.67	45.81	4.9	2.24
4	5.0	2.26	38.61	3.3	1.84
5	3.3	1.84	31.24	2.1	1.46

By Linear Regression of Y on X

Slope, mw = 0.0502 Intercept, bw = -0.0872
 Correlation coefficient* = 0.9973

*If Correlation Coefficient < 0.990, check and recalibrate.

Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 43 CFM

From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; $W = (mw \times Qstd + bw)^2 \times (760 / Pa) \times (Ta / 298) =$ 4.19

Remarks: _____

Conducted by: Wk Tang Signature: _____
 Checked by: GW Signature: _____

Date: 10/2/09
 Date: 10 Feb 2009



TISCH ENVIRONMENTAL, INC.
 145 SOUTH MIAMI AVE.
 VILLAGE OF CLEVELAND, OH 45002
 513.467.9000
 877.263.7610 TOLL FREE
 513.467.9009 FAX
 WWW.TISCH-ENVY.COM

AIR POLLUTION MONITORING EQUIPMENT

ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5025A

Date - Mar 10, 2008 Roots-meter S/N 9833640 Ta (K) - 295
 Operator Tisch Orifice I.D. - 0999 Pa (mm) - 746.76

PLATE OR Run #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER DIFF Hg (mm)	ORFICE DIFF H2O (in.)
1	NA	NA	1.00	1.3890	3.2	2.00
2	NA	NA	1.00	0.9850	6.3	4.00
3	NA	NA	1.00	0.8810	7.8	5.00
4	NA	NA	1.00	0.8410	8.6	5.50
5	NA	NA	1.00	0.6950	12.5	8.00

DATA TABULATION

Vstd	(x axis) Qstd	(y axis)	Va	(x axis) Qa	(y axis)
0.9917	0.7139	1.4113	0.9957	0.7168	0.8874
0.9876	1.0026	1.9959	0.9916	1.0067	1.2549
0.9854	1.1185	2.2315	0.9894	1.1231	1.4030
0.9844	1.1706	2.3405	0.9884	1.1753	1.4715
0.9792	1.4090	2.8227	0.9832	1.4147	1.7747
Qstd slope (m) = 2.03154			Qa slope (m) = 1.27212		
intercept (b) = -0.03970			intercept (b) = -0.02496		
coefficient (r) = 0.99999			coefficient (r) = 0.99999		

y axis = $\text{SQRT}[\text{H2O}(\text{Pa}/760)(298/\text{Ta})]$

y axis = $\text{SQRT}[\text{H2O}(\text{Ta}/\text{Pa})]$

CALCULATIONS

$V_{std} = \text{Diff. Vol}[(\text{Pa} - \text{Diff. Hg})/760](298/\text{Ta})$
 $Q_{std} = V_{std}/\text{Time}$

$V_a = \text{Diff Vol}[(\text{Pa} - \text{Diff Hg})/\text{Pa}]$
 $Q_a = V_a/\text{Time}$


For subsequent flow rate calculations:

$Q_{std} = 1/m\{[\text{SQRT}(\text{H2O}(\text{Pa}/760)(298/\text{Ta}))] - b\}$
 $Q_a = 1/m\{[\text{SQRT}(\text{H2O}(\text{Ta}/\text{Pa}))] - b\}$



TISCH ENVIRONMENTAL, INC.
 145 SOUTH MIAMI AVE.
 VILLAGE OF CLEVELAND, OH 45002
 513.467.9000
 877.263.7610 TOLL FREE
 513.467.9009 FAX
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT



* y-axis equations:

Qstd series:
$$\sqrt{\Delta H \left(\frac{P_a}{P_{std}} \right) \left(\frac{T_{std}}{T_a} \right)}$$

Qa series:
$$\sqrt{(\Delta H (T_a / P_a))}$$

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/07/80502
Date of Issue:	2008-05-03
Date Received:	2008-05-02
Date Tested:	2008-05-02
Date Completed:	2008-05-03
Next Due Date:	2009-05-02

ATTN: Mr. Henry Leung

Page: 1 of 1

Certificate of Calibration

Item for calibration:

Description : RS232 Integral Vane Digital Anemometer
Manufacturer : AZ Instrument
Model No. : 451104
Serial No. : 9020746
Equipment No. : A-03-01

Test conditions:

Room Temperature : 21 degree Celsius
Relative Humidity : 65%
Pressure : 101.3 kPa

Methodology:

The anemometer has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

Results:

	Reference Set Point	Instrument Readings
Measuring Air Velocity, m/s	2.00	2.00
Temperature, °C	21.0	21.0

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/090117/1
Date of Issue:	2009-01-17
Date Received:	2009-01-16
Date Tested:	2009-01-17
Date Completed:	2009-01-17
Next Due Date:	2009-03-16

ATTN: Mr. Henry Leung

Page: 1 of 1

Certificate of Calibration

Item for Calibration:

Description	: Laser Dust Monitor
Manufacturer	: Sibata
Model No.	: LD-3B
Serial No.	: 853944
Sensitivity (K) 1 CPM	: 0.001 mg/m ³
Sen. Adjustment Scale Setting	: 685 CPM
Equipment No.	: A-02-04

Test Conditions:

Room Temperature	: 23 degree Celsius
Relative Humidity	: 59%

Test Specifications & Methodology:

1. Instruction and Operation Manual High Volume Sampler, Andersen Samplers, Inc.
2. In-house method in according to the instruction manual: The Laser Dust Monitor was compared with a calibrated High Volume Sampler and the result was used to generate the Correlation Factor (CF) between the Laser Dust Monitor and High Volume Sampler.

Results:

Correlation Factor (CF)	0.0035
-------------------------	--------

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**


PATRICK TSE
Laboratory Manager

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/N/81215/1
Date of Issue:	2008-12-16
Date Received:	2008-12-15
Date Tested:	2008-12-15
Date Completed:	2008-12-16
Next Due Date:	2009-12-15

ATTN: Mr. Henry Leung

Page: 1 of 1

Certificate of Calibration

Item for calibration:

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: B&K 2238
Serial No.	: 2337665
Microphone No.	: 2289749
Equipment No.	: N-01-01

Test conditions:

Room Temperature	: 20 degree Celsius
Relative Humidity	: 60%

Test Specifications:

Performance checking at 94 and 114 dB

Methodology:

In-house method, according to manufacturer instruction manual

Results:

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

APPLICANT: **Cinotech Consultants Limited**
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/N/80903-1
Date of Issue:	2008-09-03
Date Received:	2008-09-02
Date Tested:	2008-09-02
Date Completed:	2008-09-03
Next Due Date:	2009-09-02

ATTN: **Mr. Henry Leung**

Page: 1 of 1

Certificate of Calibration

Item for calibration:

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: B&K 2238
Serial No.	: 2359311
Microphone No.	: 2346382
Equipment No.	: N-01-03

Test conditions:

Room Temperature	: 21 degree Celsius
Relative Humidity	: 61%

Test Specifications:

Performance checking at 94 and 114 dB

Methodology:

In-house method, according to manufacturer instruction manual

Results:

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT

APPLICANT: **Cinotech Consultants Limited**
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/N/80903-2
Date of Issue:	2008-09-03
Date Received:	2008-09-02
Date Tested:	2008-09-02
Date Completed:	2008-09-03
Next Due Date:	2009-09-02

ATTN: **Mr. Henry Leung**

Page: 1 of 1

Certificate of Calibration

Item for calibration:

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: B&K 2238
Serial No.	: 2359303
Equipment No.	: N-01-04

Test conditions:

Room Temperature	: 21 degree Celsius
Relative Humidity	: 61%

Test Specifications:

Performance checking at 94 and 114 dB

Methodology:

In-house method, according to manufacturer instruction manual

Results:

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/N/81013/1
Date of Issue:	2008-10-15
Date Received:	2008-10-13
Date Tested:	2008-10-13
Date Completed:	2008-10-14
Next Due Date:	2009-10-14

ATTN: Mr. Henry Leung

Page: 1 of 1

Certificate of Calibration

Item for calibration:

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: B&K 2238
Serial No.	: 2394976
Microphone No.	: 2407349
Equipment No.	: N-01-05

Test conditions:

Room Temperature	: 21 degree Celsius
Relative Humidity	: 60%

Test Specifications:

Performance checking at 94 and 114 dB

Methodology:

In-house method, according to manufacturer instruction manual

Results:

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/N/81115/1
Date of Issue:	2008-11-15
Date Received:	2008-11-14
Date Tested:	2008-11-14
Date Completed:	2008-11-15
Next Due Date:	2009-11-14

ATTN: Mr. Henry Leung

Page: 1 of 1

Item for calibration:

Description	: Acoustical Calibrator
Manufacturer	: Brüel & Kjær
Model No.	: 4231
Serial No.	: 2326353
Project No.	: C13
Equipment No.	: N-02-01

Test conditions:

Room Temperature	: 20 degree Celsius
Relative Humidity	: 59%
Pressure	: 1015.2 hPa

Methodology:

The sound calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

Results:

Sound Pressure Level	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/N/80903-3
Date of Issue:	2008-09-03
Date Received:	2008-09-02
Date Tested:	2008-09-02
Date Completed:	2008-09-03
Next Due Date:	2009-09-02

ATTN: Mr. Henry Leung

Page: 1 of 1

Item for calibration:

Description	: Acoustical Calibrator
Manufacturer	: Brüel & Kjær
Model No.	: 4231
Serial No.	: 2412367
Equipment No.	: N-02-03

Test conditions:

Room Temperature	: 21 degree Celsius
Relative Humidity	: 61%

Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/W/81105-1
Date of Issue:	2008-11-06
Date Received:	2008-11-05
Date Tested:	2008-11-05
Date Completed:	2008-11-06
Next Due Date:	2009-02-05

ATTN: Mr. Henry Leung

Page: 1 of 2

Certificate of Calibration

Item for calibration:

Description	: Sonde Environmental Monitoring System
Manufacturer	: YSI
Model No.	: 6820-C-M
Serial No.	: 02D0126AA
Equipment No.	: W.03.01
Project No.	: C013

Test conditions:

Room Temperature	: 23 degree Celsius
Relative Humidity	: 63%

Test Specifications:

Conductivity & Salinity Sensor, Model: 6560, S/N: 05A1209

1. Conductivity performance check with Potassium Chloride standard solution
2. Salinity performance check with Sodium Chloride standard solution

Dissolved Oxygen Sensor, Model: 6562, S/N: 04A0145

1. Performance check against Winkler titration

Turbidity Sensor, Model: 6136, S/N: 05A1610AJ

1. Calibration check with Formazin standard solution

pH Meter, Model: 6561, S/N: 01J

1. Calibration check with standard pH buffer

Depth Meter

1. Calibration check at 1m water level depth

Methodologies:

1. YSI 6-Series Sonde Environmental Monitoring System Instruction Manual
2. In-house method with reference to APHA and ISO standards

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

Test Report No.:	C/W/81105-1
Date of Issue:	2008-11-06
Date Received:	2008-11-05
Date Tested:	2008-11-05
Date Completed:	2008-11-06
Next Due Date:	2009-02-05

Page: 2 of 2

Results:

1. Conductivity performance check

Specific Conductivity, $\mu\text{S}/\text{cm}$		Correction, $\mu\text{S}/\text{cm}$	Acceptable range
Salinity Meter (C1)	Theoretical Value (C2)	$D = C1 - C2$	
1421	1420	2	1420 ± 20

2. Salinity Performance check

Salinity, ppt		Correction, ppt	Acceptable range
Instrument Reading	Theoretical Value		
30.0	30.0	0.0	30.0 ± 3

3. Dissolved Oxygen check

Oxygen level in water at 20°C	Dissolved Oxygen, mg O ₂ /L		Correction, mg O ₂ /L	Acceptable range
	D.O. Meter	Winkler Titration		
Saturated	9.1	9.1	0.0	± 0.2
Half-saturated	5.6	5.6	0.0	± 0.2
Zero	0.0	0.0	0.0	± 0.2

4. Turbidity check

Turbidity value in solution, NTU	Calibration Value, NTU	Correction, NTU	Acceptable range
0.00	0.00	0.00	0.00 ± 0.05
100	100	0	100 ± 5

5. pH Meter check

Test Parameters	Performance characteristic	Acceptable range
Liquid junction error ΔpH_l , pH unit	0.01	Less than 0.05
Shift on stirring ΔpH_s , pH unit	0.01	Less than 0.02
Noise ΔpH_n , pH unit	0.00	Less than 0.02

6. Depth Meter check

Instrument Reading, m	Calibration Value, m	Correction, m	Acceptable range
1.0	1.00	0.00	1.00 ± 0.05

*****END OF REPORT*****

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/W/90204-1
Date of Issue:	2009-02-05
Date Received:	2009-02-04
Date Tested:	2009-02-04
Date Completed:	2009-02-05
Next Due Date:	2009-05-04

ATTN: Mr. Henry Leung

Page: 1 of 2

Certificate of Calibration

Item for calibration:

Description	: Sonde Environmental Monitoring System
Manufacturer	: YSI
Model No.	: 6820-C-M
Serial No.	: 02D0126AA
Equipment No.	: W.03.01
Project No.	: C013

Test conditions:

Room Temperature	: 23 degree Celsius
Relative Humidity	: 63%

Test Specifications:

Conductivity & Salinity Sensor, Model: 6560, S/N: 05A1209

1. Conductivity performance check with Potassium Chloride standard solution
2. Salinity performance check with Sodium Chloride standard solution

Dissolved Oxygen Sensor, Model: 6562, S/N: 04A0145

1. Performance check against Winkler titration

Turbidity Sensor, Model: 6136, S/N: 05A1610AJ

1. Calibration check with Formazin standard solution

pH Meter, Model: 6561, S/N: 01J

1. Calibration check with standard pH buffer

Depth Meter

1. Calibration check at 1m water level depth

Methodologies:

1. YSI 6-Series Sonde Environmental Monitoring System Instruction Manual
2. In-house method with reference to APHA and ISO standards

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**


PATRICK TSE
Laboratory Manager

TEST REPORT

Test Report No.:	C/W/90204-1
Date of Issue:	2009-02-05
Date Received:	2009-02-04
Date Tested:	2009-02-04
Date Completed:	2009-02-05
Next Due Date:	2009-05-04

Page: 2 of 2

Results:

1. Conductivity performance check

Specific Conductivity, $\mu\text{S}/\text{cm}$		Correction, $\mu\text{S}/\text{cm}$	Acceptable range
Salinity Meter (C1)	Theoretical Value (C2)	$D = C1 - C2$	
1421	1420	2	1420 ± 20

2. Salinity Performance check

Salinity, ppt		Correction, ppt	Acceptable range
Instrument Reading	Theoretical Value		
30.0	30.0	0.0	30.0 ± 3

3. Dissolved Oxygen check

Oxygen level in water at 20°C	Dissolved Oxygen, mg O ₂ /L		Correction, mg O ₂ /L	Acceptable range
	D.O. Meter	Winkler Titration		
Saturated	9.1	9.1	0.0	± 0.2
Half-saturated	5.6	5.6	0.0	± 0.2
Zero	0.0	0.0	0.0	± 0.2

4. Turbidity check

Turbidity value in solution, NTU	Calibration Value, NTU	Correction, NTU	Acceptable range
0.00	0.00	0.00	0.00 ± 0.05
100	100	0	100 ± 5

5. pH Meter check

Test Parameters	Performance characteristic	Acceptable range
Liquid junction error ΔpH_j , pH unit	0.01	Less than 0.05
Shift on stirring ΔpH_s , pH unit	0.01	Less than 0.02
Noise ΔpH_n , pH unit	0.00	Less than 0.02

6. Depth Meter check

Instrument Reading, m	Calibration Value, m	Correction, m	Acceptable range
1.0	1.00	0.00	1.00 ± 0.05

*****END OF REPORT*****

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/W/81105-2
Date of Issue:	2008-11-06
Date Received:	2008-11-05
Date Tested:	2008-11-05
Date Completed:	2008-11-06
Next Due Date:	2009-02-05

ATTN: Mr. Henry Leung

Page: 1 of 2

Certificate of Calibration

Item for calibration:

Description : Sonde Environmental Monitoring System
Manufacturer : YSI
Model No. : 6820-C-M
Serial No. : 02D0293AA
Equipment No. : W.03.02
Project No. : C013

Test conditions:

Room Temperature : 23 degree Celsius
Relative Humidity : 63%

Test Specifications:

Conductivity & Salinity Sensor, Model: 6560, S/N: 02C0886
1. Conductivity performance check with Potassium Chloride standard solution
2. Salinity performance check with Sodium Chloride standard solution
Dissolved Oxygen Sensor, Model: 6562, S/N: 0261137
1. Performance check against Winkler titration
Turbidity Sensor, Model: 6136, S/N: 05F2030AQ
1. Calibration check with Formazin standard solution
pH Meter, Model: 6561, S/N: 02A
1. Calibration check with standard pH buffer
Depth Meter
1. Calibration check at 1m water level depth

Methodologies:

1. YSI 6-Series Sonde Environmental Monitoring System Instruction Manual
2. In-house method with reference to APHA and ISO standards

PREPARED AND CHECKED BY:

For and On Behalf of **WELLAB Ltd.**



PATRICK TSE

Laboratory Manager

TEST REPORT

Test Report No.:	C/W/81105-2
Date of Issue:	2008-11-06
Date Received:	2008-11-05
Date Tested:	2008-11-05
Date Completed:	2008-11-06
Next Due Date:	2009-02-05

Page: 2 of 2

Results:

1. Conductivity performance check

Specific Conductivity, $\mu\text{S}/\text{cm}$		Correction, $\mu\text{S}/\text{cm}$	Acceptable range
Salinity Meter (C1)	Theoretical Value (C2)	$D = C1 - C2$	
1420	1420	0	1420 ± 20

2. Salinity Performance check

Salinity, ppt		Correction, ppt	Acceptable range
Instrument Reading	Theoretical Value		
30.1	30.0	0.1	30.0 ± 3

3. Dissolved Oxygen check

Oxygen level in water at 20°C	Dissolved Oxygen, mg O ₂ /L		Correction, mg O ₂ /L	Acceptable range
	D.O. Meter	Winkler Titration		
Saturated	9.0	9.0	0.0	± 0.2
Half-saturated	5.8	5.8	0.0	± 0.2
Zero	0.0	0.0	0.0	± 0.2

4. Turbidity check

Turbidity value in solution, NTU	Calibration Value, NTU	Correction, NTU	Acceptable range
0.00	0.00	0.00	0.00 ± 0.05
100	100	0	100 ± 5

5. pH Meter check

Test Parameters	Performance characteristic	Acceptable range
Liquid junction error ΔpH_l , pH unit	0.01	Less than 0.05
Shift on stirring ΔpH_s , pH unit	0.01	Less than 0.02
Noise ΔpH_n , pH unit	0.01	Less than 0.02

6. Depth Meter check

Instrument Reading, m	Calibration Value, m	Correction, m	Acceptable range
1.0	1.00	0.00	1.00 ± 0.05

*****END OF REPORT*****

TEST REPORT

APPLICANT: Cinotech Consultants Limited
Room 1710, Technology Park,
18 On Lai Street,
Shatin, NT, Hong Kong

Test Report No.:	C/W/90204-2
Date of Issue:	2009-02-05
Date Received:	2009-02-04
Date Tested:	2009-02-04
Date Completed:	2009-02-05
Next Due Date:	2009-05-04

ATTN: Mr. Henry Leung

Page: 1 of 2

Certificate of Calibration

Item for calibration:

Description	: Sonde Environmental Monitoring System
Manufacturer	: YSI
Model No.	: 6820-C-M
Serial No.	: 02D0293AA
Equipment No.	: W.03.02
Project No.	: C013

Test conditions:

Room Temperature	: 23 degree Celsius
Relative Humidity	: 63%

Test Specifications:

Conductivity & Salinity Sensor, Model: 6560, S/N: 02C0886
1. Conductivity performance check with Potassium Chloride standard solution
2. Salinity performance check with Sodium Chloride standard solution
Dissolved Oxygen Sensor, Model: 6562, S/N: 0261137
1. Performance check against Winkler titration
Turbidity Sensor, Model: 6136, S/N: 05F2030AQ
1. Calibration check with Formazin standard solution
pH Meter, Model: 6561, S/N: 02A
1. Calibration check with standard pH buffer
Depth Meter
1. Calibration check at 1m water level depth

Methodologies:

1. YSI 6-Series Sonde Environmental Monitoring System Instruction Manual
2. In-house method with reference to APHA and ISO standards

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**


PATRICK TSE
Laboratory Manager

TEST REPORT

Test Report No.:	C/W/90204-2
Date of Issue:	2009-02-05
Date Received:	2009-02-04
Date Tested:	2009-02-04
Date Completed:	2009-02-05
Next Due Date:	2009-05-04

Page: 2 of 2

Results:

1. Conductivity performance check

Specific Conductivity, $\mu\text{S}/\text{cm}$		Correction, $\mu\text{S}/\text{cm}$	Acceptable range
Salinity Meter (C1)	Theoretical Value (C2)	$D = C1 - C2$	
1420	1420	0	1420 ± 20

2. Salinity Performance check

Salinity, ppt		Correction, ppt	Acceptable range
Instrument Reading	Theoretical Value		
30.1	30.0	0.1	30.0 ± 3

3. Dissolved Oxygen check

Oxygen level in water at 20°C	Dissolved Oxygen, mg O ₂ /L		Correction, mg O ₂ /L	Acceptable range
	D.O. Meter	Winkler Titration		
Saturated	9.0	9.0	0.0	± 0.2
Half-saturated	5.8	5.8	0.0	± 0.2
Zero	0.0	0.0	0.0	± 0.2

4. Turbidity check

Turbidity value in solution, NTU	Calibration Value, NTU	Correction, NTU	Acceptable range
0.00	0.00	0.00	0.00 ± 0.05
100	100	0	100 ± 5

5. pH Meter check

Test Parameters	Performance characteristic	Acceptable range
Liquid junction error ΔpH_j , pH unit	0.01	Less than 0.05
Shift on stirring ΔpH_s , pH unit	0.01	Less than 0.02
Noise ΔpH_n , pH unit	0.01	Less than 0.02

6. Depth Meter check

Instrument Reading, m	Calibration Value, m	Correction, m	Acceptable range
1.0	1.00	0.00	1.00 ± 0.05

*****END OF REPORT*****

**APPENDIX C
QUALITY CONTROL REPORTS FOR SS
LABORATORY ANALYSIS**

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	07961
Date of Issue:	2009/02/03
Date Received:	2009/02/02
Date Tested:	2009/02/02
Date Completed:	2009/02/03

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/02
Number of Sample: 58
Custody No.: MA8001/90202

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A me	11	12	10	99

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	07974
Date of Issue:	2009/02/05
Date Received:	2009/02/04
Date Tested:	2009/02/04
Date Completed:	2009/02/05

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/04
Number of Sample: 58
Custody No.: MA8001/90204

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A se	8	8	3	100

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	07988
Date of Issue:	2009/02/09
Date Received:	2009/02/06
Date Tested:	2009/02/06
Date Completed:	2009/02/09

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/06
Number of Sample: 28
Custody No.: MA8001/90206

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A mf	7	6	11	93

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08003
Date of Issue:	2009/02/10
Date Received:	2009/02/09
Date Tested:	2009/02/09
Date Completed:	2009/02/10

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/09
Number of Sample: 58
Custody No.: MA8001/90209

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A se	15	14	12	89

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08009
Date of Issue:	2009/02/12
Date Received:	2009/02/11
Date Tested:	2009/02/11
Date Completed:	2009/02/12

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/11
Number of Sample: 58
Custody No.: MA8001/90211

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A se	4	4	5	90

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08025
Date of Issue:	2009/02/16
Date Received:	2009/02/13
Date Tested:	2009/02/13
Date Completed:	2009/02/16

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/13
Number of Sample: 58
Custody No.: MA8001/90213

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
I2be	7	8	5	93

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08035
Date of Issue:	2009/02/17
Date Received:	2009/02/16
Date Tested:	2009/02/16
Date Completed:	2009/02/17

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/16
Number of Sample: 58
Custody No.: MA8001/90216

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A se	8	9	15	100

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08047
Date of Issue:	2009/02/19
Date Received:	2009/02/18
Date Tested:	2009/02/18
Date Completed:	2009/02/19

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/18
Number of Sample: 28
Custody No.: MA8001/90218

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A mf	12	13	5	106

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08064
Date of Issue:	2009/02/23
Date Received:	2009/02/20
Date Tested:	2009/02/20
Date Completed:	2009/02/23

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/20
Number of Sample: 28
Custody No.: MA8001/90220

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
I2 mf	9	9	5	96

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08071
Date of Issue:	2009/02/24
Date Received:	2009/02/23
Date Tested:	2009/02/23
Date Completed:	2009/02/24

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/23
Number of Sample: 28
Custody No.: MA8001/90223

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A se	11	10	14	93

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08088
Date of Issue:	2009/02/26
Date Received:	2009/02/25
Date Tested:	2009/02/25
Date Completed:	2009/02/26

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/25
Number of Sample: 28
Custody No.: MA8001/90225

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A se	7	7	1	99

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

TEST REPORT
QC REPORT

APPLICANT: Cinotech Consultants Limited
Rm1710, Technology Park,
18 On Lai Street,
Shatin, N.T.

Laboratory No.:	08098
Date of Issue:	2009/03/02
Date Received:	2009/02/27
Date Tested:	2009/02/27
Date Completed:	2009/03/02

ATTN: Mr. Henry Leung

Page: 1 of 1

Sampling Site: Design and Construction of Hong Kong West Drainage Tunnel
Project No.: MA8001
Sampling Date: 2009/02/27
Number of Sample: 28
Custody No.: MA8001/90227

Total Suspended Solids	Duplicate Analysis			QC Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %	
Intake A se	9	11	15	99

*****END OF REPORT*****

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



PATRICK TSE
Laboratory Manager

**APPENDIX D
ENVIRONMENTAL MONITORING
SCHEDULES**

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel
Impact Air and Noise Monitoring Schedule for February 2009 (Eastern Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1-Feb	2-Feb	3-Feb	4-Feb	5-Feb	6-Feb	7-Feb
		1 hr TSP	1 hr TSP Noise Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00)	24 hrs TSP	1 hr TSP	
8-Feb	9-Feb	10-Feb	11-Feb	12-Feb	13-Feb	14-Feb
Noise *Daytime (07:00-19:00)		1 hr TSP	24 hrs TSP	1 hr TSP	1 hr TSP Noise Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00)	
15-Feb	16-Feb	17-Feb	18-Feb	19-Feb	20-Feb	21-Feb
Noise *Daytime (07:00-19:00)		1 hr TSP 24 hrs TSP	1 hr TSP		1 hr TSP Noise Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00)	
22-Feb	23-Feb	24-Feb	25-Feb	26-Feb	27-Feb	28-Feb
Noise *Daytime (07:00-19:00)	24 hrs TSP	1 hr TSP	1 hr TSP		1 hr TSP Noise Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00)	24 hrs TSP

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

Air Quality Monitoring Station

AQ1 - True Light Middle School of HK

Noise Monitoring Station

NC1 - True Light Middle School of HK
NC2 - The Legend

*NC1a - Outside True Light Middle School of HK

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel
Impact Air and Noise Monitoring Schedule for February 2009 (Western Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1-Feb	2-Feb	3-Feb	4-Feb	5-Feb	6-Feb	7-Feb
Noise Daytime (07:00-19:00)		1 hr TSP	1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	24 hrs TSP	1 hr TSP	
8-Feb	9-Feb	10-Feb	11-Feb	12-Feb	13-Feb	14-Feb
Noise Daytime (07:00-19:00)		1 hr TSP	24 hrs TSP	1 hr TSP	1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	
15-Feb	16-Feb	17-Feb	18-Feb	19-Feb	20-Feb	21-Feb
Noise Daytime (07:00-19:00)		1 hr TSP 24 hrs TSP	1 hr TSP		1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	
22-Feb	23-Feb	24-Feb	25-Feb	26-Feb	27-Feb	28-Feb
Noise Daytime (07:00-19:00)	24 hrs TSP	1 hr TSP	1 hr TSP		1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	24 hrs TSP

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

Air Quality Monitoring Station

AQ2 - Outside Aegean Terrace (1 hour TSP)
AQ3 - Outside Site Office at Western Portal (24 hours TSP)

Noise Monitoring Station

NC3 - Outside Aegean Terrace

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel
Impact Water Quality Monitoring Schedule for February 2009**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1-Feb	2-Feb	3-Feb	4-Feb	5-Feb	6-Feb	7-Feb
	Mid-Flood 10:14 Mid-Ebb 16:54		Mid-Ebb 08:15 Mid-Flood 12:15		Mid-Flood 10:04 Mid-Ebb N/A	
8-Feb	9-Feb	10-Feb	11-Feb	12-Feb	13-Feb	14-Feb
	Mid-Flood 08:00 Mid-Ebb 13:15		Mid-Flood 08:28 Mid-Ebb 14:31		Mid-Flood 09:17 Mid-Ebb 15:40	
15-Feb	16-Feb	17-Feb	18-Feb	19-Feb	20-Feb	21-Feb
	Mid-Flood 10:28 Mid-Ebb 17:15		Mid-Flood 08:00 Mid-Ebb N/A		Mid-Flood 10:13 Mid-Ebb N/A	
22-Feb	23-Feb	24-Feb	25-Feb	26-Feb	27-Feb	28-Feb
	Mid-Flood 08:00 Mid-Ebb 13:00		Mid-Flood 08:00 Mid-Ebb 13:45		Mid-Flood 08:10 Mid-Ebb 14:38	

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

NA indicated favourable tide occurs during non-working hours

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel
Tentative Impact Air and Noise Monitoring Schedule for March 2009 (Eastern Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1-Mar	2-Mar	3-Mar	4-Mar	5-Mar	6-Mar	7-Mar
<u>Noise</u> *Daytime (07:00-19:00)	1 hr TSP	1 hr TSP	1 hr TSP <u>Noise</u> Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00)		24 hrs TSP	
8-Mar	9-Mar	10-Mar	11-Mar	12-Mar	13-Mar	14-Mar
<u>Noise</u> *Daytime (07:00-19:00)	1 hr TSP			1 hr TSP <u>Noise</u> Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00) 24 hrs TSP	1 hr TSP	
15-Mar	16-Mar	17-Mar	18-Mar	19-Mar	20-Mar	21-Mar
<u>Noise</u> *Daytime (07:00-19:00)		1 hr TSP		1 hr TSP	1 hr TSP <u>Noise</u> Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00)	
22-Mar	23-Mar	24-Mar	25-Mar	26-Mar	27-Mar	28-Mar
<u>Noise</u> *Daytime (07:00-19:00)		1 hr TSP 24 hrs TSP	1 hr TSP		1 hr TSP <u>Noise</u> Daytime (07:00-19:00) , *Evening time (19:00-23:00) & Night-time (23:00-07:00)	
29-Mar	30-Mar	31-Mar				
<u>Noise</u> *Daytime (07:00-19:00)	24 hrs TSP	1 hr TSP				

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

Air Quality Monitoring Station

AQ1 - True Light Middle School of HK

Noise Monitoring Station

NC1 - True Light Middle School of HK

NC2 - The Legend

*NC1a - Outside True Light Middle School of HK

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel
Tentative Impact Air and Noise Monitoring Schedule for March 2009 (Western Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1-Mar	2-Mar	3-Mar	4-Mar	5-Mar	6-Mar	7-Mar
Noise Daytime (07:00-19:00)	1 hr TSP	1 hr TSP	1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)		24 hrs TSP	
8-Mar	9-Mar	10-Mar	11-Mar	12-Mar	13-Mar	14-Mar
Noise Daytime (07:00-19:00)	1 hr TSP			1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00) 24 hrs TSP	1 hr TSP	
15-Mar	16-Mar	17-Mar	18-Mar	19-Mar	20-Mar	21-Mar
Noise Daytime (07:00-19:00)		1 hr TSP		1 hr TSP	1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	
22-Mar	23-Mar	24-Mar	25-Mar	26-Mar	27-Mar	28-Mar
Noise Daytime (07:00-19:00)		1 hr TSP 24 hrs TSP	1 hr TSP		1 hr TSP Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	
29-Mar	30-Mar	31-Mar				
Noise Daytime (07:00-19:00)	24 hrs TSP	1 hr TSP				

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

Air Quality Monitoring Station

AQ2 - Outside Aegean Terrace (1 hour TSP)
AQ3 - Outside Site Office at Western Portal (24 hours TSP)

Noise Monitoring Station

NC3 - Outside Aegean Terrace

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel
Tentative Impact Water Quality Monitoring Schedule for March 2009**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1-Mar	2-Mar	3-Mar	4-Mar	5-Mar	6-Mar	7-Mar
	Mid-Flood 08:56 Mid-Ebb 15:31		Mid-Flood 09:47 Mid-Ebb 17:00		Mid-Ebb 08:24 Mid-Flood N/A	
8-Mar	9-Mar	10-Mar	11-Mar	12-Mar	13-Mar	14-Mar
	Mid-Ebb 11:40 Mid-Flood 17:00		Mid-Ebb 12:42 Mid-Flood 17:00		Mid-Flood 08:00 Mid-Ebb 13:44	
15-Mar	16-Mar	17-Mar	18-Mar	19-Mar	20-Mar	21-Mar
	Mid-Flood 08:54 Mid-Ebb 15:36		Mid-Ebb 11:28 Mid-Flood N/A		Mid-Flood 08:13 Mid-Ebb N/A	
22-Mar	23-Mar	24-Mar	25-Mar	26-Mar	27-Mar	28-Mar
	Mid-Ebb 11:19 Mid-Flood 16:19		Mid-Ebb 12:10 Mid-Flood 17:00		Mid-Ebb 13:00 Mid-Flood 17:30	
29-Mar	30-Mar	31-Mar	1-Apr	2-Apr	3-Apr	4-Apr
	Mid-Flood 08:03 Mid-Ebb 14:42		Mid-Flood 08:48 Mid-Ebb 16:19		Mid-Ebb 11:43 Mid-Flood N/A	

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

NA indicated favourable tide occurs during non-working hours

**APPENDIX E
1-HOUR TSP MONITORING RESULTS
AND GRAPHICAL PRESENTATION**

Appendix E - 1-hour TSP Monitoring Results



Station AQ1 (True Light Middle School of Hong Kong)

Date	Sampling Time	Weather Condition	Air Temp. (K)	Atmospheric Pressure (Pa)	Filter Weight (g)		Particulate weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)
					Initial	Final		Initial	Final		Initial	Final			
3-Feb-09	14:45	Sunny	295.2	764.6	2.8681	2.8843	0.0162	2575.3	2576.3	1.0	1.21	1.21	1.21	72.5	223.5
4-Feb-09	13:00	Sunny	292.4	766.0	2.8237	2.8274	0.0037	2576.3	2577.3	1.0	1.21	1.21	1.21	72.8	50.8
6-Feb-09	13:00	Sunny	294.4	766.9	2.8212	2.8303	0.0091	2601.3	2602.3	1.0	1.21	1.21	1.21	72.7	125.2
10-Feb-09	09:00	Sunny	293.4	766.6	2.8616	2.8829	0.0213	2602.3	2603.3	1.0	1.21	1.21	1.21	72.8	292.8
12-Feb-09	12:30	Sunny	293.1	762.9	2.7979	2.8069	0.0090	2627.3	2628.3	1.0	1.21	1.22	1.21	72.9	123.5
13-Feb-09	09:00	Cloudy	296.1	759.2	2.8160	2.8288	0.0128	2628.3	2629.3	1.0	1.21	1.21	1.21	72.4	176.9
17-Feb-09	09:00	Cloudy	291.0	767.9	2.8717	2.8961	0.0244	2629.3	2630.3	1.0	1.22	1.22	1.22	73.3	332.8
18-Feb-09	10:55	Cloudy	292.0	766.8	2.8963	2.9080	0.0117	2654.3	2655.3	1.0	1.22	1.22	1.22	73.1	160.0
20-Feb-09	09:00	Cloudy	293.9	766.2	2.8566	2.8720	0.0154	2653.3	2654.3	1.0	1.22	1.21	1.22	72.9	211.2
24-Feb-09	15:55	Sunny	296.6	761.6	2.8864	2.9009	0.0145	2678.3	2679.3	1.0	1.21	1.21	1.21	72.4	200.3
25-Feb-09	09:00	Sunny	294.9	763.6	2.9326	2.9416	0.0090	2679.3	2680.3	1.0	1.21	1.21	1.21	72.7	123.8
27-Feb-09	09:00	Sunny	293.3	764.8	2.8538	2.8599	0.0061	2680.3	2681.3	1.0	1.22	1.21	1.22	72.9	83.7
														Min	50.8
														Max	332.8
														Average	175.4

Appendix E - 1-hour TSP Monitoring Results

Station AQ2 (Outside Aegean Terrace)			
Date	Time	Weather	Particulate Concentration ($\mu\text{g}/\text{m}^3$)
3-Feb-09	16:25	Sunny	47.1
4-Feb-09	16:00	Sunny	37.2
6-Feb-09	16:45	Sunny	50.8
10-Feb-09	16:30	Sunny	47.5
12-Feb-09	17:16	Sunny	51.1
13-Feb-09	15:45	Cloudy	51.1
17-Feb-09	11:00	Cloudy	42.8
18-Feb-09	09:00	Cloudy	51.3
20-Feb-09	13:00	Cloudy	40.9
24-Feb-09	16:35	Sunny	41.3
25-Feb-09	9:00	Sunny	50.0
27-Feb-09	13:00	Sunny	43.9
		Average	46.3
		Maximum	51.3
		Minimum	37.2

1-hr TSP Concentration Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of 1-hour TSP Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix E	

**APPENDIX F
24-HOUR TSP MONITORING RESULTS
AND GRAPHICAL PRESENTATION**

Appendix F - 24-hour TSP Monitoring Results



Station AQ1 - True Light Middle School of Hong Kong

Start Date	Weather Condition	Air Temp. (K)	Atmospheric Pressure (Pa)	Filter Weight (g)		Particulate weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)
				Initial	Final		Initial	Final		Initial	Final			
5-Feb-09	Sunny	291.2	767.5	2.8823	3.0294	0.1471	2577.3	2601.3	24.0	1.22	1.22	1.22	1753.1	83.9
11-Feb-09	Sunny	292.2	765.3	2.8034	3.0801	0.2767	2603.3	2627.3	24.0	1.22	1.22	1.22	1753.4	157.8
17-Feb-09	Cloudy	291.3	767.6	2.8702	3.0532	0.1830	2630.3	2654.3	24.0	1.22	1.22	1.22	1758.3	104.1
23-Feb-09	Sunny	294.2	762.7	2.8612	3.0093	0.1481	2654.3	2678.3	24.0	1.21	1.21	1.21	1745.3	84.9
28-Feb-09	Cloudy	293.1	766.0	2.8690	3.0025	0.1335	2681.3	2705.3	24.0	1.22	1.22	1.22	1751.7	76.2
													Min	76.2
													Max	157.8
													Average	101.4

Station AQ3 - Outside Site Office (Western Portal)

Start Date	Weather Condition	Air Temp. (K)	Atmospheric Pressure (Pa)	Filter Weight (g)		Particulate weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)
				Initial	Final		Initial	Final		Initial	Final			
5-Feb-09	Sunny	291.2	767.5	2.8398	3.0262	0.1864	6731.2	6755.2	24.0	1.22	1.22	1.22	1752.4	106.4
11-Feb-09	Sunny	292.2	765.3	2.8278	3.0422	0.2144	6755.2	6779.2	24.0	1.22	1.22	1.22	1756.7	122.0
17-Feb-09	Cloudy	291.0	767.9	2.8062	2.9736	0.1674	6779.2	6803.2	24.0	1.22	1.22	1.22	1763.2	94.9
23-Feb-09	Sunny	294.2	762.7	2.8725	2.9398	0.0673	6803.2	6827.2	24.0	1.21	1.21	1.21	1748.1	38.5
28-Feb-09	Cloudy	293.1	766.0	2.8948	3.1249	0.2301	6827.2	6851.2	24.0	1.22	1.22	1.22	1754.9	131.1
													Min	38.5
													Max	131.1
													Average	98.6

24-hr TSP Concentration Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of 24-hour TSP Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix F	

**APPENDIX G
NOISE MONITORING RESULTS AND
GRAPHICAL PRESENTATION**

Appendix G - Noise Monitoring Results

Location NC1 - True Light Middle School of Hong Kong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
4-Feb-09	13:00	Sunny	67.9	69.5	65.5	70.2	67.9, Measured ≤ Baseline
13-Feb-09	13:05	Cloudy	69.4	71.0	68.0		69.4, Measured ≤ Baseline
20-Feb-09	15:05	Cloudy	67.3	69.0	64.5		67.3, Measured ≤ Baseline
27-Feb-09	15:30	Sunny	67.8	69.5	64.5		67.8, Measured ≤ Baseline

Location NC2 - The Legend							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
4-Feb-09	13:45	Sunny	66.3	67.5	64.5	64.8	61.0
13-Feb-09	13:45	Cloudy	68.6	70.0	66.5		66.3
20-Feb-09	15:55	Cloudy	66.8	68.0	64.5		62.5
27-Feb-09	16:15	Sunny	66.7	68.0	63.5		62.2

Location NC3 - Outside Aegean Terrace							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
4-Feb-09	16:00	Sunny	60.3	62.0	57.0	57.7	56.8
13-Feb-09	15:45	Cloudy	60.8	61.5	56.0		57.9
20-Feb-09	13:00	Cloudy	59.7	61.0	57.0		55.4
27-Feb-09	13:00	Sunny	60.7	61.5	58.5		57.7

Appendix G - Noise Monitoring Results

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC1a - Outside True Light Middle School of Hong Kong											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	(Reference) Baseline Level	(Reference) Construction Noise Level, L _{eq}			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}				
4-Feb-09	19:00	Fine	67.9	69.5	65.5	67.7	65.8	63.2			
	19:05		67.5	69.0	65.0						
	19:10		67.8	69.5	65.0						
8-Feb-09	13:00	Sunny	61.6	64.5	59.0	61.5		65.8	61.5 Measured ≤ Baseline		
	13:05		61.4	64.5	59.0						
	13:10		61.5	64.5	59.0						
13-Feb-09	19:00	Fine	67.3	69.5	63.5	67.5			65.8	62.6	
	19:05		67.4	69.5	63.5						
	19:10		67.7	69.5	63.5						
15-Feb-09	10:00	Cloudy	66.2	69.0	57.0	65.8				65.8	65.8 Measured ≤ Baseline
	10:05		65.7	69.0	57.5						
	10:10		65.4	69.0	57.0						
20-Feb-09	19:30	Cloudy	67.2	68.5	64.0	67.3	65.8				62.0
	19:35		67.4	69.0	64.0						
	19:40		67.2	68.5	64.0						
22-Feb-09	13:00	Sunny	62.6	64.5	59.5	62.3		65.8			62.3 Measured ≤ Baseline
	13:05		62.2	64.0	59.0						
	13:10		62.0	64.0	59.0						
27-Feb-09	19:00	Fine	66.9	68.5	63.5	66.6			65.8		58.9
	19:05		66.5	68.5	63.5						
	19:10		66.5	68.5	63.5						

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC2 - The Legend											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
4-Feb-09	19:30	Fine	62.4	65.0	60.0	62.3	59.1	59.5			
	19:35		62.4	65.0	60.0						
	19:40		62.1	64.5	59.5						
8-Feb-09	13:40	Sunny	64.6	66.0	62.0	64.1		59.1	62.4		
	13:45		64.0	66.0	62.0						
	13:50		63.7	65.0	61.5						
13-Feb-09	19:30	Fine	62.5	65.0	61.0	62.7			59.1	60.2	
	19:35		62.8	65.0	61.0						
	19:40		62.7	65.0	61.0						
15-Feb-09	10:35	Cloudy	60.0	62.5	56.0	59.6				59.1	50.0
	10:40		59.4	62.0	55.5						
	10:45		59.5	62.0	55.5						
20-Feb-09	19:00	Cloudy	63.7	64.5	61.5	63.6	59.1				61.7
	19:05		63.8	64.5	61.0						
	19:10		63.2	64.5	61.0						
22-Feb-09	13:40	Sunny	63.0	66.0	61.0	63.4		59.1			61.4
	13:45		63.7	66.5	61.5						
	13:50		63.6	66.5	61.5						
27-Feb-09	19:30	Fine	63.6	66.6	61.0	63.8			59.1		62.0
	19:35		63.7	66.5	61.0						
	19:40		64.2	66.5	61.0						

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC3 - Outside Aegean Terrace											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
1-Feb-09	17:00	Sunny	52.8	55.0	48.0	53.2	53.8	53.2 Measured ≤ Baseline			
	17:05		53.5	55.5	49.0						
	17:10		53.3	55.5	49.0						
4-Feb-09	20:15	Fine	54.8	59.0	51.0	54.4		53.8	45.5		
	20:20		54.1	58.0	51.0						
	20:25		54.3	58.0	51.0						
8-Feb-09	11:00	Sunny	56.9	59.0	53.0	57.5			53.8	55.1	
	11:05		57.6	59.5	54.0						
	11:10		57.8	59.5	54.0						
13-Feb-09	20:15	Fine	54.6	58.5	51.0	54.4				53.8	45.5
	20:20		54.0	58.0	50.5						
	20:25		54.5	58.5	51.0						
15-Feb-09	13:00	Cloudy	50.7	55.5	48.5	51.6	53.8				51.6 Measured ≤ Baseline
	13:05		51.4	55.5	49.0						
	13:10		52.5	56.0	49.5						
20-Feb-09	20:10	Cloudy	56.2	57.5	54.0	56.0		53.8			52.0
	20:15		56.1	57.0	54.0						
	20:20		55.8	57.0	54.0						
22-Feb-09	11:00	Fine	54.6	57.0	51.5	54.2			53.8		43.6
	11:05		53.9	56.0	51.0						
	11:10		54.1	57.0	51.5						
27-Feb-09	20:15	Fine	55.0	58.0	52.5	54.8				53.8	47.9
	20:20		54.6	58.0	52.5						
	20:25		54.7	58.0	52.5						

(Restricted Hours - 23:00 to 07:00 on all days)

Location NC1a - Outside True Light Middle School of Hong Kong									
Date	Time	Weather	dB (A) (5-min)				(Reference) Baseline Level	(Reference) Construction Noise Level, L _{eq}	
			L _{eq}	L ₁₀	L ₉₀	Average L _{eq}	L _{eq}		
4-Feb-09	23:40	Fine	60.2	62.0	58.0	60.1	60.7	60.1 Measured ≤ Baseline	
	23:45		60.4	62.0	58.0				
	23:50		59.6	61.5	57.5				
13-Feb-09	23:35	Fine	59.8	63.0	54.0	60.2		60.7	60.2 Measured ≤ Baseline
	23:40		60.4	63.5	54.5				
	23:45		60.4	63.5	54.5				
20-Feb-09	23:40	Fine	60.9	63.5	58.5	60.7		60.7	60.7 Measured ≤ Baseline
	23:45		60.5	63.0	58.0				
	23:50		60.6	63.0	58.0				
27-Feb-09	23:40	Fine	60.5	63.0	57.5	60.5	60.5	60.5 Measured ≤ Baseline	
	23:45		60.1	62.5	57.0				
	23:50		60.8	63.0	57.5				




(Restricted Hours - 23:00 to 07:00 on all days)

Location NC2 - The Legend									
Date	Time	Weather	dB (A) (5-min)				Baseline Level	Construction Noise Level	
			L _{eq}	L ₁₀	L ₉₀	Average L _{eq}	L _{eq}	L _{eq}	
4-Feb-09	23:00	Fine	54.6	56.5	51.0	54.2	53.9	42.4	
	23:05		54.0	56.0	50.5				
	23:10		53.9	55.5	50.5				
13-Feb-09	23:00	Fine	54.4	57.0	51.0	54.5		53.9	45.6
	23:05		54.3	57.0	51.0				
	23:10		54.7	57.5	52.0				
20-Feb-09	23:00	Fine	54.3	57.0	49.5	54.4		53.9	44.8
	23:05		54.5	57.5	50.0				
	23:10		54.5	57.5	50.5				
27-Feb-09	23:00	Fine	54.6	57.0	51.5	54.4	53.9	44.8	
	23:05		54.6	57.0	51.5				
	23:10		54.1	57.0	51.0				

(Restricted Hours - 23:00 to 07:00 on all days)




Location NC3 - Outside Aegean Terrace									
Date	Time	Weather	dB (A) (5-min)				Baseline Level	Construction Noise Level	
			L _{eq}	L ₁₀	L ₉₀	Average L _{eq}	L _{eq}	L _{eq}	
5-Feb-09	00:03	Fine	51.6	54.0	49.0	51.5	52.0	51.5 Measured ≤ Baseline	
	00:08		51.3	54.0	49.0				
	00:13		51.5	54.0	49.0				
14-Feb-09	00:25	Fine	51.3	54.5	47.0	51.2		52.0	51.2 Measured ≤ Baseline
	00:30		51.4	54.5	47.0				
	00:35		51.0	54.0	46.5				
20-Feb-09	00:20	Fine	49.3	53.5	44.5	49.1		52.0	49.1 Measured ≤ Baseline
	00:25		48.9	54.0	44.5				
	00:30		49.2	54.0	45.0				
28-Feb-09	00:25	Fine	51.6	55.0	48.5	51.6	52.0	51.6 Measured ≤ Baseline	
	00:30		51.9	55.0	48.5				
	00:35		51.4	55.0	48.5				

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Feb 09	Appendix	G	

Noise Levels (Restricted Hours - 07:00 - 23:00 holidays & 19:00 - 23:00 on all other days)



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 09	Appendix G	

Noise Levels (Restricted Hours - 23:00 to 07:00 on all days)



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Feb 09	Appendix	G	

**APPENDIX H
WATER QUALITY MONITORING
RESULTS AND GRAPHICAL
PRESENTATION**

Water Quality Monitoring Results at CE - Mid-Ebb Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	17:49	Surface	1	17.5 17.4	17.5	7.8 7.8	7.8	34.0 34.1	34.1	98.5 97.3	97.9	7.1 7.2	7.2	7.4	3.2 2.8	3.0	3.5	10.0 10.0	10.0	9.3
				Middle	5.5	17.3 17.5	17.4	7.9 7.8	7.9	34.2 34.2	34.2	102.1 105.6	103.9	7.5 7.6	7.6		3.4 3.6	3.5		8.0 8.0	8.0	
				Bottom	10	17.5 17.4	17.5	7.8 7.6	7.7	34.1 34.2	34.2	105.3 102.5	103.9	7.8 7.5	7.7		3.9 4.2	4.1		10.0 10.0	10.0	
4-Feb-09	Sunny	Calm	09:01	Surface	1	17.0 17.0	17.0	7.9 7.7	7.8	31.9 31.9	31.9	90.9 88.9	89.9	6.6 6.5	6.6	6.6	3.6 3.6	3.6	4.6	9.0 9.0	9.0	10.0
				Middle	5.5	17.0 17.0	17.0	8.0 8.0	8.0	31.6 31.7	31.7	88.4 88.4	88.4	6.5 6.5	6.5		5.1 5.1	5.1		11.0 11.0	11.0	
				Bottom	10	17.0 17.0	17.0	7.6 7.8	7.7	32.0 31.8	31.9	88.2 88.4	88.3	6.4 6.4	6.4		5.1 5.1	5.1		10.0 10.0	10.0	
9-Feb-09	Sunny	Calm	14:09	Surface	1	18.2 18.2	18.2	7.8 7.9	7.9	33.9 33.9	33.9	93.6 93.4	93.5	6.8 6.7	6.8	6.7	1.7 1.6	1.7	2.1	10.0 10.0	10.0	9.3
				Middle	6	18.0 18.0	18.0	7.8 8.1	8.0	34.1 34.1	34.1	91.0 90.7	90.9	6.6 6.6	6.6		1.7 1.8	1.8		9.0 9.0	9.0	
				Bottom	11	18.1 18.1	18.1	8.1 8.1	8.1	34.3 34.3	34.3	90.0 89.9	90.0	6.5 6.5	6.5		2.8 2.8	2.8		9.0 9.0	9.0	
11-Feb-09	Sunny	Calm	15:05	Surface	1	19.4 19.4	19.4	7.9 7.9	7.9	34.6 34.6	34.6	89.9 90.5	90.2	6.4 6.5	6.5	6.4	4.0 4.0	4.0	5.0	3.0 3.0	3.0	3.3
				Middle	5.5	19.5 19.5	19.5	8.0 7.9	8.0	34.3 34.4	34.4	87.4 87.4	87.4	6.3 6.3	6.3		5.5 5.5	5.5		3.0 3.0	3.0	
				Bottom	10	19.5 19.5	19.5	7.7 7.6	7.7	34.7 34.5	34.6	86.2 86.4	86.3	6.1 6.1	6.1		5.5 5.5	5.5		4.0 4.0	4.0	
13-Feb-09	Fine	Calm	16:16	Surface	1	18.9 18.9	18.9	7.8 7.6	7.7	34.4 34.4	34.4	102.6 101.1	101.9	6.8 6.7	6.8	6.4	2.1 2.1	2.1	2.6	8.0 8.0	8.0	7.7
				Middle	5.5	18.0 18.0	18.0	8.2 8.4	8.3	34.8 34.8	34.8	90.4 87.1	88.8	6.1 5.8	6.0		2.5 2.6	2.6		8.0 8.0	8.0	
				Bottom	10	17.8 17.8	17.8	7.7 8.1	7.9	34.9 34.9	34.9	85.9 86.7	86.3	6.1 6.1	6.1		3.1 3.1	3.1		7.0 7.0	7.0	
16-Feb-09	Cloudy	Calm	17:18	Surface	1	21.2 21.2	21.2	7.4 7.6	7.5	32.5 32.5	32.5	99.0 99.1	99.1	6.9 6.9	6.9	6.9	4.7 5.3	5.0	4.6	6.0 6.0	6.0	7.7
				Middle	5.5	20.0 19.9	20.0	7.2 7.4	7.3	32.8 32.7	32.8	97.1 95.5	96.3	6.8 6.7	6.8		4.7 4.9	4.8		8.0 8.0	8.0	
				Bottom	10	18.7 18.7	18.7	7.4 7.0	7.2	32.3 32.3	32.3	89.1 87.5	88.3	6.3 6.2	6.3		4.1 3.9	4.0		9.0 9.0	9.0	
23-Feb-09	Sunny	Calm	13:25	Surface	1	20.4 20.4	20.4	8.3 8.1	8.2	35.8 35.8	35.8	98.9 98.9	98.9	7.2 7.2	7.2	7.2	2.4 2.3	2.4	2.8	13.0 13.0	13.0	12.2
				Middle	5.5	20.4 20.0	20.2	8.3 8.0	8.2	35.7 35.8	35.8	96.7 96.7	96.7	7.1 7.1	7.1		2.9 2.7	2.8		10.0 10.0	10.0	
				Bottom	10	19.8 19.8	19.8	7.9 7.9	7.9	35.8 35.8	35.8	94.4 94.4	94.4	7.0 7.0	7.0		3.2 3.2	3.2		13.0 14.0	13.5	
25-Feb-09	Sunny	Calm	15:15	Surface	1	21.4 21.4	21.4	7.7 7.8	7.8	34.8 34.8	34.8	95.7 93.6	94.7	6.5 6.4	6.5	6.4	2.6 2.4	2.5	2.8	6.0 6.0	6.0	7.3
				Middle	5.5	21.4 21.4	21.4	7.7 7.7	7.7	34.5 34.6	34.6	93.0 93.0	93.0	6.3 6.3	6.3		2.8 2.8	2.8		7.0 7.0	7.0	
				Bottom	10	21.4 21.4	21.4	7.9 7.7	7.8	35.0 34.7	34.9	90.8 91.0	90.9	6.1 6.1	6.1		3.2 3.2	3.2		9.0 9.0	9.0	
27-Feb-09	Sunny	Calm	14:46	Surface	1	19.4 19.4	19.4	7.8 7.9	7.9	34.0 34.0	34.0	94.0 94.0	94.0	6.9 6.9	6.9	6.9	2.7 2.6	2.7	3.1	10.0 10.0	10.0	10.8
				Middle	5.5	19.3 19.0	19.2	7.8 7.7	7.8	33.9 34.0	34.0	91.9 91.9	91.9	6.8 6.8	6.8		3.2 3.0	3.1		13.0 13.0	13.0	
				Bottom	10	18.8 18.8	18.8	7.7 7.7	7.7	34.0 34.0	34.0	89.7 89.7	89.7	6.6 6.7	6.7		3.5 3.5	3.5		9.0 10.0	9.5	

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at CF - Mid-Flood Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
2-Feb-09	Sunny	Calm	10:18	Surface	1	17.3	17.3	7.9	8.1	33.3	33.3	114.9	115.7	8.6	8.7	8.7	2.1	2.1	2.6	8.0	8.0	9.5			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
				Bottom	3	17.3	17.3	8.0	8.0	33.7	33.8	108.7	114.3	111.5	8.0		8.3	8.2		3.0	3.0		11.0	11.0	
4-Feb-09	Sunny	Calm	12:37	Surface	1	16.9	17.0	7.8	8.0	31.0	31.1	97.9	97.3	7.0	7.0	7.0	2.1	2.1	2.3	15.0	15.0	13.8			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	17.0	17.0	8.0	8.1	31.5	31.5	94.9	94.8	94.9	6.7		6.7	6.7		2.5	2.5		12.0	13.0	
6-Feb-09	Sunny	Calm	10:10	Surface	1	17.6	17.6	8.1	8.0	34.1	34.1	94.7	94.7	6.9	6.9	6.9	2.2	2.2	2.2	8.0	8.0	6.3			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	17.6	17.6	7.8	8.1	34.2	34.2	92.3	92.4	92.4	6.7		6.7	6.7		2.1	2.2		4.0	5.0	
9-Feb-09	Sunny	Calm	08:02	Surface	1	18.4	18.4	7.9	7.8	33.6	33.6	103.0	103.3	7.5	7.5	7.5	1.2	1.3	2.0	10.0	10.0	3.3			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	18.3	18.3	8.3	8.3	33.7	33.7	102.3	101.5	101.9	7.4		7.4	7.4		2.6	2.6		8.0	8.0	
11-Feb-09	Sunny	Calm	08:58	Surface	1	19.5	19.5	7.9	8.0	33.7	33.8	105.9	105.3	6.7	6.7	6.7	2.7	2.6	2.8	3.0	3.5	3.8			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	19.5	19.5	7.9	8.0	34.2	34.2	102.9	102.8	102.9	6.4		6.4	6.4		2.9	2.9		4.0	4.0	
13-Feb-09	Fine	Calm	09:03	Surface	1	18.8	18.8	7.8	7.9	34.6	34.6	95.4	95.8	6.3	6.4	6.4	2.4	2.5	2.6	6.0	6.0	7.0			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	18.8	18.8	8.4	8.3	34.6	34.6	94.4	94.2	94.3	6.2		6.2	6.2		2.7	2.7		8.0	8.0	
16-Feb-09	Fine	Calm	10:17	Surface	1	21.0	21.0	7.5	7.5	31.9	31.9	90.6	90.6	6.4	6.4	6.4	3.0	3.0	4.3	8.0	8.0	8.3			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	20.4	20.4	7.2	7.3	32.0	32.1	86.5	85.9	86.2	6.1		6.1	6.1		5.4	5.5		8.0	8.5	
18-Feb-09	Fine	Calm	08:43	Surface	1	19.6	19.6	7.9	7.8	34.0	34.0	85.1	85.1	6.6	6.6	6.6	7.0	7.0	6.7	14.0	13.5	13.8			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	19.6	19.6	8.0	8.2	34.4	34.4	83.8	84.0	83.9	6.5		6.5	6.5		6.4	6.4		14.0	14.0	
20-Feb-09	Fine	Calm	10:35	Surface	1	19.4	19.4	7.4	7.6	34.1	34.2	94.3	93.3	6.5	6.5	6.5	4.8	4.9	5.3	10.0	10.0	10.0			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	19.2	19.2	7.5	7.6	34.6	34.6	91.8	91.8	91.8	6.4		6.4	6.4		5.7	5.7		10.0	10.0	
23-Feb-09	Sunny	Calm	08:13	Surface	1	20.2	20.1	7.8	8.1	35.7	35.7	96.6	97.0	7.1	7.2	7.2	2.4	2.5	2.9	15.0	15.0	12.0			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	20.0	20.0	8.6	8.5	35.8	35.8	97.3	98.4	97.9	7.2		7.3	7.3		3.1	3.2		9.0	9.0	
25-Feb-09	Sunny	Calm	08:28	Surface	1	21.4	21.4	7.9	7.9	33.9	34.0	105.3	104.6	7.1	7.1	7.1	2.6	2.6	2.8	5.0	5.0	7.0			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	21.4	21.4	8.2	8.2	34.5	34.5	102.1	102.0	102.1	6.8		6.8	6.8		2.9	2.9		9.0	9.0	
27-Feb-09	Sunny	Calm	08:03	Surface	1	19.2	19.1	7.8	7.9	33.9	33.9	91.8	92.1	6.8	6.8	6.8	3.1	3.2	3.3	10.0	10.0	11.0			
				Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
				Bottom	3	19.0	19.0	7.9	7.9	34.0	34.0	92.4	93.5	93.0	6.8		6.9	6.9		3.3	3.4		12.0	12.0	

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at I1 - Mid-Ebb Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Feb-09	Sunny	Calm	17:21	Surface	1	17.4 17.4	17.4	7.8 7.7	7.8	34.0 34.0	34.0	91.0 90.6	90.8	6.5 6.5	6.5	6.8	2.8 2.7	2.8	3.6	8.0 8.0	8.0	7.5	
				Middle	4.5	17.5 17.4	17.5	7.7 7.7	7.7	34.0 34.1	34.1	96.2 94.9	95.6	7.1 7.0	7.1		6.5 6.5	3.5 3.8		3.7	6.0 7.0		6.5
				Bottom	8	17.4 17.3	17.4	7.4 7.4	7.4	33.9 33.9	33.9	86.2 95.0	86.2	6.2 6.8	6.5		6.5	4.4 4.2		4.3	8.0 8.0		8.0
4-Feb-09	Sunny	Calm	08:42	Surface	1	17.0 17.0	17.0	8.0 7.9	8.0	31.9 31.9	31.9	90.0 89.1	89.6	6.5 6.5	6.5	6.5	2.5 2.5	2.5	2.8	8.0 8.0	8.0	10.8	
				Middle	4.5	17.0 17.0	17.0	7.8 7.8	7.8	32.0 31.9	32.0	87.8 87.8	87.8	6.4 6.4	6.4		6.4	2.9 2.8		2.9	9.0 10.0		9.5
				Bottom	8	17.0 17.0	17.0	8.0 7.8	7.9	31.5 32.1	31.8	85.4 85.7	85.6	6.1 6.1	6.1		6.1	2.9 2.8		2.9	15.0 15.0		15.0
9-Feb-09	Sunny	Calm	13:49	Surface	1	18.4 18.3	18.4	8.1 7.8	8.0	33.6 33.7	33.7	95.4 95.3	95.4	6.9 6.9	6.9	6.9	1.4 1.2	1.3	1.2	8.0 9.0	8.5	9.8	
				Middle	4.5	18.0 18.0	18.0	8.0 7.6	7.8	33.8 33.9	33.9	95.0 94.5	94.8	6.9 6.9	6.9		6.9	1.1 1.1		1.1	11.0 11.0		11.0
				Bottom	8	18.0 18.0	18.0	8.0 8.1	8.1	33.9 33.9	33.9	91.8 92.0	91.9	6.7 6.7	6.7		6.7	1.2 1.2		1.2	10.0 10.0		10.0
11-Feb-09	Sunny	Calm	14:38	Surface	1	19.8 19.8	19.8	8.0 7.8	7.9	34.6 34.6	34.6	89.9 89.1	89.5	6.4 6.4	6.4	6.4	2.9 2.9	2.9	3.2	3.0 3.0	3.0	3.5	
				Middle	4.5	19.7 19.7	19.7	8.0 7.9	8.0	34.7 34.6	34.7	87.8 87.8	87.8	6.3 6.3	6.3		6.3	3.3 3.2		3.3	4.0 4.0		4.0
				Bottom	8	19.6 19.6	19.6	8.0 7.8	7.9	34.2 34.8	34.5	87.4 87.7	87.6	6.2 6.2	6.2		6.2	3.3 3.2		3.3	3.0 4.0		3.5
13-Feb-09	Fine	Calm	15:50	Surface	1	18.8 18.8	18.8	7.9 8.0	8.0	34.4 34.4	34.4	99.0 99.1	99.1	6.9 6.9	6.9	6.4	2.8 2.8	2.8	2.8	6.0 7.0	6.5	6.5	
				Middle	4.5	18.5 18.5	18.5	7.8 7.8	7.8	34.5 34.5	34.5	87.7 87.2	87.5	5.8 5.8	5.8		5.8	2.8 3.0		2.9	8.0 8.0		8.0
				Bottom	8	18.4 18.2	18.3	8.0 8.1	8.1	34.6 34.6	34.6	88.8 88.9	88.9	6.0 6.0	6.0		6.0	2.9 2.7		2.8	5.0 5.0		5.0
16-Feb-09	Cloudy	Calm	16:58	Surface	1	20.8 20.8	20.8	7.1 7.2	7.2	32.1 32.1	32.1	91.4 89.6	90.5	6.5 6.3	6.4	6.4	4.9 5.0	5.0	4.8	10.0 9.0	9.5	8.5	
				Middle	4.5	20.8 20.8	20.8	7.1 7.2	7.2	32.2 32.3	32.3	87.8 87.6	87.7	6.3 6.3	6.3		6.3	4.8 4.6		4.7	7.0 7.0		7.0
				Bottom	8	20.6 20.5	20.6	7.1 7.1	7.1	32.4 32.5	32.5	85.5 85.3	85.4	6.0 6.0	6.0		6.0	4.6 4.8		4.7	9.0 9.0		9.0
23-Feb-09	Sunny	Calm	12:58	Surface	1	20.0 20.0	20.0	8.1 7.9	8.0	35.8 35.8	35.8	88.2 88.2	88.2	6.5 6.5	6.5	6.5	1.9 1.8	1.9	2.2	10.0 10.0	10.0	12.3	
				Middle	4.5	19.6 19.6	19.6	8.3 8.2	8.3	35.8 35.9	35.9	88.9 87.4	88.2	6.6 6.4	6.5		6.5	2.2 2.2		2.2	11.0 11.0		11.0
				Bottom	8	19.6 19.6	19.6	8.0 8.2	8.1	35.9 35.8	35.9	87.0 87.0	87.0	6.4 6.4	6.4		6.4	2.6 2.6		2.6	16.0 16.0		16.0
25-Feb-09	Sunny	Calm	14:44	Surface	1	21.4 21.4	21.4	7.9 8.0	8.0	34.8 34.9	34.9	95.8 94.8	95.3	6.5 6.4	6.5	6.4	2.8 2.8	2.8	3.1	7.0 7.0	7.0	8.0	
				Middle	4.5	21.4 21.4	21.4	8.0 8.0	8.0	34.9 34.8	34.9	93.5 93.5	93.5	6.3 6.3	6.3		6.3	3.2 3.1		3.2	11.0 12.0		11.5
				Bottom	8	21.4 21.4	21.4	8.1 7.9	8.0	34.4 35.0	34.7	91.1 91.4	91.3	6.1 6.1	6.1		6.1	3.2 3.1		3.2	5.0 6.0		5.5
27-Feb-09	Sunny	Calm	14:16	Surface	1	19.0 19.0	19.0	7.6 7.5	7.6	34.0 34.0	34.0	87.8 87.8	87.8	6.6 6.6	6.6	6.4	2.2 2.1	2.2	2.5	11.0 11.0	11.0	9.7	
				Middle	4.5	18.6 18.6	18.6	7.8 7.8	7.8	34.0 34.1	34.1	84.5 83.0	83.8	6.2 6.1	6.2		6.2	2.5 2.5		2.5	10.0 10.0		10.0
				Bottom	8	18.6 18.6	18.6	7.8 7.9	7.9	34.1 34.0	34.1	82.7 82.7	82.7	6.1 6.1	6.1		6.1	2.9 2.9		2.9	8.0 8.0		8.0

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at I1 - Mid-Flood Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	10:55	Surface	1	17.3	17.3	7.8	7.9	34.0	34.0	91.8	91.7	6.7	6.7	6.6	1.9	2.0	2.5	8.0	8.0	8.3
				Middle	4.5	17.5	17.5	8.0	7.9	34.0	34.0	86.3	89.6	6.2	6.5		2.3	2.4		9.0	9.0	
				Bottom	8	17.5	17.5	8.3	8.3	34.1	34.1	94.7	94.9	6.8	6.9		3.0	3.0		8.0	8.0	
4-Feb-09	Sunny	Calm	13:08	Surface	1	16.8	16.7	7.6	7.8	29.4	30.8	95.5	98.1	6.9	7.0	6.7	2.2	2.2	2.5	11.0	11.0	12.7
				Middle	4.5	17.0	17.0	7.4	7.7	32.2	32.1	89.3	89.3	6.3	6.3		2.5	2.6		14.0	14.0	
				Bottom	8	17.0	17.0	8.1	8.1	32.0	32.1	89.4	89.4	6.3	6.3		2.7	2.7		13.0	13.0	
6-Feb-09	Sunny	Calm	10:30	Surface	1	17.9	17.9	8.0	8.0	34.1	34.2	96.5	96.6	7.0	7.0	7.0	1.2	1.3	1.7	5.0	5.0	6.3
				Middle	4.5	17.3	17.3	7.8	7.8	34.3	34.3	94.5	94.1	7.0	7.0		2.0	2.0		7.0	7.0	
				Bottom	8	17.3	17.3	8.2	8.2	34.3	34.3	92.4	92.4	6.8	6.8		1.7	1.7		7.0	7.0	
9-Feb-09	Sunny	Calm	08:25	Surface	1	18.4	18.4	7.5	7.6	33.6	33.7	95.4	95.4	6.9	6.9	6.9	1.4	1.3	1.2	7.0	7.5	3.5
				Middle	4.5	18.0	18.0	7.9	7.8	33.8	33.9	95.0	94.8	6.9	6.9		1.1	1.1		9.0	9.0	
				Bottom	8	18.0	18.0	7.9	8.0	33.9	33.9	91.8	91.9	6.7	6.7		1.2	1.2		8.0	8.0	
11-Feb-09	Sunny	Calm	09:30	Surface	1	19.4	19.4	7.6	7.6	32.1	33.5	98.5	101.1	7.1	7.2	6.9	2.6	2.6	2.9	4.0	4.0	3.3
				Middle	4.5	19.3	19.4	7.9	7.9	34.9	34.8	92.3	92.3	6.5	6.5		2.9	3.0		3.0	3.0	
				Bottom	8	19.1	19.1	7.8	7.9	34.7	34.8	92.4	92.4	6.5	6.5		3.1	3.1		3.0	3.0	
13-Feb-09	Fine	Calm	09:33	Surface	1	18.7	18.7	7.7	7.7	34.4	34.4	100.9	98.7	6.7	6.6	6.4	2.8	2.9	2.6	5.0	5.0	6.0
				Middle	4.5	18.5	18.5	8.0	7.9	34.5	34.5	92.8	92.4	6.2	6.2		2.6	2.6		7.0	7.0	
				Bottom	8	18.2	18.2	7.9	8.1	34.6	34.7	90.3	90.6	6.0	6.1		2.4	2.4		6.0	6.0	
16-Feb-09	Fine	Calm	10:44	Surface	1	21.0	21.0	7.3	7.5	32.1	32.1	88.9	89.3	6.4	6.5	6.4	3.6	3.7	5.0	9.0	8.5	8.2
				Middle	4.5	20.8	20.8	7.5	7.5	32.4	32.4	87.4	87.5	6.3	6.3		5.5	5.6		8.0	8.0	
				Bottom	8	20.0	20.1	7.2	7.1	32.5	32.7	85.6	85.5	6.1	6.1		6.1	5.8		8.0	8.0	
18-Feb-09	Fine	Calm	09:20	Surface	1	19.7	19.8	8.0	8.0	35.8	35.8	92.2	92.3	6.8	6.8	6.8	2.6	2.6	2.6	8.0	8.0	9.8
				Middle	4.5	19.9	19.9	8.1	8.0	35.6	35.6	91.9	91.9	6.8	6.8		2.6	2.6		7.0	7.5	
				Bottom	8	19.8	19.8	8.2	8.1	35.6	35.6	91.4	91.4	6.8	6.8		2.6	2.6		14.0	14.0	
20-Feb-09	Fine	Calm	11:02	Surface	1	19.7	19.7	7.6	7.6	35.9	35.9	103.9	106.5	7.3	7.4	7.1	2.3	2.3	2.7	8.0	8.0	10.2
				Middle	4.5	19.4	19.4	7.5	7.6	35.6	35.6	97.7	97.7	6.7	6.7		2.8	2.8		13.0	13.0	
				Bottom	8	19.0	19.0	7.5	7.5	35.6	35.6	97.8	97.8	6.7	6.7		2.8	2.9		9.0	9.5	
23-Feb-09	Sunny	Calm	08:50	Surface	1	20.1	20.1	7.7	7.9	35.7	35.7	102.4	102.4	7.5	7.5	7.3	2.6	2.6	3.1	12.0	11.5	10.5
				Middle	4.5	19.9	19.9	8.1	8.1	35.7	35.7	94.6	94.6	7.0	7.0		3.0	3.1		10.0	10.0	
				Bottom	8	19.7	19.7	8.2	8.3	35.7	35.7	94.1	94.1	7.0	7.0		3.4	3.5		10.0	10.0	
25-Feb-09	Sunny	Calm	09:06	Surface	1	21.2	21.2	7.9	7.9	32.4	33.8	102.7	105.4	7.0	7.2	6.8	2.6	2.6	2.8	6.0	6.0	5.8
				Middle	4.5	21.4	21.4	8.1	8.0	35.1	35.0	96.2	96.2	6.4	6.4		2.8	2.9		5.0	5.5	
				Bottom	8	21.4	21.4	8.1	8.1	34.9	35.0	96.3	96.3	6.4	6.4		3.0	3.0		6.0	6.0	
27-Feb-09	Sunny	Calm	08:40	Surface	1	19.0	19.0	7.8	7.9	33.9	33.9	97.3	97.3	7.1	7.1	6.9	2.9	2.9	3.4	10.0	10.0	8.8
				Middle	4.5	18.9	18.9	7.7	7.7	33.9	33.9	89.9	89.9	6.6	6.6		3.3	3.4		8.0	8.5	
				Bottom	8	18.8	18.8	7.7	7.9	33.9	33.9	89.4	89.4	6.6	6.6		3.8	3.8		8.0	8.0	

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at I2 - Mid-Ebb Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	17:10	Surface	1	17.5 17.5	17.5	7.7 7.9	7.8	34.0 33.9	34.0	93.5 93.4	93.5	6.7 6.9	6.8	6.7	2.0 2.1	2.1	2.4	6.0 6.0	6.0	7.0
				Middle	4.5	17.4 17.3	17.4	7.8 8.0	7.9	33.9 34.0	34.0	91.7 90.1	90.9	6.7 6.5	6.6		2.1 2.2	2.2		8.0 8.0	8.0	
				Bottom	8	17.3 17.5	17.4	8.0 8.0	8.0	34.1 33.9	34.0	88.1 84.7	86.4	6.7 6.4	6.6		2.8 3.2	3.0		7.0 7.0	7.0	
4-Feb-09	Sunny	Calm	08:36	Surface	1	16.8 16.9	16.9	7.9 7.8	7.9	32.2 32.1	32.2	101.4 97.8	99.6	7.2 6.9	7.1	6.8	1.9 2.1	2.0	2.3	11.0 11.0	11.0	11.7
				Middle	4.5	17.0 17.0	17.0	8.1 7.6	7.9	32.1 32.1	32.1	90.9 90.9	90.9	6.4 6.4	6.4		2.4 2.4	2.4		15.0 15.0	15.0	
				Bottom	8	17.0 17.0	17.0	7.9 8.0	8.0	32.2 32.2	32.2	91.4 91.4	91.4	6.5 6.5	6.5		2.6 2.6	2.6		9.0 9.0	9.0	
9-Feb-09	Sunny	Calm	13:42	Surface	1	18.5 18.4	18.5	8.0 7.9	8.0	33.5 33.6	33.6	96.2 96.9	96.6	6.9 7.0	7.0	7.0	1.0 1.0	1.0	1.6	8.0 8.0	8.0	11.0
				Middle	4.5	18.0 18.0	18.0	8.1 7.7	7.9	33.8 33.9	33.9	95.6 95.0	95.3	6.9 6.9	6.9		1.9 1.9	1.9		12.0 12.0	12.0	
				Bottom	8	18.0 18.0	18.0	8.3 7.7	8.0	34.1 34.1	34.1	91.6 90.8	91.2	6.6 6.6	6.6		1.9 2.0	2.0		13.0 13.0	13.0	
11-Feb-09	Sunny	Calm	14:26	Surface	1	19.5 19.5	19.5	7.8 7.9	7.9	34.9 34.8	34.9	104.4 100.8	102.6	7.4 7.1	7.3	7.0	2.3 2.5	2.4	2.7	3.0 3.0	3.0	3.3
				Middle	4.5	19.4 19.4	19.4	7.8 7.8	7.8	34.8 34.8	34.8	93.9 93.9	93.9	6.6 6.6	6.6		2.8 2.8	2.8		3.0 3.0	3.0	
				Bottom	8	19.2 19.3	19.3	8.0 7.9	8.0	34.9 34.9	34.9	94.4 94.4	94.4	6.7 6.7	6.7		3.0 3.0	3.0		4.0 4.0	4.0	
13-Feb-09	Fine	Calm	15:45	Surface	1	18.9 18.9	18.9	8.1 7.9	8.0	34.4 34.4	34.4	95.7 95.7	95.7	6.5 6.5	6.5	6.4	3.0 3.0	3.0	3.0	7.0 7.0	7.0	6.2
				Middle	4.5	18.4 18.4	18.4	8.2 7.8	8.0	34.6 34.6	34.6	92.9 93.2	93.1	6.3 6.3	6.3		3.2 3.1	3.2		4.0 5.0	4.5	
				Bottom	8	18.2 18.2	18.2	8.2 7.8	8.0	34.8 34.7	34.8	89.6 89.2	89.4	6.2 6.2	6.2		2.7 2.7	2.7		7.0 7.0	7.0	
16-Feb-09	Cloudy	Calm	16:52	Surface	1	20.4 20.5	20.5	7.0 7.3	7.2	32.0 32.0	32.0	91.7 91.7	91.7	6.5 6.5	6.5	6.4	4.1 4.1	4.1	4.5	8.0 8.0	8.0	7.3
				Middle	4.5	20.1 20.1	20.1	7.3 6.9	7.1	32.2 32.2	32.2	87.9 87.9	87.9	6.2 6.2	6.2		4.2 4.2	4.2		7.0 7.0	7.0	
				Bottom	8	19.6 19.6	19.6	7.6 7.7	7.7	32.4 32.4	32.4	87.4 87.9	87.7	6.2 6.2	6.2		5.0 5.6	5.3		7.0 7.0	7.0	
23-Feb-09	Sunny	Calm	12:51	Surface	1	20.0 20.0	20.0	8.1 8.2	8.2	35.8 35.8	35.8	90.8 88.8	89.8	6.7 6.5	6.6	6.6	2.2 2.3	2.3	2.4	14.0 14.0	14.0	11.5
				Middle	4.5	19.8 19.7	19.8	8.0 7.9	8.0	35.8 35.8	35.8	89.4 88.4	88.9	6.6 6.5	6.6		2.3 2.3	2.3		11.0 11.0	11.0	
				Bottom	8	19.6 19.6	19.6	8.2 8.1	8.2	35.8 35.8	35.8	88.4 85.9	87.2	6.5 6.4	6.5		2.4 2.5	2.5		9.0 10.0	9.5	
25-Feb-09	Sunny	Calm	14:32	Surface	1	21.3 21.3	21.3	8.0 7.8	7.9	35.1 35.0	35.1	108.9 105.2	107.1	7.3 7.0	7.2	6.9	2.3 2.5	2.4	2.7	9.0 9.0	9.0	8.0
				Middle	4.5	21.4 21.4	21.4	8.0 7.7	7.9	35.1 35.1	35.1	97.9 97.9	97.9	6.5 6.5	6.5		2.7 2.7	2.7		7.0 7.0	7.0	
				Bottom	8	21.4 21.4	21.4	7.8 7.8	7.8	35.1 35.1	35.1	98.4 98.4	98.4	6.6 6.6	6.6		2.9 2.9	2.9		8.0 8.0	8.0	
27-Feb-09	Sunny	Calm	14:08	Surface	1	19.0 19.0	19.0	7.7 7.6	7.7	34.0 34.0	34.0	86.3 86.4	86.4	6.3 6.4	6.4	6.4	2.5 2.6	2.6	2.7	6.0 6.0	6.0	7.5
				Middle	4.5	18.8 18.7	18.8	7.7 7.9	7.8	34.0 34.0	34.0	84.9 86.0	85.5	6.2 6.4	6.3		2.6 2.6	2.6		6.0 6.0	6.0	
				Bottom	8	18.7 18.6	18.7	7.7 7.7	7.7	34.0 34.0	34.0	84.0 81.6	82.8	6.2 6.0	6.1		2.7 2.8	2.8		11.0 10.0	10.5	

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at I2 - Mid-Flood Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	10:45	Surface	1	17.5	17.5	7.4	7.6	34.0	34.1	90.4	90.4	6.5	6.5	6.5	2.0	2.0	3.0	13.0	12.5	10.2
				Middle	4.5	17.5	17.5	8.3	8.0	34.0	34.0	89.5	90.1	6.4	6.5		2.7	2.8		11.0	11.0	
				Bottom	8	17.4	17.4	8.1	8.2	34.1	34.2	92.7	93.4	6.6	6.8		4.2	4.3		7.0	7.0	
4-Feb-09	Sunny	Calm	12:58	Surface	1	16.9	17.0	7.6	7.7	32.1	32.1	101.7	99.7	7.2	7.1	6.8	2.7	2.7	2.5	12.0	12.5	12.5
				Middle	4.5	17.0	17.0	7.4	7.5	32.1	32.1	92.0	92.0	6.5	6.5		2.2	2.2		15.0	15.0	
				Bottom	8	17.0	17.0	7.7	7.6	32.1	32.1	92.1	92.1	6.5	6.5		2.5	2.6		10.0	10.0	
6-Feb-09	Sunny	Calm	10:28	Surface	1	17.7	17.7	8.2	8.2	34.2	34.3	96.9	96.9	7.1	7.1	7.1	1.5	1.5	1.6	8.0	8.0	6.5
				Middle	4.5	17.7	17.7	8.0	8.0	34.3	34.3	96.8	96.8	7.1	7.1		1.5	1.6		4.0	4.5	
				Bottom	8	17.6	17.6	8.1	8.2	34.3	34.3	96.8	96.6	7.1	7.1		1.6	1.6		7.0	7.0	
9-Feb-09	Sunny	Calm	08:21	Surface	1	18.4	18.4	7.6	7.6	33.6	33.7	94.2	94.6	6.8	6.8	6.8	1.2	1.2	1.4	12.0	12.0	3.3
				Middle	4.5	18.0	18.0	7.4	7.5	33.9	33.9	93.0	92.9	6.7	6.7		1.0	1.1		7.0	7.0	
				Bottom	8	18.0	18.0	7.5	7.5	34.1	34.1	92.3	91.9	6.7	6.7		1.8	1.9		7.0	7.5	
11-Feb-09	Sunny	Calm	09:22	Surface	1	19.6	19.6	7.7	7.7	34.8	34.8	104.7	102.7	7.4	7.3	7.0	3.1	3.1	2.9	3.0	3.0	3.7
				Middle	4.5	19.6	19.6	7.6	7.7	34.8	34.8	95.0	95.0	6.7	6.7		2.6	2.6		4.0	4.0	
				Bottom	8	19.5	19.5	7.6	7.7	34.8	34.8	95.1	95.1	6.7	6.7		2.9	3.0		4.0	4.0	
13-Feb-09	Fine	Calm	09:25	Surface	1	18.8	18.8	7.7	7.7	34.4	34.4	98.3	98.5	6.5	6.5	6.3	2.8	2.8	2.6	6.0	6.0	8.2
				Middle	4.5	18.4	18.4	7.5	7.6	34.6	34.6	89.7	89.7	6.1	6.1		2.7	2.7		8.0	8.0	
				Bottom	8	18.1	18.1	7.6	7.6	34.8	34.8	89.6	89.5	6.2	6.2		2.3	2.4		11.0	10.5	
16-Feb-09	Fine	Calm	10:36	Surface	1	20.9	20.9	6.9	7.2	32.7	32.7	89.1	89.1	6.4	6.4	6.4	4.9	4.9	4.9	8.0	8.0	7.3
				Middle	4.5	20.9	20.9	7.0	7.1	33.0	33.1	87.3	87.3	6.3	6.3		4.9	4.9		7.0	7.0	
				Bottom	8	20.6	20.6	7.2	7.0	33.1	33.1	85.3	85.3	6.1	6.1		4.8	4.8		7.0	7.0	
18-Feb-09	Fine	Calm	09:08	Surface	1	19.9	19.9	7.9	7.9	35.6	35.6	89.6	89.9	6.6	6.7	6.7	2.5	2.5	2.5	7.0	7.0	7.3
				Middle	4.5	19.8	19.8	8.0	8.0	35.6	35.6	89.4	89.4	6.6	6.6		2.5	2.5		7.0	7.0	
				Bottom	8	19.7	19.7	8.0	8.1	35.6	35.6	88.9	88.9	6.6	6.6		2.4	2.4		8.0	8.0	
20-Feb-09	Fine	Calm	10:56	Surface	1	19.6	19.6	7.6	7.6	36.2	36.2	94.4	94.0	6.5	6.5	6.5	2.4	2.5	2.8	10.0	10.0	11.5
				Middle	4.5	19.3	19.3	7.4	7.5	36.2	36.2	92.2	92.2	6.4	6.4		2.7	2.7		9.0	9.5	
				Bottom	8	19.3	19.3	7.4	7.4	36.2	36.2	92.8	93.1	6.4	6.4		3.0	3.1		15.0	15.0	
23-Feb-09	Sunny	Calm	08:42	Surface	1	20.0	20.0	7.7	7.8	35.8	35.8	93.9	94.0	6.9	6.9	6.9	2.2	2.3	2.7	7.0	7.0	8.7
				Middle	4.5	20.0	20.0	7.9	7.9	35.7	35.7	91.4	91.5	6.8	6.8		2.6	2.6		9.0	9.0	
				Bottom	8	19.8	19.8	7.9	7.9	35.6	35.7	90.5	90.5	6.7	6.7		3.0	3.1		10.0	10.0	
25-Feb-09	Sunny	Calm	08:58	Surface	1	21.3	21.4	7.5	7.6	35.0	35.0	109.3	107.2	7.3	7.2	6.9	3.0	3.0	2.8	11.0	11.0	8.0
				Middle	4.5	21.4	21.4	7.8	7.8	35.0	35.0	99.1	99.1	6.6	6.6		2.6	2.6		7.0	7.0	
				Bottom	8	21.4	21.4	7.8	7.9	35.1	35.1	99.2	99.2	6.6	6.6		2.8	2.9		6.0	6.0	
27-Feb-09	Sunny	Calm	08:32	Surface	1	19.0	19.0	7.6	7.6	34.0	34.0	89.2	89.3	6.6	6.6	6.6	2.5	2.6	3.0	13.0	13.0	13.0
				Middle	4.5	19.0	19.0	7.7	7.7	33.9	33.9	86.8	87.0	6.4	6.5		2.9	2.9		13.0	13.0	
				Bottom	8	18.8	18.8	7.7	7.6	33.9	33.9	86.0	86.0	6.4	6.4		3.3	3.4		13.0	13.0	

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at Intake A - Mid-Ebb Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	16:58	Surface	1	17.6 17.4	17.5	8.1 8.1	8.1	34.0 33.8	33.9	95.0 94.6	94.8	7.0 6.8	6.9	7.6	1.9 2.2	2.1	2.4	8.0 8.0	8.0	8.5
				Middle	5	17.4 17.4	17.4	8.1 8.0	8.1	33.9 34.1	34.0	110.5 114.4	112.5	8.0 8.3	8.2		1.9 2.2	2.1		11.0 12.0	11.5	
				Bottom	9	17.5 17.3	17.4	7.8 7.8	7.8	33.9 34.1	34.0	95.3 95.3	95.3	7.0 7.0	7.0		3.0 3.1	3.1		6.0 6.0	6.0	
4-Feb-09	Sunny	Calm	08:23	Surface	1	16.3 16.8	16.6	7.5 7.9	7.7	32.5 32.2	32.4	103.3 97.9	100.6	7.3 6.9	7.1	6.9	1.9 1.8	1.9	2.2	8.0 7.0	7.5	10.8
				Middle	5	17.0 17.0	17.0	7.9 7.7	7.8	32.1 32.1	32.1	92.8 92.3	92.6	6.6 6.5	6.6		2.3 2.2	2.3		15.0 15.0	15.0	
				Bottom	9	17.0 17.0	17.0	7.8 8.1	8.0	32.2 32.1	32.2	92.0 92.0	92.0	6.5 6.5	6.5		2.3 2.2	2.3		10.0 10.0	10.0	
9-Feb-09	Sunny	Calm	13:33	Surface	1	18.4 18.3	18.4	7.5 7.9	7.7	33.4 33.6	33.5	96.4 96.8	96.6	7.0 7.0	7.0	7.0	1.3 1.3	1.3	2.1	15.0 15.0	15.0	10.5
				Middle	5	18.1 18.1	18.1	7.8 8.1	8.0	33.9 34.0	34.0	95.0 93.7	94.4	6.9 6.8	6.9		2.3 2.2	2.3		9.0 9.0	9.0	
				Bottom	9	18.1 18.1	18.1	7.6 7.7	7.7	34.0 34.0	34.0	90.7 90.6	90.7	6.5 6.5	6.5		2.8 2.8	2.8		7.0 8.0	7.5	
11-Feb-09	Sunny	Calm	14:13	Surface	1	19.6 19.6	19.6	7.8 7.8	7.8	35.2 34.9	35.1	106.3 100.9	103.6	7.5 7.1	7.3	7.1	2.3 2.2	2.3	2.6	4.0 4.0	4.0	3.8
				Middle	5	19.6 19.6	19.6	8.0 8.1	8.1	34.8 34.8	34.8	95.8 95.3	95.6	6.8 6.7	6.8		2.7 2.6	2.7		4.0 4.0	4.0	
				Bottom	9	18.9 19.4	19.2	7.8 7.9	7.9	34.9 34.8	34.9	95.0 95.0	95.0	6.7 6.7	6.7		2.7 2.6	2.7		3.0 4.0	3.5	
13-Feb-09	Fine	Calm	15:32	Surface	1	19.3 19.3	19.3	8.1 7.8	8.0	34.6 34.6	34.6	107.8 107.3	107.6	7.1 7.0	7.1	6.9	2.6 2.6	2.6	2.4	7.0 7.0	7.0	6.7
				Middle	5	18.9 19.0	19.0	8.0 8.2	8.1	34.7 34.7	34.7	102.6 100.8	101.7	6.8 6.6	6.7		2.5 2.4	2.5		6.0 6.0	6.0	
				Bottom	9	18.8 18.7	18.8	7.8 7.8	7.8	34.6 34.6	34.6	98.8 97.1	98.0	6.5 6.4	6.5		2.2 2.2	2.2		7.0 7.0	7.0	
16-Feb-09	Cloudy	Calm	16:45	Surface	1	21.1 21.1	21.1	7.2 7.5	7.4	32.1 32.1	32.1	90.3 90.3	90.3	6.4 6.4	6.4	6.4	4.1 4.1	4.1	4.6	8.0 8.0	8.0	6.2
				Middle	5	20.5 20.5	20.5	7.0 7.7	7.4	32.2 32.2	32.2	88.8 88.8	88.8	6.3 6.3	6.3		4.0 4.0	4.0		4.0 5.0	4.5	
				Bottom	9	20.3 20.4	20.4	7.5 7.2	7.4	32.7 33.0	32.9	87.9 87.5	87.7	6.2 6.2	6.2		5.3 6.2	5.8		6.0 6.0	6.0	
23-Feb-09	Sunny	Calm	12:33	Surface	1	20.2 20.1	20.2	8.3 7.7	8.0	35.4 35.4	35.4	93.8 93.9	93.9	6.9 6.9	6.9	6.9	2.3 2.3	2.3	2.5	11.0 11.0	11.0	10.7
				Middle	5	19.8 19.8	19.8	8.3 8.5	8.4	35.6 35.6	35.6	94.7 91.4	93.1	7.0 6.7	6.9		2.4 2.5	2.5		9.0 9.0	9.0	
				Bottom	9	20.0 20.0	20.0	7.8 8.0	7.9	35.7 35.8	35.8	91.4 91.3	91.4	6.7 6.7	6.7		2.6 2.6	2.6		12.0 12.0	12.0	
25-Feb-09	Sunny	Calm	14:21	Surface	1	20.8 21.2	21.0	7.8 7.8	7.8	35.5 35.1	35.3	110.9 105.3	108.1	7.5 7.1	7.3	7.0	2.6 2.5	2.6	2.7	7.0 7.0	7.0	7.0
				Middle	5	21.4 21.4	21.4	7.9 8.1	8.0	35.0 35.1	35.1	99.9 99.4	99.7	6.7 6.6	6.7		2.7 2.6	2.7		6.0 6.0	6.0	
				Bottom	9	21.4 21.4	21.4	8.0 7.9	8.0	35.1 35.1	35.1	99.1 99.1	99.1	6.6 6.6	6.6		2.7 2.6	2.7		8.0 8.0	8.0	
27-Feb-09	Sunny	Calm	13:48	Surface	1	19.2 19.1	19.2	7.6 7.4	7.5	33.6 33.6	33.6	89.1 89.2	89.2	6.5 6.5	6.5	6.5	2.6 2.6	2.6	2.8	9.0 9.0	9.0	10.3
				Middle	5	18.8 18.8	18.8	8.0 8.0	8.0	33.8 33.8	33.8	90.0 86.8	88.4	6.6 6.4	6.5		2.7 2.8	2.8		11.0 11.0	11.0	
				Bottom	9	19.0 19.0	19.0	7.7 8.0	7.9	34.0 34.0	34.0	86.8 86.7	86.8	6.4 6.4	6.4		2.9 2.9	2.9		11.0 11.0	11.0	

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at Intake A - Mid-Flood Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	10:32	Surface	1	17.4	17.5	8.2	8.1	34.0	34.0	93.2	93.3	6.9	6.9	6.8	1.9	1.9	2.1	6.0	6.5	8.2
				Middle	5	17.4	17.4	8.4	8.1	33.8	34.0	91.2	91.3	6.6	6.7		1.8	1.9		7.0	7.0	
				Bottom	9	17.4	17.5	8.4	8.2	34.1	34.0	85.3	85.7	6.1	6.2		2.6	2.6		11.0	11.0	
4-Feb-09	Sunny	Calm	12:48	Surface	1	16.9	16.9	7.5	7.6	32.1	32.1	90.8	91.5	6.4	6.5	6.4	2.7	2.7	2.7	16.0	16.0	14.5
				Middle	5	17.0	17.0	8.0	7.9	32.2	32.2	88.7	88.7	6.3	6.3		2.7	2.7		14.0	14.5	
				Bottom	9	17.0	17.0	7.6	7.7	32.2	32.2	87.8	87.4	6.2	6.2		2.8	2.8		13.0	13.0	
6-Feb-09	Sunny	Calm	10:19	Surface	1	17.6	17.7	8.2	8.0	34.2	34.2	94.3	94.3	6.9	6.9	6.9	1.9	2.0	2.6	4.0	4.0	5.2
				Middle	5	17.3	17.3	8.1	8.1	34.3	34.3	91.9	91.5	6.8	6.8		3.0	3.1		7.0	7.0	
				Bottom	9	17.3	17.4	8.5	8.3	34.3	34.4	91.1	90.8	6.7	6.7		2.5	2.7		4.0	4.5	
9-Feb-09	Sunny	Calm	08:12	Surface	1	18.4	18.4	7.7	7.7	33.7	33.8	93.7	93.9	6.7	6.8	6.8	1.4	1.4	2.1	12.0	12.0	3.8
				Middle	5	18.3	18.2	7.9	7.8	33.8	33.9	94.4	94.3	6.8	6.8		1.9	1.9		7.0	7.0	
				Bottom	9	18.1	18.1	7.8	8.1	34.1	34.1	91.0	90.5	6.6	6.6		3.1	3.0		9.0	9.0	
11-Feb-09	Sunny	Calm	09:09	Surface	1	19.6	19.6	7.6	7.7	34.8	34.8	93.8	94.5	6.6	6.7	6.6	3.1	3.1	3.1	5.0	5.5	4.3
				Middle	5	19.6	19.6	7.9	7.8	34.9	34.9	91.7	91.7	6.5	6.5		3.1	3.1		4.0	4.0	
				Bottom	9	19.5	19.5	7.8	8.0	34.9	34.9	90.8	90.4	6.4	6.4		3.2	3.2		3.0	3.5	
13-Feb-09	Fine	Calm	09:16	Surface	1	19.2	19.2	7.7	7.7	34.6	34.6	104.6	103.0	6.5	6.4	6.7	2.1	2.1	2.2	7.0	7.0	7.0
				Middle	5	18.9	18.9	8.0	7.9	34.6	34.7	104.8	104.5	6.9	6.9		2.2	2.2		8.0	8.0	
				Bottom	9	18.8	18.8	8.1	8.2	34.6	34.6	103.0	102.3	6.8	6.8		2.3	2.3		6.0	6.0	
16-Feb-09	Fine	Calm	10:26	Surface	1	20.9	20.9	7.2	7.4	32.1	32.1	95.8	95.8	6.7	6.7	6.7	4.8	4.8	5.0	9.0	9.0	8.3
				Middle	5	20.9	20.9	6.9	7.0	32.3	32.3	95.0	93.0	6.7	6.6		5.0	5.1		8.0	8.0	
				Bottom	9	20.9	20.9	6.9	6.9	32.5	32.6	91.7	91.2	6.5	6.5		5.0	5.0		8.0	8.0	
18-Feb-09	Fine	Calm	08:56	Surface	1	19.8	19.8	8.1	8.1	35.2	35.2	94.6	94.6	7.0	7.0	7.0	4.6	4.6	4.5	16.0	15.5	12.2
				Middle	5.5	19.8	19.8	7.9	7.9	35.2	35.3	94.0	93.8	7.0	7.0		4.5	4.5		12.0	12.0	
				Bottom	10	19.7	19.7	8.0	8.0	35.3	35.3	93.7	93.3	7.0	7.0		4.3	4.4		9.0	9.0	
20-Feb-09	Fine	Calm	10:46	Surface	1	19.5	19.5	7.5	7.5	35.2	35.2	111.7	109.0	7.7	7.5	7.3	3.6	3.6	3.3	11.0	11.0	11.0
				Middle	5.5	19.2	19.2	7.5	7.5	35.4	35.4	101.2	100.7	7.0	7.0		3.2	3.3		10.0	10.0	
				Bottom	10	19.0	19.0	7.3	7.5	35.4	35.5	100.4	100.4	6.9	6.9		2.9	2.9		12.0	12.0	
23-Feb-09	Sunny	Calm	08:28	Surface	1	20.2	20.2	8.1	8.0	35.8	35.8	95.6	95.6	7.0	7.0	7.0	2.4	2.4	2.7	9.0	9.0	10.2
				Middle	5	20.2	20.2	8.2	8.1	35.8	35.8	93.1	92.8	6.9	6.9		2.6	2.7		9.0	9.5	
				Bottom	9	20.0	19.9	8.3	8.3	35.8	35.8	92.7	91.8	6.9	6.9		3.0	3.0		12.0	12.0	
25-Feb-09	Sunny	Calm	08:43	Surface	1	21.3	21.4	7.7	7.8	35.1	35.1	97.8	98.5	6.5	6.6	6.5	3.0	3.0	3.0	5.0	5.0	6.0
				Middle	5	21.4	21.4	8.0	7.9	35.1	35.1	95.6	95.6	6.3	6.3		3.0	3.0		6.0	6.0	
				Bottom	9	21.4	21.4	8.1	8.2	35.1	35.1	94.7	94.2	6.3	6.3		3.1	3.1		7.0	7.0	
27-Feb-09	Sunny	Calm	08:18	Surface	1	19.2	19.2	7.7	7.6	33.9	33.9	90.8	90.8	6.7	6.7	6.6	2.7	2.7	3.0	9.0	9.0	9.8
				Middle	5	19.2	19.2	8.0	7.9	34.0	34.0	88.4	87.8	6.5	6.5		2.9	3.0		9.0	9.0	
				Bottom	9	19.0	18.9	7.9	7.9	34.1	34.1	88.1	87.2	6.5	6.5		3.3	3.3		12.0	11.5	

Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at Intake B - Mid-Ebb Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	17:35	Surface	1	17.5 17.3	17.4	7.8 7.6	7.7	34.0 34.2	34.1	100.2 99.9	100.1	7.3 7.4	7.4	7.4	2.1 1.9	2.0	2.3	15.0 15.0	15.0	10.0
				Middle	6	17.5 17.4	17.5	7.5 7.8	7.7	34.1 34.0	34.1	100.5 100.1	100.3	7.3 7.4	7.4		2.0 2.3	2.2		6.0 6.0	6.0	
				Bottom	11	17.4 17.4	17.4	7.8 7.7	7.8	34.1 34.2	34.2	104.8 104.9	104.9	7.6 7.7	7.7		2.6 2.9	2.8		9.0 9.0	9.0	
4-Feb-09	Sunny	Calm	08:53	Surface	1	16.6 16.7	16.7	7.6 7.5	7.6	32.1 32.0	32.1	109.6 103.4	106.5	7.7 7.3	7.5	7.0	3.1 3.1	3.1	3.4	7.0 7.0	7.0	11.7
				Middle	6	17.0 17.0	17.0	8.0 8.0	8.0	32.2 32.2	32.2	89.8 89.6	89.7	6.4 6.3	6.4		3.2 3.3	3.3		13.0 13.0	13.0	
				Bottom	11	17.0 17.0	17.0	7.6 7.9	7.8	32.2 32.2	32.2	88.3 88.2	88.3	6.3 6.3	6.3		3.7 3.7	3.7		15.0 15.0	15.0	
9-Feb-09	Sunny	Calm	13:59	Surface	1	18.0 18.5	18.3	7.6 7.8	7.7	33.8 33.7	33.8	93.0 93.9	93.5	6.7 6.7	6.7	6.6	1.4 1.4	1.4	2.3	11.0 11.0	11.0	11.0
				Middle	6	18.1 18.1	18.1	7.4 7.5	7.5	34.2 34.2	34.2	90.6 90.3	90.5	6.5 6.5	6.5		2.5 2.5	2.5		12.0 12.0	12.0	
				Bottom	11	18.1 18.1	18.1	8.0 7.7	7.9	34.2 34.2	34.2	89.2 89.1	89.2	6.4 6.4	6.4		3.0 3.1	3.1		10.0 10.0	10.0	
11-Feb-09	Sunny	Calm	14:53	Surface	1	19.7 19.6	19.7	7.9 7.7	7.8	34.8 34.7	34.8	112.6 106.4	109.5	7.9 7.5	7.7	7.2	3.5 3.5	3.5	3.8	4.0 4.0	4.0	3.7
				Middle	6	19.6 19.6	19.6	8.1 8.1	8.1	34.9 34.9	34.9	92.8 92.6	92.7	6.6 6.5	6.6		3.6 3.7	3.7		3.0 3.0	3.0	
				Bottom	11	19.6 19.6	19.6	7.7 7.9	7.8	34.9 34.9	34.9	91.3 91.2	91.3	6.5 6.5	6.5		4.1 4.1	4.1		4.0 4.0	4.0	
13-Feb-09	Fine	Calm	16:05	Surface	1	18.4 18.4	18.4	7.5 7.8	7.7	34.5 34.5	34.5	107.1 101.1	104.1	7.1 6.7	6.9	6.4	2.2 2.3	2.3	2.8	7.0 7.0	7.0	7.3
				Middle	6	17.7 17.7	17.7	7.8 7.6	7.7	34.9 34.8	34.9	87.6 86.4	87.0	5.9 5.8	5.9		2.9 3.0	3.0		8.0 8.0	8.0	
				Bottom	11	17.6 17.5	17.6	8.0 8.0	8.0	35.1 35.1	35.1	90.0 89.4	89.7	6.3 6.3	6.3		3.2 3.2	3.2		7.0 7.0	7.0	
16-Feb-09	Cloudy	Calm	17:08	Surface	1	21.3 21.3	21.3	7.5 7.3	7.4	32.7 32.7	32.7	96.3 95.8	96.1	6.8 6.7	6.8	6.8	4.0 4.0	4.0	4.1	8.0 8.0	8.0	7.3
				Middle	6	20.2 20.2	20.2	7.0 7.6	7.3	32.9 33.0	33.0	94.8 93.9	94.4	6.7 6.6	6.7		4.0 3.9	4.0		4.0 4.0	4.0	
				Bottom	11	18.9 18.9	18.9	7.1 7.2	7.2	33.4 33.5	33.5	90.7 89.7	90.2	6.4 6.3	6.4		4.3 4.4	4.4		10.0 10.0	10.0	
23-Feb-09	Sunny	Calm	13:08	Surface	1	20.3 20.3	20.3	7.9 7.8	7.9	35.8 35.8	35.8	88.3 88.3	88.3	6.5 6.5	6.5	6.5	2.1 2.2	2.2	2.5	8.0 8.0	8.0	11.2
				Middle	6	19.8 19.8	19.8	8.0 8.0	8.0	35.8 35.8	35.8	86.3 86.3	86.3	6.4 6.4	6.4		2.4 2.4	2.4		16.0 16.0	16.0	
				Bottom	11	19.6 19.6	19.6	7.9 8.1	8.0	35.9 35.9	35.9	85.6 85.6	85.6	6.3 6.3	6.3		2.9 3.1	3.0		9.0 10.0	9.5	
25-Feb-09	Sunny	Calm	14:56	Surface	1	21.1 21.2	21.2	7.8 8.0	7.9	35.1 34.9	35.0	117.6 111.0	114.3	7.9 7.5	7.7	7.1	2.3 2.3	2.3	2.5	6.0 6.0	6.0	6.3
				Middle	6	21.4 21.4	21.4	8.0 8.0	8.0	35.1 35.1	35.1	96.8 96.6	96.7	6.5 6.4	6.5		2.6 2.5	2.6		7.0 7.0	7.0	
				Bottom	11	21.4 21.4	21.4	7.8 7.9	7.9	35.1 35.1	35.1	95.2 95.1	95.2	6.4 6.4	6.4		2.7 2.7	2.7		6.0 6.0	6.0	
27-Feb-09	Sunny	Calm	14:27	Surface	1	19.3 19.3	19.3	8.2 8.0	8.1	34.0 34.0	34.0	88.9 88.9	88.9	6.7 6.7	6.7	6.6	2.4 2.5	2.5	2.8	8.0 8.0	8.0	9.3
				Middle	6	18.8 18.8	18.8	7.9 7.8	7.9	34.0 34.0	34.0	87.0 87.0	87.0	6.5 6.5	6.5		2.7 2.7	2.7		12.0 12.0	12.0	
				Bottom	11	18.6 18.6	18.6	7.6 7.8	7.7	34.1 34.1	34.1	82.3 82.3	82.3	6.1 6.1	6.1		3.2 3.4	3.3		8.0 8.0	8.0	


Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Water Quality Monitoring Results at Intake B - Mid-Flood Tide

Date	Weather Condition	Sea Condition**	Sampling Time	Depth (m)		Water Temperature (°C)		pH		Salinity ppt		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*
2-Feb-09	Sunny	Calm	11:09	Surface	1	17.5	17.6	7.6	7.7	34.0	34.1	98.1	98.4	7.1	7.1	7.2	2.3	2.3	2.7	8.0	8.0	8.0
				Middle	6	17.3	17.3	7.7	7.7	34.1	34.2	97.3	98.3	7.0	7.2		2.5	2.5		7.0	7.0	
				Bottom	11	17.4	17.5	8.1	8.1	34.2	34.1	104.7	104.7	7.8	7.8		2.9	3.2		9.0	9.0	
4-Feb-09	Sunny	Calm	13:19	Surface	1	16.6	16.7	7.7	7.7	32.2	32.2	100.6	100.6	7.1	7.1	6.6	2.0	2.1	2.5	9.0	9.0	11.0
				Middle	6	17.0	17.0	7.8	7.9	32.1	32.1	85.7	85.7	6.1	6.1		2.6	2.7		9.0	9.0	
				Bottom	11	17.0	17.0	8.0	8.0	31.9	31.4	86.3	85.5	6.2	6.2		2.6	2.6		15.0	15.0	
6-Feb-09	Sunny	Calm	10:37	Surface	1	17.6	17.6	8.2	8.3	34.2	34.2	95.5	95.4	7.0	7.0	7.0	1.5	1.5	1.7	5.0	5.0	5.5
				Middle	6	17.4	17.4	8.4	8.5	34.2	34.2	94.2	94.0	6.9	6.9		1.8	1.8		5.0	5.5	
				Bottom	11	17.3	17.3	8.1	8.1	34.3	34.3	91.2	91.0	6.7	6.7		1.7	1.7		6.0	6.0	
9-Feb-09	Sunny	Calm	08:38	Surface	1	18.4	18.5	8.3	8.2	33.8	33.8	90.9	91.5	6.5	6.6	6.6	1.6	1.6	2.3	8.0	8.0	3.7
				Middle	6	18.0	18.0	8.0	7.9	34.1	34.1	91.9	91.4	6.6	6.6		2.3	2.3		6.0	6.5	
				Bottom	11	18.1	18.1	7.7	7.7	34.2	34.2	89.4	89.2	6.4	6.4		2.8	2.9		11.0	11.0	
11-Feb-09	Sunny	Calm	09:47	Surface	1	19.6	19.6	8.1	8.1	34.9	34.9	103.6	103.6	7.3	7.3	6.8	2.4	2.5	2.9	4.0	4.0	4.0
				Middle	6	19.6	19.6	7.9	7.8	34.8	34.8	88.7	88.7	6.3	6.3		3.0	3.1		4.0	4.0	
				Bottom	11	19.2	19.3	7.7	7.7	34.6	34.1	88.3	88.5	6.3	6.3		3.0	3.0		4.0	4.0	
13-Feb-09	Fine	Calm	09:49	Surface	1	18.1	18.1	8.5	8.4	34.6	34.6	96.0	95.9	6.8	6.8	6.5	3.2	3.2	3.0	7.0	7.5	7.0
				Middle	6	17.7	17.8	8.1	7.9	34.7	34.7	90.1	90.6	6.2	6.2		2.9	3.0		6.0	6.5	
				Bottom	11	17.8	17.7	7.8	7.8	34.9	34.9	88.2	87.7	6.2	6.2		2.9	2.9		7.0	7.0	
16-Feb-09	Fine	Calm	10:56	Surface	1	21.4	21.5	7.0	7.2	32.3	32.4	99.1	99.3	6.9	7.0	7.0	3.9	4.2	4.5	11.0	11.0	9.7
				Middle	6	20.0	20.0	7.2	7.1	32.5	32.6	98.5	97.4	6.9	6.9		4.1	4.3		9.0	9.0	
				Bottom	11	19.1	19.1	7.9	7.9	32.7	32.8	95.6	94.7	6.7	6.7		5.1	5.1		9.0	9.0	
18-Feb-09	Fine	Calm	09:28	Surface	1	19.8	19.8	8.0	8.1	35.8	35.8	89.7	89.7	6.6	6.6	6.7	2.7	2.8	3.2	12.0	12.0	9.2
				Middle	5	19.8	19.8	7.8	7.9	35.7	35.7	88.8	90.5	6.6	6.7		3.3	3.4		7.0	7.5	
				Bottom	9	19.8	19.8	8.1	8.0	35.7	35.7	89.4	89.4	6.6	6.6		3.3	3.3		8.0	8.0	
20-Feb-09	Fine	Calm	11:15	Surface	1	19.8	19.8	7.6	7.6	35.8	35.8	109.0	109.0	7.5	7.5	7.0	1.8	1.8	2.2	12.0	12.0	9.2
				Middle	5	19.6	19.6	7.4	7.4	35.7	35.7	94.1	94.1	6.5	6.5		2.1	2.2		7.0	7.5	
				Bottom	9	19.3	19.3	7.4	7.5	35.6	35.6	93.7	93.9	6.5	6.5		2.5	2.5		8.0	8.0	
23-Feb-09	Sunny	Calm	09:05	Surface	1	20.5	20.5	8.2	8.2	35.8	35.8	101.8	101.6	7.4	7.4	7.4	2.4	2.5	3.0	14.0	14.0	10.7
				Middle	6	19.9	19.9	8.2	8.1	35.8	35.8	99.4	99.2	7.3	7.3		3.0	3.1		9.0	9.0	
				Bottom	11	19.6	19.6	7.9	8.1	35.7	35.7	97.7	97.7	7.2	7.2		3.3	3.3		9.0	9.0	
25-Feb-09	Sunny	Calm	09:22	Surface	1	21.1	21.2	8.0	8.0	35.1	35.1	108.1	108.1	7.3	7.3	6.8	2.4	2.5	2.8	4.0	4.5	7.7
				Middle	6	21.4	21.4	7.9	7.8	35.0	35.0	92.5	92.5	6.2	6.2		2.9	3.0		11.0	11.0	
				Bottom	11	21.4	21.4	7.9	7.9	34.8	34.3	92.0	92.2	6.2	6.2		2.9	2.9		7.0	7.5	
27-Feb-09	Sunny	Calm	08:55	Surface	1	19.5	19.5	7.9	7.9	34.0	34.0	96.7	96.5	7.1	7.1	7.1	2.7	2.8	3.3	8.0	8.0	6.5
				Middle	6	18.9	18.9	7.8	7.9	34.0	34.0	94.4	94.2	6.9	7.0		3.3	3.4		6.0	6.0	
				Bottom	11	18.7	18.7	7.8	7.8	33.9	33.9	92.8	92.8	6.9	6.9		3.6	3.6		5.0	5.5	



Remarks: * DA: Depth-Averaged
 ** Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher

Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 09	Appendix H	

Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 09	Appendix H	

Dissolved Oxygen (Bottom) at Mid-Ebb Tide






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Dissolved Oxygen (Bottom) at Mid-Ebb Tide





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale	N.T.S	Project No. MA8001	CINOTECH
	Date	Feb 09	Appendix H	

Dissolved Oxygen (Bottom) at Mid-Flood Tide




Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Dissolved Oxygen (Bottom) at Mid-Flood Tide





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Turbidity (Depth-averaged) at Mid-Ebb Tide






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Turbidity (Depth-averaged) at Mid-Ebb Tide





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Turbidity (Depth-averaged) at Mid-Flood Tide






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale	N.T.S	Project No. MA8001	CINOTECH
	Date	Feb 09	Appendix H	

Turbidity (Depth-averaged) at Mid-Flood Tide





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Suspended Solids (Depth-averaged) at Mid-Ebb Tide




Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Suspended Solids (Depth-averaged) at Mid-Ebb Tide





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Suspended Solids (Depth-averaged) at Mid-Flood Tide



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 09	Appendix H	

Suspended Solids (Depth-averaged) at Mid-Flood Tide



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Water Quality Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 09	Appendix H	

**APPENDIX I
SUMMARY OF EXCEEDANCE**

Contract No. DC/2007/10 – Design and Construction of Hong Kong West Drainage Tunnel

Exceedance Report

Eastern Portal

- (A) Exceedance Report for Air Quality (1 hour TSP)
(NIL in the reporting month)**
- (B) Exceedance Report for Air Quality (24 hours TSP)
(NIL in the reporting month)**
- (C) Exceedance Report for Construction Noise
(NIL in the reporting month)**

Western Portal

- (D) Exceedance Report for Air Quality (1 hour TSP)
(NIL in the reporting month)**
- (E) Exceedance Report for Air Quality (24 hours TSP)
(NIL in the reporting month)**
- (F) Exceedance Report for Construction Noise
(NIL in the reporting month)**
- (G) Exceedance Report for Water Quality
(NIL in the reporting month)**

APPENDIX J
WIND DATA

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
1-Feb-2009	00:00	0.5	NE
1-Feb-2009	01:00	0.5	NE
1-Feb-2009	02:00	0.6	E
1-Feb-2009	03:00	1.1	E
1-Feb-2009	04:00	0.1	E
1-Feb-2009	05:00	0.2	ENE
1-Feb-2009	06:00	0.3	ENE
1-Feb-2009	07:00	0.5	NNE
1-Feb-2009	08:00	0.5	SSE
1-Feb-2009	09:00	1.3	ESE
1-Feb-2009	10:00	1.6	SSE
1-Feb-2009	11:00	1.6	SSE
1-Feb-2009	12:00	1.8	SSE
1-Feb-2009	13:00	2.7	SSE
1-Feb-2009	14:00	2.8	NNE
1-Feb-2009	15:00	2.9	ENE
1-Feb-2009	16:00	2.9	ENE
1-Feb-2009	17:00	2.0	ENE
1-Feb-2009	18:00	1.5	ENE
1-Feb-2009	19:00	0.6	ENE
1-Feb-2009	20:00	0.7	ENE
1-Feb-2009	21:00	0.6	E
1-Feb-2009	22:00	0.8	ENE
1-Feb-2009	23:00	0.8	SE
2-Feb-2009	00:00	0.9	SSE
2-Feb-2009	01:00	0.5	E
2-Feb-2009	02:00	0.5	E
2-Feb-2009	03:00	0.3	E
2-Feb-2009	04:00	0.2	E
2-Feb-2009	05:00	0.1	E
2-Feb-2009	06:00	0.5	E
2-Feb-2009	07:00	0.1	N
2-Feb-2009	08:00	0.2	NE
2-Feb-2009	09:00	0.3	N
2-Feb-2009	10:00	1.0	N
2-Feb-2009	11:00	1.2	ENE
2-Feb-2009	12:00	2.6	ENE
2-Feb-2009	13:00	2.3	ENE
2-Feb-2009	14:00	2.0	ENE
2-Feb-2009	15:00	1.5	ENE
2-Feb-2009	16:00	1.4	NE
2-Feb-2009	17:00	1.8	ENE
2-Feb-2009	18:00	1.2	ENE
2-Feb-2009	19:00	0.7	ESE
2-Feb-2009	20:00	0.5	ESE
2-Feb-2009	21:00	0.2	ESE
2-Feb-2009	22:00	0.1	ESE
2-Feb-2009	23:00	0.5	NE
3-Feb-2009	00:00	0.5	NE
3-Feb-2009	01:00	0.4	NE
3-Feb-2009	02:00	0.4	NE
3-Feb-2009	03:00	0.3	SE
3-Feb-2009	04:00	0.4	ESE
3-Feb-2009	05:00	0.3	NE

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
3-Feb-2009	06:00	0.0	---
3-Feb-2009	07:00	0.4	NE
3-Feb-2009	08:00	0.0	---
3-Feb-2009	09:00	0.0	---
3-Feb-2009	10:00	1.3	ENE
3-Feb-2009	11:00	0.0	---
3-Feb-2009	12:00	0.0	---
3-Feb-2009	13:00	0.0	---
3-Feb-2009	14:00	1.6	E
3-Feb-2009	15:00	1.5	ENE
3-Feb-2009	16:00	1.5	SW
3-Feb-2009	17:00	3.1	SE
3-Feb-2009	18:00	1.4	S
3-Feb-2009	19:00	1.2	SW
3-Feb-2009	20:00	1.3	S
3-Feb-2009	21:00	1.7	WSW
3-Feb-2009	22:00	1.8	NE
3-Feb-2009	23:00	1.7	NE
4-Feb-2009	00:00	1.7	SW
4-Feb-2009	01:00	2.0	SW
4-Feb-2009	02:00	0.0	---
4-Feb-2009	03:00	2.0	SSE
4-Feb-2009	04:00	1.2	E
4-Feb-2009	05:00	0.8	SE
4-Feb-2009	06:00	1.0	ENE
4-Feb-2009	07:00	0.6	ENE
4-Feb-2009	08:00	1.3	ENE
4-Feb-2009	09:00	1.6	E
4-Feb-2009	10:00	2.4	NE
4-Feb-2009	11:00	2.1	NNE
4-Feb-2009	12:00	1.9	E
4-Feb-2009	13:00	1.2	E
4-Feb-2009	14:00	1.5	E
4-Feb-2009	15:00	1.7	E
4-Feb-2009	16:00	1.4	SE
4-Feb-2009	17:00	1.0	E
4-Feb-2009	18:00	0.8	ENE
4-Feb-2009	19:00	0.4	ESE
4-Feb-2009	20:00	0.4	E
4-Feb-2009	21:00	1.2	SSE
4-Feb-2009	22:00	1.6	ENE
4-Feb-2009	23:00	1.2	SE
5-Feb-2009	00:00	1.2	ESE
5-Feb-2009	01:00	1.2	NE
5-Feb-2009	02:00	1.3	NE
5-Feb-2009	03:00	1.8	NE
5-Feb-2009	04:00	1.4	ENE
5-Feb-2009	05:00	1.1	ENE
5-Feb-2009	06:00	0.2	ENE
5-Feb-2009	07:00	1.1	E
5-Feb-2009	08:00	1.7	E
5-Feb-2009	09:00	1.9	E
5-Feb-2009	10:00	3.2	E
5-Feb-2009	11:00	3.6	ENE

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
5-Feb-2009	12:00	3.9	N
5-Feb-2009	13:00	3.8	NE
5-Feb-2009	14:00	1.6	SSE
5-Feb-2009	15:00	1.3	E
5-Feb-2009	16:00	0.8	SE
5-Feb-2009	17:00	0.7	E
5-Feb-2009	18:00	0.7	ENE
5-Feb-2009	19:00	0.7	E
5-Feb-2009	20:00	0.9	E
5-Feb-2009	21:00	0.6	N
5-Feb-2009	22:00	0.3	NE
5-Feb-2009	23:00	0.4	E
6-Feb-2009	00:00	1.0	NNE
6-Feb-2009	01:00	0.6	ENE
6-Feb-2009	02:00	0.3	ENE
6-Feb-2009	03:00	0.2	ENE
6-Feb-2009	04:00	1.0	ENE
6-Feb-2009	05:00	0.8	ENE
6-Feb-2009	06:00	1.5	ENE
6-Feb-2009	07:00	1.2	NE
6-Feb-2009	08:00	1.7	ENE
6-Feb-2009	09:00	3.1	NE
6-Feb-2009	10:00	2.9	N
6-Feb-2009	11:00	3.0	SW
6-Feb-2009	12:00	2.4	ESE
6-Feb-2009	13:00	3.0	NE
6-Feb-2009	14:00	3.2	ENE
6-Feb-2009	15:00	2.7	ENE
6-Feb-2009	16:00	2.1	ESE
6-Feb-2009	17:00	2.7	ESE
6-Feb-2009	18:00	2.4	SE
6-Feb-2009	19:00	1.3	SE
6-Feb-2009	20:00	1.1	SSE
6-Feb-2009	21:00	0.9	SSE
6-Feb-2009	22:00	0.1	SSE
6-Feb-2009	23:00	0.5	SSE
7-Feb-2009	00:00	1.1	SSE
7-Feb-2009	01:00	1.1	SSE
7-Feb-2009	02:00	0.4	ESE
7-Feb-2009	03:00	0.8	ESE
7-Feb-2009	04:00	1.0	SE
7-Feb-2009	05:00	1.3	SSE
7-Feb-2009	06:00	1.3	SSE
7-Feb-2009	07:00	1.5	NNE
7-Feb-2009	08:00	1.8	ENE
7-Feb-2009	09:00	2.4	ENE
7-Feb-2009	10:00	3.0	ESE
7-Feb-2009	11:00	3.2	SE
7-Feb-2009	12:00	4.3	SE
7-Feb-2009	13:00	3.7	SE
7-Feb-2009	14:00	3.4	ENE
7-Feb-2009	15:00	3.6	NE
7-Feb-2009	16:00	3.3	ENE
7-Feb-2009	17:00	3.2	ENE

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
7-Feb-2009	18:00	2.9	NE
7-Feb-2009	19:00	2.3	NE
7-Feb-2009	20:00	2.1	NE
7-Feb-2009	21:00	1.8	ENE
7-Feb-2009	22:00	2.0	ENE
7-Feb-2009	23:00	2.1	E
8-Feb-2009	00:00	2.7	E
8-Feb-2009	01:00	3.0	E
8-Feb-2009	02:00	0.1	SE
8-Feb-2009	03:00	0.0	---
8-Feb-2009	04:00	0.1	SE
8-Feb-2009	05:00	0.1	SE
8-Feb-2009	06:00	0.3	SE
8-Feb-2009	07:00	0.6	SE
8-Feb-2009	08:00	0.9	SE
8-Feb-2009	09:00	1.0	ENE
8-Feb-2009	10:00	1.3	ESE
8-Feb-2009	11:00	1.0	E
8-Feb-2009	12:00	1.2	SE
8-Feb-2009	13:00	1.5	ENE
8-Feb-2009	14:00	1.6	SE
8-Feb-2009	15:00	1.3	SE
8-Feb-2009	16:00	1.3	NE
8-Feb-2009	17:00	1.0	W
8-Feb-2009	18:00	0.9	N
8-Feb-2009	19:00	0.9	NNE
8-Feb-2009	20:00	1.2	N
8-Feb-2009	21:00	1.3	NNE
8-Feb-2009	22:00	1.3	NNE
8-Feb-2009	23:00	1.2	N
9-Feb-2009	00:00	1.5	NW
9-Feb-2009	01:00	1.3	NE
9-Feb-2009	02:00	1.0	ENE
9-Feb-2009	03:00	1.5	SSE
9-Feb-2009	04:00	2.7	SE
9-Feb-2009	05:00	2.1	WNW
9-Feb-2009	06:00	2.0	SW
9-Feb-2009	07:00	2.2	WSW
9-Feb-2009	08:00	2.8	WSW
9-Feb-2009	09:00	3.4	W
9-Feb-2009	10:00	2.8	WSW
9-Feb-2009	11:00	2.7	W
9-Feb-2009	12:00	3.0	WSW
9-Feb-2009	13:00	3.1	SW
9-Feb-2009	14:00	3.9	NE
9-Feb-2009	15:00	4.3	SSW
9-Feb-2009	16:00	4.9	SSW
9-Feb-2009	17:00	3.6	SW
9-Feb-2009	18:00	3.5	SW
9-Feb-2009	19:00	3.6	SW
9-Feb-2009	20:00	3.0	SW
9-Feb-2009	21:00	3.7	SW
9-Feb-2009	22:00	4.0	SW
9-Feb-2009	23:00	3.3	SW

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
10-Feb-2009	00:00	3.7	SW
10-Feb-2009	01:00	3.8	SW
10-Feb-2009	02:00	4.0	SW
10-Feb-2009	03:00	4.1	SW
10-Feb-2009	04:00	3.1	SW
10-Feb-2009	05:00	2.8	SW
10-Feb-2009	06:00	2.6	SW
10-Feb-2009	07:00	2.8	SW
10-Feb-2009	08:00	3.3	W
10-Feb-2009	09:00	3.3	WNW
10-Feb-2009	10:00	4.3	ENE
10-Feb-2009	11:00	3.9	ENE
10-Feb-2009	12:00	3.5	ENE
10-Feb-2009	13:00	3.9	E
10-Feb-2009	14:00	4.2	ENE
10-Feb-2009	15:00	4.1	ENE
10-Feb-2009	16:00	4.2	ENE
10-Feb-2009	17:00	4.0	NE
10-Feb-2009	18:00	3.8	ENE
10-Feb-2009	19:00	3.0	ENE
10-Feb-2009	20:00	2.6	ESE
10-Feb-2009	21:00	2.4	ESE
10-Feb-2009	22:00	2.6	ESE
10-Feb-2009	23:00	2.4	ESE
11-Feb-2009	00:00	3.3	ESE
11-Feb-2009	01:00	3.6	NE
11-Feb-2009	02:00	2.4	ENE
11-Feb-2009	03:00	2.8	ESE
11-Feb-2009	04:00	3.4	ESE
11-Feb-2009	05:00	3.6	ESE
11-Feb-2009	06:00	3.3	NE
11-Feb-2009	07:00	3.4	SE
11-Feb-2009	08:00	3.0	SE
11-Feb-2009	09:00	3.7	ESE
11-Feb-2009	10:00	3.0	SSW
11-Feb-2009	11:00	3.1	SSW
11-Feb-2009	12:00	3.6	SW
11-Feb-2009	13:00	4.6	ESE
11-Feb-2009	14:00	4.6	ESE
11-Feb-2009	15:00	3.9	ESE
11-Feb-2009	16:00	4.1	ESE
11-Feb-2009	17:00	4.1	ESE
11-Feb-2009	18:00	2.4	ENE
11-Feb-2009	19:00	2.4	ENE
11-Feb-2009	20:00	1.9	NNE
11-Feb-2009	21:00	2.9	NE
11-Feb-2009	22:00	2.1	NE
11-Feb-2009	23:00	2.5	NNE
12-Feb-2009	00:00	2.8	NE
12-Feb-2009	01:00	2.4	ESE
12-Feb-2009	02:00	2.2	ESE
12-Feb-2009	03:00	2.1	SSE
12-Feb-2009	04:00	1.4	ESE
12-Feb-2009	05:00	1.0	SW

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
12-Feb-2009	06:00	1.2	WSW
12-Feb-2009	07:00	1.5	SSW
12-Feb-2009	08:00	1.8	E
12-Feb-2009	09:00	2.0	W
12-Feb-2009	10:00	1.5	N
12-Feb-2009	11:00	1.9	ESE
12-Feb-2009	12:00	1.9	ESE
12-Feb-2009	13:00	1.9	ESE
12-Feb-2009	14:00	1.9	E
12-Feb-2009	15:00	1.8	ESE
12-Feb-2009	16:00	1.7	ENE
12-Feb-2009	17:00	1.0	ENE
12-Feb-2009	18:00	0.8	WNW
12-Feb-2009	19:00	0.2	WNW
12-Feb-2009	20:00	0.2	WNW
12-Feb-2009	21:00	0.3	WNW
12-Feb-2009	22:00	0.6	WNW
12-Feb-2009	23:00	0.2	SW
13-Feb-2009	00:00	0.6	SW
13-Feb-2009	01:00	0.7	SW
13-Feb-2009	02:00	0.2	SW
13-Feb-2009	03:00	0.2	SW
13-Feb-2009	04:00	0.1	SW
13-Feb-2009	05:00	0.1	SW
13-Feb-2009	06:00	0.8	SW
13-Feb-2009	07:00	0.8	SW
13-Feb-2009	08:00	1.0	SW
13-Feb-2009	09:00	2.5	WSW
13-Feb-2009	10:00	2.3	W
13-Feb-2009	11:00	2.7	W
13-Feb-2009	12:00	2.1	SW
13-Feb-2009	13:00	2.1	W
13-Feb-2009	14:00	2.0	SSW
13-Feb-2009	15:00	1.8	W
13-Feb-2009	16:00	1.8	W
13-Feb-2009	17:00	1.3	W
13-Feb-2009	18:00	1.3	W
13-Feb-2009	19:00	0.8	SSW
13-Feb-2009	20:00	0.8	S
13-Feb-2009	21:00	1.1	WSW
13-Feb-2009	22:00	1.1	W
13-Feb-2009	23:00	0.9	W
14-Feb-2009	00:00	1.2	W
14-Feb-2009	01:00	0.8	W
14-Feb-2009	02:00	0.6	WSW
14-Feb-2009	03:00	0.6	W
14-Feb-2009	04:00	0.8	WNW
14-Feb-2009	05:00	0.6	WSW
14-Feb-2009	06:00	0.5	SSE
14-Feb-2009	07:00	0.5	SSE
14-Feb-2009	08:00	0.6	SSE
14-Feb-2009	09:00	0.3	ESE
14-Feb-2009	10:00	2.3	ESE
14-Feb-2009	11:00	3.1	SE

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
14-Feb-2009	12:00	2.3	SSE
14-Feb-2009	13:00	0.9	SSE
14-Feb-2009	14:00	0.9	NNE
14-Feb-2009	15:00	1.3	SW
14-Feb-2009	16:00	1.3	W
14-Feb-2009	17:00	1.2	NE
14-Feb-2009	18:00	0.6	NE
14-Feb-2009	19:00	1.2	NE
14-Feb-2009	20:00	0.6	ENE
14-Feb-2009	21:00	0.6	ENE
14-Feb-2009	22:00	0.5	ESE
14-Feb-2009	23:00	0.5	SW
15-Feb-2009	00:00	0.5	SE
15-Feb-2009	01:00	0.8	W
15-Feb-2009	02:00	0.0	---
15-Feb-2009	03:00	0.0	---
15-Feb-2009	04:00	0.0	---
15-Feb-2009	05:00	0.0	---
15-Feb-2009	06:00	0.0	---
15-Feb-2009	07:00	0.0	---
15-Feb-2009	08:00	1.5	NE
15-Feb-2009	09:00	1.8	NE
15-Feb-2009	10:00	2.5	NE
15-Feb-2009	11:00	2.5	SE
15-Feb-2009	12:00	3.1	SE
15-Feb-2009	13:00	3.3	ENE
15-Feb-2009	14:00	2.1	ENE
15-Feb-2009	15:00	2.1	NNE
15-Feb-2009	16:00	1.7	NE
15-Feb-2009	17:00	1.3	NE
15-Feb-2009	18:00	0.9	ENE
15-Feb-2009	19:00	0.8	ESE
15-Feb-2009	20:00	0.6	ESE
15-Feb-2009	21:00	0.8	SE
15-Feb-2009	22:00	0.6	SSE
15-Feb-2009	23:00	0.2	SSE
16-Feb-2009	00:00	1.0	SSE
16-Feb-2009	01:00	0.9	SSE
16-Feb-2009	02:00	1.2	NE
16-Feb-2009	03:00	1.2	NE
16-Feb-2009	04:00	0.9	NE
16-Feb-2009	05:00	0.5	NE
16-Feb-2009	06:00	0.2	NE
16-Feb-2009	07:00	0.2	NE
16-Feb-2009	08:00	0.8	NE
16-Feb-2009	09:00	2.2	NE
16-Feb-2009	10:00	2.4	E
16-Feb-2009	11:00	2.7	E
16-Feb-2009	12:00	2.9	E
16-Feb-2009	13:00	2.0	ESE
16-Feb-2009	14:00	1.4	E
16-Feb-2009	15:00	1.5	E
16-Feb-2009	16:00	2.1	NE
16-Feb-2009	17:00	1.9	NE

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
16-Feb-2009	18:00	1.1	NE
16-Feb-2009	19:00	0.6	NNE
16-Feb-2009	20:00	0.6	NNE
16-Feb-2009	21:00	0.6	NNE
16-Feb-2009	22:00	0.2	NNE
16-Feb-2009	23:00	0.6	NE
17-Feb-2009	00:00	0.8	NNE
17-Feb-2009	01:00	0.9	N
17-Feb-2009	02:00	0.9	NNE
17-Feb-2009	03:00	0.3	NNE
17-Feb-2009	04:00	0.3	NNE
17-Feb-2009	05:00	0.3	NE
17-Feb-2009	06:00	0.2	NE
17-Feb-2009	07:00	0.4	ENE
17-Feb-2009	08:00	0.8	NE
17-Feb-2009	09:00	0.8	ENE
17-Feb-2009	10:00	1.2	ENE
17-Feb-2009	11:00	1.7	ENE
17-Feb-2009	12:00	2.4	ENE
17-Feb-2009	13:00	2.4	ENE
17-Feb-2009	14:00	2.2	ENE
17-Feb-2009	15:00	2.7	NNE
17-Feb-2009	16:00	2.4	NE
17-Feb-2009	17:00	1.9	NE
17-Feb-2009	18:00	1.3	NE
17-Feb-2009	19:00	1.0	NE
17-Feb-2009	20:00	0.9	NE
17-Feb-2009	21:00	0.9	NE
17-Feb-2009	22:00	1.2	ENE
17-Feb-2009	23:00	0.8	ENE
18-Feb-2009	00:00	1.5	ENE
18-Feb-2009	01:00	1.7	ENE
18-Feb-2009	02:00	1.2	NNE
18-Feb-2009	03:00	1.8	E
18-Feb-2009	04:00	2.1	NNE
18-Feb-2009	05:00	1.8	NE
18-Feb-2009	06:00	1.6	ENE
18-Feb-2009	07:00	2.2	ENE
18-Feb-2009	08:00	2.7	ENE
18-Feb-2009	09:00	2.4	ENE
18-Feb-2009	10:00	3.3	ENE
18-Feb-2009	11:00	3.8	ENE
18-Feb-2009	12:00	4.1	E
18-Feb-2009	13:00	4.1	E
18-Feb-2009	14:00	4.5	E
18-Feb-2009	15:00	3.6	NE
18-Feb-2009	16:00	3.9	NE
18-Feb-2009	17:00	4.0	ENE
18-Feb-2009	18:00	2.9	E
18-Feb-2009	19:00	1.8	NE
18-Feb-2009	20:00	1.7	ENE
18-Feb-2009	21:00	1.8	ENE
18-Feb-2009	22:00	2.3	ENE
18-Feb-2009	23:00	1.8	ENE

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
19-Feb-2009	00:00	2.1	ENE
19-Feb-2009	01:00	2.4	E
19-Feb-2009	02:00	2.4	ESE
19-Feb-2009	03:00	2.3	ESE
19-Feb-2009	04:00	2.2	ESE
19-Feb-2009	05:00	2.1	ESE
19-Feb-2009	06:00	1.6	ENE
19-Feb-2009	07:00	2.4	E
19-Feb-2009	08:00	2.3	E
19-Feb-2009	09:00	3.1	E
19-Feb-2009	10:00	3.1	ESE
19-Feb-2009	11:00	3.7	NE
19-Feb-2009	12:00	3.3	NE
19-Feb-2009	13:00	3.1	ENE
19-Feb-2009	14:00	3.3	E
19-Feb-2009	15:00	3.3	E
19-Feb-2009	16:00	3.5	E
19-Feb-2009	17:00	3.1	ENE
19-Feb-2009	18:00	1.9	ENE
19-Feb-2009	19:00	1.3	NE
19-Feb-2009	20:00	1.6	ENE
19-Feb-2009	21:00	1.6	NE
19-Feb-2009	22:00	2.4	ENE
19-Feb-2009	23:00	2.8	ENE
20-Feb-2009	00:00	2.6	ENE
20-Feb-2009	01:00	2.4	E
20-Feb-2009	02:00	2.1	ENE
20-Feb-2009	03:00	2.4	ENE
20-Feb-2009	04:00	2.0	ENE
20-Feb-2009	05:00	2.1	W
20-Feb-2009	06:00	2.1	W
20-Feb-2009	07:00	2.5	W
20-Feb-2009	08:00	2.6	WSW
20-Feb-2009	09:00	3.4	WSW
20-Feb-2009	10:00	3.1	W
20-Feb-2009	11:00	3.9	SSE
20-Feb-2009	12:00	3.3	SSE
20-Feb-2009	13:00	3.1	ENE
20-Feb-2009	14:00	3.0	NE
20-Feb-2009	15:00	3.1	E
20-Feb-2009	16:00	2.5	S
20-Feb-2009	17:00	1.5	S
20-Feb-2009	18:00	1.3	WSW
20-Feb-2009	19:00	0.9	WSW
20-Feb-2009	20:00	1.7	SW
20-Feb-2009	21:00	0.9	WSW
20-Feb-2009	22:00	1.8	W
20-Feb-2009	23:00	2.1	W
21-Feb-2009	00:00	2.2	W
21-Feb-2009	01:00	2.1	SW
21-Feb-2009	02:00	2.1	W
21-Feb-2009	03:00	2.2	WSW
21-Feb-2009	04:00	2.4	WSW
21-Feb-2009	05:00	1.6	E

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
21-Feb-2009	06:00	1.0	E
21-Feb-2009	07:00	0.9	E
21-Feb-2009	08:00	1.5	E
21-Feb-2009	09:00	3.0	E
21-Feb-2009	10:00	3.0	E
21-Feb-2009	11:00	2.2	E
21-Feb-2009	12:00	3.0	E
21-Feb-2009	13:00	3.3	E
21-Feb-2009	14:00	3.3	ENE
21-Feb-2009	15:00	2.4	NE
21-Feb-2009	16:00	1.2	NE
21-Feb-2009	17:00	1.2	ENE
21-Feb-2009	18:00	0.5	NE
21-Feb-2009	19:00	0.5	ENE
21-Feb-2009	20:00	1.2	NE
21-Feb-2009	21:00	1.2	ENE
21-Feb-2009	22:00	1.2	ENE
21-Feb-2009	23:00	1.2	E
22-Feb-2009	00:00	1.1	E
22-Feb-2009	01:00	1.1	E
22-Feb-2009	02:00	0.6	E
22-Feb-2009	03:00	1.5	NE
22-Feb-2009	04:00	1.4	ENE
22-Feb-2009	05:00	1.6	ENE
22-Feb-2009	06:00	1.5	NE
22-Feb-2009	07:00	1.6	NE
22-Feb-2009	08:00	2.6	NE
22-Feb-2009	09:00	2.5	ENE
22-Feb-2009	10:00	2.7	NE
22-Feb-2009	11:00	3.9	ENE
22-Feb-2009	12:00	2.7	N
22-Feb-2009	13:00	2.2	ENE
22-Feb-2009	14:00	2.4	ENE
22-Feb-2009	15:00	2.3	ENE
22-Feb-2009	16:00	2.5	ENE
22-Feb-2009	17:00	1.8	NE
22-Feb-2009	18:00	1.2	ENE
22-Feb-2009	19:00	1.8	NNE
22-Feb-2009	20:00	2.8	NNE
22-Feb-2009	21:00	2.2	NNE
22-Feb-2009	22:00	1.7	NE
22-Feb-2009	23:00	1.5	NE
23-Feb-2009	00:00	1.3	NE
23-Feb-2009	01:00	1.5	ENE
23-Feb-2009	02:00	1.7	ENE
23-Feb-2009	03:00	1.3	ENE
23-Feb-2009	04:00	1.2	E
23-Feb-2009	05:00	1.1	E
23-Feb-2009	06:00	1.2	E
23-Feb-2009	07:00	1.1	E
23-Feb-2009	08:00	1.5	ENE
23-Feb-2009	09:00	2.4	ENE
23-Feb-2009	10:00	2.8	SSE
23-Feb-2009	11:00	3.3	SSE

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
23-Feb-2009	12:00	3.6	SE
23-Feb-2009	13:00	4.0	E
23-Feb-2009	14:00	3.7	E
23-Feb-2009	15:00	3.5	E
23-Feb-2009	16:00	4.0	ENE
23-Feb-2009	17:00	3.2	E
23-Feb-2009	18:00	3.1	SSE
23-Feb-2009	19:00	3.0	SSE
23-Feb-2009	20:00	2.3	SSE
23-Feb-2009	21:00	2.1	SE
23-Feb-2009	22:00	1.5	SSE
23-Feb-2009	23:00	1.0	SSE
24-Feb-2009	00:00	1.2	SSE
24-Feb-2009	01:00	1.3	ESE
24-Feb-2009	02:00	1.0	ESE
24-Feb-2009	03:00	1.0	ESE
24-Feb-2009	04:00	1.6	ESE
24-Feb-2009	05:00	1.1	ESE
24-Feb-2009	06:00	1.0	ESE
24-Feb-2009	07:00	1.5	ENE
24-Feb-2009	08:00	1.5	ENE
24-Feb-2009	09:00	2.8	N
24-Feb-2009	10:00	3.4	N
24-Feb-2009	11:00	3.7	ENE
24-Feb-2009	12:00	3.0	NE
24-Feb-2009	13:00	2.6	ENE
24-Feb-2009	14:00	2.7	ENE
24-Feb-2009	15:00	3.0	ENE
24-Feb-2009	16:00	2.3	E
24-Feb-2009	17:00	2.7	N
24-Feb-2009	18:00	2.1	NE
24-Feb-2009	19:00	2.1	NNE
24-Feb-2009	20:00	1.1	N
24-Feb-2009	21:00	1.1	N
24-Feb-2009	22:00	0.6	NNE
24-Feb-2009	23:00	0.6	NNE
25-Feb-2009	00:00	0.8	SSE
25-Feb-2009	01:00	0.9	SSE
25-Feb-2009	02:00	1.2	SSE
25-Feb-2009	03:00	1.2	SSE
25-Feb-2009	04:00	0.8	SSE
25-Feb-2009	05:00	0.5	SSE
25-Feb-2009	06:00	0.7	SE
25-Feb-2009	07:00	1.5	SE
25-Feb-2009	08:00	2.5	SE
25-Feb-2009	09:00	2.3	SE
25-Feb-2009	10:00	2.5	SSE
25-Feb-2009	11:00	2.6	SE
25-Feb-2009	12:00	2.4	SE
25-Feb-2009	13:00	2.9	SE
25-Feb-2009	14:00	2.3	SSE
25-Feb-2009	15:00	2.7	SSE
25-Feb-2009	16:00	2.0	SSE
25-Feb-2009	17:00	2.3	S

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
25-Feb-2009	18:00	2.0	SSE
25-Feb-2009	19:00	1.4	SE
25-Feb-2009	20:00	1.0	SSE
25-Feb-2009	21:00	0.7	SE
25-Feb-2009	22:00	0.3	SE
25-Feb-2009	23:00	0.5	SE
26-Feb-2009	00:00	0.8	SSE
26-Feb-2009	01:00	0.5	SE
26-Feb-2009	02:00	0.8	SSE
26-Feb-2009	03:00	0.6	SSE
26-Feb-2009	04:00	0.6	SSE
26-Feb-2009	05:00	0.5	SSE
26-Feb-2009	06:00	1.9	SSE
26-Feb-2009	07:00	1.9	SSE
26-Feb-2009	08:00	0.5	SSE
26-Feb-2009	09:00	1.6	SSE
26-Feb-2009	10:00	1.9	SSE
26-Feb-2009	11:00	2.3	SE
26-Feb-2009	12:00	2.7	SSE
26-Feb-2009	13:00	3.0	SSE
26-Feb-2009	14:00	3.2	SSE
26-Feb-2009	15:00	3.5	SSE
26-Feb-2009	16:00	2.9	SSE
26-Feb-2009	17:00	2.1	SE
26-Feb-2009	18:00	1.8	SE
26-Feb-2009	19:00	1.2	ESE
26-Feb-2009	20:00	1.0	SSE
26-Feb-2009	21:00	1.6	SSE
26-Feb-2009	22:00	0.8	SSE
26-Feb-2009	23:00	1.0	SSE
27-Feb-2009	00:00	1.6	SSE
27-Feb-2009	01:00	1.3	ESE
27-Feb-2009	02:00	1.3	ESE
27-Feb-2009	03:00	1.5	SE
27-Feb-2009	04:00	1.4	ESE
27-Feb-2009	05:00	1.6	ESE
27-Feb-2009	06:00	1.4	SE
27-Feb-2009	07:00	2.3	ESE
27-Feb-2009	08:00	1.9	E
27-Feb-2009	09:00	1.9	ESE
27-Feb-2009	10:00	2.0	ENE
27-Feb-2009	11:00	3.1	ENE
27-Feb-2009	12:00	2.3	ENE
27-Feb-2009	13:00	2.0	NE
27-Feb-2009	14:00	2.5	ENE
27-Feb-2009	15:00	2.2	ENE
27-Feb-2009	16:00	1.8	ENE
27-Feb-2009	17:00	1.6	ENE
27-Feb-2009	18:00	1.8	ENE
27-Feb-2009	19:00	1.6	ENE
27-Feb-2009	20:00	1.5	ENE
27-Feb-2009	21:00	1.5	SW
27-Feb-2009	22:00	1.3	ENE
27-Feb-2009	23:00	1.8	E

Appendix J - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
28-Feb-2009	00:00	1.3	ENE
28-Feb-2009	01:00	1.1	E
28-Feb-2009	02:00	1.1	ESE
28-Feb-2009	03:00	1.8	E
28-Feb-2009	04:00	0.9	ESE
28-Feb-2009	05:00	0.9	ENE
28-Feb-2009	06:00	0.9	ESE
28-Feb-2009	07:00	0.9	ENE
28-Feb-2009	08:00	1.2	SE
28-Feb-2009	09:00	1.2	ESE
28-Feb-2009	10:00	1.2	SSE
28-Feb-2009	11:00	1.2	SSE
28-Feb-2009	12:00	1.8	ESE
28-Feb-2009	13:00	3.1	SE
28-Feb-2009	14:00	2.7	SSE
28-Feb-2009	15:00	2.0	ESE
28-Feb-2009	16:00	1.9	ESE
28-Feb-2009	17:00	1.9	ESE
28-Feb-2009	18:00	1.4	ESE
28-Feb-2009	19:00	1.1	ESE
28-Feb-2009	20:00	1.1	ESE
28-Feb-2009	21:00	0.5	ESE
28-Feb-2009	22:00	0.5	SSE
28-Feb-2009	23:00	0.5	SSE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
1-Feb-2009	00:00	1.6	SW
1-Feb-2009	01:00	1.8	SW
1-Feb-2009	02:00	1.2	SW
1-Feb-2009	03:00	1.3	SW
1-Feb-2009	04:00	1.3	SW
1-Feb-2009	05:00	1.9	SW
1-Feb-2009	06:00	1.8	SW
1-Feb-2009	07:00	2.2	SW
1-Feb-2009	08:00	2.4	SW
1-Feb-2009	09:00	2.2	SW
1-Feb-2009	10:00	2.4	SW
1-Feb-2009	11:00	2.5	W
1-Feb-2009	12:00	2.8	W
1-Feb-2009	13:00	2.2	W
1-Feb-2009	14:00	2.1	W
1-Feb-2009	15:00	2.2	SW
1-Feb-2009	16:00	2.1	SW
1-Feb-2009	17:00	2.2	WSW
1-Feb-2009	18:00	2.4	W
1-Feb-2009	19:00	2.1	WSW
1-Feb-2009	20:00	1.9	NE
1-Feb-2009	21:00	1.8	NE
1-Feb-2009	22:00	2.2	NNE
1-Feb-2009	23:00	1.6	ENE
2-Feb-2009	00:00	1.2	ENE
2-Feb-2009	01:00	1.2	NE
2-Feb-2009	02:00	1.2	N
2-Feb-2009	03:00	1.0	ENE
2-Feb-2009	04:00	0.6	NE
2-Feb-2009	05:00	0.4	NE
2-Feb-2009	06:00	0.1	NE
2-Feb-2009	07:00	0.3	W
2-Feb-2009	08:00	0.4	N
2-Feb-2009	09:00	0.9	NE
2-Feb-2009	10:00	2.5	N
2-Feb-2009	11:00	2.1	N
2-Feb-2009	12:00	2.5	ENE
2-Feb-2009	13:00	1.9	ENE
2-Feb-2009	14:00	1.9	ENE
2-Feb-2009	15:00	1.8	ENE
2-Feb-2009	16:00	2.2	E
2-Feb-2009	17:00	1.9	ENE
2-Feb-2009	18:00	2.3	SE
2-Feb-2009	19:00	2.1	SSE
2-Feb-2009	20:00	1.7	S
2-Feb-2009	21:00	2.2	SE
2-Feb-2009	22:00	2.5	SW
2-Feb-2009	23:00	2.1	SW
3-Feb-2009	00:00	2.1	NNE
3-Feb-2009	01:00	1.5	N
3-Feb-2009	02:00	1.3	NW
3-Feb-2009	03:00	1.3	NE
3-Feb-2009	04:00	1.2	ENE
3-Feb-2009	05:00	1.2	SSE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
3-Feb-2009	06:00	1.3	SE
3-Feb-2009	07:00	0.7	WNW
3-Feb-2009	08:00	0.4	SW
3-Feb-2009	09:00	1.2	WSW
3-Feb-2009	10:00	1.8	WSW
3-Feb-2009	11:00	1.3	W
3-Feb-2009	12:00	1.0	WSW
3-Feb-2009	13:00	1	W
3-Feb-2009	14:00	2	WSW
3-Feb-2009	15:00	2	WSW
3-Feb-2009	16:00	2	W
3-Feb-2009	17:00	1.5	WSW
3-Feb-2009	18:00	1.6	WSW
3-Feb-2009	19:00	1.2	WSW
3-Feb-2009	20:00	0.7	S
3-Feb-2009	21:00	0.6	SSW
3-Feb-2009	22:00	0.6	WSW
3-Feb-2009	23:00	0.7	WNW
4-Feb-2009	00:00	0.6	ESE
4-Feb-2009	01:00	1	ESE
4-Feb-2009	02:00	2	ESE
4-Feb-2009	03:00	2	NE
4-Feb-2009	04:00	1.8	NE
4-Feb-2009	05:00	2.2	NE
4-Feb-2009	06:00	2.2	NE
4-Feb-2009	07:00	2.1	NE
4-Feb-2009	08:00	2.5	NE
4-Feb-2009	09:00	2.5	NE
4-Feb-2009	10:00	2.8	NE
4-Feb-2009	11:00	2.5	NE
4-Feb-2009	12:00	2.2	ENE
4-Feb-2009	13:00	2.7	NE
4-Feb-2009	14:00	2.5	NNE
4-Feb-2009	15:00	2.4	NE
4-Feb-2009	16:00	2.4	ENE
4-Feb-2009	17:00	2.4	ENE
4-Feb-2009	18:00	2.2	N
4-Feb-2009	19:00	1.8	ENE
4-Feb-2009	20:00	1.2	ENE
4-Feb-2009	21:00	0.9	ENE
4-Feb-2009	22:00	0.6	ENE
4-Feb-2009	23:00	1.2	ENE
5-Feb-2009	00:00	1.6	SSW
5-Feb-2009	01:00	1.6	SSW
5-Feb-2009	02:00	1.8	SW
5-Feb-2009	03:00	0.9	SW
5-Feb-2009	04:00	0.7	W
5-Feb-2009	05:00	1.8	W
5-Feb-2009	06:00	1.3	W
5-Feb-2009	07:00	0.7	W
5-Feb-2009	08:00	0.9	NE
5-Feb-2009	09:00	1.6	NE
5-Feb-2009	10:00	1.9	NE
5-Feb-2009	11:00	1.8	NE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
5-Feb-2009	12:00	2.5	NE
5-Feb-2009	13:00	2.4	NE
5-Feb-2009	14:00	2.2	NE
5-Feb-2009	15:00	2.1	NE
5-Feb-2009	16:00	2.1	NE
5-Feb-2009	17:00	2.1	ENE
5-Feb-2009	18:00	1.8	NE
5-Feb-2009	19:00	0.7	ESE
5-Feb-2009	20:00	1.0	E
5-Feb-2009	21:00	1.2	NNE
5-Feb-2009	22:00	0.9	NNE
5-Feb-2009	23:00	0.7	NNE
6-Feb-2009	00:00	0.6	NNE
6-Feb-2009	01:00	0.7	NE
6-Feb-2009	02:00	0.4	NE
6-Feb-2009	03:00	0.6	NE
6-Feb-2009	04:00	0.3	E
6-Feb-2009	05:00	0.4	E
6-Feb-2009	06:00	0.1	E
6-Feb-2009	07:00	0.3	E
6-Feb-2009	08:00	0.3	ENE
6-Feb-2009	09:00	0.6	E
6-Feb-2009	10:00	1.5	ENE
6-Feb-2009	11:00	1.9	ENE
6-Feb-2009	12:00	2.1	E
6-Feb-2009	13:00	2.1	E
6-Feb-2009	14:00	1.8	NNE
6-Feb-2009	15:00	1.5	NE
6-Feb-2009	16:00	1.3	ESE
6-Feb-2009	17:00	1.0	ENE
6-Feb-2009	18:00	0.9	NNE
6-Feb-2009	19:00	0.4	NE
6-Feb-2009	20:00	0.0	---
6-Feb-2009	21:00	0.1	ENE
6-Feb-2009	22:00	0.1	E
6-Feb-2009	23:00	0.1	ESE
7-Feb-2009	00:00	0.1	ENE
7-Feb-2009	01:00	0.0	---
7-Feb-2009	02:00	0.0	---
7-Feb-2009	03:00	0.0	---
7-Feb-2009	04:00	1.7	ESE
7-Feb-2009	05:00	1.8	SSE
7-Feb-2009	06:00	0.1	SSE
7-Feb-2009	07:00	0.7	SSE
7-Feb-2009	08:00	0.6	SSE
7-Feb-2009	09:00	1.2	SSE
7-Feb-2009	10:00	1.2	SSE
7-Feb-2009	11:00	1.2	SSW
7-Feb-2009	12:00	1.9	SSE
7-Feb-2009	13:00	1.6	SE
7-Feb-2009	14:00	1.3	SE
7-Feb-2009	15:00	1.8	N
7-Feb-2009	16:00	1.3	NE
7-Feb-2009	17:00	1.2	N

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
7-Feb-2009	18:00	1.5	NNE
7-Feb-2009	19:00	0.9	ENE
7-Feb-2009	20:00	0.3	NE
7-Feb-2009	21:00	0.7	ENE
7-Feb-2009	22:00	0.1	NNE
7-Feb-2009	23:00	0.3	NNE
8-Feb-2009	00:00	0.1	NNE
8-Feb-2009	01:00	0.3	NNE
8-Feb-2009	02:00	0.1	NE
8-Feb-2009	03:00	0.1	NE
8-Feb-2009	04:00	0.1	NE
8-Feb-2009	05:00	0.1	NE
8-Feb-2009	06:00	0.1	NE
8-Feb-2009	07:00	0.1	E
8-Feb-2009	08:00	0.1	SSW
8-Feb-2009	09:00	0.1	W
8-Feb-2009	10:00	1.2	W
8-Feb-2009	11:00	1.6	WSW
8-Feb-2009	12:00	2.2	W
8-Feb-2009	13:00	1.3	W
8-Feb-2009	14:00	1.3	WSW
8-Feb-2009	15:00	2.1	W
8-Feb-2009	16:00	1.6	SW
8-Feb-2009	17:00	1.2	W
8-Feb-2009	18:00	0.9	W
8-Feb-2009	19:00	0.6	W
8-Feb-2009	20:00	0.4	W
8-Feb-2009	21:00	0.9	W
8-Feb-2009	22:00	0.4	W
8-Feb-2009	23:00	0.1	W
9-Feb-2009	00:00	0.4	WSW
9-Feb-2009	01:00	0.1	NNW
9-Feb-2009	02:00	0.3	N
9-Feb-2009	03:00	0.6	NW
9-Feb-2009	04:00	0.4	N
9-Feb-2009	05:00	0.7	ENE
9-Feb-2009	06:00	1.0	NE
9-Feb-2009	07:00	0.9	NE
9-Feb-2009	08:00	0.9	NE
9-Feb-2009	09:00	1.3	N
9-Feb-2009	10:00	1.8	N
9-Feb-2009	11:00	1.8	N
9-Feb-2009	12:00	2.1	N
9-Feb-2009	13:00	2.1	W
9-Feb-2009	14:00	1.6	N
9-Feb-2009	15:00	1.5	N
9-Feb-2009	16:00	1.8	N
9-Feb-2009	17:00	1.6	N
9-Feb-2009	18:00	1.5	N
9-Feb-2009	19:00	1.2	ESE
9-Feb-2009	20:00	0.9	SE
9-Feb-2009	21:00	0.7	E
9-Feb-2009	22:00	0.9	E
9-Feb-2009	23:00	0.7	ENE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
10-Feb-2009	00:00	0.4	SE
10-Feb-2009	01:00	0.3	SE
10-Feb-2009	02:00	0.3	SE
10-Feb-2009	03:00	0.1	SE
10-Feb-2009	04:00	0.3	SSW
10-Feb-2009	05:00	0.6	SSW
10-Feb-2009	06:00	0.3	SSW
10-Feb-2009	07:00	0.4	SSW
10-Feb-2009	08:00	0.4	NNW
10-Feb-2009	09:00	0.9	NNW
10-Feb-2009	10:00	0.9	N
10-Feb-2009	11:00	1.2	WNW
10-Feb-2009	12:00	1.5	N
10-Feb-2009	13:00	1.8	N
10-Feb-2009	14:00	1.5	NE
10-Feb-2009	15:00	1.2	N
10-Feb-2009	16:00	1.0	N
10-Feb-2009	17:00	0.9	WSW
10-Feb-2009	18:00	0.7	SW
10-Feb-2009	19:00	0.3	SSW
10-Feb-2009	20:00	0.3	SSW
10-Feb-2009	21:00	0.1	SSW
10-Feb-2009	22:00	0.1	SSW
10-Feb-2009	23:00	0.1	SSW
11-Feb-2009	00:00	0.9	SSW
11-Feb-2009	01:00	1.2	N
11-Feb-2009	02:00	1.0	N
11-Feb-2009	03:00	0.7	ENE
11-Feb-2009	04:00	0.6	N
11-Feb-2009	05:00	0.3	SW
11-Feb-2009	06:00	0.6	N
11-Feb-2009	07:00	0.6	N
11-Feb-2009	08:00	1.2	SSW
11-Feb-2009	09:00	0.9	SSW
11-Feb-2009	10:00	0.9	N
11-Feb-2009	11:00	1.6	N
11-Feb-2009	12:00	1.6	ENE
11-Feb-2009	13:00	1.6	N
11-Feb-2009	14:00	1.8	SW
11-Feb-2009	15:00	1.9	SW
11-Feb-2009	16:00	1.5	SSW
11-Feb-2009	17:00	1.0	WSW
11-Feb-2009	18:00	0.4	SSW
11-Feb-2009	19:00	0.4	N
11-Feb-2009	20:00	0.7	N
11-Feb-2009	21:00	0.6	ENE
11-Feb-2009	22:00	0.7	WSW
11-Feb-2009	23:00	0.3	SW
12-Feb-2009	00:00	0.4	SW
12-Feb-2009	01:00	0.6	SSW
12-Feb-2009	02:00	0.0	---
12-Feb-2009	03:00	0.6	SSW
12-Feb-2009	04:00	0.9	NE
12-Feb-2009	05:00	0.7	NE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
12-Feb-2009	06:00	0.3	NE
12-Feb-2009	07:00	0.6	NE
12-Feb-2009	08:00	1.2	W
12-Feb-2009	09:00	1.3	W
12-Feb-2009	10:00	1.8	N
12-Feb-2009	11:00	1.6	N
12-Feb-2009	12:00	2.2	W
12-Feb-2009	13:00	1.5	WSW
12-Feb-2009	14:00	1.5	WSW
12-Feb-2009	15:00	1.5	WSW
12-Feb-2009	16:00	1.6	WSW
12-Feb-2009	17:00	1.3	SW
12-Feb-2009	18:00	1.5	SW
12-Feb-2009	19:00	1.2	SW
12-Feb-2009	20:00	1.8	SW
12-Feb-2009	21:00	1.8	NE
12-Feb-2009	22:00	1.3	NE
12-Feb-2009	23:00	1.8	NE
13-Feb-2009	00:00	1.9	ENE
13-Feb-2009	01:00	1.5	NE
13-Feb-2009	02:00	2.1	ESE
13-Feb-2009	03:00	1.9	E
13-Feb-2009	04:00	1.8	E
13-Feb-2009	05:00	1.8	E
13-Feb-2009	06:00	1.5	SE
13-Feb-2009	07:00	1.5	SE
13-Feb-2009	08:00	1.3	SE
13-Feb-2009	09:00	1.0	SE
13-Feb-2009	10:00	1.3	SE
13-Feb-2009	11:00	1.3	SE
13-Feb-2009	12:00	1.6	SE
13-Feb-2009	13:00	0.7	ESE
13-Feb-2009	14:00	1.0	SE
13-Feb-2009	15:00	0.7	ESE
13-Feb-2009	16:00	1.2	WNW
13-Feb-2009	17:00	0.9	WNW
13-Feb-2009	18:00	0.9	WNW
13-Feb-2009	19:00	0.6	WNW
13-Feb-2009	20:00	0.4	WNW
13-Feb-2009	21:00	0.0	---
13-Feb-2009	22:00	0.1	NNE
13-Feb-2009	23:00	0.3	NE
14-Feb-2009	00:00	0.3	NE
14-Feb-2009	01:00	0.0	---
14-Feb-2009	02:00	0.3	NE
14-Feb-2009	03:00	0.1	NE
14-Feb-2009	04:00	0.3	NE
14-Feb-2009	05:00	0.3	NE
14-Feb-2009	06:00	0.3	ENE
14-Feb-2009	07:00	0.3	E
14-Feb-2009	08:00	0.3	ESE
14-Feb-2009	09:00	0.6	ESE
14-Feb-2009	10:00	0.9	ESE
14-Feb-2009	11:00	1.0	ESE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
14-Feb-2009	12:00	1.3	ESE
14-Feb-2009	13:00	1.2	NE
14-Feb-2009	14:00	1.6	W
14-Feb-2009	15:00	1.9	W
14-Feb-2009	16:00	1.9	N
14-Feb-2009	17:00	1.8	N
14-Feb-2009	18:00	1.8	NNW
14-Feb-2009	19:00	1.0	W
14-Feb-2009	20:00	1.0	W
14-Feb-2009	21:00	1.0	NE
14-Feb-2009	22:00	0.7	SSW
14-Feb-2009	23:00	0.7	W
15-Feb-2009	00:00	1.2	SW
15-Feb-2009	01:00	1.0	SSE
15-Feb-2009	02:00	0.9	SSE
15-Feb-2009	03:00	1.0	SE
15-Feb-2009	04:00	1.2	SE
15-Feb-2009	05:00	1.0	ENE
15-Feb-2009	06:00	1.3	E
15-Feb-2009	07:00	1.2	SE
15-Feb-2009	08:00	1.2	E
15-Feb-2009	09:00	1.2	E
15-Feb-2009	10:00	1.0	SE
15-Feb-2009	11:00	2.1	SE
15-Feb-2009	12:00	1.9	ENE
15-Feb-2009	13:00	2.2	ENE
15-Feb-2009	14:00	2.4	ENE
15-Feb-2009	15:00	2.1	ENE
15-Feb-2009	16:00	1.9	ESE
15-Feb-2009	17:00	1.9	E
15-Feb-2009	18:00	1.9	E
15-Feb-2009	19:00	1.5	E
15-Feb-2009	20:00	2.1	ESE
15-Feb-2009	21:00	2.5	NE
15-Feb-2009	22:00	2.2	NE
15-Feb-2009	23:00	2.4	NE
16-Feb-2009	00:00	2.7	NE
16-Feb-2009	01:00	2.5	ENE
16-Feb-2009	02:00	2.7	ENE
16-Feb-2009	03:00	1.9	NE
16-Feb-2009	04:00	2.4	NNE
16-Feb-2009	05:00	2.4	NNE
16-Feb-2009	06:00	1.9	NNE
16-Feb-2009	07:00	1.8	NNE
16-Feb-2009	08:00	2.2	NE
16-Feb-2009	09:00	2.2	E
16-Feb-2009	10:00	1.9	ENE
16-Feb-2009	11:00	1.8	SE
16-Feb-2009	12:00	2.2	E
16-Feb-2009	13:00	1.9	ENE
16-Feb-2009	14:00	1.8	ENE
16-Feb-2009	15:00	1.3	ENE
16-Feb-2009	16:00	1.3	E
16-Feb-2009	17:00	0.7	NE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
16-Feb-2009	18:00	0.7	NNE
16-Feb-2009	19:00	1.5	E
16-Feb-2009	20:00	1.6	E
16-Feb-2009	21:00	1.6	E
16-Feb-2009	22:00	1.5	E
16-Feb-2009	23:00	1.2	SE
17-Feb-2009	00:00	1.6	E
17-Feb-2009	01:00	1.6	ENE
17-Feb-2009	02:00	1.9	ESE
17-Feb-2009	03:00	0.9	E
17-Feb-2009	04:00	1.2	E
17-Feb-2009	05:00	1.5	ENE
17-Feb-2009	06:00	1.0	SE
17-Feb-2009	07:00	0.9	ESE
17-Feb-2009	08:00	1.3	NE
17-Feb-2009	09:00	1.2	NE
17-Feb-2009	10:00	1.9	ENE
17-Feb-2009	11:00	2.1	E
17-Feb-2009	12:00	2.2	E
17-Feb-2009	13:00	2.5	ENE
17-Feb-2009	14:00	2.1	E
17-Feb-2009	15:00	2.1	E
17-Feb-2009	16:00	1.9	E
17-Feb-2009	17:00	1.9	ENE
17-Feb-2009	18:00	1.8	N
17-Feb-2009	19:00	1.3	NE
17-Feb-2009	20:00	1.3	NNE
17-Feb-2009	21:00	0.9	ENE
17-Feb-2009	22:00	0.3	ENE
17-Feb-2009	23:00	1.9	ENE
18-Feb-2009	00:00	1.5	ENE
18-Feb-2009	01:00	2.5	ENE
18-Feb-2009	02:00	2.5	ENE
18-Feb-2009	03:00	1.7	SW
18-Feb-2009	04:00	1.8	NE
18-Feb-2009	05:00	2.9	ENE
18-Feb-2009	06:00	2.9	ESE
18-Feb-2009	07:00	1.1	ESE
18-Feb-2009	08:00	1.4	SE
18-Feb-2009	09:00	1.7	SE
18-Feb-2009	10:00	1.5	SSE
18-Feb-2009	11:00	1.8	SSE
18-Feb-2009	12:00	1.5	SE
18-Feb-2009	13:00	1.3	WSW
18-Feb-2009	14:00	2.4	W
18-Feb-2009	15:00	2.1	WNW
18-Feb-2009	16:00	1.9	WSW
18-Feb-2009	17:00	1.5	SSE
18-Feb-2009	18:00	1.2	SE
18-Feb-2009	19:00	1.2	S
18-Feb-2009	20:00	0.3	ESE
18-Feb-2009	21:00	0.1	ESE
18-Feb-2009	22:00	0.1	SE
18-Feb-2009	23:00	0.0	---

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
19-Feb-2009	00:00	0.1	S
19-Feb-2009	01:00	0.1	NNE
19-Feb-2009	02:00	0.1	NE
19-Feb-2009	03:00	0.1	SW
19-Feb-2009	04:00	0.0	---
19-Feb-2009	05:00	0.3	SW
19-Feb-2009	06:00	0.1	W
19-Feb-2009	07:00	0.6	NE
19-Feb-2009	08:00	1.3	WNW
19-Feb-2009	09:00	1.8	SW
19-Feb-2009	10:00	1.9	NE
19-Feb-2009	11:00	1.9	WNW
19-Feb-2009	12:00	1.6	ENE
19-Feb-2009	13:00	2.2	SE
19-Feb-2009	14:00	2.1	SE
19-Feb-2009	15:00	2.7	N
19-Feb-2009	16:00	1.9	ENE
19-Feb-2009	17:00	1.6	ENE
19-Feb-2009	18:00	1.2	N
19-Feb-2009	19:00	0.6	E
19-Feb-2009	20:00	0.6	W
19-Feb-2009	21:00	0.0	---
19-Feb-2009	22:00	0.0	---
19-Feb-2009	23:00	0.0	---
20-Feb-2009	00:00	0.1	NW
20-Feb-2009	01:00	0.0	---
20-Feb-2009	02:00	0.1	ESE
20-Feb-2009	03:00	0.1	ESE
20-Feb-2009	04:00	0.0	---
20-Feb-2009	05:00	0.0	---
20-Feb-2009	06:00	0.0	---
20-Feb-2009	07:00	0.0	---
20-Feb-2009	08:00	1.2	WSW
20-Feb-2009	09:00	1.8	SW
20-Feb-2009	10:00	1.8	SW
20-Feb-2009	11:00	1.2	SW
20-Feb-2009	12:00	1.6	SW
20-Feb-2009	13:00	1.8	WSW
20-Feb-2009	14:00	1.8	NE
20-Feb-2009	15:00	1.9	SW
20-Feb-2009	16:00	1.9	NE
20-Feb-2009	17:00	1.2	E
20-Feb-2009	18:00	0.3	ENE
20-Feb-2009	19:00	0.3	WSW
20-Feb-2009	20:00	0.6	ESE
20-Feb-2009	21:00	1.9	NE
20-Feb-2009	22:00	1.3	E
20-Feb-2009	23:00	1.5	SW
21-Feb-2009	00:00	0.7	SW
21-Feb-2009	01:00	0.7	SW
21-Feb-2009	02:00	0.6	ESE
21-Feb-2009	03:00	0.4	ESE
21-Feb-2009	04:00	0.4	ESE
21-Feb-2009	05:00	0.3	ESE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
21-Feb-2009	06:00	0.3	ESE
21-Feb-2009	07:00	0.3	ENE
21-Feb-2009	08:00	0.4	SW
21-Feb-2009	09:00	0.6	N
21-Feb-2009	10:00	0.2	N
21-Feb-2009	11:00	0.4	W
21-Feb-2009	12:00	1.0	SW
21-Feb-2009	13:00	1.7	SW
21-Feb-2009	14:00	1.2	SW
21-Feb-2009	15:00	0.8	SW
21-Feb-2009	16:00	1.0	WNW
21-Feb-2009	17:00	0.8	WSW
21-Feb-2009	18:00	1.1	SE
21-Feb-2009	19:00	0.6	E
21-Feb-2009	20:00	0.1	E
21-Feb-2009	21:00	0.1	SE
21-Feb-2009	22:00	0.2	SE
21-Feb-2009	23:00	0.2	SE
22-Feb-2009	00:00	0.3	ESE
22-Feb-2009	01:00	0.5	ESE
22-Feb-2009	02:00	0.3	ESE
22-Feb-2009	03:00	0.3	ESE
22-Feb-2009	04:00	0.3	ESE
22-Feb-2009	05:00	0.2	SSE
22-Feb-2009	06:00	0.2	SSE
22-Feb-2009	07:00	0.2	SSE
22-Feb-2009	08:00	0.4	SSE
22-Feb-2009	09:00	0.7	SSE
22-Feb-2009	10:00	1.1	SSE
22-Feb-2009	11:00	1.2	NE
22-Feb-2009	12:00	1.2	ENE
22-Feb-2009	13:00	1.4	SW
22-Feb-2009	14:00	1.2	ENE
22-Feb-2009	15:00	1.5	ENE
22-Feb-2009	16:00	1.1	NE
22-Feb-2009	17:00	1.6	ENE
22-Feb-2009	18:00	0.8	ENE
22-Feb-2009	19:00	0.7	E
22-Feb-2009	20:00	0.4	NE
22-Feb-2009	21:00	0.3	NE
22-Feb-2009	22:00	0.3	ENE
22-Feb-2009	23:00	0.3	N
23-Feb-2009	00:00	0.2	E
23-Feb-2009	01:00	0.3	ENE
23-Feb-2009	02:00	0.3	SE
23-Feb-2009	03:00	0.1	ESE
23-Feb-2009	04:00	0.1	ESE
23-Feb-2009	05:00	0.1	ESE
23-Feb-2009	06:00	0.0	ESE
23-Feb-2009	07:00	0.0	ESE
23-Feb-2009	08:00	0.1	ESE
23-Feb-2009	09:00	0.4	NE
23-Feb-2009	10:00	0.6	NE
23-Feb-2009	11:00	0.7	SW

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
23-Feb-2009	12:00	1.2	SW
23-Feb-2009	13:00	1.3	SW
23-Feb-2009	14:00	1.3	E
23-Feb-2009	15:00	1.5	SE
23-Feb-2009	16:00	1.2	ESE
23-Feb-2009	17:00	1.0	ESE
23-Feb-2009	18:00	0.6	ESE
23-Feb-2009	19:00	0.4	ESE
23-Feb-2009	20:00	0.3	ENE
23-Feb-2009	21:00	0.1	NE
23-Feb-2009	22:00	0.0	---
23-Feb-2009	23:00	0.0	---
24-Feb-2009	00:00	0.1	ENE
24-Feb-2009	01:00	0.3	ENE
24-Feb-2009	02:00	0.1	SSE
24-Feb-2009	03:00	0.3	ENE
24-Feb-2009	04:00	0.1	NE
24-Feb-2009	05:00	0.0	---
24-Feb-2009	06:00	0.0	---
24-Feb-2009	07:00	0.3	W
24-Feb-2009	08:00	0.4	SW
24-Feb-2009	09:00	0.9	S
24-Feb-2009	10:00	0.6	N
24-Feb-2009	11:00	0.9	N
24-Feb-2009	12:00	1.2	ENE
24-Feb-2009	13:00	0.4	NE
24-Feb-2009	14:00	0.6	NE
24-Feb-2009	15:00	0.9	NE
24-Feb-2009	16:00	0.6	NE
24-Feb-2009	17:00	0.4	ENE
24-Feb-2009	18:00	0.1	NE
24-Feb-2009	19:00	0.3	ENE
24-Feb-2009	20:00	0.1	E
24-Feb-2009	21:00	0.1	ENE
24-Feb-2009	22:00	0.0	---
24-Feb-2009	23:00	0.4	ENE
25-Feb-2009	00:00	0.6	ENE
25-Feb-2009	01:00	1.0	ENE
25-Feb-2009	02:00	0.9	NE
25-Feb-2009	03:00	0.7	ENE
25-Feb-2009	04:00	0.9	ENE
25-Feb-2009	05:00	0.9	NE
25-Feb-2009	06:00	0.9	E
25-Feb-2009	07:00	0.7	ENE
25-Feb-2009	08:00	0.9	E
25-Feb-2009	09:00	1.2	NE
25-Feb-2009	10:00	1.2	NE
25-Feb-2009	11:00	1.3	NE
25-Feb-2009	12:00	1.2	NNE
25-Feb-2009	13:00	1.0	NNE
25-Feb-2009	14:00	0.9	NNE
25-Feb-2009	15:00	1.2	NE
25-Feb-2009	16:00	1.2	NE
25-Feb-2009	17:00	1.3	NE

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
25-Feb-2009	18:00	0.9	ENE
25-Feb-2009	19:00	0.9	ENE
25-Feb-2009	20:00	0.9	NE
25-Feb-2009	21:00	0.7	NNE
25-Feb-2009	22:00	0.6	ESE
25-Feb-2009	23:00	0.7	NE
26-Feb-2009	00:00	1.1	SE
26-Feb-2009	01:00	1.3	SE
26-Feb-2009	02:00	1.7	SE
26-Feb-2009	03:00	2.3	SE
26-Feb-2009	04:00	1.3	NNE
26-Feb-2009	05:00	1.2	NE
26-Feb-2009	06:00	1.3	NE
26-Feb-2009	07:00	1.2	NNE
26-Feb-2009	08:00	1.9	NNE
26-Feb-2009	09:00	2.0	NNE
26-Feb-2009	10:00	1.8	NNE
26-Feb-2009	11:00	1.8	NNE
26-Feb-2009	12:00	2.6	NNE
26-Feb-2009	13:00	3.2	NNE
26-Feb-2009	14:00	2.3	NNE
26-Feb-2009	15:00	1.5	N
26-Feb-2009	16:00	1.5	NNE
26-Feb-2009	17:00	1.5	NNE
26-Feb-2009	18:00	1.2	SE
26-Feb-2009	19:00	1.2	ESE
26-Feb-2009	20:00	1.3	ESE
26-Feb-2009	21:00	1.4	ESE
26-Feb-2009	22:00	1.3	ESE
26-Feb-2009	23:00	1.3	ESE
27-Feb-2009	00:00	1.2	NNE
27-Feb-2009	01:00	1.2	NE
27-Feb-2009	02:00	1.0	SW
27-Feb-2009	03:00	0.9	NE
27-Feb-2009	04:00	0.6	WNW
27-Feb-2009	05:00	0.7	ENE
27-Feb-2009	06:00	0.7	NNE
27-Feb-2009	07:00	0.8	NE
27-Feb-2009	08:00	0.9	W
27-Feb-2009	09:00	1.3	W
27-Feb-2009	10:00	1.6	WSW
27-Feb-2009	11:00	1.5	WSW
27-Feb-2009	12:00	2.0	WNW
27-Feb-2009	13:00	1.5	WNW
27-Feb-2009	14:00	1.4	W
27-Feb-2009	15:00	1.0	W
27-Feb-2009	16:00	1.2	W
27-Feb-2009	17:00	1.1	ENE
27-Feb-2009	18:00	0.7	W
27-Feb-2009	19:00	0.6	WNW
27-Feb-2009	20:00	1.2	W
27-Feb-2009	21:00	1.4	W
27-Feb-2009	22:00	1.1	W
27-Feb-2009	23:00	1.2	WSW

Appendix J - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
28-Feb-2009	00:00	0.6	SSW
28-Feb-2009	01:00	0.4	WSW
28-Feb-2009	02:00	0.4	WNW
28-Feb-2009	03:00	0.3	WNW
28-Feb-2009	04:00	0.4	E
28-Feb-2009	05:00	0.3	NE
28-Feb-2009	06:00	0.2	NE
28-Feb-2009	07:00	0.2	ENE
28-Feb-2009	08:00	0.3	ENE
28-Feb-2009	09:00	0.5	E
28-Feb-2009	10:00	1.5	SSE
28-Feb-2009	11:00	1.3	E
28-Feb-2009	12:00	1.3	SE
28-Feb-2009	13:00	2.0	NE
28-Feb-2009	14:00	1.2	E
28-Feb-2009	15:00	1.2	NE
28-Feb-2009	16:00	1.3	N
28-Feb-2009	17:00	1.6	ESE
28-Feb-2009	18:00	1.4	NNE
28-Feb-2009	19:00	0.8	E
28-Feb-2009	20:00	0.3	E
28-Feb-2009	21:00	0.5	ESE
28-Feb-2009	22:00	0.3	ESE
28-Feb-2009	23:00	0.4	ESE

**APPENDIX K
SITE AUDIT SUMMARY**



Contract No. DC/2007/10
Design and Construction of Hong Kong West Drainage Tunnel

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	90204
Date	4 February 2009 (Wednesday)
Time	15:00 – 17:15

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	A. Water Quality	
90204-O01	• Silty water was observed discharging out to the public road and U-Channel at Eastern Portal. The Contractor was reminded to seal the hoarding and provide mitigation measures to prevent any wastewater from discharging out.	B5
90204-O02	• Sediment was observed accumulate at the culvert at Eastern Portal. The Contractor was reminded to clear them frequently.	B9
90204-O03	• Debris and stones were observed accumulate at the U-Channel near the Wetsep at Western Portal. The Contractor was reminded to clear them.	B9
	B. Air Quality	
	• No environmental deficiency was identified during site inspection.	
	C. Noise	
	• No environmental deficiency was identified during site inspection.	
	D. Waste / Chemical Management	
	• No environmental deficiency was identified during site inspection.	
	E. Ecology	
	• No environmental deficiency was identified during site inspection.	
	F. Marine Ecology	
	• No environmental deficiency was identified during site inspection.	
	G. Reminders	
90204-R04	• Stockpile should be covered with tarpaulin after the works at Intake W0 and SM1 to control dust generation.	C1&2
90204-R05	• Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	B15
	H. Others	
	• Follow-up on previous audit section (Ref. No.:90129), follow-up action is needed for the items (90129- R05)	



	Name	Signature	Date
Recorded by	Ivy Tam		4 February 2009
Checked by	Dr. Priscilla Choy		4 February 2009

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	90211
Date	11 February 2009 (Wednesday)
Time	15:300 – 17:45

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	A. Water Quality	
90211-O06	• Silty water was observed discharging out to the public road at Eastern Portal. The Contractor was reminded to seal the hoarding to prevent any wastewater from discharging out.	B5
	B. Air Quality	
90211-O02	• Dry unpaved area was observed at Western Portal. The Contractor was reminded to provide water-spray more frequently.	D5
90211-O04	• Discarded cement bags were observed at near the nullah at Western Portal. The Contractor was reminded to clear them.	D6
	C. Noise	
	• No environmental deficiency was identified during site inspection.	
	D. Waste / Chemical Management	
90211-O01	• Oil leakage was observed at the coffer dam at Western Portal. The Contractor was reminded to clear them as soon as possible.	F8
90211-O03	• General refuses were observed disposed not properly at Western Portal. The Contractor was reminded to clean them up.	F1iii.
90211-O05	• Sediment and general refuses were observed deposited at the nullah at Western Portal. The Contractor was reminded to clear them.	F1iii.
	E. Ecology	
	• No environmental deficiency was identified during site inspection.	
	F. Marine Ecology	
	• No environmental deficiency was identified during site inspection.	
	G. Reminders	
90211-R07	• Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	B15
	H. Others	
	• Follow-up on previous audit section (Ref. No.:90204), follow-up action is needed for the items (90204- O01 and R05)	

	Name	Signature	Date
Recorded by	Ivy Tam		11 February 2009
Checked by	Dr. Priscilla Choy		11 February 2009



Contract No. DC/2007/10
Design and Construction of Hong Kong West Drainage Tunnel

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	90218
Date	18 February 2009 (Wednesday)
Time	14:00 – 16:45

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	A. Water Quality	
90218-O02	• Standing water was observed at the drip tray at Intake PFLR1. The Contractor was reminded to dry it out.	B15
90218-O03	• Drainage channel was observed without cover at near the works at Intake PFLR1. The Contractor was reminded was reminded to cover it properly.	B14
90218-O05	• Standing water was observed at the pit area of the concrete blocks. The Contractor was reminded to pave them properly.	B15
	B. Air Quality	
90218-O01	• Dry unpaved area was observed at Western Portal. The Contractor was reminded to provide water-spray more frequently.	D5
90218-O04	• Over 20 cement bags were observed partly cover at Western Portal. The Contractor was reminded to cover them properly to prevent dust emission.	D6
	C. Noise	
	• No environmental deficiency was identified during site inspection.	
	D. Waste / Chemical Management	
	• No environmental deficiency was identified during site inspection.	
	E. Ecology	
	• No environmental deficiency was identified during site inspection.	
	F. Marine Ecology	
	• No environmental deficiency was identified during site inspection.	
	G. Reminders	
90218-R06	• Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	B15
	H. Others	
	• Follow-up on previous audit section (Ref. No.:90211), follow-up action is needed for the items (90211- O02, O04, O05 and R07). • Item 90211-O04 and O05 were not observed during the site inspection.	



	Name	Signature	Date
Recorded by	Ivy Tam		18 February 2009
Checked by	Dr. Priscilla Choy		18 February 2009

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	90227
Date	27 February 2009 (Friday)
Time	14:00 – 17:00

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	A. Water Quality	
90227-O02	• Standing water was observed at the pit area of the concrete blocks at Eastern Portal. The Contractor was reminded to pave them properly.	B15
90227-O03	• Sediment was observed accumulated at the boundary of the access road at Eastern Portal. The Contractor was reminded to erect sand bag/concrete bund to prevent any sediment from carrying out.	B5
	B. Air Quality	
90227-O01	• Discarded cement bags were observed at Eastern Portal. The Contractor was reminded to clear them.	D6
	C. Noise	
	• No environmental deficiency was identified during site inspection.	
	D. Waste / Chemical Management	
90227-O04	• Paint was observed leaking to the drainage channel at Intake W0. The Contractor was reminded to clear them properly.	F8
90227-O05	• General refuses were observed around the site at Western Portal. The Contractor was reminded to maintain the site tidiness.	F1iii.
	E. Ecology	
	• No environmental deficiency was identified during site inspection.	
	F. Marine Ecology	
	• No environmental deficiency was identified during site inspection.	
	G. Reminders	
90227-R06	• Properly maintain the treatment process for the silty water at Tai Hang Stream at Eastern Portal.	B7i.
90227-R07	• Properly maintain the silt curtain at Western Portal to ensure that the silt curtain can function properly.	C2
90227-R08	• Keep clear the standing water in the label bags that secure around the trees at Eastern, Western Portals especially the Intake sites.	B15
	H. Others	
	• Follow-up on previous audit section (Ref. No.:90218), follow-up action is needed for the items (90218- O02, O03 O04, O05 and R06). • The site intake SM1 and PFLR1 were not observed during the site inspection. Follow-up action is needed for the items 90218-O02 and O03	

	Name	Signature	Date
Recorded by	Ivy Tam		27 February 2009
Checked by	Dr. Priscilla Choy		27 February 2009

**APPENDIX L
ENVIRONMENTAL MITIGATION
IMPLEMENTATION SCHEDULE (EMIS)**

Appendix L - Summary of Environmental Mitigation Implementation Schedule

Types of Impacts	Mitigation Measures	Status
Construction Dust	<i>Dust Mitigation Measures</i>	
	<ul style="list-style-type: none"> The Contractor shall undertake at all times to prevent dust nuisance as a result of his activities. Effective dust suppression measures should be installed to minimize air quality impacts, at the boundary of the site and at any sensitive receivers. 	*
	<ul style="list-style-type: none"> No blasting shall be carried out when the strong wind signal or tropical cyclone warning signal No. 3 or higher is hoisted (unless prior permission of the Commissioner of Mines is obtained). 	^
	<ul style="list-style-type: none"> Effective water sprays shall be used during the delivery and handling of all raw sand, aggregate and other similar materials, when dust is likely to be created, to dampen all stored materials during dry and windy weather. Watering of exposed surfaces shall be conducted as often as possible depending on the circumstances. 	*
	<ul style="list-style-type: none"> A watering programme of once every 2 hours in normal weather conditions, and hourly in dry/windy conditions. 	^
	<ul style="list-style-type: none"> Any stockpile of dusty material cannot be immediately transported out of the Site shall be either: a) covered entirely by impervious sheeting; b) placed in an area sheltered on the top and the three sides; or c) sprayed with water or a dust suppression chemical so as to maintain the entire surface wet. 	*
	<ul style="list-style-type: none"> Should a conveyor system be used, the Contractor shall implement the following precautionary measures. Conveyor belts shall be fitted within windboards. Conveyor transfer points and hopper discharge areas shall be enclosed to minimize dust emission. All conveyors under control of the Contractor, and carrying materials which have the potential to create dust, shall be totally enclosed and fitted with belt cleaners. 	N/A
	<ul style="list-style-type: none"> Any dusty materials being discharged to vehicle from a conveying system at fixed transfer point, three-sided roofed enclosed with a flexible curtain across the entry shall be provided. Exhaust fans shall be provided for this enclosure and vented via a suitable fabric filter system. 	N/A
	<ul style="list-style-type: none"> The heights from excavated spoils are dropped should be minimise to reduce the fugitive dust arising from unloading/loading. 	^
	<ul style="list-style-type: none"> The Contractor shall confine haulage and delivery vehicles to designated roadways inside the site. If in the opinion of the Engineer, any motorising vehicle is causing dust nuisance, the Engineer may require that the vehicle be restricted to a maximum speed of 15km per hour while within the site area. 	^
<ul style="list-style-type: none"> Areas within the site where there is a regular movement of vehicles shall have an approved hard surface, be kept clear of loose surface materials and / or be regularly watered. 	^	
<ul style="list-style-type: none"> Wheel cleaning facilities shall be installed for both portals and used by all vehicles leaving the site. No earth, mud, debris, dust and the like shall be deposited on public roads. Water in the wheel cleaning facility shall be changed at frequent intervals and sediments shall be removed regularly. The Contractor shall submit details of proposals for the wheel cleaning facilities to the Engineer prior to construction of the facility. Such wheel cleaning facilities shall be usable prior to any earthwork excavation activity on site. The Contractor shall provide a hard-surfaced road between any cleaning facility and the public road. 	^	
<ul style="list-style-type: none"> Chemical wetting agents shall only be used on completed cuts and fills to reduce wind erosion. 	N/A	

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
 N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
 * Recommendation was made during site audit but improved/rectified by the contractor;
 # Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<ul style="list-style-type: none"> • No vehicle exhausts shall be directed towards the ground or downwards to minimize dust nuisance. • Ventilation system, equipped with proprietary filters, should be provided to ensure the safe working environment inside the tunnel. Particular attention should be paid to the location and direction of the ventilation exhausts. The exhausts should not be allowed to face any sensitive receivers directly. Consideration should also be given to the location of windows, doors and direction of prevailing winds in relation to the nearby sensitive receivers. • In the event of any spoil or debris from construction works being deposited on adjacent land, or stream, or any silt being washed down to any area, then all such spoil, debris or material and silt shall be immediately removed and the affected land and areas restored to their natural state by the Contractor to the satisfaction of the Engineers. <p>In addition, based on the <i>Air Pollution Control (Construction Dust) Regulation</i>, any works involved regulatory and notifiable works, such as stockpiling, loading and unloading of dusty materials, shall take precautions to suppress dust nuisance.</p> <ul style="list-style-type: none"> • The working area of any excavation or earthmoving operation shall spray with water or a dust suppression chemical immediately before, during and immediately after the operation so as to maintain the entire surface wet; • Exposed earth shall be properly treated by compaction, turfing, hydroseeding, vegetation planting or sealing with latex, vinyl, bitumen or other suitable surface stabiliser within six months after the last construction activity on the construction site or part of the construction site where the exposed earth lies; and • Any stockpile of dusty materials (greater than 20m³) shall be either covered entirely by impervious sheeting or placed in an area sheltered on the top and three sides; and sprayed with water or a dust suppression chemical so as to maintain the entire surface wet. • Other suitable dust control measures as stipulated in <i>Air Pollution Control (Construction Dust) Regulation</i>, where appropriate, should be adopted. 	<p>^</p> <p>^</p> <p>*</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
<p>Construction Noise</p>	<p><u>Air borne noise</u></p> <p>In general, potential construction noise impact can be minimized or avoided by imposing a combination of the following mitigation measures:</p> <ul style="list-style-type: none"> • Noisy equipment and activities should be sited by the Contractor as far from close-proximity sensitive receivers as practical. Prolonged operation of noisy equipment close to dwellings should be avoided. • The Contractor should minimise construction noise exposure to the schools (especially during examination periods). The Contractor should liaise with the school and the Examination Authority to ascertain the exact dates and times of all examination periods during the course of the works contract and to avoid noisy activities during these periods. • Noisy plant or processes should be replaced by quieter alternatives. Silenced diesel and gasoline generators and power units, as well as silenced and super-silenced air compressor, can be readily obtained. • Noisy activities should be scheduled to minimise exposure of nearby sensitive receivers to high levels of construction noise. For example, noisy activities can be scheduled for midday, or at times coinciding with periods of high background noise (such as during peak traffic hours). • Idle equipment should be turned off or throttled down. Noisy equipment should be properly maintained and used no more often than is necessary. • The power units of non-electric stationary plant and earth-moving plant should be quietened by vibration isolation and partial or full acoustic enclosures for individual noise-generating components. • Construction activities should be planned so that parallel operation of several sets of equipment close to a given receiver is avoided, thus reducing the cumulative impacts between operations. The numbers of operating items of powered mechanical equipment should be minimised. Noise can be reduced by increasing the distance between the operating equipment and the NSRs or by reducing the number of items of equipment and/or construction activity in the area at any one time. • The use of quiet plant working methods can further reduce noise level. Quiet plant is defined as Powered Mechanical Equipment (PME) whose actual sound power level is less than the value specified in the TMs for the same piece of equipment. To allow the Contractor some flexibility to select equipment to suit his needs, it is considered too restrictive to specify which specific items of silenced equipment to be used for the construction operations. It should be noted that various types of silenced equipment can be found in Hong Kong and are readily available on the market. BS 5228 also provides examples of quiet construction plant and their SWL. • Construction plant should be properly maintained (well-greased, damage and worn parts promptly replaced) and operated. Construction equipment often has silencing measures built in or added on, e.g. bulldozer silencers, compressor panels, and mufflers. Silencing measures should be properly maintained and utilised. Rubber or damping materials should be introduced between metal panels to avoid rattle and reverberation of noise. • Equipment known to emit sound strongly in one direction should be oriented so that the noise is directed away from nearby NSRs. • Materials stockpile and other structures (such as site offices) should be effectively utilised to shield construction noise. Noise 	<p>^</p> <p>^</p> <p>N/A</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>can also be reduced by construction of temporary noise barriers which screen the lower floors from viewing the sites. Temporary noise barriers should be installed at active parts of construction areas where construction equipment is being operated in close proximity to NSRs.</p> <ul style="list-style-type: none"> It is noted that under the WBTC No. 19/2001, all construction sites are required to use metallic site hoarding can be slightly modified (with the addition of steel backings) into temporary noise barriers. These barriers should be gap free and have a surface mass density of at least 7kg/m². All hand-held percussive breakers and air compressors should comply the Noise Control (Hand-held Percussive Breakers) Regulations respectively under the NCO (Ordinance No. 75/88, NCO Amendment 1992 No.6). <p>The Contractor shall devise, arrange methods of working and carry out the works in such manner as to minimise noise impacts on the surrounding environment, and shall provide experienced personnel with suitable training to ensure that these measures are implemented properly.</p> <p><u>Level 2 Use of Barriers</u></p> <p>Level 2 mitigation measures include providing movable barriers for sites which have sufficient space for installation, full enclosures during the drilling activities at Eastern Portal and at muck pit areas for Eastern portals and cantilever-typed high rise noise barrier for intake W5 (P) and W8.</p> <p>Before construction of the full enclosure at muck pit area, the use of full enclosure noise barrier (Stage A) for the drilling activities at the Eastern Portal area is required. A full enclosure for the muck pit area will then be constructed at this later stage (Stage B). The full enclosure shall be gap free apart from necessary entrance/exits, which shall face towards the entrance of eastern portal to minimize the amount of noise generated from affecting the nearest RNSRs especially school (True Light Middle School of Hong Kong).</p> <p>5m high cantilever-typed hoarding barrier to be built at W5 (P) and W8. These enclosures/barriers should have no gaps and have a superficial surface density of at least 10kg/m². Good site practice shall also be adopted by the Contractor to ensure the conditions of the hoardings are properly maintained throughout the construction period. To schedule the noise barrier erection and dismantling to the non sensitive periods of school to avoid adverse impact to W8/3.</p> <p>Movable barriers of 3 to 5m height with a small cantilevered upper portion and skid footing to be located within about 5 m or more for mobile equipment such that the line of sight is blocked. To provide purposes-built noise barriers or screens constructed of appropriate materials (minimum superficial density of 10kg/m²) located close to the operating PME.</p> <p>Pre-drilling following by chemical splitting instead of using large excavator mounted breaker should be used as mitigation measure for rock breaking and rock drilling.</p>	<p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>N/A</p> <p>^</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>No construction activity is recommended during the examination period.</p> <p><u>Ground borne noise</u></p> <p>The noise level should be measured on the ground floor inside the nearest building during the TBM construction work in the daytime. If the daytime monitored ground borne noise exceeds the relevant evening/night ground borne noise criteria, evening/night construction work would not be carried out for the concerned tunnel section. Evening/night time construction work is subject to CNP application under the control of NCO.</p> <p>Public relationship strategy with 24-hour hotline system.</p>	<p>^</p> <p>N/A</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Water Quality	<p><u>Precautionary measures for construction work near natural streams</u></p> <p>The government provides guidelines (ETWB TCW NO. 5/2005 and DSD TC 2/2004) are providing guidelines to minimize impacts when there is construction work carried out at near natural streams course. Relevant mitigation measures for the intakes are summarised as follows:</p> <ul style="list-style-type: none"> • Temporary site access to the work sites should be carefully planned and located to minimize disturbance caused to the substrates of streams/ivers and riparian vegetation by construction plant. • Locations well away from the rivers/streams for temporary storage of materials (e.g equipment, filling materials, chemicals and fuel) and temporary stockpile of construction debris and spoil should be identified before commencement of works. • Proposed works site areas inside, or in the proximity of, natural rivers and streams should be temporarily isolated to prevent adverse impacts on the stream water qualities. • Stockpiling of construction materials, if necessary, should be completely properly covered and located away from any natural stream/river. • Construction debris and spoil should be covered up and/or properly disposed of as soon as possible to avoid being washed into nearby rivers/streams by rain and local runoff. 	<p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p>
	<p><u>Construction of temporary berthing point at the Western Portal</u></p> <p>A refuse collection vessel shall be provided to collect refuse or materials lost into the sea.</p>	<p>^</p>
	<p>The respective areas of the marine works will be completely enclosed by the silt curtain. The curtain shall be extended from water surface down to the seabed where it is anchored using sinker blocks. The Contractor shall inspect the silt curtain on regular basis to ensure its integrity and it is serviceable for all times.</p>	<p>*</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>Transfer of armour rock onto the seabed from barge at the temporary pier location should be conducted by careful grabbing and unloading to the seabed (to minimize sediment migration).</p>	^
	<p>The conveyor belt should be completely covered and muddy effluent from the temporary barge should be contained, treated and disposed. Where there is transfer of excavated wastes, the Contractor should provide appropriate measures to ensure that the waste is free from floatables, putrescibles, organic wastes and toxic materials and when required a refuse collection vessel be provided to collect float refuse.</p>	N/A
	<p><u>Construction of stilling basin at Western Portal outfall</u></p>	
	<p>All construction for the basin should be carried out inside the temporary cofferdam which is a temporary watertight enclosure built in the water and pumped dry to expose the bottom so that construction of stilling basin can be undertaken.</p>	^
	<p>During the dewatering process, appropriate desilting/sedimentation devices should be provided on site for treatment before discharge. The Contractor should ensure discharge water from the sedimentation tank meet the WPCO/TM requirements before discharge.</p>	^
	<p>The cofferdam will remain on site until after the construction of stilling basin has been completed. The coffer dam shall be regularly inspected and maintained to ensure no spillage of waste or wastewater into the sea. Conveyance of dredged materials from the coffer dam shall be carried out cautiously to avoid spillage into the sea.</p>	^
	<p>The filled material for the stilling basin should be contained inside the temporary cofferdam. The top level of the cofferdam shall be constructed higher than the final backfilled level.</p>	^
	<p>The Contractor shall be responsible for the design, installation and maintenance of the silt curtains to minimize the impacts on the water quality and the protection of water quality. The design and specification of the silt curtains shall be submitted by the Contractor to the Engineer for approval.</p>	^
	<p>Silt curtains shall be formed from tough, abrasion resistant, permeable membranes, suitable for the purpose, supported on floating booms in such a way as to ensure that the sediment plume shall be restricted to within the limit of the works area. The silt curtain shall be formed and installed in such a way that tidal rise and fall are accommodated, with the silt curtains always extending from the surface to the bottom of the water column and held with anchor blocks. The removal and reinstallation of such curtains during typhoon conditions shall be as agreed with the Director of Marine Department. The contractor shall regularly inspect the silt curtains and check that they are moored and marked to avoid danger to marine traffic. Any damage to the silt curtain shall be repaired by the Contractor promptly and the works shall be stopped until the repair is fixed to the satisfaction of the Engineer.</p>	*

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>Transfer of rock fill material (armour rock) from the barge onto the site location should be conducted by grabbing and placement on the seabed to minimize sediment migration. No free dropping of the material will be allowed.</p>	^
	<p>Prior to the construction of armor rock based panel, a silt curtain shall also be installed prior to carry out any marine works as a preventive mitigation measure.</p>	^
	<p><u>Construction of TBM tunnel at both portals and intakes</u></p>	
	<p>Recycled water will be used at the cutter face for cooling purposes. Used water will be collected and discharged to a settling tank for settlement. Excess water from the settling tank will be transferred to the water treatment plant on site where the addition of flocculants will assist in settlement of solids. The Contractor should ensure discharge water from the sedimentation tank meet the WPCO/TM requirements before discharge.</p>	N/A
	<p>During the drilling process, all flushing water will be recycled for use. Discharge of the treated water to nearby drainage system shall be allowed provided that it has been treated to a level meeting with statutory requirements.</p>	^
	<p>Water flow at streams should be maintained by a temporary diversion system during the construction phase of intakes and manhole drop shafts.</p>	N/A
	<p><u>General Construction Activities and Workforce</u></p>	
	<p>A. Surface runoff</p>	
	<p>Effluent produced from construction activities are subjected to WPCO control. Effluent produced from sites should be diverted away from stream courses. Construction works near stream course should be scheduled in the dry season as far as practical to avoid excessive site runoff discharge.</p>	*
	<p>Under the <i>Water Pollution Control Ordinance</i> (WPCO), turbid water from construction sites must be treated to minimize the solids content before being discharged into storm drains. The suspended solids load can be reduced by directing the runoff into temporary sand traps or other silt-removal facilities, and other good and appropriate site management practices. Advice on the handling and disposal of construction site discharge is provided in the ProPECC Paper (PN 1/94) on Construction Site Drainage.</p>	*
	<p>A drainage system layout should be prepared by the Contractor for each of the works areas (portals and intakes), detailing the facilities and measures to manage pollution arising from surface runoff from those works areas. The drainage layout and an associated drainage management plan to reduce surface runoff sediments and pollutants entering watercourses, should be submitted to the Engineer for approval and to EPD for agreement.</p>	*

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>The system should be capable of handling stormwater from the site and directing it to sediment removal facilities before discharge. If oil and grease is used on the site or brought to the site, the stormwater should pass through oil interceptors before discharge. The interceptors should have a bypass to prevent washout in heavy storms.</p> <p>A temporary channel system or earth bunds or sand barriers should be provided in works areas on site to direct stormwater to silt-removal facilities. Stockpiled materials, if susceptible to erosion of rain or wind, should be covered with tarpaulins (or/similar fabric) or hydroseedings as far as practicable especially during the wet season.</p> <p>Silt removal facilities should be checked and the deposited silt and grit should be removed regularly to ensure these facilities are in good working condition and to prevent blockages.</p> <p>Vehicle washing areas should be drained into a settlement basin to settle out the suspended solid before discharge to storm water drains. The water should be recycled on site whenever possible. It is suggested that the wash water from the wheel wash basin is either reused for road watering or pumped to the on-site settling tanks for treatment. Water used for dust depression purposes should be minimized and an alternative soil holding agent should be considered.</p> <p>B. Spillage, Oil and Solvents Any contractor generating waste oil or other chemicals as a result of his activities should register as a chemical waste producer and provide a safe storage area for chemicals on site. Oil interceptors need to be regularly inspected and cleaned to avoid wash-out of oil during storm conditions. A bypass should be provided to avoid overload of the interceptor's capacity.</p> <p>Any spillage should be cleaned up immediately and the resulting contaminated absorbent material should be properly managed according to Waste Disposal Regulations. Spills should be contained to avoid spreading and contaminating the water resources.</p> <p>Oil and fuels should be used and stored properly in designated area. All fuel tanks and storage areas should be provided with locks and be sited on within sealed areas within surrounded by bunds of with a capacity equal to 110% of the storage capacity of the largest tank.</p> <p>Good housekeeping practices are required to minimize careless spillage and keep the work space in a tidy and clean condition. Appropriate training, including safety codes and relevant manuals, should be given to the personnel who regularly handle the chemicals on site.</p>	<p>^</p> <p>*</p> <p>^</p> <p>^</p> <p>^</p> <p>*</p> <p>*</p> <p>*</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>C. On-Site Effluent Generation</p> <p>Sewage arising from the additional population of workers on site should be collected in a suitable storage facility (chemical mobile toilets). Most of the work site locations are close to the public sewerage system, and therefore the use of septic tanks isare, therefore, not encouraged. Portable toilets should be used coupled with tickering away services provided by a licensed collector. They should be positioned at appropriate locations across the site to ensure no direct discharge of foul water off-site.</p> <p>D. Protection of Existing Flora and Fauna</p> <p>The Contractor should provide details of the plant and operation plans at each site for approval by the Engineer before commencing construction. The plans should include how the existing flora and fauna will be protected. Locations required for groundwater levels monitoring are Eastern Portal, PFLR1(P), THR2(P), TP5, TP789 and W12.</p> <p>The construction and demolition of the temporary pier may create short term impacts on the local marine water quality. The situation will be restored once the work is finished by proper phasing of the works programme and implementation of the adequate mitigation measures (e.g. silt curtain) the impacts will be minimized.</p> <p><u>Maintaining Baseflow in Downstream Watercourses</u></p> <p>The final design will be developed during the detailed design stage. The exact base flow rates to be maintained at each of the intakes will be subject to detailed site investigation at design stage.</p> <ul style="list-style-type: none"> • Purpose of the by-pass device is to maintain the base-flow of the affected stream course. • The by-pass system comprises an approach link and a trapezoidal channel. • The approach link is section with inclined profiled surface at a gradient of 1 in 100. It is used to direct the base flow to the bypass trapezoidal channel at its down stream end during the normal days. • The trapezoidal channel is sized such that it could handle the base flow in the affected stream course which is estimated to be no more than 20 l/s. • Whenever the flow in the stream course exceeding the base flow rate, the excessive flow will overflow into the intake structure via the bottom rack structure. The bottom rack structure has bar screen on the top and inclined channel at the bottom. The top level of the bar screen is level with the by-pass channel with an aim to receive the overflow from the by-pass channel. • The by-pass channel is designed requiring minimum maintenance. However, it is recommended that the maintenance authority carry out regular maintenance inspection prior to onset of seasons and after significant rainstorm event to prevent blockage of the by-pass and bottom rack structure. 	<p>^</p> <p>^</p> <p>^</p> <p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Waste/Chemical	<p><u>General</u></p> <p>A proper waste management plan should be implemented to promote waste minimisation at source. Where waste generation is unavoidable then the potential for recycling or reuse should be explored and opportunities taken. If wastes cannot be recycled then the recommended disposal routes should be followed.</p>	*
	<p>All waste materials shall be segregated into categories covering:</p> <ul style="list-style-type: none"> • Excavated material or construction waste suitable for reuse on-site • Excavated material or construction waste suitable for public filling areas • Remaining C&D waste for landfill • Chemical waste, and • General refuse 	<p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>
	<p>Proper segregation and disposal of construction waste should be implemented. Separate containers for inert and non-inert wastes should be provided. The inert waste should be taken to public filling area and the non-inert waste should be transported to strategic landfills.</p>	^
	<p>A trip-ticket system on the solid waste transfer/disposal operations should be included as one of the contractual requirements (ETWB TCW No. 31/2004). The Independent Environmental Checker (IEC) should be responsible for auditing this system.</p>	^
	<p>IEC should also be responsible for auditing the well-documented record system which includes: (i) quantity of waste generation, (ii) quantity of recycled material, (iii) quantity of disposed material, (iv) disposal methods and (v) sites should be implemented during construction phase.</p>	^
	<p>Regular cleaning and maintenance of the waste storage area should be conducted throughout the construction stage.</p>	^
	<p><u>Excavated spoil</u></p> <p>Control measures for soil temporarily stockpiled on-site should be taken in order to minimize the noise, generation of dust, pollution of water and visual impact. Key impacts include:</p>	^

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Terrestrial Ecology	<p>During the detailed design stage, the following issues should also be considered as possible to further minimise the impacts:</p> <ul style="list-style-type: none"> • Adjustment of site boundary to minimise temporary loss of natural stream habitat during construction. • Adjustment of site boundary to minimise use of mixed woodland as temporary works area. In particular, the woodland habitat in temporary works area of the Eastern Portal will be avoided, thereby greatly reducing the area of temporary loss of woodland habitat. • Minimizing felling of large trees. • About 20% of trees within the works area will be transplanted. The individual of <i>Artocarpus hypargyreus</i> recorded within the temporary works area of HKU1, if to be encroached, would also be transplanted. 	<p>^</p> <p>^</p> <p>^</p> <p>^</p>
	<p>Standard site practices including the following, should be enforced to minimise the disturbance to the surroundings:</p> <ul style="list-style-type: none"> • Treat any damage that may occur to large individual trees in the adjacent area using materials and methods appropriate for tree surgery. • Reinstate work sites/disturbed areas immediately after completion of the construction works, in particular, through on-site tree/shrub planting along the woodland and shrubland section within the temporary works area. Tree/shrub species used should make reference from those in the surrounding area. • Regularly check the work site boundaries to ensure that they are not exceeded and that no damage occurs to surrounding areas. 	<p>^</p> <p>^</p> <p>^</p>
	<p>A total of 1.02 ha would be replanted with woodland species, reaching almost a 1.5:1 ratio for compensatory planting. Tree/shrub species used should be based on those in the surrounding areas, including those which are commonly recorded during the baseline surveys.</p>	<p>^</p>
	<p>A low-flow channel would be provided within the channelised section to maintain a deeper water depth in the expanded channel, in particular during dry season as well as a basin at the end of the channelised section to provide living space for aquatic life. Step chute in the form of a series of descending water pools would be constructed between the low flow channel and the undisturbed stream course. There would also be openings for aquatic fauna between each chute step (pool). These could work like a “ladder” to help avoid isolating the aquatic fauna in the channelised section from natural habitats.</p>	<p>^</p>
	<p>Measures are also needed to maintain the flow of all affected streams/nullahs during the construction stages. Temporary bypass should be provided if the stream/nullah flows will be cut off by the construction works. After the construction works are finished, sections of temporary loss should be reinstated. Construction materials, wastes, and equipment should be cleared from the sites.</p>	<p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>Surveys of amphibians at E4(P), PFLR1(P), W12(P), MB16, E5(B)(P), TP789(P) and P5(P) prior to commencement of construction is recommended. Frogs, including Hong Kong Cascade Frog and Lesser Spiny Frog, and tadpoles found at work areas of these proposed intake points will be collected and translocated to nearby streams that will not be affected by the project. These procedures should be performed by experienced herpetologists. A detailed translocation proposal will be submitted during the detailed design stage.</p> <p>Measures should also be taken to avoid runoff to streams and marine habitats. Stream/channel which could potentially be affected during construction should be prevented from sedimentation by erection of sediment barriers. Site runoff should be desilted by siltation traps in streams/channels or diverted, to reduce the potential for suspended sediments, organics and other contaminants to enter the local stream environment.</p>	<p>^</p> <p>^</p>
Marine Ecology	<p>Silt curtains will be deployed during the construction and demolition of the temporary berthing point. Deployment of silt curtains around the berthing point area would effectively avoid adverse water quality impacts due to barge filling. No significant ecological impact is anticipated.</p> <p>The invert of the stilling basin would be at -5.4 mPD. A cofferdam in the form of pipe-pile wall is to be constructed outside the stilling basin prior to the construction of basin. The cofferdam will be dewatered to provide a working area for construction of the stilling basin. The boulders from the seawall will then be removed by landbased grabs.</p> <p>Although the speed of the working vessels to be used in the Project (mainly barges) would not be high, a speed limit for marine traffic is proposed as a precautionary measure. A speed limit of 10 knots should be strictly enforced in the works area, in particular in the waters between the outfall location and the navigation channel in East Lamma Channel.</p>	<p>^</p> <p>N/A</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Landscape and Visual	The proposed landscape and visual mitigation measures during the construction phase include:	
	CM1 - Topsoil, where identified, should be stripped and stored for re-use in the construction of the soft landscape works, where practical.	^
	CM2 - Existing trees to be retained on site should be carefully protected during construction. The detailed proposal for any trees felling and transplantation is subject to Lands Department's approval on tree felling application at the detailed design stage.	^
	CM3 - Trees unavoidably affected by the works should be transplanted where practical.	^
	CM4 - Compensatory tree planting should be provided to compensate for felled trees.	^
	CM5 - The extent of disturbance on the existing stream course should be minimized. Any temporary works areas within the stream course shall be reinstated after construction.	^
	CM7 – Control of night-time lighting	^
	CM8 – Erection of decorative screen hoarding	^

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Cultural Heritage	<p>The Cultural Heritage Impact Assessment has identified the following resources which will require mitigation measures during the construction stage;</p>	
	<p><u>Haw Par Mansion (including boundary wall and gate)</u> A condition survey must be undertaken by a qualified professional prior to the commencement of construction works for the tunnel portal in order to assess the structural integrity of the mansion, wall and gate (with special attention paid to any fragile architectural features). A report containing description of the types of construction, identification of fragile elements, an appraisal of the condition and a photographic record must be prepared. The report must also provide an assessment indicating whether further precautionary measures will be necessary during the construction phase, and if so provide details for sufficient protective measures, including monitoring for vibration control to ensure that no damage to the structure and fabric of the house, wall and gate results from the construction works. The report must be submitted to AMO for approval before construction activities commence. Upon approval the appropriate monitoring and precautionary measures shall be put into place.</p>	^
	<p>A buffer zone with a minimum width of 3 metres and an obstruction free access point must be maintained between the boundary wall/gate and the temporary works area (during construction works associated for both the tunnel portal and the permanent vehicle access ramp). This is to enable access for routine maintenance works on the wall and to ensure that the wall is not damaged by machinery operation or related construction activities. The temporary works area will be enclosed by standard DSD site hoarding.</p>	^
	<p><u>Former Explosive Magazine of Victoria Barracks</u> A condition survey must be undertaken by a qualified professional prior to the commencement of construction works in order to assess the structural integrity of the retaining wall and the extent of damage from cracks and vegetation growth. A report containing a description of the wall's construction materials, identification of fragile and/or endangered elements, an appraisal of the condition and a photographic record of the retaining wall must be prepared. The report must also provide an assessment indicating whether further precautionary measures will be necessary during the construction phase, and if so provide details for sufficient protective measures, such as monitoring for vibration control, to ensure that no damage to the retaining wall results from the construction works. The report must be submitted to AMO for approval before construction activities commence. Upon approval the appropriate monitoring and precautionary measures shall be put into place.</p> <p>A buffer zone with a minimum width of 3 metres and an obstruction free access point must be maintained between the retaining wall and the temporary works area (for the duration of the construction phase). The works area will be enclosed by standard DSD site hoarding.</p>	^

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Fisheries	<p>Silt curtain will be deployed during the construction and demolition of the temporary berthing point. With the deployment of silt curtains around the berthing point area, adverse water quality impact associated with the filling would not be anticipated. No significant fisheries impact is anticipated.</p> <p>The invert of stilling basin will be found at -5.4 mPD. A cofferdam in the form of pipe-pipe wall is to be constructed outside the stilling basin prior to the construction of basin. The cofferdam will be dewatered to provide a working space for the construction of stilling basin. The boulders from the seawall will then be removed by landbased grabs.</p>	<p>^</p> <p>N/A</p>
Hazard to Life	<p>There will be no overnight storage of explosives for this project. Transportation of explosives to site for the construction of adit will be undertaken on a daily basis. The contractor is required to destroy any unused explosives before nightfall. If contractor wishes to set up magazines for overnight storage of explosives, it is necessary to carry out risk assessment and seek the relevant approval following the EIAO process.</p>	<p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;
* Recommendation was made during site audit but improved/rectified by the contractor;
Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

APPENDIX M
EVENT ACTION PLANS

Appendix M - Event Action Plans

Event/Action Plan for Air Quality

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	CONTRACTOR
ACTION LEVEL				
1.Exceedance for one sample	<ol style="list-style-type: none"> 1. Identify the source and investigate the causes and propose remedial measures 2. Inform Supervising Officer's Representative & IEC 3. Repeat measurement to confirm finding 4. Increase monitoring frequency to daily 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET 2.Check Contractor's working methods 	<ol style="list-style-type: none"> 1.Notify Contractor 	<ol style="list-style-type: none"> 1.Rectify any unacceptable practice 2.Amend working methods if appropriate
2.Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Identify the source 2. Inform Supervising Officer's Representative & IEC 3. Repeat measurements to confirm findings 4. Increase monitoring frequency to daily 5. Discuss with Supervising Officer's Representative & IEC for remedial actions required 6. If exceedance continues, arrange meeting with Supervising Officer's Representative & IEC 7. If exceedance stops, cease additional monitoring 	<ol style="list-style-type: none"> 1.Checking monitoring data submitted by ET 2. Check Contractor's working methods 3. Discuss with ET, IEC and Contractor on proposed remedial actions 4. Advise the Supervising Officer's Representative & ET on the effectiveness of the proposed remedial measures 5.Supervise the implementation of the remedial measures 	<ol style="list-style-type: none"> 1.Confirm receipt of notification of failure in writing 2.Notify Contractor 3.Ensure remedial actions properly implemented 	<ol style="list-style-type: none"> 1.Submit proposals for remedial actions to Supervising Officer's Representative within 3 working days of notification 2.Implement the agreed proposals 3.Amend proposal if appropriate
LIMIT LEVEL				
1.Exceedance for one sample	<ol style="list-style-type: none"> 1. Identify source,,investigate the causes and propose remedial measures 2. Inform Supervising Officer's Representative & IEC and EPD 3. Repeat measurement to confirm finding 4. Increase monitoring frequency to daily 5. Assess effectiveness of Contractor's remedial actions and keep EPD and Supervising Officer's Representative & IEC informed of the results 	<ol style="list-style-type: none"> 1.Check monitoring data submitted by ET 2. Check Contractor's working methods 3. Discuss with ET and Contractor on proposed remedial actions 4. Advise the Supervising Officer's Representative on the effectiveness of the proposed remedial measures 5.Supervise the implementation of the remedial measures 	<ol style="list-style-type: none"> 1.Confirm receipt of notification of failure in writing 2.Notify Contractor 3.Ensure remedial actions properly implemented 	<ol style="list-style-type: none"> 1.Take immediate action to avoid further exceedance 2.Submit proposals for remedial actions to Supervising Officer's Representative within 3 working days of notification 3.Implement the agreed proposals 4.Amend proposal if appropriate
2.Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Identify source 2. Inform Supervising Officer's Representative, IEC and EPD the causes & actions taken for the exceedances 3. Repeat measurement to confirm findings 	<ol style="list-style-type: none"> 1.Discuss amongst Supervising Officer's Representative, ET and Contractor on the potential remedial actions 2.Review Contractor's remedial actions to assure their effectiveness and advise the 	<ol style="list-style-type: none"> 1.Confirm receipt of notification of failure in writing 2.Notify Contractor 3.In consultation with the IEC, agree with the Contractor on the remedial measures to be 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance 2. Submit proposals for remedial actions to Supervising Officer's Representative within 3 working

ACTION				
EVENT	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	CONTRACTOR
ACTION LEVEL				
	4. Increase monitoring frequency to daily 5. Investigate the causes of exceedance 6. Arrange meeting with & IEC and Supervising Officer's Representative to discuss the remedial actions to be taken 7. Assess effectiveness of Contractor's remedial actions and keep ER, IEC and EPD informed of the results 8. If exceedance stops, cease additional monitoring	Supervising Officer's Representative accordingly 3. Supervise the implementation of the remedial measures	implemented 4. Ensure remedial measure are properly implemented 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated	days of notification 3. Implement the agreed proposals 4. Resubmit proposals if problem still not under control 5. Stop the relevant portion of works as determined by the ER until the exceedance is abated

Event/Action Plan for Construction Noise

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	Contractor
Action Level	<ol style="list-style-type: none"> 1. Notify IEC, Supervising Officer's Representative and Contractor 2. carry our investigation by reviewing all the relevant monitoring data and the corresponding construction activities. Exceedances should also be confirmed by immediate verification in the field as far as practical. 3. Report the results of investigation to the IEC, Supervising Officer's Representative and Contractor 4. Discuss with the Contractor and formulate remedial measures 5. increase monitoring frequency to check mitigation effectiveness 	<ol style="list-style-type: none"> 1. Review the analysed results submitted by the ET 2. Review the proposed remedial measures by the Contractor and advise the Supervising Officer's Representative & ET accordingly 3. Supervise the implementation of remedial measures 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of complaint in writing 2. Notify Contractor 3. require Contractor to proposed remedial measures for analyzed noise problem 4. Ensure remedial measures are properly implemented 	<ol style="list-style-type: none"> 1. Identify practicable measures to minimize the noise impact. Submit noise mitigation proposals to ET, IEC and ET. 2. Implement noise mitigation proposals
Limit Level	<ol style="list-style-type: none"> 1. Notify IEC, Supervising Officer's Representative, EPD and Contractor 2. Identify the source(s) of impact by reviewing all the relevant monitoring data and the corresponding construction activities. Exceedances should also be confirmed by immediate verification in the field as far as practical. 3. Repeat measurement to confirm findings 4. Increase monitoring frequency 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. inform IEC, Supervising Officer's Representative and EPD the cause & actions taken for the exceedances 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and Supervising Officer's Representative informed of the results 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Discuss amongst Supervising Officer's Representative, ET, and Contractor on the potential remedial actions 2. Review Contractor's remedial actions to assure their effectiveness and advise the Supervising Officer's Representative & ET accordingly 3. Supervise the implementation of the remedial measures 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of exceedance in writing 2. Notify Contractor 3. Require Contractor to propose remedial measures for the analyzed noise problem 4. Ensure remedial measures are properly implemented 5. If exceedance continuous, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is aborted 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance 2. Identify practicable measures to minimize the noise impact. Submit proposals for remedial actions to Supervising Officer's Representative within three working days of notification 3. Implement the agreed proposals 4. Resubmit proposal if problem still not under control 5. Stop the relevant portion of works as determined by the Supervising Officer's Representative until the exceedance is abated

Event/Action Plan for Water Quality

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	CONTRACTOR
ACTION LEVEL				
Action level being exceeded by one sampling day	<ol style="list-style-type: none"> Repeat in situ measurement to confirm findings; Identify source(s) of impact; Inform IEC, contractor and Supervising Officer's Representative; Check monitoring data, all plant, equipment and Contractor's working methods. Discuss mitigation measures with IEC and Contractor Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> Discuss with ET and Contractor on the mitigation measures. Review proposals on mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly; and Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> Discuss with IEC on the proposed mitigation measures; and Make agreement on the mitigation measures to be implemented. 	<ol style="list-style-type: none"> Inform the Supervising Officer's Representative and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment; Consider changes of working methods; Discuss with ET and IEC and propose mitigation measures to IEC and Supervising Officer's Representative; Implement the agreed mitigation measures.
Action level being exceeded by more than one consecutive sampling days	<ol style="list-style-type: none"> Repeat in-situ measurement to confirm findings; Identify source(s) of impact; Inform IEC, contractor; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC, Supervising Officer's Representative and Contractor; Ensure mitigation measures are implemented; Prepare to increase the monitoring frequency to daily; Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> Discuss with ET and Contractor on the mitigation measures. Review proposals on mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly; and Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> Discuss with IEC on the proposed mitigation measures; and Make agreement on the mitigation measures to be implemented. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> Inform the Supervising Officer and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment and Consider changes of working methods; Discuss with ET and IEC and propose mitigation measures to IEC and Supervising Officer's Representative within 3 working days; Implement the agreed mitigation measures.
LIMIT LEVEL				
Limit level being exceeded by one sampling day	<ol style="list-style-type: none"> Repeat measurement on next of exceedance to confirm findings; Identify source(s) of impact; Inform IEC, contractor, Supervising Officer's Representative and EPD; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC, Supervising Officer's Representative and Contractor. 	<ol style="list-style-type: none"> Check monitoring data submitted by ET and Contractor's working methods. Discuss with ET and Contractor on possible mitigation measures; Review the proposed mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly; 	<ol style="list-style-type: none"> Confirm receipt of notification of failure in writing Discuss with IEC, ET and Contractor on the proposed mitigation. Request Contractor to view the working methods. Ensure mitigation measures are properly implemented. 	<ol style="list-style-type: none"> Inform the Supervising Officer's Representative and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment and consider changes of working methods; Discuss with ET, IEC and Supervising Officer's Representative and propose mitigation measures to Supervising Officer's Representative and IEC within 3 working days;

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	CONTRACTOR
				5. Implement the agreed mitigation measures.
Limit level being exceeded by more than one consecutive sampling days	<ol style="list-style-type: none"> 1. Repeat measurement on next of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, Supervising Officer's Representative and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, Supervising Officer's Representative and Contractor; 6. Ensure mitigation measures are implemented; 7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working methods. 2. Discuss with ET and Contractor on possible mitigation measures; 3. Review the proposed mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly; 4. Supervise the implementation of mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; 4. Ensure mitigation measures are properly implemented; 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the construction activities until no exceedance of Limit level 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance 2. Discuss with ET, IEC and Supervising Officer's Representative and propose mitigation measures to Supervising Officer's Representative and IEC within 3 working days; 3. Implement the agreed mitigation measures; 4. Resubmit proposals of mitigation measures if problem still not under control; 5. As directed by the Supervising Officer, to slow down or to stop all or part of the construction activities until no exceedance of Limit level.

**APPENDIX N
COMPLAINT LOG**

APPENDIX N – COMPLAINT LOG

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
Com-2008-05-003	Construction site at Eastern Portal	22 May 2008	The complaint was lodged by Ms. Ng on 22 May 2008 regarding noise nuisance generated from the construction activities at the construction site of Eastern Portal	<p>According to the Contractor, only one excavator and one generator were operated for the excavation works around 8 am on 22 May 2008 at the Eastern portal. No other construction activities were conducted.</p> <p>In response to the complaint, The Contractor agreed to reschedule their current works activities, with immediate effect from 23 May 2008, that only site preparation works without noise nuisance to the nearby residents will be carried out from 7:00 am to 8:00 am at the Eastern Portal area.</p> <p>Base on the information collected and the monitoring results, the complaint was considered not justifiable since (1) no exceedance of the noise monitoring results was recorded in May and (2) no non-compliance or observation on noise was recorded.</p>	Closed
Com-2008-05-004	Construction site at Western Portal (Marine Works)	31 May 2008	The complaint was lodged by one of the local resident on 31 May 2008 regarding the noise nuisance generated from the marine works at Western Portal.	According to the Contractor, only two derrick barges and one tug boat were operated for the seabed formation works around 18:00 hrs on 31 May 2008 at the Western Portal. No other construction activities were conducted.	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Base on the information collected and the monitoring results, the complaint was considered not justifiable since (1) no exceedance of the noise monitoring results was recorded in May and (2) no non-compliance or observation on noise was recorded.</p>	
Com-2008-07-007	Construction site at Eastern Portal	2 July 2008	<p>The complaint was lodged by a resident of The Legend on 2 July 2008 regarding noise nuisance generated from the construction activities at the construction site of Eastern Portal</p>	<p>According to the Contractor, only one generator and one drilling rig (Jumbo) were operated for the preparation works around 7:30a.m on 2 July 2008 at the Eastern portal. Construction noise was found from other construction site (Gammon Construction Limited) adjacent to Eastern Portal area.</p> <p>In response to the complaint, The Contractor review his forthcoming operations within the Eastern Portal site as previous they agreed, reschedule their current works activities, with immediate effect from 23 May 2008, that only site preparation works without noise nuisance to the nearby residents will be carried out from 7:00 am to 8:00 am at the Eastern Portal area.</p> <p>Additional noise monitoring was conducted on 16 and 17 July 2008 during the drilling rig (Jumbo), excavator and wheel loader were operated for drilling works.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Base on the information collected and the monitoring results, the complaint was considered not justifiable since (1) no exceedance of the noise monitoring results was recorded in June and July 2008 and additional noise monitoring (2) no non-compliance or observation on noise was recorded.</p>	
COM-2008-10-011	Construction site at Western Portal	11 October 2008	<p>The complaint was lodged by one of the resident of Victoria Road, Ms Cheung on 11 October regarding about the noise nuisance generated from the construction works at Western Portal</p>	<p>According to the Contractor, excavation works and marine works including sheet piling works were also conducted at the time of complaint at Western Portal</p> <p>Additional noise monitoring was conducted on 15 October 2008, drilling works, excavation works and marine works including sheet piling works were also conducted. The construction noise levels measured during the construction works were well below the construction noise limit of 75 dB(A)</p> <p>The Contractor agreed to reschedule the starting time of the construction works to 8:15am on every Saturday that without noise nuisance from the construction works to the nearby residents will be carried out from 7:00 am to 8:15 am at the Western Portal area.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Base on the information collected, the noise level measured at outside Aegean Terrace during the construction works at Western Portal site were well below the construction noise limit of 75 dB(A). Also, the Contractor has implemented the remedial measure that reschedule the starting time of the construction works to 8:15am on every Saturday immediately after receiving the complaint to minimize the noise nuisance to the nearby residents.</p>	
COM-2008-10-012	Construction site at Intake TP5	15 October 2008	<p>The complaint was lodged by Mr Choi on 15 October 2008 regarding about the noise generated from the GI works, which starts from 8:30 hrs to 17:30 hrs next to Aigburth at May Road.</p>	<p>According to the information provided by the Contractor, only rotary type drill rigs and water pumps were operated for the GI works at the time of complaint at Intake TP5.</p>	Closed
COM-2008-10-013	Construction site at Intake TP5	31 October 2008	<p>The complaint was lodged by Mr Lai on 31 October 2008 regarding the black smoke is emitted and noise is generated from the machine at the site (Intake TP5), he needed to close the windows to prevent the black smoke from entering his flat and to attenuate the noise.</p>	<p>Additional site inspection and noise monitoring at the podium of the Valverde at May Road were conducted on 3 Nov 2008 and 24 Oct, 5 Nov, 7 Nov 2008 respectively.</p> <p>The Contractor agreed to reschedule the starting time of the construction works to 9:30am on every Saturday and 8:00 on normal weekdays that without noise nuisance to the nearby residents will be carried out from 7:00 am to 8:00 am at Intake TP5. Acoustic insulating materials</p>	

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2008-11-015	Construction site at Intake TP5	4 November 2008	The complaint was lodged by Ms Lee on 4 November regarding the noise nuisance generated from the construction works at Intake TP5.	<p>have been applied for enclosing water pump and rotary type drill rigs to minimize the noise nuisance to the nearest residents.</p> <p>Base on the information collected, the noise level measured at the podium of the Valverde at May Road were well below the construction noise limit of 75 dB(A) after the Contractor has implemented the remedial measure.</p>	
COM-2008-11-016	Construction site at Western Portal	17 November 2008	The complaint was lodged by Mr Cheng on 17 November 2008 regarding dust nuisance arising from the soil nailing works at the roadside slope of Cyberport Road.	<p>According to the information provided by the Contractor, soil nailing works were conducted and some plant equipments i.e air compressor and generator were operated at the time of complaint at Western Portal.</p> <p>Base on the regular air quality monitoring in November 2008 at Outside Aegean Terrace (AQ2) and Outside The Site Office at Western Portal (AQ3), the dust levels measured at AQ2 for 1 hour TSP and at AQ3 for 24 hour TSP were well below the Action Level (321µg/m³ for 1 hour TSP and 156µg/m³ for 24 hour TSP). Also, the Contractor has implemented the dust suppression measures to prevent dust nuisance from the construction activities including soil nailing works.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2008-11-019	Construction site at Western Portal	29 November 2008	The complaint was lodged by Ms Cheung on 1 December 2008 regarding noise nuisance at Western Portal at 08:30 hrs approx on 29 November 2008 and 00:30 on 1 December 2008.	<p>According to the information provided by The Contractor, no construction works was carried out at the temporary jetty at the time of complaint (00:30 on 1 December 2008) at Western Portal.</p> <p>However, base on the regular noise monitoring at Outside Aegean Terrace (NC3), the noise level measured during the construction works at Western Portal site were well below the construction noise limit of 75 dB(A).</p>	Closed
COM-2008-12-020	Construction site at Western Portal	28 December 2008	The complaint was lodged by Ms Cheung on 28 December 2008 regarding the excavator was found working within Western Portal works area on Sunday.	<p>The complaint was considered not justifiable as Construction Noise Permit (CNP) – CNP No. GW-RS0827-08 has been granted from EPD for carrying out the construction works at Hong Kong West Drainage Tunnel (Western Portal), Cyberport Road, Cyberport, Hong Kong (DSD Contract No. DC/2007/10) between 1 December 2008 at 1900 hours and 28 February 2009 at 2400 hours. The powered mechanical equipment can be operated during the hours as below:</p> <ul style="list-style-type: none"> a) Any day not being a general holiday between 1900 – 2300 hours b) General holiday (including Sundays) between 0700 – 1900 hours 	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2009-01-021	Muddy Water Discharged into Sea at Western Portal	21 January 2009	Muddy water was observed from discharging into the sea at Western Portal Site	<p>Base on the information collected, the muddy water discharged into the sea is considered due to the operations of excavation of stilling basin and poor condition of the silt curtain.</p> <p>The Contractor agreed to review their current provisions to prevent any muddy water from discharging into the sea again and close check the condition of the silt curtain.</p>	Closed
COM-2009-02-022	Construction site at Eastern Portal	7 February 2009	Complaint of Construction Noise at Early Morning (07:45hrs) at Eastern Portal Site	<p>Based on the information collected, the construction noise at about 07:45hrs on 7 February 2009 was due to the checking of the backhole by the sub-contractor.</p> <p>The Contractor was reminded to strengthen their site supervision and provide sufficient site-specific environmental training for sub-contractor to ensure that such situation would not be recurred.</p>	Closed

APPENDIX O
CONSTRUCTION PROGRAMME

Act ID	Activity Description	Orig Dur	Rem Dur	Early Start	Early Finish	Total Float	Previous Month 901A EF Variance	Approved Baseline 804B EF Variance	2008		2009					
									NOV	DEC	JAN	FEB	MAR	APR	MAY	
HK West Drainage Tunnel																
CC01 - PRELIMINARIES & GENERAL REQUIREMENTS																
Milestone																
General																
M1-1110	1.11-Complete of All Obligat's From 361to420d	0	0		05FEB09A		-5	-5								
M1-1120	1.12-Complete of All Obligat's From 421to480d	0	0		31MAR09*	0	0	0								
M1-1400	1.40-Acceptance of Monthly Report on TDMS(11M)	0	0		29DEC08A	0	0	-59								
M1-1410	1.41-Acceptance of Monthly Report on TDMS(12M)	0	0		29DEC08A	0	0	-29								
M1-1420	1.42-Acceptance of Monthly Report on TDMS(13M)	0	0		29DEC08A	0	0	2								
M1-1430	1.43-Acceptance of Monthly Report on TDMS(14M)	0	0		16FEB09*	-16	-16	-16								
M1-1440	1.44-Acceptance of Monthly Report on TDMS(15M)	0	0		28FEB09*	0	0	0								
M1-1450	1.45-Acceptance of Monthly Report on TDMS(16M)	0	0		31MAR09*	0	0	0								
M1-1460	1.46-Acceptance of Monthly Report on TDMS(17M)	0	0		30APR09*	0	0	0								
CC02 - DESIGN & DESIGN CHECKING OF THE WORKS																
Design Stage																
Section 1 (Eastern Portal)																
D00255	APP East P Temp Drainage Divrsn Main Stream DDA	90	22	29NOV08A	10MAR09	21	0	-141								
D00275	APP Cofferdam for Intake Shaft DDA	42	7	21MAY08A	23FEB09	-325	-28	-346								
D00278	P&S Reinst Perm Slope at Coff Intake Shaft DDA	63	63	01APR09*	02JUN09	29	0	0								
D00282	APP Temp&Perm Line EP Non-TBM Tuntl to ch250 AIP	42	7	13SEP08A	23FEB09	-140	-28	-350								
D00284	APP Temp Supt EP Non-TBM Tunnel to Ch250 - DDA	30	0	05NOV08A	30JAN09A		-4	-308								
D00286	P&S Perm Supt EP Non-TBM Tunnel to Ch250 - DDA	62	0	20JAN09A	31JAN09A		50	-285								
D00287	APP Perm Supt EP Non-TBM Tunnel to Ch250 - DDA	92	76	01FEB09A	03MAY09	472	50	-349								
D02334	APP East P Temp Drainage Divn Side Stream-DDA	76	7	28MAR08A	23FEB09	-291	-28	-291								
D02354	APP Temp Drain Divsn Main Stream ELS - AIP	42	0	10OCT08A	23DEC08A		34	0								
D02374	APP Temp Drain Divsn Main Stream ELS - DDA	52	7	29NOV08A	23FEB09	-93	-8	0								
Section 1 (Western Portal)																
D00375	APP Temp Supp West Portal Soft Grd Tunnel DDA	42	7	12JUN08A	23FEB09	-62	-28	-341								
Section 1 (Portion W0) - Dropshaft																
D00600	P&S Softground Excav for Dropshaft W5 AIP	63	63	01APR09*	02JUN09	251	0	-214								
D00612	P&S Softground Excav for Dropshaft RR1 AIP	63	63	01APR09*	02JUN09	175	0	0								
D00630	P&S Dropshaft Temp Rock Supt (Excl. W0) AIP	70	7	23OCT08A	23FEB09	33	-28	7								
D00633	APP Dropshaft Temp Rock Supt (Excl. W0) AIP	91	91	24FEB09	25MAY09	33	-29	0								
D00636	P&S Dropshaft Temp Rock Supt (Excl. W0) DDA	60	60	17FEB09*	17APR09	253	-26	0								
D00639	APP Dropshaft Temp Rock Supt (Excl. W0) DDA	92	92	18APR09	18JUL09	253	-26	0								
D00642	P&S Dropshaft Permanent Lining (Excl W0) AIP	45	25	31DEC08A	13MAR09	44	-28	0								
D00645	APP Dropshaft Permanent Lining (Excl W0) AIP	47	47	14MAR09	29APR09	44	-28	-226								
D00648	P&S Dropshaft Permanent Lining(Excl W0) DDA	62	62	01APR09*	01JUN09	602	0	0								
D00660	P&S Dropshaft & SC at W0 Temp Rock Supt DDA	46	0	10OCT08A	22JAN09A		22	-204								
D00663	APP Dropshaft & SC at W0 Temp Rock Supt DDA	42	17	23JAN09A	05MAR09	1,099	22	0								
Section 1 (Portion W0)																
D01150	P&S W0-Permanent Works Intake DDA	62	7	23AUG08A	23FEB09	700	-28	-237								
D01155	APP W0-Permanent Works Intake DDA	92	92	24FEB09	26MAY09	700	-28	-287								
D01158	P&S W0-Temp Works & Drainage Diversion DDA	62	7	27AUG08A	23FEB09	-60	-28	-203								
D01159	APP W0-Temp Works & Drainage Diversion DDA	92	92	24FEB09	26MAY09	-60	-28	-253								
Section 7 (Portion THR2)																
D00950	P&S THR2-Permanent Works Intake DDA	62	62	17FEB09*	19APR09	231	-16	-169								
D00955	APP THR2-Permanent Works Intake DDA	92	92	20APR09	20JUL09	231	-16	-219								
D00958	P&S THR2-Temp Works & Drainage Diversion DDA	62	62	17FEB09*	19APR09	42	-16	-106								
D00959	APP THR2-Temp Works & Drainage Diversion DDA	92	92	20APR09	20JUL09	42	-16	-156								
Section 4 (Portion MB16)																
D00785	APP MB16-Permanent Works Intake AIP	92	0	13OCT08A	16FEB09A		-21	-93								
D00790	P&S MB16-Permanent Works Intake DDA	62	62	01MAR09*	01MAY09	156	0	-148								
D00795	APP MB16-Permanent Works Intake DDA	92	92	02MAY09	01AUG09	156	0	-198								
D00797	APP MB16-Temp Works & Drainage Diversion - AIP	92	7	13OCT08A	23FEB09	107	-28	-51								
D00798	P&S MB16-Temp Works & Drainage Diversion - DDA	62	11	01DEC08A	27FEB09	103	-28	-41								
D00799	APP MB16-Temp Works & Drainage Diversion - DDA	92	92	28FEB09	30MAY09	103	-28	-91								
D00825	APP MB16-Permanent Slopeworks AIP	122	19	07OCT08A	07MAR09	111	-28	-66								
D00826	P&S MB16-Permanent Slopeworks DDA	62	13	10DEC08A	01MAR09	525	-28	-15								
D00828	APP MB16-Permanent Slopeworks DDA	122	122	02MAR09	01JUL09	525	-28	-95								
Section 31 (Portion PFLR1)																
D02255	APP PFLR1-Permanent Works Intake AIP	92	7	20SEP08A	23FEB09	210	-28	-82								
D02260	P&S PFLR1-Permanent Works Intake DDA	62	62	24FEB09*	26APR09	210	-23	-125								
D02265	APP PFLR1-Permanent Works Intake DDA	92	92	27APR09	27JUL09	210	-23	-175								
D02267	APP PFLR1-Temp Works & Drainage Diversion AIP	92	22	10DEC08A	10MAR09	9	0	-48								
D02268	P&S PFLR1-Temp Works & Drainage Diversion DDA	62	62	11MAR09*	11MAY09	9	0	-96								
D02269	APP PFLR1-Temp Works & Drainage Diversion DDA	92	92	12MAY09	11AUG09	9	0	-146								
Section30 (Portion HKU1)																
D02210	P&S HKU1-Permanent Works Intake DDA	62	7	02OCT08A	23FEB09	338	-28	-52								
D02215	APP HKU1-Permanent Works Intake DDA	92	92	24FEB09	26MAY09	338	-28	-102								
D02217	APP HKU1-Temp Works & Drainage Diversion AIP	122	0	24SEP08A	27DEC08A		0	36								
D02218	P&S HKU1-Temp Works & Drainage Diversion DDA	62	62	17FEB09*	19APR09	-5	-26	-43								
D02219	APP HKU1-Temp Works & Drainage Diversion DDA	122	122	20APR09	19AUG09	-5	-26	-123								
Section 6 (Portion E7)																
D00885	APP E7 - Permanent Works Intake AIP	92	7	20SEP08A	23FEB09	169	-28	-33								
D00890	P&S E7 - Permanent Works Intake DDA	62	62	01MAR09*	01MAY09	102	0	-88								
D00895	APP E7 - Permanent Works Intake DDA	92	92	02MAY09	01AUG09	102	0	-138								
D00897	APP E7 - Temp Works & Drainage Diversion - AIP	92	7	07DEC08A	23FEB09	169	13	9								
D00898	P&S E7 - Temp Works & Drainage Diversion - DDA	62	62	17FEB09*	19APR09	114	-28	-32								
D00899	APP E7 - Temp Works & Drainage Diversion - DDA	92	92	20APR09	20JUL09	114	-28	-82								
D00930	P&S E7 - Permanent Slopeworks DDA	62	26	12JAN09A	14MAR09	580	0	21								

NOV	DEC	JAN	FEB	MAR	APR	MAY
2008			2009			

Start Date 23NOV07
 Finish Date 08MAR12
 Data Date 17FEB09
 Run Date 21FEB09 17:13

█ Early Bar
█ Previous Month (901A)
█ Progress Bar
█ Critical Activity

902A
 Sheet 1 of 7
Design & Construction of HK West Drainage Tunnel
 Contract No. DC/2007/10
3 MONTH ROLLING PROGRAMME
FEBRUARY/2009 MONTHLY REPORT



Date	Revision	Checked	Approved

Act ID	Activity Description	Orig Dur	Rem Dur	Early Start	Early Finish	Total Float	Previous Month 901A EF Variance	Approved Baseline 804B EF Variance	2008								
									2008		2009						
									NOV	DEC	JAN	FEB	MAR	APR	MAY		
Section 6 (Portion E7)																	
D00935	APP E7 - Permanent Slopeworks DDA	122	122	15MAR09	14JUL09	580	0	-59									
Section 29 (Portion W10)																	
D02155	APP W10-Permanent Works Intake AIP	92	0	11NOV08A	05FEB09A		-10	1									
D02160	P&S W10-Permanent Works Intake DDA	62	62	01APR09*	01JUN09	293	0	-96									
D02167	APP W10-Temp Works & Drainage Diversion AIP	122	32	19NOV08A	20MAR09	91	0	7									
D02168	P&S W10-Temp Works & Drainage Diversion DDA	62	62	01MAR09*	01MAY09	49	0	-1									
D02169	APP W10-Temp Works & Drainage Diversion DDA	122	122	02MAY09	31AUG09	49	0	-81									
Section 32 (Portion SM1)																	
D02305	APP SM1-Permanent Works Intake AIP	92	7	20SEP08A	23FEB09	188	-28	-129									
D02310	P&S SM1-Permanent Works Intake DDA	63	11	05NOV08A	27FEB09	184	-28	-114									
D02315	APP SM1-Permanent Works Intake DDA	92	92	28FEB09	30MAY09	184	-28	-164									
D02317	APP SM1-Temp Works & Drainage Diversion AIP	92	0	24SEP08A	06JAN09A		0	-32									
D02318	P&S SM1-Temp Works & Drainage Diversion DDA	62	27	13JAN09A	15MAR09	168	0	-86									
D02319	APP SM1-Temp Works & Drainage Diversion DDA	92	92	16MAR09	15JUN09	168	0	-136									
Section 26 (Portion RR1)																	
D02005	APP RR1-Permanent Works Intake AIP	92	22	09DEC08A	10MAR09	637	0	-18									
D02010	P&S RR1-Permanent Works Intake DDA	62	62	01APR09*	01JUN09	554	0	-82									
D02016	P&S RR1-Temp Works & Drainage Diversion AIP	62	0	03NOV08A	12JAN09A		0	46									
D02017	APP RR1-Temp Works & Drainage Diversion AIP	122	87	13JAN09A	14MAY09	195	0	-34									
D02018	P&S RR1-Temp Works & Drainage Diversion DDA	62	62	17FEB09*	19APR09	98	-5	25									
D02019	APP RR1-Temp Works & Drainage Diversion DDA	122	122	20APR09	19AUG09	98	-5	-55									
Section 5 (Portion MBD2)																	
D00830	P&S MBD2-Permanent Works Intake AIP	62	0	09OCT08A	08JAN09A		0	16									
D00835	APP MBD2-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	239	0	-34									
D00860	P&S MBD2-Temp Works & Drainage Diversion DDA	62	62	01APR09*	01JUN09	127	0	25									
Section 23 (Portion TP4)																	
D01845	APP TP4-Permanent Works Intake AIP	92	0	13OCT08A	15JAN09A		0	57									
D01850	P&S TP4-Permanent Works Intake DDA	62	62	01MAY09*	01JUL09	192	0	-91									
D01857	APP TP4-Temp Works & Drainage Diversion AIP	92	0	14NOV08A	06JAN09A		0	115									
D01858	P&S TP4-Temp Works & Drainage Diversion DDA	62	62	17FEB09*	19APR09	115	-16	26									
D01859	APP TP4-Temp Works & Drainage Diversion DDA	92	92	20APR09	20JUL09	115	-16	-24									
D01890	P&S TP4-Permanent Slopeworks DDA	62	62	17FEB09*	19APR09	85	-16	49									
D01895	APP TP4-Permanent Slopeworks DDA	122	122	20APR09	19AUG09	85	-16	-31									
Section 28 (Portion P5)																	
D02105	APP P5-Permanent Works Intake AIP	92	13	11NOV08A	01MAR09	297	-28	28									
D02117	APP P5-Temp Works & Drainage Diversion AIP	122	30	15NOV08A	18MAR09	250	0	60									
D02118	P&S P5-Temp Works & Drainage Diversion DDA	62	62	01APR09*	01JUN09	175	0	19									
Section 22 (Portion TP5)																	
D01795	APP TP5-Permanent Works Intake AIP	92	13	11NOV08A	01MAR09	398	-28	29									
D01800	P&S TP5-Permanent Works Intake DDA	62	62	01MAY09*	01JUL09	276	0	-74									
D01807	APP TP5-Temp Works & Drainage Diversion AIP	92	7	28NOV08A	23FEB09	205	-3	84									
D01808	P&S TP5-Temp Works & Drainage Diversion DDA	62	62	01APR09*	01JUN09	107	0	10									
Section 21 (Portion TP789)																	
D01735	APP TP789-Permanent Works Intake AIP	92	0	11NOV08A	16FEB09A		15	47									
D01740	P&S TP789-Permanent Works Intake DDA	62	62	01MAY09*	01JUL09	178	0	-69									
D01747	APP TP789-Temp Works & Drainage Diversion AIP	92	7	03DEC08A	23FEB09	306	-22	89									
D01748	P&S TP789-Temp Works & Drainage Diversion DDA	62	62	01MAR09*	01MAY09	239	0	46									
D01749	APP TP789-Temp Works & Drainage Diversion DDA	92	92	02MAY09	01AUG09	239	0	-4									
Section 24 (Portion W5)																	
D01904	P&S W5-Permanent Works Intake AIP	62	0	16OCT08A	08JAN09A		0	45									
D01905	APP W5-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	473	0	-5									
D01910	P&S W5-Temp Works & Drainage Diversion AIP	63	11	10NOV08A	27FEB09	158	-28	44									
D01911	APP W5-Temp Works & Drainage Diversion AIP	122	122	28FEB09	29JUN09	158	-28	-36									
D01912	P&S W5-Temp Works & Drainage Diversion DDA	62	62	17FEB09*	19APR09	165	-28	69									
D01913	APP W5-Temp Works & Drainage Diversion DDA	122	122	20APR09	19AUG09	165	-28	-11									
Section 2 (Portion E5A)																	
D00682	APP E5A-Permanent Works Intake AIP	92	7	11NOV08A	23FEB09	363	-7	53									
D00688	APP E5A-Temp Works & Drainage Diversion AIP	92	7	18OCT08A	23FEB09	238	-7	102									
D00690	P&S E5A-Temp Works & Drainage Diversion DDA	62	62	01MAY09*	01JUL09	110	0	-12									
Section 27 (Portion W8)																	
D02055	APP W8-Permanent Works Intake AIP	92	0	29NOV08A	16FEB09A		12	86									
D02067	APP W8-Temp Works & Drainage Diversion AIP	92	28	12DEC08A	16MAR09	246	-3	107									
D02068	P&S W8-Temp Works & Drainage Diversion DDA	62	62	01MAY09*	01JUL09	139	0	34									
Section 3 (Portion E5B)																	
D00735	APP E5B-Permanent Works Intake AIP	92	0	13OCT08A	16FEB09A		-15	94									
D00746	P&S E5B-Temp Works & Drainage Diversion AIP	62	7	09SEP08A	23FEB09	224	-28	94									
D00747	APP E5B-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	224	-28	44									
D00748	P&S E5B-Temp Works & Drainage Diversion DDA	62	62	01MAY09*	01JUL09	188	0	22									
Section 20 (Portion M3)																	
D01670	P&S M3-Permanent Works Intake AIP	62	0	08OCT08A	08JAN09A		0	115									
D01675	APP M3-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	268	0	65									
D01686	P&S M3-Temp Works & Drainage Diversion AIP	62	7	08OCT08A	23FEB09	222	-28	118									
D01687	APP M3-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	222	-28	68									
D01688	P&S M3-Temp Works & Drainage Diversion DDA	62	62	01MAY09*	01JUL09	186	0	56									
D01710	P&S M3-Permanent Slopeworks AIP	62	0	15OCT08A	07JAN09A		0	177									
D01715	APP M3-Permanent Slopeworks AIP	122	82	08JAN09A	09MAY09	209	0	97									
Section 19 (Portion MA17)																	
D01610	P&S MA17-Permanent Works Intake AIP	62	0	16OCT08A	08JAN09A		0	129									
D01615	APP MA17-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	229	0	79									
D01626	P&S MA17-Temp Works & Drainage Diversion AIP	63	7	05NOV08A	23FEB09	183	-28	132									
D01627	APP MA17-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	183	-28	82									

NOV	DEC	JAN	FEB	MAR	APR	MAY
2008			2009			

Start Date 23NOV07
 Finish Date 08MAR12
 Data Date 17FEB09
 Run Date 21FEB09 17:13

█ Early Bar
█ Previous Month (901A)
█ Progress Bar
█ Critical Activity

902A
 Sheet 2 of 7
Design & Construction of HK, West Drainage Tunnel
Contract No. DC/2007/10
3 MONTH ROLLING PROGRAMME
FEBRUARY/2009 MONTHLY REPORT

Date	Revision	Checked	Approved

Act ID	Activity Description	Orig Dur	Rem Dur	Early Start	Early Finish	Total Float	Previous Month 901A EF Variance	Approved Baseline 804B EF Variance	2008		2009					
									NOV	DEC	JAN	FEB	MAR	APR	MAY	
																NOV
Section 19 (Portion MA17)																
D01650	P&S MA17-Permanent Slopeworks AIP	62	0	02OCT08A	08JAN09A		0	190								
D01655	APP MA17-Permanent Slopeworks AIP	122	0	09JAN09A	05FEB09A		94	204								
D01660	P&S MA17-Permanent Slopeworks DDA	62	62	01MAY09*	01JUL09	179	0	98								
Section 15 (Portion W3)																
D01400	P&S W3-Permanent Works Intake AIP	62	0	01NOV08A	22JAN09A		4	115								
D01405	APP W3-Permanent Works Intake AIP	92	67	23JAN09A	24APR09	451	4	65								
D01416	P&S W3-Temp Works & Drainage Diversion AIP	62	7	06NOV08A	23FEB09	481	-28	132								
D01417	APP W3-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	481	-28	82								
D01418	P&S W3-Temp Works & Drainage Diversion DDA	62	62	01MAR09*	01MAY09	506	0	131								
Section 17 (Portion MA14)																
D01500	P&S MA14-Permanent Works Intake AIP	62	0	01NOV08A	08JAN09A		0	163								
D01505	APP MA14-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	406	0	113								
D01516	P&S MA14-Temp Works & Drainage Diversion AIP	62	7	07NOV08A	23FEB09	291	-28	166								
D01517	APP MA14-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	291	-28	116								
D01518	P&S MA14-Temp Works & Drainage Diversion DDA	62	62	17FEB09*	19APR09	328	-1	177								
D01540	P&S MA14-Permanent Slopeworks AIP	62	0	03NOV08A	08JAN09A		0	224								
D01545	APP MA14-Permanent Slopeworks AIP	122	83	09JAN09A	10MAY09	316	0	144								
D01550	P&S MA14-Permanent Slopeworks DDA	62	62	01MAR09*	01MAY09	286	0	193								
D01555	APP MA14-Permanent Slopeworks DDA	122	122	02MAY09	31AUG09	286	0	113								
Section 18 (Portion MA15)																
D01560	P&S MA15-Permanent Works Intake AIP	62	0	01NOV08A	08JAN09A		0	167								
D01565	APP MA15-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	395	0	117								
D01580	P&S MA15-Temp Works & Drainage Diversion AIP	62	7	01NOV08A	23FEB09	233	-28	198								
D01585	APP MA15-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	233	-28	148								
Section 10 (Portion DG1)																
D01095	APP DG1-Permanent Works Intake AIP	92	12	29NOV08A	28FEB09	368	0	160								
D01106	P&S DG1-Temp Works & Drainage Diversion AIP	62	0	16OCT08A	12JAN09A		0	214								
D01107	APP DG1-Temp Works & Drainage Diversion AIP	92	57	13JAN09A	14APR09	292	0	164								
D01108	P&S DG1-Temp Works & Drainage Diversion DDA	63	63	01MAY09*	02JUL09	213	0	109								
Section 9 (Portion HR1)																
D01045	APP HR1-Permanent Works Intake AIP	92	7	11NOV08A	23FEB09	600	-7	222								
D01056	P&S HR1-Temp Works & Drainage Diversion AIP	62	62	17FEB09*	19APR09	255	-28	174								
D01057	APP HR1-Temp Works & Drainage Diversion AIP	92	92	20APR09	20JUL09	255	-28	124								
Section 14 (Portion BR6)																
D01350	P&S BR6-Permanent Works Intake AIP	62	0	17NOV08A	23JAN09A		3	211								
D01355	APP BR6-Permanent Works Intake AIP	92	68	24JAN09A	25APR09	358	3	161								
D01370	P&S BR6-Temp Works & Drainage Diversion AIP	62	62	17FEB09*	19APR09	209	-28	202								
D01375	APP BR6-Temp Works & Drainage Diversion AIP	92	92	20APR09	20JUL09	209	-28	152								
Section 12 (Portion W1)																
D01250	P&S W1-Permanent Works Intake AIP	62	0	16OCT08A	08JAN09A		0	239								
D01255	APP W1-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	381	0	189								
D01266	P&S W1-Temp Works & Drainage Diversion AIP	62	7	04NOV08A	23FEB09	343	-28	242								
D01267	APP W1-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	343	-28	192								
D01268	P&S W1-Temp Works & Drainage Diversion DDA	62	62	01APR09*	01JUN09	337	0	220								
Section 8 (Portion GL1)																
D00995	APP GL1-Permanent Works Intake AIP	92	0	29NOV08A	16FEB09A		12	249								
D01007	APP GL1-Temp Works & Drainage Diversion AIP	92	7	23NOV08A	23FEB09	388	-1	284								
D01008	P&S GL1--Temp Works & Drainage Diversion DDA	62	62	01MAY09*	01JUL09	260	0	190								
Section 25 (Portion CR1)																
D01950	P&S CR1-Permanent Works Intake AIP	63	0	01DEC08A	08JAN09A		0	252								
D01955	APP CR1-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	486	0	202								
D01966	P&S CR1-Temp Works & Drainage Diversion AIP	63	7	05DEC08A	23FEB09	380	-18	239								
D01967	APP CR1-Temp Works & Drainage Diversion AIP	122	122	24FEB09	25JUN09	380	-18	159								
Section 13 (Portion BR5)																
D01300	P&S BR5-Permanent Works Intake AIP	62	0	17NOV08A	08JAN09A		0	252								
D01305	APP BR5-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	492	0	202								
D01316	P&S BR5-Temp Works & Drainage Diversion AIP	62	0	21NOV08A	10FEB09A		-15	268								
D01317	APP BR5-Temp Works & Drainage Diversion AIP	92	86	11FEB09A	13MAY09	397	-15	218								
Section 11 (Portion BR4)																
D01190	P&S BR4-Permanent Works Intake AIP	62	0	16OCT08A	07JAN09A		0	254								
D01195	APP BR4-Permanent Works Intake AIP	92	52	08JAN09A	09APR09	553	0	204								
D01207	APP BR4-Temp Works & Drainage Diversion AIP	92	25	12DEC08A	13MAR09	604	0	280								
D01208	P&S BR4-Temp Works & Drainage Diversion DDA	62	62	17FEB09*	19APR09	475	-28	276								
D01209	APP BR4-Temp Works & Drainage Diversion DDA	92	92	20APR09	20JUL09	475	-28	226								
D01240	P&S BR4-Permanent Slopeworks DDA	62	62	17FEB09*	19APR09	445	-28	290								
D01245	APP BR4-Permanent Slopeworks DDA	122	122	20APR09	19AUG09	445	-28	210								
Section 16 (Portion B2)																
D01450	P&S B2-Permanent Works Intake AIP	62	0	17NOV08A	08JAN09A		0	397								
D01455	APP B2-Permanent Works Intake AIP	92	53	09JAN09A	10APR09	532	0	347								
D01466	P&S B2-Temp Works & Drainage Diversion AIP	62	7	25NOV08A	23FEB09	439	-28	400								
D01467	APP B2-Temp Works & Drainage Diversion AIP	92	92	24FEB09	26MAY09	439	-28	350								
Adits & Stilling Chambers																
D00530	P&S Adits & Stilling Chamber Temp Support DDA	63	49	03FEB09A	06APR09	88	-14	135								
D00535	APP Adits & Stilling Chamber Temp Support DDA	122	122	07APR09	06AUG09	88	-14	55								
D00540	P&S Adits Permanent Lining AIP	33	7	31OCT08A	23FEB09	0	-28	-251								
D00545	APP Adits Permanent Lining AIP	92	92	24FEB09	26MAY09	0	-28	-301								
D00560	P&S SCs Permanent Lining AIP	33	7	31OCT08A	23FEB09	0	-28	-223								
D00565	APP SCs Permanent Lining AIP	92	92	24FEB09	26MAY09	0	-28	-273								
Project Wide																
D00145	APP Detailed Const Risk Assess(Portals) DDA	42	7	02AUG08A	23FEB09	-107	-28	-118								
D00147	P&S Det Const Risk Assess Vol 1-(W0) DDA	24	0	09SEP08A	29JAN09A		-3	0								

NOV	DEC	JAN	FEB	MAR	APR	MAY
2008			2009			


Start Date 23NOV07
 Finish Date 08MAR12
 Data Date 17FEB09
 Run Date 21FEB09 17:13

█ Early Bar
█ Previous Month (901A)
█ Progress Bar
█ Critical Activity

902A
 Sheet 3 of 7
Design & Construction of HK. West Drainage Tunnel
 Contract No. DC/2007/10
3 MONTH ROLLING PROGRAMME
FEBRUARY/2009 MONTHLY REPORT



Date	Revision	Checked	Approved



Act ID	Activity Description	Orig Dur	Rem Dur	Early Start	Early Finish	Total Float	Previous Month 901A EF Variance	Approved Baseline 804B EF Variance	2008		2009							
									NOV	DEC	JAN	FEB	MAR	APR	MAY			
Site Installation - Phase 2																		
WPC0160	Conveyor Belt-(WP)	80	80	04MAR09	19JUN09	-36	0	-164										
WPC0180	Water Treatment Plant	52	52	27MAR09	09JUN09	-28	0	-135										
WPC0220	Gantry Crane	73	52	20JAN09A	23APR09	-35	0	-124										
WPC0240	Other Temp. Facilities for TMB Operation	100	79	20JAN09A	01JUN09	-52	0	-212										
WPC0260	Noise Enclosure	120	59	29SEP08A	05MAY09	-32	0	-192										
Slope Stabilization																		
WPD0290	BreakOut with PowerKing RockSplitter(to CH10533)	84	0	17OCT08A	24JAN09A		0	-23										
Milestone																		
Section 1 (Western Portal)																		
M6-1052	6.04B-Excavation 100% (Rectangular Trans Tunnel)	0	0		29DEC08A		0	0										
M6-1082	6.07B-Excavation 100% (Arch-shaped Trans Tunnel)	0	0		05FEB09A		-38	0										
CC7 - PART OF SECTION 1 OF THE WORKS (PORTION W0)																		
Construction																		
Preliminary Works																		
S010116	P&S Environmental Baseline Monitoring Report(W0)	12	0	10DEC08A	24DEC08A		16	-89										
S010121	TMLG submission, coordination & Approval - W0	48	0	03APR08A	15JAN09A		0	-105										
S010150	Site Possession - W0	0	0	28DEC08A			0	0										
S010160	Implement Traffic Divn Scheme-(W0)	7	0	29DEC08A	30JAN09A		0	-18										
S010170	Utilities Diversion (Light Post & Cable)by Other	6	0	07JAN09A	15JAN09A		0	-9										
S010200	Site Setting up/Mobilization-(W0)	24	0	24DEC08A	21JAN09A		11	11										
Preparation Works																		
S010180	Install Geotech Monitoring Instruments-(W0)	6	6	17FEB09	23FEB09	-37	-21	-39										
S010220	Pre-drilling & Grouting Works-(W0)	24	24	17FEB09	16MAR09	36	-14	-26										
Intakes - External Structures (Stage1)																		
S010190	Cofferdam Wall Driving-(W0)	65	65	24FEB09	21MAY09	-37	-21	-39										
Milestone																		
Section 1 (Portion W0)																		
M7-1010	7.01-Pre-drilling&Grouting Works(Dropshaft)	0	0		16MAR09	1,088	-17	-31										
CC8 - SECTION 2 OF THE WORKS (PORTION E5A)																		
Construction																		
Preliminary Works																		
S020040	Notify,Coord&Obtain Permit-Utility Prov - E5A	149	127	19JAN09A	03AUG09	91	0	-87										
S020114	Install ENV Instruments & start monitor(E5A)	12	0	23DEC08A	19JAN09A		139	139										
S020116	P & S Environmental Base Monitoring Report(E5A)	12	12	17FEB09	02MAR09	206	118	118										
S020120	P & S Tree Survey Report (E5A)	6	0	12DEC08A	06JAN09A		174	174										
CC9 - SECTION 3 OF THE WORKS (PORTION E5B)																		
Construction																		
Preliminary Works																		
S030020	Notify,Coord&Obtain Permit-Utility Prov - E5B	265	172	24OCT08A	30SEP09	75	0	-136										
S030120	P & S Tree Survey Report (E5B)	6	6	17FEB09	23FEB09	241	161	161										
CC10-SECTION 4 OF THE WORKS (PORTION MB16)																		
Construction																		
Preliminary Works																		
S040110	25 wks prior to Portion Possess Date-(MB16)	175	121	27NOV08A	17JUN09	9	0	9										
S040119	P & S Tree Survey Report (MB16)	6	0	06JAN09A	15JAN09A		63	49										
S040121	TMLG submission, coordination & Approval - MB16	48	48	17FEB09	18APR09	50	-21	-35										
CC11-SECTION 5 OF THE WORKS (PORTION MBD2)																		
Construction																		
Preliminary Works																		
S050030	Notify,Coord&Obtain Permit-Utility Prov - MBD2	149	127	19JAN09A	03AUG09	75	0	-87										
S050100	Notify SO for Portion Possession - MBD2	0	0		14MAY09*	2	0	0										
S050110	25 wks prior to Portion Possess Date-(MBD2)	175	175	15MAY09	05NOV09	3	0	0										
S050120	P & S Tree Survey Report (MBD2)	6	6	17FEB09	23FEB09	196	120	120										
S050125	TMLG submission, coordination & Approval - MBD2	48	48	15MAY09	17JUL09	88	0	0										
CC12-SECTION 6 OF THE WORKS (PORTION E7)																		
Construction																		
Preliminary Works																		
S060030	Notify,Coord&Obtain Permit-Utility Prov - E7	225	125	16OCT08A	31JUL09	757	0	-85										
S060100	Notify SO for Portion Possession - E7	0	0		03FEB09A		24	24										
S060110	25 wks prior to Portion Possess Date-(E7)	175	161	03FEB09A	27JUL09	29	29	29										
S060116	P & S Environmental Base Monitoring Report(E7)	12	0	10DEC08A	24DEC08A		101	101										
S060120	P & S Tree Survey Report (E7)	6	0	15DEC08A	05JAN09A		106	106										
S060125	TMLG submission, coordination & Approval - E7	48	48	17FEB09	18APR09	95	13	13										
CC13-SECTION 7 OF THE WORKS (PORTION THR2)																		
Construction																		
Preliminary Works																		
S070110	25 wks prior to Portion Possess Date-(THR2)	175	93	27NOV08A	20MAY09	23	0	23										
S070116	P & S Environmental Base Monitoring Report(THR2)	12	0	10DEC08A	24DEC08A		67	44										
S070120	P & S Tree Survey Report (THR2)	6	6	17FEB09	23FEB09	82	33	10										
CC14-SECTION 8 OF THE WORKS (PORTION GL1)																		
Construction																		
Preliminary Works																		
S080030	Notify,Coord&Obtain Permit-Utility Prov - GL1	364	343	19JAN09A	03MAY10	32	0	-285										
S080120	P & S Tree Survey Report (GL1)	6	0	04FEB09A	04FEB09A		310	310										
CC15-SECTION9 OF THE WORKS(PORTION HR1)																		
Construction																		
Preliminary Works																		
S090030	Notify,Coord&Obtain Permit-Utility Prov - HR1	243	222	24OCT08A	01DEC09	660	0	-186										
S090120	P & S Tree Survey Report (HR1)	6	6	17FEB09	23FEB09	361	284	284										

NOV	DEC	JAN	FEB	MAR	APR	MAY
2008			2009			

Start Date 23NOV07
 Finish Date 08MAR12
 Data Date 17FEB09
 Run Date 21FEB09 17:13

Early Bar
 Previous Month (901A)
 Progress Bar
 Critical Activity





902A
 Sheet 5 of 7
Design & Construction of HK. West Drainage Tunnel
 Contract No. DC/2007/10
3 MONTH ROLLING PROGRAMME
FEBRUARY/2009 MONTHLY REPORT



Date	Revision	Checked	Approved

Act ID	Activity Description	Orig Dur	Rem Dur	Early Start	Early Finish	Total Float	Previous Month 901A EF Variance	Approved Baseline 804B EF Variance	2008		2009				
									NOV	DEC	JAN	FEB	MAR	APR	MAY
CC16-SECTION 10 OF THE WORKS (PORTION DG1)															
Construction															
Preliminary Works															
S100114	Install ENV Instruments & start monitor(DG1)	12	0	24NOV08A	22DEC08A		252	252							
S100116	P & S Environmental Base Monitoring Report(DG1)	12	0	19JAN09A	09FEB09A		228	228							
S100120	P & S Tree Survey Report (DG1)	6	0	15DEC08A	06JAN09A		266	266							
CC17-SECTION 11 OF THE WORKS (PORTION BR4)															
Construction															
Preliminary Works															
S110120	P & S Tree Survey Report (BR4)	6	0	29JAN09A	04FEB09A		319	319							
CC18-SECTION 12 OF THE WORKS (PORTION W1)															
Construction															
Preliminary Works															
S120120	P & S Tree Survey Report (W1)	6	6	17FEB09	23FEB09	369	294	294							
CC19-SECTION 13 OF WORKS (PORTION BR5)															
Construction															
Preliminary Works															
S130120	P & S Tree Survey Report (BR5)	6	1	04FEB09A	17FEB09	384	308	308							
CC20-SECTION 14 OF THE WORKS (PORTION BR6)															
Construction															
Preliminary Works															
S140030	Notify,Coord&Obtain Permit-Utility Prov - BR6	386	342	24NOV08A	30APR10	10	0	-284							
S140114	Install ENV Instruments & start monitor(BR6)	12	0	24NOV08A	22DEC08A		291	291							
S140116	P & S Environmental Base Monitoring Report(BR6)	12	0	19JAN09A	09FEB09A		267	267							
S140120	P & S Tree Survey Report (BR6)	6	6	17FEB09	23FEB09	346	267	267							
CC21-SECTION 15 OF THE WORKS (PORTION W3)															
Construction															
Preliminary Works															
S150030	Notify,Coord&Obtain Permit-Utility Prov - W3	358	292	24NOV08A	27FEB10	590	0	-234							
S150120	P & S Tree Survey Report (W3)	6	6	17FEB09	23FEB09	324	243	243							
CC22-SECTION 16 OF THE WORKS (PORTION B2)															
Construction															
Preliminary Works															
S160120	P & S Tee Survey Report (B2)	6	6	17FEB09	23FEB09	493	417	417							
CC23-SECTION 17 OF THE WORKS (PORTION MA14)															
Construction															
Preliminary Works															
S170114	Install ENV Instruments & start monitor(MA14)	12	0	24NOV08A	22DEC08A		248	248							
S170116	P & S Environmental Base Monitoring Report(MA14)	12	0	19JAN09A	09FEB09A		224	224							
S170119	P & S Tree Survey Report (MA14)	6	6	17FEB09	23FEB09	305	224	224							
CC24-SECTION 18 OF THE WORKS (PORTION MA15)															
Construction															
Preliminary Works															
S180114	Install ENV Instruments & start monitor(MA15)	12	0	24NOV08A	22DEC08A		251	251							
S180116	P & S Environmental Base Monitoring Report(MA15)	12	12	17FEB09	02MAR09	297	209	209							
S180120	P & S Tree Survey Report (MA15)	6	6	03MAR09	09MAR09	297	215	215							
CC25-SECTION 19 OF THE WORKS (PORTION MA17)															
Construction															
Preliminary Works															
S190030	Notify,Coord&Obtain Permit-Utility Prov - MA17	339	246	24OCT08A	31DEC09	36	0	-158							
S190120	P & S Tree Survey Report (MA17)	6	0	29JAN09A	04FEB09A		211	211							
CC26-SECTION 20 OF THE WORKS (PORTION M3)															
Construction															
Preliminary Works															
S200120	P & S Tree Survey Report (M3)	6	6	17FEB09	23FEB09	267	186	186							
CC27-SECTION 21 OF THE WORKS (PORTION TP789)															
Construction															
Preliminary Works															
S210120	P & S Tree Survey Report (TP789)	6	0	15DEC08A	07JAN09A		170	170							
CC28-SECTION 22 OF THE WORKS (PORTION TP5)															
Construction															
Preliminary Works															
S220030	Notify,Coord&Obtain Permit-Utility Prov - TP5	265	172	24OCT08A	30SEP09	710	0	-84							
S220120	P & S Tree Survey Report (TP5)	6	1	06FEB09A	17FEB09	210	135	135							
CC29-SECTION 23 OF THE WORKS (PORTION TP4)															
Construction															
Preliminary Works															
S230100	Notify SO for Portion Possession - (TP4)	0	0		30APR09*	1	0	0							
S230110	25 wks prior to Portion Possess Date-(TP4)	175	175	01MAY09	22OCT09	4	0	0							
S230120	P & S Tree Survey Report (TP4)	6	0	08DEC08A	07JAN09A		148	148							
S230125	TMLG submission, coordination & Approval - TP4	48	48	04MAY09	06JUL09	86	0	0							
CC30-SECTION 24 OF THE WORKS (PORTION W5)															
Construction															
Preliminary Works															
S240030	Notify,Coord&Obtain Permit-Utility Prov - W5	239	172	24NOV08A	30SEP09	710	0	-66							
S240114	Install ENV Instruments & start monitor(W5)	12	12	23FEB09*	07MAR09	196	107	107							
S240116	P & S Environmental Base Monitoring Report(W5)	12	12	09MAR09	21MAR09	196	107	107							
S240120	P & S Tree Survey Report (W5)	6	0	29JAN09A	04FEB09A		158	158							

NOV	DEC	JAN	FEB	MAR	APR	MAY
2008			2009			

Start Date	23NOV07		Early Bar
Finish Date	08MAR12		Previous Month (901A)
Data Date	17FEB09		Progress Bar
Run Date	21FEB09 17:13		Critical Activity

902A
 Sheet 6 of 7
Design & Construction of HK, West Drainage Tunnel
Contract No. DC/2007/10
3 MONTH ROLLING PROGRAMME
FEBRUARY/2009 MONTHLY REPORT

Date	Revision	Checked	Approved

Act ID	Activity Description	Orig Dur	Rem Dur	Early Start	Early Finish	Total Float	Previous Month 901A EF Variance	Approved Baseline 804B EF Variance	2008		2009				
									NOV	DEC	JAN	FEB	MAR	APR	MAY
									CC31-SECTION 25 OF THE WORKS (PORTION CR1)						
Construction															
Preliminary Works															
S250030	Notify,Coord&Obtain Permit-Utility Prov - CR1	327	234	24OCT08A	15DEC09	648	0	-110							
S250120	P & S Tree Survey Report (CR1)	6	6	17FEB09	23FEB09	379	303	303							
CC32-SECTION 26 OF THE WORKS (PORTION RR1)															
Construction															
Preliminary Works															
S260030	Notify,Coord&Obtain Permit-Utility Prov - RR1	265	172	24OCT08A	30SEP09	710	0	-66							
S260100	Notify SO for Portion Possession - (RR1)	0	0		29APR09*	0	0	0							
S260110	25 wks prior to Portion Possess Date-(RR1)	175	175	30APR09	21OCT09	0	0	0							
S260114	Install ENV Instruments & start monitor(RR1)	12	0	23DEC08A	19JAN09A		113	113							
S260116	P & S Environmental Base Monitoring Report(RR1)	12	12	17FEB09	02MAR09	176	92	92							
S260120	P & S Tree Survey Report (RR1)	6	0	29JAN09A	10FEB09A		121	121							
CC33-SECTION 27 OF THE WORKS (PORTION W8)															
Construction															
Preliminary Works															
S270030	Notify,Coord&Obtain Permit-Utility Prov - W8	278	208	20NOV08A	14NOV09	674	0	-84							
S270114	Install ENV Instruments & start monitor(W8)	12	12	23FEB09*	07MAR09	225	135	135							
S270116	P & S Environmental Base Monitoring Report(W8)	12	12	09MAR09	21MAR09	225	135	135							
S270120	P & S Tree Survey Report (W8)	6	1	07FEB09A	17FEB09	253	175	175							
CC34-SECTION 28 OF THE WORKS (PORTION P5)															
Construction															
Preliminary Works															
S280030	Notify,Coord&Obtain Permit-Utility Prov - P5	247	172	14NOV08A	30SEP09	710	0	-48							
CC35-SECTION 29 OF THE WORKS (PORTION W10)															
Construction															
Preliminary Works															
S290030	Notify,Coord&Obtain Permit-Utility Prov - W10	190	125	26NOV08A	31JUL09	757	0	5							
S290100	Notify SO for Portion Possession - W10)	0	0		15APR09*	2	0	0							
S290110	25 wks prior to Portion Possess Date-(W10)	175	175	16APR09	07OCT09	2	0	0							
S290120	P & S Tree Survey Report (W10)	6	3	07FEB09A	19FEB09	175	102	102							
CC36-SECTION 30 OF THE WORKS (PORTION HKU1)															
Construction															
Preliminary Works															
S300020	Notify,Coord&Obtain Permit-Utility Prov - HKU1	218	146	24OCT08A	28AUG09	736	-21	-109							
S300100	Notify SO for Portion Possession - (HKU1)	0	0		21JAN09A		23	23							
S300110	25 wks prior to Portion Possess Date-(HKU1)	175	148	21JAN09A	14JUL09	31	31	31							
S300119	P & S Tree Survey Report (HKU1)	6	0	02DEC08A	07JAN09A		95	95							
CC37-SECTION 31 OF THE WORKS (PORTION PFLR1)															
Construction															
Preliminary Works															
S310930	25 wks prior to Portion Possess Date-(PFLR1)	175	121	27NOV08A	17JUN09	27	0	27							
S310936	P&S Environmental Base Monitoring Report(PFLR1)	12	0	10DEC08A	24DEC08A		67	68							
S310939	P & S Tree Survey Report (PFLR1)	6	0	05JAN09A	14JAN09A		64	65							
CC38-SECTION 32 OF THE WORKS (PORTION SM1)															
Construction															
Preliminary Works															
M3-1091	3.09-Commission of 100m Excav'n(7.25m dia)100%	0	0		14MAY09	1,029	0	0							
S320930	25 wks prior to Portion Possess Date-(SM1)	175	92	26NOV08A	19MAY09	9	0	9							
S320940	P & S Tree Survey Report (SM1)	6	0	02DEC08A	07JAN09A		70	34							

NOV	DEC	JAN	FEB	MAR	APR	MAY
2008			2009			

Start Date 23NOV07
 Finish Date 08MAR12
 Data Date 17FEB09
 Run Date 21FEB09 17:13

█ Early Bar
█ Previous Month (901A)
█ Progress Bar
█ Critical Activity

902A Sheet 7 of 7
Design & Construction of HK. West Drainage Tunnel
 Contract No. DC/2007/10
3 MONTH ROLLING PROGRAMME
FEBRUARY/2009 MONTHLY REPORT



Date	Revision	Checked	Approved

APPENDIX P
WASTE GENERATED QUANTITY

Monthly Waste Flow Table

Quarter ending	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated	Broken Concrete (see Note 3)	Reused in the Contract	Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper/ cardboard packaging	Plastics (see notes 2)	Chemical Waste	Others, e.g. general refuse
	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)	(in '000 m ³)
Feb-08											40 m ³
Mar-08					6 m ³						84 m ³
Apr-08					34 m ³						34 m ³
May-08					566 m ³			2 m ³			39 m ³
Jun-08					486 m ³	30 m ³				0.4 m ³	6 m ³
Jul-08					1311 m ³	3004 m ³				0.2 m ³	45 m ³
Aug-08			1100 m ³		904 m ³	2404 m ³		2 m ³		0.2 m ³	34 m ³
Sep-08			1620 m ³		64 m ³	11504 m ³					11 m ³
Oct-08			650 m ³		2488 m ³	1882 m ³					28 m ³
Nov-08					4211 m ³	102 m ³		3 m ³		0.2 m ³	22 m ³
Dec-08					9226 m ³			3 m ³			28 m ³
Jan-09			129 m ³		9530 m ³			2 m ³		1.3 m ³	39 m ³
Feb-09			199 m ³		5481 m ³			3 m ³			45 m ³
Mar-09											
Total	0	0	3698 m ³	0	34307 m ³	18926 m ³	0	15 m ³	0	2.3 m ³	455 m ³

- Notes:
- (1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
 - (2) Plastics refer to plastic bottles/containers, plastic/foam from packaging material.
 - (3) Broken concrete for recycling into aggregates.
 - (4) The Figures for February 2008 are as of 28-02-09.