

VW-VES

VW-VES (HK) Limited

Our Ref: HKSTF-VWVE-EPD-EIA-LE-160908-001

(By hand)

8 September 2016

The EIA Ordinance Register Office
Environmental Protection Department
27/F Southorn Centre
130 Hennessy Road
Wan Chai, Hong Kong

Attn: Mr Alex Tang


Dear Sir

**Contract No. EP/SP/58/08 – Sludge Treatment Facilities
Environmental Monitoring Results in Operation Phase - Landfill Gas Monitoring
(August 2016)**

We refer to the Clause 8.2.17 of the EM&A Manual and would like to submit herewith three hard copies and one electronic copy of the captioned for your information and record.

Should you have any queries, please do not hesitate to contact our Mr WB Chu on 2910 9666. Thank you for your kind attention.

Yours faithfully
For and on behalf of
VW-VES (HK) LIMITED



Vincent Deleu
Project Manager

VD/EZ/WB/hk

Attachment: Landfill Gas Monitoring Record (3 hard copies + 1CD)

cc: EPD – Davie Kan w/ 1 hard copy & w/o CD
Jacobs (ER) – Leslie Swann w/ 1 hard copy & w/o CD

T - PARK

No. 25 Nim Wan Road, Tsang Tsui, Tuen Mun, New Territories, Hong Kong
Tel: +852 2910 9600 • Fax: +852 2430 8011

www.veolia.com

operated by  **VEOLIA**

Sludge Treatment Facilities
Re : Landfill Gas Monitoring

Date	Gases	Measurement	Location			Remarks
			Monitoring Wells			
			No. 1	No. 2	No. 3	
24-Aug-16	Oxygen	> 19%	20.90%	20.90%	20.90%	ok
	Methane	< 10% LEL	0%	0%	0%	ok
	Carbon Dioxide	< 0.5%	500 ppm	500 ppm	500 ppm	ok