

Monthly Environmental Monitoring & Auditing Report for
Drainage Diversion Works for the Comprehensive Residential Development
at Various Lots in DD227 & DD229,
Tai Po Tsai, Sai Kung

December 2013

Environmental Pioneers & Solutions Limited

Flat A, 19/F, Chaiwan Industrial Centre,
20 Lee Chung Street, Chai Wan, Hong Kong
Tel: 2556 9172 Fax: 2856 2010

APPROVAL SHEET

The Contents of this report have been

Certified by:

ETL (Environmental Pioneers & Solutions Limited)

Signature:



Ms. Goldie Fung
(Environmental Team Leader)

Date:

24-JAN-2014

and Verified by:

IEC (ENVIRON Hong Kong Limited)

Signature:



Mr. Tony Cheng
(IEC)

Date:

24-Jan-2014

TABLE OF CONTENT

1	Introduction	7
2	Project Information	7
3	Project Organization	8
	3.1 Key personal contact information chart	8
4	Construction Stage.....	9
	4.1 Construction Activities in Reporting Period	9
	4.2 Construction Activities for Coming Months	9
	4.3 Environmental Status.....	9
5	Noise Monitoring	10
	5.1 Monitoring Parameters and Methodology	10
	5.2 Monitoring Equipment	10
	5.3 Monitoring Locations.....	11
	5.4 Monitoring Frequency	13
	5.5 Monitoring Results and Interpretation	13
	5.6 Action and Limit Level for Construction noise.....	14
	5.7 Monitoring Schedule for the next reporting period.....	19
6	Water Monitoring	20
	6.1 Water Quality Monitoring Parameters and Methodology	20
	6.2 Monitoring Equipment	20
	6.3 Monitoring Locations.....	21
	6.4 Monitoring Frequency	23
	6.5 Monitoring Results and Interpretation	23
	6.6 Action and Limit Level for Water Quality	24
	6.7 Monitoring Schedule for Next Reporting Period	30
7	Air Quality Monitoring	31
	7.1 Monitoring Methodology and Parameters	31
	7.2 Monitoring Equipment	31
	7.3 Monitoring Locations.....	32
	7.4 Monitoring Frequency	34
	7.5 Monitoring Results and Interpretation	34
	7.6 Action and Limit Level for 1-hr TSP and 24-hrs TSP	35
	7.7 Monitoring Schedule for Next Reporting Period	40
8	Ecology	40
9	Action Taken in Event of Exceedance	40
10	Construction Waste Disposal.....	40
11	Status of Permits and Licenses	43

12	Compliant Log	44
13	Site Environmental Audits	44
	13.1 Site Inspection	44
	13.2 Compliance with Legal and Contractual Requirement	45
	13.3 Implementation Status and Effectiveness of Mitigation Measures	45
14	Future Key Issues and Recommendations	45
15	Conclusions	46

LIST OF APPENDIXES

Appendix A: Construction Master Programme and Site Location Plan

Appendix B: Key Personal Contact Information Chart

Appendix C: Calibration Certificates for Measuring Instruments

Appendix D: Construction Noise Monitoring Data

Appendix E: Water Quality Monitoring Data

Appendix F: Air Quality Monitoring Data

EXECUTIVE SUMMARY

This is the sixteenth monthly Environmental Monitoring and Audit (EM&A) Report for Drainage Diversion Works for the Comprehensive Residential Development at Various Lots in DD227 & DD229, Tai Po Tsai, Sai Kung under New World Project Management Ltd. This report concludes the impact monitoring for the activities undertaken during the period from 1st of December 2013 to 31st of December 2013. No construction activities were carried out during this reporting period.

The Environmental Team (ET) is responsible for the EM&A works required in the Particular Specifications (PS). Site inspections were carried out on weekly basis to investigate and audit the equipment and work methodologies with respect to pollution control and environmental mitigation. The weekly inspections and photos records were kept.

Noise, water quality and air quality monitoring were performed during the reporting period. Results were compared with the established Action/Limit (A/L) level.

In general, waste management was satisfactory during the reporting period.

Impact monitoring for construction noise was conducted in the reporting period. No exceedance of A/L level was reported.

Impact monitoring for water quality was conducted. Total 4 numbers of exceedances were recorded in this reporting period. For the non-compliance events, the site investigation for the abnormal incidents was carried out on the same day and found that no drainage diversion works had been carried out at the river bed. It was believed that the exceedance records at W2 were caused by natural fluctuation, since the records of SS at control station have been recorded relatively high. The exceedance records at W2 was unlikely to be related to the drainage diversion works.

Impact monitoring for air quality was conducted. Total 4 numbers of exceedances (24-hrs TSP) were recorded in this reporting period. For the non-compliance events, it was believed that the exceedances were not caused

by drainage diversion works, since the drainage diversion works have been completed.

There was no complaint, notification of any summons and successful prosecutions against the project received during the reporting period.

As the drainage diversion works have been completed, the impact monitoring for noise, water and air will be terminated in the coming months. The proposal for termination of EM&A monitoring has been submitted to EPD for Approval.

1 Introduction

This is the sixteenth Environmental Monitoring and Audit (EM&A) Report for Drainage Diversion Works for the Comprehensive Residential Development at Various Lots in DD227 & DD229, Tai Po Tsai, Sai Kung under New World Project Management Ltd.. The site layout plan is shown in **Appendix A**. The Environmental Team, Environmental Pioneers & Solutions Limited was appointed by Hip Seng Construction Company Limited to prepare the report. The report is to be submitted to the Contractor, the Engineer and the IEC.

This report presents the results of the environmental monitoring of the project activities conducted within the reporting period from 1st of December 2013 to 31st of December 2013. This report included the noise monitoring, water quality monitoring, air quality monitoring and regular site inspections for verification of implementation of the mitigation measures as recommended in the Environmental Permit (FEP-02/428/2011/A) (EP), PS and the Contractor's Environmental Management Plan (EMP).


2 Project Information

Construction works of "Drainage Diversion Works for the Comprehensive Residential Development at Various Lots in DD227 & DD229, Tai Po Tsai, Sai Kung" project has been commenced in Sep 2012 and is expected to completed by December 2013. Construction master program is shown in **Appendix A**.

3 Project Organization

The Main Contractor, Hip Seng Construction Company Limited, has commissioned Environmental Pioneers & Solutions Limited as the Environmental Team, which comprises the environmental team leader, the environmental technicians to undertake the environmental monitoring and audit work for this project.

The Environmental management structure is shown in Fig. 3.1



3.1 Key personal contact information chart

Detail contact of key persons involved in environmental aspect of the project is shown in **Appendix B**.

4 Construction Stage

4.1 Construction Activities in Reporting Period

Major activities in the reporting period included the followings:

- N/A

4.2 Construction Activities for Coming Months

Proposed key construction works in the coming month will include:

- N/A

4.3 Environmental Status

The site layout plan is shown in **Appendix A**.

Locations of the monitoring and control stations with environmental sensitive receivers are presented in Section 5.3, 6.3, and 7.3 for noise monitoring, water quality monitoring, and air quality monitoring respectively.

5 Noise Monitoring

5.1 Monitoring Parameters and Methodology

The construction noise level was measured in terms of the A-weighted equivalent continuous sound pressure level (L_{eq}). $L_{eq(30minutes)}$ was used as the monitoring parameter for the impact monitoring in the time period between 0700 to 1900 hours on normal weekdays. For all other time period, $L_{eq(5minutes)}$ was employed for comparison with the Noise Control Ordinance (NCO) criteria.

Noise measurement results obtained from each monitoring location were recorded in the Construction Noise Monitoring Data Sheet immediately after the measurement. As supplementary information for data auditing, statistical results L_{10} and L_{90} were also be recorded for reference.

In case of non-compliance with the construction noise criteria, more frequent monitoring, as specified in the Action plan in Table 5.7.2, shall be carried out. This additional monitoring shall be carried out until the recorded noise levels are rectified or proved to be irrelevant to the construction activities.

5.2 Monitoring Equipment

The sound level meters and calibrators comply with the International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications as referred to in the Technical Memorandum (TM) to the Noise Control Ordinance was deployed as monitoring equipment for noise measurement.

Noise measurement was not be made in the presence of fog, rain, wind with a steady speed exceeding $5ms^{-1}$ or wind with gust exceeding $10ms^{-1}$. Thus wind speed was checked by the portable wind speed indicator capable of measuring the wind speed in m/s. Table 5.2.1 summarizes the equipment list for noise monitoring

Table 5.2.1 Equipment List for Noise Monitoring

Equipment	Manufacturer & Model No.	Precision Grade	Qty
Integrated sound level meter	SVAN 955 & S/N: 27301	IEC 651 Type 1 IEC 804 Type 1	1
Acoustical calibrator	SV30A & S/N:32538	IEC 942 Type 1	1
Remarks: Calibration details of the sound level meter and acoustical calibrator are given in Appendix C for reference			

5.3 Monitoring Locations

According to the PS, impact noise monitoring was undertaken at four locations during the construction phase of the project. The monitoring locations are summarized in Table 5.3.1 and are shown in Figure 5.3.1.

Noise measurement for N4 location was taken at a point 1m from the exterior of the selected premises and at a height with no disturbance to the dweller and least obstructed view, so that façade measurement was made for monitoring location N4 and the free field measurements were made for monitoring locations N1, N2 and N3.

Table 5.3.1 Noise Monitoring Locations during Construction Phase

Identification No.	Noise Monitoring Locations
N1	Staff Quarters 1-12, HKUST
N2	174, Lots in DD227 & DD229, Tai Po Tsai, Sai Kung
N3	152A, Lots in DD227 & DD229, Tai Po Tsai, Sai Kung
N4	109, Lots in DD227 & DD229, Tai Po Tsai, Sai Kung

In accordance with the requirements in the PS, weekly impact monitoring was conducted. For the time period between 0700 and 1900 hours on normal weekdays, and noise parameter of $L_{eq(30minutes)}$ was measured. As if the construction works were carried out during restricted period (i.e. 1900-2300, 2300-0700 of next day and Sundays / general holiday), impact monitoring that comprises 3 consecutive $L_{eq(5minutes)}$ would be carried out.




Figure 5.3.1 Impact noise monitoring locations

5.4 Monitoring Frequency

The regular monitoring for each location was performed on a basis of once in every 6 days.

Monitoring was carried out on 4th, 10th, 16th, 21st and 27th of December 2013.

5.5 Monitoring Results and Interpretation

Relevant details of the noise monitoring results are presented in Table 5.5.1. The results of N1 ranged between 59.2dB (A) and 63.9dB (A), N2 ranged between 58.0dB (A) and 69.5dB (A), N3 ranged between 59.3dB (A) and 68.2dB (A) and N4 ranged between 64.7dB (A) and 68.1dB (A) were within the limit levels and therefore no exceedance was found.

Location	Parameter	Date	Time	L _{Aeq} dB(A)	Limit dB(A)	Exceedance	Weather
*N1	Leq30min	4-Dec-13	9:15	61.9	75	N	Sunny
*N1	Leq30min	10-Dec-13	9:10	60.6	75	N	Cloudy
*N1	Leq30min	16-Dec-13	8:52	59.2	75	N	Cloudy
*N1	Leq30min	21-Dec-13	9:20	60.9	75	N	Sunny
*N1	Leq30min	27-Dec-13	9:01	63.9	75	N	Sunny
*N2	Leq30min	4-Dec-13	9:51	58.0	75	N	Sunny
*N2	Leq30min	10-Dec-13	9:46	69.5	75	N	Cloudy
*N2	Leq30min	16-Dec-13	9:28	60.3	75	N	Cloudy
*N2	Leq30min	21-Dec-13	9:56	59.6	75	N	Sunny
*N2	Leq30min	27-Dec-13	9:36	60.6	75	N	Sunny
*N3	Leq30min	4-Dec-13	10:26	68.2	75	N	Sunny
*N3	Leq30min	10-Dec-13	10:22	59.9	75	N	Cloudy
*N3	Leq30min	16-Dec-13	10:04	59.3	75	N	Cloudy
*N3	Leq30min	21-Dec-13	10:31	62.1	75	N	Sunny
*N3	Leq30min	27-Dec-13	10:12	68.1	75	N	Sunny
N4	Leq30min	4-Dec-13	11:02	66.7	75	N	Sunny
N4	Leq30min	10-Dec-13	11:00	66.7	75	N	Cloudy
N4	Leq30min	16-Dec-13	10:40	66.4	75	N	Cloudy

N4	Leq30min	21-Dec-13	11:10	68.1	75	N	Sunny
N4	Leq30min	27-Dec-13	10:50	64.7	75	N	Sunny

*The equivalent noise level of N1, N2 and N3 is corrected by +3dB(A).

Remarks: Raw datasheet for noise monitoring are attached in **Appendix D** for reference.

5.6 Action and Limit Level for Construction noise

The Action and Limit (A/L) levels for construction noise are defined in Table 5.6.1. Should non-compliance of the criteria occur, action in accordance with the Action Plan in Table 5.6.2 should be carried out.

There was no exceedance recorded in the reporting period.

Table 5.6.1 Action and Limit Levels for Construction Noise at All Sensitive Receivers		
Time Period	Action	Limit
Daytime 0700 – 1900 hrs on normal weekdays	When one documented complaint is received	75 dB(A)*
1900 – 2300 on all days and 0700 – 2300 on general holidays (including Sundays)		60/65/70 dB(A)**
2300 – 0700 on all days		45/50/55 dB(A)**

Table 5.6.2 Event / Action Plan for Construction Noise

EVENT	ET Leader	IEC	ER	CONTRACTOR
Exceedance for one sample in Action Level	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures. 2. Inform ER, IEC and Contractor. 3. Repeat measurement to confirm finding. 4. Increase monitoring frequency to daily. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET. 2. Check Contractor's working method. 	<ol style="list-style-type: none"> 1. Notify Contractor. 	<ol style="list-style-type: none"> 1. Rectify any unacceptable practice. 2. Amend working methods if appropriate.

<p>Exceedance for two or more consecutive samples in Action Level.</p>	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures. 2. Inform IEC and Contractor. 3. Repeat measurements to confirm findings. 4. Increase monitoring frequency to daily. 5. Discuss with IEC and Contractor on remedial actions. 6. If exceedance continues, arrange meeting with IEC and ER. 7. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Checking monitoring data submitted by ET. 2. Check Contractor's working method. 3. Discuss with ET and Contractor on possible remedial measures. 4. Advise the ER on the effectiveness of the proposed remedial measures. 5. Supervisor implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify Contractor. 3. Ensure remedial measures properly implemented. 	<ol style="list-style-type: none"> 1. Submit proposals for remedial actions to IEC within three working days of notification. 2. Implement the agreed proposals. 3. Amend proposals if appropriate.
--	--	---	---	--

<p>Exceedance for on sample in Limit Level</p>	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures. 2. Inform ER, Contractor and EPD. 3. Repeat measurement to confirm finding. 4. Increase monitoring frequency to daily. 5. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results. 	<ol style="list-style-type: none"> 1. Checking monitoring data submitted by ET 2. Check Contractor's working method 3. Discuss with ET and Contractor on possible remedial measures 4. Advise the ER on the effectiveness of the proposed remedial measures. 5. Supervisor implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify Contractor. 3. Ensure remedial measures properly implemented. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit proposals for remedial actions to IEC within three working days of notification. 3. Implement the agreed proposals. 4. Amend proposal if appropriate.
--	---	--	---	--

<p>Exceedance for two or more consecutive samples in Limit Level</p>	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures. 2. Notify IEC, ER, Contractor and EPD. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency to daily. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. Arrange meeting with IEC and ER to discuss the remedial actions to be 	<ol style="list-style-type: none"> 1. Discuss amongst ER, ET and Contractor on the potential remedial actions. 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly. 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify Contractor. 3. In consultation with the IEC, agree with the Contractor on the remedial measures to be implemented. 4. Ensure remedial measures properly implemented 5. If exceedance continues consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated remedial 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit proposals for remedial actions to IEC within three working days of notification. 3. Implement the agreed proposals. 4. Resubmit proposals if problem still not under control. 5. Stop the relevant portion of works as determined by the ER until the exceedance is abated.
--	---	---	--	---

	Informed of the results			
	8. If exceedance stops, cease additional monitoring			

5.7 Monitoring Schedule for the next reporting period

As the drainage diversion works have been completed, no monitoring will be carried out in next month.

6 Water Monitoring

6.1 Water Quality Monitoring Parameters and Methodology

Turbidity in Nephelometric Turbidity Unit (NTU), and Dissolved Oxygen (DO) in mg/L, temperature, water depth and pH measurements were in-situ measurements and suspended solids measurements were performed by a HOKLAS accredited laboratory using recommended reference method APHA 2540D.

6.2 Monitoring Equipment

Turbidity, DO, Salinity, pH and temperature was measured by an instrument complied with the following requirements:

The instrument is a portable as well as weatherproof multimeter complete with cable and uses a DC power source. It is capable of measuring:

- A turbidity between 0-1000NTU;
- A dissolved Oxygen level in the range of 0-20mg/L and 0-200% saturation;
- A temperature of 0-50°C;
- pH in the range of 0-14.

The measurements were performed by a portable and weatherproof multi-meter. The equipment was calibrated and verified by certified laboratory every 3 months to ensure they perform to the same level of accuracy as stated in the manufacturer's specification. Detailed calibration records of the multi-meter were shown in **Appendix C** for reference

Suspended solids were determined by the water samples collected from the monitoring locations for further analysis in accredited HOKLAS laboratory. Water samples were contained by polythene bottles, packed in ice (cooled in 4°C without frozen) and delivered to the laboratory for analysis as soon as possible after collection.

Since water depths for all monitoring stations were less than 0.5m during the impact measurement period, only mid-depth level was monitored. The

monitoring parameters and measurement methods of water quality monitoring are summarized in Table 6.2.1.

Table 6.2.1 – Water Quality Monitoring Parameters and Measurement Methods	
Parameter	Measurement Method
Temperature (°C)	<i>in-situ</i>
Turbidity (NTU)	
pH	
Dissolved Oxygen (mg/L and %)	
Suspended Solids (mg/L)	Reference method APHA 2540D

6.3 Monitoring Locations

In accordance with the PS, monitoring stations were established at two locations, which are summarized in Table 6.3.1.

Table 6.3.1 – Water Quality Monitoring Locations		
Monitoring Station	Coordinates	
	Easting	Northing
W1 (upstream)	E:844944	N:821720
W2 (downstream)	E:844959	N:822249

As illustrated in Figure 6.3.1, W1 served as the control station while W2 was the monitoring location of water quality.

In accordance with the PS, measurements shall be taken at 3 water depths, namely, 1m below water surface, mid-depth and 1m above river bed, except where the water depth less than 6m, the mid-depth station may be omitted. Should the water depth be less than 3m, only the mid-depth station will be monitored.

As the depth of water was less than 3m, water samples were collected at mid-depth of each monitoring stations for measurements and sample collection.



Figure 6.3.1 Water Quality Monitoring Locations

6.4 Monitoring Frequency

Water quality monitoring for each monitoring station was performed at mid-depth for 3 days per week during the course of the construction river works.

Monitoring was carried out on 3rd, 5th, 7th, 10th, 12th, 14th, 17th, 19th, 21st, 24th, 28th and 31st of December 2013.

6.5 Monitoring Results and Interpretation

Water quality monitoring was carried out twelve times in this reporting month. Detailed on-site measurements are shown in Appendix E. Table 6.5.1 presents consolidated results throughout the reporting month.

There was 4 numbers of exceedances (SS) was recorded in this reporting period as shown in Table 6.5.2. ET has arranged site investigation for the abnormal incidents on the same day and found that no construction activities had been carried out at the river bed. It was believed that the exceedances of water quality were not affected by the construction activities, since the records of SS at control station have been recorded relatively high. We believed that the exceedance records at W2 were caused by natural fluctuation. Therefore, the exceedance records at W2 were unlikely to be related to the drainage diversion works.

	Average of Monitoring Results					
	<i>Temperature</i> (°C)	<i>Turbidity</i> (NTU)	<i>pH</i>	<i>Dissolved Oxygen</i> (mg/L)	<i>Dissolved Oxygen</i> (%)	<i>Suspended Solids</i> (mg/L)
W1	19.0	5.1	8.01	8.03	85.8	14.7
W2	19.1	5.6	8.02	7.96	85.2	15.3

Table 6.5.2 4 numbers of exceedances during the reporting month

Date	Location	Parameter		Interpretations
		SS (mg/l)	Exceedance	
14/12/2013	W1	27	N/A	Exceedances were caused by natural fluctuation
	W2	30	Limit level	
17/12/2013	W1	32	N/A	
	W2	31	Limit level	
19/12/2013	W1	43	N/A	
	W2	45	Limit level	
21/12/2013	W1	47	N/A	
	W2	50	Limit level	

6.6 Action and Limit Level for Water Quality

Based on the criteria stipulated in PS (Table 6.6.1) and baseline water quality monitoring data obtained, the A/L levels are shown in Table 6.6.2. The A/L levels for W1 were ignored since W1 functions as the control station for the project. If the water quality monitoring results at any impact stations exceeded the criteria, the actions in accordance with the Event and Action Plan in Table 6.6.3 should be taken.

Table 6.6.1 Action and Limit Levels for Water Quality at All Monitoring Stations		
Parameters	Action	Limit
DO in mg/L	5 percentile of baseline data	4 mg/L or 1 percentile of baseline data
SS in mg/L	95 percentile of baseline data or 120% of upstream control station's SS recorded on the same day	99 percentile of baseline data or 130% of upstream control station's SS recorded on the same day

Turbidity in NTU	95 percentile of baseline data or 120% of upstream control station's Turbidity recorded on the same day	99 percentile of baseline data or 130% of upstream control station's Turbidity recorded on the same day
pH	<6.5 or >8.4 or > the upstream control station's pH recorded on the same day	<6.0 or >9.0

Table 6.6.2 Action and Limit Levels for Water Quality at All Monitoring Stations

Parameters	Monitoring Stations	
	W2	
	Action Level	Limit Level
DO in mg/L	6.42	6.24
SS in mg/L	18.9	19.8
Turbidity in NTU	6.2	6.2
pH	<6.5 or >8.4	<6.0 or >9.0

Remarks:

1. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
2. For SS and Turbidity, non-compliance of the water quality limits occurs when monitoring results is higher than the limits.
3. For pH, for the action level, reference is made to the data recorded at EPD' river monitoring stations at the nearby Tseng Lan Shue Stream (JR3, JR6 and JR22) from year 2006 to 2010; while the limit level is referring to the water quality objective for Inland Water of Junk Bay Water Control Zone.

Table 6.6.3 Event and action Plan for Water Quality

Event	ET Leader	IEC	ER	Contractor
ACTION LEVEL				
Exceedance for one sample day	<ol style="list-style-type: none"> 1. Repeat in-site measurement to confirm findings. 2. Identify source(s) of impact. 3. Inform IEC and Contractor. 4. Check monitoring data, all plant, equipment and Contractor's working methods. 5. Discuss mitigation measures with IEC and Contractor. 6. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures. 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; 3. Assess effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures. 2. Make agreement on mitigation measures to be implemented. 3. Assess effectiveness of implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing. 2. Rectify unacceptable practice. 3. Check all plant and equipment. 4. Consider changes of working methods. 5. Discuss with ET, IEC and propose mitigation measures to IEC and ER. 6. Implement the agreed mitigation measures.

<p>Exceedance for more than one consecutive sampling days</p>	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm findings. 2. Identify source(s) of impact. 3. Inform IEC and Contractor. 4. Check monitoring data, all plant, equipment and Contractor's working methods. 5. Discuss mitigation measures with IEC and Contractor. 6. Ensure mitigation measures are implemented. 7. Prepare to increase the monitoring frequency to daily. 8. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures. 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly. 3. Assess effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures. 2. Make agreement on the mitigation measures to be implemented. 3. Assess effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing. 2. Rectify unacceptable practice. 3. Check all plant and equipment. 4. Consider changes of working methods. 5. Discuss with ET and IEC and propose mitigation measures within three working days. 6. Implement the agreed mitigation measures.
---	---	---	--	---

LIMIT LEVEL				
Exceedance for one sampling day	<ol style="list-style-type: none"> 1. Repeat in-situ measurements to confirm findings. 2. Identify source(s) of impact. 3. Inform EPD, IEC, Contractor. 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor. 6. Ensure mitigation measures are implemented. 7. Increase the monitoring frequency to daily until no exceedance of Limit level. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures. 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly. 3. Assess effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures. 2. Request Contractor to critically review the working methods. 3. Make agreement on the mitigation measures to be implemented. 4. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing. 2. Rectify unacceptable practice. 3. Check all plant and equipment. 4. Consider changes of working methods. 5. Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER within three working days. 6. Implement the agreed mitigation measures.
Exceedance for more than on	<ol style="list-style-type: none"> 1. Repeat in-situ measurements to confirm 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and 	<ol style="list-style-type: none"> 1. Inform the ER and confirm

<p>consecutive sampling days</p>	<p>findings. 2. Identify source(s) of impact. 3. Inform EPD, IEC and Contractor. 4. Check monitoring data, all plant, equipment and Contractor's working methods. 5. Discuss mitigation measures with IEC, ER and Contractor. 6. Ensure mitigation measures are implemented. 7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days.</p>	<p>on the mitigation measures. 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly. 3. Assess the effectiveness of the implemented mitigation measures.</p>	<p>Contractor on the proposed mitigation measures. 2. Request Contractor to critically review the working methods. 3. Make agreement on the mitigation measures to be implemented. 4. Assess the effectiveness of the implemented mitigation measures. 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the</p>	<p>notification of the non-compliance in writing. 2. Rectify unacceptable practice. 3. Check all plant and equipment. 4. Consider changes of working methods. 5. Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER within three working days. 6. Implement the agreed mitigation measures. 7. As directed by the ER, to slow down or to stop all or part of the work or construction activities.</p>
----------------------------------	---	--	--	--

			work until no exceedanc e of Limit Level.	
--	--	--	---	--

6.7 Monitoring Schedule for Next Reporting Period

As the drainage diversion works have been completed, no monitoring will be carried out in next month.

7 Air Quality Monitoring

7.1 Monitoring Methodology and Parameters

1-hr and 24-hrs air quality monitoring have been carried out during the reporting period.

Measurements of 1-hr TSP monitoring were taken by a Dust Trak aerosol monitor or its equivalent that is a portable and battery-operated laser photometer capable of performing real time 1-hr TSP measurements.

24-hrs TSP was measured by the High Volume Sampler. The filter papers for each monitoring locations were sent to the accredited HOKLAS laboratory for further analysis.

Other relevant data such as monitoring location, time, weather conditions and any other special phenomena at the construction site were recorded during the measurement period.

7.2 Monitoring Equipment

24-hrs TSP was measured by the High Volume Sampler. And the 3 sets of 1-hr TSP were carried out by the portable dust meter. The measurement equipments are listed in Table 7.2.1 and Calibration Certificates of the equipments are shown in **Appendix C**.

Table 7.2.1 Air Quality Monitoring Equipments

Equipment	Manufacturer & Model No.	Parameter	Qty
Laser Dust Monitor	1. AM510	1-hr TSP	4
High Volume Sampler	TE-5025A	24-hrs TSP	4

7.3 Monitoring Locations

Monitoring locations were established at 4 locations, which are summarized in Table 7.3.1 and are shown in Figure 7.3.1

Table 7.3.1 Air Quality Monitoring Locations

Identification No.	TSP Monitoring Locations
D1	Staff Quarters 1-12, HKUST
D2	174, Lots in DD227 & DD229, Tai Po Tsai, Sai Kung
D3	152A, Lots in DD227 & DD229, Tai Po Tsai, Sai Kung
D4	109, Lots in DD227 & DD229, Tai Po Tsai, Sai Kung

The 24-hrs TSP monitoring was terminated at D1, as a complaint was received from EMSD and Lands Department due to the obstruction of electric cable and the cage of High Volume Sampler at D1. The electric cable and the cage have been removed accordingly. The monitoring for 24-hrs TSP at D1 was terminated from 1st December 2013 to 31st December 2013.




Figure 7.3.1 Air Quality Monitoring Locations

7.4 Monitoring Frequency

For 1-hr and 24-hrs TSP monitoring, the sampling frequency of at least once in every six days.

Monitoring was carried out on 4th, 10th, 16th, 21st and 27th of December 2013.

7.5 Monitoring Results and Interpretation

1-hr TSP and 24-hrs TSP were carried out during this reporting. There was 4 numbers of exceedances (24-hrs TSP) were recorded in this reporting period as shown in Table 7.5.3. It was believed that the exceedances of air quality were not affected by the drainage diversion works, since the drainage diversion works have been completed. Therefore, the exceedance records were unlikely to be related to the drainage diversion works.

1-hr TSP monitoring was conducted at four designated monitoring locations. The monitoring results are summarized in Table 7.5.1.

Location	Range ($\mu\text{g}/\text{m}^3$) (Min – Max)	Average ($\mu\text{g}/\text{m}^3$)
D1	89.0-267.0	171.9
D2	92.0-269.0	173.9
D3	103.0-261.0	185.7
D4	103.0-288.0	194.4

24-hrs TSP monitoring data was obtained at four designated monitoring locations. The monitoring results are summarized in Table 7.5.2.

Location	Range ($\mu\text{g}/\text{m}^3$) (Min – Max)	Average ($\mu\text{g}/\text{m}^3$)
*D1	N/A	N/A
D2	11.0-226.5	122.1
D3	34.1-160.2	79.3
D4	32.7-271.3	100.7

*As a complaint was received from EMSD and Lands Department due to obstruction of electric cable and the cage at monitoring location D1, the termination of 24-hrs TSP monitoring at D1 was started on 1st December 2013.

Details of the monitoring data were presented in **Appendix F**.

Table 7.5.3 4 number of exceedances during the reporting month

Date	Location	Parameter		Interpretations
		24- Hrs TSP ($\mu\text{g}/\text{m}^3$)	Exceedance	
04/12/2013	D2	210.5	Action Level	Exceedance was caused by other construction activities, which are out of the scope of project.
4/12/2013	D3	160.2	Action Level	
10/12/2013	D2	226.5	Action Level	
10/12/2013	D4	271.3	Limit Level	

7.6 Action and Limit Level for 1-hr TSP and 24-hrs TSP

The Action and Limit levels for all monitoring stations are summarized in Table 7.6.1 and Table 7.6.2, which would be applied for compliance assessment of air quality for this project. If the air quality monitoring results at any impact stations exceeded the criteria, the actions in accordance with the Event and Action Plan in Table 7.6.3 should be taken.

Total 4 numbers of exceedances (24-hrs TSP) were recorded during the reporting period. It was believed that the exceedances of air quality were not to be related to the project.

Table 7.6.1 Action and Limit Levels for 1-hr TSP at All Monitoring Stations

Monitoring Station	Monitoring Frequency	Action Level	Limit Level
D1	1-hr	285.6 µg/m ³	500 µg/m ³
D2		279.4 µg/m ³	500 µg/m ³
D3		289.4 µg/m ³	500 µg/m ³
D4		284.3 µg/m ³	500 µg/m ³

Table 7.6.2 Action and Limit Levels for 24-hrs TSP at All Monitoring Stations

Monitoring Station	Monitoring Frequency	Action Level	Limit Level
D1	24-hrs	156.4 µg/m ³	260 µg/m ³
D2		153.8 µg/m ³	260 µg/m ³
D3		155.2 µg/m ³	260 µg/m ³
D4		158.0 µg/m ³	260 µg/m ³

Table 7.6.3 Event and action Plan for Air Quality

Event	ET Leader	IEC	ER	Contractor
ACTION LEVEL				
Exceedance for one sample	<ol style="list-style-type: none"> Identify source, investigate the causes of exceedance and propose remedial measures. Inform ER, IEC and Contractor. Repeat measurement to confirm finding. 	<ol style="list-style-type: none"> Check monitoring data submitted by ET. Check Contractor's working method. 	<ol style="list-style-type: none"> Notify Contractor. 	<ol style="list-style-type: none"> Rectify any unacceptable practice. Amend working methods if appropriate.

	4. Increase monitoring frequency to daily.			
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures. 2. Inform IEC and Contractor. 3. Repeat measurements to confirm findings 4. Increase monitoring frequency to daily. 5. Discuss with IEC and Contractor on remedial actions. 6. If exceedance continues, arrange meeting with IEC and ER 7. If exceedance stops, cease additional 	<ol style="list-style-type: none"> 1. Checking monitoring data submitted by ET. 2. Check Contractor's working method. 3. Discuss with ET and Contractor on Possible remedial measures. 4. Advise the ER on the effectiveness of the proposed remedial measures. 5. Supervisor implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify Contractor. 3. Ensure remedial measures properly implemented 	<ol style="list-style-type: none"> 1. Submit proposals for remedial actions to IEC within three working days of notification. 2. Implement the agreed proposals. 3. Amend proposal if appropriate.

	monitoring.			
LIMIT LEVEL				
Exceedance for one sample	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures. 2. Inform ER, Contractor and EPD. 3. Repeat measurement to confirm finding. 4. Increase monitoring frequency to daily. 5. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the result. 	<ol style="list-style-type: none"> 1. Checking monitoring data submitted by ET. 2. Check Contractor's working method 3. Discuss with ET and Contractor on possible remedial measures 4. Advise the ER on the effectiveness of the proposed remedial measures. 5. Supervisor implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify Contractor. 3. Ensure remedial measures properly implemented. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit proposals for remedial actions to IEC within three working days of notification. 3. Implement the agreed proposals. 4. Amend proposal if appropriate.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose 	<ol style="list-style-type: none"> 1. Discuss amongst ER, ET and Contractor on the potential 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit

	<p>remedial measures.</p> <p>2. Notify IEC, ER, Contractor and EPD.</p> <p>3. Repeat measurement to confirm findings.</p> <p>4. Increase monitoring frequency to daily.</p> <p>5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented.</p> <p>6. Arrange meeting with IEC and ER to discuss the remedial actions to be taken.</p> <p>7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD</p>	<p>remedial actions.</p> <p>2. Reviews Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly.</p> <p>3. Supervisor the implementation of remedial measures.</p>	<p>Contractor</p> <p>3. In consultation with the IEC, agree with the Contractor on the remedial measures to be implemented.</p> <p>4. Ensure remedial measures properly implemented.</p> <p>5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the</p>	<p>proposals for remedial actions to IEC within three working days of notification.</p> <p>3. Implement the agreed proposals</p> <p>4. Resubmit proposals if problem still not under control.</p> <p>5. Stop the relevant portion of works as determined by the ER until the exceedance is abated</p>
--	--	--	---	---

	and ER informed of the results. 8. If exceedance stops, cease additional monitoring		exceedance is abated remedial actions.	
--	--	--	--	--

7.7 Monitoring Schedule for Next Reporting Period

As the drainage diversion works have been completed, no monitoring will be carried out in next month.

8 Ecology

During the reporting period, tree protection measures have been implemented by contractor, such as provision of tree protective fencing for the retained trees. The tree protection zone has enough space to prevent the construction activities to damage the trees.

As the drainage diversion works have been completed. The water flow in the existing river within the site has been maintained.

9 Action Taken in Event of Exceedance

If the measurements (Noise, Water and Air) exceed the action / limit level, exceedance details will be reported and follow-up actions will be taken by relevant parties involved.

During the reporting month there was no exceedance for noise measurements recorded; therefore, no actions were taken.

10 Construction Waste Disposal

It is the contractor's responsibility to ensure that all wastes produced during the construction phase for the drainage improvement works are handled, stored and disposed in accordance with good waste management practices and EPD's regulation and requirement. Waste materials generated during construction activities, such as construction and demolition (C&D) material, chemical wastes and general refuse, are recommended to be audited at regular intervals to ensure that proper storage, transportation and disposal practices are being implemented.

Table 10.1 is a summary of the construction wastes disposal provided by Contractor.

Table 10.1 Summary of Construction Waste Disposal

Month	Actual Quantities of Inert C & D Materials Generated Monthly						Actual Quantities of C & D Wastes Generated Monthly				
	Total Quantity Generated	Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper/cardboard packaging	Plastics (see note3)	Chemical Waste	Others, e.g. general refuse
	(in'000ton)	(in'000ton)	(in'000ton)	(in'000ton)	(in'000ton)	(in'000ton)	(in'000kg)	(in'000kg)	(in'000kg)	(in'000kg)	(in'000kg)
Sep 12	0	0	0	0	0	0	0	0	0	0	0
Oct 12	0	0	0	0	0	0	0	0	0	0	0
Nov 12	2.77	0	0	0	2.77	0	0	0	0	0	0.031
Dec 12	3.70	0	0	0	3.70	0	0	0	0	0	0.006
Jan 13	43.89	0	0	0	43.89	0	0	0	0	0	0
Feb 13	68.93	0	0	0	68.93	0	0	0	0	0	0.016
March 13	55.30	0	0	0	55.30	0	0	0	0	0	6.77
April 13	23.40	0	0	0	23.40	0	0	0	0	0	0
May 13	13.50	0	0	0	13.50	0	0	0	0	0	7.6
June 13	4.09	0	0	0	4.09	0	9.66	0	0	0	4.63
July 13	3.05	0	0	0	3.05	0	0	0	0	0	0.009
Aug 13	3.50	0	0	0	3.50	0	0	0	0	0	16.79
Sep 13	9.25	0	0	0	9.25	0	0	0	0	0	26.71
Oct 13	22.4	0	0	0	22.4	0	0	0	0	0	23.7
Nov 13	52.4	0	0	0	52.4	0	0	0	0	0	32.8
Dec 13	34.79	0	0	0	34.79	0	0	0	0	0	28.65
Total	340.97	0	0	0	340.97	0	9.66	0	0	0	147.712
Forecast of Total Quantities of C & D Materials to be Generated from the Contract											
	Total Quantity Generated	Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper/cardboard packaging	Plastics (see note3)	Chemical Waste	Others, e.g. general refuse
	(in'000ton)	(in'000ton)	(in'000ton)	(in'000ton)	(in'000ton)	(in'000ton)	(in'000kg)	(in'000kg)	(in'000kg)	(in'000kg)	(in'000kg)
	581	1.67	180	0	239	0	0	0	0	0	240

11 Status of Permits and Licenses

Table 11.1 is the updated status of environmental related permits/ license obtained for the construction activities

Table 11.1 Status of Permits and Licenses Obtained					
Description	License / Permit No.#	Date of Issue	Site	Date of expiry	Status
EP	EP-428/2011	4 November 2011	Various Lots in DD227 & DD229, Tai Po Tsai, Sai Kung	N/A	Superseded by VEP
EP	EP-428/2011/A	1 June 2012			Valid
FEP	FEP-01/428/2011/A	9 July 2012			Surrendered on 28 Nov 2012
FEP	FEP-02/428/2011/A	26 November 2012			Valid
Discharge License	WT00014162-2012	18 October 2012			Valid
Registration as a Chemical Waste Producer	349704	27 Sep 2012			Valid
Waste Disposal	7016348	16 Nov 2012			Valid
Notification Pursuant to Section 3(1) of The Air Pollution Control (Construction Dust) Regulation	349519	4 Sep 2012			Valid

12 Compliant Log

There was no formal complaint received during the reporting period. Therefore, no follow up actions for the environmental complaint is required.

Table 12.1 Summary of Formal Complaints received				
	Noise	Water	Air	Others
Year 2012	0	0	0	0
January 2013	0	0	0	0
February 2013	0	0	0	0
March 2013	1	0	1	0
April 2013	0	0	0	0
May 2013	0	0	0	0
June 2013	0	0	0	0
July 2013	0	0	0	0
August 2013	0	0	0	0
September 2013	0	0	0	0
October 2013	1	0	1	0
November 2013	0	0	0	0
December 2013	0	0	0	0
Total	2	0	2	0

13 Site Environmental Audits

13.1 Site Inspection

Site inspections were undertaken weekly to inspect the construction activities in active site areas to ensure that appropriate environmental protection and pollution control mitigation measures are properly implemented.

Within this reporting period, site inspections were conducted on 4th, 10th, 19th, and 23th of December 2013. A detailed checklist of each site inspection together with comments and relevant photos have been filed and kept. The findings from inspection were summarized in Table 13.1.

Table 13.1 Summary results of site inspections findings

Date	Findings	Identification	Advice from ET	Action taken	Closing date	Remarks
4, 10, 19 & 23 December 2013	No major environmental deficiency was observed.	N/A	N/A	N/A	N/A	N/A

13.2 Compliance with Legal and Contractual Requirement

There was no non-compliance recorded for this reporting month.

13.3 Implementation Status and Effectiveness of Mitigation Measures

Contractor has implemented mitigation measures to address those problems as advised by ET. Some of the measures taken by the contractor were considered as effective to minimize negative impact to the environment. Ongoing investigation will be carried out to observe performance and effectiveness of those measures. Outstanding environmental items will be inspected in next month.

Contractor was reminded to regularly review and rectify the discrepancy once found and maintain good site condition. The contractor implemented various environmental mitigation measures as recommended in the Environmental Permit.

14 Future Key Issues and Recommendations

As the construction activities of drainage diversion works have been completed, no environmental issues will be considered to be related to the project for the coming months.

15 Conclusions

No construction activities were carried out during this reporting period.

Regular site meetings and inspection audits led by the seniors for discussing site environmental matters were held among Contractor and the ET on weekly basis. Also monthly site meeting and inspection audits with the above parties and IEC were carried out on 23rd of December 2013.

No exceedance was recorded for noise during the reporting period.

Impact monitoring for water quality was conducted. Total 4 numbers of exceedances were recorded in this reporting period. For the non-compliance events, the site investigation for the abnormal incidents was carried out on the same day and found that no drainage diversion works had been carried out at the river bed. It was believed that the exceedance records at W2 were caused by natural fluctuation, since the records of SS at control station have been recorded relatively high. The exceedance records at W2 was unlikely to be related to the drainage diversion works.

Impact monitoring for air quality was conducted. Total 4 numbers of exceedance (24-hrs TSP) were recorded in this reporting period. For the non-compliance events, it was believed that the exceedances were not caused by the drainage diversion works, since the drainage diversion works have been completed.

Also, there was no notification of summons, formal prosecution or complaints being recorded during the reporting period.

As the drainage diversion works have been completed, the impact monitoring for noise, water and air will be terminated in the coming months. The proposal for termination of EM&A monitoring has been submitted to EPD for Approval.

Appendix A

Construction Master Programme and Site Location Plan

Appendix B

Key Personal Contact Information Chart

Key Personal Contact Information Chart

Organization Name	Role	Name	Telephone	Fax Number
ENVIRON Hong Kong Limited	Independent Environmental Checker (IEC)	Mr. Tong Cheng	3465 2888	3465 2899
Hip Seng Construction Company Limited	Main Contractor	Mr. Martin Wong	3110 2608	3110 2606
Environmental Pioneers & Solutions Limited	Environmental Team (ET)	Ms. Goldie Fung	2556 9172	2856 2010

Appendix C

Calibration Certificates for Measuring Instruments



Calibration Certificate

Certificate No. **30982**

Page 1 of 5 Pages

Customer : Environmental Pioneers and Solutions Limited

Address : Flat A, 19/F., Chai Wan Industrial Centre Building, 21 Lee Chung Street, Chai Wan, HK.

Order No. : Q30341

Date of receipt : 18-Feb-13

Item Tested

Description : Sound Level Meter

Manufacturer : SVAN

Model : 955

Serial No. : 27301

Test Conditions

Date of Test : 27-Feb-13

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure: Z01.

Test Results

All results were within the IEC 61672 Type1, IEC 1260 Class1 and Manufacturer's specification.


The results are shown in the attached page(s).

Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C127181	SCL-HKSAR
S024	Sound Level Calibrator	30620	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by : 
Liam Wong

Approved by : 
Dorothy Cheuk

Date: 27-Feb-13



Calibration Certificate

Certificate No. **30982**

Page 2 of 5 Pages

Results :

1. **Self-generated noise:** 1.0 dBA (Mfr's Spec (Electrical) ≤ 14 dBA)

2. **Acoustical signal test**

UUT Setting				Applied Value (dB)	UUT Reading (dB)
Range (dB)	Frequency Weighting	Time Weighting	1/1 Octave Filter		
25-120	A	F	OFF	94.0	93.7
		S	OFF		93.7
	C	F	OFF	93.7	
	A	F	OFF	114.0	113.7
		S	OFF		113.7
	C	F	OFF	113.7	
	A	F	ON	94.0	93.7
A	F	ON	114.0	113.7	
45-139	A	F	OFF	94.0	93.7
		S	OFF		93.7
	C	F	OFF	93.7	
	A	F	OFF	114.0	113.7
		S	OFF		113.7
	C	F	OFF	113.7	
	A	F	ON	94.0	93.7
A	F	ON	114.0	113.7	

Mfr's Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

3 **Electrical signal tests of frequency weightings (A weighting)**

Frequency	Attenuation (dB)	IEC 61672 Type 1 Spec.
31.5 Hz	-39.4	- 39.4 dB, ± 2 dB
63 Hz	-26.2	- 26.2 dB, ± 1.5 dB
125 Hz	-16.2	- 16.1 dB, ± 1.5 dB
250 Hz	-8.7	- 8.6 dB, ± 1 dB
500 Hz	-3.4	- 3.2 dB, ± 1.4 dB
1 kHz	0.0 (Ref)	0 dB, ± 1.1 dB
2 kHz	+1.1	+ 1.2 dB, ± 1.6 dB
4 kHz	+0.9	+ 1.0 dB, ± 1.6 dB
8 kHz	-1.1	- 1.1 dB, + 2.1 dB ~ -3.1 dB
16 kHz	-6.8	- 6.6 dB, + 3.5 dB ~ - 17.0 dB

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. **30982**

Page 3 of 5 Pages

4. Frequency & Time weightings at 1 kHz

4.1 Frequency Weighting (Fast)

UUT Setting	Applied Value (dB)	UUT Reading (dB)	Difference (dB)	IEC 61672 Type 1 Spec.
A	94.0	93.7 (Ref.)	--	± 0.4 dB
C	94.0	93.7	0.0	

4.2 Time Weighting (A-weighted)

UUT Setting	Applied Value (dB)	UUT Reading (dB)	Difference (dB)	IEC 61672 Type 1 Spec.
Fast	94.0	93.7 (Ref.)	--	± 0.3 dB
Slow	94.0	93.7	0.0	
Time-averaging	94.0	93.7	0.0	

Uncertainty : ± 0.1 dB

5. Level linearity on the reference level range

UUT Range	Applied Value (dB)	UUT Reading (dB)	Difference (dB)	IEC 61672 Type 1 Spec.
140 dB (Ref Level)	137.0	136.8	+0.1	± 1.1 dB
	136.0	135.8	+0.1	
	135.0	134.8	+0.1	
	134.0	133.8	+0.1	
	129.0	128.7	0.0	
	124.0	123.7	0.0	
	119.0	118.7	0.0	
	114.0	113.7	0.0	
	109.0	108.7	0.0	
	104.0	103.7	0.0	
	99.0	98.7	0.0	
	94.0	93.7 (Ref)	--	
	89.0	88.8	+0.1	
	84.0	83.7	0.0	
	79.0	78.7	0.0	
	74.0	73.7	0.0	
	69.0	68.7	0.0	
	64.0	63.8	+0.1	
	59.0	58.8	+0.1	
	54.0	53.9	+0.2	
49.0	49.0	+0.3		
48.0	48.0	+0.3		

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 30982

Page 4 of 5 Pages

6. Toneburst response (4kHz)

UUT Setting	Tone Burst Duration(ms)	UUT Reading(dB)	Difference (dB)	IEC 61672 Type 1 Spec.
Fast	Steady	137.0(Ref)	--	--
	200	136.0	-1.0	-1.0 ± 0.8dB
	2	119.0	-18.0	-18.0, +1.3 dB ~ -1.8 dB
	0.25	109.9	-27.1	-27.0, +1.3 dB ~ -3.3 dB
Slow	Steady	137.0(Ref)	--	--
	200	129.5	-7.5	-7.4 ± 0.8dB
	2	109.9	-27.1	-27.0, +1.3 dB ~ -3.3 dB
Time averaging	Steady	137.0(Ref)	--	--
	200	130.5	-6.5	-7.0±0.8dB
	2	110.0	-27.0	-27.0, +1.3 dB ~ -1.8 dB
	0.25	101.8	-35.2	-36.0, +1.3 dB ~ -3.3 dB

Uncertainty : ± 0.1 dB

7. Peak C sound level (140 dB Range, C-weighted, Fast)

Freq(Hz)	Signal Type	Indication of overload	UUT reading (dB)	Difference (dB)	IEC 61672 Type 1 Spec.
8000	Steady	--	132.0	--	3.2 ± 2.4 dB
	Complete-cycle	No	135.1	+3.1	
500	Steady	--	132.0	--	2.4 ± 1.4 dB
	+ve half-cycle	No	134.6	+2.6	
	-ve half-cycle	No	134.6	+2.6	

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. **30982**

Page 5 of 5 Pages

8. Overload indication (140 dB range, A-weighted, Time-average, 4kHz)

UUT Reading at overload (dB)		Difference (dB)	IEC 61672 Type 1 Spec.
+ ve one half cycle	- ve one half cycle		
138.0	137.8	0.2	< 1.8 dB

The overload indicator latched on until reset

Uncertainty : ± 0.1 dB

9. Filter Characteristics

9.1 1/1 – Octave Filter

Frequency	Attenuation (dB)	IEC 1260 Class 1 (dB)
125 Hz	-76.8	< - 61
250 Hz	-71.6	< - 42
500 Hz	-36.3	< - 17.5
707 Hz	-4.4	- 2 ~ - 5
1 kHz (Ref)	--	--
1.414 kHz	-2.2	- 2 ~ - 5
2 kHz	-51.5	< - 17.5
4 kHz	-86.5	< - 42
8 kHz	-88.4	< - 61

Uncertainty : ± 0.25 dB

Remarks : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1009 hPa.

4. Preamplifier model : SV 12L , S/N : 25734

5. Firmware Version: 6.12.4

6. Power Supply Check: OK

7. The UUT was adjusted with the supplied sound calibrator at the reference sound pressure level before the calibration.

----- END -----



ISO9001 certified

Sound Level Calibrator

Type: **SV30A** Serial No: **32538**

Calibration Chart

Sound pressure level (94dB): **93.89 dB** (THD: **0.17 %**)

Sound pressure level (114dB): **113.93 dB** (THD: **0.27 %**)

Frequency: 1000 Hz

Short term level stability: 0.05 dB

Frequency stability: 0.01 %

Measurement conditions

Temperature: **25 °C**

Relative humidity: **40 %**

Ambient pressure: **1003 hPa**

Reference conditions

Temperature: **23.0 °C**

Relative humidity: **50 %**

Ambient pressure: **1013.2 hPa**

CONFORMITY & TEST DECLARATION

The stated level is valid at reference conditions.

Measured according to IEC 60942:2003.

The stated level is relative to 20 μ Pa .

The level is traceable to GUM (Central Office of Measures, Poland) with a calculated uncertainty less then ± 0.15 dB (2*sd).

Calibration specialist : 

Date : 2013-08-01



ALS Technichem (HK) Pty Ltd

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

CONTACT: MR ALLEN CHAN
CLIENT: ENVIRONMENTAL PIONEERS & SOLUTIONS LIMITED
ADDRESS: FLAT A, 19/F, CHAI WAN INDUSTRIAL BUILDING,
20 LEE CHUNG STREET,
CHAI WAN,
HONG KONG

WORK ORDER: HK1328496
LABORATORY: HONG KONG
DATE RECEIVED: 16/10/2013
DATE OF ISSUE: 24/10/2013

COMMENTS

It is certified that the item under calibration/checking has been calibrated/checked by corresponding calibrated equipment in the laboratory.
Maximum Tolerance and calibration frequency stated in the report, unless otherwise stated, the internal acceptance criteria of ALS will be followed.

Scope of Test: Conductivity, Dissolved Oxygen, pH, Temperature and Turbidity
Equipment Type: WATER QUALITY MULTI-METER
Brand Name: TOA DKK
Model No.: WMS-24
Serial No.: 685940
Equipment No.: --
Date of Calibration: 23 October, 2013

NOTES

This is the Final Report and supersedes any preliminary report with this batch number.
Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release.

ISSUING LABORATORY: HONG KONG

Address

ALS Technichem (HK) Pty Ltd
11/F Chung Shun Knitting Centre
1-3 Wing Yip Street
Kwai Chung
HONG KONG

Phone: 852-2610 1044
Fax: 852-2610 2021
Email: hongkong@alsglobal.com


Mr. Fung Lim Chee, Richard
General Manager -
Greater China & Hong Kong

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

Page 1 of 2

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1328496
Date of Issue: 24/10/2013
Client: ENVIRONMENTAL PIONEERS & SOLUTIONS LIMITED

Description: WATER QUALITY MULTI-METER
Brand Name: TOA DKK
Model No.: WMS-24
Serial No.: 685940
Equipment No.: --

Date of Calibration: 23 October, 2013 **Date of next Calibration:** 23 January, 2014

Parameters:

Conductivity

Method Ref: APHA (21st edition), 2510B

Expected Reading (uS/cm)	Displayed Reading (uS/cm)	Tolerance (%)
146.9	138.0	-6.1
6667	6530	-2.1
12890	12800	-0.7
58670	56900	-3.0
Tolerance Limit (±%)		10.0

Dissolved Oxygen

Method Ref: APHA (21st edition), 4500O: G

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
3.67	3.77	0.10
5.15	5.29	0.14
7.25	7.09	-0.16
Tolerance Limit (±mg/L)		0.20

pH Value

Method Ref: APHA 21st Ed. 4500H:B

Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)
4.0	4.03	0.03
7.0	6.99	-0.01
10.0	9.92	-0.08
Tolerance Limit (±pH unit)		0.20

Temperature

Method Ref: Section 6 of International Accreditation New Zealand Technical Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.

Expected Reading (°C)	Displayed Reading (°C)	Tolerance (°C)
11.0	10.6	-0.4
25.0	24.0	-1.0
32.0	31.0	-1.0
Tolerance Limit (±°C)		2.0

Turbidity

Method Ref: APHA (21st edition), 2130B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0.0	--
4	3.9	-2.5
40	39.4	-1.5
80	79.4	-0.7
400	383.6	-4.1
800	799.8	0.0
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.



 Mr. Fung Lim Chee, Richard
 General Manager -
 Greater China & Hong Kong




CERTIFICATE OF CALIBRATION AND TESTING

TSI Incorporated, 500 Cardigan Road, Shoreview, MN 55126 USA
Tel: 1-800-874-2811 1-651-490-2811 Fax: 1-651-490-3824 <http://www.tsi.com>

Environment Condition			Model	AM510
Temperature	74.7 (23.7)	°F (°C)	Serial Number	11302028
Relative Humidity	49	%RH		
Barometric Pressure	28.91 (979.0)	inHg (hPa)		

- | | |
|---|--|
| <input checked="" type="checkbox"/> As Left | <input checked="" type="checkbox"/> In Tolerance |
| <input type="checkbox"/> As Found | <input type="checkbox"/> Out of Tolerance |

Concentration Linearity Plot



System ID: DT1101-02

TSI Incorporated does hereby certify that all materials, components, and workmanship used in the manufacture of this equipment are in strict accordance with the applicable specifications agreed upon by TSI and the customer and with all published specifications. All performance and acceptance tests required under this contract were successfully conducted according to required specifications. There is no NIST standard for optical mass measurements. Calibration of this instrument performed by TSI has been done using emery oil and has been nominally adjusted to respirable mass of standard ISO 12103-1, A1 test dust (Arizona dust). Our calibration ratio is greater than 1.2:1

Measurement Variable	System ID	Last Cal.	Cal. Due	Measurement Variable	System ID	Last Cal.	Cal. Due
Barometric Pressure	E003733	03-12-13	03-12-14	Temperature	E002873	11-08-12	11-08-13
Humidity	E002873	11-08-12	11-08-13	DC Voltage	E003314	01-02-13	01-02-14
DC Voltage	E003315	01-02-13	01-02-14	Photometer	E003319	08-14-13	02-14-14
Microbalance	M001324	01-04-13	01-04-15	Pressure	E003511	11-07-12	11-07-13
Flowmeter	E002006	03-05-13	03-05-14				

Amanda Shad
Calibrated

Final Function
Check

September 10, 2013
Date




CERTIFICATE OF CALIBRATION AND TESTING

TSI Incorporated, 500 Cardigan Road, Shoreview, MN 55126 USA
 Tel: 1-800-874-2811 1-651-490-2811 Fax: 1-651-490-3824 <http://www.tsi.com>

Environment Condition			Model	AM510
Temperature	68.5 (20.3)	°F (°C)		
Relative Humidity	22	%RH	Serial Number	11304034
Barometric Pressure	28.95 (980.4)	inHg (hPa)		

<input checked="" type="checkbox"/> As Left	<input checked="" type="checkbox"/> In Tolerance
<input type="checkbox"/> As Found	<input type="checkbox"/> Out of Tolerance



TSI Incorporated does hereby certify that all materials, components, and workmanship used in the manufacture of this equipment are in strict accordance with the applicable specifications agreed upon by TSI and the customer and with all published specifications. All performance and acceptance tests required under this contract were successfully conducted according to required specifications. There is no NIST standard for optical mass measurements. Calibration of this instrument performed by TSI has been done using emery oil and has been nominally adjusted to respirable mass of standard ISO 12103-1, A1 test dust (Arizona dust). Our calibration ratio is greater than 1.2:1

Measurement Variable	System ID	Last Cal.	Cal. Due	Measurement Variable	System ID	Last Cal.	Cal. Due
Photometer	E003433	04-12-13	10-12-13	Flowmeter	E003520	02-28-13	02-28-14
DC Voltage(Keithley)	E002859	01-03-13	01-03-14	Microbalance	M001324	01-04-13	01-04-15
Barometric Pressure	E003733	03-12-13	03-12-14	Temperature	E002873	11-08-12	11-08-13
Humidity	E002873	11-08-12	11-08-13	Pressure	E003440	08-17-12	08-17-13

Bee Vang

Calibrated

Final Function Check

April 24, 2013

Date



TISCH ENVIRONMENTAL, INC.
 145 SOUTH MIAMI AVE.
 VILLAGE OF CLEVELAND, OH 45002
 513.467.9000
 877.263.7610 TOLL FREE
 513.467.9009 FAX
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT
 ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5025A

Date - Apr 09, 2013 Roots-meter S/N 0438320 Ta (K) - 296
 Operator Tisch Orifice I.D. - 1941 Pa (mm) - 751.84

PLATE OR Run #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER	ORIFICE
					DIFF Hg (mm)	DIFF H2O (in.)
1	NA	NA	1.00	1.4710	3.3	2.00
2	NA	NA	1.00	1.0370	6.4	4.00
3	NA	NA	1.00	0.9270	7.9	5.00
4	NA	NA	1.00	0.8840	8.8	5.50
5	NA	NA	1.00	0.7300	12.8	8.00

DATA TABULATION

Vstd	(x axis) Qstd	(y axis)	Va	(x axis) Qa	(y axis)
0.9916	0.6741	1.4113	0.9956	0.6768	0.8874
0.9874	0.9521	1.9959	0.9914	0.9560	1.2549
0.9854	1.0630	2.2315	0.9894	1.0673	1.4030
0.9843	1.1134	2.3405	0.9883	1.1180	1.4715
0.9790	1.3410	2.8227	0.9829	1.3465	1.7747
Qstd slope (m) = 2.11662			Qa slope (m) = 1.32539		
intercept (b) = -0.01714			intercept (b) = -0.01078		
coefficient (r) = 0.99999			coefficient (r) = 0.99999		
y axis = $\text{SQRT}[\text{H2O}(\text{Pa}/760)(298/\text{Ta})]$			y axis = $\text{SQRT}[\text{H2O}(\text{Ta}/\text{Pa})]$		

CALCULATIONS

$$\text{Vstd} = \text{Diff. Vol} [(\text{Pa} - \text{Diff. Hg}) / 760] (298 / \text{Ta})$$

$$\text{Qstd} = \text{Vstd} / \text{Time}$$

$$\text{Va} = \text{Diff Vol} [(\text{Pa} - \text{Diff Hg}) / \text{Pa}]$$

$$\text{Qa} = \text{Va} / \text{Time}$$

For subsequent flow rate calculations:

$$\text{Qstd} = 1/m \{ [\text{SQRT}(\text{H2O}(\text{Pa}/760)(298/\text{Ta}))] - b \}$$

$$\text{Qa} = 1/m \{ [\text{SQRT}(\text{H2O}(\text{Ta}/\text{Pa}))] - b \}$$

TSP Sampler Calibration

SITE

Location: **Tai Po Tsai** Date: **October 28, 2013**
 Sampler: **TE-5170 MFC (Serial # : 2039)** Tech: **Sam Wong**

CONDITIONS

Barometric Pressure (in Hg):	39.88	Corrected Pressure (mm Hg):	1013
Temperature (deg F):	77	Temperature (deg K):	298
Average Press. (in Hg):	29.88	Corrected Average (mm Hg):	759
Average Temp. (deg F):	77	Average Temp. (deg K):	298

CALIBRATION ORIFICE

Make:	Tisch	Qstd Slope:	2.11662
Model:	TE-5025A	Qstd Intercept:	-0.01714
Serial#:	1941	Date Certified:	April 9, 2013

CALIBRATIONS

Plate or Test #	H2O (in)	Qstd (m3/min)	I (chart)	IC (corrected)	LINEAR REGRESSION
1	12.20	1.913	58.0	66.96	Slope = 34.3035 Intercept = 0.9400 Corr. coeff.= 0.9989 # of Observations: 5
2	10.20	1.750	52.0	60.03	
3	8.20	1.570	48.0	55.42	
4	5.20	1.252	38.0	43.87	
5	3.20	0.984	30.0	34.63	

Calculations

$$Qstd = 1/m[\text{Sqrt}(H2O(Pa/Pstd)(Tstd/Ta))-b]$$

$$IC = I[\text{Sqrt}(Pa/Pstd)(Tstd/Ta)]$$

Qstd = standard flow rate
 IC = corrected chart response
 I = actual chart response
 m = calibrator Qstd slope
 b = calibrator Qstd intercept
 Ta = actual temperature during calibration (deg K)
 Pa = actual pressure during calibration (mm Hg)
 Tstd = 298 deg K
 Pstd = 760 mm Hg
 For subsequent calculation of sampler flow:
 $1/m((I)[\text{Sqrt}(298/Tav)(Pav/760)]-b)$

m = sampler slope
 b = sampler intercept
 I = chart response
 Tav = daily average temperature
 Pav = daily average pressure

TSP Sampler Calibration

SITE

Location: **Tai Po Tsai** Date: **October 28, 2013**
 Sampler: **TE-300-310X (Serial # : 0873)** Tech: **Sam Wong**

CONDITIONS

Barometric Pressure (in Hg):	39.88	Corrected Pressure (mm Hg):	1013
Temperature (deg F):	77	Temperature (deg K):	298
Average Press. (in Hg):	29.88	Corrected Average (mm Hg):	759
Average Temp. (deg F):	77	Average Temp. (deg K):	298

CALIBRATION ORIFICE

Make:	Tisch	Qstd Slope:	2.11662
Model:	TE-5025A	Qstd Intercept:	-0.01714
Serial#:	1941	Date Certified:	April 9, 2013

CALIBRATIONS

Plate or Test #	H2O (in)	Qstd (m3/min)	I (chart)	IC (corrected)	LINEAR REGRESSION
1	12.40	1.929	59.0	68.11	Slope = 34.9675
2	10.00	1.733	52.0	60.03	Intercept = 0.0580
3	8.40	1.589	48.0	55.42	Corr. coeff.= 0.9994
4	5.20	1.252	38.0	43.87	
5	3.20	0.984	30.0	34.63	# of Observations: 5

Calculations

$$Qstd = 1/m[\text{Sqrt}(H2O(Pa/Pstd)(Tstd/Ta))-b]$$

$$IC = I[\text{Sqrt}(Pa/Pstd)(Tstd/Ta)]$$

Qstd = standard flow rate
 IC = corrected chart response
 I = actual chart response
 m = calibrator Qstd slope
 b = calibrator Qstd intercept
 Ta = actual temperature during calibration (deg K)
 Pa = actual pressure during calibration (mm Hg)
 Tstd = 298 deg K
 Pstd = 760 mm Hg
 For subsequent calculation of sampler flow:
 $1/m((I)[\text{Sqrt}(298/Tav)(Pav/760)]-b)$

m = sampler slope
 b = sampler intercept
 I = chart response
 Tav = daily average temperature
 Pav = daily average pressure

Appendix D

Construction Noise Monitoring Data

大成環境科技拓展有限公司
Environmental Pioneers and Solutions Limited

Noise Monitoring Data Sheet

Monitoring Location		N1	N2	N3	N4
Monitoring Method		Freefield	Freefield	Freefield	Façade
Date of Monitoring		4/12/2013	4/12/2013	4/12/2013	4/12/2013
Weather Condition		Sunny	Sunny	Sunny	Sunny
Measurement Start Time (hh:mm)		9:15	9:51	10:26	11:02
Measurement Time Length (mins)		30 mins		30 mins	
SLM Model & S/N		SVAN 955		SVAN 955	
Wind Speed (m/s)		<5, Northeast	<5, Northeast	<5, North	<5, North
Measurement Results	L _{eq} (dB(A))	61.9	58.0	68.2	66.7
	L ₁₀ (dB(A))	64.7	59.9	69.9	68.5
	L ₉₀ (dB(A))	56.2	51.0	66.8	61.5
Major Construction Noise Source(s) During Monitoring		Nil	Nil	Nil	Nil
Other Noise Source(s) During Monitoring		Background noise	Background noise	Background noise House construction works is observed	Background noise Traffic noise

Name

Signature

Date

Prepared by: Lai Chi Hang



4/12/2013

大成環境科技拓展有限公司
Environmental Pioneers and Solutions Limited

Noise Monitoring Data Sheet

Monitoring Location		N1	N2	N3	N4
Monitoring Method		Freefield	Freefield	Freefield	Façade
Date of Monitoring		10/12/2013	10/12/2013	10/12/2013	10/12/2013
Weather Condition		Cloudy	Cloudy	Cloudy	Cloudy
Measurement Start Time (hh:mm)		9:10	9:46	10:22	11:00
Measurement Time Length (mins)		30 mins		30 mins	
SLM Model & S/N		SVAN 955		SVAN 955	
Wind Speed (m/s)		<5, Northeast	<5, North	<5, North	<5, North
Measurement Results	L _{eq} (dB(A))	60.6	69.5	59.9	66.7
	L ₁₀ (dB(A))	63.7	70.9	61.4	68.7
	L ₉₀ (dB(A))	54.0	59.4	55.1	62.4
Major Construction Noise Source(s) During Monitoring		Nil	Nil	Nil	Nil
Other Noise Source(s) During Monitoring		Background noise Sweeping	Background noise	Background noise Other construction activities is observed	Background noise Traffic noise

Name

Signature

Date

Prepared by: Lai Chi Hang



10/12/2013

大成環境科技拓展有限公司
Environmental Pioneers and Solutions Limited

Noise Monitoring Data Sheet

Monitoring Location		N1	N2	N3	N4
Monitoring Method		Freefield	Freefield	Freefield	Façade
Date of Monitoring		16/12/2013	16/12/2013	16/12/2013	16/12/2013
Weather Condition		Cloudy	Cloudy	Cloudy	Cloudy
Measurement Start Time (hh:mm)		8:52	9:28	10:04	10:40
Measurement Time Length (mins)		30 mins		30 mins	
SLM Model & S/N		SVAN 955		SVAN 955	
Wind Speed (m/s)		<5, Trace	<5, Northwest	<5, North	<5, Northwest
Measurement Results	L _{eq} (dB(A))	59.2	60.3	59.3	66.4
	L ₁₀ (dB(A))	60.1	62.0	60.7	68.8
	L ₉₀ (dB(A))	59.1	59.0	58.8	61.2
Major Construction Noise Source(s) During Monitoring		Nil	Nil	Nil	Nil
Other Noise Source(s) During Monitoring		Background noise	Background noise	Background noise	Background noise Traffic noise

Name

Signature

Date

Prepared by: Lai Chi Hang



16/12/2013

大成環境科技拓展有限公司
Environmental Pioneers and Solutions Limited

Noise Monitoring Data Sheet

Monitoring Location		N1	N2	N3	N4
Monitoring Method		Freefield	Freefield	Freefield	Façade
Date of Monitoring		21/12/2013	21/12/2013	21/12/2013	21/12/2013
Weather Condition		Sunny	Sunny	Sunny	Sunny
Measurement Start Time (hh:mm)		9:20	9:56	10:31	11:10
Measurement Time Length (mins)		30 mins		30 mins	
SLM Model & S/N		SVAN 955		SVAN 955	
Wind Speed (m/s)		<5, Northeast	<5, Northeast	<5, North	<5, North
Measurement Results	L _{eq} (dB(A))	60.9	59.6	62.1	67.2
	L ₁₀ (dB(A))	63.3	60.3	62.8	69.0
	L ₉₀ (dB(A))	56.3	55.5	56.0	64.5
Major Construction Noise Source(s) During Monitoring		Nil	Nil	Nil	Nil
Other Noise Source(s) During Monitoring		Background noise	Background noise	Background noise	Background noise Traffic noise

Name

Signature

Date

Prepared by: Lai Chi Hang



21/12/2013

大成環境科技拓展有限公司
Environmental Pioneers and Solutions Limited

Noise Monitoring Data Sheet

Monitoring Location		N1	N2	N3	N4
Monitoring Method		Freefield	Freefield	Freefield	Façade
Date of Monitoring		27/12/2013	27/12/2013	27/12/2013	27/12/2013
Weather Condition		Sunny	Sunny	Sunny	Sunny
Measurement Start Time (hh:mm)		9:01	9:36	10:12	10:50
Measurement Time Length (mins)		30 mins		30 mins	
SLM Model & S/N		SVAN 955		SVAN 955	
Wind Speed (m/s)		<5, North	<5, Northeast	<5, Northeast	<5, Northeast
Measurement Results	L _{eq} (dB(A))	63.9	60.6	68.1	64.7
	L ₁₀ (dB(A))	64.8	62.2	70.2	66.3
	L ₉₀ (dB(A))	57.2	56.2	63.2	62.0
Major Construction Noise Source(s) During Monitoring		Nil	Nil	Nil	Nil
Other Noise Source(s) During Monitoring		Background noise	Background noise	Background noise	Background noise Traffic noise

Name



Signature



Date

Prepared by: Lai Chi Hang



27/12/2013





Appendix E

Water Quality Monitoring Data

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 3/12/2013

Weather : Cloudy

Monitoring Location	W1	W2
Time (hhmm)	10:00	10:30
Water Depth (m)	<1	<1
pH value	8.25	8.23
Temperature (°C)	18.5	18.5
Turbidity (NTU)	4.4	6.0
DO (mg/L)	7.92	7.89
DO Saturation (%)	80%	80%
Suspended Solids (mg/L)	2.0	<2

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

3/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 5/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	13:00	13:30
Water Depth (m)	<1	<1
pH value	8.23	8.16
Temperature (°C)	17.5	17.8
Turbidity (NTU)	5.3	5.9
DO (mg/L)	7.87	7.56
DO Saturation (%)	80%	78%
Suspended Solids (mg/L)	4.0	5.0

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

5/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 7/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	14:00	14:35
Water Depth (m)	<1	<1
pH value	7.88	8.23
Temperature (°C)	18.9	18.9
Turbidity (NTU)	5.5	5.7
DO (mg/L)	8.10	8.16
DO Saturation (%)	90%	90%
Suspended Solids (mg/L)	5.0	6.0

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

7/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 10/12/2013

Weather : Cloudy

Monitoring Location	W1	W2
Time (hhmm)	13:00	13:30
Water Depth (m)	<1	<1
pH value	8.10	8.16
Temperature (°C)	21.3	21.4
Turbidity (NTU)	5.6	4.6
DO (mg/L)	7.98	7.89
DO Saturation (%)	85%	85%
Suspended Solids (mg/L)	5.0	5.0

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

10/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 12/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	16:00	16:30
Water Depth (m)	<1	<1
pH value	8.03	7.88
Temperature (°C)	20.5	20.6
Turbidity (NTU)	5.8	6.0
DO (mg/L)	8.36	8.01
DO Saturation (%)	90%	85%
Suspended Solids (mg/L)	4.0	4.0

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

12/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 14/12/2013

Weather : Cloudy

Monitoring Location	W1	W2
Time (hhmm)	11:00	11:30
Water Depth (m)	<1	<1
pH value	8.01	8.16
Temperature (°C)	21.3	21.8
Turbidity (NTU)	5.1	6.1
DO (mg/L)	8.15	7.95
DO Saturation (%)	85%	80%
Suspended Solids (mg/L)	27.0	30.0

Remark or Observation : Turbid water was observed.

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

14/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 17/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	13:00	13:30
Water Depth (m)	<1	<1
pH value	7.97	7.90
Temperature (°C)	20.8	20.9
Turbidity (NTU)	5.0	5.6
DO (mg/L)	7.89	7.98
DO Saturation (%)	80%	80%
Suspended Solids (mg/L)	32.0	31.0

Remark or Observation : Turbid water was observed.

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

17/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 19/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	10:30	11:00
Water Depth (m)	<1	<1
pH value	7.88	7.73
Temperature (°C)	17.1	17.1
Turbidity (NTU)	5.5	6.0
DO (mg/L)	7.81	7.90
DO Saturation (%)	84%	88%
Suspended Solids (mg/L)	43.0	45.0

Remark or Observation : Turbid water was observed.

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

19/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 21/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	13:00	13:30
Water Depth (m)	<1	<1
pH value	8.23	8.26
Temperature (°C)	20.5	20.5
Turbidity (NTU)	5.6	5.6
DO (mg/L)	8.16	8.23
DO Saturation (%)	95%	98%
Suspended Solids (mg/L)	47.0	50.0

Remark or Observation : Turbid water was observed.

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

21/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 24/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	16:00	16:30
Water Depth (m)	<1	<1
pH value	7.89	7.80
Temperature (°C)	18.3	18.5
Turbidity (NTU)	5.8	6.0
DO (mg/L)	7.86	7.80
DO Saturation (%)	88%	88%
Suspended Solids (mg/L)	3.0	2.0

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

24/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 28/12/2013

Weather : Cloudy

Monitoring Location	W1	W2
Time (hhmm)	13:00	13:30
Water Depth (m)	<1	<1
pH value	7.85	7.98
Temperature (°C)	16.1	16.3
Turbidity (NTU)	4.1	5.3
DO (mg/L)	8.13	8.26
DO Saturation (%)	90%	90%
Suspended Solids (mg/L)	2.0	2.0

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

28/12/2013

Environmental Pioneers & Solutions Limited
Water Quality Monitoring - Summary of On-Site Measurement Results

Date of Sampling : 31/12/2013

Weather : Sunny

Monitoring Location	W1	W2
Time (hhmm)	13:00	13:30
Water Depth (m)	<1	<1
pH value	7.84	7.79
Temperature (°C)	16.7	16.5
Turbidity (NTU)	3.7	4.1
DO (mg/L)	8.12	7.88
DO Saturation (%)	83%	80%
Suspended Solids (mg/L)	<2	<2

Remark or Observation : _____

Name

Signature

Date

Prepared By : Lau Kai Chung

Lau Kai Chung

31/12/2013



CERTIFICATE OF ANALYSIS

Client	: ENVIRONMENTAL PIONEERS & SOLUTIONS LTD	Laboratory	: ALS Technichem HK Pty Ltd	Page	: 1 of 3
Contact	: MR ALLEN CHAN	Contact	: Fung Lim Chee, Richard	Work Order	: HK1333828
Address	: FLAT A, 19/F, CHAI WAN INDUSTRIAL CENTRE BUILDING, 20 LEE CHUNG STREET, CHAI WAN HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: allenchan@epsil.com.hk	E-mail	: Richard.Fung@alsglobal.com	Date Samples Received	: 05-DEC-2013
Telephone	: +852 2558 7699	Telephone	: +852 2610 1044	Issue Date	: 16-DEC-2013
Facsimile	: ----	Facsimile	: +852 2610 2021	No. of samples received	: 4
Project	: TAI PO TSAI	Quote number	: ----	No. of samples analysed	: 4
Order number	: ----				
C-O-C number	: ----				
Site	: ----				

General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. The completion date of analysis is: 09-DEC-2013

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific comments for Work Order: **HK1333828**

Sample(s) were picked up from client by ALS Technichem (HK) staff in an ambient condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Authorised results for

Fung Lim Chee, Richard

General Manager

Inorganics

ALS Laboratory Group

Trading Name: ALS Technichem (HK) Pty Ltd

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



Analytical Results

Sub-Matrix: WATER

				Client sample ID	W1	W2	W1	W2	
				Client sampling date / time	[30-NOV-2013]	[30-NOV-2013]	[03-DEC-2013]	[03-DEC-2013]	
Compound	CAS Number	LOR	Unit		HK1333828-001	HK1333828-002	HK1333828-003	HK1333828-004	
EA/ED: Physical and Aggregate Properties									
EA025: Suspended Solids (SS)	----	2	mg/L		<2	<2	2	<2	



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3200691)								
HK1333549-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1333576-004	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 3200691)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	86	112	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client	: ENVIRONMENTAL PIONEERS & SOLUTIONS LTD	Laboratory	: ALS Technichem HK Pty Ltd	Page	: 1 of 3
Contact	: MR ALLEN CHAN	Contact	: Fung Lim Chee, Richard	Work Order	: HK1334016
Address	: FLAT A, 19/F, CHAI WAN INDUSTRIAL CENTRE BUILDING, 20 LEE CHUNG STREET, CHAI WAN HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: allenchan@eps1.com.hk	E-mail	: Richard.Fung@alsglobal.com	Date Samples Received	: 07-DEC-2013
Telephone	: +852 2558 7699	Telephone	: +852 2610 1044	Issue Date	: 16-DEC-2013
Facsimile	: ----	Facsimile	: +852 2610 2021	No. of samples received	: 4
Project	: TAI PO TSAI	Quote number	: ----	No. of samples analysed	: 4
Order number	: ----				
C-O-C number	: ----				
Site	: ----				

General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. The completion date of analysis is: 13-DEC-2013

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific comments for Work Order: **HK1334016**

Sample(s) were received in an ambient condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Authorised results for

Fung Lim Chee, Richard

General Manager

Inorganics

ALS Laboratory Group

Trading Name: ALS Technichem (HK) Pty Ltd

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



Analytical Results

Sub-Matrix: WATER

				Client sample ID	W1	W2	W1	W2	
				Client sampling date / time	[05-DEC-2013]	[05-DEC-2013]	[07-DEC-2013]	[07-DEC-2013]	
Compound	CAS Number	LOR	Unit		HK1334016-001	HK1334016-002	HK1334016-003	HK1334016-004	
EA/ED: Physical and Aggregate Properties									
EA025: Suspended Solids (SS)	----	2	mg/L		4	5	5	6	



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3205844)								
HK1333672-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1333717-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	22	20	8.3
EA/ED: Physical and Aggregate Properties (QC Lot: 3205845)								
HK1334016-002	W2	EA025: Suspended Solids (SS)	----	2	mg/L	5	5	0.0
HK1334105-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	19	19	0.0
EA/ED: Physical and Aggregate Properties (QC Lot: 3211003)								
HK1333386-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	195	191	2.2
HK1333985-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	360	350	2.5

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 3205844)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	86	112	----	----
EA/ED: Physical and Aggregate Properties (QC Lot: 3205845)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	104	----	86	112	----	----
EA/ED: Physical and Aggregate Properties (QC Lot: 3211003)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	86	112	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client	: ENVIRONMENTAL PIONEERS & SOLUTIONS LTD	Laboratory	: ALS Technichem HK Pty Ltd	Page	: 1 of 3
Contact	: MR ALLEN CHAN	Contact	: Fung Lim Chee, Richard	Work Order	: HK1334956
Address	: FLAT A, 19/F, CHAI WAN INDUSTRIAL CENTRE BUILDING, 20 LEE CHUNG STREET, CHAI WAN HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: allenchan@epsil.com.hk	E-mail	: Richard.Fung@alsglobal.com	Date Samples Received	: 14-DEC-2013
Telephone	: +852 2558 7699	Telephone	: +852 2610 1044	Issue Date	: 24-DEC-2013
Facsimile	: ----	Facsimile	: +852 2610 2021	No. of samples received	: 4
Project	: TAI PO TSAI	Quote number	: ----	No. of samples analysed	: 4
Order number	: ----				
C-O-C number	: ----				
Site	: ----				

General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. The completion date of analysis is: 18-DEC-2013

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific comments for Work Order: **HK1334956**

Sample(s) were received in an ambient condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Authorised results for

Fung Lim Chee, Richard

General Manager

Inorganics

ALS Laboratory Group

Trading Name: ALS Technichem (HK) Pty Ltd

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



Analytical Results

Sub-Matrix: WATER

				Client sample ID	W1	W2	W1	W2	
				Client sampling date / time	[10-DEC-2013]	[10-DEC-2013]	[12-DEC-2013]	[12-DEC-2013]	
Compound	CAS Number	LOR	Unit		HK1334956-001	HK1334956-002	HK1334956-003	HK1334956-004	
EA/ED: Physical and Aggregate Properties									
EA025: Suspended Solids (SS)	----	2	mg/L		5	5	4	4	



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3218642)								
HK1334902-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1334957-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	8	7	14.7

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 3218642)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	101	----	86	112	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client	: ENVIRONMENTAL PIONEERS & SOLUTIONS LTD	Laboratory	: ALS Technichem HK Pty Ltd	Page	: 1 of 3
Contact	: MR ALLEN CHAN	Contact	: Fung Lim Chee, Richard	Work Order	: HK1335758
Address	: FLAT A, 19/F, CHAI WAN INDUSTRIAL CENTRE BUILDING, 20 LEE CHUNG STREET, CHAI WAN HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: allenchan@eps1.com.hk	E-mail	: Richard.Fung@alsglobal.com	Date Samples Received	: 21-DEC-2013
Telephone	: +852 2558 7699	Telephone	: +852 2610 1044	Issue Date	: 03-JAN-2014
Facsimile	: ----	Facsimile	: +852 2610 2021	No. of samples received	: 4
Project	: TAI PO TSAI	Quote number	: ----	No. of samples analysed	: 4
Order number	: ----				
C-O-C number	: ----				
Site	: ----				

General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. The completion date of analysis is: 27-DEC-2013

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific comments for Work Order: **HK1335758**

Sample(s) were received in an ambient condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Authorised results for

Fung Lim Chee, Richard

General Manager

Inorganics

ALS Laboratory Group

Trading Name: ALS Technichem (HK) Pty Ltd

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



Analytical Results

Sub-Matrix: WATER

				Client sample ID	W1	W2	W1	W2	
				Client sampling date / time	[14-DEC-2013]	[14-DEC-2013]	[17-DEC-2013]	[17-DEC-2013]	
Compound	CAS Number	LOR	Unit		HK1335758-001	HK1335758-002	HK1335758-003	HK1335758-004	
EA/ED: Physical and Aggregate Properties									
EA025: Suspended Solids (SS)	----	2	mg/L		27	30	32	31	



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3230693)								
HK1335638-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.0
HK1335645-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 3230693)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	86	112	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client	: ENVIRONMENTAL PIONEERS & SOLUTIONS LTD	Laboratory	: ALS Technichem HK Pty Ltd	Page	: 1 of 3
Contact	: MR ALLEN CHAN	Contact	: Fung Lim Chee, Richard	Work Order	: HK1335760
Address	: FLAT A, 19/F, CHAI WAN INDUSTRIAL CENTRE BUILDING, 20 LEE CHUNG STREET, CHAI WAN HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: allenchan@epsil.com.hk	E-mail	: Richard.Fung@alsglobal.com	Date Samples Received	: 21-DEC-2013
Telephone	: +852 2558 7699	Telephone	: +852 2610 1044	Issue Date	: 03-JAN-2014
Facsimile	: ----	Facsimile	: +852 2610 2021	No. of samples received	: 4
Project	: TAI PO TSAI	Quote number	: ----	No. of samples analysed	: 4
Order number	: ----				
C-O-C number	: ----				
Site	: ----				

General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. The completion date of analysis is: 30-DEC-2013

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific comments for Work Order: **HK1335760**

Sample(s) were received in an ambient condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Authorised results for

Fung Lim Chee, Richard

General Manager

Inorganics

ALS Laboratory Group

Trading Name: **ALS Technichem (HK) Pty Ltd**

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



Analytical Results

Sub-Matrix: WATER

				Client sample ID	W1	W2	W1	W2	
				Client sampling date / time	[19-DEC-2013]	[19-DEC-2013]	[21-DEC-2013]	[21-DEC-2013]	
Compound	CAS Number	LOR	Unit		HK1335760-001	HK1335760-002	HK1335760-003	HK1335760-004	
EA/ED: Physical and Aggregate Properties									
EA025: Suspended Solids (SS)	----	2	mg/L		43	45	47	50	



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3230694)								
HK1335760-001	W1	EA025: Suspended Solids (SS)	----	2	mg/L	43	45	4.9
EA/ED: Physical and Aggregate Properties (QC Lot: 3231975)								
HK1335633-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1335784-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	21	20	0.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER			Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 3230694)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	86	112	----	----
EA/ED: Physical and Aggregate Properties (QC Lot: 3231975)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	100	----	86	112	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client	: ENVIRONMENTAL PIONEERS & SOLUTIONS LTD	Laboratory	: ALS Technichem HK Pty Ltd	Page	: 1 of 3
Contact	: MR ALLEN CHAN	Contact	: Fung Lim Chee, Richard	Work Order	: HK1336143
Address	: FLAT A, 19/F, CHAI WAN INDUSTRIAL CENTRE BUILDING, 20 LEE CHUNG STREET, CHAI WAN HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: allenchan@epsil.com.hk	E-mail	: Richard.Fung@alsglobal.com	Date Samples Received	: 28-DEC-2013
Telephone	: +852 2558 7699	Telephone	: +852 2610 1044	Issue Date	: 08-JAN-2014
Facsimile	: ----	Facsimile	: +852 2610 2021	No. of samples received	: 4
Project	: TAI PO TSAI	Quote number	: ----	No. of samples analysed	: 4
Order number	: ----				
C-O-C number	: ----				
Site	: ----				

General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. The completion date of analysis is: 31-DEC-2013

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific comments for Work Order: **HK1336143**

Sample(s) were received in an ambient condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Authorised results for

Fung Lim Chee, Richard

General Manager

Inorganics

ALS Laboratory Group

Trading Name: **ALS Technichem (HK) Pty Ltd**

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



Analytical Results

Sub-Matrix: WATER

				Client sample ID	W1	W2	W1	W2	
				Client sampling date / time	[24-DEC-2013]	[24-DEC-2013]	[28-DEC-2013]	[28-DEC-2013]	
Compound	CAS Number	LOR	Unit		HK1336143-001	HK1336143-002	HK1336143-003	HK1336143-004	
EA/ED: Physical and Aggregate Properties									
EA025: Suspended Solids (SS)	----	2	mg/L		3	2	2	2	



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3233227)								
HK1336143-001	W1	EA025: Suspended Solids (SS)	----	2	mg/L	3	2	0.0
HK1336175-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 3233227)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	86	112	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



CERTIFICATE OF ANALYSIS

Client	: ENVIRONMENTAL PIONEERS & SOLUTIONS LTD	Laboratory	: ALS Technichem HK Pty Ltd	Page	: 1 of 3
Contact	: MR ALLEN CHAN	Contact	: Fung Lim Chee, Richard	Work Order	: HK1400374
Address	: FLAT A, 19/F, CHAI WAN INDUSTRIAL CENTRE BUILDING, 20 LEE CHUNG STREET, CHAI WAN HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: allenchan@epsl.com.hk	E-mail	: Richard.Fung@alsglobal.com	Date Samples Received	: 06-JAN-2014
Telephone	: +852 2558 7699	Telephone	: +852 2610 1044	Issue Date	: 15-JAN-2014
Facsimile	: ----	Facsimile	: +852 2610 2021	No. of samples received	: 2
Project	: TAI PO TSAI	Quote number	: ----	No. of samples analysed	: 2
Order number	: ----				
C-O-C number	: ----				
Site	: ----				

General Comments

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. The completion date of analysis is: 08-JAN-2014

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

Specific comments for Work Order: **HK1400374**

Sample(s) were received in an ambient condition.

Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Authorised results for

Fung Lim Chee, Richard

General Manager

Inorganics

ALS Laboratory Group

Trading Name: ALS Technichem (HK) Pty Ltd

11/F., Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

Tel: +852 2610 1044 Fax: +852 2610 2021 www.alsenviro.com

A Campbell Brothers Limited Company



Analytical Results

Sub-Matrix: WATER

				Client sample ID	W1	W2		
				Client sampling date / time	[31-DEC-2013]	[31-DEC-2013]		
Compound	CAS Number	LOR	Unit		HK1400374-001	HK1400374-002		
EA/ED: Physical and Aggregate Properties								
EA025: Suspended Solids (SS)	----	2	mg/L		<2	<2		



Laboratory Duplicate (DUP) Report



Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3239522)								
HK1400336-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1400371-003	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	16	16	0.0



Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QC Lot: 3239522)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	102	----	87	111	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.









Appendix F

Air Quality Monitoring Data

1-Hr TSP Monitoring Results

		Locations											
		D1			D2			D3			D4		
Date	Duration	Start Time	TSP Level (ug/m ³)	Average (ug/m ³)	Start Time	TSP Level (ug/m ³)	Average (ug/m ³)	Start Time	TSP Level (ug/m ³)	Average (ug/m ³)	Start Time	TSP Level (ug/m ³)	Average (ug/m ³)
4/12/2013	1 Hour	8:52	192	130	8:48	195	134	8:40	204	150	8:34	223	159
		9:52	108		9:48	116		9:40	142		9:34	152	
		10:52	89		10:48	92		10:40	103		10:34	103	
10/12/2013	1 Hour	8:50	267	264	8:44	269	268	8:39	230	239	8:32	279	274
		9:50	261		9:44	266		9:39	234		9:32	272	
		10:50	263		10:44	268		10:39	253		10:32	270	
16/12/2013	1 Hour	8:55	124	126	8:47	141	132	8:43	131	137	8:39	144	137
		9:55	134		9:47	127		9:43	133		9:39	140	
		10:55	119		10:47	129		10:43	148		10:39	128	
21/12/2013	1 Hour	8:48	105	108	8:44	105	108	8:39	145	148	8:33	124	124
		9:48	108		9:44	109		9:39	148		9:33	123	
		10:48	110		10:44	110		10:39	151		10:33	124	
27/12/2013	1 Hour	8:45	227	233	8:42	219	227	8:36	245	255	8:29	266	278
		9:45	234		9:42	229		9:36	258		9:29	280	
		10:45	237		10:42	233		10:36	261		10:29	288	





D1 24-Hrs TSP Monitoring Results

*Due to a complaint received from EMSD and Lands Department regarding the obstruction of electric cable and cage, the 24-hrs TSP monitoring at D1 was terminated and no data is presented in this reporting period.

D2 24-Hrs TSP Monitoring Results

Sampling Date	Paper No.	Wt. of paper (g)			Elapse Time			Flow Rate (CFM)			Total Volume (m ³)	TSP Concentration (µg/m ³)	Weather
		Initial Wt.	Final Wt.	Wt. of dust	Initial	Final	Sampling Hour	Initial	Final	Avg Flow Rate			
04/12/13	205801	2.5199	2.8805	0.3606	2121.97	2145.98	24.01	42	42	42.0	1713.32	210.4690	Sunny
10/12/13	205895	2.7487	3.1368	0.3881	2145.98	2169.99	24.01	42	42	42.0	1713.32	226.5198	Cloudy
16/12/13	205898	2.7547	2.7736	0.0189	2169.99	2194.00	24.01	42	42	42.0	1713.32	11.0312	Cloudy
21/12/13	205901	2.9591	3.0841	0.1250	2194.00	2218.01	24.01	42	42	42.0	1713.32	72.9579	Sunny
27/12/13	205805	2.7505	2.9035	0.1530	2218.01	2242.02	24.01	42	42	42.0	1713.32	89.3005	Sunny

D3 24-Hrs TSP Monitoring Results

Sampling Date	Paper No.	Wt. of paper (g)			Elapse Time			Flow Rate (CFM)			Total Volume (m ³)	TSP Concentration (µg/m ³)	Weather
		Initial Wt.	Final Wt.	Wt. of dust	Initial	Final	Sampling Hour	Initial	Final	Avg Flow Rate			
04/12/13	205802	2.6594	2.9338	0.2744	2655.51	2679.52	24.01	42	42	42.0	1713.32	160.1572	Sunny
10/12/13	205896	2.7521	2.9296	0.1775	2679.52	2703.53	24.01	42	42	42.0	1713.32	103.6003	Cloudy
16/12/13	205899	2.7482	2.8066	0.0584	2703.53	2727.54	24.01	42	42	42.0	1713.32	34.0859	Cloudy
21/12/13	205902	2.9112	3.0159	0.1047	2727.54	2751.55	24.01	42	42	42.0	1713.32	61.1096	Sunny
27/12/13	205905	2.9168	2.9811	0.0643	2751.55	2775.56	24.01	42	42	42.0	1713.32	37.5296	Sunny

D4 24-Hrs TSP Monitoring Results

Sampling Date	Paper No.	Wt. of paper (g)			Elapse Time			Flow Rate (CFM)			Total Volume (m ³)	TSP Concentration (µg/m ³)	Weather
		Initial Wt.	Final Wt.	Wt. of dust	Initial	Final	Sampling Hour	Initial	Final	Avg Flow Rate			
04/12/13	205803	2.7177	2.8122	0.0945	2868.50	2892.52	24.02	42	42	42.0	1714.03	55.1332	Sunny
10/12/13	205897	2.7489	3.2140	0.4651	2892.52	2916.54	24.02	42	42	42.0	1714.03	271.3488	Cloudy
16/12/13	205900	2.7034	2.7595	0.0561	2916.54	2940.56	24.02	42	42	42.0	1714.03	32.7299	Cloudy
21/12/13	205903	2.9336	3.0358	0.1022	2940.56	2964.58	24.02	42	42	42.0	1714.03	59.6256	Sunny
27/12/13	205906	2.9191	3.0638	0.1447	2964.58	2988.60	24.02	42	42	42.0	1714.03	84.4209	Sunny



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 2
<i>Contact</i>	: MR SAM WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: HK1400345
<i>Address</i>	: RM 3704, SIK MAN HOUSE, HOMANTIN ESTATE, KOWLOON, HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: sam.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: +852 22421020	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: +852 27143612	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: ---	<i>Quote number</i>	: ---	<i>Date received</i>	: 04-DEC-2013
<i>Order number</i>	: ---			<i>Date of issue</i>	: 09-JAN-2014
<i>C-O-C number</i>	: ---			<i>No. of samples</i>	- <i>Received</i> : 15
<i>Site</i>	: ---				- <i>Analysed</i> : 15

Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1400345 supersedes any previous reports with this reference. The completion date of analysis is 07-JAN-2014. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1400345 :
Sample(s) were received in an ambient condition.
Sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.


<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



Analytical Results

Sub-Matrix: FILTER (TSP/RSP)

			Compound	HK-TSP: Total Suspended Particulates	HK-TSP: Initial Weight	HK-TSP: Final Weight		
			LOR Unit	0.0010 g	0.0010 g	0.0010 g		
Client sample ID	Client sampling date / time	Laboratory sample ID		EA/ED: Physical and Aggregate Properties	EA/ED: Physical and Aggregate Properties	EA/ED: Physical and Aggregate Properties		
205801	[04-DEC-2013]	HK1400345-001		0.3606	2.5199	2.8805		
205802	[04-DEC-2013]	HK1400345-002		0.2744	2.6594	2.9338		
205803	[04-DEC-2013]	HK1400345-003		0.0945	2.7177	2.8122		
205895	[10-DEC-2013]	HK1400345-004		0.3881	2.7487	3.1368		
205896	[10-DEC-2013]	HK1400345-005		0.1775	2.7521	2.9296		
205897	[10-DEC-2013]	HK1400345-006		0.4651	2.7489	3.2140		
205898	[16-DEC-2013]	HK1400345-007		0.0189	2.7547	2.7736		
205899	[16-DEC-2013]	HK1400345-008		0.0584	2.7482	2.8066		
205900	[16-DEC-2013]	HK1400345-009		0.0561	2.7034	2.7595		
205901	[21-DEC-2013]	HK1400345-010		0.1250	2.9591	3.0841		
205902	[21-DEC-2013]	HK1400345-011		0.1047	2.9112	3.0159		
205903	[21-DEC-2013]	HK1400345-012		0.1022	2.9336	3.0358		
205805	[27-DEC-2013]	HK1400345-013		0.1530	2.7505	2.9035		
205905	[27-DEC-2013]	HK1400345-014		0.0643	2.9168	2.9811		
205906	[27-DEC-2013]	HK1400345-015		0.1447	2.9191	3.0638		



*Due to a complaint received from EMSD and Lands Department regarding the obstruction of electric cable and cage, the 24-hrs TSP monitoring at D1 was terminated and no data is presented in this reporting period.

