



**BARBICAN CONSTRUCTION  
CO., LTD**

**Contract No. HY/2001/18**

**Sai Sha Road Widening  
between Kam Ying Road and  
Future Trunk Road T7 Junction**



**MONTHLY ENVIRONMENTAL  
MONITORING & AUDIT REPORT  
REPORT NO. 29**





**No. R/2563/040 Issue 1  
March 2005**

Submitted by/ Prepared by

**Babtie Asia Ltd**  
15/F Cornwall House, Taikoo Place  
979 King's Road, Quarry Bay, Hong Kong

**Contract No. HY/2001/18  
Sai Sha Road Widening between Kam Ying Road and  
Proposed Road T7 Junction**

**Monthly Environmental Monitoring & Audit Report  
Report No. 29**

|   |                           |
|---|---------------------------|
| Approved for Issue by:  |                           |
|   |                           |
| -----<br>Mr Mark Cheung (Babtie Asia Ltd.)  |                           |
| Position:   | Environmental Team Leader |
| Date:   | 4 March 2005              |
| Verified by:  |                           |
|  |                           |
| -----<br>Ms. Lyn Ip (BMT Asia Pacific Limited)                                      |                           |
| Independent   |                           |
| Position:   | Environmental Checker     |
| Date:   | 11 March 2005             |

Barbican Construction Co. Ltd  
G/F Shop 11 & 1<sup>st</sup> Floor,  
2 Landale Street,  
Wanchai  
HONG KONG

Babtie Asia  
15/F, Cornwall House  
Taikoo Place, 979 King's Road  
Quarry Bay  
HONG KONG

Client : Barbican Construction Co Ltd.

Client Contract No.: HY/2001/18 Job No.: G/2563.01

Project Title: Sai Sha Road Widening between Kam Ying Road and Future Trunk Road T7 Junction

Document Title: Monthly Environmental Monitoring & Audit Report – Report No. 29

Document No.: R/2563/040

This Document has been prepared by: Eric Yim

**Status and Approval Schedule**

| Issue No. | Status | Description of Amendment | Prepared by |         | Project Manager |         | Project Director |         |
|-----------|--------|--------------------------|-------------|---------|-----------------|---------|------------------|---------|
|           |        |                          | Initials    | Date    | Initials        | Date    | Initials         | Date    |
| 1         | F      | -----                    | YKM         | 4/03/05 | PKC             | 4/03/05 | KTC              | 4/03/05 |

CONTRACT NO. HY/2001/18  
SAI SHA ROAD WIDENING BETWEEN KAM YING ROAD  
AND FUTURE TRUNK ROAD T7 JUNCTION

MONTHLY ENVIRONMENTAL MONITORING & AUDIT REPORT

REPORT NO. 29

CONTENTS

EXECUTIVE SUMMARY

1.0 ENVIRONMENTAL STATUS

- 1.1 Background
- 1.2 Contact Details of Key Personnel
- 1.3 Construction Programme
- 1.4 Site Management Structure
- 1.5 Works Undertaken during the reporting period with Illustrations
- 1.6 Project Area, Sensitive Receivers & Monitoring Locations

2.0 IMPLEMENTATION STATUS

- 2.1 Advice on the Implementation Status of Environmental Protection & Pollution Control / Mitigation Measures
  - 2.1.1 Construction Noise Mitigation Measures
  - 2.1.2 Landscape and Visual Mitigation Measures

3.0 MONITORING RESULTS

- 3.1 Graphical Plots of the Monitored Parameters
- 3.2 Major Activities During the Reporting Period
- 3.3 Noise Monitoring Methodology
- 3.4 Noise Monitoring Equipment
- 3.5 Calibration Details
- 3.6 Noise Parameters
- 3.7 Monitoring Locations
- 3.8 Monitoring Date, Time, Frequency and Duration
- 3.9 Noise Monitoring Results
- 3.10 Weather Conditions
- 3.11 Influencing Factors
- 3.12 QA/QC Results and Detection Limits

4.0 RECORD OF NON-COMPLIANCE OF THE ACTION AND LIMIT LEVELS, COMPLAINTS, NOTIFICATIONS OF SUMMONS AND SUCCESSFUL PROSECUTIONS

- 4.1 Non-compliance of the Action and Limit Levels
  - 4.1.1 Noise

- 4.2 Written Complaints and Verbal Complaints
- 4.3 Notifications of Summons and Successful Prosecutions

## 5.0 OTHERS

- 5.1 Future Key Issues
- 5.2 Advice on the Solid and Liquid Waster Management Status
  - 5.2.1 General Refuse
  - 5.2.2 Liquid Waste Management

## APPENDICES

- Appendix A Construction Programme
- Appendix B Site Organization Chart
- Appendix C Record Photos for Construction Activities in February 2005
- Appendix D The Project Area, Environmental Sensitive Receivers and the Locations of the Monitoring Stations
- Appendix E Calibration Certificates for Sound Level Meter
- Appendix F Data of Noise Monitoring
- Appendix G Graphical Representation of Construction Noise Monitoring Data
- Appendix H Weather Conditions during the Monitoring Period
- Appendix I Construction Noise Monitoring Limit Action Level
- Appendix J Graphical Plots of Trends of Monitored Parameters
- Appendix K Construction Noise Monitoring and Site Audit Schedules February 2005 and March 2005
- Appendix L Statistics for Environmental Complaints

## EXECUTIVE SUMMARY

This is the twenty-ninth EM & A Report for the project of Sai Sha Road Widening between Kam Ying Road and Future Trunk Road T7 Junction.

This report mainly presents the EM & A works undertaken for the above project from 1 February 2005 to 28 February 2005 in accordance with the EM & A Manual under Appendix H.3 of the Particular Specification.

### Noise Level

$L_{eq(30min)}$  noise level measurement was performed at CNM 1 and CNM 2. CNM 1 is for noise sensitive receivers (NSRs 1 & 2) Wu Kwai Sha New Village. CNM 2 is for (NSRs 3 & 4) Kam Lung Court/ Lee On Estate. The limit level for all the noise sensitive receivers is 75 dB(A).

Construction noise monitoring was carried out on the 3<sup>rd</sup>, 17<sup>th</sup> and 24<sup>th</sup> of February 2005. All the measured noise levels recorded at the two monitoring stations were below the noise limit level.

### Complaint log

No written or verbal complaints were received during the reporting period.

### Others

No notifications of summons, no successful prosecutions were received during the reporting period.

### Future Key Issues

Adverse influence on both air quality and noise level is anticipated from future construction activities, such as footbridge construction work near Residential Development at Wu Kwai Sha DD206, drainage construction works near Lee Wing House, footbridge construction works near the Wu Kwai Sha New Village and the machine operation on the unpaved haul road near Lee Wing House. The Contractor should carry out good site practice to minimise the potential air pollution and noise pollution.

The Contractor should provide an effective water spraying system for watering the site area in purpose of dust suppression especially where excavation works and other earthworks are being undertaken on the unpaved haul road near Lee Wing House.

Construction vehicles should be washed out before leaving the site area. Site runoff including those from wheel washing should be properly treated through sedimentation tank before being discharged to the stormwater drainage system.

The Contractor should exert himself to prevent the accumulation of stagnant water to avoid the breeding of mosquitoes and the spread of dengue fever.

To improve the hygiene condition of the site, the Contractor should regularly remove the rubbish within the site area and provide rubbish bins as far as possible.

## 1.0 ENVIRONMENTAL STATUS

### 1.1 Background

Babtie Asia Ltd was employed by the Contractor to act as the Environmental Team for this project. The Independent Environmental Checker is BMT Asia Pacific Limited.

The purpose of this document is to report the Environmental Monitoring & Audit (EM & A) works in the period between 1 February 2005 and 28 February 2005.

### 1.2 Contact Details of Key Personnel

Titles, names and contact telephone numbers of the key personnel of the captioned project are tabulated below:

| Title  | Name            | Contact Number |
|--|-----------------|----------------|
| Engineer's Representative<br>(Highways Department)                 | Mr. Greg Leung  | 2716 1043      |
| EPD  | Mr. Simon Hui   | 2835 1105      |
| Project Director<br>(Contractor)                                   | Mr. David Kong  | 2137 5522      |
| Project Manager<br>(Contractor)                                    | Mr. Alan Tam    | 9161 2991      |
| Site Agent<br>(Contractor)   | Mr. Alan Tam    | 9161 2991      |
| Environmental Team Leader<br>(Babtie Asia Limited)                 | Mr. Mark Cheung | 2738 3803      |
| Independent<br>Environmental Checker<br>(BMT Asia Pacific Limited) | Ms. Lyn Ip      | 2241 9812      |

### 1.3 Construction Programme

The latest construction programme is attached in Appendix A. This construction programme is subject to continuous refinement.

### 1.4 Site Management Structure

The site organization chart is shown as Appendix B.

### 1.5 Works undertaken during the reporting period with illustrations

The works for this project are divided into three sections: Section 1, Section 2 and Section 3.

Section 1 comprises all the works for the completion of the subway system connecting the existing vacant subway barrel across Sai Sha Road adjacent to Kam Ying Road and the local widening of northern Kam Ying Road and all associated landscaping works.

Section 2 comprises all construction works including the new carriageways, two footbridges and all footpath, cycle tracks, subways, village access road, noise barriers, roundabout and associated works comprising drainage works, E&M works, traffic signs and aids, slope works, embankments, retaining walls, subway wing walls, cycle parks, fencing, street lighting and all associated landscaping works, except Section 1 and Section 3.

Section 3 comprises all the works for the new access road to Whitehead and all the works except Section 1 and 2.

The works undertaken during the reporting period were as follows:

- Construction of footpath, cycle trench and cycle path
- Construction of noise barrier I
- Construction of manhole 29-31
- Finishing works in planters
- Metal work at footbridge FB2

The photos showing the construction works in the reporting period are shown in Appendix C.

## **1.6 Project Area, Sensitive Receivers & Monitoring Locations**

The drawings showing the project area, noise sensitive receivers (NSRs) and the locations of the monitoring stations are shown in Appendix D.

The construction noise monitoring stations are CNM 1 and CNM 2.

CNM 1 is for noise sensitive receivers (NSRs 1 & 2) Wu Kwai Sha New Village. CNM 2 is for (NSRs 3 & 4) Kam Lung Court/ Lee On Estate.

It is noted that the locations of the monitoring stations are the same as those adopted in the Noise Baseline Monitoring.



## 2.0 IMPLEMENTATION STATUS

According to the EIA report, the following should be implemented for the ninth construction phase quarter.

| Location                             | Reference Section | Environmental Protection Measures | Agent      |
|--------------------------------------|-------------------|-----------------------------------|------------|
| <i>Construction Noise Mitigation</i> |                   |                                   |            |
| Wu Kwai Sha New Village (1)          | EIA 3.5.25        | Mitigation Option 2               | Contractor |
| Wu Kwai Sha New Village (2)          | EIA 3.5.23        | Mitigation Option 1               | Contractor |
| Lok Wo Sha (1)                       | EIA 3.5.23        | Mitigation Option 1               | Contractor |
| Lok Wo Sha (2)                       | EIA 3.5.23        | Mitigation Option 1               | Contractor |
| Kam Lung Court (1)                   | EIA 3.5.25        | Mitigation Option 2               | Contractor |
| Kam Lung Court (2)                   | EIA 3.5.25        | Mitigation Option 2               | Contractor |
| Lee On Estate (1)                    | EIA 3.5.25        | Mitigation Option 2               | Contractor |
| Lee On Estate (2)                    | EIA 3.5.25        | Mitigation Option 2               | Contractor |
| Residential Development STTL446      | EIA 3.5.23        | Mitigation Option 1               | Contractor |

- Note: The locations of the noise assessment points are shown in the Figure 7 of the EIA Report.

| Location  | Reference Section | Environmental Protection Measures  | Agent      |
|---|-------------------|--|------------|
| <b><i>Landscape and Visual Mitigation Measures for the Construction Phase</i></b> |                   |  |            |
| All Scheme Roads  | EIA 4.5.1         | <ul style="list-style-type: none"> <li>• Conservation of topsoil;</li> <li>• Screening of site construction works by use of hoardings;</li> <li>• Surface treatment of site hoardings to enhance visual interest and harmony with surrounding landscape / townscape;</li> <li>• Locating site offices and other temporary buildings in least visually prominent locations;</li> <li>• Efficient programming of construction works to reduce duration of construction works;</li> <li>• Staging of construction works to minimise areas requiring site hoardings which creates visual intrusion;</li> <li>• Re-routing of pedestrian routes away from the work site where possible;</li> <li>• Retaining existing trees and minimising damage to vegetation where possible. Care shall be taken not to damage those trees identified in the Tree Survey Report to be retained during the construction phase; and</li> <li>• Careful and efficient transplanting of existing vegetation carried out under the supervision of a professional landscape architect</li> </ul> | Contractor |

## **2.1 Advice on the Implementation Status of Environmental Protection & Pollution Control / Mitigation Measures**

### *2.1.1 Construction Noise Mitigation Measures*

The Contractor should use silencers or mufflers on construction equipment such as pneumatic breaker and have noisy air compressor completely enclosed to avoid exceeding the noise limit level and nuisance to the nearby sensitive receivers.

Regular maintenance of the construction plant is strongly encouraged to avoid black smoke and excessive noise production. The machines and plant should be shut down or throttled down to a minimum when they are in intermittent use.

The plant known to emit noise strongly in one direction should be orientated to direct noise away from nearby noise sensitive receivers. The mobile plants should be sited as far away from the noise sensitive receivers as possible.

Care should be taken that different mitigation plans (option 1 & option 2) will be applied to different noise sensitive receivers. For mitigation option 2, more stringent environmental control will be required and implemented. The Contractor should pay particular attention to follow and carry out the mitigation measures mentioned in the EIA Report for those sensitive receivers to whom mitigation option 2 should be applied.

It is noted that for different construction phase quarters, the mitigation option will be different. The detailed environmental mitigation implementation schedule is shown in the EIA Report Annex A for different construction phases.

### *2.1.2 Landscape and Visual Mitigation Measures*

Care should be taken not to damage those trees identified in the Tree Survey Report to be retained during the construction phase.

In case of conflict between the construction machine and the trees during the construction activities, the Contractor should consider adopting an alternative construction approach to protect the trees from being damaged. As the last resort, the tree transplanting method may be considered. However, prior to such action, approval from the Engineer, the Environmental Team Leader and the Independent Environmental Checker should be obtained.

Whenever tree transplanting is required, the Contractor should notify the ET in advance and should carry out the works under the supervision of a professional landscape architect as stipulated in the EM & A Manual.

### **3.0 MONITORING RESULTS**

#### **3.1 Graphical plots of the monitored parameters**

The graphical presentations of the monitored parameters during the reporting period are shown in Appendix G.

#### **3.2 Major Activities During the Reporting Period**

Major activities during February 2005 include the followings:

- Construction of footpath, cycle trench and cycle path
- Construction of noise barrier I
- Construction of manhole 29-31
- Finishing works in planters
- Metal work at footbridge FB2

#### **3.3 Noise Monitoring Methodology**

Construction noise monitoring was carried out by using a Sound Level Meter to ensure that exceedance in noise levels could be readily identified and timely action taken to reduce the noise levels to within allowable limits.

#### **3.4 Noise Monitoring Equipment**

The approved integrating Sound Level Meter, Model No. CESVA SC20-e, in compliance with the International Electrotechnical Commission (IEC) Publication 651:1979 (Type 1) and 804:1985 (Type 1) specification as referred to in the Technical Memorandum (TM) issued under the Noise Control Ordinance (NCO), was used for construction noise measurement.

#### **3.5 Calibration Details**

A sound level calibrator, Model No. CESVA CB-5, was used to calibrate the Sound Level Meter before and after the measurement on site.

The sound level meter and calibrator have been recently taken to a laboratory for full calibration processes. A copy of calibration certificates conducted by Calibration and Testing Laboratory of Sun Creation Engineering Limited for the Sound Level Meter and the Sound Calibrator are attached in Appendix E.

#### **3.6 Noise Parameters**

The construction noise levels were measured in terms of equivalent A-weighted sound pressure level ( $L_{eq}$ ) measured in decibels (dB).

$L_{eq(30min)}$  was used as the monitoring parameter for the time period between (0700 to 1900) hours on normal weekdays.

$L_{eq(5min)}$  was used as the monitoring parameter for all other time period, if applicable.

The two statistical sound levels  $LA_{10}$  and  $LA_{90}$ , the level exceeded for 10 and 90 percent of the measurement time respectively, were also recorded as supplementary information for reference.

The construction noise monitoring limit and action levels are shown in Appendix I.

### 3.7 Monitoring Locations

The construction noise monitoring was conducted at two noise sensitive receivers, namely, CNM 1 (Wu Kwai Sha New Village) and CNM 2 (Kam Lung Court/ Lee On Estate).

Both measurement points for CNM 1 and CNM 2 are at façade.

Locations of construction noise monitoring stations and photos are shown in Appendix D.

### 3.8 Monitoring Date, Time, Frequency and Duration

The monitoring frequency will depend on the scale of the construction activities. The following was adopted as an initial arrangement of measurement on the regular monitoring frequency for each station on a per week basis when noise generating activities are underway:

- (a) one set of measurements between 0700 – 1900 hours on normal weekdays;
- (b) one set of measurements between 1900 – 2300 hours;
- (c) one set of measurements between 2300 – 0700 hours; and
- (d) one set of measurements between 0700 – 1900 hours on holidays

The time and duration of measurement are shown in the Appendix F. The construction noise monitoring schedule for February 2005 and March 2005 are shown in Appendix K.

### 3.9 Noise Monitoring Results

The data for noise monitoring is presented in Appendix F. Graphical representation of construction noise monitoring data is presented in Appendix G.

For CNM 1, the results show that during the reporting period, the noise level is on average 60.2 dB(A) which is below the noise limit level 75 dB(A).

For CNM 2, the results show that during the reporting period, the noise level is on average 61.2 dB(A) which is below the noise limit level 75 dB(A).

Construction noise monitoring was carried out on the 3<sup>rd</sup>, 17<sup>th</sup> and 24<sup>th</sup> of February 2005. All the measured noise levels recorded at the two monitoring stations were below the noise limit level.

The major noise sources during the reporting period included the machines operation in Contractor's construction activities such as drainage works and road works near Lee Wing House, and footbridge staircase construction near Residential Development at Wu Kai Sha DD 206.

Moreover, traffic noise of the heavy vehicles like trucks and buses along Sai Sha Road and residential noise are included in the measured noise level.

### **3.10 Weather Conditions**

The weather conditions were mainly sunny and did not affect the environmental monitoring works during the reporting period. The weather conditions during the period are shown in the Appendix H.

### **3.11 Influencing Factors**

The traffic noise from Sai Sha Road significantly contributed to the recorded noise level.

### **3.12 QA/QC Results and Detection Limits**

The QC result(Calibration Certificates) is shown in Appendix E. The lower limit of the sound level meter for  $L_{eq}$  is 0 dB(A). The upper limit for  $L_{eq}$  is 137 dB(A).

## 4.0 RECORD OF NON-COMPLIANCE OF THE ACTION AND LIMIT LEVELS, COMPLAINTS, NOTIFICATIONS OF SUMMONS AND SUCCESSFUL PROSECUTIONS

### 4.1 Non-compliance of the Action and Limit Levels

#### 4.1.1 Noise

During the reporting period, the noise levels for the two monitoring stations were within the noise limit level.

### 4.2 Written Complaints and Verbal Complaints

No written and verbal complaints were received during the reporting period.

The following table shows the summary for all the complaints received since the commencement of the Contract.

| TOTAL NO. OF COMPLAINT | NO. OF COMPLAINT RECEIVED WITHIN REPORTING PERIOD | NO. OF COMPLAINT THAT IS STILL UNDER INVESTIGATION | NO. OF CLOSED COMPLAINT |
|------------------------|---|--|-------------------------|
| 1                      | 0   | 0  | 1                       |

The statistics for environmental complaints on the reporting period are shown in Appendix L.

### 4.3 Notifications of Summons and Successful Prosecutions

No notifications of summons or successful prosecutions were received by the Contractor regarding the non-compliance of the environmental performance of the construction site during the reporting period.

## 5.0 OTHERS

### 5.1 Future Key Issue

In the coming month, the following activities will be undertaken.

- Retaining Wall Construction
- Noise Barrier Construction
- Footbridge Construction
- Drainage Work and Roadwork

Potential environmental impacts due to the above construction works are associated with construction dust, noise and site runoff.

The Contractor should clean out the sediments which block the stormwater U-channels within the site area. The Contractor should also remove any rubbish within the site area. In addition, the Contractor should exert himself to prevent the presence of accumulation of stagnant water to avoid the breeding of mosquitoes and the spread of dengue fever.

Nonetheless, with the implementation of the following mitigation measures, potential impacts to the surrounding sensitive receivers could be minimised.

#### *Construction Dust*

- Provide adequate water supply for the whole site area
- Regular watering of unpaved areas and the dry topsoil
- Regular watering during the demolition works such as the breaking of rigid pavement
- Cover the stockpiles with tarpaulin
- Investigate other dust sources
- Maintain onsite machinery and vehicles regularly
- Limit the speed of construction vehicles
- Maintain the water spraying system regularly

#### *Construction Noise*

- Carry out good site practice
- Use silenced plant and equipment
- Adopt quiet working methods
- Enclose powered mechanical equipment such as generators and compressors
- Shut down the machines and plant that may be in intermittent use between work periods or throttle them down to a minimum
- Provide temporary movable vertical barrier

#### *Construction Site Runoff*

- Direct the site runoff to the desilting facilities
- Desilt the site runoff before discharging it into the stormwater system.



## 5.2 Advice on the solid and liquid waste management status

### 5.2.1 General Refuse

General refuse may be generated by site workers. Bins shall be provided for containment prior to disposal. The Contractor should avoid the accumulation of waste materials or rubbish on site and regular waste disposal is required.

If there is any chemical waste or oil generated by the site, it should be properly treated and disposed of as chemical waste. If applicable, the Contractor should register as a chemical waste producer under the registration of the Department of Environmental Protection.

Environmental awareness shall be encouraged in the office so as to reduce volume of office waste.

### 5.2.2 Liquid Waste Management

The accumulation of stagnant water within the construction site should be avoided to eliminate the breeding of mosquitoes. To achieve this, the Contractor should identify potential stagnant areas on the site, inspect the site regularly and take necessary rectifying action to ensure no mosquitoes can breed.

Larvicidal Oil shall be applied to stagnant water awaiting discharge, and stagnant water shall be discharged regularly to avoid accumulation.

To properly treat the silty water, the Contractor should provide sandbags/ bunds to direct site surface runoff to the desilting facilities such as sedimentation tanks. The desilting facilities should be properly operated and maintained. To avoid the breeding of mosquitoes and other insects, water from the sedimentation tank should be discharged regularly. Care should also be taken to ensure the capacity of the desilting facilities is sufficient to handle the surface runoff and to avoid overflow of the sedimentation tanks.

The desilting facilities should be maintained properly. Regular removal of the accumulated debris with proper disposal is recommended.

For the wastewater generated from the site area, the Contractor should identify the sources and wastewater should be collected and treated prior to disposal.

**Appendix A**  
**CONSTRUCTION PROGRAMME**







**Appendix B**


**SITE ORGANIZATION CHART**

Date: 1st September 2004  
Rev: K

Barbican Construction Co., Ltd. (H.O.)  
Telephone: 2388 6041  
Facsimile: 2782 2730  
Barbican's Sai Sha Road Site Office  
Telephone: 2631 4851  
Facsimile: 2631 7814

Contract No. : HY/2001/18  
Sai Sha Road Widening between Kam Ying Road and Future Trunk Road T7 Junction  
Project Organization Chart

The most updated Project Organization Chart is always maintained by PM/SA at File 10.01  
The O-chart in this appendix is just for record purpose



| Position                        | Name                            | Contact Telephone              |
|---------------------------------|---------------------------------|--------------------------------|
| Contracts Manager               | David Kong                      | 2137 5522                      |
| Project Manager / Site Agent    | Alan Tam                        | 9161 2991                      |
| Secretary                       | Mandy Fong                      |                                |
| Site Clerk                      | Yu Miu Chui                     |                                |
| Project Q. S.                   | Dennis Tsoi                     | 9632 5899                      |
| Assistant Q.S.                  | Yiu Chi Ho                      |                                |
| Q. S. Trainee                   | Chan Kam Ming                   |                                |
| Planning / Programme, Utilities | Planning / Programming Engineer | Chak Chun Kit                  |
| Operation                       | Foreman                         | Ng Tung Shing / Wong Kwok Hung |
| Operation                       | Site Engineer                   | Wong Ka Lun                    |
| Operation                       | Assistant Engineer              | Jacob Tam                      |
| Administration                  | Site Admin                      | Simon Siu<br>9621-8126         |
| Administration                  | Assistant Surveyor              | Mak King Shan                  |
| Administration                  | Senior Leveller                 | Wong Sui Kwan                  |
| Administration                  | Assistant Leveller              | Chan Hou Man                   |
| Surveying                       | Surveyor                        | Yeung Chi Leong<br>9420-4927   |
| Safety                          | Safety Officer                  | Gary Chan<br>9685 9536         |

Based off Site  
Site Based

**Appendix C**

**RECORD PHOTOS FOR CONSTRUCTION ACTIVITIES**


**IN FEBRUARY 2005**





Date: 17 February 2005  
Location: Near DD206 Wu Kai Sha

Works: Road Works



Date: 3 February 2005  
Location: Near DD206 Wu Kai Sha

Works: Construction of noise barrier



Date: 24 February 05  
Location: Near Wu Kai Sha Station

Works: Installing hand railing




Date: 17 February 05  
Location: Proposed Residential Development at DD206

Works: Landscaping works

**Appendix D**

**THE PROJECT AREA, ENVIRONMENTAL SENSITIVE  
RECEIVERS AND THE LOCATIONS OF THE MONITORING  
STATIONS**



LEGEND:

|          |   |
|----------|---|
| [Symbol] | Proposed Roadway  |
| [Symbol] | Proposed Roadway (with drainage)  |
| [Symbol] | Proposed Roadway (with drainage and utility)  |
| [Symbol] | Proposed Roadway (with drainage, utility and lighting)  |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting and landscaping)   |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping and utility)  |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility and lighting)  |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility, lighting and landscaping)   |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility, lighting, landscaping and utility)  |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility, lighting, landscaping, utility and lighting)  |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility, lighting, landscaping, utility, lighting and landscaping)                                 |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility, lighting, landscaping, utility, lighting, landscaping and utility)                        |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility, lighting, landscaping, utility, lighting, landscaping, utility and lighting)              |
| [Symbol] | Proposed Roadway (with drainage, utility, lighting, landscaping, utility, lighting, landscaping, utility, lighting, landscaping, utility, lighting and landscaping) |

SAI SHA ROAD  
 BETWEEN KAM  
 AND FUTURE  
 JT JUNCTION

GENERAL L.A.

PH110118-C1



CNM 1  
 (Wu Kwai Sha New Village)

CNM 2  
 (Lee Wing Horse)

NSR  
 LEE ON CHAI

NSK  
 LEE ON CHAI

CUT LINE



LEE ON CHAI

CUT LINE

LEE ON CHAI

LEE ON CHAI




Monitoring Point CNM 1 – Wu Kwai Sha New Village



Monitoring Point CNM 2 – Lee Wing House of Lee On Estate

**Appendix E**

**CALIBRATION CERTIFICATES FOR SOUND LEVEL METER**



輝創工程有限公司

Sun Creation Engineering Limited Calibration and Testing Laboratory

Certificate No. : C044089

## Certificate of Calibration

*This is to certify that the equipment*

*Description : Sound Level Calibrator (E01-011)*

*Manufacturer : Cesva*

*Model No. : CB-5*

*Serial No. : 031198*

*has been calibrated for the specific items and ranges.  
The results are shown in the Calibration Report No. C044089.*

*The equipment is supplied by*

*Co. Name : HONKEI TECHNOLOGY*

*Address : Rm. 2501, 25/F., Ho King Comm. Centre, 2-16 Fa Yuen St.,  
Mongkok, Kowloon*

*Date of Issue : 14 September 2004*

*Certified by : Chan Han Si  
H C Chan*

The test equipment used for calibration are traceable to the National Standards as specified in this report.  
This report shall not be reproduced except in full and with prior written approval from this laboratory.

Calibration and Testing Laboratory of Sun Creation Engineering Limited


c/o G/F, LCK Telephone Exchange Building, 2 Yuet Lun Street, Lai Chi Kok, Kowloon, Hong Kong.

Tel: 2927 2606

Fax: 2744 8986

E-mail: callab@suncreation.com

Website: www.suncreation.com



輝創工程有限公司

Sun Creation Engineering Limited Calibration and Testing Laboratory

Certificate No. : C044090

## Certificate of Calibration

*This is to certify that the equipment*

*Description : Sound Level Meter (E01-010)*

*Manufacturer : Cesva*

*Model No. : SC-20e*

*Serial No. : T214258*


*has been calibrated for the specific items and ranges.  
The results are shown in the Calibration Report No. C044090.*

*The equipment is supplied by*

*Co. Name : HONKEI TECHNOLOGY*

*Address : Rm. 2501, 25/F., Ho King Comm. Centre, 2-16 Fa Yuen St.,  
Mongkok, Kowloon*

*Date of Issue : 14 September 2004*

*Certified by :   
H.C. Chan*

The test equipment used for calibration are traceable to the National Standards as specified in this report.  
This report shall not be reproduced except in full and with prior written approval from this laboratory.

Calibration and Testing Laboratory of Sun Creation Engineering Limited

c/o G/F, LCK Telephone Exchange Building, 2 Yuet Lun Street, Lai Chi Kok, Kowloon, Hong Kong.

Tel: 2927 2606

Fax: 2744 8986

E-mail: callab@suncreation.com

Website: www.suncreation.com



**Appendix F**  
**DATA OF NOISE MONITORING**

Contract No. HY/2001/18  
 Sai Sha Road Widening between Kam Ying Road  
 and Future Trunk Road T7 Junction  
 Monitoring Location: Wu Kwai Sha New Village (CNM 1)  
 Time Period 7:00-19:00

| Date     | Start Time | Duration (min) | Measurement Results     |                         |                                  |      |      |                                   |      |      |      |  |
|----------|------------|----------------|-------------------------|-------------------------|----------------------------------|------|------|-----------------------------------|------|------|------|--|
|          |            |                | L <sub>90</sub> (dB(A)) | L <sub>10</sub> (dB(A)) | L <sub>eq</sub> (dB(A)) (5 mins) |      |      | L <sub>eq</sub> (dB(A)) (30 mins) |      |      |      |  |
| 02/03/05 | 11:05      | 30             | 57.3                    | 65.6                    | 61.1                             | 63.8 | 61.3 | 64.6                              | 61.2 | 61.4 | 62.2 |  |
| 02/17/05 | 11:10      | 30             | 44.7                    | 61.8                    | 60.5                             | 51.6 | 53.5 | 58.6                              | 65.1 | 58.9 | 58.0 |  |
| 02/24/05 | 11:05      | 30             | 50.9                    | 61.4                    | 62.3                             | 57.7 | 60.3 | 64.1                              | 59.4 | 57.9 | 60.3 |  |
|          |            |                |                         |                         |                                  |      |      |                                   |      |      |      |  |
|          |            |                |                         |                         |                                  |      |      |                                   |      |      |      |  |

Page 2

Contract No. HY/2001/18

Sai Sha Road Widening between Kam Ying Road  
and Future Trunk Road T7 Junction

Monitoring Location: Kam Lung Court (CNM 2)



Time Period 7:00-19:00

| Date     | Start Time | Duration (min) | Measurement Results     |                         |                                  |      |      |                                   |      |      |      |
|----------|------------|----------------|-------------------------|-------------------------|----------------------------------|------|------|-----------------------------------|------|------|------|
|          |            |                | L <sub>90</sub> (dB(A)) | L <sub>10</sub> (dB(A)) | L <sub>eq</sub> (dB(A)) (5 mins) |      |      | L <sub>eq</sub> (dB(A)) (30 mins) |      |      |      |
| 02/03/05 | 11:45      | 30             | 55.5                    | 69.2                    | 62.8                             | 59.8 | 59.4 | 65.1                              | 68.8 | 69.6 | 64.3 |
| 02/17/05 | 11:45      | 30             | 55.6                    | 65.2                    | 59.0                             | 61.8 | 65.0 | 61.7                              | 63.2 | 60.9 | 61.9 |
| 02/24/05 | 11:40      | 30             | 54.5                    | 59.5                    | 58.7                             | 56.5 | 56.7 | 57.0                              | 58.1 | 57.9 | 57.5 |
|          |            |                |                         |                         |                                  |      |      |                                   |      |      |      |
|          |            |                |                         |                         |                                  |      |      |                                   |      |      |      |



**Appendix G**

**GRAPHICAL REPRESENTATION OF  
CONSTRUCTION NOISE MONITORING DATA**

# Construction Noise Monitoring Results Wu Kwai Sha New Village (CNM 1)



# Construction Noise Monitoring Results Kam Lung Court (CNM 2)



**Appendix H**  
**WEATHER CONDITIONS**  
**DURING THE MONITORING PERIOD**

Contract No. HY/2001/18

Sai Sha Road Widening between Kam Ying Road  
and Future Trunk Road T7 Junction

Major Activity and Weather Condition During Baseline Monitoring  
Monitoring Location: Wu Kwai Sha New Village (CNM 1)

| Date     | Start Time | Weather Condition | Major Activities | Other Activities     |
|----------|------------|-------------------|------------------|----------------------|
| 02/03/05 | 11:05      | Sunny             | Nil              | Traffic , Pedestrian |
| 02/17/05 | 11:10      | Sunny             | Nil              | Traffic , Pedestrian |
| 02/24/05 | 11:05      | Sunny             | Nil              | Traffic , Pedestrian |
|          |            |                   |                  |                      |
|          |            |                   |                  |                      |



Contract No. HY/2001/18  
 Sai Sha Road Widening between Kam Ying Road  
 and Future Trunk Road T7 Junction  
 Major Activity and Weather Condition During Baseline Monitoring  
 Monitoring Location: Kam Lung Court (CNM 2)

| Date     | Start Time | Weather Condition | Major Activities | Other Activities     |
|----------|------------|-------------------|------------------|----------------------|
| 02/03/05 | 11:45      | Sunny             | Nil              | Traffic , Pedestrian |
| 02/17/05 | 11:45      | Sunny             | Nil              | Traffic , Pedestrian |
| 02/24/05 | 11:40      | Sunny             | Nil              | Traffic , Pedestrian |
|          |            |                   |                  |                      |
|          |            |                   |                  |                      |

**Appendix I**

**CONSTRUCTION NOISE MONITORING LIMIT ACTION LEVEL**

According to Section 2.7 of the *EM & A Manual*, the Action and Limit Noise Levels are summarised in the following table:



| Time Period   | Action                                    | Limit Level |
|---|---|-------------|
| 0700-1900 hours on normal weekdays                                    | When one documented complaint is received | 75 dB(A)    |
| 0700-2300 hours on holidays; and<br>1900-2300 hours on all other days |   | 70 dB(A)    |
| 2300-0700 hours of next day   |   | 55 dB(A)    |

*Note: The noise limit level for all the NSRs within this contract is 75dB(A).*

**Appendix J**



**GRAPHICAL PLOTS OF TRENDS OF MONITORED PARAMETERS**

### Graphical Noise Parameters for Wu Kwai Sha New Village (CNM 1) (Jul 03 - Feb 05)



Monitoring Date

### Graphical Noise Parameters for Kam Lung Court (CNM 2) (Jul 03 - Feb 05)




| Monitoring Date |
|-----------------|
| 01/07/03        |
| 08/07/03        |
| 15/07/03        |
| 22/07/03        |
| 29/07/03        |
| 05/08/03        |
| 12/08/03        |
| 19/08/03        |
| 26/08/03        |
| 02/09/03        |
| 09/09/03        |
| 16/09/03        |
| 23/09/03        |
| 30/09/03        |
| 07/10/03        |
| 14/10/03        |
| 21/10/03        |
| 28/10/03        |
| 04/11/03        |
| 11/11/03        |
| 18/11/03        |
| 25/11/03        |
| 02/12/03        |
| 09/12/03        |
| 16/12/03        |
| 23/12/03        |
| 30/12/03        |
| 06/01/04        |
| 13/01/04        |
| 20/01/04        |
| 27/01/04        |
| 03/02/04        |
| 10/02/04        |
| 17/02/04        |
| 24/02/04        |
| 02/03/04        |
| 09/03/04        |
| 16/03/04        |
| 23/03/04        |
| 30/03/04        |
| 06/04/04        |
| 13/04/04        |
| 20/04/04        |
| 27/04/04        |
| 04/05/04        |
| 11/05/04        |
| 18/05/04        |
| 25/05/04        |
| 01/06/04        |
| 08/06/04        |
| 15/06/04        |
| 22/06/04        |
| 29/06/04        |
| 06/07/04        |
| 13/07/04        |
| 20/07/04        |
| 27/07/04        |
| 03/08/04        |
| 10/08/04        |
| 17/08/04        |
| 24/08/04        |
| 31/08/04        |
| 07/09/04        |
| 14/09/04        |
| 21/09/04        |
| 28/09/04        |
| 05/10/04        |
| 12/10/04        |
| 19/10/04        |
| 26/10/04        |
| 02/11/04        |
| 09/11/04        |
| 16/11/04        |
| 23/11/04        |
| 30/11/04        |
| 07/12/04        |
| 14/12/04        |
| 21/12/04        |
| 28/12/04        |
| 04/01/05        |
| 11/01/05        |
| 18/01/05        |
| 25/01/05        |
| 01/02/05        |
| 08/02/05        |
| 15/02/05        |
| 22/02/05        |

Monitoring Date

**Contract No. HY/2001/18  
Sai Sha Road Widening between Kam Ying Road  
and Future Trunk Road T7 Junction**

**Statistic for Environmental Complaint  
February 2005**



**Appendix K**

**CONSTRUCTION NOISE MONITORING AND SITE AUDIT SCHEDULES**

**FEBRUARY 2005 AND MARCH 2005**



Job No. : G/2563.01  
 Contract No. HY/2001/18  
 Sai Sha Road Widening between Kam Ying Road and Future Trunk Road T7 Junction

**Construction Noise Monitoring Schedule**

**February 2005 - March 2005**

| Location Point | Monitoring Parameter | Measurement Start Time |                      |                      |                      |
|----------------|----------------------|------------------------|----------------------|----------------------|----------------------|
|                |                      | 3/2/2005 (Thursday)    | 17/2/2005 (Thursday) | 24/2/2005 (Thursday) | 3/03/2005 (Thursday) |
| CNM 1          | Leq(30 min)          | 11:05                  | 11:10                | 11:05                | 10:00                |
| CNM 2          | Leq(30 min)          | 11:45                  | 11:45                | 11:40                | 10:40                |

| Location Point | Monitoring Parameter | Measurement Start Time |                       |
|----------------|----------------------|------------------------|-----------------------|
|                |                      | 17/03/2005 (Thursday)  | 31/03/2005 (Thursday) |
| CNM 1          | Leq(30 min)          | 10:00                  | 10:00                 |
| CNM 2          | Leq(30 min)          | 10:40                  | 10:40                 |

\* Note: In case of poor weather condition on the monitoring date, we will inform the Contractor to arrange another construction noise impact monitoring in a day in the same week.

**Appendix L**

**STATISTICS FOR ENVIRONMENTAL COMPLAINTS**

**Contract No. HY/2001/18  
Sai Sha Road Widening between Kam Ying Road  
and Future Trunk Road T7 Junction**

**Statistic for Environmental Complaint  
February 2005**

