

Ocean Park Master Redevelopment Project

Quarterly Environmental Monitoring & Audit Report – from April to June 2011

Certified by  on 11-August-11
Lindsay Pickles (ETL)

Verified by Independent Environmental Checker on 11-August-11
IEC Certificate attached in the submission? Yes

Ocean Park Master Redevelopment Project

Quarterly EM&A Report for April to June 2011

Submitted by Ocean Park Corporation on 10-08-2011

This is to verify that

Quarterly EM&A Report for April to June 2011

Submitted by Ocean Park Corporation

On 10-08-2011

Has been verified by the undersigned.

Signed



Dr Anne F Kerr
Independent Environmental Checker (IEC)
Retained by Ocean Park Corporation
pursuant to Environmental Permit No. EP-249/2006/B

Date

11 August 2011



Ocean Park Master Redevelopment Project

Quarterly Environmental Monitoring & Audit
Report – from April 2011 to June 2011




TABLE OF CONTENTS

	Page
EXECUTIVE SUMMARY	I
1. INTRODUCTION	1
Background	1
Project Organization and Contacts of Key Management	1
Construction Activities during the Reporting Quarter	1
2. ENVIRONMENTAL MONITORING AND AUDIT REQUIREMENTS	6
Monitoring Parameters and Locations	6
Monitoring Methodology and Calibration Details	7
Environmental Quality Performance Limits (Action and Limit Levels)	7
Environmental Mitigation Measures	7
3. MONITORING RESULTS	8
Construction Monitoring Results	8
Terrestrial Ecology	8
Marine Ecology	8
Operational Stage Monitoring for Ocean Park Symbio Show	8
4. AUDIT RESULTS for construction phase	10
Implementation Status of Environmental Mitigation Measures	10
Status of Environmental Licensing and Permitting	11
Advice on Materials Management Status	11
5. NON-COMPLIANCE (EXCEEDANCES) OF THE ENVIRONMENTAL QUALITY PERFORMANCE LIMITS (ACTION AND LIMIT LEVELS)	12
Summary of Exceedances – Construction Phase	12
Summary of Exceedances – Operational Phase	12
Complaints Log	12
Complaints Handling Procedure	12
7. NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTIONS	12
8. COMMENTS, CONCLUSIONS AND RECOMMENDATIONS	13
Construction Phase	13
Operational Phase	13

List of Tables

Table 1.1	Details of the Contracts	1
Table 1.2	Summary of Works undertaken in the Reporting Quarter	2
Table 1.3	Status of Environmental Submissions	3
Table 2.1	Location of Air Quality Monitoring Stations	6
Table 2.2	Location of Noise Monitoring Stations	7
Table 3.1	Air Quality Monitoring Results	8
Table 3.2	Summary of Daily Operational Noise Exceedance during this Reporting Period	9
Table 4.1	Estimated Amounts of Different Types of Materials Generation from April 2011 to June 2011	11

List of Figures

Figure 1.1	Management Organizations
Figure 1.2	Layout of Work Site (CS02 - Rainforest)
Figure 1.3	Layout of Work Site (CS03 – Thrill Mountain & Polar Adventure)
Figure 1.4	Locations of the Coral Monitoring Stations
Figure 1.5	Locations of the Air Quality Monitoring Stations (Operational Monitoring)
Figure 1.6	Location of Noise Monitoring Stations (Operational Monitoring)

List of Appendices

Appendix A	Contact Details of Key Management
Appendix B	Status of Environmental Licenses and Permits
Appendix C	Coral Monitoring Results
Appendix D	Graphical Presentation of Air Quality Monitoring Results
Appendix E	Graphical Presentation of Noise Monitoring Results
Appendix F	Complaint Flow Diagram and Complaint Log

EXECUTIVE SUMMARY

This is the seventeenth combined Quarterly Environmental Monitoring and Audit (EM&A) report for the Project "Master Redevelopment Project of Ocean Park". This report summarizes the EM&A works performed in the period between 26 March 2011 and 25 June 2011.

On completion of the works and opening of the Entry Plaza, Aqua City and Grand Aquarium to the public on 27 January 2011, the construction works under CI07 have been completed, and, as advised to EPD on 1 April 2011 (PD/PW/GOV/151/006107), no further construction monitoring for noise and air quality would be carried out.

Environmental monitoring for the Parks Operations commenced upon the opening of Aqua City and with the commencement of the Symbio Show on 27 January 2011.

Environmental Monitoring – Construction Works

Environmental Monitoring and Audit Progress

A summary of monitoring and audit activities for the construction works conducted in the reporting quarter is listed below:

Coral monitoring	1 session for Site 1-5 and Control Station C
Environmental site inspection	3 sessions (include IEC audit)

Air Quality & Noise Monitoring

Construction air quality & Noise monitoring have ceased since January 2011

Terrestrial Ecology

Terrestrial ecology monitoring had ceased since September 2008.

Coral Monitoring

The sixth coral monitoring survey after the retagging exercise was conducted on 28 May 2011 for Site 1-5 & Control Station in the reporting quarter. The results showed that there was no exceedance of Action and Limit Levels.

Environmental Monitoring – Symbio Show

Monitoring was carried out from 27 March 2011 to 26 June 2011, in this reporting period.

To satisfy potentials concerns over RSP concentrators, the number of monitoring stations was increased to a total of 3 monitoring stations. Weekly monitoring has taken place at the 2 additional monitoring stations for the 3rd month of the operation of the Symbio Show. As the monitored results are within the AQO, the frequency was reduced to monthly following the April monitoring programme.

No exceedance of A/L Level is monitored during the reporting period.

Noise monitoring was conducted at five designated noise monitoring locations in accordance with the approved EM&A Manual with 25 measurement sessions being carried out at each of the 5 monitoring stations.

Noise Monitoring results indicated that, with the exception of one public holiday, the background corrected Lagoon Night Show Noise Levels have complied with the Limit Levels at all of the monitoring stations during all of the monitoring dates.

The background corrected Daily Operational Noise Levels have complied with the Limit Levels at most of the monitoring stations during most of the monitoring dates.

Noise exceedances were recorded at AON1 (Open Area adjacent to Police Training School), AON3 (Orchid Valley / Woodgreen estate) and AON5 (Hau Yuen) due to the noise from the bus terminus and high background noise from the visitors and traffic during public holidays.



Environmental Complaints and Prosecutions

No complaint, non-compliance from IEC, summons or prosecution related to environmental issues was made against the Project within the reporting quarter.

1. INTRODUCTION

Background

- 1.1 The "Master Redevelopment Project of Ocean Park" (hereinafter known as the "Project") is implemented by the Ocean Park Corporation at its existing site of Ocean Park and Nam Long Shan, Aberdeen. The Project involves both reconstruction/modification of existing facilities and expansion of the Park, and therefore under Environmental Permit, EP-249/2006/B.
- 1.2 The construction works of the project consists of various contracts. Details of the contracts, which are required to perform the EM&A programme, are shown in **Table 1.1** below.

Table 1.1 Details of the Contracts

Contract No.	Contract Title	Contractor	Construction Commencement	Construction Completion
CI-05	Site Formation, Funicular Tunnel and Miscellaneous Works	Dragages-Bouygues JV	12 March 2007	June 2009
CS-01	Vet Hospital	Kaden – ATAL JV	26 March 2007	October 2008
CW-02	Astounding Asia	W. Hing Construction Co. Ltd.	1 August 2007	February 2010
CI-07	Entry Plaza, Aqua City and Grand Aquarium	Leighton Construction (Asia) Limited	15 August 2008	January 2011
CS-02	Rainforest	W. Hing Construction Co. Ltd.	11 May 2009	April 2011
CS-03	Thrill Mountain & Polar Adventure	Kaden – ATAL JV	2 November 2009	ongoing

- 1.3 The contractors will conduct environmental monitoring and audits during the construction stage and produce contract specific monthly & quarterly EM&A reports. The RSS would prepare a combined quarterly EM&A for the whole project. This is the combined quarterly EM&A Report including the IEC audit findings for CI07, CS02 and CS03 EM&A Works together with the Environmental Monitoring for the Park's Operation and the Symbio Show. This report presents the results of EM&A works conducted in the reporting quarter from 26 March 2011 to 25 June 2011 for construction works and in the reporting month of 27 February 2011 – 26 May 2011, for Operational Monitoring.

Project Organization and Contacts of Key Management

- 1.4 An organization structure and the line of communication were set up for the Project between the Project Proponent, Project Manager's Representative (PMR), Independent Environmental Checker (IEC), the Contractor and the Environmental Team (ET). The project organization and contact details of key management are shown in **Figure 1.1** and **Appendix A** respectively.

Construction Activities during the Reporting Quarter

- 1.5 The site activities during the reporting quarter are summarized in **Table 1.2**. The status of Construction permits is provided in **Appendix B**.

Table 1.2 Summary of Works undertaken in the Reporting Quarter

Item	Work Activity	Month		
		Apr 11	May 11	Jun 11
Waterfront (CI-05), Construction phase had ceased in early-June 2009				
	N/A	-	-	-
Vet Hospital (CS-01), Construction phase had ceased in mid-October 2008				
	N/A	-	-	-
Astounding Asia (CW-02), Construction phase had ceased in mid-February 2010				
	N/A	-	-	-
Entry Plaza, Aqua City and Grand Aquarium (CI-07) – Construction Phase ceased in January 2011				
	N/A	-	-	-
Rainforest (CS-02) – Construction Phase ceased in April 2011				
1.	Fit-out works for Retail Shops, Cladding for Ancillary Building.	✓	-	-
2.	E&M Equipment Testing and Commissioning.	✓	-	-
3.	Tree planting, Paving Works, Road Works and Finishing Works.	✓	-	-
Thrill Mountain and Polar Adventure (CS-03)				
1.	Construction of queue area and pools for South Pole & North	✓	✓	✓
2.	Erection of structure steel works for ride at Floorless Coaster Station	✓	✓	
3.	Trial run of Floorless Coaster.			✓
4.	Construction of Bobsled Station superstructure and installation of ride	✓	✓	✓
5.	Finishing works for Polar Adventure Building	✓	✓	✓
6.	Construction of Northern EVA	✓	✓	✓
7.	Construction of ancillary buildings for Thrill Mountain rides & Facilities	✓	✓	✓
8.	Installation of Theme Works			✓
9.	Construction of Drainage system and Water main for External Works;	✓	✓	✓
10.	Dispose of existing stockpile	✓	✓	✓

- 1.6 Layout plans of the Project are provided in **Figure 1.2** (CS-02 Rainforest) and **Figure 1.3** (CS-03 Thrill Mountain and Polar Adventure).
- 1.7 The status of submissions until 25 June 2011 as specified in the Environmental Permit No. EP-249/2006/B is presented in **Table 1.3**.

Table 1.3 Status of Environmental Submissions

EP-249/2006/B Condition	Submission	Revision	Status
Contract CI05			
1.12	Notification of Commencement Date of construction stage	Dated 14 February 2007	Submitted to EPD on 15 February 2007
2.3	Management Organization	Dated 15 December 2006	Submitted to the EPD on 29 December 2006.
2.4	Construction Programme	2 Dated 14 February 2007	Submitted to the EPD on 15 February 2007
2.13	Drainage Proposal	A2 Dated 26 April 2007	Placed in EIAO Register Office for public information on 30 May 2007
2.14	Silt Curtain Proposal	B Dated 30 January 2007	Placed in EIAO Register Office for public information on 1 March 2007
2.18	As-built Drawing for Enhancement Works for Pond 35	A Dated 17 July 2007	Placed in EIAO Register Office for public information on 7 August 2007
2.20a	Transplantation Proposal for Uncommon Plant Species	D Dated 27 August 2007	Placed in EIAO Register Office for public information on 25 September 2007
2.20b	Detailed Compensatory Planting As-built Drawing	A Dated 4 October 2007	Placed in EIAO Register Office for public information on 30 October 2007
2.21	Waste Management Plan	D Dated 27 August 2007	Placed in EIAO Register Office for public information on 25 September 2007
3.3	Baseline Air Quality and Noise Monitoring Report	B Dated 28 February 2007	Submitted to the EPD on 5 March 2007
3.3	Baseline Coral Survey Report	A Dated 13 June 2007	Submitted to the EPD on 18 June 2007
All Contract (including CW02, CI07, CS02 & CS03)			
3.1 and under Section 13.14 of EM&A Manual	Quarterly EM&A Report for October to December 2009	A Dated	Submitted to the EPD on 22 February 2010
3.4	Monthly EM&A Report for January 2010	A Dated 1 March 2010	Submitted to the EPD on 5 March 2010
3.4	Monthly EM&A Report for February 2010	A Dated 17 March 2010	Submitted to the EPD on 22 March 2010

EP-249/2006/B Condition	Submission	Revision	Status
3.4	Monthly EM&A Report for March 2010	A Dated 21 March 2010	Submitted to the EPD on 26 March 2010
3.1 and under Section 13.14 of EM&A Manual	Quarterly EM&A Report for January to March 2010	A Dated 23 April 2010	Submitted to the EPD on 28 April and re-submit on 17 May 2010
3.4	Monthly EM&A Report for April 2010	A Dated 31 May 2010	Submitted to the EPD on 3 June 2010
3.4	Monthly EM&A Report for May 2010	A Dated 21 June 2010	Submitted to the EPD on 22 June 2010
3.4	Monthly EM&A Report for June 2010	A Dated 14 July 2010	Submitted to the EPD on 15 July 2010
3.1 and under Section 13.14 of EM&A Manual	Quarterly EM&A Report for April to June 2010	A Dated 16 July 2010	Submitted to the EPD on 16 July 2010
3.4	Monthly EM&A Report for July 2010	A Dated 11 August 2010	Submitted to the EPD on 13 August 2010
3.4	Monthly EM&A Report for August 2010	A Dated 9 September 2010	Submitted to the EPD on 13 September 2010
3.4	Monthly EM&A Report for September 2010	A Dated 11 October 2010	Submitted to the EPD on 13 October 2010
3.1 and under Section 13.14 of EM&A Manual	Quarterly EM&A Report for July to September 2010	A Dated 11 October 2010	Submitted to the EPD on 13 October 2010
3.4	Monthly EM&A Report for October 2010	A Dated 10 November 2010	Submitted to the EPD on 10 November 2010
3.4	Monthly EM&A Report for November 2010	A Dated 14 December 2010	Submitted to the EPD on 14 December 2010
3.4	Monthly EM&A Report for December 2010	A Dated 24 February 2011	Submitted to the EPD on 24 February 2011
3.1 and under Section 13.14 of EM&A Manual	Quarterly EM&A Report for October to December 2010	A Dated 16 March 2011	Submitted to the EPD on 17 March 2011
3.4	Monthly EM&A Report for January 2011	A Dated 4 March 2011	Submitted to the EPD on 4 March 2011
3.4	Monthly EM&A Report for February 2011	A Dated 4 April 2011	Submitted to the EPD on 4 April 2011
3.4	Monthly EM&A Report for March 2011	A Dated 28 April 2011	Submitted to the EPD on 28 April 2011
3.1 and under Section 13.14 of EM&A Manual	Quarterly EM&A Report for January to March 2011	A Dated 16 March 2011	Submitted to the EPD on 17 March 2011
3.4	Monthly EM&A Report for April 2011	A Dated 25 May 2011	Submitted to the EPD on 25 May 2011

EP-249/2006/B Condition	Submission	Revision	Status
3.4	Monthly EM&A Report for May 2011	A Dated 22 May 2011	Submitted to the EPD on 22 May 2011
3.4	Monthly EM&A Report for June 2011	A Dated 1 August 2011	Submitted to the EPD on 1 August 2011
CityBus Limited			
2.5	Written Notice on Completion of Total Petroleum Hydrocarbon (TPH) Contaminated Soil Disposal	Dated 17 January 2007	Submitted to the EPD on 22 January 2007
2.6	Written Notice on Completion of Solidification Treatment of Heavy Metals Contaminated Soil	Dated 17 January 2007	Submitted to the EPD on 22 January 2007.
2.8	As-built Remediation Plan	Dated 14 March 2007	Submitted to the EPD on 16 March 2007
Hong Kong School of Motoring Ltd.			
2.10	Confirmation letter to confirm that land contamination remediation works within HKSM has been completed	Dated 13 April 2007	Submitted to EPD on 13 April 2007.
Environmental Permit Conditions			
2.24	Glare Impact Assessment Report	Dated 9 June 2010	Submitted to EPD on 11 June 2010.
2.25	Noise Review Study Report	Dated 14 October 2010	Submitted to EPD on 19 October 2010.
2.29	Air Quality Sampling Plan	Dated 14 October 2010	Submitted to EPD on 25 November 2010.
2.31	Air Quality Monitoring Programme	Dated 13 April 2011	Submitted to EPD on 28 April 2011

2. ENVIRONMENTAL MONITORING AND AUDIT REQUIREMENTS

Monitoring Parameters and Locations

Construction Works

- 2.1 Under EP-249/2006/B condition 3.2, impact environmental monitoring, including sampling, measurements and necessary remedial action should be conducted in accordance with the requirements of the EM&A Manual, which as been updated to include operational monitoring or the Ocean Park Symbio Show.
- 2.2 Contract CS03 at the Summit, CS02 for the Rainforest and CS03 for the Thrill Mountain and Polar Adventure are still underway. However, other than ongoing Coral Survey, no construction monitoring will be undertaken for those works, only auditing works. The audits will continue to be carried out by the Contractors ET and OPC's ET and verified by the IEC.

Coral

- 2.3 The locations of the coral monitoring stations are presented in the table below and as shown in the Figure 1.4.

Coral Impact Monitoring Stations	Identity/Description
Site 1	Seaside near the Lowland
Site 2 to Site 5	Around Headland
Control Station	Between Near Round Island and Chung Hom Kok

Ocean Park Symbio Show

- 2.4 Operational Stage Monitoring for Ocean Park Symbio Show commenced on the 27 January 2011.
- 2.5 To satisfy potentials concerns over RSP concentrators, the number of monitoring stations was increased to a total of 3 monitoring stations. Weekly monitoring has taken place at the 2 additional monitoring stations for the 3rd month of the operation of the Symbio Show, (27 March to 26 April 2011). As the monitored results are within the AQO, the frequency was reduced to monthly following the April monitoring programme.
- 2.6 Air Quality monitoring was conducted at the agreed designated air quality monitoring station (AQMS) located at locations as presented in Table 2.1 below and as indicated in Figure 1.5:

AQMS ID	Location	Sampling Height (m above ground)
AM1	Rooftop of Administrative Building (former Staff Quarter) in Ocean Park	10
AM2	Landscape Storage Area in Ocean Park	3
AM3	Rooftop of Main Medical Block of Graham Hospital	20

Table 2.1 Location of Air Quality Monitoring Stations

- 2.7 One 24-hr average RSP sample was collected on each scheduled day for monitoring by a High Volume Sampler (HVS) following the USEPA method, EPA IO-2.1. Calibration of the equipment has followed the requirements set out in EPA IO-2.1.
- 2.8 Noise monitoring was conducted at five designated noise monitoring locations in accordance with the approved EM&A Manual. Alternative noise monitoring had been proposed because of accessibility problem, as set out in Table 2.2 below and in Figure 1.6.

Monitoring Noise Monitoring Stations	Description	Location	With or without Façade Correction
AON1	Open Area adjacent to Police Training School	1.2m above street level	Without façade correction
AON2	Old canteen building, Ocean Park	1.2m above street level	With façade correction
AON3	Orchid Valley (replaced by Woodgreen estate from 8 May 2011)	1.2m above street level near the entrance gate	Without façade correction
AON4	Manly Villa	1.2m above street level near the entrance	With façade correction
AON5	Hau Yuen	1.2m above street level outside boundary wall	With façade correction

Table 2.2 Location of Noise Monitoring Stations

- 2.9 Six consecutive measurements of LAeq, 5 min reading were carried out to calculate the LAeq, 30 min noise level during the Lagoon Show.
- 2.10 Six consecutive measurements of LAeq, 5 min reading were carried out to calculate the LAeq, 30 min noise level before the lagoon night show, ie during daily operation of the Ocean Park without the Lagoon Show.
- 2.11 Three consecutive measurements of LAeq, 5 min reading were carried out to calculate the LAeq, 15 min noise level after the lagoon night show, ie without operation of the Ocean Park to establish the background noise levels.
- 2.12 Any significant influencing factors on the measured noise levels were taken into account in accordance with standard acoustical principles and practices. The corrected noise level due to the lagoon night show and the operation of Ocean Park was computed based on the background noise level and measured noise level.

Monitoring Methodology and Calibration Details

- 2.13 All monitoring works were conducted and monitoring equipment was regularly calibrated in accordance with the EM&A Manual. The calibration certificates were provided in the Monthly EM&A report.

Environmental Quality Performance Limits (Action and Limit Levels)

- 2.14 The environmental quality performance limits, i.e. Action and Limit levels (AL Levels) were derived from the baseline monitoring results and/or other approaches as detailed in the EM&A Manual. Should the measured environmental quality parameters exceed the AL Levels, the respective action plans would be implemented.

Environmental Mitigation Measures

- 2.15 Relevant mitigation measures as recommended in the Project EIA Report had been stipulated in the EM&A Manual and EMIS for the Contractor to adopt.

3. MONITORING RESULTS

Construction Monitoring Results

- 3.1 Construction monitoring has been completed in January 2011 and no construction monitoring has taken place in the reporting quarter.

Terrestrial Ecology

- 3.2 The monitoring of transplanted plants at the receptor has been completed in August 2008.

Marine Ecology

- 3.3 The 6th coral monitoring survey, after the Coral Re-tagging exercise in November 2009, was conducted on 28 May 2011. The monitoring survey showed that the change in level of sedimentation on the tagged colonies was minor and all tagged corals were in good condition and healthy in all the 5 monitoring Sites and the Control Site C. Neither Action nor Limit levels of sedimentation, bleaching or mortality was exceeded. The table of results are shown in **Appendix C**.

Operational Stage Monitoring for Ocean Park Symbio Show

- 3.4 For Air Quality Monitoring, 24-hr average Respirable Suspended Particulates (RSP) monitoring was conducted at designated monitoring stations AM1, on 22 March, 10 April and 11 May 2011 and at AM2 and AM3 on 28 March, 4, 10 and 18 April and 11 May 2011 as detailed in **Table 3.1** below. No exceedance of A/L Level was reported during the monitoring period. The graphical presentation of the monitoring results is provided in **Appendix D**.

Monitoring Location	Monitoring Date	24-hr RSP Concentration (μgm^{-3})	Action/Limit Level (μgm^{-3})
AM1 (Rooftop of Administrative Building (Old Staff Quarters in Ocean Park))	22 March 2011	44	180
	10 April 2011	80	180
	11 May 2011	30	180
AM2 (Landscape Storage Area)	28 March 2011	62	180
	4 April 2011	64	180
	10 April 2011	51	180
	18 April 2011	89	180
	11 May 2011	26	180
AM3 (Rooftop of the Main Medical Block of Graham Hospital)	28 March 2011	114	180
	4 April 2011	112	180
	10 April 2011	87	180
	18 April 2011	160	180
	11 May 2011	40	180

Table 3.1 Air Quality Monitoring Results

- 3.5 Noise Monitoring results indicated that the background corrected Lagoon Night Show Noise Levels have complied with the Limit Levels at all of the monitoring stations during all except one of the monitoring dates. The graphical presentation of the monitoring results is provided in **Appendix E**.
- 3.6 The background corrected Daily Operational Noise Levels have complied with the Limit Levels at most of the monitoring stations during most of the monitoring dates. Noise exceedances were recorded at 3 stations AON1, AON3 and AON5 due to the noise from the bus terminus and high background noise from the visitors and traffic during public holidays as indicated in **Table 3.2** below.

Table 3.2 Summary of Daily Operational Noise Exceedance during this Reporting Period

Date	Noise Monitoring Station	Measured Noise Level, dB(A)		Daily Operational Noise Level, (Background Corrected) ^(a) , Leq (30 min) dB(A)	Limit Level Leq (30 min) dB(A)
		Daily Operational Noise Level Leq (30 min) dB(A)	Background Noise Level, Leq (15 min) dB(A)		
27 Feb 2011 (Public holiday)	AON1	67.9	67.0	63.9	60
	AON3	55.0	51.4	55.5	55
	AON5	58.4	55.1	55.6	55
6 Mar 2011 (Public holiday)	AON1	66.6	65.3	64.4	60
8 Mar 2011 (weekday)	AON3	58.9	54.9	59.7	55
	AON5	60.3	58.2	56.3	55
13 Mar 2011 (Public holiday)	AON1	67.2	65.9	64.4	60
	AON3	56.1	51.2	57.4	55
20 Mar 2011 (Public holiday)	AON1	67.1	64.3	66.9	60
22 Mar 2011 (weekday)	AON5	58.6	55.4	55.8	55
27 Mar 2011 (Public holiday)	AON1	67.1	66.1	62.8	60
	AON3	56.8	53.8	56.6	55
	AON5	59.0	55.0	56.7	55
29 Mar 2011 (weekday)	AON5	59.6	57.2	56.0	55
3 Apr 2011 (Public holiday)	AON1	67.3	65.4	65.9	60
10 Apr 2011 (Public holiday)	AON1	67.5	66.0	65.0	60
	AON1	56.3	51.8	57.3	55
12 Apr 2011 (weekday)	AON3	57.2	54.9	56.3	55
22 Apr 2011 (Public holiday)	AON1	65.0	62.2	64.8	60
24 Apr 2011 (Public holiday)	AON1	65.1	64.2	60.5	60
1 May (Public holiday)	AON1	65.7	63.7	64.4	60
8 May 2011 (Public holiday)	AON1	65.2	63.1	64.0	60
15 May 2011 (Public holiday)	AON1	67.5	65.6	66.0	60
		66.4 ^(b)		61.2 ^(c)	
	AON3	65.2	63.5	55.9	55
	AON5	58.3	54.5	55.9	55
17 May 2011 (weekday)	AON5	67.4	65.5	63.3	60
24 May 2011 (weekday)	AON3	67.4	65.5	63.3	60

Note:

- (a) The Background corrected Noise Levels were either measured in front of a façade or with façade correction of 3dB(A).
- (b) Lagoon Night Show Level
- (c) Lagoon Night Show Noise level (Background corrected)

4. AUDIT RESULTS FOR CONSTRUCTION PHASE

Implementation Status of Environmental Mitigation Measures

4.1 This was the seventeenth quarter of Ocean Park Master Redevelopment Project including Contract CS02 and CS03. The major activities were summarized in Table 1.2. The Contractor and sub-Contractor had implemented most of the mitigation measures to minimize the environmental impacts due to construction activities. Regarding a few minor observations as noted during ET's site inspections, the Contractor and sub-Contractor rectified all the problems and no major environmental impact was induced.

4.2 IEC's audits were carried on monthly basis (i.e. on 26 April 2011, 20 May 2011 and 17 June 2011). No non-compliance was issued for CS02 and CS03. Observations details were provided in the Monthly EM&A report.

4.3 The updated implementation status of environmental mitigation measures (EMIS) is given in Appendix G. The status of completed contracts is as follows:

CI05 (Construction phase had ceased in early-June 2009)

CS01 (Construction phase had ceased in mid-October 2008)

CW02 (Construction phase had ceased in mid-February 2010)

CI07 (Construction phase had ceased in January 2011)

4.4 CS02 - Rainforest

4.4.1 April 2011

- (a) Empty oil drum was placed on bare ground. Recommend to remove from site ASAP or placed in drip tray.
- (b) Materials were banked around several trees. Recommend to be placed further away to avoid spillage of liquid eg. Paints to soil.

Construction phase ceased in April 2011

4.5 CS03 – Thrill Mountain

4.5.1 April 2011

- (a) Stagnant water was accumulated in the channel surrounding the site. Recommend to remove ASAP.
- (b) An empty oil drum was placed on bare ground. Recommend to place in chemical waste storage area and dispose off-site ASAP.
- (c) Some paint of the haul road was dry. Recommend to provide water spray more frequently.
- (d) Stagnant water was accumulated in the channel surrounding the site. Recommend to remove ASAP.
- (e) An empty oil drum was placed on bare ground. Recommend to place in chemical waste storage area and dispose off-site ASAP.
- (f) Some paint of the haul road was dry. Recommend to provide water spray more frequently.

4.5.2 May 2011

- (a) Stockpiles of excavated materials were not covered when idled. The contractor was reminded to cover them with tarpaulin sheets to suppress dust.
- (b) Water was accumulated in the drip tray with oil drums. The Contractor was reminded to drain the water away
- (c) An empty oil drum was placed on bare ground. The Contractor was reminded to dispose it as chemical waste.

4.5.3 June 2011

- (a) An idled stockpile was not covered with tarpaulin sheets or other means. The Contractor was reminded to cover with tarpaulin sheets or other means to suppress dust.
- (b) Two empty oil drums were placed on bare ground. The Contractor was reminded to dispose of them properly.
- (c) Stagnant water was observed after heavy rain, The Contractor was reminded to remove the stagnant water as soon as possible.

Status of Environmental Licensing and Permitting

- 4.7 Environmental licenses and permits including Environmental Permit for the Project, construction noise permits, chemical waste producer and effluent discharge license were in place and valid during the reporting quarter.

Advice on Materials Management Status

- 4.8 Table 4.1 summarises the estimated amounts of different types of materials generated from the Project during the reporting quarter as below:

Materials Type	Estimated Amount			Disposal Locations
	Apr 11	May 11	Jun 11	
C&D waste	230.85 tonnes	277.50 tonnes	341.70 tonnes	SENT Landfill
	--	--	--	TKOSF
Excavated Material (mainly soil)	5,597.50 tonnes	2,770.10 tonnes	1,363.50 tonnes	QBBP / CWPFBP
	--	--	--	TKOFB
Chemical waste	400 litres	400 litres	nil	Collected by licensed collector
General waste	--	--	--	Collected by licensed collector

Table 4.1 Estimated Amounts of Different Types of Materials Generation from April 2011 to June 2011.

5. NON-COMPLIANCE (EXCEEDANCES) OF THE ENVIRONMENTAL QUALITY PERFORMANCE LIMITS (ACTION AND LIMIT LEVELS)

Summary of Exceedances – Construction Phase

- 5.1 As there was no exceedance during the reporting quarter, thus no further action was required.

Summary of Exceedances – Operational Phase

- 5.2 For Air Quality Monitoring, no exceedance was reported during this quarter. As agreed with EPD, the number of monitoring stations were increased and additional monitoring and analysis was carried out.
- 5.3 Noise Monitoring results indicated that the background corrected Lagoon Night Show Noise Levels have complied with the Limit Levels at most of the monitoring stations during most of the monitoring dates.
- 5.4 The background corrected Daily Operational Noise Levels have complied with the Limit Levels at most of the monitoring stations during most of the monitoring dates. Noise exceedances were recorded at AON1 (Open Area adjacent to Police Training School, AON3 (Orchid Valley) and AON5 (Hau Yuen) due to the noise from the bus terminus and high background noise from the visitors and traffic during public holidays.

6. ENVIRONMENTAL COMPLAINTS

Complaints Log

- 6.1 No complaints were received during the reporting period.

Complaints Handling Procedure

- 6.2 All complaints will be handled in accordance with the EM&A Manual. The complaint handling procedure and the complaint log are provided in Appendix F.

7. NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTIONS

- 7.1 No summon or prosecution related to environmental issues was made against the Project within the reporting quarter.

8. COMMENTS, CONCLUSIONS AND RECOMMENDATIONS

- 8.1 During this quarter, no complaints were received.
- 8.2 No summons and prosecutions related to environmental issues were made against the Project in the reporting quarter.
- 8.3 The implemented EM&A programme ensured that any environmental impacts to the receivers would be readily detected and timely actions could be taken to rectify any non-compliance. Assessment and analysis of monitoring results collected demonstrated the environmental acceptability of the Project. Weekly site inspections ensured that the EIA recommendations were effectively implemented.

Construction Phase

- 8.4 On completion of the works and opening of the Entry Plaza, Aqua City and Grand Aquarium to the public on 27 January 2011, the construction works under CI07 have been completed, and, as advised to EPD on 1 April 2011 (PD/PW/GOV/151/006107), no further construction monitoring for noise and air quality would be carried out.
- 8.5 In the reporting quarter, no terrestrial ecology monitoring was conducted. According to the requirement in the EM&A Manual, the last two terrestrial ecology monitoring had been completed in August 2008.
- 8.6 In the reporting quarter, one coral monitoring was conducted and the results showed that there was no exceedance of Action and Limit Levels.

Operational Phase

- 8.7 For the operational phase, daily operational noise and lagoon night show noise monitoring was carried out at five designated monitoring stations during this reporting period. Out of the 5 stations, noise exceedances were recorded at AON1 (Open Area adjacent to Police Training School), ANO3 (Orchid Valley / Woodgreen estate) and AON5 (Hau Yuen) due to noise emanating from the bus terminus and high background noise from visitors and traffic during the public holidays
- 8.8 Noise monitoring at the same stations using the same frequency and approach will be continued during the first year of the operation of the open-air night show.
- 8.9 To satisfy potentials concerns over RSP concentrators, 3 AQ monitoring stations have been identified and weekly monitoring was conducted in March - April 2011 for the additional 2 locations. The results were found to be within the AQO, and the frequency was reduced to monthly for the remaining 11 months

Appendix A



APPENDIX A – CONTACTS OF KEY ENVIRONMENTAL PERSONNEL

Company	Contact Person	Position	Telephone No.
Ocean Park Corporation Operations	Frankie Hau	Environmental Health & Safety Manager	39232639
Ocean Park Corporation Construction	Lindsay Pickles	Environmental Team Leader	29103109
AECOM Asia Company Ltd.	Mike Wong	Project Manager Representative (PMR)	28715895
Mott MacDonald Hong Kong Ltd	Dr. Anne Kerr	Independent Environmental Checker	28285757
W. Hing Construction Co., Ltd. (for Contract CS02)	Leo Wong	Environmental Officer	6193 4097
Kaden – ATEL JV (for Contract CS03)	Winson Chung	Contractor's Asst. ETL	93261588

Appendix B

Appendix B Licenses and Permits

CNP

Permit number	Starting Date	Expired Date	Valid Time	Location	Contract No.	Status
CS02 (W. Hing)						
GW-RS1042-10	9-Dec-10	3-Jun-11	Notice of Issue of Construction Noise Permit Pursuant to Section 8(6) of the Noise Control Ordinance	Ocean Park, Nam Long Shan Road	CS02	Valid
CS03 (KAJV)						
GW-RS0036-11	1-Feb-11	31-Jul-11	Construction Noise Permit for Top of Nam Long Shan Rd., Ocean Park, 180 Wong Chuk Hang, Hong Kong	Ocean Park, nam Long Shan Road	CS03	Valid
GW-RS0932-10	1-Dec-10	31-May-11	Construction Noise Permit for Top of Nam Long Shan Rd., Ocean Park, 180 Wong Chuk Hang, Hong Kong	Ocean Park, nam Long Shan Road	CS03	Valid
GW-RS0516-11	9-June-11	30-Nov-11	Construction Noise Permit for Top of Nam Long Shan Rd., Ocean Park, 180 Wong Chuk Hang, Hong Kong	Ocean Park, nam Long Shan Road	CS03	Valid

Other Permits & Licenses

CS02

Permit/Ref/No	Valid Period		Section	Status
Notification of Construction Work under APCO				
305349	N/A	N/A	Rainforest	Notified
Effluent Discharge License				
WT00004136-2009	12-Oct-07	30-Jun-14	Rainforest	Valid
Registration as Chemical Waste Producer				
WPN5214-176-W1150-03	13-May-09	N/A	Form Oil, Lubricant oil, paint, solvent and diesel.	Registered
Construction Waste Disposal Billing Account with EPD				
WFG07578	N/A	N/A	Rainforest	Issued

CS03

Permit/Ref/No	Valid Period		Section	Status
Notification of Construction Work under APCO				
311433	N/A	N/A	Thrill Mountain and Polar Adventure	Notified
Effluent Discharge License				
WT00005926-2010	N/A	N/A	Thrill Mountain and Polar Adventure	Valid
Registration as Chemical Waste Producer				
WPN5213-176-K2880-02	25-Nov-09	N/A	Form Oil, Lubricant oil, paint, solvent and diesel.	Registered
Construction Waste Disposal Billing Account with EPD				
7009695	N/A	N/A	Thrill Mountain and Polar Adventure	Issued

Appendix C



Lam Environmental Services Limited

Ocean Park Corporation Master
 Redevelopment Project
 Contract No. CS-03
 Thrill Mountain and Polar Adventure

Table 3.2 Sites 1 to 5 and Control Site C – Percentage and thickness of Sedimentation, Bleaching and Mortality of the Re-tagged Coral Colonies in Coral Re-tagging Exercise and Baseline Data Collection (November 2009) and the Present Monitoring Survey (May 2011). “▲” and “▼” indicate increased and decreased in percentage, respectively, when compared with the coral re-tagging exercise and baseline data collection.

Site 1

Code	Coral Species	Area (cm ²)	Sedimentation (% , mm)				Bleaching (%)			Mortality (%)		
			21 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	21 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	21 Nov 09 (baseline)	Nov 2010
A1	<i>Platygyra carnosus</i>	1200	0.0	0.0	0.0	0.0	0	0	0	0	0	0
A2	<i>Favites abdita</i>	400	5.1	0.0▼	2.1▼	2.1▼	0	0	0	0	2	2
A3	<i>Plesiastrea versipora</i>	600	0.0	0.0	0.0	0.0	0	0	0	0	0	0
A4	<i>Lepidastrea purpurea</i>	6200	0.0	5.1▲	5.1▲	5.1▲	0	0	0	0	0	0
A5	<i>Platygyra carnosus</i>	3200	1.1	0.0▼	3.1▲	0.0▼	0	0	0	0	0	0
A6	<i>Platygyra carnosus</i>	2600	0.0	0.0	0.0	0.0	0	0	0	0	0	0
A7	<i>Favia speciosa</i>	500	2.1	5.1▲	3.1▲	5.1▲	0	0	0	0	5	5
A8	<i>Platygyra carnosus</i>	1500	2.1	0.0▼	2.1	0.0▼	0	0	0	0	0	0
A9	<i>Lepidastrea purpurea</i>	700	4.1	4.1	5.1▲	5.1▲	0	0	0	0	0	0
A10	<i>Platygyra carnosus</i>	2000	0.0	0.0	1.1▲	0.0	0	0	0	0	0	0

Site 2

Code	Coral Species	Area (cm ²)	Sedimentation (% , mm)				Bleaching (%)			Mortality (%)		
			29 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	29 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	29 Nov 09 (baseline)	Nov 2010
B1	<i>Platygyra carnosus</i>	1300	2.1	0.0▼	2.1	0.0▼	0	0	0	0	0	0
B2	<i>Plesiastrea versipora</i>	650	4.1	0.0▼	2.1▼	0.0▼	0	0	0	0	0	0
B3	<i>Psammocora superficialis</i>	4400	5.1	5.1	5.1	5.1	0	0	0	0	3	3
B4	<i>Favia speciosa</i>	800	0.0	0.0	0.0	0.0	0	0	0	0	2	2
B5	<i>Plesiastrea versipora</i>	1000	2.1	0.0▼	2.1	2.1	0	0	0	0	2	2
B6	<i>Platygyra carnosus</i>	1500	0.0	0.0	1.1▲	0.0	0	0	0	0	0	0
B7	<i>Hydnophora exesa</i>	1600	1.1	0.0▼	1.1	0.0▼	0	0	0	0	0	0
B8	<i>Plesiastrea versipora</i>	1300	0.0	0.0	0.0	0.0	0	0	0	0	0	0
B9	<i>Favia speciosa</i>	450	1.1	4.1▲	4.1▲	4.1▲	0	0	0	0	2	2
B10	<i>Psammocora superficialis</i>	400	0.0	0.0	0.0	1.1▲	0	0	0	0	0	0



Lam Environmental Services Limited

Ocean Park Corporation Master
Redevelopment Project
Contract No. CS-03
Thrill Mountain and Polar Adventure

Site 3

Code	Coral Species	Area (cm ²)	Sedimentation (% , mm)				Bleaching (%)				Mortality (%)			
			28 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	28 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	28 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011
C1	<i>Porites</i> sp	100	2.1	2.1	4.1 Δ	4.1 Δ	0	0	0	0	3	3	3	3
C2	<i>Porites</i> sp	210	3.1	3.1	5.1 Δ	3.1	0	0	0	0	5	5	5	5
C3	<i>Goniopora stutchburyi</i>	410	5.1	0.0 ▽	0.0 ▽	0.0 ▽	0	0	0	0	7	7	7	7
C4	<i>Pavona decussata</i>	240	4.1	4.1	2.1 ▽	2.1 ▽	0	0	0	0	0	0	0	0
C5	<i>Pavona decussata</i>	210	3.1	0.0 ▽	0.0 ▽	0.0 ▽	0	0	0	0	1	1	1	1
C6	<i>Pavona decussata</i>	200	3.1	0.0 ▽	0.0 ▽	0.0 ▽	0	0	0	0	0	0	0	0
C7	<i>Montipora pelitiformis</i>	960	3.1	0.0 ▽	5.1 Δ	3.1	0	0	0	0	0	0	0	0
C8	<i>Goniopora stutchburyi</i>	140	1.1	1.1	1.1	3.1 Δ	0	0	0	0	0	0	0	0
C9	<i>Porites</i> sp	300	3.1	3.1	5.1 Δ	3.1	0	0	0	0	0	0	0	0
C10	<i>Cyphastrea serailia</i>	600	4.1	4.1	4.1	2.1 ▽	0	0	0	0	0	0	0	0

Site 4

Code	Coral Species	Area (cm ²)	Sedimentation (% mm)					Bleaching (%)			Mortality (%)			
			28 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	28 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	28 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011
E1	<i>Goniopora stutchburyi</i>	290	5.1	0.0 ▽	3.1 ▽	3.1 ▽	0	0	0	0	0	0	0	
E2	<i>Coccinarrca sp.</i>	620	0.0	0.0	2.1 ▲	0.0	0	0	0	0	0	0	0	
E3	<i>Goniopora stutchbury</i>	300	4.1	0.0 ▽	3.1 ▽	0.0 ▽	0	0	0	0	3	3	3	
E4	<i>Goniopora stutchbury</i>	130	3.1	0.0 ▽	3.1	3.1	0	0	0	0	0	0	0	
E5	<i>Goniopora stutchbury</i>	460	6.1	0.0 ▽	6.1	3.1 ▽	0	0	0	0	4	4	4	
E6	<i>Goniopora stutchbury</i>	380	10.1	0.0 ▽	5.1 ▽	5.1 ▽	0	0	0	0	8	8	8	
E7	<i>Goniopora stutchbury</i>	120	3.1	0.0 ▽	5.1 ▲	0.0 ▽	0	0	0	0	0	0	0	
E8	<i>Goniopora stutchbury</i>	230	4.1	0.0 ▽	4.1	4.1	0	0	0	0	2	2	2	
E9	<i>Goniopora stutchbury</i>	170	3.1	0.0 ▽	5.1 ▲	3.1	0	0	0	0	0	0	0	
E10	<i>Goniopora stutchbury</i>	540	7.1	5.1 ▽	5.1 ▽	5.1 ▽	0	0	0	0	3	3	3	



Lam Environmental Services Limited

Ocean Park Corporation Master
Redevelopment Project
Contract No. CS-03
Thrill Mountain and Polar Adventure

Site 5


Code	Coral Species	Area (cm ²)	Sedimentation (% mm)				Bleaching (%)				Mortality (%)			
			29 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	29 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	29 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011
D1	<i>Psammocora</i> sp.	800	6.1	0.0 V	3.1 V	5.1 V	0	0	0	0	3	3	3	3
D2	<i>Montipora peltiformis</i>	600	4.1	0.0 V	1.1 V	1.1 V	0	0	0	0	0	0	0	0
D3	<i>Goniopora stuebeli</i>	450	2.1	0.0 V	4.1 A	0.0 V	0	0	0	0	0	0	0	0
D4	<i>Cyphastrea serailia</i>	100	3.1	0.0 V	3.1	0.0 V	0	0	0	0	0	0	0	0
D5	<i>Montipora cf. nargensis</i>	320	4.1	4.1	4.1	4.1	0	0	0	0	0	0	0	0
D6	<i>Montipora peltiformis</i>	480	10.1	4.1 V	5.1 V	5.1 V	0	0	0	0	20	20	20	20
D7	<i>Montipora peltiformis</i>	500	8.1	4.1 V	5.1 V	8.1	0	0	0	0	2	2	2	2
D8	<i>Montipora peltiformis</i>	410	6.1	8.1 A	6.1	6.1	0	0	0	0	0	0	0	0
D9	<i>Montipora peltiformis</i>	200	5.1	5.1	5.1	5.1	0	0	0	0	5	5	5	5
D10	<i>Goniopora stuebeli</i>	510	7.1	5.1 V	7.1	5.1 V	0	0	0	0	5	5	5	5

Control Site C


Code	Coral Species	Area (cm ²)	Sedimentation (% mm)				Bleaching (%)				Mortality (%)			
			21 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	21 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011	21 Nov 09 (baseline)	Nov 2010	Feb 2011	May 2011
F1	<i>Goniastrea aspera</i>	450	2.1	0.0 V	2.1	1.1 V	0	0	0	0	0	0	0	0
F2	<i>Favites pentagona</i>	2100	2.1	0.0 V	2.1	2.1	0	0	0	0	2	2	2	2
F3	<i>Favites pentagona</i>	1000	0.0	0.0	1.1 A	1.1 A	0	0	0	0	5	5	5	5
F4	<i>Favites pentagona</i>	1300	2.1	0.0 V	2.1	2.1	0	0	0	0	0	0	0	0
F5	<i>Cyphastrea serailia</i>	2100	0.0	0.0	1.1 A	1.1 A	0	0	0	0	0	0	0	0
F6	<i>Porites</i> sp	2100	5.1	0.0 V	5.1	5.1	0	0	0	0	2	2	2	2
F7	<i>Plesiastrea versipora</i>	3000	2.1	0.0 V	2.1	4.1 A	0	0	0	0	0	0	0	0
F8a	<i>Favites pentagona</i>	680	0.0	0.0	0.0	1.1 A	0	0	0	0	0	0	0	0
F9	<i>Favites pentagona</i>	2600	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0
F10	<i>Favia rotumana</i>	600	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0

Appendix D


Measured 24-hr Average RSP Concentration AM1 - Rooftop of Administrative Building (Former Staff Quarters) in Ocean Park



Measured 24-hr Average RSP Concentration AM 2 - Landscape Storage Area in Ocean Park



Measured 24-hr Average RSP Concentration AM3 - Rooftop of Main Medical Block of Graham Hospital



Appendix E

Annex B2

Operational Noise Monitoring Results

Monitoring Location: AON1 Open area adjacent to Police Training School

Date	Weekdays/ Public Holiday (WD/PH)	Measurement Period, hours		Measured Noise Level ^[1] , dB(A)		Daily Operational Noise Level, L_{eq} , 30min	Lagoon Night Show Noise Level, L_{eq} , 30min	Background Noise Level, L_{eq} , 15min	Daily Operational Noise Level (Background Corrected), L_{eq} , 30min		Lagoon Night Show Noise Level (Background Corrected), L_{eq} , 30min		Noise Criteria, $L_{eq}(30min)$, dB(A)	Remark / Other Noise Source(s)
		Start	End	Daily Operational Noise Level, L_{eq} , 30min	Lagoon Night Show Noise Level, L_{eq} , 30min				Without facade correction	With facade correction	Without facade	With facade correction		
26-Apr-11	WD	1850	2000	61.3	61.5	61.1		61.1	46.6	49.6	50.3	53.3	60	-
01-May-11	PH	1850	2000	65.7	64.1	63.7		63.7	61.4	64.4	52.9	55.9	60	Note ^{[1] & [2]}
03-May-11	WD	1850	2000	60.6	60.9	60.8		60.8	Negligible	Negligible	39.7	42.7	60	-
08-May-11	PH	1850	2000	65.2	63.4	63.1		63.1	61.0	64.0	51.9	54.9	60	Note ^{[1] & [2]}
09-May-11	WD	1850	2000	60.4	61.8	61.7		61.7	Negligible	Negligible	46.1	49.1	60	-
15-May-11	PH	1850	2000	67.5	66.4	65.6		65.6	63.0	66.0	58.2	61.2	60	Note ^{[1] & [2]}
17-May-11	WD	1850	2000	61.5	61.6	62.4		62.4	Negligible	Negligible	Negligible	Negligible	60	-
24-May-11	WD	1850	2000	61.4	61.6	62.8		62.8	Negligible	Negligible	Negligible	Negligible	60	Note ^{[1] & [2]}

Monitoring Location: AON2 Roof of Old Canteen Building

Date	Weekdays/ Public Holiday (WD/PH)	Measurement Period, hours		Measured Noise Level ^[1] , dB(A)		Daily Operational Noise Level, L_{eq} , 30min	Lagoon Night Show Noise Level, L_{eq} , 30min	Background Noise Level, L_{eq} , 15min	Daily Operational Noise Level (Background Corrected), L_{eq} , 30min		Lagoon Night Show Noise Level (Background Corrected), L_{eq} , 30min		Noise Criteria, $L_{eq}(30min)$, dB(A)	Remark / Other Noise Source(s)
		Start	End	Daily Operational Noise Level, L_{eq} , 30min	Lagoon Night Show Noise Level, L_{eq} , 30min				Without facade correction	With facade correction	Without facade	With facade correction		
26-Apr-11	WD	1850	2000	57.5	58.3	56.2		56.2	51.8	51.8	54.2	54.2	60	-
01-May-11	PH	1850	2000	58.4	58.8	57.2		57.2	52.1	52.1	53.5	53.5	60	-
03-May-11	WD	1850	2000	56.9	57.4	55.3		55.3	51.6	51.6	53.3	53.3	60	-
08-May-11	PH	1850	2000	59.2	60.1	59.4		59.4	Negligible	Negligible	52.2	52.2	60	-
09-May-11	WD	1850	2000	58.9	59.2	57.9		57.9	52.1	52.1	53.5	53.5	60	-
15-May-11	PH	1850	2000	59.2	59.1	58.0		58.0	52.9	52.9	52.2	52.2	60	-
17-May-11	WD	1850	2000	60.0	59.6	58.5		58.5	54.6	54.6	53.0	53.0	60	-
24-May-11	WD	1850	2000	59.5	59.2	58.3		58.3	53.2	53.2	51.6	51.6	60	-

Monitoring Location: AON3 Orchid Valley (replaced by Woodgreen Estate starting from 8 May 2011)

Date	Weekdays/ Public Holiday (WD/PH)	Measurement Period, hours		Measured Noise Level ^[1] , dB(A)		Daily Operational Noise Level, L_{eq} , 30min	Lagoon Night Show Noise Level, L_{eq} , 30min	Background Noise Level, L_{eq} , 15min	Daily Operational Noise Level (Background Corrected), L_{eq} , 30min		Lagoon Night Show Noise Level (Background Corrected), L_{eq} , 30min		Noise Criteria, $L_{eq}(30min)$, dB(A)	Remark / Other Noise Source(s)
		Start	End	Daily Operational Noise Level, L_{eq} , 30min	Lagoon Night Show Noise Level, L_{eq} , 30min				Without facade correction	With facade correction	Without facade	With facade correction		
26-Apr-11	WD	1850	2000	55.1	54.4	54.0		54.0	48.7	51.7	44.5	47.5	55	-
01-May-11	PH	1850	2000	52.0	51.9	52.1		52.1	Negligible	Negligible	Negligible	Negligible	55	-
03-May-11	WD	1850	2000	53.6	53.4	54.5		54.5	Negligible	Negligible	Negligible	Negligible	55	-
08-May-11	PH	1850	2000	61.6	62.3	62.4		62.4	-	Negligible	-	Negligible	55	-
09-May-11	WD	1850	2000	64.5	64.6	65.1		65.1	-	Negligible	-	Negligible	55	-
15-May-11	PH	1850	2000	64.2	63.0	63.5		63.5	-	55.9	-	Negligible	55	Note ^{[1] & [3]}
17-May-11	WD	1850	2000	65.2	65.5	66.3		66.3	-	Negligible	-	Negligible	55	-
24-May-11	WD	1850	2000	66.4	63.4	64.3		64.3	-	62.2	-	Negligible	55	-

Monitoring Location: AON4 Manly Villa

Date	Weekdays/ Public Holiday (WD/PH)	Measurement Period, hours		Measured Noise Level ^[1] , dB(A)			Daily Operational Noise Level (Background Corrected), L _{eq, 30min}	Lagoon Night Show Noise Level (Background Corrected), L _{eq, 30min}	Noise Criteria, L _{eq(30min)} , dB(A)	Remark / Other Noise Source(s)
		Start	End	Daily Operational Noise Level, L _{eq, 30min}	Lagoon Night Show Noise Level, L _{eq, 30min}	Background Noise Level, L _{eq, 15min}				
26-Apr-11	WD	1850	2000	53.4	53.8	52.3	47.0	48.3	55	-
01-May-11	PH	1850	2000	55.3	54.9	54.3	48.6	46.2	55	-
03-May-11	WD	1850	2000	53.9	53.0	51.9	49.5	46.6	55	-
08-May-11	PH	1850	2000	54.1	52.4	52.4	49.0	46.3	55	-
09-May-11	WD	1850	2000	53.3	52.9	51.6	48.3	46.9	55	-
15-May-11	PH	1850	2000	55.0	54.2	53.1	50.5	47.5	55	-
17-May-11	WD	1850	2000	53.2	54.5	53.5	Negligible	47.8	55	-
24-May-11	WD	1850	2000	54.8	53.9	53.3	49.5	45.3	55	-

Monitoring Location: AON5 Hau Yuen

Date	Weekdays/ Public Holiday (WD/PH)	Measurement Period, hours		Measured Noise Level ^[1] , dB(A)			Daily Operational Noise Level (Background Corrected), L _{eq, 30min}	Lagoon Night Show Noise Level (Background Corrected), L _{eq, 30min}	Noise Criteria, L _{eq(30min)} , dB(A)	Remark / Other Noise Source(s)
		Start	End	Daily Operational Noise Level, L _{eq, 30min}	Lagoon Night Show Noise Level, L _{eq, 30min}	Background Noise Level, L _{eq, 15min}				
26-Apr-11	WD	1850	2000	59.0	58.7	58.1	51.7	49.6	55	-
01-May-11	PH	1850	2000	57.8	55.2	54.6	55.0	46.4	55	-
03-May-11	WD	1850	2000	60.1	58.1	58.9	53.9	Negligible	55	-
08-May-11	PH	1850	2000	59.3	58.4	57.5	54.5	51.3	55	-
09-May-11	WD	1850	2000	60.2	59.9	59.6	50.8	47.6	55	-
15-May-11	PH	1850	2000	58.3	57.2	54.5	55.9	53.9	55	Note ^[1] & ^[3]
17-May-11	WD	1850	2000	59.7	56.6	56.2	57.1	45.6	55	Note ^[1] & ^[3]
24-May-11	WD	1850	2000	59.4	58.3	58.4	52.7	Negligible	55	-

Notes:


[1] Bolded value indicates exceedance over the noise criteria.

Negligible refers to the measured impact noise levels lower than the background noise levels.

[2] The exceedance were due to the high level of background noise from visitors and traffic on public holidays, especially on 1, 8 and 15 May 2011, which were public holidays.

[3] The exceedance at AON3 and AON5 were due to traffic noise from Shouson Hill Road.

Appendix F





Ocean Park Redevelopment Project
Contract No. CS02 - Rainforest
Contract No. CS03 - Thrill Mountain & Polar Adventure
Quarterly EM&A Report – April, May and June 2011

There was no Complaint Record Register during these three months

Figure 1.1

Figure 1.1 – Management Organisation





Figure 1.2



永興聯合建築有限公司 W. HING CONSTRUCTION CO. LTD.	CONTRACT NO. CS02 OCEAN PARK REDEVELOPMENT PROJECT - RAINFOREST SITE LAYOUT PLAN			SCALE	A4 1:1500	DATE	JULY 2009
				CHECK	Kan Kwok	DRAWN	HC LAU
				JOB NO.	CS02	DRAWING No.	CS02/SL/01
						REV	-

Figure 1.3




Figure 1.4

Figure 1.5




Figure 2.1

Designated 24-hour Average RSP Monitoring Stations during Operation of Open Air Night Show

File: 0120200_SSP_monitoring_stations.mxd
Date: 11/02/2011

Figure 1.6




Figure 3.1

Proposed Noise Monitoring Stations in the Approved EM&A Manual and Proposed Alternative Noise Monitoring Stations

Environmental Resources Management ERM

File: 0123330_noise_monitoring_station.mxd
Date: 29/03/2011