The Government of The Hong Kong Special Administrative Region

Environmental Protection Department

Contract No. EP/SP/19/94

Outlying Islands Transfer Facilities Contract

Sok Kwu Wan Transfer Facility

Annual Environmental Audit Report (Operation)

<u>April 2004 – March 2005</u>

Checked by

25.10.2021

Patrick YEUNG / Senior Environmental Protection Inspector / Environmental Protection Department

Audited by

19.11.2021

Samson LO / Assistant Environmental Protection Officer

/ Environmental Protection Department

Table of Contents

1.	INTRODUCTION
2.	DESCRIPTION OF ENVIRONMENTAL MONITORING TESTS 1
3.	RESULTS5
4.	STATUS OF ENVIRONMENTAL COMPLAINT HANDLING
5.	CONCLUSION
API	PENDIX
App	endix A1 Odour patrol points of Sok Kwu Wan Transfer Facility
App	pendix A2 Odour patrol record
App	pendix B1 Location of noise sensitive receiver (NSR)
App	pendix B2 Noise monitoring record (NSR)
App	pendix C1 Locations of marine water monitoring stations
App	oendix C2 Marine water monitoring record

1. <u>INTRODUCTION</u>

Under the requirements of Section 4 of Environmental Permit No EP-014/1998, the measures were undertaken to assure the Sok Kwu Wan Transfer Facility was operated in accordance with the permit.

This report documents the findings of environmental monitoring and audit works for the facility from April 2004 to March 2005.

Environmental monitoring for the odour, noise and water quality was performed in accordance with the EM&A Manual and the monitoring results were checked and reviewed. Full details of the above environmental monitoring tests are described in the **Section 2.** In addition, the environmental complaint handling procedures were also checked and reported in **Section 4** of this report.

2. DESCRIPTION OF ENVIRONMENTAL MONITORING TESTS

Table 1: Summary of Environmental Monitoring Parameters

<u>Test</u>	Location	Frequency	<u>Parameter</u>	<u>Limits</u>	
Odour	Site Boundary	Weekly	Odour	Odour strength not exceed "Slight"	
	See Map (Appendix A1)			odour intensity	
Noise	Nearest Sensitive Receiver	Quarterly	LAeq	55 dBA (07:00-23:00)	
	See Map (Appendix B1)		(30min)	45 dBA (23:00-07:00)	
Marine	Four monitoring locations	Weekly	Dissolved	Surface & Middle	
Water	and two control sites.		Oxygen	4 mg/L except 5 mg/L for FCZ	
	See Map (Appendix C1)		(DO)	or 1%-ile of baseline data for surface and	
				middle layer	
				Bottom	
				2 mg/L and or 1%-ile of baseline data for	
				bottom layer	
			Water	99%-ile of baseline or 130% of upstream	
			Turbidity	control station's Turbidity at the same	
			(Turbidity)	tide of the same day	
			Suspended	99%-ile of baseline or 130% of upstream	
			Solids	control station's SS of the same tide of	
			(SS)	the same day	

2.1 **Odour**

2.1.1 Monitoring Location

The monitoring takes place at the boundary of the facility. The patrol route is shown in **Appendix A1**.

2.1.2 Monitoring Frequency

The odour monitoring is conducted once or twice per week.

2.1.3 <u>Monitoring Methodology</u>

The odour patrol is conducted by a sensory team, which includes a representative (1) from Independent Third-party Accredited Laboratory, one (1) from the Contractor and one (1) from the EPD. The test consists of three (3) person patrolling the site boundary and recording the location and strength of odour identifiable as arising from the facility. The odour intensity is categorized into five (5) classes:

Table 2: Odour Intensity Classification

Class	Remarks			
None	No odour perceived or an odour so weak that it cannot be readily			
	characterized or described			
Slight	Identifiable odour, slight			
Moderate	Identifiable odour, moderate			
Strong	Identifiable odour, strong			
Extreme	Severe odour			

The odour patrol record is set out in **Appendix A2**.

2.2 Noise

2.2.1 <u>Monitoring Location</u>

Noise monitoring is carried out at the nearest Noise Sensitive Receiver (NSR) in accordance with the EM&A Manual. **Appendix B1** shows the location of this monitoring position.

2.2.2 Monitoring Frequency

The noise monitoring is conducted once (1) per quarter.

2.2.3 Monitoring Methodology

The noise monitoring during the Operations phase for the SKWTF was performed in accordance with the "Technical Memorandum for the Assessment of Noise from places other than Domestic, Public or Construction Sites". The monitoring requirements are summarized as follow:

- The Sound Level Meters in compliance with the IEC61672: 2002 Class 1 and 2 for carrying out the noise monitoring.
- The Sound Level Meter will be set on a tripod at a height of 1.2 m above the ground, subject to local monitoring condition.
- The battery condition will be checked to ensure the correct functioning of the meter.
- Noise monitoring $Leq_{(30 \text{ min})}$ to be taken on a monthly basis for daytime measurements.
- Prior to and after each noise measurement, the meter will be calibrated using a Calibrator for 94.0 dB at 1000 Hz. The measurement may be accepted as valid only if the calibration level agrees to within 1.0 dB.
- The wind speed will be frequently checked with the portable wind meter.
- Site conditions and interference noise sources will be recorded.
- Noise monitoring will be cancelled in the presence of fog, rain, and wind with a steady speed exceeding 5 m/s, or wind with gusts exceeding 10 m/s.

The Noise monitoring record is set out in **Appendix B2**.

2.3 Water quality

2.3.1 Monitoring Location

The number of marine water monitoring stations for Sok Kwu Wan Transfer Facility is shown in **Table 3** and **Appendix C1** shows the locations of the marine water quality monitoring stations.

Table 3: Locations of the marine water quality monitoring stations

Facility	Station ID	No. of Stations
Sok Kwu Wan	Control Stations: SC1 & SC2	6
Sok Kwu wan	Impact Stations: S1, S2, S3 & S4	0

2.3.2 <u>Monitoring Methodology</u>

The marine water quality monitoring during the Operations phase for the SKWTF was performed in accordance with the EM&A Manual. The following set out the methods of measurement to be used during the environmental monitoring.

Dissolved Oxygen and Turbidity

The in-situ measurements of dissolved oxygen and turbidity are carried out using an In-situ Aqua Troll 600 Multi-parameter Sonde.

Where the depth of water is less than 3m, duplicate measurements of D.O. are to be taken at one depth to obtain an average reading.

With depths between 3m and 6m, measurements will be taken at 1m below the surface and 1m above the sea bed. In each depth, duplicate readings will be taken and an average value will be calculated.

With a water depth greater than 6m, measurements will be taken at 1m below surface, the mid-depth and 1m above the sea bed. In each depth, duplicate readings will be taken and an average value will be calculated.

Suspended solids

The suspended solids monitoring is carried out in according to the in-house method (E-T-053) with reference to the standard method APHA 17ed 2540 D. The testing method is summarized as below:

A well-mixed sea water sample is filtered through a weighed standard glass-fiber filter and wash thoroughly with water to remove dissolved solids on the filter. The non-filterable residue retained on the filter is dried at 103 to 105°C. The increase in weight of the filter represents the suspended solids content.

3 **RESULTS**

3.1 Odour

3.1.1 Summary of Number of Monitoring Events and Exceedances for Odour monitoring

Table 4: Summary of Number of Monitoring Events and Exceedances for Odour monitoring

Monitoring	Location	No. of monitoring events	No. of Exceedance
Parameter April 2004 – March 2005		rch 2005	
	Point 1	64	0
	Point 2	64	0
Odama	Point 3	64	0
Odour	Point 4	64	0
	Point 5	64	0
	Point 6	64	0
Total 384			0

3.1.2 Conclusion

No odour could be detected during the odour patrols. The results show compliance with the odour objectives.

Please refer to the **Appendix A2** for the odour monitoring record.

3.2 Noise

3.2.1 Summary of Number of Monitoring Events and Exceedances for Noise monitoring

Table 5: Summary of Number of Monitoring Events and Exceedances for Noise monitoring

Monitoring	Location	No. of monitoring events	No. of Exceedance	
Parameter		April 2004 – March 2005		
Noise	e NSR 6		3	
Total		6	3	

3.2.2 Conclusion

During the reporting period, some of noise monitoring results have exceeded the compliance objectives. According to the notes recorded by the field operator of the Independent Third-party Accredited Laboratory, the major noise sources during monitoring do not come from Transfer Facility.

In addition, EPD site staff conducted random checking of on-site CCTV record and confirmed no operational activities were being carried out at the facility during night time. Hence, it is reasonable to believe that the night-time noise level at SKWTF is insignificant.

The noise level monitoring record taken at the NSR of SKWTF is set out in **Appendix B2**.

3.3 Water Quality

3.3.1 Summary of Number of Monitoring Events and Exceedances for Water quality monitoring

A total of 901 sets of water samples were collected in 53 sampling days during the report period. A summary of exceedance of dissolved oxygen, turbidity and suspended solids at SKWTF is shown in the following **Table 6**.

Table 6: Summary of exceedance of Marine Water Quality at SKWTF

Sampling Point	Type of Exceedance			
	DO	Turbidity	SS	
S1	15	4	4	
S2	14	0	10	
S3	5	5	7	
S4	11	3	9	
Total	45	12	30	

The laboratory analysis shows that there are 87 samples exceed the limit level of

Dissolved Oxygen (45 exceedances), Turbidity (12 exceedances) and Suspended Solids (30 exceedances).

3.3.2 Conclusion

Since there is no wastewater discharge from the SKWTF and no construction activities during the report period, the exceedance of compliance objectives for dissolved oxygen, turbidity and suspended solids were not caused by the operation activities at SKWTF.

The water quality monitoring record is set out in **Appendix C2**

4 <u>STATUS OF ENVIRONMENTAL COMPLAINT HANDLING</u>

No verbal or written complaints were received during the reporting period.

5 <u>CONCLUSION</u>

Based on the monitoring results during the audit period as well as a review of our observations the following can be concluded.

The environmental protection systems that are currently in use, when combined with the existing level of environmental awareness at the facility, are sufficient to meet current regulatory constraints relating to the environment.

The methods and frequency of environmental monitoring produce a data base that is adequate to assist station management in making accurate and timely decisions relating to the modification of environmental systems or operational practices if needed.


The current environmental management systems and performance provide a good foundation to develop a positive relationship with the community.

Appendix A

Appendix A1

Odour Patrol Points of Sok Kwu Wan Transfer Facility

Appendix A1



Appendix A2

Odour Patrol Record

Wellab Limited

606-608 Cornell Centre, 50 Wing Tai Road, Chai Wan, H.K.
Tel: (852) 2898 7388 Fax: (852) 2898 7076 Website: www.wellab.com.hk

ANNUAL REPORT

Location	Date	Classification
Mui Wo	2 April 2004	None
	8 April 2004	None
	14 April 2004	None
	20 April 2004	None
	26 April 2004	None
	30 April 2004	None
Cheung Chau	2 April 2004	None
7	8 April 2004	None
	14 April 2004	None
	20 April 2004	None
	26 April 2004	None
	30 April 2004	None
Peng Chau	2 April 2004	None
	8 April 2004	None
,	14 April 2004	None
	20 April 2004	None
	26 April 2004	None
	30 April 2004	None
Hei Ling Chau	2 April 2004	None
Hei Ling Chau	8 April 2004	None
	14 April 2004	None
	20 April 2004	None
	26 April 2004	None
	30 April 2004	None
Yung Shue Wan	2 April 2004	None
	8 April 2004	None
	13 April 2004	None
	20 April 2004	None
	26 April 2004	None
	30 April 2004	None
Sok Kwu Wan	2 April 2004	None
	8 April 2004	None
	13 April 2004	None
	20 April 2004	None
	26 April 2004	None
	30 April 2004	None
Ma Wan	2 April 2004	None
	8 April 2004	None
	14 April 2004	None
	20 April 2004	None
	26 April 2004	None
	30 April 2004	None

Page 4 of 14

This laboratory is accredited by HOKLAS for specific tests as listed in the HOKLAS Directory of Accredited Laboratories.

606-608 Cornell Centre, 50 Wing Tai Road, Chai Wan, H.K.
Tel: (852) 2898 7388 Fax: (852) 2898 7076 Website: www.wellab.com.hk

ANNUAL REPORT

Location	Date	Classification
Mui Wo	6 May, 2004	None
	12 May, 2004	None
	18 May, 2004	None
	24 May, 2004	None
	28 May, 2004	None
Cheung Chau	6 May, 2004	None
	12 May, 2004	None
	18 May, 2004	None
	24 May, 2004	None
*	28 May, 2004	None
Peng Chau	6 May, 2004	None
	12 May, 2004	None
	18 May, 2004	None
	24 May, 2004	None
	28 May, 2004	None
Hei Ling Chau	6 May, 2004	None
	12 May, 2004	None
	18 May, 2004	None
	24 May, 2004	None
	28 May, 2004	None
Yung Shue Wan	6 May, 2004	None
8	12 May, 2004	None
	18 May, 2004	None
	24 May, 2004	None
	28 May, 2004	None
Sok Kwu Wan	6 May, 2004	None
	12 May, 2004	None
	18 May, 2004	None
	24 May, 2004	None
	28 May, 2004	None
Ma Wan	6 May, 2004	None
	12 May, 2004	None
	18 May, 2004	None
	24 May, 2004	None
	28 May, 2004	None

606-608 Cornell Centre, 50 Wing Tai Road, Chai Wan, H.K.
Tel: (852) 2898 7388 Fax: (852) 2898 7076 Website: www.wellab.com.hk

ANNUAL REPORT

Location	Date	Classification
Mui Wo	3 June, 2004	None
	9 June, 2004	None
	15 June, 2004	None
	21 June, 2004	None
	25 June, 2004	None
	30 June, 2004	None
Cheung Chau	3 June, 2004	None
_	9 June, 2004	None
	15 June, 2004	None
	21 June, 2004	None
	25 June, 2004	None
	30 June, 2004	None
Peng Chau	3 June, 2004	None
	9 June, 2004	None
Ī	15 June, 2004	None
	21 June, 2004	None
	25 June, 2004	None
	30 June, 2004	None
Hei Ling Chau	3 June, 2004	None
	9 June, 2004	None
	15 June, 2004	None
	21 June, 2004	None
	25 June, 2004	None
	30 June, 2004	None
Yung Shue Wan	3 June, 2004	None
	9 June, 2004	None
	15 June, 2004	None
, .	21 June, 2004	None
	25 June, 2004	None
	30 June, 2004	None
Sok Kwu Wan	3 June, 2004	None
	9 June, 2004	None
	15 June, 2004	None
	21 June, 2004	None
	25 June, 2004	None
	30 June, 2004	None
Ma Wan	3 June, 2004	None
	9 June, 2004	None
	15 June, 2004	None
	21 June, 2004	None
	25 June, 2004	None
	30 June, 2004	None

Page 6 of 14

This laboratory is accredited by HOKLAS for specific tests as listed in the HOKLAS Directory of Accredited Laboratories.

Swire SITA Progress Report No.082004 OITF/PRG/MON/EPD/082004 Issue 1



Location	Date	Classification	Location	Date	Classification
	Jul 6, 2004	None		Jul 6, 2004	None
	Jul 12, 2004	None		Jul 12, 2004	None
Peng Chau	Jul 19, 2004	None		Jul 19, 2004	None
	Jul 22, 2004	None		Jul 22, 2004	None
	Jul 28, 2004	None		Jul 28, 2004	None

Location	Date	Classification	Location	Date	Classification
	Jul 6, 2004	None		Jul 6, 2004	None
	Jul 12, 2004 None		Jul 12, 2004	None	
Yung Shue Wan	Jul 19, 2004	None	Sok Kwu Wan	Jul 19, 2004	None
	Jul 22, 2004	None		Jul 22, 2004	None
	Jul 28, 2004	None		Jul 28, 2004	None

Location	Date	Classification
	Jul 6, 2004	None
	Jul 12, 2004	None
Ma Wan	Jul 19, 2004	None
	Jul 22, 2004	None
	Jul 28, 2004	None

4 GENERAL

Equipment, including Terbergs, JCB, and compactors, functioned properly enabling Swire SITA to provide uninterrupted waste service to station users throughout the month of July 2004.

Mosquito elimination treatment has been carried out at all facilities.

Tool Box Talks on prevention of Atypical Pneumonia were given to all staff. Additional cleaning materials and equipment were obtained. Housekeeping measures were increased.

5 SAFETY

The Superintendent carried out monthly safety inspection. Tool Box Talks on safety related subjects were given to all staff. No reportable accident in July 2004.



Location	Date	Classification	Location	Date	Classification
	Aug 3, 2004	None		Aug 3, 2004	None
	Aug 9, 2004	None	Hei Ling Chau	Aug 9, 2004	None
Peng Chau	Aug 13, 2004	None		Aug 13, 2004	None
reng Chau	Aug 19, 2004	None		Aug 19, 2004	None
	Aug 25, 2004	None		Aug 25, 2004	None
	Aug 31, 2004	None		Aug 31, 2004	None

Location	Date	Classification	Location	Date	Classification
	Aug 3, 2004	None	Sok Kwu Wan	Aug 3, 2004	None
	Aug 9, 2004	None		Aug 9, 2004	None
Yung Shue Wan	Aug 13, 2004	None		Aug 13, 2004	None
Tung Shuc Wah	Aug 19, 2004	None		Aug 19, 2004	None
	Aug 25, 2004	None		Aug 25, 2004	None
	Aug 31, 2004	None		Aug 31, 2004	None

Location	Date	Classification
	Aug 3, 2004	None
	Aug 9, 2004	None
Ma Wan	Aug 13, 2004	None
Ivia vv ali	Aug 19, 2004	None
	Aug 25, 2004	None
	Aug 31, 2004	None

4 GENERAL

Equipment, including Terbergs, JCB, and compactors, functioned properly enabling Swire SITA to provide uninterrupted waste service to station users throughout the month of August 2004.

Mosquito elimination treatment has been carried out at all facilities.

Tool Box Talks on prevention of Atypical Pneumonia were given to all staff.

Additional cleaning materials and equipment were obtained. Housekeeping measures were increased.



Location	Date	Classification	Location	Date	Classification
	Sep 6, 2004	None		Sep 6, 2004	None
* /	Sep 10, 2004	None		Sep 10, 2004	None
Peng Chau	Sep 16, 2004	None	Hei Ling Chau	Sep 16, 2004	None
	Sep 22, 2004	None	,	Sep 22, 2004	None
	Sep 28, 2004	None		Sep 28, 2004	None

Location	Date	Classification	Location	Date	Classification
	Sep 6, 2004	None		Sep 6, 2004	None
	Sep 10, 2004	None	Sok Kwu Wan	Sep 10, 2004	None
Yung Shue Wan	Sep 16, 2004	None		Sep 16, 2004	None
	Sep 22, 2004	None		Sep 22, 2004	None
	Sep 28, 2004	None		Sep 28, 2004	None

Location	Date	Classification
	Sep 6, 2004	None
	Sep 10, 2004	None
Ma Wan	Sep 16, 2004	None
	Sep 22, 2004	None
	Sep 28, 2004	None

4 NOISE

Table 6 Noise at nearest NSR (LeqA 30 min).

	Measurement Date and Time		
Transfer Facility	Noise Level Leq A (30 min) (dB (A))		
	Day Time	Night Time	
	Sep 22, 2004		
Mui Wo	(13:57-14:27)	Not requested	
	57		

Swire SITA Progress Report No.112004 OITF/PRG/MON/EPD/112004 Issue 1



Location	Date	Classification	Location	Date	Classification
	Oct 4, 2004	None	Hei Ling Chau	Oct 4, 2004	None
	Oct 8, 2004	None		Oct 8, 2004	None
Peng Chau	Oct 14, 2004	None		Oct 14, 2004	None
	Oct 20, 2004	None		Oct 20, 2004	None
	Oct 26, 2004	None		Oct 26, 2004	None

Location	Date	Classification	Location	Date	Classification
	Oct 4, 2004	None		Oct 4, 2004	None
	Oct 8, 2004	None	Sok Kwu Wan	Oct 8, 2004	None
Yung Shue Wan	Oct 14, 2004	None		Oct 14, 2004	None
	Oct 20, 2004	None		Oct 20, 2004	None
	Oct 26, 2004	None		Oct 26, 2004	None

Location	Date	Classification
	Oct 4, 2004	None
	Oct 8, 2004	None
Ma Wan	Oct 14, 2004	None
	Oct 20, 2004	None
	Oct 26, 2004	None

4 **GENERAL**

Equipment, including Terbergs, JCB, and compactors, functioned properly enabling Swire SITA to provide uninterrupted waste service to station users throughout the month of October 2004.

Mosquito elimination treatment has been carried out at all facilities. Tool Box Talks on prevention of Atypical Pneumonia were given to all staff. Additional cleaning materials and equipment were obtained. Housekeeping measures were increased.

SAFETY 5

The Superintendent carried out monthly safety inspection. Tool Box Talks on safety related subjects were given to all staff. No reportable accident in October 2004.



Location	Date	Classification	Location	Date	Classification
	Nov 1, 2004	None	Hei Ling Chau	Nov 1, 2004	None
	Nov 5, 2004	None		Nov 5, 2004	None
Peng Chau	Nov 11, 2004	None		Nov 11, 2004	None
	Nov 17, 2004	None		Nov 17, 2004	None
	Nov 22, 2004	None		Nov 22, 2004	None

Location	Date	Classification	Location	Date	Classification
	Nov 1, 2004	None		Nov 1, 2004	None
	Nov 5, 2004	None		Nov 5, 2004	None
Yung Shue Wan	Nov 11, 2004	None	Sok Kwu Wan	Nov 11, 2004	None
	Nov 17, 2004	None		Nov 17, 2004	None
	Nov 22, 2004	None		Nov 22, 2004	None

Location	Date	Classification
	Nov 1, 2004	None
	Nov 5, 2004	None
Ma Wan	Nov 11, 2004	None
	Nov 17, 2004	None
	Nov 22, 2004	None

4 GENERAL

Equipment, including Terbergs, JCB, and compactors, functioned properly enabling Swire SITA to provide uninterrupted waste service to station users throughout the month of November 2004.

Mosquito elimination treatment has been carried out at all facilities.

Tool Box Talks on prevention of Atypical Pneumonia were given to all staff.

Additional cleaning materials and equipment were obtained. Housekeeping measures were increased.

Annual Performance Test from 22 November 2004 to 11 December 2004.

5 SAFETY

The Superintendent carried out monthly safety inspection. Tool Box Talks on safety related subjects were given to all staff. No reportable accident in November 2004.



Location	Date	Classification	Location	Date	Classification
	Dec 9, 2004	None		Dec 9, 2004	None
	Dec 11, 2004	None		Dec 11, 2004	None
Peng Chau	Dec 13, 2004	None	Hei Ling Chau	Dec 13, 2004	None
	Dec 20, 2004	None		Dec 20, 2004	None
	Dec 28, 2004	None		Dec 28, 2004	None

Location	Date	Classification	Location	Date	Classification
	Dec 8, 2004	None		Dec 8, 2004	None
	Dec 10, 2004	None		Dec 10, 2004	None
Yung Shue Wan	Dec 14, 2004	None	Sok Kwu Wan	Dec 14, 2004	None
	Dec 21, 2004	None		Dec 21, 2004	None
	Dec 29, 2004	None		Dec 29, 2004	None

Location	Date	Classification
	Dec 8, 2004	None
	Dec 10, 2004	None
Ma Wan	Dec 14, 2004	None
	Dec 21, 2004	None
	Dec 29, 2004	None

4 NOISE

Table 5
Noise at nearest NSR (LeqA 30 min).

	Measurement Date and Time			
Transfer Facility	Noise Level Leq A (30 min) (dB (A))			
	Day Time	Night Time		
	Dec 6, 2004	Dec 6, 2004		
Mui Wo	(15:20-15:50)	(23:00-23:30)		
	61	58		
	Dec 6, 2004	Dec 6, 2004		
Cheung Chau	(13:45-14:15)	(23:00-23:30)		
	65	53		

Swire SITA Progress Report No. 012005 OITF/PRG/MON/EPD/012005 Issue 1



Location	Date	Classification	Location	Date	Classification
	Jan 3, 2005	None		Jan 3, 2005	None
	Jan 7, 2005	None	M.T. C	Jan 7, 2005	None
David Chara	Jan 13, 2005	None		Jan 13, 2005	None
Peng Chau	Jan 19, 2005 None Hei Ling Chau	Hei Ling Chau	Jan 19, 2005	None	
	Jan 25, 2005	None		Jan 25, 2005	None
	Jan 31, 2005	None		Jan 31, 2005	None

Location	Date	Classification	Location	Date	Classification
	Jan 3, 2005	None		Jan 3, 2005	None
	Jan 7, 2005	None	Sok Kwu Wan	Jan 7, 2005	None
Vana Chara Wan	Jan 13, 2005	None		Jan 13, 2005	None
Yung Shue Wan	Jan 19, 2005	None		Jan 19, 2005	None
	Jan 25, 2005	None		Jan 25, 2005	None
	Jan 31, 2005	None		Jan 31, 2005	None

Location	Date	Classification
	Jan 3, 2005	None
	Jan 7, 2005	None
Ma Wan	Jan 13, 2005	None
Ma Wan	Jan 19, 2005	None
	Jan 25, 2005	None
	Jan 31, 2005	None

4 **GENERAL**

Equipment, including Terbergs, JCB, and compactors, functioned properly enabling Swire SITA to provide uninterrupted waste service to station users throughout the month of January 2005.

Mosquito elimination treatment has been carried out at all facilities.

Tool Box Talks on prevention of Atypical Pneumonia were given to all staff.

Additional cleaning materials and equipment were obtained. Housekeeping measures were increased.



Location	Date	Classification	Location	Date	Classification
	Feb 4, 2005	None		Feb 4, 2005	None
	Feb 8, 2005	None		Feb 8, 2005	None
Peng Chau	Feb 15, 2005	None	Hei Ling Chau	Feb 15, 2005	None
	Feb 21, 2005	None		Feb 21, 2005	None
	Feb 25, 2005	None		Feb 25, 2005	None

Location	Date	Classification	Location	Date	Classification
	Feb 4, 2005	None		Feb 4, 2005	None
	Feb 8, 2005	None		Feb 8, 2005	None
Yung Shue Wan	Feb 15, 2005	None	Sok Kwu Wan	Feb 15, 2005	None
	Feb 21, 2005	None		Feb 21, 2005	None
	Feb 25, 2005	None		Feb 25, 2005	None

Location	Date	Classification
	Feb 4, 2005	None
	Feb 8, 2005	None
Ma Wan	Feb 15, 2005	None
	Feb 21, 2005	None
	Feb 25, 2005	None

4 GENERAL

Equipment, including Terbergs, JCB, and compactors, functioned properly enabling Swire SITA to provide uninterrupted waste service to station users throughout the month of February 2005.

Mosquito elimination treatment has been carried out at all facilities.

Tool Box Talks on prevention of Atypical Pneumonia were given to all staff.

Additional cleaning materials and equipment were obtained. Housekeeping measures were increased.

5 SAFETY

The Superintendent carried out monthly safety inspections. Tool Box Talks on safety related subjects were given to all staff. There were no reportable accidents in February 2005.

Swire SITA Progress Report No. 032005 OITF/PRG/MON/EPD/032005 Issue 1



Location	Date	Classification	Location	Date	Classification
	Mar 3, 2005	None		Mar 3, 2005	None
	Mar 9, 2005	None	,	Mar 9, 2005	None
Peng Chau	Mar 15, 2005	None	Hei Ling Chau	Mar 15, 2005	None
	Mar 21, 2005	None		Mar 21, 2005	None
	Mar 29, 2005	None		Mar 29, 2005	None

Location	Date	Classification	Location	Date	Classification
	Mar 3, 2005	None		Mar 3, 2005	None
	Mar 9, 2005	None		Mar 9, 2005	None
Yung Shue Wan	Mar 15, 2005	None	Sok Kwu Wan	Mar 15, 2005	None
	Mar 21, 2005	None		Mar 21, 2005	None
	Mar 29, 2005	None		Mar 29, 2005	None

Location	Date	Classification
	Mar 3, 2005	None
	Mar 9, 2005	None
Ma Wan	Mar 15, 2005	None
	Mar 21, 2005	None
	Mar 29, 2005	None

4 NOISE

Table 5 Noise at nearest NSR (LeqA 30 min).

	Measurement I	Date and Time
Transfer Facility	Noise Level Leq A	(30 min) (dB (A))
	Day Time	Night Time
	Mar 21, 2005	
Mui Wo	(14:40-15:10)	-
	59	
	Mar 21, 2005	
Cheung Chau	(16:50-17:20)	-
	68	


0

Appendix B

Appendix B1

Location of Noise Sensitive Receiver (NSR)

Appendix B1



Appendix B2

Noise Monitoring Record (NSR)

Appendix B2 – Noise Monitoring Record (NSR) Sok Kwu Wan Transfer Facility


Measurement Date and Time	Noise Level Leq A (30min) / (dB(A))	Remarks
9 June 2004 (15:23 – 15:53)	61	The major noise sources during monitoring do not come from Transfer Facility.
25 June 2004 (23:00 – 23:30)	54	The major noise sources during monitoring do not come from Transfer Facility.
16 Sep 2004 (15:50 – 16:20)	45	-
10 Dec 2004 (15:40 – 16:10)	51	-
10 Dec 2004 (23:00 – 23:30)	50	
15 Mar 2005 (15:50 – 16:20)	50	

Appendix C

Appendix C1

Location of Marine Water Monitoring Stations

Appendix C1



Appendix C

Appendix C2

Marine Water Monitoring Record

Wellab Limited

606-608 Cornell Centre, 50 Wing Tai Road, Chai Wan, H.K. Tel: (852) 2898 7388 Fax: (852) 2898 7076 Website: www.wellab.com.hk

ANNUAL REPORT

Facility/ Sampling Date	Point	Dissolved Oxy	gen, mg/L / %	Turbidity, NTU	Total Suspended Solids, mg/L		erature,
		Average	2m above seabed	Average	Average	Air	Water
Sok Kwu Wan	SC1	6.8 / 91.2	6.7 / 90.7	1.5	6	22.6	19.5
(Apr 2, 2004)	SC2	7.0 / 94.8	6.9 / 93.7	2.1	6	22.6	19.5
(12:15-13:05)	S1	6.8 / 92.5	6.6 / 89.7	2.1	6	22.6	19.5
*mid-ebb	S2	6.7 / 91.8	6.7 / 91.4	2.6	8	22.6	19.4
	S3	6.9 / 93.6	6.8 / 91.9	2.2	7	22.6	19.5
	S4	6.8 / 91.2	6.6 / 88.4	2.2	7	22.6	19.5
Sok Kwu Wan	SC1	6.2 / 83.4	6.1 / 81.8	3.0	9	20.5	20.2
(Apr 8, 2004)	SC2	6.5 / 87.5	6.4 / 86.0	5.9	14	20.5	20.1
(15:55 - 16:25)	S1	6.4 / 85.9	6.3 / 84.2	3.5	9	20.5	20.2
*mid-ebb	S2	6.4 / 85.8	6.4 / 84.2	3.2	10	20.5	20.1
/	S3	6.2 / 82.3	5.9 / 78.4	4.0	10	20.5	20.3
	S4	6.2 / 82.1	6.3 / 81.2	3.8	10	20.5	20.2
Sok Kwu Wan	SC1	7.2 / 99.2	7.3 / 100.4	3.0	7	25.6	20.9
(Apr 13, 2004)	SC2	7.3 / 101.2	7.1 / 97.9	2.7	9	25.6	20.9
(13:55 - 14:30)	S1	6.5 / 90.9	6.3 / 87.3	2.1	6	25.6	21.0
*mid-ebb	S2	6.8 / 95.3	6.5 / 90.6	2.1	7	25.6	21.0
	S3	6.2 / 87.2	6.1 / 85.1	2.7	9	25.6	21.2
	S4	7.3 / 102.7	7.3 / 101.4	3.5	10	25.6	21.1
Sok Kwu Wan	SC1	6.9 / 93.0	7.0 / 95.1	1.5	7	29.1	23.4
(Apr 20, 2004)	SC2	6.8 / 91.8	6.9 / 93.8	2.2	8	29.1	23.5
(11:05 - 11:45)	S1	6.8 / 92.5	6.6 / 89.7	2.1	4	29.1	23.3
*mid-ebb	S2	6.7 / 91.8	6.7 / 91.4	2.6	6	29.1	23.4
	S3	6.9 / 93.6	6.8 / 91.9	2.1	5	29.1	23.4
	S4	6.9 / 92.5	6.6 / 88.4	2.1	11	29.1	23.4
Sok Kwu Wan	SC1	7.5 / 101.2	7.6 / 102.8	5.6	12	28.8	23.6
(Apr 26, 2004)	SC2	7.9 / 107.6	7.5 / 101.9	5.8	12	28.8	23.4
(10:05 - 10:45)	S1	8.2 / 110.7	8.3 / 112.0	6.0	6	28.8	23.3
*mid-flood	S2	7.8 / 105.3	7.6 / 102.4	5.8	5.8	28.8	23.5
	S3	7.7 / 106.4	7.9 / 107.1	6.2	11	28.8	23.4
	S4	7.8 / 105.0	7.6 / 102.7	5.6	9	28.8	23.6

WELLAB LIMITED

606 - 608 Cornell Centre, 50 Wing Tai Road, Chai Wan, H.K.
Tel: (852) 2898 7388 Fax: (852) 2898 7076 Website: www.wellab.com.hk

TEST REPORT

Laboratory No.: W/04/00985
Date of Issue: 2004-06-04

Page:

3 of 3

Result:	Daint	Discribed O		T 1:12	70 . 1	TC.	
Facility/ Sampling Date	Point		xygen, mg/L /	Turbidity, NTU	Total Suspended Solids, mg/L	1	erature, °C
		Average	2m above seabed	Average	Average	Air	Water
Sok Kwu Wan	SC1_	7.1 / 101.2	6.4 / 92.3	2.0	6.2	25.6	24.5
(6 May 2004)	SC2	6.8 / 98.7	6.5 / 94.1	4.9	7.4	25.6	24.2
(10:30 - 11:00)	S1	7.3 / 105.4	7.3 / 105.5	2.5	9.0	25.6	24.5
*mid-ebb	S2	6.9 / 99.5	6.5 / 93.6	2.6	9.4	25.6	24.5
	S3	6.7/97.4	6.7 / 97.1	4.2	9.6	25.6	24.5
	S4	5.7 / 83.8	5.6 / 82.3	4.5	7.6	25.6	24.4
Sok Kwu Wan	SC1_	7.4 / 110.8	7.4 / 109.8	3.5	11	29.0	25.9
(12 May 2004)	_SC2_	7.9 / 117.6	7.8 / 115.1	2.4	25	29.0	25.9
(9:40 - 10:10)	S1	7.7/112.7	7.6 / 113.1	3.0	16	29.0	25.9
*mid-flood	S2	7.7 / 113.9	7.6 / 113.0	3.3	7.6	29.0	25.7
	S3	8.0 / 118.7	8.1 / 120.5	3.1	9.0	29.0	26.2
	S4	7.9 / 118.6	7.8 / 116.4	2.8	12	29.0	26.0
Sok Kwu Wan	_SC1_	6.9 / 103.6	6.8 / 102.3	2.6	13	29.1	26.3
(18 May 2004)	SC2	7.3 / 109.6	7.1 / 107.4	2.0	18	29.1	26.2
(10:30 - 11:00)	S1	6.9 / 103.0	6.9 / 103.5	3.0	15	29.1	26.3
*mid-ebb	S2	6.8 / 101.4	6.8 / 102.7	2.6	21	29.1	26.4
	S3	6.8 / 101.7	6.8 / 102.4	2.8	23	29.1	26.4
	S4	6.9 / 103.9	6.9 / 103.2	2.6	19	29.1	26.3
Sok Kwu Wan	SC1_	6.9 / 103.6	6.8 / 102.0	2.6	23	31.2	29.0
(28 May 2004)	SC2	7.3 / 109.6	7.1 / 107.4	1.9	29	31.2	29.0
(14:00 - 14:40)	S1	6.8 / 106.6	6.9 / 103.7	3.1	20	31.2	28.8
*mid-flood	S2	6.7 / 100.9	6.8 / 102.3	2.7	19	31.2	28.9
	S3	6.8 / 101.2	6.8/102.4	2.8	21	31.2	28.9
	S4	6.9 / 104.0	6.9 / 103.5	2.6	22	31.2	28.9

This report may not be reproduced except with prior written approval from WELLAB LIMITED and the results relate only to the items calibrated or tested.

Wellab Limited

606-608 Cornell Centre, 50 Wing Tai Road, Chai Wan, H.K.
Tel: (852) 2898 7388 Fax: (852) 2898 7076 Website: www.wellab.com.hk

ANNUAL REPORT

Facility/ Sampling Date	Point		d Oxygen,	Turbidity, NTU	Total Suspended		erature,
					Solids, mg/L		
		Average	2m above	Average	Average	Air	Water
			seabed				
Sok Kwu Wan	SC1	6.9 / 103.6	6.8 / 102.3	2.6	10.7	32.5	26.3
(3 June 2004)	SC2	6.3 / 96.0	6.2 / 95.1	1.7	14.1	32.5	27.9
(10:00 – 11:00)	/ S1	6.6 / 100.7	6.2 / 94.9	2.8	13.5	32.5	28.1
*mid-ebb	S2	6.4 / 98.1	6.2 / 93.9	3.0	26.9	32.5	28.2
/	S3	6.7 / 101.6	6.5 / 99.7	1.0	14.3	32.5	27.8
	S4	6.9 / 103.9	6.9 / 103.2	2.6	16.1	32.5	26.3
Sok Kwu Wan	SC1	6.0 / 92.7	5.5 / 84.0	2.4	5.6	31.7	28.0
(9 June 2004)	SC2	5.9 / 91.0	5.9 / 91.3	1.7	7.7	31.7	28.0
(14:30 - 15:15)	S1	5.6 / 87.1	5.4 / 83.3	2.4	12.7	31.7	28.0
*mid-ebb	S2	5.6 / 86.5	5.3 / 81.7	2.2	5.3	31.7	28.2
/	S3	6.1 / 94.0	6.0 / 91.9	2.0	7.0	31.7	28.5
	S4	5.5 / 85.7	5.4 / 83.3	1.9	7.5	31.7	28.3
Sok Kwu Wan	SC1	5.6 / 86.9	5.2 / 80.8	5.9	23.2	29.9	28.1
(15 June 2004)	SC2	7.4 / 113.7	7.2 / 110.4	4.1	21.8	29.9	28.0
(15:15-15:45)	S1	6.7 / 104.1	6.5 / 100.1	4.3	20.3	29.9	28.1
*mid-ebb	S2	6.7/ 103.6	5.9 / 92.2	3.3	19.6	29.9	28.1
/	S3	6.6 / 102.6	6.5 / 101.6	4.9	23.3	29.9	28.0
	S4	6.5 / 100.8	6.3 / 97.3	2.2	19.6	29.9	28.2
Sok Kwu Wan	SC1	6.9 / 103.6	6.8 / 102.3	2.9	10.7	31.8	30.8
(21 June 2004)	SC2	7.3 / 109.6	7.1 / 107.4	2.2	8.9	31.8	31.1
(10:30-10:50)	S1	6.9 / 103.0	6.9 / 103.5	3.3	9.7	31.8	29.1
*mid-ebb	S2	6.8 / 101.4	6.8 / 102.7	3.0	11.4	31.8	29.1
	S3	6.8 / 101.7	6.8 / 102.4	3.1	11.3	31.8	30.3
	S4	6.9 / 103.9	6.9 / 103.2	2.9	8.5	31.8	29.1
Sok Kwu Wan	SC1	5.5 / 85.6	5.5 / 85.1	3.0	13.3	30.9	29.8
(30 June 2004)	SC2	5.3 / 82.5	5.3 / 82.5	2.6	8.0	30.9	29.4
(11:50-12:30)/	S1	5.3 / 81.1	5.2 / 80.5	2.0	7.5	30.9	29.7
*mid-ebb	S2	5.2 / 79.8	5.1 / 79.6	2.6	31.5	30.9	29.7
/	S3	5.1 / 78.5	5.0 / 77.4	2.7	14.7	30.9	29.6
	S4	5.3 / 82.1	5.4 / 83.7	2.6	9.2	30.9	29.7

Page 12 of 24

This laboratory is accredited by HOKLAS for specific tests as listed in the HOKLAS Directory of Accredited Laboratories.

Swire SITA Progress Report No.082004 OITF/PRG/MON/EPD/082004 Issue 1



Location	Measurement Point		Dissolved Oxygen (mg/L / %)		Suspended Solids (mg/L)	Temperature (°C)	
		Average	At 2m above	(NTU) Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	4.8/70.8	4.4/66.0	3.4	7.4	29.8	26.8
July 6, 2004	SC2	4.7/69.6	4.3/64.2	4.3	5.5	29.8	26.6
(13:20-13:55)	S1	5.1/76.2	4.6/68.3	1.1	5.8	29.8	26.7
mid-ebb	S2	4.9/73.1	4.3/64.1	1.7	8.2	29.8	26.6
	S3	5.2/77.2	5.0/73.9	2.1	8.6	29.8	27.1
	S4	5.2/77.8	5.0/74.1	2.5	12.9	29.8	26.9
Sok Kwu Wan	SC1	11.0/163.3	7.9/116.5	8.8	9.3	30.2	28.2
July 12, 2004	SC2	6.1/135.9	4.2/60.9	8.6	15.9	30.2	27.0
(12:10-12:30)	S1	7.9/117.3	4.7/67.4	8.4	11.3	30.2	26.3
mid-ebb	S2	11.3/164.3	9.0/133.4	8.7	11.6	30.2	28.1
	S3	12.6/187.7	12.4/184.4	8.8	10.3	30.2	28.6
	S4	7.4/108.8	4.2/61.2	8.5	16.4	30.2	26.0
Sok Kwu Wan	SC1	9.8/141.8	9.4/135.7	3.5	10.7	28.0	27.2
July 22, 2004	SC2	8.3/121.2	6.1/88.1	3.7	11.3	28.0	26.5
(16:40-17:15)	S1	8.8/127.3	7.3/16.1	9.1	13.8	28.0	27.1
mid-ebb	S2	8.7/126.5	8.4/121.6	3.8	13.7	28.0	27.1
	S3	8.9/128.8	8.9/128.7	3.7	14.7	28.0	27.3
	S4	9.4/131.4	8.1/117.2	3.9	13.1	28.0	27.2
Sok Kwu Wan	SC1	8.0/117.4	4.7/67.4	2.9	8.2	29.1	26.3
July 28, 2004	SC2	9.3/137.6	4.5/65.0	6.9	7.8	29.1	27.0
(10:05-10:55)	S1	7.6/112.5	4.2/61.0	7.0	8.9	29.1	26.2
mid-ebb	S2	11.2/166.8	9.4/139.9	3.5	5.1	29.1	28.1
	S3	12.6/188.2	12.5/186.8	2.1	6.5	29.1	28.6
	S4	11.0/163.3	8.1/119.7	4.7	6.6	29.1	28.2





Location	Measurement Point		d Oxygen	Turbidity	Suspended Solids	Temperati	ıre (°C)
		(mg/l	At 2m	(NTU)	(mg/L)		
		Average	above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	5.9/87.3	5.1/74.8	1.8	9.9	28.9	27.3
Aug 3, 2004	SC2	5.4/78.5	4.5/66.0	3.4	17.2	28.9	27.0
(10:15-10:55)	S1	5.3/77.4	4.2/60.7	4.6	13.9	28.9	26.8
mid-flood	S2	5.9/86.1	5.3/77.3	1.9	12.6	28.9	27.2
	S3	6.4/93.9	6.2/90.9	3.0	13.7	28.9	27.3
	S4	5.8/84.7	4.6/66.9	2.1	8.1	28.9	26.9
Sok Kwu Wan	SC1	8.2/122.3	6.5/96.0	2.7	15.3	30.5	28.2
Aug 9, 2004	SC2	6.3/94.5	3.1/45.6	3.7	15.3	30.5	27.1
(11:40:12:30)	S1	6.1/91.0	3.4/49.8	3.5	38.9	30.5	27.4
mid-flood	S2	9.1/135.9	8.9/133.2	0.5	39.2	30.5	28.7
	S3	8.9/133.2	8.6/127.9	1.9	13.2	30.5	28.7
	S4	6.9/101.8	3.7/53.5	2.6	16.7	30.5	27.4
Sok Kwu Wan	SC1	4.7/69.5	3.8/55.8	2.9	7.6	30.1	26.3
Aug 19, 2004	SC2	4.6/72.8	4.1/59.6	2.7	8.0	30.1	26.0
(15:30-16:10)	S1	6.6/98.2	6.7/99.5	0.5	6.4	30.1	27.1
mid-ebb	S2	4.6/68.0	3.7/53.6	3.8	7.4	30.1	26.3
	S3	5.2/76.8	5.0/74.7	2.3	8.8	30.1	26.7
	S4	5.2/77.4	4.9/72.3	1.8	7.0	30.1	26.5
Sok Kwu Wan	SC1	6.2/91.8	5.4/79.3	3.1	6.3	30.9	27.3
Aug 25, 2004	SC2	6.0/88.3	4.8/69.8	1.5	9.2	30.9	26.6
(09:15-09:45)	S1	6.2/91.3	5.3/78.5	1.2	17.3	30.9	27.2
mid-ebb	S2	6.3/93.1	5.9/86.6	1.1	11.6	30.9	27.2
	S3	6.3/92.9	6.3/92.8	0.7	8.8	30.9	27.5
,	S4	6.5/96.4	6.2/90.9	1.0	6.4	30.9	27.3
Sok Kwu Wan	SC1	5.0/71.9	3.9/55.6	10.6	9.4	29.0	25.1
Aug 31, 2004	SC2	4.8/69.3	4.5/64.3	6.3	12.7	29.0	25.2
(09:50-10:20)	S1	4.6/64.9	4.2/59.9	3.5	12.1	29.0	25.3
mid-ebb	S2	5.0/71.6	4.3/61.6	6.4	12.9	29.0	25.4
	S3	4.6/65.8	4.5/64.0	5.0	14.0	29.0	25.8
	S4	4.8/68.8	4.6/65.9	4.6	11.1	29.0	25.3



Swire SITA Progress Report No.102004 OITF/PRG/MON/EPD/102004 Issue 1



Location	Measurement Point	Dissolve	d Oxygen	Turbidity	Suspended	Temperat	ure (°C)
		(mg/l	4/%)	(NTU)	Solids (mg/L)		
		Average	At 2m above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	8.1/119.5	5.5/80.7	4.7	13.1	29.3	26.6
Sep 6, 2004	SC2	6.0/92.7	5.5/84.0	2.4	13.6	29.3	28.0
(12:15-12:50)	S1	7.8/114.9	6.5/95.0	2.3	14.9	29.3	26.6
mid-ebb	S2	7.9/118.2	7.2/105.6	3.0	31.2	29.3	27.0
	S3	8.9/132.6	9.1/135.4	2.1	24.3	29.3	27.6
	S4	8.1/120.4	7.4/108.8	4.3	8.5	29.3	26.8
Sok Kwu Wan	SC1	5.6/84.6	5.0/75.1	5.1	23.3	28.5	27.0
Sep 16, 2004	SC2	5.4/81.4	4.5/67.7	4.7	28.0	28.5	27.3
(15:40:16:10)	S1	5.4/80.7	4.6/69.2	3.2	16.9	28.5	27.1
mid-flood	S2	5.6/84.4	4.8/71.4	4.8	9.3	28.5	27.2
	S3	5.8/86.3	5.4/80.7	6.8	12.5	28.5	27.4
	S4	5.9/88.0	5.2/77.4	2.7	1.7	28.5	27.2
Sok Kwu Wan	SC1	4.5/68.0	4.6/68.6	3.6	33.1	30.5	27.8
Sep 22, 2004	SC2	5.1/76.9	4.7/71.3	5.4	33.9	30.5	27.9
(12:45-13:15)	S1	5.4/82.2	4.5/67.8	3.3	30.9	30.5	28.0
mid-ebb	S2	5.7/85.7	5.2/78.8	2.9	30.9	30.5	28.1
	S3	5.8/88.8	5.5/83.7	2.9	24.8	30.5	28.3
	S4	5.0/75.4	4.5/67.7	3.3	42.4	30.5	27.8
Sok Kwu Wan	SC1	6.1/93.5	5.7/87.5	7.0	40.9	29.5	28.1
Sep 28, 2004	SC2	6.2/94.9	5.8/88.6	7.4	41.0	29.5	28.1
(11:55-12:25)	S1	6.2/95.9	5.3/81.0	7.3	38.6	29.5	28.2
mid-flood	S2	6.5/99.8	5.6/85.5	6.7	42.9	29.5	28.1
	S3	7.4/113.2	7.8/119.8	4.4	26.1	29.5	28.0
	S4	6.7/102.5	6.1/93.2	4.8	47.2	29.5	27.9

Swire SITA Progress Report No.112004 OITF/PRG/MON/EPD/112004 Issue 1



Location	Measurement Point	Dissolved Oxygen (mg/L / %)		Turbidity	Suspended Solids	Temperature (°C)	
				(NTU)	(mg/L)		
		Average	At 2m above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	5.1/78.0	4.5/68.3	8.1	9.5	28.6	27.8
Oct 8, 2004	SC2	6.0/91.2	5.9/90.1	4.5	7.3	28.6	27.7
(14:45-15:10)	S 1	5.7/87.9	5.2/80.1	5.4	11.2	28.6	27.8
mid-ebb	S2	5.6/86.4	5.0/76.5	5.8	11.9	28.6	27.8
	S3	5.9/91.4	5.6/87.0	12.9	5.7	28.6	27.7
	S4	6.0/91.9	5.7/87.3	5.1	7.8	28.6	27.9
Sok Kwu Wan	SC1	4.2/64.7	4.3/65.7	11.7	37.5	27.5	26.9
Oct 14, 2004	SC2	5.9/89.8	5.8/87.9	9.4	41.3	27.5	27.2
(09:55-10:35)	S1	4.4/65.6	4.4/65.9	7.5	33.7	27.5	26.9
mid-flood	S 2	5.5/83.5	5.4/82.1	4.6	36.6	27.5	27.0
	S3	5.6/85.1	5.6/85.0	5.0	19.5	27.5	27.0
	S4	4.3/64.7	4.4/66.5	7.4	33.3	27.5	26.9
Sok Kwu Wan	SC1	5.1/76.4	4.6/68.8	4.0	37.0	27.5	26.4
Oct 20, 2004	SC2	6.1/92.0	5.9/88.5	4.1	38.5	27.5	26.7
(12:50-13:20)	Sl	5.6/83.6	5.5/82.0	4.3	36.0	27.5	26.5
mid-ebb	S2	5.8/86.3	5.6/84.2	4.2	36.1	27.5	26.6
	S3	5.7/85.8	5.7/85.1	3.0	29.7	27.5	26.6
	S4	5.4/81.1	5.3/78.9	6.0	45.3	27.5	26.6
Sok Kwu Wan	SC1	5.3/78.9	4.8/71.4	3.4	33.4	26.2	25.9
Oct 26, 2004	SC2	6.4/94.6	6.3/93.8	3.8	41.0	26.2	26.0
(10:10-10:50)	S1	5.7/84.4	5.6/83.7	3.1	42.1	26.2	25.9
mid-flood	S2	5.8/85.2	5.5/80.9	3.9	42.7	26.2	26.0
	S3	5.6/82.7	5.5/82.9	3.0	21.9	26.2	26.1
	S4	5.8/86.4	5.6/83.4	2.7	38.0	26.2	26.1

Swire SITA Progress Report No.122004 OITF/PRG/MON/EPD/122004 Issue 1



Location	Measurement Point	Dissolved Oxygen (mg/L / %)		Turbidity (NTU)	Suspended Solids (mg/L)	Temperature (°C)	
		Average	At 2m above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	6.0/92.7	5.5/84.0	0.8	34.7	25.6	25.1
Nov 5, 2004	SC2	5.9/91.0	5.9/91.3	1.7	38.3	25.6	25.2
(12:15-12:45)	S1	5.6/87.1	5.4/83.3	0.8	33.2	25.6	25.1
mid-ebb	S2	5.6/86.5	5.3/81.7	0.8	40.2	25.6	25.0
	S3	6.1/94.0	6.0/91.9	2.4	21.2	25.6	25.2
	S4	5.5/85.7	5.4/83.3	0.9	40.9	25.6	25.1
Sok Kwu Wan	SC1	6.8/101.5	6.5/97.0	3.4	34.3	25.9	25.2
Nov 11, 2004	SC2	8.0/117.4	8.0/116.9	3.5	38.1	25.9	25.1
(13:50-14:20)	S1	6.4/95.3	6.0/89.4	3.4	8.0	25.9	25.1
mid-flood	S2	6.4/94.0	5.9/87.6	3.2	8.5	25.9	25.0
	S3	6.4/94.5	6.3/94.3	3.0	17.3	25.9	25.5
	S4	6.7/99.8	6.3/93.2	3.6	36.0	25.9	25.2
Sok Kwu Wan	SC1	5.1/76.4	4.6/68.8	10.6	12.7	26.3	25.2
Nov 17, 2004	SC2	6.1/92.0	5.9/88.5	6.3	8.1	26.3	25.1
(10:25-10:55)	S1	5.7/83.6	5.5/82.0	3.5	12.1	26.3	25.1
mid-ebb	S2	5.8/86.3	5.6/84.2	6.4	9.8	26.3	25.0
	S3	5.7/85.8	5.7/85.1	5.0	6.1	26.3	25.5
	S4	5.4/81.2	5.3/78.9	4.6	8.8	26.3	25.2
Sok Kwu Wan	SC1	6.2/87.7	6.1/86.3	2.6	43.7	24.5	23.2
Nov 24, 2004	SC2	6.1/86.4	6.0/83.6	2.7	40.8	24.5	23.2
(16:00-16:30)	S1	6.6/92.4	6.5/91.7	2.1	45.6	24.5	23.3
mid-ebb	S2	6.4/89.7	6.3/88.9	2.3	37.2	24.5	23.3
	S3	6.3/89.0	6.3/89.3	2.1	44.9	24.5	23.3
	S4	6.5/90.7	6.4/90.2	2.6	39.7	24.5	23.2





Location	Measurement Point	Dissolved Oxygen		Turbidity	Suspended Solids	Temperature (℃)	
		(mg/L / %)		(NTU)	(mg/L)		·
		Average	At 2m above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	6.6/92.7	6.6/92.8	2.2	37.7	23.2	22.6
Dec 1, 2004	SC2	6.8/95.6	6.6/92.9	2.6	41.9	23.2	22.5
(11:30-12:00)	S 1	6.6/92.9	6.6/92.8	2.2	43.4	23.2	22.6
mid-ebb	S2	6.6/92.6	6.6/92.4	2.4	25.4	23.2	22.5
	S3	6.6/92.4	6.6/92.3	2.3	45.5	23.2	22.5
	S4	6.6/92.4	6.6/92.3	2.2	40.4	23.2	22.5
Sok Kwu Wan	SC1	5.6/82.9	5.6/82.3	1.6	39.4	22.2	20.9
Dec 10, 2004	SC2	5.6/82.1	5.5/81.2	1.6	42.8	22.2	21.1
(16:10-16:40)	S 1	5.6/83.6	5.7/83.7	4.1	45.1	22.2	21.1
mid-ebb	S2	5.5/82.2	5.5/81.0	2.5	38.3	22.2	21.1
	S3	5.5/80.2	5.5/80.5	1.5	49.4	22.2	21.1
	S4	5.7/83.5	5.8/83.9	1.5	56.0	22.2	19.7
Sok Kwu Wan	SC1	6.7/74.4	6.7/74.9	4.4	43.0	20.3	26.6
Dec 14, 2004	SC2	5.2/78.4	5.0/74.8	1.1	39.9	20.3	26.7
(13:20-13:55)	S 1	5.5/75.8	5.0/72.7	1.7	36.0	20.3	26.5
mid-flood	S2	5.3/77.5	5.2/74.2	2.4	43.2	20.3	26.9
	S3	5.9/76.4	5.4/73.0	2.1	42.3	20.3	27.1
	S4	6.0/73.1	7.0/70.7	3.2	37.1	20.3	26.8
Sok Kwu Wan	SC1	5.9/80.9	5.8/79.1	4.1	38.5	21.0	20.7
Dec 21, 2004	SC2	6.0/82.6	6.2/84.5	3.6	46.3	21.0	20.7
(11:30-11:10)	S 1	7.3/99.0	7.1/96.0	3.6	31.7	21.0	20.4
mid-ebb	S2	6.4/87.4	6.4/86.9	4.4	28.5	21.0	20.7
	S3	6.1/82.5	6.0/82.0	4.0	25.5	21.0	20.7
	S4	6.7/90.9	6.5/88.9	3.9	35.8	21.0	20.6
Sok Kwu Wan	SC1	6.7/88.5	6.7/88.2	2.3	7.4	14.9	19.3
Dec 29, 2004	SC2	6.8/90.1	6.8/89.8	2.1	9.2	14.9	19.3
(13:00-13:30)	S1	6.6/87.4	6.6/87.0	2.3	7.6	14.9	19.3
mid-ebb	S2	6.5/85.8	6.5/85.4	2.1	8.3	14.9	19.3
	S3	6.4/84.4	6.4/84.1	2.8	6.9	14.9	19.3
	S4	6.2/82.3	6.2/81.7	1.8	9.3	14.9	19.3

Swire SITA Progress Report No. 012005 OITF/PRG/MON/EPD/012005 Issue 1



Location	Measurement Point	Dissolved Oxygen		Turbidity	Suspended Solids	Temperature (°C)	
		(mg/L / %)		(NTU)	(mg/L)		
		Average	At 2m above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	5.8/74.9	5.8/75.0	2.2	5.4	18.1	18.1
Jan 3, 2005	SC2	5.9/76.9	5.8/75.5	2.2	10.4	18.1	18.1
(14:30-15:00)	S 1	7.6/98.9	7.4/95.3	3.0	6.1	18.1	18.2
mid-ebb	S2	6.2/79.6	5.9/76.1	2.8	8.2	18.1	18.1
	S3	5.8/75.6	5.8/75.0	2.6	5.7	18.1	18.2
	S4	5.6/72.9	5.6/72.5	2.6	8.5	18.1	18.1
Sok Kwu Wan	SC1	6.5/81.9	6.4/81.5	1.3	4.7	16.2	17.5
Jan 13, 2005	SC2	6.4/81.3	6.4/81.1	1.5	6.2	16.2	17.5
(16:45-17:15)	S 1	7.1/90.5	6.9/87.3	1.6	5.5	16.2	17.5
mid-ebb	S2	6.6/83.9	6.6/84.6	1.7	5.9	16.2	17.5
	S3	6.5/82.8	6.5/82.7	1.3	5.1	16.2	17.5
	S4	6.4/82.1	6.4/81.9	1.2	6.1	16.2	17.5
Sok Kwu Wan	SC1	7.9/100.2	8.0/100.5	1.7	4.5	16.8	16.9
Jan 19, 2005	SC2	7.5/93.7	7.2/89.9	2.9	4.7	16.8	16.9
(14:20-14:50)	S 1	8.3/104.5	8.2/103.8	2.8	4.6	16.8	16.9
mid-ebb	S2	6.1/76.3	6.0/75.0	3.2	5.0	16.8	16.9
	S3	8.1/101.3	8.1/101.7	3.7	2.8	16.8	17.1
	S4	8.1/101.7	8.0/101.4	3.8	4.7	16.8	17.0
Sok Kwu Wan	SC1	6.8/85.1	6.9/86.2	11.3	3.5	19.8	17.0
Jan 25, 2004	SC2	6.8/86.1	7.0/87.3	10.2	3.4	19.8	17.0
(13:05-13:35)	S1	7.1/89.6	7.1/89.5	10.4	3.3	19.8	17.1
mid-ebb	S2	7.0/87.8	6.8/85.3	10.8	4.5	19.8	17.2
	S3	7.5/95.0	7.3/92.8	11.0	2.8	19.8	17.3
	S4	6.7/84.3	6.8/84.6	10.5	4.0	19.8	17.3
Sok Kwu Wan	SC1	7.7/95.8	7.7/96.2	12.0	4.4	14.2	17.3
Jan 31, 2004	SC2	8.2/102.1	8.2/101.9	12.1	3.4	14.2	17.1
(12:00-12:30)	S1	7.8/97.2	7.8/96.7	12.1	4.4	14.2	17.2
mid-flood	S2	7.6/94.7	7.4/92.6	13.8	3.4	14.2	17.3
	S3	7.3/90.1	7.2/89.8	12.2	5.0	14.2	17.3
	S4	7.7/96.0	7.6/94.3	12.4	3.7	14.2	17.3

Swire SITA Progress Report No. 022005 OITF/PRG/MON/EPD/022005 Issue 1



Location	Measurement Point	Dissolved Oxygen (mg/L / %)		Turbidity (NTU)	Suspended Solids (mg/L)	Temperature (°C)	
		Average	At 2m above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	8.0/101.2	8.0/101.0	0.2	4.3	19.3	17.7
Feb 8, 2005	SC2	8.0/101.3	8.0/101.4	0.4	3.8	19.3	17.6
(09:55-10:25)	S1 ·	8.1/102.0	8.0/101.7	0.2	5.7	19.3	17.9
mid-flood	S2	8.0/101.5	8.0/101.7	0.5	5.1	19.3	17.5
	S3	8.0/101.6	8.0/101.7	0.3	6.1	19.3	17.7
	S4	8.0/101.3	8.0/101.4	0.4	3.3	19.3	17.4
Sok Kwu Wan	SC1	7.7/97.1	7.5/94.0	1.3	6.9	24.1	17.7
Feb 15, 2005	SC2	6.5/81.7	6.1/76.9	1.7	7.7	24.1	17.5
(15:00-15:30)	S1	6.9/86.3	6.3/79.0	1.4	6.8	24.1	17.6
mid-ebb	S2	6.4/80.5	6.1/76.4	1.3	6.6	24.1	17.5
	S3	6.6/83.5	6.5/81.2	1.4	6.6	24.1	17.7
	S4	7.2/90.6	6.9/86.6	1.4	3.5	24.1	17.7
Sok Kwu Wan	SC1	8.4/98.7	8.4/96.9	3.0	6.5	11.5	16.0
Feb 21, 2005	SC2	8.5/103.5	8.5/101.9	2.6	4.7	11.5	16.0
(10:40-11:10)	S1	8.6/104.4	8.6/102.6	2.0	3.2	11.5	15.9
mid-flood	S2	8.4/101.6	8.4/101.6	2.6	5.1	11.5	15.9
	S3	8.5/100.7	8.5/102.3	2.8	4.1	11.5	16.3
	S4	8.5/101.6	8.5/102.7	2.6	8.5	11.5	16.1



Location	Measurement Point	t Dissolved Oxygen (mg/L / %)		Turbidity	Suspended Solids	Temperature (℃)	
				(NTU) (mg/L)			
		Average	At 2m above	Average	Average	Air	Water
			Seabed				
Sok Kwu Wan	SC1	7.4/90.2	7.4/90.5	0.7	6.9	12.6	15.8
Mar 3, 2005	SC2	7.9/95.8	7.8/94.4	1.0	4.1	12.6	15.7
(13:45-14:20)	S1	7.4/89.8	7.3/88.3	0.8	3.2	12.6	15.8
mid-ebb	S2	7.4/90.4	7.4/90.1	0.6	5.1	12.6	15.8
	S3	7.5/90.4	7.4/90.1	1.3	4.8	12.6	15.8
	S4	7.5/90.8	7.4/90.3	0.6	3.9	12.6	15.8
Sok Kwu Wan	SC1	8.2/100.9	8.2/100.5	2.6	6.7	19.6	16.4
Mar 9, 2005	SC2	8.7/105.6	8.5/103.0	1.3	6.1	19.6	16.1
(13:05-13:35)	S1	8.4/103.2	8.2/100.0	2.3	5.1	19.6	16.6
mid-ebb	S2	8.6/105.5	8.5/104.1	0.9	6.4	19.6	16.3
	S3	8.5/103.7	8.5/103.6	1.4	5.7	19.6	16.6
	S4	8.3/102.4	8.3/101.9	2.6	5.7	19.6	16.5
Sok Kwu Wan	SC1	7.7/93.8	7.7/93.6	0.4	6.8	14.8	15.8
Mar 15, 2005	SC2	7.7/92.8	7.8/95.2	0.5	7.0	14.8	15.8
(15:15-15:45)	S1	7.8/95.0	7.8/94.7	0.3	7.3	14.8	15.8
mid-ebb	S2	8.0/96.5	8.0/97.2	0.6	7.4	14.8	15.9
	S3	7.8/94.5	7.9/95.6	0.5	7.3	14.8	15.9
	S4	7.8/93.9	7.9/95.4	0.4	7.5	14.8	15.9
Sok Kwu Wan	SC1	8.3/103.7	8.3/103.7	0.8	4.9	18.9	17.1
Mar 21, 2005	SC2	8.2/101.6	8.1/100.0	1.0	4.5	18.9	16.9
(12:00-12:30)	S1	8.2/102.5	8.2/102.2	0.8	4.7	18.9	17.0
mid-flood	S2	8.2/101.9	8.2/102.0	1.0	5.3	18.9	17.1
	S3	8.2/101.7	8.2/101.6	1.1	6.6	18.9	17.2
	S4	8.3/103.6	8.3/103.5	0.9	4.6	18.9	17.1
Sok Kwu War	SC1	6.5/84.1	6.6/84.5	0.3	8.4	17.4	18.5
Mar 31, 2005	SC2	6.5/83.5	6.5/83.4	0.3	6.8	17.4	18.5
(14:20-14:50)		6.5/83.3	6.4/81.2	0.4	7.6	17.4	18.5
mid-ebb	S2	7.3/93.6	7.2/92.5	0.7	5.9	17.4	18.5
	S3	6.9/88.2	6.9/88.1	0.5	4.3	17.4	18.5
	S4	6.9/88.4	6.6/84.9	0.3	9.2	17.4	18.5

0