

**The Government of
The Hong Kong Special Administrative Region**

Environmental Protection Department

Contract No. EP/SP/68/12

Outlying Islands Transfer Facilities Follow-on Contract

Sok Kwu Wan Transfer Facility

Annual Environmental Audit Report (Operation)

April 2018 – March 2019

Prepared by



22.4.2021

Lily CHIU / Supervisor / Swire Waste Management Limited


Checked by



26.4.2021

Patrick YEUNG / Senior Environmental Protection Inspector
/ Environmental Protection Department

Audited by



3.5.2021

K.H. NG / Independent Auditor

Table of Contents

1. INTRODUCTION	1
2. DESCRIPTION OF ENVIRONMENTAL MONITORING TESTS	1
3. RESULTS	5
4. STATUS OF ENVIRONMENTAL COMPLAINT HANDLING	7
5. CONCLUSION	7

APPENDIX

Appendix A1 Odour patrol points of Sok Kwu Wan Transfer Facility

Appendix A2 Odour patrol record

Appendix B1 Location of noise sensitive receiver (NSR)

Appendix B2 Noise monitoring record (NSR)

Appendix C1 Locations of marine water monitoring stations

Appendix C2 Marine water monitoring record

1. INTRODUCTION

Under the requirements of Section 4 of Environmental Permit No EP-014/1998/A, the measures were undertaken to assure the Sok Kwu Wan Transfer Facility was operated in accordance with the permit.

This report documents the findings of environmental monitoring and audit works for the facility from April 2018 to March 2019.

Environmental monitoring for the odour, noise and water quality was performed in accordance with the EM&A Manual and the monitoring results were checked and reviewed. Full details of the above environmental monitoring tests are described in the **Section 2**. In addition, the environmental complaint handling procedures were also checked and reported in **Section 4** of this report.

2. DESCRIPTION OF ENVIRONMENTAL MONITORING TESTS

Table 1: Summary of Environmental Monitoring Parameters

<u>Test</u>	<u>Location</u>	<u>Frequency</u>	<u>Parameter</u>	<u>Limits</u>
Odour	Site Boundary See Map (Appendix A1)	Monthly	Odour	Odour strength not exceed "Slight" odour intensity
Noise	Nearest Sensitive Receiver See Map (Appendix B1)	Monthly	LAeq (30min)	55 dBA (07:00-23:00) 45 dBA (23:00-07:00)
Marine Water	Four monitoring locations and two control sites. See Map (Appendix C1)	Weekly	Dissolved Oxygen (DO)	<u>Surface & Middle</u> 4 mg/L except 5 mg/L for FCZ or 1%-ile of baseline data for surface and middle layer <u>Bottom</u> 2 mg/L and or 1%-ile of baseline data for bottom layer
			Water Turbidity (Turbidity)	99%-ile of baseline or 130% of upstream control station's Turbidity at the same tide of the same day
			Suspended Solids (SS)	99%-ile of baseline or 130% of upstream control station's SS of the same tide of the same day

2.1 Odour

2.1.1 Monitoring Location

The monitoring takes place at the boundary of the facility. The patrol route is shown in **Appendix A1**.

2.1.2 Monitoring Frequency

The odour monitoring is conducted once (1) per month.

2.1.3 Monitoring Methodology

The odour patrol is conducted by a sensory team, which includes a representative (1) from Independent Third-party Accredited Laboratory, one (1) from the Contractor and one (1) from the EPD. The test consists of three (3) person patrolling the site boundary and recording the location and strength of odour identifiable as arising from the facility. The odour intensity is categorized into five (5) classes:

Table 2: Odour Intensity Classification

Class	Remarks
Not detected	No odour perceived or an odour so weak that it cannot be readily characterized or described
Slight	Identifiable odour, slight
Moderate	Identifiable odour, moderate
Strong	Identifiable odour, strong
Extreme	Severe odour

The odour patrol record is set out in **Appendix A2**.

2.2 Noise

2.2.1 Monitoring Location

Noise monitoring is carried out at the nearest Noise Sensitive Receiver (NSR) in accordance with the EM&A Manual. **Appendix B1** shows the location of this monitoring position.

2.2.2 Monitoring Frequency

The noise monitoring is conducted once (1) per month.

2.2.3 Monitoring Methodology

The noise monitoring during the Operations phase for the SKWTF was performed in accordance with the “Technical Memorandum for the Assessment of Noise from places other than Domestic, Public or Construction Sites”. The monitoring requirements are summarized as follow:

- The Sound Level Meters in compliance with the IEC61672: 2002 Class 1 and 2 for carrying out the noise monitoring.
- The Sound Level Meter will be set on a tripod at a height of 1.2 m above the ground, subject to local monitoring condition.
- The battery condition will be checked to ensure the correct functioning of the meter.
- Noise monitoring $Leq(30\text{ min})$ to be taken on a monthly basis for daytime measurements.
- Prior to and after each noise measurement, the meter will be calibrated using a Calibrator for 94.0 dB at 1000 Hz. The measurement may be accepted as valid only if the calibration level agrees to within 1.0 dB.
- The wind speed will be frequently checked with the portable wind meter.
- Site conditions and interference noise sources will be recorded.
- Noise monitoring will be cancelled in the presence of fog, rain, and wind with a steady speed exceeding 5 m/s, or wind with gusts exceeding 10 m/s.

The Noise monitoring record is set out in **Appendix B2**.

2.3 Water quality

2.3.1 Monitoring Location

The number of marine water monitoring stations for Sok Kwu Wan Transfer Facility is shown in **Table 3** and **Appendix C1** shows the locations of the marine water quality monitoring stations.

Table 3: Locations of the marine water quality monitoring stations

Facility	Station ID	No. of Stations
Sok Kwu Wan	Control Stations: SC1 & SC2 Impact Stations: S1, S2, S3 & S4	6

2.3.2 Monitoring Methodology

The marine water quality monitoring during the Operations phase for the SKWTF was performed in accordance with the EM&A Manual. The following set out the methods of measurement to be used during the environmental monitoring.

Dissolved Oxygen and Turbidity

The in-situ measurements of dissolved oxygen and turbidity are carried out using an In-situ Aqua Troll 600 Multi-parameter Sonde.

Where the depth of water is less than 3m, duplicate measurements of D.O. are to be taken at one depth to obtain an average reading.

With depths between 3m and 6m, measurements will be taken at 1m below the surface and 1m above the sea bed. In each depth, duplicate readings will be taken and an average value will be calculated.

With a water depth greater than 6m, measurements will be taken at 1m below surface, the mid-depth and 1m above the sea bed. In each depth, duplicate readings will be taken and an average value will be calculated.

Suspended solids

The suspended solids monitoring is carried out in according to the in-house method (E-T-053) with reference to the standard method APHA 17ed 2540 D. The testing method is summarized as below:

A well-mixed sea water sample is filtered through a weighed standard glass-fiber filter and wash thoroughly with water to remove dissolved solids on the filter. The non-filterable residue retained on the filter is dried at 103 to 105°C. The increase in weight of the filter represents the suspended solids content.

3 **RESULTS**

3.1 **Odour**

3.1.1 Summary of Number of Monitoring Events and Exceedances for Odour monitoring

Table 4: Summary of Number of Monitoring Events and Exceedances for Odour monitoring

Monitoring Parameter	Location	No. of monitoring events	No. of Exceedance
		April 2018 – March 2019	
Odour	Point 1	12	0
	Point 2	12	0
	Point 3	12	0
	Point 4	12	0
	Point 5	12	0
	Point 6	12	0
Total		72	0

3.1.2 Conclusion

No odour could be detected during the odour patrols. The results show compliance with the odour objectives.

Please refer to the **Appendix A2** for the odour monitoring record.

3.2 **Noise**

3.2.1 Summary of Number of Monitoring Events and Exceedances for Noise monitoring

Table 5: Summary of Number of Monitoring Events and Exceedances for Noise monitoring

Monitoring Parameter	Location	No. of monitoring events	No. of Exceedance
		April 2018 – March 2019	
Noise	NSR	13	9
Total		13	9

3.2.2 Conclusion

During the reporting period, some of noise monitoring results have exceeded the compliance objectives. According to the notes recorded by the field operator of the Independent Third-party Accredited Laboratory, the major noise source was identified from road traffic, passerby noise, natural sound of birds, etc. Noise emanated from SKWTF was considered insignificant.

In addition, EPD site staff conducted random checking of on-site CCTV record and confirmed no operational activities were being carried out at the facility during night time. Hence, it is reasonable to believe that the night-time noise level at SKWTF is insignificant.

The noise level monitoring record taken at the NSR of SKWTF is set out in **Appendix B2**.

3.3 Water Quality

3.3.1 Summary of Number of Monitoring Events and Exceedances for Water quality monitoring

A total of 884 sets of water samples were collected in 52 sampling days during the report period. A summary of exceedance of dissolved oxygen, turbidity and suspended solids at SKWTF is shown in the following **Table 7**.

Table 7: Summary of exceedance of Marine Water Quality at SKWTF

Sampling Point	Type of Exceedance		
	DO	Turbidity	SS
S1	0	3	6
S2	2	1	4
S3	0	1	4
S4	1	2	4
Total	3	7	18

The laboratory analysis shows that there are 28 samples exceed the limit level of Dissolved Oxygen (3 exceedances), Turbidity (7 exceedances) and Suspended Solids (18 exceedances).

3.3.2 Conclusion

Since there is no wastewater discharge from the SKWTF and no construction activities during the report period, the exceedance of compliance objectives for dissolved oxygen, turbidity and suspended solids were not caused by the operation activities at SKWTF.

The water quality monitoring record is set out in **Appendix C2**

4 **STATUS OF ENVIRONMENTAL COMPLAINT HANDLING**

No verbal or written complaints were received during the reporting period.

5 **CONCLUSION**

Based on the monitoring results during the audit period as well as a review of our observations the following can be concluded.

The environmental protection systems that are currently in use, when combined with the existing level of environmental awareness at the facility, are sufficient to meet current regulatory constraints relating to the environment.

The methods and frequency of environmental monitoring produce a data base that is adequate to assist station management in making accurate and timely decisions relating to the modification of environmental systems or operational practices if needed.


The current environmental management systems and performance provide a good foundation to develop a positive relationship with the community.

Appendix A

Appendix A1

Odour Patrol Points of Sok Kwu Wan Transfer Facility

Appendix A1



Appendix A2

Odour Patrol Record


FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
24th Floor
11th Mile, Causeway Road
Tel: 2811, Telex: 8010, N.Y. Hong Kong

Tel: 001 214 654 3111
Fax: 001 214 654 3115
Email: em@fugro.com

MaterialLab

**SWIRE WASTE MANAGEMENT LTD
SOK KWU WAN TRANSFER FACILITY
Odour Measurement Record**



Wind Speed: 1.1 m/s L Wind Direction: W

Measurement Date: 19/01/2003 Start Time: 13:35 End Time: 13:50

Sensory Panel Included: Representative of FUGRO Staff: [Signature]

Representative of SWIRE WASTE MANAGEMENT LTD: [Signature]

Representative of EPC: [Signature]

Classification	Location
<input type="checkbox"/> Not detected	
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

- Not detected: No odour perceived or an odour so weak that it cannot be readily characterized or described
- Slight: Identifiable odour, slight
- Moderate: Identifiable odour, moderate
- Strong: Identifiable odour, strong
- Extreme: Severe odour

- Legend**
- () Containers nearby the indicated location
 - > Direction of wind

Remarks
Please Call the on duty supervisor when arrived.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre

5 Loo Yee Street

12 M.S. Centre Plaza, Hong Kong

Tel: +852 2500 1111


Fax: +852 2500 1112

Web: www.fugro.com

Email: info@fugro.com

MaterialLab

**SWIRE WASTE MANAGEMENT LTD
SOK KWU WAN TRANSFER FACILITY
Odour Measurement Record**



Wind Speed 0.5

Wind Direction NE

Measurement Date 15/6/18

Start Time 09:13 End Time 09:25

Sensory Panel Induced:

Representative of FUGRO Staff Chan Ho Cheong

Representative of SWIRE WASTE MANAGEMENT LTD [Signature]

Representative of EPD [Signature]

Classification	Location
<input checked="" type="checkbox"/> Not detected	<u>ALL</u>
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

Not detected : No odour perceived or an odour so weak that it cannot be readily characterised or described

Slight : Identifiable odour, slight

Moderate : Identifiable odour, moderate

Strong : Identifiable odour, strong

Extreme : Severe odour

Legend : () : Containers nearby the indicated location
→ : Direction of wind

Remarks

Please Call the on duty supervisor when arrived.


FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
 51 Lee Yee Street,
 17 M.S. Castle Peak Road
 Tai Lam, Tuen Mun, N.T., Hong Kong

Tel: (852) 24506231
 Fax: (852) 24508131
 E-mail: msl@fugro.com.hk



**SWIRE WASTE MANAGEMENT LTD
 SOK KWU WAN TRANSFER FACILITY
 Odour Measurement Record**



Wind Speed 1.6 m/s Wind Direction E
 Measurement Date 20 July 2018 Start Time 11:00 End Time 11:15
 Sensory Panel Included Representative of FUGRO Staff [Signature]
 Representative of SWIRE WASTE MANAGEMENT LTD [Signature]
 Representative of EPL [Signature]

Classification	Location
<input checked="" type="checkbox"/> Not detected	All
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

- Not detected: No odour perceived or an odour so weak that it cannot be readily characterised or described
- Slight: Identifiable odour, slight
- Moderate: Identifiable odour, moderate
- Strong: Identifiable odour, strong
- Extreme: Severe odour

Legend: () Containers nearby the indicated location
 → Direction of wind


Remarks
 Please Call the on duty supervisor when arrived

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
 5 Loo Yi Street
 17th Floor, Taste Food Court
 Tai Lam, Tsuen Wan, N.T., Hong Kong
 Tel: (852) 245 1823
 Fax: (852) 245 2813
 Email: fts@fugro.com.hk



**SWIRE WASTE MANAGEMENT LTD
 SOK KWU WAN TRANSFER FACILITY
 Odour Measurement Record**



Wind Speed: 1.4 Wind Direction: NE
 Measurement Date: 11/28/18 Start Time: 15:10 End Time: 15:17
 Sensory Panel included: Representative of FUGRO Staff: Sun
 Representative of SWIRE WASTE MANAGEMENT LTD: [Signature]
 Representative of EPD: 63-239

Classification	Location
<input type="checkbox"/> Not detected	<u>All</u>
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

- Not detected: No odour perceived or an odour so weak that it cannot be readily characterized or described
- Slight: Identifiable odour, slight
- Moderate: Identifiable odour, moderate
- Strong: Identifiable odour, strong
- Extreme: Severe odour

Legend: () : Containers nearby the indicated location
 → : Direction of wind

Remarks:
 Please Call the on duty supervisor when arrived


FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
51, Lo Sh Street
17th Floor, Causeway Road
Tsim Sha Tsui, Kowloon, Hong Kong

Tel: (852) 24608238
Fax: (852) 24608138
Email: info@fugro.com.hk

MaterialLab

**SWIRE WASTE MANAGEMENT LTD
SOK KWU WAN TRANSFER FACILITY
Odour Measurement Record**



Wind Speed 0.6 Wind Direction SW
Measurement Date 20/11/11 Start Time 15:25 End Time 15:30

Sensory Patrol Included _____ Representative of FUGRO Staff 27 (T)
Representative of SWIRE WASTE MANAGEMENT LTD 民
Representative of EPD 627-129

Classification	Location
<input checked="" type="checkbox"/> Not detected	
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

Not detected No odour perceived or an odour so weak that it cannot be readily characterised or described.
Slight Identifiable odour, slight
Moderate Identifiable odour, moderate
Strong Identifiable odour, strong
Extreme Severe odour

Legend () Containers nearby the indicated location
→ Direction of wind

Remarks
Please Call the on duty supervisor when arrived


FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
 Unit 3, Block
 12 M5, Castle Peak Road,
 Tseung Koon O, N.T., Hong Kong

Tel: (852) 2150 8208
 Fax: (852) 2150 1124
 Email: fts@fugro.com.hk

MaterialLab

**SWIRE WASTE MANAGEMENT LTD
 SOK KWU WAN TRANSFER FACILITY
 Odour Measurement Record**



Wind Speed 8 m/s Wind Direction NE
 Measurement Date 16/12/2018 Start Time 10:00 End Time 14:15

Sensory Patrol Included _____ Representative of FUGRO Staff [Signature]
 Representative of SWIRE WASTE MANAGEMENT LTD [Signature]
 Representative of EPD [Signature]

Classification	Location
<input checked="" type="checkbox"/> Not detected	
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

- Not detected : No odour perceived or an odour so weak that it cannot be readily characterised or described
- Slight : Identifiable odour, slight
- Moderate : Identifiable odour, moderate
- Strong : Identifiable odour, strong
- Extreme : Severe odour

Legend : () : Containers nearby the indicated location
 → : Direction of wind

Remarks:
 Please Call the on duty supervisor when arrived


FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
 11, Yue Yi Street
 1744-B, Castle Peak Road
 Tai Lam, Tuen Mun, N.T., Hong Kong

Tel: (852) 24504738
 Fax: (852) 24506138
 Email: ms@fugro.com.hk



**SWIRE WASTE MANAGEMENT LTD
 SOK KWU WAN TRANSFER FACILITY
 Odour Measurement Record**



Wind Speed 1.4 m/s Wind Direction N
 Measurement Date 22 Nov 2018 Start Time 1:00 End Time 1:50
 Sensory Patrol Included: Representative of FUGRO Staff [Signature]
 Representative of SWIRE WASTE MANAGEMENT LTD [Signature]
 Representative of EPD [Signature]

Classification	Location
<input checked="" type="checkbox"/> Not detected	all
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

Not detected: No odour perceived or an odour so weak that it cannot be readily characterized or described.
 Slight: identifiable odour, slight
 Moderate: identifiable odour, moderate
 Strong: identifiable odour, strong
 Extreme: Severe odour

Legend: () Containers nearby the indicated location
 → Direction of wind

Remarks
 Please Call the on duty supervisor when arrived


FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
5, Lab Yr Street
17, M 5, Canal Road, Room
Tai Lam, Tsuen Wan, N.T., Hong Kong

Tel: (852) 24505200
Fax: (852) 24505199
Email: ms@fugro.com.hk

MaterialLab

**SWIRE WASTE MANAGEMENT LTD
SOK KWU WAN TRANSFER FACILITY
Odour Measurement Record**



Wind Speed: 0.9 m/s Wind Direction: NW

Measurement Date: 17/12/2018 Start Time: 11:20 End Time: 11:30

Sensory Panel Included: Representative of FUGRO Staff: [Signature]

Representative of SWIRE WASTE MANAGEMENT LTD: [Signature]

Representative of EPD: _____

Classification	Location
<input type="checkbox"/> Not detected	<u>ACC</u>
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

Not detected: No odour perceived or an odour so weak that it cannot be readily characterised or described
 Slight: Identifiable odour, slight
 Moderate: Identifiable odour, moderate
 Strong: Identifiable odour, strong
 Extreme: Severe odour

Legend: () Containers nearby the indicated location
 → Direction of wind

Remarks:
 Please Call the on duty supervisor when arrived


FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
 2 Lok Yee Street
 17M5, Causeway Road
 Tsim Sha Tsui, Kowloon, Hong Kong

Tel: (852) 24502338
 Fax: (852) 24502158
 Email: info@fugro.com.hk

MaterialLab

**SWIRE WASTE MANAGEMENT LTD
 SOK KWU WAN TRANSFER FACILITY
 Odour Measurement Record**



Wind Speed: 0.5 m/s Wind Direction: S

Measurement Date: 17/1/2011 Start Time: 14:00 End Time: 14:15

Sensory Panel Includes: Representative of FUGRO Staff: _____

Representative of SWIRE WASTE MANAGEMENT LTD: [Signature]

Representative of EPD: L2 - 1 (103)

Classification	Location
<input type="checkbox"/> Not detected	<u>BT</u>
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

- Not detected: No odour perceived or an odour so weak that it cannot be readily characterized or described
- Slight: Identifiable odour, slight
- Moderate: Identifiable odour, moderate
- Strong: Identifiable odour, strong
- Extreme: Severe odour

Legend: () Containers nearby the indicated location
 → Direction of wind

Remarks:
 Please Call the on duty supervisor when arrived


FUGRO TECHNICAL SERVICES LIMITED

Fugro Measurement Centre
 5, Lee Yik Street,
 17/F, B. Double Peak Road,
 Tseung Kwan O, Hong Kong

Tel: (852) 24508238
 Fax: (852) 24508133
 Email: info@fugro.com.hk



**SWIRE WASTE MANAGEMENT LTD
 SOK KWU WAN TRANSFER FACILITY
 Odour Measurement Record**



Wind Speed: 1.7 m/s Wind Direction: E
 Measurement Date: 07/11/19 Start Time: 15:00 End Time: 15:15
 Sensory Patrol Included: Representative of FUGRO Sta# Lee
 Representative of SWIRE WASTE MANAGEMENT LTD EV
 Representative of EPD 6 July - 3:10 PM '19

Classification	Location
<input type="checkbox"/> Not detected	
<input type="checkbox"/> Slight	
<input type="checkbox"/> Moderate	
<input type="checkbox"/> Strong	
<input type="checkbox"/> Extreme	

Classification Criteria:

- Not detected : No odour perceived or an odour so weak that it cannot be readily characterised or described.
- Slight : Identifiable odour, slight
- Moderate : Identifiable odour, moderate
- Strong : Identifiable odour, strong
- Extreme : Severe odour

- Legend : () : Containers nearby the indicated location
 → : Direction of wind

Remarks:
 Please Call the on duty supervisor when arrived

Appendix B

Appendix B1

Location of Noise Sensitive Receiver (NSR)

Appendix B2

Noise Monitoring Record (NSR)

**Appendix B2 – Noise Monitoring Record (NSR)
Sok Kwu Wan Transfer Facility**


Measurement Date and Time	Noise Level Leq A (30min) / (dB(A))	Remarks
19 April 2018 (14:46 – 15:16)	68.7	The major noise source was identified from road traffic, natural sound of birds, and passerby noise. The noise generated by the Transfer Facility was considered to be insignificant.
17 May 2018 (14:41 – 15:11)	58.0	The major noise source was identified from road traffic, natural sound of birds, and passerby noise. The noise generated by the Transfer Facility was considered to be insignificant.
13 June 2018 (14:38 – 15:08)	56.7	The major noise source was identified from road traffic, natural sound of birds, and passerby noise. The noise generated by the Transfer Facility was considered to be insignificant.
23 July 2018 (15:56 – 16:26)	49.2	N/A
16 August 2018 (14:39 – 15:09)	55.1	The major noise source was identified from road traffic, natural sound of birds, and passerby noise. The noise generated by the Transfer Facility was considered to be insignificant.
20 September 2018 (14:40 – 15:10)	62.3	The major noise source was identified from road traffic, natural sound of birds, and passerby noise. The noise generated by the Transfer Facility was considered to be insignificant.
18 October 2018 (13:57 – 14:27)	51.4	N/A
22 November 2018 (11:00 – 11:30)	46.3	N/A
5 December 2018 (14:35 – 15:05)	57.6	The major noise source was identified from natural sound of insects and wind blow. The noise generated by the Transfer Facility was considered to be insignificant.
6 December 2018 (00:13-00:43)	51.3	
17 January 2019 (14:22 – 15:52)	52.1	N/A
12 February 2019 (15:28 – 15:58)	61.3	The major noise source was identified from road traffic, natural sound of birds, and passerby noise. The noise generated by the Transfer Facility was considered to be insignificant.
12 March 2019 (16:27 – 16:57)	57.2	The major noise source was identified from road traffic, natural sound of birds, and passerby noise. The noise generated by the Transfer Facility was considered to be insignificant.

Appendix C

Appendix C1

Location of Marine Water Monitoring Stations

Appendix C1



Appendix C

Appendix C2

Marine Water Monitoring Record

Appendix C2

FUGRO TECHNICAL SERVICES LIMITED

Room 720, 726, 97 Queen's Road,
 7/F, 8/F, 9/F, 10/F, 11/F, 12/F,
 13/F, 14/F, 15/F, 16/F, 17/F, 18/F,
 19/F, 20/F, 21/F, 22/F, 23/F, 24/F,
 25/F, 26/F, 27/F, 28/F, 29/F, 30/F,
 31/F, 32/F, 33/F, 34/F, 35/F, 36/F,
 37/F, 38/F, 39/F, 40/F, 41/F, 42/F,
 43/F, 44/F, 45/F, 46/F, 47/F, 48/F,
 49/F, 50/F, 51/F, 52/F, 53/F, 54/F,
 55/F, 56/F, 57/F, 58/F, 59/F, 60/F,
 61/F, 62/F, 63/F, 64/F, 65/F, 66/F,
 67/F, 68/F, 69/F, 70/F, 71/F, 72/F,
 73/F, 74/F, 75/F, 76/F, 77/F, 78/F,
 79/F, 80/F, 81/F, 82/F, 83/F, 84/F,
 85/F, 86/F, 87/F, 88/F, 89/F, 90/F,
 91/F, 92/F, 93/F, 94/F, 95/F, 96/F,
 97/F, 98/F, 99/F, 100/F

Tel: (852) 24033333
 Fax: (852) 24033332
 Email: info@fugro.com.hk



Report No: D015/17/EO/297

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (4 April 2018) (10:05)	S1	B	6.92	0.8	3
		M	6.80	0.7	3
		B	6.68	0.8	2
	S2	S	6.67	0.6	3
		M	6.61	0.5	<2
		B	6.49	0.3	3
	S3	S	6.74	0.8	4
		B	6.58	0.6	4
		S	6.91	0.7	2
	S4	M	6.80	0.9	<2
		B	6.76	0.4	4
		S	6.62	0.5	7
	SC1	M	6.69	0.7	4
		B	6.58	0.4	6
		S	6.62	0.4	3
	SC2	M	6.53	0.6	4
		B	6.43	0.3	3
		S	7.27	0.5	4
Sok Kwu Wan (11 April 2018) (10:54)	S1	M	7.46	1.2	3
		B	7.17	1.1	3
		S	7.96	0.1	4
	S2	M	7.94	0.1	4
		B	7.01	0.2	4
		S	7.96	0.4	4
	S3	B	7.84	0.6	5
		S	7.41	0.4	3
		M	7.43	0.7	3
	S4	B	7.26	0.8	4
		S	7.96	0.1	2
		M	7.92	0.1	2
	SC1	B	7.87	0.2	4
		S	7.91	0.1	3
		M	7.80	0.2	3
	SC2	B	7.66	0.4	3

Remark: 1) < - less than

FUGRO TECHNICAL SERVICES LIMITED

Room 701, 706, 707, Block B
 Tech Industrial Building,
 110 Kwai Fung Crescent, Kowloon
 Hong Kong

Tel : (852) 24602222
 Fax : (852) 24600022
 Email : info@fugro.com.hk



Report No: CC15/17/ED/297

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (16 April 2018) (10:10)	S1	S	6.58	0.7	4
		M	6.48	1.1	4
		B	6.35	1.3	<2
	S2	S	6.63	0.6	2
		M	6.50	0.4	3
	S3	B	6.42	0.5	4
		S	6.55	1.0	3
	S4	B	6.42	1.4	5
		S	6.42	0.4	5
		M	6.34	0.5	5
	SC1	B	6.15	0.2	5
		S	6.75	1.4	6
		M	6.63	1.6	5
	SC2	B	6.51	1.2	5
		S	6.59	0.8	5
M		6.44	0.6	4	
Sok Kwu Wan (24 April 2018) (10:18)	S1	B	7.14	0.6	3
		M	7.29	0.6	3
		B	7.39	0.4	2
	S2	S	7.23	0.8	3
		M	7.22	0.2	<2
	S3	B	7.23	0.3	3
		S	7.24	0.2	4
	S4	B	7.22	0.8	4
		S	6.83	0.7	2
		M	6.87	0.6	<2
	SC1	B	6.93	0.4	4
		S	7.00	0.4	7
		M	6.98	0.4	4
	SC2	B	7.08	0.6	5
		S	6.82	0.6	3
M		6.85	0.4	4	
		B	7.01	0.3	3

Remark: 1) < - less than

FLUGRO TECHNICAL SERVICES LIMITED

Room 123 - T26 1/F, Block B,
Parkside Industrial Building,
1,18 Kwai Fung District, Kowloon
Hong Kong

Tel: (852) 24584222
Fax: (852) 24580337
Email: info@flugro.com.hk



Report No: D015/17/EI/317

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)	
Sok Kwu Wan (2 May 2018) (10-16)	S1	S	7.63	0.6	3	
		M	7.75	1.7	3	
		B	7.67	5.2	3	
	S2	S	7.85	0.4	3	
		M	7.78	2.4	3	
		B	7.63	3.3	4	
	S3	S	8.22	0.2	4	
		B	7.46	1.1	4	
	S4	S	8.10	1.1	4	
		M	8.10	0.6	3	
	SC1	B	8.05	0.7	4	
		S	8.00	0.6	3	
		M	8.03	0.6	6	
	SC2	B	7.92	1.2	4	
		S	8.21	0.3	2	
		M	8.22	0.5	2	
	Sok Kwu Wan (9 May 2018) (10-11)	S1	B	8.30	0.5	3
			S	7.47	0.3	4
M			7.13	1.9	6	
S2		B	6.16	2.8	5	
		S	6.72	2.5	4	
		M	6.54	4.7	3	
S3		B	6.36	8.3	3	
		S	7.53	0.3	3	
S4		B	6.96	3.5	<2	
		S	7.21	1.4	4	
		M	6.84	2.6	3	
SC1		B	2.72	5.1	3	
		S	7.72	2.2	5	
		M	7.27	3.6	4	
SC2		B	7.17	8.1	5	
		S	7.59	1.2	4	
		M	7.33	5.8	<2	
		B	6.72	7.4	2	

Remark: 1) < 1mg/l

FUGRO TECHNICAL SERVICES LIMITED

Level 22, 20/F, AIA Tower
Professional Building
115, Des Voeux Road, West Tower
Hong Kong

Tel: +852 24462299
Fax: +852 24564000
Email: info@fugro.com.hk



Report No: D015/14E/D/317

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (16 May 2018) (09:51)	S1	S	6.32	0.4	3
		M	6.01	0.3	2
		B	5.87	0.3	<2
	S2	S	6.11	1.4	2
		M	5.75	1.1	2
		B	5.38	0.8	2
	S3	S	6.41	0.4	<2
		B	6.31	0.6	<2
		B	6.08	0.3	<2
	S4	M	5.70	0.4	<2
		B	5.59	0.5	2
		S	5.99	0.8	2
	SC1	M	5.81	0.8	3
		B	5.57	0.4	2
		S	6.31	0.5	2
SC2	M	5.85	0.8	3	
	B	5.70	0.4	3	
	S	6.38	0.3	4	
Sok Kwu Wan (23 May 2018) (10:30)	S1	M	9.55	0.5	3
		B	9.48	0.4	3
		S	9.63	0.4	3
	S2	M	9.46	0.6	3
		B	9.38	0.3	1
		S	9.74	0.5	4
	S3	B	9.52	0.4	5
		S	9.61	0.5	4
		M	9.58	0.7	4
	S4	B	9.31	0.8	3
		S	9.77	0.3	3
		M	9.61	0.5	4
	SC1	B	9.50	0.3	4
		S	9.68	0.8	4
		M	9.57	1.2	3
SC2	B	9.50	0.7	3	

Remark: 11-4 - Iso free

FUGRO TECHNICAL SERVICES LIMITED

Room 723 - 726 7/F, Block B,
 Profit Industrial Building
 1-15 Kwai Fung Crescent, Kwai Fong,
 Hong Kong

Tel: (852) 24508438
 Fax: (852) 24508437
 Email: mg@fugro.com.hk

MaterialLab

Report No: 0015/17/ED/317

TEST REPORT**Results:**

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (30 May 2018) (10:57)	S1	S	6.10	0.5	2
		M	6.22	1.3	2
		B	4.81	2.1	3
	S2	S	6.39	0.8	3
		M	5.32	1.5	3
		B	5.24	2.4	3
	S3	S	5.97	0.4	3
		B	5.64	1.4	2
	S4	S	6.62	0.8	4
		M	5.20	1.5	4
		B	4.97	3.0	4
	SC1	S	6.01	0.7	2
		M	5.33	1.5	2
		B	4.55	2.9	2
	SC2	S	6.31	0.9	3
M		5.39	1.6	3	
B		4.63	2.4	3	

Remark: 1) < = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 723 - 726 /F, Block D
 First Industrial Building
 110 Kwai Fung Crescent, Kwai Fong
 Hong Kong
 Tel: (852) 24928218
 Fax: (852) 24928212
 Email: info@fugro.com.hk



Report No. 0015/17/ED/0326

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (6 June 2018) (11:04)	S1	S	6.01	5.0	<2
		M	6.04	4.6	<2
		B	5.98	4.3	2
	S2	S	6.13	3.9	2
		M	6.02	4.0	2
		B	5.84	4.0	2
	S3	S	6.02	3.7	<2
		B	5.83	4.0	2
	S4	S	6.07	3.3	<2
		M	5.49	3.5	<2
		B	5.58	3.5	<2
	SC1	S	5.27	2.7	4
		M	5.27	2.7	4
		B	5.20	2.9	2
	SC2	S	5.70	3.1	2
M		5.78	3.3	<2	
B		5.51	3.2	<2	
Sok Kwu Wan (13 June 2018) (10:10)	S1	S	5.21	2.4	<2
		M	5.09	4.5	2
		B	5.34	7.5	<2
	S2	S	5.50	2.5	<2
		M	5.31	5.7	<2
		B	5.23	9.6	2
	S3	S	5.46	2.7	2
		B	5.27	5.7	2
	S4	S	5.57	2.3	<2
		M	6.46	5.6	<2
		B	5.30	8.1	<2
	SC1	S	5.46	2.7	<2
		M	5.08	4.9	<2
		B	4.89	6.8	<2
	SC2	S	5.48	2.5	<2
M		5.32	4.9	<2	
B		5.03	7.6	<2	

Remark: 1) <2 - less than

FUGRO TECHNICAL SERVICES LIMITED

Room 720, 725, 77, Block B,
Cheong Chee Chee Building,
115 Kwai Fung Crescent, Kwai Fung,
Hong Kong

Tel : (852) 24508238
Fax : (852) 24508032
Email : ts@fugro.com.hk

MaterialLab

Report No. 001517/EOK0326

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (20 June 2018) (15:20)	S1	S	6.94	1.6	3
		M	6.85	2.7	4
		B	6.31	5.7	3
	S2	S	8.02	1.9	4
		M	8.04	2.6	4
		B	7.90	4.2	4
	S3	S	7.38	2.5	3
		B	6.34	4.7	3
	S4	S	6.55	1.9	3
		M	6.42	2.9	3
		B	6.32	3.7	3
	SC1	S	7.96	1.5	3
		M	6.67	2.3	3
		B	6.26	4.6	4
	SC2	S	7.24	1.6	3
M		6.75	2.3	4	
B		6.51	5.5	3	
Sok Kwu Wan (27 June 2018) (10:30)	S1	S	8.15	2.1	4
		M	7.54	4.7	3
		B	6.79	6.5	3
	S2	S	7.74	2.8	3
		M	6.52	4.9	2
		B	5.07	7.4	3
	S3	S	7.55	2.3	4
		B	6.03	7.0	3
	S4	S	7.97	2.4	3
		M	6.03	4.6	3
		B	7.85	5.8	<2
	SC1	S	8.27	2.8	2
		M	6.12	4.7	3
		B	6.08	6.9	3
	SC2	S	7.31	2.2	2
M		6.54	4.4	2	
B		5.94	6.6	4	

Remark: 1] < = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 125 - 126, 7/F, BNPFA Bldg
 Protech Centre Building
 115 West Fung Street, Kowloon
 Hong Kong

Tel: (852) 24509238
 Fax: (852) 24509237
 Email: info@fugro.com.hk



Report No. 0015/17/ED/0340

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (4 July 2018) (10:00)	S1	S	5.98	1.9	4
		M	5.07	2.0	4
		B	5.81	1.9	3
	S2	S	5.99	1.9	3
		M	5.73	2.2	4
		B	5.52	2.8	3
	S3	S	6.09	2.3	3
		B	4.70	3.6	3
	S4	S	6.02	2.3	2
		M	5.83	4.9	2
		B	4.83	4.6	2
	SC1	S	5.95	2.4	4
		M	5.68	2.4	3
		B	4.65	2.4	3
	SC2	S	6.80	1.2	3
		M	5.82	1.8	4
		B	5.33	2.6	4
	Sok Kwu Wan (11 July 2018) (11:25)	S1	S	5.73	2.4
M			4.86	2.4	3
B			4.14	2.4	4
S2		S	5.60	2.7	5
		M	4.82	2.0	4
		B	4.59	2.0	5
S3		S	4.96	2.8	4
		B	4.55	2.2	4
S4		S	5.76	1.8	3
		M	4.54	2.7	3
		B	4.39	2.7	3
SC1		S	5.54	1.5	4
		M	4.98	2.0	4
		B	4.21	2.7	4
SC2		S	6.09	0.9	10
		M	5.37	2.3	11
		B	4.88	1.8	11

Remark: () = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 1101, 726, 2/F, Block B,
 China Resources Building,
 1-16 Kwai Fung Crescent, Kwai Fong,
 Hong Kong

Tel: (852) 24500226
 Fax: (852) 24500032
 Email: info@fugro.com.hk



Report No: 0015/17/E/00340

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (19 July 2018) (10:52)	S1	S	8.45	2.9	3
		M	7.98	3.0	4
		B	7.63	3.0	4
	S2	S	8.13	2.9	2
		M	8.01	3.0	<2
		B	7.73	3.2	<2
	S3	S	8.05	2.8	2
		B	7.84	3.3	3
	S4	S	8.05	2.9	2
		M	8.00	3.0	3
		B	7.82	3.1	3
	SC1	S	8.44	3.0	2
		M	8.11	3.1	2
		B	8.05	3.1	2
	SC2	S	8.46	2.8	2
M		8.00	3.2	2	
B		7.71	3.3	<2	
Sok Kwu Wan (25 July 2018) (10:40)	S1	S	7.80	2.6	3
		M	7.77	2.7	3
		B	7.69	3.1	2
	S2	S	7.86	2.6	6
		M	7.85	2.8	6
		B	7.81	3.4	4
	S3	S	7.85	2.4	4
		B	7.82	2.0	5
	S4	S	7.86	2.1	3
		M	7.83	2.6	8
		B	7.76	2.4	3
	SC1	S	7.83	2.5	3
		M	7.78	2.4	2
		B	7.70	2.7	2
	SC2	S	7.82	2.9	3
M		7.78	2.7	4	
B		7.89	3.3	4	

Remark: T1 < = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 701-702, 7/F, Block B
 Profit International Building
 115 Kowloon Road, Kowloon
 Hong Kong

Tel: (852) 2450 0200
 Fax: (852) 2450 0130
 Email: info@fugro.com.hk



Report No: 0015-17/ED/0351

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (1 August 2018) (10:00)	S1	S	8.56	3.5	5
		M	7.58	5.4	5
		B	6.38	7.4	5
	S2	S	8.07	3.5	6
		M	7.23	4.2	5
		B	6.28	5.0	5
	S3	S	8.08	3.6	4
		B	7.54	4.5	6
	S4	S	8.70	3.7	4
		M	7.30	4.9	11
		B	6.91	5.1	9
	SC1	S	8.84	3.6	14
		M	6.69	5.4	6
		B	6.37	5.8	6
	SC2	S	8.12	3.9	4
M		7.81	4.2	5	
B		7.27	7.9	4	
Sok Kwu Wan (8 August 2018) (10:13)	S1	S	7.66	3.0	4
		M	7.38	3.0	3
		B	7.18	5.1	3
	S2	S	8.07	3.6	3
		M	7.84	3.2	8
		B	7.54	3.4	3
	S3	S	8.32	2.9	3
		B	7.16	3.1	3
	S4	S	8.14	3.0	3
		M	7.51	2.6	3
		B	7.24	2.9	3
	SC1	S	7.84	2.9	3
		M	7.69	2.9	5
		B	7.33	3.2	5
	SC2	S	7.96	3.1	3
M		7.58	3.1	4	
B		7.20	5.9	4	

Remark: 1) = a less than

FUGRO TECHNICAL SERVICES LIMITED

Room 122, 26/F, BHS B
 115 Kwai Fung Street, Kwai Fung
 Hong Kong
 Tel: (852) 2498121
 Fax: (852) 2428102
 Email: fts@fugro.com.hk



Report No: 06-15/17/ED/354

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (15 August 2018) (11:00)	S1	S	4.87	0.7	2
		M	4.87	1.3	2
		B	4.81	1.7	3
	S2	S	4.82	1.0	2
		M	4.76	1.2	2
		B	4.63	1.9	3
	S3	S	4.62	1.4	3
		M	4.27	3.1	3
		B	4.77	1.2	3
	S4	M	4.67	1.4	2
		B	4.57	1.6	2
		S	4.68	1.1	4
	SC1	M	4.62	1.2	4
		B	4.54	1.4	2
		S	4.57	0.7	2
SC2	M	4.47	0.8	2	
	B	4.32	1.1	2	
	S	5.50	2.2	7	
Sok Kwu Wan (22 August 2018) (11:00)	S1	M	5.50	2.3	6
		B	6.00	2.3	8
		S	6.25	2.7	9
	S2	M	4.50	2.2	3
		B	4.05	2.5	4
		S	6.35	2.5	14
	S3	B	5.50	1.8	16
		S	5.35	3.8	10
		M	5.15	2.9	4
	S4	B	5.20	2.9	13
		S	5.45	3.3	3
		M	6.75	3.6	<2
	SC1	B	6.10	3.0	3
		S	5.50	3.3	4
		M	5.55	2.5	9
SC2	B	5.10	1.8	8	

Ref: 06-15/17/ED/354

FUGRO TECHNICAL SERVICES LIMITED

Room 721, 726, 727, Block B
 Profit Industrial Building
 1-15 Kwai Fung Crescent, Kwai Fong,
 Hong Kong
 Tel: (852) 24508238
 Fax: (852) 24508632
 Email: mtz@fsgro.com.hk



Report No. 0015/17/ED/0351

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (29 August 2018) (10:14)	S1	S	6.61	1.4	5
		M	6.24	1.3	7
		B	6.13	1.2	3
	S2	S	6.24	1.4	2
		M	6.21	1.3	4
		B	6.18	1.0	4
	S3	S	6.57	2.1	3
		B	6.03	1.7	4
		S	6.97	2.1	4
	S4	M	7.15	2.5	4
		B	6.73	2.3	5
		S	5.36	3.1	6
	SC1	M	5.88	2.7	4
		B	6.10	2.3	3
		S	6.76	1.6	23
SC2	M	6.65	1.6	13	
	B	6.50	1.4	18	

Remark: TSS = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 122, 2/F, 2/F, Block B,
 (Prestige Industrial Building)
 115 Kwai Fung Crescent, Kwai Fung
 Hong Kong

Tel: (852) 24102218
 Fax: (852) 24100152
 Email: msl@fugro.com.hk



Report No: 0015/17/ED/0362

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (4 September 2018) (10:04)	S1	S	5.53	0.8	3
		M	4.13	1.3	9
		B	3.76	1.8	3
	S2	S	5.75	0.7	11
		M	4.75	1.7	8
		B	3.92	2.1	3
	S3	S	5.82	0.5	13
		B	4.75	1.4	<2
	S4	S	5.57	0.9	6
		M	4.84	1.6	2
		B	5.21	2.1	3
	SC1	S	6.20	0.7	3
		M	5.24	1.2	4
		B	4.49	1.9	5
	SC2	S	5.55	0.6	3
		M	5.08	1.4	2
		B	4.04	2.2	<2
	Sok Kwu Wan (11 September 2018) (10:13)	S1	S	7.00	0.8
M			6.63	1.1	5
B			6.22	2.1	4
S2		S	7.75	0.4	3
		M	6.84	1.6	4
		B	6.20	2.2	3
S3		S	7.38	0.9	4
		B	6.71	1.2	5
S4		S	7.02	2.0	4
		M	6.80	1.3	5
		B	6.18	1.9	4
SC1		S	7.09	0.8	3
		M	6.56	1.8	4
		B	6.06	3.2	2
SC2		S	7.64	1.3	4
		M	6.88	1.5	5
		B	6.22	1.7	4

Remark: <2 <= less than

FUGRO TECHNICAL SERVICES LIMITED

Level 22, 720, T.F. Block B,
 #10 Industrial Road No. 1,
 116 North Bridge Road, Singapore
 Here, Hong Kong

Tel: (852) 24508338
 Fax: (852) 24508622
 Email: mcs@fugro.com.hk



Report No: 0015/17/ED/0362

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (18 September 2018) (10:53)	S1	S	6.21	0.7	7
		M	5.87	1.2	5
		B	5.63	1.6	6
	S2	S	5.98	0.9	5
		M	5.65	1.0	5
		B	5.51	1.4	6
	S3	S	6.13	1.1	5
		B	5.92	0.9	4
	S4	S	6.39	0.7	5
		M	5.66	0.7	4
		B	5.46	1.4	4
	SC1	S	6.33	0.5	3
		M	6.02	0.9	5
		B	5.55	1.0	4
	SC2	S	6.31	0.9	4
M		6.01	1.0	5	
B		5.70	1.0	5	
Sok Kwu Wan (26 September 2018) (12:38)	S1	S	6.40	0.7	3
		M	6.11	1.1	3
		B	5.93	1.5	3
	S2	S	5.89	0.9	3
		M	5.80	1.0	3
		B	5.75	1.3	3
	S3	S	5.32	1.0	3
		B	5.98	0.9	4
	S4	S	6.33	0.7	5
		M	5.72	0.7	6
		B	5.57	1.3	6
	SC1	S	6.63	0.5	3
		M	6.49	0.8	3
		B	5.84	0.9	3
	SC2	S	6.39	0.9	3
M		6.01	0.9	4	
B		5.70	0.9	3	

Remarks: 1) < - less than

FUGRO TECHNICAL SERVICES LIMITED

Room 723 - 726 / 7th / Block B,
 Profit Industries Building,
 115 Kwai Fung Crescent, Kwai Fung,
 Hong Kong.

Tel: +852 24006235
 Fax: +852 24508002
 Email: mcs@ftsl.com.hk



Report No: D015/17/ED/0379

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (3 October 2018) (10:00)	S1	S	5.88	0.9	5
		M	5.42	1.3	5
		B	4.82	1.6	5
	S2	S	5.78	1.2	4
		M	5.44	1.8	4
		B	4.92	2.0	4
	S3	S	6.33	0.8	3
		B	5.78	1.7	5
	S4	S	5.71	0.9	6
		M	5.34	1.4	4
		B	4.94	1.8	6
	SC1	S	6.88	1.2	5
		M	6.36	1.4	5
		B	6.08	1.8	5
	SC2	S	5.55	1.1	4
M		5.07	1.4	4	
B		4.95	2.1	3	
Sok Kwu Wan (10 October 2018) (10:03)	S1	S	6.39	2.8	9
		M	6.33	3.4	9
		B	6.20	3.9	8
	S2	S	6.37	2.3	9
		M	5.96	2.7	7
		B	5.82	3.2	10
	S3	S	6.43	1.9	6
		B	6.28	2.4	5
	S4	S	6.77	2.3	6
		M	6.32	2.7	6
		B	6.29	3.0	5
	SC1	S	6.93	2.2	5
		M	6.54	2.7	4
		B	6.41	2.8	5
	SC2	S	6.67	3.7	5
		M	6.42	4.4	8
		B	6.25	4.7	8

Remark: 1) < = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 723, 728, 7/F, Block B,
 Prof. Industrial Building,
 115, Naas Fung Crescent, Naas Fung,
 Hong Kong

Tel: (852) 24079238
 Fax: (852) 24030032
 Email: info@fugro.com.hk



Report No. 0015/17/EO/0379

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (16 October 2018) (10:08)	S1	S	8.38	2.3	3
		M	6.78	4.2	3
		B	6.76	4.3	2
	S2	S	7.92	1.9	2
		M	6.93	3.0	5
		B	6.89	4.2	3
	S3	S	8.17	2.1	3
		B	7.67	4.6	3
	S4	S	8.02	4.6	2
		M	6.81	5.3	4
		B	6.35	4.7	3
	SC1	S	7.25	3.7	2
		M	6.92	1.3	3
		B	6.45	2.5	5
	SC2	S	8.11	2.2	3
M		7.11	3.6	2	
B		6.34	4.8	5	
Sok Kwu Wan (23 October 2018) (10:48)	S1	S	6.56	0.5	4
		M	6.21	0.6	5
		B	6.04	0.9	5
	S2	S	6.47	0.4	3
		M	6.32	0.4	6
		B	6.17	0.7	4
	S3	S	6.50	0.6	4
		B	6.15	1.0	3
	S4	S	6.07	0.5	4
		M	5.89	0.4	3
		B	5.63	0.7	4
	SC1	S	6.08	0.3	3
		M	5.89	0.2	3
		B	5.86	0.1	4
	SC2	S	6.65	0.6	2
M		6.47	0.6	3	
B		6.28	0.4	3	

Remark: TSS = 4 less than

FUGRO TECHNICAL SERVICES LIMITED

Room 723 - 726, 7F, Block B,
 Prof@ Industrial Building,
 115 Kwai Fung Crescent, Kwai Fong
 Hong Kong

Tel : (852)-24508238
 Fax : (852) 24508032
 Email : mtc@fugro.com.hk



Report No: 0015/17/ED/0379

TEST REPORT**Results:**

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (31 October 2018) (11:00)	S1	S	6.41	2.7	3
		M	6.60	3.4	4
		B	6.49	3.7	2
	S2	S	6.46	2.6	3
		M	5.98	2.7	3
		B	5.52	3.0	2
	S3	S	6.51	1.8	2
		B	6.36	2.2	2
		S	7.22	2.3	2
	S4	M	6.56	2.6	3
		B	6.12	3.0	3
		S	7.72	3.6	3
	SC1	M	7.88	4.3	3
		B	7.77	4.7	4
		S	7.24	2.3	2
SC2	M	6.52	2.6	3	
	B	6.29	2.8	3	

Remark: 1) < = less than

FUGRO TECHNICAL SERVICES LIMITED

Fluore 729-726, 7/F, Level 5,
Petro-Industrial Building
1-15 Kowloon Road, Kowloon
Hong Kong

Tel: (854) 24601266
Fax: (852) 24508032
Email: info@fugro.com.hk



Report No: 0015/17/ED/0392

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (7 November 2018) (10.53)	S1	S	8.00	3.1	3
		M	8.01	2.8	3
		B	8.02	2.7	4
	S2	S	7.88	3.1	3
		M	8.18	3.0	2
		B	8.06	3.1	3
	S3	S	8.01	3.3	2
		B	7.99	3.0	3
	S4	S	8.05	3.0	3
		M	8.30	3.0	4
		B	8.04	2.8	4
	SC1	S	8.22	3.5	3
		M	8.46	3.1	2
		B	8.25	3.0	2
	SC2	S	7.82	3.2	2
M		8.10	3.0	3	
B		8.09	3.3	4	
Sok Kwu Wan (14 November 2018) (10.55)	S1	S	8.15	4.1	7
		M	7.91	4.4	5
		B	7.61	4.9	3
	S2	S	8.07	3.9	5
		M	7.90	4.1	7
		B	7.70	4.4	5
	S3	S	7.89	3.7	3
		B	7.46	3.9	5
	S4	S	7.87	3.3	4
		M	7.89	3.6	8
		B	7.81	4.4	3
	SC1	S	7.91	2.9	4
		M	7.81	3.1	6
		B	7.90	3.1	3
	SC2	S	8.14	4.2	6
M		8.04	4.3	4	
B		7.90	4.5	4	

Remark: B1 < = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 210, 33, 35, Level 3,
 Fraser Industrial Building,
 111 River View Crescent, Kowloon,
 Hong Kong
 Tel: (852) 24208231
 Fax: (852) 24208232
 Email: info@fugro.com.hk



Report No: 0015/17/ED/0392

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (5 December 2018) (15:45)	S1	S	8.50	2.7	7
		M	8.49	2.7	8
		B	8.53	2.9	7
	S2	S	8.53	2.8	5
		M	8.49	2.8	5
		B	8.90	2.7	6
	S3	S	8.62	2.7	5
		B	8.43	2.7	4
	S4	S	8.61	2.7	6
		M	8.56	2.7	6
		B	8.56	2.6	5
	SC1	S	8.53	2.6	5
		M	8.61	2.7	5
	SC2	B	7.62	2.6	4
		S	8.43	2.7	6
M		8.39	2.7	5	
Sok Kwu Wan (12 December 2018) (10:30)	S1	S	6.37	2.8	4
		M	6.65	3.1	5
		B	6.54	2.7	4
	S2	S	7.15	3.5	4
		M	7.34	3.6	5
	S3	B	7.63	4.1	5
		S	6.58	2.0	6
	S4	B	6.88	2.2	5
		S	7.14	2.3	5
		M	6.54	2.0	6
	SC1	B	6.93	2.1	6
		S	7.35	2.2	6
	SC2	M	7.85	2.7	5
		B	7.98	3.0	5
		S	7.74	3.7	7
	SC2	M	6.13	4.1	6
		B	7.83	4.4	6

Revised: 11/4/2018

FUGRO TECHNICAL SERVICES LIMITED

Room 713-726, 47, Block B
 Profit Industrial Building
 3-13 West Ring Road, Kowloon
 Hong Kong
 Tel: (852) 24604268
 Fax: (852) 24604302
 Email: info@fugro.com.hk



Report No: D01517/ED/0392

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (21 December 2018) (10:30)	S1	S	7.12	0.7	3
		M	6.98	1.6	2
		B	6.73	2.5	2
	S2	S	7.19	1.5	2
		M	7.09	2.1	2
		B	6.63	3.0	2
	S3	S	7.25	0.9	3
		B	6.86	2.1	2
		S	7.12	1.6	3
	S4	M	6.95	2.2	3
		B	6.80	2.7	2
		S	7.09	1.0	3
	SC1	M	6.92	1.9	2
		B	6.66	2.9	2
		S	6.94	0.9	2
SC2	M	6.73	2.3	3	
	B	6.58	3.0	3	
	S	7.17	1.3	3	
Sok Kwu Wan (24 December 2018) (10:30)	S1	M	6.79	1.2	3
		B	6.47	1.0	3
		S	7.02	1.4	2
	S2	M	7.54	1.8	3
		B	7.37	1.6	3
		S	7.84	1.1	3
	S3	B	7.48	1.2	2
		S	7.08	1.3	3
		M	6.84	1.4	3
	S4	B	6.75	2.2	3
		S	6.74	1.1	3
		M	7.24	1.8	3
	SC1	B	6.52	2.3	2
		S	7.18	1.9	2
		M	7.44	2.1	3
SC2	B	7.04	1.5	3	

Remarks: 115 - 165 (Data)

FUGRO TECHNICAL SERVICES LIMITED

Room 701, 702, 705, 801 & 802
 P.O. Box 100000, Causeway Bay
 110 West Point Road, Causeway Bay
 Hong Kong

Tel: (852) 24088200
 Fax: (852) 24091022
 Email: info@fugro.com.hk



Report No. 0015/17/ED/0414

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)	
Sok Kwu Wan (2 January 2019) (10:30)	S1	S	7.19	0.9	7	
		M	7.33	1.4	6	
		B	7.22	1.7	5	
	S2	S	7.14	1.1	7	
		M	7.21	1.5	8	
		B	6.88	2.7	5	
	S3	S	7.32	0.6	7	
		B	6.82	1.9	7	
	S4	S	7.23	1.5	5	
		M	6.82	2.1	6	
	Sok Kwu Wan (9 January 2019) (10:30)	SC1	B	6.95	2.3	6
			S	6.95	1.2	6
			M	6.07	1.7	7
		SC2	B	6.42	2.6	5
			S	7.11	1.0	4
M			6.55	1.7	5	
S1		B	6.02	1.7	6	
		S	7.44	1.7	3	
		M	7.19	2.3	3	
		B	6.87	2.6	3	
	S2	S	7.55	1.6	3	
		M	7.43	2.0	4	
		B	7.26	2.5	4	
	S3	S	7.41	1.7	6	
		B	7.20	2.5	4	
S4	S	7.45	1.6	3		
	M	7.25	2.3	4		
	B	7.32	2.1	5		
SC1	S	7.44	1.7	3		
	M	7.30	2.2	3		
	B	7.21	2.6	3		
SC2	S	7.48	1.9	2		
	M	7.41	2.1	4		
	B	7.21	2.5	3		

Figures: 15 or less than

FUGRO TECHNICAL SERVICES LIMITED

Room 2501, 25/F, Block B
 Multi-Medical Building,
 1-5 Kwai Fung Crescent, Kowloon,
 Hong Kong

Tel: (852) 24500238
 Fax: (852) 24500032
 Email: info@fugro.com.hk



Report No: D015/17/ED/0414

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (18 January 2019) (11:02)	S1	S	7.75	3.0	2
		M	7.04	3.0	2
		B	6.91	3.2	2
	S2	S	7.82	3.1	2
		M	7.26	3.0	2
		B	7.18	3.4	2
	S3	S	7.35	3.1	2
		B	7.26	3.2	2
	S4	S	7.30	3.1	2
		M	7.31	3.0	2
		B	7.07	3.5	3
	SC1	S	7.98	3.6	3
		M	7.22	3.8	2
		B	7.16	4.0	2
	SC2	S	7.24	3.2	2
M		7.10	3.0	3	
B		7.04	3.5	2	
Sok Kwu Wan (23 January 2019) (10:30)	S1	S	8.45	1.1	3
		M	8.39	1.7	2
		B	8.26	2.2	3
	S2	S	8.23	1.3	4
		M	8.12	1.8	3
		B	8.02	2.2	2
	S3	S	8.29	1.3	4
		B	8.17	1.6	2
	S4	S	8.32	1.1	2
		M	8.24	1.8	2
		B	8.20	2.0	3
	SC1	S	8.36	1.3	3
		M	8.31	1.7	3
		B	8.19	2.2	4
	SC2	S	8.33	1.2	3
M		8.26	1.6	3	
B		8.21	2.1	3	

Remarks: 1) 6 in total flows

FUGRO TECHNICAL SERVICES LIMITED

Room 723 - 726, 2/F, Block B
 Profit Industrial Building
 1-15 Kwai Fung Crescent, Kowloon
 Hong Kong

Tel: (852) 24506238
 Fax: (852) 2 505032
 Email: info@fugro.com.hk



Report No. 0015/17/ED/0414

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (30 January 2019) (10:30)	S1	S	7.95	0.6	2
		M	8.29	1.2	3
		B	8.38	1.9	3
	S2	S	7.82	0.8	2
		M	7.94	1.5	2
		B	8.13	2.0	2
	S3	S	8.39	0.9	2
		B	8.34	1.4	2
	S4	S	8.42	0.8	3
		M	8.35	1.3	3
		B	8.26	1.9	2
	SC1	S	8.41	1.0	3
		M	8.34	1.7	2
		B	8.28	2.0	2
	SC2	S	8.22	0.4	3
		M	8.37	0.8	3
		B	8.27	1.8	3

Remark: 1.0 = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 723 - 7/F, Box B
 Park Industrial Building
 118 Kowloon Crescent, Kowloon,
 Hong Kong

Tel: (852) 24508218
 Fax: (852) 24508117
 Email: mtg@fugro.com.hk



Report No. 0015/17/ED/0425

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (8 February 2019) (10:15)	S1	S	8.40	1.2	7
		M	8.33	1.6	7
		B	8.24	2.3	7
	S2	S	8.43	1.2	5
		M	8.37	1.7	6
		B	8.19	2.3	6
	S3	S	8.37	1.4	4
		B	8.27	1.9	5
	S4	S	8.40	1.3	7
		M	8.32	1.7	5
		B	8.21	2.2	8
	SC1	S	8.40	1.3	6
		M	8.30	1.9	5
		B	8.13	2.2	6
	SC2	S	8.35	1.4	5
		M	8.23	1.9	5
		B	8.14	2.3	5
	Sok Kwu Wan (13 February 2019) (10:30)	S1	S	7.43	1.2
M			7.35	1.7	2
B			7.27	2.1	<2
S2		S	7.42	1.1	2
		M	7.32	1.7	2
		B	7.21	2.2	2
S3		S	7.39	1.2	2
		B	7.33	1.6	3
S4		S	7.32	1.3	3
		M	7.24	1.8	3
		B	7.07	2.4	2
SC1		S	7.32	1.4	<2
		M	7.23	1.8	<2
		B	7.08	2.3	<2
SC2		S	7.41	1.2	3
		M	7.31	1.6	<2
		B	7.23	2.1	<2

Remark: 1) < = less than

FUGRO TECHNICAL SERVICES LIMITED

Room 1207, 7/F, 2/F, Street 8
Fugro Industrial Building
1 Tin Awa Fung Crescent, Awa Fong
Hong Kong

Tel: (852) 24602266
Fax: (852) 24602232
Email: info@fugro.com.hk



Report No. 061517/FD0474

TEST REPORT

Results

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (20 February 2019) (11:02)	S1	S	8.74	1.3	5
		M	8.34	1.8	12
		B	7.57	2.2	5
	S2	S	8.69	1.4	8
		M	8.80	1.9	4
		B	8.19	2.3	18
	S3	S	8.33	1.3	18
		B	8.26	1.6	5
	S4	S	8.39	1.3	5
		M	8.40	1.7	5
		B	8.17	2.2	13
	SC1	S	8.38	1.4	<2
		M	8.23	1.7	3
		B	7.93	2.3	5
	SC2	S	8.27	1.4	7
M		8.33	1.7	6	
Sok Kwu Wan (27 February 2019) (10:33)	S1	S	8.44	1.2	3
		M	8.34	1.9	3
		B	8.30	2.0	2
	S2	S	8.42	1.3	4
		M	8.35	1.5	4
		B	8.29	2.0	2
	S3	S	8.40	1.3	4
		B	8.36	1.5	4
	S4	S	8.41	1.3	4
		M	8.30	1.7	3
		B	8.22	2.1	4
	SC1	S	8.44	1.2	5
		M	8.35	1.5	3
		B	8.29	1.9	3
	SC2	S	8.42	1.2	4
M		8.32	1.5	3	
B	8.26	1.9	2		

Remark: 1 - 4 - less than

FUGRO TECHNICAL SERVICES LIMITED

Room 225 - Top 2/F, Block B,
 Profitable Building,
 115, King's Road, Kowloon,
 Hong Kong

Tel: (852) 24502333
 Fax: (852) 24500010
 Email: info@fugro.com.hk



Report No. 0015/17/ED0436

TEST REPORT

Results

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (5 March 2019) (10:30)	S1	S	8.31	1.3	3
		M	8.24	1.6	2
		B	8.18	2.0	8
	S2	S	8.41	1.3	5
		M	8.36	1.7	4
		B	8.21	2.1	2
	S3	S	8.36	1.3	3
		B	8.29	1.6	3
	S4	S	8.40	1.2	4
		M	8.22	1.6	3
		B	8.17	2.0	4
	SC1	S	8.43	1.3	3
		M	8.36	1.6	8
		B	8.24	2.0	3
	SC2	S	8.43	1.2	3
M		8.34	1.5	3	
B		8.22	1.8	5	
Sok Kwu Wan (12 March 2019) (10:30)	S1	S	7.74	1.1	8
		M	7.65	1.5	7
		B	7.57	1.8	5
	S2	S	7.88	1.2	7
		M	7.76	1.6	7
		B	7.65	1.9	5
	S3	S	7.81	1.2	4
		B	7.77	1.4	4
	S4	S	7.82	1.2	5
		M	7.74	1.6	3
		B	7.61	2.0	5
	SC1	S	7.85	1.2	5
		M	7.73	1.6	4
		B	7.61	2.0	3
	SC2	S	7.83	1.2	13
M		7.73	1.5	5	
B		7.65	1.9	6	

Remark: 1 to 4 less than

FUGRO TECHNICAL SERVICES LIMITED

Room 720 - 726 MF Block B,
Prestige Industrial Building,
1-18 Kwai Fung Crescent, Kwai Fong,
Hong Kong

Tel: (852) 24508236
Fax: (852) 24508332
Email: info@fugro.com.hk



Report No. C015/17/ED/0436

TEST REPORT

Results:

Sampling Date	Sampling Point	Level	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Total Suspended Solids (mg/L)
Sok Kwu Wan (19 March 2019) (10:30)	S1	S	7.68	1.3	7
		M	7.57	1.7	3
		B	7.42	2.0	4
	S2	S	7.64	1.3	3
		M	7.53	1.8	4
		B	7.39	2.0	4
	S3	S	7.57	1.3	7
		B	7.49	1.5	4
		S	7.61	1.3	6
	S4	M	7.50	1.5	5
		B	7.31	1.9	<2
		S	7.60	1.3	7
	SC1	M	7.42	1.6	4
		B	7.34	2.0	5
		S	7.60	1.2	4
SC2	M	7.43	1.5	4	
	B	7.31	1.9	3	
	S	7.13	1.5	3	
Sok Kwu Wan (26 March 2019) (10:30)	S1	M	6.96	1.9	2
		B	6.75	2.3	4
		S	7.00	1.4	4
	S2	M	6.84	1.9	5
		B	6.73	2.2	3
		S	6.94	1.3	3
	S3	B	6.85	1.6	5
		S	6.89	1.3	5
		M	6.78	1.7	3
	S4	B	6.69	2.1	2
		S	6.95	1.4	3
		M	6.88	1.7	4
	SC1	B	6.75	2.1	7
		S	7.05	1.3	5
		M	6.88	1.6	5
SC2	B	6.75	2.0	3	

Remark: "<" = less than

