



Agreement No. CE 63/2016 (EP)
Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – November 2019

Revision 0

December 2019

**Environmental Resources Management** 

2507, 25/F, One Harbourfront 18 Tak Fung Street Hunghom, Kowloon Hong Kong Telephone (852) 2271 3000 Facsimile (852) 2723 5660

e (852) 2271 3000 (852) 2723 5660 .com

# Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – November 2019

### **Revision 0**

Document Code: 0400720\_Monthly November 2019\_v0.doc

## **Environmental Resources Management**

2507, 25/F, One Harbourfront 18 Tak Fung Street Hunghom, Kowloon Hong Kong Telephone: (852) 2271 3000

Facsimile: (852) 2271 3000 Facsimile: (852) 2723 5660 E-mail: post.hk@erm.com http://www.erm.com

Client:		Project	No:		
Civil En	gineering and Development Department (CEDD)	04007	20		
Summary		Date:			
		12 Dec	cember 20	19	
		Approve	ed by.	_	
	ument presents the Monthly EM&A Report for nental Monitoring and Audit for Disposal Facility to the East hau.	1	~~ (		
		Craig	A. Reid		
		_			
		Partne	<u>r</u>		1
v0	Monthly EM&A Report for ESC CMPs	GS	RC	CAR	12/12/19
Revision	Description	Ву	Checked	Approved	Date
name of 'EF terms of the	has been prepared by Environmental Resources Management the trading RM Hong-Kong, Limited', with all reasonable skill, care and diligence within the Contract with the client, incorporating our General Terms and Conditions of all taking account of the resources devoted to it by agreement with the client.	Distribu	tion ternal		S 18001:2007 No. OHS 515956
We disclaim scope of the	any responsibility to the client and others in respect of any matters outside the above.	⊠ Pı	ublic		BSI
nature to thi	s confidential to the client and we accept no responsibility of whatsoever rd parties to whom this report, or any part thereof, is made known. Any such on the report at their own risk.	C	onfidential	ISO Certificat	9001 : 2008 te No. FS 32515







# Dredging, Management and Capping of Contaminated Sediment Disposal Facility at Sha Chau

# Environmental Certification Sheet EP-312/2008/A

### Reference Document/Plan

Document/<del>Plan to be Certified</del>/ Verified:

Monthly EM&A Report for Contaminated Mud Pits to the

East of Sha Chau - November 2019

Date of Report:

12 December 2019

Date prepared by ET:

12 December 2019

Date received by IA:

12 December 2019

### Reference EP Condition

**Environmental Permit Condition:** 

Condition 3.4 of EP-312/2008/A:

4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of the reporting month. The EM&A Reports shall include a summary of all non-compliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be certified by the ET Leader and verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.

### **ET Certification**

I hereby certify that the above referenced document/<del>plan</del> complies with the above referenced condition of EP-312/2008/A

Craig Reid,

Environmental Team Leader:

Date:

12/12/2019

### **IA Verification**

I hereby verify that the above referenced document/<del>plan</del> complies with the above referenced condition of

EP-312/2008/A

Dr Wang Wen Xiong, Independent Auditor: Date:

12/12/2019

### **CONTENTS**

BACKGROUND	1
REPORTING PERIOD	2
DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES	2
DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS	2
BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V	2
ACTIVITIES SCHEDULED FOR THE NEXT MONTH	6
STUDY PROGRAMME	6
ANNEXES	
	REPORTING PERIOD  DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES  DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS  BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V  ACTIVITIES SCHEDULED FOR THE NEXT MONTH  STUDY PROGRAMME

ANNEX A	SAMPLING SCHEDULE
ANNEX B	WATER QUALITY MONITORING RESULTS
ANNEX C	GRAPHICAL PRESENTATIONS
ANNEX D	Dredging Record
ANNEX E	STUDY PROGRAMME

# Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) - Investigation

### **MONTHLY EM&A REPORT FOR NOVEMBER 2019**

### 1.1 BACKGROUND

- 1.1.1 The Civil Engineering and Development Department (CEDD) is managing a number of marine disposal facilities in Hong Kong waters, including the Contaminated Mud Pits (CMPs) to the South of The Brothers (SB) and to the East of Sha Chau (ESC) for the disposal of contaminated sediment, and opensea disposal grounds located to the South of Cheung Chau (SCC), East of Tung Lung Chau (ETLC) and East of Ninepins (ENP) for the disposal of uncontaminated sediment. Two Environmental Permits (EPs), EP-312/2008/A and EP-427/2011/A, were issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 and 23 December 2011 for the Dredging, Management and Capping of Contaminated Sediment Disposal Facilities at ESC CMP V and SB CMPs, respectively.
- 1.1.2 Under the requirements of the two EPs for ESC CMP V and SB CMPs, EM&A programmes which encompass water and sediment chemistry, fisheries assessment, tissue and whole body analysis, sediment toxicity and benthic recolonisation studies as set out in the EM&A Manuals are required to be implemented. EM&A programmes have been continuously carried out during the operation of the CMPs at ESC and SB. A review of the collection and analysis of such environmental data from the monitoring programme demonstrated that there had not been any adverse environmental impacts resulting from disposal activities (1) (2). The current programme will assess the impacts resulting from dredging, disposal and capping operations of CMP V as well as capping operations of SB CMPs.
- 1.1.3 The present EM&A programme under *Agreement No. CE 63/2016 (EP)* covers the dredging, disposal and capping operations of the ESC CMP V as well as the capping operations of the SB CMPs (see *Annex A* for the EM&A programme). The scheduled EM&A programme for SB CMPs was completed in December 2018. Detailed works schedule for ESC CMP V is shown in *Figure 1.1*. In November 2019, dredging of accumulated natural deposits at ESC CMP Vb and disposal of contaminated mud at ESC CMP Vd were undertaken.

ERM (2013) Final Report. Submitted under Agreement No. CE 4/2009 (EP) Environmental Monitoring and Audit for Contaminated Mud Pit at East Sha Chau. For CEDD.

<sup>(2)</sup> ERM (2017) Final Report. Submitted under Agreement No. CE 23/2012 (EP) Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012 - 2017). For CEDD.

Figure 1.1 Works Schedule for ESC CMP V

Pit	Operation				- 2	20°	17										2	01	8											20	)19	)											202	20						1	202	21
FIL	Operation	Α	М	J	J	Α	S	6	Οl	N	D	7	F	М	Α	M	J	J	ij	Α :	s	0	N	D	7	F	М	Α	М	J	J	Α	s	0	N	D	Š	J F	= N	1 /	۱	VI	J	J	Α	s	0	N	D	っ	F	N
	Dredging								T									Ī	T	T	T											Γ				Г		T	Τ	T	T	T									Γ	Τ
ESC CMP V	Disposal						Т	T	Т	П					Г	Г	Г	Τ	T	Т	Т										Г	Г	Г		Г	Г	Т	Т	Т	Т	Т	7									Г	T
	Capping																																					T	T	Ţ												

### 1.2 REPORTING PERIOD

1.2.1 This *Monthly EM&A Report for November 2019* covers the EM&A activities for the reporting month of November 2019.

### 1.3 DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES

- 1.3.1 The following monitoring activities were undertaken for ESC CMP V in November 2019:
  - Water Column Profiling of ESC CMP Vd;
  - Routine Water Quality Monitoring of ESC CMPs;
  - Pit Specific Sediment Chemistry of ESC CMP Vd; and
  - Water Quality Monitoring During Dredging of ESC CMP Vb.

### 1.4 DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS

1.4.1 No outstanding sampling remained for November 2019.

### 1.5 Brief Discussion of the Monitoring Results for ESC CMP V

- 1.5.1 Brief discussion of the monitoring results of the following activities for ESC CMP V is presented in this *Monthly EM&A Report for November 2019*:
  - Water Column Profiling of ESC CMP Vd in November 2019;
  - Routine Water Quality Monitoring of ESC CMPs in November 2019;
  - Pit Specific Sediment Chemistry of ESC CMP Vd in November 2019; and
  - Water Quality Monitoring During Dredging of ESC CMP Vb in November 2019.

### 1.5.2 Water Column Profiling of ESC CMP Vd - November 2019


1.5.3 Water Column Profiling was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 6 November 2019. The monitoring results have been assessed for compliance with the Water Quality Objectives (WQOs) set by Environmental Protection Department (EPD). This consists of a review of the EPD routine water quality monitoring data for the dry season period (November to March) of 2009 - 2018 from stations in the Northwestern Water Control Zone (WCZ), where the ESC CMPs are located (1). For Salinity, the averaged value obtained from the Reference (Upstream) station was used for the basis as the WQO. Levels of Dissolved Oxygen (DO) and Turbidity were also assessed for compliance with the Action and Limit Levels (see Table B1 of Annex B for details).

In-situ Measurements

1.5.4 Analyses of results for November 2019 indicated that levels of Salinity, pH and DO complied with the WQOs at both Downstream and Upstream stations (*Table B2* of *Annex B*). Levels of DO and Turbidity at all stations complied with the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).

Laboratory Measurements for Suspended Solids (SS)

- 1.5.5 Analyses of results for November 2019 indicated that the SS levels at both Downstream and Upstream stations were complied with the WQO and the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).
- 1.5.6 Overall, the monitoring results indicated that the mud disposal operation at ESC CMP Vd did not appear to cause any deterioration in water quality during this reporting period.
- 1.5.7 Routine Water Quality Monitoring of ESC CMPs November 2019
- 1.5.8 Routine Water Quality Monitoring of ESC CMP V was undertaken on 7 November 2019. The monitoring results have been assessed for compliance with the WQOs (see Section 1.5.3 for details). The monitoring results are shown in Tables B3 and B4 of Annex B and Figures 1 10 of Annex C. A total of sixteen (16) monitoring stations were sampled in November 2019 as shown in Figure 1.2.



File: T:\GIS\CONTRACT\0175086\Mxd\updated\_20170419\0175086\_R\_C\_WQMS\_ebb.mxd

Resources Management




### In-situ Measurements

- 1.5.9 Graphical presentation of the monitoring results (Temperature, DO, pH, Salinity and Turbidity) is shown in *Figures 1 6* of *Annex C*. Analyses of results for November 2019 indicated that the levels of pH, Salinity and DO complied with the WQOs at all stations in November 2019.
- 1.5.10 The levels of DO and Turbidity complied with the Action and Limit Levels at all stations (*Table B3* of *Annex B*; *Figures 3* and 6 of *Annex C*).
- 1.5.11 Overall, *in-situ* measurement results of the *Routine Water Quality Monitoring* indicated that the disposal operation at ESC CMP Vd did not appear to cause any unacceptable impacts in water quality in November 2019.

Laboratory Measurements

- 1.5.12 Laboratory analysis of November 2019 results indicated that concentrations of Arsenic, Chromium, Copper, Lead, Nickel and Zinc were detected in November 2019 samples at most stations and the concentrations of these metals and metalloids were similar amongst the stations, except the concentrations of Copper and Zinc were higher at Ma Wan station (*Table B4* of *Annex B*; *Figure 7* of *Annex C*).
- 1.5.13 For nutrients, concentrations of Total Inorganic Nitrogen (TIN) at all stations complied with WQO, while the concentrations of Ammonia Nitrogen (NH<sub>3</sub>-N) and 5-day Biochemical Oxygen Demand (BOD<sub>5</sub>) were generally similar amongst the stations in November 2019 (*Table B4* of *Annex B*; *Figure 8 and 9* of *Annex C*).
- 1.5.14 Analyses of results for November 2019 indicated that the SS levels at all stations were lower than the WQO (13.6 mg/L for dry season) and complied with the Action and Limit Levels (*Tables B1 and B4* of *Annex B*; *Figure 10* of *Annex C*).
- 1.5.15 Overall, results of the Routine Water Quality Monitoring indicated that the disposal operation at ESC CMP Vd did not appear to cause any unacceptable deterioration in water quality in November 2019. Detailed statistical analysis will be presented in the Quarterly Report to investigate any spatial and temporal trends of potential concern.
- 1.5.16 Pit Specific Sediment Chemistry of ESC CMP Vd November 2019
- 1.5.17 Monitoring locations for *Pit Specific Sediment Chemistry for ESC CMP Vd* are shown in *Figure 1.3*. A total of six (6) monitoring stations were sampled on 8 November 2019.



File: T:\GIS\CONTRACT\0400720\Mxd\0400720\_SQMS\_pit specific.mxd Date: 9/5/2017

Pit Specific Sediment Quality Monitoring Stations for CMPV



- 1.5.18 The concentrations of most inorganic contaminants were lower than the Lower Chemical Exceedance Levels (LCELs) at most stations, except for Copper, Lead, Mercury, Silver and Zinc at Active-Pit stations (*Figures 11 and 12* of *Annex C*). The concentrations of Copper were higher than the Upper Chemical Exceedance Level (UCEL) at Active-Pit station ESC-NPAA and were higher than the LCEL at Active-Pit station ESC-NPAB. The concentrations of Lead, Mercury and Zinc were higher than the LCEL at Active-Pit station ESC-NPAA. The concentrations of Silver were higher than the UCEL at Active-Pit station ESC-NPAA.
- 1.5.19 Considering that the higher levels of Copper, Lead, Mercury, Silver and Zinc occurred within Active-Pit stations only but not at the Pit-Edge and Near-Pit stations, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vd in November 2019.
- 1.5.20 For organic contaminants, the concentrations of Total Organic Carbon (TOC) were generally similar across Near-Pit and Pit-Edge stations in November 2019, but were higher in Active-Pit stations, especially ESC-NPAA (Figure 13 of *Annex C*). The concentrations of Tributyltin (TBT) were generally similar across all stations, except it was lower at Active-Pit stations ESC-NPAA November 2019 (*Figure 14 of Annex C*). Total Polychlorinated Biphenyls (PCBs), Total dichloro-diphenyl-trichloroethane (DDT) and 4,4'dichlorodiphenyldichloroethylene (DDE) concentrations were below the limit of reporting at most stations, except the concentration of PCBs was higher than the limit of reporting at Active-Pit stations ESC-NPAA. The concentrations of Low Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs) and High Molecular Weight PAHs exceeded UCEL at Active-Pit station ESC-NPAA and exceeded LCEL at Active-Pit station ESC-NPAB, and the concentration of High Molecular Weight PAHs exceeded LOR at Near-Pit stations ESC-NNAA and ESC-NNAB (Figure 15 of Annex C).
- 1.5.21 Considering that the higher levels of PAHs occurred within Active-Pit stations only, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vd in November 2019.
- 1.5.22 Statistical analysis will be undertaken and presented in the corresponding quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.
- 1.5.23 Impact Water Quality Monitoring during Dredging Operations of ESC CMP Vb November 2019


- 1.5.24 Dredging operation at ESC CMP Vb commenced on 11 November 2019. Water quality monitoring was conducted during the reporting period on 11, 13, 15, 18, 20, 22, 25, 27 and 29 November 2019. During each survey day, monitoring was conducted during both mid-ebb and mid-flood tides at two Reference (Upstream) stations and five Impact (Downstream) stations around the dredging operations at ESC CMP Vb. Monitoring was also conducted at one Sensitive Receiver station situated in Ma Wan. A total of eight (8) stations were monitored and locations of the sampling stations are shown in *Figure 1.4*.
- 1.5.25 Monitoring results are presented in *Table B5 of Annex B*. Daily dredging volume in November 2019 is reported in *Annex D*. Levels of DO, Turbidity and SS complied with the Action and Limit Levels (see *Table B1 of Annex B* for details). The results indicated that the dredging operations at ESC CMP Vb did not appear to cause any unacceptable deterioration in water quality during this reporting period. Therefore, no further action, except for those recommended in the Environmental Permit (EP-312/2008/A), are considered necessary for the dredging operations.

### 1.6 ACTIVITIES SCHEDULED FOR THE NEXT MONTH

- 1.6.1 The following monitoring activities will be conducted in the next monthly period of December 2019 for ESC CMP V (see *Annex A* for the sampling schedule <sup>(1)</sup>):
  - Water Column Profiling of ESC CMP Vd;
  - Cumulative Impact Sediment Chemistry of of ESC CMPs;
  - Pit Specific Sediment Chemistry of ESC CMP Vd; and
  - Water Quality Monitoring During Dredging of ESC CMP Vb.

### 1.7 STUDY PROGRAMME

1.7.1 A summary of the Study Programme is presented in *Annex E*.



Note: The locations of sampling stations will be determined on site based on current direction and position of dredging activities.

Resources Management



### Annex A

# Sampling Schedule

Second   S	Pit Specific Sediment Chemistry	Code	Frequency	A M	J J	A S	O N	D	J F	M A		2018 J	A S	O N I	J	F M	A N		J A S	0 1	N D	J F	M A	M J	J A	S	O N	D J	2021 F
Set Proposed set	Active-Pit																												
Set	Pit-Edge		,	12 12	12 12	12 12	12 12	12	12 12	12 12	12 12	2 12	12 12	12 12 1	2 12	12 12	12 1	2 12	12 12 12	12 1	2 12	12 12	12 12	12 12	12 12	2 12 1	12 12	12 12	2 12
Separate sep	Jear-Pit		,																										
Selection of the content of the cont																													
Part				A M			O N			M A							A N			0 1			M A						F
Part	Aid field Stations																												12 12
Set 19 1	viid-field Stations																												12 12
STATE OF THE TOTAL STATE OF THE	Capped Pit Stations																												12
September 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Far-Field Stations																												12
Selection of the content of the cont	Ma Wan Station	ESC-RFB	4 times per year		12	12		12	12		12	2	12	1	2	12		12	12		12	12		12	12	2		12	12
Section 1		MW1	4 times per year	1.12																									12
Separate and the separa		ESC-TDA	2 times per year	A M	) )		ON	D		M A	MJ			ONI			AN	1 J		O	N D		M A	M			O N	D J	<b>F</b>
Separate sep	Reference Stations																												5
Mary State	Ma Wan Chakina								_																_	_			5
STATE OF THE STATE		MW1	2 times per year			5			5				5			5			5			5			5				5
Set of the part of		rec nu	0.0	A M	J J		O N	D	J F	M A	М Ј			O N I			AN	И Ј	J A S	0 1	N D	J F	M A	M J	J A	S	O N	D J	*
Separation and the separation an	Reference North								*										*			*			*				*
Separation of the proper separation of the pro									*										*			*			*				*
Seminorization	Reference South					*			*				*			*			*			*			*				*
STOCKES STOCKE	Demersal Trawling		per year	A M	] ]	AS	O N	D	JF	M A	MJ	J	A S	ONI	) J	F M	AN	и ј	J A S	0 1	N D	J F	M A	MJ	JA	S	0 N	D J	
Section 1.					5	5			5 5		Ħ	5	5		5	5			5 5		F	5 5			5 5		П	5	5
Set 1. Many 1.	Reference North							H			+										+						$\pm$		5
Series Se	Reference South	TNB	4 times per year		5	5			5 5	Ħ	Ħ	5	5		5	5			5 5		E	5 5			5 5		$\exists$	5	5
TOTAL MATERIAL MATERI								H			Н			$H\overline{H}$							$\pm$						$\pm \mathbb{I}$	5 5	5 5
September 1985 1995 1995 1995 1995 1995 1995 1995				A M	J J	A S	O N	D	J F	M A	M J	J	A S	O N I	J	F M	A N	A J	J A S	O	N D	J F	M A	M J	J A	S	O N	D J	F
Secretify from Proper 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																					L								3
See The see See See See See See See See See Se		ESC-IPE3	4 times per year			H		H			H	H	$\perp$	$oxed{\Box}$	$\prod$	+		+1			+	3		3	3			3 3	3 3
Marcon Ma	Intermediate Station Downcurrent	ESC-IPE5						H			$\vdash$	H			$\parallel \parallel$							3		3	3		$\mp$	3	3
Secret Statist   Secret		ESC-INE2A	4 times per year																			3		3	3			3	3
16000000000000000000000000000000000000		ESC-INE4A	4 times per year																			3		3	3			3	3 3
Section 1 State 1 Stat	Reference Station Upcurrent	ESC-RFE1																											3
The state of the s		ESC-RFE3	4 times per year																			3		3	3			3	3 3
TRATE MATERIAL METERS NOT STATE OF THE PROPERTY OF THE PROPERTY STATE OF THE PROPERTY ST	Ma Wan Station																								_			3	3
Second   S		MW1	4 times per year																			3		3	3			3	3
Seminone Managoni Man	impact Station Downcurrent																								3			3	3
SECONE Selection Property Selection	Intermediate Station Downcurrent	ESC-IPF3	4 times per year																									3	3
Mary		ESC-INF2	4 times per year																			3		3	3				3 3
Martin State   Martin	Reference Station Upcurrent																												3
Section May Cally Membra 1. A. M. 1. B. 1.	Ma Wan Station																							_				3	3
1867F34   Simo per your   Simo	wa wan station	MW1	4 times per year																			3		3	3			3	3
Simple   S	Ebb Tide	g		A M	J J	A S	O N	D	J F	M A	М Ј	J	A S	O N I	J	F M	A N	И Ј	J A S	0 1	N D	J F	M A	M J	J A	S	O N	D J	F
16 Secure 19 1 Sec	mpact Station Downcurrent																	-										8	8
Intermediate Station Downwared Market Station Proposed Station Proposed Station Downwared Market		ESC-IPE3 ESC-IPE4	8 times per year 8 times per year	8 8 8 8	8	8	8 8 8 8		8 8 8 8	8	8	8	8	8 8 8	8	8	8 8	3	8 8 8 8	8 8	3	8 8 8 8	8	8	8 8		8 8	8	8
SENNEA 8 tens per year 15 NEA 8 tens per year	Intermediate Station Downcurrent																												8
Sci-Net   SciNet   SciNe		ESC-INE2A ESC-INE3A	8 times per year 8 times per year	8 8 8 8	8 8	8	8 8 8 8		8 8	8 8	8	8	8	8 8	8	8	8 8	3	8 8 8 8	8 8	3	8 8 8 8	8	8	8 8		8 8	8	8
SC-3FF3 Stune-per your 6 8 10 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Polomonos Class	ESC-INE4A	8 times per year	8 8	8	8	8 8		8 8	8	8	8	8	8 8	8	8	8 8	3	8 8	8 8	3	8 8	8	8	8 8		8 8	8	
ESCRIPS  SIMPLE PROPRIET  SIMPLE PROPRIT	xererence station Upcurrent																											8	8
MAW MAS Alston  MAY   Stimes peryor   Stimes p		ESC-RFE3 ESC-RFE4	8 times per year 8 times per year	8 8 8 8	8 8	8	8 8 8 8		8 8	8 8	8	8	8	8 8	8	8	8 8	3	8 8 8 8	8 8	3	8 8 8 8	8	8	8 8 8 8		8 8	8	8
TREAM TIME    SCLIFT    Stimes per year   Strict   Stimes per year   Strict   Strict   Stimes per year   Strict   Strict   Stimes per year   Strict   Strict	Ma Wan Station																												8
SCAPT    Stimes per year   S			, per year			1 2 1	0	_	,,,			١٥١	~	~   0	J	~	د ر د		- 0			J 0			8		- 0		
SC-NFT   Stims per year   SC-NFT   Stims p		ESC-IPF2	8 times per year	8 8	8	8	8 8			8	8			8 8	8		8 8			8 8	3	8 8			8 8		8 8	8	8
Secondary   Stimes per year	ntermediate Station Downcurrent																												8
Reference Station Upcurrent   SC-RFF1A   Stimes per year   SC-RFF2A   Stimes per year   SC-RFF3A   Stimes per year   SC-RF7A   Stimes		ESC-INF2	8 times per year	8 8	8	8	8 8			8	8	8	8	8 8	8	8	8 8	3	8 8	8 8	3	8 8	8	8	8 8		8 8	8	
As well as the server between the stations of the station of the s	Reference Station Upcurrent		8 times per year		8	8				-						_	8 8						_				8 8	8	8
Mate Column Profiling    A M   J   J   A   S   D   D   F   M   A   M   J   J   A   S   D   D   F   M   A   M   J   J   A   S   D   D   F   M   A   M   J   J   A   S   D   D   F   M   A   M   J   J   A   S   D   D   D   F   M   A   M   J   J   A   S   D   D   D   D   D   D   D   D   D	Ma Wan Station									-								-										8	
Plume Stations WCP1 Monthly 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		MW1	8 times per year										'_															8	
A M J J A S O N D J F M A M				4 4	4 4	4 4	4 4	4	4 4	4 4	4 4	4	4 4	4 4 4	4	4 4	4 4	1 4	4 4 4	4 4	1 4	4 4	4 4	4 4	4 4	4	4 4	4 4	4
Capped Stations at CMPV	Benthic Recolonisation Studies	2	montally																									•	4 F
ESCV-CPC 2 times per year ESCV-CPD 2 times per year RBA 2 times per year RBB 2 times per year RBC1 2 times per year RBC1 3 times per year RBC1 2 times per year RBC2 4 times per year RBC2 4 times per year RBC2 5 times per year																		,			Í							,	É
Reference Stations  RBA 2 times per year RBC 2 times per year RBC 2 times per year RBC 3 times per week  US1 3 times per week  US2 3 times per week  US2 3 times per week  US3 3 times per week  US2 3 times per week  US2 3 times per week  US3 3 times per week  US4 US2 2 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		ESCV-CPC	2 times per year			H		H			H	Ħ		$H\overline{I}$	H			$\exists$	$+ \Box$		Ŧ				H	H	$+ \mathbb{I}$		Ė
RBB 2 times per year RBC1 2 times per year RBC1 2 times per year  A M J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J J F M A M J J J A S O N D J F M A M J J J A S O N D J F M A M J J J A S O N D J J F M A M J J J	Reference Stations					Ħ		H			+	$\parallel$				+					+						$\mp$	+	Ŧ
Upstream Stations  US1		RBB	2 times per year			Ш					Ш					l					Ł					Н		E	E
US1 3 times per week US2 1		_		A M	JJ	A S	O N	D	J F	M A	МЈ	J	A S	O N I	) J	F M	A N	и ј	J A S	0 1	N D	J F	M A	МЈ	J A	S	O N	D J	F
Downstream Stations	opstream stations							H			+	$\parallel$															+	+	+
	Downstream Stations	DS1	3 times per week		2	2 2				Ħ	Ħ	Н			Ш	L				2	2 2				H	Ш	$\exists$	Ł	Ē
DS2 3 times per week		DS2 DS3	3 times per week 3 times per week		2	2 2		Ħ			H			$\Box$					+	2	2 2 2				H		$\blacksquare$	£	ŧ
D54 3 times per week	Ma Wan Station											$\parallel \parallel$			$\downarrow \downarrow$												+	-	F

### Annex B

Water Quality Monitoring Results

Table B1 Action and Limit Levels of Water Quality for Dredging, Disposal and Capping Activities at ESC CMP V

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) (1)	Surface and Mid-depth (2) 5%-ile of baseline data for surface and middle layer = <b>3.76 mg L</b> -1	Surface and Mid-depth (2) 1%-ile of baseline data for surface and middle layer = <b>3.11 mg L</b> -1 (3)
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
	Bottom 5%-ile of baseline data for bottom layers = 2.96 mg L-1	Bottom The average of the impact station readings are <2 mg/L-1
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) (4) (5)	95%-ile of baseline data for depth average = <b>37.88 mg</b> L <sup>-1</sup>	99%-ile of baseline data for depth average = <b>61.92 mg</b> L <sup>-1</sup>
	and	
	120% of control station's SS at the same tide of the same day	and 130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) (4) (5)	95%-ile of baseline data = <b>28.14 NTU</b>	99%-ile of baseline data = <b>38.32 NTU</b>
( ~ ) /	and	and
	120% of control station's Tby at the same tide of the same day	130% of control station's Tby at the same tide of the same day

### Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L-1, it is proposed to set the Limit Level at 3.11 mg L-1 which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B2 Water Column Profiling Results for ESC CMP Vd in November 2019

Stations	Temp	Salinity	Turbidity	Dissolved	l Oxygen	рН	Suspended Solids
	(°C)	(ppt)	(NTU)	(%)	(mg L-1)		(mg L-1)
WCP 1 (Downstream)	26.36	31.15	2.95	95.88	6.49	7.96	3.5
WCP 2 (Upstream)	26.27	31.22	3.77	95.40	6.46	7.95	3.1
WQO (Dry Season)	N/A	28.10-34.34#	N/A	N/A	>4	6.5-8.5	13.6

### Note:

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B3 In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in November 2019

Sampling	Stations	Temp	Salinity	Turbidity	Dissolve	d Oxygen	pН
Period	Stations	(°C)	(ppt)	(NTU)	(%)	(mg L-1)	(mg L-1)
November	RFE (Reference)	26.20	31.14	2.34	93.73	6.36	7.96
2019	IPE (Impact)	25.98	31.17	3.30	95.35	6.49	8.02
	INE (Intermediate)	26.05	31.42	2.67	92.92	6.31	8.06
	Ma Wan	26.24	31.97	2.41	90.04	6.07	8.13
	WQO	N/A	28.03-34.25#	N/A	N/A	>4	6.5-8.5

### Notes:

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B4 Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in November 2019

Sampling	Statio	As	Cd	Cr	Cu	Pb	Hg	Ni	$\mathbf{A}\mathbf{g}$	Zn	$NH_3$	TIN	$BOD_5$	SS
Period	ns	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
November	RFE	2.13	< 0.5	1.21	7.37	<1.0	< 0.5	1.44	<1.0	20.08	0.05	0.39	1.31	5.27
2019	IPE	2.11	< 0.5	1.04	14.45	1.12	< 0.5	1.13	<1.0	26.23	0.10	0.43	1.24	4.77
	INE	2.04	< 0.5	<1.0	18.13	<1.0	< 0.5	<1.0	<1.0	20.07	0.09	0.39	0.95	4.42
	Ma													
	Wan	1.99	< 0.5	1.31	25.93	1.31	< 0.5	<1.0	<1.0	32.46	0.10	0.32	1.33	4.08
-												MOO	TINI. O I	/T

WQO of TIN: 0.5 mg/L

Dry Season WQO of SS: 13.6 mg/L

### Notes:

Cell shaded yellow / red indicate value exceeding the  $\mbox{\it Action/Limit}$  levels.

Cell shaded grey indicate value exceeding the WQO.

Table B5 Summary Table of DO, Turbidity and SS Levels Recorded in November 2019 for Impact Water Quality Monitoring during Dredging Operations of ESC CMP Vb

Sampling Date	Tidal Period	Station		DO Levels ng/L)	Average Turbidity	Average SS Level
			Bottom	Surface and	Level	(mg/L)
				Mid Depth	(NTU)	, ,
11/11/2019	Mid Ebb	US1	7.88	8.20	4.31	5.57
		US2	7.79	8.28	3.23	4.47
		DS1	8.33	8.69	3.31	4.22
		DS2	8.08	8.35	5.55	6.78
		DS3	8.07	8.40	5.34	5.85
		DS4	7.81	8.17	4.72	6.93
		DS5	7.95	8.17	5.09	6.72
		MW1	6.72	6.92	4.49	6.67
	Mid Flood	US1	7.44	7.45	6.72	8.82
		US2	7.50	7.54	7.98	10.00
		DS1	7.52	7.65	6.12	8.67
		DS2	7.49	7.53	6.73	7.80
		DS3	7.52	7.52	6.25	8.28
		DS4	7.45	7.47	6.50	8.85
		DS5	7.44	7.44	6.47	8.23
		MW1	6.70	6.74	4.31	6.47
13/11/2019	Mid Ebb	US1	7.99	9.11	5.97	
13/11/2019	MIG EDD					6.93
		US2	7.99	8.98	5.04	6.62
		DS1	8.04	8.77	6.15	5.03
		DS2	8.25	8.79	4.95	7.93
		DS3	8.28	8.90	5.27	8.83
		DS4	7.99	8.89	8.05	8.85
		DS5	8.15	9.07	5.34	6.47
		MW1	7.39	7.85	3.64	5.55
	Mid Flood	US1	8.23	8.28	12.10	16.88
		US2	8.24	8.28	9.15	13.83
		DS1	8.15	8.20	9.53	12.33
		DS2	8.12	8.19	8.85	10.22
		DS3	8.14	8.19	9.75	11.92
		DS4	8.15	8.21	8.60	10.38
		DS5	8.11	8.22	11.30	12.55
		MW1	7.80	7.97	6.45	7.57
15/11/2019	Mid Ebb	US1	8.26	8.84	3.59	5.05
		US2	8.40	8.90	3.31	4.78
		DS1	8.19	8.63	3.84	3.83
		DS2	8.09	8.58	3.56	6.10
		DS3	8.02	8.49	5.41	6.50
		DS4	7.76	8.40	3.63	4.10
		DS5	7.83	8.62	5.34	5.55
		MW1	7.55	7.72	3.24	5.05
	Mid Flood	US1	8.08	8.18	5.73	6.08
		US2	8.02	8.15	7.35	8.10
		DS1	7.95	8.05	6.54	7.50
		DS2	7.99	8.05	6.05	8.40
		DS3	7.99	8.05	7.35	7.18
		DS4	7.99	8.10	8.20	8.48
		DS5	8.03	8.12	8.60	8.70
		MW1	7.52	7.64	6.12	6.22

	Period			ng/L)	Turbidity	Level
			Bottom	Surface and Mid Depth	Level (NTU)	(mg/L)
		US2	8.46	8.98	4.01	4.95
		DS1	8.65	9.03	4.24	5.92
		DS2	8.32	8.95	3.91	9.05
		DS3	8.23	9.23	3.89	5.72
		DS4	8.07	9.03	4.06	5.22
		DS5	7.94	8.76	4.16	5.48
		MW1	7.59	7.89	3.94	5.12
	Mid Flood	US1	8.03	8.68	7.25	7.72
		US2	8.31	8.96	4.94	6.50
		DS1	8.31	8.74	5.09	4.30
		DS2	8.10	8.49	8.14	10.82
		DS3	8.08	8.66	7.54	6.05
		DS4	8.17	8.69	8.09	7.97
		DS5	8.21	8.56	4.72	6.32
		MW1	7.97	8.19	6.07	6.62
20/11/2019	Mid Ebb	US1	7.19	7.65	6.80	7.87
		US2	7.15	7.47	6.30	7.13
		DS1	7.23	7.46	8.19	7.50
		DS2	7.12	7.51	7.09	5.63
		DS3	7.29	7.60	7.54	7.65
		DS4	7.24	7.55	8.04	7.32
		DS5	7.34	7.65	6.69	6.67
		MW1	6.72	6.75	3.96	4.35
	Mid Flood	US1	7.29	7.95	5.21	6.08
		US2	6.96	7.54	6.45	6.58
		DS1	7.94	7.75	5.87	7.15
		DS2	7.71	7.88	4.56	5.08
		DS3	7.55	7.85	4.66	4.70
		DS4	7.41	7.84	4.32	5.53
		DS5	7.68	8.07	5.39	5.52
		MW1	6.76	6.86	5.85	5.65
22/11/2019	Mid Ebb	US1	7.40	7.56	5.10	6.75
, ,		US2	7.32	7.55	5.19	5.77
		DS1	7.35	7.47	5.70	6.20
		DS2	7.44	7.48	6.03	7.07
		DS3	7.42	7.45	6.79	6.37
		DS4	7.32	7.40	8.07	7.55
		DS5	7.36	7.40	8.12	7.83
		MW1	6.77	6.81	3.53	4.10
	Mid Flood	US1	7.49	7.57	5.06	6.85
		US2	7.41	7.63	6.65	5.52
		DS1	7.49	7.65	3.13	4.23
		DS2	7.42	7.55	4.06	4.13
		DS3	7.32	7.42	4.71	4.45
		DS4	7.43	7.59	3.81	5.10
		DS5	7.41	7.61	3.96	4.90
		MW1	6.56	6.61	4.16	3.92
25/11/2019	Mid Ebb	US1	7.05	7.31	7.12	6.23
-,, -017		US2	7.02	7.22	8.44	7.68
		DS1	7.05	7.30	10.90	8.80
		DS1	6.97	7.30	12.30	12.28
		DS3	7.11	7.48	8.24	7.85
		DS4	7.11	7.40	7.90	7.28

Sampling	Tidal	Station	_	DO Levels	Average	Average SS
Date	Period			ng/L) Surface and	Turbidity	Level
			Bottom	Mid Depth	Level (NTU)	(mg/L)
		DS5	7.02	7.26	11.55	10.95
		MW1	6.11	6.22	5.72	6.05
	Mid Flood	US1	7.19	7.34	19.34	12.55
		US2	6.81	7.00	19.28	13.20
		DS1	7.24	7.32	19.09	11.55
		DS2	7.25	7.38	10.20	8.07
		DS3	7.30	7.39	10.76	10.43
		DS4	7.25	7.33	15.30	13.92
		DS5	7.23	7.37	13.90	13.48
		MW1	6.20	6.19	8.30	7.10
27/11/2019	Mid Ebb	US1	6.84	6.85	14.13	9.72
		US2	6.85	6.88	11.57	9.17
		DS1	6.85	6.89	14.50	7.07
		DS2	6.86	6.90	11.75	7.65
		DS3	6.85	6.90	12.35	7.98
		DS4	6.83	6.89	12.28	8.22
		DS5	6.88	6.86	11.96	11.03
		MW1	6.22	6.28	16.91	5.75
	Mid Flood	US1	6.70	6.97	11.90	12.53
		US2	6.75	7.00	9.70	10.22
		DS1	6.75	6.97	7.42	10.03
		DS2	6.77	6.90	7.53	9.60
		DS3	6.76	6.90	8.20	10.23
		DS4	6.72	6.98	9.45	8.85
		DS5	6.74	6.91	12.50	9.35
		MW1	6.27	6.55	5.39	12.58
29/11/2019	Mid Ebb	US1	6.54	6.80	8.37	9.72
		US2	6.64	6.79	10.42	9.85
		DS1	6.67	6.85	8.42	8.57
		DS2	6.46	6.60	8.15	7.20
		DS3	6.45	6.55	10.90	10.40
		DS4	6.06	6.46	9.00	7.88
		DS5	6.04	6.44	7.70	6.98
		MW1	6.07	6.14	6.55	6.05
	Mid Flood	US1	6.77	6.81	16.74	13.52
		US2	6.73	6.74	18.52	16.12
		DS1	6.70	6.72	12.25	9.70
		DS2	6.66	6.70	12.93	9.87
		DS3	6.68	6.71	13.35	9.73
		DS4	6.65	6.67	11.98	10.03
		DS5	6.66	6.72	14.46	11.78
		MW1	6.22	6.25	10.40	9.27

### Notes:

- 1. Please refer to Table B1 above for the Action and Limit Levels for dredging activities.
- 2. Cell shaded yellow indicated value exceeding the Action Level criteria.
- 3. Cell shaded red indicated value exceeding the Limit Level criteria.

### Annex C

# **Graphical Presentations**




Figure 1: Level of pH recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.




Figure 2: Level of Dissolved Oxygen (DO) (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.

Date: December 2019






Figure 3: Concentration of Dissolved Oxygen (DO) (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.




Figure 4: Level of Temperature (°C; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.

Date: December 2019






Figure 5: Level of Salinity (ppt; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.




Figure 6: Levels of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.

Date: December 2019






Figure 7: Concentration of Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Nickel, Zinc and Silver ( $\mu$ g/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.




Figure 8: Concentration of Total Inorganic Nitrogen (TIN) and Ammonia Nitrogen (NH3-N) ( $\mu$ g/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\32 Monthly November 2019

Date: December 2019

Environmental Resources Management

ERM




Figure 9: Level of Biochemical Oxygen Demand (BOD<sub>5</sub>) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.

# Routine Water Quality Monitoring for Suspended Solids November 2019 WQO (Dry season) Reference Impact Intermediate Ma Wan Stations

Figure 10: Concentration of Suspended Solids (SS) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in November 2019.

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\32 Monthly November 2019

Date: December 2019




Figure 11: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in November 2019.




Figure 12: Concentration of Metals (Cd, Hg, Ag; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in November 2019.

Date: December 2019






Figure 13: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in November 2019.




Figure 14: Concentration of Tributyltin (TBT) (µg TBT/kg; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in November 2019.

Date: December 2019






Figure 15: Concentration of Total Organic Carbon (TOC) (μg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in November 2019.

Date: December 2019



### Annex D

# Dredging Record

Date	Daily Dredging Volume (m³)	Weekly Dredging Volume (m³) (From Sunday to Saturday)
10-Nov-2019	0	
11-Nov-2019	1,000	
12-Nov-2019	1,500	
13-Nov-2019	500	8,500
14-Nov-2019	1,500	
15-Nov-2019	1,500	]
16-Nov-2019	2,500	]
17-Nov-2019	1,000	
18-Nov-2019	3,000	]
19-Nov-2019	3,000	
20-Nov-2019	2,500	12,000
21-Nov-2019	500	
22-Nov-2019	1,000	
23-Nov-2019	1,000	
24-Nov-2019	1,500	
25-Nov-2019	2,500	]
26-Nov-2019	1,500	]
27-Nov-2019	500	12,500
28-Nov-2019	2,000	]
29-Nov-2019	2,500	1
30-Nov-2019	2,000	]

### Annex E

# Study Programme

