



Agreement No. CE 63/2016 (EP)
Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – January 2020

Revision 0

February 2020

Environmental Resources Management

2507, 25/F, One Harbourfront 18 Tak Fung Street Hunghom, Kowloon Hong Kong Telephone (852) 2271 3000 Facsimile (852) 2723 5660



www.erm.com

Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – January 2020

Revision 0

Document Code: 0400720_Monthly January 2020_v0.doc

Environmental Resources Management

2507, 25/F, One Harbourfront 18 Tak Fung Street Hunghom, Kowloon Hong Kong Telephone: (852) 2271 3000

Facsimile: (852) 2271 3000 Facsimile: (852) 2723 5660 E-mail: post.hk@erm.com http://www.erm.com

| Client: | | Project N | 0: | | |
|-----------------------------|---|-------------------|-------------|----------------------|--------------------------------------|
| Civil Eng | gineering and Development Department (CEDD) | 040072 | 0 | | |
| Summary | | Date: | | | |
| | | 13 Febr | uary 202 | 0 | |
| | | Approved | | | |
| | ument presents the Monthly EM&A Report for nental Monitoring and Audit for Disposal Facility to the East hau. | 1 | | | |
| | | Craig A | Reid | | |
| | | Partner | . 1 (010 | | |
| | | | | | |
| | | | | | |
| v0 | Monthly EM&A Report for ESC CMPs | GS | RC | CAR | 13/02/20 |
| Revision | Description | Ву | Checked | Approved | Date |
| name of 'EF terms of the | has been prepared by Environmental Resources Management the trading RM Hong-Kong, Limited', with all reasonable skill, care and diligence within the Contract with the client, incorporating our General Terms and Conditions of id taking account of the resources devoted to it by agreement with the client. | Distribution Inte | on ernal | OHSA: Certificate | BSI ~ 5 18001:2007 No. OHS 515956 |
| We disclaim scope of the | any responsibility to the client and others in respect of any matters outside the above. | ⊠ Pul | olic | | BSI |
| nature to thi | s confidential to the client and we accept no responsibility of whatsoever rd parties to whom this report, or any part thereof, is made known. Any such on the report at their own risk. | □ Соі | nfidential | ISO 9 Certificat | 9001 : 2008 e No. FS 32515 |







Dredging, Management and Capping of Contaminated Sediment Disposal Facility at Sha Chau

Environmental Certification Sheet EP-312/2008/A

Reference Document/Plan

Document/Plan to be Certified/ Verified:

Monthly EM&A Report for Contaminated Mud Pits to the

East of Sha Chau - January 2020

Date of Report:

13 February 2020

Date prepared by ET:

13 February 2020

Date received by IA:

13 February 2020

Reference EP Condition

Environmental Permit Condition:

Condition 3.4 of EP-312/2008/A:

4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of the reporting month. The EM&A Reports shall include a summary of all non-compliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be certified by the ET Leader and verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.

ET Certification

I hereby certify that the above referenced document/plan complies with the above referenced condition of EP-312/2008/A

Craig Reid,

Environmental Team Leader:

Date:

13/02/2020

IA Verification

I hereby verify that the above referenced document/plan complies with the above referenced condition of

EP-312/2008/A

Dr Wang Wen Xiong, Independent Auditor: Date:

13/02/2020

CONTENTS

| 1.1 | BACKGROUND | 1 |
|-----|--|---|
| 1.2 | REPORTING PERIOD | 2 |
| 1.3 | DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES | 2 |
| 1.4 | DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS | 2 |
| 1.5 | BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V | 2 |
| 1.6 | ACTIVITIES SCHEDULED FOR THE NEXT MONTH | 6 |
| 1.7 | STUDY PROGRAMME | 6 |
| | | |
| | ANNIEVEC | |

ANNEXES

| ANNEX A | SAMPLING SCHEDULE |
|---------|----------------------------------|
| ANNEX B | WATER QUALITY MONITORING RESULTS |
| ANNEX C | GRAPHICAL PRESENTATIONS |
| ANNEX D | STUDY PROGRAMME |

Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) - Investigation

MONTHLY EM&A REPORT FOR JANUARY 2020

1.1 BACKGROUND

- 1.1.1 The Civil Engineering and Development Department (CEDD) is managing a number of marine disposal facilities in Hong Kong waters, including the Contaminated Mud Pits (CMPs) to the South of The Brothers (SB) and to the East of Sha Chau (ESC) for the disposal of contaminated sediment, and opensea disposal grounds located to the South of Cheung Chau (SCC), East of Tung Lung Chau (ETLC) and East of Ninepins (ENP) for the disposal of uncontaminated sediment. Two Environmental Permits (EPs), EP-312/2008/A and EP-427/2011/A, were issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 and 23 December 2011 for the Dredging, Management and Capping of Contaminated Sediment Disposal Facilities at ESC CMP V and SB CMPs, respectively.
- 1.1.2 Under the requirements of the two EPs for ESC CMP V and SB CMPs, EM&A programmes which encompass water and sediment chemistry, fisheries assessment, tissue and whole body analysis, sediment toxicity and benthic recolonisation studies as set out in the EM&A Manuals are required to be implemented. EM&A programmes have been continuously carried out during the operation of the CMPs at ESC and SB. A review of the collection and analysis of such environmental data from the monitoring programme demonstrated that there had not been any adverse environmental impacts resulting from disposal activities (1) (2). The current programme will assess the impacts resulting from dredging, disposal and capping operations of CMP V as well as capping operations of SB CMPs.
- 1.1.3 The present EM&A programme under *Agreement No. CE 63/2016 (EP)* covers the dredging, disposal and capping operations of the ESC CMP V as well as the capping operations of the SB CMPs (see *Annex A* for the EM&A programme). The scheduled EM&A programme for SB CMPs was completed in December 2018. Detailed works schedule for ESC CMP V is shown in *Figure 1.1*. In January 2020, the following works were undertaken:
 - Disposal of contaminated mud at ESC CMP Vd up to 15 January 2020;
 - Disposal of contaminated mud at ESC CMP Vb since 16 January 2020; and

ERM (2013) Final Report. Submitted under Agreement No. CE 4/2009 (EP) Environmental Monitoring and Audit for Contaminated Mud Pit at East Sha Chau. For CEDD.

⁽²⁾ ERM (2017) Final Report. Submitted under Agreement No. CE 23/2012 (EP) Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012 - 2017). For CEDD.

Capping operations at ESC CMP Vd since 16 January 2020.

Figure 1.1 Works Schedule for ESC CMP V

| Pit | 0======== | | 2017 | | | | | 2018 | | | | | | | | | | | 201 | 9 | | | | | | 2020 | | | | | | | | 20 | 21 | | | | | | | | | | | | | |
|-----------|-----------|---|------|---|---|---|---|------|---|-----|---|---|---|---|---|---|---|---|-----|---|---|---|---|---|---|------|---|---|-----|---|---|-----|---|----|----|---|---|-----|---|----|---|-----|---|-----|---|----|-----|---|
| PIL | Operation | Α | М | J | J | Α | s | C | N | I D | J | F | M | I | M | J | J | Α | s | 0 | N | D | J | F | M | Α | М | J | J . | A | S | o I | N | D | J | F | 4 | A N | 4 | J, | J | A S | 6 | 1 0 | N | ١, | J F | = |
| | Dredging | | | | | | | | | | | Г | | | | | | | | | | | | | | | | | | | | | | | | | | | T | | | | | | | | | Τ |
| ESC CMP V | Disposal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | T |
| | Capping | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

1.2 REPORTING PERIOD

1.2.1 This *Monthly EM&A Report for January 2020* covers the EM&A activities for the reporting month of January 2020.

1.3 DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES

- 1.3.1 The following monitoring activities were undertaken for ESC CMP V in January 2020:
 - Water Column Profiling of ESC CMP Vd;
 - Routine Water Quality Monitoring of ESC CMPs;
 - Pit Specific Sediment Chemistry of ESC CMP Vd; and
 - Demersal Trawling for ESC CMPs.

1.4 DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS

- 1.4.1 No outstanding sampling remained for January 2020.
- 1.4.2 The following analyses are in progress and will be presented in the corresponding quarterly report:
 - Species identification of the biota samples collected from *Demersal Trawling for ESC CMPs* in January 2020.

1.5 Brief Discussion of the Monitoring Results for ESC CMP V

- 1.5.1 Brief discussion of the monitoring results of the following activities for ESC CMP V is presented in this *Monthly EM&A Report for January* 2020:
 - Water Column Profiling of ESC CMP Vd in January 2020;
 - Routine Water Quality Monitoring of ESC CMPs in January 2020; and
 - Pit Specific Sediment Chemistry of ESC CMP Vd in January 2020.

1.5.2 Water Column Profiling of ESC CMP Vd - January 2020


1.5.3 Water Column Profiling was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 7 January 2020. The monitoring results have been assessed for compliance with the Water Quality Objectives (WQOs) set by Environmental Protection Department (EPD). This consists of a review of the EPD routine water quality monitoring data for the dry season period (November to March) of 2009 - 2018 from stations in the Northwestern Water Control Zone (WCZ), where the ESC CMPs are located (1). For Salinity, the averaged value obtained from the Reference (Upstream) station was used for the basis as the WQO. Levels of Dissolved Oxygen (DO) and Turbidity were also assessed for compliance with the Action and Limit Levels (see Table B1 of Annex B for details).

In-situ Measurements

1.5.4 Analyses of results for January 2020 indicated that levels of Salinity, pH and DO complied with the WQOs at both Downstream and Upstream stations (*Table B2* of *Annex B*). Levels of DO and Turbidity at all stations complied with the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).

Laboratory Measurements for Suspended Solids (SS)

- 1.5.5 Analyses of results January 2020 indicated that the SS levels at both Downstream and Upstream stations complied with the WQO and the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).
- 1.5.6 Overall, the monitoring results indicated that the mud disposal operation at ESC CMP Vd did not appear to cause any deterioration in water quality during this reporting period.
- 1.5.7 Routine Water Quality Monitoring of ESC CMPs January 2020
- 1.5.8 Routine Water Quality Monitoring of ESC CMPs was undertaken on 8 January 2020. The monitoring results have been assessed for compliance with the WQOs (see Section 1.5.3 for details). The monitoring results are shown in Tables B3 and B4 of Annex B and Figures 1 10 of Annex C. A total of sixteen (16) monitoring stations were sampled in January 2020 as shown in Figure 1.2.



File: T:\GIS\CONTRACT\0175086\Mxd\updated_20170419\0175086_R_C_WQMS_ebb.mxd

Resources Management




In-situ Measurements

- 1.5.9 Graphical presentation of the monitoring results (Temperature, DO, pH, Salinity and Turbidity) is shown in *Figures 1 6* of *Annex C*. Analyses of results for January 2020 indicated that the levels of pH, Salinity and DO complied with the WQOs at all stations in January 2020.
- 1.5.10 The levels of DO and Turbidity complied with the Action and Limit Levels at all stations (*Table B3* of *Annex B*; *Figures 3* and 6 of *Annex C*).
- 1.5.11 Overall, *in-situ* measurement results of the *Routine Water Quality Monitoring* indicated that the disposal operation at ESC CMP Vd did not appear to cause any unacceptable impacts in water quality in January 2020.

Laboratory Measurements

- 1.5.12 Laboratory analysis of January 2020 results indicated that concentrations of Arsenic, Chromium, Copper, Lead, Nickel and Zinc were detected in January 2020 samples at most stations and the concentrations of these metals and metalloids were similar amongst the stations, except the concentrations of Copper and Zinc were higher at Reference stations (*Table B4* of *Annex B*; *Figure 7* of *Annex C*).
- 1.5.13 For nutrients, concentrations of Total Inorganic Nitrogen (TIN) at all stations were higher than the WQO (0.5 mg/L) (*Table B4* of *Annex B*; *Figure 8* of *Annex C*). It should be noted that due to the effect of the Pearl River, the North Western WCZ has historically experienced higher levels of TIN (1). Therefore, the exceedances of TIN WQO at these stations are unlikely to be caused by the disposal operation at ESC CMP Vd. The concentrations of Ammonia Nitrogen (NH₃-N) and 5-day Biochemical Oxygen Demand (BOD₅) were generally similar amongst the stations in January 2020 (*Table B4* of *Annex B*; *Figure 8 and 9* of *Annex C*).
- 1.5.14 Analyses of results for January 2020 indicated that the SS levels at all stations were lower than the WQO (13.6 mg/L for dry season) and complied with the Action and Limit Levels (*Tables B1 and B4* of *Annex B*; *Figure 10* of *Annex C*).
- 1.5.15 Overall, results of the Routine Water Quality Monitoring indicated that the disposal operation at ESC CMP Vd did not appear to cause any unacceptable deterioration in water quality in January 2020. Detailed statistical analysis will be presented in the Quarterly Report to investigate any spatial and temporal trends of potential concern.

- 1.5.16 Pit Specific Sediment Chemistry of ESC CMP Vd January 2020
- 1.5.17 Monitoring locations for *Pit Specific Sediment Chemistry for ESC CMP Vd* are shown in *Figure 1.3*. A total of six (6) monitoring stations were sampled on 3 January 2020.
- 1.5.18 The concentrations of most inorganic contaminants were lower than the Lower Chemical Exceedance Levels (LCELs) at most stations, except for Arsenic, Copper, Silver and Zinc (*Figures 11 and 12* of *Annex C*). The concentrations of Arsenic were higher than the LCEL at Pit-Edge station ESC-NEAA. The concentrations of Copper were higher than the Upper Chemical Exceedance Level (UCEL) at Active-Pit station ESC-NPAA. The concentrations of Silver and Zinc were higher than the LCELs at Active-Pit station ESC-NPAA.
- 1.5.19 For organic contaminants, the concentrations of Total Organic Carbon (TOC) were higher at Active-Pit stations in January 2020 (*Figure 13 of Annex C*). The concentrations of Tributyltin (TBT) were generally below the limit of reporting across most stations, except at Active-Pit station ESC-NPAA in January 2020 (*Figure 14 of Annex C*). Total Polychlorinated Biphenyls (PCBs), Total dichloro-diphenyl-trichloroethane (DDT) and 4,4′-dichlorodiphenyldichloroethylene (DDE) concentrations were below the limit of reporting at all stations. The concentrations of Low Molecular Weight and High Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs) were generally below LCELs at most stations, except at Active-Pit Station ESC-NPAA. The concentrations of Low Molecular Weight and High Molecular Weight PAHs were higher than LCEL and UCEL respectively at Active-Pit Stations ESC-NPAA (*Figure 15 of Annex C*).
- 1.5.20 Whilst the average concentration of Arsenic in the Earth's crust is generally ~2mg/kg, significantly higher Arsenic concentrations (median = 14 mg/kg) have been recorded in Hong Kong's onshore sediments ⁽³⁾. It is presumed that the natural concentrations of Arsenic are similar in onshore and offshore sediments ⁽⁴⁾, and relatively high Arsenic levels may thus occur throughout Hong Kong. Therefore, the LECL exceedances of Arsenic are unlikely to be caused by the disposal operations at ESC CMP Vd but rather as a result of naturally occurring deposits.
- 1.5.21 Considering that the higher levels of Copper, Silver, Zinc, Low Molecular Weight and High Molecular Weight PAHs occurred within one Active-Pit station only but not at the Pit-Edge and Near-Pit stations, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vd in January 2020. Statistical analysis will be undertaken and presented in the corresponding quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.



File: T:\GIS\CONTRACT\0400720\Mxd\0400720_SQMS_pit specific.mxd Date: 9/5/2017

Pit Specific Sediment Quality Monitoring Stations for CMPV



1.6 ACTIVITIES SCHEDULED FOR THE NEXT MONTH

- 1.6.1 The following monitoring activities will be conducted in the next monthly period of February 2020 for ESC CMP V (see *Annex A* for the sampling schedule ⁽³⁾):
 - Water Column Profiling of ESC CMP Vb;
 - Routine Water Quality Monitoring of ESC CMPs;
 - Pit Specific Sediment Chemistry of ESC CMP Vb;
 - Cumulative Impact Sediment Chemistry of ESC CMPs;
 - *Sediment Toxicity Tests of ESC CMPs;*
 - Demersal Trawling for ESC CMPs; and
 - Water Quality Monitoring During Capping of ESC CMPs.

1.7 STUDY PROGRAMME

1.7.1 A summary of the Study Programme is presented in *Annex D*.

Sewell RJ (1999) Geochemical Atlas of Hong Kong. Geotechnical Engineering Office, Government of the Hong Kong Special Administrative Region

⁽²⁾ Whiteside PGD (2000) Natural geochemistry and contamination of marine sediments in Hong Kong. In: The Urban Geology of Hong Kong (ed Page A & Reels SJ). Geological Society of Hong Kong Bulletin No. 6, p109-121

⁽²⁾ The scheduled EM&A Programme for SB CMPs was completed in December 2018.

Annex A

Sampling Schedule

| Pit Specific Sediment Chemistry | Code | Frequency | A M | J J | 2017 A S | O N | D | J F | M A | 20 M J | | S O N 1 | D J | F M A | | J A S | 0 1 | N D | J F M | A | | J A | S O N | D | 202i J F |
|---|--|---|--|---|--|--|----------|---|---|---|---|--|---|--|--|--|---|--|---|---|---------------------------------------|--|--|--|--|
| Active-Pit | ESC-NPAA ESC-NPAB | Monthly Monthly | 12 12 | | | | 12 | | | | | 2 12 12 1 2 12 12 1 | | | | 12 12 12 | | | | | | | 12 12 12 | | |
| Pit-Edge | | Monthly | 12 12 | 12 12 | 12 12 | 2 12 12 | 12 | 12 12 | 12 12 | 12 12 | 12 12 1 | 2 12 12 1 | 2 12 1 | 12 12 12 | 12 12 | 12 12 12 | 12 1 | 2 12 | 12 12 12 | 12 | 12 12 | 12 12 | 12 12 12 | 12 1 | 12 12 |
| Jear-Pit | | Monthly | | | | | | | | | | 2 12 12 1 | | | | | | | | | | | | | |
| _ | ESC-NNAA ESC-NNAB | Monthly | | | | 2 12 12 | | | | | | 2 12 12 1 2 12 12 1 | | | | 12 12 12 12 12 12 | | | | | | | 12 12 12 12 12 12 | | |
| Cumulative Impact Sediment Che Near-field Stations | mistry | | A M | | A S | O N | D | | M A | M J | | | | F M A | M J | | 0 1 | | J F M | A | | J A | | | J F |
| | ESC-RNA ESC-RNB1 | 4 times per year 4 times per year | | 12 12 | 12 12 | | 12 12 | 12 12 | | 12 12 | 12 12 | | | 12 | 12 12 | 12 12 | | 12 12 | 12 12 | | 12 12 | 12 12 | | 12 12 | 12 12 |
| Mid-field Stations | ESC-RMA ESC-RMB | 4 times per year 4 times per year | | 12 12 | 12 12 | | 12 12 | 12 | | 12 | 12 12 | | | 12 | 12 | | | 12 12 | 12 12 | | 12 12 | 12 12 | | 12 12 | 12 |
| Capped Pit Stations | ESC-RCA1 | 4 times per year | | 12 | 12 | | 12 | 12 | | 12 | 12 | 1 | 2 1 | 12 | 12 | 12 | | 12 | 12 | | 12 | 12 | | 12 | 12 |
| Far-Field Stations | ESC-RCB1 | 4 times per year | | 12 | 12 | | 12 | 12 | | 12 | 12 | | | 12 | 12 | | | 12 | 12 | | 12 | 12 | | 12 | 12 |
| Ma Wan Station | ESC-RFA ESC-RFB | 4 times per year 4 times per year | | 12 | 12 | | 12 | 12 | | 12 | 12 | | | 12 | 12 | | | 12 | 12 | | 12 12 | 12 12 | | 12 | 12 |
| | MW1 | 4 times per year | | 12 | 12 | | 12 | 12 | | 12 | 12 | | | 12 | 12 | | | 12 | 12 | | 12 | | | 12 | 12 |
| Sediment Toxicity Tests Near-Pit Stations | FOC TD 4 | 2.0 | A M | J J | | ON | D | | M A | M J | | S O N I | | | M J | J A S | 0 1 | N D | J F M | A | M J | | S O N | D | J F |
| Reference Stations | ESC-TDA ESC-TDB1 | 2 times per year 2 times per year | | | 5 | | | 5 | | | 5 | | | 5 | | 5 | | | 5 | | | 5 | | | 5 |
| | ESC-TRA ESC-TRB | 2 times per year 2 times per year | | | 5 | | | 5 | | | 5 | | | 5 | | 5 5 | | | 5 | | | 5 | | | 5 |
| Ma Wan Station | MW1 | 2 times per year | | | 5 | | | 5 | | | 5 | | | 5 | | 5 | | | 5 | | | 5 | | | 5 |
| Fissue/ Whole Body Sampling Near-Pit Stations | | | A M | J J | A S | ON | D | J F | M A | M J | J A | S O N I | D J | F M A | M J | J A S | 0 1 | I D | J F M | A | M J | J A | S O N | D] | J F |
| | ESC-INA ESC-INB | 2 times per year 2 times per year | | | * | | | * | | | * | | | * | | * | | | * | | | * | | | * |
| Reference North | TNA TNB | 2 times per year | | | * | | | * | | | * | | | * | | * | | | * | | | * | | | * |
| Reference South | TSA | 2 times per year 2 times per year | | | * | | | * | | | * | | | * | | * | | $\ \ $ | * | L | | * | | | * |
| | TSB | 2 times per year | | | * | | | * | | | * | | | * | | * | | | * | | | * | | | * |
| Demersal Trawling Near Pit Stations | ESC-INA | 4 times per year | A M | | A S | UN | D | J F 5 5 | M A | M J | J A 5 5 | S O N I | | F M A | MJ | J A S | 0 1 | D | J F M | A | M J | J A 5 5 | S O N | | J F 5 |
| Reference North | ESC-INA ESC-INB | 4 times per year 4 times per year | Ħ | | 5 | | | 5 5 | | H | 5 5 | | | 5 | | 5 5 | | | 5 5 | | H | 5 5 | | | 5 5 |
| | TNA TNB | 4 times per year 4 times per year | | | 5 | | | 5 5 5 5 | | | 5 5 5 | | 5 | | | 5 5 5 5 | | | 5 5 5 | | | 5 5 5 5 | | | 5 5 5 5 |
| Reference South | TSA TSB | 4 times per year 4 times per year | | | 5 | | | 5 5 5 5 | | | 5 5 5 | | | 5 | | 5 5 5 | | + | 5 5 5 | | | 5 5 5 5 | | | 5 5 |
| Capping | | | A M | | A S | ON | D | | M A | МЈ | | S O N I | | | MJ | | 0 1 | N D | | A | МІ | JA | S O N | | J F |
| Ebb Tide Impact Station Downcurrent | | | | | | | | | | | | | | | | | | | | Г | | | | | |
| | ESC-IPE2A | 4 times per year 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 3 | | 3 3 | 3 3 | | 3 3 | 3 3 |
| | ESC-IPE3 ESC-IPE4 ESC-IPE5 | 4 times per year 4 times per year 4 times per year | | | | | | | | | | | + | + | | | | $\ \ $ | 3 3 3 | | 3 3 | 3 3 | | 3 3 | 3 3 |
| ntermediate Station Downcurrent | ESC-INE1A | 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| | ESC-INE3A | 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 3 | | 3 3 | 3 3 | | 3 3 | 3 3 |
| Reference Station Upcurrent | | 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| | ESC-RFE1 ESC-RFE2 | 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| | ESC-RFE3 ESC-RFE4 ESC-RFE5 | 4 times per year 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 3 | | 3 3 | 3 3 | | 3 3 | 3 3 |
| Ma Wan Station | MW1 | 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| Flood Tide Impact Station Downcurrent | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ESC-IPF1 ESC-IPF2 ESC-IPF3 | 4 times per year 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 3 | | 3 3 | 3 3 | | 3 | 3 3 |
| Intermediate Station Downcurrent | ESC-INF1 | 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| | ESC-INF2 ESC-INF3 | 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| Reference Station Upcurrent | ESC-RFF1A ESC-RFF2A | 4 times per year 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| Ma Wan Station | ESC-RFF3 | 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| | MW1 | 4 times per year | | | | | | | | | | | | | | | | | 3 | | 3 | 3 | | 3 | 3 |
| Routine Water Quality Monitoring Ebb Tide Impact Station Downcurrent | g | | A M | JJ | AS | ON | Б | JF | M A | MJ | JA | S O N I | D J . | F M A | . M J | J A S | O | ИВ | J F M | . A | M J | JA | S O N | D j | J F |
| | ESC-IPE1A ESC-IPE2A | 8 times per year 8 times per year | 8 8 | 8 | 8 | 8 8 | | 8 8 8 8 | 8 | 8 | 8 8 | 8 8 8 8 | 8 | 8 8 8 8 | 8 | 8 8 | | 3 | 8 8 8 8 | 8 | 8 | 8 8 | 8 8 8 8 | 8 | 8 8 8 8 |
| | ESC-IPE3 ESC-IPE4 ESC-IPE5 | 8 times per year 8 times per year 8 times per year | 8 8 8 8 8 8 | 8 | | 8 8 8 8 8 8 | | 8 8 8 8 8 8 | 8 8 8 | 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 | | 8 8 8 8 8 8 | 8 | 8 8 8 8 | 8 8 | | 8 8 8 8 | 8 8 8 | 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 | 8 8 8 8 8 8 |
| Intermediate Station Downcurrent | ESC-INE1A | 8 times per year | 8 8 | 8 | | 8 8 | | 8 8 | 8 | 8 | 8 8 | 8 8 | | 8 8 | | 8 8 | 8 8 | | 8 8 | 8 | 8 | 8 8 | 8 8 | | 8 8 |
| | ESC-INE2A ESC-INE3A | 8 times per year 8 times per year | 8 8 8 8 | 8 8 | 8 | 8 8 8 8 | | 8 8 8 8 | 8 | 8 | 8 8 | 8 8 | | | | | | 3 | 8 8 | 8 | 8 | 8 8 | 8 8 8 8 | 8 | 8 8 8 8 |
| | ESC-INE4A ESC-INE5A | 8 times per year | 8 8 | 8 | 8 | 8 8 | | 8 8 | | | 8 8 | 8 8 | 8 | 8 8 8 8 | 8 | 8 8 | 8 8 | | | + | | 8 8 | 8 8 | | 8 8 |
| Reference Station Uncurrent | | 8 times per year | 8 8 | H°. | Ť | 8 8 | | 8 8 | 8 | 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 | | 8 8 8 | | | 3 | 8 8 | 8 | | 8 8 | 8 8 | 8 | 8 8 |
| Reference Station Upcurrent | ESC-RFE1 ESC-RFE2 | 8 times per year 8 times per year | 8 8 8 8 | 8 | 8 8 | 8 8 | | 8 8 8 8 8 8 | 8 8 8 | 8 8 8 8 | 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 | 8 8 | 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 | £ £ | 8 8 |
| Reference Station Upcurrent | ESC-RFE2 ESC-RFE3 ESC-RFE4 | 8 times per year 8 times per year 8 times per year 8 times per year | 8 8 8 8 8 8 8 8 | 8 8 8 8 | 8 8 8 | 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 | 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 8 8 8 8 8 8 8 8 |
| · | ESC-RFE2 ESC-RFE3 | 8 times per year 8 times per year 8 times per year | 8 8 8 8 8 8 | 8 8 8 8 8 | 8 8 8 | 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 | 8 8 8 8 | 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 | 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 | 8 times per year 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | \$ 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 | 8 times per year 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 | \$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 | 8 times per year 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 2 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Elood Tide mpact Station Downcurrent | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF3 | 8 times per year 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 | \$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent intermediate Station Downcurrent | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF3 ESC-INF1 ESC-INF2 ESC-INF3 ESC-RFF1A | 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | \$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent intermediate Station Downcurrent Reference Station Upcurrent | ESC-RFE2 ESC-RFE3 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF3 ESC-INF1 ESC-INF2 | 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-IPF1 ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF1 ESC-INF3 ESC-RFF1A ESC-RFF1A | 8 times per year | 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 2 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Aa Wan Station Flood Tide Indeed Tide Indeed Tide Intermediate Station Downcurrent Reference Station Upcurrent Aa Wan Station | ESC-RFE2 ESC-RFE3 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF3 ESC-INF2 ESC-INF2 ESC-INF2 ESC-INF3 ESC-INF3 ESC-RFE3 MW1 WCP1 | 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | \$ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Vater Column Profiling Plume Stations | ISC-RFE2 ISC-RFE3 ISC-RFE4 ISC-RFE5 MW1 ISC-IPF1 ISC-IPF2 ISC-IPF2 ISC-INF1 ISC-INF3 ISC-INF3 ISC-RFEA | 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent metermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Water Column Profiling Plume Stations | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF2 ESC-INF2 ESC-INF3 ESC-RFF2A ESC-RFF3 MW1 WCP1 WCP2 | 8 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide Impact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Water Column Profiling Plume Stations Benthic Recolonisation Studies | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF2 ESC-INF3 ESC-RFEA ESC-RFEA MW1 WCP1 WCP2 ESC-VCPA ESC-VCPA ESC-VCPA ESC-VCPA | 8 times per year 9 times per year 2 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Nater Column Profiling Plume Stations Benthic Recolonisation Studies Tapped Stations at CMPV | ESC-RFE2 ESC-RFE3 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-INF3 ESC-INF3 ESC-RFE3 MW1 WCP1 WCP2 ESC-VCPA ESCV-CPA ESCV-CPB ESCV-CPC ESCV-CPC | 8 times per year 2 times per year 2 times per year 2 times per year 2 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide mpact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Nater Column Profiling Plume Stations Benthic Recolonisation Studies Tapped Stations at CMPV | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF2 ESC-INF3 ESC-RFEA ESC-RFEA MW1 WCP1 WCP2 ESC-VCPA ESC-VCPA ESC-VCPA ESC-VCPA | 8 times per year 9 times per year 2 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 3 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide Impact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Water Column Profiling Plume Stations Benthic Recolonisation Studies Capped Stations at CMPV Reference Stations | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-INF2 ESC-INF2 ESC-INF3 ESC-RFE3 MW1 WCP1 WCP2 ESC-V-CPA ESCV-CPA ESCV-CPA ESCV-CPC ESCV-CPC | 8 times per year 2 times per year 2 times per year 2 times per year 2 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 1 8 1 8 8 1 8 8 1 8 8 1 8 8 1 8 8 1 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 1 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide Impact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Water Column Profiling Plume Stations Benthic Recolonisation Studies Capped Stations at CMPV Reference Stations | ESC-RFE2 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF2 ESC-INF3 ESC-INF3 ESC-INF3 ESC-RFEA MW1 WCP1 WCP2 ESC-V-CPA ESCV-CPA ESCV-CPB ESCV-CPD RBA RBB RBC1 | 8 times per year 9 times per year 2 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 1 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Benthic Recolonisation Studies Capped Stations at CMPV Reference Stations | ISC-RFE2 ISC-RFE3 ISC-RFE4 ISC-RFE5 MW1 ISC-IPF1 ISC-IPF2 ISC-IPF2 ISC-INF1 ISC-INF2 ISC-INF2 ISC-INF3 ISC-RFEA | 8 times per year 9 times per year 2 times per year 3 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 1 8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 1 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide Impact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Water Column Profiling Plume Stations Benthic Recolonisation Studies Capped Stations at CMPV Reference Stations Impact Monitoring for Dredging Upstream Stations | ESC-RFE2 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF2 ESC-INF3 ESC-INF3 ESC-INF3 ESC-RFEA MW1 WCP1 WCP2 ESC-V-CPA ESCV-CPA ESCV-CPB ESCV-CPD RBA RBB RBC1 | 8 times per year 9 times per year 2 times per year | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 1 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |
| Ma Wan Station Flood Tide Impact Station Downcurrent Intermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Water Column Profiling Plume Stations Benthic Recolonisation Studies Capped Stations at CMPV Reference Stations Impact Monitoring for Dredging Upstream Stations | ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF1 ESC-INF2 ESC-INF2 ESC-INF3 ESC-RFE3 MW1 WCP1 WCP2 ESC-V-CPA ESCV-CPA ESCV-CPB ESCV-CPC ESCV-CPU RBA RBB RBB RBC1 US1 US2 DS1 DS2 | 8 times per year 2 times per year 3 times per year 3 times per week 3 times per week 3 times per week 3 times per week | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | D 4 4 4 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 1 8 1 8 1 8 8 1 8 8 1 8 8 1 8 1 8 1 8 | \$ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | S S S S S S S S S S | S S S S S S S S S S | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 1 | 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 |

Annex B

Water Quality Monitoring Results

Table B1 Action and Limit Levels of Water Quality for Dredging, Disposal and Capping Activities at ESC CMP V

| Parameter | Action Level | Limit Level |
|---|--|--|
| Dissolved Oxygen (DO) (1) | Surface and Mid-depth (2) 5%-ile of baseline data for surface and middle layer = 3.76 mg L -1 | Surface and Mid-depth (2) 1%-ile of baseline data for surface and middle layer = 3.11 mg L -1 (3) |
| | and | and |
| | Significantly less than the reference stations mean DO (at the same tide of the same day) | Significantly less than the reference stations mean DO (at the same tide of the same day) |
| | Bottom 5%-ile of baseline data for bottom layers = 2.96 mg L-1 | Bottom The average of the impact station readings are <2 mg/L-1 |
| | and | and |
| | Significantly less than the reference stations mean DO (at the same tide of the same day) | Significantly less than the reference stations mean DO (at the same tide of the same day) |
| Depth-averaged Suspended Solids (SS) (4) (5) | 95%-ile of baseline data for depth average = 37.88 mg L ⁻¹ | 99%-ile of baseline data for depth average = 61.92 mg L ⁻¹ |
| | and | |
| | 120% of control station's SS at the same tide of the same day | and 130% of control station's SS at the same tide of the same day |
| Depth-averaged Turbidity (Tby) (4) (5) | 95%-ile of baseline data = 28.14 NTU | 99%-ile of baseline data = 38.32 NTU |
| (~) / | and | and |
| | 120% of control station's Tby at the same tide of the same day | 130% of control station's Tby at the same tide of the same day |
| | | |

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L-1, it is proposed to set the Limit Level at 3.11 mg L-1 which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B2 Water Column Profiling Results for ESC CMP Vd in January 2020

| Stations | Temp | Salinity | Turbidity | Dissolved | l Oxygen | pН | Suspended Solids |
|-----------------------|-------|--------------|-----------|-----------|----------|---------|---------------------|
| | (°C) | (ppt) | (NTU) | (%) | (mg L-1) | | (mg L-1) |
| WCP 1 (Downstream) | 20.85 | 28.94 | 3.61 | 95.30 | 7.19 | 7.94 | 5.55 |
| WCP 2 (Upstream) | 20.72 | 29.61 | 11.91 | 91.81 | 6.92 | 7.91 | 7.80 |
| WQO (Dry Season) | N/A | 26.65-32.57# | N/A | N/A | >4 | 6.5-8.5 | 13.6 |

Note:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B3 In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in January 2020

| Sampling | Stations | Temp | Salinity | Turbidity | Dissolve | d Oxygen | pН |
|----------|--------------------|-------|---------------|-----------|----------|----------|----------|
| Period | Stations | (°C) | (ppt) | (NTU) | (%) | (mg L-1) | (mg L-1) |
| January | RFE (Reference) | 20.95 | 28.44 | 4.43 | 90.68 | 6.85 | 7.89 |
| 2020 | IPE (Impact) | 20.91 | 29.30 | 3.00 | 91.43 | 6.88 | 7.90 |
| | INE (Intermediate) | 20.80 | 29.96 | 3.13 | 89.79 | 6.74 | 7.85 |
| | Ma Wan | 20.86 | 30.35 | 1.97 | 90.66 | 6.79 | 7.79 |
| | WQO | N/A | 25.60- 31.29# | N/A | N/A | >4 | 6.5-8.5 |

Notes:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B4 Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in January 2020

| Sampling | Statio | As | Cd | Cr | Cu | Pb | Hg | Ni | Ag | Zn | NH ₃ | TIN | BOD ₅ | SS |
|----------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------------|--------|------------------|--------|
| Period | ns | (μg/L) | (mg/L) | (mg/L) | (mg/L) | (mg/L) |
| January | RFE | 2.01 | <0.5 | 0.51 | 10.55 | 1.66 | <0.5 | 2.23 | <1.0 | 14.97 | 0.27 | 0.88 | 1.70 | 7.93 |
| 2020 | IPE | 1.99 | < 0.5 | 0.62 | 9.06 | 1.38 | < 0.5 | 1.71 | <1.0 | 11.85 | 0.22 | 0.86 | 1.86 | 5.59 |
| | INE | 1.97 | < 0.5 | 0.51 | 5.15 | 1.23 | < 0.5 | 1.40 | <1.0 | 9.22 | 0.22 | 0.77 | 1.30 | 5.97 |
| | Ma Wan | 1.94 | <0.5 | <1.0 | 3.59 | 0.56 | <0.5 | 1.04 | <1.0 | 8.19 | 0.25 | 0.61 | 2.20 | 3.90 |

WQO of TIN: 0.5 mg/L

Dry Season WQO of SS: 13.6 mg/L

Notes:

Cell shaded yellow / red indicate value exceeding the $\mbox{\it Action/Limit}$ levels.

Cell shaded grey indicate value exceeding the WQO.

^{*}Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

^{*}Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Annex C

Graphical Presentations




Figure 1: Level of pH recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.




Figure 2: Level of Dissolved Oxygen (DO) (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.

Date: February 2020






Figure 3: Concentration of Dissolved Oxygen (DO) (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.




Figure 4: Level of Temperature (°C; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.

Date: February 2020






Figure 5: Level of Salinity (ppt; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.




Figure 6: Levels of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP

Monthly Report\34 Monthly January 2020

Date: February 2020

Environmental

Resources

Management

ERM




Figure 7: Concentration of Arsenic, Chromium, Copper, Lead, Nickel and Zinc (μ g/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.

Routine Water Quality Monitoring Results for Nutrients January 2020 2.00 ■ TIN ■NH3-N 1.80 1.60 1.40 1.20 0.80 0.60 TIN WQO 0.40 0.20 Intermediate Ma Wan Reference Impact Stations

Figure 8: Concentration of Total Inorganic Nitrogen (TIN) and Ammonia Nitrogen (NH3-N) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\34 Monthly January 2020

Date: February 2020






Figure 9: Level of Biochemical Oxygen Demand (BOD_5) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.

Routine Water Quality Monitoring for Suspended Solids
January 2020

WQO (Dry season)

Reference Impact Intermediate Ma Wan

Stations

Figure 10: Concentration of Suspended Solids (SS) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in January 2020.

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\34 Monthly January 2020

Date: February 2020




Figure 11: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in January 2020.




Figure 12: Concentration of Metals (Cd, Hg, Ag; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in January 2020.

Date: February 2020






Figure 13: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in January 2020.




Figure 14: Concentration of Tributyltin (TBT) (μg TBT/kg; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in January 2020.

Date: February 2020






Figure 15: Concentration of Total Organic Carbon (TOC) (μ g/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vd in January 2020.

Date: February 2020



Annex D

Study Programme

