



Agreement No. CE 63/2016 (EP)
Environmental Monitoring and Audit
for Disposal Facility to the East of
Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – August 2020

Revision 0

September 2020

Environmental Resources Management 2507, 25/F, One Harbourfront 18 Tak Fung Street Hunghom, Kowloon Hong Kong Telephone (852) 2271 3000 Facsimile (852) 2723 5660

ERM

www.erm.com

# Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – August 2020

#### Revision 0

Document Code: 0400720\_Monthly August 2020\_v0.doc

### **Environmental Resources Management**

2507, 25/F, One Harbourfront 18 Tak Fung Street Hunghom, Kowloon Hong Kong Telephone: (852) 2271 3000 Facsimile: (852) 2723 5660

E-mail: post.hk@erm.com http://www.erm.com

Client:		Project N	0:		
Civil Eng	gineering and Development Department (CEDD)	040072	0		
Summary		Date:			
		11 Sept	ember 20	020	
		Approved			
	ument presents the Monthly EM&A Report for nental Monitoring and Audit for Disposal Facility to the East hau.	1			
		Craig A Partner	. Reid		
v0	Monthly EM&A Report for ESC CMPs	GS	RC	CAR	11/09/20
Revision	Description	Ву	Checked	Approved	Date
name of 'EF terms of the Business ar	has been prepared by Environmental Resources Management the trading RM Hong-Kong, Limited', with all reasonable skill, care and diligence within the Contract with the client, incorporating our General Terms and Conditions of ad taking account of the resources devoted to it by agreement with the client.	Distribution Inte	on ernal		BSI
We disclaim the scope o	any responsibility to the client and others in respect of any matters outside f the above.	⊠ Pul	olic	(6	BSI
nature to thi	s confidential to the client and we accept no responsibility of whatsoever rd parties to whom this report, or any part thereof, is made known. Any such on the report at their own risk.	☐ Co	nfidential	ISO S Certificat	0001 : 2008 e No. FS 32515







# Dredging, Management and Capping of Contaminated Sediment Disposal Facility at Sha Chau

# Environmental Certification Sheet EP-312/2008/A

#### Reference Document/Plan

Document/Plan to be Certified/ Verified:

Monthly EM&A Report for Contaminated Mud Pits to the

East of Sha Chau - August 2020

Date of Report:

11 September 2020

Date prepared by ET:

11 September 2020

Date received by IA:

11 September 2020

#### Reference EP Condition

**Environmental Permit Condition:** 

Condition 3.4 of EP-312/2008/A:

4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of the reporting month. The EM&A Reports shall include a summary of all non-compliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be certified by the ET Leader and verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.

#### **ET Certification**

I hereby certify that the above referenced document/ $\frac{1}{plan}$  complies with the above referenced condition of EP-312/2008/A

Craig Reid,

Environmental Team Leader:

Date:

11/09/2020

#### **IA Verification**

I hereby verify that the above referenced document/plan complies with the above referenced condition of

EP-312/2008/A

Dr Wang Wen Xiong, Independent Auditor: Date:

11/09/2020

#### **CONTENTS**

1.1	BACKGROUND	1
1.2	Reporting Period	2
1.3	DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES	2
1.4	DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS	2
1.5	BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V	3
1.6	ACTIVITIES SCHEDULED FOR THE NEXT MONTH	9
1.7	STUDY PROGRAMME	9
	ANNEXES	

ANNEX A	SAMPLING SCHEDULE
ANNEX $B$	WATER QUALITY MONITORING RESULTS
ANNEX C	GRAPHICAL PRESENTATIONS
ANNEX D	STUDY PROGRAMME

# Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) - Investigation

#### MONTHLY EM&A REPORT FOR AUGUST 2020

#### 1.1 BACKGROUND

- 1.1.1 The Civil Engineering and Development Department (CEDD) is managing a number of marine disposal facilities in Hong Kong waters, including the Contaminated Mud Pits (CMPs) to the South of The Brothers (SB) and to the East of Sha Chau (ESC) for the disposal of contaminated sediment, and opensea disposal grounds located to the South of Cheung Chau (SCC), East of Tung Lung Chau (ETLC) and East of Ninepins (ENP) for the disposal of uncontaminated sediment. Two Environmental Permits (EPs), EP-312/2008/A and EP-427/2011/A, were issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 and 23 December 2011 for the Dredging, Management and Capping of Contaminated Sediment Disposal Facilities at ESC CMP V and SB CMPs, respectively.
- 1.1.2 Under the requirements of the two EPs for ESC CMP V and SB CMPs, EM&A programmes which encompass water and sediment chemistry, fisheries assessment, tissue and whole body analysis, sediment toxicity and benthic recolonisation studies as set out in the EM&A Manuals are required to be implemented. EM&A programmes have been continuously carried out during the operation of the CMPs at ESC and SB. A review of the collection and analysis of such environmental data from the monitoring programme demonstrated that there had not been any adverse environmental impacts resulting from disposal activities (1) (2). The current programme will assess the impacts resulting from dredging, disposal and capping operations of CMP V as well as capping operations of SB CMPs.
- 1.1.3 The present EM&A programme under *Agreement No. CE 63/2016 (EP)* covers the dredging, disposal and capping operations of the ESC CMP V as well as the capping operations of the SB CMPs (see *Annex A* for the EM&A programme). The scheduled EM&A programme for SB CMPs was completed in December 2018. Detailed works schedule for ESC CMP V is shown in *Figure 1.1*. In August 2020, the following works were undertaken:
  - Disposal of contaminated mud at ESC CMP Vb; and
  - Capping operations at ESC CMP Vd.

ERM (2013) Final Report. Submitted under Agreement No. CE 4/2009 (EP) Environmental Monitoring and Audit for Contaminated Mud Pit at East Sha Chau. For CEDD.

<sup>(2)</sup> ERM (2017) Final Report. Submitted under Agreement No. CE 23/2012 (EP) Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012 - 2017). For CEDD.

Figure 1.1 Works Schedule for ESC CMP V

Pit Operation					20 <sup>.</sup>	17										20	18											20	19	_									2	202	0						20	21	
PIL		Α	N	IJ	J	Α	S	S	0 1	N I	٥,	J	F	М	Α	M	J	J	Α	s	0	Ν	D	7	F	М	Α	М	J	J	Α	s	0	Ν	D	J	F	VI A	A N	Λ,	J,	JA	S	0	) N	I D	J	J F	: 1
Dre	Dredging																																																Τ
ESC CMP V	Disposal																																						T				Г		Г				T
	Capping																																																

#### 1.2 REPORTING PERIOD

1.2.1 This *Monthly EM&A Report for August 2020* covers the EM&A activities for the reporting month of August 2020.

#### 1.3 DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES

- 1.3.1 The following monitoring activities were undertaken for ESC CMP V in August 2020:
  - Water Column Profiling of ESC CMP Vb;
  - Routine Water Quality Monitoring of ESC CMPs;
  - Water Quality Monitoring During Capping of ESC CMPs;
  - Pit Specific Sediment Chemistry of ESC CMP Vb;
  - Cumulative Impact Sediment Chemistry of ESC CMPs;
  - Sediment Chemistry after a Major Storm of ESC CMP V;
  - Sediment Toxicity Tests of ESC CMP V; and
  - *Demersal Trawling for ESC CMPs.*

#### 1.4 DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS

- 1.4.1 No outstanding sampling remained for August 2020.
- 1.4.2 The following analyses are in progress and will be presented in the corresponding quarterly report:
  - Species identification of the biota samples collected from *Demersal Trawling for ESC CMPs* in August 2020; and
  - Sediment Toxicity Tests of ESC CMPs in August 2020.

#### 1.5 Brief Discussion of the Monitoring Results for ESC CMP V

- 1.5.1 Brief discussion of the monitoring results of the following activities for ESC CMP V is presented in this *Monthly EM&A Report for August 2020*:
  - Water Column Profiling of ESC CMP Vb;
  - Routine Water Quality Monitoring of ESC CMPs;
  - Water Quality Monitoring During Capping of ESC CMPs;
  - Pit Specific Sediment Chemistry of ESC CMP Vb;
  - Cumulative Impact Sediment Chemistry of ESC CMPs; and
  - Sediment Chemistry after a Major Storm of ESC CMP V.

#### 1.5.2 Water Column Profiling of ESC CMP Vb - September 2020


1.5.3 Water Column Profiling was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 11 August 2020. The monitoring results have been assessed for compliance with the Water Quality Objectives (WQOs) set by Environmental Protection Department (EPD). This consists of a review of the EPD routine water quality monitoring data for the wet season period (April to October) of 2009 - 2018 from stations in the Northwestern Water Control Zone (WCZ), where the ESC CMPs are located (1). For Salinity, the averaged value obtained from the Reference (Upstream) station was used for the basis as the WQO. Levels of Dissolved Oxygen (DO) and Turbidity were also assessed for compliance with the Action and Limit Levels (see Table B1 of Annex B for details).

In-situ Measurements

1.5.4 Analyses of results for August 2020 indicated that levels of Salinity, pH and DO complied with the WQOs at both Downstream and Upstream stations (*Table B2* of *Annex B*). Levels of DO and Turbidity at all stations complied with the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).

Laboratory Measurements for Suspended Solids (SS)

- 1.5.5 Analyses of results August 2020 indicated that the SS levels at both Downstream and Upstream stations complied with the WQO and the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).
- 1.5.6 Overall, the monitoring results indicated that the mud disposal operation at ESC CMP Vb did not appear to cause any deterioration in water quality during this reporting period.
- 1.5.7 Routine Water Quality Monitoring of ESC CMPs August 2020
- 1.5.8 Routine Water Quality Monitoring of ESC CMPs was undertaken on 4 August 2020. The monitoring results have been assessed for compliance with the WQOs (see Section 1.5.3 for details). The monitoring results are shown in Tables B3 and B4 of Annex B and Figures 1 10 of Annex C. A total of sixteen (16) monitoring stations were sampled in August 2020 as shown in Figure 1.2.



File: T:\GIS\CONTRACT\0175086\Mxd\updated\_20170419\0175086\_R\_C\_WQMS\_ebb.mxd

Resources Management



#### In-situ Measurements

- 1.5.9 Graphical presentation of the monitoring results (Temperature, DO, pH, Salinity and Turbidity) is shown in *Figures 1 6* of *Annex C*. Analyses of results for August 2020 indicated that the levels of pH, Salinity and DO complied with the WQOs at all stations in August 2020.
- 1.5.10 The levels of DO and Turbidity complied with the Action and Limit Levels at all stations (*Table B3* of *Annex B*; *Figures 3* and 6 of *Annex C*).
- 1.5.11 Overall, *in-situ* measurement results of the *Routine Water Quality Monitoring* indicated that the disposal operation at ESC CMP Vb did not appear to cause any unacceptable impacts in water quality in August 2020.

Laboratory Measurements

- 1.5.12 Laboratory analysis of August 2020 results indicated that concentrations of Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Nickel and Zinc were detected in August 2020 samples at all stations and the concentrations of most metals and metalloids were similar amongst the stations, except the concentrations of Nickel and Lead were higher at Intermediate stations, the concentrations of Chromium and Mercury were higher at Impact stations when compared to other stations (*Table B4* of *Annex B*; *Figure 7* of *Annex C*). Some of the values for Copper and Zinc were found to be outliers and thus excluded from analysis.
- 1.5.13 For nutrients, concentrations of Total Inorganic Nitrogen (TIN) at all stations were higher than the WQO (0.5 mg/L) (*Table B4* of *Annex B*; *Figure 8* of *Annex C*). It should be noted that due to the effect of the Pearl River, the North Western WCZ has historically experienced higher levels of TIN <sup>(1)</sup>. Therefore, the exceedances of TIN WQO at these stations are unlikely to be caused by the disposal operation at ESC CMPs. The concentrations of Ammonia Nitrogen (NH<sub>3</sub>-N) were higher at Ma Wan station in August 2020 (*Table B4* of *Annex B*; *Figure 8* of *Annex C*). The concentrations of Biochemical Oxygen Demand (BOD<sub>5</sub>) were lower at Ma Wan station (*Table B4* of *Annex B*; *Figure 9* of *Annex C*).
- 1.5.14 Analyses of results for August 2020 indicated that the SS levels at Intermediate and Impact stations were higher than the WQO, and the SS levels at all stations complied with the Action and Limit Levels (*Tables B1 and B4* of *Annex B*; *Figure 10* of *Annex C*).
- 1.5.15 Overall, results of the *Routine Water Quality Monitoring* indicated that the disposal operation at ESC CMPs did not appear to cause any unacceptable deterioration in water quality in August 2020. Detailed statistical analysis will be presented in the Quarterly Report to investigate any spatial and temporal trends of potential concern.

 $<sup>\</sup>label{eq:control_problem} \begin{tabular}{ll} (1) & http://www.epd.gov.hk/epd/misc/marine_quality/1986-2005/textonly/eng/index.htm \end{tabular}$ 


- 1.5.16 Water Quality Monitoring during Capping of ESC CMPs August 2020
- 1.5.17 The monitoring results obtained during August 2020 sampling in the wet season have been assessed for compliance with the WQOs (see *Section 1.5.3* for details). A total of ten (10) monitoring stations were sampled on 10 August 2020 as shown in *Figure 1.3*.

In-situ Measurements

1.5.18 Graphical presentation of the monitoring results (Temperature, DO, pH, Salinity and Turbidity) is shown in *Figures 11-16* of *Annex C*. Levels of pH and DO at all stations in August 2020 complied with the WQO, while the Levels of Salinity were higher than WQO at Ma Wan Station (*Table B5* of *Annex B*). Levels of DO and Turbidity complied with the Action and Limit levels at all stations (*Tables B1* and *B5* of *Annex B*). The higher Salinities recorded at Ma Wan station are likely to be caused by the larger separation distance to Pearl River mouth, which release a large amount of freshwater runoff in the area during wet season, when compared to the Reference stations.


Laboratory Measurements for Suspended Solids (SS)

- 1.5.19 Concentrations of SS complied with the WQO and the Action and Limit Levels at all stations in August 2020 (*Table B5* of *Annex B*; *Figure 17* of *Annex C*).
- 1.5.20 Overall, results of the Water Quality Monitoring during Capping of ESC CMPs indicated that the capping operation at ESC CMP Vd did not appear to cause any unacceptable deterioration in water quality in August 2020. Further statistical analysis will be undertaken in the quarterly report to investigate whether the capping operations at ESC CMP Vd is causing any unacceptable deterioration in water quality of the area.
- 1.5.21 Pit Specific Sediment Chemistry of ESC CMP Vb August 2020
- 1.5.22 Monitoring locations for *Pit Specific Sediment Chemistry for ESC CMP Vb* are shown in *Figure 1.4*. A total of six (6) monitoring stations were sampled on 12 August 2020.
- 1.5.23 The concentrations of most inorganic contaminants were lower than the Lower Chemical Exceedance Levels (LCELs) at most stations, except for Arsenic (*Figures 18 and 19* of *Annex C*). The concentrations of Arsenic were higher than the LCEL at Pit-Edge station ESC-NECA and Active-Pit station ESC-NPCB.



Routine & Capping Water Quality Sampling Stations (Flood-Tide) for ESC CMPs





File: T:\GIS\CONTRACT\0400720\Mxd\0400720\_SQMS\_pit specific.mxd Date: 9/5/2017


Pit Specific Sediment Quality Monitoring Stations for CMPV



- 1.5.24 Whilst the average concentration of Arsenic in the Earth's crust is generally ~2mg/kg, significantly higher Arsenic concentrations (median = 14 mg/kg) have been recorded in Hong Kong's onshore sediments <sup>(1)</sup>. It is presumed that the natural concentrations of Arsenic are similar in onshore and offshore sediments <sup>(2)</sup>, and relatively high Arsenic levels may thus occur throughout Hong Kong. Therefore, the LECL exceedances of Arsenic are unlikely to be caused by the disposal operations at ESC CMP Vb but rather as a result of naturally occurring deposits.
- 1.5.25 For organic contaminants, the concentrations of Total Organic Carbon (TOC) were higher at Active-Pit stations ESC-NPCA and ESC-NPCB in August 2020 (*Figure 20 of Annex C*). The concentrations of Low Molecular Weight and High Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs) were lower than the LCELs at all stations (*Figure 21 of Annex C*). The concentrations of Tributyltin (TBT) were higher at Active-Pit stations ESC-NPCA and ESC-NPCB (*Figure 22 of Annex C*). The concentrations of Total Polychlorinated Biphenyls (PCBs), Total dichloro-diphenyl-trichloroethane (DDT) and 4,4'-dichlorodiphenyldichloroethylene (DDE) were below the limit of reporting at all stations in August 2020.
- 1.5.26 Overall, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vb in August 2020. Statistical analysis will be undertaken and presented in the corresponding quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.
- 1.5.27 Cumulative Impact Sediment Chemistry of ESC CMPs August 2020
- 1.5.28 Monitoring locations for Cumulative Impact Sediment Chemistry for ESC CMPs are shown in *Figure 1.5*. A total of nine (9) monitoring stations were sampled on 5 and 6 August 2020.
- 1.5.29 Analyses of results for the *Cumulative Impact Sediment Chemistry Monitoring* indicated that the concentrations of most inorganic contaminants were below the LCEL at most stations in August 2020, except concentrations of Arsenic were higher than the LCEL at Mid-field stations ESC-RMA, ESC-RMB and Capped Pit station ESC-RCB1 (*Figures* 23 and 24 of *Annex C*). As discussed in *Section* 1.5.24, the LECL exceedances of Arsenic are unlikely to be caused by the disposal operations at ESC CMP Vb but rather as a result of naturally occurring deposits.

Sewell RJ (1999) Geochemical Atlas of Hong Kong. Geotechnical Engineering Office, Government of the Hong Kong Special Administrative Region

<sup>(2)</sup> Whiteside PGD (2000) Natural geochemistry and contamination of marine sediments in Hong Kong. In: The Urban Geology of Hong Kong (ed Page A & Reels SJ). Geological Society of Hong Kong Bulletin No. 6, p109-121



Cumulative Impacts Sediment Quality Monitoring Stations for ESC CMPs

Environmental Resources Management



 $File: T:\GIS\setminus CONTRACT\setminus 0.175086\setminus Mxd\setminus updated\_20170419\setminus 0.175086\_SQMS\_cum\_impact.mxd$  Date: 19/4/2017

- 1.5.30 For organic contaminants, the concentrations of TOC and TBT varied between stations in August 2020, with the generally higher concentrations of TOC and TBT recorded at Ma Wan station (*Figure 25* and 26 of *Annex C*). The concentrations of Total PCBs, Total DDT, 4,4'- DDE, Low Molecular Weight and High Molecular Weight PAHs were below the limit of reporting at all stations in August 2020.
- 1.5.31 Overall, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at ESC CMP Vb in August 2020. Statistical analysis will be undertaken and presented in the corresponding quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.

#### 1.5.32 Sediment Chemistry after a Major Storm of ESC CMP V – August 2020

Sampling for Sediment Chemistry after a Major Storm Event was conducted at nine (9) monitoring stations (see *Figure 1.4* for the locations of the monitoring stations) on 21 August 2020 after the visit of tropical cyclone Higos, which led to the issue of No. 9 Gale or Storm Signal on 19 August 2020. The track of higos are shown in *Figure 1.6*.

Figure 1.6 Track of Tropical Cyclone Higos (Source: Hong Kong Observatory)



- 1.5.33 Analyses of results for the *Sediment Chemistry after a Major Storm* indicated that the concentrations of most inorganic contaminants were below the LCEL, except Arsenic at Near-field station ESC-RNB1, Mid-field stations ESC-RMA and ESC-RMB, Far-field stations ESC-RFA and ESC-RFB and Ma Wan Station in August 2020 (*Figures 27* and *28* of *Annex C*).
- 1.5.34 As discussed in *Section 1.5.24*, the LECL exceedances of Arsenic are unlikely to be caused by the disposal operations at ESC CMP Vb but rather as a result of naturally occurring deposits.

Overall, there appeared to be no evidence showing the failure of ESC CMP V in retaining disposed mud or causing contamination of sediments after the major storm event in August 2020.

#### 1.6 ACTIVITIES SCHEDULED FOR THE NEXT MONTH

- 1.6.1 The following monitoring activities will be conducted in the next monthly period of September 2020 for ESC CMP V (see *Annex A* for the sampling schedule <sup>(1)</sup>):
  - Water Column Profiling of ESC CMP Vb; and
  - Pit Specific Sediment Chemistry of ESC CMP Vb.

#### 1.7 STUDY PROGRAMME

1.7.1 A summary of the Study Programme is presented in *Annex D*.

<sup>(1)</sup> The scheduled EM&A Programme for SB CMPs was completed in December 2018.

#### Annex A

### Sampling Schedule

Pit Specific Sediment Chemistry	Code	Frequency	A M	J J	2017 A S	O N	D	J F	M A	20 M J		S O N 1	D J	F M A		J A S	0 1	N D	J F M	A		J A	S O N	D	202i J F
Active-Pit	ESC-NPAA ESC-NPAB	Monthly Monthly	12 12				12					2 12 12 1 2 12 12 1				12 12 12							12 12 12		
Pit-Edge		Monthly	12 12	12 12	12 12	2 12 12	12	12 12	12 12	12 12	12 12 1	2 12 12 1	2 12 1	12 12 12	12 12	12 12 12	12 1	2 12	12 12 12	12	12 12	12 12	12 12 12	12 1	12 12
Jear-Pit		Monthly										2 12 12 1													
_	ESC-NNAA ESC-NNAB	Monthly				2 12 12						2 12 12 1 2 12 12 1				12 12 12 12 12 12							12 12 12 12 12 12		
Cumulative Impact Sediment Che Near-field Stations	mistry		A M		A S	O N	D		M A	M J				F M A	M J		0 1		J F M	A		J A			J F
	ESC-RNA ESC-RNB1	4 times per year 4 times per year		12 12	12 12		12 12	12 12		12 12	12 12			12	12 12	12 12		12 12	12 12		12 12	12 12		12 12	12 12
Mid-field Stations	ESC-RMA ESC-RMB	4 times per year 4 times per year		12 12	12 12		12 12	12		12	12 12			12	12			12 12	12 12		12 12	12 12		12 12	12
Capped Pit Stations	ESC-RCA1	4 times per year		12	12		12	12		12	12	1	2 1	12	12	12		12	12		12	12		12	12
Far-Field Stations	ESC-RCB1	4 times per year		12	12		12	12		12	12			12	12			12	12		12	12		12	12
Ma Wan Station	ESC-RFA ESC-RFB	4 times per year 4 times per year		12	12		12	12		12	12			12	12			12	12		12 12	12 12		12	12
	MW1	4 times per year		12	12		12	12		12	12			12	12			12	12		12			12	12
Sediment Toxicity Tests Near-Pit Stations	FOC TD 4	2.0	A M	J J		ON	D		M A	M J		S O N I			M J	J A S	0 1	N D	J F M	A	M J		S O N	D	J F
Reference Stations	ESC-TDA ESC-TDB1	2 times per year 2 times per year			5			5			5			5		5			5			5			5
	ESC-TRA ESC-TRB	2 times per year 2 times per year			5			5			5			5		5 5			5			5			5
Ma Wan Station	MW1	2 times per year			5			5			5			5		5			5			5			5
Fissue/ Whole Body Sampling Near-Pit Stations			A M	J J	A S	ON	D	J F	M A	M J	J A	S O N I	D J	F M A	M J	J A S	0 1	I D	J F M	A	M J	J A	S O N	D ]	J F
	ESC-INA ESC-INB	2 times per year 2 times per year			*			*			*			*		*			*			*			*
Reference North	TNA TNB	2 times per year			*			*			*			*		*			*			*			*
Reference South	TSA	2 times per year 2 times per year			*			*			*			*		*			*	L		*			*
	TSB	2 times per year			*			*			*			*		*			*			*			*
Demersal Trawling Near Pit Stations	ESC-INA	4 times per year	A M		A S	UN	D	<b>J F</b> 5 5	M A	M J	J A 5 5	S O N I		F M A	MJ	J A S	0 1	D	J F M	A	M J	J A 5 5	S O N		J F 5
Reference North	ESC-INA ESC-INB	4 times per year 4 times per year	Ħ		5			5 5		H	5 5			5		5 5			5 5		H	5 5			5 5
	TNA TNB	4 times per year 4 times per year			5			5 5 5 5			5 5 5		5			5 5 5 5			5 5 5			5 5 5 5			5 5 5 5
Reference South	TSA TSB	4 times per year 4 times per year			5			5 5 5 5			5 5 5			5		5 5 5		+	5 5 5			5 5 5 5			5 5
Capping			A M		A S	ON	D		M A	МЈ		S O N I			MJ		0 1	N D		A	МІ	JA	S O N		J F
Ebb Tide Impact Station Downcurrent																				Г					
	ESC-IPE2A	4 times per year 4 times per year 4 times per year																	3 3		3 3	3 3		3 3	3 3
	ESC-IPE3 ESC-IPE4 ESC-IPE5	4 times per year 4 times per year 4 times per year											+	+				$\  \ $	3 3 3		3 3	3 3		3 3	3 3
ntermediate Station Downcurrent	ESC-INE1A	4 times per year																	3		3	3		3	3
	ESC-INE3A	4 times per year 4 times per year																	3 3		3 3	3 3		3 3	3 3
Reference Station Upcurrent		4 times per year 4 times per year																	3		3	3		3	3
	ESC-RFE1 ESC-RFE2	4 times per year 4 times per year																	3		3	3		3	3
	ESC-RFE3 ESC-RFE4 ESC-RFE5	4 times per year 4 times per year 4 times per year																	3 3		3 3	3 3		3 3	3 3
Ma Wan Station	MW1	4 times per year																	3		3	3		3	3
Flood Tide Impact Station Downcurrent																									
	ESC-IPF1 ESC-IPF2 ESC-IPF3	4 times per year 4 times per year 4 times per year																	3 3		3 3	3 3		3	3 3
Intermediate Station Downcurrent	ESC-INF1	4 times per year																	3		3	3		3	3
	ESC-INF2 ESC-INF3	4 times per year 4 times per year																	3		3	3		3	3
Reference Station Upcurrent	ESC-RFF1A ESC-RFF2A	4 times per year 4 times per year																	3		3	3		3	3
Ma Wan Station	ESC-RFF3	4 times per year																	3		3	3		3	3
	MW1	4 times per year																	3		3	3		3	3
Routine Water Quality Monitoring  Ebb Tide  Impact Station Downcurrent	g		A M	JJ	AS	ON	Б	JF	M A	MJ	JA	S O N I	D J .	F M A	. M J	J A S	O	ИВ	J F M	. A	M J	JA	S O N	D j	J F
	ESC-IPE1A ESC-IPE2A	8 times per year 8 times per year	8 8	8	8	8 8		8 8 8 8	8	8	8 8	8 8 8 8	8	8 8 8 8	8	8 8		3	8 8 8 8	8	8	8 8	8 8 8 8	8	8 8 8 8
	ESC-IPE3 ESC-IPE4 ESC-IPE5	8 times per year 8 times per year 8 times per year	8 8 8 8 8 8	8		8 8 8 8 8 8		8 8 8 8 8 8	8 8 8	8 8	8 8 8 8 8 8	8 8 8 8 8 8		8 8 8 8 8 8	8	8 8 8 8	8 8		8 8 8 8	8 8 8	8	8 8 8 8 8 8	8 8 8 8 8 8	8	8 8 8 8 8 8
Intermediate Station Downcurrent	ESC-INE1A	8 times per year	8 8	8		8 8		8 8	8	8	8 8	8 8		8 8		8 8	8 8		8 8	8	8	8 8	8 8		8 8
	ESC-INE2A ESC-INE3A	8 times per year 8 times per year	8 8 8 8	8 8	8	8 8 8 8		8 8 8 8	8	8	8 8	8 8						3	8 8	8	8	8 8	8 8 8 8	8	8 8 8 8
	ESC-INE4A ESC-INE5A	8 times per year	8 8	8	8	8 8		8 8			8 8	8 8	8	8 8	8	8 8	8 8			+		8 8	8 8		8 8
Reference Station Uncurrent		8 times per year	8 8	H°.	Ť	8 8		8 8	8	8	8 8 8 8 8 8	8 8 8 8 8 8	8		8 8 8			3	8 8	8		8 8	8 8	8	8 8
Reference Station Upcurrent	ESC-RFE1 ESC-RFE2	8 times per year 8 times per year	8 8 8 8	8	8 8	8 8		8 8 8 8 8 8	8 8 8	8 8 8 8	8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8	8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8	8 8	8 8	8 8 8 8 8 8	8 8 8 8 8	£ £	8 8 8 8
Reference Station Upcurrent	ESC-RFE2 ESC-RFE3 ESC-RFE4	8 times per year 8 times per year 8 times per year 8 times per year	8 8 8 8 8 8 8 8	8 8 8 8	8 8 8	8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8	8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8	8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	8 8 8 8 8 8 8 8
·	ESC-RFE2 ESC-RFE3	8 times per year 8 times per year 8 times per year	8 8 8 8 8 8	8 8 8 8 8	8 8 8	8 8 8 8 8 8		8 8 8 8 8 8 8 8	8 8 8 8	8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8	8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	8 8 8 8 8 8 8 8
Ma Wan Station Flood Tide	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1	8 times per year 8 times per year	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$ 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station Flood Tide	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2	8 times per year 8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station Flood Tide mpact Station Downcurrent	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1	8 times per year 8 times per year	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station Elood Tide mpact Station Downcurrent	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF3	8 times per year 8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  mpact Station Downcurrent  intermediate Station Downcurrent	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF3 ESC-INF1 ESC-INF2 ESC-INF3 ESC-RFF1A	8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station Flood Tide mpact Station Downcurrent intermediate Station Downcurrent Reference Station Upcurrent	ESC-RFE2 ESC-RFE3 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-IPF3 ESC-INF1 ESC-INF2 ESC-INF3	8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  mpact Station Downcurrent  Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-IPF3 ESC-INF1 ESC-INF2 ESC-INF3 ESC-RFF1A ESC-RFF2A	8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Aa Wan Station  Flood Tide  Indeed Tide  Indeed Tide  Intermediate Station Downcurrent  Reference Station Upcurrent  Aa Wan Station	ESC-RFE2 ESC-RFE3 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-IPF3 ESC-INF2 ESC-INF2 ESC-INF2 ESC-INF3 ESC-INF3 ESC-RFE3 MW1  WCP1	8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  mpact Station Downcurrent  Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Vater Column Profiling  Plume Stations	ISC-RFE2 ISC-RFE3 ISC-RFE4 ISC-RFE5 MW1 ISC-IPF1 ISC-IPF2 ISC-IPF2 ISC-INF1 ISC-INF3 ISC-INF3 ISC-RFEA	8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8   8   8   8   8   8   8   8   8   8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station Flood Tide mpact Station Downcurrent metermediate Station Downcurrent Reference Station Upcurrent Ma Wan Station Water Column Profiling Plume Stations	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1 ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF2 ESC-INF2 ESC-INF3 ESC-RFF2A ESC-RFF3 MW1  WCP1 WCP2	8 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8   8   8   8   8   8   8   8   8   8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide Impact Station Downcurrent Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Water Column Profiling  Plume Stations  Benthic Recolonisation Studies	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF2 ESC-INF3 ESC-RFEA ESC-RFEA MW1  WCP1 WCP2  ESC-VCPA ESC-VCPA ESC-VCPA ESC-VCPA	8 times per year 9 times per year 2 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8   8   8   8   8   8   8   8   8   8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  mpact Station Downcurrent  Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Nater Column Profiling  Plume Stations  Benthic Recolonisation Studies  Tapped Stations at CMPV	ESC-RFE2 ESC-RFE3 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-INF3 ESC-INF3 ESC-RFE3 MW1  WCP1 WCP2 ESC-VCPA ESCV-CPA ESCV-CPB ESCV-CPC ESCV-CPC	8 times per year 2 times per year 2 times per year 2 times per year 2 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8   8   8   8   8   8   8   8   8   8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  mpact Station Downcurrent  Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Nater Column Profiling  Plume Stations  Benthic Recolonisation Studies  Tapped Stations at CMPV	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF2 ESC-INF3 ESC-RFEA ESC-RFEA MW1  WCP1 WCP2  ESC-VCPA ESC-VCPA ESC-VCPA ESC-VCPA	8 times per year 9 times per year 2 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8   8   8   8   8   8   8   8   8   8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  Impact Station Downcurrent  Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Water Column Profiling  Plume Stations  Benthic Recolonisation Studies  Capped Stations at CMPV  Reference Stations	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-INF2 ESC-INF2 ESC-INF3 ESC-RFE3 MW1  WCP1 WCP2  ESC-V-CPA ESCV-CPA ESCV-CPA ESCV-CPC ESCV-CPC	8 times per year 2 times per year 2 times per year 2 times per year 2 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 1 8 1 8 8 1 8 8 1 8 8 1 8 8 1 8 8 1	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  Impact Station Downcurrent  Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Water Column Profiling  Plume Stations  Benthic Recolonisation Studies  Capped Stations at CMPV  Reference Stations	ESC-RFE2 ESC-RFE4 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-IPF2 ESC-INF3 ESC-INF3 ESC-INF3 ESC-RFEA MW1  WCP1 WCP2  ESC-V-CPA ESCV-CPA ESCV-CPB ESCV-CPD RBA RBB RBC1	8 times per year 9 times per year 2 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Benthic Recolonisation Studies Capped Stations at CMPV Reference Stations	ISC-RFE2 ISC-RFE3 ISC-RFE4 ISC-RFE5 MW1 ISC-IPF1 ISC-IPF2 ISC-IPF2 ISC-INF1 ISC-INF2 ISC-INF2 ISC-INF3 ISC-RFEA	8 times per year 9 times per year 2 times per year 3 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 1 8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide Impact Station Downcurrent Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Water Column Profiling  Plume Stations  Benthic Recolonisation Studies Capped Stations at CMPV  Reference Stations  Impact Monitoring for Dredging  Upstream Stations	ESC-RFE2 ESC-RFE4 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-IPF2 ESC-INF3 ESC-INF3 ESC-INF3 ESC-RFEA MW1  WCP1 WCP2  ESC-V-CPA ESCV-CPA ESCV-CPB ESCV-CPD RBA RBB RBC1	8 times per year 9 times per year 2 times per year	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Ma Wan Station  Flood Tide  Impact Station Downcurrent  Intermediate Station Downcurrent  Reference Station Upcurrent  Ma Wan Station  Water Column Profiling  Plume Stations  Senthic Recolonisation Studies  Capped Stations at CMPV  Reference Stations  Impact Monitoring for Dredging  Upstream Stations	ESC-RFE2 ESC-RFE3 ESC-RFE4 ESC-RFE5 MW1  ESC-IPF1 ESC-IPF2 ESC-INF1 ESC-INF1 ESC-INF2 ESC-INF2 ESC-INF3 ESC-RFE3 MW1  WCP1 WCP2  ESC-V-CPA ESCV-CPA ESCV-CPB ESCV-CPC ESCV-CPU RBA RBB RBB RBC1  US1 US2 DS1 DS2	8 times per year 2 times per year 3 times per year 3 times per week 3 times per week 3 times per week 3 times per week	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D 4 4 4	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 1 8 1 8 1 8 8 1 8 8 1 8 8 1 8 1 8 1 8	\$ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	S   S   S   S   S   S   S   S   S   S	S   S   S   S   S   S   S   S   S   S	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8

#### Annex B

### Water Quality Monitoring Results

Table B1 Action and Limit Levels of Water Quality for Dredging, Disposal and Capping Activities at ESC CMP V

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) (1)	Surface and Mid-depth (2)	Surface and Mid-depth (2)
	5%-ile of baseline data for surface and	1%-ile of baseline data for surface and
	middle layer = $3.76 \text{ mg L}^{-1}$	middle layer = 3.11 mg $L^{-1}$ (3)
	and	and
	Significantly less than the reference	Significantly less than the reference
	stations mean DO (at the same tide of	stations mean DO (at the same tide of
	the same day)	the same day)
	Bottom	Bottom
	5%-ile of baseline data for bottom	The average of the impact station
	layers = <b>2.96 mg L</b> -1	readings are <2 mg/L-1
	and	and
	Significantly less than the reference	Significantly less than the reference
	stations mean DO (at the same tide of	stations mean DO (at the same tide of
	the same day)	the same day)
Depth-averaged Suspended	95%-ile of baseline data for depth	99%-ile of baseline data for depth
Solids (SS) (4) (5)	average = 37.88 mg L-1	average = <b>61.92 mg L</b> -1
	and	1
	120% of control station's SS at the same	and 130% of control station's SS at the same
	tide of the same day	tide of the same day
	tide of the same day	tide of the same day
Depth-averaged Turbidity (Tby) (4) (5)	95%-ile of baseline data = <b>28.14 NTU</b>	99%-ile of baseline data = <b>38.32 NTU</b>
	and	and
	120% of control station's Tby at the same tide of the same day	130% of control station's Tby at the same tide of the same day

#### Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L<sup>-1</sup>, it is proposed to set the Limit Level at 3.11 mg L<sup>-1</sup> which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B2 Water Column Profiling Results for ESC CMP Vb in August 2020

Stations	Temp	Salinity	Turbidity	Dissolved	Oxygen	pН	Suspended Solids
	(°C)	(ppt)	(NTU)	(%)	(mg L-1)		(mg L <sup>-1</sup> )
WCP 1 (Downstream)	29.44	20.40	4.28	121.43	8.31	8.13	7.68
WCP 2 (Upstream)	29.46	21.16	3.28	128.08	8.70	8.17	8.90
WQO (Wet Season)	N/A	19.04-23.27#	N/A	N/A	>4	6.5-8.5	10.8

#### Note:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B3 In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in August 2020

Sampling	Stations	Temp	Salinity	Turbidity	Dissolve	d Oxygen	pН
Period	Stations	(°C)	(ppt)	(NTU)	(%)	(mg L-1)	(mg L-1)
August	RFE (Reference)	27.46	25.56	4.06	84.32	5.78	7.92
2020	IPE (Impact)	27.55	25.24	5.10	86.36	5.92	7.94
	INE (Intermediate)	27.35	25.63	7.04	83.69	5.74	7.92
	Ma Wan	26.83	27.01	3.42	76.29	5.24	7.88
	WQO	N/A	23.00- 28.11#	N/A	N/A	>4	6.5-8.5

#### Notes:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value higher than the WQO.

Table B4 Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in August 2020

Sampling Period	Stations	As (μg/L)	Cd (µg/L)	Cr (µg/L)	Cu (µg/L)	Pb (μg/L)	Hg (µg/L)	Ni (μg/L)	Ag (μg/L)	Zn (μg/L)	NH <sub>3</sub> (mg/ L)	TIN (mg/L)	BOD <sub>5</sub> (mg/L)	SS (mg/L)
August	RFE	3.65	0.31	1.36	18.23	1.56	0.82	1.38	<lor< td=""><td>32.46</td><td>0.15</td><td>0.59</td><td>1.29</td><td>7.75</td></lor<>	32.46	0.15	0.59	1.29	7.75
2020	IPE	3.22	0.27	2.61	17.33	3.29	1.69	1.53	<lor< td=""><td>24.44</td><td>0.13</td><td>0.58</td><td>1.10</td><td>11.30</td></lor<>	24.44	0.13	0.58	1.10	11.30
	INE	3.56	0.25	1.71	20.99	3.63	0.87	1.97	<lor< td=""><td>33.40</td><td>0.15</td><td>0.62</td><td>1.07</td><td>13.93</td></lor<>	33.40	0.15	0.62	1.07	13.93
	Ma Wan	3.74	0.25	1.54	14.06	0.86	0.49	0.75	<lor< td=""><td>39.14</td><td>0.24</td><td>0.55</td><td>0.76</td><td>7.83</td></lor<>	39.14	0.24	0.55	0.76	7.83

WQO of TIN: 0.5 mg/L

Wet Season WQO of SS: 10.8 mg/L

Notes:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value higher than the WQO.

<sup>#</sup>Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

<sup>\*</sup>Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

<sup>&</sup>lt;LOR indicates the concentrations of metals and metalloids are below the limit of reporting</p>

Table B5 Monitoring Results for Water Quality Monitoring during Capping of ESC on 10 August 2020

Sampling		Temp	Salinity	Turbidity	Dissolve	d Oxygen	pН	SS
Period	Stations	(°C)	(ppt)	(NTU)	(%)	(mg L-1)	(mg L-1)	(mg L-1)
August	RFF (Reference)	29.18	22.17	2.00	103.89	7.05	8.07	5.4
2020	IPF (Impact)	28.90	23.02	3.60	94.28	5.67	7.99	6.2
	INF (Intermediate)	28.95	22.74	2.57	95.40	6.48	7.99	5.0
	Ma Wan	28.24	26.05	0.80	87.66	5.92	7.89	3.2
	WQO	N/A	19.95- 24.39*	N/A	N/A	>4	6.5-8.5	10.8

#### Notes:

<sup>#</sup> Not exceeding 2°C of change of the results from the Reference Station.

<sup>\*</sup>Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

#### Annex C

# **Graphical Presentations**





Figure 1: Level of pH recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.



Routine Water Quality Monitoring ESC CMP V - August 2020

Figure 2: Level of Dissolved Oxygen (DO) (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.

Station

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\41 Monthly August 2020

Date: September 2020






Figure 3: Concentration of Dissolved Oxygen (DO) (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.




Figure 4: Level of Temperature (°C; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.

Date: September 2020






Figure 5: Level of Salinity (ppt; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.




Figure 6: Levels of Turbidity (NTU; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.

Date: September 2020






Figure 7: Concentration of Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Nickel and Zinc ( $\mu$ g/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.




Figure 8: Concentration of Total Inorganic Nitrogen (TIN) and Ammonia Nitrogen (NH3-N) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.

Date: September 2020






Figure 9: Level of Biochemical Oxygen Demand (BOD<sub>5</sub>) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.




Figure 10: Concentration of Suspended Solids (SS) (mg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in August 2020.

Date: September 2020






Figure 11: Levels of Temperature (°C; mean +SD) recorded from Water Quality Monitoring during Capping of ESC CMPs in August 2020.




Figure 12: Levels of Dissolved Oxygen (% saturation; mean +SD) recorded from Water Quality Monitoring during Capping of ESC CMPs in August 2020

Date: September 2020






Figure 13: Levels of Dissolved Oxygen (% saturation; mean +SD) recorded from Water Quality Monitoring during Capping of ESC CMPs in August 2020




Figure 14: Levels of pH (mean +SD) recorded from Water Quality Monitoring during Capping of ESC CMPs in August 2020.

Date: September 2020






Figure 15: Levels of Salinity (ppt; mean +SD) recorded from Water Quality Monitoring during Capping of ESC CMPs in August 2020.




Figure 16: Levels of Turbidity (NTU; mean +SD) recorded from Water Quality Monitoring during Capping of ESC CMPs in August 2020.

Date: September 2020






Figure 17: Levels of Suspended Solids (mg/L; mean +SD) recorded from Water Quality Monitoring during Capping of ESC CMPs in August 2020.

#### Pit Specific Sediment Chemistry for Metal and Metalloid Contaminants at ESC CMP Vb August 2020 300 Chromium LOR=0.05, LCEL=80, UCEL=160 Copper LOR=0.05, LCEL=65, UCEL=110 UCEL Zinc ■Nickel LOR=0.05, LCEL=40, UCEL=40 250 ■Lead LOR=0.05, LCEL=75, UCEL=110 ■Zinc LOR=0.2, LCEL=200, UCEL=270 ■Arsenic LOR=0.1, LCEL=12, UCEL=42 200 mg/kg dry weight UCEL Chro 150 100 LCELs Chromium LCELs Lead LCELs Coppe 50 UCEL Arsenic LCEL/ UCEL Nicke LCEL Arsenic ESC-NECA (Pit-Edge) ESC-NECB (Pit-Edge) ESC-NPCA (Active-Pit) ESC-NPCB (Active-Pit) ESC-NNCA(Near-Pit) ESC-NNCB(Near-Pit) Stations

Figure 18: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in August 2020.

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\41 Monthly August 2020

Date: September 2020






Figure 19: Concentration of Metals (Cd, Hg, Ag; mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in August 2020.




Figure 20: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in August 2020.

Date: September 2020






Figure 21: Concentration of Low and High Molecular Weight Polycyclic Aromatics (mg/kg dry weight; mean +SD) in sediment samples collected from Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in August 2020.




Figure 22: Concentration of Tributyltin (TBT) (μg/kg dry weight; mean +SD) in sediment samples collected Pit Specific Sediment Chemistry Monitoring for ESC CMP Vb in August 2020.

Date: September 2020






Figure 23: Concentration of Metals and Metalloid (Cr, Cu, Ni, Pb, Zn, As; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2020.




Figure 24: Concentration of Metals (Cd, Hg, Ag; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2020.

Date: September 2020






Figure 25: Concentration of Total Organic Carbon (TOC) (mg/kg dry weight; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2020.

Cumulative Impact Sediment Chemistry for Tributyltin (TBTs) at ESC CMPs for August 2020 160 140 120 ug/kg dry weight 100 80 60 40 20 FSC-RNB1 FSC-RMA FSC-RMB ESC-RFB ESC-RCA1 ESC-RCB1 FSC-RNA ESC-RFA (Near-field) (Mid-field) (Mid-field) (Far-field) (Far-field) (Capped Pit)(Capped Pit) Station

Figure 26: Concentration of Tributyltin (TBT) (µg/kg dry weight; mean +SD) in sediment samples collected from Cumulative Impact Sediment Chemistry Monitoring for ESC CMPs in August 2020.

Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Monthly Report\41 Monthly August 2020

Date: September 2020






Figure 27: Concentration of Metals (Cr, Cu, Ni, Pb, Zn, As; mean +SD) in sediment samples collected from Sediment Chemistry after a Major Storm for ESC CMPs in August 2020.




Figure 28: Concentration of Metals (Cd, Hg, Ag; mean +SD) in sediment samples collected from Sediment Chemistry after a Major Storm for ESC CMPs in August 2020.

Date: September 2020



#### Annex D

# Study Programme

