



Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – October 2020

**Revision 0** 

November 2020

#### **Environmental Resources Management** 2507, 25/F, One Harbourfront 18 Tak Fung Street

Hunghom, Kowloon Hong Kong Telephone (852) 2271 3000 Facsimile (852) 2723 5660



www.erm.com

# Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) – Investigation

Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau – October 2020

### **Revision 0**

Document Code: 0400720\_Monthly October 2020\_v0.doc

#### Environmental Resources Management

2507, 25/F, One Harbourfront 18 Tak Fung Street Hunghom, Kowloon Hong Kong Telephone: (852) 2271 3000 Facsimile: (852) 2723 5660 E-mail: post.hk@erm.com http://www.erm.com

		r			
Client:		Project N	0:		
Civil Eng	gineering and Development Department (CEDD)	040072	0		
Summary		Date:			
-		11 Nove	ember 20	20	
		Approved	by:		
	ument presents the Monthly EM&A Report for nental Monitoring and Audit for Disposal Facility to the East hau.	1	if		
		Craig A <i>Partner</i>	. Reid		
v0	Monthly EM&A Report for ESC CMPs	GS	RC	CAR	11/11/20
Revision	Description	Ву	Checked	Approved	Date
name of 'EF terms of the	has been prepared by Environmental Resources Management the trading M Hong-Kong, Limited', with all reasonable skill, care and diligence within the Contract with the client, incorporating our General Terms and Conditions of id taking account of the resources devoted to it by agreement with the client.	Distributio	on ernal		* 18001:2007 No. OHS 515956
We disclaim the scope o	any responsibility to the client and others in respect of any matters outside f the above.	🛛 Pu	blic		
nature to thi	s confidential to the client and we accept no responsibility of whatsoever rd parties to whom this report, or any part thereof, is made known. Any such on the report at their own risk.	🗌 Co	nfidential	ISO 9 Certificate	001 : 2008 2 No. FS 32515







## Dredging, Management and Capping of Contaminated Sediment Disposal **Facility at Sha Chau**

## **Environmental Certification Sheet** EP-312/2008/A

#### **Reference Document/Plan** Document/Plan to be Certified/ Verified: Monthly EM&A Report for Contaminated Mud Pits to the East of Sha Chau - October 2020 11 November 2020 Date of Report: Date prepared by ET: 11 November 2020 11 November 2020 Date received by IA:

#### **Reference EP Condition**

Environmental Permit Condition:

Condition 3.4 of EP-312/2008/A:

4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of the reporting month. The EM&A Reports shall include a summary of all noncompliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be certified by the ET Leader and verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.

#### **ET** Certification

I hereby certify that the above referenced docu EP-312/2008/A	ment/ <del>plan</del> complies w	vith the above re	eferenced condition of
Craig Reid, Environmental Team Leader:	R.J	Date:	11/11/2020
IA Verification	51		
I hereby verify that the above referenced docum EP-312/2008/A	ment/ <del>plan</del> complies w	ith the above re	eferenced condition of
Dr Wang Wen Xiong, Independent Auditor:	H Nang	Date:	11/11/2020

#### CONTENTS

1.1	BACKGROUND	1
1.2	Reporting Period	2
1.3	DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES	2
1.4	DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS	2
1.5	BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V	2
1.6	ACTIVITIES SCHEDULED FOR THE NEXT MONTH	7
1.7	Study Programme	7

### ANNEXES

ANNEX A	SAMPLING SCHEDULE
ANNEX B	WATER QUALITY MONITORING RESULTS
ANNEX C	GRAPHICAL PRESENTATIONS
ANNEX D	STUDY PROGRAMME

### Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) - Investigation

#### MONTHLY EM&A REPORT FOR OCTOBER 2020

#### 1.1 BACKGROUND

- 1.1.1 The Civil Engineering and Development Department (CEDD) is managing a number of marine disposal facilities in Hong Kong waters, including the Contaminated Mud Pits (CMPs) to the South of The Brothers (SB) and to the East of Sha Chau (ESC) for the disposal of contaminated sediment, and opensea disposal grounds located to the South of Cheung Chau (SCC), East of Tung Lung Chau (ETLC) and East of Ninepins (ENP) for the disposal of uncontaminated sediment. Two Environmental Permits (EPs), EP-312/2008/A and EP-427/2011/A, were issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 and 23 December 2011 for the Dredging, Management and Capping of Contaminated Sediment Disposal Facilities at ESC CMP V and SB CMPs, respectively.
- 1.1.2 Under the requirements of the two EPs for ESC CMP V and SB CMPs, EM&A programmes which encompass water and sediment chemistry, fisheries assessment, tissue and whole body analysis, sediment toxicity and benthic recolonisation studies as set out in the EM&A Manuals are required to be implemented. EM&A programmes have been continuously carried out during the operation of the CMPs at ESC and SB. A review of the collection and analysis of such environmental data from the monitoring programme demonstrated that there had not been any adverse environmental impacts resulting from disposal activities <sup>(1)</sup> <sup>(2)</sup>. The current programme will assess the impacts resulting from dredging, disposal and capping operations of CMP V as well as capping operations of SB CMPs.
- 1.1.3 The present EM&A programme under *Agreement No. CE 63/2016 (EP)* covers the dredging, disposal and capping operations of the ESC CMP V as well as the capping operations of the SB CMPs (see *Annex A* for the EM&A programme). The scheduled EM&A programme for SB CMPs was completed in December 2018. Detailed works schedule for ESC CMP V is shown in *Figure 1.1*. In October 2020, the following works were undertaken:
  - Disposal of contaminated mud at ESC CMP Vb; and
  - Capping operations at ESC CMP Vd.

ERM (2013) Final Report. Submitted under Agreement No. CE 4/2009 (EP) Environmental Monitoring and Audit for Contaminated Mud Pit at East Sha Chau. For CEDD.

<sup>(2)</sup> ERM (2017) Final Report. Submitted under Agreement No. CE 23/2012 (EP) Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012 - 2017). For CEDD.

### *Figure 1.1* Works Schedule for ESC CMP V

Dit	Oneration					20	17										20	)18	3										:	20	19	_										2	020	)						20	21	Ī
Pit	Operation	Α	М	J	J	A	۱s	5	0	N	D	J	F	М	A	М	J	J	Α	S	i C	D N	1	),	J	FI	v v	A I	М	J	J	Α	s	0	Ν	D	J	F	М	Α	М	J	J	Α	S	0	N	D	J	F	= N	1
	Dredging																																																			1
ESC CMP V	Disposal																																																			
	Capping																																																			

### 1.2 **REPORTING PERIOD**

- 1.2.1 This *Monthly EM&A Report for October 2020* covers the EM&A activities for the reporting month of October 2020.
- **1.3** DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES
- 1.3.1 The following monitoring activities were undertaken for ESC CMP V in October 2020:
  - Water Column Profiling of ESC CMP Vb;
  - Routine Water Quality Monitoring of ESC CMPs;
  - Pit Specific Sediment Chemistry of ESC CMP Vb; and
  - Sediment Chemistry after a Major Storm of ESC CMP V.

#### 1.4 DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS

- 1.4.1 No outstanding sampling remained for October 2020.
- 1.5 BRIEF DISCUSSION OF THE MONITORING RESULTS FOR ESC CMP V
- 1.5.1Brief discussion of the monitoring results of the following activities for ESC<br/>CMP V is presented in this *Monthly EM&A Report for October* 2020:
  - Water Column Profiling of ESC CMP Vb;
  - *Routine Water Quality Monitoring of ESC CMPs;*
  - *Pit Specific Sediment Chemistry of ESC CMP Vb;* and
  - Sediment Chemistry after a Major Storm of ESC CMP V.

### 1.5.2 Water Column Profiling of ESC CMP Vb - October 2020

1.5.3 *Water Column Profiling* was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 6 October 2020. The monitoring results have been assessed for compliance with the Water Quality Objectives (WQOs) set by Environmental Protection Department (EPD). This consists of a review of the EPD routine water quality monitoring data for the wet season period (April to October) of 2009 - 2018 from stations in the Northwestern Water Control Zone (WCZ), where the ESC CMPs are located <sup>(1)</sup>. For Salinity, the averaged value obtained from the Reference (Upstream) station was used for the basis as the WQO. Levels of Dissolved Oxygen (DO) and Turbidity were also assessed for compliance with the Action and Limit Levels (see *Table B1* of *Annex B* for details).


#### In-situ Measurements

1.5.4 Analyses of results for October 2020 indicated that levels of Salinity, pH and DO complied with the WQOs at both Downstream and Upstream stations (*Table B2* of *Annex B*). Levels of DO and Turbidity at all stations complied with the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).

### Laboratory Measurements for Suspended Solids (SS)

- 1.5.5 Analyses of results October 2020 indicated that the SS levels at both Downstream and Upstream stations complied with the WQO and the Action and Limit Levels (*Tables B1* and *B2* of *Annex B*).
- 1.5.6 Overall, the monitoring results indicated that the mud disposal operation at ESC CMP Vb did not appear to cause any deterioration in water quality during this reporting period.
- 1.5.7 Routine Water Quality Monitoring of ESC CMPs October 2020
- 1.5.8 Routine Water Quality Monitoring of ESC CMPs was undertaken on 8 October
   2020. The monitoring results have been assessed for compliance with the
   WQOs (see Section 1.5.3 for details). The monitoring results are shown in
   Tables B3 and B4 of Annex B and Figures 1 10 of Annex C. A total of ten (10)
   monitoring stations were sampled in October 2020 as shown in Figure 1.2.

<sup>(1)</sup> http://epic.epd.gov.hk/EPICRIVER/marine/?lang=en



In-situ Measurements


1.5.9	Graphical presentation of the monitoring results (Temperature, DO, pH, Salinity and Turbidity) is shown in <i>Figures 1 - 6</i> of <i>Annex C</i> . Analyses of results for October 2020 indicated that the levels of pH, Salinity and DO complied with the WQOs at all stations in October 2020.
1.5.10	The levels of DO and Turbidity complied with the Action and Limit Levels at all stations ( <i>Table B3</i> of <i>Annex B</i> ; <i>Figures 3</i> and 6 of <i>Annex C</i> ).
1.5.11	Overall, <i>in-situ</i> measurement results of the <i>Routine Water Quality Monitoring</i> indicated that the disposal operation at ESC CMP Vb did not appear to cause any unacceptable impacts in water quality in October 2020.
	Laboratory Measurements
1.5.12	Laboratory analysis of October 2020 results indicated that concentrations of Arsenic, Chromium, Copper, Lead, Mercury and Zinc were detected in October 2020 samples at most stations and the concentrations of most metals and metalloids were similar amongst the stations, except the concentrations of Zinc and Lead were higher at Ma Wan station ( <i>Table B4</i> of <i>Annex B; Figure 7</i> of <i>Annex C</i> ).
1.5.13	For nutrients, concentrations of Total Inorganic Nitrogen (TIN) at Reference stations were higher than the WQO (0.5 mg/L) ( <i>Table B4</i> of <i>Annex B; Figure 8</i> of <i>Annex C</i> ). It should be noted that due to the effect of the Pearl River, the North Western WCZ has historically experienced higher levels of TIN <sup>(1)</sup> . Therefore, the exceedances of TIN WQO at these stations are unlikely to be caused by the disposal operation at ESC CMPs. The concentrations of Ammonia Nitrogen (NH <sub>3</sub> -N) were similar across all station in October 2020 ( <i>Table B4</i> of <i>Annex B; Figure 8</i> of <i>Annex C</i> ). The concentrations of Biochemical Oxygen Demand (BOD <sub>5</sub> ) were lower at Impact station ( <i>Table B4</i> of <i>Annex B; Figure 9</i> of <i>Annex C</i> ).
1.5.14	Analyses of results for October 2020 indicated that the SS levels at all stations compiled with the WQO and the Action and Limit Levels ( <i>Tables B1 and B4</i> of <i>Annex B; Figure 10</i> of <i>Annex C</i> ).
1.5.15	Overall, results of the <i>Routine Water Quality Monitoring</i> indicated that the disposal operation at ESC CMPs did not appear to cause any unacceptable deterioration in water quality in October 2020. Detailed statistical analysis will be presented in the Quarterly Report to investigate any spatial and temporal trends of potential concern.

(1) http://www.epd.gov.hk/epd/misc/marine\_quality/1986-2005/textonly/eng/index.htm

- 1.5.16 *Pit Specific Sediment Chemistry of ESC CMP Vb October* 2020
- 1.5.17 Monitoring locations for *Pit Specific Sediment Chemistry for ESC CMP Vb* are shown in *Figure 1.3.* A total of six (6) monitoring stations were sampled on 7 October 2020.
- 1.5.18 The concentrations of most inorganic contaminants were lower than the Lower Chemical Exceedance Levels (LCELs) at most stations, except for Arsenic and Copper (*Figures 11 and 12* of *Annex C*). The concentrations of Arsenic were higher than the LCEL at Pit-Edge station ESC-NECA, Active-Pit stations ESC-NPCA and ESC-NPCB. The concentrations of Copper were higher than LCEL at Active-Pit station ESC-NPCB.
- 1.5.19 Whilst the average concentration of Arsenic in the Earth's crust is generally ~2mg/kg, significantly higher Arsenic concentrations (median = 14 mg/kg) have been recorded in Hong Kong's onshore sediments <sup>(1)</sup>. It is presumed that the natural concentrations of Arsenic are similar in onshore and offshore sediments <sup>(2)</sup>, and relatively high Arsenic levels may thus occur throughout Hong Kong. Therefore, the LECL exceedances of Arsenic are unlikely to be caused by the disposal operations at ESC CMP Vb but rather as a result of naturally occurring deposits.
- 1.5.20 For organic contaminants, the concentrations of Total Organic Carbon (TOC) were higher at Active-Pit stations ESC-NPCA and ESC-NPCB in October 2020 (*Figure 13 of Annex C*). The concentrations of Low Molecular Weight and High Molecular Weight Polycyclic Aromatic Hydrocarbons (PAHs) were higher at Active-Pit stations ESC-NPCA and ESC-NPCB (*Figure 14 of Annex C*). The concentrations of Tributyltin (TBT) were higher at Active-Pit stations ESC-NPCA and ESC-NPCA and ESC-NPCA and ESC-NPCA and ESC-NPCA and ESC-NPCB (*Figure 15 of Annex C*). The concentrations of Total Polychlorinated Biphenyls (PCBs), Total dichloro-diphenyl-trichloroethane (DDT) and 4,4'-dichlorodiphenyldichloroethylene (DDE) were below the limit of reporting at all stations in October 2020.
- 1.5.21 Considering that the higher levels of Copper, TOC, TBT, Low Molecular Weight and High Molecular Weight PAHs occurred within Active-Pit stations ESC-NPCA and ESC-NPCB only, there is no evidence indicating any unacceptable environmental impacts to sediment quality outside the pit area as a result of the contaminated mud disposal operations at ESC CMP Vb in October 2020.
- 1.5.22 Statistical analysis will be undertaken and presented in the corresponding quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.

(<sup>2</sup>) Whiteside PGD (2000) Natural geochemistry and contamination of marine sediments in Hong Kong. In: The Urban Geology of Hong Kong (ed Page A & Reels SJ). Geological Society of Hong Kong Bulletin No. 6, p109-121

<sup>(1)</sup> Sewell RJ (1999) Geochemical Atlas of Hong Kong. Geotechnical Engineering Office, Government of the Hong Kong Special Administrative Region



### 1.5.23 Sediment Chemistry after a Major Storm of ESC CMP V – October 2020


Sampling for Sediment Chemistry after a Major Storm Event was conducted at nine (9) monitoring stations (see *Figure 1.4* for the locations of the monitoring stations) on 16 October 2020 after the visit of tropical cyclone Nangka, which led to the issue of No. 8 Gale or Storm Signal on 13 October 2020. The track of Nangka are shown in *Figure 1.5*.

Figure 1.5 Track of Tropical Cyclone Nangka (Source: Hong Kong Observatory)



- 1.5.24 Analyses of results for the *Sediment Chemistry after a Major Storm* indicated that the concentrations of most inorganic contaminants were below the LCEL, except Arsenic at Mid-field station ESC-RMA, Far-field station ESC-RFB, Capped Pit Station ESC-RCA1 and Ma Wan Station in October 2020 (*Figures 16* and *17* of *Annex C*).
- 1.5.25 As discussed in *Section 1.5.19*, the LECL exceedances of Arsenic are unlikely to be caused by the disposal operations at ESC CMP Vb but rather as a result of naturally occurring deposits.

Overall, there appeared to be no evidence showing the failure of ESC CMP V in retaining disposed mud or causing contamination of sediments after the major storm event in October 2020.



#### 1.6 ACTIVITIES SCHEDULED FOR THE NEXT MONTH

- 1.6.1 The following monitoring activities will be conducted in the next monthly period of November 2020 for ESC CMP V (see *Annex A* for the sampling schedule <sup>(1)</sup>):
  - Water Column Profiling of ESC CMP Vb;
  - Routine Water Quality Monitoring of ESC CMPs; and
  - Pit Specific Sediment Chemistry of ESC CMP Vb.

#### 1.7 STUDY PROGRAMME

1.7.1 A summary of the Study Programme is presented in *Annex D*.

(1) The scheduled EM&A Programme for SB CMPs was completed in December 2018.

Annex A

Sampling Schedule

		-													0																					
Pit Specific Sediment Chemistry Active-Pit	Code ESC-NPAA	Frequency Monthly																																		
Pit-Edge	ESC-NPAB ESC-NEAA	Monthly	12																																	
Near-Pit	ESC-NEAB	Monthly	12	12	12	12 12	12	12 1	2 12	12	12 12 1	2 12	12	12 12	12	12 12	12	12	12 12	2 12	12	12 12	2 12	12 12	12 12	2 12	12	12 12 12	12	12	12	12 12	12	12 12	2 12	12
	ESC-NNAA ESC-NNAB																																			
Cumulative Impact Sediment Cher Near-field Stations			A					0 1				A M			S	0 N				A A	М			S O				M A M	J	J		S O				
Mid-field Stations	ESC-RNA ESC-RNB1	4 times per year 4 times per year				12					12 12		12	12			12 12					12 12	12				12 12		12 12		12 12				12	
	ESC-RMA ESC-RMB	4 times per year 4 times per year				12 12					12 12		12 12	12 12			12 12					12 12	12 12				12 12		12 12		12 12				12 12	
Capped Pit Stations	ESC-RCA1 ESC-RCB1	4 times per year 4 times per year				12					12 12	-	12 12	12 12			12 12					12 12	12 12	-			12 12		12 12		12 12				12 12	
Far-Field Stations	ESC-RFA ESC-RFB	4 times per year 4 times per year				12					12		12	12			12					12	12				12		12		12				12	
Ma Wan Station	MW1	4 times per year				12					12		12	12			12					12	12				12		12		12				12	
Sediment Toxicity Tests Near-Pit Stations			A	М	J	J A	S	0 1	I D	J	F M A	A M	J	J A	S	0 N	D	J	F M	A A	M	JJ	A	S O	N E	J	F	M A M	J	J	Α	S O	N	D J	F	Μ
Reference Stations	ESC-TDA ESC-TDB1	2 times per year 2 times per year				5 5					5			5									5 5				5 5				5 5				5 5	
	ESC-TRA ESC-TRB	2 times per year 2 times per year				5 5					5			5									5 5				5 5				5 5				5 5	
Ma Wan Station	MW1	2 times per year				5					5			5		_							5				5				5				5	
Tissue/ Whole Body Sampling Near-Pit Stations	ESC-INA	2 times per year	A	М	J	J A *	S	0 1	1 D	J	F M A	A M	IJ	J A *	S	O N	D	J	F M	A A	М	JJ	*	s o	N E	) J	F *	M A M	J	J	*	s o	N	D J	*	M
Reference North	ESC-INB	2 times per year				*					*			*									*				*				*				*	
Reference South	TNB	2 times per year 2 times per year				*					*			*									*				*				*				*	
	TSA TSB	2 times per year 2 times per year	$\vdash$			*					*			*									*			+	*				*				*	
Demersal Trawling Near Pit Stations	ECC DV:	4 tim	A	М			S	0 1	1 D			A M	IJ		S	0 N	D			A A	М			S O	N E			M A M	J			S O	N			М
Reference North	ESC-INB	4 times per year				5 5	E		+	5	5	+		5 5				5	5			5	5	+		5	5		E	5	5			5	5	
Reference South	Subservice         Subservice        Subservice        Subservic																																			
Capping Ebb Tide			Α	М	J	J A	S	0 1	I D	J	F M A	A M	J	J A	s	O N	D	J	F M	A A	М	JJ	A	s o	N E	J	F	M A M	J	J	Α	S 0	N	D J	F	Μ
Impact Station Downcurrent																			_																	
	ESC-IPE3 ESC-IPE4	4 times per year 4 times per year																									3 3		3		3 3			3 3	3	
Intermediate Station Downcurrent																											3		3					3	3	
	ESC-INE3A	4 times per year																	_								3		3		3			3	3	
Reference Station Upcurrent	ESC-INE5A	4 times per year																	-					-			3				3			3	3	
	ESC-RFE2	4 times per year																									3		3		3			3	3	
Ma Wan Station																											-		-				-	-	-	
Flood Tide	MW1	4 times per year								-																-	3		3		3			3	3	_
Impact Station Downcurrent	ESC-IPF1 ESC-IPF2	4 times per year 4 times per year							-			-	-								_						3		3		3 3		-	-	3	
Intermediate Station Downcurrent	ESC-IPF3 ESC-INF1	4 times per year 4 times per year															_										3		3		3				3	
	ESC-INF2 ESC-INF3	4 times per year 4 times per year																	-					-			3		3		3			3	3	
Reference Station Upcurrent	ESC-RFF1A ESC-RFF2A	4 times per year 4 times per year																									3		3 3		3 3			3	3	
Ma Wan Station	ESC-RFF3 MW1	4 times per year 4 times per year								-														_		-			3		3					
Routine Water Quality Monitoring	ŝ	• •	A	М	J	J A	S	0 1	1 D	J	F M A	A M	IJ	J A	s	0 N	D	J	F M	A A	М	JJ	A	s o	N E	J	F	M A M	J	J	Α	s o	N	D J	F	М
Ebb Tide Impact Station Downcurrent	ESC-IPE1A	8 times per year	8																																	
	ESC-IPE2A ESC-IPE3 ESC-IPE4	8 times per year 8 times per year 8 times per year	8 8 8	8		8 8		8 8	;	8	8 8	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8	-	8	8	8	8	8	8	
Intermediate Station Downcurrent	ESC-IPE5	8 times per year	8	8		8 8		8 8	;	8	8 8	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	
	ESC-INE1A ESC-INE2A ESC-INE3A	8 times per year 8 times per year 8 times per year	8	8 8		8 8 8 8		8 8 8 8	;	8 8	8 8 8 8	8 8 8 8		8 8 8 8		8 8 8 8		8 8	8 8	8 8	8 8	8	8 8	8	8 8	8 8	8 8	8 8 8 8		8 8	8 8	8	8 8	8	8	
Reference Station Upcurrent	ESC-INE4A ESC-INE5A	8 times per year 8 times per year	8				Ħ																													
•	ESC-RFE1 ESC-RFE2 ESC-RFE3	8 times per year 8 times per year 8 times per year	8 8 8	8		8 8		8 8	;	8	8 8	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	
	ESC-RFE3 ESC-RFE4 ESC-RFE5	8 times per year 8 times per year 8 times per year	8 8 8	8		8 8		8 8	;	8	8 8	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	
Ma Wan Station Flood Tide	MW1	8 times per year	8	8		8 8	H	8 8	3	8	8 8	8 8		8 8		8 8	+	8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	$\exists$
Impact Station Downcurrent	ESC-IPF1 ESC-IPF2	8 times per year 8 times per year	8	-			П			-												8	8			8					8	8				
Intermediate Station Downcurrent	ESC-IPF3	8 times per year 8 times per year	8	8		8 8		8 8	;		5	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	
	ESC-INF1 ESC-INF2 ESC-INF3	8 times per year 8 times per year 8 times per year	8 8 8	8		8 8		8 8	;	$\vdash$	8	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	
Reference Station Upcurrent	ESC-RFF1A	8 times per year	8	8		8 8		8 8	;	F	8	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	
Ma Wan Station	ESC-RFF2A ESC-RFF3	8 times per year 8 times per year	8	8		8 8		8 8		E	٤	8 8		8 8		8 8		8	8	8	8	8	8	8	8	8	8	8 8		8	8	8	8	8	8	
Water Column Profiling	MW1	8 times per year	8 A				S		I D	I	1 1 1						D						1						I				1.1			М
Plume Stations	WCP1 WCP2	Monthly Monthly	4	4	4	4 4	4	4 4	4	4	4 4 4	4 4	4	4 4	4	4 4	4	4	4 4	4 4	4	4 4	4	4 4	4 4	4	4	4 4 4	4	4	4	4 4	4	4 4	4	4
Benthic Recolonisation Studies Capped Stations at CMPV			Α	М	J	J A	S	0 1	I D	J	F M A	A M	IJ	J A	S	O N	D	J	F M	A A	М	JJ	A	S O	N E	) J	F	M A M	J	J	A	S O	N	D J	F	Μ
	ESCV-CPB	2 times per year 2 times per year 2 times per year			+	+	E		1	E		+				+	Ħ		+	$\square$			Ħ	+	Ħ	F					Ħ		Ħ	$\mp$	₽	
Reference Stations	ESCV-CPD	2 times per year					Ħ		+	F		+					Ħ		+				$\downarrow$	+		F								╞	╞	
	RBA RBB RBC1	2 times per year 2 times per year 2 times per year	H			+	H		+	╞		+				_	+	$\downarrow$	+				+	+	+	+					$\vdash$		+	+	$\downarrow$	
Impact Monitoring for Dredging			Α	М	J	J A	S	0 1	1 D	J	F M A	A M	IJ	J A	S	0 N	D	J	F M	A A	М	JJ	A	S O	N E	J	F	M A M	J	J	A	S O	N	D J	F	Μ
Upstream Stations	US1 US2	3 times per week 3 times per week	H			2 2 2 2			1	F									+						2 2 2 2				L							
Downstream Stations			1		T		1	1		1			1			T	1 1	-	T			1		T		1	1		1	1	. —	T	1	Т	1-1	

	US1	3 times per week	2	2											2	2						
	US2	3 times per week	2	2	2										2	2			-			
Downstream Stations																						
	DS1	3 times per week	2	2	2										2	2						
	DS2	3 times per week	2	2	2										2	2						
	DS3	3 times per week	2	2	2										2	2			-			
	DS4	3 times per week	2		2										2	2						
	DS5	3 times per week	2		2										2	2						
Ma Wan Station																						
	MW1	3 times per week	2		2										2	2						
Notes:																						_

Notes: The number shown in each cell represents the numbers of replicates per monitoring station Impact Monitoring for Dredging will be scheduled when dredging operations commence. Benthic Recolonisation Studies for CMP V will be scheduled when capping operation for CMP V is completed.

Annex B

# Water Quality Monitoring Results

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) (1)	Surface and Mid-depth (2)	Surface and Mid-depth <sup>(2)</sup>
	5%-ile of baseline data for surface and	1%-ile of baseline data for surface and
	middle layer = <b>3.76 mg L</b> <sup>-1</sup>	middle layer = <b>3.11 mg L</b> <sup>-1</sup> <sup>(3)</sup>
	, ,	, C
	and	and
	Significantly less than the reference	Significantly less than the reference
	stations mean DO (at the same tide of	stations mean DO (at the same tide of
	the same day)	the same day)
	Bottom	Bottom
	5%-ile of baseline data for bottom	The average of the impact station
	layers = <b>2.96 mg L</b> <sup>-1</sup>	readings are <b>&lt;2 mg/L</b> <sup>-1</sup>
	, ,	0 0
	and	and
	Significantly less than the reference	Significantly less than the reference
	stations mean DO (at the same tide of	stations mean DO (at the same tide of
	the same day)	the same day)
Depth-averaged Suspended	95%-ile of baseline data for depth	99%-ile of baseline data for depth
Solids (SS) (4) (5)	average = 37.88 mg L <sup>-1</sup>	average = 61.92 mg L <sup>-1</sup>
	and	
		and
	120% of control station's SS at the same	130% of control station's SS at the same
	tide of the same day	tide of the same day
	the of the same day	the of the balle day
Depth-averaged Turbidity (Tby) (4) (5)	95%-ile of baseline data = <b>28.14 NTU</b>	99%-ile of baseline data = 38.32 NTU
	and	and
	120% of control station's Tby at the	130% of control station's Tby at the
	same tide of the same day	same tide of the same day

# Table B1Action and Limit Levels of Water Quality for Dredging, Disposal and<br/>Capping Activities at ESC CMP V

#### Notes:

(1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.

(2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.

(3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L<sup>-1</sup>, it is proposed to set the Limit Level at 3.11 mg L<sup>-1</sup> which is the first percentile of the baseline data.

(4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.

(5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Stations	Temp	Salinity	Turbidity	Dissolved	l Oxygen	pН	Suspended Solids
	(°C)	(ppt)	(NTU)	(%)	(mg L-1)		(mg L-1)
WCP 1 (Downstream)	29.09	26.69	3.51	84.47	5.60	7.99	6.4
WCP 2 (Upstream)	29.06	26.03	3.23	85.75	5.71	7.94	4.6
WQO (Wet Season)	N/A	23.43-28.63#	N/A	N/A	>4	6.5-8.5	10.8

Note:

\*Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station. Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

# Table B3In-situ Monitoring Results for Routine Water Quality Monitoring of ESC<br/>CMPs in October 2020

Sampling	Stations	Temp	Salinity	Turbidity	Dissolve	d Oxygen	pН
Period	Stations	(°C)	(ppt)	(NTU)	(%)	(mg L-1)	(mg L-1)
October	RFF (Reference)	28.19	29.15	6.75	86.00	5.71	8.04
2020	IPF (Impact)	28.29	29.41	5.41	85.66	5.67	8.02
	INF (Intermediate)	28.18	29.04	4.82	86.71	5.76	8.02
	Ma Wan	28.45	30.92	3.54	83.58	5.47	8.02
	WQO	N/A	26.23- 32.06#	N/A	N/A	>4	6.5-8.5

Notes:

\*Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value higher than the WQO.

# Table B4Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in<br/>October 2020

Sampling Period	Stations	As (µg/L)	Cd (µg/L)	Cr (µg/L)	Cu (µg/L)	Pb (µg/L)	Hg (µg/L)	Ni (µg/L)	Ag (µg/L)	Zn (µg/L)	NH3 (mg/ L)	TIN (mg/L)	BOD5 (mg/L)	SS (mg/L)
October	RFF	1.72	<lor< td=""><td>0.83</td><td>12.08</td><td>1.24</td><td><lor< td=""><td><lor< td=""><td><lor< td=""><td>36.70</td><td>0.19</td><td>0.51</td><td>1.03</td><td>10.55</td></lor<></td></lor<></td></lor<></td></lor<>	0.83	12.08	1.24	<lor< td=""><td><lor< td=""><td><lor< td=""><td>36.70</td><td>0.19</td><td>0.51</td><td>1.03</td><td>10.55</td></lor<></td></lor<></td></lor<>	<lor< td=""><td><lor< td=""><td>36.70</td><td>0.19</td><td>0.51</td><td>1.03</td><td>10.55</td></lor<></td></lor<>	<lor< td=""><td>36.70</td><td>0.19</td><td>0.51</td><td>1.03</td><td>10.55</td></lor<>	36.70	0.19	0.51	1.03	10.55
2020	IPF	1.84	<lor< td=""><td>0.54</td><td>12.77</td><td>0.82</td><td>0.34</td><td><lor< td=""><td><lor< td=""><td>43.69</td><td>0.17</td><td>0.45</td><td>0.83</td><td>9.39</td></lor<></td></lor<></td></lor<>	0.54	12.77	0.82	0.34	<lor< td=""><td><lor< td=""><td>43.69</td><td>0.17</td><td>0.45</td><td>0.83</td><td>9.39</td></lor<></td></lor<>	<lor< td=""><td>43.69</td><td>0.17</td><td>0.45</td><td>0.83</td><td>9.39</td></lor<>	43.69	0.17	0.45	0.83	9.39
	INF	1.69	<lor< td=""><td>0.89</td><td>9.16</td><td>0.93</td><td>0.31</td><td><lor< td=""><td><lor< td=""><td>31.69</td><td>0.15</td><td>0.49</td><td>1.15</td><td>8.17</td></lor<></td></lor<></td></lor<>	0.89	9.16	0.93	0.31	<lor< td=""><td><lor< td=""><td>31.69</td><td>0.15</td><td>0.49</td><td>1.15</td><td>8.17</td></lor<></td></lor<>	<lor< td=""><td>31.69</td><td>0.15</td><td>0.49</td><td>1.15</td><td>8.17</td></lor<>	31.69	0.15	0.49	1.15	8.17
	Ma Wan	1.63	<lor< td=""><td>0.90</td><td>14.28</td><td>3.04</td><td><lor< td=""><td><lor< td=""><td><lor< td=""><td>51.10</td><td>0.21</td><td>0.39</td><td>1.11</td><td>8.71</td></lor<></td></lor<></td></lor<></td></lor<>	0.90	14.28	3.04	<lor< td=""><td><lor< td=""><td><lor< td=""><td>51.10</td><td>0.21</td><td>0.39</td><td>1.11</td><td>8.71</td></lor<></td></lor<></td></lor<>	<lor< td=""><td><lor< td=""><td>51.10</td><td>0.21</td><td>0.39</td><td>1.11</td><td>8.71</td></lor<></td></lor<>	<lor< td=""><td>51.10</td><td>0.21</td><td>0.39</td><td>1.11</td><td>8.71</td></lor<>	51.10	0.21	0.39	1.11	8.71
												WQO of	f TIN: 0.	5 mg/L
										Wet S	beason	WQO of	SS:10.	8 mg/L

Notes:


<LOR indicates the concentrations of metals and metalloids are below the limit of reporting


Cell shaded yellow / red indicate value exceeding the Action/Limit levels.


Cell shaded grey indicate value higher than the WQO.

Annex C

Graphical Presentations















Figure 7: Concentration of Arsenic, Chromium, Copper, Lead, Mercury and Zinc (μg/L; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at ESC CMP V in October 2020.

















Source: P:\Projects\0400720 CEDD CMP EM&A 2017-2020\02 Deliverable\05 CMP Mor	nthly Environmental	
Report\43 Monthly October 2020	Resources	
Date: November 2020	Management	ERM



Annex D

# Study Programme

Task Name	Start	Finish		201	7				201	8				201	9				202	20			FMAN	2021			
Commencement of Agreement No. CE 63/2016 (EP)	Sat 1/4/17	Sat 1/4/17			JAS		JJF		MJ.	JAS	ONL	JIF	MA	MJ.	AS	ON	DJF	· MA	MJ.	JAS		DJI	MAN	NJJ	ASC	)ND	<u>1</u> 1
																					+++		+++		$\square$		$\downarrow$
	Nov 0/4/47	Mar 5/4/04																							$\square$		$\downarrow$
Project Management and General Deliverables	Mon 3/4/17	Mon 5/4/21																									
																											+
For the disposal facilities to the East of Sha Chau (ESC) (between 2017 and 2021)	Sat 1/4/17	Fri 1/10/21	i 🐳															<b></b>	#		╪╤╤	÷	+++	++-			+
and the South of The Brothers (SB) (between 2017 and 2018)																											
Draft Report on Review of EM&A Manual	Tue 2/5/17	Tue 2/5/17		2/5																							T
Final Report on Review of EM&A Manual	Tue 23/5/17	Tue 23/5/17	$\left  \right $	23	3/5			++		++								++-	$\left  \right $		+++	++	+++	++-	$\left  \cdot \right  + \left  \cdot \right $	++-	+
Regular Review of EM&A Manual	Wed 2/5/18	Sat 2/5/20							Ŷ					<b>`</b>													
Regular Site Inspections of CMP Contractors	Sat 1/4/17	Wed 31/3/21																									+
Derticipate in Linian Occurs Martiner / Occurs Matines on required by OCDD	Sat 1/4/17	Wed 31/3/21																						++	$\square$		_
Participate in Liaison Group Meetings/ Consultations as required by CEDD	Sat 1/4/17	Weu 31/3/21					1																				
Submission of Monthly EM&A Report	Sun 14/5/17	Sun 14/3/21		>�	00			$\gg$	$\diamond \diamond$	$\diamond \diamond$	00	> <		>0	$\diamond \diamond$	$\diamond$		>0	$\diamond \diamond$	00		$\diamond$	>0				Ť
Submission of Quarterly EM&A Report	Fri 14/7/17	Wed 14/4/21	$\left  \right $		>	$\diamond$			·		$\diamond$		$\diamond$		>	$\diamond$				$\diamond$	$\diamond$	+		++	$\vdash$	++-	+
						ľ					Ĩ.					Ť.		ľ		Ĭ	ľ						
Submission of Annual EM&A Report	Sun 14/1/18	Thu 14/1/21					$\diamond$					$\diamond$					$\diamond$					$\diamond$					
Submission of Annual Risk Assessment Report	Thu 14/6/18	Mon 14/6/21							$\diamond$					$\diamond$				++-	$\diamond$	++	+++	+	+++	$\diamond$	$\vdash$	++-	+
	Er: 00/7/04	Eri 00/7/01																	$\square$		+++		+++		23/7	<u> </u>	_
Submission of Draft Final Report (including database of all data collected)	Fri 23/7/21	Fri 23/7/21																									
Submission of Final Report (including database of all data collected)	Fri 27/8/21	Fri 27/8/21																							27	7/8	1
Submission of Draft Executive Summary	Fri 27/8/21	Fri 27/8/21	$\left  \cdot \right $			$\left  \right $		++		++			$\left  \right $	++	$\left  \right $			++-	$\left  \right $		+++		+++	++-	27	7/8	+
Submission of Drak Exceditive Summary																											
Submission of Final Executive Summary	Fri 1/10/21	Fri 1/10/21																								1/10	Τ
						+++		++										++-	$\left  \right $	++	+++	+	+++	++	$\vdash$	+++	+
For East Tung Lung Chau Disposal Facility (subject to the actual disposal	Sun 14/10/18	Fri 14/12/18	$\left  \right $			+++		++						+				++-	$\left  \right $	++-	+++	+	+++	++	$\vdash$	++-	+
programme to be confirmed by CEDD)																											
Submission of Monthly EM&A Report	Sun 14/10/18	Fri 14/12/18										>															+
Submission of Quarterly EM&A Report	Fri 14/12/18	Fri 14/12/18						$\parallel$				14/	42						$\square$		+++	$\rightarrow$	+++		$\square$		$\downarrow$
Submission of Quarterly EM&A Report	11114/12/10	111 14/12/10										"וך	12														
Submission of Annual EM&A Report	Fri 14/12/18	Fri 14/12/18										14/	12														T
Study Programme Task Milestone	•	S	Summa	ary		Ţ	)			•	Rollec	l Up I	Vilest	one ·	>												_
Tue 13/6/17											-		-														
Agreement No. CE 63/2016 (EP) Environmenta	Agreement No. CE 63/2016 (EP) Environmental Monitoring and Audit for Disposal Facility to the East of Sha Chau (2017-2020) - Investigation 0400720_CMP EM&A Programme_v1_EM&A.mpp											) - In	gati	on	040	00720	J_CM	P EM	&A Pi	ogram	ур						