

東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong
Tel : 2695 8318 E-mail : etl@ets-testconsult.com
Fax : 2695 3944 Web site : www.ets-testconsult.com

TEST REPORT

CHINA HARBOUR ENGINEERING CO. LTD.

**DELIVERY OF RECLAMATION MATERIAL TO
MAINLAND –**

**ENVIRONMENTAL MONITORING AND AUDIT
(CONTRACT NO.: CV/2005/01)**

TUEN MUN AREA 38 FILL BANK

QUARTERLY EM&A SUMMARY REPORT NO.10

(FROM MARCH TO MAY 2009)

Prepared by:


LAW, Sau Yee


Senior Environmental Officer

Checked by:


LAU, Chi Leung
Environmental Team Leader

MATERIALAB CONSULTANTS LIMITED

Fugro Development Centre Telephone : +852-24508233
5 Lok Yi Street, 17 M.S. Castle Peak Road, Telefax : +852-24508138
Tai Lam, Tuen Mun, N.T., Hong Kong. Email : mcl@fugro.com.hk

**FAX MESSAGE**

Priority	<input type="checkbox"/> normal / <input type="checkbox"/> urgent		
To	<u>ETS – Testconsult Ltd.</u>	Ref. No.	<u>MCLF2430</u>
Country		Fax No.	<u>2695 3944</u>
Attn.	<u>Mr C. L. Lau / Ms Linda Law</u>	Date	<u>18 June 2009</u>
From	<u>Joseph Poon</u>	No. of Pages	<u>1</u> (Incl. this page)
C.c. To	<u>Mr P. Y. Lu / Mr Lawrence Ng (CEDD)</u>	Fax No.	<u>2714 0113</u>
	<u>Mr W. F. Lok / Mr Albus Cheung (China Harbour Engineering Co. Ltd.)</u>	Fax No.	<u>2247 4108</u>
Subject	<u>Agreement No. CE 9/2005 (EP) Tuen Mun Area 38 Fill Bank – Quarterly Environmental Monitoring & Audit Report for March 2009 – May 2009</u>		

We refer to the 10th Quarterly EM&A Report for March 2009 to May 2009 that we received through email on 16th June 2009 and are pleased to confirm we have no further comment on the report.

Should you require further information, please feel free to contact us.

Best regards,

Joseph Poon
Independent Environmental Checker

JP/by

CONFIDENTIALITY NOTICE

This facsimile transmission is intended only for the use of the addressee and is confidential. If you are not the addressee it may be unlawful for you to read, copy, disclose or otherwise use the information in this facsimile. If you are not the intended recipient, please telephone or fax us immediately.

(If you do not receive all pages, please fax response or phone +852-24508233.)

EXECUTIVE SUMMARY

This is the tenth Quarterly Environmental Monitoring and Audit (EM&A) Summary Report prepared by ETS-Testconsult Ltd (ET) for the "Contract No. CV/2005/01 Delivery of Reclamation Material to Mainland -Tuen Mun Area 38 Fill Bank" (The Project).

This report documents the findings of EM&A Works conducted during the operation phase of Fill Bank at Tuen Mun Area 38 from March to May 2009.

Construction Progress

As informed by the Contractor, the construction activities in this reporting quarter were as below:

- Removal & delivery of public fill stockpiled material to Mainland
- Operation of the road water lorries and the road sweeper
- Maintenance of haul road within fill bank area
- Operation of the Tipping Halls (B1, B2 & B3)
- Operation at the queuing area for public truck lorries

Environmental Monitoring Works

Air Monitoring

During the reporting quarter, no exceedances of Action and Limit levels were recorded for 24-hr and 1-hr TSP monitoring. The air quality during the operation hours of the Fill Bank was considered acceptable.

Marine Water Quality Monitoring

According to the summary of marine water monitoring results, no exceedances of Action and Limit Level were recorded in this quarter.

Noise Monitoring

No exceedances of Action and Limit levels for noise monitoring were recorded in this quarter.

Environmental Complaints, Notification of summons and successful prosecutions

No complaint, no notification of summons and prosecutions with respect to environmental issues were received in this quarter.

Air Quality

- Ensure the frequency of water spraying on haul roads, unloading areas and stockpiles to be sufficient to suppress the dust sources;
- Conduct road sweeping on the public road and the main haul roads outside and near the site egress by the road sweeper;
- Undertake water spraying on stockpiling area;
- Provide proper maintenance for the powered mechanical equipment and barges to avoid emission of dark smoke;
- Provide water spraying onto the truckloads during inspection of fill material;
- Erect adequate speed limit signs to advise the truck drivers of the speed limit;
- Implement the dust mitigation measures for the construction activities; and
- Ensure all vehicles to be washed before leaving the site egress through the provision, operation and maintenance of automatic wheel washing facilities.

Noise

- Conduct noisy activities at a farther location from the NSRs.

Water Quality

- Maintain the drainage system regularly;
- Operate the cleaning vessel regularly; and
- Remove the stagnant water or provide pesticide for the stagnant water in the permanent desilting chambers, if any.

Chemical and Waste Management

- Remove waste materials from the site to avoid accumulation regularly;
- Handle and store chemical wastes properly;
- Remove unwanted material in the existing stockpiles and avoid further dumping of such material;
- Provide and maintain sufficient drip trays for diesel drums, chemical containers, chemical waste storage drums and diesel operated generator set;
- Maintain good housekeeping at the workshop area;
- Ensure sufficient tarpaulin sheets are provided to cover drip trays; and
- Avoid soil being polluted during oil filling and equipment maintenance; hence, properly remove and store the contaminated soil, if any.

Landscape and Visual


- Provide hydroseeding on the exposed slopes, on which the final profile has been formed;
- Erect all the site hoarding/chaining fences in accordance with agreed design at proper location; and
- Maintain the hydroseeding slopes in accordance with the Landscape Plan.




Appendix A

Organization Chart and Lines of Communication

Contract No. CV/2005/01
Delivery of Reclamation Material to Mainland



Lines of Communication






Appendix B

Graphical Plots of Air Quality Monitoring Data




東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

1-hour TSP level at TM-A1



1-hour TSP level at TM-A2






Appendix C

Graphical Plots of Impact Noise Monitoring Data



Noise Monitoring (Day-time)






Appendix D


Graphical Plots of Impact Marine Water Quality Monitoring Data




Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide



Turbidity (Depth-average) at Mid-Flood Tide




Turbidity(Depth-average) at Mid-Ebb Tide






Suspended solids (Depth-average) at Mid-Flood Tide



Suspended Solids (Depth-average) at Mid-Ebb Tide





Appendix E

Environmental Quality Performance (Action / Limit Levels)

Action and Limit Levels for 1-hour TSP and 24-hour TSP Monitoring

Monitoring Location	24-hr TSP ($\mu\text{g}/\text{m}^3$)		1-hr TSP ($\mu\text{g}/\text{m}^3$)	
	Action Level	Limit Level	Action Level	Limit Level
TM-A1	192	260	344	500
TM-A2	192	260	344	500

Action and Limit Levels for Marine Water Quality Monitoring

Parameter	Action Level	Limit Level
DO (mg/L)	<u>Surface & Middle</u> <4.78 mg/L (5%-ile of baseline data)	<u>Surface & Middle</u> <4.00 mg/L (1%-ile of baseline data)
	<u>Bottom</u> <4.16 mg/L (5%-ile of baseline data)	<u>Bottom</u> <2.00 mg/L
SS (mg/L) (Depth-averaged)	>120% of the upstream control station's SS at the same tide on the same day	>130% of the upstream control station's SS at the same tide on the same day
Turbidity (NTU) (Depth-averaged)	>120% of the upstream control station's turbidity at the same tide on the same day	>130% of the upstream control station's turbidity at the same tide on the same day

Action and Limit Levels for Noise Monitoring

Time Period	Action *	Limit *
0700-1900 hrs on normal weekdays	When one documented complaint is received	65 dB(A)

Remark (*): The Action and Limit Levels refer to the Table 26.2 – Action and Limit Levels for Noise in the Particular Specification of Contract No.CV/2005/01.



Appendix F

Event-Action Plans

EVENT/ACTION PLAN FOR AIR QUALITY EXCEEDANCE

EVENT	ET Leader	ACTION	ACTION LEVEL		Contractor
			IC(E)	ER	
1. Exceedance for one sample	<ol style="list-style-type: none"> Identify source, investigate the causes of exceedance and propose remedial measures Inform ER, IC(E) and Contractor Repeat measurement to confirm finding Increase monitoring frequency to daily 	<ol style="list-style-type: none"> Check monitoring data submitted by the ET Check contractor's working method 	1. Notify Contractor	<ol style="list-style-type: none"> Rectify any unacceptable practise Amend working methods if appropriate 	
2. Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> Identify source, investigate the causes of exceedance and propose remedial measures Inform IC(E) and Contractor Repeat measurements to confirm finding Increase monitoring frequency to daily Discuss with IC(E) and Contractor on possible remedial actions If exceedance continues, arrange meeting with IC(E) and ER. If exceedance stops, cease additional monitoring 	<ol style="list-style-type: none"> Check monitoring data submitted by the ET Leader Check the Contractor's working method Discuss with ET and Contractor on possible remedial measures Advise the ER on the effectiveness of the proposed remedial measures Supervise implementation of remedial measures 	<ol style="list-style-type: none"> Confirm receipt of notification of failure in writing Notify the Contractor Ensure remedial measures properly implemented 	<ol style="list-style-type: none"> Submit proposals for remedial actions to IC(E) within 3 working days of notification Implement the agreed proposals Amend proposal if appropriate 	
1. Exceedance for one sample	<ol style="list-style-type: none"> Identify source, investigate the causes of exceedance and propose remedial measures Inform ER, Contractor and EPD Repeat measurement to confirm finding Increase monitoring frequency to daily Assess the effectiveness of Contractor's remedial actions and keep IC(E), EPD and ER informed of the results 	<ol style="list-style-type: none"> Check monitoring data submitted by the ET Leader Check Contractor's working method Discuss with ET and Contractor on possible remedial measures Advise the ER on the effectiveness of the proposed remedial measures Supervise implementation of remedial measures 	<ol style="list-style-type: none"> Confirm receipt of notification of failure in writing Notify the Contractor Ensure remedial measures properly implemented 	<ol style="list-style-type: none"> Take immediate action to avoid further exceedance Submit proposals for remedial actions to IC(E) within 3 working days of notification Implement the agreed proposals Amend proposal if appropriate. 	

EVENT/ACTION PLAN FOR AIR QUALITY EXCEEDANCE

EVENT	ACTION	
	ER Leader	IC(E)
2. Exceedance for two or more consecutive samples	<p>1. Identify source, investigate the causes of exceedance and propose remedial measures</p> <p>2. Notify IC(E), ER, EPD and Contractor</p> <p>3. Repeat measurement to confirm finding</p> <p>4. Increase monitoring frequency to daily</p> <p>5. Carry out analysis of contractor's working procedures to determine possible mitigation to be implemented</p> <p>6. Arrange meeting with IC(E) and ER to discuss the remedial actions to be taken</p> <p>7. Assess effectiveness of Contractor's remedial actions and keep IC(E), EPD and ER informed of the results</p> <p>8. If exceedance stops, cease additional monitoring</p>	<p>1. Discuss amongst ER, ET and Contractor on the potential remedial actions</p> <p>2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly</p> <p>3. Supervise the implementation of remedial measures</p> <p>4. Confirm receipt of notification of failure in writing</p> <p>5. Notify Contractor</p> <p>6. In consultation with the IC(E), agree with the Contractor on the remedial measures to be implemented</p> <p>7. Ensure remedial measures are properly implemented</p> <p>8. If exceedances continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated</p>

EVENT/ACTION PLAN FOR NOISE EXCEEDANCE

EVENT	ET Leader	IC(E)	ER	ACTION	
				Contractor	
Action Level	1. Notify the IC(E) and the Contractor. 2. Carry out investigation. 3. Report the results of investigation to the IC(E) and the Contractor. 4. Discuss with the Contractor and formulate remedial measures. 5. Increase monitoring frequency to check mitigation effectiveness	1. Review the analysed results submitted by the ET. 2. Review the proposed remedial measures by the Contractor and advise the ER accordingly. 3. Supervise the implementation of remedial measures.	1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented.	1. Submit noise mitigation proposals to IC(E). 2. Implement noise mitigation proposals.	
Limit Level	1. Notify the IC(E), the ER, the EPD and the Contractor. 2. Identify source. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. Inform the IC(E), the ER and the EPD the causes & actions taken for the exceedances. 7. Assess effectiveness of Contractor's remedial actions and keep the IC(E), the EPD and the ER informed of the results 8. If exceedance due to the construction works stops, cease additional monitoring	1. Discuss amongst the ER, the ET Leader and the Contractor on the potential remedial actions. 2. Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly. 3. Supervise the implementation of remedial measures.	1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 5. If exceedances continue, consider what activity of the work is responsible and instruct the Contractor to stop that activity of work until the exceedances is abated.	1. Take immediate action to avoid further exceedance 2. Submit proposals for remedial actions to IC(E) within 3 working days of notification. 3. Implement the agreed proposals. 4. Resubmit proposals if problem still not under control. 5. Stop the relevant activity of works as determined by the ER until the exceedances is abated.	

EVENT AND ACTION PLAN FOR WATER QUALITY EXCEEDANCE


Event	ET Leader	Contractor	ACTION		
			ER	IEC	
Action level being exceeded by one sampling day	<p>1. Identify source(s) of impact;</p> <p>2. Repeat in-situ measurement to confirm findings;</p> <p>3. Notify Contractor in writing within 24 hours of identification of the exceedance;</p> <p>4. Check monitoring data, all plant, equipment and Contractor's working methods;</p> <p>5. Carry out Investigation</p> <p>6. Report the results of investigation to the Contractor within 3 working days of identification of exceedance and advise contractor if exceedance is due to contractor's construction works</p> <p>7. Discuss mitigation measures with Contractor if exceedance is due to the construction works within 4 working days</p> <p>8. Repeat measurement on next day of exceedance if exceedance is due to the construction works</p>	<p>1. Notify the ER and IEC in writing within 24 hours of identification of exceedance</p> <p>2. Rectify unacceptable practice;</p> <p>3. Check all plant and equipment;</p> <p>4. Submit investigation report to IEC and ER within 3 working days of the identification of an exceedance</p> <p>5. Consider changes of working method if exceedance is due to the construction works</p> <p>6. Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER if exceedance is due to the construction works within 4 working days of identification of an exceedance</p> <p>7. Implement the agreed mitigation measures within reasonable time scale</p>	<p>1. Notify EPD and other relevant governmental agencies in writing within 24 hours of the identification of the exceedance</p> <p>2. Discuss with IEC, ET and Contractor on the proposed mitigation measures;</p> <p>3. Require contractor to propose remedial measures for the analysed problem if related to the construction works</p> <p>4. Ensure remedial measures are properly implemented</p> <p>5. Assess the effectiveness of the mitigation measure</p>	<p>1. Check monitoring data submitted by ET</p> <p>2. Confirm ET assessment if exceedance is due / not due to the works</p> <p>3. Discuss with ET, ER and Contractor on the mitigation measures</p> <p>4. Review contractor's mitigation measures whenever necessary to ensure their effectiveness and advise the ER accordingly</p> <p>5. Supervise the implementation of mitigation measures</p>	

Event	EVENT AND ACTION PLAN FOR WATER QUALITY			
	ET Leader	Contractor	ER	IEC
Action level being exceeded by more than one consecutive sampling days	<p>1. Identify source(s) of impact;</p> <p>2. Repeat in-situ measurement to confirm findings</p> <p>3. Notify Contractor in writing within 24 hours of identification</p> <p>4. Check monitoring data, all plant, equipment and Contractor's working methods;</p> <p>5. Carry out investigation</p> <p>6. Report the results of investigation to the Contractor within 3 working days of identification of exceedance</p> <p>7. Discuss mitigation measures with IEC and Contractor within 4 working days of identification of an exceedance</p> <p>8. Ensure mitigation measures are implemented;</p> <p>9. Prepare to increase the monitoring frequency to daily;</p> <p>10. Repeat measurement on next day of exceedance.</p>	<p>1. Notify IEC and ER in writing within 24 hours of identification of exceedance</p> <p>2. Rectify unacceptable practice; Check all plant and equipment;</p> <p>3. Consider changes of working methods;</p> <p>4. Submit the results of the investigation to IEC and ER within 3 working days of the identification of an exceedance.</p> <p>5. Require contractor to propose remedial measures for the analysed problem if related to the construction works</p> <p>6. Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER within 4 working days of identification of an exceedance</p> <p>7. Implement the agreed mitigation measures within reasonable time scale</p>	<p>1. Notify EPD and other relevant governmental agencies in writing within 24 hours of the identification of the exceedance</p> <p>2. Discuss with ET, ER and Contractor on the proposed mitigation measures;</p> <p>3. Assess the effectiveness of the implemented mitigation measures.</p> <p>4. Ensure remedial measures are properly implemented</p> <p>5. Assess the effectiveness of the mitigation measure</p>	<p>1. Check monitoring data submitted by ET</p> <p>2. Confirm ET assessment if exceedance is due / not due to the works</p> <p>3. Discuss with ET, ER and Contractor on the mitigation measures.</p> <p>4. Review contractor's mitigation measures whenever necessary to ensure their effectiveness and advise the ER accordingly</p> <p>5. Assess the effectiveness of the implemented mitigation measures.</p>

EVENT AND ACTION PLAN FOR WATER QUALITY EXCEEDANCE				
Event	ET Leader	Contractor	ER	IEC
		ACTION		
Limit level being exceeded by one sampling day	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm findings; 2. Identify source(s) of impact; 3. Notify Contractor in writing within 24 hours of identification of the exceedance 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Carry out investigation 6. Report the results of investigation to the Contractor within 3 working days of identification of exceedance and advise contractor if exceedance is due to contractor's construction works 7. Discuss mitigation measures with IEC, ER and Contractor within 4 working days of identification of an exceedance 8. Ensure mitigation measures are implemented; 9. Increase the monitoring frequency to daily until no exceedance of Limit Level. 	<ol style="list-style-type: none"> 1. Notify IEC and ER in writing; within 24 hours of the identification of the exceedance 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Submit the results of the investigation to IEC and ER within 3 working days of the identification of an exceedance 6. Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER within 4 working days of the identification of an exceedance 7. Implement the agreed mitigation measures within reasonable time scale 	<ol style="list-style-type: none"> 1. Notify EPD and other relevant governmental agencies in writing within 24 hours of identification of exceedance 2. Discuss with IEC, ET and Contractor on the proposed mitigation measures; 3. Request Contractor to critically review the working methods; review the working methods; 4. Ensure remedial measures are properly implemented 5. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET 2. Confirm ET assessment if exceedance is due / not due to the works 3. Discuss with ET, ER and Contractor on the mitigation measures. 4. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly. 5. Assess the effectiveness of the implemented mitigation measures

EVENT AND ACTION PLAN FOR WATER QUALITY EXCEEDANCE

Event	ET Leader	Contractor	ER	IEC
Limit Level being exceeded by more than one consecutive sampling days	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm findings; 2. Identify source(s) of impact; 3. Notify Contractor in writing within 24 hours of identification of the exceedance 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Carry out investigation 6. Report the results of investigation to the Contractor within 3 working days of identification of exceedance and advise contractor if exceedance is due to contractor's construction works 7. Discuss mitigation measures with IEC, ER and Contractor; 8. Ensure mitigation measures are implemented; 9. Increase the monitoring frequency to daily until no exceedance of Limit Level for two consecutive days. 	<ol style="list-style-type: none"> 1. Notify ER and IEC in writing within 24 hours of the identification of the exceedance and rectify unacceptable practice; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Submit the results of the investigation to IEC and ER within 3 working days of the identification of an exceedance 6. Assess the effectiveness of the implemented mitigation measures; 7. Discuss with ET, IEC and ER and propose mitigation measures to IEC and ER within 4 working days; 8. Implement the agreed mitigation measures within reasonable time scale 9. As directed by the Engineer, to slow down or to stop all or part of the marine work or construction activities. 	<ol style="list-style-type: none"> 1. Notify EPD and other relevant governmental agencies in writing within 24 hours of identification of exceedance and discuss with IEC, ET and Contractor on the proposed mitigation measures; 2. Request Contractor to critically review the working methods; 3. Ensure remedial measures are properly implemented 4. Assess the effectiveness of the implemented mitigation measures; 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the marine work until no exceedance of Limit Level. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET 2. Confirm ET assessment if exceedance is due / not due to the works 3. Discuss with ER, ET and Contractor on the mitigation measures. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly. 4. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly. 5. Assess the effectiveness of the implemented mitigation measures.



CEDD Contract No. CV/2005/01 Delivery of Reclamation Material to Mainland

Scale : ---

Figure 5 Environmental Complaint Handling Procedure - Tuen Mun Area 38 Fill Bank

Date issued : December 2006



東華檢測測試顧問有限公司
ETS-TESTCONSULT LIMITED



Appendix G

Construction Programme

Project Activities at Tuen Mun (From March to June 2009)

Activity Description	Original Duration	Start	Finish
Bla Servicing	1127	01/12/06A	31/12/2009
Measurement System O&M for B1a	1124	01/12/06A	31/12/2009
B1b Servicing	1127	01/12/06A	31/12/2009
Measurement System O&M for B1b	1124	01/12/06A	31/12/2009
Surveillance System O&M for B1b	1124	01/12/06A	31/12/2009
B1c Servicing	1127	01/12/06A	31/12/2009
Measurement System O&M for B1c	1124	02/12/06A	31/12/2009
Sorting of Stockpiled Public fill	1127	01/12/06A	31/12/2009
Removal of Stockpiled Public Fill	1127	01/12/06A	31/12/2009
Disposal of unsuitable Material	1127	01/12/06A	31/12/2009
Compaction of Public Fill	1127	01/12/06A	31/12/2009
TM Tipping Halls Operation	1127	01/12/06A	31/12/2009
Record House B5 Servicing	1127	01/12/06A	31/12/2009
RE Secondary Office Servicing (B6)	1127	01/12/06A	31/12/2009
Servicing	1127	01/12/06A	31/12/2009

Appendix H

Implementation Schedule of Environmental Mitigation Measures (EMIS)



Environmental Mitigation Implementation Schedule

	Environmental Protection Measures	Location	Implementation Status		
			Implemented	Partially implemented	Not implemented
Air Quality					
Dust control / mitigation measures shall be provided to prevent dust nuisance.	All areas	✓			
Water sprays shall be provided and used to dampen materials.	All areas	✓			
All stockpile of aggregate or spoil should be enclosed or covered and water applied in dry or windy condition.	All areas	✓			
Any vehicle with open load carrying area used for moving materials which has the potential to create dust shall have properly fitting side and tail boards. Material having the potential to create dust shall not be loaded to a level higher than the side and tail boards, and shall be covered by a clean tarpaulin.	All areas	✓			
Unpaved areas should be watered regularly to avoid dust generation.	Site Egress	✓			
The designated site main haul road shall be paved or regular watering.	All haul roads	✓			
The public road around the site entrance should be kept clean and free from dust.	All areas	✓			
Wheel washing facilities including high-pressure water jet shall be provided at the entrance of work site.	Site Egress	✓			
Every vehicle shall be washed to remove any dusty materials from its body and wheels before leaving the fill bank.	Site Egress	✓			
The temporary slope surfaces shall be covered with impermeable sheet or sprayed with water.	All areas	✓			
Vehicle and equipment should be switched off while not in use.	All areas	✓			
All plant and equipment should be well maintained e.g. without black smoke emission.	All areas	✓			
Open burning should be prohibited.	All areas	✓			
Noise Impact					
The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	All areas	✓			
Only well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	All areas	✓			
Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	All areas	✓			
Air compressors and hand held breakers should have noise labels.	All areas	✓			
Machines and plants that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	All areas	✓			
Noisy equipment and mobile plant shall always be site away from NSRs.	All areas	✓			

Remark: ✓ = Implemented, □ = Partially Implemented X = Not Implemented N/A = Not Applicable

Appendix I

Statistical Analysis of the Trend of Suspended Solids in the Quarter

Statistical Analysis of the Trend of Suspended Solids

For Mid-Flood Tide

Station: TM-FM1

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	5.9733	1.3518	0.4076
Quarterly Mean	35	0	9.0462	1.2488	0.2142

Result:

Probability that two variances are equal (f-test) = 0.34185

Difference between means = 3.0729 (Std Dev = 1.8762 and SE = 0.4437)
(95% CI : 2.2033 < Diff < 3.9425)

t-value of difference = 6.926 (17 degrees of freedom)
P = 0 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.

Station: TM-FM2

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	6.0267	1.1748	0.3542
Quarterly Mean	35	0	9.0186	1.3962	0.2394

Result:

Probability that two variances are equal (f-test) = 0.27762

Difference between means = 2.9919 (Std Dev = 1.9609 and SE = 0.4132)
(95% CI : 2.1821 < Diff < 3.8017)

t-value of difference = 7.241 (22 degrees of freedom)
P = 0 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.

Statistical Analysis of the Trend of Suspended Solids

For Mid-Flood Tide

Station: TM-FC1

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	6.6942	1.8839	0.5680
Quarterly Mean	35	0	9.2586	1.3252	0.2273

Result:

Probability that two variances are equal (f-test) = 0.05742

Difference between means = 2.5644 (Std Dev = 2.2711 and SE = 0.5882)
(95% CI : 1.4116 < Diff < 3.7172)

t-value of difference = 4.36 (14 degrees of freedom)
P = 0.0005 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.

Station: TM-FC2

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	6.3067	1.8674	0.5630
Quarterly Mean	35	0	8.8895	1.3576	0.2328

Result:

Probability that two variances are equal (f-test) = 0.07618

Difference between means = 2.5828 (Std Dev = 2.2832 and SE = 0.5859)
(95% CI : 1.4345 < Diff < 3.7311)

t-value of difference = 4.408 (15 degrees of freedom)
P = 0.0005 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.

Statistical Analysis of the Trend of Suspended Solids

For Mid-Ebb Tide

Station: TM-FM1

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	7.0008	1.6394	0.4943
Quarterly Mean	35	0	9.0714	1.3090	0.2245

Result:

Probability that two variances are equal (f-test) = 0.15318

Difference between means = 2.0706 (Std Dev = 2.0953 and SE = 0.5224)
(95% CI : 1.0467 < Diff < 3.963)

t-value of difference = 3.963 (16 degrees of freedom)
P = 0.0011 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.

Station: TM-FM2

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	7.2758	1.5293	0.4611
Quarterly Mean	35	0	9.0110	1.3060	0.2240

Result:

Probability that two variances are equal (f-test) = 0.23088

Difference between means = 1.7352 (Std Dev = 2.026 and SE = 0.4936)
(95% CI : 0.7678 < Diff < 2.7026)

t-value of difference = 3.515 (16 degrees of freedom)
P = 0.0026 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.

Statistical Analysis of the Trend of Suspended Solids

For Mid-Ebb Tide

Station: TM-FC1

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	7.6392	1.5074	0.4545
Quarterly Mean	35	0	9.2224	1.2466	0.2138

Result:

Probability that two variances are equal (f-test) = 0.19149

Difference between means = 1.5832 (Std Dev = 1.9622 and SE = 0.4835)
(95% CI : 0.6356 < Diff < 2.5308)

t-value of difference = 3.275 (16 degrees of freedom)
P = 0.0053 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.

Station: TM-FC2

t-test

Group Name	N	Missing	Mean	Std Dev	SE
130% Baseline Mean	12	0	6.6950	1.9561	0.5898
Quarterly Mean	35	0	8.9462	1.2607	0.2162

Result:

Probability that two variances are equal (f-test) = 0.02454

Difference between means = 2.2512 (Std Dev = 2.2794 and SE = 0.6035)
(95% CI : 1.0682 < Diff < 3.4342)


t-value of difference = 3.73 (14 degrees of freedom)
P = 0.0024 (<0.05)

Conclusion:

There is a statistically significant difference between the groups.


Appendix J

Site General Layout plan





Figures





Contract No. CV/2005/01
Delivery of Reclamation Material to Mainland

Figure 2 A
Locations of Air Quality Monitoring Stations –
Tuen Mun Area 38 Fill Bank



東華德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED





Contract No. CV/2005/01
Delivery of Reclamation Material to Mainland

Figure 4
Locations of Noise Quality Monitoring Stations –
Tuen Mun Area 38 Fill Bank



東業測試有限公司
ETS-TESTCONSULT LIMITED