Drainage Service Department

Monthly Environmental Monitoring & Auditing report for

Contract No.DC/2006/11 Drainage Improvement in Southern Lantau

November 2009

Environmental Pioneers & Solutions Limited

8/F, Chaiwan Industrial Centre Building20 Lee Chung Street, Chaiwan, Hong Kong

Tel: 2889 0568

Fax: 2856 2010

APPROVAL SHEET

Prepared and Certified by: ET Leader (Environmental Pioneers & Solutions Limited)

Signature: _

Miss Patricia Chung

(ET* Leader)

Signature:

Mr. Vincent Lai

(Ecologist)

Data

Date: 1/2070

ET - Environmental Team

TABLE of CONTENT

TAB	SLE of	f CONTENT	ii
EXE	ECUT:	IVE SUMMARY	iv
1.	Intro	oduction	1
2.	Proj	ect Information	1
	2.1	Construction program	1
	2.2	Project Organization	1
	2.3	Key Personal Contact information chart	2
3.	Con	struction Stage	3
	3.1	Construction Activities in the reporting month	3
	3.2	Construction Activities for the coming month	3
	3.3	Environmental Status	3
4.	Nois	ee Monitoring	4
	4.1	Monitoring Parameters and Methodology	4
	4.2	Monitoring Equipment	4
	4.3	Monitoring Locations	5
	4.4	Monitoring Results and Interpretation	7
	4.5	Action and Limit level for Construction noise	7
	4.6	Noise Mitigation Measures	9
5.	Wate	er Monitoring	10
	5.1	Water Quality Monitoring Parameters and methodology	10
	5.2	Monitoring Equipment	10
	5.3	Monitoring Locations	11
	5.4	Monitoring Frequency	13
	5.5	Monitoring Results and Interpretation	13
	5.6	Action and limit level for Water Quality	15
	5.7	Water Quality Mitigation Measures	17
	5.8	Water Monitoring Schedule for the Next reporting period	17
6.	Ecol	ogy Monitoring	18
	6.1	Ecological Monitoring Parameters	18
	6.2	Monitoring Equipment and Methodology	19
	6.3	Monitoring Locations	20
	6.4	Monitoring Frequency	23
	6.5	Monitoring results	23
	6.6	Action and Limit level for Monitoring of White-shouldered Starlings	32

	6.7	Ecological monitoring Schedule	32
7.	Actio	n taken in Event of Exceedence	33
8.	Const	truction waste disposal	35
9.	Status	s of Permits and Licenses obtained	36
10.	Comp	plaint Log	37
11.	Site E	Environmental Audits	37
	11.1	Site Inspection	37
	11.2	Compliance with legal and Contractual requirement	41
	11.3	Environmental Complaint and follow up actions	41
12.	Futur	e key issues	42
13.	Conc	lusions	43
		<u>APPENDIXES</u>	
Δnn	endiv /	A Construction Programme and location plan	
		B Key Personal Contact information chart	
		C Calibration Certificates for measuring instruments	
		D1 Plant species recorded at Pak Ngan Heung River (N)	
		D2 Plant species recorded at Pak Ngan Heung River (S)	
		D3 Plant species recorded at Luk Tei Tong River	
		D4 Ecological Water Monitoring results (on-site measurement)	
		D5 Ecological Water Monitoring results (lab-report)	
		E Construction Noise Monitoring Data Sheet	
App	endix I	F1 Water Quality Monitoring Data Sheet	
App	endix I	F2 Water Quality Monitoring Lab report	
App	endix (G Monitoring Schedule for November 2009	
App	endix I	H Implementation status of environmental protection / mitigation meas	ures
App	endix I	Graphical plot of water quality monitoring results (SS, DO, turbidity)	
App	endix J	Graphical plot of noise monitoring results	
App	endix I	K Ecological Survey Report for the mangrove area at Luk Tei Tong	

Appendix L Complaint Investigation Report and Log Sheet

EXECUTIVE SUMMARY

This is the sixteenth monthly environmental Monitoring and audit (EM&A) report for "Drainage Improvement in Southern Lantau Investigation". The environmental permit number is "EP-237/2005/A". The report concludes the impact monitoring for the activities undertaken during the period of 1 November 2009 to 30 November 2009. The major activities in this reporting month include excavation for pipe trench at Ling Tsui Tau, construction of box culverts, retaining wall and gabion wall at Pak Ngan Heung (PNH), construction of retaining wall at Tai Tei Tong (TTT) River and construction of gabion walls as well as retaining wall at Luk Tei Tong (LTT) River.

Noise, water quality and ecological monitoring were performed. Results obtained were checked against the previously established Action / Limit (A/L) levels. Additionally, the implementation status of environmental mitigation measures, event/ action plan and environmental complaint handling procedures were inspected during weekly site environmental audit.

In general, waste management was satisfactory during the reporting month.

Impact monitoring for construction noise was conducted in the reporting period. No exceedance of A/L level was reported.

Furthermore, impact monitoring for water quality was conducted. Non-compliance events of water quality criteria were recorded on 2, 4, 6, 7, 9, 10, 11, 12, 13, 16, 17, 18, 19, 20, 26, 27, 28 and 30 November 2009. Except the natural fluctuation, among 83 events 20 of them were believed to be related to project works. As such contractor was advised to implement corrective actions and mitigation measures as to minimize further deterioration of water quality.

During ecological monitoring survey, no White-shouldered Starling was recorded breeding in the watch tower. There was no sign of disturbance from the Project to the watch tower. The watch tower may not be suitable for birds as nesting habitat. In addition, no disturbance on the flora and fauna in the river channels were observed during the ecological monitoring.

A formal complaint regarding muddy effluent discharge was recorded in 6 November 2009. As a follow-up action, EPD conducted a site investigation on 9 November 2009 and found that environmental performance at project site was unsatisfactory. A yellow form has been issued and contractor was urged to implement necessary corrective actions and mitigation measures to stop further deterioration of river water quality. For further details please refer to Section 11.2, 11.3 and Appendix L.

Key construction activity in the coming month will include construction of box culvert, gabion wall, retaining wall and sloping seawall. It is expected that noise, air and water quality impacts will be resulted from the works. With reference to the EM&A manual and mitigation measure report, mitigation measures are proposed to be taken, if necessary.

The ET will continue to implement the environmental monitoring & audit programme in accordance with the EM&A Manual and Environmental Permit requirement.

1. Introduction

This is the sixteenth monthly Environmental Monitoring and Audit (EM&A) Report for "Drainage Improvement in Southern Lantau Investigation" project (Environmental Permit No. EP-237/2005/A)

2. Project Information

2.1 Construction program

The "Drainage Improvement in Southern Lantau Investigation" project will be completed by January 2011. The project comprises the following:

- Construction of approximately 80m long gabion with natural bed in Pak Ngan Heung River, approximately 180m of three cells 3m x 2m box culvert and approximately 100m of rectangular channel at Pak Ngan Heung River;
- Construction of approximately 250m of 0.75m wide U-Channel at Ling Tsui Tau Village in Mui Wo;
- Construction of bypass channel of about 350m and 240m long of gabion channels at Luk Tei Tong River respectively; and
- Widening three existing bottlenecks with gabion lined at Tai Tei Tong River

Appendix A shows the construction program and location plan of the project.

2.2 Project organization

The Main Contractor, Yick Hing Construction Company Limited, has commissioned Environmental Pioneers & Solutions Limited and Ecosystems Limited as the Environmental Team, which comprises the environmental team leader, the ecologists and the environmental technicians to undertake the environmental monitoring and audit work for this project.

The environmental management structure and is shown in Fig 2.2.1.




Figure. 2.2.1 Environmental Management structure for the project

2.3 Key personal contact information chart

Detailed contact of key persons involved in environmental aspect of the project is shown in Appendix B.

3. Construction Stage

3.1 Construction activities in the reporting month

Major activities in the reporting month included the followings:

- 1. Construction of box culverts BC5 to 8 at PNH;
- 2. Construction of gabion wall along PNH River (near the fish ladder);
- 3. Construction of retaining wall D at PNH River;
- 4. Construction of box culvert A at LTT
- 5. Construction of gabion wall at bottleneck B of TTT River;
- 6. Construction of retaining wall H at TTT River
- 7. Construction of pipe trench along Ling Tsui Tau;
- 8. Construction of gabion wall (near Yuen's Compound) at LTT River; and
- 9. Construction of retaining wall J (near Yuen's Compound) at LTT River.

3.2 Construction activities for the coming month

Key Construction works in the coming month will include:

- 1. Construction of box culverts at PNH;
- 2. Construction of gabion wall along PNH River (near the fish ladder);
- 3. Construction of retaining wall D at PNH River;
- 4. Construction of other retaining walls at PNH River;
- 5. Construction of box culvert A at LTT;
- 6. Construction of pipe trench along Ling Tsui Tau;
- 7. Construction of sloping seawall (near Yuen's Compound) at LTT River; and
- 8. Construction of retaining wall J (near Yuen's Compound) at LTT River.

3.3 Environmental Status

Appendix A shows the drawing of the project area.

Locations of the monitoring and control stations with environmental sensitive receivers are presented in Section 4.3, 5.3 and 6.3 for noise, water and ecological monitoring respectively.

4. Noise Monitoring

4.1 Monitoring Parameters and Methodology

The construction noise level was measured in terms of the A-weighted equivalent continuous sound pressure level (L_{eq}). $L_{eq~(30minutes)}$ was used as the monitoring parameter for the impact monitoring in the time period between 0700 to 1900 hours on normal weekdays. For all other time period, $L_{eq~(5minutes)}$ was employed for comparison with the Noise Control Ordinance (NCO) criteria.

Noise measurement results obtained from each monitoring location were recorded in the Construction Noise Monitoring Data Sheet (Appendix E) immediately after the measurement. As supplementary information for data auditing, statistical results L_{10} and L_{90} were also be recorded for reference.

In case of non-compliance with the construction noise criteria, more frequent monitoring, as specified in the Action plan in Table 4.5.2, shall be carried out. This additional monitoring shall be carried out until the recorded noise levels are rectified or proved to be irrelevant to the construction activities.

4.2 Monitoring Equipment

The sound level meters and calibrators comply with the International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications as referred to in the Technical Memorandum (TM) to the Noise Control Ordinance was deployed as monitoring equipment for noise measurement.

Noise measurement was not be made in the presence of fog, rain, wind with a steady speed exceeding 5ms⁻¹ or wind with gust exceeding 10ms⁻¹. Thus wind speed was checked by the portable wind speed indicator capable of measuring the wind speed in m/s. Table 4.2.1 summarizes the equipment list for noise monitoring

Equipment	Manufacturer & Model No.	Precision Grade	Qty
Integrated sound level meter	ACO Japan, model 6224	IEC 651 Type 1 IEC 804 Type 1	1
Windscreen	Microtech gefell model W2	N/A	1
Acoustical calibrator	Castle GA 607	IEC 942 Type 1	1
Wind speed indicator	Kestrel K1000	N/A	1
Remarks: Calibration	details for the sound level me	eter is given in Append	lix C for

Table 4.2.1 Equipment List for Noise Monitoring

Remarks: Calibration details for the sound level meter is given in Appendix C for reference

4.3 Monitoring Locations

According to the Baseline Monitoring Report issued in May 2008 for the captioned project, four locations where are alternative from the locations proposed in EM&A manual, were designated for baseline noise monitoring. For the data validation, impact noise monitoring was undertaken in the same locations during the construction phase of the project. The proposed monitoring locations are summarized in Table 4.3.1. Figure 4.3.1 shows the Noise Monitoring Locations

Noise measurement in each monitoring locations were taken at a point 1m from the exterior of the selected premises and at a height with no disturbance to the dweller and least obstructed view.

Identification No.	Noise Monitoring Locations
N1	No. 73, Village House, Ling Tsui Tau Tsuen (ground level)
N2	No. 31, Village House, Ling Tsui Tau Tsuen (ground level)
N3	Fence wall outside No. 5 village house adjacent to Luk Tei Tong River Outlet (ground level)
N4	No. 23, Village House, Tai Tei Tong River (ground level)

Table 4.3.1 Noise Monitoring Locations during Construction Phase

In accordance with the requirements in the EM&A manual, weekly impact monitoring was conducted. For the time period between 0700 and 1900 hours on normal weekdays, and noise parameter of $L_{eq~(30minutes)}$ was measured. As if the construction works were carried out during restricted period (ie. 1900-2300, 2300-0700 of next day and Sundays / general holiday), impact monitoring that comprises 3 consecutive $L_{eq~(5minutes)}$ would be carried out.




Figure 4.3.1 Impact noise monitoring locations

4.4 Monitoring Results and Interpretation

Relevant details of the noise monitoring results are presented in Table 4.4.1. The results, ranged between 40.4 dB(A) and 62.7 dB(A), were within the limit levels and therefore, no exceedance was found.

Table 4.4.1 Noise monitoring results

Table 4.4	Table 4.4.1 Noise Monitoring Results for the reporting month										
Location	Parameter	Date	Time	L _{Aeq} dB(A)	Limit dB(A)	Exceedance	Weather				
N1	L _{eq 30mins}	04/11/09	12:15	40.4	75	N	Sunny				
N1	L _{eq 30mins}	11/11/09	13:00	47.5	75	N	Sunny				
N1	L _{eq 30mins}	18/11/09	14:50	54.1	75	N	Cloudy				
N1	L _{eq 30mins}	26/11/09	13:35	50.7	75	N	Sunny				
N2	L _{eq 30mins}	04/11/09	13:00	60.8	75	N	Sunny				
N2	L _{eq 30mins}	11/11/09	13:35	62.0	75	N	Sunny				
N2	L _{eq 30mins}	18/11/09	14:15	57.4	75	N	Cloudy				
N2	L _{eq 30mins}	26/11/09	13:00	60.6	75	N	Sunny				
N3*	L _{eq 30mins}	04/11/09	14:20	62.7	75	N	Sunny				
N3*	L _{eq 30mins}	11/11/09	10:30	62.3	75	N	Sunny				
N3*	L _{eq 30mins}	18/11/09	11:20	62.7	75	N	Cloudy				
N3*	L _{eq 30mins}	26/11/09	10:40	55.4	75	N	Sunny				
N4	L _{eq 30mins}	04/11/09	13:45	53.8	75	N	Sunny				
N4	L _{eq 30mins}	11/11/09	11:03	52.9	75	N	Sunny				
N4	L _{eq 30mins}	18/11/09	10:48	56.8	75	N	Cloudy				
N4	L _{eq 30mins}	26/11/09	11:15	49.8	75	N	Sunny				

Remarks: Raw datasheet for noise monitoring are attached in Appendix E for reference. Remark*: The equivalent noise level of N3 is corrected by +3 dB from the raw data result due to the fact that free field measurement was carried out in the location.

4.5 Action and Limit level for Construction noise

The Action and Limit (A/L) levels for construction noise are defined in Table 4.5.1. Should non-compliance of the criteria occur, action in accordance with the Action Plan in Table 4.5.2 should be carried out.

There was no recorded exceedance in the reporting month.

Table 4.5.1 Action and Limit Levels for Construction noise								
Time Period	Limit Level							
0700 – 1900 hours on normal weekdays	When one documented complaint is received	75dB(A)						

Remarks: If works are to be carried out during restricted hours, the conditions stipulated in the construction noise permit issued by the Noise Control Authority have to be followed.

Table 4.5.2 Event / Action Plan for Construction Noise

EVENT		ACTIC	N	
LVLIAI	ET	IC(E)	ER	Contractor
Action Level	 Notify IC(E) and Contractor; Carry out investigation; Report the results of investigation to the IC(E), ER and Contractor; Discuss with the Contractor and formulate remedial measures; Increase monitoring frequency to check mitigation effectiveness. 	 Review the analysed results submitted by the ET; Review the proposed remedial measures by the Contractor and advise ER accordingly; Supervise the implementation of remedial measures. 	notification of failure in writing;	 Submit noise mitigation proposals to IC(E); Implement Noise mitigation proposals.
Limit Level	1. Identify source; 2. Inform IC(E), ER, EPD and Contractor; 3. Repeat measurements to confirm findings; 4. Increase monitoring frequency; 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 6. Inform IC(E), ER and EPD the causes and actions taken for the exceedances; 7. Assess effectiveness of Contractor's remedial actions and keep IC(E), EPD and ER informed of the results 8. If exceedance stops, cease additional monitoring	1. Discuss amongst ER, ET, and Contractor on the potential remedial actions; 2. Review Contractors remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly; 3. Supervise the implementation of remedial measures.	 Confirm receipt of notification of failure in writing; Notify Contractor; Require Contractor to propose remedial measures for the analysed noise problem; Ensure remedial measures properly implemented; If exceedance continues, consider what portion of the work 	for remedial actions to IC(E) within 3 working days of notification; 3. Implement the agreed proposals; 4. Resubmit proposals if problem still not under control; 5. Stop the relevant portion of works as determined by the

4.6 Noise Mitigation Measures

The following mitigation measures were observed from the weekly site inspection in the reporting month:

- Use of quiet powered mechanical equipment (PME)
- Implementation of the following good site practices:
 - Only well-maintained and regularly serviced plant should be operated on site;
 - Silencers or mufflers on construction equipment;
 - Mobile plant, if any, should be sited as far from noise sensitive receivers as possible; and
 - Machines and plant (such as trucks) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.

5. Water Monitoring

5.1 Water Quality Monitoring Parameters and methodology

Turbidity in Nephelometric Turbidity Unit (NTU), Dissolved Oxygen (DO) in mg/L and Suspended Solids (SS) in mg/L are required to measure in this project. Turbidity, DO was measured in-situ while water samples were delivered to Accredited HOKLAS Laboratory for analysis of SS.

Other relevant data such as monitoring location, time, water depth, temperature, salinity, weather conditions and any other special phenomena and work underway at the construction site were recorded during sampling.

According to the requirement of the EM&A manual, two consecutive measurements for parameters of DO concentration, DO saturation and Turbidity are required to be taken at each monitoring location. When the difference in value between the first and second reading of DO or Turbidity is more than 25%, the reading would be discarded and further reading would be taken.

5.2 Monitoring Equipment

Turbidity, DO, Salinity, pH and temperature was measured by an instrument complied with the following requirements:

The instrument is a portable as well as weatherproof multimeter complete with cable and uses a DC power source. It is capable of measuring:

- A turbidity between 0-800NTU;
- A dissolved Oxygen level in the range of 0-20mg/L and 0-200% saturation;
- A temperature of 0-50°C;
- Salinity in the range of 0-40ppt;
- pH in the range of 0-14.

Suspended solid was determined by the water samples collected from the monitoring locations for further analysis in accredited HOKLAS laboratory. Water samples were contained by polythene bottles, packed in ice (cooled in 4°C without frozen) and delivered to the laboratory for analysis as soon as possible after collection. Duplicate samples from each independent sampling event were undertaken during impact monitoring.

Detailed calibration records of the multimeter were shown in Appendix C for reference.

5.3 Monitoring Locations

Seven locations included a control station in upstream of each stream/ river, a monitoring station at the end of each stream/ river of the works area and a monitoring station at Silver River were proposed for the impact water quality monitoring. Water samples were collected at mid-depth of each proposed monitoring stations for measurements and sample collection. The Location Plan is shown in Figure 5.3.1 for reference.




Figure 5.3.1 Water Quality Monitoring Locations

5.4 Monitoring Frequency

Impact water quality monitoring was undertaken three days per week and at ebb tides during the course of the construction river works. Upon the completion of the construction works, the monitoring exercises at the designated monitoring stations will be continued for four weeks in the same manner as the impact monitoring.

5.5 Monitoring Results and Interpretation

Water quality monitoring was carried out eighteen times during November. Detailed on-site measurements and laboratory analysis reports including QA/QC results are shown in Appendix F1 and F2 respectively, while Table 5.5.1 presents consolidated results throughout the reporting month.

Exceedance events on parameters of turbidity and suspended solids were recorded on 2, 4, 6, 7, 9, 10, 11, 12, 13, 16, 17, 18, 19, 20, 26, 27, 28 and 30 November 2009 according to the established level. Findings from the investigations showed that the total 83 exceedance events were mainly caused by natural fluctuation and deficiencies of site practice.

As 19 events were suspected to be related to improper site practices, contractor was seriously reminded to review the site conditions and implement corrective actions as well as mitigation measures as soon as possible to minimize further deterioration of water quality.

Detailed information of the exceedance events and action taken were presented in Section 7.

Table 5.5.1 Water quality monitoring results in November 2009

		M1		M2		М3			M4			
	MIN	MAX	Ave	MIN	MAX	Ave	MIN	MAX	Ave	MIN	MAX	Ave
Turbidity (NTU)	2.3	98.2	21.4	0.0	6.6	1.5	3.8	15.7	9.1	0.0	29.4	12.1
DO (mg/l)	7.5	9.6	8.6	8.0	9.7	8.7	5.9	10.7	7.9	6.7	18.3	9.7
Suspended Solid (mg/l)	2.4	77.6	21.2	1.2	3.1	2.1	3.6	12.3	9.3	3.6	34.6	16.4

	C1			C2			С3		
	MIN	MAX	Ave	MIN	MAX	Ave	MIN	MAX	Ave
Turbidity (NTU)	0.0	1.4	0.1	0.0	0.9	0.1	2.0	23.6	7.9
DO (mg/l)	6.6	9.5	7.8	7.5	9.1	8.2	6.1	8.7	7.3
Suspended Solid (mg/l)	1.0	3.9	1.4	1.0	1.0	1.0	5.4	30.9	9.5

^{*} Remarks: Detection limit for Turbidity, DO and SS are 1 NTU, 0.1 mg/L and 1 mg/L respectively.

5.6 Action and limit level for Water Quality

Based on the criteria stipulated in EM&A manual Section 4.8 and baseline water quality monitoring data obtained, the A/L levels are shown in Table 5.6.1 and Table 5.6.2. If the water quality monitoring results at any impact stations exceeded the criteria, the actions in accordance with the Event and Action Plan in Table 5.6.3 should be taken.

Table 5.6.1 Water quality criteria for monitoring

Parameters	Action	Limit
DO in mg/L (mid-depth)	- 5%-ile of baseline data	- 4mg/L
SS in mg/L (mid-depth)	 95%-ile of baseline data; or 120% of control station's SS on the same day of measurement 	 99%-ile of baseline; or 130% of control station's SS on the same day of measurement
Turbidity in NTU (mid-depth)	 95%-ile of baseline data; or 120% of control station's turbidity on the same day of measurement 	 99%-ile of baseline; or 130% of control station's turbidity on the same day of measurement

Table 5.6.2 Action and Limit Levels established according to baseline data

	Monitoring locations											
Parameters	M1		M2		M3		M4					
rarameters	Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level				
Turbidity (NTU)	15.2	16.9	5.3	6.5	16.8	26.0	16.2	18.0				
DO (mg/L)	5.7	4.0	6.2	4.0	5.9	4.0	5.9	4.0				
SS (mg/L)	12.2	12.8	3.1	4.2	12.4	17.7	13.9	15.2				

Remarks:

For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits

For SS and turbidity, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table 5.6.3 Event and action Plan for Water Quality

EVENT		AC	TION	
EVENT	ET	IC(E)	ER	Contractor
Action Level being exceed by one sampling day	Repeat in situ measurement to confirm findings; Identify reasons for non-compliance and source(s) of impact; Inform IC(E) and Contractor; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IC(E) and Contractor; Repeat measurement on next day of exceedance.	and Contractor on the mitigation measures; 2. Review proposals in mitigation measures submitted by Contractor and advise the ER accordingly; 3. Assess the effectiveness of the	IC(E) on the proposed mitigation measures; 2. make agreement on the mitigation measures to be implemented; 3. Assess the effectiveness of the implemented mitigation measures.	confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods;
Action level being exceed by more than two consecutive sampling days	Repeat in situ measurement to confirm findings; Identify reasons for non-compliance and source(s) of impact; Inform IC(E) and Contractor; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IC(E) and Contractor; Ensure mitigation measures are implemented; prepare to increase the monitoring frequency to daily Repeat measurement on next day of exceedance	Discuss with ET and Contractor on the mitigation measures; Review proposals in mitigation measures submitted by Contractor and advise the ER accordingly; Assess the effectiveness of the implemented mitigation measures.	IC(E) on the proposed mitigation measures; 2. make agreement on the mitigation measures to be implemented; 3. Assess the effectiveness of the implemented mitigation measures.	confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods;
Limit level being exceeded by one sampling day	Repeat in situ measurement to confirm findings; Identify reasons for non-compliance and source(s) of impact; Inform IC(E) and Contractor; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IC(E) and Contractor; Ensure mitigation measures are implemented; Increase the monitoring frequency to daily until no exceedance of Limit Level	and Contractor on the mitigation measures; 2. Review proposals in mitigation measures submitted by Contractor and advise the ER accordingly; 3. Assess the effectiveness of the implemented mitigation measures.	IC(E) on the proposed mitigation measures; 2. make agreement on the mitigation measures to be implemented; 3. Assess the effectiveness of the implemented mitigation measures.	confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods;

5.7 Water Quality Mitigation Measures

Construction Run-off and Drainage

The site practices outlined in ProPECC PN 1/94 'Construction Site Drainage' should be followed as far as practicable during both construction and operation phase of the drainage improvement works in order to minimize surface runoff and the chance of erosion, and also to retain and reduce any suspended solids prior to discharge.

As recommended in the final EM&A manual, attention would be paid especially construction run-off and drainage, general construction activities, sewage discharged from construction workforce and river channel excavation works.

Contractor was recommended to provide sufficient water treatment facilities for accumulated site water and excavation activities carried out nearby river channel. Earth bunds should be provided to the construction site in / next to the river channel to form an enclosed, dry environment to minimize water quality impact.

5.8 Water Monitoring Schedule for the Next reporting period

Water monitoring in the next reporting period is scheduled for 2, 4, 7 8, 9, 14, 16, 18, 21, 22, 23, 29, 30 and 31 December 2009.

6. Ecology Monitoring

6.1 Ecological Monitoring Parameters

According to the Final EM&A Manual, a specific ecological monitoring programme of the improved section of PNH and LTT Rivers is recommended. The monitoring parameters required to measure in this project and survey methodology are described below:

- (1) Avifauna species and abundance: Birds will be surveyed quantitatively using transect count method. Birds within the river channel and on the riverbank will be identified and their abundance will be recorded.
- (2) Aquatic macroinvertebrate community species composition and abundance: Survey on aquatic fauna will focus on determination of the diversity and abundance of stream aquatic communities. Sampling methods, such as active searching, direct observation, netting, and kick sampling, will be determined according to the site conditions during field survey.
- (3) Fish community species composition and abundance: Sampling methods, such as active searching, direct observation, and hand netting, will be determined according to the site conditions during field survey.
- (4) Adult odonate community species composition and abundance: Adult dragonfly will be surveyed quantitatively using transect count method. Adult dragonflies within the river channel and on the riverbank will be identified and their abundance will be recorded. Species requiring close examination will be netted.
- (5) Aquatic, emergent and riparian vegetation community species composition and abundance: The area will be walked through. Plant species composition and their relative abundance will be recorded.
- (6) Surveys of White-shouldered Starling Sturnus sinensis will be conducted at the disused watchtowers next to LTT river. Breeding of the White-shouldered Starlings will be determined by checking signs of attempt to breed or sign of breeding which include carrying nesting materials, to-and-fro movement of adults carrying food, presence of recently fledged juveniles, etc. The number of breeding pairs and the site observation will be recorded whenever possible.

Water Quality Monitoring along LTT and PNH River as well as LTT bypass channel was carried out. Water quality monitoring will include Turbidity in Nephelometric Turbidity Unit (NTU), Dissolved Oxygen (DO) in mg/L and Suspended Solids (SS) in mg/L are required to measure in this project. Moreover, additional water monitoring parameters will be taken for the purposes of ecological monitoring of water quality in this project. The added information will include: BOD, Ammonia, Nitrate and Phosphate concentrations. Turbidity, DO, pH and water flow will be measured in-situ while water samples will be delivered to Accredited HOKLAS Laboratory accredited laboratory and the analyses followed the standard methods according to APHA Standard Methods for the Examination of Water and Wastewater, 20th Edition, or equivalent for analysis of SS, BOD, Ammonia, Nitrate and Phosphate concentrations.

Other relevant data such as monitoring location, time, water depth, temperature, salinity, weather conditions and any other special phenomena and work underway at the construction site will be recorded during sampling.

According to the requirement of the EM&A manual, two consecutive measurements for parameters of DO concentration, DO saturation and Turbidity are required to be taken at each monitoring. When the difference in value between the first and second reading of DO or Turbidity is more than 25%, the reading will be discarded and further reading will be taken.

6.2 Monitoring Equipment and Methodology

Turbidity, DO, Salinity, pH and Temperature will be measured by a instrument complied with the following requirements:

The instrument is a portable as well as weatherproof multimeter complete with cable and uses a DC power source. It is capable of measuring:

- A turbidity between 0-800NTU;
- A dissolved Oxygen level in the range of 0-20mg/L and 0-200% saturation;
- A temperature of 0-50°C;
- Salinity in the range of 0-40ppt;
- pH in the range of 0-14.

Suspended solid was determined by the water samples collected from the

monitoring locations for further analysis in accredited HOKLAS laboratory. Water samples were contained by polythene bottles, packed in ice (cooled in 4°C without frozen) and delivered to the laboratory for analysis as soon as possible after collection. Duplicate samples from each independent sampling event were undertaken during impact monitoring.

6.3 Monitoring Locations

According to the Final EM&A Manual, the improved section of the river channels will be divided into 50m long sections, and ecological survey will be carried out in each of the 50m sections. A total of nine sections will be divided for the two rivers which include:

- Two sections for existing upstream of PNH river (i.e. the proposed 80m long trapezoidal channel)
- Two sections for existing downstream of PNH river (i.e. the proposed 100m long rectangular channel)
- Five sections for existing Luk Tei Tong River (i.e. the proposed 240m long trapezoidal channel)

The disused watchtowers are located at the confluence of the three rivers and next to LTT river.

The Location Plan for ecological is shown in Figure 6.1 for reference.

The improved sections of the river channels require to carrying out water quality monitoring for the ecological purpose. The sampling points for impact monitoring was undertaken in the same place as the baseline monitoring proposed, where include:

- Three points for existing of PNH river
- Three points for existing of Luk Tei Tong River

The Location Plan for ecological water monitoring is shown in Figure 6.2 for reference.




Figure 6.1 Ecological Monitoring Locations




Figure 6.2 Ecological Water Quality monitoring locations

6.4 Monitoring Frequency

As proposed, ecological impact monitoring was carried out once for each monitoring location in the reporting month.

6.5 Monitoring results

Pak Ngan Heung Stream N and S sections

Vegetation

Surveys were conducted on 10 November 2009. The north section of Pak Ngan Heung Stream was fairly modified. Part of the west bank was lined with rock gabion bank and occupied by village houses and abandoned agricultural field. The stream channel was wider than the downstream section, but the stream bank was still fairly narrow and steep in gradient. Compared to the south section, the north section was relatively shaded due to presence of more trees with larger canopy. During the current monitoring session, new rock gabion wall on the east bank was under construction. Stream bank of PNH4 was still intact, while stream bank of PNH3 was subject to site clearance.

The walk through survey recorded a total of 60 species, including 19 trees, 7 shrub, 21 herb and 5 grass species (Appendix D1). 47 of the species recorded are natives, while 13 were exotics. The quantitative sampling on PNH4 recorded 18 species at the north section. Large native (e.g. *Celtis sinensis, Ficus hispida, Macaranga tanarius*) dominated the transects. Other species recorded include common and typical native pioneer forest and streamside tree species and ruderal species. No species of conservation interest was recorded. No quantitative survey was carried out along PNH3 due to on-going vegetation clearance on stream banks as part of the site clearance works under the project.

Table 6.5.1 Relative percentage cover of vegetation recorded at Pak Ngan Heung (N) Section

	Relative % cover
Species	PNH4
Acorus graminifolia	0.75
Alocasia macrorrhiza	2.87
Aporosa dioica	1.96
Celtis sinensis	12.67
Christella parasitca	2.90
Dimocarpus longan	0.12
Ficus hispida	35.37
Hedyotis auricularia	0.09
Hibiscus rosa-sinensis	1.45
Litsea glutinosa	15.69
Macaranga tanarius	10.26
Microstegium ciliatum	8.90
Mikania micrantha	4.68
Neyraudia reynaudiana	1.18
Pilea microphylla	0.09
Pogonatherum crinitum	0.12
Sageretia thea	0.03
Sporobolus fertilis	0.88
Total Relative % Cover	100.0*
Total Transect Length (m)	34

^{*}Total Cover rounded up to one decimal place to avoid round-off error.

The south section of Pak Ngan Heung Stream was highly modified. Both banks were lined with rock gabions and were occupied by village houses immediately beyond the channel. The stream channel was lack of riparian zone and vegetation. A total of 11 species recorded, 8 of which were native and 3 were exotic. It was composed of isolated individuals of mangrove (*Acrostichum aureum*), backshore species (*Clerodendrum inerme*) and native trees (*Celtis sinensis*, *Ficus microcarpa*) (Appendix D2). No species of conservation interest was recorded. During the current monitoring session, site clearance for construction work at Section PNH1 has started. Vegetation was only found on remnants of the old rocky bank.

Terrestrial Fauna

Surveys were conducted on 13 November 2009.

A total of two species of birds were recorded in the proposed work area of the Pak Ngan Heung River (Table 6.5.2). Both are common in Hong Kong.

Table 6.5.2 Avifauna in Pak Ngan Heung

Common names	Latin names	PNH	PNH	PNH	PNH	Commonness
		1	2	3	4	& distribution
Grey Wagtail	Motacilla cinerea				1	CW
Blue Whistling	Myiophoneus				1	CW
Thrush	caeruleus					

CW = common and widespread, CL = common/uncommon and localized

Only one species of dragonfly was recorded in the proposed work area of the Pak Ngan Heung River (Table 6.5.3). This species is common and widespread in Hong Kong.

Table 6.5.3 Dragonfly in Pak Ngan Heung River

Common names	Latin names	PNH	PNH	PNH	PNH	Commonness
		1	2	3	4	& distribution
Wandering Glider	Pantala flavescens		1		3	A

A = abundant

Aquatic fauna and fish

6 species of fish and 2 crustacean were recorded in the 4 sections at PNH. All are common and widespread in Hong Kong. Though Predaceous Chub was observed, the another one fish species of conservation concern reported in the EIA report, i.e. Flagtail *Kuhlia marginata*, was not recorded in PNH during the present monthly monitoring survey. One side of the stream channel within PH2 was enclosed and drained for channel modification works. This method followed the requirements in the EP, and a fish capture survey had been conducted prior to the modification works (the results of the fish capture survey will be reported in a separated fish capture survey report).

Table 6.5.4 Aquatic Invertebrates and fish in Pak Ngan Heung

Common names	Scientific names	PNH 1	PNH 2	PNH3	PNH4
Invertebrates					
Atyid shrimp	Caridina elongata				+
	Macrobrachium				
Palaemond shrimp	hainanensis			+	
Crab	Varuna litterata				
Mitten Crab	Eriocheir japonica				
Fish					
Mosquito fish	Gamusia affinis				+
Goby	Rhinogobius duospilus				+
Barcheek Goby	Rhinogobius giurinus				
Swordtail	Xiphophorus hellerii				
	Puntius				
Six-banded Barb	semifasciolatus				
Unidentified Cichlid					
fish					
Tilapia		+		+	
Predaceous Chub	Parazacco spilurus			++	
Jarbua Terapon	Terapon jarbua	++			
Common Silver-biddy	Gerres oyena				
Mullet	Mugil cephalus	+			
Broken-band	Liniparhomaloptera				
Hillstream Loach	disparis				

^{+ =} Occasional, less than 5 individuals were found; ++ = Common, 5 - 20 individuals were found; +++ = Abundant, more than 20 individuals were found.

Luk Tei Tong Stream Section

Vegetation

Surveys were conducted on 10 November 2009. The Luk Tei Tong Stream Section was highly modified. Vegetation only established on isolated muddy patches at the estuary and remaining semi-natural banks of LLT1, LLT2, and LLT4. Vegetation clearance was underway along LLT2 and was completed, along LLT3 while LLT5 was still lined with old rock gabions. The whole section appeared to be subject to tidal influence, as mangrove associated or backshore species were recorded along the whole channel.

The walk through survey recorded a total of 23 species, including 7 tree, 5 shrub, 4 grass species (Appendix D3). 20 of the species recorded are natives, while 3 were exotics. No quantitative survey was carried out due to vegetation clearance on stream banks as part of the site clearance works under the project.

Terrestrial Fauna

The proposed work area of Luk Tei Tong River was divided into 5 sections. All recorded avifauna and dragonfly species are common in Hong Kong

Surveys were conducted on 13 November 2009.

A total of four species of birds were recorded in these sections (Table 6.5.6). All these species are common and widely distributed in Hong Kong.

Table 6.5.6 Avifauna in Luk Tei Tong River

Common names	Latin names	LTT	LTT	LTT	LTT	LTT	Commonness
		1	2	3	4	5	& distribution
Little Egret	Egretta garzetta	1					CW
Great Egret	Casmerodius albus	1					CW
Common Sandpiper	Actitis hypoleucos	1					CW
White Wagtail	Motacilla alba			1			CW

CW = common and widespread

Three species of dragonfly were recorded in the Luk Tei Tong River (Table 6.5.7). All are common and widespread in Hong Kong.

Table 6.5.7 Dragonfly in Luk Tei Tong River

Common names	Latin names	LTT	LTT	LTT	LTT	LTT	Commonness
		1	2	3	4	5	& distribution
Green Skimmer	Orthetrum sabina					1	С
Wandering Glider	Pantala flaviventris	2					A
Crimson Dropwing	Trithemis aurora					1	A

A = abundant, C = common

Aquatic invertebrates and fish

5 species of fish, 1 species of crustacean and 4 species of mollusks were recorded in the 5 sections at LTT. All are common and widespread in Hong Kong. The two fish species of conservation concern reported in the EIA report, i.e. Flagtail *Kuhlia marginata* and Predaceous Chub *Parazacco spilurus* were not recorded in LTT during the present monitoring as well as the baseline monitoring survey.

Table 6.5.8 Aquatic invertebrates and fish in Luk Tei Tong River

Common names	Scientific names	LTT1	LTT2	LTT3	LTT4	LTT5		
Invertebrates								
Mangrove clam	Geloina erosa							
Rock oyster	Saccostrea cuculata		++					
Snail	Melanoides tuberculata				+	+		
Snail	Terebralia sp.							
Snail	Nerita sp.	+	+					
Snail	Littoraria articulata		+					
Crab	Varuna litterata							
Fiddler crab	Uca lactea							
Fiddler crab	Uca arcuata							
Fiddler crab	Uca crassipes							
Crab	Perisesarma bidens		+	+				

Mangrove mud crab	Scylla paramamosain									
Mitten crab	Eriocheir japonica									
Fish	Fish									
	Periophthalmus		+	+						
Common mudskipper	cantonensis									
Tilapia		+	+	+						
Jarbua terapon	Terapon jarbua		+							
Mullet	Mugil cephalus	++	++	++						
Common Silver-biddy	Gerres oyena									
Barcheek Goby	Rhinogobius giurinus				+	+				

^{+ =} Occasional, less than 5 individuals were found; ++ = Common, 5 - 20 individuals were found; +++ = Abundant, more than 20 individuals were found.

Disused Watchtowers

Surveys were conducted on 13 November 2009.

There was no sign (e.g., adults carrying food or nesting materials) of use of the watchtower as nesting habitat by White-shouldered Starling.

White-shouldered Starling was not observed during the November2009 monitoring. No bird of other species was observed entering the watchtower.

Most birds in Hong Kong breed between March and July. No sign of nesting of White-shouldered Starling in the disused watchtower was observed during this period. The prime time of breeding season of 2009 was already over.

Since the monitoring surveys commenced in August 2008, no bird was observed entering the watchtower. It seems the birds do not prefer the watchtower as roosting or nesting habitat.

Ecological Water Quality Monitoring (EWQM)

EWQM was conducted on 2 November 2009. Monitoring results are summarized in Table 6.9. Detailed on-site measurements and laboratory report

are presented in Appendix D4 and D5.

Table 6.10 shows the baseline results of Ecological Water Quality Monitoring, from the information given in Baseline Monitoring Report.

To review the results in Table 6.9 in general, the measured results of Suspended Solids and Turbidity measured in WE3 (PNH River) and WE4 (LTT River) was found higher than the previous months. Such facts were believed to be caused by disturbance of sediments, and site effluent discharge due to construction activities.

Table 6.9 Summarized Ecological water quality monitoring results (2 Nov 2009)

Parameters	Limit of detection	WE1	WE2	WE3	WE4	WE5	WE6
Suspended Solid (mg/l)	1	2.35	6.45	11.20	7.60	10.90	1.00
Nitrogen (Ammonia) (mg/l)	0.01	0.02	0.03	0.06	0.14	0.61	0.05
Nitrogen (Nitrate) (mg/l)	0.01	0.08	0.14	0.18	0.26	0.16	0.03
Phosphorous (mg/l)	0.01	0.03	0.03	0.07	0.08	0.23	0.02
BOD₅ (mg/l)	1	1.00	1.00	1.00	1.00	2.00	1.00
DO (mg/l)	0.01	7.26	8.58	8.16	8.00	7.74	7.35
Turbidity (NTU)	0.1	1.30	5.20	7.60	7.10	8.60	0.00
Temperature (oC)	0.1	22.9	23.5	24.2	25.4	25.5	22.0
рН	0.01	7.70	7.93	7.90	7.28	7.05	7.03
Salinity (ppt)	0.1	0.1	1.3	12.9	12.2	3.4	0
Conductivity (ms/m)	0.1	22.8	267.0	212.0	837.0	637.0	5.7
Water Flow (m/s)	N/A	0.04	0.14	0.04	0.05	0.05	0.04

Table 6.10 Baseline Results of Ecological water quality monitoring

Parameters	WE1	WE2	WE3	WE4	WE5	WE6
Suspended Solid (mg/l)	1.0	2.0	3.0	3.0	<1	<1
Nitrogen (Ammonia) (mg/l)	0.07	0.12	0.11	0.23	0.03	0.02
Nitrogen (Nitrate) (mg/l)	0.12	0.13	0.13	0.31	0.04	0.05
Phosphorous (mg/l)	0.04	0.06	0.06	0.09	0.06	0.05
BOD ₅ (mg/l)	<2	<2	<2	<2	<2	<2
DO (mg/l)	6.58	6.82	6.37	7.61	6.87	5.70
Turbidity (NTU)	4.44	5.12	5.93	6.96	4.65	2.73
РН	6.4	7.1	7.0	6.8	6.6	6.1
Salinity (ppt)	<0.1	0.1	0.3	7.6	0.1	<0.1

6.6 Action and Limit level for Monitoring of White-shouldered Starlings

A simple Event and Action Plan is shown in Table 6.6.1. Should the Event occur, action in accordance with the Action Plan should be carried out.

There was no recorded event in the reporting month.

Table 6.6.1 Event / Action Plan for Monitoring of White-shouldered Starlings

EVENT	ACTION				
	ET Leader	Contractor			
Identification of	1. Increase frequency of	1. Check all construction			
disturbance to breeding	monitoring to twice	actions and working			
White-shouldered	weekly	methods			
Starlings	2. Notify Site Engineer	2. Submit proposals for			
		remedial action to prevent			
		abandonment of the			
		breeding site.			
	3. Review construction	3. Implement remedial			
	activities of previous	action.			
	week.				
	4. Identify any changes in	4. Liaise with ET			
	construction activities in	regarding effectiveness of			
	previous week	remedial actions.			
	5. Discuss remedial				
	actions with Site Engineer				

6.7 Ecological monitoring Schedule

The next ecological surveys are scheduled on 04 and 10 December 2009, while ecological water quality monitoring is scheduled on 14 December 2009.

7. Action taken in Event of Exceedence

If the measurements (Noise, Water, Ecology) exceed the action / limit level, exceedance details will be reported and follow-up actions will be taken by relevant parties involved.

During the reporting period there was no exceedance for noise, ecological measurements recorded; therefore no actions were taken.

Total 83 non-compliance events of water quality limits (Dissolved Oxygen, Turbidity and Suspended Solids) were recorded on 2, 4, 6, 7, 9, 10, 11, 12, 13, 16, 17, 18, 19, 20, 26, 27, 28 and 30 November 2009 according to the established level. ET has arranged site investigations for the exceedance events. Findings from the inspection showed except natural fluctuation 20 events were believed to be caused by project works. As such, contractor was advised to review their site conditions and implement necessary corrective actions as well as mitigation measures as far as practicable.

The summary of non-compliance is listed in Table 7.1 for reference.

Table 7.1 Summary of Non-compliance for Water Quality

Date	Location	Parameter	Level of exceedance	Main cause of exceedance
02/11/09	M1	Turbidity, S.S.	Limit Level	M1 & M2 – No particular observations
02/11/09	M2	Turbidity, S.S.	Limit Level	(suspected non-project related)
	M1	Turbidity, S.S	Limit Level	M1 - Site water seepage due to collapse of the earth bund at site
04/11/09	M2	S.S.	Limit Level	retaining wall D M2 - No particular observations (suspected non-project related)
	M1	Turbidity, S.S.	Limit Level	M4. Cita and a last a section of the
06/11/09	M2	Turbidity, S.S.	Limit Level	M1 – Site water leakage from the construction site retaining wall D. M2 & M3 – No particular observations (suspected non-project related)
06/11/09	M3	Turbidity, S.S.	Limit Level	M4 – Water quality was affected by upper stream course of PNH
	M4	Turbidity, S.S.	Limit Level	Tracor quality was allosted by appear stream section of Trace
07/11/09	M1	Turbidity, S.S	Limit Level	M1 – Site water leakage from the construction site retaining wall D.
07/11/09	M4	Turbidity, S.S	Limit Level	M4 – Water quality was affected by algal bloom. (non-project related)
09/11/09	M1	Turbidity, S.S	Limit Level	M1 – Site water leakage from the construction site retaining wall D.
00/11/00	M4	Turbidity, S.S	Limit Level	M4 – Water quality was affected by upper stream course of PNH
10/11/09	M1	Turbidity, S.S	Limit Level	M1 – Site water leakage from the construction site retaining wall D.
10/11/09	M4	Turbidity, S.S	Limit Level	M4 – Water quality was affected by upper stream course of PNH

	M1	Turbidity, S.S	Limit Level	M1 – Site water leakage from the construction site retaining wall D.
44 (44 (00	M2	S.S.	Limit Level	M2 – No particular observations (suspected non-project related)
11/11/09	МЗ	S.S	Action Level	M3 – No particular observations (suspected non-project related)
	M4	Turbidity, S.S	Limit Level	M4 -Water quality was affected by upper stream course of PNH
	M1	Turbidity, S.S.	Limit Level	M4 MQ 9 M4 No portioular absorbations
12/11/09	M2	S.S.	Limit Level	M1, M2 & M4 – No particular observations (suspected non-project related)
	M4	S.S.	Limit Level	(Suspected Horr-project related)
13/11/09	M1	Turbidity, S.S.	Limit Level	M1 & M2 – No particular observations
13/11/09	M2	S.S.	Limit Level	(suspected non-project related)
	M1	Turbidity, S.S.	Limit Level	M1 M2 8 M2 No particular obcorvations
16/11/09	M2	Turbidity, S.S	Limit Level	M1, M2 & M3 – No particular observations (suspected non-project related)
	МЗ	Turbidity, S.S	Limit Level	(Suspected Horr-project related)
17/11/09	M1	Turbidity, S.S.	Limit Level	
	МЗ	Turbidity, S.S.	Limit Level	M1, M3 & M4 – Water quality was affected by algal bloom. (suspected non-project related)
	M4	S.S.	Limit Level	(
	M1	Turbidity, S.S.	Limit Level	M4 M2 9 M4 Weter quality upon offseted by algal bloom
18/11/09	МЗ	Turbidity, S.S.	Limit Level	M1, M3 & M4 – Water quality was affected by algal bloom.
	M4	S.S.	Limit Level	(suspected non-project related)
	M1	Turbidity, S.S.	Limit Level	M1 M2 9 M4 Water quality uses affected by algal bloom
19/11/09	М3	Turbidity, S.S	Limit Level	M1, M3 & M4 – Water quality was affected by algal bloom. (suspected non-project related)
	M4	S.S	Limit Level	(Suspected Horr-project related)
	M1	Turbidity, S.S	Limit Level	M1 M2 9 M4 Water quality was affected by algal bloom
20/11/09	М3	Turbidity, S.S	Limit Level	M1, M3 & M4 – Water quality was affected by algal bloom. (suspected non-project related)
	M4	S.S	Limit Level	(Suspected Horr-project related)
26/11/09	M1	Turbidity, S.S	Limit Level	M1 & M2 – Water quality was affected by algal bloom.
20/11/09	M2	Turbidity, S.S	Limit Level	(suspected non-project related)
27/11/09	M1	Turbidity, S.S.	Limit Level	M1 & M2 – No particular observations (suspected non-project related)
27/11/03	M2	S.S.	Limit Level	The particular observations (suspected non project related)
	M1	Turbidity, S.S	Limit Level	M1 - Water quality was affected by algal bloom. (suspected non-project
28/11/09	M2	Turbidity, S.S	Limit Level	related)
	МЗ	Turbidity, S.S	Limit Level, Action Level	M2 & M3 – No particular observation (suspected non-project related)
20/11/00	M1	Turbidity, S.S	Limit Level	M1 & M2 – No particular observations (suspected non-project related)
30/11/09	M2	Turbidity, S.S	Limit Level	ivi a iviz – ivo particulai observations (suspected non-project related)

8. Construction waste disposal

It is the contractor's responsibility to ensure that all wastes produced during the construction phase for the drainage improvement works are handled, stored and disposed of in accordance with good waste management practices and EPD's regulation and requirement. Waste materials generated during construction activities, such as construction and demolition (C&D) material, chemical wastes and general refuse, are recommended to be audited at regular intervals to ensure that proper storage, transportation and disposal practices are being implemented.

Contractor has completed the registration of Waste Producer under the Waste Disposal (Chemical Waste)(General) Regulation. The Waste Producer Number, WPN 5213-950-Y2443-03 was assigned by EPD on 12 Aug 2008. The Contractor would be responsible for the implementation of any mitigation measure to minimize waste or redress problems arising from the waste materials.

Table 8.1 is a summary of figures of the construction wastes disposal provided by Contractor.

Table 8.1 Summary of Construction Waste Disposal

1							
	Amount of Construction Waste disposed						
Month	Inert Waste	Non-inert Waste	Chemical Waste				
	(to Public Fill)	(to Landfill)	(to treatment plant)				
1 st to 30 th Nov 09	1569.60 (ton)	29.50 (ton)	Nil				
Total	21842.26 (ton)	112.23 (ton)	0				

9. Status of Permits and Licenses obtained

Table 9.1 is the updated status of environmental related permits/ license obtained for the construction activities

Table 9.1 Status of Permits and Licenses Obtained

Description	License / Permit No.#	Date of Issue	Date of Expiry	Remarks
Environmental Permit	EP-237/2005/A	05 Mar 2007		Issued
Varied Environmental Permit	EP-237/2005/B	23 April 2009		Issued
Registration of C&D Waste Producer	7006521			Issued
Chemical Waste Producer	5213-950-Y2443-03	12 Aug 2008		Issued
Construction Noise Permit	N/A	N/A	N/A	N/A
Effluent Discharge License	EP890/W2/XG032 EP890/W2/XG033 EP890/W2/XG034 EP890/W2/XG035 EP890/W2/XG036 EP890/W2/XG037 EP890/W2/XG038 EP890/W2/XG039 EP890/W2/XG040 EP890/W2/XG041	23 Oct 2008	31 Oct 2013	Issued

The contractor implemented various environmental mitigation measures as recommended in the Environmental Permit and Final Mitigation Measures Report. The implemented schedule is presented in Appendix H.

10. Complaint Log

A formal complaint regarding muddy effluent discharge from site at PNH was referred by EPD in this reporting month. Site investigation was conducted and Contractor was advised to implement necessary. For details of the complaint report and log sheet please refer to Appendix L.

Table 10.1 Summary of Formal Complaints received							
	Noise Water Ecology Cultural Other						
November 2009	0	1	0	0	0		
Total	0	1	0	0	0		

11. Site Environmental Audits

11.1 Site Inspection

With an intention to ensure that appropriate environmental protection and pollution control mitigation measures are properly implemented, regular environmental site inspections have been scheduled.

Within the reporting month, site inspections were conducted on 5, 12, 19, 24 and 30 November 2009.

A detailed checklist of each site inspection together with comments, relevant photos and maps have been filed and kept. A summary of observation and follow-up action is shown in Table 11.1

	Table	e 11.1 Summary of site inspe	ction	
Date	Observations	Advice from ET	Action taken	Closing Date
5 & 8 Oct 09	Site water generated from box culvert A of LTT was found diverted to the bushes outside of site boundary	Contractor was advised to divert site water to a proper treatment facilities and then discharge to a designated discharge point in accordance with the applied wastewater discharge license	Such practice was stop as reported by Contractor during inspection on 19 Nov	19 Nov 09
8 Oct 09, 5 & 12 Nov 09	Exposed earth surface and site ground were found dry and dusty	Contractor was reminded to provide sufficient water spraying to dusty static area for dust suppression.	Ongoing implementation of water spraying was required	Ongoing
23 Oct 09	Influent was overflowing from the de-silting tank installed at site retaining wall D of PNH, and seeping to the nearby bushes	Contractor was recommended to review if the capacity of the de-silting tank is capable for site water treatment in the concerned area; additional de-silting tank should be provided and/or flow rate of influent should be controlled.	Issue of improvement works for the de-silting tank was still outstanding	Ongoing
23 Oct 09	Existing concrete wall, which used as bunds to protect site retaining wall D of PNH, was collapsed and causing site water leakage to the river channel	Contractor was recommended to implement immediate remedial actions include reformation of proper earth bunds as to stop further deterioration of water quality	Although actions have been taken, site water seepage was still observed and further improvement was required	Ongoing
5 Nov 09	outside retaining wall D and	Contractor was urged to trace the cause of contamination and implement necessary corrective actions and mitigation measures as soon as possible to stop further deterioration of water quality.	To be followed in the next reporting month	Ongoing
12 & 19 Nov 09	There was no protection measure implemented for the temporary sheet pile crossing at fish ladder / gabion wall site	Contractor was advised to provide bunds and/or barriers to prevent grit and soil from dropping into the river channel.	Follow up action has been taken as advised prior to the inspection on 24 Nov 09	24 Nov 09

Table 11.1 Summary of site inspection							
Date	Observations	Advice from ET	Action taken	Closing Date			
12 & 19 Nov 09	Some of the geo-textile coverings provided to the soil	Contractor was advised to rectify such discrepancy to prevent potential	Follow up actions has been taken as advised prior to the	24 Nov 09			
	·	risk of soil erosion from the exposed	inspection on 24 Nov				
	River site BC15, was found drifted by wind blow	soil slopes.					
19 Nov 09	Silt clay accumulated in the	Contractor was recommended to	Follow up action has been	24 Nov 09			
	wheel washing bay at PNH fish	regularly clean up the silt clay	taken as advised prior to the				
	ladder site.	accumulated in the wheel washing bay at PNH fish ladder site	inspection on 24 Nov				
19 and 24	Site water leakage was	Contractor was advised to implement	To be followed in the next	Ongoing			
Nov 09	observed from soak-away	corrective actions to stop further site	reporting month				
	pond to the marshland area next to Yuen's compound	water leakage as soon as possible.					
24 Nov 09	River water in downstream of	Contractor was urged to trace the	To be followed in the next	Ongoing			
	TTTR was observed to be	cause of contamination and	reporting month				
	muddy during inspection. Such	implement necessary corrective					
	condition was believed to be	actions and mitigation measures as					
	caused by construction	soon as possible to stop further					
	activities	deterioration of water quality.					
24 Nov 09	Public U-channel connected	Contractor was reminded to rectify	Follow up action has been	30 Nov 09			
	with PNH box culverts was not	the outstanding discrepancy to avoid	taken by providing wooden				
	properly covered	earth materials and construction	board coverings prior to				
		wastes dropping into public drainage	inspection on 30 Nov				
		and causing water quality impact.					
30 Nov 09	No wheel washing facility was	Contractor was requested to clean up	To be followed in the next	Ongoing			
	observed in construction site	mud deposited on public areas and	reporting month				
	exit at bottleneck A and site	provide adequate properly					
	connected to Ngan Shu Street	maintained wheel washing facilities at					
		all site exit as soon as possible.					
30 Nov 09	Site water was overflowed to	Contractor was required to provide	To be followed in the next	Ongoing			
	PNH River from construction	and properly utilize site water	reporting month				
	site near retaining wall D	treatment facilities such as properly					
		maintained earth bunds and					
		sedimentation tank on site					

	Table 11.1 Summary of site inspection								
Date	Observations	Advice from ET	Action taken Closing Date						
30 Nov 09	box culvert was pumped to nearby grassland and diverted	Contractor was requested to clear mud and silt materials accumulated at the soak-away pond and replace dirty geo-textile materials as soon as possible		Ongoing					
30 Nov 09	Gaps were observed between	Contractor was advised to provide improvement works to prevent grit, soil and site run-off entering the river course	To be followed in the next reporting month	Ongoing					

11.2 Compliance with legal and Contractual requirement

ET leader has reviewed the progress and programme of the works to check any relevant environmental laws has not violated.

Further to the complaint referred by EPD on 6 November 2009. A site investigation was conducted by the inspector of EPD on 9 November 2009. Site condition was in unsatisfactory condition and therefore a warning has been issued to the Contractor. As such, Contractor was seriously reminded again to be cautious on the change of the river water quality due to project works; no muddy site water and/or run-off is allowed to be discharged into the river courses before proper treatment by any reasons. Sufficient as well as effective mitigation measures have to be implemented to minimize water quality impact due to construction activities from sites.

Totally, 2 formal warnings have been issued to the Contractor since the commencement of the project.

11.3 Environmental Complaint and follow up actions

Further to the environmental concerns raised by green group during May 2009, Ecologist of ET has conducted a monthly survey to mangrove area at the east of Luk Tei Tong River. Details of findings please refer to Appendix K.

A formal complaint referred by EPD, regarding muddy effluent discharge from site retaining wall D at PNH, was received by ET on 6 November 2009. EPD site inspection was carried out on 9 November. Site investigation was carried out with representatives from ER and Contractor on 10 November 2009. Recommendations were then given to the Contractor and as a follow up, further investigation was carried out on 12 November 2009. Corrective actions and improvement to the mitigation measures were partially implemented during the follow up investigation. As such, Contractor was urged to implement sufficient and effective mitigation measures to stop further deterioration of water quality.

For details of findings and outcomes, please refer to the complaint investigation report and log sheet shown in Appendix L.

12. Future key issues

As informed by contractor major site activities will include construction of box culverts, retaining walls and gabion walls on project sites. It is expected that several impacts on environmental aspects will be generated on-site. With reference to the EM&A manual, mitigation measure report as well as the environmental permit, proper mitigation measures are proposed to be taken, if necessary.

Contractor was seriously recommended to provide proper measures to mitigate water quality impacts to the river channels due to construction works. River based construction sites should be well enclosed by bunds in dry condition, as to prevent surface run-off and site water seepage to the stream. Surface of earth bunds directly exposed to the river channel should be completely covered with geo-textile to prevent soil erosion. Contractor should implement proper protection measures such as barriers and/or silt curtain, to protect surface run-off from earth bund formation.

Underground water and site water may be accumulated on site. Contractor is recommended to treat the accumulated site water by proper silt removal facilities before discharging to the designated discharge point; also reuse of site water should be considered. Channel, trench and manholes connected with project sites should be sealed to prevent site water and any construction materials entering public drainage and causing water quality impact.

Construction activities such as backfilling, earth movement may generate dust impact to the vicinity of sensitive receivers. Contractor is advised to provide regular water spraying for the dusty static area. Stockpiling may be found on site and those should be covered by tarpaulin to prevent erosion and run-off.

Heavy plants and vehicles may be deployed for the construction and those would generate certain noise impacts to the sensitive receivers. Noisy activities should be well planned and scheduled to avoid parallel operation of multiple plants, so as to minimize noise impacts to the nearby sensitive receivers.

13. Conclusions

In this reporting month, construction of retaining walls at PNH River and LTT River, box culvert at PNH and LTT, as well as gabion wall at TTT River were being carried out.

Regular site meetings and inspection audits led by the seniors for discussing site environmental matters were held among Project Proponent, Contractor and the ET on weekly basis. Also monthly site meeting and inspection audits with the above parties and IEC were carried out at the mid of the reporting month.

For noise level monitoring, all results were within the established A/L limits.

For water quality monitoring, total 83 non-compliance events of water quality criteria were recorded on 2, 4, 6, 7, 9, 10, 11, 12, 13, 16, 17, 18, 19, 20, 26, 27, 28 and 30 November 2009. Except the natural fluctuation, improper site practice was the major cause of exceedance. Hence, the contractor was urged to review the site condition and implement necessary mitigation measures and corrective actions as soon as possible to minimize water quality impact due to site works.

During ecological monitoring survey, no White-shouldered Starling was recorded breeding in the watch tower. There was no sign of disturbance from the Project to the watch tower. The absence of nesting of White-shouldered Starling in the watch tower did not seem to be related to construction works in Luk Tei Tong River. A bird species nests in village house should be to certain extent disturbance tolerant.

No bird was observed entering the watchtower since the monitoring surveys commenced in August 2008. Also, no breeding was recorded in the baseline survey in September 2007. It appears that the birds do not prefer to roost or nest in the watch tower.

There was one formal complaint, regarding muddy effluent discharge from site, received in this reporting month. A warning for improper site practice was issued to the Contractor by EPD. Hence, contractor was urged to rectify the discrepancies as soon as possible and implement necessary corrective actions to stop further deterioration of water quality.

Site water control was the major concern in this reporting month. Contractor was recommended to provide proper de-silting facilities for site water treatment; conditions of the earth bunds provided should be rectified to prevent surface run-off and soil erosion due to site works. Corrective actions to the identified defects should be implemented as soon as possible to minimize deterioration of water quality.

ET has reminded the contractor to provide environmental pollution control measures wherever necessary; and to keep a good environmental management at site practice.

The ET will continue to implement the environmental monitoring & audit programme in accordance with the EM&A Manual and Environmental Permit requirement.

Appendix A


Construction
Programmer and
Location plan


Act ID	Description	Orig Dur	Rem Dur	Early	Early Finish	% Predecessors	2008 2010 2011 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC JAN FEB
0000	DRAINAGE IMPROVEMENT WORK IN S LANTAU	534 *		Start 06AUG2009	21JAN2011	0	The second of th
0000	Section Commencement	11		07JAN2008 A	17JAN2011	100	DRA
0010	Preliminaries	534 *		06AUG2009	21JAN2011	0	The state of the s
0020	Engineer's Accommodation	80		07JAN2008 A	26MAR2008 A	100	Preli President Engineer's Accommodation
0030	Contactor's Accommodation	55		07JAN2008 A	01MAR2008 A	100	#
0040	Engineer's Accommodation (Secondary)	40		07JAN2008 A	15FEB2008 A	100	Engineer's Accommodation (Secondary):
0050	Record Survey & Site Investigation	180		07JAN2008 A	04JUL2008 A	100	Record Survey & Site Investigation
0060	Recruitment of Environment Team	80	0	07JAN2008 A	26MAR2008 A	100	Recr. itment of Environment Team
0070	Establish Base line monitoring for EP	30	0	27MAR2008 A	25APR2008 A	100 0060	Fixed Establish Base line monitoring for EP
0800	Monitoring for Environmental Permit	1001	534	26APR2008 A	21JAN2011	47 0070	Mon
0100	Temporary Traffic Management Schemes	180	0	07JAN2008 A	04JUL2008 A	100	Temporary Traffic Management Schemes
0110	Construction Proposals and Submissions	80		07JAN2008 A	26MAR2008 A	100	Construction Proposals and Submissions
0120	Permits Application & Approval	180		07JAN2008 A	04JUL2008 A	100	Permits Application & Approval
0130	Liaison Works with Others (Initial)	220		07JAN2008 A	13AUG2008 A	100	Liaison Works with Others (Initial).
0140	Temporary Noise Barrier (Fabrication)	60		14AUG2008 A	12OCT2008 A	100 0130	Temporary Noise Barrier (Fabrication)
1000	Works at Ling Tsui Tau &TTT River (D2&D3, D4)	510		18JAN2008 A	10JUN2009 A	100 0001	Works at Ling Tsui Tau &TTT River (D2&D3, D4)
1010	Drainage Channel at Ling Tsui Tau (D2&D3)	510	OR SHEET TO STREET	18JAN2008 A	10JUN2009 A	100 0001	Drainage Channel at Ling Tsui Tau (D2&D3)
1020	Sub. & app. from AMO by Archaeologist	268		07JAN2008 A	30SEP2008 A	100	Sub. & app. from AMO by Archaeologist
1030	Covered U-Channel	0		01OCT2008 A		100 1020	l⇔iCovered U-Channel
1031	600 & Covered 750 U-Channel (D3)	120 30		01OCT2008 A	28JAN2009 A	100 1030	600 & Covered 750 U-Channel (D3)
1032	Covered 300 U-Channel (D2)	ļi		25FEB2009 A	26MAR2009 A	100 1030	Covered 300 U-Channel (D2)
1040	Concrete Pipe Drainage at Ling Tsui Tau (D3)	0		22APR2009 A	0511111000001	100	Concrete Pipe Drainage at Ling Tsui Tau (D3)
1041	CP1.3 to MH1.4 (2 x DN600)	14		22APR2009 A	05MAY2009 A	100 1040	F ■ CP1.3 to MH1 4 (2 × DN600)
1042 1043	MH1.4 to MH1 (2 x DN 600)	14		06MAY2009 A	19MAY2009 A	100 1041	F⇒ ■ MH1.4 to MH1 (2 × DN 600)
1043	MH1 to MH2 (2 x DN 600) MH2 to MH3 (2 x DN 600)	21 75		20MAY2009 A 10JUN2009 A	09JUN2009 A 23AUG2009	100 1042	# MH1 to MH2 (2 x DN 600)
1044	MH3 to MH4 (2 x DN 600)	21	THE RESERVE	21AUG2009 *	10SEP2009	76 1043	MH2 to MH3 (2 x DN 600)
1046	MH4 to MH5 (2 x DN 600)	14		11SEP2009	24SEP2009	0 1044 0 1045	
1047	MH5 to MH6 (2 x DN 600)	14		25SEP2009	08OCT2009	0 1045	MH4 to MH5 (2 x DN 600)
1048	MH6 to MH7 (2 x DN 600)	14		09OCT2009	22OCT2009	0 1047	→ MH5 to MH6 (2 x DN 600)
1049	MH7 to MH8 (2 x DN 750)	80		29JUN2009 A	16SEP2009	48	MH6 to MH7 (2 x DN 600)
1050	MH8 to Outlet Structure	21		23OCT2009	12NOV2009	0 1048, 1049	MH7 to MH8 (2 x DN 750)) MH8 to Outlet Structure
1100	Gabion Channel at Tai Tei Tong River (D4)	510		18JAN2008 A	10JUN2009 A	100 0001	Gabion Channel at Tai Tei Tong River (D4)
1110	Preparation Work for Gabion Channel	409		18JAN2008 A	01MAR2009 A	100 0001	Preparation Work for Gabion Channel
1120	Bottleneck A widening excavation (LHS)	10		02MAR2009 A	11MAR2009 A	100 1110	□>■ Bottleneck A widening excavation (LHS)
1121	Bottleneck A type 6 gabion (LHS)	20	0	12MAR2009 A	31MAR2009 A	100 1120	Hama Bottleneck A type 6 gabion (LHS)
1122	Bottleneck A widening excavation (RHS)	10	0	01APR2009 A	10APR2009 A	100 1121	□ Bottleneck A widening excavation (RHS)
1123	Bottleneck A type 6 gabion (RHS) & river bed	20	0	11APR2009 A	30APR2009 A	100 1122	► ■ Bottleneck A type 6 gabion (RHS) & river bed
1130	Approval of temp access from bottleneck A to B	60	0	31MAR2009 A	29MAY2009 A	100	Approval of temp access from bottleneck A to B
1131	Forming of access form bottleneck A to B	12	0	30MAY2009 A	10JUN2009 A	100 1130	File Forming of access form bottleneck A to B
1132	Bottleneck B widening excavation (North Side)	85	29	11JUN2009 A	03SEP2009	66 1131	Bottleneck B widening excavation (North Side)
1133	Bottleneck B type 6 gabion (South Side)	25	25	04SEP2009	28SEP2009	0 1132	Bottleneck B type 6 gabion (South Side)
1134	Bottleneck B widening excavation (RHS)	14	14	29SEP2009	12OCT2009	0 1133	i i i i i i i i i i i i i i i i i i i
1135	Bottleneck B type 6 gabion (RHS) & river bed	14	14	13OCT2009	26OCT2009	0 1134	ti⇒ ■ Bottleneck B type 6 gabion (RHS) & river bed
1140	Reinforced Concrete Retaining Wall [H]	0	0	01APR2009 A	The state of the s	100	Reinforced Concrete Retaining Wall [H]
1141	R C Retaining Wall H	180	53	01APR2009 A	27SEP2009	71 1140	R C Retaining Wall H
1150	Drainage Works for Channels & Retaining Wall	0	0	07JAN2008 A		100	Drainage Works for Channels & Retaining Wall
1151	U-Channel and Catchpit for Widened Bottle Neck A	15	15	27OCT2009	10NOV2009	0 1123, 1135	
1152	U-Channel and Catchpit for Widened Bottle Neck B	15	15	27OCT2009	10NOV2009	0 1135	⇒ ■ U-Channel and Catchpit for Widened Bottle Neck B
1153	U-Channel and Catchpit for Retaining Wall H	20	20	28SEP2009	17OCT2009	0 1141	U-Channel and Catchpit for Retaining Wall H
1160	Soft & Hard Landscaping Works	0	0	18OCT2009		0 1123, 1153	Soft & Hard Landscaping Works
1170	Hard Landscaping & Paving Works	50	******	THE RESERVE OF THE PARTY OF THE	06DEC2009	0 1153	Hard Landscaping & Paving Works
1180	Soft Landscaping (Planting) Works	50		18OCT2009	06DEC2009	0 1153	Soft Landscaping (Planting) Works
1200	Phase 2 sewerage works at TTT river	60		01SEP2009 *	30OCT2009	0	Phase 2 sewerage works at TTT river
	Submission and approval MS by DSD & EPD	90			29JUL2009 A	100	Submission and approval MS by DSD & EPD
1220	Excavation 1st half trench at TTT river	20		01SEP2009 *	20SEP2009	0 1210	Excavation 1st nair trench at 111 river
	Pipe laying and backfilling 1st half trench	5		21SEP2009	25SEP2009	0 1220	առառությունը արտարարացությունը արտարարացությունը արտարարացությունը հայանական հայանական արտարարարացության արտար
	Excavation 2nd half trench at TTT river	20	20	26SEP2009	15OCT2009	0 1230	Excavation 2nd half trench at TTT river
Start							Early bar
	Finish date 21JAN2011 Drainage Improvement Work in South Lantau Progress bar						
Data d Run d	Tick tillig Collstia	ction Co.	Ltd.				and Construction of Mui Wo Village Sewerage Phase 1
	number 1A						Master Programme / Pay 9h) —— Summary bar

Page number 1A c Primavera Systems, Inc.

Master Programme (Rev.9b)

Summary bar
 Start milestone point
 Finish milestone point







15AUG2009 Run date Page number c Primavera Systems, Inc.

Master Programme (Rev.9b)

 Summary bar Start milestone point Finish milestone point





Act		Orig	Rem	Early	Early		2008	2009	2010	2011
ID	Description	Dur	Dur	Start	Finish	% Predecessors	JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC	JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DE	JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC	JAN FEB
יוו		Dui	Dui	Juit	1 1111011					alli i i i i i i i i i i i i i i i i i i
7010	Preparation for works (Minor Portion)	131	0 1	8JAN2008 A	27MAY2008 A	100 0001	Preparation for works (Minor Portion	on) : : : : : : : : : : : : : : : : : : :		11111111
7020	Non-working Period at TWT Beach (1)	196	0 * 0	1APR2008 A	13OCT2008 A	100	Non-workin	g Period at TWT Beach (1)	. 1 1 1 1 1 1 1 1 1 1	
7030	uPVC Sewer (DN160-400) M/H A16 - M/H A34	465	30 2	28MAY2008 A	04SEP2009	94 7010		uPVC Sewer (DN	160-400) M/H A16 - M/H A34	
7040	uPVC Sewer (DN160-400) M/H A15 - M/H A13	50	0 1	40CT2008 A	02DEC2008 A	100 7020	uP\	/C Sewer (DN160-400) M/H A15 - M/H A13		
7050	uPVC Sewer (DN160-400) M/H A11 - M/H A7	50	0 0	3DEC2008 A	21JAN2009 A	100 7040		uPVC Sewer (DN160-400) M/H A11 - M/H A7	ATTATTATATATTATTATTATTATTATTATTATTATTAT	/rintrint
7060	uPVC Sewer (DN160-400) M/H A1 - M/H A3	65	0 2	2JAN2009 A	27MAR2009 A	100 7050		uPVC Sewer (DN160-400) M/H A1 - M/H A		/
8000	Sewerage works at PNH (S4)	772	206 1	8JAN2008 A	27FEB2010	73 0001	>		Sewerage works at PNH (S4)	111111111
8010	Preparation of works	168	0 0	7JAN2008 A	22JUN2008 A	100	Preparation of works			111111111
8020	uPVC Sewer (DN160-400) M/H ED2 -D28 - D118	320	0 2	23JUN2008 A	08MAY2009 A	100 8010	() () () () () () () () () ()	uPVC Sewer (DN160-400) M/H ED2	-D28 - D118	111111111
8030	uPVC Sewer (DN160-400) M/H D1 - D27	280	191 0	9MAY2009 A	12FEB2010	32 8020		TOTOTOTOTOT PAROLED FOR COLOUR OR COLOUR	uPVC Sewer (DN160-400) M/H D1 - D27	rentent Hiller
9000	Preservation & Protection of Exist Trees	534 *	534 * 0	6AUG2009	21JAN2011	0 0001				Pres
9010	Preparton for works	100	0 0	7JAN2008 A	15APR2008 A	100	Preparton for works			. 1 1 1 1 1 1 1 1 1 1
9020	Protection & Transplanting Works	1011	534 1	6APR2008 A	21JAN2011	47 9010				Proti

Start date 07JAN2008
Finish date 21JAN2011
Data date 06AUG2009
Run date 15AUG2009
Page number 6A
c Primavera Systems, Inc.


Yick Hing Construction Co. Ltd.

Drainage Improvement Work in South Lantau and Construction of Mui Wo Village Sewerage Phase 1

Master Programme (Rev.9b)



Start milestone point Finish milestone point



Run date Page number 1A c Primavera Systems, Inc.

3-Month Rolling Programme (Rev.9b)

Summary bar

Start milestone point Finish milestone point

		Orig	Dom	Early	Corty	T		T			2008							2009				I			2010	******			2011	
Act ID	Description	Dur	Rem Dur	Start	Early Finish	%	Predecessors	JAN FEB	MAR	APR MA	Y JUN JU	JL AUG S	EP OCT N	OV DEC	JAN FEB	MAR A	PR MAY	JUN JUL	AUG S	EP OCT N	IOV DEC	JAN FE	B MAR	APR MAY	JUN JU	IL AUG	SEP OCT	NOV DE	C JAN FEB	į
3360	RC Maintanence Ramp	0	0	06SEP2009		1	3344	+++++++	+++	 	 	 	 	++++++	 	1111111		++++++		RC Main	tanence	Ramp	111111		11111111				++++++++	
3361	Ramp bay 1	20	20	06SEP2009	25SEP2009		3360		1111				1111111111	1111111		1111111	1111111	1111111		Ramp	bay 1	1111111		11111111		1111111	11111111	11111111	1111111111	,
3362	Ramp bay 2	20		26SEP2009	15OCT2009		3361	THUIL!	1111			110110		LULLUL	FOILDI	HILL	FREE .	HHH	指しい 上岸	≻ ∭∭ Raı	コピいきしし	11111					111111	112111		í
3363	Ramp bay 3	30		16OCT2009	14NOV2009		3362	111111111	1111				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	11111111	1111111	1111111	1111111		1 1 1 1	Ramp			11311111			11111111	11111111		
3369	Turning Bay & Maintenance Access	70		26SEP2009	04DEC2009		3361	111111111	1111	11111111	11111111	11111111	111111111	1111111	11/11/11	1111111	1111111						v & Ma	intenance	Access		1111111	1111111	1111111111	
3500	Gabion Wall (Type 2, 3, 4 & 5) at PNH River	0		01OCT2009 *		1	+	111111111	$\begin{smallmatrix} 1&1&1&1&1\\1&1&1&1&1\end{smallmatrix}$	11111111			1 1 1 1 1 1 1 1 1 1 1	1111111	11111111	1111111	1111111	1111111	1111	1311111	3 1 1 1 1 1 1 1	TIĞLILI	Trans.	5) at PNI			11111111	11131111	1111111111	
3510	Gabion Wall (opposite to RW-A & B)	45		01OCT2009	14NOV2009	-	3500	11111111	1111					1111111	11111111	1111111	111111	1111111	11111					e to RW-A			11111111	11111111	1111111111	,
4000	Luk Tei Tong Bypass Channel and River (D5)	926		18JAN2008 A	31JUL2010		0001													11777	- Cubici	t trail (o	ppoon			ookol Lijk	Tei Tong	Rypage (Channel ar	
4200	No Excavation Period (2)	214		01APR2009 A	31OCT2009		4110	-	1111			1111111		1111111	1111111			1111111		Name of the Park	lo Exca	ration Pr	eriod (2)		HLLIII	i i i i i i i i	11111111	Juliani Ci ai	
4240	Box Culvert - A	75		08JUL2009 A	20SEP2009	39		111111111	1111			11111111	111111111	1111111	11111111	1111111	1111111	1111111		Box Cu	11111111	1111111					11111111	1111111	1111111111	
4241	Reprovision of EVA & Footpath at BC-A	10		21SEP2009	30SEP2009		4240	11111111	$\begin{smallmatrix} 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 \end{smallmatrix}$		11111111		111111111	1111111	1111111	1111111	1111111	1111111	11114	Jana	1111111	1111111	Footn	ath at BC-	Δ:::::::		11111111	111111111	1111111111	
4260	Reprovision of EVA & Footpath at BC-B	180		01APR2009 A	27SEP2009		4250	1111111111	1111					1111111		11111	111111	111111						th at BC-			11111111	11111111	1111111111	,
4343	Retaining Wall J - Bay 3	21		22JUL2009 A	11AUG2009		4342	#14 # 14 # H	1111	(17/11/7	118118	118118	++++++	84484	181181	18183	THITT	73175	Reta	ining Wal			Till Till	Tottot	FR44R4	HHH	448448	#####	111111111	i
4344	Retaining Wall J - Bay 4	21		12AUG2009	01SEP2009		4343	111111111	1111			11111111	1 1 1 1 1 1 1 1 1 1	1111111	11117111	111111	1111111		Albert 1	etainina '					:		11111111	13151511	1111111111	
4345	Retaining Wall J - Bay 5	21		02SEP2009	22SEP2009		4344	111111111	$\begin{smallmatrix} 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 \end{smallmatrix}$			11111111	1 1 1 1 1 1 1 1 1 1	1111111	11111111	1111111	1111111	1111111	ء لسسم وا	■ Retaini	1111111	1111111	5	11111111			11111111	11111111	1111111111	
4346	Retaining Wall J - Bay 6	25	25	23SEP2009	17OCT2009	0	4345	111111111	1111					1111111	11111111	1111111	111111		OF LITE	► IIII Re	1711111	1111111		11111111	(11111111	11111111	11111111111	,
4347	Retaining Wall J - Bay 7	25	25	18OCT2009	11NOV2009	1	4346		1111				1 1 1 1 1 1 1 1 1 1	1111111	11111111	1111111	1111111			1111	Retainii			7			11111111	111111111		
4800	Remain Works within PNH & LTT River (D1&D5)	1010		18JAN2008 A	23OCT2010		0001		1111	10110	i tri i tri	irnim	mini	iiiiii	<u> FITTFIT</u>	ro i co	toato	inim						rattat	rotrot		1111111	Remain \	Works with	1
4850	No exca period (2) at Confluence of PNH,TTT<T	214	87	01APR2009 A	31OCT2009	59)		1111					1111111		11111	1:11:11	111111	10 13 11			period (2	2) at C	onfluence	of PNH,	TTT&L	it all all a	11111111	1111111111	
5000	Works within Portions S1 of the Site (Chung Hau)	748	182	18JAN2008 A	03FEB2010	76	0001	-				1 * 1 ! ! ! ! ! ! !										www.	Vorks v	vithin Port	ons S1 c	of the S	ite (Chun	g Hau)		
5042	MH EB13 - MH EB18	350	84	13NOV2008 A	28OCT2009	76	5041	1::::::::	1111					-						Marian N	IH EB13	- MH EI	B18	11111111				11111111		
5043	MH EB18 - MH EB25	145	145	29OCT2009	22MAR2010	C	5042		1111		11111111			1111111	11111111	1111111	1111111	1111111		F				MH EB18	- MH EB	25	11111111	11111111	/	
5044	MH EB11 - MH EB13	90	90	29OCT2009	26JAN2010	C	5042	11111111	1111		11111111	T F F F F F F F F F F F F F F F F F F F		1111111		THE TEN	TELLIFIE	1111111		11 d 1	775775	MH	HEB11	- MH EB	13		1111111	11111111		,
5046	MH EB26 - MH EB31 - EB8	145	145	29OCT2009	22MAR2010	0	5042		1111			11111111	1	1111111	11111111	1 3 1 3 1 3 1	1111111	1111111	10 1 1 1 2	-	1171711			MH EB26	MH EB	31 - EE	88	11111111		
6000	Sewerage Works at TTT (S2A & 2B)	863	297	18JAN2008 A	29MAY2010	66	0001		+++				1111111	111111	++++++	111111			-		_			-	Sewera	ge Wor	ks at TT1	Γ (S2A &	2B)	
6030	uPVC Sewer (DN160-400) M/H C85 - M/H C131	230	25	13JAN2009 A	30AUG2009	89	6020		$\begin{smallmatrix}1&1&1&1\\1&1&1&1\end{smallmatrix}$					1111111	1		فخطفا		u u	PVC Sew	er (DN16	30-400)	M/H C	85 - M/H	2131		11111111	11111111		
6040	uPVC Sewer (DN160-400) M/H C1 - M/H C47	249	249	31AUG2009	06MAY2010	C	6030		1111					1111111	11111111	1111111	1111111	1111111	. C -					uP	VC Sewe	er (DN1	60-400)	M/H C1 -	M/H C47	
7000	Sewerage at TWT (S3A & 3B)	638	72	18JAN2008 A	16OCT2009	89	0001	1 1 1 1 1 1 1 1 1 1 1 1	-1 + 1-1-		1 + 1-1 + 1-1	+ - 1-1 + - 1-1	+ 1-1-1 + 1-1-1	- 1-1-1 + 1-1-1+	+1-1+1-1-1+	+1-1 + 1-1-1	+1-1-1+1-1-	FIRST FIRST	7 1 - 1 - 1 - 1 - P-	Sev	verage a	t TWT ((S3A &	3B)		111111	11111111	11111111	++1+++1++	
7030	uPVC Sewer (DN160-400) M/H A16 - M/H A34	465	30	28MAY2008 A	04SEP2009	94	7010	1	1111					1111111	11111111	1111111			ı,	PVC Sev	ver (DN1	60-400)) M/H A	16 - M/H	A34			11111111		
8000	Sewerage works at PNH (S4)	772	206	18JAN2008 A	27FEB2010	73	0001]:: - - -	+++	+++++		++++++	+++++	++++++	+++++	+++++	+++++	+++++		++++++	-	++++++	Sew	erage wo	ks at PN	IH (S4)		11111111		
8030	uPVC Sewer (DN160-400) M/H D1 - D27	280	191	09MAY2009 A	12FEB2010	32	8020							$\begin{smallmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 &$		1111111		فالمنطقة فالمناطقة					uPVC	Sewer (D	V160-400	0) M/H	D1 - D27	11111111		
9000	Preservation & Protection of Exist Trees	534 *	534 *	06AUG2009	21JAN2011	C	0001		1111	111111111		11111111		1111111	11111111	1111111	11111111	1111111			111111			11111111		TEEFILE			Pres	;
9020	Protection & Transplanting Works	1011	534	16APR2008 A	21JAN2011	47	9010	Timini	1111				- 1-1-1 + 1-1-1 +				* [] [] [] [] []			- + 3-1 - 1 - 1 - 1			-1-1 + 1-1-1	F [-] 4 F [-] 4	1-1-1 + 1-1-1 d	related	1 0 1-1 4 4 1-4	4 1-1-1 4 1-1-1	Prot	,


Start date 07JAN2008
Finish date 21JAN2011
Data date 06AUG2009
Run date 15AUG2009
Page number 2A
c Primavera Systems, Inc.


Yick Hing Construction Co. Ltd.

Drainage Improvement Work in South Lantau and Construction of Mui Wo Village Sewerage Phase 1

3-Month Rolling Programme (Rev.9b)

Early bar
Progress bar
Critical bar
Summary bar
Start milestone point
Finish milestone point





Appendix B Key Personal Contact information chart

Organization	Role	Title	Name	Telephone	Fax
Name					Number
Drainage	Project	Engineering	Mr. Chan	2594 7464	2827 8700
Service	Proponent	Representative	Wai Hong		
Department					
Ellied	Independent	Principal	Ms. Grace	2815 7028	2815 5399
Environmental	Environmental	Consultant	Kwok		
Consultants	Checker (IEC)				
Limited					
Yick-Hing	Main	Senior Project	Mr. Liu Kai	2394 4988	2787 4890
Construction	Contractor	Manager	Choi		
Company					
Limited					
Environmental	Environmental	Environmental	Ms.	2965 0888	2856 2010
Pioneers &	Team (ET)	Team Leader	Patricia		
Solutions			Chung		
Limited					

Appendix C

Calibration Certificates for Measuring Equipments



Report for Calibration of Hand-held Water Quality Meter WQC-24

Calibration Reference No. : GCE/CAL/2009/MW/WQM/C3						
Client: ENVIRONMENTAL PIO	NEER AND SOLU	TION LIMITED				
Equipment No.: WQC-24	Location :	Mui Wo Site				
Manufacturer :DKK-TOA	Serial No.:	640274				
Calibration Date: 24-09-2009	Due Date :	23-12-2009				

Criterion: (Repeatabilty, Linearity)

pH : Both within ± 0.05 pH Dissolved oxygen : Both within ± 0.1 mg/L Electric conductivity : Both within ± 1 %FS

Turbidity : Repeatability : within ±3%FS

Temperature : Repeatability ± 0.25 °C; Linearity ± 0.5 °C; (Ambient 5~45°C)

Electric Conductivity (Salinity converted from EC):

(Reference: APHA 20ed 2510 B, ISO 7888 - 1985 (E) and DKK-TOA Hand-held Water Quality Meter WQC-24 Instruction Manual)

Concentration of KCl Standard Solution (M)	Reference conductivity value at 25.0 °C	Indicated value by meter	Linearity (R ²)		
0	0.0 mS/m*	0.0 mS/m	1,0000		
0.001	14.7 mS/m	14.9 mS/m	1.0000		
0.005	0.005 71.8 mS/m		Acceptance Criterion		
0.01	0.141 S/m	0.142 S/m	$R^2 > 0.995$		
0.05	0.667 S/m	0.678 S/m	Within ± 1% F.S. against		
0.1	1.29 S/m	1.29 S/m	calibration standard value 71.8 mS/m, 0.667 S/m and 5.87 S/m.		
0.5	5.87 S/m	5.87 S/m			
	1 st time	0.00, 5.87 S/m			
Repeatability	2 nd time	0.00, 5.87 S/m	Within \pm 1% F.S.		
Repeatability	3 rd time	0.00, 5.87 S/m	against average value		
	0.00 , 5.87 S/m	Ave.: 0.00, 5.87			

^{* 1} S/m = $10^4 \mu \text{mhos/cm} = 10^3 \text{ mS/m}$

Remark: For repeatability, the maximum difference from the average value of 3 measurements was taken.



Dissolved Oxygen:

(Reference: APHA 20ed 4500-O B&C, ISO 5814:1990(E) and DKK-TOA Hand-held Water Quality Meter WQC-24 Instruction Manual)

DO value evaluated by Iodometric Method (mg/L)		Indicated value by meter (mg/L)	Linearity (R ²)		
	0.00	0.00	1,0000		
	3.95	3.89	1.0000		
	6.50	6.45	Acceptance Criterion		
8.70		8.65	$R^2 > 0.995$		
10.80		10.76	Within ± 0.1 mg/L		
	13.90	13.84	against standard value		
	1 st time	0.00, 8.63	Within $\pm 0.1 \text{ mg/L}$		
Repeatability	2 nd time	2 nd time 0.00, 8.69			
	3 rd time	0.00, 8.64	against average value		
	0.00,8.70	Ave.: 0.00, 8.65			

Remark: For repeatability, the maximum difference from the average value of 3 measurements was taken.

pH Value:

(Reference: APHA 20ed 4500-H⁺ B, ISO 10523:1994(E) and DKK-TOA Hand-held Water Quality Meter WQC-24 Instruction Manual)

	1			
Calibration	Input value	Indicated pH value	Linearity	
pH buffer	(pH buffer)	by meter		
(25°C)	(25°C)	(25°C)	(R^2)	
pH = 1.67	1.67	1.69		
pH = 6.86	4.00	4.01	Acceptance Criterion	
pH = 7.42	7.00	7.01	$R^2 > 0.995$	
pH = 9.18	10.00	10.03	Within \pm 0.05 pH	
pH = 12.45	12.45	12.48	against standard value	
	1 st time	4.01, 10.04	******	
Repeatability	2 nd time	4.01, 10.03	Within ± 0.05 pH against average value	
	3 rd time	4.01, 10.03	agamst average value	
	pH 4.00, 10.00	Ave.: 4.01, 10.03		

Remark: For repeatability, the maximum difference from the average value of 3 measurements was taken.



Temperature:

(Reference: APHA 20ed 2550 B, In-house method and DKK-TOA Hand-held Water Quality Meter WQC-24 Instruction Manual)

Setting Temperature	Indicated va	Linearity			
(°C)	(°	<u>C)</u>	(R^2)		
5.0	5	.2	1,0000		
15.0	15	5.1	1.0000		
25.0	25	Acceptance Criterion			
35.0	35	$R^2 > 0.995$			
45.0	45	5.2	Within ± 0.5°C against		
55.0		5.3	standard value		
	1 st time	15.1 , 45.2			
Repeatability	2 nd time	15.2 , 45.3	Within ± 0.25°C		
	3 rd time	15.1 , 45.2	against average value		
	15.0, 45.0	Ave.: 15.1, 45.2			

Remark: For repeatability, the maximum difference from the average value of 3 measurements was taken.

Turbidity:

(Reference : APHA 20ed 2130 B and DKK-TOA Hand-held Water Quality Meter WQC-24 Instruction Manual)

Formazin Standards	Indicated va	Linearity			
(NTU)	(N'	TU)	(R^2)		
0.0	0	.0	1.0000		
20.0	20).8	Acceptance Criterion		
100.0	10	$R^2 > 0.995$			
400.0	40	Within ± 3% F.S. against			
800.0		4.5	span calibration value		
· · -	1 st time	0.0,804.4	100.0 and 400.0 NTU		
Repeatability	2 nd time	0.0,804.5	W/41:- 1 20/ T/O: 1		
	3 rd time	0.0,804.5	Within ± 3% F.S. against average value		
	0.0,800.0	Ave.: 0.0, 804.5	average value		

Remark: For repeatability, the maximum difference from the average value of 3 measurements was taken.

Comments :	Pass, (comply with the	criteria)		
Tested by:_	Ho Tin Kau	Certified by	:	Gu Chin Chemist
Checked by:_	Gu Chin	Date	:	24-9-2009



綜 合 試 驗 有 限 公 司 SOILS & MATERIALS ENGINEERING CO., LTD.

G/F, 9/F, 12/F, 13/F & 20/F, Leader Centre, 37 Wang Chuk Hang Road, Aberdeen, Hong Kong. 香港黃竹坑道37號利達中心地下,9樓,12樓,13樓及20樓 E-mail: smec@cigismec.com Website: www.cigismec.com

Tel: (852) 2873 6860 Fax: (852) 2565 7533



CERTIFICATE OF CALIBRATION

D094

2

Certificate No.:

09CA0102 01-01

Page

Item tested

Description:

Sound Level Meter (Type I) ACO, Japan

Microphone

Manufacturer:

ACO, Japan

Type/Model No.:

6224

7146

Serial/Equipment No.:

060166

34733

Adaptors used:

Item submitted by

Customer Name:

Geotechnics & Concrete Engineering (H.K.) Ltd.

Address of Customer:

G/F., 6 Ko Shan Road, Hung Hom, Kowloon, Hong Kong

Request No.: Date of request:

30-12-2008

Date of test:

02-01-2009

Reference equipment used in the calibration

Description:

Model: Serial No.

Expiry Date:

Traceable to:

Multi function sound calibrator Signal generator

B&K 4226 DS 360

2288444

11-01-2009 12-06-2009 CIGISMEC CEPREI

Signal generator

DS 360

33873 61227

18-07-2009

CEPREI

Ambient conditions

Temperature:

23 ± 2 °C

Relative humidity: Air pressure:

55 ± 15 % 1010 ± 15 hPa

Test specifications

- 1, The Sound Level Meter has been calibrated in accordance with the requirements as specified in BS 7580: Part 1: 1997 and the lab calibration procedure SMTP004-CA-152.
- The electrical tests were performed using an electrical signal substituted for the microphone which was removed and 2, replaced by an equivalent capacitance within a tolerance of ±20%.
- 3, The acoustic calibration was performed using an B&K 4226 sound calibrator and corrections was applied for the difference between the free-field and pressure responsess of the Sound Level Meter.

Test results

This is to certify that the Sound Level Meter conforms to BS 7580; Part 1: 1997 for the conditions under which the test was performed.

Details of the performed measurements are presented on page 2 of this certificate.

Actual Measurement data are documented on worksheets.

TV

Approved Signatory:

Date:

02-01-2009

Company Chop:

Huang Jian Mir∳Feng Jun Qi

Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.

Soils & Materials Engineering Co., Ltd.

Form No.CARP152-1/Issue 1/Rev.C/01/02/2007



綜 合 試 驗 有 限 公 司 SOILS & MATERIALS ENGINEERING CO., LTD.

G.F., 9/F., 12/F., 13/F. & 20/F., Leader Centre, 37 Wong Chuk Hang Road, Aberdeen, Hong Kong. 香港黃竹坑道37號利達中心地下,9樓,12樓,13樓及20樓 E-mail: smec@cigismec.com Website: www.cigismec.com

Tel: (852) 2873 6860 Fax: (852) 2555 7533



CERTIFICATE OF CALIBRATION

D094

(Continuation Page)

Certificate No.:

09CA0102 01-01

Page

of

2

2

1. **Electrical Tests**

> The electrical tests were performed using an equivalent capacitance substituted for the microphone. The results are given in below with test status and the estimated uncertainties. The "Pass" means the result of the test is inside the tolerances stated in the test specifications. The *-" means the result of test is outside these tolerances.

Test:	Subtest:	Status:	Uncertanity (dB) / Coverage Factor
Self-generated noise	A	Pass	0.3
	С	Pass	1.0 2.1
	Lin	Pass	1.5 2.2
Linearity range for Leq	At reference range, Step 5 dB at 4 kHz	Pass	0.3
	Reference SPL on all other ranges	Pass	0.3
	2 dB below upper limit of each range	Pass	0.3
	2 dB above lower limit of each range	Pass	0.3
Linearity range for SPL	At reference range, Step 5 dB at 4 kHz	Pass	0.3
Frequency weightings	Α	Pass	0.3
	С	Pass	0.3
	Lin	Pass	0.3
Time weightings	Single Burst Fast	Pass	0.3
	Single Burst Slow	Pass	0.3
Peak response	Single 100µs rectangular pulse	N/A	N/A
R.M.S. accuracy	Crest factor of 3	Pass	0.3
Time weighting I	Single burst 5 ms at 2000 Hz	Pass	0.3
	Repeated at frequency of 100 Hz	Pass	0.3
Time averaging	1 ms burst duty factor 1/103 at 4kHz	Pass	0.3
	1 ms burst duty factor 1/104 at 4kHz	Pass	0.3
Pulse range	Single burst 10 ms at 4 kHz	Pass	0.4
Sound exposure level	Single burst 10 ms at 4 kHz	Pass	0.4
Overload indication	SPL	Pass	0.3
	Leq	Pass	0.4

2, Acoustic tests

The complete sound level meter was calibrated on the reference range using a B&K 4226 acoustic calibrator with 1000Hz and SPL 94 dB. The sensitivity of the sound level meter was adjusted. The test result at 125 Hz and 8000 Hz are given in below with test status and the estimated uncertainties.

Test:	Subtest	Status	Uncertanity (dB) / Coverage Factor
Acoustic response	Weighting A at 125 Hz	Pass	0.3
	Weighting A at 8000 Hz	Pass	0.5

3, Response to associated sound calibrator

N/A

The uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95 %. A coverage factor of 2 is assumed unless explicitly stated.

End

Calibrated by: C.Y. Fung

Daté: 02-01-2009

calibrated on a schedule to maintain the required accuracy level.

Checked by:

Date:

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are

© Soils & Materials Engineering Co., Ltd.

Form No.CARP152-2/Issue 1/Rev.C/01/02/2007



綜合試驗有限公司 SOILS & MATERIALS ENGINEERING CO., LTD.

G/F., 9/F., 12/F., 13/F. & 20/F., Leader Centre, 37 Wong Chuk Hang Road, Aberdeen, Hong Kong, 香港黄竹坑道37號利達中心地下,9樓,12樓,13樓及20樓 E-mail: smec@cigismec.com Website: www.cigismec.com

Tel: (852) 2873 6860 Fax: (852) 2555 7533



CERTIFICATE OF CALIBRATION

2095

2

Certificate No.:

09CA0102 01-02

Page:

of

1

Item tested

Description:

Acoustical Calibrator (Class 1)

Manufacturer:

Castle Group Ltd. GA607

Type/Model No.: Serial/Equipment No.:

039543

Adaptors used:

Item submitted by

Curstomer:

Geotechnics & Concrete Engineering (H.K.) Ltd.

Address of Customer:

G/F., 6 Ko Shan Road, Hung Hom, Kowleen, Hong Kong

Request No.: Date of request:

30-12-2008

Date of test:

02-01-2009

Reference equipment used in the calibration

Description: Model: Serial No. Expiry Date: Traceable to: Lab standard microphone B&K 4180 2412857 29-06-2009 SCL Preamplifier B&K 2673 2239857 02-12-2009 CEPREI Measuring amplifier B&K 2610 2346941 03-12-2009 **CEPREI** Signal generator DS 360 61227 18-07-2009 **CEPREI** Digital multi-meter 34401A US36087050 03-12-2009 CIGISMEC Audio analyzer 8903B GB41300350 27-11-2009 CEPREI Universal counter 53132A MY40003662 11-07-2009 CEPREI

Ambient conditions

Temperature:

22 ± 1 °C

Relative humidity:

55 ± 10 %

Air pressure:

1010 ± 15 hPa

Test specifications

- The Sound Calibrator has been calibrated in accordance with the requirements as specified in IEC 60942 1997 Annex B and the lab calibration procedure SMTP004-CA-156.
- 2, The calibrator was tested with its axis vertical facing downwards at the specific frequency using insert voltage technique.
- 3, The results are rounded to the nearest 0.01 dB and 0.1 Hz and have not been corrected for variations from a reference pressure of 1013.25 hectoPascals as the maker's information indicates that the instrument is insensitive to pressure changes.

Test results

Details of the performed measurements are presented on page 2 of this certificate.

Huang Jian Min/Feng Jun Qi

Approved Signatory:

Date:

02-01-2009

Company Chop:

Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument.

O Soils & Materials Engineering Co., Ltd.

Form No.CARP156-1/Issua 1/Rev.D/01/03/2007



綜 合 試 驗 有 限 公 司 SOILS & MATERIALS ENGINEERING CO., LTD.

G/F., 12/F., 13/F. & 20/F., Leader Centre, 37 Wong Chuk Hang Road, Aberdeen, Hong Kong. 香港黃竹坑道37號利達中心地下,9樓,12樓,13樓及20樓 E-mail: smec@cigismec.com Website: www.cigismec.com

Tel: (852) 2873 6860 Fax: (852) 2555 7533



CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.:

09CA0102 01-02

Page:

of

2

2

D095

1, Measured Sound Pressure Level

The output Sound Pressure Level in the calibrator head was measured at the setting and frequency shown using a calibrated laboratory standard microphone and insert voltage technique. The results are given in below with the estimated uncertainties.

			(Output level in dB re 20 µPa)
Frequency Shown Hz	Output Sound Pressure Level Setting dB	Measured Output Sound Pressure Level dB	Estimated Uncertainty d8
1000	94.00	94.30	0.1

2, Sound Pressure Level Stability - Short Term Fluctuations

The Short Term Fluctuations was determined by measuring the maximum and minimum of the fast weighted DC output of the B&K 2610 measuring amplifier over a 20 second time interval as required in the standard. The Short Term Fluctuation was found to be:

At 1000 Hz

STF = 0.002 dB

Estimated uncertainty

 $0.005 \, dB$

3, **Actual Output Frequency**

The determination of actual output frequency was made using a B&K 4180 microphone together with a B&K 2673 preamplifier connected to a B&K 2610 measuring amplifier. The AC output of the B&K 2610 was taken to an universal counter which was used to determine the frequency averaged over 20 second of operation as required by the standard. The actual output frequency at 1 KHz was:

At 1000 Hz

Actual Frequency = 1000.0 Hz

Estimated uncertainty

0.1 Hz

Coverage factor k = 2.2

4, **Total Noise and Distortion**

For the Total Noise and Distortion measurement, the unfiltered AC output of the B&K 2610 measuring amplifier was connected to an Agilent Type 8903 B distortion analyser. The TND result at 1 KHz was:

At 1000 Hz

TND = 2.1%

Estimated uncertainty

0.7%

The uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95 %. A coverage factor of 2 is assumed unless explicitly stated.

End

Calibrated by: Date: C.Y. Fung

02-01-2009

Checked by:

Date:

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.

Soils & Materials Engineering Co., Ltd.

Form No.CARP156-2/Issue 1/Rev.C/01/05/2005

Hong Kong Accreditation Service (HKAS) has accredited this laboratory under the Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories. The results shown in this certificate were determined by this laboratory in accordance with its terms of accreditation. Such terms of accreditation stipulate that the results shall be traceable to the International System of Units (S.I.) or recognised measurement standards. This certificate shall not be reproduced except in full.

Appendix D1 Plant species recorded at Pak Ngan Heung River (N)

		Native	Relative	Occurrence	
Species	Habit		Abundance	PNH3	PNH4
Acacia confusa	tree	no	occasional		+
Achyranthes aspera	herb	yes	scarce		+
Acorus gramineus	herb	yes	scarce		+
Alangium chinensis	tree	yes	scarce		+
Alocasia macrorrhiza	herb	yes	occasional		+
Aporosa dioica	tree	yes	occasional		+
Ardisia crenata	shrub	yes	occasional	+	+
Bamboo	herb	-	scarce	+	
Bidens pilosa	herb	yes	scarce		+
Bridelia tomentosa	tree	yes	scarce		+
Celtis sinensis	tree	yes	occasional	+	+
Christella parasitica	fern	yes	occasional	+	+
Cleistocalyx operculata	tree	yes	occasional	+	
Commelina sp.	herb	yes	scarce		+
Conyza canadensis	herb	no	scarce		+
Dimocarpus longan	tree	no	occasional	+	+
Elephantopus tomentosa	herb	yes	scarce		+
Euphorbia hirta	herb	yes	scarce		+
Ficus hispida	tree	yes	common	+	+
Ficus superba	tree	yes	occasional		+
Floscopa scandens	herb	yes	occasional		+
Garcinia oblongifolia	tree	yes	occasional		+
Hedychium coronarium	herb	no	scarce		+
Hedyotis auricularia	herb	yes	scarce		+
Hibiscus rosa-sinensis	shrub	no	occasional		+
Liriope spicata	herb	yes	scarce		+
Litsea glutinosa	tree	yes	occasional		+
Litsea rotundifolia	shrub	yes	scarce	+	
Lophatherum gracile	grass	yes	scarce	+	+
Ludwigia perennis	herb	yes			+
Lygodium japonicum	fern	yes	scarce		+
Macaranga tanarius	tree	yes	occasional		+
Microcos paniculata	tree	yes	scarce		+

			Relative Abundance	Occurrence	
Species	Habit	Native		PNH3	PNH4
Microstegium ciliatum	grass	yes	common	+	+
Mikania micrantha	climber	no	common	+	+
Musa paradisiaca	tree	no	scarce	+	
Mussaenda erosa	shrub	yes	scarce	+	
Neyraudia reynaudiana	grass	yes	occasional		+
Panicum maximum	grass	no	common		+
Phyllanthus urinaria	herb	yes	scarce	+	
Pilea microphylla	herb	no	occasional		+
Plantago major	herb	yes	scarce		+
Pogonatherum crinitum	grass	yes	scarce		+
Polygonum chinense	herb	yes	occasional	+	
Psychotria asiatica	shrub	yes	common	+	+
Pueraria phaseoloides	climber	yes	occasional	+	+
Sageretia thea	climber	yes	occasional		+
Scoparia dulcis	herb	yes	herb		+
Severinia buxifolia	shrub	yes	scarce		+
Sporobolus fertilis	grass	yes	scarce		+
Sterculia lanceolata	tree	yes	common	+	+
Syngonium podophyllum	climber	no	occasional	+	
Syzygium jambos	tree	no	common	+	+
Syzygium levenei	tree	yes	scarce	+	
Synedrella nodiflora	herb	yes	scarce		+
Urena lobata	tree	yes	scarce		+
Uvaria microcarpa	shrub	yes	scarce	+	
Vernonia cinera	herb	yes	scarce		+
Wedelia trilobata	climber	no	scarce	+	
Zanthoxylum avicennae	tree	yes	scarce		+

Appendix D2 Plant species recorded at Pak Ngan Heung River (S)

			Relative	Occui	rrence
Species	Habit	Native	Abundance	PNH1	PNH2
Acrostichum aureum	fern	yes	scarce	+	
Celtis sinensis	tree	yes	occasional		+
Ficus microcarpa	tree	yes	scarce		+
Ficus superba	tree	yes	occasional		+
Ipomoea cairica	climber	yes	occasional		+
Kandelia obovata	tree	yes	scarce	+	
Lantana camara	shrub	no	scarce		+
Neyraudia reynaudiana	grass	yes	occasional	+	
Panicum maximum	grass	no	common	+	+
Sapium sebiferum	tree	yes	occasional		+
Wedelia triloba	climber	no	occasional		+

Appendix D3 Plant species recorded at Luk Tei Tong River

			Relative		0	ccurren	ce	
Species	Habit	Native	Abundance	LLT1	LLT2	LLT3	LLT4	LLT5
Acanthus ilicifolius	shrub	yes	common	+			+	
Acrostichum aureum	fern	yes	scarce					+
Aegiceras corniculatum	shrub	yes	scarce	+				
Bougainvillea spectabilis	climber	no	scarce	+				
Bridelia tomentosa	tree	yes	occasional	+				
Celtis sinensis	tree	yes	scarce	+				
Clerodendrum inerme	shrub	yes	abundant	+			+	
Cocculus orbiculatus	climber	yes	scarce				+	
Cyperus spp.	sedge	yes	occasional				+	
Excoecaria agallocha	shrub	yes	common	+				
Ficus superba	tree	yes	occasional	+				
Fimbristylis ferruginea	sedge	yes	occasional				+	
Hibiscus tiliaceus	tree	yes	abundant	+			+	
Kandelia obovata	tree	yes	common	+	+		+	
Leucaena leucocephala	tree	no	occasional	+				
Neyraudia reynaudiana	grass	yes	occasional	+				+
Panicum maximum	grass	no	common	+				
Phragmites australis	grass	yes	occasional				+	
Saccharum arundinaceum	grass	yes	scarce	+				
Scolopia chinensis	tree	yes	scarce				+	
Toxocarpus wightianus	climber	yes	scarce				+	
Wikstroemia indica	shrub	yes	scarce				+	
Wollastonia biflora	climber	yes	occasional	+				

Appendix D4

Ecological Water Monitoring Results (on-site measurements)

Environmental Pioneers & Solutions Limited

Ecological Water Quality Monitoring - Summary of On-site measurement results

Date of Sampling: 2/11/2009 Weather Condition: Sunny

	ipinig. 2/11/2005				cather condition: carmy													
Monitoring Location		WE1			WE2			WE3			WE4			WE5			WE6	
Time (hhmm)		1120			1110			1050		1210		1200				1140		
Tide Mode		ebb			ebb			ebb			ebb		ebb		ebb			
River Condition		Normal			Normal			Muddy			Muddy		Normal				Normal	
Water Depth (m)		< 1.0			< 1.0			< 1.0			< 1.0			< 1.0			< 1.0	
pH value		7.70			7.93			7.90			7.28			7.05			7.03	
Temperature (oC)		22.9			23.5			24.2			25.4			25.5			22.0	
Salinity (ppt)		0.1			1.3			12.9		12.2				3.4		0.0		
Conductivity (ms/m)		22.8			267.0			212.0		837.0		637.0		5.7				
Water flow (m/s)		0.040			0.140			0.040		0.050		0.050		0.040				
Turbidity (NTU)	1.3	1.3	Average	5.2	5.2	Average 5.20	7.6	7.6	Average 7.60	7.1	7.1	Average 7.1	8.6	8.6	Average 8.60	0.0	0.0	Average 0.0
DO (mg/l)	7.26	7.26	Average 7.26	8.58	8.58	Average 8.58	8.16	8.16	Average 8.16	8.00	8.00	Average 8.00	7.74	7.74	Average 7.74	7.35	7.35	Average 7.35
DO Saturation (%)	85	85	Average 85	101	101	Average	99	99	Average 99	98	98	Average 98	95	95	Average 95	84	84	Average 84

			00			101			55		50		55		04
	Naı	me		Sigi	iture		Da	ite							
Prepared By:	Jimmy (Cheng		4		_	2/11/	2009		mark or ervation:					
			-			·-									

Appendix D5

Ecological Water Monitoring Results (lab report)



TEST SUMMARY ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1

Report No.	: GCC0	9110002	21						D	ate of Issue	:	13-1	1-2009
Client*	: Enviro	nmental	Pioneers (& Solut	ions Lim	ited				ate Receive	d :	08-0	9-2008
Client Address*	: 8/F, C	haiwan li	ndustrial (Centre	Building,	20 Lee C	hur	g Street, Cl	naiwan, I	HK.			
	DSD (Contract !	No. DC/20	006/11	- Draina	ge Improv	/em	ent in South	nern Lant	au & Constr	uction	of	
Project.*	: Mui V	/o Village	Sewerag	e Phas	e 1								
Test Location	: <u>G/F</u>	, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 02-11-2009											
W.O. No.*	:			Sar	nple Typ	e* : <u>Ri</u>	ver	Water		ate Complet	ed :	03-1	1-2009
GCE Serial No.	: WQM	112009	12009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258								08258		
Analysis Descript	tion	Test Method Units Qua						Quality	Control Resu	ilts			
			10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		Method Blank		QC 500 m	g/L Q(Duplicate	RPD)%	Spike 25 mg/L	
Suspended Solid:	s (SS)	APHA	20ed 25	40 D	mg/L	< 1.0)	499		493	1.3	2	24.1
			Acce	ptance	Criteria	< 2.5 m	g/L	475 ≤ C	ontrol Li	mit ≤ 514	≤ ±	5%	21 ≤ R ≤ 29
	Sam	ple ID	WE1		VE1 olicate	WE2		WE2 Duplicate	WE3	WE3 Duplicat	e	- ***	
TEST RESULTS	1	npling /Time	02 Nov	2009	/ 11:20	02 Nov	! Nov 2009 / 11:10 02 I		02 No	v 2009 / 10:	50		
	LOD	Units											
Suspended Solids (SS)	1	mg/L	2.3	2	2.4	6.3		6.6	11.3	11.1			
	Sam	ple ID	WE4		VE4 olicate	WE5		WE5 Duplicate	WE6	WE6 Duplicate			
TEST RESULTS		npling e/Time	02 Nov	2009	/ 12:10	02 Nov	02 Nov 2009 / 12:00 0			v 2009 / 11:	40		
	LOD	Units	_										
Suspended Solids (SS)	1	mg/L	7.7	!	7.5	11.0		10.8	< 1.0	< 1.0			
* : Information p	rovided	by client	•				.:		'	'	· '		
Note: This	aborator	y has no	responsib	ility on	sampling	g and all t	he '	test results	relate on	ly to the san	nple te	sted	as received.
Remarks : Lo	cation I	/11 & WE	3 and Loc	ation N	/13 & WE	4 are the	sar	ne location.					
						End							
Tested By :		K.L FC	NG				Δr	nroved Sign	natory :		ر ر	Ę.	
rested by .		KIL PU					Approved Signatory Name			GU (CHIN		
Checked By :		GU CH	liN				Po	st	:	Cher			

Form No. : WQM/R1 (01-09-2008)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Report No. : GCC091100241		Page 1 of 1 Date of Issue : 30-11-2009				
Client* : Environmental Pioneers 8	& Solutions Limited	Order Received : 08-09-2008				
Client Address*: 8/F, Chaiwan Industrial C	Centre Building, 20 Lee Chung Stre	eet, Chaiwan, HK.				
	006/11 - Drainage Improvement in	Southern Lantau & Construction of				
Project* : Mui Wo Village Sewerage	e Phase 1					
Test Location : G/F, 20 Pak Kung Stree	et, Hung Hom, Kowloon.	Date Started : 02-11-2009				
W.O. No.* :	Contract No.* :	Date Completed : 26-11-2009				
GCE Serial No. : WQM112009	Sampling Date* : 02-11-2009	9 / 11:20 Sample Type* : River Water				
GCE Reg. No. : GCE 081096	Test Unit No. : CH 08258	Sample I.D.* : WE1				
Descripption : River Water						
DESCRIPTION	TEST REFERENCE (In-House Method based on)	TEST RESULT				
Appearance	APHA 20ed 2110					
Odour	ADIIA 00-4 0450 B	Odour Characteristics :				
Ododi	APHA 20ed 2150 B	Threshold Odour Number (TON) :				
pH Value at temperature [] °C	APHA 20ed 4500-H ⁺ B					
Colour TCU	APHA 20ed 2120 B					
Turbidity NTU	APHA 20ed 2130 B					
Conductivity at 25°C µS/cm	APHA 20ed 2510 B					
Salinity g/L	APHA 20ed 2520 B					
	APHA 20ed 4500-NH ₃ D	0.02				
Nitrogen (Ammonia) mg/L	APHA 20ed 4500-NH ₃ E					
	APHA 18ed 4500-NH ₃ C					
Nitrogen (Nitrate) mg/L	APHA 20ed 4500-NO ₃ E	0.08				
Phosphorus mg/L	APHA 20ed 4500-P D	0.03				
Biochemical Oxygen Demand (BOD ₅) mg/L	APHA 20ed 5210 B	1				
Chemical Oxygen Demand (COD) mg/L	APHA 20ed 5220 D					
Total Suspended Solid mg/L	APHA 20ed 2540 D					
* : Information provided by client	74 1.07 2000 2040 D	-				
·		sults relate only to the sample tested as received.				
REMARKS: Sample Location WE1.						
	End	/ -				
Tested By : T.W. Lam, K.L. F	ong Certified I					
	Name	: Gu Chin				

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Page 1 of 1 Report No. : GCC091100259 Date of Issue : 30-11-2009 Client* : Environmental Pioneers & Solutions Limited Order Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 02-11-2009 W.O. No.* Contract No.* Date Completed: 26-11-2009 GCE Serial No. : WQM112009 Sampling Date* : 02-11-2009 / 11:20 Sample Type* : River Water GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 Sample I.D.* : WE1 Duplicate Descripption : River Water TEST REFERENCE DESCRIPTION **TEST RESULT** (In-House Method based on) Appearance APHA 20ed 2110 Odour Characteristics: --Odour APHA 20ed 2150 B Threshold Odour Number (TON):]°C APHA 20ed 4500-H+ B pH Value at temperature [Colour TCU APHA 20ed 2120 B Turbidity NTU APHA 20ed 2130 B --Conductivity at 25°C APHA 20ed 2510 B μS/cm Salinity APHA 20ed 2520 B g/L APHA 20ed 4500-NH₃ D 0.02 Nitrogen (Ammonia) APHA 20ed 4500-NH3 E mg/L APHA 18ed 4500-NH₃ C Nitrogen (Nitrate) 0.08 mg/L APHA 20ed 4500-NO3 E **Phosphorus** mg/L APHA 20ed 4500-P D 0.02 Biochemical Oxygen Demand (BOD₅) mg/L APHA 20ed 5210 B 1 Chemical Oxygen Demand (COD) mg/L APHA 20ed 5220 D Total Suspended Solid mg/L APHA 20ed 2540 D * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Sample received on 02 November 2009. REMARKS: Sample Location WE1. ---- End -----Tested By T.W. Lam, K.L. Fong Certified By Gu Chin Name

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin

Checked By :



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Report No. : GCC091000267		Page 1 of 1 Date of Issue : 30-11-2009				
Client* : Environmental Pioneers &		Order Received : 08-09-2008				
		Southern Lantau & Construction of				
Project* : Mui Wo Village Sewerag						
Test Location : G/F, 20 Pak Kung Stre	et, Hung Hom, Kowloon.	Date Started : 02-11-2009				
W.O. No.* :	Contract No.* :	Date Completed : 26-11-2009				
GCE Serial No. : WQM112009	Sampling Date* : 02-11-2009	/ 11:10 Sample Type* : River Water				
GCE Reg. No. : GCE 081096	Test Unit No. : CH 08258	Sample I.D.* : WE2				
Descripption : River Water		·				
DESCRIPTION	TEST REFERENCE (In-House Method based on)	TEST RESULT				
Appearance	APHA 20ed 2110	-				
0.1	45U4 00 +0450 B	Odour Characteristics :				
Odour	APHA 20ed 2150 B	Threshold Odour Number (TON) :				
pH Value at temperature (1 °C	APHA 20ed 4500-H ⁺ B					
Colour TCU	APHA 20ed 2120 B					
Turbidity NTU	APHA 20ed 2130 B					
Conductivity at 25°C μS/cm	APHA 20ed 2510 B					
Salinity g/L	APHA 20ed 2520 B	-				
	APHA 20ed 4500-NH ₃ D	0.03				
Nitrogen (Ammonia) mg/L	APHA 20ed 4500-NH ₃ E					
	APHA 18ed 4500-NH ₃ C					
Nitrogen (Nitrate) mg/L	APHA 20ed 4500-NO ₃ E	0.14				
Phosphorus mg/L	APHA 20ed 4500-P D	0.03				
Biochemical Oxygen Demand (BOD ₅) mg/L	APHA 20ed 5210 B	1				
Chemical Oxygen Demand (COD) mg/L	APHA 20ed 5220 D					
Total Suspended Solid mg/L	APHA 20ed 2540 D					
* : Information provided by client	1					
		sults relate only to the sample tested as received.				
REMARKS: Sample Location WE2.	End					
	CIIU	/				
Tested By : T.W. Lam, K.L. I						
	Name	: Gu Chin				

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Page 1 of 1 Report No. : GCC091000275 Date of Issue : 30-11-2009 Client* : Environmental Pioneers & Solutions Limited Order Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Test Location** Date Started : 02-11-2009 W.O. No.* Contract No.* Date Completed: 26-11-2009 GCE Serial No. : WQM112009 Sampling Date* : 02-11-2009 / 11:10 Sample Type* : River Water GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 Sample I.D.* : WE2 Duplicate Descripption : River Water **TEST REFERENCE** DESCRIPTION **TEST RESULT** (In-House Method based on) APHA 20ed 2110 Appearance Odour Characteristics: --Odour APHA 20ed 2150 B Threshold Odour Number (TON):)°C pH Value at temperature [APHA 20ed 4500-H+ B Colour TCU APHA 20ed 2120 B Turbidity NTU APHA 20ed 2130 B Conductivity at 25°C μS/cm APHA 20ed 2510 B Salinity g/L APHA 20ed 2520 B APHA 20ed 4500-NH₃ D 0.03 Nitrogen (Ammonia) mg/L APHA 20ed 4500-NH₃ E APHA 18ed 4500-NH₃ C Nitrogen (Nitrate) 0.13 mg/L APHA 20ed 4500-NO3 E Phosphorus APHA 20ed 4500-P D 0.03 mg/L Biochemical Oxygen Demand (BOD₅) mg/L APHA 20ed 5210 B 1 Chemical Oxygen Demand (COD) mg/L APHA 20ed 5220 D Total Suspended Solid mg/L APHA 20ed 2540 D * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Sample received on 02 November 2009. REMARKS: Sample Location WE2. ---- End -----Tested By Certified By T.W. Lam, K.L. Fong Name Gu Chin

Post

Chemist

Form No.: EWA-D2/R (19-1-2009)

Gu Chin

Checked By :



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Report No. : GCC091000283		Page 1 of 1 Date of Issue : 30-11-2009				
Client * : Environmental Pioneers & Client Address* : 8/F, Chaiwan Industrial C		Order Received : 08-09-2008				
	- '	Southern Lantau & Construction of				
Project* : Mui Wo Village Sewerage	e Phase 1					
Test Location : G/F, 20 Pak Kung Stree	et, Hung Hom, Kowloon.	Date Started : 02-11-2009				
W.O. No.* :	Contract No.* :	Date Completed : 26-11-2009				
GCE Serial No. : WQM112009	Sampling Date* : 02-11-2009	/ 10:50 Sample Type* : River Water				
GCE Reg. No. : GCE 081096	Test Unit No. : CH 08258	Sample I.D.* : WE3				
Descripption : River Water		·				
DESCRIPTION	TEST REFERENCE (In-House Method based on)	TEST RESULT				
Appearance	APHA 20ed 2110					
		Odour Characteristics :				
Odour	APHA 20ed 2150 B	Threshold Odour Number (TON) :				
pH Value at temperature [] °C	APHA 20ed 4500-H ⁺ B					
Colour TCU	APHA 20ed 2120 B					
Turbidity NTU	APHA 20ed 2130 B					
Conductivity at 25°C µS/cm	APHA 20ed 2510 B					
Salinity g/L	APHA 20ed 2520 B					
	APHA 20ed 4500-NH ₃ D	0.06				
Nitrogen (Ammonia) mg/L	APHA 20ed 4500-NH ₃ E					
	APHA 18ed 4500-NH ₃ C					
Nitrogen (Nitrate) mg/L	APHA 20ed 4500-NO ₃ - E	0.18				
Phosphorus mg/L	APHA 20ed 4500-P D	0.06				
Biochemical Oxygen Demand (BOD ₅) mg/L	APHA 20ed 5210 B	1				
Chemical Oxygen Demand (COD) mg/L	APHA 20ed 5220 D					
Total Suspended Solid mg/L	APHA 20ed 2540 D					
* : Information provided by client						
Note: This laboratory has no responsible Sample received on 02 Novel		sults relate only to the sample tested as received.				
REMARKS : Sample Location WE3.						
	End					
Tested By : T.W. Lam, K.L. F	Fong Certified	Ву :				
	Name	Gu Chin				

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Checked By : _

Gu Chin



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Report No. : GCC091000291		Page 1 of 1 Date of Issue : 30-11-2009				
Client* : Environmental Pioneers 8 Client Address* : 8/F, Chaiwan Industrial C		Order Received : 08-09-2008				
	06/11 - Drainage Improvement in	Southern Lantau & Construction of				
Project* : Mui Wo Village Sewerage	e Phase 1					
Test Location : G/F, 20 Pak Kung Stree	et, Hung Hom, Kowloon.	Date Started : 02-11-2009				
W.O. No.* :	Contract No.* :	Date Completed : 26-11-2009				
GCE Serial No. : WQM112009	Sampling Date* : 02-11-2009	/ 10:50 Sample Type* : River Water				
GCE Reg. No. : <u>GCE 081096</u>	Test Unit No. : CH 08258	Sample 1.D.* : WE3 Duplicate				
Descripption : River Water		·				
DESCRIPTION	TEST REFERENCE	TEST RESULT				
DESCRIPTION	(In-House Method based on)	TEOT RESSET				
Appearance	APHA 20ed 2110	••				
Odour	APHA 20ed 2150 B	Odour Characteristics :				
		Threshold Odour Number (TON) :				
pH Value at temperature [] °C	APHA 20ed 4500-H ⁺ B					
Colour TCU	APHA 20ed 2120 B					
Turbidity NTU	APHA 20ed 2130 B					
Conductivity at 25°C µS/cm	APHA 20ed 2510 B					
Salinity g/L	APHA 20ed 2520 B					
	APHA 20ed 4500-NH ₃ D	0.06				
Nitrogen (Ammonia) mg/L	APHA 20ed 4500-NH ₃ E					
	APHA 18ed 4500-NH ₃ C					
Nitrogen (Nitrate) mg/L	APHA 20ed 4500-NO ₃ E	0.17				
Phosphorus mg/L	APHA 20ed 4500-P D	0.07				
Biochemical Oxygen Demand (BOD ₅) mg/L	APHA 20ed 5210 B	1				
Chemical Oxygen Demand (COD) mg/L	APHA 20ed 5220 D	-				
Total Suspended Solid mg/L	APHA 20ed 2540 D					
* : Information provided by client						
Note: This laboratory has no responsibil	lity on sampling and all the test res	sults relate only to the sample tested as received.				
Sample received on 02 Nover	mber 2009.					
REMARKS : Sample Location WE3.						
	End					
Tested By : T.W. Lam, K.L. F	Fong Certified I	By:				
·	Name	: Gu Chin				

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

		Page 1 of 1
Report No. : GCC091000306		Date of issue : 30-11-2009
Client* : Environmental Pioneers &	s Solutions Limited	Order Received : 08-09-2008
Client Address* : 8/F, Chaiwan Industrial C	Centre Building, 20 Lee Chung Stre	et. Chaiwan, HK.
		Southern Lantau & Construction of
Project* : Mui Wo Village Sewerage	e Phase 1	
Test Location : G/F, 20 Pak Kung Stree	et, Hung Hom, Kowloon.	Date Started : 02-11-2009
W.O. No.* :	Contract No.* :	Date Completed : 26-11-2009
GCE Serial No. : WQM112009	Sampling Date* : 02-11-2009	/ 12:10 Sample Type* : River Water
GCE Reg. No. : GCE 081096	Test Unit No. : CH 08258	Sample I.D.* : WE4
Descripption : River Water		
	TEST REFERENCE	7707 770117
DESCRIPTION	(In-House Method based on)	TEST RESULT
Appearance	APHA 20ed 2110	
Odour	APHA 20ed 2150 B	Odour Characteristics :
		Threshold Odour Number (TON) :
pH Value at temperature [] °C	APHA 20ed 4500-H B	-
Colour TCU	APHA 20ed 2120 B	
Turbidity NTU	APHA 20ed 2130 B	-
Conductivity at 25°C μS/cm	APHA 20ed 2510 B	
Salinity g/L	APHA 20ed 2520 B	
	APHA 20ed 4500-NH ₃ D	0.14
Nitrogen (Ammonia) mg/L	APHA 20ed 4500-NH ₃ E	
	APHA 18ed 4500-NH ₃ C	
Nitrogen (Nitrate) mg/L	APHA 20ed 4500-NO ₃ ⁻ E	0.25
Phosphorus mg/L	APHA 20ed 4500-P D	0.08
Biochemical Oxygen Demand (BOD ₅) mg/L	APHA 20ed 5210 B	1
Chemical Oxygen Demand (COD) mg/L	APHA 20ed 5220 D	
Total Suspended Solid mg/L	APHA 20ed 2540 D	
* : Information provided by client		- · · · · · · · · · · · · · · · · · · ·
Note: This laboratory has no responsible	lity on sampling and all the test re	sults relate only to the sample tested as received.
Sample received on 02 Nove		
REMARKS: Sample Location WE4.		
	End	
Tested By : T.W. Lam, K.L. I	Fong Certified	By : /.15
	Name	: Gu Chin

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Report No. : GCC09	91000314			Page 1 of 1 Date of Issue : 30-11-2009				
	nmental Pioneers &	s Solutions Limited	et, Chaiwa	Order Received : 08-09-2008				
		06/11 - Drainage Improvement in						
Project* : Mui W	o Village Sewerage	Phase 1						
Test Location : G/F,	20 Pak Kung Stree	et, Hung Hom, Kowloon.		Date Started : 02-11-2009				
W.O. No.* :		Contract No.* :		Date Completed : 26-11-2009				
GCE Serial No. : WQM1	12009	Sampling Date* : 02-11-200	9 / 12:10	Sample Type* : River Water				
GCE Reg. No. : GCE 0	81096	Test Unit No. : CH 08258		Sample I.D.* : WE4 Duplicate				
Descripption : River V	Vater			4				
		TEST REFERENCE						
DESCRIPTION		(In-House Method based on)		TEST RESULT				
Appearance		APHA 20ed 2110						
04		APHA 20ed 2150 B	Odour Ch	paracteristics :				
Odour				3 Odour Number (TON) :				
pH Value at temperature [1°C	APHA 20ed 4500-H ⁺ B						
Colour	TCU	APHA 20ed 2120 B	and the second s					
Turbidity	NTU	APHA 20ed 2130 B						
Conductivity at 25°C	μS/cm	APHA 20ed 2510 B						
Salinity	g/L	APHA 20ed 2520 B						
		APHA 20ed 4500-NH ₃ D		0.14				
Nitrogen (Ammonia)	mg/L	APHA 20ed 4500-NH ₃ E						
	-	APHA 18ed 4500-NH ₃ C		4.				
Nitrogen (Nitrate)	mg/L	APHA 20ed 4500-NO ₃ ⁻ E		0.26				
Phosphorus	mg/L	APHA 20ed 4500-P D		0.08				
Biochemical Oxygen Dem	and (BOD ₅) mg/L	APHA 20ed 5210 B		1				
	d (COD) mg/L	APHA 20ed 5220 D						
Total Suspended Solid	mg/L	APHA 20ed 2540 D		••				
* : Information provided b	ov client	·						
,		lity on sampling and all the test re	eulte rolato	only to the sample tested as received.				
Sample rec	eived on 02 Nover		adira IAIGER	omy to the sample tested as received.				
REMARKS : Sample Loc	cation WE4.	End						
				1 r R				
Tested By :	T.W. Lam, K.L. F	ong Certified Name	Ву	: Gu Chin				

Name

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Page 1 of 1 : GCC091000322 Report No. Date of Issue : 30-11-2009 Client* : Environmental Pioneers & Solutions Limited Order Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Test Location Date Started** : 02-11-2009 W.O. No.* Contract No.* Date Completed : 26-11-2009 GCE Serial No. : WQM112009 Sampling Date* : 02-11-2009 / 12:00 Sample Type* : River Water : GCE 081096 : WE5 GCE Reg. No. Test Unit No. : CH 08258 Sample I.D.* Descripption : River Water **TEST REFERENCE** DESCRIPTION **TEST RESULT** (In-House Method based on) APHA 20ed 2110 Appearance Odour Characteristics: --Odour APHA 20ed 2150 B Threshold Odour Number (TON):] °C APHA 20ed 4500-H B pH Value at temperature [Colour TCU APHA 20ed 2120 B Turbidity NTU APHA 20ed 2130 B APHA 20ed 2510 B Conductivity at 25°C μS/cm Salinity g/L APHA 20ed 2520 B APHA 20ed 4500-NH₃ D 0.61 Nitrogen (Ammonia) mg/L APHA 20ed 4500-NH3 E APHA 18ed 4500-NH₃ C 0.16 Nitrogen (Nitrate) mg/L APHA 20ed 4500-NO₃ E APHA 20ed 4500-P D 0.22 **Phosphorus** mg/L Biochemical Oxygen Demand (BOD₅) mg/L APHA 20ed 5210 B 2 APHA 20ed 5220 D Chemical Oxygen Demand (COD) mg/L Total Suspended Solid mg/L APHA 20ed 2540 D *: Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Sample received on 02 November 2009. REMARKS: Sample Location WE5. ---- End ----Certified By Tested By T.W. Lam, K.L. Fong Gu Chin Name

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin

Checked By :



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Report No. : GCC091000330		Page 1 of 1 Date of Issue : 30-11-2009
Client * : Environmental Pioneers & Client Address * : 8/F, Chaiwan Industrial C	Centre Building, 20 Lee Chung Stre	
Project* : Mui Wo Village Sewerag	<u>-</u>	Southern Lantau & Construction of
	et, Hung Hom, Kowloon.	Date Started : 02-11-2009
W.O. No.* :	Contract No.* :	Date Completed : 26-11-2009
GCE Serial No. : WQM112009	Sampling Date* : 02-11-2009	
GCE Reg. No. : GCE 081096	Test Unit No. : CH 08258	Sample I.D.* : WE5 Duplicate
Descripption : River Water	·	
DESCRIPTION	TEST REFERENCE (In-House Method based on)	TEST RESULT
Appearance	APHA 20ed 2110	
Odour	APHA 20ed 2150 B	Odour Characteristics :
		Threshold Odour Number (TON) :
pH Value at temperature [] °C	APHA 20ed 4500-H ⁺ B	
Colour TCU	APHA 20ed 2120 B	
Turbidity NTU	APHA 20ed 2130 B	
Conductivity at 25°C μS/cm	APHA 20ed 2510 B	
Salinity g/L	APHA 20ed 2520 B	
	APHA 20ed 4500-NH ₃ D	0.61
Nitrogen (Ammonia) mg/L	APHA 20ed 4500-NH ₃ E	
	APHA 18ed 4500-NH ₃ C	
Nitrogen (Nitrate) mg/L	APHA 20ed 4500-NO ₃ . E	0.16
Phosphorus mg/L	APHA 20ed 4500-P D	0.23
Biochemical Oxygen Demand (BOD ₅) mg/L	APHA 20ed 5210 B	2
Chemical Oxygen Demand (COD) mg/L	APHA 20ed 5220 D	
Total Suspended Solid mg/L	APHA 20ed 2540 D	
*: Information provided by client Note: This laboratory has no responsib Sample received on 02 Nove REMARKS: Sample Location WE5.		sults relate only to the sample tested as received.
Jampio Loudion 17 Los	End	
Tested By : T.W. Lam, K.L.	Fong Certified	By : /.//
	Name	: Gu Chin

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Gu Chin



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Page 1 of 1 Report No. : GCC091000348 Date of Issue : 30-11-2009 Client* : Environmental Pioneers & Solutions Limited Order Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 Test Location : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 02-11-2009 W.O. No.* Contract No.* Date Completed: 26-11-2009 GCE Serial No. : WQM112009 Sampling Date* : 02-11-2009 / 11:40 Sample Type* : River Water GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 Sample I.D.* : WE6 Descripption : River Water **TEST REFERENCE** DESCRIPTION **TEST RESULT** (In-House Method based on) Appearance APHA 20ed 2110 Odour Characteristics: --Odour APHA 20ed 2150 B Threshold Odour Number (TON): pH Value at temperature [] °C APHA 20ed 4500-H+ B Colour TCU APHA 20ed 2120 B Turbidity NTU APHA 20ed 2130 B APHA 20ed 2510 B μS/cm Conductivity at 25°C Salinity g/L APHA 20ed 2520 B APHA 20ed 4500-NH3 D 0.04 Nitrogen (Ammonia) APHA 20ed 4500-NH3 E mg/L APHA 18ed 4500-NH₃ C 0.03 Nitrogen (Nitrate) mg/L APHA 20ed 4500-NO3 E Phosphorus APHA 20ed 4500-P D 0.01 mg/L Biochemical Oxygen Demand (BOD₅) mg/L APHA 20ed 5210 B < 1 Chemical Oxygen Demand (COD) mg/L APHA 20ed 5220 D APHA 20ed 2540 D Total Suspended Solid mg/L * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Sample received on 02 November 2009. REMARKS: Sample Location WE6. ---- End ----T.W. Lam, K.L. Fong Certified By Tested By Gu Chin

Name

Post

Chemist

Form No.: EWA-D2/R (19-1-2009)

Gu Chin

Checked By :



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER

Report No. : GCC091000356		Page 1 of 1 Date of Issue : 30-11-2009	
Client* : Environmental Pioneers & Client Address* : 8/F, Chaiwan Industrial C	Order Received : 08-09-2008		
DSD Contract No. DC/20 Project* : Mui Wo Village Sewerage	•	Southern Lantau & Construction of	
		Date Started : 02-11-2009	
W.O. No.* :	Contract No.* :	Date Completed : 26-11-2009	
GCE Serial No. : WQM112009	Sampling Date* : 02-11-2009		
GCE Reg. No. : GCE 081096	Test Unit No. : CH 08258	Sample I.D.* : WE6 Duplicate	
Descripption : River Water	Test Grat No. 1 CIT 00230	· · · · · · · · · · · · · · · · · · ·	
DESCRIPTION	TEST REFERENCE	TEST RESULT	
	(In-House Method based on)		
Appearance	APHA 20ed 2110		
Odour	APHA 20ed 2150 B	Odour Characteristics :	
		Threshold Odour Number (TON):	
pH Value at temperature [] °C	APHA 20ed 4500-H ⁺ B		
Colour TCU	APHA 20ed 2120 B		
Turbidity NTU	APHA 20ed 2130 B		
Conductivity at 25°C μS/cm	APHA 20ed 2510 B		
Salinity g/L	APHA 20ed 2520 B		
	APHA 20ed 4500-NH ₃ D	0.05	
Nitrogen (Ammonia) mg/L	APHA 20ed 4500-NH ₃ E		
	APHA 18ed 4500-NH ₃ C		
Nitrogen (Nitrate) mg/L	APHA 20ed 4500-NO ₃ E	0.02	
Phosphorus mg/L	APHA 20ed 4500-P D	0.02	
Biochemical Oxygen Demand (BOD₅) mg/L	APHA 20ed 5210 B	< 1	
Chemical Oxygen Demand (COD) mg/L	APHA 20ed 5220 D		
Total Suspended Solid mg/L	APHA 20ed 2540 D		
* : Information provided by client			
·	,	sults relate only to the sample tested as received.	
REMARKS: Sample Location WE6.			
	End		
Tested By : T.W. Lam, K.L. F	Fong Certified	ву :	
	Name	Gu Chin	

Post

Chemist

Form No. : EWA-D2/R (19-1-2009)

Checked By :

Appendix E



Monitoring Location		N1	N2		
Description of Location		Façade	Façade		
Date of Monitoring			4/11/	2009	
Measurement Start Time	е	(hhmm)	12:15	13:00	
Measurement Time Len	gth	(mins.)	30 r	mins	
Noise Meter Model/ Ide	ntification	on	ACO Japan,	model 6224	
Calibrator Model/ Identif	fication		Castle Gro	up, GA607	
Wind Speed	(1	m/s)	0.2	0.4	
	L90	(dB(A))	36.0	54.0	
Measurement Results	L10	(dB(A))	42.5	63.9	
	Leq	(dB(A))	40.4	60.8	
Weather condition:			Sunny		
Major Construction Noise Sourse(s) During Monitoring			No construction works are being carried out during measurement.	1. Excavator noise	
Other Noise Source(s) During Monitoring			1. Traffic noise		
Remarks					

	Name & Designation	<u>Signature</u>	<u>Date:</u>
		1	
Prepared by:	Jimmy Cheng	4	4/11/2009



Monitoring Location		N3	N4		
Description of Location		Freefield	Facede		
Date of Monitoring			4/11/	2009	
Measurement Start Time	е	(hhmm)	14:20	13:45	
Measurement Time Len	gth	(mins.)	30 r	nins	
Noise Meter Model/ Ide	ntificatio	n	ACO Japan,	model 6224	
Calibrator Model/ Identif	ication		Castle Gro	up, GA607	
Wind Speed	(r	n/s)	0.9	0.5	
	L90	(dB(A))	50.4	44.1	
Measurement Results	L10	(dB(A))	62.4	57	
	Leq	(dB(A))	59.7	53.8	
Weather condition:			Sunny		
Major Construction Noise Sourse(s) During Monitoring			1. Excavator noise	1. Excavator noise	
Other Noise Source(s) During Monitoring			1. Public noise		
Remarks					

	Name & Designation	<u>Signature</u>	<u>Date:</u>
		1	
Prepared by:	Jimmy Cheng		4/11/2009



Monitoring Location		N1	N2		
Description of Location		Façade	Façade		
Date of Monitoring			11/11	/2009	
Measurement Start Time	е	(hhmm)	13:00	13:35	
Measurement Time Len	gth	(mins.)	30 r	mins	
Noise Meter Model/ Ide	ntificatio	on	ACO Japan,	model 6224	
Calibrator Model/ Identif	fication		Castle Gro	up, GA607	
Wind Speed	(r	n/s)	0.7	0.9	
	L90	(dB(A))	43.7	55.8	
Measurement Results	L10	(dB(A))	49.6	64.2	
	Leq	(dB(A))	47.5	62.0	
Weather condition:			Sunny		
Major Construction Noise Sourse(s) During Monitoring			No construction works are being carried out during measurement.	Excavator noise Construction trucks noise	
Other Noise Source(s) During Monitoring				1. Public noise	
Remarks					

	Name & Designation	<u>Signature</u>	<u>Date:</u>
Prepared by:	Jimmy Cheng	4	11/11/2009



Monitoring Location		N3	N4		
Description of Location		Freefield	Facede		
Date of Monitoring			11/11	/2009	
Measurement Start Time	е	(hhmm)	10:30	11:03	
Measurement Time Len	gth	(mins.)	30 r	mins	
Noise Meter Model/ Ide	ntification	on	ACO Japan,	model 6224	
Calibrator Model/ Identif	ication		Castle Gro	up, GA607	
Wind Speed	(1	m/s)	0.9	0.6	
	L90	(dB(A))	47.7	45.7	
Measurement Results	L10	(dB(A))	60.9	53.5	
	Leq	(dB(A))	59.3	52.9	
Weather condition:			Sunny		
Major Construction Noise Sourse(s) During Monitoring			Excavator noise Hammer noise Construction trucks noise	No construction works are being carried out during measurement.	
Other Noise Source(s) During Monitoring			Public noise Traffic noise (bicycle)	1. Public noise	
Remarks					

	Name & Designation	<u>Signature</u>	<u>Date:</u>
Prepared by:	Jimmy Cheng	<u> </u>	11/11/2009



Monitoring Location		N1	N2		
Description of Location		Façade	Façade		
Date of Monitoring			18/11	/2009	
Measurement Start Time	е	(hhmm)	14:50	14:15	
Measurement Time Len	gth	(mins.)	30 ı	mins	
Noise Meter Model/ Idea	ntification	on	ACO Japan,	model 6224	
Calibrator Model/ Identif	fication		Castle Gro	up, GA607	
Wind Speed	(1	m/s)	1.2	1.5	
	L90	(dB(A))	50.7	52.5	
Measurement Results	L10	(dB(A))	56.3	59.1	
	Leq	(dB(A))	54.1	57.4	
Weather condition:			Cloudy		
Major Construction Noise Sourse(s) During Monitoring			No construction works are being carried out during measurement.	1. Excavator noise	
Other Noise Source(s) During Monitoring			1. Traffic noise	1. Traffic noise	
Remarks					

	Name & Designation	<u>Signature</u>	<u>Date:</u>
Prepared by:	Jimmy Cheng	<u> </u>	18/11/2009



Monitoring Location		N3	N4		
Description of Location		Freefield	Facede		
Date of Monitoring			18/11	/2009	
Measurement Start Time	е	(hhmm)	11:20	10:48	
Measurement Time Len	gth	(mins.)	30 r	mins	
Noise Meter Model/ Ide	ntificatio	n	ACO Japan,	model 6224	
Calibrator Model/ Identif	ication		Castle Gro	up, GA607	
Wind Speed	(r	n/s)	1.4	1.2	
	L90	(dB(A))	53.8	51.2	
Measurement Results	L10	(dB(A))	61.4	57.7	
	Leq	(dB(A))	59.7	56.8	
Weather condition:			Cloudy		
Major Construction Noise Sourse(s) During Monitoring			1. Excavator noise	1. Excavator noise	
Other Noise Source(s) During Monitoring			1. Public noise		
Remarks					

	Name & Designation	<u>Signature</u>	<u>Date:</u>
Prepared by:	Jimmy Cheng	<u> </u>	18/11/2009



Monitoring Location			N1	N2
Description of Location			Façade	Façade
Date of Monitoring			26/11	/2009
Measurement Start Time	e (hhmm)	13:35	13:00
Measurement Time Len	gth	(mins.)	30 ı	mins
Noise Meter Model/ Ider	ntificatio	n	ACO Japan,	model 6224
Calibrator Model/ Identif	ication		Castle Gro	up, GA607
Wind Speed	(n	n/s)	0.7	1.3
	L90	(dB(A))	45.5	47.0
Measurement Results	L10	(dB(A))	52.2	64.0
	Leq	(dB(A))	50.7	60.6
Weather condition:			Su	nny
Major Construction Nois Monitoring	e Sours	e(s) During	Hammer noise Shoveling noise	Excavator noise Construction trucks noise Power generator noise
Other Noise Source(s) [Ouring N	Monitoring	1. Public noise	1. Public noise
Remarks				

	Name & Designation	<u>Signature</u>	<u> Date:</u>
		1	
Prepared by:	Jimmy Cheng		26/11/2009



Monitoring Location			N3	N4
Description of Location			Freefield	Facede
Date of Monitoring			26/11	/2009
Measurement Start Time	е	(hhmm)	10:40	11:15
Measurement Time Len	gth	(mins.)	30 ı	mins
Noise Meter Model/ Ide	ntificatio	on	ACO Japan,	model 6224
Calibrator Model/ Identif	fication		Castle Gro	up, GA607
Wind Speed	(1	m/s)	1.2	0.9
	L90	(dB(A))	46.8	44.2
Measurement Results	L10	(dB(A))	54.6	51.4
	Leq	(dB(A))	52.4	49.8
Weather condition:			Su	nny
Major Construction Nois Monitoring	se Sour	se(s) During	1. Excavator noise	Excavator noise Consrtruction truck noise
Other Noise Source(s) [Ouring I	Monitoring	Public noise Traffic noise (bicycle)	1. Public noise
Remarks				

	Name & Designation	<u>Signature</u>	<u> Date:</u>
		1	
Prepared by:	Jimmy Cheng	<u> </u>	26/11/2009
	<u>·</u>		

Appendix F1

Water Quality
Monitoring Data Sheet

Date of Sampling: 2/11/2009 Sunny Monitoring М1 М2 М4 C2 Location М3 C1 C3 1050 1055 1210 1040 1120 1130 1150 Time (hhmm) mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb Tide Mode normal normal normal normal normal normal normal River Condition 1.4 <1 < 1 < 1 < 1 < 1 < 1 Water Depth (m) 7.90 7.91 7.28 7.82 7.76 6.98 6.90 pH value 24.2 23.6 23.5 23.5 24.2 25.4 25.4 Temperature (oC) 12.9 12.9 12.2 18.8 0.0 0.0 0.5 Salinity (ppt) Average Average Average Average 6.0 Turbidity (NTU) 7.6 1.2 7.1 7.1 0.0 0.0 1.4 0.9 0.9 7.6 7.1 0.0 1.4 0.9 6.0 Average Average Average Average Average Average DO (mg/l) 8.16 8.68 8.00 7.23 7.23 7.17 7.17 7.67 7.67 7.29 8.16 8.68 8.00 7.29 8.16 8.68 8.00 7.23 7.17 7.67 7.29 Average Average Average Average Average Average Average DO Saturation (%) 99 103 103 98 98 86 86 84 84 92 92 89 89 99 103 98 86 84 92 89

Name
Prepared By: Jimmy Cheng



Date

2/11/2009 observ

remark or	or	
observation:	n:	

Date of Sampling:	4/11/20	09		Sunny	/																
Monitoring Location		М1			M2			М3			M4			C1			C2			СЗ	
Time (hhmm)		1050			1100			1105			1115			1130			1140			1150	
Tide Mode		mid-ebb)		mid-ebb			mid-ebb	1		mid-ebb)		mid-ebb)		mid-ebb)		mid-ebb)
River Condition		normal			normal			normal			normal			normal			normal			normal	
Water Depth (m)		<1			< 1 7.93			< 1			1.7			< 1			< 1			< 1	
pH value		8.05						7.62			8.00			8.10			7.40			6.90	
Temperature (oC)		22.6			21.4			23.3			23.1			19.1			22.4			22.6	
Salinity (ppt)		22.8			13.1			21.6			25.0			0.4			0.1			9.0	
Turbidity (NTU)	17.3	17.1	Average	0.0	0.0	Average	12.1	12.4	Average	1.9	2.2	Average 2.1	0.0	0.0	Average 0.0	0.0	0.0	Average 0.0	17.6	17.2	Average
DO (mg/l)	7.97	7.99	Average 7.98	8.25	8.24	Average 8.25	8.60	8.40	Average 8.50	7.20	7.25	Average 7.23	8.01	8.00	Average 8.01	7.85	7.88	Average 7.87	6.96	6.98	Average 6.97
DO Saturation (%)	94	94	Average 94	95	95	Average 95	103	103	Average	86	86	Average 86	89	89	Average 89	94	94	Average 94	80	80	Average 80

Name Prepared By: Jimmy Cheng



Date 4/11/2009 $\frac{M1-Site\ water\ seepage\ due\ to\ collapse\ of\ the\ earth\ bund\ at}{\underbrace{site\ retaining\ wall\ D}}$

Date of Sampling:	6/11/20	09		Sunny	y																
Monitoring Location		М1			M2			М3			М4			C1			C2			СЗ	
Time (hhmm)		1440			1445			1455			1430			1505			1515			1525	
Tide Mode		mid-ebb)		mid-ebb)		mid-ebb	1		mid-ebb			mid-ebb)		mid-ebb)		mid-ebb)
River Condition		normal			normal			normal			normal			normal			normal			normal	
Water Depth (m)		<1			< 1			< 1			< 1			< 1			< 1			< 1	
pH value		7.59			7.05			6.84			8.25			7.93			7.33			6.91	
Temperature (oC)		25.3			25.9			27.7			28.1			24.3			25.5			25.3	
Salinity (ppt)		5.4			1.0			11.0			13.5			0.4			0.1			1.4	
Turbidity (NTU)	47.6	47.6	Average	3.7	3.7	Average	13.4	13.4	Average	25.8	25.8	Average	0.0	0.0	Average	0.0	0.0	Average	3.4	3.4	Average
			47.6			3.7			13.4			25.8			0.0			0.0			3.4
DO (mg/l)	8.62	8.62	Average	8.94	8.94	Average	7.57	7.57	Average	12.70	12.70	Average	8.51	8.51	Average	7.84	7.84	Average	6.93	6.93	Average
			8.62			8.94			7.57			12.70			8.51			7.84			6.93
DO Saturation (%)	105	105	Average	110	110	Average	97	97	Average	164	164	Average	102	102	Average	96	96	Average	85	85	Average
			105			110			97			164			102			96			85

Name Prepared By: Jimmy Cheng



Date 6/11/2009

 $\frac{M1-Site\ water\ leakage\ from\ the\ construction\ site\ retaining}{wall\ D.\ M4-Water\ quality\ was\ affected\ by\ upper\ stream}$ course of PNH

Date of Sampling:	7/11/20	09		Sunny	,														
Monitoring Location		М1			M2			М3			М4			C1		C2		C3	
Time (hhmm)		1420									1445			1435					
Tide Mode		mid-ebb)	1	mid-ebb			mid-ebb)		mid-ebb			mid-ebb)	mid-ebb)	mid-ebb	,
River Condition		normal			normal			normal			normal			normal		normal		normal	
Water Depth (m)		<1			<1			< 1			< 1			< 1		< 1		< 1	
pH value		7.47									8.08			7.41					
Temperature (oC)		26.6									28.6			25.2					
Salinity (ppt)		4.7									13.8			0.0					
Turbidity (NTU)	98.2	98.2	Average			Average			Average	27.6	27.6	Average	0.5	0.5	Average		Average		Average
			98.2			#DIV/0!			#DIV/0!			27.6			0.5		#DIV/0!		#DIV/0!
DO (mg/l)	7.50	7.50	Average			Average			Average	11.09	11.09	Average	7.95	7.95	Average		Average		Average
			7.50			#DIV/0!			#DIV/0!			11.09			7.95		#DIV/0!		#DIV/0!
DO Saturation (%)	94	94	Average			Average			Average	145	145	Average	97	97	Average		Average		Average
			94			#DIV/0!			#DIV/0!			145			97		#DIV/0!		#DIV/0!

Name
Prepared By: Jimmy Cheng



Date 7/11/2009

Those are additional re-measurement. M1 – Site water leakage from the remark or observation: construction site retaining wall D. M4 – Water quality was affected by algal bloom

Date of Sampling:	9/11/20	09		Sunny																
Monitoring Location		M1			M2			МЗ			М4			C1		C2			C3	
Time (hhmm)		1050									1040			1100						
Tide Mode		mid-ebb)	m	nid-ebb			mid-ebb			mid-ebb			mid-ebb)	mid-ebb)	ļ	mid-ebb	,
River Condition		normal		r	normal			normal			normal			normal		normal			normal	
Water Depth (m)		<1			<1			< 1			< 1			< 1		< 1			< 1	
pH value		7.67									7.70			7.47						
Temperature (oC)		25.6									26.4			23.9						
Salinity (ppt)		9.9									11.8			0.0						
Turbidity (NTU)	36.4	36.4	Average			Average			Average	19.2	19.2	Average	0.0	0.0	Average		Average			Average
			36.4			#DIV/0!			#DIV/0!			19.2			0.0		#DIV/0!			#DIV/0!
DO (mg/l)	8.14	8.14	Average			Average			Average	7.44	7.44	Average	6.58	6.58	Average		Average			Average
			8.14			#DIV/0!			#DIV/0!			7.44			6.58		#DIV/0!			#DIV/0!
DO Saturation (%)	99	99	Average		-	Average			Average	93	93	Average	78	78	Average		Average			Average
			99			#DIV/0!			#DIV/0!			93			78		#DIV/0!			#DIV/0!

Name Prepared By: Jimmy Cheng Signature

Date 9/11/2009

Those are additional re-measurement. M1 – Site water leakage from the

remark or observation: construction site retaining wall D. M4 – Water quality was affected

by upper stream course of PNH

Date of Sampling:	10/11/2	009		Sunny	,															
Monitoring Location		M1			M2			М3			М4			C1		C2			C3	
Time (hhmm)		1055									1045			1105						
Tide Mode		mid-ebb)	I	mid-ebb			mid-ebb	1		mid-ebb			mid-ebb)	mid-ebb		I	mid-ebb	1
River Condition		normal			normal			normal			normal			normal		normal			normal	
Water Depth (m)		<1			<1			< 1			< 1			< 1		< 1			< 1	
pH value		7.31									7.52			7.37						
Temperature (oC)		26.8									28.5			24.6						
Salinity (ppt)		3.5									11.4			0.0						
Turbidity (NTU)	35.2	35.2	Average			Average			Average	29.2	29.2	Average	0.0	0.0	Average		Average			Average
			35.2			#DIV/0!			#DIV/0!			29.2			0.0		#DIV/0!			#DIV/0!
DO (mg/l)	7.86	7.86	Average			Average			Average	6.82	6.82	Average	6.59	6.59	Average		Average			Average
			7.86			#DIV/0!			#DIV/0!			6.82			6.59		#DIV/0!			#DIV/0!
DO Saturation (%)	99	99	Average			Average			Average	88	88	Average	79	79	Average		Average			Average
			99			#DIV/0!			#DIV/0!			88			79		#DIV/0!			#DIV/0!

Name Prepared By: Jimmy Cheng



Date 10/11/2009

Those are additional re-measurement. M1-Site water leakage from the

remark or observation: construction site retaining wall D. M4 – Water quality was affected

by upper stream course of PNH

Date of Sampling:	11/11/2	009		Sunny	/																
Monitoring Location		М1			M2			М3			М4			C1			C2			СЗ	
Time (hhmm)		1010			1015			1020			1000			1050			1040			1030	
Tide Mode		mid-ebb)		mid-ebb)		mid-ebb)		mid-ebb			mid-ebb)		mid-ebb	1		mid-ebb	1
River Condition		normal			normal			normal			normal			normal			normal			normal	
Water Depth (m)		<1			< 1 7.57			< 1			< 1			< 1			< 1			< 1	
pH value		7.74			7.57			6.89			7.40			7.13			7.07			7.30	
Temperature (oC)		26.4			25.9			27.3			28.0			25.0			25.8			27.0	
Salinity (ppt)		3.0			0.6			8.5			9.4			0.0			0.0			1.0	
Turbidity (NTU)	46.7	45.9	Average	0.0	0.0	Average	8.3	8.1	Average	29.0	29.7	Average	0.0	0.0	Average	0.0	0.0	Average	10.3	10.1	Average
DO (mg/l)	8.14	8.10	Average 8.12	8.27	8.28	0.0 Average	5.93	5.91	8.2 Average	7.28	7.26	Average	6.80	6.80	0.0 Average	7.49	7.47	0.0 Average	7.30	7.30	Average 7.30
DO Saturation (%)	103	103	Average	104	104	Average	71	71	Average	93	93	Average	82	82	Average	94	94	Average	91	91	Average 91
DO Saturation (%)	103	103	Average 103	104	104	Average 104	71	71	Average 71	93	93	Average 93	82	82	Average 82	94	94	Average 94	91		91

Name Prepared By: Jimmy Cheng



Date 11/11/2009

M1 – Site water leakage from the construction site retaining

wall D. M4 – Water quality was affected by upper stream

course of PNH

Date of Sampling: 12/11/2009 Sunny																					
Monitoring Location	M1		M2			М3			M4			C1			C2			C3			
Time (hhmm)	1035			1040			1045			1055			1105			1115			1125		
Tide Mode	mid-ebb																				
River Condition	normal																				
Water Depth (m)	<1			< 1			< 1			< 1			< 1			< 1			<1		
pH value	7.33			7.56			6.87			7.39			7.84			7.03			6.93		
Temperature (oC)	25.8			25.5			26.7			27.0			25.0			25.7			26.1		
Salinity (ppt)	4.8			1.4			12.7			15.2			0.0			0.0			0.9		
Turbidity (NTU)	12.5	12.5	Average	0.0	0.0	Average 0.0	5.7	5.7	Average 5.7	15.1	15.1	Average	0.4	0.4	Average 0.4	0.5	0.5	Average	13.1	13.1	Average
DO (mg/l)	7.48	7.48	Average 7.48	7.98	7.98	Average 7.98	5.96	5.96	Average 5.96	6.78	6.78	Average 6.78	6.69	6.69	Average 6.69	7.94	7.94	Average 7.94	6.56	6.56	Average 6.56
DO Saturation (%)	92	92	Average 92	98	98	Average 98	74	74	Average 74	85	85	Average 85	82	82	Average 82	98	98	Average 98	82	82	Average 82

Name
Prepared By: Jimmy Cheng



Date

remark or 12/11/2009 observation:

Date of Sampling: 13/11/2009 Sunny Monitoring М1 М2 М4 C2 Location М3 C1 C3 1050 1055 1100 1040 1110 1120 1130 Time (hhmm) mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb Tide Mode normal normal normal normal normal normal normal River Condition <1 < 1 < 1 < 1 < 1 < 1 < 1 Water Depth (m) 7.96 7.73 6.88 7.11 7.33 7.32 6.94 pH value 20.4 22.2 22.7 20.8 21.2 20.6 21.1 Temperature (oC) 3.5 1.0 9.9 18.9 0.1 0.0 0.7 Salinity (ppt) Average Average Average Average Average 0.0 9.2 Turbidity (NTU) 11.4 0.0 5.4 3.0 3.0 0.0 0.0 0.0 11.4 0.0 5.4 3.0 0.0 0.0 9.2 Average Average Average Average Average Average DO (mg/l) 8.52 8.52 8.81 6.21 7.62 7.62 7.59 7.59 8.32 8.32 7.59 7.59 8.81 6.21 8.52 8.81 6.21 7.62 7.59 8.32 7.59 Average Average Average Average Average Average Average DO Saturation (%) 96 98 98 73 73 88 88 86 86 94 94 85 85 96 98 73 88 86 94 85

Name
Prepared By: Jimmy Cheng



Date

13/11/2009 ok

remark or	
bservation:	

Environmental Pioneers & Solutions Limited

Water Quality Monitoring - Summary of On-site measurement results

Date of Sampling:	16/11/2	009		Cloud	ly																
Monitoring Location		M1			M2			М3			М4			C1			C2			C3	
Time (hhmm)		1150			1155			1200			1140			1210			1220			1230	
Tide Mode		mid-ebb)		mid-ebb)		mid-ebb)		mid-ebb)	mid-ebb			mid-ebb			mid-ebb)
River Condition		normal			normal			normal			normal			normal			normal			normal	
Water Depth (m)		<1			< 1			< 1			1.3			< 1			< 1				
pH value		7.18			7.86			6.95		7.85			7.31			7.12			6.92		
Temperature (oC)		18.7			18.9			19.4			19.5			17.9			18.8			18.9	
Salinity (ppt)		5.2			0.5			6.4			10.3			0.3			0.0			0.8	
Turbidity (NTU)	15.0	15.0	Average	2.1	2.1	Average	9.2	9.2	Average	8.9	8.9	Average 8.9	0.0	0.0	Average 0.0	0.0	0.0	Average 0.0	3.5	3.5	Average
DO (mg/l)	8.91	8.91	Average	8.86	8.86	Average	7.88	7.88	Average	8.53	8.53	Average	8.82	8.82	Average	8.86	8.86	Average	6.42	6.42	Average
DO Saturation (%)	96	96	8.91 Average	95	95	8.86 Average	86	86	7.88 Average	92	92	8.53 Average	93	93	8.82 Average	96	96	8.86 Average	67	67	6.42 Average

Name Prepared By: Jimmy Cheng

Signature	
//	
<u> </u>	

Date 16/11/2009

remark or		
observation:_		

Cloudy Date of Sampling: 17/11/2009 Monitoring Location М2 М4 C2 C3 М1 М3 C1 1255 1300 1245 1320 1310 Time (hhmm) mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb Tide Mode normal normal normal normal normal normal normal River Condition 1.2 <1 < 1 < 1 < 1 < 1 < 1 Water Depth (m) 8.27 7.18 8.62 7.65 7.26 pH value 15.9 16.5 14.6 16.0 16.6 Temperature (oC) 2.4 8.4 14.7 0.0 1.3 Salinity (ppt) Average Average Average Average Average Average 5.1 0.0 6.3 Turbidity (NTU) 5.1 0.0 #DIV/0! #DIV/0! 6.5 8.9 5.1 0.0 6.3 Average Average Average Average DO (mg/l) 9.44 9.44 8.72 8.72 14.16 14.16 9.41 9.41 7.73 7.73 9.44 #DIV/0! 8.72 14.16 9.41 #DIV/0! 7.73 Average Average Average Average Average Average Average DO Saturation (%) 96 90 90 144 144 92 92 78 78 #DIV/0! 96 90 144 92 #DIV/0! 78

Name Prepared By: Jimmy Cheng



Date 17/11/2009

Those are additional re-measurement. M1, M3 & M4 – Water

remark or observation: quality was affected by algal bloom.

Environmental Pioneers & Solutions Limited

Water Quality Monitoring - Summary of On-site measurement results

Date of Sampling:	18/11/2	009		Cloud	ly																												
Monitoring Location		M1			M2			М3			М4			C1			C2		СЗ														
Time (hhmm)		1305			1310			1320			1255			1330			1340			1350													
Tide Mode		mid-ebb)		mid-ebb			mid-ebb			mid-ebb			mid-ebb)		mid-ebb		mid-ebb		mid-ebb		mid-ebb		mid-ebb		mid-ebb		mid-ebb			mid-ebb)
River Condition		normal			normal			normal	rmal normal				normal			normal			normal														
Water Depth (m)		<1			< 1			< 1			1.2			< 1			< 1			< 1													
pH value		8.91			8.20			7.32			8.42			8.37			7.47			6.69													
Temperature (oC)		16.1			16.6			16.8			17.0			14.4			17.6		17.6			18.9											
Salinity (ppt)		3.4			0.9			12.4			20.7			0.5			0.0			2.8													
Turbidity (NTU)	3.0	3.0	Average	0.0	0.0	Average	5.6	5.7	Average	2.5	2.6	Average	0.0	0.0	Average	0.0	0.0	Average	2.0	2.0	Average												
			3.0			0.0			5.7			2.6			0.0			0.0			2.0												
DO (mg/l)	9.53	9.53	Average	9.72	9.72	Average	10.65	10.63	Average	12.51	12.53	Average	8.95	8.95	Average	8.89	8.91	Average	8.22	8.20	Average												
			9.53			9.72			10.64			12.52			8.95			8.90			8.21												
DO Saturation (%)	97	97	Average	100	100	Average	112	112	Average	131	131	Average	92	92	Average	96	96	Average	87	87	Average												
			97			100			112			131			92			96			87												

Name Prepared By: Jimmy Cheng



Date 18/11/2009

M1, M3 & M4 – Water quality was affected by algal bloom.

Date of Sampling:	19/11/2	009		Sunny	/																										
Monitoring Location		M1			M2			М3			М4			C1			C2			СЗ											
Time (hhmm)		1355						1400			1345			1425																1415	
Tide Mode		mid-ebb)		mid-ebb)		mid-ebb	1		mid-ebb)		mid-ebb)		mid-ebb		mid-ebb		mid-ebb		mid-ebb		mid-ebb			mid-ebb)		
River Condition		normal			normal			normal			normal			normal			normal		normal			normal									
Water Depth (m)		<1			< 1			< 1			1.1			< 1		< 1		< 1		< 1		< 1		< 1							
pH value		8.01						7.17			8.76			7.93						7.13											
Temperature (oC)		18.1						20.0			19.9			15.3					19.8												
Salinity (ppt)		3.1						15.0			18.3			0.0						2.6											
Turbidity (NTU)	2.3	2.3	Average			Average #DIV/0!	7.3	7.3	Average 7.3	14.3	14.3	Average	0.0	0.0	Average 0.0			Average #DIV/0!	2.5	2.5	Average 2.5										
DO (mg/l)	9.53	9.53	Average			Average	9.76	9.76	Average	18.32	18.32	Average		9.51	Average			Average	8.12	8.12	Average										
DO Saturation (%)	101	101	9.53 Average			#DIV/0!	108	108	9.76 Average	200	200	18.32 Average		95	9.51 Average			#DIV/0!	89	89	8.12 Average										
			101			#DIV/0!			108			200			95			#DIV/0!			89										

Name Prepared By: Jimmy Cheng



Date 19/11/2009

Those are additional re-measurement. M1, M3 & M4 – Water remark or remark or observation: quality was affected by algal bloom.

Date of Sampling:	20/11/2	009		Sunny	/																														
Monitoring Location		M1		M2				М3			М4			C1			C2			C3															
Time (hhmm)		1415			1420			1425			1405			1435			1445			1455															
Tide Mode		mid-ebb)		mid-ebb)		mid-ebb	1		mid-ebb			mid-ebb			mid-ebb		mid-ebb		mid-ebb			mid-ebb)										
River Condition		normal			normal			normal			normal			normal			normal		norma																
Water Depth (m)		<1			< 1			< 1			< 1			< 1			< 1		< 1		< 1			< 1											
pH value		8.57			8.39			7.31			8.73			8.13			7.11			7.11			7.11		7.11		7.11		7.11		7.11			6.94	
Temperature (oC)		18.5			18.4			20.2			19.7			16.1			18.6			18.8															
Salinity (ppt)		3.7			0.7			14.7			17.6			0.1			0.0		0.0			1.6													
Turbidity (NTU)	5.9	5.9	Average 5.9	0.0	0.0	Average	15.5	15.5	Average	13.4	13.4	Average	0.0	0.0	Average	0.0	0.0	Average 0.0	4.8	4.8	Average 4.8														
DO (mg/l)	9.56	9.56	Average 9.56	9.42	9.42	Average 9.42	10.74	10.74	Average	17.67	17.67	Average	9.15	9.15	Average 9.15	9.09	9.09	Average 9.09	8.73	8.73	Average														
DO Saturation (%)	102	102	Average	101	101	Average	119	119	Average	196	196	Average	93	93	Average 93	97	97	Average 97	89	89	Average 89														

Name Prepared By: Jimmy Cheng



Date 20/11/2009

M1, M3 & M4 – Water quality was affected by algal bloom.

Environmental Pioneers & Solutions Limited

Water Quality Monitoring - Summary of On-site measurement results

Date of Sampling:	26/11/2	009		Sunny	/																																
Monitoring Location		M1			M2			М3		М4		C1				C2		C 3																			
Time (hhmm)		935			945			950			1000			1010			1020			1030																	
Tide Mode		mid-ebb)		mid-ebb)		mid-ebb)		mid-ebb			mid-ebb)		mid-ebb)		mid-ebb)																
River Condition		normal			normal			normal		normal		normal		normal			normal			normal																	
Water Depth (m)		<1			< 1			< 1			< 1			< 1			< 1		< 1		< 1		< 1			< 1											
pH value		7.45			7.66			6.98			7.44			7.33		7.17			7.17			7.17		7.17		7.17		7.17		7.17		'.17		7.17		6.83	
Temperature (oC)		20.3			20.5			20.7			21.4			19.5			21.0			20.7																	
Salinity (ppt)		1.9			0.3			3.7			12.7			0.0			0.0			0.4																	
Turbidity (NTU)	3.2	3.2	Average	2.1	2.1	Average	4.7	4.7	Average	7.5	7.5	Average	0.0	0.0	Average	0.0	0.0	Average	5.3	5.3	Average																
			3.2			2.1			4.7			7.5			0.0			0.0			5.3																
DO (mg/l)	8.36	8.36	Average	8.51	8.51	Average	6.01	6.01	Average	7.12	7.12	Average	7.00	7.00	Average	7.92	7.92	Average	6.13	6.13	Average																
			8.36			8.51			6.01			7.12			7.00			7.92			6.13																
DO Saturation (%)	93	93	Average	94	94	Average	68	68	Average	80	80	Average	77	77	Average	88	88	Average	69	69	Average																
			93			94			68			80			77			88			69																

Name
Prepared By: Jimmy Cheng



Date 26/11/2009

M1 & M2 – Water quality was affected by algal bloom.

Date of Sampling: 27/112009 Sunny Monitoring М2 М4 C2 Location М1 М3 C1 C3 950 955 1000 940 1010 1020 1030 Time (hhmm) mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb Tide Mode normal normal normal normal normal normal normal River Condition <1 < 1 < 1 < 1 < 1 < 1 < 1 Water Depth (m) 7.83 7.71 7.07 7.51 7.12 6.88 6.71 pH value 21.4 21.5 22.7 20.6 21.7 22.1 21.8 Temperature (oC) 2.1 0.2 3.6 15.3 0.0 0.0 0.7 Salinity (ppt) Average Average Average Average Average 0.0 4.9 Turbidity (NTU) 5.8 0.0 3.8 3.8 4.9 4.9 0.0 0.0 0.0 5.8 0.0 3.8 4.9 0.0 0.0 4.9 Average Average Average Average Average Average DO (mg/l) 8.66 8.63 6.54 6.54 6.88 6.88 6.63 6.63 8.08 8.08 6.14 8.66 8.63 6.14 8.66 8.63 6.54 6.88 6.63 8.08 6.14 Average Average Average Average Average Average Average DO Saturation (%) 101 98 98 74 74 81 81 74 74 92 92 70 70 101 98 74 81 74 92 70

	Name
Prepared By:	Jimmy Cheng



Date

27/112009 obse

Date of Sampling: 28/11/2009 Sunny Monitoring М1 М2 М4 C2 Location М3 C1 C3 1050 1055 1100 1040 1110 1120 1130 Time (hhmm) mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb Tide Mode normal normal normal normal normal normal normal River Condition < 1 <1 < 1 < 1 < 1 < 1 < 1 Water Depth (m) 7.84 7.04 7.06 7.14 7.08 7.14 6.84 pH value 22.1 21.8 23.0 22.7 20.8 22.6 22.9 Temperature (oC) 2.3 0.2 4.3 15.4 0.0 0.0 1.1 Salinity (ppt) Average Average Average Average Average 18.5 5.7 0.0 0.0 6.7 Turbidity (NTU) 5.0 15.7 15.7 5.7 0.0 0.0 18.5 5.0 15.7 5.7 0.0 0.0 6.7 Average Average Average Average Average Average DO (mg/l) 8.69 8.69 8.30 8.30 8.05 8.05 6.67 6.67 7.08 7.08 8.46 8.46 7.01 7.01 8.69 8.30 8.05 6.67 7.08 8.46 7.01 Average Average Average Average Average Average Average DO Saturation (%) 100 100 95 95 94 94 78 78 80 80 98 98 80 80 100 95 94 78 80 98 80

Name
Prepared By: Jimmy Cheng



Date 28/11/2009

M1 – Water quality was affected by algal bloom.

Monitoring Location M1 M2 M3 M4 C1 C2 Time (hhmm) 1100 1050 1055 1040 1115 1125 Tide Mode mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb mid-ebb River Condition normal normal normal normal normal normal normal normal normal 1.3 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <			
Tide Mode mid-ebb normal norm	C3		
Tide Mode normal norm	1135		
River Condition	mid-ebb		
Water Depth (m) 7.52 8.19 7.15 7.75 7.17 7.05 Temperature (oC) 20.9 20.7 21.5 22.2 19.6 20.9 3.2 0.8 11.8 19.7 0.0 0.0	normal		
PH value 20.9 20.7 21.5 22.2 19.6 20.9 20.7 3.2 0.8 11.8 19.7 0.0 0.0	< 1		
Temperature (oC) 3.2 0.8 11.8 19.7 0.0 0.0	7.01		
3.2 0.8 11.8 19.7 0.0 0.0	22.3		
Salinity (ppt)	0.7		
Turbidity (NTU) 12.7 12.7 Average 0.5 0.5 Average 13.9 13.9 Average 3.8 3.8 Average 0.0 0.0 Average 0.0 Average 0.0 0.0 Average 0.0 0.0 Average 0.0 Average 0.0 Average 0.0 Average 0.0 Average 0.0 Aver	23.6 Average 23.6		
Average Average Average Average	70 7.70 Average 7.70		
DO Saturation (%) 106 106 Average 100 100 Average 94 94 94 Average 92 92 Average 78 78 Average 99 99 Average 899 99 899 Average 899 99 899 Average 899 99 899 Average 899 99 899 Average 899 899 899 899 899 899 899 899 899 89	Avere		

Name Prepared By: Jimmy Cheng



Date 30/11/2009

remark or	
observation:	

Appendix F2

Water Quality
Monitoring Lab report



TEST SUMMARY ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1

Report No.	: GCC0	9110001	3	u						ate of Issue	;	13-1	1-2009
Client*	: Enviro	onmental	Pioneers	& Solut	tions Lim	ited			P	.O. Received	: ا	08-0	9-2008
Client Address*	: 8/F, C	haiwan I	ndustrial	Centre	Building,	20 Lee C	Chung S	treet, Cl	naiwan,	нк.			
	DSD (Contract	No. DC/2	006/11	- Draina	ige Impro	vement	in South	ern Lant	au & Constr	uctio	n of	
Project*	: Mui V	/o Village	Sewerag	ge Phas	e 1								
Test Location	: <u>G/F</u> ,	20 Pak	Kung Stre	et, Hur	ng Hom,	Kowloon.	•			ate Started	:	02-1	1-2009
W.O. No.*	:			Sar	mple Typ	e* : <u>R</u>	iver Wa	ter	[ate Complet	ed :	03-1	1-2009
GCE Serial No.	: WQM	112009		_ GC	E Reg. N	o. : <u>G</u>	CE 081	096		est Unit No.	:	CH C)8258
Analysis Descrip	tion	To	est Metho	od	Units				Quality	Control Resu	lts		
						Metho Blank	1 00	500 m	g/L Q(C Duplicate	RP	D%	Spike 25 mg/L
Suspended Solid	s (SS)	APHA	4 20ed 28	540 D	mg/L	< 1.0)	499		493	1.	.2	24.1
-			Acce	ptance	Criteria	<2.5 m	g/L	475 ≤ C	ontrol Li	mit ≤ 514	≤ ±	5%	21 ≤ R ≤ 29
	Sam	ple ID	C1	C1 D	uplicate	C2	C2 Du	ıplicate	СЗ	C3 Duplica	ate		
TEST RESULTS	ı	npling /Time	02 Nov	2009	/ 11:20	02 Nov	2009 /	11:30	02 No	v 2009 / 11:	50		
	LOD	Units											
Suspended Solids (SS)	1	mg/L	1.9	1	.8	< 1.0	<	1.0	7.3	7.5			
	Sam	ple ID	M1	M1 D	uplicate	M2	M2 Di	uplicate	МЗ	M3 Duplica	ate	М4	M4 Duplicate
TEST RESULTS	1	npling e/Time	02 Nov	2009	/ 10:50	02 Nov	2009 /	10:55	02 No	v 2009 / 12:	10	02 No	ov 2009 / 10:40
Suspended	LOD	Units											
Solids (SS)	1	mg/L	11.3	1	1.1	2.7	2	.5	7.7	7.5		3.5	3.7
* : Information p	provided	by client											
Note: This I	aborator	y has no	responsib	ility on	sampling	g and all t	the test	results r	elate on	ly to the sam	ple t	ested a	as received.
Remarks : Lo	ocation N	/1 & WE	3 and Loc	ation N	/13 & WE	4 are the		ocation.				· · · · · · · · · · · · · · · · · · ·	
						End							
Tested By :		K.L. F0	ONG				Approv	ved Sign	atorv :	/) .)	F.	
· - ,			-				Name		;	GU C	HIN	<u> </u>	
Checked By :		GU CH	lin				:	Chem	nist				

Form No. : WQM/R1 (01-09-2008)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 : GCC091100039 Report No. Date of Issue : 13-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Date Started** : 04-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 05-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258

Analysis Descript	tion	Te	Test Method		Units	Quality Control Results									
						Metho Blank	_	QC 500 m	g/L	QΩ	Duplicate	Ri	PD%	Spike 25 mg/L	
Suspended Solids (SS) APH			20ed 25	40 D	mg/L	< 1.0	,	502			494	1	1.6	24.5	
			Acce	ptance	Criteria	<2.5 m	g/L	475 ≤ C	ontro	Lin	nit ≤ 514	≤	±5%	21 ≤ R ≤ 29	
	Sam	ple ID	C1	C1 D	uplicate	C2	C2	Duplicate	C	3	C3 Duplica	ate			
TEST RESULTS		npling /Time	04 Nov	2009	/ 11:30	04 Nov	200	9 / 11:40	04	Nov	2009 / 11:	50		1	
	LOD	Units						·							
Suspended Solids (SS)	1	mg/L	< 1.0	<	1.0	< 1.0	:	< 1.0	17.	4	17.2			·	
	Sam	ple ID	М1	M1 D	uplicate	M2	ма	2 Duplicate	M:	3	M3 Duplica	ate	M4	M4 Duplicate	
TEST RESULTS		npling :/Time	04 Nov	2009	/ 10:50	04 Nov	200	9 / 11:00	04	Nov	, 2009 / 12:	05	04 No	v 2009 / 11:15	
•	LOD	Units													
Suspended Solids (SS)	1	mg/L	28.0	2	8.4	2.7		3.0	12.	1	12.3		10.0	10.1	

^{* :} Information provided by client

Note :	This	laboratory	has no	responsibility	on sampling	and all	the test results relate of	nly to t	he sample tested as received.
Remarks :	: _								
					-	Enc			
Tested By		:	K.L. F	ONG		_	Approved Signatory	;	
							Name	:	GU CHIN
Checked B	Зу	:	GU CH	IIN			Post	:	Chemist

Form No. : WQM/R1 (19-01-2009)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100047 Date of Issue : 13-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address* : 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Date Started** : 06-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 07-11-2009 GCE Serial No. : WQM112009 : GCE 081096 GCE Reg. No. Test Unit No. : CH 08258 **Analysis Description Test Method Units Quality Control Results** Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank Suspended Solids (SS) APHA 20ed 2540 D < 1.0 497 503 ma/L -1.2 24.7 Acceptance Criteria < 2.5 mg/L 475 ≤ Control Limit ≤ 514 ≤ ±5% $21 \le R \le 29$ Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 06 Nov 2009 / 15:05 06 Nov 2009 / 15:15 06 Nov 2009 / 15:25 Date/Time LOD Units Suspended 1 < 1.0< 1.0 < 1.0 7 2 7.5 mg/L < 1.0Solids (SS) M1 Duplicate Sample ID M1 M2 M2 Duplicate М3 M3 Duplicate M4 M4 Duplicate **TEST RESULTS** Sampling 06 Nov 2009 / 14:40 06 Nov 2009 / 14:45 06 Nov 2009 / 14:55 06 Nov 2009 / 14:30 Date/Time LOD Units Suspended 43.4 42.2 2.9 12.3 20.0 19.2 1 mg/L 3.0 12.3 Solids (SS) * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks : ---- End ----K.L. FONG Approved Signatory Tested By **GU CHIN** Name

Post

Chemist

Form No. : WQM/R1 (19-01-2009)

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100055 Date of Issue : 13-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Date Started** : 07-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 09-11-2009 GCE Serial No. : WQM112009 : <u>CH</u> 08258 GCE Reg. No. : GCE 081096 Test Unit No. Analysis Description **Test Method** Units **Quality Control Results** Method QC 500 mg/L RPD% QC Duplicate Spike 25 mg/L 8lank 496 Suspended Solids (SS) APHA 20ed 2540 D mg/L < 1.0 506 -2.0 24.1 Acceptance Criteria < 2.5 mg/L 475 ≤ Control Limit ≤ 514 21 ≤ R ≤ 29 ≤ ±5% Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 07 Nov 2009 / 14:35 Date/Time LOD Units Suspended mg/L 2.0 1.9 Solids (SS) Sample ID M1 M1 Duplicate M2 M2 Duplicate МЗ M3 Duplicate M4 Duplicate **TEST RESULTS** Sampling 07 Nov 2009 / 14:45 07 Nov 2009 / 14:20 Date/Time LOD Units Suspended mg/L 77.2 78.0 25.2 24.4 Solids (SS) *: Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks: ---- End -----Tested By K.L. FONG **Approved Signatory GU CHIN** Name

Post

Chemist

Form No. : WQM/R1 (19-01-2009)

GU CHIN



Page 1 of 1

TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Report No. : GCC091100063 Date of Issue : 18-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 Test Location : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 09-11-2009 W.O. No.* Sample Type* : River Water Date Completed : 09-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 Test Method **Analysis Description** Units **Quality Control Results** Method QC 500 mg/L RPD% QC Duplicate Spike 25 mg/L Blank Suspended Solids (SS) APHA 20ed 2540 D < 1.0 496 506 -2.0 24.1 Acceptance Criteria < 2.5 mg/L 475 ≤ Control Limit ≤ 514 ≤ ±5% $21 \le R \le 29$ C1 Duplicate Sample ID C1 C2 C2 Duplicate C3 Duplicate **TEST RESULTS** Sampling 09 Nov 2009 / 10:40 Date/Time LOD Units Suspended mg/L 2.8 Solids (SS) Sample ID M1 Duplicate M2 Duplicate M3 Duplicate М4 M4 Duplicate **TEST RESULTS** Sampling 09 Nov 2009 / 10:50 09 Nov 2009 / 10:40 Date/Time LOD Units Suspended 1 mg/L 35.2 35.6 19.4 20.0 Solids (SS) *: Information provided by client This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks: ---- End -----Tested By K.L. FONG Approved Signatory GU CHÍN Name Checked By : **GU CHIN** Post Chemist

Form No.: WQM/R1 (19-01-2009)



Page 1 of 1

TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Report No.	: GCCC	9110007	71 							Date of Issue	: 18-	11-2009
Client*	: Enviro	onmental	Pioneers	& Solut	ions Lim	nited				P.O. Received	I : <u>08</u> -0	09-2008
Client Address*												
						age Impro	vem	ent in South	iern La	ntau & Constr	uction of	
roject*		Vo Village			• • • • • • • • • • • • • • • • • • • •						w	
	: <u>G/F</u>	, 20 Pak	Kung Str	eet, Hur	ng Hom,	Kowloon				Date Started	: 10-	11-2009
/.O. No.*	:			Sar	nple Typ	e* : <u>F</u>	liver	Water		Date Complet	ed : 10-	11-2009
CE Serial No.	Serial No. : WQM112009 GCE Reg. No. : GCE 081096									Test Unit No.	: <u>CH</u>	08258
nalysis Descript	tion	т	est Meth	od	Units				Qualit	y Control Resu	lts	
· · · · · · · · · · · · · · · · · · ·						Metho Blank		QC 500 mg	g/L (OC Duplicate	RPD%	Spike 25 mg/L
uspended Solids	s (SS)	APHA	20ed 2	540 D	mg/L	< 1,0	0	497		502	-1.0	25.5
			Acc	eptance	Criteria	<2.5 m	ıg/L	475 ≤ Co	ontrol	Limit ≤ 514	≤ ±5%	21 ≤ R ≤ 29
	Sam	ple ID	C1	C1 De	uplicate	C2	C	2 Duplicate	СЗ	C3 Duplica	nte	
EST RESULTS		npling /Time	10 Nov	2009	/ 11:05							
	LOD	Units										
Suspended Solids (SS)	1	mg/L	3.8	3	.9							
	Sam	ple ID	М1	M1 D	uplicate	М2	M:	2 Duplicate	МЗ	M3 Duplica	ate M4	M4 Duplicate
FEST RESULTS		npling /Time	10 Nov	, 2009 ,	/ 10:55						10 No	ov 2009 / 10:45
	LOD	Units										
Suspended Solids (SS)	1	mg/L	36.4	3	7.2						27.2	27.8
: Information p	rovided	hy client				L	•	<u></u>		'		
, moments	.01.000	by onone										
lote: This la	borator	y has no	responsib	oility on	sampling	g and all	the 1	est results r	elate o	nly to the sam	ple tested	as received.
emarks :												
_						End						
ested By :		K.L. FC	NG				Ар	proved Signa	atory	:_ /		
			-				Na			: GU C	HIN	
Checked By :		GU CH	IN				Pos	st		: Chem	ist	

Form No. : WQM/R1 (19-01-2009)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100089 Date of Issue : 18-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 11-11-2009 W.O. No.* Sample Type* : River Water Date Completed : 12-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258

Analysis Descrip	tion	T,	est Metho	bd	Units	Quality Control Results								
						Metho Blank	-	QC 500 m	g/L	QC Duplicate	R	PD%	Spike 25 mg/L	
Suspended Solids (SS) APH			A 20ed 25	540 D	mg/L	< 1.0		495		502	-	1.4	25.7	
			Acce	ptance	Criteria	<2.5 m	g/L	475 ≤ C	ontrol	Limit ≤ 514	≤	±5%	21 ≤ R ≤ 29	
	Sam	ple ID	C1	C1 D	uplicate	C2	C2	2 Duplicate	СЗ	C3 Duplic	ate			
TEST RESULTS		npling s/Time	11 Nov	2009	/ 10:50	11 Nov	200	9 / 10:40	11 N	lov 2009 / 10:	:30			
	LOD	Units												
Suspended Solids (SS)	1	mg/L	1.2	1	.1	< 1.0		< 1.0	8.3	8.7				
	Sam	ple ID	М1	M1 D	uplicate	M2	M	2 Duplicate	МЗ	M3 Duplio	ate	M4	M4 Duplicate	
TEST RESULTS		npling e/Time	11 Nov	2009	/ 10:10	11 Nov	200	9 / 10:15	11 N	lov 2009 / 10	:20	11 No	v 2009 / 10:00	
	LOD	Units						Fiber						
Suspended Solids (SS)	1	mg/L	43.4	4	2.8	1.5		1.2	10.8	10.7		24.4	24.2	

٠:	In	for	mati	ion	prov	id	ed	by	cli	ent
----	----	-----	------	-----	------	----	----	----	-----	-----

Note:	This I	aboratory has	no responsibility on samp	ling and all the test results relate	only to	the sample tested as received.
Remarks :						
				End		
Tested By	:	K.L	. FONG	Approved Signatory	:	<u> </u>
				Name	:	GU CHIN
Checked By	y :	GU	CHIN	Post	:	Chemist

Form No. : WQM/R1 (19-01-2009)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100097 Date of Issue : 18-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 Test Location : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 12-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 13-11-2009 GCE Serial No. : WQM112009 : GCE 081096 GCE Reg. No. Test Unit No. : CH 08258 Analysis Description **Test Method** Units Quality Control Results Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank APHA 20ed 2540 D Suspended Solids (SS) < 1.0 497 504 24.5 mg/L -1.4 Acceptance Criteria < 2.5 mg/L $475 \le Control \ Limit \le 514$ ≤ ±5% $21 \le R \le 29$ Sample ID C1 C1 Duplicate C2C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 12 Nov 2009 / 11:05 12 Nov 2009 / 11:15 12 Nov 2009 / 11:25 Date/Time LOD Units Suspended 1 mg/L 1.4 1.2 < 1.0 < 1.0 12.0 11.5 Solids (SS) Sample ID M1 M1 Duplicate M2 M2 Duplicate M3 M3 Duplicate M4 M4 Duplicate **TEST RESULTS** Sampling 12 Nov 2009 / 10:45 12 Nov 2009 / 10:35 12 Nov 2009 / 10:40 12 Nov 2009 / 10:55 Date/Time LOD Units Suspended 16.4 11.8 mg/L 16.1 1.2 1.3 11.5 15.7 15.6 Solids (SS) * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks : ---- End ----Tested By K.L. FONG Approved Signatory

Name

Post

GU CHIN

Chemist

Form No. : WQM/R1 (19-01-2009)

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 : GCC091100102 Report No. Date of Issue : 18-11-2009 : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 Test Location : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Date Started** : 13-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 14-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 **Analysis Description Test Method** Units **Quality Control Results** Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank APHA 20ed 2540 D Suspended Solids (SS) mg/L < 1.0 495 503 -1.6 25.3 Acceptance Criteria < 2.5 mg/L475 ≤ Control Limit ≤ 514 $21 \le R \le 29$ ≤ ±5% Sample ID C1 Duplicate C2 C2 Duplicate C3 Duplicate Sampling **TEST RESULTS** 13 Nov 2009 / 11:10 13 Nov 2009 / 11:20 13 Nov 2009 / 11:30 Date/Time LOD Units Suspended ma/L 1.2 1.1 < 1.0< 1.0 8.7 8 4 Solids (SS) Sample 1D M1 M1 Duplicate M2 M2 Duplicate M3 Duplicate М3 M4 M4 Duplicate **TEST RESULTS** Sampling 13 Nov 2009 / 10:50 13 Nov 2009 / 10:55 13 Nov 2009 / 11:00 13 Nov 2009 / 10:40 Date/Time LOD Units Suspended mg/L 12.8 12.7 1 1.3 14 64 6.2 8.9 9.0 Solids (SS) * : Information provided by client This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks: ---- End -----Tested By K.L. FONG Approved Signatory Name **GU CHIN GU CHIN** Checked By : Post Chemist

Form No.; WQM/R1 (19-01-2009)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100128 Date of Issue : 25-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Date Started** : 16-11-2009 W.O. No.* Sample Type* : River Water Date Completed : 17-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 : CH 08258 Test Unit No. **Quality Control Results** Analysis Description **Test Method** Units Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank Suspended Solids (SS) APHA 20ed 2540 D mg/L < 1.0 498 502 -0.8 24.7 475 ≤ Control Limit ≤ 514 Acceptance Criteria < 2.5 mg/L ≤ ±5% $21 \le R \le 29$ Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 16 Nov 2009 / 12:10 16 Nov 2009 / 12:20 16 Nov 2009 / 12:30 Date/Time LOD Units Suspended 1 mg/L 1.3 1.4 < 1.0 < 1.0 5.6 5.7 Solids (SS) Sample ID M1 M1 Duplicate M2 M2 Duplicate М3 M3 Duplicate M4 M4 Duplicate **TEST RESULTS** Sampling 16 Nov 2009 / 11:50 16 Nov 2009 / 11:55 16 Nov 2009 / 12:00 16 Nov 2009 / 11:40 Date/Time LOD Units Suspended 1 mg/L 16.9 16.7 1.4 1.5 10.0 9.7 9.2 8.9 Solids (SS) * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks: ---- End -----Tested By K.L. FONG Approved Signatory **GU CHIN** Name **GU CHIN**

Post

Chemist

Form No.: WQM/R1 (19-01-2009)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Report No.	: GCC	911001:		**********		=======================================				Date of Issue	:	25-1	1-2009
Client*	: Enviro	onmental	Pioneers	& Solut	ions Lim	ited			1	P.O. Received	. : ا	08-0	9-2008
Client Address*	: <u>8/F, C</u>	Chaiwan I	ndustrial	Centre	Building,	20 Lee 0	Chun	g Street, Cl	haiwan,	нк.			
	D\$D	Contract	No. DC/2	006/11	- Draina	ige Impro	veme	ent in South	nern Lan	tau & Constr	uction	of	
Project*	: Mui V	Vo Village	Sewerag	je Phas	e 1					/V* 5:4			
Test Location	:G/F	, 20 Pak	Kung Stre	et, Hu	ng Hom,	Kowloon			(Date Started	:.	17-1	1-2009
W.O. No.*	:			Sar	nple Typ	e* : <u>R</u>	iver '	Water	[Date Complet	ed:	18-1	1-2009
GCE Serial No.	: WQM112009 GCE Reg. No. : GCE 081096									Test Unit No.	: -	CH C	8258
Analysis Descrip	tion	Т	est Metho	od	Units				Quality	Control Resu	lts		
						Metho Blank		QC 500 m	g/L Q	C Duplicate	RPD	%	Spike 25 mg/L
Suspended Solid	s (SS)	APHA	20ed 25	540 D	mg/L	< 1.0	,	499		495	0.8		25.7
			Acce	ptance	Criteria	<2.5 m	g/L	475 ≤ C	ontrol Li	mit ≤ 514	≤ ±5	5%	21 ≤ R ≤ 29
<u> </u>	Sam	ple ID	C1	C1 D	uplicate	C2	C2	Duplicate	С3	C3 Duplica	nte		
TEST RESULTS		npling n/Time	17 Nov	2009	13:20				17 No	v 2009 / 13:	10		
	LOD	Units											
Suspended Solids (SS)	1	mg/L	< 1.0	<	1.0				6.5	6.3			
	Sam	ple ID	M1	M1 D	uplicate	M2	M2	! Duplicate	М3	M3 Duplica	ate	M4	M4 Duplicate
TEST RESULTS		npling e/Time	17 Nov	2009	/ 12:55				17 No	v 2009 / 13:	00 1	7 No	v 2009 / 12:45
	LOD	Units											
Suspended Solids (SS)	1	mg/L	8.8	9	, 1				9.6	9.8	2	26.0	26.8
*: Information p		·	responsib	ility on	samplinç	g and all t	he te	est results r	elate on	ly to the sam	ple tes	sted a	as received.
Remarks :													
						End							
Tested By :		K.L. F	ONG					proved Signa	atory :		<u> </u>		
Checked By :		GU CH	IN				Name Post			: GU CHIN : Chemist			

Form No. : WQM/R1 (19-01-2009)



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 : GCC091100144 Report No. Date of Issue : 25-11-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 Test Location : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 18-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 19-11-2009 GCE Serial No. : WQM112009 : GCE 081096 GCE Reg. No. Test Unit No. : CH 08258 **Analysis Description Test Method** Units **Quality Control Results** Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank Suspended Solids (SS) APHA 20ed 2540 D ma/L < 1.0 499 504 -1.024.3 ≤ ±5% Acceptance Criteria < 2.5 mg/L 475 ≤ Control Limit ≤ 514 $21 \le R \le 29$ Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 18 Nov 2009 / 13:30 18 Nov 2009 / 13:40 18 Nov 2009 / 13:50 Date/Time LOD Units Suspended mg/L < 1.0< 1.0 < 1.0 < 1.0 5.4 5.3 Solids (SS) Sample ID M1 Duplicate M1 M2 M2 Duplicate **M3** M3 Duplicate **M4** M4 Duplicate **TEST RESULTS** Sampling 18 Nov 2009 / 13:05 18 Nov 2009 / 13:10 18 Nov 2009 / 13:20 18 Nov 2009 / 12:55 Date/Time LOD Units Suspended 4.7 mg/L 5.0 1.2 1.1 10.8 11.2 20.8 20.4 Solids (SS) * : Information provided by client This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Note: Remarks: ---- End -----Tested By K.L. FONG Approved Signatory Name **GU CHIN**

Post

Chemist

Form No.: WQM/R1 (19-01-2009)

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100152(A) : 01-12-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of : Mui Wo Village Sewerage Phase 1 Project* **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Date Started : 19-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 20-11-2009 GCE Serial No. : WQM112009 : GCE 081096 GCE Reg. No. : CH 08258 Test Unit No. Analysis Description **Test Method** Units **Quality Control Results** Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank Suspended Solids (SS) APHA 20ed 2540 D < 1.0 498 mg/L 505 -1.4 25.1 Acceptance Criteria <2.5 mg/L 475 ≤ Control Limit ≤ 514 ≤ ±5% 21 ≤ R ≤ 29 Sample ID C₁ C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 19 Nov 2009 / 14:25 19 Nov 2009 / 14:15 Date/Time LOD Units Suspended 1 mg/L < 1.0 < 1.0 5.5 5.6 Solids (SS) Sample ID M1 M1 Duplicate M2 M2 Duplicate МЗ M3 Duplicate M4 M4 Duplicate **TEST RESULTS** Sampling 19 Nov 2009 / 13:55 19 Nov 2009 / 14:00 19 Nov 2009 / 13:45 Date/Time LOD Units Suspended 2.3 mg/L 2.5 7.9 8.3 17.2 17.6 Solids (SS) *: Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks : This report is an amendment of and supplement to report no. GCC091100152 ---- Fnd -----Tested By K.L. FONG Approved Signatory **GU CHIÑ** Name

Post

Chemist

Form No. : WQM/R1 (19-01-2009)

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100160 : 25-11-2009 Date of Issue : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. Test Location Date Started : 20-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 21-11-2009 GCE Serial No. : WQM112009 : GCE 081096 GCE Reg. No. Test Unit No. : CH 08258 Analysis Description Test Method Units **Quality Control Results** Method QC 500 mg/L RPD% QC Duplicate Spike 25 mg/L Blank APHA 20ed 2540 D Suspended Solids (SS) mg/L < 1.0 502 505 -0.6 25.3 <2.5 mg/L 475 ≤ Control Limit ≤ 514 $21 \le R \le 29$ Acceptance Criteria ≤ ±5% Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 Duplicate C3 TEST RESULTS Sampling 20 Nov 2009 / 14:35 20 Nov 2009 / 14:45 20 Nov 2009 / 14:55 Date/Time LOD Units Suspended ma/L < 1.0 < 1.0 < 1.0 < 1.06.1 6.3 Solids (SS) Sample ID М1 M1 Duplicate M2 M2 Duplicate М3 M3 Duplicate M4 M4 Duplicate **TEST RESULTS** Sampling 20 Nov 2009 / 14:15 20 Nov 2009 / 14:20 20 Nov 2009 / 14:05 20 Nov 2009 / 14:25 Date/Time LOD Units Suspended 1 6.2 6.3 1.1 1.2 10.8 34.6 34.5 mg/L 11.1 Solids (SS) * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks: ---- End ----Tested By K.L. FONG Approved Signatory **GU CHIN** Name

Post

Chemist

Form No. : WQM/R1 {19-01-2009}

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100372 Date of Issue : 02-12-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Test Location Date Started** : 26-11-2009 W.O. No.* Sample Type* : River Water Date Completed : 27-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 **Analysis Description Test Method** Units **Quality Control Results** Method QC 500 mg/L RPD% QC Duplicate Spike 25 mg/L Blank APHA 20ed 2540 D Suspended Solids (SS) mg/L < 1.0 501 495 1.2 24.5 Acceptance Criteria $475 \le Control \ Limit \le 514$ < 2.5 mg/L 21 ≤ R ≤ 29 ≤ ±5% Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 26 Nov 2009 / 10:10 26 Nov 2009 / 10:20 26 Nov 2009 / 10:30 Date/Time LOD Units Suspended < 1.0 mg/L < 1.0 < 1.0 < 1.0 6.4 6.2 Solids (SS) Sample ID M1 Duplicate M2 M2 Duplicate М3 M3 Duplicate M4 M4 Duplicate **TEST RESULTS** Sampling 26 Nov 2009 / 09:35 26 Nov 2009 / 09:45 26 Nov 2009 / 09:50 26 Nov 2009 / 10:00 Date/Time LOD Units Suspended 1 4.6 4.3 3.5 mg/L 2.4 2.1 3.7 8.5 8.4 Solids (SS) * : Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks: ---- End -----Tested By Approved Signatory K.L. FONG **GU CHIN** Name

Post

Chemist

Form No.: WQM/R1 (19-01-2009)

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100380 Date of Issue : 02-12-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 Test Location : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Date Started** : 27-11-2009 W.Q. No.* Sample Type* : River Water Date Completed: 28-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 **Analysis Description Test Method** Units **Quality Control Results** Method QC 500 mg/L RPD% Spike 25 mg/L QC Duplicate Blank Suspended Solids (SS) APHA 20ed 2540 D < 1.0 497 502 24.7 ma/L -1.0Acceptance Criteria <2.5 mg/L 475 ≤ Control Limit ≤ 514 ≤ ±5% $21 \le R \le 29$ Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 27 Nov 2009 / 10:30 27 Nov 2009 / 10:10 27 Nov 2009 / 10:20 Date/Time LOD Units Suspended 1 mg/L < 1.0 < 1.0 < 1.0 < 1.0 6.1 6.3 Solids (SS) M1 M4 Duplicate Sample ID M1 Duplicate M2 M2 Duplicate М3 M3 Duplicate M4 **TEST RESULTS** Sampling 27 Nov 2009 / 09:50 27 Nov 2009 / 09:55 27 Nov 2009 / 10:00 27 Nov 2009 / 09:40 Date/Time LOD Units Suspended 7.1 4.4 6.5 1 mg/L 7.5 3.0 2.9 4.8 6.3 Solids (SS) *: Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks : ---- End -----Tested By K.L. FONG Approved Signatory **GU CHIN** Name

Post

Chemist

Form No. : WQM/R1 {19-01-2009}

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100398 Date of Issue : 02-12-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Test Location Date Started** : 28-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 30-11-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 **Analysis Description** Test Method linite **Quality Control Results** Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank Suspended Solids (SS) APHA 20ed 2540 D mg/L < 1.0 501 504 -0.6 25.3 Acceptance Criteria < 2.5 mg/L 475 ≤ Control Limit ≤ 514 ≤ ±5% $21 \le R \le 29$ Sample ID C1C1 Duplicate C2 C2 Duplicate C3 Duplicate **TEST RESULTS** Sampling 28 Nov 2009 / 11:10 28 Nov 2009 / 11:20 28 Nov 2009 / 11:30 Date/Time LOD Units Suspended 1 mg/L < 1.0 < 1.0 < 1.0 < 1.0 8.2 8.5 Solids (SS) Sample ID M1 M1 Duplicate M2 M2 Duplicate МЗ M3 Duplicate M4 M4 Duplicate TEST RESULTS Sampling 28 Nov 2009 / 10:50 28 Nov 2009 / 10:55 28 Nov 2009 / 11:00 28 Nov 2009 / 10:40 Date/Time LOD Units Suspended 1 mg/L 14.3 14.8 10.3 3.1 3.0 10.1 9.8 9.6 Solids (SS) *: Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks : ---- End -----Tested By K.L. FONG Approved Signatory **GU CHIN** Name Checked By :

Post

Chemist

Form No.: WQM/R1 (19-01-2009)

GU CHIN



TEST REPORT ON ENVIRONMENTAL ANALYSIS OF WATER AND WASTEWATER

Page 1 of 1 Report No. : GCC091100403 Date of Issue : 02-12-2009 Client* : Environmental Pioneers & Solutions Limited P.O. Received : 08-09-2008 Client Address*: 8/F, Chaiwan Industrial Centre Building, 20 Lee Chung Street, Chaiwan, HK. DSD Contract No. DC/2006/11 - Drainage Improvement in Southern Lantau & Construction of Project* : Mui Wo Village Sewerage Phase 1 **Test Location** : G/F, 20 Pak Kung Street, Hung Hom, Kowloon. **Date Started** : 30-11-2009 W.O. No.* Sample Type* : River Water Date Completed: 01-12-2009 GCE Serial No. : WQM112009 GCE Reg. No. : GCE 081096 Test Unit No. : CH 08258 Analysis Description **Test Method** Units **Quality Control Results** Method QC 500 mg/L QC Duplicate RPD% Spike 25 mg/L Blank Suspended Solids (SS) APHA 20ed 2540 D mg/L < 1.0 497 501 -0.8 25.1 Acceptance Criteria < 2.5 mg/L 475 ≤ Control Limit ≤ 514 ≤ ±5% $21 \le R \le 29$ Sample ID C1 C1 Duplicate C2 C2 Duplicate C3 C3 Duplicate **TEST RESULTS** Sampling 30 Nov 2009 / 11:15 30 Nov 2009 / 11:25 30 Nov 2009 / 11:35 Date/Time LOD Units Suspended 1 mg/L 1.2 1.3 < 1.0 < 1.0 30.8 31.0 Solids (SS) Sample ID M1 M1 Duplicate M2 M2 Duplicate М3 M3 Duplicate M4 M4 Duplicate **TEST RESULTS** Sampling 30 Nov 2009 / 11:00 30 Nov 2009 / 10:50 30 Nov 2009 / 10:55 30 Nov 2009 / 10:40 Date/Time LOD Units Suspended 1 mg/L 12.3 12.1 2.3 2.6 10.7 10.8 8.0 8.4 Solids (SS) *: Information provided by client Note: This laboratory has no responsibility on sampling and all the test results relate only to the sample tested as received. Remarks: ---- End ----Tested By K.L. FONG Approved Signatory Name **GU CHIN**

Post

Chemist

Form No. : WQM/R1 (19-01-2009)

GU CHIN

Appendix G
Monitoring Schedule
for Nov 2009

Environmental Pioneers and Solutions Limited

DC/2006/11 - DRAINAGE IMPROVEMENT IN SOUTHERN LANTAU

Master Schedule of EM&A works in November 2009

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
11/1	11/2	11/3	11/4	11/5	11/6	11/7
	WQM, EWQM at: 11:43		WQM at: 12:59		WQM at: 14:21	additional WQM at: 14:20
			Noise monitoring			
11/8	11/9	11/10	11/11	11/12	11/13	11/14
	additional WQM at: 10:40	additional WQM at: 10:45	WQM at: 9:50	WQM at: 10:20	WQM at: 10:40	
		Ecological survey	Noise monitoring		Ecological survey	
11/15	11/16	11/17	11/18	11/19	11/20	11/21
	WQM at: 11:56	additional WQM at: 12:45	WQM at: 13:09	additional WQM at: 13:45	WQM at: 14:13	
			Noise monitoring			
11/22	11/23	11/24	11/25	11/26	11/27	11/28
				WQM at: 9:30	WQM at: 9:50	WQM at: 10:25
				Noise monitoring		
11/29	11/30					
	WQM at: 10:35					

Noise Monitoring Locations: Total 4 Locations as N1, N2, N3 and N4

Water Quality Monitoring (WQM) Locations: Total 7 Locations as M1, M2, M3, M4, C1, C2 and C3

Ecological Water Quality Monitoring (EWQM) Locations: Total 6 Locations as WE1, WE2, WE3, WE4, WE5 and WE6

Appendix H Implementation Status of environmental protection / mitigation measures


Environmental	Protection / Mitigation Measures	Implementation	Follow-up
Aspect		status	action
Air Quality	Use of regular watering to reduce dust emissions from exposed site surfaces and unpaved road, with complete coverage.	Implemented	-
	Use of frequent watering for particular dusty static construction areas and areas close to ASRs.	Deficiencies identified	Ongoing
	Tarpaulin covering of all dusty vehicle loads transported to and from and between site location; Establishment and use of vehicle wheel and body	•	-
	washing facilities at the exit points of the site. Routing of vehicles and positioning of construction	Implemented Implemented	-
	plant should be at the maximum possible distance from ASRs.	impenence	
NT .	Use of quiet powered mechanical equipment (PME)	Implemented	-
Noise	Adoption of movable noise barriers and temporary noise barriers	Implemented	
	Application of good site practices mentioned in EM&A manual Clause 3.8.1	_	-
Water Quality	Before commencing any site formation works, all sewer and drainage connections should be sealed to prevent debris, soil, sand etc. from entering public sewers/drains.	Deficiencies identified	Ongoing
	Temporary ditches should be provided to facilitate run-off discharge into appropriate watercourses, via a silt retention pond. No site run-off should enter the freshwater marshes at Luk Tei Tong.	Implemented	-
	Sand/ silt removal facilities such as sand traps, silt traps and sediment basins should be provided to remove sand/ silt particles from runoff to meet the requirements of the Technical Memorandum standard under the Water Pollution Control Ordinance.		Ongoing
	Water pumped out from foundation excavations should be discharged into silt removal facilities.	Implemented	-
	During rainstorms, exposed slope surface should be covered by a tarpaulin or the means.	Implemented	-
	Exposed soil areas should be minimized to reduce potential for increased siltation and contamination of runoff.	Implemented	-
	Exposed soil surfaces should be protected by paving or fill material as soon as possible to reduce potential of soil erosion.	Deficiencies	To be follow up
	Open stockpiles of construction materials or construction wastes on-site of more than 50m ³ should be covered with tarpaulin or similar fabric during rainstorms.	Implemented	-
	Oils and fuels should only be used and stored on designated areas which have pollution prevention facilities.	Implemented	-
	Temporary sanitary facilities, such as portable chemical toilets, should be employed on-site.	Not applicable	-
	The excavation and widening works for the drainage improvements to the Pak Ngan Heung River, Tai Tei Tong River, Luk Tei Tong River and Luk Tei Tong By-pass Channel should be carried out in sections (approximately 300 –400 m in length) and in dry condition.	Deficiencies	To be follow up

Environmental	Protection / Mitigation Measures	Implementation	Follow-up
Aspect		status	action
	Maintenance desiliting of the re-profiled river channels of the Pak Ngan Heung River, Tai Tei Tong River, Luk Tei tong River and Luk Tei Tong By-pass Channel, temporary barrier walls should be used to provide a dry zone for desiliting work.	Not applicable at this stage	-
Ecology	Existing natural habitats should be retained as far as practicable	Implemented	-
	Boundary of working areas should be identified to prevent loss of vegetation	Implemented	-
	All existing trees / plant should be well protected within the site or transplanted properly	Deficiencies identified	To be follow up
	Turf removal from the Luk Tei Tong marsh due to the construction of Luk Tei Tong Bypass Channel shall be minimized	Implemented	-
	Turf from the Luk Tei Tong marsh shall be properly removed, stored, maintained and reused for lining the riverbed of the Luk Tei Tong Bypass Channel	Implemented	-
Chemical and	Chemical wastes should be properly stored in a proper store as per statutory requirements (i.e. on a hard standing, within an enclosed and locked area)	Implemented	-
Solid Waste	Chemical waste stores should be provided with fire precaution facilities (i.e. fire extinguisher, no smoking warning etc).	Implemented	-
	Chemical wastes should be properly stored in corrosion resistant containers placed inside the store and labelled with warning signs in English and Chinese.	Implemented	-
	Chemical wastes should be disposed of by licensed chemical waste collector with supporting delivery records.	Implemented	-
	All containers for fuel, diesel and fluid chemical (in use) and oil filled stationery plants located with proper drip pans.		
	Construction wastes should be managed and disposed to the designated public fill and landfill areas in acceptable manner.	•	-
	All waste disposals managed in a proper manner i.e. trip ticket system implementation.	Implemented	-


Appendix I

Graphical plot of water quality monitoring results (SS, DO, turbidity)


Graphical Plot of Turbidity Trend M1&C1 (Aug - Nov 09)




Graphical Plot of Turbidity Trend M2&C2 (Aug - Nov 09)




Graphical Plot of Turbidity Trend M3&C3 (Aug - Nov 09)




Graphical Plot of Turbidity Trend M4 (Aug - Nov 09)




Graphical Plot of Dissolved Oxygen Trend M1&C1 (Aug - Nov 09)




Graphical Plot of Dissolved Oxygen Trend M1&C1 (Aug - Nov 09)




Graphical Plot of Dissolved Oxygen Trend M3&C3 (Aug - Nov 09)




Graphical Plot of Dissolved Oxygen Trend M4 (Aug - Nov 09)




Graphical Plot of Suspended Soild M1&C1 (Aug - Nov 09)




Graphical Plot of Suspended Soild M2&C2 (Aug - Nov 09)



Graphical Plot of Suspended Soild M3&C3 (Aug - Nov 09)





Graphical Plot of Suspended Soild M4 (Aug - Nov 09)





Appendix J

Graphical plot of noise monitoring results









Appendix K

Ecological Survey Report

for the mangrove area at Luk Tei Tong

Ecological Survey Report for the mangrove area at Luk Tei Tong

Background

In response to the concerns from green groups on the mangrove area to the east of Luk Tei Tong River, contractor took action to install pipes between Luk Tei Tong River and the mangrove area on 25 May 2009 as agreed on a meeting in mid May.

The inlet pipes from Luk Tei Tong River to the mangrove area consisted of two sections. The first section was between the mangrove area wetland and the excavation area. The second section was between the excavation area and Luk Tei Tong River. The inlet pipes was constructed at a level of 1.7mPD so as to allow water to flow naturally from Luk Tei Tong River during high tide into the wetland. The tidal effects on the mangroves were maintained at all times throughout the remaining part of the river works.

A monitoring for the mangrove area was conducted, weekly for one month starting form 27 May 2009 after installation of the twin pipes. Thereafter, the monitoring would be monthly till the completion of gabion wall construction and the original water inlet is reinstated (the end of September 2009), and three months after the completion.

The objectives of the ecological monitoring are to:

- to document the completion installation and proper operation of the temporary twin 400mm pipes
- to document the general health condition of the mangrove community at Luk Tei Tong
- to evaluate reinstatement of the natural tidal flow

Method

Field survey was conducted on 10 November 2009.

The survey was conducted during low tide period (around 10 am). Photos of the construction site and the mangrove communities were taken for documentation. The installed inlet pipes were removed and the inlet at the rock gabions was constructed in September 2009 to allow natural tidal exchange. The condition of tidal exchange was checked, and the health condition of the mangroves were observed and recorded.

Results

The tidal inlet was of its original level before construction. During the survey stream water was below the inlet level and therefore no water flow was observed (**Photo 1**).

The mangrove communities were exposed during the current survey. The dominant mangrove or mangrove associated species in Area 1 were in good conditions. *Phragmites australis* (**Photos 2**) were blooming, while *Aegiceras corniculatum* (**Photos 3**) was in good health condition with little yellowing leaves compared with before.

Recovery of mangrove community in Area 2 was slow to poor. Mortality of a dominant mangrove associate species, *Acanthus ilicifolius*, was stabilized, and some individuals were resprouted from the withered stands (**Photo 4**). Phragmites australis and Hibiscus tiliaceus were in good condition. However, mortality of many individuals of Mangrove Fern *Acrostichum aureum* (**Photo 5**) was observed, and some young individuals of *Aegiceras corniculatum* also started to have yellowing leaves (**Photo 6**),.

Mortality of Mangrove Fern at Area 2 was not observed in previous months. Impedance in tidal water exchange could be the reason of poor conditions of the mangroves in this area as standing water, although shallow, was always observed in this area even in low tide condition. The water also appears to be more turbid than those in Area 1, indicating anoxic condition.


Abundant fishes were observed in the standing water of both mangrove areas, but no mangrove crabs were observed during the current survey.

Conclusions and Recommendations

The reinstatement of inlet has been completed at the end of September. Removal of pipes and rock gabions to the original level of the tidal inlet has significant improved the tidal exchange. Recovery of mangrove communities is satisfactory in Area 1, while more mangrove and mangrove associates were in poor condition in Area 2. It is recommended that water samples be taken at both areas for water quality checking. Should water quality and exchange be identified as the factor, connection between Area 1 and Area 2 could be made by breaking the old bund in between to improve the

tidal water circulation.

The next monthly mangrove monitoring would be conducted in December 2009.



Appendix L

Complaint Investigation Report and Log Sheet

DSD Project – DC/2006/11 Drainage Improvement in Southern Lantau								
Report for Complaint/ Concern Our Ref: DC0611-WQ-010911(EPD) EPD Ref: (24) in EP771/E1/072 Pt.8 Sheet: Total 4 Pages								
RECIPIENT								
	independent Environmental Checker (IEC) and the claimt about muddy effluent discharge from the							
COMPLAINANT / Concern	•							
Name: N/A Address: N/A	Tel: <u>N/A</u>							
COMPLAINT								
□Noise □Air quality/Dust ☑Water □Odour □Safety □Others	□Environment □Traffic/Pedestrian							
Event Date and Time: 06 November 2009 Location: Section of PNH River next to the roundabout of	Ngan Shu Street (site retaining wall D)							

INVESTIGATION RESULTS & MITIGATION MEASURES

- 1. A complaint on 06 November 2009 was recorded that muddy effluent discharge was found in the section of PNH River next to the roundabout of Ngan Shu Street. ET was informed by EPD on 06 November 2009.
- 2. As reported by Contractor on 07 November 2009, existing earth bund structure at the concerned site was broken on 04 November 2009 and causing site water seepage to the river channel. Immediate corrective actions of general backfill to the earth bund were taken and completed on 06 November 2009.
- 3. As per the EM&A Manual section 8.3, ET arranged a site investigation with the representatives from Engineer Representatives (ER) and Contractor, on 10 November 2009 to resolve the above complaint.
- 4. During the investigation, formation of earth bunds and river diversion activities were conducted. The section of PNH River nearby the concerned work site was still muddy. Findings showed the muddy water could be caused by:
 - There was no mitigation measures or protection measures implemented for the formation works of earth bunds (Fig.1).
 - Some site area was not properly enclosed with earth bunds. Site water was found seeping into the river course during investigation (Fig.2).
 - Insufficient protection measures were implemented to protect bare soil surfaces (including earth bunds) directly exposed to the river water. Muddy water was observed during investigation.
 - Defective geo-textile coverings to the earth bunds were observed during investigation. The footing of the earth bunds was not properly covered with the geo-textile sheets, which was one of the sources of muddy water (Fig.3).
 - The de-silting tank installed at the concerned site was observed being under-designed and, as a result, turbid water was discharged from the de-silting tank during investigation (Fig.4).

- 5. Based on the findings shown in item 4., contractor was urged to implement corrective actions immediately as to stop further deterioration of water quality.
- 6. As a follow-up, ET conducted second investigation with representatives of ER and Contractor on 12 November 2009. Further follow up actions were taken by contractor which included:
 - Some earth bunds were formed to prevent surface run-off and site water seepage (Fig.5).
 - Geo-textile coverings were properly applied to protect the footing of the newly formed earth bunds (Fig.6).
 - Geo-textile coverings were provided to the bare soil surfaces directly exposed to the river water (Fig.7).
- 7. Although river water was observed to be clear, new sediments were formed which believed to be caused by the muddy effluent previously. Turbid water was still discharged from the defective de-silting tank at the concerned site.
- 8. A follow up meeting was held at site with participation of the ET, representatives from ER and Contractor after the investigation of the same day. As there were still outstanding deficiencies required for further improvement, Contractor was advised to rectify the discrepancies as soon as possible.
- 9. Once again, ET has reminded the Contractor to be cautious on not arising muddy water in the future construction works along the rivers.

RECOMMENDATIONS

- 1. Contractor was reminded again that no muddy site water/ runoff was allowed to be discharged into the river channel before proper treatment by any reasons.
- 2. Mitigation measures such as bunds, barriers and silt traps should be well provided before commencement of any river-based construction activities.
- 3. Contractor should regularly provide training/ toolbox talk on environmental topics, especially on protection of the river water quality, to their site staffs and sub-contractors.
- 4. Contractor should keep good practice on regularly checking the environmental performance on sites, and paying serious attention on any sudden changes of river water quality.
- 5. The contractor shall always check the performance of bunds, barriers and de-silting facilities in order to ensure no muddy water was discharged to the river by site works.
- 6. The contractor shall provide sufficient and effective de-silting facilities before effluent discharge into storm water drains.
- 7. Contractor is reminded again to take serious notice on the complaint and always keep good environmental management at site.

Signed:

Date: 18-11-2009



Fig.5



Fig.6



Fig.7



COMPLAINT / CONCERN LOG

File Closed	Yes	
Investigation/Mitigation Action	A complaint on 06 November 2009 was recorded that muddy water was found in the section of PNH River next to the roundabout of Ngan Shu Street and ET was informed by contractor on 06 November 2009. As reported by Contractor on 07 November 2009, existing earth bund structure at the concerned site was broken on 04 November 2009 and causing site water seepage to the river channel. Immediate corrective actions of general backfill to the earth bund were taken and completed on 06 November	As per the EM&A Manual section 8.3, ET arranged a site investigation with the representatives from Engineer Representatives (ER) and Contractor on 10 th November to resolve the above compliant. During the investigation, formation of earth bunds and river diversion activities were conducted. The section of PNH River nearby the concerned work site was still muddy. Findings showed the muddy water could be caused by: - There was no mitigation measures or protection measures implemented for the formation works of earth bunds. - Some site area was not properly enclosed with earth bunds. Site water was found seeping into
	2 3	6 4
Details of Complaint	A complaint was recorded regarding muddy effluent discharge from the construction site at PNH River next to the roundabout of Ngan Shu Street.	
Complainant/ Date of Contact	A complaint received by ET via EPD on 06 th November 09	
Event Date/Location	06th November 09, Section of Pak Ngan Heung (PNH) River next to the roundabout of Ngan Shu Street (site retaining wall D)	
Log Ref	Our REF: DC0611-WQ- 010911(EPD) EPD complaint REF: (24) in EP771/E1/072 Pt.8	

 Insufficient protection measures were implemented to protect bare soil surfaces (including earth bunds) directly exposed to the river water. Muddy water was observed during investigation. Defective geo-textile coverings to the earth bunds were observed during investigation. The footing of the earth bunds was not properly covered with the geo-textile sheets, which was one of the sources of muddy water. The de-silting tank installed at the concerned site was observed being under-designed and turbid water was discharged from the de-silting tank during investigation. 	5) Based on the findings shown in item 4., contractor was urged to implement corrective actions immediately as to stop further deterioration of water quality.	 6) ET conducted a follow-up investigation with representatives of ER and Contractor on 12 November 2009. Further follow up actions were taken by contractor which included: Some earth bunds were formed to prevent surface run-off and site water seepage. Geo-textile coverings were properly applied to protect the footing of the newly formed earth bunds. Geo-textile coverings were provided to the bare soil surfaces directly exposed to the river water.
·		

7) Although river water was observed to be clear, new sediments were formed which believed to be caused by the muddy effluent previously. Turbid water was still discharged from the defective de-silting tank at the concerned site.	8) A follow-up meeting was held at site with participation of the ET, representatives from ER and Contractor after the investigation of the same day. As there were still outstanding deficiencies required for further improvement, Contractor was advised to rectify the discrepancies as soon as possible.	9) Suggestions were given to the Contractor included the followings, - Contractor was reminded again that no muddy	site water/ runoff was allowed to be discharged into the river channel before proper treatment by	any reasons. - Mitigation measures such as bunds, barriers and silt traps should be well provided before	commencement of any river-based construction activities.	Contractor should regularly provide training/ toolbox talk on environmental topics, especially	on protection of the river water quality, to their site staffs and sub-contractors.	. Contractor should keen good practice on

performance on sites, and paying serious	attention on any sudden changes of river water	quality.	- The contractor shall always check the	performance of bunds, barriers and de-silting	facilities in order to ensure no muddy water was	discharged to the river by site works.	- The contractor shall provide sufficient and	effective de-silting facilities before effluent	discharge into storm water drains.	- Contractor is reminded again to take serious	notice on the complaint and always keep good	environmental management at site.	

Date: 18th November 09

Filed by Environmental Team Leader