



Contract No. HY/2011/03

**Hong Kong-Zhuhai-Macao Bridge Hong Kong Link Road
Section between Scenic Hill and Hong Kong Boundary Crossing
Facilities**

Monthly EM&A Report No.7 (April 2013)

14 May 2013

Revision 1

Main Contractor



Designer

ATKINS

Contents

Executive Summary

1	Introduction	1
1.1	Basic Project Information	1
1.2	Project Organisation	2
1.3	Construction Programme	2
1.4	Construction Works Undertaken During the Reporting Month.....	2
2	Air Quality Monitoring.....	3
2.1	Monitoring Requirements	3
2.2	Monitoring Equipment	3
2.3	Monitoring Locations	4
2.4	Monitoring Parameters, Frequency and Duration.....	4
2.5	Monitoring Methodology	4
2.6	Monitoring Schedule for the Reporting Month	6
2.7	Monitoring Results.....	6
3	Noise Monitoring.....	8
3.1	Monitoring Requirements	8
3.2	Monitoring Equipment	8
3.3	Monitoring Locations	8
3.4	Monitoring Parameters, Frequency and Duration.....	8
3.5	Monitoring Methodology	9
3.6	Monitoring Schedule for the Reporting Month	9
3.7	Monitoring Results.....	10
4	Water Quality Monitoring.....	11
4.1	Monitoring Requirements	11
4.2	Monitoring Equipment	12
4.3	Monitoring Parameters, Frequency and Duration.....	12
4.4	Monitoring Locations	12
4.5	Monitoring Methodology	13
4.6	Monitoring Schedule for the Reporting Month	14
4.7	Monitoring Results.....	14
5	Dolphin Monitoring	16
5.1	Monitoring Requirements	16
5.2	Monitoring Methodology	16
5.3	Monitoring Results.....	18
5.4	Reference.....	19



6	ENVIRONMENTAL SITE INSPECTION AND AUDIT	20
6.1	Site Inspection.....	20
6.2	Advice on the Solid and Liquid Waste Management Status.....	21
6.3	Environmental Licenses and Permits	21
6.4	Implementation Status of Environmental Mitigation Measures.....	21
6.5	Summary of Exceedances of the Environmental Quality Performance Limit	22
6.6	Summary of Complaints, Notification of Summons and Successful Prosecution	22
7	FUTURE KEY ISSUES	23
7.1	Construction Programme for the Coming Months	23
7.2	Environmental Monitoring Scheme for the Coming Month	23
8	CONCLUSION	24
8.1	Conclusions.....	24

Figures

- Figure 1.1 Location of the Site
Figure 2.1 Environmental Monitoring Stations

Appendices

- Appendix A Environmental Management Structure
Appendix B Construction Programme
Appendix C Calibration Certificates
Appendix D Monitoring Schedule
Appendix E Monitoring Data and Graphical Plots
Appendix F Event and Action Plan
Appendix G Wind Data
Appendix H Dolphin Monitoring Results
Appendix I Waste Flow Table
Appendix J Cumulative Statistics on Complaints
Appendix K Environmental Licenses and Permits
Appendix L Implementation Schedule of Environmental Mitigation Measures
Appendix M Record of “Notification of Environmental Quality Limit Exceedances”
Appendix N Location of Works Areas

Executive Summary

The Hong Kong-Zhuhai-Macao Bridge (HZMB) Hong Kong Link Road (HKLR) serves to connect the HZMB Main Bridge at the Hong Kong Special Administrative Region (HKSAR) Boundary and the HZMB Hong Kong Boundary Crossing Facilities (HKBCF) located at the north eastern waters of the Hong Kong International Airport (HKIA).

The HKLR project has been separated into two contracts. They are Contract No. HY/2011/03 Hong Kong-Zhuhai-Macao Bridge Hong Kong Link Road-Section between Scenic Hill and Hong Kong Boundary Crossing Facilities (hereafter referred to as the Contract) and Contract No. HY/2011/09 Hong Kong-Zhuhai-Macao Bridge Hong Kong Link Road-Section between HKSAR Boundary and Scenic Hill.

China State Construction Engineering (Hong Kong) Ltd. was awarded by Highways Department as the Contractor to undertake the construction works of Contract No. HY/2011/03. The main works of the Contract include land tunnel at Scenic Hill, tunnel underneath Airport Road and Airport Express Line, reclamation and tunnel to the east coast of the Airport Island, at-grade road connecting to the HKBCF and highway works of the HKBCF within the Airport Island and in the vicinity of the HKLR reclamation. The Contract is part of the HKLR Project and HKBCF Project, these projects are considered to be "Designated Projects", under Schedule 2 of the Environmental Impact Assessment (EIA) Ordinance (Cap 499) and Environmental Impact Assessment (EIA) Reports (Register No. AEIAR-144/2009 and AEIAR-145/2009) were prepared for the Project. The current Environmental Permit (EP) EP-352/2009/A for HKLR and EP-353/2009/F for HKBCF were issued on 9 November 2011 and 24 April 2013, respectively. These documents are available through the EIA Ordinance Register. The construction phase of Contract was commenced on 17 October 2012.

BMT Asia Pacific Limited has been appointed by the Contractor to implement the Environmental Monitoring & Audit (EM&A) programme for the Contract in accordance with the Updated EM&A Manual for HKLR (Version 1.0) and will be providing environmental team services to the Contract.

This is the seventh Monthly EM&A report for the Contract which summaries the monitoring results and audit findings of the EM&A programme during the reporting period from 1 April to 30 April 2013.

Environmental Monitoring and Audit Progress

The monthly EM&A programme was undertaken in accordance with the Updated EM&A Manual for HKLR (Version 1.0). A summary of the monitoring activities in this reporting month is listed below:

1-hr TSP Monitoring	3, 9, 15, 19 and 25 April 2013
24-hr TSP Monitoring	2, 8, 12, 18, 24 and 30 April 2013
Noise Monitoring	3, 9, 19 and 25 April 2013
Water Quality Monitoring	1, 3, 5, 8, 10, 12, 15, 17, 19, 22, 24, 26 and 29 April 2013
Chinese White Dolphin Monitoring	2, 3, 8 and 12 April 2013
Site Inspection	2, 9, 17, 26 and 30 April 2013

Due to adverse weather condition, the water monitoring for mid-ebb tide on 5 April 2013 and 19 April 2013 were cancelled.

Breaches of Action and Limit Levels

A summary of environmental exceedances for this reporting month is as follows:

Environmental Monitoring	Parameters	Action Level (AL)	Limit Level (LL)
Air Quality	1-hr TSP	0	0
	24-hr TSP	0	0
Noise	L _{eq} (30 min)	2	0
Water Quality	Suspended solids level (SS)	3	0
	Turbidity level	0	0
	Dissolved oxygen level (DO)	0	0

During the reporting month, there are 3 Action Level exceedances of suspended solids level. No marine works were undertaken and no leakage of turbid water or any abnormality or malpractice was observed during the sampling exercise. Therefore, all exceedances were considered as non-contract related.

There are two Action Level exceedances for noise. A complaint was received on 15 April 2013 regarding the machinery noise generated from the construction site near Tung Chung Development Pier operating for the Hong Kong-Zhuhai-Macao Bridge Hong Kong during the normal working hours on 6 April 2013 and 13 April 2013 and the late evening of 10 April 2013 causing nuisance to public. According to the information provided by the Contractor, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zone 1 during the normal working hours of 6 April 2013 (7:30a.m. to 6p.m.) where malfunctioning of the bulldozer operating at Zone 3A was recorded and the machine was checked and repaired to resume functional. During the normal working hours (7:30a.m. to 6p.m.) of 13 April 2013, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zones 1 and 3A. The construction activities did not cause adverse noise impacts on nearby noise sensitive receivers. During the restricted hour of 10 April 2013 (8:00p.m. to 10:55p.m.), a pelican barge, a tug boat, a hopper barge and two derrick barges were used for rock transfer and rock filling at Zone 3B and a derrick barge was used for rock filling at Zone 3A. The Contractor confirmed that the works were undertaken in compliance with Construction Noise Permit (CNP) No. GW-RS0019-13. A site inspection was undertaken by ET on 17 April 2013 between 9:30 a.m. and noon. It was found that powered mechanical equipment was operated under normal condition and no significant noise was generated from the construction activities. Based on the Contractor's information and ET's investigation, it is considered that the complaint which was received on 15 April 2013 was invalid.

Another noise complaint was received on 30 April 2013 regarding the machinery noise generated from the reclamation site near Tung Chung Development Pier at around 22:00 of 28 April 2013 causing nuisance to public. According to the site dairy provided by the Contractor, a pelican barge was preparing to berth at a designated location, aided by a small tug boat during the restricted hour (at 10:00 pm) of 28 April 2013 at Zone 3C. The Contractor confirmed that the works were undertaken in compliance with CNP No. GW-RS0019-13. The construction activities did not cause adverse noise impacts on nearby noise sensitive receivers. A site inspection was undertaken on 2 May 2013 when a pelican barge was preparing to berth at a designated location, aided by a small tug. No significant noise impact was generated from manoeuvring barges. In addition, it was found that powered mechanical equipment was operated under normal condition and no significant noise was generated from the construction activities. Based on the Contractor's information and ET's investigation, it was considered that the complaint was invalid.

No Limit Level exceedances for noise were recorded during this reporting month.

There are no Action and Limit Level exceedances for 1-hr TSP and 24-TSP during this reporting month.

All investigation reports for exceedances of the Contract have been submitted to ENPO/IEC for comments and/or follow up to identify whether the exceedances occurred related to other HZMB contracts.

Complaint Log

A summary of environmental complaints for this reporting month is as follows:

Environmental Complaint No.	Date of Complaint Received	Description of Environmental Complaints
COM-2013-022	8 April 2013	Water
COM-2013-018 (6), (7) & (9)	15 April 2013	Noise
COM-2013-018 (11)	30 April 2013	Noise

Notifications of Summons and Prosecutions

There were no notifications of summons or prosecutions received during this reporting month.

Reporting Changes

This report has been developed in compliance with the reporting requirements for the subsequent EM&A reports as required by the Updated EM&A Manual for HKLR (Version 1.0).

The proposal for the change of Action Level and Limit Level for suspended solid and turbidity was approved by EPD on 25 March 2013.

Future Key Issues

The future key issues include potential noise, air quality, water quality and ecological impacts and waste management arising from the following construction activities to be undertaken in the upcoming month:

- Removal of Existing Rock for Existing Seawall at Portion X;
- Stone Column Installation at Portion X;
- Sand Filling behind Stone Platform at Portion X;
- Band Drains Installation at Portion X;
- Temporary Stone Platform Construction at Portion X;
- Site Formation at West Portal;
- Tree Felling at West Portal;
- Slope Protection / Stabilization (Soil Nailing Works) at West Portal;
- Works for Diversion of Airport Road and Kwo Lo Wan Road at Kwo Lo Wan / Airport Road;
- Pre-grouting and Pipe Piling Works for AEL Access Shafts at AEL;
- Utilities Detection at Kwo Lo Wan / Airport Road / AEL;
- Establishment of Site Access at Kwo Lo Wan / Airport Road / AEL;
- Works for East Access Shaft at Kwo Lo Wan / Airport Road / AEL;
- Access Shaft Construction for SHT and HAT at Portion Y; and
- Utility Culvert Excavation at Portion Y.

1 Introduction

1.1 Basic Project Information

- 1.1.1 The Hong Kong-Zhuhai-Macao Bridge (HZMB) Hong Kong Link Road (HKLR) serves to connect the HZMB Main Bridge at the Hong Kong Special Administrative Region (HKSAR) Boundary and the HZMB Hong Kong Boundary Crossing Facilities (HKBCF) located at the north eastern waters of the Hong Kong International Airport (HKIA).
- 1.1.2 The HKLR project has been separated into two contracts. They are Contract No. HY/2011/03 Hong Kong-Zhuhai-Macao Bridge Hong Kong Link Road-Section between Scenic Hill and Hong Kong Boundary Crossing Facilities (hereafter referred to as the Contract) and Contract No. HY/2011/09 Hong Kong-Zhuhai-Macao Bridge Hong Kong Link Road-Section between HKSAR Boundary and Scenic Hill.
- 1.1.3 China State Construction Engineering (Hong Kong) Ltd. was awarded by Highways Department (HyD) as the Contractor to undertake the construction works of Contract No. HY/2011/03. The Contract is part of the HKLR Project and HKBCF Project, these projects are considered to be "Designated Projects", under Schedule 2 of the Environmental Impact Assessment (EIA) Ordinance (Cap 499) and Environmental Impact Assessment (EIA) Reports (Register No. AEIAR-144/2009 and AEIAR-145/2009) were prepared for the Project. The current Environmental Permit (EP) EP-352/2009/A for HKLR and EP-353/2009/F for HKBCF were issued on 31 October 2011 and 24 April 2013, respectively. These documents are available through the EIA Ordinance Register. The construction phase of Contract was commenced on 17 October 2012. **Figure 1.1** shows the project site boundary. The works area are shown in **Appendix N**,
- 1.1.4 The Contract includes the following key aspects:
- New reclamation along the east coast of the approximately 23 hectares.
 - Tunnel of Scenic Hill (Tunnel SHT) from Scenic Hill to the new reclamation, of approximately 1km in length with three (3) lanes for the east bound carriageway heading to the HKBCF and four (4) lanes for the westbound carriageway heading to the HZMB Main Bridge.
 - An abutment of the viaduct portion of the HKLR at the west portal of Tunnel SHT and associated road works at the west portal of Tunnel SHT.
 - An at grade road on the new reclamation along the east coast of the HKIA to connect with the HKBCF, of approximately 1.6 km along dual 3-lane carriageway with hard shoulder for each bound.
 - Road links between the HKBCF and the HKIA including new roads and the modification of existing roads at the HKIA, involving viaducts, at grade roads and a Tunnel HAT.
 - A highway operation and maintenance area (HMA) located on the new reclamation, south of the Dragonair Headquarters Building, including the construction of buildings, connection roads and other associated facilities.
 - Associated civil, structural, building, geotechnical, marine, environmental protection, landscaping, drainage and sewerage, tunnel and highway electrical and mechanical works, together with the installation of street lightings, traffic aids and sign gantries, water mains and fire hydrants, provision of facilities for installation of traffic control and surveillance system (TCSS), reprovisioning works of affected existing facilities, implementation of transplanting, compensatory planting and protection of existing trees, and implementation of an environmental monitoring and audit (EM&A) program.
- 1.1.5 This is the seventh Monthly Environmental Monitoring and Audit (EM&A) report for the Contract which summaries the monitoring results and audit findings of the EM&A programme during the reporting period from 1 April to 30 April 2013.

- 1.1.6 BMT Asia Pacific Limited has been appointed by the Contractor to implement the EM&A programme for the Contract in accordance with the Updated EM&A Manual for HKLR (Version 1.0) for HKLR and will be providing environmental team services to the Contract. ENVIRON Hong Kong Ltd. was employed by HyD as the Independent Environmental Checker (IEC) and Environmental Project Office (ENPO) for the Project. The project organization with regard to the environmental works is as follows.

1.2 Project Organisation

- 1.2.1 The project organization structure and lines of communication with respect to the on-site environmental management structure is shown in **Appendix A**. The key personnel contact names and numbers are summarized in **Table 1.1**.

Table 1.1 Contact Information of Key Personnel

Party	Position	Name	Telephone	Fax
Supervising Officer's Representative (Ove Arup & Partners Hong Kong Limited)	(Chief Resident Engineer, CRE)	Robert Antony Evans	3968 0801	2109 1882
Environmental Project Office / Independent Environmental Checker (Environ Hong Kong Limited)	Environmental Project Office Leader	Y. H Hui	3465 2888	3465 2899
	Independent Environmental Checker	Antony Wong	3465 2888	3465 2899
Contractor (China State Construction Engineering (Hong Kong) Ltd)	Project Manager	S. Y. Tse	3968 7002	2109 2588
	Environmental Officer	Federick Wong	3968 7117	2109 2588
Environmental Team (BMT Asia Pacific)	Environmental Team Leader	Claudine Lee	2241 9847	2815 3377

1.3 Construction Programme

- 1.3.1 A copy of the Contractor's construction programme is provided in **Appendix B**.

1.4 Construction Works Undertaken During the Reporting Month

- 1.4.1 A summary of the construction activities undertaken during this reporting month is shown in **Table 1.2**.

Table 1.2 Construction Activities During Reporting Month

Description of Activities	Site Area
Removal of existing rock for existing seawall	Portion X
Stone Column installation	Portion X
Sand filling behind stone platform in according to EP requirement	Portion X
Temporary stone platform construction	Portion X
Site formation	West Portal
Tree Felling	West Portal
Slope protection/ stabilization (soil nailing works)	West Portal

Description of Activities	Site Area
Boulder removal/ stabilization works	West Portal
Works for diversion of Airport Road and Kwo Lo Wan Road	Kwo Lo Wan / Airport Road
Utilities detection	Kwo Lo Wan/ Airport Road/ AEL
Establishment of site access	Kwo Lo Wan/ Airport Road/ AEL
Works for East access shaft	Kwo Lo Wan/ Airport Road/ AEL
Access Shaft Construction for SHT & HAT	Portion Y
Utility culvert excavation	Portion Y

2 Air Quality Monitoring

2.1 Monitoring Requirements

- 2.1.1 In accordance with the Contract Specific EM&A Manual, baseline 1-hour and 24-hour TSP levels at two air quality monitoring stations were established. Impact 1-hour TSP monitoring was conducted for at least three times every 6 days, while impact 24-hour TSP monitoring was carried out for at least once every 6 days. The Action and Limit Level for 1-hr TSP and 24-hr TSP are provided in **Table 2.1** and **Table 2.2**, respectively.

Table 2.1 Action and Limit Levels for 1-hour TSP

Monitoring Station	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AMS 5 – Ma Wan Chung Village (Tung Chung)	352	500
AMS 6 – Dragonair / CNAC (Group) Building (HKIA)	360	

Table 2.2 Action and Limit Levels for 24-hour TSP

Monitoring Station	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AMS 5 – Ma Wan Chung Village (Tung Chung)	164	260
AMS 6 – Dragonair / CNAC (Group) Building (HKIA)	173	260

2.2 Monitoring Equipment

- 2.2.1 24-hour TSP air quality monitoring was performed using High Volume Sampler (HVS) located at each designated monitoring station. The HVS meets all the requirements of the Contract Specific EM&A Manual. Portable direct reading dust meters were used to carry out the 1-hour TSP monitoring. Brand and model of the equipment is given in **Table 2.3**.

Table 2.3 Air Quality Monitoring Equipment

Equipment	Brand and Model
Portable direct reading dust meter (1-hour TSP)	Sibata Digital Dust Monitor (Model No. LD-3B)
High Volume Sampler (24-hour TSP)	Tisch Environmental Mass Flow Controlled Total Suspended Particulate (TSP) High Volume Air Sampler (Model No. TE-5170)

2.3 Monitoring Locations

2.3.1 Monitoring locations AMS5 and AMS6 were set up at the proposed locations in accordance with Contract Specific EM&A Manual.

2.3.2 **Figure 2.1** shows the locations of monitoring stations. **Table 2.4** describes the details of the monitoring stations.

Table 2.4 Locations of Impact Air Quality Monitoring Stations

Monitoring Station	Location
AMS5	Ma Wan Chung Village (Tung Chung)
AMS6	Dragonair / CNAC (Group) Building (HKIA)

2.4 Monitoring Parameters, Frequency and Duration

2.4.1 **Table 2.5** summarizes the monitoring parameters, frequency and duration of impact TSP monitoring.

Table 2.5 Air Quality Monitoring Parameters, Frequency and Duration

Parameter	Frequency and Duration
1-hour TSP	Three times every 6 days while the highest dust impact was expected
24-hour TSP	Once every 6 days

2.5 Monitoring Methodology

2.5.1 24-hour TSP Monitoring

- (a) The HVS was installed in the vicinity of the air sensitive receivers. The following criteria were considered in the installation of the HVS.
- (i) A horizontal platform with appropriate support to secure the sampler against gusty wind was provided.
 - (ii) The distance between the HVS and any obstacles, such as buildings, was at least twice the height that the obstacle protrudes above the HVS.
 - (iii) A minimum of 2 meters separation from walls, parapets and penthouse for rooftop sampler.
 - (iv) No furnace or incinerator flues nearby.
 - (v) Airflow around the sampler was unrestricted.



- (vi) Permission was obtained to set up the samplers and access to the monitoring stations.
 - (vii) A secured supply of electricity was obtained to operate the samplers.
 - (viii) The sampler was located more than 20 meters from any dripline.
 - (ix) Any wire fence and gate, required to protect the sampler, did not obstruct the monitoring process.
 - (x) Flow control accuracy was kept within $\pm 2.5\%$ deviation over 24-hour sampling period.
- (b) Preparation of Filter Papers
- (i) Glass fibre filters, G810 were labelled and sufficient filters that were clean and without pinholes were selected.
 - (ii) All filters were equilibrated in the conditioning environment for 24 hours before weighing. The conditioning environment temperature was around 25 °C and not variable by more than ± 3 °C; the relative humidity (RH) was < 50% and not variable by more than $\pm 5\%$. A convenient working RH was 40%.
 - (iii) All filter papers were prepared and analysed by ALS Technichem (HK) Pty Ltd., which is a HOKLAS accredited laboratory and has comprehensive quality assurance and quality control programmes.
- (c) Field Monitoring
- (i) The power supply was checked to ensure the HVS works properly.
 - (ii) The filter holder and the area surrounding the filter were cleaned.
 - (iii) The filter holder was removed by loosening the four bolts and a new filter, with stamped number upward, on a supporting screen was aligned carefully.
 - (iv) The filter was properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter.
 - (v) The swing bolts were fastened to hold the filter holder down to the frame. The pressure applied was sufficient to avoid air leakage at the edges.
 - (vi) Then the shelter lid was closed and was secured with the aluminum strip.
 - (vii) The HVS was warmed-up for about 5 minutes to establish run-temperature conditions.
 - (viii) A new flow rate record sheet was set into the flow recorder.
 - (ix) On site temperature and atmospheric pressure readings were taken and the flow rate of the HVS was checked and adjusted at around 1.1 m³/min, and complied with the range specified in the Updated EM&A Manual for HKLR (Version 1.0) (i.e. 0.6-1.7 m³/min).
 - (x) The programmable digital timer was set for a sampling period of 24 hrs, and the starting time, weather condition and the filter number were recorded.
 - (xi) The initial elapsed time was recorded.
 - (xii) At the end of sampling, on site temperature and atmospheric pressure readings were taken and the final flow rate of the HVS was checked and recorded.
 - (xiii) The final elapsed time was recorded.
 - (xiv) The sampled filter was removed carefully and folded in half length so that only surfaces with collected particulate matter were in contact.
 - (xv) It was then placed in a clean plastic envelope and sealed.
 - (xvi) All monitoring information was recorded on a standard data sheet.

- (xvii) Filters were then sent to ALS Technichem (HK) Pty Ltd. for analysis.
 - (d) Maintenance and Calibration
 - (i) The HVS and its accessories were maintained in good working condition, such as replacing motor brushes routinely and checking electrical wiring to ensure a continuous power supply.
 - (ii) 5-point calibration of the HVS was conducted using TE-5025A Calibration Kit prior to the commencement of baseline monitoring. Bi-monthly 5-point calibration of the HVS will be carried out during impact monitoring.
 - (iii) Calibration certificate of the HVSs are provided in **Appendix C**.
- 2.5.2 1-hour TSP Monitoring
- (a) Measuring Procedures

The measuring procedures of the 1-hour dust meter were in accordance with the Manufacturer's Instruction Manual as follows:-

 - (i) Turn the power on.
 - (ii) Close the air collecting opening cover.
 - (iii) Push the "TIME SETTING" switch to [BG].
 - (iv) Push "START/STOP" switch to perform background measurement for 6 seconds.
 - (v) Turn the knob at SENSI ADJ position to insert the light scattering plate.
 - (vi) Leave the equipment for 1 minute upon "SPAN CHECK" is indicated in the display.
 - (vii) Push "START/STOP" switch to perform automatic sensitivity adjustment. This measurement takes 1 minute.
 - (viii) Pull out the knob and return it to MEASURE position.
 - (ix) Push the "TIME SETTING" switch the time set in the display to 3 hours.
 - (x) Lower down the air collection opening cover.
 - (xi) Push "START/STOP" switch to start measurement.
 - (b) Maintenance and Calibration
 - (i) The 1-hour TSP meter was calibrated at 1-year intervals against a Tisch Environmental Mass Flow Controlled Total Suspended Particulate (TSP) High Volume Air Sampler. Calibration certificates of the Laser Dust Monitors are provided in **Appendix C**.

2.6 Monitoring Schedule for the Reporting Month

- 2.6.1 The schedule for air quality monitoring in April 2013 is provided in **Appendix D**.

2.7 Monitoring Results

- 2.7.1 The monitoring results for 1-hour TSP and 24-hour TSP are summarized in **Tables 2.6** and **2.7** respectively. Detailed impact air quality monitoring results and relevant graphical plots are presented in **Appendix E**.

Table 2.6 Summary of 1-hour TSP Monitoring Results during the Reporting Month

Monitoring Station	Average ($\mu\text{g}/\text{m}^3$)	Range ($\mu\text{g}/\text{m}^3$)	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
AMS5	93	35 – 215	352	500
AMS6	84	17 – 205	360	500

Table 2.7 Summary of 24-hour TSP Monitoring Results During the Reporting Month

Monitoring Station	Average ($\mu\text{g}/\text{m}^3$)	Range ($\mu\text{g}/\text{m}^3$)	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
AMS5	57	22 – 103	164	260
AMS6	60	25 – 108	173	260

- 2.7.2 No Action and Limit Levels exceedances were recorded at all monitoring stations during this reporting month.
- 2.7.3 The event action plan is annexed in **Appendix F**.
- 2.7.4 The wind data obtained from the on-site weather station during the reporting month is shown in **Appendix G**.

3 Noise Monitoring

3.1 Monitoring Requirements

- 3.1.1 In accordance with the Contract Specific EM&A Manual, impact noise monitoring was conducted for at least once per week during the construction phase of the Project. The Action and Limit level of the noise monitoring is provided in **Table 3.1**.

Table 3.1 Action and Limit Levels for Noise during Construction Period

Monitoring Station	Time Period	Action Level	Limit Level
NMS5 - Ma Wan Chung Village (Ma Wan Chung Resident Association) (Tung Chung)	0700-1900 hrs on normal weekdays	When one documented complaint is received	75 dB(A)

3.2 Monitoring Equipment

- 3.2.1 Noise monitoring was performed using sound level meters at each designated monitoring station. The sound level meters deployed comply with the International Electrotechnical Commission Publications (IEC) 651:1979 (Type 1) and 804:1985 (Type 1) specifications. Acoustic calibrator was deployed to check the sound level meters at a known sound pressure level. Brand and model of the equipment are given in **Table 3.2**.

Table 3.2 Noise Monitoring Equipment

Equipment	Brand and Model
Integrated Sound Level Meter	B&K 2238
Acoustic Calibrator	B&K 4231

3.3 Monitoring Locations

- 3.3.1 Monitoring location NMS5 was set up at the proposed locations in accordance with Contract Specific EM&A Manual.
- 3.3.2 **Figure 2.1** shows the locations of monitoring stations. **Table 3.3** describes the details of the monitoring stations.

Table 3.3 Locations of Impact Noise Monitoring Stations

Monitoring Station	Location
NMS5	Ma Wan Chung Village (Ma Wan Chung Resident Association) (Tung Chung)

3.4 Monitoring Parameters, Frequency and Duration

- 3.4.1 **Table 3.4** summarizes the monitoring parameters, frequency and duration of impact noise monitoring.

Table 3.4 Noise Monitoring Parameters, Frequency and Duration

Parameter	Frequency and Duration
30-mins measurement at each monitoring station between 0700 and 1900 on normal weekdays (Monday to Saturday). L_{eq} , L_{10} and L_{90} would be recorded.	At least once per week

3.5 Monitoring Methodology

3.5.1 Monitoring Procedure

- (a) The sound level meter was set on a tripod at a height of 1.2 m above the podium for free-field measurements at NMS5. A correction of +3 dB(A) shall be made to the free field measurements.
- (b) The battery condition was checked to ensure the correct functioning of the meter.
- (c) Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:-
 - (i) frequency weighting: A
 - (ii) time weighting: Fast
 - (iii) time measurement: $L_{eq(30\text{-minutes})}$ during non-restricted hours i.e. 07:00 – 1900 on normal weekdays;
- (e) Prior to and after each noise measurement, the meter was calibrated using the acoustic calibrator for 94.0 dB(A) at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1.0 dB(A), the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
- (f) During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.
- (g) Noise measurement was paused during periods of high intrusive noise (e.g. dog barking, helicopter noise) if possible. Observations were recorded when intrusive noise was unavoidable.
- (h) Noise monitoring was cancelled in the presence of fog, rain, wind with a steady speed exceeding 5m/s, or wind with gusts exceeding 10m/s. The wind speed shall be checked with a portable wind speed meter capable of measuring the wind speed in m/s.

3.5.2 Maintenance and Calibration

- (a) The microphone head of the sound level meter was cleaned with soft cloth at regular intervals.
- (b) The meter and calibrator were sent to the supplier or HOKLAS laboratory to check and calibrate at yearly intervals.
- (c) Calibration certificates of the sound level meters and acoustic calibrators are provided in **Appendix C**.

3.6 Monitoring Schedule for the Reporting Month

- 3.6.1 The schedule for construction noise monitoring in April 2013 is provided in **Appendix D**.

3.7 Monitoring Results

- 3.7.1 The monitoring results for construction noise are summarized in **Table 3.5** and the monitoring results and relevant graphical plots are provided in **Appendix E**.

Table 3.5 Summary of Construction Noise Monitoring Results During the Reporting Month

Monitoring Station	Average L_{eq} (30 mins), dB(A)	Range of L_{eq} (30 mins), dB(A)	Limit Level L_{eq} (30 mins), dB(A)
NMS5	60	59 – 60	75

*+3dB(A) Facade correction included

- 3.7.2 There are two Action Level exceedances for noise.
- 3.7.3 A complaint was received on 15 April 2013 regarding the machinery noise generated from the construction site near Tung Chung Development Pier operating for the Hong Kong-Zhuhai-Macao Bridge Hong Kong during the normal working hours on 6 April 2013 and 13 April 2013 and the late evening of 10 April 2013 causing nuisance to public. According to the information provided by the Contractor, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zone 1 during the normal working hours of 6 April 2013 (7:30a.m. to 6p.m.) where malfunctioning of the bulldozer operating at Zone 3A was recorded and the machine was checked and repaired to resume functional. During the normal working hours (7:30a.m. to 6p.m.) of 13 April 2013, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zones 1 and 3A. The construction activities did not cause adverse noise impacts on nearby noise sensitive receivers. During the restricted hour of 10 April 2013 (8:00p.m. to 10:55p.m.), a pelican barge, a tug boat, a hopper barge and two derrick barges were used for rock transfer and rock filling at Zone 3B and a derrick barge was used for rock filling at Zone 3A. The Contractor confirmed that the works were undertaken in compliance with Construction Noise Permit (CNP) No. GW-RS0019-13. A site inspection was undertaken by ET on 17 April 2013 between 9:30 a.m. and noon. It was found that powered mechanical equipment was operated under normal condition and no significant noise was generated from the construction activities. Based on the Contractor's information and ET's investigation, it is considered that the complaint which was received on 15 April 2013 was invalid.
- 3.7.4 Another noise complaint was received on 30 April 2013 regarding the machinery noise generated from the reclamation site near Tung Chung Development Pier at around 22:00 of 28 April 2013 causing nuisance to public. According to the site dairy provided by the Contractor, a pelican barge was preparing to berth at a designated location, aided by a small tug boat during the restricted hour (at 10:00 pm) of 28 April 2013 at Zone 3C. The Contractor confirmed that the works were undertaken in compliance with CNP No. GW-RS0019-13. A site inspection was undertaken on 2 May 2013 when a pelican barge was preparing to berth at a designated location, aided by a small tug. No significant noise impact was generated from manoeuvring barges. In addition, it was found that powered mechanical equipment was operated under normal condition and no significant noise was generated from the construction activities. Based on the Contractor's information and ET's investigation, it was considered that the complaint was invalid.
- 3.7.5 No Limit Level exceedances were recorded at NMS5 during the reporting month.
- 3.7.6 Major noise sources during the noise monitoring included construction activities of the Contract and nearby traffic noise.
- 3.7.7 The event action plan is annexed in **Appendix F**.

4 Water Quality Monitoring

4.1 Monitoring Requirements

- 4.1.1 Impact water quality monitoring was carried out to ensure that any deterioration of water quality was detected, and that timely action was taken to rectify the situation. For impact water quality monitoring, measurements were taken in accordance with the Contract Specific EM&A Manual. **Table 4.1** shows the established Action/Limit Levels for the environmental monitoring works. The ET proposed to amend the Action Level and Limit Level for turbidity and suspended solid and EPD approved ET's proposal on 25 March 2013. Therefore, Action Level and Limit Level for the Contract have been changed since 25 March 2013.
- 4.1.2 The original and revised Action Level and Limit Level for turbidity and suspended solid are shown in **Table 4.1**.

Table 4.1 Action and Limit Levels for Water Quality

Parameter (unit)	Water Depth	Action Level	Limit Level
Dissolved Oxygen (mg/L) (surface, middle and bottom)	Surface and Middle	5.0	4.2 except 5 for Fish Culture Zone
	Bottom	4.7	3.6
Turbidity (NTU)	Depth average	27.5 or 120% of upstream control station's turbidity at the same tide of the same day; The action level has been amended to "27.5 and 120% of upstream control station's turbidity at the same tide of the same day" since 25 March 2013.	47.0 or 130% of turbidity at the upstream control station at the same tide of same day; The limit level has been amended to "47.0 and 130% of turbidity at the upstream control station at the same tide of same day" since 25 March 2013.
Suspended Solid (SS) (mg/L)	Depth average	23.5 or 120% of upstream control station's SS at the same tide of the same day; The action level has been amended to "23.5 and 120% of upstream control station's SS at the same tide of the same day" since 25 March 2013.	34.4 or 130% of SS at the upstream control station at the same tide of same day and 10mg/L for Water Services Department Seawater Intakes; The limit level has been amended to "34.4 and 130% of SS at the upstream control station at the same tide of same day and 10mg/L for Water Services Department Seawater Intakes" since 25 March 2013

Notes:

- (1) Depth-averaged is calculated by taking the arithmetic means of reading of all three depths.
- (2) For DO, non-compliance of the water quality limit occurs when monitoring result is lower than the limit.
- (3) For SS & turbidity non-compliance of the water quality limits occur when monitoring result is higher

than the limits.

- (4) The change to the Action and limit Levels for Water Quality Monitoring for the EM&A works was approved by EPD on 25 March 2013

4.2 Monitoring Equipment

- 4.2.1 **Table 4.2** summarises the equipment used in the impact water quality monitoring programme.

Table 4.2 Water Quality Monitoring Equipment

Equipment	Brand and Model
DO and Temperature Meter, Salinity Meter, Turbidimeter and pH Meter	YSI Model 6820 V2-M, 650
Positioning Equipment	DGPS – KODEN : KGP913MkII, KBG3
Water Depth Detector	Layin Associates: SM-5 & SM5A
Water Sampler	Wildlife Supply Company : 5487-10

4.3 Monitoring Parameters, Frequency and Duration

- 4.3.1 **Table 4.3** summarises the monitoring parameters, frequency and monitoring depths of impact water quality monitoring as required in the Contract Specific EM&A Manual.

Table 4.3 Impact Water Quality Monitoring Parameters and Frequency

Monitoring Stations	Parameter, unit	Frequency	No. of depth
Impact Stations: IS5, IS(Mf)6, IS7, IS8, IS(Mf)9 & IS10, Control/Far Field Stations: CS2 & CS(Mf)5, Sensitive Receiver Stations: SR3, SR4, SR5, SR10A & SR10B	<ul style="list-style-type: none"> • Depth, m • Temperature, °C • Salinity, ppt • Dissolved Oxygen (DO), mg/L • DO Saturation, % • Turbidity, NTU • pH • Suspended Solids (SS), mg/L 	Three times per week during mid-ebb and mid-flood tides (within ± 1.75 hour of the predicted time)	3 (1 m below water surface, mid-depth and 1 m above sea bed, except where the water depth is less than 6 m, in which case the mid-depth station may be omitted. Should the water depth be less than 3 m, only the mid-depth station will be monitored).

4.4 Monitoring Locations

- 4.4.1 In accordance with the Contract Specific EM&A Manual, thirteen stations (6 Impact Stations, 5 Sensitive Receiver Stations and 2 Control Stations) were designated for impact water quality monitoring. The six Impact Stations (IS) were chosen on the basis of their proximity to the reclamation and thus the greatest potential for water quality impacts, the five Sensitive Receiver Stations (SR) were chosen as they are close to the key sensitive receives and the two Control Stations (CS) were chosen to facilitate comparison of the water quality of the IS stations with less influence by the Project/ ambient water quality conditions.

- 4.4.2 The locations of these monitoring stations are summarized in **Table 4.4** and shown in **Figure 2.1**.

Table 4.4 Impact Water Quality Monitoring Stations

Monitoring Stations	Description	Coordinates	
		Easting	Northing
IS5	Impact Station (Close to HKLR construction site)	811579	817106
IS(Mf)6	Impact Station (Close to HKLR construction site)	812101	817873
IS7	Impact Station (Close to HKBCF construction site)	812244	818777
IS8	Impact Station (Close to HKBCF construction site)	814251	818412
IS(Mf)9	Impact Station (Close to HKBCF construction site)	813273	818850
IS10	Impact Station (Close to HKBCF construction site)	812577	820670
SR3	Sensitive receivers (San Tau SSSI)	810525	816456
SR4	Sensitive receivers (Tai Ho Inlet)	814760	817867
SR5	Sensitive receivers (Artificial Reef In NE Airport)	811489	820455
SR10A	Sensitive receivers (Ma Wan Fish Culture Zone)	823741	823495
SR10B	Sensitive receivers (Ma Wan Fish Culture Zone)	823686	823213
CS2	Control Station (Mid-Ebb)	805849	818780
CS(Mf)5	Control Station (Mid-Flood)	817990	821129

4.5 Monitoring Methodology

4.5.1 Instrumentation

- (a) The in-situ water quality parameters including dissolved oxygen, temperature, salinity and turbidity, pH were measured by multi-parameter meters.

4.5.2 Operating/Analytical Procedures

- (a) Digital Differential Global Positioning Systems (DGPS) were used to ensure that the correct location was selected prior to sample collection.
- (b) Portable, battery-operated echo sounders were used for the determination of water depth at each designated monitoring station.
- (c) All in-situ measurements were taken at 3 water depths, 1 m below water surface, mid-depth and 1 m above sea bed, except where the water depth was less than 6 m, in which case the mid-depth station was omitted. Should the water depth be less than 3 m, only the mid-depth station was monitored.
- (d) At each measurement/sampling depth, two consecutive in-situ monitoring (DO concentration and saturation, temperature, turbidity, pH, salinity) and water sample for SS. The probes were retrieved out of the water after the first measurement and then re-deployed for the second measurement. Where the difference in the value between the first and second readings of DO or turbidity parameters was more than 25% of the value of the first reading, the reading was discarded and further readings were taken.
- (e) Duplicate samples from each independent sampling event were collected for SS measurement. Water samples were collected using the water samplers and the samples were stored in high-density polythene bottles. Water samples collected were well-mixed in the water sampler prior to pre-rinsing and transferring to sample bottles. Sample bottles were pre-rinsed with the same water samples. The sample bottles were then be packed in cool-boxes (cooled at 4°C without being frozen), and delivered to ALS Technichem (HK) Pty Ltd. for the analysis of suspended solids concentrations. The laboratory determination work would be started within 24 hours after collection of

the water samples. ALS Technichem (HK) Pty Ltd. is a HOKLAS accredited laboratory and has comprehensive quality assurance and quality control programmes.

- (f) The analysis method and detection limit for SS is shown in **Table 4.5**.

Table 4.5 Laboratory Analysis for Suspended Solids

Parameters	Instrumentation	Analytical Method	Detection Limit
Suspended Solid (SS)	Weighting	APHA 2540-D	0.5mg/L

- (g) Other relevant data were recorded, including monitoring location / position, time, water depth, tidal stages, weather conditions and any special phenomena or work underway at the construction site in the field log sheet for information.

4.5.3 Maintenance and Calibrations

- (a) All in situ monitoring instruments would be calibrated by ALS Technichem (HK) Pty Ltd. before use and at 3-monthly intervals throughout all stages of the water quality monitoring programme. The procedures of performance check of sonde and testing results are provided in **Appendix C**.

4.6 Monitoring Schedule for the Reporting Month

- 4.6.1 The schedule for impact water quality monitoring in April 2013 is provided in **Appendix D**. Due to adverse weather condition, the water monitoring for the mid-ebb tide on 5 April 2013 and 19 April 2013 were cancelled.

4.7 Monitoring Results

- 4.7.1 Impact water quality monitoring was conducted at all designated monitoring stations during the reporting month. Impact water quality monitoring results and relevant graphical plots are provided in **Appendix E**.

- 4.7.2 Exceedances were recorded for turbidity and suspended solids during the reporting month. Number of exceedances recorded during the reporting month at each impact station are summarised in **Table 4.6**.

Table 4.6 Summary of Water Quality Exceedances

Station	Exceedance Level	DO (S&M)		DO (Bottom)		Turbidity		SS		Total number of exceedances	
		Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood
IS5	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0
IS(Mf)6	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0
IS7	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0
IS8	Action Level	--	--	--	--	--	--	--	10-4-2013	0	1
	Limit Level	--	--	--	--	--	--	--	--	0	0
IS(Mf)9	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0

Station	Exceedance Level	DO (S&M)		DO (Bottom)		Turbidity		SS		Total number of exceedances	
		Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood
IS10	Action Level	--	--	--	--	--	--	--	26-4-2013	0	1
	Limit Level	--	--	--	--	--	--	--	--	0	0
SR3	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0
SR4	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0
SR5	Action Level	--	--	--	--	--	--	--	26-4-2013	0	1
	Limit Level	--	--	--	--	--	--	--	--	0	0
SR10A	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0
SR10B	Action Level	--	--	--	--	--	--	--	--	0	0
	Limit Level	--	--	--	--	--	--	--	--	0	0
Total	Action	0	0	0	0	0	0	0	3	3**	
	Limit	0	0	0	0	0	0	0	0	0**	

Notes:

S: Surface;

M: Mid-depth;

** The total exceedances.

- 4.7.3 During the reporting month, there are three Action Level exceedances of suspended solids level. The completed "Notification of Environmental Quality Limit Exceedances" forms for all water quality exceedances are provided in **Appendix M**. No marine works were undertaken during the sampling exercise. Therefore, all exceedances were considered as non-contract related.
- 4.7.4 Water quality impact sources during the water quality monitoring were the construction activities of the Contract, nearby construction activities by other parties and nearby operating vessels by other parties.
- 4.7.5 The event action plan is annexed in **Appendix F**.

5 Dolphin Monitoring

5.1 Monitoring Requirements

- 5.1.1 Impact dolphin monitoring is required to be conducted by a qualified dolphin specialist team to evaluate whether there have been any effects on the dolphins.

5.2 Monitoring Methodology

Vessel-based Line-transect Survey

- 5.2.1 According to the requirements of the Updated EM&A Manual for HKLR (Version 1.0), dolphin monitoring programme should cover all transect lines in NEL and NWL survey areas (see **Figure 1 of Appendix H**) twice per month. The co-ordinates of all transect lines are shown in **Table 5.1**.

Table 5.1 Co-ordinates of Transect Lines

Line No.	Easting	Northing		Line No.	Easting	Northing	
1	Start Point	804671	814577	13	Start Point	816506	819480
1	End Point	804671	831404	13	End Point	816506	824859
2	Start Point	805475	815457	14	Start Point	817537	820220
2	End Point	805477	826654	14	End Point	817537	824613
3	Start Point	806464	819435	15	Start Point	818568	820735
3	End Point	806464	822911	15	End Point	818568	824433
4	Start Point	807518	819771	16	Start Point	819532	821420
4	End Point	807518	829230	16	End Point	819532	824209
5	Start Point	808504	820220	17	Start Point	820451	822125
5	End Point	808504	828602	17	End Point	820451	823671
6	Start Point	809490	820466	18	Start Point	821504	822371
6	End Point	809490	825352	18	End Point	821504	823761
7	Start Point	810499	820690	19	Start Point	822513	823268
7	End Point	810499	824613	19	End Point	822513	824321
8	Start Point	811508	820847	20	Start Point	823477	823402
8	End Point	811508	824254	20	End Point	823477	824613
9	Start Point	812516	820892	21	Start Point	805476	827081
9	End Point	812516	824254	21	End Point	805476	830562
10	Start Point	813525	820872	22	Start Point	806464	824033
10	End Point	813525	824657	22	End Point	806464	829598
11	Start Point	814556	818449	23	Start Point	814559	821739
11	End Point	814556	820992	23	End Point	814559	824768
12	Start Point	815542	818807				
12	End Point	815542	824882				

- 5.2.2 The survey team used standard line-transect methods (Buckland et al. 2001) to conduct the systematic vessel surveys, and followed the same technique of data collection that has been adopted over the last 16 years of marine mammal monitoring surveys in Hong Kong developed

by HKCRP (see Hung 2012). For each monitoring vessel survey, a 15-m inboard vessel (Standard 31516) with an open upper deck (about 4.5 m above water surface) was used to make observations from the flying bridge area.

- 5.2.3 Two experienced observers (a data recorder and a primary observer) made up the on-effort survey team, and the survey vessel transited different transect lines at a constant speed of 13-15 km per hour. The data recorder searched with unaided eyes and filled out the datasheets, while the primary observer searched for dolphins and porpoises continuously through 7 x 50 Steiner marine binoculars. Both observers searched the sea ahead of the vessel, between 270° and 90° (in relation to the bow, which is defined as 0°). One to two additional experienced observers were available on the boat to work in shift (i.e. rotate every 30 minutes) in order to minimize fatigue of the survey team members. All observers were experienced in small cetacean survey techniques and identifying local cetacean species.
- 5.2.4 During on-effort survey periods, the survey team recorded effort data including time, position (latitude and longitude), weather conditions (Beaufort sea state and visibility), and distance travelled in each series (a continuous period of search effort) with the assistance of a handheld GPS (*Garmin eTrex Legend*).
- 5.2.5 Data including time, position and vessel speed were also automatically and continuously logged by handheld GPS throughout the entire survey for subsequent review.
- 5.2.6 When dolphins were sighted, the survey team would end the survey effort, and immediately record the initial sighting distance and angle of the dolphin group from the survey vessel, as well as the sighting time and position. Then the research vessel was diverted from its course to approach the animals for species identification, group size estimation, assessment of group composition, and behavioural observations. The perpendicular distance (PSD) of the dolphin group to the transect line was later calculated from the initial sighting distance and angle.
- 5.2.7 Survey effort being conducted along the parallel transect lines that were perpendicular to the coastlines (as indicated in **Figure 1 of Appendix H**) was labelled as “primary survey effort”, while the survey effort conducted along the connecting lines between parallel lines was labelled as “secondary” survey effort. According to HKCRP long-term dolphin monitoring data, encounter rates of Chinese White Dolphins deduced from effort and sighting data collected along primary and secondary lines were similar in NEL and NWL survey areas. Therefore, both primary and secondary survey effort were presented as on-effort survey effort in this report.
- 5.2.8 Encounter rates of Chinese White Dolphins (number of on-effort sightings per 100 km of survey effort and number of dolphins from all on-effort sightings per 100 km of survey effort) were calculated in NEL and NWL survey areas in relation to the amount of survey effort conducted during each month of monitoring survey. Only data collected under Beaufort 3 or below condition would be used for encounter rate analysis. Dolphin encounter rates were calculated using primary survey effort alone, as well as the combined survey effort from both primary and secondary lines.

Photo-identification Work

- 5.2.9 When a group of Chinese White Dolphins were sighted during the line-transect survey, the survey team would end effort and approach the group slowly from the side and behind to take photographs of them. Every attempt was made to photograph every dolphin in the group, and even photograph both sides of the dolphins, since the colouration and markings on both sides may not be symmetrical.
- 5.2.10 Two professional digital cameras (Canon EOS 7D and 60D models), each equipped with long telephoto lenses (100-400 mm zoom), were available on board for researchers to take sharp, close-up photographs of dolphins as they surfaced. The images were shot at the highest available resolution and stored on Compact Flash memory cards for downloading onto a computer.
- 5.2.11 All digital images taken in the field were first examined, and those containing potentially identifiable individuals were sorted out. These photographs would then be examined in

greater detail, and were carefully compared to the existing Chinese White Dolphin photo-identification catalogue maintained by HKCRP since 1995.

- 5.2.12 Chinese White Dolphins can be identified by their natural markings, such as nicks, cuts, scars and deformities on their dorsal fin and body, and their unique spotting patterns were also used as secondary identifying features (Jefferson 2000).
- 5.2.13 All photographs of each individual were then compiled and arranged in chronological order, with data including the date and location first identified (initial sighting), re-sightings, associated dolphins, distinctive features, and age classes entered into a computer database. Detailed information on all identified individuals will be further presented as appendix in the quarterly EM&A report.

5.3 Monitoring Results

Vessel-based Line-transect Survey

- 5.3.1 During the month of April 2013, two sets of systematic line-transect vessel surveys were conducted on the 2nd, 3rd, 8th and 12th, to cover all transect lines in NWL and NEL survey areas twice. The survey routes of each survey day are presented in **Figure 2-5 of Appendix H**.
- 5.3.2 From these surveys, a total of 289.83 km of survey effort was collected, with 89.8% of the total survey effort being conducted under favourable weather conditions (i.e. Beaufort Sea State 3 or below with good visibility) (**Annex I of Appendix H**). Among the two areas, 110.20 km and 179.63 km of survey effort were conducted in NEL and NWL survey areas respectively. The total survey effort conducted on primary lines was 219.58 km.
- 5.3.3 During the two sets of monitoring surveys in April 2013, a total of seven groups of 13 Chinese White Dolphins were sighted (**Annex II of Appendix H**). Notably, no dolphin was sighted in NEL during the two sets of surveys in April. All sightings except one were made during on-effort search in NWL. Five on-effort sightings were made on primary lines. None of the dolphin groups was associated with any operating fishing vessel during April's surveys.
- 5.3.4 Distribution of these dolphin sightings made during April's surveys was shown in Figure 6. Most of these sightings were made to the northeast and east of Lung Kwu Chau on two primary transect lines, while one sighting was also made near Black Point (**Figure 6 of Appendix H**).
- 5.3.5 None of the dolphin groups was sighted adjacent to the HKBCF construction site or the HKLR03 construction site (**Figure 6 of Appendix H**). In fact, the sightings made during this month's surveys were very far away from these construction sites.
- 5.3.6 During April's surveys, encounter rates of Chinese White Dolphins deduced from the survey effort and on-effort sighting data made under favourable conditions (Beaufort 3 or below) along the primary lines are shown in **Table 5.2 and Table 5.3**.

Table 5.2 Dolphin Encounter Rates (Sightings Per 100 km of Survey Effort) in April's Surveys

		Encounter rate (STG) (no. of on-effort dolphin sightings per 100 km of survey effort)
		Primary Lines Only
NEL	Set 1: April 2 nd /3 rd	0.0
	Set 2: April 8 th /12 th	0.0
NWL	Set 1: April 2 nd /3 rd	4.4
	Set 2: April 8 th /12 th	4.2

Table 5.3 Overall Dolphin Encounter Rates (Sightings Per 100 km of Survey Effort) in April's Surveys on Primary Lines Only

	Encounter rate (STG) (no. of on-effort dolphin sightings per 100 km of survey effort)	Encounter rate (ANI) (no. of dolphins from all on-effort sightings per 100 km of survey effort)
	Primary Lines Only	Primary Lines Only
Northeast Lantau	0.0	0.0
Northwest Lantau	4.2	7.6

5.3.7 The average group size of Chinese White Dolphins was 1.9 individuals per group during April's surveys, which was much lower than previous monitoring months. All dolphin groups were composed of only 1-3 animals.

Photo-identification Work

5.3.8 Only four individuals were identified during April's surveys, and each individual was only sighted once on 12th April 2013. (**Annexes III and IV of Appendix H**).

5.3.9 NL33, a well-recognized female, was accompanied with her calf during her re-sightings. This mother-calf pair was also sighted three other times during previous months of HKLR03 monitoring surveys.

Conclusion

5.3.10 During this month of dolphin monitoring, no adverse impact from the activities of this construction project on Chinese White Dolphins was noticeable from general observations.

5.3.11 Due to monthly variation in dolphin occurrence within the study area, it would be more appropriate to draw conclusion on whether any impacts on dolphins have been detected related to the construction activities of this project in the quarterly EM&A report, where comparison on distribution, group size and encounter rates of dolphins between the quarterly impact monitoring period (March – May 2013) and baseline monitoring period (3-month period) will be made.

5.4 Reference

- 5.4.1 Buckland, S. T., Anderson, D. R., Burnham, K. P., Laake, J. L., Borchers, D. L., and Thomas, L. 2001. Introduction to distance sampling: estimating abundance of biological populations. Oxford University Press, London.
- 5.4.2 Hung, S. K. 2012. Monitoring of marine mammals in Hong Kong waters – data collection: final report (2011-12). An unpublished report submitted to the Agriculture, Fisheries and Conservation Department of Hong Kong SAR Government, 120 pp.
- 5.4.3 Jefferson, T. A. 2000. Population biology of the Indo-Pacific hump-backed dolphin in Hong Kong waters. Wildlife Monographs 144:1-65.

6 ENVIRONMENTAL SITE INSPECTION AND AUDIT

6.1 Site Inspection

6.1.1 Site Inspections were carried out on a weekly basis to monitor the implementation of proper environmental pollution control and mitigation measures for the Project. During the reporting month, five site inspections were carried out on 2, 9, 17, 26 and 30 April 2013.

6.1.2 Particular observations during the site inspections are described below.

2 April 2013

- (a) The wasted battery storage was found to be without label / signs and lock at the WA N4. The Contractor packed the wasted battery into black bag at WA N4. (This observation was found on 26 March 2013 and closed on 2 April 2013)
- (b) The stagnant water was found inside the wasted battery storage at the WA N4. The Contractor cleared the stagnant water at WA N4. (This observation was found on 26 March 2013 and closed on 2 April 2013)
- (c) The stagnant water was found inside the concrete blocks at the WA N4. The Contractor filled the hole by sand to avoid accumulation of stagnant water at WA N4. (This observation was found on 26 March 2013 and closed on 2 April 2013)
- (d) The stagnant water was found at WA03. The Contractor placed the unused chemical tray upside down to avoid accumulation of water at WA03. (This observation was closed on 9 April 2013.)
- (e) The chemical container was found to be without clear label at WA03. The Contractor provided clear labels for chemical containers at WA03. (This observation was closed on 9 April 2013.)
- (f) The operating machine generated black smoke at Stone Column Platform. The Contractor provided maintenance for the machine to avoid black smoke emissions at Stone Column Platform. (This observation was closed on 9 April 2013)
- (g) The stagnant water was found at West Portal. The Contractor removed the stagnant water at West Portal. (This observation was closed on 9 April 2013.)

9 April 2013

- (a) Stagnant water was found in vessel Yiu Ming 01. The Contractor cleaned up the stagnant water in vessel Yiu Ming 01. (This observation was closed on 17 April 2013.)
- (b) Stagnant water was found at WA03. The Contractor covered the holes by sand to avoid accumulation of stagnant water at WA03. (This observation was closed on 17 April 2013.)
- (c) Unpaved areas were dry at WA03. The Contractor provided covers for unpaved areas. (This observation was closed on 17 April 2013.)

17 April 2013

- (a) Stagnant water was found in vessel Yiu Ming 01. The Contractor cleaned up the stagnant water in vessel Yiu Ming 01. (This observation was closed on 26 April 2013.)
- (b) No drip tray was provided for the chemical container in vessel Chun Ming 83. The Contractor removed the chemical containers on vessel Chung Ming 83. (This observation was closed on 26 April 2013.)
- (c) No drip tray was provided for the oil container at Stone Columns Platform. The Contractor provided a drip tray for the oil container at Stone Columns Platform. (This observation was closed on 26 April 2013.)
- (d) No drip tray was provided for the chemical container at S5. The Contractor removed the chemical container at S5. (This observation closed on 26 April 2013.)

26 April 2013

- (a) Environment permits and licenses were not displayed at site entrance of S16. The Contractor displayed the environmental permits and licences at site entrance of S16. (This observation was closed on 30 April 2013.)
- (b) Stagnant water was observed at S16, Kwo Lo Wan Road and West Portal. The Contractor filled the holes by sand to avoid accumulation of stagnant water of S16, Kwo Lo Wan Road and West Portal. (This observation was closed on 30 April 2013.)
- (c) Proper labels for chemical waste were not observed. Stagnant water was found inside the chemical waste storage box. The Contractor had provided the proper labels for chemical waste on the top of storage box and removed the stagnant water. (This observation was closed on 30 April 2013.)

30 April 2013

- (a) Stagnant water was found at S11. The Contractor was reminded to clean up the stagnant water.
- (b) Chemical containers were found to be without clear label at S16. The Contractor was reminded to provide clear label for the chemical container.
- (c) Stagnant water was found inside the chemical waste storage box at West Portal. The Contractor was reminded to clean up the stagnant water.

The Contractor has rectified most of the observations as identified during environmental site inspections during the reporting month. Follow-up actions for outstanding observations will be inspected during the next site inspections.

6.2 Advice on the Solid and Liquid Waste Management Status

- 6.2.1 The Contractor had submitted application form for registration as a chemical waste producer for the Project. Sufficient numbers of receptacles were available for general refuse collection and sorting.
- 6.2.2 Monthly summary of waste flow table is detailed in **Appendix I**.
- 6.2.3 The Contractor was reminded that chemical waste containers should be properly treated and stored temporarily in designated chemical waste storage area on site in accordance with the Code of Practise on the Packaging, Labelling and Storage of Chemical Wastes.

6.3 Environmental Licenses and Permits

- 6.3.1 The valid environmental licenses and permits during the reporting month are summarized in **Appendix K**.

6.4 Implementation Status of Environmental Mitigation Measures

- 6.4.1 In response to the site audit findings, the Contractors carried out corrective actions.
- 6.4.2 A summary of the Implementation Schedule of Environmental Mitigation Measures (EMIS) is presented in **Appendix L**. Most of the necessary mitigation measures were implemented properly.
- 6.4.3 Regular marine travel route for marine vessels were implemented properly in accordance to the submitted plan and relevant records were kept properly.
- 6.4.4 Dolphin Watching Plan was implemented during the reporting month. No dolphins were observed. The relevant records were kept properly.

6.5 Summary of Exceedances of the Environmental Quality Performance Limit

- 6.5.1 For 1-hour TSP and 24- hour TSP, no Action and Limit Level exceedances were recorded at AMS 5 and AMS 6 during the reporting month.
- 6.5.2 For construction noise, two Action Level exceedances were recorded during the reporting month. No Limit Level exceedances were recorded at the monitoring station during the reporting month.
- 6.5.3 During the reporting month, there are 3 Action Level exceedances of suspended solids level. No marine works were undertaken and no leakage of turbid water or any abnormality or malpractice was observed during the sampling exercise. Therefore, all exceedances were considered as non-contract related.

6.6 Summary of Complaints, Notification of Summons and Successful Prosecution

- 6.6.1 There was three complaint received during this reporting month. The summary of environmental complaints is presented in **Table 6.1**. The details of Environmental Complaints are provided in **Appendix J**.

Table 6.1 A Summary of Environmental Complaints for the Reporting Month

Environmental Complaint No.	Date of Complaint Received	Description of Environmental Complaints
COM-2013-022	8 April 2013	Water
COM-2013-018 (6), (7) & (9)	15 April 2013	Noise
COM-2013-018 (11)	30 April 2013	Noise

- 6.6.2 No notification of summons and prosecution was received during the reporting period.
- 6.6.3 Statistics on notifications of summons and successful prosecutions are summarized in **Appendix M**.

7 FUTURE KEY ISSUES

7.1 Construction Programme for the Coming Months

7.1.1 As informed by the Contractor, the major construction for April 2013 and May 2013 are summarized in **Table 7.1**.

Table 7.1 Construction Activities for April 2013 and May 2013

Site Area	Description of Activities
Portion X	Removal of Existing Rock for Existing Seawall
Portion X	Stone Column Installation
Portion X	Sand Filling behind Stone Platform in according to EP requirements
Portion X	Band Drains Installation
Portion X	Temporary Stone Platform Construction
West Portal	Site Formation
West Portal	Tree Felling
West Portal	Slope Protection / Stabilization (Soil Nailing Works)
Kwo Lo Wan / Airport Road	Works for Diversion of Airport Road and Kwo Lo Wan Road
Airport Road and Kwo Lo Wan Road	Works for Diversion of Airport Road and Kwo Lo Wan Road
AEL	Pre-grouting and pipe piling works for AEL access shafts
Kwo Lo Wan / Airport Road / AEL	Utilities Detection
Kwo Lo Wan / Airport Road / AEL	Establishment of Site Access
Kwo Lo Wan / Airport Road / AEL	Works for East Access Shaft
Portion Y	Access Shaft Construction for SHT and HAT
Portion Y	Utility Culvert Excavation

7.2 Environmental Monitoring Scheme for the Coming Month

7.2.1 The tentative schedule for environmental monitoring in May 2013 is provided in **Appendix D**.

8 CONCLUSION

8.1 Conclusions

- 8.1.1 The construction phase and EM&A programme of the Contract commenced on 17 October 2012.
- 8.1.2 For 1-hour TSP and 24-hour TSP, no Action and Limit Level exceedances are recorded at AMS 5 and AMS 6 during the reporting month.
- 8.1.3 There are two Action Level exceedances for noise.
- 8.1.4 A complaint was received on 15 April 2013 regarding the machinery noise generated from the construction site near Tung Chung Development Pier operating for the Hong Kong-Zhuhai-Macao Bridge Hong Kong during the normal working hours on 6 April 2013 and 13 April 2013 and the late evening of 10 April 2013 causing nuisance to public. According to the information provided by the Contractor, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zone 1 during the normal working hours of 6 April 2013 (7:30a.m. to 6p.m.) where malfunctioning of the bulldozer operating at Zone 3A was recorded and the machine was checked and repaired to resume functional. During the normal working hours (7:30a.m. to 6p.m.) of 13 April 2013, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zones 1 and 3A. The construction activities did not cause adverse noise impacts on nearby noise sensitive receivers. During the restricted hour of 10 April 2013 (8:00p.m. to 10:55p.m.), a pelican barge, a tug boat, a hopper barge and two derrick barges were used for rock transfer and rock filling at Zone 3B and a derrick barge was used for rock filling at Zone 3A. The Contractor confirmed that the works were undertaken in compliance with Construction Noise Permit (CNP) No. GW-RS0019-13. A site inspection was undertaken by ET on 17 April 2013 between 9:30 a.m. and noon. It was found that powered mechanical equipment was operated under normal condition and no significant noise was generated from the construction activities. Based on the Contractor's information and ET's investigation, it is considered that the complaint which was received on 15 April 2013 was invalid.
- 8.1.5 Another noise complaint was received on 30 April 2013 regarding the machinery noise generated from the reclamation site near Tung Chung Development Pier at around 22:00 of 28 April 2013 causing nuisance to public. According to the site dairy provided by the Contractor, a pelican barge was preparing to berth at a designated location, aided by a small tug boat during the restricted hour (at 10:00 pm) of 28 April 2013 at Zone 3C. The Contractor confirmed that the works were undertaken in compliance with CNP No. GW-RS0019-13. The construction activities did not cause adverse noise impacts on nearby noise sensitive receivers. A site inspection was undertaken on 2 May 2013 when a pelican barge was preparing to berth at a designated location, aided by a small tug. No significant noise impact was generated from maneuvering barges. In addition, it was found that powered mechanical equipment was operated under normal condition and no significant noise was generated from the construction activities. Based on the Contractor's information and ET's investigation, it was considered that the complaint was invalid.
- 8.1.6 During the reporting month, there are three Action Level exceedances of suspended solids level. No marine works were undertaken during the sampling exercise. Therefore, all exceedances were considered as non-contract related.
- 8.1.7 Only four individuals were identified during April's surveys, and each individual was only sighted once on 12th April 2013.
- 8.1.8 NL33, a well-recognized female, was accompanied with her calf during her re-sightings. This mother-calf pair was also sighted three other times during previous months of HKLR03 monitoring surveys.
- 8.1.9 During the April's surveys, no adverse impact from the activities of this construction project on Chinese White Dolphins was noticeable from general observations.

- 8.1.10 Environmental site inspection was carried out on 2, 9, 17, 26 and 30 April 2013. Recommendations on remedial actions were given to the Contractors for the deficiencies identified during the site inspections.
- 8.1.11 There were one water quality complaint and two noise complaints during this reporting month.
- 8.1.12 No notification of summons and prosecution was received during the reporting period.



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office


Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

FIGURES



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

LEGEND

 Site Boundary of Contract HY/2011/03





Figure 1.1 Location of the Site



KEY PLAN

NOTES

- EXACT LOCATIONS OF MONITORING STATIONS ARE TO BE DETERMINED ON SITE. THE CONTRACTOR AND ENVIRONMENTAL TEAM (ET) SHALL AGREE WITH THE INDEPENDENT ENVIRONMENTAL CHECKER (IEC) AND ENVIRONMENTAL PROJECT OFFICE (EMPO) AND APPROVED BY THE SUPERVISING OFFICER FOR THE PROPOSED LOCATION OF THE MONITORING STATIONS.
- THE LOCATION AND EXTENT OF MUDFLAT SURVEY SHOWN ON THIS DRAWING ARE APPROXIMATE ONLY. THE CONTRACTOR AND ET SHALL DETERMINE AND AGREE WITH THE IEC, EMPO AND SUPERVISING OFFICER THE DETAILS OF THE MUDFLAT SURVEY IN ACCORDANCE WITH THE REQUIREMENTS STIPULATED IN THE EIA REPORTS AND EMMA MANUALS.
- THE CONTRACTOR SHALL COMPLY WITH THE REQUIREMENTS STIPULATED IN THE EMMA MANUALS TO CONDUCT THE ENVIRONMENTAL MONITORING AND AUDIT WORKS.

- LEGEND**
- WORKS BOUNDARY OF CONTRACT HY2011/03
- IS IMPACT STATIONS (WATER QUALITY)
 - CS CONTROL/FAR FIELD STATIONS (WATER QUALITY)
 - SR SENSITIVE RECEIVERS STATIONS (WATER QUALITY)
 - ST STATION FOR SENSITIVITY TEST RESULT (WATER QUALITY)
 - AMS MONITORING STATIONS (AIR QUALITY)
 - NMS MONITORING STATIONS (NOISE)
 - MUDFLAT ECOLOGICAL SAMPLING LOCATION

Rev	Description	AW	By	Date
A	TENDER ADDENDUM ISSUE	AW	11/11	Date

ARUP 奧雅納工程顧問
Ove Arup & Partners Hong Kong Limited

Contract No. and Title:
Contract No. HY/2011/03
Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road -
Section Between Scenic Hill and
Hong Kong Boundary Crossing Facilities


Drawing title:
ENVIRONMENTAL MONITORING STATIONS

Drawing: Figure 2.1 Rev. A

Drawn BY: AW Approved SK
Date: 11/11
Scale: AS SHOWN Status


COPYRIGHT RESERVED

路政處
HIGHWAYS DEPARTMENT
香港路政處
Hong Kong Highways Department
Hong Kong Project Management Office



Water Monitoring Station

Monitoring Stations	Coordinates
Easting	Northing
IS5	811579 817106
IS(MF)6	812101 817873
IS7	812244 818777
IS8	814251 818412
IS(MF)9	813273 818850
IS10	812577 820670
SR3	810525 816456
SR4	814760 817867
SR5	811489 820455
SR10A	823741 823495
SR10B	823686 823213
CS2	805849 818780
CS(MF)5	817990 821129





路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX A


Environmental Management Structure



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

Project Organization for Environmental Works

Line of communication





路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office


Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX B

Construction Programme



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.



■ Works Programme
■ Works Programme
■ Works Programme
◆ Milestone
◆ Milestone

China State Construction Engineering (Hong Kong) Ltd -
Contract No. HY/2011/03 - HZMB, Hong Kong Link Road
, Section between Scenic Hill and HKBCF

Prepared by WC/CKK			
Date	Revision	Che...	Approved
26-Mar-13		HKC	SYT





路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX C

Calibration Certificates



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.



Brüel & Kjær

Calibration Chart

Type 4231

Serial No. 3004068

Sound Pressure Level: 94.00 or 114.00 dB \pm 0.20 dB
(re 20 μ Pa at reference conditions)

Frequency: 1000 Hz \pm 0.1%

Distortion: < 1%

Reference Conditions:

Temperature: 23°C
Pressure: 101.325 kPa
Humidity: 50% RH
Load: 0.25 cm³ ($\frac{1}{2}$ " Brüel & Kjær Mic.)

Date: 16/07/12 Signed: R Khan



Brüel & Kjær

Sound Calibrator Type 4231

Levels for Brüel & Kjær $\frac{1}{2}$ " Microphones:

Equivalent Free Field: 93.85 dB or 113.85 dB
Equivalent Diffuse Field: 94.00 dB or 114.00 dB
Pressure Field: 94.00 dB or 114.00 dB

Frequency: 1000 Hz

Conforms to:

ANSI S1.40-1984 and IEC 60942 (2003) Class 1 & LS

Ambient Conditions:

Temperature: -10° to 50°C, Class LS +16° to 30°C
Pressure: 65 kPa to 108 kPa
Humidity: 25% to 90% RH

For further information refer to the User Manual

BC0210-12

Certificate of Calibration

校正證書

Certificate No. : C126606
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC12-2838)

Description / 儀器名稱 : Integrating Sound Level Meter
Manufacturer / 製造商 : Brüel & Kjær
Model No. / 型號 : 2238
Serial No. / 編號 : 2684502
Supplied By / 委託者 : Atkins China Limited
13/F, Wharf T&T Centre, Harbour City, Tsim Sha Tsui, Kowloon

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(55 \pm 20)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 15 November 2012

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Rohde & Schwarz Laboratory, Germany
- Fluke Precision Measurement Ltd., UK
- Fluke Everett Service Center, USA
- Agilent Technologies, USA

Tested By : 
測試 : K C Lee

Certified By : 
核證 : C C Cheung

Date of Issue : 15 November 2012
簽發日期

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C126606
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- Self-calibration using laboratory acoustic calibrator was performed before the test from 6.1.1.2 to 6.4.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

<u>Equipment ID</u>	<u>Description</u>	<u>Certificate No.</u>
CL280	40 MHz Arbitrary Waveform Generator	C120016
CL281	Multifunction Acoustic Calibrator	DC110233

- Test procedure : MA101N.

- Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

6.1.1.1 Before Self-calibration

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
50 - 130	L _{AFF}	A	F	94.00	1	94.1

6.1.1.2 After Self-calibration

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
50 - 130	L _{AFF}	A	F	94.00	1	94.1	± 0.7

6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
50 - 130	L _{AFF}	A	F	94.00	1	94.1 (Ref.)
				104.00		104.1
				114.00		114.1

IEC 60651 Type 1 Spec. : ± 0.4 dB per 10 dB step and ± 0.7 dB for overall different.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C126606

證書編號

6.2 Time Weighting

6.2.1 Continuous Signal

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
50 - 130	L _{AFP}	A	F	94.00	1	94.1	Ref.
	L _{ASP}		S			94.1	± 0.1
	L _{AIP}		I			94.1	± 0.1

6.2.2 Tone Burst Signal (2 kHz)

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Burst Duration		
30 - 110	L _{AFP}	A	F	106.0	Continuous	106.0	Ref.
	L _{AFMax}				200 ms	105.0	-1.0 ± 1.0
	L _{ASP}	S	Continuous		106.0	Ref.	
	L _{ASMax}		500 ms		102.0	-4.1 ± 1.0	

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
50 - 130	L _{AFP}	A	F	94.00	31.5 Hz	54.8	-39.4 ± 1.5
					63 Hz	67.9	-26.2 ± 1.5
					125 Hz	77.8	-16.1 ± 1.0
					250 Hz	85.4	-8.6 ± 1.0
					500 Hz	90.8	-3.2 ± 1.0
					1 kHz	94.1	Ref.
					2 kHz	95.3	+1.2 ± 1.0
					4 kHz	95.1	+1.0 ± 1.0
					8 kHz	93.0	-1.1 (+1.5 ; -3.0)
					12.5 kHz	89.9	-4.3 (+3.0 ; -6.0)

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C126606
證書編號

6.3.2 C-Weighting

Range (dB)	UUT Setting			Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
50 - 130	L _{CFP}	C	F	94.00	31.5 Hz	91.3	-3.0 ± 1.5
					63 Hz	93.3	-0.8 ± 1.5
					125 Hz	93.9	-0.2 ± 1.0
					250 Hz	94.1	0.0 ± 1.0
					500 Hz	94.1	0.0 ± 1.0
					1 kHz	94.1	Ref.
					2 kHz	93.9	-0.2 ± 1.0
					4 kHz	93.3	-0.8 ± 1.0
					8 kHz	91.1	-3.0 (+1.5 ; -3.0)
					12.5 kHz	88.0	-6.2 (+3.0 ; -6.0)

6.4 Time Averaging

Range (dB)	UUT Setting			Applied Value					UUT Reading (dB)	IEC 60804 Type 1 Spec. (dB)
	Parameter	Frequency Weighting	Integrating Time	Frequency (kHz)	Burst Duration (ms)	Burst Duty Factor	Burst Level (dB)	Equivalent Level (dB)		
30 - 110	L _{Acq}	A	10 sec.	4	1	1/10	110.0	100	99.9	± 0.5
			60 sec.			1/10 ²		90	89.9	± 0.5
			5 min.			1/10 ³		80	79.7	± 1.0
						1/10 ⁴		70	69.7	± 1.0

Remarks : - Mfr's Spec. : IEC 60651 Type 1 & IEC 60804 Type 1

- Uncertainties of Applied Value :

94 dB : 31.5 Hz - 125 Hz	: ± 0.35 dB
250 Hz - 500 Hz	: ± 0.30 dB
1 kHz	: ± 0.20 dB
2 kHz - 4 kHz	: ± 0.35 dB
8 kHz	: ± 0.45 dB
12.5 kHz	: ± 0.70 dB
104 dB : 1 kHz	: ± 0.10 dB (Ref. 94 dB)
114 dB : 1 kHz	: ± 0.10 dB (Ref. 94 dB)
Burst equivalent level	: ± 0.2 dB (Ref. 110 dB continuous sound level)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration and Testing Laboratory

Certificate of Calibration 校正證書

Certificate No. : C125261
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC12-2206)

Description / 儀器名稱 : Integrating Sound Level Meter
Manufacturer / 製造商 : Bruel & Kjaer
Model No. / 型號 : 2238
Serial No. / 編號 : 2684503
Supplied By / 委託者 : Atkins China Limited
13/F., Wharf T&T Centre, Harbour City, Tsim Sha Tsui,
Kowloon

TEST CONDITIONS / 測試條件

Temperature / 溫度 : (23 ± 2)°C

Relative Humidity / 相對濕度 : (55 ± 20)%

Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 7 September 2012

TEST RESULTS / 測試結果


The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Rohde & Schwarz Laboratory, Germany
- Fluke Precision Measurement Ltd., UK
- Fluke Everett Service Center, USA
- Agilent Technologies, USA


Tested By

測試


K C Lee

Certified By

核證


C C Cheung

Date of Issue

簽發日期

10 September 2012

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Sun Creation Engineering Limited – Calibration & Testing Laboratory

c/o 4/F, Tsing Shan Wan Exchange Building, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 – 校正及檢測實驗室

c/o 香港新界屯門興安里一號青山灣機樓四樓

Tel/電話: 2927 2606

Fax/傳真: 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Page 1 of 4

Certificate of Calibration

校正證書

Certificate No. : C125261

證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. The results presented are the mean of 3 measurements at each calibration point.
3. Test equipment :

Equipment ID	Description	Certificate No.
CL280	40 MHz Arbitrary Waveform Generator	C120016
CL281	Multifunction Acoustic Calibrator	DC110233

4. Test procedure : MA101N.

5. Results :

- 5.1 Sound Pressure Level

- 5.1.1 Reference Sound Pressure Level

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
50 - 130	L _{AFP}	A	F	94.00	1	94.0	± 0.7

- 5.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
50 - 130	L _{AFP}	A	F	94.00	1	94.0 (Ref.)
				104.00		104.0
				114.00		114.0

IEC 60651 Type 1 Spec. : ± 0.4 dB per 10 dB step and ± 0.7 dB for overall different.

- 5.2 Time Weighting

- 5.2.1 Continuous Signal

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
50 - 130	L _{AFP}	A	F	94.00	1	94.0	Ref.
	L _{ASP}		S			94.0	± 0.1
	L _{AIP}		I			94.0	± 0.1

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C125261
證書編號

5.2.2 Tone Burst Signal (2 kHz)

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Burst Duration		
30 - 110	L _{AFP}	A	F	106.0	Continuous	106.0	Ref.
	L _{AFMax}				200 ms	105.0	-1.0 ± 1.0
	L _{ASP}	S	Continuous		106.0	Ref.	
	L _{ASMax}		500 ms		102.0	-4.1 ± 1.0	

5.3 Frequency Weighting

5.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
50 - 130	L _{AFP}	A	F	94.00	31.5 Hz	54.7	-39.4 ± 1.5
					63 Hz	67.8	-26.2 ± 1.5
					125 Hz	77.8	-16.1 ± 1.0
					250 Hz	85.3	-8.6 ± 1.0
					500 Hz	90.7	-3.2 ± 1.0
					1 kHz	94.0	Ref.
					2 kHz	95.2	+1.2 ± 1.0
					4 kHz	95.0	+1.0 ± 1.0
					8 kHz	92.9	-1.1 (+1.5 ; -3.0)
					12.5 kHz	89.7	-4.3 (+3.0 ; -6.0)

5.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 60651 Type 1 Spec. (dB)
Range (dB)	Parameter	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
50 - 130	L _{CFP}	C	F	94.00	31.5 Hz	91.1	-3.0 ± 1.5
					63 Hz	93.2	-0.8 ± 1.5
					125 Hz	93.8	-0.2 ± 1.0
					250 Hz	94.0	0.0 ± 1.0
					500 Hz	94.0	0.0 ± 1.0
					1 kHz	94.0	Ref.
					2 kHz	93.8	-0.2 ± 1.0
					4 kHz	93.2	-0.8 ± 1.0
					8 kHz	90.9	-3.0 (+1.5 ; -3.0)
					12.5 kHz	87.8	-6.2 (+3.0 ; -6.0)

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C125261
證書編號

5.4 Time Averaging

UUT Setting				Applied Value					UUT	IEC 60804
Range (dB)	Parameter	Frequency Weighting	Integrating Time	Frequency (kHz)	Burst Duration (ms)	Burst Duty Factor	Burst Level (dB)	Equivalent Level (dB)	Reading (dB)	Type 1 Spec. (dB)
30 - 110	L _{Aeq}	A	10 sec.	4	1	1/10	110.0	100	99.9	± 0.5
			60 sec.					90	89.9	± 0.5
			60 sec.					80	79.7	± 1.0
			5 min.					70	69.8	± 1.0

Remarks : - Mfr's Spec. : IEC 60651 Type 1 & IEC 60804 Type 1

- Uncertainties of Applied Value :

94 dB : 31.5 Hz - 125 Hz	: ± 0.35 dB
250 Hz - 500 Hz	: ± 0.30 dB
1 kHz	: ± 0.20 dB
2 kHz - 4 kHz	: ± 0.35 dB
8 kHz	: ± 0.45 dB
12.5 kHz	: ± 0.70 dB
104 dB : 1 kHz	: ± 0.10 dB (Ref. 94 dB)
114 dB : 1 kHz	: ± 0.10 dB (Ref. 94 dB)
Burst equivalent level	: ± 0.2 dB (Ref. 110 dB continuous sound level)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, Tsing Shan Wan Exchange Building, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號青山灣機樓四樓

Tel/電話: 2927 2606

Fax/傳真: 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

ENVIROTECH SERVICES CO.

High-Volume TSP Sampler
5-Point Calibration Record

Location : ANS5(Ma Wan Chung Village)
Calibrated by : K.F.Ho
Date : 01/04/2013

Sampler

Model : TE-5170
Serial Number : S/N3640

Calibration Orifice and Standard Calibration Relationship

Serial Number : 2323
Service Date : 26 Dec 2012
Slope (m) : 2.09107
Intercept (b) : -0.02838
Correlation Coefficient(r) : 0.99996

Standard Condition

Pstd (hpa) : 1013
Tstd (K) : 298.18

Calibration Condition

Pa (hpa) : 1015
Ta(K) : 293

Resistance Plate	dH [green liquid] (inch water)	Z	X=Qstd (cubic meter/min)	IC	Y
1 18 holes	10.8	3.318	1.600	61	61.6
2 13 holes	8.7	2.978	1.438	55	55.5
3 10 holes	6.7	2.613	1.263	48	48.5
4 7 holes	4.3	2.093	1.015	39	39.4
5 5 holes	2.7	1.659	0.807	30	30.3

Sampler Calibration Relationship

Slope(m): 39.195 Intercept(b): -0.951 Correlation Coefficient(r): 0.9996

Checked by: Magnum Fan

Date: 04/04/2013

ENVIROTECH SERVICES CO.

High-Volume TSP Sampler
5-Point Calibration Record

Location : ANS6(Dragonair Building)
Calibrated by : K.F.Ho
Date : 01/04/2013

Sampler

Model : TE-5170
Serial Number : S/N3639

Calibration Orifice and Standard Calibration Relationship

Serial Number : 2323
Service Date : 26 Dec 2012
Slope (m) : 2.09107
Intercept (b) : -0.02838
Correlation Coefficient(r) : 0.99996

Standard Condition

Pstd (hpa) : 1013
Tstd (K) : 298.18

Calibration Condition

Pa (hpa) : 1015
Ta(K) : 293

Resistance Plate	dH [green liquid] (inch water)	Z	X=Qstd (cubic meter/min)	IC	Y
1 18 holes	10.9	3.333	1.607	61	61.6
2 13 holes	8.9	3.012	1.454	55	55.5
3 10 holes	6.9	2.652	1.282	48	48.5
4 7 holes	4.8	2.212	1.071	39	39.4
5 5 holes	2.8	1.689	0.821	28	28.3

Sampler Calibration Relationship

Slope(m): 42.451 Intercept(b): -6.303 Correlation Coefficient(r): 0.9997

Checked by: Magnum Fan

Date: 04/04/2013



TISCH ENVIRONMENTAL, INC.
 145 SOUTH MIAMI AVE.
 VILLAGE OF CLEVELAND, OH 45002
 513.467.9000
 877.263.7610 TOLL FREE
 513.467.9009 FAX
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT

ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5025A

Date - Dec 26, 2012 Rootsmeter S/N 0438320 Ta (K) - 295
 Operator Tisch Orifice I.D. - 2323 Pa (mm) - 753.11

PLATE OR Run #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER DIFF Hg (mm)	ORFICE DIFF H2O (in.)
1	NA	NA	1.00	1.4440	3.2	2.00
2	NA	NA	1.00	1.0240	6.4	4.00
3	NA	NA	1.00	0.9120	8.0	5.00
4	NA	NA	1.00	0.8720	8.8	5.50
5	NA	NA	1.00	0.7200	12.8	8.00

DATA TABULATION

Vstd	(x axis) Qstd	(y axis)	Va	(x axis) Qa	(y axis)
0.9967	0.6902	1.4149	0.9957	0.6896	0.8851
0.9925	0.9693	2.0010	0.9915	0.9683	1.2517
0.9903	1.0858	2.2372	0.9893	1.0847	1.3995
0.9893	1.1345	2.3464	0.9883	1.1334	1.4678
0.9840	1.3666	2.8299	0.9830	1.3652	1.7702
Qstd slope (m) = 2.09107			Qa slope (m) = 1.30939		
intercept (b) = -0.02838			intercept (b) = -0.01775		
coefficient (r) = 0.99996			coefficient (r) = 0.99996		
y axis = SQRT[H2O(Pa/760)(298/Ta)]			x axis = SQRT[H2O(Ta/Pa)]		

CALCULATIONS

Vstd = Diff. Vol [(Pa-Diff. Hg)/760] (298/Ta)
 Qstd = Vstd/Time

Va = Diff Vol [(Pa-Diff Hg)/Pa]
 Qa = Va/Time

For subsequent flow rate calculations:

Qstd = 1/m{ [SQRT(H2O(Pa/760)(298/Ta))] - b }
 Qa = 1/m{ [SQRT H2O(Ta/Pa)] - b }

EQUIPMENT CALIBRATION RECORD

Type : Laser Dust Monitor
 Manufacturer / Brand : SIBATA
 Model No.: LD-3B
 Equipment No.: LD-3B-002
 Sensitivity Adjustment Scale Setting : 622 CPM

Operator: _____

Standard Equipment

Equipment : MFC High Volume Air Sampler
 Venue : Wah Ming House, Wah Fu Estate
 Model No.: TE-5170 Total Suspended Particulated
 Serial No.: 2100

Previous Calibration Date 10/21/2011

Calibration Result


Sensitivity Adjustment Scale Setting (Before Calibration) : 622 CPM
 Sensitivity Adjustment Scale Setting (After Calibration) : 622 CPM

Hour	Date (dd-mmm-yy)	Time		Ambient Condition		Concentration (obtained by High Volume Sampler) (ug/m3) Y-axis	Total Count for 60mins (obtained by Laser Dust Monitor)	Count per Minute X-axis
				Temp (C)	R.H. (%)			
1	15-Oct-12	13:12	14:12	26.3	74%	86.87	1994	33.23
2	15-Oct-12	14:16	15:16	26.3	74%	93.07	2146	35.77
3	15-Oct-12	15:33	16:33	26.3	74%	102.38	2361	39.35

Be Linear Regression of Y or X

Slope (K-factor): 2.5398
 Correlation coefficient : 0.9997

Remark: _____



Recorded by: Ruby Law

Signature: *Ruby Law*

Date: 10/21/2012

Checked by: Keith Chau

Signature: *Keith Chau*

Date: 10/21/2012

EQUIPMENT CALIBRATION RECORD

Type : Laser Dust Monitor
 Manufacturer / Brand : SIBATA
 Model No.: LD-3B
 Equipment No.: LD-3B-003
 Sensitivity Adjustment Scale Setting : 799 CPM

Operator: _____

Standard Equipment

Equipment : MFC High Volume Air Sampler
 Venue : Wah Ming House, Wah Fu Estate
 Model No.: TE-5170 Total Suspended Particulated
 Serial No.: 276018

Previous Calibration Date N/A

Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration) : 799 CPM
 Sensitivity Adjustment Scale Setting (After Calibration) : 799 CPM


Hour	Date (dd-mmm-yy)	Time		Ambient Condition		Concentration (ug/m3) Y-axis	Total Count	Count/Minute X-axis
				Temp (C)	R.H. (%)			
1	16-Oct-12	13:14	14:14	26.2	74%	83.2	1314	21.90
2	16-Oct-12	14:22	15:22	26.2	74%	96.6	2152	35.87
3	16-Oct-12	15:30	16:30	26.2	74%	102.8	2500	41.67

Be Linear Regression of Y or X

Slope (K-factor): 0.9856

Correlation coefficient : 0.9994

Remark: _____



Recorded by: Ruby Law

Signature: *Ruby*

Date: 10/21/2012

Checked by: Keith Chau

Signature: *Keith Chau*

Date: 10/21/2012

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1304287
Date of Issue: 27/02/2013
Client: AECOM ASIA COMPANY LIMITED

Description: YSI Sonde
Brand Name: YSI
Model No.: 6820 V2
Serial No.: 12A101545
Equipment No.: W.026.35
Date of Calibration: 19 February, 2013 **Date of next Calibration:** 19 May, 2013

Parameters:

Conductivity

Method Ref: APHA (21st edition), 2510B

Expected Reading (uS/cm)	Displayed Reading (uS/cm)	Tolerance (%)
146.9	149.0	1.4
6667	6143	-7.9
12890	11950	-7.3
58670	54120	-7.8
Tolerance Limit (±%)		10.0

Dissolved Oxygen

Method Ref: APHA (21st edition), 4500G: G

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
4.05	4.14	0.09
6.55	6.48	-0.07
8.10	8.01	-0.09
Tolerance Limit (±mg/L)		0.20

pH Value

Method Ref: APHA 21st Ed. 4500H:B

Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)
4.0	3.98	-0.02
7.0	7.18	0.18
10.0	10.14	0.14
Tolerance Limit (±pH unit)		0.20

Salinity

Method Ref: APHA (21st edition), 2520B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0.01	--
10	9.31	-6.9
20	19.61	-2.0
30	28.46	-5.1
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

Mr. Fung Lim Chee Richard
 General Manager
 Greater China & Hong Kong

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1304287
Date of Issue: 27/02/2013
Client: AECOM ASIA COMPANY LIMITED

Description: YSI Sonde
Brand Name: YSI
Model No.: 6820 V2
Serial No.: 12A101545
Equipment No.: W.026.35
Date of Calibration: 19 February, 2013 **Date of next Calibration:** 19 May, 2013

Parameters:

Temperature

Method Ref: Section 6 of International Accreditation New Zealand Technical
Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.

Expected Reading (°C)	Displayed Reading (°C)	Tolerance (°C)
16.0	16.85	0.9
25.0	23.88	-1.1
34.0	33.20	-0.8
Tolerance Limit (±°C)		2.0

Turbidity

Method Ref: APHA (21st edition), 2130B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0.0	--
4	4.3	7.5
10	10.4	4.0
20	20.2	1.0
50	50.3	0.6
100	101.6	1.6
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

Mr. Fung Lim Chee, Richard
 General Manager -
 Greater China & Hong Kong

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

Work Order: HK1300554
Date of Issue: 09/01/2013
Client: AECOM ASIA COMPANY LIMITED



Description: YSI Sonde
Brand Name: YSI
Model No.: 6820 V2-M
Serial No.: 12D100972
Equipment No.: W.026.36
Date of Calibration: 08 January, 2013

Date of next Calibration: 08 April, 2013

Parameters:

Conductivity

Method Ref: APHA (21st edition), 2510B

Expected Reading (uS/cm)	Displayed Reading (uS/cm)	Tolerance (%)
146.9	155.0	5.5
6667	6527	-2.1
12890	12050	-6.5
58670	55650	-5.1
Tolerance Limit (±%)		10.0

Dissolved Oxygen

Method Ref: APHA (21st edition), 4500O: G

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
4.33	4.26	-0.07
5.98	5.93	-0.05
8.65	8.83	0.18
Tolerance Limit (±mg/L)		0.20

pH Value

Method Ref: APHA 21st Ed. 4500H:B

Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)
4.0	4.18	0.18
7.0	7.18	0.18
10.0	9.94	-0.06
Tolerance Limit (±pH unit)		0.20

Salinity

Method Ref: APHA (21st edition), 2520B

Expected Reading (ppt)	Displayed Reading (ppt)	Tolerance (%)
0	0.00	--
10	9.55	-4.5
20	19.72	-1.4
30	30.65	2.2
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.


 Mr. Fung Lim Chee, Richard
 General Manager
 Greater China & Hong Kong

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1300554
Date of Issue: 09/01/2013
Client: AECOM ASIA COMPANY LIMITED

Description: YSI Sonde
Brand Name: YSI
Model No.: 6820 V2-M
Serial No.: 12D100972
Equipment No.: W.026.36
Date of Calibration: 08 January, 2013

Date of next Calibration: 08 April, 2013

Parameters:

Temperature

Method Ref: Section 6 of International Accreditation New Zealand Technical Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.

Reading of Ref. thermometer (°C)	Displayed Reading (°C)	Tolerance (°C)
18.0	17.85	-0.1
28.5	28.56	0.1
40.0	39.75	-0.3
Tolerance Limit (±°C)		2.0

Turbidity

Method Ref: APHA (21st edition), 2130B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0.0	--
4	3.7	-7.5
10	10.2	2.0
20	20.6	3.0
50	48.7	-2.6
100	100.1	0.1
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

Mr. Fung Lim Chee, Richard
 General Manager -
 Greater China & Hong Kong

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1309345
Date of Issue: 11/04/2013
Client: AECOM ASIA COMPANY LIMITED

Description: Sonde Environmental Monitoring System
Brand Name: YSI
Model No.: 6820 V2
Serial No.: T2D100972
Equipment No.: W.026.36
Date of Calibration: 10 April, 2013 **Date of next Calibration:** 10 July, 2013

Parameters:

Conductivity

Method Ref: APHA (21st edition), 2510B

Expected Reading (uS/cm)	Displayed Reading (uS/cm)	Tolerance (%)
146.9	140.5	-4.4
6667	6125	-8.1
12890	11870	-7.9
58670	53640	-8.6
Tolerance Limit (±%)		10.0

Dissolved Oxygen

Method Ref: APHA (21st edition), 4500: G

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
3.98	4.09	0.11
5.29	5.38	0.09
7.05	7.22	0.17
Tolerance Limit (±mg/L)		0.20

pH Value

Method Ref: APHA 21st Ed. 4500H:B

Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)
4.0	4.15	0.15
7.0	7.14	0.14
10.0	10.18	0.18
Tolerance Limit (±pH unit)		0.20

Salinity

Method Ref: APHA (21st edition), 2520B

Expected Reading (ppt)	Displayed Reading (ppt)	Tolerance (%)
0	0.02	--
10	9.96	-0.4
20	19.98	-0.1
30	30.11	0.4
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

Mr. Fung Lim Chee Richard
 General Manager
 Greater China & Hong Kong

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1309345
Date of Issue: 11/04/2013
Client: AECOM ASIA COMPANY LIMITED

Description: Sonde Environmental Monitoring System
Brand Name: YSI
Model No.: 6820 V2
Serial No.: 12D100972
Equipment No.: W.026.36
Date of Calibration: 10 April, 2013 **Date of next Calibration:** 10 July, 2013

Parameters:

Temperature

Method Ref: Section 6 of International Accreditation New Zealand Technical Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.

Expected Reading (°C)	Displayed Reading (°C)	Tolerance (°C)
16.0	16.50	0.5
25.5	25.88	0.4
35.0	35.22	0.2
Tolerance Limit (±°C)		2.0

Turbidity

Method Ref: APHA (21st edition), 2130B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0	--
4	4.2	5.0
10	10.2	2.0
20	20.4	2.0
50	47.1	-5.8
100	104.4	4.4
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX D

Monitoring Schedule



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

Apr-13

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Time	01-Apr	02-Apr	03-Apr	04-Apr	05-Apr	06-Apr	07-Apr
	Holiday	AMS6/AMS5 - 24hr Dust 1st Dolphin Monitoring	AMS6-1hr AMS5-1hr+NMS5 1st Dolphin Monitoring Water Quality Monitoring	Holiday	Water Quality Monitoring		
Time	08-Apr	09-Apr	10-Apr	11-Apr	12-Apr	13-Apr	14-Apr
	Water Quality Monitoring						
	AMS6/AMS5 - 24hr Dust 2nd Dolphin Monitoring Water Quality Monitoring	AMS6-1hr AMS5-1hr+NMS5			AMS6/AMS5 - 24hr Dust 2nd Dolphin Monitoring Water Quality Monitoring		
Time	15-Apr	16-Apr	17-Apr	18-Apr	19-Apr	20-Apr	21-Apr
	Water Quality Monitoring		Water Quality Monitoring				
	AMS6-1hr AMS5-1hr				AMS6-1hr AMS5-1hr+NMS5		
Time	22-Apr	23-Apr	24-Apr	25-Apr	26-Apr	27-Apr	28-Apr
	Water Quality Monitoring		Water Quality Monitoring		Water Quality Monitoring		
			AMS6-1hr AMS5-1hr+NMS5				
Time	29-Apr	30-Apr			Water Quality Monitoring		
	Water Quality Monitoring		AMS6/AMS5 - 24hr Dust Water Quality Monitoring				
	Water Quality Monitoring	AMS6/AMS5 - 24hr Dust					



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX E

Monitoring Data



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS5	15:21:47	1.0	Surface	1	1	20.89	8.3	27.93	93	7.05	6.9	4.2	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS5	15:20:43	1.0	Surface	1	2	20.86	8.31	27.95	92.9	7.04	6.9	4.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS5	15:21:26	4.8	Middle	2	1	20.78	8.32	28.75	92.6	7.01	7	5.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS5	15:20:25	4.8	Middle	2	2	20.77	8.32	28.82	92.5	7	7.5	4.2	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS5	15:20:07	8.6	Bottom	3	1	20.73	8.32	29.09	92.4	6.99	8.5	4.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS5	15:21:05	8.6	Bottom	3	2	20.72	8.32	29.05	92.4	6.98	8.4	4.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J6	15:29:20	1.0	Surface	1	1	20.86	8.23	27.03	92	7.03	17.7	3.7	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J6	15:29:55	1.0	Surface	1	2	20.85	8.23	27.02	91.9	7.02	19.6	3.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J6	15:29:38	2.3	Bottom	3	2	20.85	8.22	27.23	92	7.02	18.7	3.7	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J6	15:29:02	2.3	Bottom	3	1	20.85	8.22	27.22	92	7.02	18.7	3.7	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS7	15:37:37	1.0	Surface	1	2	20.99	8.22	26.54	93.4	7.13	6.3	8.8	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS7	15:38:18	1.0	Surface	1	2	20.99	8.22	26.54	93.2	7.12	6.1	8.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS7	15:37:59	2.4	Bottom	3	2	20.98	8.22	26.55	93.2	7.12	6.7	6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS7	15:37:20	2.4	Bottom	3	2	20.98	8.22	26.55	93.3	7.12	6.5	7.8	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS8	16:06:42	1.0	Surface	1	2	20.92	8.21	26.66	91.4	6.98	7.3	1.4	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS8	16:05:40	2.6	Bottom	3	1	20.97	8.21	27.02	91.1	6.96	7.4	1	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS8	16:05:22	2.6	Bottom	3	2	20.95	8.21	27.03	91.5	6.97	7.5	1.2	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS8	16:06:29	2.6	Bottom	3	2	20.95	8.21	27.03	91.3	6.95	7.7	1.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J9	15:46:29	1.0	Surface	1	2	20.97	8.22	26.71	91.8	7	8.2	2.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J9	15:47:19	1.0	Surface	1	2	20.98	8.22	26.73	91.7	6.99	8.5	2.2	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J9	15:46:58	2.4	Bottom	3	1	20.96	8.22	26.74	91.5	6.98	8.7	7.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS(M)J9	15:46:11	2.4	Bottom	3	2	20.95	8.22	26.73	92.1	7.02	10	8.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS10	16:00:47	1.0	Surface	1	2	20.88	8.11	27.52	91.4	6.95	11.1	8.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS10	16:01:18	1.0	Surface	1	2	20.91	8.11	27.42	91.6	6.96	10.8	8.5	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS10	16:01:12	5.6	Middle	2	1	20.79	8.12	27.87	91.1	6.93	11.7	7.4	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS10	16:00:42	5.6	Middle	2	2	20.78	8.12	27.94	91.1	6.93	11.9	8.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS10	16:00:36	10.2	Bottom	3	1	20.78	8.12	28.23	91	6.9	12.1	7.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	IS10	16:01:07	10.2	Bottom	3	2	20.77	8.12	28.26	91	6.9	11.9	7.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR3	15:05:19	0.7	Middle	2	1	21.07	8.28	26.97	92.4	7.02	7.7	8.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR3	15:05:05	0.7	Middle	2	2	21.07	8.28	26.97	92.5	7.03	7.7	7.6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR4	15:56:52	1.0	Surface	1	2	21	8.2	26.16	92.2	7.05	6.9	7.7	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR4	15:57:36	1.0	Surface	1	2	21	8.2	26.19	91.9	7.03	7.2	7.1	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR4	15:56:31	2.4	Bottom	3	2	21.02	8.2	26.23	92.3	7.06	7.7	7.5	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR4	15:57:15	2.4	Bottom	3	2	20.97	8.2	26.29	91.8	7.02	7.7	6.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR5	15:52:48	1.0	Surface	1	2	21.13	8.08	28.1	88.9	6.71	14.5	13.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR5	15:53:04	1.0	Surface	1	2	21.12	8.08	28.09	89	6.72	14.2	12.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR5	15:52:41	4.5	Bottom	3	1	21.13	8.08	28.14	88.9	6.71	14.4	13.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR5	15:52:57	4.5	Bottom	3	2	21.13	8.08	28.1	89	6.72	14.4	13.1	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10A	17:04:39	1.0	Surface	1	2	20.86	8.26	28.38	90.1	6.81	3.5	5.1	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10A	17:05:43	1.0	Surface	1	1	20.89	8.25	28.27	90.8	6.87	3.7	5.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10A	17:05:24	3.1	Middle	2	1	20.83	8.26	29.43	90.3	6.82	4.6	4.8	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10A	17:04:21	3.1	Middle	2	2	20.81	8.26	29.42	90.3	6.82	4.2	4	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10A	17:05:06	5.2	Bottom	3	1	20.67	8.26	29.64	89.8	6.77	5.3	6.7	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10A	17:04:00	5.2	Bottom	3	2	20.68	8.26	29.69	89.7	6.75	4.9	6.1	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10B	17:16:42	1.0	Surface	1	2	20.75	8.26	29.43	89.6	6.76	4	4.7	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10B	17:17:23	1.0	Surface	1	2	20.74	8.26	29.44	89.3	6.73	4.3	6.1	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10B	17:17:04	4.4	Bottom	3	1	20.73	8.26	29.46	89.3	6.73	4.6	6.8	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	SR10B	17:16:21	4.4	Bottom	3	2	20.75	8.26	29.44	89.6	6.76	4.4	6.2	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS2	14:55:54	1.0	Surface	1	2	21.01	8.05	27.13	92.8	7.06	7.1	6.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS2	14:56:16	1.0	Surface	1	2	21	8.07	27.11	92.8	7.06	6.9	6.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS2	14:56:10	4.1	Middle	2	1	20.9	8.08	27.19	92.6	7.05	7.3	6	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS2	14:55:48	4.1	Middle	2	2	20.92	8.06	27.36	92.5	7.03	7.2	6.2	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS2	14:55:42	7.2	Bottom	3	1	20.9	8.05	27.56	92.3	7.01	7.4	6.2	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS2	14:56:04	7.2	Bottom	3	2	20.94	8.07	28.14	92.3	6.99	7.6	6.5	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS(M)J5	16:41:35	1.0	Surface	1	1	20.82	8.25	28	89.1	6.77	5.6	7.3	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS(M)J5	16:42:47	1.0	Surface	1	2	20.81	8.25	28.03	89.2	6.78	5.6	7.7	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS(M)J5	16:42:15	6.7	Middle	2	1	20.76	8.25	28.97	87.9	6.64	7.1	8.4	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS(M)J5	16:42:25	6.7	Middle	2	2	20.75	8.26	28.99	87.9	6.64	7.3	7.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS(M)J5	16:40:59	12.4	Bottom	3	1	20.61	8.25	29.71	87.6	6.61	7.4	7.9	
HCLR	HY/2011/03	2013-04-01	Mid-Ebb	Sunny	CS(M)J5	16:42:02	12.4	Bottom	3	2	20.59	8.25	29.72	87.2	6.58	7.5	7.8	
HCLR	HY/2011/03	2013-04-01	Mid-Flood	Sunny	IS5	09:58:41	1.0	Surface	1	2	20.59	8.19	26.5	90.2	6.94	9.8	9.8	
HCLR	HY/2011/03	2013-04-01	Mid-Flood	Sunny	IS5	09:57:46	1.0	Surface	1	2	20.59	8.19	26.48	90.5	6.96	9.9	10.1	
HCLR	HY/2011/03	2013-04-01	Mid-Flood	Sunny	IS5	09:58:23	4.8	Middle	2	1	20.62	8.19	26.54	89.7	6.89	10	9.6	
HCLR	HY/2011/03	2013-04-01	Mid-Flood	Sunny	IS5	09:57:26	4.8	Middle	2	2	20.62	8.19	26.55	89.5	6.88	10	10.5	
HCLR	HY/2011/03	2013-04-01	Mid-Flood	Sunny	IS5	0												

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS8	09:04:53	1.0	Surface	1	2	20.7	8.2	27.16	90.2	6.9	10.4	7.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS8	09:04:36	2.8	Bottom	3	1	20.69	8.2	27.16	90.1	6.89	11.3	11.7	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS8	09:03:53	2.8	Bottom	3	2	20.69	8.2	27.16	90.2	6.9	11.6	11.2	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	ISM9	09:26:34	1.0	Surface	1	1	20.73	8.21	26.93	91	6.96	10.4	10	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	ISM9	09:27:13	1.0	Surface	1	2	20.73	8.21	26.93	90.6	6.94	10.2	10.7	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	ISM9	09:26:53	2.5	Bottom	3	1	20.72	8.21	26.96	90.7	6.94	11.5	10.6	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	ISM9	09:26:08	2.5	Bottom	3	2	20.72	8.21	26.95	91.1	6.97	11	10.5	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS10	09:15:34	1.0	Surface	1	1	20.74	8.12	27.26	88.7	6.78	14.3	11.4	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS10	09:14:56	1.0	Surface	1	2	20.74	8.12	27.27	88.7	6.78	14.9	11.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS10	09:15:24	5.8	Middle	2	1	20.74	8.12	27.31	88.5	6.76	15.7	13.5	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS10	09:14:47	5.8	Middle	2	2	20.74	8.11	27.3	88.5	6.75	15.9	13.1	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS10	09:14:31	10.6	Bottom	3	1	20.74	8.11	27.39	88.5	6.75	16.4	13.3	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	IS10	09:15:12	10.6	Bottom	3	2	20.74	8.12	27.4	88.4	6.75	16.3	13.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR3	10:07:26	0.8	Middle	2	1	20.65	8.2	26.53	93.1	7.15	10.8	17.5	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR3	10:07:41	0.8	Middle	2	2	20.65	8.2	26.54	93	7.14	11.1	18.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR4	09:15:26	1.0	Surface	1	1	20.67	8.2	27.23	91	6.96	10.3	4.7	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR4	09:16:08	1.0	Surface	1	2	20.67	8.2	27.27	90.3	6.91	10.5	4.3	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR4	09:15:46	2.6	Bottom	3	1	20.66	8.2	27.32	90.8	6.94	12	8.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR4	09:15:09	2.6	Bottom	3	2	20.65	8.2	27.27	90.9	6.95	11.5	8.4	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR5	09:22:22	1.0	Surface	1	1	20.77	8.09	26.54	90	6.9	20.9	8.3	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR5	09:22:33	1.0	Surface	1	2	20.75	8.1	26.28	89.8	6.9	20.6	7.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR5	09:22:14	4.5	Bottom	3	1	20.76	8.09	26.9	90	6.88	21.5	10.7	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR5	09:22:48	4.5	Bottom	3	2	20.78	8.09	27.51	90	6.86	21.7	11.2	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10A	08:04:05	1.0	Surface	1	1	20.53	8.24	29.95	87.8	6.63	3.5	4.4	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10A	08:02:57	1.0	Surface	1	2	20.52	8.24	29.97	87.8	6.63	3.7	3.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10A	08:03:42	3.3	Middle	2	1	20.52	8.24	29.98	87.6	6.61	3.6	4.4	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10A	08:03:27	3.3	Middle	2	2	20.52	8.24	29.98	87.2	6.61	3.9	4.7	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10A	08:03:21	5.6	Bottom	3	1	20.52	8.24	30.1	87.4	6.6	4.3	8.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10A	08:02:19	5.6	Bottom	3	2	20.51	8.24	30.13	87.7	6.61	4.2	8.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10B	07:51:27	1.0	Surface	1	1	20.43	8.25	30.7	87.5	6.58	5.1	7.3	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10B	07:50:38	1.0	Surface	1	2	20.43	8.25	30.71	87.8	6.61	5.2	6.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10B	07:51:10	4.6	Bottom	3	1	20.43	8.25	30.7	87.4	6.58	5.5	5.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	SR10B	07:50:16	4.6	Bottom	3	2	20.43	8.24	30.71	87.3	6.61	5.8	6.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS2	10:16:19	1.0	Surface	1	1	20.8	8.12	26.83	89.3	6.83	12.6	5.1	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS2	10:15:59	1.0	Surface	1	2	20.8	8.12	26.84	88.1	6.81	12.4	6	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS2	10:15:54	4.1	Middle	2	1	20.78	8.12	27.08	88.9	6.79	13.1	5.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS2	10:16:15	4.1	Middle	2	2	20.79	8.12	26.93	89.1	6.81	12.9	6.3	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS2	10:15:46	7.2	Bottom	3	1	20.75	8.12	27.67	89.3	6.8	13.9	4.3	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS2	10:16:08	7.2	Bottom	3	2	20.78	8.12	27.26	88.1	6.8	13.8	4.8	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS1M9	08:29:19	1.0	Surface	1	1	20.66	8.23	28	88.6	6.75	2.6	2.3	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS1M9	08:30:23	1.0	Surface	1	2	20.66	8.23	27.99	88.6	6.75	2.7	2.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS1M9	08:28:56	6.8	Middle	2	1	20.54	8.24	29.82	87.2	6.59	3.6	2.2	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS1M9	08:30:00	6.8	Middle	2	2	20.54	8.24	29.76	87	6.57	3.5	3.2	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS1M9	08:28:36	12.6	Bottom	3	1	20.54	8.24	30.06	87.7	6.61	4.7	2.7	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Sunny	CS1M9	08:29:37	12.6	Bottom	3	2	20.54	8.24	30.05	87.4	6.59	4.9	2.9	
HCLR	HY2011/03	2013-04-01	Mid-Flood	Cloudy	IS5	17:29:20	1.0	Surface	1	1	21.06	8.26	25.96	92.7	7.09	5.7	5.6	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS5	17:30:03	1.0	Surface	1	2	21.09	8.29	26.11	92.8	7.12	6.5	5.8	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS5	17:29:02	4.7	Middle	2	1	20.59	8.34	30.25	92.1	6.93	6.6	6.2	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS5	17:29:53	4.7	Middle	2	2	20.58	8.34	30.31	92.1	6.93	6.9	6.1	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS5	17:29:33	8.4	Bottom	3	1	20.64	8.31	30.61	91.6	6.87	7.1	7.2	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS5	17:28:51	8.4	Bottom	3	2	20.58	8.33	30.65	91.6	6.88	7.1	8.6	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	ISM9	17:36:47	1.0	Surface	1	1	21.04	8.21	25.04	93.7	7.21	12.8	6.2	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	ISM9	17:37:10	1.0	Surface	1	2	21.04	8.21	25.03	93.6	7.2	11.8	6.2	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	ISM9	17:36:37	2.2	Bottom	3	1	21.04	8.22	25.11	93.7	7.21	12.4	6	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	ISM9	17:36:56	2.2	Bottom	3	2	21.04	8.21	25.03	93.6	7.2	11.8	6.2	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS7	17:43:47	1.0	Surface	1	1	21.01	8.21	25.02	93.8	7.22	11.8	6.8	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS7	17:43:26	1.0	Surface	1	2	21.01	8.21	25.03	93.7	7.21	12.4	7.4	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS7	17:43:17	2.4	Bottom	3	1	21	8.21	25.06	93.4	7.19	6.4	9.3	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS7	17:43:36	2.4	Bottom	3	2	21.01	8.21	25.02	93.7	7.21	6.6	9.1	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS8	18:05:41	1.0	Surface	1	1	20.83	8.24	26.89	89.3	6.82	5.3	7.5	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS8	18:06:05	2.0	Surface	1	2	20.82	8.24	26.88	88.9	6.79	5.5	8	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS8	18:05:26	2.8	Bottom	3	1	20.75	8.23	28.52	89.1	6.76	5.4	7.7	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	IS8	18:05:53	2.8	Bottom	3	2	20.74	8.23	28.49	88.8	6.73	5.5	7.7	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	ISM9	17:50:21	1.0	Surface	1	1	20.93	8.22	25.39	90.6	6.97	6.8	14.6	
HCLR	HY2011/03	2013-04-03	Mid-Ebb	Cloudy	ISM9	17:50:44	1.0	Surface	1	2								

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR4	1800:38	1.0	Surface	1	1	20.87	8.21	24.61	88.3	6.91	5.4	8.5	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR4	1800:26	1.0	Surface	1	2	20.9	8.21	24.63	89.8	6.94	5.4	8.9	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR4	1800:16	2.7	Bottom	3	1	20.84	8.19	27.77	90.4	6.87	5.4	7.8	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR4	1800:33	2.7	Bottom	3	2	20.87	8.19	27.56	90.2	6.86	5.6	7.5	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR5	18:10:03	1.0	Surface	1	1	20.67	8.13	28.92	89.2	6.76	6.6	9	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR5	18:10:20	1.0	Surface	1	2	20.67	8.13	28.92	89.2	6.76	6.6	8.7	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR5	18:09:51	4.5	Bottom	3	1	20.67	8.12	28.93	89.2	6.75	6.6	8.7	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR5	18:10:10	4.5	Bottom	3	2	20.67	8.13	28.95	89.2	6.75	6.6	8.7	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10A	19:32:29	1.0	Surface	1	1	20.4	8.31	31.06	89.7	6.74	1.5	4.4	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10A	19:33:09	1.0	Surface	1	2	20.43	8.3	30.83	89.6	6.74	1.5	4.9	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10A	19:32:19	3.1	Middle	2	1	20.38	8.31	31.2	89.7	6.73	1.5	4.6	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10A	19:32:57	3.1	Middle	2	2	20.38	8.31	31.18	89.4	6.72	1.6	3.9	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10A	19:32:44	5.2	Bottom	3	1	20.38	8.31	31.2	89.3	6.71	1.5	4.2	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10A	19:32:08	5.2	Bottom	3	2	20.39	8.31	31.18	89.6	6.73	3.3	3.3	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10B	19:39:36	1.0	Surface	1	1	20.41	8.31	31.07	89.6	6.74	1.3	4.1	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10B	19:39:47	4.1	Surface	1	2	20.41	8.31	31.02	89.5	6.73	1.3	3.4	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10B	19:39:47	4.1	Bottom	3	1	20.41	8.31	31.02	89.5	6.73	1.4	4.7	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	SR10B	19:39:22	4.1	Bottom	3	2	20.41	8.31	31	89.4	6.72	1.3	3.4	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	C52	17:14:35	1.0	Surface	1	1	20.65	8.09	28.61	89.8	6.81	4.9	9.3	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	C52	17:15:10	1.0	Surface	1	2	20.65	8.1	28.57	90	6.83	4.7	10.5	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	C52	17:15:02	4.1	Middle	2	1	20.58	8.1	28.79	89.4	6.79	4.9	11	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	C52	17:14:24	4.1	Middle	2	2	20.63	8.08	29.18	89.7	6.79	5	11.1	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	C52	17:13:55	7.2	Bottom	3	1	20.56	8.06	29.78	88.8	6.7	5.3	9.1	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	C52	17:14:57	7.2	Bottom	3	2	20.56	8.1	29.97	89.5	6.75	5.1	10.1	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	CS(M)5	18:57:19	1.0	Surface	1	1	20.61	8.28	28.99	89.7	6.79	3.4	7.3	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	CS(M)5	18:56:48	1.0	Surface	1	2	20.62	8.27	29	89.8	6.8	3.4	6.6	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	CS(M)5	18:57:10	6.4	Middle	2	1	20.53	8.29	30.12	89.4	6.74	3.1	6.7	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	CS(M)5	18:56:38	6.4	Middle	2	2	20.54	8.29	30.09	89.5	6.75	3.2	7.3	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	CS(M)5	18:56:27	11.8	Bottom	3	1	20.52	8.28	30.42	89.1	6.71	3.5	7.1	
HCLR	HY/2011/03	2013-04-03	Mid-Ebb	Cloudy	CS(M)5	18:57:00	11.8	Bottom	3	2	20.52	8.28	30.36	89.9	6.69	3.5	7.1	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS5	12:07:28	1.0	Surface	1	1	20.96	8.2	24.54	90.5	6.99	9.6	12.6	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS5	12:06:26	1.0	Surface	1	2	20.95	8.21	24.56	90.1	6.96	9.2	13.8	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS5	12:06:12	4.6	Middle	2	1	20.74	8.27	27.72	88.6	6.75	7.5	12.9	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS5	12:06:42	4.6	Middle	2	2	20.79	8.25	27.27	88.3	6.74	7.5	11.7	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS5	12:06:53	8.2	Bottom	3	1	20.61	8.26	29.19	89.3	6.76	8.8	13	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS5	12:05:43	8.2	Bottom	3	2	20.65	8.25	29.23	89.9	6.8	8.8	13.5	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS5	11:58:18	1.0	Surface	1	1	21.02	8.19	25.2	90.6	6.97	5.8	6.3	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS(M)6	11:58:44	1.0	Surface	1	2	21.03	8.19	25.17	90.5	6.96	5.9	7.3	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS(M)6	11:58:01	2.3	Bottom	3	1	21.02	8.19	25.23	90.9	6.99	5.8	7.4	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS(M)6	11:58:32	2.3	Bottom	3	2	21.02	8.19	25.18	90.5	6.96	5.8	7.1	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS7	11:52:27	1.0	Surface	1	1	21	8.19	24.9	91.9	7.08	5.6	7	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS7	11:52:08	1.0	Surface	1	2	21.01	8.19	24.92	92	7.09	5.6	8.1	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS7	11:51:57	2.3	Bottom	3	1	21.01	8.19	24.93	92.1	7.09	5.7	8	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS7	11:52:17	2.3	Bottom	3	2	21	8.19	24.9	91.9	7.08	5.6	9.1	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS8	11:31:38	1.0	Surface	1	1	20.9	8.21	26.1	89.2	6.84	6.6	5.6	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS8	11:31:59	1.0	Surface	1	2	20.91	8.21	25.97	88.8	6.81	6.8	4.3	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS8	11:31:48	3.2	Bottom	3	1	20.8	8.21	28.3	88.9	6.74	8.2	7.7	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS8	11:31:27	3.2	Bottom	3	2	20.78	8.21	27.82	89	6.77	8	7	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS(M)9	11:46:25	1.0	Surface	1	1	20.85	8.2	25.58	91.6	7.05	4	5.3	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS(M)9	11:46:47	1.0	Surface	1	2	20.85	8.2	25.59	90.6	6.97	4.2	6	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS(M)9	11:46:12	2.6	Bottom	3	1	20.85	8.2	25.61	91.9	7.07	4	5.7	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS(M)9	11:46:36	2.6	Bottom	3	2	20.85	8.2	25.72	90.4	6.95	4.2	6.4	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS10	11:36:55	1.0	Surface	1	1	20.87	8.1	25.62	87.7	6.74	8	13.9	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS10	11:36:27	1.0	Surface	1	2	20.88	8.09	25.59	88.2	6.79	7.8	13.4	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS10	11:36:49	5.8	Middle	2	1	20.84	8.11	25.72	87	6.69	9	13.9	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS10	11:36:17	5.8	Middle	2	2	20.8	8.11	26.26	87.4	6.71	8.8	13.2	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS10	11:36:10	10.6	Bottom	3	1	20.78	8.11	27.89	87.6	6.66	11	14.4	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	IS10	11:36:44	10.6	Bottom	3	2	20.82	8.11	27.5	87.2	6.64	10.8	14	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	SR3	12:16:20	0.7	Middle	2	1	20.95	8.18	24.57	92	7.11	11.1	13.1	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	SR3	12:16:11	0.7	Middle	2	2	20.96	8.18	24.55	92	7.11	10.4	12.2	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	SR4	11:37:19	1.0	Surface	1	1	20.91	8.21	26.55	87.4	6.69	5.8	7.8	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	SR4	11:37:19	1.0	Surface	1	2	20.87	8.22	26.81	86.6	6.62	5.8	6.2	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	SR4	11:36:41	2.8	Bottom	3	1	20.79	8.22	28.12	87.5	6.64	6.1	5.8	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	SR4	11:37:07	2.8	Bottom	3	2	20.75	8.22	28.46	86.6	6.56	6.2	5.2	
HCLR	HY/2011/03	2013-04-03	Mid-Flood	Fine	SR5	11:45:31												

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS5	13:28:12	1.0	Surface	1	1	21.49	8.24	25.11	92.8	7.08	7.5	9.4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS5	13:26:29	1.0	Surface	1	2	21.29	8.25	24.93	90.7	6.95	7	8.5	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS5	13:26:21	4.8	Middle	2	1	20.95	8.25	27.33	89	6.77	7	8.5	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS5	13:27:43	4.8	Middle	2	2	20.92	8.25	27.38	88.2	6.78	5.3	8.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS5	13:26:06	8.6	Bottom	3	1	20.76	8.24	28.66	88.7	6.72	6.2	8	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS5	13:27:52	8.6	Bottom	3	2	20.76	8.24	28.74	89.6	6.78	5.6	9.6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J6	13:35:16	1.0	Surface	1	1	21.27	8.25	26.6	92.9	7.06	5	6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J6	13:34:49	1.0	Surface	1	2	21.27	8.25	26.59	92.9	7.06	5	6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J6	13:34:36	2.5	Bottom	3	1	21.26	8.24	26.6	92.9	7.05	5.3	6.4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J6	13:35:03	2.5	Bottom	3	2	21.25	8.25	26.62	92.9	7.05	5.1	5.5	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS7	13:42:12	1.0	Surface	1	1	21.4	8.25	25.71	90.6	6.9	3.9	3.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS7	13:41:45	1.0	Surface	1	2	21.41	8.24	25.7	91.2	6.95	11	3.7	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS7	13:41:33	2.6	Bottom	3	1	21.07	8.23	27.82	90.3	6.83	12.3	7.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS7	13:42:02	2.6	Bottom	3	2	20.97	8.24	27.87	89.6	6.79	13.4	7.1	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS8	14:11:37	1.0	Surface	1	1	21.34	8.25	25.5	93	7.09	5.2	7.6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS8	14:12:02	1.0	Surface	1	2	21.34	8.25	25.49	93.1	7.1	5.2	6.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS8	14:11:51	2.8	Bottom	3	1	21.28	8.25	26.17	92.9	7.07	5.6	4.6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS8	14:11:27	2.8	Bottom	3	2	21.29	8.24	26.05	92.8	7.06	5.5	5.1	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J9	13:49:11	1.0	Surface	1	1	21.41	8.24	26.5	93.6	7.09	6.9	10.5	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J9	13:48:38	1.0	Surface	1	2	21.4	8.24	26.52	93.5	7.09	6.2	9.4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J9	13:48:53	2.5	Bottom	3	1	21.4	8.25	26.5	93.4	7.08	8.1	10.5	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS(M)J9	13:48:24	2.5	Bottom	3	2	21.4	8.24	26.51	93.4	7.08	7.3	9.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS10	14:49:55	1.0	Surface	1	1	21.34	8.15	24.83	91.8	7.03	5	4.8	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS10	14:49:10	1.0	Surface	1	2	21.38	8.15	24.78	92.3	7.07	4.8	4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS10	14:49:41	5.1	Middle	2	1	20.87	8.16	27.2	89.7	6.84	6.6	8.8	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS10	14:48:51	5.1	Middle	2	2	20.95	8.16	27.02	89.3	6.88	6.4	8.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS10	14:48:35	9.1	Bottom	3	1	20.94	8.16	28.84	90.2	6.8	7.3	8.8	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	IS10	14:49:26	9.1	Bottom	3	2	20.75	8.16	29	90	7.19	7.1	7.4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR3	13:14:02	0.8	Middle	2	1	21.56	8.19	25.44	94.6	7.19	5.3	8	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR3	13:14:12	0.8	Middle	2	2	21.57	8.2	25.41	94.8	7.21	5.1	9.4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR4	13:59:54	1.0	Surface	1	1	21.2	8.2	26.58	89.4	6.8	7.2	9.5	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR4	13:59:37	1.0	Surface	1	2	21.18	8.2	26.62	89.6	6.81	7.1	9.7	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR4	13:59:26	2.4	Bottom	3	1	21.2	8.19	26.59	89.6	6.82	7	9.7	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR4	13:59:46	2.4	Bottom	3	2	21.18	8.2	26.6	89.4	6.8	7.3	9.7	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR5	14:40:45	1.0	Surface	1	1	21.35	8.15	24.88	92.2	7.08	4.1	4.8	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR5	14:40:25	1.0	Surface	1	2	21.33	8.15	24.81	92.4	7.07	4.3	5.7	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR5	14:40:31	3.6	Bottom	3	1	21.2	8.15	25.81	91.9	7.02	4.5	4.6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR5	14:40:15	3.6	Bottom	3	2	20.98	8.17	26.07	91.4	7	4.7	5.3	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10A	15:14:23	1.0	Surface	1	1	21.08	8.26	27.07	92.1	7.01	2.5	3.4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10A	15:15:02	1.0	Surface	1	2	21.08	8.25	26.55	91.6	6.98	2.5	3	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10A	15:14:14	3.4	Middle	2	1	20.85	8.26	27.81	91.2	6.93	2.1	2.5	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10A	15:14:47	3.4	Middle	2	2	20.86	8.27	27.75	91.4	6.95	2.2	2.7	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10A	15:14:35	5.7	Bottom	3	1	20.79	8.25	28.64	91.1	6.89	2.3	3.1	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10B	15:14:01	5.7	Bottom	3	2	20.73	8.25	29.58	90.7	6.83	2.1	2.6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10B	15:27:03	1.0	Surface	1	1	20.98	8.26	26.96	92.2	7.03	2.6	4.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10B	15:27:23	1.0	Surface	1	2	20.95	8.26	27.16	92.3	7.02	2.4	3.2	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10B	15:27:12	4.5	Bottom	3	1	20.91	8.25	27.7	91.8	7.02	2.4	4.2	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	SR10B	15:26:45	4.5	Bottom	3	2	20.85	8.26	28.08	91.2	6.92	2.5	3.1	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS2	13:11:42	1.0	Surface	1	1	21.43	8.12	23.41	91.3	7.04	4	3.8	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS2	13:12:28	1.0	Surface	1	2	21.44	8.12	23.4	91.8	7.08	4.1	3.9	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS2	13:12:14	3.8	Middle	2	1	21.4	8.12	23.45	90.7	6.99	4.3	4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS2	13:11:14	3.8	Middle	2	2	21.22	8.11	24.08	89.3	6.89	4.1	3.1	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS2	13:10:51	6.6	Bottom	3	1	20.86	8.13	27.88	90	6.83	4.8	3	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS2	13:11:55	6.6	Bottom	3	2	20.96	8.13	27.09	89.6	6.82	4.9	2.6	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS(M)J5	14:46:22	1.0	Surface	1	1	21.27	8.25	24.88	91.9	7.05	3.6	4.4	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS(M)J5	14:45:26	1.0	Surface	1	2	21.25	8.25	24.93	91.7	7.03	3.7	5.7	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS(M)J5	14:45:57	6.7	Middle	2	1	20.56	8.29	29.49	88.9	6.71	3.8	6.1	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS(M)J5	14:45:03	6.7	Middle	2	2	20.57	8.29	29.71	88.9	6.71	3.8	7.3	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS(M)J5	14:45:47	12.3	Bottom	3	1	20.46	8.27	30.91	89	6.69	9.1	7.2	
HCLR	HY/2011/03	2013-04-05	Mid-Flood	Rainy	CS(M)J5	14:44:49	12.3	Bottom	3	2	20.43	8.27	31.12	88.8	6.67	9.8	6.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS5	13:00:20	1.0	Surface	1	1	19.93	8.32	27.24	92.9	7.2	5.4	4.3	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS5	12:59:04	1.0	Surface	1	2	19.93	8.33	27.25	93	7.21	5.3	5.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS5	12:58:54	4.3	Middle	2	1	19.9	8.35	28.94	92.7	7.12	9.1	4.2	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS5	12:58:46	4.3	Middle	2	2	19.89	8.35	29.07	92.8	7.13	8.4	4.2	
HCLR	HY/2011/03	2013-04-08																

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS8	12:15:10	1.0	Surface	1	2	20.12	8.31	28.14	90.8	6.98	5.1	4.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS8	12:14:56	2.8	Bottom	3	1	20.1	8.31	29	90.4	6.92	5.5	4.3	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS8	12:15:28	2.8	Bottom	3	2	20.09	8.31	28.78	90.7	6.95	5	4.6	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	ISM9	12:31:51	1.0	Surface	1	1	20.06	8.31	27.81	90.5	7.13	7	4.4	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	ISM9	12:30:59	1.0	Surface	1	2	20.05	8.31	27.86	92.4	7.13	7.7	4.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	ISM9	12:30:46	2.5	Bottom	3	1	20.03	8.31	28.33	92.3	7.09	10.5	4.9	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	ISM9	12:31:40	2.5	Bottom	3	2	20.05	8.31	27.9	92.4	7.12	11	4	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS10	11:47:19	1.0	Surface	1	1	20.05	8.24	28.15	92.2	7.17	8.4	3.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS10	11:46:34	1.0	Surface	1	2	20.05	8.23	28.12	92.6	7.18	8.4	3.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS10	11:46:18	5.2	Middle	2	1	20	8.25	29.29	92.6	7.09	13.1	3.2	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS10	11:47:03	5.2	Middle	2	2	19.97	8.26	29.98	92.4	7.05	13.3	3.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS10	11:46:02	9.4	Bottom	3	1	19.97	8.26	30.46	92.7	7.05	14.2	3.7	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	IS10	11:46:48	9.4	Bottom	3	2	19.97	8.26	30.46	92.6	7.04	14.3	3.9	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR3	13:09:03	0.8	Middle	2	1	19.96	8.32	27.23	93.1	7.22	4.3	3.2	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR3	13:09:09	0.8	Middle	2	2	19.95	8.32	27.23	93	7.21	4.5	3.4	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR4	12:21:03	1.0	Surface	1	1	20.11	8.3	27.81	90.6	6.98	3.9	6.7	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR4	12:20:38	1.0	Surface	1	1	20.12	8.3	27.6	89.7	6.92	4.2	6	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR4	12:20:22	2.4	Bottom	3	1	20.13	8.3	28.18	90.1	6.92	3.9	5.9	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR4	12:20:53	2.4	Bottom	3	2	20.1	8.31	28.16	90.4	6.95	3.7	5.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR5	11:54:49	1.0	Surface	1	1	20.01	8.24	29.38	91.8	7.01	12.5	13	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR5	11:54:23	1.0	Surface	1	2	20.09	8.24	29.44	92	7.02	12.8	12.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR5	11:54:08	3.5	Bottom	3	1	20.09	8.24	29.5	91.9	7.01	12.6	8.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR5	11:54:35	3.5	Bottom	3	2	20.09	8.24	29.5	91.7	7.01	12.2	8.6	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10A	10:57:54	1.0	Surface	1	1	19.96	8.34	31.51	90.2	6.82	2.6	3	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10A	10:56:50	1.0	Surface	1	2	19.97	8.33	31.48	90.4	6.83	2.4	4.7	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10A	10:57:44	3.4	Middle	2	1	19.96	8.34	31.52	90.1	6.81	2.5	4.2	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10A	10:56:33	3.4	Middle	2	2	19.97	8.33	31.46	90.2	6.82	2.2	5.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10A	10:57:32	5.7	Bottom	3	1	19.96	8.33	31.51	89.9	6.8	2.3	3	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10A	10:56:15	5.7	Bottom	3	2	19.97	8.33	31.49	90.2	6.81	2.7	11.7	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10B	10:49:36	1.0	Surface	1	1	19.94	8.32	31.71	90.2	6.81	2.7	11.7	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10B	10:49:06	1.0	Surface	1	2	19.94	8.32	31.69	90.4	6.83	2.9	11.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10B	10:48:50	4.4	Bottom	3	1	19.95	8.32	31.68	90.3	6.81	2.9	5.9	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	SR10B	10:49:21	4.4	Bottom	3	2	19.95	8.32	31.69	90.1	6.8	2.8	4.4	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS2	13:27:41	1.0	Surface	1	1	20.15	8.21	25.83	92.9	7.23	8.2	4.1	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS2	13:26:55	1.0	Surface	1	2	20.16	8.21	25.88	92.7	7.22	8.1	5.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS2	13:26:42	4.0	Middle	2	1	20	8.27	30.14	92.7	7.06	8.8	4	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS2	13:27:28	4.0	Middle	2	2	19.97	8.27	30.14	92.7	7.06	8.6	4.6	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS2	13:26:28	7.0	Bottom	3	1	19.95	8.27	30.76	91.7	6.96	8.7	3.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS2	13:27:07	7.0	Bottom	3	2	19.99	8.26	30.63	92	6.98	8.5	2.5	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS1M9	11:34:13	1.0	Surface	1	1	20.13	8.33	30	90.2	6.85	3.3	2.8	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS1M9	11:33:20	1.0	Surface	1	2	20.11	8.33	30.14	90.1	6.85	3.6	2.3	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS1M9	11:34:00	6.6	Middle	2	1	20.04	8.34	31.1	89.5	6.77	3.4	4.6	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS1M9	11:33:07	6.6	Middle	2	2	20.04	8.34	31.1	89.5	6.78	3.7	5.4	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS1M9	11:33:43	12.2	Bottom	3	1	20.02	8.34	31.16	89.5	6.77	3.9	4.7	
HCLR	HY/2011/03	2013-04-08	Mid-Ebb	Cloudy	CS1M9	11:32:50	12.2	Bottom	3	2	20.02	8.34	31.14	89.4	6.76	4.2	3.6	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS5	16:28:44	1.0	Surface	1	1	20.03	8.34	28.21	92.2	7.1	7.5	9.2	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS5	16:29:35	1.0	Surface	1	2	20.03	8.34	28.15	92.5	7.04	7.7	9.2	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS5	16:28:31	4.4	Middle	2	1	20.03	8.34	28.3	92.5	7.12	7.5	10.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS5	16:29:13	4.4	Middle	2	2	20.03	8.34	28.31	91.2	7.01	8.1	11.4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS5	16:28:16	7.8	Bottom	3	1	20.03	8.34	28.5	94.5	7.26	8.5	10.2	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS5	16:28:59	7.8	Bottom	3	2	20.03	8.34	28.35	91.3	7.02	8.6	11.7	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	ISM9	16:35:48	1.0	Surface	1	1	20.05	8.34	28.62	92	7.06	13.8	18.2	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	ISM9	16:36:17	1.0	Surface	1	2	20.05	8.33	28.61	91.7	7.03	14.1	17.7	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	ISM9	16:36:06	2.3	Bottom	3	1	20.05	8.33	28.61	91.7	7.03	14.9	17.3	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	ISM9	16:35:35	2.3	Bottom	3	2	20.05	8.34	28.62	92	7.06	15.1	17.8	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS7	16:44:54	1.0	Surface	1	1	20.06	8.34	28.6	91.6	7.03	15.3	17.1	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS7	16:44:03	1.0	Surface	1	2	20.06	8.34	28.61	91.4	7.01	14.9	18	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS7	16:43:47	2.5	Bottom	3	1	20.05	8.34	28.6	91.2	7	16.1	16.9	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS7	16:44:45	2.5	Bottom	3	2	20.05	8.33	28.6	91.9	7.05	14.6	16.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS8	17:10:10	1.0	Surface	1	1	20.05	8.34	28.28	91.7	7.05	5.9	8.4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS8	17:10:36	1.0	Surface	1	2	20.05	8.34	28.26	92	7.07	5.7	9.4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS8	17:10:00	2.8	Bottom	3	1	20.08	8.33	28.71	91.8	7.03	6.6	7.2	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	IS8	17:10:23	2.8	Bottom	3	2	20.07	8.33	28.7	91.9	7.04	6.7	6.1	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	ISM9	16:52:37	1.0	Surface	1	1	20.03	8.34	28.18	93	7.15	8.3	6.3	
HCLR	HY/2011/03	20																

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR4	17:02:49	1.0	Surface	1	1	20.03	8.34	28.15	92.6	7.12	4.2	10.6	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR4	17:03:47	1.0	Surface	1	2	20.03	8.34	28.12	92.7	7.14	4.4	9.4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR4	17:02:36	2.4	Bottom	3	2	20.08	8.33	28.72	92.3	7.07	6.9	10.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR4	17:03:29	2.4	Bottom	3	2	20.08	8.33	28.76	91.9	7.05	7.3	10	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR5	17:58:41	1.0	Surface	1	1	20.16	8.25	28.29	92.2	7.07	4.8	6	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR5	17:58:08	1.0	Surface	1	2	20.15	8.25	28.6	92.4	7.08	5	7.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR5	17:57:55	3.4	Bottom	3	1	20.15	8.25	28.93	92.4	7.07	5.3	5.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR5	17:58:25	3.4	Bottom	3	2	20.15	8.25	29.01	92.1	7.04	5.4	5.9	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10A	18:26:02	1.0	Surface	1	1	19.96	8.37	31.74	89.5	6.76	3.6	3.6	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10A	18:25:13	1.0	Surface	1	2	19.96	8.37	31.75	89.7	6.77	5.8	4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10A	18:24:56	3.5	Middle	2	1	19.96	8.37	31.75	89.6	6.76	6.2	12.6	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10A	18:25:44	3.5	Middle	2	2	19.96	8.37	31.75	89.3	6.74	12.8	12.8	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10A	18:24:40	6	Bottom	3	2	19.96	8.36	31.75	89.4	6.75	6.2	14.4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10A	18:25:31	6	Bottom	3	2	19.96	8.37	31.75	89.3	6.74	5.7	13	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10B	18:32:08	1.0	Surface	1	1	19.96	8.37	31.74	89.4	6.75	6.1	11.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10B	18:32:55	1.0	Surface	1	2	19.96	8.37	31.74	89.4	6.74	5.7	10.4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10B	18:32:45	4.6	Bottom	3	1	19.96	8.37	31.75	89.1	6.73	5.7	11.8	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	SR10B	18:31:49	4.6	Bottom	3	2	19.96	8.37	31.75	89.2	6.73	6.3	11.3	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS2	16:16:33	1.0	Surface	1	1	20.28	8.24	27.47	90.9	6.99	6.3	5.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS2	16:17:27	1.0	Surface	1	2	20.28	8.24	27.4	90.2	6.95	6.1	5.5	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS2	16:17:04	4.0	Middle	2	1	20.29	8.25	27.71	90.4	6.94	6.7	11	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS2	16:16:18	4.0	Middle	2	2	20.29	8.25	27.74	91.4	7.02	6.9	12	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS2	16:16:49	6.9	Bottom	3	1	20.1	8.27	29.27	90.1	6.88	6.5	12.4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS2	16:15:56	6.9	Bottom	3	2	20.06	8.29	29.37	92.2	7.04	6.6	12.3	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS1(M)5	17:49:35	1.0	Surface	1	1	20.09	8.35	29.16	90.7	6.93	4.5	4.8	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS1(M)5	17:51:01	1.0	Surface	1	2	20.08	8.35	29.04	91.3	6.99	4.4	3.6	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS1(M)5	17:49:15	6.3	Middle	2	1	20.04	8.35	30.97	89	6.74	8	6.3	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS1(M)5	17:50:38	6.3	Middle	2	2	20.05	8.35	30.92	89.7	6.79	8.5	5.6	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS1(M)5	17:50:26	11.6	Bottom	3	1	20.05	8.34	30.98	90.5	6.84	10	4	
HCLR	HY/2011/03	2013-04-08	Mid-Flood	Cloudy	CS1(M)5	17:48:59	11.6	Bottom	3	2	20.03	8.35	31.08	89.4	6.76	10	6.2	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS5	11:48:58	1.0	Surface	1	1	19.94	8.26	29.45	91.6	7.01	11.1	10.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS5	11:48:15	1.0	Surface	1	2	19.93	8.26	29.49	91.5	7	11.7	11.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS5	11:48:06	4.7	Middle	2	1	19.92	8.26	29.57	91.4	6.99	12.3	12.4	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS5	11:48:42	4.7	Middle	2	2	19.91	8.26	29.67	91.1	6.97	12.5	10.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS5	11:47:52	8.3	Bottom	3	1	19.91	8.26	29.61	91.3	6.98	12.9	12	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS5	11:48:29	8.3	Bottom	3	2	19.92	8.26	29.67	91.1	6.96	12.4	12.1	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS1(M)6	11:55:23	1.0	Surface	1	1	20.01	8.22	28.32	89.6	6.89	10.8	13.7	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS1(M)6	11:55:02	1.0	Surface	1	2	20.01	8.22	28.37	89.7	6.9	10.9	13.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS1(M)6	11:54:19	2.3	Bottom	3	1	20.01	8.22	28.45	89.6	6.88	10.8	6.9	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS7	12:01:25	1.0	Surface	1	2	20.01	8.21	28.46	89.8	6.9	7.7	7.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS7	12:01:49	1.0	Surface	1	1	20.04	8.21	28.41	90.6	6.96	6.7	7.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS7	12:01:53	2.3	Bottom	3	1	20.05	8.21	28.39	90.1	6.82	6.3	6.2	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS7	12:01:20	2.3	Bottom	3	2	20.05	8.21	28.41	90.1	6.93	6.6	5.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS8	12:21:41	1.0	Surface	1	1	20.07	8.21	28.5	91.5	7.02	6.1	6.1	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS8	12:21:28	1.0	Surface	1	2	20.07	8.21	28.49	92.4	7.1	7.1	7.1	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS8	12:21:36	2.3	Bottom	3	1	20.07	8.21	28.5	91.3	7.01	6.1	5.7	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS8	12:21:20	2.3	Bottom	3	2	20.07	8.21	28.5	91.3	7.01	6.1	5.7	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS1(M)9	12:08:21	1.0	Surface	1	1	20.06	8.22	28.34	90.5	6.96	6.2	6.5	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS1(M)9	12:08:02	1.0	Surface	1	2	20.06	8.22	28.34	90.5	6.96	7.8	8.4	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS1(M)9	12:08:07	2.4	Bottom	3	1	20.06	8.22	28.35	90.5	6.96	8.2	9	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS1(M)9	12:07:57	2.4	Bottom	3	2	20.06	8.22	28.34	90.5	6.96	8	9	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS10	12:51:29	1.0	Surface	1	1	19.96	8.24	29.2	91.1	7	9.5	8.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS10	12:51:56	1.0	Surface	1	2	19.96	8.24	29.19	91.1	7	9.5	8.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS10	12:51:49	5.7	Middle	2	1	19.95	8.24	29.22	90.9	6.99	10.4	10	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS10	12:51:20	5.7	Middle	2	2	19.95	8.24	29.22	91	7	9.9	10	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS10	12:51:11	10.3	Bottom	3	1	19.95	8.24	29.28	90.9	6.99	10.5	10.9	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	IS10	12:51:41	10.3	Bottom	3	2	19.94	8.24	29.31	90.8	6.98	10.8	10.4	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR3	11:41:57	0.7	Middle	2	1	20	8.25	29.11	92.3	7.07	9.1	6.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR3	11:41:54	0.7	Middle	2	2	20	8.25	29.07	92.6	7.09	9	6.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR4	12:17:02	1.0	Surface	1	1	20.07	8.2	27.34	90.3	6.99	6.8	7.9	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR4	12:17:13	1.0	Surface	1	2	20.07	8.2	27.4	89.1	6.88	6.6	8.3	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR4	12:16:55	2.2	Bottom	3	1	20.05	8.2	27.18	89.7	6.93	6.7	6.7	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR4	12:17:09	2.2	Bottom	3	2	20.06	8.2	27.52	89.1	6.88	6.7	6.8	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR5	12:42:11	1.0	Surface	1	1	19.96	8.23	29.15	91.2	7.02	9.1	6.5	
HCLR	HY/2011/03	2013-04-																

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation	
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR10B	13:25:21	1.0	Surface	1	2	19.99	8.25	31.09	88.8	6.8	5	7.4		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR10B	13:24:53	4.3	Bottom	3	1	19.99	8.25	31.12	90	6.25	6.82	6.6		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	SR10B	13:25:11	4.3	Bottom	3	2	19.99	8.25	31.07	89.6	6.79	5.3	6		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS2	11:44:17	1.0	Surface	1	1	19.95	8.19	28.84	91.8	7.07	13.8	8.7		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS2	11:44:45	1.0	Surface	1	2	19.94	8.2	28.8	92	7.09	14	9.3		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS2	11:44:37	4.2	Middle	2	1	19.88	8.2	29.02	91.4	7.05	18	9		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS2	11:44:09	4.2	Middle	2	2	19.91	8.18	29.41	91.7	7.05	17.6	8.7		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS2	11:44:01	7.3	Bottom	3	1	19.84	8.16	30.01	90.8	6.96	20.9	8.2		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS2	11:44:28	7.3	Bottom	3	2	19.88	8.2	30.2	91.5	7.01	21.1	8.8		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS1(M)5	12:57:15	1.0	Surface	1	2	20.02	8.25	29.74	88.1	6.67	8.1	8.9		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS1(M)5	12:56:45	1.0	Surface	1	2	20.06	8.24	29.59	88.5	6.75	8	8.4		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS1(M)5	12:56:32	6.7	Middle	2	2	20.02	8.24	30.81	88.2	6.67	8.8	9.4		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS1(M)5	12:57:08	6.7	Middle	2	2	20	8.25	31.03	87.8	6.75	8.2	8.9		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS1(M)5	12:56:19	12.4	Bottom	3	1	20.01	8.24	31.06	87.7	6.65	9.8	9.1		
HCLR	HY/2011/03	2013-04-10	Mid-Ebb	Fine	CS1(M)5	07:32:40	12.4	Bottom	3	2	20.04	8.24	30.45	87.6	6.85	9.4	8.1		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS5	07:31:21	1.0	Surface	1	1	20.04	8.21	28.43	89.4	6.87	8.4	7.7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS5	07:32:28	4.6	Middle	2	1	20.04	8.21	28.51	88.9	6.84	8.4	8.5		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS5	07:32:06	4.6	Middle	2	2	20.04	8.21	28.47	89.1	6.84	8.5	7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS5	07:32:09	8.2	Bottom	3	1	20.05	8.21	28.58	88.7	6.81	9	8.8		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS5	07:32:43	8.2	Bottom	3	2	20.04	8.21	28.54	89.1	6.84	8.9	7.8		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)6	07:22:45	1.0	Surface	1	1	20.03	8.2	28.47	90.5	6.95	5.8	7.5		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)6	07:23:02	1.0	Surface	1	2	20.03	8.2	28.47	90.1	6.92	5.9	6.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)6	07:22:40	2.4	Bottom	3	1	20.03	8.2	28.46	90.3	6.94	5.8	7.7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)6	07:22:54	2.4	Bottom	3	2	20.02	8.2	28.47	90	6.91	6	7.2		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS7	07:15:46	1.0	Surface	1	1	20.04	8.2	28.35	90	6.92	7.9	9.3		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS7	07:15:52	2.4	Bottom	3	2	20.04	8.2	28.35	89.6	6.89	7.7	9.1		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS7	07:15:32	2.4	Bottom	3	1	20.04	8.2	28.35	89.5	6.88	8.1	8.8		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS7	07:15:32	2.4	Bottom	3	2	20.04	8.2	28.35	89.8	6.9	7.5	8.5		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS8	06:54:34	1.0	Surface	1	1	20.05	8.21	28.45	90.7	6.97	20	24.8		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS8	06:55:05	1.0	Surface	1	2	20.05	8.21	28.46	90.2	6.95	21.8	20	22.2	
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS8	06:55:16	2.5	Bottom	3	1	20.05	8.21	28.49	90.5	6.95	22.8	22.6		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	BS8	06:54:46	2.5	Bottom	3	2	20.05	8.21	28.47	90.2	6.93	22.8	21.1		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)9	07:09:50	1.0	Surface	1	2	20.03	8.21	28.33	90.9	6.99	20.5	16.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)9	07:09:34	1.0	Surface	1	2	20.03	8.21	28.33	91.3	7.02	20.7	17.7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)9	07:09:23	2.4	Bottom	3	1	20.03	8.21	28.33	91.1	7	20.9	20.7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS1(M)9	07:09:40	2.4	Bottom	3	2	20.03	8.21	28.34	90.8	6.98	20.8	20.8		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS10	06:42:27	1.0	Surface	1	1	19.96	8.2	25.85	89.7	6.93	13.8	11.6		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS10	06:42:41	5.8	Middle	2	2	19.96	8.19	25.82	90.2	6.98	14	12.6		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS10	06:42:22	5.8	Middle	2	2	19.96	8.21	25.95	89	6.88	14.1	12.6		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS10	06:42:15	10.6	Bottom	3	1	19.96	8.21	26.49	89.4	6.9	14.1	11		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	IS10	06:42:36	10.6	Bottom	3	2	19.96	8.21	28.12	89.6	6.85	14.3	11.9		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR3	07:38:27	0.8	Middle	2	1	20.04	8.21	27.73	89.2	6.83	14.2	11.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR3	07:38:59	0.8	Middle	2	2	20.04	8.21	28.45	89.6	6.88	7.9	7.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR4	07:01:26	1.0	Surface	1	1	20.05	8.21	28.45	90.1	6.92	19.9	22.2		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR4	07:01:49	1.0	Surface	1	2	20.05	8.21	28.47	90	6.91	20.5	22.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR4	07:01:54	2.3	Bottom	3	1	20.05	8.21	28.46	90	6.91	20.9	22.9		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR4	07:01:42	2.3	Bottom	3	2	20.05	8.21	28.48	89.9	6.9	21.3	22.9		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR5	06:51:24	1.0	Surface	1	1	19.95	8.19	27.64	88.7	6.75	13.2	14.7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR5	06:51:34	1.0	Surface	1	2	19.95	8.19	27.59	88.8	6.75	13	13.6		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR5	06:51:20	4.5	Bottom	3	1	19.95	8.19	27.71	88.5	6.75	14.3	12.1		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR5	06:51:29	4.5	Bottom	3	2	19.95	8.19	27.6	88.7	6.74	14.2	11.8		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10A	05:51:14	1.0	Surface	1	1	20.03	8.21	29.67	89.2	6.8	5.1	4.5		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10A	05:50:29	1.0	Surface	1	2	20.03	8.21	29.55	89.4	6.82	5	5.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10A	05:51:02	3.1	Middle	2	1	20.02	8.22	30.35	89	6.76	5.3	5.2		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10A	05:50:13	3.1	Middle	2	2	20.01	8.22	30.45	89.3	6.77	5.5	4.5		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10A	05:50:02	5.1	Bottom	3	1	20.02	8.21	30.75	89	6.76	6.2	5.2		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10A	05:50:53	5.1	Bottom	3	2	20.01	8.22	30.56	88.9	6.76	6.2	4.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10B	05:42:55	1.0	Surface	1	1	20.01	8.2	29.56	88.9	6.85	5.3	5.7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10B	05:43:04	3.7	Bottom	3	1	20.03	8.2	29.52	89.6	6.84	5.4	4.7		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10B	05:43:04	3.7	Bottom	3	2	20.02	8.2	30.74	89.6	6.79	5.6	4.9		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	SR10B	05:42:49	3.7	Bottom	3	2	20.02	8.2	30.67	89.8	6.81	5.3	5		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	CS2	07:46:23	1.0	Surface	1	1	19.97	8.23	28.74	91.6	7	18	13.8		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	CS2	07:46:17	4.2	Middle	2	2	19.98	8.24	28.61	91.6	7	18.2	14.4		
HCLR	HY/2011/03	2013-04-10	Mid-Flood	Cloudy	CS2	07:47:00	4.2	Middle	2	1	19.96	8.23	29.11	91.1	6.95	18.5	14.8		

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS5	12:59:56	1.0	Surface	1	1	19.66	8.33	29.21	90.2	6.95	11.1	13.5	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS5	13:00:27	1.0	Surface	1	2	19.66	8.33	29.21	90.1	6.94	11.3	13.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS5	13:00:18	4.3	Middle	2	1	19.66	8.33	29.23	89.8	6.92	10.5	14.5	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS5	12:59:42	4.3	Middle	2	2	19.65	8.33	29.25	89.9	6.93	10.8	13.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS5	12:59:31	7.6	Bottom	3	1	19.65	8.33	29.25	90	6.93	10.7	18.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS5	13:00:06	7.6	Bottom	3	2	19.65	8.33	29.25	89.9	6.92	10.9	19.5	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J6	13:06:35	1.0	Surface	1	1	19.69	8.31	28.68	88.7	6.85	20.9	21	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J6	13:06:59	1.0	Surface	1	2	19.67	8.31	28.71	88.3	6.82	20.5	20.5	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J6	13:06:25	2.2	Bottom	3	1	19.66	8.31	28.83	89	6.87	22.7	22.3	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J6	13:06:50	2.2	Bottom	3	2	19.65	8.31	28.84	88.3	6.82	22.6	22.7	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS7	13:13:34	1.0	Surface	1	1	19.9	8.31	28.18	90.6	6.99	5.2	9.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS7	13:13:09	1.0	Surface	1	2	19.83	8.31	28.18	90.6	6.99	5.2	9.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS7	13:12:55	2.4	Bottom	3	1	19.83	8.31	28.21	90.6	6.99	5.1	9.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS7	13:13:23	2.4	Bottom	3	2	19.75	8.31	28.24	89.9	6.96	5.1	9.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS8	13:37:50	1.0	Surface	1	1	19.79	8.3	28.27	88.4	6.83	7	9.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS8	13:37:30	1.0	Surface	1	2	19.75	8.3	28.31	88.4	6.84	7.3	9.5	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS8	13:37:40	2.8	Bottom	3	1	19.7	8.3	28.39	88.2	6.82	7.2	10.6	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS8	13:37:19	2.8	Bottom	3	2	19.68	8.3	28.47	88.4	6.83	7.3	10.2	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J9	13:20:07	1.0	Surface	1	1	19.77	8.31	28.26	88.3	6.9	6.2	10.8	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J9	13:19:42	1.0	Surface	1	2	19.78	8.31	28.26	89.5	6.91	6.5	10.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J9	13:19:53	2.7	Bottom	3	1	19.68	8.31	28.3	89.2	6.9	6.3	10.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS(M)J9	13:19:30	2.7	Bottom	3	2	19.68	8.31	28.31	89.5	6.92	6.1	10.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS10	14:10:47	1.0	Surface	1	1	19.92	8.19	28.31	88.7	6.83	9.5	6.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS10	14:09:58	1.0	Surface	1	2	19.95	8.18	28.17	89.2	6.88	9.1	7.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS10	14:10:32	5.1	Middle	2	1	19.75	8.2	29.08	88.1	6.78	14.5	6.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS10	14:09:34	5.1	Middle	2	2	19.74	8.2	29.19	88.1	6.78	14.5	7.2	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS10	14:09:19	9.1	Bottom	3	1	19.71	8.2	29.63	88.2	6.77	20.3	9.2	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	IS10	14:10:11	9.1	Bottom	3	2	19.75	8.2	29.41	88.3	6.78	19.8	10.3	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR3	12:53:32	0.8	Middle	2	1	19.67	8.33	29.2	88.9	6.84	9.4	8.7	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR3	12:53:16	0.8	Middle	2	2	19.68	8.33	29.22	89.4	6.89	9.8	8.7	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR4	13:29:43	1.0	Surface	1	1	19.77	8.29	27.91	88	6.81	6.7	11.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR4	13:29:24	1.0	Surface	1	2	19.77	8.29	27.91	88.2	6.83	6.8	10.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR4	13:29:14	2.7	Bottom	3	1	19.76	8.29	28.01	88.4	6.82	6.8	12.6	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR4	13:29:34	2.7	Bottom	3	2	19.77	8.29	28.05	88	6.81	6.5	13.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR5	13:56:47	1.0	Surface	1	1	19.9	8.16	28.35	88.9	6.85	8	16.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR5	13:57:20	1.0	Surface	1	2	19.94	8.17	28.21	89	6.86	7.7	17.3	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR5	13:57:04	1.0	Surface	1	1	19.78	8.17	28.95	88.3	6.79	10.9	10.2	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR5	13:56:33	4.7	Bottom	3	1	19.73	8.18	29.34	88.5	6.8	11.8	10.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR5	13:56:21	1.0	Surface	1	2	19.97	8.34	29.69	89.8	6.86	4.3	4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10A	15:05:57	1.0	Surface	1	1	19.97	8.33	29.66	90.1	6.88	4	3.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10A	15:05:43	3.2	Middle	2	1	19.97	8.33	29.82	89.9	6.86	4.3	5.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10A	15:05:12	3.2	Middle	2	2	19.94	8.34	30.12	89.6	6.82	4.4	5.6	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10A	15:05:30	5.4	Bottom	3	1	19.97	8.33	30.28	89.9	6.86	4.2	5	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10A	15:05:01	5.4	Bottom	3	2	19.94	8.33	30.28	90.1	6.86	4.3	5.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10B	15:14:49	1.0	Surface	1	1	19.98	8.33	29.49	90.8	6.94	3.8	4.8	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10B	15:15:14	1.0	Surface	1	2	19.97	8.33	29.57	90.3	6.9	4	5.2	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10B	15:15:37	4.1	Bottom	3	1	19.98	8.33	29.59	90.8	6.94	3.9	4.8	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	SR10B	15:15:03	4.1	Bottom	3	2	19.96	8.33	29.82	90.3	6.89	4.1	4.7	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS2	12:46:51	1.0	Surface	1	1	19.88	8.15	28.37	89.2	6.88	8.5	6.8	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS2	12:48:01	1.0	Surface	1	2	19.89	8.15	28.36	89.2	6.88	8.2	6.2	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS2	12:47:39	3.5	Middle	2	1	19.73	8.16	28.96	88.7	6.84	11	8.7	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS2	12:46:31	3.5	Middle	2	2	19.84	8.12	28.49	89.2	6.88	11.2	8	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS2	12:46:05	5.9	Bottom	3	1	19.71	8.16	29.69	89.5	6.87	17.5	8.8	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS2	12:47:08	5.9	Bottom	3	2	19.71	8.16	30.18	88.7	6.78	15.9	8.1	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS(M)J5	14:42:37	1.0	Surface	1	1	19.79	8.32	29.18	88	6.76	7.6	9.9	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS(M)J5	14:42:00	1.0	Surface	1	2	19.79	8.32	29.25	88.2	6.77	7.3	8.8	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS(M)J5	14:42:26	6.3	Middle	2	1	19.79	8.33	29.51	87.4	6.7	9	10.6	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS(M)J5	14:41:47	6.3	Middle	2	2	19.78	8.33	29.44	87.6	6.73	8.5	10.4	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS(M)J5	14:41:30	11.5	Bottom	3	1	19.83	8.32	30.26	87.8	6.7	10.2	10.2	
HCLR	HY/2011/03	2013-04-12	Mid-Ebb	Cloudy	CS(M)J5	14:42:13	11.5	Bottom	3	2	19.81	8.32	30.08	87.7	6.7	10.3	10.4	
HCLR	HY/2011/03	2013-04-12	Mid-Flood	Cloudy	IS5	08:40:07	1.0	Surface	1	1	19.55	8.32	28.75	88.3	6.83	6.77	9.9	
HCLR	HY/2011/03	2013-04-12	Mid-Flood	Cloudy	IS5	08:39:28	1.0	Surface	1	2	19.54	8.32	28.74	88.4	6.84	6.84	9.8	
HCLR	HY/2011/03	2013-04-12	Mid-Flood	Cloudy	IS5	08:39:16	4.5	Middle	2	1	19.57	8.32	28.85	88.2	6.82	7.1	9.5	
HCLR	HY/2011/03	2013-04-12	Mid-Flood	Cloudy	IS5	08:39:55	4.5	Middle	2	2	19.57	8.32	28.83	88.1	6			

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS8	08:03:10	1.0	Surface	1	2	19.69	8.31	28.08	88.8	6.88	14.4	17.3	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS8	08:02:41	3.4	Bottom	3	1	19.69	8.31	28.11	88.9	6.89	15.1	15.4	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS8	08:03:00	3.4	Bottom	3	2	19.69	8.31	28.09	88.7	6.87	15.2	15.8	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	ISM(P)9	08:18:04	1.0	Surface	1	1	19.7	8.31	28.27	88.9	6.88	12.5	16.5	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	ISM(P)9	08:18:26	2.8	Bottom	3	2	19.7	8.31	28.29	88.5	6.85	12.8	16.2	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	ISM(P)9	08:17:53	2.8	Bottom	3	1	19.7	8.31	28.32	89.2	6.9	13.1	13.9	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	ISM(P)9	08:18:13	2.8	Bottom	3	2	19.7	8.31	28.37	88.6	6.86	13.1	13.3	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS10	07:50:35	1.0	Surface	1	2	19.76	8.18	28.36	87.3	6.74	15.1	10.9	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS10	07:51:20	1.0	Surface	1	2	19.75	8.18	28.32	87.4	6.76	15.2	11.4	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS10	07:51:21	5.2	Middle	2	1	19.78	8.21	29.35	87.4	6.71	17	11	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS10	07:49:59	5.2	Middle	2	2	19.77	8.2	29.36	87.4	6.71	18.1	11	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS10	07:49:37	9.3	Bottom	3	1	19.77	8.2	29.38	87.2	6.7	20.9	13.8	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	IS10	07:51:01	9.3	Bottom	3	2	19.78	8.21	29.36	87.1	6.69	21.2	14.1	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR3	08:44:53	0.7	Middle	2	1	19.57	8.32	28.93	90	6.95	7.4	14.7	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR3	08:45:07	0.7	Middle	2	2	19.57	8.32	28.93	89.3	6.9	7.4	15.3	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR4	08:08:45	1.0	Surface	1	2	19.64	8.31	27.98	88.8	6.89	14.5	13.5	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR4	08:08:47	1.0	Surface	1	1	19.64	8.31	27.99	88.9	6.9	14.8	13.6	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR4	08:08:05	2.9	Bottom	3	2	19.65	8.31	28.01	88.9	6.9	15.5	19.2	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR4	08:08:30	2.9	Bottom	3	1	19.65	8.31	27.99	88.7	6.88	15.4	18	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR5	07:59:53	1.0	Surface	1	2	19.73	8.19	28.3	87.3	6.75	14.9	14	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR5	07:59:13	1.0	Surface	1	1	19.74	8.19	28.31	87.4	6.76	15.5	13.4	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR5	07:58:49	4.6	Bottom	3	2	19.77	8.2	29.13	87.3	6.72	21.6	15.7	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR5	07:59:30	4.6	Bottom	3	1	19.78	8.2	29.13	87.3	6.72	20.7	13	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10A	07:06:12	1.0	Surface	1	1	19.79	8.32	30.39	88.4	6.75	4.5	6.7	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10A	07:06:49	1.0	Surface	1	2	19.78	8.32	30.24	87.9	6.71	4.5	7.2	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10A	07:06:37	3.3	Middle	2	1	19.81	8.33	30.59	87.7	6.68	4.4	12.8	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10A	07:06:20	3.3	Middle	2	2	19.79	8.32	30.35	88.4	6.75	4.5	12.6	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10A	07:05:25	5.6	Bottom	3	1	19.84	8.32	30.89	88	6.69	4.8	13.3	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10A	07:05:49	5.6	Bottom	3	2	19.79	8.32	30.34	88.5	6.76	4.7	12.4	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10B	07:00:51	1.0	Surface	1	1	19.86	8.32	31.59	87.8	6.64	7.2	14.8	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10B	07:01:13	1.0	Surface	1	2	19.86	8.32	31.6	87.5	6.62	7.5	13.4	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10B	07:01:01	3.9	Bottom	3	1	19.86	8.32	31.59	87.5	6.62	7.4	19.1	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	SR10B	07:00:40	3.9	Bottom	3	2	19.86	8.32	31.59	87.8	6.65	7.6	20.4	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS2	09:11:47	1.0	Surface	1	1	19.7	8.19	28.25	87.5	6.77	16.3	17.7	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS2	09:12:40	3.3	Middle	2	1	19.7	8.2	28.26	87.4	6.76	13.1	17.7	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS2	09:11:20	3.3	Middle	2	2	19.75	8.2	28.69	87	6.72	15.3	16.7	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS2	09:12:25	3.3	Middle	2	1	19.76	8.21	28.78	87.2	6.72	16.2	17.4	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS2	09:12:12	5.6	Bottom	3	2	19.78	8.21	29.19	87.2	6.71	21.7	19.7	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS2	09:10:47	5.6	Bottom	3	1	19.78	8.21	29.24	87.1	6.7	20.9	19.1	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS1(M)5	07:34:20	1.0	Surface	1	2	19.73	8.34	28.95	87.6	6.75	7.3	14	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS1(M)5	07:33:34	1.0	Surface	1	1	19.74	8.34	28.96	87.9	6.77	7.3	13.6	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS1(M)5	07:34:08	6.4	Middle	2	2	19.86	8.34	30.85	87	6.61	12.5	13.5	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS1(M)5	07:33:22	6.4	Middle	2	1	19.87	8.34	30.9	87.6	6.65	12.4	15.1	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS1(M)5	07:33:10	11.7	Bottom	3	1	19.88	8.33	31.04	88.4	6.7	13.4	14.2	
HCLR	HY2011/03	2013-04-12	Mid-Flood	Cloudy	CS1(M)5	07:33:53	11.7	Bottom	3	2	19.88	8.34	31.04	87.3	6.62	13.6	13.4	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS5	14:36:27	1.0	Surface	1	2	21.1	8.27	25.7	88.7	6.79	6	7.2	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS5	14:35:56	1.0	Surface	1	1	21.08	8.27	25.73	88.8	6.8	8.3	8.3	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS5	14:36:14	4.3	Middle	2	2	20.65	8.27	26.57	87.5	6.66	6.6	6.4	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS5	14:35:44	4.3	Middle	2	1	20.65	8.27	26.57	87.5	6.72	6.8	6.1	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS5	14:35:34	7.6	Bottom	3	1	20.78	8.26	27.03	88.1	6.74	6.5	7.1	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS5	14:36:06	7.6	Bottom	3	2	20.74	8.26	26.72	87.9	6.73	6.8	6.8	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	ISM(P)6	14:41:47	1.0	Surface	1	1	20.92	8.21	24.52	85.3	6.6	7.6	6.8	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	ISM(P)6	14:42:15	2.3	Bottom	3	2	21.14	8.22	24.09	86.9	6.64	7.3	7.7	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	ISM(P)6	14:42:05	2.3	Bottom	3	1	20.89	8.21	25.07	88.3	6.56	8.5	4.7	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	ISM(P)6	14:41:32	2.3	Bottom	3	2	20.81	8.21	26.14	85.3	6.55	8.6	5.1	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS7	14:50:09	1.0	Surface	1	1	21.19	8.22	24.4	85.7	6.6	7.6	4.1	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS7	14:50:28	1.0	Surface	1	2	21.39	8.22	24.09	86.2	6.63	7.4	4.5	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS7	14:50:16	2.3	Bottom	3	1	21.06	8.21	24.87	85.3	6.57	8.5	3.7	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS7	14:49:57	2.3	Bottom	3	2	20.85	8.21	25.32	85.3	6.58	8.6	4.6	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS8	15:12:29	1.0	Surface	1	2	21.71	8.23	24.21	88.4	6.75	5.2	4.7	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS8	15:12:51	2.8	Bottom	3	1	21.69	8.23	24.2	88.4	6.75	5.3	4.8	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS8	15:12:41	2.8	Bottom	3	2	20.99	8.23	26.05	88.4	6.67	5.8	3.3	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	IS8	15:12:20	2.8	Bottom	3	1	21.11	8.23	25.93	87.8	6.72	5.5	4	
HCLR	HY2011/03	2013-04-15	Mid-Ebb	Sunny	ISM(P)9	14:56:53	1.0	Surface	1	1	22.18	8.21	23.44	86.9	6.61	5.5	4.9	
HCLR	HY2011/03	2013-04-1																

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR4	15:07:09	1.0	Surface	1	1	21.53	8.22	24.75	87	6.65	4.7	4.1	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR4	15:07:30	1.0	Surface	1	2	21.36	8.22	24.7	85.9	6.58	4.6	4	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR4	15:07:49	2.6	Bottom	3	1	20.98	8.22	25.14	85.7	6.59	4.5	4.7	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR4	15:06:56	2.6	Bottom	3	2	21.16	8.17	25.6	86.7	6.63	4.6	3.3	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR5	15:21:33	1.0	Surface	1	1	21.61	8.17	24.07	89.4	6.85	5	5	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR5	15:21:34	1.0	Surface	1	2	21.52	8.18	23.67	89.4	6.87	5.3	5.6	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR5	15:20:57	4.0	Bottom	3	1	21.43	8.17	25.1	89	6.8	5.7	2.2	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR5	15:21:23	4.0	Bottom	3	2	21.55	8.17	24.92	89.2	6.8	5.3	3.7	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10A	16:40:05	1.0	Surface	1	1	21.42	8.28	26.56	89.6	6.79	3.4	3.8	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10A	16:39:29	1.0	Surface	1	2	21.35	8.28	26.73	89.4	6.77	3.4	4.1	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10A	16:39:54	3.2	Middle	2	1	21.24	8.28	27.1	89	6.74	3.3	4.8	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10A	16:39:54	3.2	Middle	2	2	21.28	8.28	27.1	89.2	6.75	3.3	4.9	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10A	16:39:09	5.3	Bottom	3	1	21.22	8.28	27.22	89.2	6.73	3.3	4	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10A	16:39:44	5.3	Bottom	3	2	21.27	8.28	27.07	89.2	6.75	3.1	4.5	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10B	16:44:20	1.0	Surface	1	1	21.28	8.28	27.09	89.1	6.74	3.7	3.1	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10B	16:44:20	1.0	Surface	1	2	21.28	8.28	27.08	89.1	6.75	3.7	4.7	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10B	16:44:30	3.9	Bottom	3	1	21.25	8.28	27.23	88.9	6.73	3.7	3.7	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	SR10B	16:44:30	3.9	Bottom	3	2	21.26	8.28	27.16	89.1	6.74	3.7	4.4	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS2	14:22:24	1.0	Surface	1	1	21.87	8.19	22.92	90.5	6.94	4.4	4.3	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS2	14:21:10	1.0	Surface	1	2	21.64	8.23	23.57	90.4	6.94	5.7	3.2	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS2	14:20:53	4.0	Middle	2	1	20.71	8.27	23.01	88.2	6.75	6	2.8	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS2	14:22:00	4.0	Middle	2	2	8.25	8.25	26.53	87.3	6.69	6	2.5	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS2	14:20:34	7.0	Bottom	3	1	20.55	8.27	26.2	87.8	6.72	6.2	2.7	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS2	14:21:52	7.0	Bottom	3	2	20.61	8.25	27.18	86.8	6.65	6.4	2.9	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS1(M)5	16:15:25	1.0	Surface	1	1	21.44	8.28	25.54	86.5	6.59	5.6	3.4	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS1(M)5	16:14:47	1.0	Surface	1	2	21.86	8.27	25.17	86.2	6.53	5.7	4.3	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS1(M)5	16:14:36	6.3	Middle	2	1	20.21	8.3	28.35	84	6.44	8.5	5.1	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS1(M)5	16:15:14	6.3	Middle	2	2	20.27	8.29	28.33	83.9	6.42	8.4	5.3	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS1(M)5	16:15:02	11.5	Bottom	3	1	20.19	8.27	30.17	84.9	6.44	9.6	6.1	
HCLR	HY/2011/03	2013-04-15	Mid-Ebb	Sunny	CS1(M)5	16:14:27	11.5	Bottom	3	2	20.18	8.28	30.2	84.7	6.42	9.2	5.5	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS5	09:48:17	1.0	Surface	1	1	20.62	8.25	25.24	87	6.74	6.4	4.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS5	09:49:04	1.0	Surface	1	2	20.63	8.24	25	86.9	6.74	6.4	3.8	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS5	09:48:51	4.4	Middle	2	1	20.59	8.25	25.98	86.6	6.68	7.6	6.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS5	09:48:06	4.4	Middle	2	2	20.58	8.25	26.02	86.7	6.69	7.4	6.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS5	09:48:40	7.7	Bottom	3	1	20.59	8.24	26.37	86.5	6.66	7.5	6.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS5	09:47:54	7.7	Bottom	3	2	20.58	8.24	26.25	86.8	6.68	7.6	5.2	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)6	09:40:45	1.0	Surface	1	1	20.61	8.22	24.38	85.3	6.65	4.2	3.6	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)6	09:40:27	1.0	Surface	1	2	20.62	8.22	24.18	85.3	6.65	4.2	3	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)6	09:40:37	2.2	Bottom	3	1	20.61	8.22	24.51	85.4	6.63	4.2	4.2	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)6	09:40:14	2.2	Bottom	3	2	20.61	8.22	24.47	85.3	6.65	4.2	3.3	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS7	09:33:55	1.0	Surface	1	1	20.7	8.23	24.75	86.4	6.71	3.8	4.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS7	09:33:37	1.0	Surface	1	2	20.77	8.23	24.5	86.4	6.7	4	4.8	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS7	09:33:45	2.5	Bottom	3	1	20.7	8.23	25.37	86.3	6.67	4.4	3.6	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS7	09:33:24	2.5	Bottom	3	2	20.67	8.23	25.06	86.5	6.7	4.2	2.3	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS8	09:10:24	1.0	Surface	1	1	20.64	8.21	23.94	85.5	6.52	5.1	4.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS8	09:10:50	1.0	Surface	1	2	20.64	8.21	23.92	83.4	6.51	5.3	4.9	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS8	09:10:39	3.4	Bottom	3	1	20.6	8.2	25.4	83.3	6.45	6.1	10.6	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS8	09:10:11	3.4	Bottom	3	2	20.62	8.2	24.39	83.4	6.5	6.3	10	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)9	09:27:32	1.0	Surface	1	1	20.71	8.23	24.31	85	6.63	6.2	4.5	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)9	09:27:08	1.0	Surface	1	2	20.76	8.23	24.28	85.3	6.63	6.5	4.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)9	09:27:19	2.7	Bottom	3	1	20.63	8.22	25.68	84.9	6.56	6.5	4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS1(M)9	09:26:58	2.7	Bottom	3	2	20.66	8.22	25.66	85.4	6.59	6.6	3.8	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS10	09:14:07	1.0	Surface	1	1	20.62	8.12	25	84.2	6.53	9.4	4.8	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS10	09:13:44	1.0	Surface	1	2	20.62	8.12	25.05	84.2	6.54	9.2	3.9	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS10	09:13:31	5.6	Middle	2	1	20.59	8.12	25.3	84.4	6.54	9.3	4.2	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS10	09:13:58	5.6	Middle	2	2	20.58	8.12	25.32	84.1	6.52	9.3	5.2	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS10	09:13:25	10.1	Bottom	3	1	20.61	8.11	25.19	84.3	6.53	9.6	4.5	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	IS10	09:13:52	10.1	Bottom	3	2	20.61	8.11	25.24	84.1	6.52	10.1	4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR3	09:55:01	0.8	Middle	2	1	20.65	8.23	24.84	86.8	6.74	4.7	4.8	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR3	09:55:47	0.8	Middle	2	2	20.64	8.23	24.88	86.9	6.75	5	4.8	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR4	09:16:29	1.0	Surface	1	1	20.61	8.19	23.31	82.9	6.49	8.7	6.8	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR4	09:16:52	1.0	Surface	1	2	20.62	8.19	23.21	82.7	6.48	8.2	5.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR4	09:16:39	3.0	Bottom	3	1	20.6	8.19	23.43	82.7	6.48	8.4	6	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR4	09:16:15	3.0	Bottom	3	2	20.59	8.19	23.41	83	6.5	9	6.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR5	09:20:59	1.0	Surface										

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR10B	08:02:33	1.0	Surface	1	2	20.15	8.29	29.38	85.9	6.55	3.4	3.9	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR10B	08:02:20	4.0	Bottom	3	1	20.06	8.3	31.16	85.6	6.47	3.6	5.2	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	SR10B	08:01:59	4.0	Bottom	3	2	20.08	8.29	31.23	85.9	6.49	3.4	5.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS2	10:34:58	1.0	Surface	1	1	20.62	8.13	25.19	84	6.51	9.2	3.7	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS2	10:34:20	1.0	Surface	1	2	20.58	8.15	25.28	84	6.51	9.1	3.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS2	10:34:08	4.3	Middle	2	1	20.33	8.15	27.68	88.5	6.41	9.7	5.4	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS2	10:34:44	4.3	Middle	2	2	20.39	8.15	27.22	83.7	6.43	9.4	5	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS2	10:34:01	7.5	Bottom	3	1	20.32	8.15	27.91	83.3	6.39	10	4.5	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS2	10:34:33	7.5	Bottom	3	2	20.39	8.15	27.87	83.5	6.4	10.4	4.1	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS(MF)5	08:38:26	1.0	Surface	1	2	20.53	8.27	24.12	85.4	6.67	4.4	2.3	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS(MF)5	08:37:45	1.0	Surface	1	1	20.49	8.28	24.1	85.8	6.7	4.5	2.6	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS(MF)5	08:37:34	6.3	Middle	2	2	20.21	8.29	42.23	85.2	6.49	4.2	4.1	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS(MF)5	08:38:14	6.3	Middle	2	1	20.16	8.3	29.39	84.7	6.46	4.5	3.6	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS(MF)5	08:37:15	11.6	Bottom	3	2	20.13	8.28	30.57	84.4	6.39	5.6	6	
HCLR	HY/2011/03	2013-04-15	Mid-Flood	Sunny	CS(MF)5	08:38:03	11.6	Bottom	3	1	20.13	8.29	30.59	84.3	6.38	5.6	6.7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	16:00:41	1.0	Surface	1	1	21.74	8.29	24.27	90.2	6.88	6.2	6.8	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	15:59:59	1.0	Surface	1	2	21.77	8.28	24.24	90.5	6.91	5.7	7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	16:00:27	4.8	Middle	2	1	20.89	8.31	27.46	87.3	6.64	9.2	6.4	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	15:59:42	4.8	Middle	2	2	20.98	8.31	26.97	87.1	6.64	8.3	7.5	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	16:00:15	8.5	Bottom	3	1	20.74	8.3	28.6	87.8	6.65	8.5	6.8	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	15:59:29	8.5	Bottom	3	2	20.68	8.31	28.67	87.1	6.6	9	6.4	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)6	16:06:37	1.0	Surface	1	1	21.82	8.25	23.48	93.1	7.12	4.9	3.9	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)6	16:06:17	1.0	Surface	1	2	21.84	8.25	23.21	92.9	7.12	5.2	4.3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)6	16:06:28	2.3	Bottom	3	1	21.81	8.24	23.44	92.9	7.12	7.4	4	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)6	16:06:08	2.3	Bottom	3	2	21.82	8.25	23.91	92.8	7.09	7.7	4.1	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS7	16:43:10	1.0	Surface	1	1	21.65	8.25	23.68	91.8	7.04	4.1	4.2	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS7	16:42:49	1.0	Surface	1	2	21.74	8.25	23.21	92.5	7.1	4	3.8	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS7	16:43:00	2.5	Bottom	3	1	21.75	8.25	24.78	92	7	4.9	4.3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS7	16:43:27	2.5	Bottom	3	2	21.79	8.25	24.5	92.6	7.05	5.1	5.8	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	16:38:15	1.0	Surface	1	1	21.33	8.25	24.14	87.3	6.72	4.6	5	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	16:37:40	1.0	Surface	1	2	21.31	8.23	24.18	87.9	6.77	4.2	5.9	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	16:38:06	2.5	Bottom	3	1	21.37	8.22	25.47	87.5	6.87	5.7	5.7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	BS	16:37:28	2.5	Bottom	3	2	21.38	8.23	25.43	88.2	6.73	5	5	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)9	16:19:51	1.0	Surface	1	1	21.6	8.25	24.45	90.8	6.94	4.4	8.4	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)9	16:19:27	1.0	Surface	1	2	21.61	8.25	24.44	91.1	6.96	4.4	7.1	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)9	16:19:15	2.5	Bottom	3	1	21.59	8.25	24.94	91.2	6.95	4.2	10.2	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS(MF)9	16:19:40	2.5	Bottom	3	2	21.57	8.25	24.96	90.8	6.92	4.4	11.9	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS10	17:23:22	1.0	Surface	1	1	21.55	8.12	18.62	86.9	6.87	10.1	2.2	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS10	17:24:10	1.0	Surface	1	2	21.57	8.12	18.46	87.7	6.94	10.3	3.3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS10	17:23:11	5.2	Middle	2	1	20.9	8.11	27.04	83.6	6.38	3.2	3.2	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS10	17:23:57	5.2	Middle	2	2	20.8	8.11	27.36	84.7	6.46	14.8	3.3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS10	17:22:51	9.4	Bottom	3	1	20.83	8.1	29.46	86.5	6.51	15.8	2.3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	IS10	17:23:46	9.4	Bottom	3	2	20.81	8.1	29.41	87.6	6.59	15.4	3.2	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR3	15:49:34	0.8	Middle	2	1	21.75	8.26	24.39	93	7.09	5.4	6.4	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR3	15:49:46	0.8	Middle	2	2	21.76	8.26	24.39	92.9	7.09	5.3	7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR4	16:30:46	1.0	Surface	1	1	21.57	8.19	24.37	83.2	6.36	5.9	3.5	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR4	16:30:13	1.0	Surface	1	2	21.56	8.19	24.43	83.6	6.39	5.6	3.5	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR4	16:29:55	2.3	Bottom	3	1	21.56	8.18	24.76	83.7	6.39	5.8	6.1	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR4	16:30:30	2.3	Bottom	3	2	21.55	8.18	24.85	83.2	6.35	6	5.3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR5	17:10:45	1.0	Surface	1	1	21.69	8.08	18.71	92.8	7.32	4.6	3.3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR5	17:10:22	1.0	Surface	1	2	21.48	8.1	19.37	89	7.05	4.4	2.7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR5	17:10:32	3.6	Bottom	3	1	21.72	8.08	21.17	91.3	7.09	4.6	3.9	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR5	17:10:14	3.6	Bottom	3	2	21.18	8.08	21.3	88.8	6.79	4.5	3	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10A	17:37:40	1.0	Surface	1	1	21.64	8.25	22.81	91	7.02	2.5	3.5	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10A	17:38:26	1.0	Surface	1	2	21.69	8.25	22.64	91.6	7.06	2.3	3.4	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10A	17:37:27	3.3	Middle	2	1	21.42	8.25	23.92	89.9	6.91	2.4	3.7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10A	17:38:08	3.3	Middle	2	2	21.45	8.25	23.82	89.9	6.92	2.4	2.7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10A	17:37:13	5.5	Bottom	3	1	21.37	8.25	24.74	88.9	6.89	2.4	6	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10A	17:37:54	5.5	Bottom	3	2	21.42	8.24	24.3	90.3	6.93	2.4	7	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10B	17:47:07	1.0	Surface	1	1	21.5	8.26	22.84	90.5	6.99	2.4	4.1	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10B	17:47:28	1.0	Surface	1	2	21.74	8.25	22.54	92	7.09	2.2	3.9	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10B	17:46:54	4.4	Bottom	3	1	21.41	8.25	25.22	90.1	6.92	2.5	4.9	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	SR10B	17:47:17	4.4	Bottom	3	2	21.57	8.25	23.39	90.9	6.99	2.3	4.4	
HCLR	HY/2011/03	2013-04-17	Mid-Ebb	Rainy	CS2	15:47:43	1.0	Surface	1	1	21.5	8.03	19.47	87.5	6.89	7.2	1.4	
HCLR	HY/2011/03	2013-04-17																

Project	Works	Date (yyyy-mm-dd)	Title	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS5	10:31:29	1.0	Surface	1	1	21.44	8.25	25.42	86.6	6.6	7	6.3	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS5	10:30:28	1.0	Surface	1	2	21.34	8.25	25.62	85.3	6.5	7.3	6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS5	10:31:05	4.8	Middle	2	1	21.04	8.25	26.62	83.6	6.37	7.5	7.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS5	10:30:13	4.8	Middle	2	2	21.03	8.25	26.66	83.7	6.38	7.4	6.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS5	10:30:49	8.6	Bottom	3	1	20.96	8.25	26.99	85.8	6.39	7.7	11.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS5	10:30:02	8.6	Bottom	3	2	20.96	8.25	27	85.9	6.39	7.5	10.4	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J6	10:22:02	1.0	Surface	1	1	21.48	8.25	25.02	90.1	6.88	4.7	4.7	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J6	10:22:23	1.0	Surface	1	2	21.45	8.25	25.08	90	6.87	4.8	3.4	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J6	10:22:11	2.2	Bottom	3	1	21.41	8.24	25.36	90.1	6.87	4.9	4	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J6	10:21:47	2.2	Bottom	3	2	21.36	8.24	25.42	89.6	6.84	4.7	4.2	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS7	10:15:59	1.0	Surface	1	1	21.67	8.24	24.7	90.3	6.88	4.8	5	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS7	10:15:40	1.0	Surface	1	2	21.62	8.24	24.57	90.1	6.88	5.2	5.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS7	10:15:28	2.5	Bottom	3	1	21.35	8.24	25.57	89	6.79	7.7	7.7	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS7	10:15:50	2.5	Bottom	3	2	21.39	8.24	25.48	89.8	6.85	6.1	6.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS8	09:40:25	1.0	Surface	1	1	21.5	8.2	23.1	87.7	6.77	3.1	5.5	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS8	09:40:45	1.0	Surface	1	2	21.5	8.2	23.11	87.7	6.77	3.2	4.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS8	09:40:15	2.6	Bottom	3	1	21.36	8.2	23.48	87.4	6.75	3.2	6.2	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS8	09:40:34	2.6	Bottom	3	2	21.39	8.2	23.48	87.4	6.75	3.2	6.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J9	10:08:52	1.0	Surface	1	1	21.53	8.23	23.76	88.5	6.8	3.5	6.3	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J9	10:08:07	1.0	Surface	1	2	21.52	8.23	23.69	88.6	6.81	3.6	7.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J9	10:08:20	2.7	Bottom	3	1	21.33	8.23	25.24	88.1	6.73	3.5	7.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS(M)J9	10:07:56	2.7	Bottom	3	2	21.31	8.23	25.29	88.1	6.74	3.7	8.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS10	09:24:57	1.0	Surface	1	1	21.41	8.11	24.23	87.3	6.7	3.7	8.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS10	09:24:05	1.0	Surface	1	2	21.41	8.11	24.32	87.6	6.72	19.5	6.2	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS10	09:24:34	5.3	Middle	2	1	20.99	8.15	26.54	84.2	6.43	20.9	6.8	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS10	09:23:46	5.3	Middle	2	2	21.01	8.15	26.51	84.7	6.47	20.6	6.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS10	09:23:36	9.6	Bottom	3	1	20.79	8.14	28.71	84.9	6.42	21.7	6.8	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	IS10	09:24:23	9.6	Bottom	3	2	20.73	8.14	28.45	84.6	6.42	20.8	6.4	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR3	10:37:06	0.9	Middle	2	1	21.47	8.24	25.34	88.2	6.72	6.3	8.9	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR3	10:37:06	0.9	Middle	2	2	21.47	8.24	25.36	88.2	6.72	6.4	9.9	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR4	09:46:10	1.0	Surface	1	1	21.54	8.18	22.81	86.2	6.66	6.2	5.3	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR4	09:46:29	1.0	Surface	1	2	21.55	8.18	22.7	86.1	6.65	6.1	5.3	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR4	09:46:20	2.4	Bottom	3	1	21.5	8.17	23.19	86	6.63	6.4	8.3	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR4	09:46:00	2.4	Bottom	3	2	21.47	8.18	23.48	86.3	6.65	6.3	7.7	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR5	09:32:11	1.0	Surface	1	1	21.66	8.1	23.17	85.4	6.57	6.3	4.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR5	09:31:47	1.0	Surface	1	2	21.57	8.09	23.19	85.1	6.55	6.5	4.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR5	09:31:34	3.8	Bottom	3	1	21.08	8.12	26.5	84.3	6.43	7.4	5.3	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR5	09:32:00	3.8	Bottom	3	2	21.1	8.12	26.42	84.1	6.41	7.5	5.2	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10A	08:34:49	1.0	Surface	1	1	21.08	8.27	27.03	88.6	6.73	2	3.8	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10A	08:34:08	1.0	Surface	1	2	21.07	8.27	27.07	88.7	6.74	2.2	4.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10A	08:33:53	3.4	Middle	2	1	20.88	8.28	27.87	87.5	6.64	2.1	6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10A	08:34:35	3.4	Middle	2	2	20.9	8.28	27.82	87.5	6.64	2	7.2	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10A	08:33:41	5.8	Bottom	3	1	20.75	8.27	28.54	87.4	6.62	2	7.2	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10B	08:34:24	5.8	Bottom	3	2	20.75	8.27	28.53	87.3	6.62	2.1	5.3	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10B	08:28:25	1.0	Surface	1	1	20.76	8.28	28.86	86.8	6.56	2	3.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10B	08:27:40	1.0	Surface	1	2	20.75	8.29	28.75	86.7	6.56	2	3.9	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10B	08:27:25	4.5	Bottom	3	1	20.51	8.29	30.19	86.2	6.5	2	5.5	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	SR10B	08:27:53	4.5	Bottom	3	2	20.58	8.28	29.82	85.9	6.48	2.1	6.9	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS2	10:51:45	1.0	Surface	1	1	21.24	8.09	21.99	83.1	6.49	9.9	3.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS2	10:52:20	1.0	Surface	1	2	21.27	8.09	21.91	83.1	6.49	9.5	4.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS2	10:52:08	4.0	Middle	2	1	20.92	8.13	25.89	82.3	6.31	9.8	5.8	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS2	10:51:34	4.0	Middle	2	2	20.92	8.13	25.97	82	6.29	9.6	6.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS2	10:51:20	7.0	Bottom	3	1	20.82	8.13	27.62	81.3	6.19	9.6	8.1	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS2	10:51:57	7.0	Bottom	3	2	20.94	8.11	27.73	82	6.22	9.7	8	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS(M)J5	09:07:37	1.0	Surface	1	1	21.42	8.21	22.8	87.7	6.79	3.6	5.6	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS(M)J5	09:06:27	1.0	Surface	1	2	21.39	8.23	23.04	87.4	6.76	3.5	6.9	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS(M)J5	09:06:02	6.7	Middle	2	1	20.82	8.28	27.5	85.4	6.51	2.7	5.8	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS(M)J5	09:05:41	12.4	Bottom	3	2	20.84	8.28	27.34	85.3	6.5	2.7	5.5	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS(M)J5	09:05:41	12.4	Bottom	3	1	20.43	8.27	29.74	84.5	6.39	2.9	5.8	
HCLR	HY/2011/03	2013-04-17	Mid-Flood	Cloudy	CS(M)J5	09:06:48	12.4	Bottom	3	2	20.41	8.28	29.86	84.6	6.4	2.9	5.8	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS5	18:43:29	1.0	Surface	1	1	23.13	8.37	20.87	94.8	7.2	5	4.7	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS5	18:42:38	1.0	Surface	1	2	23.19	8.39	20.64	96.1	7.29	4.6	4	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS5	18:42:27	4.2	Middle	2	1	20.69	8.34	29.72	91.2	6.85	6.6	3.7	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS5	18:43:18	4.2	Middle	2	2	20.81	8.33	29.38	91.4	6.87	6.8	4.2	
HCLR	HY/2011/03																	

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS8	19:31:31	1.0	Surface	1	2	22.08	8.27	21.35	89.6	6.91	5.9	6	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS8	19:31:50	3.1	Bottom	3	1	21.48	8.21	25.22	89.3	6.81	8.7	7.2	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS8	19:31:50	3.1	Bottom	3	2	21.65	8.2	25.17	88.8	6.83	8.6	6.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS(M)9	19:11:10	1.0	Surface	1	1	22.26	8.31	21.88	97.8	7.49	10.6	7.3	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS(M)9	19:11:38	1.0	Surface	1	2	22.05	8.28	25.53	98.9	7.23	11.2	8	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS(M)9	19:11:20	2.6	Bottom	3	1	21.5	8.24	25.93	98.9	7.13	14.7	6.7	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS(M)9	19:10:46	2.6	Bottom	3	2	21.34	8.24	25.78	94.4	7.19	14.3	7.2	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS10	19:28:20	1.0	Surface	1	1	21.63	8.15	23.18	91	7.15	5.4	5.2	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS10	19:29:21	1.0	Surface	1	2	22.19	8.16	22.72	91.5	6.99	5.2	5.5	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS10	19:28:56	5.4	Middle	2	1	20.73	8.16	28.86	81.3	6.45	5.3	5.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS10	19:27:53	5.4	Middle	2	2	20.93	8.15	28.01	81.5	6.17	5.6	5.2	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS10	19:28:40	9.8	Bottom	3	1	20.6	8.17	30.62	83.9	6.3	7	4.5	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	IS10	19:27:32	9.8	Bottom	3	2	20.57	8.18	30.55	82.4	6.19	7.1	4.5	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR3	18:31:55	0.6	Middle	2	1	23.42	8.37	20.32	111.8	8.46	2.8	4.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR4	18:31:42	0.6	Middle	2	2	23.52	8.38	20.22	110.9	8.39	2.9	3.6	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR4	19:23:30	1.0	Surface	1	1	22.37	8.33	21.72	100.6	7.7	5.2	7.6	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR4	19:24:01	1.0	Surface	1	1	22.12	8.27	22.19	98.3	7.98	5.3	7	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR4	19:23:16	2.8	Bottom	3	1	21.9	8.23	24.63	88.9	6.76	5.6	7.4	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR4	19:23:47	2.8	Bottom	3	2	21.49	8.17	25.85	88.7	6.73	5.8	8	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR5	19:18:07	1.0	Surface	1	1	22.36	8.16	21.89	94.2	7.2	5.9	4.6	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR5	19:18:56	1.0	Surface	1	2	22.63	8.17	21.39	95.3	7.28	5.4	5.9	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR5	19:18:29	4.3	Bottom	3	1	21.09	8.14	27.34	87.2	6.61	6.8	7.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR5	19:17:37	4.3	Bottom	3	2	21.24	8.14	26.68	88.2	6.74	7.4	8.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10A	20:33:19	1.0	Surface	1	1	22.48	8.32	22.1	101.6	7.75	1.4	4.9	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10A	20:32:43	1.0	Surface	1	2	22.5	8.32	22.1	102.3	7.79	1.4	6.4	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10A	20:33:07	3.3	Middle	2	1	22.15	8.31	23.47	99.9	7.6	1.6	5.5	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10A	20:32:30	3.3	Middle	2	2	22.37	8.32	22.57	101.5	7.73	1.6	4.5	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10A	20:32:56	5.5	Bottom	3	1	21.97	8.3	24.22	100.1	7.61	1.7	5.9	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10A	20:32:21	5.5	Bottom	3	2	22.28	8.31	23.4	101.4	7.7	1.6	5	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10B	20:42:39	1.0	Surface	1	1	22.39	8.32	22.29	101.7	7.76	1.5	2.8	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10B	20:43:00	1.0	Surface	1	2	22.42	8.32	22.34	102.5	7.81	1.6	2.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10B	20:42:29	3.9	Bottom	3	1	22.23	8.31	23.52	102.1	7.77	1.6	3	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	SR10B	20:42:50	3.9	Bottom	3	2	22.39	8.32	22.57	102.1	7.77	1.6	3.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS2	18:08:43	1.0	Surface	1	1	22.69	8.14	21.29	96.2	7.34	3.2	2.7	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS2	18:07:39	1.0	Surface	1	2	22.94	8.13	20.98	96.4	7.39	3.1	3.6	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS2	18:08:21	3.5	Middle	2	1	21.05	8.12	27.1	84.1	84.1	4.9	2.9	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS2	18:07:19	3.5	Middle	2	2	21.12	8.1	26.85	83.5	6.34	4.8	3.1	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS2	18:06:56	6.0	Bottom	3	1	20.71	8.1	29.38	82.4	6.22	8.5	5.8	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS2	18:08:02	6.0	Bottom	3	2	20.76	8.11	29.04	85.4	6.45	8.3	4.2	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS(M)5	20:06:21	1.0	Surface	1	1	21.84	8.31	23.38	90.8	6.95	1.9	2.2	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS(M)5	20:07:08	1.0	Surface	1	2	21.98	8.32	22.07	91.5	7.04	1.8	3	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS(M)5	20:06:56	6.3	Middle	2	1	21.02	8.3	27.85	87.4	6.62	2.7	3.6	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS(M)5	20:06:05	6.3	Middle	2	2	20.93	8.31	28.74	85.9	6.48	2.8	3.5	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS(M)5	20:06:41	11.5	Bottom	3	1	20.52	8.29	31.44	89.2	6.67	3.5	3.7	
HCLR	HY/2011/03	2013-04-19	Mid-Ebb	Cloudy	CS(M)5	20:05:52	11.5	Bottom	3	2	20.49	8.3	31.43	86.8	6.5	3.4	3.5	
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS5	-	-	Surface	1	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS5	-	-	Surface	1	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS5	-	-	Middle	2	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS5	-	-	Middle	2	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS5	-	-	Bottom	3	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS5	-	-	Bottom	3	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)6	-	-	Surface	1	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)6	-	-	Surface	1	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)6	-	-	Bottom	3	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)6	-	-	Bottom	3	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS7	-	-	Surface	1	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS7	-	-	Surface	1	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS7	-	-	Bottom	3	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS7	-	-	Bottom	3	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS8	-	-	Surface	1	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS8	-	-	Surface	1	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS8	-	-	Bottom	3	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS8	-	-	Bottom	3	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)9	-	-	Surface	1	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)9	-	-	Surface	1	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)9	-	-	Bottom	3	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS(M)9	-	-	Bottom	3	2	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS10	-	-	Surface	1	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY/2011/03	2013-04-19	Mid-Flood	Cloudy	IS10	-	-	Surface										

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR4	-	-	Surface	1	1	-	-	-	-	-	-	-	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR4	-	-	Surface	1	2	21.85	8.52	25.57	112	8.46	8.2	9.2	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR4	-	-	Bottom	3	1	21.96	8.53	25.27	112.1	8.47	8.1	9.7	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR4	-	-	Bottom	3	2	21.57	8.48	27.06	110	8.31	8.9	8.4	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR5	-	-	Surface	1	1	21.39	8.46	27.36	108.4	8.11	9	8.6	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR5	-	-	Surface	1	2	21.29	8.45	29.13	107	8.06	8.9	8.6	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR5	-	-	Bottom	3	1	21.26	8.44	29.12	104.6	7.89	8.7	9.2	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR5	-	-	Bottom	3	2	21.71	8.47	24.91	111.5	8.48	7.5	10.9	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR10A	-	-	Surface	1	1	21.71	8.48	24.89	112.2	8.54	7.5	9.7	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR10A	-	-	Surface	1	2	21.7	8.47	24.92	111.8	8.51	7.6	10	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR10A	-	-	Surface	1	1	21.66	8.46	24.89	109.3	8.32	8.45	13.2	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR10A	-	-	Surface	1	2	21.66	8.46	24.85	110	8.38	9.5	13.8	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR10B	-	-	Bottom	3	1	21.65	8.45	24.93	108.6	8.27	9.4	9.8	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	SR10B	-	-	Bottom	3	2	21.66	8.46	24.85	109.7	8.35	9.6	9.8	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	1	21.41	8.37	26.48	97.8	7.41	6.2	8.1	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	2	21.41	8.37	26.54	97.3	7.37	6.3	8.1	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	1	21.41	8.35	27.06	97.4	7.36	6.1	7.6	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	2	21.41	8.35	26.93	97.7	7.39	6.1	7.6	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	1	21.41	8.36	26.13	96.9	7.35	12.7	10.4	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	2	21.48	8.38	26.13	97.5	7.39	12.5	11.2	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	1	21.39	8.35	27.22	97.3	7.34	13.1	10.6	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS2	-	-	Surface	1	2	21.39	8.35	27.22	97.3	7.34	13.3	11.7	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS1(M)5	-	-	Bottom	3	1	21.43	8.36	27.44	97.5	7.34	13.3	11.7	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS1(M)5	-	-	Bottom	3	2	21.33	8.29	28.04	95.8	7.2	9.5	9.5	Cancelled
HCLR	HY2011/03	2013-04-19	Mid-Flood	-	CS1(M)5	-	-	Bottom	3	1	21.33	8.28	28.04	95.9	7.22	9.2	9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:55:55	1.0	Surface	1	1	21.32	8.28	28.11	95.2	7.16	8	9.2	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:56:31	1.0	Surface	1	2	21.32	8.28	28.11	95.5	7.18	8.2	9.3	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:56:21	4.3	Middle	2	1	21.32	8.28	28.11	95.5	7.18	8.6	8.2	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:55:44	4.3	Middle	2	2	21.46	8.66	23.72	146.9	7.13	8.6	8.2	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:55:40	7.6	Bottom	3	1	22.49	8.66	23.75	146.5	7.13	8.7	8.2	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:55:31	7.6	Bottom	3	2	22.46	8.66	23.75	146.9	7.13	8.6	8.2	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:47:49	1.0	Surface	1	1	21.5	8.39	24.39	102.7	7.86	3.7	7.4	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5	11:48:04	1.0	Surface	1	2	21.49	8.39	24.43	101.7	7.79	3.9	8.2	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5(M)6	11:47:57	2.2	Bottom	3	1	21.49	8.38	24.74	102.3	7.82	4	4.5	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS5(M)6	11:47:42	2.2	Bottom	3	2	21.48	8.38	24.76	101.4	7.75	4.1	5.1	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS7	11:41:48	1.0	Surface	1	1	21.34	8.29	27.99	95.6	7.19	9.9	8.5	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS7	11:42:08	1.0	Surface	1	2	21.34	8.29	27.99	95.9	7.21	9.7	8.5	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS7	11:41:37	2.3	Bottom	3	1	21.34	8.29	28.03	95.4	7.18	10.2	9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS7	11:41:59	2.3	Bottom	3	2	21.34	8.29	27.99	95.5	7.18	10.1	9.6	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8	11:18:09	1.0	Surface	1	1	21.06	8.34	30.37	91.1	6.79	3.8	5.7	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8	11:17:50	1.0	Surface	1	2	21.05	8.34	30.54	91.2	6.79	3.8	5.6	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8	11:17:41	3.2	Bottom	3	1	21.01	8.34	30.8	90.3	6.72	3.7	5.5	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8	11:17:59	3.2	Bottom	3	2	21.01	8.34	30.81	90.7	6.75	3.6	5.5	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8	11:34:48	1.0	Surface	1	1	21.01	8.34	31.09	90.7	6.74	3.9	4.4	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8	11:34:27	1.0	Surface	1	2	21.01	8.34	31.09	90.7	6.74	3.9	4.4	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8(M)9	11:34:15	2.7	Bottom	3	1	21.02	8.34	30.9	91.3	6.79	3.6	4.6	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS8(M)9	11:34:37	2.7	Bottom	3	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	10:48:22	1.0	Surface	1	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	10:47:16	1.0	Surface	1	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	10:48:01	5.5	Middle	2	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	10:46:45	5.5	Middle	2	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	10:46:23	9.9	Bottom	3	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	10:47:45	9.9	Bottom	3	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	12:00:58	0.7	Middle	2	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	IS10	12:01:04	0.7	Middle	2	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR3	11:23:43	1.0	Surface	1	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR4	11:23:23	1.0	Surface	1	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR4	11:23:10	2.9	Bottom	3	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR4	11:23:11	2.9	Bottom	3	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR5	10:56:16	1.0	Surface	1	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR5	10:57:05	1.0	Surface	1	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR5	10:55:54	4.3	Bottom	3	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR5	10:56:33	4.3	Bottom	3	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR10A	09:44:59	1.0	Surface	1	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR10A	09:44:58	1.0	Surface	1	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR10A	09:45:30	3.3	Middle	2	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR10A	09:44:57	3.3	Middle	2	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR10A	09:44:21	5.6	Bottom	3	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR10A	09:44:47	5.6	Bottom	3	2	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled
HCLR	HY2011/03	2013-04-22	Mid-Ebb	-	SR10B	09:39:53	1.0	Surface	1	1	20.95	8.32	31.26	88.8	6.6	4.9	5.9	Cancelled

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	SR10B	09:39:34	1.0	Surface	1	2	20.96	8.32	31.27	89	6.61	4.8	6.2	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	SR10B	09:39:23	4.0	Bottom	3	1	20.95	8.32	31.3	89.1	6.62	5.1	6.2	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	SR10B	09:39:44	4.0	Bottom	3	2	20.96	8.32	31.28	88.8	6.6	4.9	6.9	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS2	12:08:56	1.0	Surface	1	1	21.36	8.31	27.94	98.4	7.4	6.6	7.3	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS2	12:07:50	1.0	Surface	1	2	21.36	8.31	27.94	98.5	7.41	6.2	6.8	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS2	12:08:35	3.3	Middle	2	2	21.34	8.31	28.02	97.7	7.35	6.8	5.7	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS2	12:07:09	3.3	Middle	2	2	21.34	8.31	28.02	97.7	7.35	6.7	5.8	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS2	12:06:53	5.5	Bottom	3	2	21.18	8.33	29.81	97.2	7.26	7.7	6	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS2	12:08:25	5.5	Bottom	3	2	21.32	8.31	28.37	97.5	7.32	7	5.8	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS1(MF)5	10:17:55	1.0	Surface	1	2	21.14	8.34	29.81	90.7	6.78	4.5	6.3	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS1(MF)5	10:18:40	6.0	Surface	1	2	21.11	8.34	29.87	90.6	6.77	4.5	5.6	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS1(MF)5	10:17:40	6.3	Middle	2	2	21.02	8.34	30.55	90	6.71	4.7	7	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS1(MF)5	10:18:29	6.3	Middle	2	2	21.01	8.34	30.55	89.9	6.7	4.7	6.6	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS1(MF)5	10:17:26	11.5	Bottom	3	1	21.01	8.34	30.64	89.9	6.7	5.2	5.8	
HCLR	HY/2011/03	2013-04-22	Mid-Ebb	Cloudy	CS1(MF)5	10:18:14	11.5	Bottom	3	2	21.01	8.34	30.67	90.1	6.71	5.1	5.9	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS5	15:25:19	1.0	Surface	1	2	21.87	8.56	25.1	115.9	8.78	8.9	14.1	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS5	15:24:46	1.0	Surface	1	1	21.93	8.59	25.15	118	8.93	8.7	14.1	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS5	15:25:11	4.2	Middle	2	1	21.7	8.51	26.18	113.5	8.5	9	14.9	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS5	15:24:52	4.2	Middle	2	2	21.6	8.48	26.69	111.9	8.45	9.2	14.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS5	15:25:02	7.4	Bottom	3	1	21.36	8.46	28.71	105.8	7.84	13.4	13.4	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS5	15:24:22	7.4	Bottom	3	2	21.26	8.43	29.02	104.7	7.84	9.6	12.1	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)6	15:32:36	1.0	Surface	1	2	21.83	8.55	25.47	122.1	9.23	14.5	12.3	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)6	15:32:15	1.0	Surface	1	2	21.83	8.55	25.48	121.7	9.2	14.1	13.3	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)6	15:32:26	2.2	Bottom	3	2	21.82	8.55	25.48	121.8	9.2	14.1	12.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)6	15:32:03	2.2	Bottom	3	2	21.82	8.54	25.48	121.2	9.17	14	12.1	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS7	15:38:41	1.0	Surface	1	1	21.58	8.41	25.93	105.4	7.99	10.6	12.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS7	15:39:00	1.0	Surface	1	2	21.58	8.41	25.93	105.5	7.99	10.7	12.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS7	15:38:49	2.3	Bottom	3	1	21.57	8.41	25.96	105.3	7.98	11	10.2	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS7	15:38:31	2.3	Bottom	3	2	21.57	8.41	25.96	105.4	7.98	11.2	10.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS8	15:59:47	1.0	Surface	1	1	21.29	8.31	28.07	87.4	6.58	12.8	9.5	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS8	15:59:22	1.0	Surface	1	2	21.29	8.31	28.1	87.5	6.58	13.1	10.5	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS8	15:59:34	2.9	Bottom	3	1	21.29	8.32	28.1	87.5	6.58	12.9	8	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	BS8	15:59:42	2.9	Bottom	3	2	21.28	8.31	28.1	87.9	6.62	13.1	9.4	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)9	15:46:00	1.0	Surface	1	2	21.37	8.38	27.17	99	7.47	6.7	4.8	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)9	15:45:38	1.0	Surface	1	2	21.37	8.38	27.17	99.1	7.47	6.7	4.4	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)9	15:45:26	2.6	Bottom	3	1	21.37	8.37	27.2	98.9	7.47	6.8	8.1	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS1(MF)9	15:45:50	2.6	Bottom	3	2	21.37	8.37	27.2	98.9	7.47	6.6	6.2	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS10	16:22:51	1.0	Surface	1	1	21.51	8.35	27.89	98.8	7.48	15.4	11	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS10	16:21:49	1.0	Surface	1	2	21.51	8.35	27.89	98.8	7.48	15.7	11.8	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS10	16:22:27	5.6	Middle	2	1	21.37	8.32	28.92	96.3	7.12	17.5	13.9	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS10	16:21:33	5.6	Middle	2	2	21.37	8.32	28.91	95.4	7.13	17.4	12.3	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS10	16:21:18	10.2	Bottom	3	1	21.21	8.33	29.58	96.2	7.19	17	13.2	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	IS10	16:22:08	10.2	Bottom	3	2	21.22	8.33	29.56	96	7.17	17.2	12.7	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR3	15:17:13	0.8	Middle	2	1	21.92	8.6	24.99	128.8	9.75	9.2	11	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR3	15:17:22	0.8	Middle	2	2	21.93	8.6	25.04	129.3	9.79	9	11.9	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR4	15:53:26	1.0	Surface	1	2	21.41	8.35	27.17	95.9	7.24	5.5	4.9	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR4	15:53:01	1.0	Surface	1	2	21.41	8.35	27.2	96	7.24	5.6	4.4	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR4	15:52:49	2.7	Bottom	3	1	21.32	8.34	27.77	96	7.23	6.5	5	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR4	15:53:12	2.7	Bottom	3	2	21.32	8.34	27.78	95.6	7.2	6.7	4.2	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR5	16:10:55	1.0	Surface	1	1	21.51	8.35	27.83	101.6	7.62	14.6	19.4	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR5	16:11:28	1.0	Surface	1	2	21.51	8.35	27.83	101.2	7.6	13.9	18.2	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR5	16:10:37	4.6	Bottom	3	1	21.48	8.33	28.13	100.9	7.56	14.4	18.3	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR5	16:11:11	4.6	Bottom	3	2	21.48	8.33	28.25	100.4	7.52	14	18.3	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10A	17:18:56	1.0	Surface	1	1	21.1	8.36	30.61	92.5	6.88	2.5	3.3	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10A	17:19:27	1.0	Surface	1	2	21.08	8.36	30.72	92.1	6.85	2.6	2.8	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10A	17:19:15	3.3	Middle	2	1	21.03	8.35	31.01	91.6	6.81	3.4	3.3	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10A	17:18:46	3.3	Middle	2	2	21.05	8.36	30.91	92.5	6.87	3.5	3.4	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10A	17:19:05	5.5	Bottom	3	1	21.05	8.35	31	92.2	6.85	3.6	3.7	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10A	17:18:36	5.5	Bottom	3	2	21.07	8.36	30.85	93	6.85	3.7	3.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10B	17:24:07	1.0	Surface	1	2	21.09	8.36	30.63	92.4	6.87	2.3	3.4	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10B	17:23:48	1.0	Surface	1	2	21.08	8.36	30.67	92.3	6.87	2.4	2.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10B	17:23:56	3.9	Bottom	3	1	21.06	8.36	30.91	92.3	6.86	2.6	3.7	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	SR10B	17:23:37	3.9	Bottom	3	2	21.05	8.36	30.93	92.2	6.85	2.6	2.6	
HCLR	HY/2011/03	2013-04-22	Mid-Flood	Cloudy	CS2	15:03:58	1.0	Surface	1	1	21.52	8.34						

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS5	12:52:02	1.0	Surface	1	1	22.14	8.31	27.36	91.9	6.84	9.8	9.1	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS5	12:52:45	1.0	Surface	2	2	22.17	8.31	27.37	91.8	6.82	9.8	9.2	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS5	12:52:29	4.6	Middle	2	1	22.05	8.31	27.44	91.1	6.79	10.6	9.1	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS5	12:51:37	4.6	Middle	2	2	22.06	8.31	27.44	91.2	6.79	10.9	8.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS5	12:52:17	8.1	Bottom	3	1	22.06	8.31	27.45	91.3	6.8	10.2	8.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS5	12:51:19	8.1	Bottom	3	2	22.06	8.31	27.44	91.3	6.8	10.7	9.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J6	12:43:05	1.0	Surface	1	1	22.54	8.31	26.99	94.3	6.98	9.4	4.7	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J6	12:43:25	1.0	Surface	1	2	22.49	8.32	27.05	94.2	6.98	10.3	4.4	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J6	12:42:53	2.3	Bottom	3	1	22.24	8.32	27.56	93.9	6.97	12.1	6.4	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J6	12:43:14	2.3	Bottom	3	2	22.27	8.32	27.53	93.9	6.96	12.2	7.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS7	12:36:49	1.0	Surface	1	1	22.13	8.31	26.88	92.8	6.93	8.5	6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS7	12:36:22	1.0	Surface	1	2	22.13	8.31	26.88	93	6.94	9.4	5.4	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS7	12:36:09	2.5	Bottom	3	1	22.14	8.32	27.65	92.9	6.9	12.1	6.7	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS8	12:12:05	1.0	Surface	1	1	22.52	8.3	27.65	92.9	6.96	6.9	6.9	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS8	12:11:38	1.0	Surface	1	2	22.45	8.31	26.93	94	6.97	7.3	7.8	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS8	12:11:52	2.5	Bottom	3	1	22.16	8.32	27.27	93.3	6.94	8	8.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS8	12:11:30	2.5	Bottom	3	2	22.14	8.33	27.48	93.4	6.94	8.8	7.8	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J9	12:29:17	1.0	Surface	1	1	22.46	8.29	26.75	95.1	7.06	10	5.4	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J9	12:29:47	1.0	Surface	1	2	22.48	8.29	26.77	95.6	6.87	9.8	5.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J9	12:28:17	2.5	Bottom	3	1	22.3	8.3	26.91	92.4	6.87	11.7	6.2	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS(M)J9	12:29:31	2.5	Bottom	3	2	22.35	8.3	27.38	92.1	6.87	10.3	7.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS10	11:49:04	1.0	Surface	1	1	22.31	8.13	24.91	89	6.7	10.1	5.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS10	11:48:44	1.0	Surface	1	2	22.29	8.13	24.95	89	6.69	6	5.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS10	11:48:57	5.8	Middle	2	1	22.11	8.16	25.44	88.6	6.67	6.2	6.5	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS10	11:48:37	5.8	Middle	2	2	22.12	8.15	25.48	88.6	6.68	6.3	6.8	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS10	11:48:28	10.6	Bottom	3	1	22.06	8.16	26.37	88.4	6.63	6.5	7	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	IS10	11:48:52	10.6	Bottom	3	2	22.24	8.14	26.71	88.5	6.59	6.3	8.4	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR3	12:57:58	0.7	Middle	2	1	22.38	8.31	27.34	90.7	6.87	8	11	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR3	12:58:11	0.7	Middle	2	2	22.32	8.31	27.35	90.6	6.87	7.9	12.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR4	12:18:03	1.0	Surface	1	1	22.44	8.31	27.14	94.2	6.98	6.1	7.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR4	12:18:23	1.0	Surface	1	2	22.47	8.31	27.09	94.1	6.97	6.5	8.2	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR4	12:17:53	2.3	Bottom	3	1	22.45	8.31	27.13	94.2	6.98	7.6	8	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR4	12:18:15	2.3	Bottom	3	2	22.43	8.31	27.17	93.9	6.96	8	8	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR5	11:58:05	1.0	Surface	1	1	22.78	8.15	26.25	90.3	6.68	9.7	8	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR5	11:57:49	1.0	Surface	1	2	22.8	8.14	25.73	90.3	6.7	9.6	7.4	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR5	11:57:44	4.5	Bottom	3	1	22.67	8.13	27.14	90.2	6.66	9.9	8.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR5	11:57:44	4.5	Bottom	3	2	22.75	8.14	27.16	90.5	6.67	10	7.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10A	10:54:54	1.0	Surface	1	1	21.71	8.32	29.74	91.5	6.77	4	6.4	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10A	10:54:05	1.0	Surface	1	2	21.54	8.32	30.12	91.5	6.77	3.8	5.9	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10A	10:53:48	3.4	Middle	2	1	21.4	8.31	30.57	90.7	6.71	4.2	7.2	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10A	10:54:40	3.4	Middle	2	2	21.38	8.31	30.68	90.2	6.67	4	6.2	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10A	10:53:55	5.8	Bottom	3	1	21.4	8.31	30.67	91.1	6.74	3.6	7.5	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10B	10:54:21	5.8	Bottom	3	2	21.38	8.31	30.72	90.5	6.69	3.9	6.8	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10B	10:45:20	1.0	Surface	1	1	21.44	8.31	30.65	90.4	6.68	5.5	7.9	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10B	10:45:55	1.0	Surface	1	2	21.44	8.31	30.65	90.3	6.67	5.4	7.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10B	10:45:38	4.7	Bottom	3	1	21.44	8.31	30.65	90	6.66	5.5	13.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	SR10B	10:45:04	4.7	Bottom	3	2	21.43	8.31	30.65	90.2	6.67	5.4	12.7	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS2	12:55:25	1.0	Surface	1	1	22	8.16	25.69	87.7	6.61	11.4	5.2	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS2	12:55:25	1.0	Surface	1	2	21.85	8.17	26.29	87.5	6.59	11.1	4.9	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS2	12:55:21	4.1	Middle	2	1	21.75	8.18	26.64	87.2	6.56	12	8.7	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS2	12:55:42	4.1	Middle	2	2	21.77	8.18	27.26	87.1	6.53	12.1	7.9	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS2	12:55:15	7.2	Bottom	3	1	21.75	8.17	27.52	87	6.51	13	8.6	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS2	12:55:34	7.2	Bottom	3	2	21.92	8.16	27.39	86.9	6.49	13.1	8.3	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS(M)J5	11:33:45	1.0	Surface	1	1	22.22	8.3	27.12	91.2	6.78	5.2	7.2	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS(M)J5	11:34:34	1.0	Surface	1	2	22.2	8.3	27.21	91.1	6.78	5.2	7.5	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS(M)J5	11:34:17	6.7	Middle	2	1	21.49	8.31	29.53	89.5	6.53	4.9	8.1	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS(M)J5	11:33:25	6.7	Middle	2	2	21.5	8.31	29.48	89.5	6.66	5.3	8.1	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS(M)J5	11:34:05	12.3	Bottom	3	1	21.43	8.31	29.95	89.2	6.62	5.7	9.7	
HCLR	HY/2011/03	2013-04-24	Mid-Ebb	Sunny	CS(M)J5	11:33:12	12.3	Bottom	3	2	21.51	8.31	29.68	89.5	6.65	5.2	8.5	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS5	16:52:40	1.0	Surface	1	1	23.31	8.29	26.9	94.6	6.91	6.5	7.8	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS5	16:52:56	1.0	Surface	1	2	23.41	8.29	26.82	95.4	6.96	6.9	8.1	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS5	16:52:41	4.4	Middle	2	1	22.93	8.3	27.05	93.6	6.88	9.5	7.2	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS5	16:53:30	4.4	Middle	2	2	22.88	8.3	27.14	93.3	6.86	9.2	7.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS5	16:52:13	7.8	Bottom	3	1	22.42	8.3	27.37	92.4	6.84	13.1	7	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS5	16:53												


Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS8	17:33:24	1.0	Surface	1	2	22.82	8.28	25.78	93.5	6.93	7.3	8.8	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS8	17:33:42	2.6	Bottom	3	1	22.66	8.29	27.21	93	6.86	9.6	8.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS8	17:32:49	2.6	Bottom	3	2	22.66	8.29	27.2	93	6.86	9.6	8.9	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	ISM9	17:18:37	1.0	Surface	1	1	22.88	8.28	26.05	93.4	6.91	8.6	6.2	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	ISM9	17:19:00	1.0	Surface	1	2	22.81	8.29	25.94	93.3	6.91	8.6	5.1	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	ISM9	17:18:25	2.6	Bottom	3	1	22.68	8.29	26.94	92.6	6.84	9.7	5.6	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	ISM9	17:18:50	2.6	Bottom	3	2	22.52	8.29	27.21	92.6	6.85	10.2	5.9	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS10	17:45:29	1.0	Surface	1	1	22.43	8.09	24.96	84.9	6.37	7.4	6.7	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS10	17:45:04	1.0	Surface	1	2	22.38	8.1	24.91	85.4	6.42	7.3	6.7	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS10	17:45:16	5.6	Middle	2	1	22.23	8.11	25.23	84.8	6.38	7.5	6.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS10	17:44:59	5.6	Middle	2	2	22.18	8.11	25.26	84.9	6.39	7.4	5.2	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS10	17:44:53	10.2	Bottom	3	1	22.34	8.1	26.32	84.5	6.3	7.6	5.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	IS10	17:45:11	10.2	Bottom	3	2	22.43	8.09	26.28	84.6	6.3	7.5	5.9	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR3	16:40:42	0.9	Middle	2	1	23.31	8.31	27.08	95.7	6.98	6.1	8.8	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR3	16:40:27	0.9	Middle	2	2	23.61	8.31	26.97	96.2	6.99	5.5	7.8	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR4	17:27:37	1.0	Surface	1	1	22.73	8.28	25.47	93.1	6.93	7.7	10.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR4	17:27:13	1.0	Surface	1	2	22.76	8.28	25.53	93.2	6.93	7.2	10	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR4	17:27:02	2.5	Bottom	3	1	22.66	8.28	27.07	93.1	6.87	8.2	9	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR4	17:27:24	2.5	Bottom	3	2	22.65	8.29	27.13	92.9	6.86	9.3	9.3	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR5	17:35:56	1.0	Surface	1	1	23.17	8.06	22.71	86.7	6.5	6.1	6.7	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR5	17:35:05	1.0	Surface	1	2	23.18	8.06	22.73	86.8	6.51	6.2	7.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR5	17:34:59	4.5	Bottom	3	1	23.31	8.04	23.85	86.6	6.44	6.3	5.3	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR5	17:35:10	4.5	Bottom	3	2	23.3	8.05	23.87	86.6	6.44	6.3	5.5	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10A	18:45:49	1.0	Surface	1	1	21.85	8.3	28.88	89.5	6.63	5.2	7.5	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10A	18:46:29	1.0	Surface	1	2	21.84	8.3	28.91	89.5	6.63	5.2	7.5	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10A	18:45:33	3.5	Middle	2	1	21.6	8.31	30.15	88.8	6.57	6.5	7.6	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10A	18:46:13	3.5	Middle	2	2	21.59	8.31	30.2	88.7	6.56	7	6.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10A	18:46:02	6	Bottom	3	1	21.61	8.3	30.22	88.8	6.56	6.3	9	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10A	18:45:21	6	Bottom	3	2	21.61	8.3	30.15	88.9	6.57	6	9.1	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10B	18:54:07	1.0	Surface	1	1	21.74	8.31	29.28	89.1	6.6	5.5	6.2	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10B	18:54:38	1.0	Surface	1	2	21.77	8.31	29.19	89.1	6.6	5.6	6.6	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10B	18:53:53	4.7	Bottom	3	1	21.56	8.31	30.25	88.6	6.55	6.4	5.6	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	SR10B	18:54:26	4.7	Bottom	3	2	21.56	8.31	30.41	88.5	6.54	7	5.6	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS2	16:41:49	1.0	Surface	1	1	22.07	8.06	24.67	83.9	6.35	6.5	7.1	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS2	16:42:16	1.0	Surface	1	2	22.15	8.07	24.59	83.6	6.34	6.9	6.9	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS2	16:42:08	4.1	Middle	2	1	21.96	8.08	25.71	83.6	6.3	9.2	6.9	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS2	16:41:41	4.1	Middle	2	2	21.93	8.08	25.78	83.6	6.3	9.2	7.3	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS2	16:41:28	7.2	Bottom	3	1	21.92	8.07	25.78	83.5	6.29	9.4	6.4	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS2	16:42:01	7.2	Bottom	3	2	21.97	8.08	26.27	83.2	6.25	9.4	6.1	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS1M9	18:10:44	1.0	Surface	1	1	22.2	8.3	27.19	89.5	6.66	5.8	4.1	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS1M9	18:09:55	1.0	Surface	1	2	22.05	8.3	27.49	89	6.63	6.2	4.3	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS1M9	18:09:37	6.8	Middle	2	1	21.48	8.3	29.28	87.3	6.5	8	6.6	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS1M9	18:10:29	6.8	Middle	2	2	21.49	8.3	29.17	87.2	6.5	7.3	5.7	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS1M9	18:10:14	12.6	Bottom	3	1	21.48	8.3	29.43	87.6	6.52	9.2	6.3	
HCLR	HY/2011/03	2013-04-24	Mid-Flood	Sunny	CS1M9	18:09:20	12.6	Bottom	3	2	21.46	8.3	29.52	87.6	6.52	9.2	5.4	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS5	11:56:28	1.0	Surface	1	1	23.08	8.24	26.42	88.4	6.5	14.9	18.8	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS5	11:56:06	1.0	Surface	1	2	23.07	8.23	26.44	88.4	6.5	15.1	18.6	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS5	11:56:21	4.7	Middle	2	1	23.04	8.24	26.51	88.3	6.5	15.3	18.4	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS5	11:56:01	4.7	Middle	2	2	23.04	8.23	26.5	88.2	6.5	15.5	18.2	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS5	11:56:14	8.4	Bottom	3	1	23.05	8.23	26.55	88.2	6.49	15.5	19.1	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS5	11:55:55	8.4	Bottom	3	2	23.07	8.23	26.48	88.3	6.5	15.7	19.1	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	ISM9	12:04:16	1.0	Surface	1	1	23.14	8.24	26.13	88	6.48	15.5	8.2	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	ISM9	12:03:34	1.0	Surface	1	2	23.26	8.22	25.91	88.2	6.49	15.2	7.6	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	ISM9	12:03:28	2.4	Bottom	3	1	23.21	8.21	26.19	88	6.47	18.7	8.6	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	ISM9	12:04:10	2.4	Bottom	3	2	23.03	8.24	26.57	87.7	6.45	18.7	8.3	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS7	12:11:03	1.0	Surface	1	1	23.2	8.19	24.99	87.9	6.5	7.1	9.8	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS7	12:10:54	1.0	Surface	1	2	23.2	8.18	25	88	6.51	7.1	10.2	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS7	12:10:58	2.4	Bottom	3	1	23.2	8.18	24.99	88	6.51	7.2	15.3	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS7	12:10:50	2.4	Bottom	3	2	23.22	8.18	25	88.1	6.52	7.1	10.5	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS8	12:33:09	1.0	Surface	1	1	23.22	8.2	25.15	86.7	6.41	9.1	10.3	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS8	12:33:01	1.0	Surface	1	2	23.22	8.2	25.1	86.8	6.42	9.2	9.4	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS8	12:32:55	2.5	Bottom	3	1	23.19	8.19	25.09	86.8	6.42	9.3	11.3	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS8	12:33:05	2.5	Bottom	3	2	23.2	8.2	25.13	86.8	6.42	9.2	10.2	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	ISM9	12:17:08	1.0	Surface	1	1	22.97	8.17	25.18	84.8	6.29	16	10.4	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	ISM9	12:17:17	1.0	Surface										

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation	
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS10	13:18:48	1.0	Surface	1	1	22.78	8.17	26.24	87.3	6.47	12.8	9.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS10	13:20:02	1.0	Surface	1	2	22.79	8.17	26.24	87.3	6.46	12.7	10.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS10	13:18:36	5.2	Middle	2	1	22.67	8.2	26.75	87.4	6.47	13.9	11.1		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS10	13:19:41	9.2	Middle	2	2	22.7	8.19	26.86	87.2	6.44	13.7	12		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS10	13:19:25	9.3	Bottom	3	1	22.41	8.24	28.97	87	6.38	14.5	12.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	IS10	13:18:25	9.3	Bottom	3	2	22.42	8.24	28.91	86.9	6.38	14.7	13		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR3			Surface	1	1									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR3			Surface	1	2									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR3	11:45:50	0.7	Middle	2	1	23.1	8.16	26.39	90.1	6.63	14.8	20.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR3	11:45:47	0.7	Middle	2	2	23.1	8.15	26.39	90.3	6.64	14.8	19.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR3			Bottom	3	1									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR3			Bottom	3	2									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR4	12:24:50	1.0	Surface	1	1	23.21	8.18	25.19	87.6	6.48	14.9	12.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR4	12:24:58	1.0	Surface	1	2	23.24	8.19	25.29	87.5	6.46	15.2	12.8		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR4			Middle	2	1									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR4			Middle	2	2									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR4	12:24:54	2.5	Bottom	3	1	23.22	8.18	25.24	87.5	6.47	17.3	14.8		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR4	12:24:46	2.5	Bottom	3	2	23.2	8.18	25.16	87.7	6.49	17.8	13.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR5	13:09:59	1.0	Surface	1	1	22.76	8.17	26.4	87.3	6.46	10.4	10.3		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR5	13:10:03	1.0	Surface	1	2	22.77	8.17	26.4	87.3	6.46	10.3	10.1		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR5			Middle	2	1									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR5			Middle	2	2									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR5	13:09:28	3.6	Bottom	3	1	22.76	8.17	26.42	87.3	6.46	10.4	11.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR5	13:09:52	3.6	Bottom	3	2	22.76	8.17	26.45	87.2	6.45	10.3	12		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10A	13:41:43	1.0	Surface	1	1	22.58	8.24	26.9	87.3	6.46	5.5	10.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10A	13:42:03	1.0	Surface	1	2	22.45	8.25	27.61	87	6.42	5.3	10.9		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10A	13:41:37	3.3	Middle	2	1	22.4	8.24	27.14	87.2	6.45	5.5	9.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10A	13:41:59	3.3	Middle	2	2	22.38	8.25	28.1	86.8	6.4	5.4	9.3		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10A	13:41:31	5.6	Bottom	3	1	22.51	8.23	28.28	87.1	6.4	5.6	11.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10A	13:41:51	5.6	Bottom	3	2	22.5	8.23	28.43	86.9	6.39	5.5	10.4		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10B	13:51:17	1.0	Surface	1	1	22.62	8.24	26.89	87.4	6.46	5.4	9.7		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10B	13:51:07	1.0	Surface	1	2	22.63	8.24	26.83	87.4	6.47	5.4	9.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10B			Middle	2	1									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10B			Middle	2	2									
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10B	13:51:11	4.5	Bottom	3	1	22.64	8.24	26.84	87.4	6.46	5.4	7.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	SR10B	13:51:01	4.5	Bottom	3	2	22.63	8.24	26.88	87.3	6.46	5.4	8.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS2	11:36:27	1.0	Surface	1	1	22.64	8.18	26.52	88.6	6.57	12.4	10.5		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS2	11:37:08	1.0	Surface	1	2	22.64	8.19	26.53	88.3	6.54	12.5	11.5		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS2	11:36:13	4.0	Middle	2	1	22.63	8.18	26.66	88.9	6.58	14.2	10.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS2	11:36:54	4.0	Middle	2	2	22.59	8.2	26.74	88.5	6.55	13.9	11.8		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS2	11:36:41	7.0	Bottom	3	1	22.42	8.22	28.83	88	6.46	15.5	9		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS2	11:35:44	7.0	Bottom	3	2	22.2	8.24	29.74	90.4	6.63	15.2	9.3		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS(M)5	13:13:30	1.0	Surface	1	1	22.78	8.21	26.09	86	6.37	8.6	10.9		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS(M)5	13:13:53	1.0	Surface	1	2	22.79	8.22	26.1	86.1	6.38	8.7	10.2		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS(M)5	13:13:46	6.8	Middle	2	1	22.62	8.22	26.58	85.6	6.34	8.6	10.4		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS(M)5	13:13:25	6.8	Middle	2	2	22.72	8.21	26.25	85.6	6.33	8.5	10.6		
HCLR	HY/2011/03	2013-04-26	Mid-Ebb	Cloudy	CS(M)5	13:13:41	12.5	Bottom	3	1	22.65	8.21	27.12	85.7	6.32	8.6	12.1		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	CS(M)5	13:13:15	12.5	Bottom	3	2	22.57	8.21	26.89	85.6	6.33	8.7	13.4		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS5	07:06:29	1.0	Surface	1	1	23.5	8.22	25.53	87.4	6.42	10.7	15.8		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS5	07:06:41	4.7	Middle	2	1	23.5	8.22	25.56	87.2	6.4	11	14.5		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS5	07:06:22	4.7	Middle	2	2	23.5	8.22	25.56	87.1	6.39	11.5	13.6		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS5	07:06:17	8.3	Bottom	3	1	23.5	8.22	25.56	87.4	6.41	11.3	14.4		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS5	07:06:36	8.3	Bottom	3	2	23.5	8.22	25.56	87.5	6.42	11.8	15		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS(M)6	06:58:32	1.0	Surface	1	1	23.25	8.19	24.98	86.8	6.42	11.4	15.6		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS(M)6	06:58:24	1.0	Surface	1	2	23.25	8.19	24.97	87	6.43	11.2	15		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS(M)6			Middle	2	1									
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS(M)6			Middle	2	2									
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS(M)6	06:58:20	2.4	Bottom	3	1	23.25	8.19	24.96	87.1	6.44	12	16.1		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS(M)6	06:58:28	2.4	Bottom	3	2	23.25	8.19	24.98	86.9	6.43	11.9	15.6		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS7	06:52:09	1.0	Surface	1	1	23.06	8.18	24.76	85.6	6.36	12.7	20.1		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS7	06:52:17	1.0	Surface	1	2	23.06	8.18	24.76	85.4	6.34	12.5	20		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS7			Middle	2	1									
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS7			Middle	2	2									
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS7	06:52:13	2.4	Bottom	3	1	23.06	8.18	24.76	85.5	6.35	13.1	20.9		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS7	06:52:05	2.4	Bottom	3	2	23.05	8.18	24.76	85.7	6.37	13.2	20.2		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS8	06:38:35	1.0	Surface	1	1	22.83	8.22	25.72	86.7	6.43	18.1	10		
HCLR	HY/2011/03	2013-04-26	Mid-Flood	Cloudy	IS8	06:28:43	1.0	Surface	1	2	22.82	8.22	25.77	86.4	6.41	17.9	9.		


Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	IS10	15:13:18	5.6	Middle	2	1	22.59	8.23	28.69	90.9	6.65	10	6.9	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	IS10	15:12:14	5.6	Middle	2	2	22.63	8.23	28.26	91.1	6.68	9.7	6.8	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	IS10	15:12:01	10.2	Bottom	3	1	22.42	8.25	30.11	90.9	6.63	13.5	5.9	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	IS10	15:13:05	10.2	Bottom	3	2	22.39	8.25	30.16	90.9	6.63	12.9	8.1	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR3	13:46:25	0.8	Middle	2	1	22.85	8.19	28.52	90.8	6.63	10.4	7.3	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR3	13:46:28	0.8	Middle	2	2	22.84	8.19	28.54	90.8	6.63	10.4	8.3	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR4	14:42:08	1.0	Surface	1	1	23	8.19	27.17	89.1	6.53	10.1	8.9	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR4	14:41:42	1.0	Surface	1	2	23.03	8.18	27.01	89.1	6.54	10.3	8.7	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR4	14:41:36	3.0	Bottom	3	1	23.02	8.18	27	89.1	6.54	10.4	9.5	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR4	14:41:55	3.0	Bottom	3	2	23.09	8.18	26.99	89.1	6.53	10.6	8.5	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR5	15:01:38	1.0	Surface	1	1	22.93	8.21	27.34	93.1	6.83	7.6	5.9	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR5	15:01:03	1.0	Surface	1	2	22.91	8.21	27.37	92.9	6.81	8	6.7	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR5	15:01:18	4.3	Bottom	3	1	22.76	8.21	27.91	92.4	6.76	8.5	7.5	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR5	15:00:48	4.3	Bottom	3	2	22.78	8.21	27.84	92.4	6.78	8.8	8.1	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10A	16:39:19	1.0	Surface	1	1	22.62	8.23	28.08	88.9	6.53	7.5	7.1	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10A	16:38:33	1.0	Surface	1	2	22.62	8.23	28.07	89	6.54	7.6	8.1	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10A	16:38:24	3.7	Middle	2	1	22.6	8.23	28.13	88.8	6.52	7.7	7.6	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10A	16:39:06	3.7	Middle	2	2	22.6	8.23	28.14	88.5	6.5	7.7	8.9	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10A	16:38:15	6.3	Bottom	3	1	22.6	8.22	28.17	88.8	6.52	7.9	8.2	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10A	16:38:53	6.3	Bottom	3	2	22.6	8.23	28.17	88.6	6.51	7.9	8.5	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10B	16:54:27	1.0	Surface	1	1	22.53	8.24	28.72	88.8	6.51	9.1	10.9	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10B	16:54:45	1.0	Surface	1	2	22.53	8.25	28.72	88.8	6.51	8.9	12.1	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10B	16:54:34	4.6	Bottom	3	1	22.53	8.24	28.73	88.7	6.5	9.1	11	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	SR10B	16:54:05	4.6	Bottom	3	2	22.53	8.24	28.74	88.6	6.5	10.1	10.1	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS2	13:54:34	1.0	Surface	1	1	22.6	8.25	28.56	92.3	6.76	10.7	7.7	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS2	13:55:26	1.0	Surface	1	2	22.58	8.25	28.43	91.8	6.73	11.4	7	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS2	13:54:18	3.6	Middle	2	1	22.26	8.29	30.62	91.3	6.65	14.6	6.3	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS2	13:55:14	3.6	Middle	2	2	22.23	8.29	30.74	90.8	6.62	15.4	7.4	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS2	13:54:03	6.2	Bottom	3	1	22.23	8.28	30.96	91.3	6.64	14.4	6.3	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS3	13:54:56	6.2	Bottom	3	2	22.21	8.28	30.98	90.9	6.61	15.6	7	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS1(MF)5	16:07:34	1.0	Surface	1	1	22.68	8.24	27.76	89.4	6.55	11.5	8.7	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS1(MF)5	16:07:49	1.0	Surface	1	2	22.69	8.24	27.76	89.1	6.55	11.9	9.2	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS1(MF)5	16:08:19	6.5	Middle	2	1	22.48	8.24	28.2	87.6	6.45	20.7	9.8	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS1(MF)5	16:08:19	6.5	Middle	2	2	22.57	8.24	28.08	87.9	6.46	20.6	8.9	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS1(MF)5	16:07:20	12.0	Bottom	3	1	22.38	8.24	29.02	88.3	6.48	22.1	21.7	
HCLR	HY/2011/03	2013-04-29	Mid-Ebb	Sunny	CS1(MF)5	16:08:01	12.0	Bottom	3	2	22.34	8.24	29.25	88.3	6.43	22.3	21.7	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS5	08:39:20	1.0	Surface	1	1	22.54	8.23	27.51	90.5	6.68	10.2	10.1	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS5	08:38:49	1.0	Surface	1	2	22.54	8.23	27.53	90.4	6.67	10.4	10.7	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS5	08:39:13	4.8	Middle	2	1	22.53	8.23	27.56	90.3	6.66	10.4	9.6	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS5	08:38:43	4.8	Middle	2	2	22.53	8.23	27.57	90.2	6.66	10.5	11.2	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS5	08:39:06	8.6	Bottom	3	1	22.53	8.23	27.57	90.1	6.65	10.6	11.4	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS5	08:38:55	8.6	Bottom	3	2	22.53	8.22	27.58	90.2	6.65	10.7	10.3	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS1(MF)6	08:30:05	1.0	Surface	1	1	22.56	8.22	27.54	91	6.71	11.5	12.8	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS1(MF)6	08:30:14	1.0	Surface	1	2	22.56	8.22	27.54	90.9	6.71	11.5	12	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS1(MF)6	08:30:01	2.4	Bottom	3	1	22.56	8.22	27.54	91	6.71	11.5	12.7	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS7	08:24:12	1.0	Surface	1	2	22.57	8.22	27.54	91	6.71	11.5	12.4	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS7	08:24:03	1.0	Surface	1	1	22.57	8.21	27.11	91.5	6.77	9.3	5.2	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS7	08:24:07	2.5	Bottom	3	1	22.56	8.21	27.14	91.6	6.77	9.6	5.2	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS7	08:23:59	2.5	Bottom	3	2	22.58	8.21	27.18	91.6	6.76	9.6	8.5	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS8	08:03:19	1.0	Surface	1	1	22.58	8.2	27.19	91.6	6.77	9.7	8.6	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS8	08:03:08	1.0	Surface	1	2	22.58	8.2	26.99	89	6.59	17.1	7.8	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS8	08:03:23	2.7	Bottom	3	1	22.53	8.2	27.04	89.1	6.59	16.9	6.6	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS8	08:03:13	2.7	Bottom	3	2	22.54	8.2	27.08	89.1	6.59	18.1	5.7	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS1(MF)9	08:18:06	1.0	Surface	1	1	22.59	8.2	27.05	89	6.58	18.5	6.8	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS1(MF)9	08:18:17	1.0	Surface	1	2	22.59	8.2	26.78	89	6.58	18.5	6.7	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS1(MF)9	08:18:11	2.5	Bottom	3	1	22.61	8.21	26.65	88.9	6.59	11.8	7.6	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS1(MF)9	08:18:01	2.5	Bottom	3	2	22.61	8.2	26.78	88.9	6.58	12.6	8	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS10	08:35:11	1.0	Surface	1	1	22.65	8.13	26.74	87.2	6.45	10.6	8.3	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS10	08:34:56	5.7	Middle	2	1	22.67	8.14	26.74	87.3	6.46	10.8	8.4	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS10	08:33:49	5.7	Middle	2	2	22.42	8.16	28.3	86.1	6.34	13	8	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS10	08:33:29	10.3	Bottom	3	1	22.38	8.17	28.21	85.9	6.33	12.7	8.8	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS10	08:34:39	10.3	Bottom	3	2	22.37	8.17	28.54	85.9	6.32	14.5	9.2	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	IS10	08:33:23	10.3	Bottom	3	1	22.38	8.16	28.52	86	6.33	13.8	8.2	
HCLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR3	08:47:36	0.9	Middle	2	1	22.56	8.23	27.56	90.2	6.65	13.6	13.7	
H																		

Project	Works	Date (YYYY-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L	Site Observation
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10A	07:10:28	1.0	Surface	1	2	22.2	8.27	29.78	88	6.45	5.7	4.2	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10A	07:09:55	3.3	Middle	2	1	22.19	8.27	29.81	87.9	6.45	5.9	4.2	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10A	07:10:22	3.3	Middle	2	2	22.16	8.27	29.94	87.8	6.43	5.8	3.9	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10A	07:10:16	5.6	Bottom	3	1	22.16	8.27	30.08	87.8	6.43	6.1	6.4	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10A	07:09:40	5.6	Bottom	3	2	22.17	8.27	30.02	88	6.44	6.3	5.1	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10B	07:04:50	1.0	Surface	1	1	22.02	8.28	31.2	87.2	6.36	8.5	1.1	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10B	07:05:01	1.0	Surface	1	2	22.02	8.29	31.2	87.2	6.36	8.7	10.5	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10B	07:04:42	4.4	Bottom	3	1	22.02	8.28	31.2	87.2	6.36	8.6	10.5	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	SR10B	07:04:56	4.4	Bottom	3	2	22.02	8.29	31.2	87.2	6.36	8.6	10.5	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS2	09:53:51	1.0	Surface	1	1	22.81	8.09	24.6	87.8	6.56	9.2	6.3	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS2	09:55:12	1.0	Surface	1	2	22.82	8.09	24.59	87.7	6.55	9	6.3	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS2	09:53:27	3.5	Middle	2	1	22.54	8.18	27.49	89.4	6.6	11.8	7.9	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS2	09:54:45	3.5	Middle	2	2	22.55	8.18	27.47	89	6.57	12.2	8.3	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS2	09:54:21	6.0	Bottom	3	1	22.33	8.22	29.82	88.8	6.49	13.1	7.7	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS2	09:52:58	6.0	Bottom	3	2	22.33	8.22	29.82	88.3	6.53	13.9	7.8	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS(M)JS	07:36:00	1.0	Surface	1	1	22.41	8.24	27.93	88.7	6.55	7.9	4.7	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS(M)JS	07:36:29	1.0	Surface	1	2	22.49	8.23	27.46	89.1	6.58	7.9	5.8	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS(M)JS	07:36:22	6.8	Middle	2	1	22.36	8.24	28.29	88.5	6.53	10.5	7.2	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS(M)JS	07:35:53	6.8	Middle	2	2	22.29	8.24	28.87	88.4	6.5	10.2	7.7	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS(M)JS	07:35:47	12.5	Bottom	3	1	22.34	8.23	29.27	88.5	6.49	11.6	6	
HKLR	HY/2011/03	2013-04-29	Mid-Flood	Sunny	CS(M)JS	07:36:17	12.5	Bottom	3	2	22.32	8.24	28.71	88.4	6.51	11.9	7.1	


DO Concentrations at Station CS2 (Mid Ebb)




DO Concentrations at Station CS2 (Mid Flood)




DO Concentrations at Station CS(Mf)5 (Mid Ebb)




DO Concentrations at Station CS(Mf)5 (Mid Flood)




DO Concentrations at Station IS5 (Mid Ebb)




DO Concentrations at Station IS5 (Mid Flood)




DO Concentrations at Station IS(Mf)6 (Mid Ebb)




DO Concentrations at Station IS(Mf)6 (Mid Flood)




DO Concentrations at Station IS7 (Mid Ebb)




DO Concentrations at Station IS7 (Mid Flood)




DO Concentrations at Station IS8 (Mid Ebb)




DO Concentrations at Station IS8 (Mid Flood)




DO Concentrations at Station IS(Mf)9 (Mid Ebb)




DO Concentrations at Station IS(Mf)9 (Mid Flood)




DO Concentrations at Station IS10 (Mid Ebb)




DO Concentrations at Station IS10 (Mid Flood)




DO Concentrations at Station SR3 (Mid Ebb)




DO Concentrations at Station SR3 (Mid Flood)




DO Concentrations at Station SR4 (Mid Ebb)




DO Concentrations at Station SR4 (Mid Flood)




DO Concentrations at Station SR5 (Mid Ebb)




DO Concentrations at Station SR5 (Mid Flood)




DO Concentrations at Station SR10A (Mid Ebb)




DO Concentrations at Station SR10A (Mid Flood)




DO Concentrations at Station SR10B (Mid Ebb)




DO Concentrations at Station SR10B (Mid Flood)




Turbidity Concentrations at Station CS2 (Mid Ebb)




Turbidity Concentrations at Station CS2 (Mid Flood)





Turbidity Concentrations at Station CS(Mf)5 (Mid Ebb)




Turbidity Concentrations at Station CS(Mf)5 (Mid Flood)







Turbidity Concentrations at Station IS(Mf)6 (Mid Ebb)




Turbidity Concentrations at Station IS(Mf)6 (Mid Flood)




Turbidity Concentrations at Station IS7 (Mid Ebb)




Turbidity Concentrations at Station IS7 (Mid Flood)




Turbidity Concentrations at Station IS8 (Mid Ebb)




Turbidity Concentrations at Station IS8 (Mid Flood)




Turbidity Concentrations at Station IS(Mf)9 (Mid Ebb)




Turbidity Concentrations at Station IS(Mf)9 (Mid Flood)




Turbidity Concentrations at Station IS10 (Mid Ebb)




Turbidity Concentrations at Station IS10 (Mid Flood)




Turbidity Concentrations at Station SR3 (Mid Ebb)




Turbidity Concentrations at Station SR3 (Mid Flood)




Turbidity Concentrations at Station SR4 (Mid Ebb)




Turbidity Concentrations at Station SR4 (Mid Flood)




Turbidity Concentrations at Station SR5 (Mid Ebb)




Turbidity Concentrations at Station SR5 (Mid Flood)




Turbidity Concentrations at Station SR10A (Mid Ebb)




Turbidity Concentrations at Station SR10A (Mid Flood)




Turbidity Concentrations at Station SR10B (Mid Ebb)




Turbidity Concentrations at Station SR10B (Mid Flood)




SS Concentrations at Station CS2 (Mid Ebb)




SS Concentrations at Station CS2 (Mid Flood)




SS Concentrations at Station CS(Mf)5 (Mid Ebb)




SS Concentrations at Station CS(Mf)5 (Mid Flood)




SS Concentrations at Station IS5 (Mid Ebb)




SS Concentrations at Station IS5 (Mid Flood)




SS Concentrations at Station IS(Mf)6 (Mid Ebb)




SS Concentrations at Station IS(Mf)6 (Mid Flood)




SS Concentrations at Station IS7 (Mid Ebb)




SS Concentrations at Station IS7 (Mid Flood)




SS Concentrations at Station IS8 (Mid Ebb)




SS Concentrations at Station IS8 (Mid Flood)




SS Concentrations at Station IS(Mf)9 (Mid Ebb)




SS Concentrations at Station IS(Mf)9 (Mid Flood)




SS Concentrations at Station IS10 (Mid Ebb)




SS Concentrations at Station IS10 (Mid Flood)




SS Concentrations at Station SR3 (Mid Ebb)




SS Concentrations at Station SR3 (Mid Flood)




SS Concentrations at Station SR4 (Mid Ebb)




SS Concentrations at Station SR4 (Mid Flood)




SS Concentrations at Station SR5 (Mid Ebb)




SS Concentrations at Station SR5 (Mid Flood)




SS Concentrations at Station SR10A (Mid Ebb)




SS Concentrations at Station SR10A (Mid Flood)



SS Concentrations at Station SR10B (Mid Ebb)




SS Concentrations at Station SR10B (Mid Flood)




Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2013-04-03	AMS5	09:30	1-hr TSP	115	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS5	10:30	1-hr TSP	100	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS5	11:30	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS5	13:40	1-hr TSP	55	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS5	14:40	1-hr TSP	67	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS5	15:40	1-hr TSP	105	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS5	09:30	1-hr TSP	185	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS5	10:30	1-hr TSP	215	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS5	11:30	1-hr TSP	186	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS5	09:30	1-hr TSP	71	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS5	10:30	1-hr TSP	46	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS5	11:30	1-hr TSP	35	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS5	09:25	1-hr TSP	41	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS5	10:25	1-hr TSP	37	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS5	11:25	1-hr TSP	36	ug/m3
HKLR	HY/2011/03	2013-04-02	AMS5	08:00	24-hr TSP	53	ug/m3
HKLR	HY/2011/03	2013-04-08	AMS5	08:00	24-hr TSP	103	ug/m3
HKLR	HY/2011/03	2013-04-12	AMS5	08:00	24-hr TSP	65	ug/m3
HKLR	HY/2011/03	2013-04-18	AMS5	08:00	24-hr TSP	22	ug/m4
HKLR	HY/2011/03	2013-04-24	AMS5	08:00	24-hr TSP	54	ug/m3
HKLR	HY/2011/03	2013-04-30	AMS5	08:00	24-hr TSP	46	ug/m4
HKLR	HY/2011/03	2013-04-03	AMS6	13:20	1-hr TSP	141	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS6	14:20	1-hr TSP	154	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS6	15:20	1-hr TSP	205	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS6	08:40	1-hr TSP	74	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS6	09:40	1-hr TSP	53	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS6	10:40	1-hr TSP	90	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS6	14:20	1-hr TSP	147	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS6	15:20	1-hr TSP	134	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS6	16:20	1-hr TSP	113	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS6	13:20	1-hr TSP	36	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS6	14:20	1-hr TSP	25	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS6	15:20	1-hr TSP	25	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS6	13:20	1-hr TSP	34	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS6	14:20	1-hr TSP	20	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS6	15:20	1-hr TSP	17	ug/m3
HKLR	HY/2011/03	2013-04-02	AMS6	08:00	24-hr TSP	59	ug/m3
HKLR	HY/2011/03	2013-04-08	AMS6	08:00	24-hr TSP	108	ug/m3
HKLR	HY/2011/03	2013-04-12	AMS6	08:00	24-hr TSP	72	ug/m3
HKLR	HY/2011/03	2013-04-18	AMS6	08:00	24-hr TSP	25	ug/m3
HKLR	HY/2011/03	2013-04-24	AMS6	08:00	24-hr TSP	47	ug/m3
HKLR	HY/2011/03	2013-04-30	AMS6	08:00	24-hr TSP	51	ug/m3

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Graphical Plot of 24-hour TSP at AMS5 and AMS6




Project	Works	Date (yyy-mm-dd)	Station	Start Time	1st set 5mins		2nd set 5mins		3rd set 5mins		4th set 5mins		5th set 5mins		6th set 5mins		Overall (30mins)*		Unit
					Leq:	L10:	Leq:	L10:	Leq:	L10:	Leq:	L10:	Leq:	L10:	Leq:	L10:	Leq:	L10:	
HKLR	HY/2011/03	2013-04-03	NMS5	10:10	Leq: 55.5	L10: 58.5	Leq: 56.4	L10: 59.5	Leq: 53.6	L10: 55.0	Leq: 60.3	L10: 60.5	Leq: 56.9	L10: 59.5	Leq: 56.1	L10: 58.5	Leq: 56.0	L10: 61.9	dB(A)
					L90: 51.5	L90: 52.0	L90: 51.5	L90: 59.5	L90: 52.5	L90: 57.5	L90: 52.5	L90: 55.9	L90: 57.5	L90: 54.9	L90: 52.5	L90: 59.5			
HKLR	HY/2011/03	2013-04-09	NMS5	14:05	Leq: 56.2	L10: 60.0	Leq: 55.7	L10: 59.0	Leq: 57.9	L10: 60.0	Leq: 57.5	L10: 61.0	Leq: 55.1	L10: 58.0	Leq: 55.9	L10: 58.5	Leq: 59.5	L10: 62.5	dB(A)
					L90: 50.5	L90: 50.5	L90: 50.5	L90: 55.0	L90: 51.5	L90: 50.5	L90: 51.0	L90: 50.5	L90: 51.0	L90: 51.0	L90: 54.9				
HKLR	HY/2011/03	2013-04-19	NMS5	10:10	Leq: 56.4	L10: 58.0	Leq: 55.3	L10: 57.0	Leq: 55.8	L10: 58.5	Leq: 55.7	L10: 57.5	Leq: 56.6	L10: 58.5	Leq: 54.7	L10: 56.0	Leq: 58.8	L10: 60.7	dB(A)
					L90: 52.5	L90: 53.5	L90: 53.0	L90: 53.0	L90: 53.0	L90: 53.0	L90: 53.0	L90: 53.0	L90: 53.0	L90: 53.0	L90: 56.1				
HKLR	HY/2011/03	2013-04-25	NMS5	9:45	Leq: 56.8	L10: 59.5	Leq: 56.8	L10: 59.5	Leq: 57.8	L10: 60.5	Leq: 57.9	L10: 61.0	Leq: 57.4	L10: 60.5	Leq: 56.3	L10: 59.5	Leq: 60.2	L10: 63.1	dB(A)
					L90: 53.0	L90: 51.5	L90: 53.0	L90: 52.5	L90: 52.5	L90: 52.5	L90: 52.5	L90: 51.0	L90: 51.0	L90: 51.0	L90: 55.2				

Notes:

* +3dB(A) Facade correction included.

Continuous Noise Monitoring Data (NMS5)





路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX F

Event and Action Plan



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

Event and Action Plan for Air Quality

Event	Action			
	ET	IEC	SO	Contractor
Exceedance of Action Level for one sample	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures; 2. Inform IEC and SO; 3. Repeat measurement to confirm finding; 4. Increase monitoring frequency to daily. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET; 2. Check Contractor's working method. 	<ol style="list-style-type: none"> 1. Notify Contractor. 	<ol style="list-style-type: none"> 1. Rectify any unacceptable practice; 2. Amend working methods if appropriate.
Exceedance of Action Level for two or more consecutive samples	<ol style="list-style-type: none"> 1. Identify source; 2. Inform IEC and SO; 3. Advise the SO on the effectiveness of the proposed remedial measures; 4. Repeat measurements to confirm findings; 5. Increase monitoring frequency to daily; 6. Discuss with IEC and Contractor on remedial actions required; 7. If exceedance continues, arrange meeting with IEC and SO; 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET and Contractor on possible remedial measures; 4. Advise the ET on the effectiveness of the proposed remedial measures; 5. Supervise Implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 	<ol style="list-style-type: none"> 1. Submit proposals for remedial to SO within 3 working days of notification; 2. Implement the agreed proposals; 3. Amend proposal if appropriate.

Event	Action			
	ET	IEC	SO	Contractor
Exceedance of Limit Level for one sample	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures; 2. Inform SO, Contractor and EPD; 3. Repeat measurement to confirm finding; 4. Increase monitoring frequency to daily; 5. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and SO informed of the results. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET; 2. Check Contractor's working method; 3. Discuss with ET and Contractor on possible remedial measures; 4. Advise the SO on the effectiveness of the proposed remedial measures; 5. Supervise implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Ensure remedial measures properly implemented. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Submit proposals for remedial actions to IEC within 3 working days of notification; 3. Implement the agreed proposals; 4. Amend proposal if appropriate.
Exceedance of Limit Level for two or more consecutive samples	<ol style="list-style-type: none"> 1. Notify IEC, SO, Contractor and EPD; 2. Identify source; 3. Repeat measurement to confirm findings; 4. Increase monitoring frequency to daily; 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 6. Arrange meeting with IEC and SO to discuss the remedial actions to be taken; 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and SO informed of the results; 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Discuss amongst SO, ET, and Contractor on the potential remedial actions; 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the SO accordingly; 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. In consultation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Ensure remedial measures properly implemented; 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Submit proposals for remedial actions to IEC within 3 working days of notification; 3. Implement the agreed proposals; 4. Resubmit proposals if problem still not under control; 5. Stop the relevant portion of works as determined by the SO until the exceedance is abated.

Event and Action Plan for Noise

Event	Action			
	ET	IEC	SO	Contractor
Exceedance of Action Level	<ol style="list-style-type: none"> 1. Identify source, investigate the causes of exceedance and propose remedial measures; 2. Notify IEC and Contractor; 3. Report the results of investigation to the IEC, SO and Contractor; 4. Discuss with the Contractor and formulate remedial measures; 5. Increase monitoring frequency to check mitigation effectiveness. 	<ol style="list-style-type: none"> 1. Review the analysed results submitted by the ET; 2. Review the proposed remedial measures by the Contractor and advise the SO accordingly; 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Require Contractor to propose remedial measures for the analysed noise problem; 4. Ensure remedial measures are properly implemented 	<ol style="list-style-type: none"> 1. Submit noise mitigation proposals to IEC; 2. Implement noise mitigation proposals.
Exceedance of Limit Level	<ol style="list-style-type: none"> 1. Identify source; 2. Inform IEC, SO, EPD and Contractor; 3. Repeat measurements to confirm findings; 4. Increase monitoring frequency; 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented; 6. Inform IEC, SO and EPD the causes and actions taken for the exceedances; 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and SO informed of the results; 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Discuss amongst SO, ET, and Contractor on the potential remedial actions; 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the SO accordingly; 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. Require Contractor to propose remedial measures for the analysed noise problem; 4. Ensure remedial measures properly implemented; 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Submit proposals for remedial actions to IEC within 3 working days of notification; 3. Implement the agreed proposals; 4. Resubmit proposals if problem still not under control; 5. Stop the relevant portion of works as determined by the SO until the exceedance is abated.

Event and Action Plan for Water Quality

Event	Action			
	ET Leader	IEC	SO	Contractor
Action level being exceeded by one sampling day	<ol style="list-style-type: none"> 1. Repeat in situ measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor and SO; 4. Check monitoring data, all plant, equipment and Contractor's working methods. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working methods. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of non-compliance in writing; 2. Notify Contractor. 	<ol style="list-style-type: none"> 1. Inform the SO and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Amend working methods if appropriate.
Action level being exceeded by two or more consecutive sampling days	<ol style="list-style-type: none"> 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, SO and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Ensure mitigation measures are implemented; 6. Increase the monitoring frequency to daily until no exceedance of Action level. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working method; 2. Discuss with ET and Contractor on possible remedial actions; 3. Review the proposed mitigation measures submitted by Contractor and advise the SO accordingly; 4. Supervise the implementation of mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; 2. Ensure mitigation measures are properly implemented; 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the Engineer and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment and consider changes of working methods; 4. Submit proposal of additional mitigation measures to SO within 3 working days of notification and discuss with ET, IEC and SO; 5. Implement the agreed mitigation measures.
Limit level being exceeded by one sampling day	<ol style="list-style-type: none"> 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, SO and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, SO and Contractor; 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working method; 2. Discuss with ET and Contractor on possible remedial actions; 3. Review the proposed mitigation measures submitted by Contractor and advise the SO accordingly. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing; 2. Discuss with IEC, ET and Contractor on the proposed mitigation measures; 3. Request Contractor to review the working methods. 	<ol style="list-style-type: none"> 1. Inform the SO and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment and consider changes of working methods; 4. Submit proposal of mitigation measures to SO within 3 working days of notification and discuss with ET, IEC and SO.

Event	Action			
	ET Leader	IEC	SO	Contractor
Limit level being exceeded by two or more consecutive sampling days	<ol style="list-style-type: none"> 1. Repeat measurement on next day of exceedance to confirm findings; 2. Identify source(s) of impact; 3. Inform IEC, contractor, SO and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, SO and Contractor; 6. Ensure mitigation measures are implemented; 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor's working method; 2. Discuss with ET and Contractor on possible remedial actions; 3. Review the Contractor's mitigation measures whenever necessary to assure their effectiveness and advise the SO accordingly; 4. Supervise the implementation of mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; 4. Ensure mitigation measures are properly implemented; 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the construction activities until no exceedance of Limit level. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance; 2. Submit proposal of mitigation measures to SO within 3 working days of notification and discuss with ET, IEC and SO; 3. Implement the agreed mitigation measures; 4. Resubmit proposals of mitigation measures if problem still not under control; 5. As directed by the Engineer, to slow down or to stop all or part of the construction activities until no exceedance of Limit level.



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX G

Wind Data



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
01/04/2013	00:05	16	SSE	01/04/2013	04:30	4	NNW
01/04/2013	00:10	16	SE	01/04/2013	04:35	5	SE
01/04/2013	00:15	15	SSE	01/04/2013	04:40	7	ESE
01/04/2013	00:20	13	SE	01/04/2013	04:45	7	SE
01/04/2013	00:25	9	SSE	01/04/2013	04:50	7	SE
01/04/2013	00:30	11	SSE	01/04/2013	04:55	6	SSE
01/04/2013	00:35	10	SE	01/04/2013	05:00	9	SE
01/04/2013	00:40	12	SSE	01/04/2013	05:05	10	SE
01/04/2013	00:45	12	SE	01/04/2013	05:10	11	SSE
01/04/2013	00:50	10	SE	01/04/2013	05:15	10	SE
01/04/2013	00:55	11	SE	01/04/2013	05:20	13	SE
01/04/2013	01:00	8	SE	01/04/2013	05:25	12	SE
01/04/2013	01:05	8	SSE	01/04/2013	05:30	8	SE
01/04/2013	01:10	11	SE	01/04/2013	05:35	6	SSE
01/04/2013	01:15	6	ESE	01/04/2013	05:40	9	SSE
01/04/2013	01:20	7	SSE	01/04/2013	05:45	10	SSE
01/04/2013	01:25	8	SE	01/04/2013	05:50	8	SE
01/04/2013	01:30	7	SE	01/04/2013	05:55	3	NNE
01/04/2013	01:35	7	SSE	01/04/2013	06:00	5	ESE
01/04/2013	01:40	8	SE	01/04/2013	06:05	4	E
01/04/2013	01:45	10	SSE	01/04/2013	06:10	6	SE
01/04/2013	01:50	9	SE	01/04/2013	06:15	8	SE
01/04/2013	01:55	10	SSE	01/04/2013	06:20	8	SE
01/04/2013	02:00	12	SE	01/04/2013	06:25	11	ESE
01/04/2013	02:05	13	SSE	01/04/2013	06:30	9	SSE
01/04/2013	02:10	15	SSE	01/04/2013	06:35	12	SSE
01/04/2013	02:15	13	SE	01/04/2013	06:40	10	SE
01/04/2013	02:20	12	SSE	01/04/2013	06:45	10	SE
01/04/2013	02:25	8	SSE	01/04/2013	06:50	11	SE
01/04/2013	02:30	7	SE	01/04/2013	06:55	11	SE
01/04/2013	02:35	5	SE	01/04/2013	07:00	10	SE
01/04/2013	02:40	5	ESE	01/04/2013	07:05	7	SE
01/04/2013	02:45	3	SE	01/04/2013	07:10	9	SE
01/04/2013	02:50	5	ESE	01/04/2013	07:15	6	SSE
01/04/2013	02:55	7	SE	01/04/2013	07:20	7	SE
01/04/2013	03:00	7	SE	01/04/2013	07:25	6	SE
01/04/2013	03:05	4	SSE	01/04/2013	07:30	9	SE
01/04/2013	03:10	10	SE	01/04/2013	07:35	11	SE
01/04/2013	03:15	11	SE	01/04/2013	07:40	7	SE
01/04/2013	03:20	7	SE	01/04/2013	07:45	8	ESE
01/04/2013	03:25	8	SE	01/04/2013	07:50	10	SE
01/04/2013	03:30	7	SE	01/04/2013	07:55	11	SE
01/04/2013	03:35	7	SE	01/04/2013	08:00	10	SE
01/04/2013	03:40	8	SSE	01/04/2013	08:05	12	SE
01/04/2013	03:45	13	SE	01/04/2013	08:10	9	SE
01/04/2013	03:50	14	SE	01/04/2013	08:15	12	SE
01/04/2013	03:55	12	SE	01/04/2013	08:20	11	SE
01/04/2013	04:00	12	SSE	01/04/2013	08:25	11	SE
01/04/2013	04:05	7	SE	01/04/2013	08:30	10	SE
01/04/2013	04:10	7	SE	01/04/2013	08:35	13	SE
01/04/2013	04:15	4	N	01/04/2013	08:40	11	SE
01/04/2013	04:20	3	SSE	01/04/2013	08:45	10	SE
01/04/2013	04:25	3	N	01/04/2013	08:50	11	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
01/04/2013	08:55	11	SE	01/04/2013	13:20	10	SSE
01/04/2013	09:00	10	SE	01/04/2013	13:25	9	SSE
01/04/2013	09:05	13	SE	01/04/2013	13:30	10	SE
01/04/2013	09:10	10	SSE	01/04/2013	13:35	10	SSE
01/04/2013	09:15	10	SE	01/04/2013	13:40	11	SE
01/04/2013	09:20	11	SE	01/04/2013	13:45	11	SE
01/04/2013	09:25	11	SE	01/04/2013	13:50	11	SE
01/04/2013	09:30	13	SSE	01/04/2013	13:55	11	SE
01/04/2013	09:35	11	SE	01/04/2013	14:00	12	SSE
01/04/2013	09:40	10	ESE	01/04/2013	14:05	10	SE
01/04/2013	09:45	8	SSE	01/04/2013	14:10	7	SE
01/04/2013	09:50	4	E	01/04/2013	14:15	7	SE
01/04/2013	09:55	8	SE	01/04/2013	14:20	3	SE
01/04/2013	10:00	6	SE	01/04/2013	14:25	4	SE
01/04/2013	10:05	9	SE	01/04/2013	14:30	3	SE
01/04/2013	10:10	11	SSE	01/04/2013	14:35	4	SE
01/04/2013	10:15	11	SSE	01/04/2013	14:40	5	SE
01/04/2013	10:20	11	SE	01/04/2013	14:45	6	SE
01/04/2013	10:25	11	SE	01/04/2013	14:50	5	SE
01/04/2013	10:30	11	SSE	01/04/2013	14:55	5	SSE
01/04/2013	10:35	9	SSE	01/04/2013	15:00	5	SE
01/04/2013	10:40	11	SSE	01/04/2013	15:05	4	SE
01/04/2013	10:45	9	SE	01/04/2013	15:10	3	ESE
01/04/2013	10:50	10	SE	01/04/2013	15:15	3	SE
01/04/2013	10:55	11	SE	01/04/2013	15:20	4	SE
01/04/2013	11:00	12	SE	01/04/2013	15:25	2	ESE
01/04/2013	11:05	12	SE	01/04/2013	15:30	2	SE
01/04/2013	11:10	13	SSE	01/04/2013	15:35	4	SE
01/04/2013	11:15	11	SSE	01/04/2013	15:40	3	ESE
01/04/2013	11:20	12	SE	01/04/2013	15:45	5	SE
01/04/2013	11:25	12	SE	01/04/2013	15:50	6	SE
01/04/2013	11:30	10	SE	01/04/2013	15:55	5	SE
01/04/2013	11:35	10	SE	01/04/2013	16:00	3	SE
01/04/2013	11:40	12	SSE	01/04/2013	16:05	2	S
01/04/2013	11:45	12	SE	01/04/2013	16:10	3	SE
01/04/2013	11:50	12	SSE	01/04/2013	16:15	5	SSE
01/04/2013	11:55	11	SSE	01/04/2013	16:20	5	SE
01/04/2013	12:00	10	SSE	01/04/2013	16:25	6	SSE
01/04/2013	12:05	9	SSE	01/04/2013	16:30	4	SSE
01/04/2013	12:10	8	SE	01/04/2013	16:35	3	SSE
01/04/2013	12:15	9	SE	01/04/2013	16:40	2	SSE
01/04/2013	12:20	9	SE	01/04/2013	16:45	3	S
01/04/2013	12:25	9	SSE	01/04/2013	16:50	3	SSE
01/04/2013	12:30	9	SSE	01/04/2013	16:55	2	WSW
01/04/2013	12:35	8	SE	01/04/2013	17:00	2	SW
01/04/2013	12:40	10	SSE	01/04/2013	17:05	1	SW
01/04/2013	12:45	7	SE	01/04/2013	17:10	1	SSE
01/04/2013	12:50	8	SSE	01/04/2013	17:15	1	ENE
01/04/2013	12:55	9	SE	01/04/2013	17:20	2	ESE
01/04/2013	13:00	7	SSE	01/04/2013	17:25	2	ESE
01/04/2013	13:05	8	SE	01/04/2013	17:30	1	S
01/04/2013	13:10	9	SSE	01/04/2013	17:35	0	S
01/04/2013	13:15	8	SSE	01/04/2013	17:40	2	NNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
01/04/2013	17:45	2	NNW	01/04/2013	22:10	2	ENE
01/04/2013	17:50	2	NW	01/04/2013	22:15	2	ENE
01/04/2013	17:55	3	NW	01/04/2013	22:20	2	NW
01/04/2013	18:00	2	NW	01/04/2013	22:25	2	NW
01/04/2013	18:05	2	WNW	01/04/2013	22:30	2	WNW
01/04/2013	18:10	1	WNW	01/04/2013	22:35	3	SE
01/04/2013	18:15	1	WNW	01/04/2013	22:40	2	SE
01/04/2013	18:20	1	NW	01/04/2013	22:45	0	SE
01/04/2013	18:25	1	S	01/04/2013	22:50	0	---
01/04/2013	18:30	2	S	01/04/2013	22:55	0	SE
01/04/2013	18:35	1	SSW	01/04/2013	23:00	0	SE
01/04/2013	18:40	3	NW	01/04/2013	23:05	0	---
01/04/2013	18:45	2	NW	01/04/2013	23:10	1	SE
01/04/2013	18:50	2	NNW	01/04/2013	23:15	1	SE
01/04/2013	18:55	0	NNW	01/04/2013	23:20	3	NNW
01/04/2013	19:00	1	NNW	01/04/2013	23:25	2	NNW
01/04/2013	19:05	1	NW	01/04/2013	23:30	2	NNW
01/04/2013	19:10	1	SSE	01/04/2013	23:35	1	NNW
01/04/2013	19:15	0	SSE	01/04/2013	23:40	2	SE
01/04/2013	19:20	2	N	01/04/2013	23:45	0	SE
01/04/2013	19:25	5	NNW	01/04/2013	23:50	1	SE
01/04/2013	19:30	6	NNW	01/04/2013	23:55	0	SE
01/04/2013	19:35	4	NNW	02/04/2013	00:00	1	W
01/04/2013	19:40	4	NW	02/04/2013	00:10	1	WNW
01/04/2013	19:45	3	NW	02/04/2013	00:15	0	WNW
01/04/2013	19:50	2	NW	02/04/2013	00:20	1	SE
01/04/2013	19:55	1	NNW	02/04/2013	00:25	0	SE
01/04/2013	20:00	2	NW	02/04/2013	00:30	0	SE
01/04/2013	20:05	3	N	02/04/2013	00:35	1	W
01/04/2013	20:10	2	NNW	02/04/2013	00:40	2	NNW
01/04/2013	20:15	1	SW	02/04/2013	00:45	2	NW
01/04/2013	20:20	1	SSW	02/04/2013	00:50	1	NW
01/04/2013	20:25	0	---	02/04/2013	00:55	0	NW
01/04/2013	20:30	1	S	02/04/2013	01:00	0	NW
01/04/2013	20:35	2	SE	02/04/2013	01:05	0	NW
01/04/2013	20:40	0	SE	02/04/2013	01:10	0	---
01/04/2013	20:45	2	SE	02/04/2013	01:15	0	---
01/04/2013	20:50	1	N	02/04/2013	01:20	0	NW
01/04/2013	20:55	0	N	02/04/2013	01:25	2	NW
01/04/2013	21:00	0	---	02/04/2013	01:30	2	WNW
01/04/2013	21:05	1	SE	02/04/2013	01:35	2	W
01/04/2013	21:10	0	---	02/04/2013	01:40	1	W
01/04/2013	21:15	2	NNW	02/04/2013	01:45	1	W
01/04/2013	21:20	3	NNW	02/04/2013	01:50	2	ESE
01/04/2013	21:25	4	WNW	02/04/2013	01:55	0	ESE
01/04/2013	21:30	4	WNW	02/04/2013	02:00	1	ESE
01/04/2013	21:35	2	WNW	02/04/2013	02:05	1	NNW
01/04/2013	21:40	2	WNW	02/04/2013	02:10	1	NNW
01/04/2013	21:45	3	WNW	02/04/2013	02:15	1	NW
01/04/2013	21:50	1	SE	02/04/2013	02:20	2	WNW
01/04/2013	21:55	0	SE	02/04/2013	02:25	1	WNW
01/04/2013	22:00	0	SE	02/04/2013	02:30	2	WNW
01/04/2013	22:05	1	SE	02/04/2013	02:35	1	WNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
02/04/2013	02:40	1	WNW	02/04/2013	07:05	0	WNW
02/04/2013	02:45	1	SSW	02/04/2013	07:10	0	WNW
02/04/2013	02:50	1	ESE	02/04/2013	07:15	2	NNW
02/04/2013	02:55	2	ENE	02/04/2013	07:20	3	NNW
02/04/2013	03:00	1	ESE	02/04/2013	07:25	2	N
02/04/2013	03:05	0	ESE	02/04/2013	07:30	0	N
02/04/2013	03:10	0	---	02/04/2013	07:35	0	N
02/04/2013	03:15	0	---	02/04/2013	07:40	0	N
02/04/2013	03:20	0	---	02/04/2013	07:45	0	---
02/04/2013	03:25	0	---	02/04/2013	07:50	0	---
02/04/2013	03:30	0	---	02/04/2013	07:55	0	---
02/04/2013	03:35	0	---	02/04/2013	08:00	0	---
02/04/2013	03:40	3	SSE	02/04/2013	08:05	0	---
02/04/2013	03:45	2	S	02/04/2013	08:10	0	---
02/04/2013	03:50	2	W	02/04/2013	08:15	0	---
02/04/2013	03:55	1	WNW	02/04/2013	08:20	0	---
02/04/2013	04:00	1	ESE	02/04/2013	08:25	0	---
02/04/2013	04:05	2	N	02/04/2013	08:30	0	---
02/04/2013	04:10	1	NNE	02/04/2013	08:35	0	---
02/04/2013	04:15	1	N	02/04/2013	08:40	0	---
02/04/2013	04:20	0	NNW	02/04/2013	08:45	0	---
02/04/2013	04:25	2	NW	02/04/2013	08:50	0	---
02/04/2013	04:30	2	WNW	02/04/2013	08:55	0	---
02/04/2013	04:35	1	WNW	02/04/2013	09:00	0	---
02/04/2013	04:40	1	WNW	02/04/2013	09:05	2	ENE
02/04/2013	04:45	1	WNW	02/04/2013	09:10	2	ENE
02/04/2013	04:50	0	WNW	02/04/2013	09:15	4	ENE
02/04/2013	04:55	0	WNW	02/04/2013	09:20	3	ENE
02/04/2013	05:00	1	ENE	02/04/2013	09:25	1	ENE
02/04/2013	05:05	1	ENE	02/04/2013	09:30	2	E
02/04/2013	05:10	0	ENE	02/04/2013	09:35	2	ENE
02/04/2013	05:15	0	ENE	02/04/2013	09:40	6	SE
02/04/2013	05:20	0	ENE	02/04/2013	09:45	6	SE
02/04/2013	05:25	0	---	02/04/2013	09:50	4	ESE
02/04/2013	05:30	0	---	02/04/2013	09:55	3	E
02/04/2013	05:35	0	---	02/04/2013	10:00	4	SE
02/04/2013	05:40	0	---	02/04/2013	10:05	5	E
02/04/2013	05:45	1	NW	02/04/2013	10:10	5	E
02/04/2013	05:50	2	NW	02/04/2013	10:15	4	SE
02/04/2013	05:55	2	WNW	02/04/2013	10:20	4	SSE
02/04/2013	06:00	2	WNW	02/04/2013	10:25	6	SSE
02/04/2013	06:05	1	WSW	02/04/2013	10:30	6	SE
02/04/2013	06:10	1	WSW	02/04/2013	10:35	5	SE
02/04/2013	06:15	0	WSW	02/04/2013	10:40	5	SE
02/04/2013	06:20	0	WSW	02/04/2013	10:45	4	SE
02/04/2013	06:25	0	WSW	02/04/2013	10:50	4	SE
02/04/2013	06:30	0	---	02/04/2013	10:55	3	ESE
02/04/2013	06:35	0	---	02/04/2013	11:00	3	SE
02/04/2013	06:40	1	NW	02/04/2013	11:05	4	ENE
02/04/2013	06:45	2	NW	02/04/2013	11:10	1	NE
02/04/2013	06:50	1	NW	02/04/2013	11:15	1	NE
02/04/2013	06:55	1	WNW	02/04/2013	11:20	1	E
02/04/2013	07:00	0	WNW	02/04/2013	11:25	1	NE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
02/04/2013	11:30	2	W	02/04/2013	15:55	2	S
02/04/2013	11:35	1	NW	02/04/2013	16:00	2	SW
02/04/2013	11:40	1	NW	02/04/2013	16:05	2	WNW
02/04/2013	11:45	1	WNW	02/04/2013	16:10	3	WNW
02/04/2013	11:50	2	WNW	02/04/2013	16:15	1	W
02/04/2013	11:55	2	WNW	02/04/2013	16:20	0	WNW
02/04/2013	12:00	1	NE	02/04/2013	16:25	1	SSW
02/04/2013	12:05	1	NE	02/04/2013	16:30	1	S
02/04/2013	12:10	1	E	02/04/2013	16:35	2	SSE
02/04/2013	12:15	2	NNE	02/04/2013	16:40	5	SSE
02/04/2013	12:20	0	N	02/04/2013	16:45	5	SSE
02/04/2013	12:25	1	E	02/04/2013	16:50	5	SSE
02/04/2013	12:30	2	SE	02/04/2013	16:55	5	SSE
02/04/2013	12:35	2	SSE	02/04/2013	17:00	5	SE
02/04/2013	12:40	3	SE	02/04/2013	17:05	2	ESE
02/04/2013	12:45	4	SE	02/04/2013	17:10	1	ENE
02/04/2013	12:50	3	SSE	02/04/2013	17:15	4	S
02/04/2013	12:55	1	WNW	02/04/2013	17:20	4	SW
02/04/2013	13:00	3	N	02/04/2013	17:25	3	SW
02/04/2013	13:05	3	NNW	02/04/2013	17:30	3	W
02/04/2013	13:10	2	WNW	02/04/2013	17:35	1	ESE
02/04/2013	13:15	2	WNW	02/04/2013	17:40	3	W
02/04/2013	13:20	1	WNW	02/04/2013	17:45	1	W
02/04/2013	13:25	2	SSE	02/04/2013	17:50	1	ENE
02/04/2013	13:30	1	S	02/04/2013	17:55	0	ENE
02/04/2013	13:35	2	ESE	02/04/2013	18:00	5	NNW
02/04/2013	13:40	3	SE	02/04/2013	18:05	6	N
02/04/2013	13:45	1	ESE	02/04/2013	18:10	4	NNW
02/04/2013	13:50	2	ENE	02/04/2013	18:15	2	S
02/04/2013	13:55	1	ENE	02/04/2013	18:20	4	SE
02/04/2013	14:00	5	NNW	02/04/2013	18:25	3	SSE
02/04/2013	14:05	5	NNW	02/04/2013	18:30	2	SE
02/04/2013	14:10	5	NNW	02/04/2013	18:35	1	SSE
02/04/2013	14:15	5	NNW	02/04/2013	18:40	1	S
02/04/2013	14:20	4	NNW	02/04/2013	18:45	1	S
02/04/2013	14:25	3	NW	02/04/2013	18:50	3	SE
02/04/2013	14:30	2	NW	02/04/2013	18:55	3	SSE
02/04/2013	14:35	1	NW	02/04/2013	19:00	2	SSE
02/04/2013	14:40	2	NNW	02/04/2013	19:05	0	SSE
02/04/2013	14:45	2	NNW	02/04/2013	19:10	0	SSE
02/04/2013	14:50	3	NNW	02/04/2013	19:15	2	W
02/04/2013	14:55	4	NNW	02/04/2013	19:20	3	NNW
02/04/2013	15:00	3	N	02/04/2013	19:25	2	W
02/04/2013	15:05	4	NNW	02/04/2013	19:30	3	W
02/04/2013	15:10	4	NNW	02/04/2013	19:35	2	W
02/04/2013	15:15	5	N	02/04/2013	19:40	2	W
02/04/2013	15:20	5	N	02/04/2013	19:45	2	E
02/04/2013	15:25	6	N	02/04/2013	19:50	1	SSE
02/04/2013	15:30	6	NNW	02/04/2013	19:55	1	SSW
02/04/2013	15:35	5	N	02/04/2013	20:00	1	SSW
02/04/2013	15:40	2	W	02/04/2013	20:05	1	SSW
02/04/2013	15:45	3	WNW	02/04/2013	20:10	3	SE
02/04/2013	15:50	2	S	02/04/2013	20:15	2	SW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
02/04/2013	20:20	2	WNW	03/04/2013	00:45	8	SSE
02/04/2013	20:25	1	WNW	03/04/2013	00:50	9	SSE
02/04/2013	20:30	2	E	03/04/2013	00:55	8	SSE
02/04/2013	20:35	3	NNW	03/04/2013	01:00	7	SSE
02/04/2013	20:40	3	NW	03/04/2013	01:05	8	SSE
02/04/2013	20:45	1	SE	03/04/2013	01:10	7	SSE
02/04/2013	20:50	4	SE	03/04/2013	01:15	5	SSE
02/04/2013	20:55	5	SSE	03/04/2013	01:20	4	ESE
02/04/2013	21:00	4	SE	03/04/2013	01:25	3	NE
02/04/2013	21:05	3	SE	03/04/2013	01:30	3	E
02/04/2013	21:10	7	SE	03/04/2013	01:35	6	SSE
02/04/2013	21:15	6	SE	03/04/2013	01:40	6	SSE
02/04/2013	21:20	5	SE	03/04/2013	01:45	6	SSE
02/04/2013	21:25	8	SE	03/04/2013	01:50	7	SSE
02/04/2013	21:30	7	SE	03/04/2013	01:55	7	SSE
02/04/2013	21:35	8	SE	03/04/2013	02:00	6	SSE
02/04/2013	21:40	8	SE	03/04/2013	02:05	5	SE
02/04/2013	21:45	8	SE	03/04/2013	02:10	4	ENE
02/04/2013	21:50	7	SE	03/04/2013	02:15	6	N
02/04/2013	21:55	6	SSE	03/04/2013	02:20	6	NNW
02/04/2013	22:00	7	ESE	03/04/2013	02:25	5	N
02/04/2013	22:05	5	E	03/04/2013	02:30	5	NW
02/04/2013	22:10	4	ENE	03/04/2013	02:35	2	SE
02/04/2013	22:15	4	NW	03/04/2013	02:40	5	E
02/04/2013	22:20	4	NNW	03/04/2013	02:45	3	NNW
02/04/2013	22:25	3	NNE	03/04/2013	02:50	4	S
02/04/2013	22:30	3	SW	03/04/2013	02:55	3	S
02/04/2013	22:35	2	NW	03/04/2013	03:00	5	N
02/04/2013	22:40	4	SSE	03/04/2013	03:05	4	E
02/04/2013	22:45	5	SSE	03/04/2013	03:10	3	WNW
02/04/2013	22:50	4	S	03/04/2013	03:15	4	NE
02/04/2013	22:55	6	SSE	03/04/2013	03:20	3	ENE
02/04/2013	23:00	9	SSE	03/04/2013	03:25	5	E
02/04/2013	23:05	9	SSE	03/04/2013	03:30	6	NNE
02/04/2013	23:10	8	SSE	03/04/2013	03:35	6	NE
02/04/2013	23:15	10	SSE	03/04/2013	03:40	5	N
02/04/2013	23:20	10	SSE	03/04/2013	03:45	4	E
02/04/2013	23:25	9	SSE	03/04/2013	03:50	8	ESE
02/04/2013	23:30	6	SSE	03/04/2013	03:55	9	SE
02/04/2013	23:35	7	SSE	03/04/2013	04:00	5	E
02/04/2013	23:40	6	SSE	03/04/2013	04:05	4	E
02/04/2013	23:45	7	SSE	03/04/2013	04:10	5	ENE
02/04/2013	23:50	8	SSE	03/04/2013	04:15	7	ENE
02/04/2013	23:55	9	SSE	03/04/2013	04:20	5	E
03/04/2013	00:00	6	SSE	03/04/2013	04:25	6	ENE
03/04/2013	00:05	8	SSE	03/04/2013	04:30	4	W
03/04/2013	00:10	8	SSE	03/04/2013	04:35	7	NNE
03/04/2013	00:15	8	SSE	03/04/2013	04:40	8	ENE
03/04/2013	00:20	10	SSE	03/04/2013	04:45	6	E
03/04/2013	00:25	10	SSE	03/04/2013	04:50	7	SSE
03/04/2013	00:30	9	SSE	03/04/2013	04:55	7	E
03/04/2013	00:35	8	SSE	03/04/2013	05:00	6	ENE
03/04/2013	00:40	8	SSE	03/04/2013	05:05	4	E

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
03/04/2013	05:10	6	E	03/04/2013	09:35	9	SE
03/04/2013	05:15	7	S	03/04/2013	09:40	11	SE
03/04/2013	05:20	8	S	03/04/2013	09:45	12	SSE
03/04/2013	05:25	9	N	03/04/2013	09:50	13	SSE
03/04/2013	05:30	4	SSE	03/04/2013	09:55	12	SSE
03/04/2013	05:35	4	W	03/04/2013	10:00	13	SE
03/04/2013	05:40	3	NW	03/04/2013	10:05	11	ESE
03/04/2013	05:45	7	E	03/04/2013	10:10	9	SSE
03/04/2013	05:50	9	SSE	03/04/2013	10:15	12	SE
03/04/2013	05:55	9	SSE	03/04/2013	10:20	11	SE
03/04/2013	06:00	6	NE	03/04/2013	10:25	12	ESE
03/04/2013	06:05	8	NNE	03/04/2013	10:30	12	SE
03/04/2013	06:10	6	NNE	03/04/2013	10:35	12	SE
03/04/2013	06:15	4	NE	03/04/2013	10:40	12	SE
03/04/2013	06:20	5	NNE	03/04/2013	10:45	9	E
03/04/2013	06:25	9	N	03/04/2013	10:50	9	E
03/04/2013	06:30	7	N	03/04/2013	10:55	11	ESE
03/04/2013	06:35	7	N	03/04/2013	11:00	12	SE
03/04/2013	06:40	8	NE	03/04/2013	11:05	14	SE
03/04/2013	06:45	8	ENE	03/04/2013	11:10	16	SE
03/04/2013	06:50	7	NNE	03/04/2013	11:15	17	SE
03/04/2013	06:55	7	NE	03/04/2013	11:20	17	SE
03/04/2013	07:00	4	S	03/04/2013	11:25	17	SSE
03/04/2013	07:05	6	WNW	03/04/2013	11:30	15	SSE
03/04/2013	07:10	6	E	03/04/2013	11:35	16	SSE
03/04/2013	07:15	5	N	03/04/2013	11:40	18	SSE
03/04/2013	07:20	10	SE	03/04/2013	11:45	15	SSE
03/04/2013	07:25	6	E	03/04/2013	11:50	17	SE
03/04/2013	07:30	6	ESE	03/04/2013	11:55	19	SSE
03/04/2013	07:35	8	ENE	03/04/2013	12:00	19	SSE
03/04/2013	07:40	7	ESE	03/04/2013	12:05	20	SSE
03/04/2013	07:45	8	ESE	03/04/2013	12:10	20	SE
03/04/2013	07:50	7	SE	03/04/2013	12:15	17	SSE
03/04/2013	07:55	10	SE	03/04/2013	12:20	12	SE
03/04/2013	08:00	9	SE	03/04/2013	12:25	13	SSE
03/04/2013	08:05	9	SE	03/04/2013	12:30	11	SE
03/04/2013	08:10	10	SE	03/04/2013	12:35	14	SE
03/04/2013	08:15	9	SE	03/04/2013	12:40	15	SSE
03/04/2013	08:20	10	SE	03/04/2013	12:45	14	SE
03/04/2013	08:25	9	SE	03/04/2013	12:50	16	SSE
03/04/2013	08:30	10	SE	03/04/2013	12:55	14	SE
03/04/2013	08:35	7	SE	03/04/2013	13:00	10	SSE
03/04/2013	08:40	3	NE	03/04/2013	13:05	9	SE
03/04/2013	08:45	4	SE	03/04/2013	13:10	13	SE
03/04/2013	08:50	6	SE	03/04/2013	13:15	10	SSE
03/04/2013	08:55	9	SSE	03/04/2013	13:20	7	SSE
03/04/2013	09:00	5	ESE	03/04/2013	13:25	8	SE
03/04/2013	09:05	6	SSE	03/04/2013	13:30	9	SSE
03/04/2013	09:10	4	ENE	03/04/2013	13:35	9	SSE
03/04/2013	09:15	4	ENE	03/04/2013	13:40	11	SE
03/04/2013	09:20	7	SSE	03/04/2013	13:45	13	SE
03/04/2013	09:25	10	SE	03/04/2013	13:50	18	SE
03/04/2013	09:30	10	SE	03/04/2013	13:55	18	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
03/04/2013	14:00	17	SSE	03/04/2013	18:25	16	SSE
03/04/2013	14:05	15	SSE	03/04/2013	18:30	15	SSE
03/04/2013	14:10	13	SSE	03/04/2013	18:35	14	SSE
03/04/2013	14:15	13	SSE	03/04/2013	18:40	14	SSE
03/04/2013	14:20	8	SSE	03/04/2013	18:45	14	SE
03/04/2013	14:25	10	SSE	03/04/2013	18:50	14	SE
03/04/2013	14:30	9	SSE	03/04/2013	18:55	16	SSE
03/04/2013	14:35	9	SSE	03/04/2013	19:00	15	SSE
03/04/2013	14:40	7	SSE	03/04/2013	19:05	16	SSE
03/04/2013	14:45	6	SSE	03/04/2013	19:10	14	SE
03/04/2013	14:50	7	SSE	03/04/2013	19:15	13	SE
03/04/2013	14:55	8	SSE	03/04/2013	19:20	18	SSE
03/04/2013	15:00	7	SSE	03/04/2013	19:25	16	SSE
03/04/2013	15:05	6	SSE	03/04/2013	19:30	14	SSE
03/04/2013	15:10	7	SSE	03/04/2013	19:35	12	SSE
03/04/2013	15:15	5	SSE	03/04/2013	19:40	12	SE
03/04/2013	15:20	6	SE	03/04/2013	19:45	12	SSE
03/04/2013	15:25	6	SSE	03/04/2013	19:50	13	SSE
03/04/2013	15:30	6	SSE	03/04/2013	19:55	14	SSE
03/04/2013	15:35	7	SE	03/04/2013	20:00	14	SSE
03/04/2013	15:40	6	SE	03/04/2013	20:05	15	SE
03/04/2013	15:45	7	SE	03/04/2013	20:10	11	SSE
03/04/2013	15:50	6	ESE	03/04/2013	20:15	12	SSE
03/04/2013	15:55	7	SE	03/04/2013	20:20	10	SE
03/04/2013	16:00	9	SE	03/04/2013	20:25	10	SE
03/04/2013	16:05	11	SE	03/04/2013	20:30	9	SE
03/04/2013	16:10	7	SE	03/04/2013	20:35	12	SE
03/04/2013	16:15	6	ENE	03/04/2013	20:40	11	SE
03/04/2013	16:20	8	ENE	03/04/2013	20:45	11	SSE
03/04/2013	16:25	4	ENE	03/04/2013	20:50	13	SSE
03/04/2013	16:30	4	ENE	03/04/2013	20:55	12	SE
03/04/2013	16:35	6	NE	03/04/2013	21:00	11	SE
03/04/2013	16:40	8	N	03/04/2013	21:05	11	SE
03/04/2013	16:45	7	N	03/04/2013	21:10	12	SE
03/04/2013	16:50	6	NE	03/04/2013	21:15	14	SE
03/04/2013	16:55	3	NNE	03/04/2013	21:20	14	SE
03/04/2013	17:00	4	NE	03/04/2013	21:25	14	SE
03/04/2013	17:05	6	NNE	03/04/2013	21:30	14	SE
03/04/2013	17:10	5	NNE	03/04/2013	21:35	13	SE
03/04/2013	17:15	5	ENE	03/04/2013	21:40	14	SE
03/04/2013	17:20	7	SE	03/04/2013	21:45	14	SE
03/04/2013	17:25	9	SE	03/04/2013	21:50	14	SE
03/04/2013	17:30	11	SE	03/04/2013	21:55	12	SE
03/04/2013	17:35	13	SSE	03/04/2013	22:00	9	SSE
03/04/2013	17:40	15	SE	03/04/2013	22:05	8	SE
03/04/2013	17:45	17	SSE	03/04/2013	22:10	6	ENE
03/04/2013	17:50	16	SSE	03/04/2013	22:15	7	E
03/04/2013	17:55	15	SSE	03/04/2013	22:20	7	E
03/04/2013	18:00	16	SE	03/04/2013	22:25	10	ESE
03/04/2013	18:05	16	SE	03/04/2013	22:30	9	SE
03/04/2013	18:10	16	SSE	03/04/2013	22:35	12	SE
03/04/2013	18:15	18	SSE	03/04/2013	22:40	10	SSE
03/04/2013	18:20	16	SSE	03/04/2013	22:45	14	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
03/04/2013	22:50	15	SE	04/04/2013	03:15	15	SE
03/04/2013	22:55	14	SE	04/04/2013	03:20	16	SE
03/04/2013	23:00	14	SE	04/04/2013	03:25	15	SE
03/04/2013	23:05	16	SE	04/04/2013	03:30	15	SE
03/04/2013	23:10	17	SE	04/04/2013	03:35	13	SE
03/04/2013	23:15	16	SE	04/04/2013	03:40	15	SE
03/04/2013	23:20	15	SE	04/04/2013	03:45	14	SSE
03/04/2013	23:25	14	SE	04/04/2013	03:50	14	SE
03/04/2013	23:30	15	SE	04/04/2013	03:55	12	SE
03/04/2013	23:35	16	SE	04/04/2013	04:00	13	SE
03/04/2013	23:40	16	SE	04/04/2013	04:05	13	SE
03/04/2013	23:45	15	SSE	04/04/2013	04:10	12	SE
03/04/2013	23:50	14	SSE	04/04/2013	04:15	11	SSE
03/04/2013	23:55	14	SE	04/04/2013	04:20	12	SE
04/04/2013	00:00	16	SSE	04/04/2013	04:25	10	SSE
04/04/2013	00:05	16	SE	04/04/2013	04:30	11	SE
04/04/2013	00:10	18	SE	04/04/2013	04:35	11	SSE
04/04/2013	00:15	17	SE	04/04/2013	04:40	9	SSE
04/04/2013	00:20	16	SSE	04/04/2013	04:45	11	SSE
04/04/2013	00:25	17	SSE	04/04/2013	04:50	10	SSE
04/04/2013	00:30	16	SSE	04/04/2013	04:55	8	SE
04/04/2013	00:35	18	SSE	04/04/2013	05:00	10	SE
04/04/2013	00:40	17	SSE	04/04/2013	05:05	10	SSE
04/04/2013	00:45	17	SSE	04/04/2013	05:10	7	SSE
04/04/2013	00:50	18	SSE	04/04/2013	05:15	9	SSE
04/04/2013	00:55	17	SSE	04/04/2013	05:20	11	SSE
04/04/2013	01:00	15	SSE	04/04/2013	05:25	10	SSE
04/04/2013	01:05	14	SSE	04/04/2013	05:30	9	SE
04/04/2013	01:10	14	SE	04/04/2013	05:35	8	SE
04/04/2013	01:15	14	SE	04/04/2013	05:40	5	SSE
04/04/2013	01:20	16	SE	04/04/2013	05:45	11	SSE
04/04/2013	01:25	17	SE	04/04/2013	05:50	12	SSE
04/04/2013	01:30	15	SE	04/04/2013	05:55	13	SSE
04/04/2013	01:35	13	SE	04/04/2013	06:00	11	SE
04/04/2013	01:40	14	SE	04/04/2013	06:05	14	SSE
04/04/2013	01:45	13	SE	04/04/2013	06:10	15	SE
04/04/2013	01:50	13	SE	04/04/2013	06:15	13	SE
04/04/2013	01:55	14	SE	04/04/2013	06:20	9	SSE
04/04/2013	02:00	13	SE	04/04/2013	06:25	8	SE
04/04/2013	02:05	12	SE	04/04/2013	06:30	6	SSE
04/04/2013	02:10	12	SE	04/04/2013	06:35	7	SSE
04/04/2013	02:15	12	SSE	04/04/2013	06:40	11	SE
04/04/2013	02:20	11	SSE	04/04/2013	06:45	12	SE
04/04/2013	02:25	12	SSE	04/04/2013	06:50	9	SE
04/04/2013	02:30	10	SE	04/04/2013	06:55	8	SE
04/04/2013	02:35	11	SE	04/04/2013	07:00	9	SE
04/04/2013	02:40	11	SE	04/04/2013	07:05	8	SE
04/04/2013	02:45	12	SE	04/04/2013	07:10	11	SE
04/04/2013	02:50	11	SE	04/04/2013	07:15	11	SE
04/04/2013	02:55	13	SE	04/04/2013	07:20	10	SSE
04/04/2013	03:00	13	SE	04/04/2013	07:25	10	SE
04/04/2013	03:05	14	SE	04/04/2013	07:30	12	SE
04/04/2013	03:10	15	SE	04/04/2013	07:35	10	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
04/04/2013	07:40	12	SE	04/04/2013	12:05	9	SE
04/04/2013	07:45	10	SSE	04/04/2013	12:10	12	SE
04/04/2013	07:50	13	SE	04/04/2013	12:15	11	SE
04/04/2013	07:55	13	SSE	04/04/2013	12:20	10	SE
04/04/2013	08:00	11	SE	04/04/2013	12:25	10	SE
04/04/2013	08:05	9	SSE	04/04/2013	12:30	9	SE
04/04/2013	08:10	10	SE	04/04/2013	12:35	10	SE
04/04/2013	08:15	12	SSE	04/04/2013	12:40	9	SE
04/04/2013	08:20	11	SSE	04/04/2013	12:45	9	SSE
04/04/2013	08:25	9	SE	04/04/2013	12:50	11	SSE
04/04/2013	08:30	10	SE	04/04/2013	12:55	12	SE
04/04/2013	08:35	10	SE	04/04/2013	13:00	13	SE
04/04/2013	08:40	12	SE	04/04/2013	13:05	12	SSE
04/04/2013	08:45	14	SSE	04/04/2013	13:10	9	SSE
04/04/2013	08:50	15	SE	04/04/2013	13:15	9	SE
04/04/2013	08:55	14	SE	04/04/2013	13:20	9	SE
04/04/2013	09:00	12	SE	04/04/2013	13:25	7	SSE
04/04/2013	09:05	14	SSE	04/04/2013	13:30	7	SSE
04/04/2013	09:10	13	SE	04/04/2013	13:35	2	N
04/04/2013	09:15	12	SSE	04/04/2013	13:40	6	SSE
04/04/2013	09:20	12	SE	04/04/2013	13:45	7	SSE
04/04/2013	09:25	12	SE	04/04/2013	13:50	5	SE
04/04/2013	09:30	11	SE	04/04/2013	13:55	3	SE
04/04/2013	09:35	9	SE	04/04/2013	14:00	4	SE
04/04/2013	09:40	9	SE	04/04/2013	14:05	3	SSE
04/04/2013	09:45	7	SSE	04/04/2013	14:10	6	SSE
04/04/2013	09:50	8	SE	04/04/2013	14:15	4	SSE
04/04/2013	09:55	6	E	04/04/2013	14:20	5	SSE
04/04/2013	10:00	5	S	04/04/2013	14:25	8	SSE
04/04/2013	10:05	4	NNE	04/04/2013	14:30	10	SE
04/04/2013	10:10	4	SE	04/04/2013	14:35	4	SSE
04/04/2013	10:15	9	SE	04/04/2013	14:40	2	S
04/04/2013	10:20	11	SE	04/04/2013	14:45	5	SSE
04/04/2013	10:25	10	SE	04/04/2013	14:50	7	SSE
04/04/2013	10:30	8	SE	04/04/2013	14:55	5	S
04/04/2013	10:35	8	SSE	04/04/2013	15:00	8	SSE
04/04/2013	10:40	8	SSE	04/04/2013	15:05	8	SSE
04/04/2013	10:45	10	SE	04/04/2013	15:10	8	SE
04/04/2013	10:50	11	SSE	04/04/2013	15:15	9	SSE
04/04/2013	10:55	10	SSE	04/04/2013	15:20	8	SSE
04/04/2013	11:00	10	SE	04/04/2013	15:25	8	SSE
04/04/2013	11:05	10	SE	04/04/2013	15:30	10	SSE
04/04/2013	11:10	11	SE	04/04/2013	15:35	8	SSE
04/04/2013	11:15	10	SSE	04/04/2013	15:40	6	SSE
04/04/2013	11:20	7	SSE	04/04/2013	15:45	7	SSE
04/04/2013	11:25	5	ESE	04/04/2013	15:50	7	SSE
04/04/2013	11:30	7	SE	04/04/2013	15:55	10	SE
04/04/2013	11:35	9	SE	04/04/2013	16:00	8	SE
04/04/2013	11:40	10	SE	04/04/2013	16:05	6	SE
04/04/2013	11:45	10	SSE	04/04/2013	16:10	4	SE
04/04/2013	11:50	10	SE	04/04/2013	16:15	4	SE
04/04/2013	11:55	9	SE	04/04/2013	16:20	5	SE
04/04/2013	12:00	11	SE	04/04/2013	16:25	4	WNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
04/04/2013	16:30	7	ESE	04/04/2013	20:55	11	SSE
04/04/2013	16:35	8	SE	04/04/2013	21:00	12	SSE
04/04/2013	16:40	8	SSE	04/04/2013	21:05	12	SSE
04/04/2013	16:45	9	SSE	04/04/2013	21:10	12	SE
04/04/2013	16:50	6	SSE	04/04/2013	21:15	14	SSE
04/04/2013	16:55	3	NE	04/04/2013	21:20	12	SE
04/04/2013	17:00	3	NE	04/04/2013	21:25	11	SE
04/04/2013	17:05	1	NNW	04/04/2013	21:30	12	SE
04/04/2013	17:10	1	ENE	04/04/2013	21:35	11	SE
04/04/2013	17:15	3	NE	04/04/2013	21:40	11	SE
04/04/2013	17:20	2	WNW	04/04/2013	21:45	11	SSE
04/04/2013	17:25	2	SSE	04/04/2013	21:50	10	SSE
04/04/2013	17:30	5	SSE	04/04/2013	21:55	10	SSE
04/04/2013	17:35	6	E	04/04/2013	22:00	11	SE
04/04/2013	17:40	3	SE	04/04/2013	22:05	12	SSE
04/04/2013	17:45	5	SE	04/04/2013	22:10	12	SE
04/04/2013	17:50	8	SSE	04/04/2013	22:15	11	SE
04/04/2013	17:55	4	SE	04/04/2013	22:20	7	SE
04/04/2013	18:00	4	N	04/04/2013	22:25	6	SSE
04/04/2013	18:05	4	N	04/04/2013	22:30	6	SSE
04/04/2013	18:10	2	NNE	04/04/2013	22:35	9	SSE
04/04/2013	18:15	4	E	04/04/2013	22:40	9	SE
04/04/2013	18:20	2	ENE	04/04/2013	22:45	10	SSE
04/04/2013	18:25	2	SE	04/04/2013	22:50	9	SE
04/04/2013	18:30	1	NNE	04/04/2013	22:55	10	SE
04/04/2013	18:35	2	SE	04/04/2013	23:00	9	SSE
04/04/2013	18:40	4	NNE	04/04/2013	23:05	8	SE
04/04/2013	18:45	4	SSE	04/04/2013	23:10	6	SSE
04/04/2013	18:50	5	SSE	04/04/2013	23:15	7	SSE
04/04/2013	18:55	10	SE	04/04/2013	23:20	9	SSE
04/04/2013	19:00	11	SSE	04/04/2013	23:25	6	SSE
04/04/2013	19:05	10	SE	04/04/2013	23:30	8	SE
04/04/2013	19:10	11	SE	04/04/2013	23:35	6	SSE
04/04/2013	19:15	10	SE	04/04/2013	23:40	4	SSE
04/04/2013	19:20	11	SSE	04/04/2013	23:45	7	SE
04/04/2013	19:25	10	SSE	04/04/2013	23:50	7	SE
04/04/2013	19:30	9	SSE	04/04/2013	23:55	10	SE
04/04/2013	19:35	9	SSE	05/04/2013	00:00	8	SE
04/04/2013	19:40	10	SSE	05/04/2013	00:05	9	SE
04/04/2013	19:45	11	SSE	05/04/2013	00:10	10	SSE
04/04/2013	19:50	13	SE	05/04/2013	00:15	8	ESE
04/04/2013	19:55	13	SSE	05/04/2013	00:20	7	SE
04/04/2013	20:00	13	SSE	05/04/2013	00:25	8	SE
04/04/2013	20:05	13	SE	05/04/2013	00:30	9	SSE
04/04/2013	20:10	12	SSE	05/04/2013	00:35	9	SSE
04/04/2013	20:15	13	SSE	05/04/2013	00:40	8	SE
04/04/2013	20:20	14	SSE	05/04/2013	00:45	9	SE
04/04/2013	20:25	12	SE	05/04/2013	00:50	10	SSE
04/04/2013	20:30	11	SE	05/04/2013	00:55	9	SE
04/04/2013	20:35	11	SE	05/04/2013	01:00	8	SSE
04/04/2013	20:40	11	SE	05/04/2013	01:05	8	SE
04/04/2013	20:45	11	SSE	05/04/2013	01:10	6	SSE
04/04/2013	20:50	12	SE	05/04/2013	01:15	6	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
05/04/2013	01:20	7	SE	05/04/2013	05:45	6	ENE
05/04/2013	01:25	4	ESE	05/04/2013	05:50	4	E
05/04/2013	01:30	5	SSE	05/04/2013	05:55	9	E
05/04/2013	01:35	6	SSE	05/04/2013	06:00	8	SE
05/04/2013	01:40	6	SSE	05/04/2013	06:05	7	SE
05/04/2013	01:45	5	SSE	05/04/2013	06:10	7	E
05/04/2013	01:50	5	SSE	05/04/2013	06:15	5	SE
05/04/2013	01:55	8	SE	05/04/2013	06:20	6	N
05/04/2013	02:00	9	SE	05/04/2013	06:25	8	SSE
05/04/2013	02:05	10	SE	05/04/2013	06:30	7	SE
05/04/2013	02:10	10	SE	05/04/2013	06:35	5	E
05/04/2013	02:15	9	SE	05/04/2013	06:40	8	ESE
05/04/2013	02:20	7	SE	05/04/2013	06:45	9	SE
05/04/2013	02:25	9	SSE	05/04/2013	06:50	8	ESE
05/04/2013	02:30	8	SSE	05/04/2013	06:55	8	ESE
05/04/2013	02:35	7	S	05/04/2013	07:00	10	NE
05/04/2013	02:40	6	SE	05/04/2013	07:05	9	ESE
05/04/2013	02:45	9	SE	05/04/2013	07:10	8	SE
05/04/2013	02:50	9	SSE	05/04/2013	07:15	5	N
05/04/2013	02:55	4	SSE	05/04/2013	07:20	10	NE
05/04/2013	03:00	2	WNW	05/04/2013	07:25	7	E
05/04/2013	03:05	7	SE	05/04/2013	07:30	7	SSE
05/04/2013	03:10	5	SE	05/04/2013	07:35	10	E
05/04/2013	03:15	3	ESE	05/04/2013	07:40	7	NNE
05/04/2013	03:20	8	SE	05/04/2013	07:45	10	NE
05/04/2013	03:25	7	SSE	05/04/2013	07:50	11	NNE
05/04/2013	03:30	7	SE	05/04/2013	07:55	10	SE
05/04/2013	03:35	8	SE	05/04/2013	08:00	6	N
05/04/2013	03:40	10	E	05/04/2013	08:05	9	E
05/04/2013	03:45	5	SE	05/04/2013	08:10	6	SE
05/04/2013	03:50	9	SSE	05/04/2013	08:15	6	SE
05/04/2013	03:55	10	SE	05/04/2013	08:20	10	SSE
05/04/2013	04:00	6	SE	05/04/2013	08:25	8	SE
05/04/2013	04:05	2	ENE	05/04/2013	08:30	6	ESE
05/04/2013	04:10	3	NNE	05/04/2013	08:35	7	SE
05/04/2013	04:15	2	E	05/04/2013	08:40	14	NNW
05/04/2013	04:20	1	ENE	05/04/2013	08:45	16	N
05/04/2013	04:25	3	N	05/04/2013	08:50	7	N
05/04/2013	04:30	4	ENE	05/04/2013	08:55	7	NE
05/04/2013	04:35	6	N	05/04/2013	09:00	8	NE
05/04/2013	04:40	4	ENE	05/04/2013	09:05	5	W
05/04/2013	04:45	4	NNE	05/04/2013	09:10	4	W
05/04/2013	04:50	6	E	05/04/2013	09:15	6	S
05/04/2013	04:55	7	NNE	05/04/2013	09:20	4	SSE
05/04/2013	05:00	4	ENE	05/04/2013	09:25	4	ENE
05/04/2013	05:05	7	ENE	05/04/2013	09:30	5	NNW
05/04/2013	05:10	6	NNW	05/04/2013	09:35	7	NE
05/04/2013	05:15	4	N	05/04/2013	09:40	8	N
05/04/2013	05:20	8	ENE	05/04/2013	09:45	7	E
05/04/2013	05:25	7	NE	05/04/2013	09:50	10	N
05/04/2013	05:30	5	E	05/04/2013	09:55	9	N
05/04/2013	05:35	5	SSE	05/04/2013	10:00	11	N
05/04/2013	05:40	9	ENE	05/04/2013	10:05	9	NNE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
05/04/2013	10:10	10	NNW	05/04/2013	14:35	9	NNW
05/04/2013	10:15	12	NW	05/04/2013	14:40	12	NNW
05/04/2013	10:20	10	N	05/04/2013	14:45	11	N
05/04/2013	10:25	9	NNE	05/04/2013	14:50	10	N
05/04/2013	10:30	9	NW	05/04/2013	14:55	8	NNW
05/04/2013	10:35	8	ENE	05/04/2013	15:00	11	N
05/04/2013	10:40	11	NNE	05/04/2013	15:05	10	NNW
05/04/2013	10:45	10	E	05/04/2013	15:10	12	N
05/04/2013	10:50	8	NE	05/04/2013	15:15	10	NNW
05/04/2013	10:55	9	E	05/04/2013	15:20	9	NW
05/04/2013	11:00	9	ENE	05/04/2013	15:25	10	N
05/04/2013	11:05	7	E	05/04/2013	15:30	12	NNW
05/04/2013	11:10	10	NW	05/04/2013	15:35	10	NW
05/04/2013	11:15	9	NNE	05/04/2013	15:40	8	NW
05/04/2013	11:20	11	N	05/04/2013	15:45	9	NW
05/04/2013	11:25	9	N	05/04/2013	15:50	10	NNW
05/04/2013	11:30	10	NNW	05/04/2013	15:55	10	NNW
05/04/2013	11:35	8	NNE	05/04/2013	16:00	7	NNW
05/04/2013	11:40	9	NW	05/04/2013	16:05	10	NNW
05/04/2013	11:45	8	N	05/04/2013	16:10	10	NNW
05/04/2013	11:50	9	NNW	05/04/2013	16:15	8	NNW
05/04/2013	11:55	9	NW	05/04/2013	16:20	9	WNW
05/04/2013	12:00	9	N	05/04/2013	16:25	10	N
05/04/2013	12:05	10	NNW	05/04/2013	16:30	8	NNW
05/04/2013	12:10	11	NNW	05/04/2013	16:35	7	N
05/04/2013	12:15	11	N	05/04/2013	16:40	8	N
05/04/2013	12:20	9	NNW	05/04/2013	16:45	11	NNW
05/04/2013	12:25	13	NNW	05/04/2013	16:50	10	NNW
05/04/2013	12:30	11	NNW	05/04/2013	16:55	9	NNW
05/04/2013	12:35	13	N	05/04/2013	17:00	8	WNW
05/04/2013	12:40	12	NNW	05/04/2013	17:05	9	N
05/04/2013	12:45	11	N	05/04/2013	17:10	9	NNW
05/04/2013	12:50	13	N	05/04/2013	17:15	8	N
05/04/2013	12:55	11	N	05/04/2013	17:20	8	NNW
05/04/2013	13:00	11	N	05/04/2013	17:25	8	NNW
05/04/2013	13:05	11	NNW	05/04/2013	17:30	8	N
05/04/2013	13:10	11	NW	05/04/2013	17:35	6	NNW
05/04/2013	13:15	13	NNW	05/04/2013	17:40	7	NNW
05/04/2013	13:20	13	N	05/04/2013	17:45	8	N
05/04/2013	13:25	11	N	05/04/2013	17:50	9	NW
05/04/2013	13:30	9	N	05/04/2013	17:55	7	NNW
05/04/2013	13:35	10	NW	05/04/2013	18:00	10	NW
05/04/2013	13:40	11	N	05/04/2013	18:05	11	NNW
05/04/2013	13:45	10	N	05/04/2013	18:10	7	NNW
05/04/2013	13:50	9	N	05/04/2013	18:15	9	N
05/04/2013	13:55	10	NNW	05/04/2013	18:20	10	N
05/04/2013	14:00	10	N	05/04/2013	18:25	7	NNW
05/04/2013	14:05	9	NNW	05/04/2013	18:30	10	NNW
05/04/2013	14:10	9	NNW	05/04/2013	18:35	9	N
05/04/2013	14:15	9	NNW	05/04/2013	18:40	7	NNW
05/04/2013	14:20	10	N	05/04/2013	18:45	6	NNW
05/04/2013	14:25	11	N	05/04/2013	18:50	7	NNW
05/04/2013	14:30	12	NNW	05/04/2013	18:55	8	WNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
05/04/2013	19:00	8	N	05/04/2013	23:25	1	SE
05/04/2013	19:05	7	NW	05/04/2013	23:30	0	SE
05/04/2013	19:10	5	NW	05/04/2013	23:35	2	N
05/04/2013	19:15	7	NW	05/04/2013	23:40	1	N
05/04/2013	19:20	6	NW	05/04/2013	23:45	0	N
05/04/2013	19:25	5	NW	05/04/2013	23:50	10	N
05/04/2013	19:30	5	N	05/04/2013	23:55	17	ENE
05/04/2013	19:35	6	NW	06/04/2013	00:00	7	E
05/04/2013	19:40	3	NNE	06/04/2013	00:05	5	SSE
05/04/2013	19:45	3	E	06/04/2013	00:10	4	SSE
05/04/2013	19:50	4	NE	06/04/2013	00:15	3	SSE
05/04/2013	19:55	5	NE	06/04/2013	00:20	4	S
05/04/2013	20:00	5	E	06/04/2013	00:25	3	WSW
05/04/2013	20:05	5	NE	06/04/2013	00:30	2	WNW
05/04/2013	20:10	7	N	06/04/2013	00:35	6	SSW
05/04/2013	20:15	5	NNE	06/04/2013	00:40	4	SSW
05/04/2013	20:20	6	NNE	06/04/2013	00:45	4	WNW
05/04/2013	20:25	4	NNE	06/04/2013	00:50	3	NW
05/04/2013	20:30	5	NNE	06/04/2013	00:55	1	WNW
05/04/2013	20:35	6	N	06/04/2013	01:00	2	WNW
05/04/2013	20:40	5	NNW	06/04/2013	01:05	1	WNW
05/04/2013	20:45	4	NNW	06/04/2013	01:10	2	NW
05/04/2013	20:50	3	N	06/04/2013	01:15	1	SSW
05/04/2013	20:55	4	NW	06/04/2013	01:20	0	SSW
05/04/2013	21:00	4	NW	06/04/2013	01:25	0	---
05/04/2013	21:05	2	SSE	06/04/2013	01:30	0	NW
05/04/2013	21:10	2	NNE	06/04/2013	01:35	1	WNW
05/04/2013	21:15	4	NW	06/04/2013	01:40	3	WNW
05/04/2013	21:20	3	NNW	06/04/2013	01:45	1	W
05/04/2013	21:25	3	SSE	06/04/2013	01:50	3	WNW
05/04/2013	21:30	2	NW	06/04/2013	01:55	3	WNW
05/04/2013	21:35	4	SE	06/04/2013	02:00	3	WNW
05/04/2013	21:40	4	SSE	06/04/2013	02:05	3	WNW
05/04/2013	21:45	3	SSE	06/04/2013	02:10	2	NW
05/04/2013	21:50	2	SSE	06/04/2013	02:15	3	SSW
05/04/2013	21:55	5	SSE	06/04/2013	02:20	3	SW
05/04/2013	22:00	3	SSE	06/04/2013	02:25	3	WNW
05/04/2013	22:05	3	SSE	06/04/2013	02:30	3	WNW
05/04/2013	22:10	3	SE	06/04/2013	02:35	3	WNW
05/04/2013	22:15	4	SSE	06/04/2013	02:40	3	W
05/04/2013	22:20	2	ESE	06/04/2013	02:45	1	SW
05/04/2013	22:25	1	ESE	06/04/2013	02:50	0	SW
05/04/2013	22:30	3	SE	06/04/2013	02:55	1	W
05/04/2013	22:35	1	SE	06/04/2013	03:00	1	N
05/04/2013	22:40	0	SSE	06/04/2013	03:05	2	N
05/04/2013	22:45	0	SSE	06/04/2013	03:10	2	N
05/04/2013	22:50	1	SSE	06/04/2013	03:15	1	NW
05/04/2013	22:55	2	S	06/04/2013	03:20	2	WNW
05/04/2013	23:00	2	S	06/04/2013	03:25	1	NW
05/04/2013	23:05	1	SSE	06/04/2013	03:30	4	N
05/04/2013	23:10	3	SSE	06/04/2013	03:35	4	N
05/04/2013	23:15	2	SSE	06/04/2013	03:40	3	NNW
05/04/2013	23:20	2	SSE	06/04/2013	03:45	0	NW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
06/04/2013	03:50	0	---	06/04/2013	08:15	10	N
06/04/2013	03:55	0	---	06/04/2013	08:20	8	NNE
06/04/2013	04:00	1	NNW	06/04/2013	08:25	10	NNE
06/04/2013	04:05	2	NW	06/04/2013	08:30	8	N
06/04/2013	04:10	2	NNW	06/04/2013	08:35	5	N
06/04/2013	04:15	4	N	06/04/2013	08:40	8	NNE
06/04/2013	04:20	4	NNW	06/04/2013	08:45	7	NNE
06/04/2013	04:25	5	NNE	06/04/2013	08:50	8	NNE
06/04/2013	04:30	4	N	06/04/2013	08:55	8	N
06/04/2013	04:35	3	N	06/04/2013	09:00	9	NNE
06/04/2013	04:40	5	N	06/04/2013	09:05	10	NNE
06/04/2013	04:45	5	N	06/04/2013	09:10	8	NNE
06/04/2013	04:50	6	N	06/04/2013	09:15	8	NNE
06/04/2013	04:55	6	NNE	06/04/2013	09:20	8	NNE
06/04/2013	05:00	6	NNE	06/04/2013	09:25	8	N
06/04/2013	05:05	6	N	06/04/2013	09:30	8	NNE
06/04/2013	05:10	5	N	06/04/2013	09:35	5	NNE
06/04/2013	05:15	5	NNE	06/04/2013	09:40	7	NNE
06/04/2013	05:20	7	NNE	06/04/2013	09:45	6	NNE
06/04/2013	05:25	7	N	06/04/2013	09:50	6	NNE
06/04/2013	05:30	8	NNE	06/04/2013	09:55	5	NE
06/04/2013	05:35	10	NNE	06/04/2013	10:00	6	NNE
06/04/2013	05:40	9	NNE	06/04/2013	10:05	6	NE
06/04/2013	05:45	9	NNE	06/04/2013	10:10	7	NE
06/04/2013	05:50	6	NNE	06/04/2013	10:15	6	NNE
06/04/2013	05:55	9	NNE	06/04/2013	10:20	6	NE
06/04/2013	06:00	8	NNE	06/04/2013	10:25	9	N
06/04/2013	06:05	8	N	06/04/2013	10:30	7	N
06/04/2013	06:10	7	NNE	06/04/2013	10:35	9	NNE
06/04/2013	06:15	9	NNE	06/04/2013	10:40	9	NNE
06/04/2013	06:20	8	NNE	06/04/2013	10:45	8	NNE
06/04/2013	06:25	8	NNE	06/04/2013	10:50	7	NNE
06/04/2013	06:30	8	NNE	06/04/2013	10:55	10	NNE
06/04/2013	06:35	8	N	06/04/2013	11:00	10	N
06/04/2013	06:40	8	NNE	06/04/2013	11:05	10	N
06/04/2013	06:45	8	NNE	06/04/2013	11:10	9	NNE
06/04/2013	06:50	8	N	06/04/2013	11:15	8	N
06/04/2013	06:55	9	NNE	06/04/2013	11:20	9	N
06/04/2013	07:00	9	N	06/04/2013	11:25	8	NNE
06/04/2013	07:05	9	N	06/04/2013	11:30	8	N
06/04/2013	07:10	8	N	06/04/2013	11:35	8	N
06/04/2013	07:15	6	NNE	06/04/2013	11:40	9	N
06/04/2013	07:20	3	NNE	06/04/2013	11:45	9	N
06/04/2013	07:25	10	N	06/04/2013	11:50	7	N
06/04/2013	07:30	14	N	06/04/2013	11:55	9	N
06/04/2013	07:35	14	N	06/04/2013	12:00	9	NNE
06/04/2013	07:40	11	N	06/04/2013	12:05	8	NNE
06/04/2013	07:45	11	N	06/04/2013	12:10	8	NNE
06/04/2013	07:50	11	N	06/04/2013	12:15	7	NNE
06/04/2013	07:55	8	NNE	06/04/2013	12:20	4	NE
06/04/2013	08:00	7	NE	06/04/2013	12:25	3	NE
06/04/2013	08:05	5	NNW	06/04/2013	12:30	3	NNE
06/04/2013	08:10	10	N	06/04/2013	12:35	6	NE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
06/04/2013	12:40	6	ENE	06/04/2013	17:05	10	ENE
06/04/2013	12:45	6	NE	06/04/2013	17:10	9	E
06/04/2013	12:50	7	NE	06/04/2013	17:15	11	E
06/04/2013	12:55	5	NE	06/04/2013	17:20	8	E
06/04/2013	13:00	5	NE	06/04/2013	17:25	9	E
06/04/2013	13:05	6	NE	06/04/2013	17:30	8	E
06/04/2013	13:10	5	NNE	06/04/2013	17:35	9	E
06/04/2013	13:15	6	NNE	06/04/2013	17:40	11	E
06/04/2013	13:20	6	NE	06/04/2013	17:45	11	E
06/04/2013	13:25	7	NE	06/04/2013	17:50	11	ENE
06/04/2013	13:30	6	NE	06/04/2013	17:55	9	ENE
06/04/2013	13:35	7	NE	06/04/2013	18:00	9	ENE
06/04/2013	13:40	8	NE	06/04/2013	18:05	11	ENE
06/04/2013	13:45	8	NE	06/04/2013	18:10	9	ENE
06/04/2013	13:50	7	NE	06/04/2013	18:15	10	E
06/04/2013	13:55	7	NE	06/04/2013	18:20	6	E
06/04/2013	14:00	7	ENE	06/04/2013	18:25	12	ENE
06/04/2013	14:05	8	ENE	06/04/2013	18:30	11	ENE
06/04/2013	14:10	9	E	06/04/2013	18:35	11	ENE
06/04/2013	14:15	10	E	06/04/2013	18:40	7	E
06/04/2013	14:20	7	E	06/04/2013	18:45	9	ENE
06/04/2013	14:25	7	E	06/04/2013	18:50	11	ENE
06/04/2013	14:30	8	E	06/04/2013	18:55	10	E
06/04/2013	14:35	8	ENE	06/04/2013	19:00	9	ESE
06/04/2013	14:40	7	E	06/04/2013	19:05	8	SE
06/04/2013	14:45	8	E	06/04/2013	19:10	5	SE
06/04/2013	14:50	8	ENE	06/04/2013	19:15	8	SE
06/04/2013	14:55	9	ENE	06/04/2013	19:20	7	SE
06/04/2013	15:00	7	E	06/04/2013	19:25	8	SSE
06/04/2013	15:05	6	E	06/04/2013	19:30	10	E
06/04/2013	15:10	6	E	06/04/2013	19:35	6	SSE
06/04/2013	15:15	8	ENE	06/04/2013	19:40	10	E
06/04/2013	15:20	8	E	06/04/2013	19:45	8	ESE
06/04/2013	15:25	9	E	06/04/2013	19:50	6	E
06/04/2013	15:30	9	ENE	06/04/2013	19:55	7	SE
06/04/2013	15:35	6	ENE	06/04/2013	20:00	6	SSE
06/04/2013	15:40	9	E	06/04/2013	20:05	8	SE
06/04/2013	15:45	11	ENE	06/04/2013	20:10	7	SE
06/04/2013	15:50	7	NE	06/04/2013	20:15	6	ESE
06/04/2013	15:55	7	NE	06/04/2013	20:20	8	ESE
06/04/2013	16:00	8	NE	06/04/2013	20:25	9	E
06/04/2013	16:05	9	NE	06/04/2013	20:30	8	ESE
06/04/2013	16:10	8	NE	06/04/2013	20:35	6	SSE
06/04/2013	16:15	10	ENE	06/04/2013	20:40	6	SE
06/04/2013	16:20	10	E	06/04/2013	20:45	7	SSE
06/04/2013	16:25	10	ENE	06/04/2013	20:50	6	SE
06/04/2013	16:30	9	ENE	06/04/2013	20:55	5	SE
06/04/2013	16:35	8	ENE	06/04/2013	21:00	5	SE
06/04/2013	16:40	7	E	06/04/2013	21:05	7	SE
06/04/2013	16:45	10	E	06/04/2013	21:10	7	SE
06/04/2013	16:50	11	E	06/04/2013	21:15	6	SSE
06/04/2013	16:55	10	E	06/04/2013	21:20	7	SSE
06/04/2013	17:00	9	E	06/04/2013	21:25	6	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
06/04/2013	21:30	6	SE	07/04/2013	01:55	4	E
06/04/2013	21:35	7	ESE	07/04/2013	02:00	3	SSE
06/04/2013	21:40	7	ESE	07/04/2013	02:05	4	SE
06/04/2013	21:45	6	SE	07/04/2013	02:10	4	SSE
06/04/2013	21:50	7	SE	07/04/2013	02:15	4	SSE
06/04/2013	21:55	7	SE	07/04/2013	02:20	3	SE
06/04/2013	22:00	6	ESE	07/04/2013	02:25	5	E
06/04/2013	22:05	6	ESE	07/04/2013	02:30	3	SE
06/04/2013	22:10	7	ESE	07/04/2013	02:35	4	ENE
06/04/2013	22:15	8	E	07/04/2013	02:40	3	SE
06/04/2013	22:20	8	E	07/04/2013	02:45	4	SSE
06/04/2013	22:25	6	SE	07/04/2013	02:50	5	E
06/04/2013	22:30	7	ESE	07/04/2013	02:55	8	E
06/04/2013	22:35	5	ESE	07/04/2013	03:00	6	E
06/04/2013	22:40	4	ESE	07/04/2013	03:05	7	E
06/04/2013	22:45	3	SE	07/04/2013	03:10	8	E
06/04/2013	22:50	5	SE	07/04/2013	03:15	7	E
06/04/2013	22:55	6	ENE	07/04/2013	03:20	3	SSE
06/04/2013	23:00	8	ENE	07/04/2013	03:25	4	E
06/04/2013	23:05	4	SE	07/04/2013	03:30	6	ENE
06/04/2013	23:10	5	SSE	07/04/2013	03:35	7	E
06/04/2013	23:15	4	SE	07/04/2013	03:40	7	E
06/04/2013	23:20	4	SE	07/04/2013	03:45	6	E
06/04/2013	23:25	5	E	07/04/2013	03:50	6	E
06/04/2013	23:30	3	SE	07/04/2013	03:55	8	E
06/04/2013	23:35	8	ENE	07/04/2013	04:00	8	E
06/04/2013	23:40	6	ENE	07/04/2013	04:05	4	E
06/04/2013	23:45	7	ENE	07/04/2013	04:10	4	SE
06/04/2013	23:50	8	ENE	07/04/2013	04:15	5	E
06/04/2013	23:55	9	ENE	07/04/2013	04:20	6	E
07/04/2013	00:00	8	E	07/04/2013	04:25	2	E
07/04/2013	00:05	7	ENE	07/04/2013	04:30	3	ENE
07/04/2013	00:10	8	ENE	07/04/2013	04:35	3	SE
07/04/2013	00:15	9	ENE	07/04/2013	04:40	0	E
07/04/2013	00:20	9	ENE	07/04/2013	04:45	2	SSW
07/04/2013	00:25	8	ENE	07/04/2013	04:50	1	SE
07/04/2013	00:30	6	ENE	07/04/2013	04:55	0	---
07/04/2013	00:35	8	ENE	07/04/2013	05:00	0	WNW
07/04/2013	00:40	7	ENE	07/04/2013	05:05	2	W
07/04/2013	00:45	7	ENE	07/04/2013	05:10	2	W
07/04/2013	00:50	6	ENE	07/04/2013	05:15	1	NW
07/04/2013	00:55	8	ENE	07/04/2013	05:20	2	WNW
07/04/2013	01:00	6	ENE	07/04/2013	05:25	2	SSE
07/04/2013	01:05	4	ENE	07/04/2013	05:30	1	S
07/04/2013	01:10	6	ENE	07/04/2013	05:35	1	W
07/04/2013	01:15	5	ENE	07/04/2013	05:40	1	W
07/04/2013	01:20	4	ENE	07/04/2013	05:45	0	W
07/04/2013	01:25	5	ENE	07/04/2013	05:50	1	W
07/04/2013	01:30	4	ESE	07/04/2013	05:55	0	W
07/04/2013	01:35	3	SE	07/04/2013	06:00	2	W
07/04/2013	01:40	3	ENE	07/04/2013	06:05	2	WNW
07/04/2013	01:45	2	NE	07/04/2013	06:10	1	WNW
07/04/2013	01:50	3	ESE	07/04/2013	06:15	3	NE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
07/04/2013	06:20	2	ESE	07/04/2013	10:45	2	E
07/04/2013	06:25	2	NE	07/04/2013	10:50	2	ESE
07/04/2013	06:30	1	ESE	07/04/2013	10:55	2	ESE
07/04/2013	06:35	0	SSW	07/04/2013	11:00	2	ESE
07/04/2013	06:40	1	W	07/04/2013	11:05	3	E
07/04/2013	06:45	1	W	07/04/2013	11:10	3	E
07/04/2013	06:50	2	SSE	07/04/2013	11:15	2	ENE
07/04/2013	06:55	2	SSE	07/04/2013	11:20	1	E
07/04/2013	07:00	2	SSE	07/04/2013	11:25	1	ENE
07/04/2013	07:05	2	S	07/04/2013	11:30	1	ENE
07/04/2013	07:10	2	S	07/04/2013	11:35	1	E
07/04/2013	07:15	3	SSE	07/04/2013	11:40	0	E
07/04/2013	07:20	2	SSE	07/04/2013	11:45	1	NE
07/04/2013	07:25	3	SSE	07/04/2013	11:50	2	E
07/04/2013	07:30	2	SSE	07/04/2013	11:55	1	E
07/04/2013	07:35	3	S	07/04/2013	12:00	1	E
07/04/2013	07:40	2	S	07/04/2013	12:05	2	E
07/04/2013	07:45	1	S	07/04/2013	12:10	2	ENE
07/04/2013	07:50	0	S	07/04/2013	12:15	2	ENE
07/04/2013	07:55	1	S	07/04/2013	12:20	3	ENE
07/04/2013	08:00	3	ENE	07/04/2013	12:25	3	E
07/04/2013	08:05	4	NE	07/04/2013	12:30	4	E
07/04/2013	08:10	4	NNE	07/04/2013	12:35	4	ENE
07/04/2013	08:15	6	ENE	07/04/2013	12:40	4	ENE
07/04/2013	08:20	3	NNE	07/04/2013	12:45	5	ENE
07/04/2013	08:25	3	NNE	07/04/2013	12:50	4	NE
07/04/2013	08:30	3	NE	07/04/2013	12:55	6	ENE
07/04/2013	08:35	1	NE	07/04/2013	13:00	7	E
07/04/2013	08:40	2	NW	07/04/2013	13:05	6	E
07/04/2013	08:45	2	NE	07/04/2013	13:10	5	E
07/04/2013	08:50	2	N	07/04/2013	13:15	6	E
07/04/2013	08:55	3	NNE	07/04/2013	13:20	7	E
07/04/2013	09:00	2	N	07/04/2013	13:25	7	E
07/04/2013	09:05	2	NNE	07/04/2013	13:30	8	E
07/04/2013	09:10	2	N	07/04/2013	13:35	7	E
07/04/2013	09:15	2	NW	07/04/2013	13:40	5	SE
07/04/2013	09:20	1	NE	07/04/2013	13:45	5	ESE
07/04/2013	09:25	0	SE	07/04/2013	13:50	5	E
07/04/2013	09:30	1	ESE	07/04/2013	13:55	4	SSE
07/04/2013	09:35	2	SSE	07/04/2013	14:00	5	SSE
07/04/2013	09:40	2	SE	07/04/2013	14:05	6	SSE
07/04/2013	09:45	3	SSE	07/04/2013	14:10	4	S
07/04/2013	09:50	4	SE	07/04/2013	14:15	7	SSE
07/04/2013	09:55	3	SE	07/04/2013	14:20	5	SSW
07/04/2013	10:00	3	E	07/04/2013	14:25	4	SE
07/04/2013	10:05	2	ENE	07/04/2013	14:30	5	SSE
07/04/2013	10:10	2	E	07/04/2013	14:35	4	SE
07/04/2013	10:15	3	SSE	07/04/2013	14:40	4	SSE
07/04/2013	10:20	2	SSE	07/04/2013	14:45	4	SSE
07/04/2013	10:25	2	ESE	07/04/2013	14:50	5	SE
07/04/2013	10:30	3	ENE	07/04/2013	14:55	6	SSE
07/04/2013	10:35	4	ENE	07/04/2013	15:00	4	SSE
07/04/2013	10:40	3	E	07/04/2013	15:05	6	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
07/04/2013	15:10	4	S	07/04/2013	19:40	5	SSE
07/04/2013	15:15	6	SSE	07/04/2013	19:45	5	SSE
07/04/2013	15:20	4	SE	07/04/2013	19:50	7	SSE
07/04/2013	15:25	4	SSE	07/04/2013	19:55	8	SSE
07/04/2013	15:30	4	SE	07/04/2013	20:00	6	SSE
07/04/2013	15:35	4	S	07/04/2013	20:05	6	SSE
07/04/2013	15:40	4	SE	07/04/2013	20:10	7	SSE
07/04/2013	15:45	5	SSE	07/04/2013	20:15	6	SSE
07/04/2013	15:50	6	SSE	07/04/2013	20:20	4	SSE
07/04/2013	15:55	5	SSE	07/04/2013	20:25	5	SSE
07/04/2013	16:00	5	SSE	07/04/2013	20:30	5	SSE
07/04/2013	16:05	5	SSE	07/04/2013	20:35	6	SSE
07/04/2013	16:10	5	SSE	07/04/2013	20:40	5	SSE
07/04/2013	16:15	5	SSE	07/04/2013	20:45	6	SSE
07/04/2013	16:20	3	SSE	07/04/2013	20:50	8	SSE
07/04/2013	16:25	5	SE	07/04/2013	20:55	5	SSE
07/04/2013	16:30	4	SE	07/04/2013	21:00	6	SSE
07/04/2013	16:35	4	S	07/04/2013	21:05	6	SSE
07/04/2013	16:40	3	SSE	07/04/2013	21:10	6	SSE
07/04/2013	16:45	4	SSW	07/04/2013	21:15	6	SSE
07/04/2013	16:50	4	SSE	07/04/2013	21:20	8	SSE
07/04/2013	16:55	4	SSE	07/04/2013	21:25	6	SSE
07/04/2013	17:00	5	SSE	07/04/2013	21:30	6	SSE
07/04/2013	17:05	5	SSE	07/04/2013	21:35	6	SSE
07/04/2013	17:10	4	SSE	07/04/2013	21:40	8	SSE
07/04/2013	17:15	5	SSE	07/04/2013	21:45	6	SSE
07/04/2013	17:20	3	SSE	07/04/2013	21:50	7	SSE
07/04/2013	17:25	3	SSE	07/04/2013	21:55	5	SSE
07/04/2013	17:30	4	SSE	07/04/2013	22:00	6	SSE
07/04/2013	17:35	4	SSE	07/04/2013	22:05	7	SSE
07/04/2013	17:40	4	SSE	07/04/2013	22:10	5	SSE
07/04/2013	17:45	4	SSE	07/04/2013	22:15	8	SSE
07/04/2013	17:50	4	SSE	07/04/2013	22:20	5	SSE
07/04/2013	17:55	6	SSE	07/04/2013	22:25	6	SSE
07/04/2013	18:00	4	SSE	07/04/2013	22:30	7	SSE
07/04/2013	18:05	4	SSE	07/04/2013	22:35	8	SSE
07/04/2013	18:10	3	SSE	07/04/2013	22:40	8	SSE
07/04/2013	18:15	3	SSE	07/04/2013	22:45	7	SSE
07/04/2013	18:20	5	SE	07/04/2013	22:50	7	SSE
07/04/2013	18:25	4	SSE	07/04/2013	22:55	9	SE
07/04/2013	18:30	3	SE	07/04/2013	23:00	9	SE
07/04/2013	18:35	5	SSE	07/04/2013	23:05	10	SE
07/04/2013	18:40	3	SSE	07/04/2013	23:10	6	SE
07/04/2013	18:45	6	SSE	07/04/2013	23:15	7	SSE
07/04/2013	18:50	5	SSE	07/04/2013	23:20	9	SE
07/04/2013	18:55	4	S	07/04/2013	23:25	6	SSE
07/04/2013	19:00	4	SSE	07/04/2013	23:30	7	SE
07/04/2013	19:05	4	SSE	07/04/2013	23:35	8	SE
07/04/2013	19:10	5	SE	07/04/2013	23:40	6	SE
07/04/2013	19:15	5	S	07/04/2013	23:45	5	SE
07/04/2013	19:20	3	SSE	07/04/2013	23:50	6	SE
07/04/2013	19:25	7	SSE	07/04/2013	23:55	6	SSE
07/04/2013	19:30	8	SSE	08/04/2013	00:00	8	SSE
07/04/2013	19:35	5	SSE	08/04/2013	00:05	9	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
08/04/2013	00:10	7	SSE	08/04/2013	04:35	9	SSE
08/04/2013	00:15	6	SSE	08/04/2013	04:40	9	SSE
08/04/2013	00:20	8	SSE	08/04/2013	04:45	10	SE
08/04/2013	00:25	6	SE	08/04/2013	04:50	10	SE
08/04/2013	00:30	4	SSE	08/04/2013	04:55	9	SE
08/04/2013	00:35	5	SE	08/04/2013	05:00	9	SE
08/04/2013	00:40	8	SSE	08/04/2013	05:05	8	SSE
08/04/2013	00:45	8	SSE	08/04/2013	05:10	9	SSE
08/04/2013	00:50	7	SSE	08/04/2013	05:15	6	SSE
08/04/2013	00:55	6	SSE	08/04/2013	05:20	4	S
08/04/2013	01:00	8	SSE	08/04/2013	05:25	6	SSE
08/04/2013	01:05	7	SSE	08/04/2013	05:30	4	SSE
08/04/2013	01:10	4	SSE	08/04/2013	05:35	5	SSE
08/04/2013	01:15	6	SSE	08/04/2013	05:40	5	SSE
08/04/2013	01:20	8	SSE	08/04/2013	05:45	6	SSE
08/04/2013	01:25	8	SSE	08/04/2013	05:50	4	SE
08/04/2013	01:30	7	SSE	08/04/2013	05:55	4	SE
08/04/2013	01:35	5	SSE	08/04/2013	06:00	7	SE
08/04/2013	01:40	5	SSE	08/04/2013	06:05	6	SE
08/04/2013	01:45	5	SSE	08/04/2013	06:10	8	SE
08/04/2013	01:50	6	SSE	08/04/2013	06:15	10	SE
08/04/2013	01:55	7	SSE	08/04/2013	06:20	10	SE
08/04/2013	02:00	5	SSE	08/04/2013	06:25	11	SSE
08/04/2013	02:05	7	SSE	08/04/2013	06:30	9	SSE
08/04/2013	02:10	8	SSE	08/04/2013	06:35	10	SSE
08/04/2013	02:15	8	SSE	08/04/2013	06:40	10	SSE
08/04/2013	02:20	7	SSE	08/04/2013	06:45	9	SSE
08/04/2013	02:25	7	SSE	08/04/2013	06:50	10	SSE
08/04/2013	02:30	9	SSE	08/04/2013	06:55	12	SSE
08/04/2013	02:35	7	SSE	08/04/2013	07:00	12	SSE
08/04/2013	02:40	8	SSE	08/04/2013	07:05	12	SSE
08/04/2013	02:45	10	SSE	08/04/2013	07:10	10	SSE
08/04/2013	02:50	10	SSE	08/04/2013	07:15	9	SE
08/04/2013	02:55	9	SSE	08/04/2013	07:20	11	SE
08/04/2013	03:00	9	SSE	08/04/2013	07:25	10	SSE
08/04/2013	03:05	7	SSE	08/04/2013	07:30	10	SSE
08/04/2013	03:10	8	SSE	08/04/2013	07:35	9	SSE
08/04/2013	03:15	8	SSE	08/04/2013	07:40	8	SSE
08/04/2013	03:20	6	SSE	08/04/2013	07:45	6	SSE
08/04/2013	03:25	6	SSE	08/04/2013	07:50	6	SSE
08/04/2013	03:30	5	SSE	08/04/2013	07:55	5	SSE
08/04/2013	03:35	7	SSE	08/04/2013	08:00	4	SSE
08/04/2013	03:40	4	SSE	08/04/2013	08:05	4	SSE
08/04/2013	03:45	4	SSE	08/04/2013	08:10	6	SSE
08/04/2013	03:50	5	SSE	08/04/2013	08:15	7	SSE
08/04/2013	03:55	4	SSE	08/04/2013	08:20	6	SE
08/04/2013	04:00	4	S	08/04/2013	08:25	8	SE
08/04/2013	04:05	6	SSE	08/04/2013	08:30	8	SE
08/04/2013	04:10	5	SSE	08/04/2013	08:35	8	SE
08/04/2013	04:15	5	S	08/04/2013	08:40	9	SE
08/04/2013	04:20	5	S	08/04/2013	08:45	8	SSE
08/04/2013	04:25	9	SSE	08/04/2013	08:50	6	SSE
08/04/2013	04:30	10	SSE	08/04/2013	08:55	4	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
08/04/2013	09:00	5	SSE	08/04/2013	13:25	5	SSE
08/04/2013	09:05	5	S	08/04/2013	13:30	5	SSE
08/04/2013	09:10	4	SSE	08/04/2013	13:35	6	SSE
08/04/2013	09:15	5	SSE	08/04/2013	13:40	4	SSE
08/04/2013	09:20	4	SSE	08/04/2013	13:45	3	S
08/04/2013	09:25	6	SSW	08/04/2013	13:50	5	SSE
08/04/2013	09:30	3	SE	08/04/2013	13:55	5	SSE
08/04/2013	09:35	11	SE	08/04/2013	14:00	7	SSE
08/04/2013	09:40	12	SE	08/04/2013	14:05	7	SSE
08/04/2013	09:45	12	SE	08/04/2013	14:10	8	SSE
08/04/2013	09:50	12	SSE	08/04/2013	14:15	7	SSE
08/04/2013	09:55	10	SSE	08/04/2013	14:20	6	SSE
08/04/2013	10:00	10	SSE	08/04/2013	14:25	5	SSE
08/04/2013	10:05	8	SSE	08/04/2013	14:30	5	SSE
08/04/2013	10:10	7	SE	08/04/2013	14:35	4	SSE
08/04/2013	10:15	7	SE	08/04/2013	14:40	4	SSE
08/04/2013	10:20	6	SE	08/04/2013	14:45	5	SSE
08/04/2013	10:25	4	SE	08/04/2013	14:50	6	SE
08/04/2013	10:30	3	SSE	08/04/2013	14:55	9	SE
08/04/2013	10:35	5	SSE	08/04/2013	15:00	10	SE
08/04/2013	10:40	2	S	08/04/2013	15:05	10	SSE
08/04/2013	10:45	4	SE	08/04/2013	15:10	9	SSE
08/04/2013	10:50	7	SE	08/04/2013	15:15	11	SE
08/04/2013	10:55	9	SE	08/04/2013	15:20	12	SE
08/04/2013	11:00	8	SE	08/04/2013	15:25	12	SE
08/04/2013	11:05	7	SSE	08/04/2013	15:30	12	SE
08/04/2013	11:10	8	SSE	08/04/2013	15:35	12	SE
08/04/2013	11:15	8	SSE	08/04/2013	15:40	13	SE
08/04/2013	11:20	7	SSE	08/04/2013	15:45	11	SE
08/04/2013	11:25	6	SSE	08/04/2013	15:50	11	SE
08/04/2013	11:30	7	SSE	08/04/2013	15:55	12	SE
08/04/2013	11:35	10	SE	08/04/2013	16:00	11	SE
08/04/2013	11:40	10	SE	08/04/2013	16:05	10	SE
08/04/2013	11:45	11	SE	08/04/2013	16:10	10	SE
08/04/2013	11:50	11	SE	08/04/2013	16:15	10	SE
08/04/2013	11:55	13	SE	08/04/2013	16:20	10	SE
08/04/2013	12:00	11	SE	08/04/2013	16:25	11	SE
08/04/2013	12:05	10	SSE	08/04/2013	16:30	10	SE
08/04/2013	12:10	9	SSE	08/04/2013	16:35	10	SSE
08/04/2013	12:15	9	SSE	08/04/2013	16:40	10	SSE
08/04/2013	12:20	9	SE	08/04/2013	16:45	10	SSE
08/04/2013	12:25	8	SE	08/04/2013	16:50	11	SSE
08/04/2013	12:30	8	SE	08/04/2013	16:55	9	SSE
08/04/2013	12:35	9	SE	08/04/2013	17:00	10	SSE
08/04/2013	12:40	8	SSE	08/04/2013	17:05	9	SSE
08/04/2013	12:45	10	SSE	08/04/2013	17:10	7	SSE
08/04/2013	12:50	9	SSE	08/04/2013	17:15	7	SSE
08/04/2013	12:55	8	SSE	08/04/2013	17:20	8	SSE
08/04/2013	13:00	7	SSE	08/04/2013	17:25	7	SSE
08/04/2013	13:05	8	SE	08/04/2013	17:30	7	SSE
08/04/2013	13:10	8	SSE	08/04/2013	17:35	6	SSE
08/04/2013	13:15	7	SSE	08/04/2013	17:40	5	SSE
08/04/2013	13:20	5	SSE	08/04/2013	17:45	7	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
08/04/2013	17:50	7	SSE	08/04/2013	22:15	6	SE
08/04/2013	17:55	5	SSE	08/04/2013	22:20	7	SE
08/04/2013	18:00	6	SSE	08/04/2013	22:25	7	SSE
08/04/2013	18:05	8	SSE	08/04/2013	22:30	5	ESE
08/04/2013	18:10	8	SSE	08/04/2013	22:35	7	SE
08/04/2013	18:15	6	SSE	08/04/2013	22:40	7	SE
08/04/2013	18:20	7	SE	08/04/2013	22:45	7	SE
08/04/2013	18:25	8	SSE	08/04/2013	22:50	7	SSE
08/04/2013	18:30	8	SSE	08/04/2013	22:55	9	SSE
08/04/2013	18:35	8	SSE	08/04/2013	23:00	8	SE
08/04/2013	18:40	8	SSE	08/04/2013	23:05	6	SE
08/04/2013	18:45	8	SSE	08/04/2013	23:10	4	SE
08/04/2013	18:50	7	SSE	08/04/2013	23:15	3	SSE
08/04/2013	18:55	8	SSE	08/04/2013	23:20	1	SE
08/04/2013	19:00	7	SSE	08/04/2013	23:25	1	E
08/04/2013	19:05	6	SSE	08/04/2013	23:30	3	E
08/04/2013	19:10	6	SSE	08/04/2013	23:35	2	ESE
08/04/2013	19:15	5	SSE	08/04/2013	23:40	3	SE
08/04/2013	19:20	6	SSE	08/04/2013	23:45	2	ESE
08/04/2013	19:25	5	SSE	08/04/2013	23:50	2	SE
08/04/2013	19:30	7	SSE	08/04/2013	23:55	2	ESE
08/04/2013	19:35	8	SE	09/04/2013	00:00	2	ESE
08/04/2013	19:40	6	SSE	09/04/2013	00:05	1	ESE
08/04/2013	19:45	2	S	09/04/2013	00:10	1	ESE
08/04/2013	19:50	2	WNW	09/04/2013	00:15	2	SSE
08/04/2013	19:55	3	NNW	09/04/2013	00:20	3	SSE
08/04/2013	20:00	3	NNW	09/04/2013	00:25	3	SSE
08/04/2013	20:05	3	NE	09/04/2013	00:30	3	SSE
08/04/2013	20:10	6	SSE	09/04/2013	00:35	3	SE
08/04/2013	20:15	10	SSE	09/04/2013	00:40	1	SE
08/04/2013	20:20	11	SE	09/04/2013	00:45	1	SE
08/04/2013	20:25	10	SSE	09/04/2013	00:50	2	SSE
08/04/2013	20:30	8	SSE	09/04/2013	00:55	0	SSE
08/04/2013	20:35	10	SSE	09/04/2013	01:00	1	SE
08/04/2013	20:40	11	SSE	09/04/2013	01:05	2	SSE
08/04/2013	20:45	9	SSE	09/04/2013	01:10	2	SE
08/04/2013	20:50	5	SSE	09/04/2013	01:15	3	SE
08/04/2013	20:55	4	SE	09/04/2013	01:20	3	SE
08/04/2013	21:00	3	SE	09/04/2013	01:25	2	SSE
08/04/2013	21:05	4	SE	09/04/2013	01:30	2	SSE
08/04/2013	21:10	2	SSE	09/04/2013	01:35	1	SSE
08/04/2013	21:15	4	SSE	09/04/2013	01:40	1	SSE
08/04/2013	21:20	3	SSE	09/04/2013	01:45	1	S
08/04/2013	21:25	2	WSW	09/04/2013	01:50	0	---
08/04/2013	21:30	3	WSW	09/04/2013	01:55	0	S
08/04/2013	21:35	2	SSW	09/04/2013	02:00	1	S
08/04/2013	21:40	2	SSE	09/04/2013	02:05	0	---
08/04/2013	21:45	1	SE	09/04/2013	02:10	0	---
08/04/2013	21:50	3	SE	09/04/2013	02:15	0	---
08/04/2013	21:55	6	SSE	09/04/2013	02:20	0	---
08/04/2013	22:00	4	SE	09/04/2013	02:25	0	---
08/04/2013	22:05	5	SE	09/04/2013	02:30	1	SSW
08/04/2013	22:10	5	SE	09/04/2013	02:35	2	SSW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
09/04/2013	02:40	0	SSW	09/04/2013	07:05	4	SSE
09/04/2013	02:45	0	SSW	09/04/2013	07:10	3	SE
09/04/2013	02:50	0	---	09/04/2013	07:15	2	NE
09/04/2013	02:55	0	---	09/04/2013	07:20	4	E
09/04/2013	03:00	1	SSW	09/04/2013	07:25	3	SSE
09/04/2013	03:05	1	SSW	09/04/2013	07:30	3	WSW
09/04/2013	03:10	0	SW	09/04/2013	07:35	3	WNW
09/04/2013	03:15	0	---	09/04/2013	07:40	1	WNW
09/04/2013	03:20	0	---	09/04/2013	07:45	1	S
09/04/2013	03:25	0	---	09/04/2013	07:50	1	S
09/04/2013	03:30	0	---	09/04/2013	07:55	4	S
09/04/2013	03:35	0	---	09/04/2013	08:00	3	N
09/04/2013	03:40	0	---	09/04/2013	08:05	3	N
09/04/2013	03:45	0	---	09/04/2013	08:10	1	N
09/04/2013	03:50	1	S	09/04/2013	08:15	1	N
09/04/2013	03:55	2	SSE	09/04/2013	08:20	0	N
09/04/2013	04:00	1	SSE	09/04/2013	08:25	1	SE
09/04/2013	04:05	2	ESE	09/04/2013	08:30	1	S
09/04/2013	04:10	2	SSE	09/04/2013	08:35	0	---
09/04/2013	04:15	1	SE	09/04/2013	08:40	0	---
09/04/2013	04:20	3	E	09/04/2013	08:45	0	---
09/04/2013	04:25	3	E	09/04/2013	08:50	0	---
09/04/2013	04:30	4	ENE	09/04/2013	08:55	0	---
09/04/2013	04:35	4	E	09/04/2013	09:00	0	---
09/04/2013	04:40	2	SE	09/04/2013	09:05	0	---
09/04/2013	04:45	2	SE	09/04/2013	09:10	0	---
09/04/2013	04:50	3	SSE	09/04/2013	09:15	1	ENE
09/04/2013	04:55	3	SE	09/04/2013	09:20	1	ENE
09/04/2013	05:00	2	SSE	09/04/2013	09:25	1	SSE
09/04/2013	05:05	2	SSE	09/04/2013	09:30	2	SSE
09/04/2013	05:10	2	SE	09/04/2013	09:35	1	SSE
09/04/2013	05:15	1	ENE	09/04/2013	09:40	2	SE
09/04/2013	05:20	2	NE	09/04/2013	09:45	3	SE
09/04/2013	05:25	2	NNE	09/04/2013	09:50	4	ENE
09/04/2013	05:30	1	NNW	09/04/2013	09:55	5	ENE
09/04/2013	05:35	2	SSW	09/04/2013	10:00	6	ENE
09/04/2013	05:40	0	SSW	09/04/2013	10:05	7	E
09/04/2013	05:45	0	---	09/04/2013	10:10	3	SSE
09/04/2013	05:50	3	SSE	09/04/2013	10:15	3	S
09/04/2013	05:55	4	SSE	09/04/2013	10:20	4	SSE
09/04/2013	06:00	3	SSE	09/04/2013	10:25	3	SSE
09/04/2013	06:05	2	ESE	09/04/2013	10:30	2	SSE
09/04/2013	06:10	3	SE	09/04/2013	10:35	3	SSE
09/04/2013	06:15	3	SE	09/04/2013	10:40	4	SSE
09/04/2013	06:20	4	SSE	09/04/2013	10:45	2	SW
09/04/2013	06:25	4	S	09/04/2013	10:50	2	S
09/04/2013	06:30	4	SSE	09/04/2013	10:55	4	SW
09/04/2013	06:35	3	SSE	09/04/2013	11:00	7	S
09/04/2013	06:40	3	S	09/04/2013	11:05	4	S
09/04/2013	06:45	4	SE	09/04/2013	11:10	5	ESE
09/04/2013	06:50	3	SSE	09/04/2013	11:15	4	ESE
09/04/2013	06:55	4	SE	09/04/2013	11:20	7	SE
09/04/2013	07:00	5	SSE	09/04/2013	11:25	5	ESE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
09/04/2013	11:30	2	E	09/04/2013	15:55	7	ESE
09/04/2013	11:35	4	SSE	09/04/2013	16:00	6	E
09/04/2013	11:40	7	SE	09/04/2013	16:05	4	SE
09/04/2013	11:45	2	SSE	09/04/2013	16:10	7	SSE
09/04/2013	11:50	8	E	09/04/2013	16:15	3	SE
09/04/2013	11:55	4	SE	09/04/2013	16:20	2	E
09/04/2013	12:00	2	S	09/04/2013	16:25	2	ESE
09/04/2013	12:05	3	NW	09/04/2013	16:30	4	ESE
09/04/2013	12:10	3	WNW	09/04/2013	16:35	5	E
09/04/2013	12:15	2	N	09/04/2013	16:40	5	SE
09/04/2013	12:20	2	NE	09/04/2013	16:45	3	SE
09/04/2013	12:25	2	NW	09/04/2013	16:50	3	S
09/04/2013	12:30	1	WNW	09/04/2013	16:55	2	WSW
09/04/2013	12:35	1	NNW	09/04/2013	17:00	1	S
09/04/2013	12:40	3	SSE	09/04/2013	17:05	2	S
09/04/2013	12:45	3	SE	09/04/2013	17:10	2	SE
09/04/2013	12:50	4	SSE	09/04/2013	17:15	4	SE
09/04/2013	12:55	5	SSE	09/04/2013	17:20	4	SE
09/04/2013	13:00	5	SSE	09/04/2013	17:25	5	SE
09/04/2013	13:05	4	SE	09/04/2013	17:30	3	SE
09/04/2013	13:10	4	SE	09/04/2013	17:35	3	SSE
09/04/2013	13:15	4	E	09/04/2013	17:40	2	SE
09/04/2013	13:20	4	NE	09/04/2013	17:45	1	ESE
09/04/2013	13:25	4	N	09/04/2013	17:50	1	SE
09/04/2013	13:30	3	NNE	09/04/2013	17:55	0	SE
09/04/2013	13:35	4	NNE	09/04/2013	18:00	1	NNW
09/04/2013	13:40	4	NNW	09/04/2013	18:05	1	N
09/04/2013	13:45	2	N	09/04/2013	18:10	1	N
09/04/2013	13:50	2	WNW	09/04/2013	18:15	1	SW
09/04/2013	13:55	2	NW	09/04/2013	18:20	4	SE
09/04/2013	14:00	4	NNW	09/04/2013	18:25	3	SSE
09/04/2013	14:05	3	NNW	09/04/2013	18:30	4	SE
09/04/2013	14:10	2	NNW	09/04/2013	18:35	4	SE
09/04/2013	14:15	3	N	09/04/2013	18:40	2	SE
09/04/2013	14:20	2	WNW	09/04/2013	18:45	4	SE
09/04/2013	14:25	2	NNW	09/04/2013	18:50	6	SE
09/04/2013	14:30	2	NNW	09/04/2013	18:55	6	SSE
09/04/2013	14:35	2	N	09/04/2013	19:00	5	SSE
09/04/2013	14:40	2	NNE	09/04/2013	19:05	6	SSE
09/04/2013	14:45	0	NNE	09/04/2013	19:10	4	SSE
09/04/2013	14:50	0	NNE	09/04/2013	19:15	4	SE
09/04/2013	14:55	0	NNE	09/04/2013	19:20	4	SE
09/04/2013	15:00	0	NNE	09/04/2013	19:25	5	SE
09/04/2013	15:05	1	N	09/04/2013	19:30	4	SE
09/04/2013	15:10	2	WNW	09/04/2013	19:35	5	SSE
09/04/2013	15:15	3	N	09/04/2013	19:40	5	SE
09/04/2013	15:20	3	NW	09/04/2013	19:45	4	SE
09/04/2013	15:25	1	NNW	09/04/2013	19:50	2	SE
09/04/2013	15:30	1	NNW	09/04/2013	19:55	3	ESE
09/04/2013	15:35	4	E	09/04/2013	20:00	4	SE
09/04/2013	15:40	3	E	09/04/2013	20:05	3	SSE
09/04/2013	15:45	3	SSE	09/04/2013	20:10	2	SE
09/04/2013	15:50	3	ESE	09/04/2013	20:15	1	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
09/04/2013	20:20	2	NE	10/04/2013	00:45	3	SSE
09/04/2013	20:25	1	ENE	10/04/2013	00:50	4	SSE
09/04/2013	20:30	1	ENE	10/04/2013	00:55	2	SE
09/04/2013	20:35	2	NE	10/04/2013	01:00	2	ENE
09/04/2013	20:40	1	NE	10/04/2013	01:05	6	NNW
09/04/2013	20:45	2	SSE	10/04/2013	01:10	4	SE
09/04/2013	20:50	4	ESE	10/04/2013	01:15	2	SE
09/04/2013	20:55	5	SE	10/04/2013	01:20	4	ENE
09/04/2013	21:00	3	ESE	10/04/2013	01:25	2	SE
09/04/2013	21:05	2	ESE	10/04/2013	01:30	4	ENE
09/04/2013	21:10	2	ESE	10/04/2013	01:35	4	NE
09/04/2013	21:15	2	E	10/04/2013	01:40	5	SSE
09/04/2013	21:20	2	ESE	10/04/2013	01:45	3	ESE
09/04/2013	21:25	2	SE	10/04/2013	01:50	2	E
09/04/2013	21:30	2	SSW	10/04/2013	01:55	2	SSE
09/04/2013	21:35	3	SSE	10/04/2013	02:00	0	SSE
09/04/2013	21:40	3	SSE	10/04/2013	02:05	2	SE
09/04/2013	21:45	3	SSE	10/04/2013	02:10	2	SE
09/04/2013	21:50	3	ESE	10/04/2013	02:15	2	SSE
09/04/2013	21:55	4	ESE	10/04/2013	02:20	2	SSE
09/04/2013	22:00	4	E	10/04/2013	02:25	5	SSE
09/04/2013	22:05	2	ESE	10/04/2013	02:30	4	SE
09/04/2013	22:10	2	ESE	10/04/2013	02:35	4	S
09/04/2013	22:15	1	ESE	10/04/2013	02:40	5	SSE
09/04/2013	22:20	1	E	10/04/2013	02:45	2	S
09/04/2013	22:25	1	E	10/04/2013	02:50	3	SSE
09/04/2013	22:30	1	E	10/04/2013	02:55	3	S
09/04/2013	22:35	0	E	10/04/2013	03:00	3	SSE
09/04/2013	22:40	1	SSE	10/04/2013	03:05	4	SSE
09/04/2013	22:45	2	SE	10/04/2013	03:10	4	SSE
09/04/2013	22:50	2	SE	10/04/2013	03:15	3	S
09/04/2013	22:55	1	SE	10/04/2013	03:20	3	SSE
09/04/2013	23:00	1	E	10/04/2013	03:25	4	S
09/04/2013	23:05	2	SE	10/04/2013	03:30	5	S
09/04/2013	23:10	2	SE	10/04/2013	03:35	4	S
09/04/2013	23:15	2	SE	10/04/2013	03:40	2	S
09/04/2013	23:20	3	ESE	10/04/2013	03:45	0	SE
09/04/2013	23:25	3	E	10/04/2013	03:50	1	S
09/04/2013	23:30	1	SE	10/04/2013	03:55	0	ESE
09/04/2013	23:35	2	SE	10/04/2013	04:00	0	---
09/04/2013	23:40	1	SSE	10/04/2013	04:05	0	SSE
09/04/2013	23:45	3	E	10/04/2013	04:10	0	SSE
09/04/2013	23:50	7	E	10/04/2013	04:15	0	---
09/04/2013	23:55	5	E	10/04/2013	04:20	0	SSE
10/04/2013	00:00	5	E	10/04/2013	04:25	0	SSE
10/04/2013	00:05	7	E	10/04/2013	04:30	0	SSE
10/04/2013	00:10	6	E	10/04/2013	04:35	0	SSE
10/04/2013	00:15	6	E	10/04/2013	04:40	1	SSE
10/04/2013	00:20	3	SE	10/04/2013	04:45	0	SSE
10/04/2013	00:25	2	S	10/04/2013	04:50	0	SSE
10/04/2013	00:30	3	SSE	10/04/2013	04:55	1	SSE
10/04/2013	00:35	2	SE	10/04/2013	05:00	1	SSW
10/04/2013	00:40	2	SSE	10/04/2013	05:05	1	S

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
10/04/2013	05:10	0	S	10/04/2013	09:35	3	ENE
10/04/2013	05:15	1	SSE	10/04/2013	09:40	2	ENE
10/04/2013	05:20	2	SSE	10/04/2013	09:45	1	ENE
10/04/2013	05:25	3	SSE	10/04/2013	09:50	1	ENE
10/04/2013	05:30	3	SSE	10/04/2013	09:55	3	ENE
10/04/2013	05:35	2	SSE	10/04/2013	10:00	3	E
10/04/2013	05:40	2	SSW	10/04/2013	10:05	5	E
10/04/2013	05:45	1	S	10/04/2013	10:10	6	E
10/04/2013	05:50	1	S	10/04/2013	10:15	3	E
10/04/2013	05:55	2	SSE	10/04/2013	10:20	4	E
10/04/2013	06:00	2	SSE	10/04/2013	10:25	3	E
10/04/2013	06:05	1	SE	10/04/2013	10:30	2	ESE
10/04/2013	06:10	0	ESE	10/04/2013	10:35	1	E
10/04/2013	06:15	1	E	10/04/2013	10:40	1	E
10/04/2013	06:20	0	E	10/04/2013	10:45	1	E
10/04/2013	06:25	1	E	10/04/2013	10:50	2	ESE
10/04/2013	06:30	1	ENE	10/04/2013	10:55	2	ESE
10/04/2013	06:35	2	ENE	10/04/2013	11:00	2	SE
10/04/2013	06:40	1	NE	10/04/2013	11:05	2	SSE
10/04/2013	06:45	1	SSE	10/04/2013	11:10	1	SSE
10/04/2013	06:50	1	SSE	10/04/2013	11:15	2	S
10/04/2013	06:55	0	SSE	10/04/2013	11:20	3	SSE
10/04/2013	07:00	1	SSE	10/04/2013	11:25	3	SE
10/04/2013	07:05	2	S	10/04/2013	11:30	3	SE
10/04/2013	07:10	2	SSE	10/04/2013	11:35	6	SSE
10/04/2013	07:15	1	SE	10/04/2013	11:40	5	SSE
10/04/2013	07:20	1	SE	10/04/2013	11:45	4	SE
10/04/2013	07:25	2	ESE	10/04/2013	11:50	4	SSE
10/04/2013	07:30	2	SE	10/04/2013	11:55	5	SSE
10/04/2013	07:35	2	ESE	10/04/2013	12:00	5	SSE
10/04/2013	07:40	2	SE	10/04/2013	12:05	5	SSE
10/04/2013	07:45	3	SSE	10/04/2013	12:10	4	SSE
10/04/2013	07:50	3	SSE	10/04/2013	12:15	3	SE
10/04/2013	07:55	2	SE	10/04/2013	12:20	4	SSE
10/04/2013	08:00	2	SE	10/04/2013	12:25	4	SE
10/04/2013	08:05	2	S	10/04/2013	12:30	4	SSE
10/04/2013	08:10	0	SSE	10/04/2013	12:35	4	SE
10/04/2013	08:15	1	SE	10/04/2013	12:40	4	SE
10/04/2013	08:20	2	SE	10/04/2013	12:45	4	SSE
10/04/2013	08:25	2	SE	10/04/2013	12:50	4	SSE
10/04/2013	08:30	2	ESE	10/04/2013	12:55	4	SE
10/04/2013	08:35	3	SE	10/04/2013	13:00	4	SE
10/04/2013	08:40	4	SE	10/04/2013	13:05	3	SE
10/04/2013	08:45	2	SSE	10/04/2013	13:10	3	ESE
10/04/2013	08:50	1	SSE	10/04/2013	13:15	1	SSE
10/04/2013	08:55	2	SE	10/04/2013	13:20	3	SSE
10/04/2013	09:00	1	SE	10/04/2013	13:25	3	SE
10/04/2013	09:05	0	SSE	10/04/2013	13:30	3	SE
10/04/2013	09:10	1	ESE	10/04/2013	13:35	3	SSE
10/04/2013	09:15	3	ENE	10/04/2013	13:40	4	SSE
10/04/2013	09:20	4	NE	10/04/2013	13:45	4	SSE
10/04/2013	09:25	4	NE	10/04/2013	13:50	3	SE
10/04/2013	09:30	2	NE	10/04/2013	13:55	3	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
10/04/2013	14:00	4	SE	10/04/2013	18:25	2	SSE
10/04/2013	14:05	2	SSE	10/04/2013	18:30	2	SE
10/04/2013	14:10	2	SE	10/04/2013	18:35	2	S
10/04/2013	14:15	2	SE	10/04/2013	18:40	2	S
10/04/2013	14:20	2	SSE	10/04/2013	18:45	0	S
10/04/2013	14:25	2	SSE	10/04/2013	18:50	1	S
10/04/2013	14:30	3	SSE	10/04/2013	18:55	0	S
10/04/2013	14:35	4	SSE	10/04/2013	19:00	0	S
10/04/2013	14:40	4	SSE	10/04/2013	19:05	1	E
10/04/2013	14:45	4	SSE	10/04/2013	19:10	1	SE
10/04/2013	14:50	2	SSE	10/04/2013	19:15	1	SE
10/04/2013	14:55	3	SSE	10/04/2013	19:20	1	SE
10/04/2013	15:00	3	SSE	10/04/2013	19:25	2	SSE
10/04/2013	15:05	3	SSE	10/04/2013	19:30	1	S
10/04/2013	15:10	3	SSE	10/04/2013	19:35	1	S
10/04/2013	15:15	2	SSE	10/04/2013	19:40	2	S
10/04/2013	15:20	2	SSE	10/04/2013	19:45	2	S
10/04/2013	15:25	1	SE	10/04/2013	19:50	1	S
10/04/2013	15:30	2	SE	10/04/2013	19:55	1	SSE
10/04/2013	15:35	1	SSE	10/04/2013	20:00	2	SE
10/04/2013	15:40	1	SSE	10/04/2013	20:05	1	SSE
10/04/2013	15:45	2	SE	10/04/2013	20:10	1	SSE
10/04/2013	15:50	2	SE	10/04/2013	20:15	0	SSE
10/04/2013	15:55	3	SE	10/04/2013	20:20	1	S
10/04/2013	16:00	2	SE	10/04/2013	20:25	0	S
10/04/2013	16:05	2	ESE	10/04/2013	20:30	0	---
10/04/2013	16:10	3	E	10/04/2013	20:35	0	---
10/04/2013	16:15	2	E	10/04/2013	20:40	0	---
10/04/2013	16:20	2	SE	10/04/2013	20:45	0	---
10/04/2013	16:25	1	ESE	10/04/2013	20:50	0	---
10/04/2013	16:30	1	SE	10/04/2013	20:55	0	---
10/04/2013	16:35	0	SE	10/04/2013	21:00	0	---
10/04/2013	16:40	0	SE	10/04/2013	21:05	0	---
10/04/2013	16:45	1	ENE	10/04/2013	21:10	0	---
10/04/2013	16:50	1	SE	10/04/2013	21:15	0	---
10/04/2013	16:55	4	SE	10/04/2013	21:20	0	---
10/04/2013	17:00	2	SE	10/04/2013	21:25	1	SE
10/04/2013	17:05	1	ESE	10/04/2013	21:30	2	SE
10/04/2013	17:10	1	SSE	10/04/2013	21:35	5	SSE
10/04/2013	17:15	1	SE	10/04/2013	21:40	4	SE
10/04/2013	17:20	2	SSE	10/04/2013	21:45	3	SE
10/04/2013	17:25	2	SE	10/04/2013	21:50	3	SSE
10/04/2013	17:30	2	SE	10/04/2013	21:55	4	SSE
10/04/2013	17:35	2	ENE	10/04/2013	22:00	3	SSE
10/04/2013	17:40	2	E	10/04/2013	22:05	3	SE
10/04/2013	17:45	2	S	10/04/2013	22:10	3	E
10/04/2013	17:50	2	SE	10/04/2013	22:15	2	SSE
10/04/2013	17:55	2	SSE	10/04/2013	22:20	3	SE
10/04/2013	18:00	1	SSE	10/04/2013	22:25	2	ESE
10/04/2013	18:05	2	S	10/04/2013	22:30	3	SE
10/04/2013	18:10	2	S	10/04/2013	22:35	3	SE
10/04/2013	18:15	3	SSE	10/04/2013	22:40	3	SE
10/04/2013	18:20	3	S	10/04/2013	22:45	5	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
10/04/2013	22:50	4	SSE	11/04/2013	03:15	8	SSE
10/04/2013	22:55	2	SE	11/04/2013	03:20	9	SSE
10/04/2013	23:00	5	SE	11/04/2013	03:25	6	SSE
10/04/2013	23:05	3	SE	11/04/2013	03:30	4	SSE
10/04/2013	23:10	3	SSE	11/04/2013	03:35	6	SSE
10/04/2013	23:15	4	SSE	11/04/2013	03:40	2	S
10/04/2013	23:20	3	SSE	11/04/2013	03:45	2	NNW
10/04/2013	23:25	2	SE	11/04/2013	03:50	1	NNE
10/04/2013	23:30	2	SSE	11/04/2013	03:55	2	SSE
10/04/2013	23:35	2	SSE	11/04/2013	04:00	4	SSE
10/04/2013	23:40	1	SE	11/04/2013	04:05	3	SE
10/04/2013	23:45	1	SE	11/04/2013	04:10	5	SE
10/04/2013	23:50	1	SE	11/04/2013	04:15	4	SSE
10/04/2013	23:55	2	SSE	11/04/2013	04:20	4	SSE
11/04/2013	00:00	3	SE	11/04/2013	04:25	3	SSE
11/04/2013	00:05	1	SE	11/04/2013	04:30	3	SE
11/04/2013	00:10	2	SE	11/04/2013	04:35	3	SE
11/04/2013	00:15	3	SE	11/04/2013	04:40	4	SE
11/04/2013	00:20	2	SE	11/04/2013	04:45	4	SE
11/04/2013	00:25	2	ESE	11/04/2013	04:50	4	SE
11/04/2013	00:30	1	SE	11/04/2013	04:55	4	SE
11/04/2013	00:35	2	S	11/04/2013	05:00	3	SSE
11/04/2013	00:40	2	S	11/04/2013	05:05	4	SSE
11/04/2013	00:45	2	SSE	11/04/2013	05:10	3	SSE
11/04/2013	00:50	3	SSE	11/04/2013	05:15	2	SE
11/04/2013	00:55	1	E	11/04/2013	05:20	2	SE
11/04/2013	01:00	4	SE	11/04/2013	05:25	1	SSE
11/04/2013	01:05	5	SE	11/04/2013	05:30	0	SSE
11/04/2013	01:10	5	SSE	11/04/2013	05:35	0	---
11/04/2013	01:15	4	SSE	11/04/2013	05:40	0	---
11/04/2013	01:20	5	SSE	11/04/2013	05:45	2	S
11/04/2013	01:25	3	SE	11/04/2013	05:50	1	SSW
11/04/2013	01:30	4	SSE	11/04/2013	05:55	2	SSE
11/04/2013	01:35	4	SSE	11/04/2013	06:00	2	SSE
11/04/2013	01:40	5	SSE	11/04/2013	06:05	3	SSE
11/04/2013	01:45	6	SSE	11/04/2013	06:10	6	SSE
11/04/2013	01:50	8	SSE	11/04/2013	06:15	5	SSE
11/04/2013	01:55	7	SSE	11/04/2013	06:20	5	SSE
11/04/2013	02:00	5	SSE	11/04/2013	06:25	6	SE
11/04/2013	02:05	6	SSE	11/04/2013	06:30	6	SE
11/04/2013	02:10	8	SSE	11/04/2013	06:35	6	SE
11/04/2013	02:15	6	SSE	11/04/2013	06:40	6	SSE
11/04/2013	02:20	5	SE	11/04/2013	06:45	4	SE
11/04/2013	02:25	7	SE	11/04/2013	06:50	3	SE
11/04/2013	02:30	7	SE	11/04/2013	06:55	2	E
11/04/2013	02:35	6	ESE	11/04/2013	07:00	2	ENE
11/04/2013	02:40	7	SSE	11/04/2013	07:05	1	ENE
11/04/2013	02:45	7	SE	11/04/2013	07:10	3	NE
11/04/2013	02:50	9	SSE	11/04/2013	07:15	3	ENE
11/04/2013	02:55	10	SSE	11/04/2013	07:20	2	SSE
11/04/2013	03:00	10	SSE	11/04/2013	07:25	3	SSE
11/04/2013	03:05	10	SSE	11/04/2013	07:30	2	SE
11/04/2013	03:10	9	SSE	11/04/2013	07:35	2	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
11/04/2013	07:40	3	SE	11/04/2013	12:05	2	NW
11/04/2013	07:45	3	SE	11/04/2013	12:10	2	WNW
11/04/2013	07:50	1	SE	11/04/2013	12:15	1	WNW
11/04/2013	07:55	2	SSE	11/04/2013	12:20	1	WNW
11/04/2013	08:00	3	SSE	11/04/2013	12:25	1	SW
11/04/2013	08:05	2	S	11/04/2013	12:30	1	SW
11/04/2013	08:10	3	SSE	11/04/2013	12:35	0	SW
11/04/2013	08:15	3	SSE	11/04/2013	12:40	0	SSE
11/04/2013	08:20	3	SSE	11/04/2013	12:45	1	SSE
11/04/2013	08:25	3	SE	11/04/2013	12:50	3	SSW
11/04/2013	08:30	5	SE	11/04/2013	12:55	3	S
11/04/2013	08:35	5	SE	11/04/2013	13:00	2	SSW
11/04/2013	08:40	5	SE	11/04/2013	13:05	2	S
11/04/2013	08:45	2	SE	11/04/2013	13:10	2	SSE
11/04/2013	08:50	2	ESE	11/04/2013	13:15	1	S
11/04/2013	08:55	1	ESE	11/04/2013	13:20	1	S
11/04/2013	09:00	1	SE	11/04/2013	13:25	2	S
11/04/2013	09:05	1	ESE	11/04/2013	13:30	2	S
11/04/2013	09:10	3	ESE	11/04/2013	13:35	3	S
11/04/2013	09:15	2	ESE	11/04/2013	13:40	1	SSE
11/04/2013	09:20	4	SE	11/04/2013	13:45	2	SSE
11/04/2013	09:25	3	SSE	11/04/2013	13:50	2	SE
11/04/2013	09:30	3	SSE	11/04/2013	13:55	2	SSE
11/04/2013	09:35	2	SSE	11/04/2013	14:00	3	S
11/04/2013	09:40	3	SE	11/04/2013	14:05	2	SW
11/04/2013	09:45	1	SSE	11/04/2013	14:10	3	SSE
11/04/2013	09:50	3	SSE	11/04/2013	14:15	2	SSE
11/04/2013	09:55	3	SE	11/04/2013	14:20	1	SSE
11/04/2013	10:00	2	SE	11/04/2013	14:25	3	SE
11/04/2013	10:05	2	SE	11/04/2013	14:30	2	SE
11/04/2013	10:10	3	SE	11/04/2013	14:35	2	SSE
11/04/2013	10:15	4	ESE	11/04/2013	14:40	2	SE
11/04/2013	10:20	2	ESE	11/04/2013	14:45	2	ESE
11/04/2013	10:25	2	SE	11/04/2013	14:50	2	ESE
11/04/2013	10:30	2	SSE	11/04/2013	14:55	2	SE
11/04/2013	10:35	3	E	11/04/2013	15:00	1	SSE
11/04/2013	10:40	3	ESE	11/04/2013	15:05	2	SE
11/04/2013	10:45	0	NE	11/04/2013	15:10	2	SSE
11/04/2013	10:50	0	S	11/04/2013	15:15	1	ESE
11/04/2013	10:55	1	SE	11/04/2013	15:20	1	SE
11/04/2013	11:00	2	SE	11/04/2013	15:25	1	SE
11/04/2013	11:05	3	S	11/04/2013	15:30	1	SE
11/04/2013	11:10	2	SSW	11/04/2013	15:35	0	SE
11/04/2013	11:15	1	SW	11/04/2013	15:40	0	SE
11/04/2013	11:20	1	S	11/04/2013	15:45	0	SE
11/04/2013	11:25	1	NNW	11/04/2013	15:50	2	S
11/04/2013	11:30	2	S	11/04/2013	15:55	3	SSW
11/04/2013	11:35	1	S	11/04/2013	16:00	2	WSW
11/04/2013	11:40	1	NNW	11/04/2013	16:05	0	WSW
11/04/2013	11:45	2	S	11/04/2013	16:10	0	---
11/04/2013	11:50	0	S	11/04/2013	16:15	0	---
11/04/2013	11:55	0	S	11/04/2013	16:20	0	---
11/04/2013	12:00	0	S	11/04/2013	16:25	0	---

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
11/04/2013	16:30	1	SSW	11/04/2013	20:55	2	SSE
11/04/2013	16:35	3	SW	11/04/2013	21:00	1	SE
11/04/2013	16:40	2	SSW	11/04/2013	21:05	1	SE
11/04/2013	16:45	2	E	11/04/2013	21:10	1	SE
11/04/2013	16:50	2	SE	11/04/2013	21:15	0	SSE
11/04/2013	16:55	2	SSE	11/04/2013	21:20	1	SSE
11/04/2013	17:00	1	S	11/04/2013	21:25	1	SSE
11/04/2013	17:05	0	S	11/04/2013	21:30	1	SE
11/04/2013	17:10	2	S	11/04/2013	21:35	1	S
11/04/2013	17:15	2	SSE	11/04/2013	21:40	1	S
11/04/2013	17:20	1	S	11/04/2013	21:45	1	SSE
11/04/2013	17:25	1	S	11/04/2013	21:50	1	SSE
11/04/2013	17:30	1	S	11/04/2013	21:55	0	---
11/04/2013	17:35	2	S	11/04/2013	22:00	0	---
11/04/2013	17:40	2	S	11/04/2013	22:05	0	---
11/04/2013	17:45	2	SSE	11/04/2013	22:10	0	---
11/04/2013	17:50	3	SE	11/04/2013	22:15	0	S
11/04/2013	17:55	2	SE	11/04/2013	22:20	2	S
11/04/2013	18:00	1	SE	11/04/2013	22:25	1	S
11/04/2013	18:05	1	ESE	11/04/2013	22:30	1	SE
11/04/2013	18:10	2	SE	11/04/2013	22:35	2	SSE
11/04/2013	18:15	2	SSE	11/04/2013	22:40	1	S
11/04/2013	18:20	2	S	11/04/2013	22:45	2	SSE
11/04/2013	18:25	2	S	11/04/2013	22:50	1	SSE
11/04/2013	18:30	1	S	11/04/2013	22:55	2	SSE
11/04/2013	18:35	1	SW	11/04/2013	23:00	1	SSE
11/04/2013	18:40	1	S	11/04/2013	23:05	0	SSE
11/04/2013	18:45	0	S	11/04/2013	23:10	0	SSE
11/04/2013	18:50	1	S	11/04/2013	23:15	0	SSE
11/04/2013	18:55	3	SSE	11/04/2013	23:20	1	SSE
11/04/2013	19:00	3	SE	11/04/2013	23:25	0	SSE
11/04/2013	19:05	2	SE	11/04/2013	23:30	0	SSE
11/04/2013	19:10	2	SSE	11/04/2013	23:35	1	SSE
11/04/2013	19:15	3	SE	11/04/2013	23:40	2	S
11/04/2013	19:20	2	SE	11/04/2013	23:45	1	S
11/04/2013	19:25	2	SSE	11/04/2013	23:50	1	S
11/04/2013	19:30	1	SSE	11/04/2013	23:55	0	S
11/04/2013	19:35	1	SSE	12/04/2013	00:00	1	S
11/04/2013	19:40	1	SSE	12/04/2013	00:05	1	S
11/04/2013	19:45	1	SE	12/04/2013	00:10	1	S
11/04/2013	19:50	0	SSE	12/04/2013	00:15	2	S
11/04/2013	19:55	0	SSE	12/04/2013	00:20	2	SSW
11/04/2013	20:00	1	SE	12/04/2013	00:25	1	SSW
11/04/2013	20:05	0	SE	12/04/2013	00:30	1	SSW
11/04/2013	20:10	1	SE	12/04/2013	00:35	1	SSW
11/04/2013	20:15	1	SE	12/04/2013	00:40	0	---
11/04/2013	20:20	0	SE	12/04/2013	00:45	2	S
11/04/2013	20:25	1	SE	12/04/2013	00:50	2	S
11/04/2013	20:30	2	SE	12/04/2013	00:55	1	S
11/04/2013	20:35	2	SSE	12/04/2013	01:00	2	S
11/04/2013	20:40	1	SE	12/04/2013	01:05	3	SSE
11/04/2013	20:45	2	SSE	12/04/2013	01:10	3	S
11/04/2013	20:50	2	SE	12/04/2013	01:15	1	S

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
12/04/2013	01:20	1	ESE	12/04/2013	05:45	3	E
12/04/2013	01:25	1	ESE	12/04/2013	05:50	2	E
12/04/2013	01:30	1	SSE	12/04/2013	05:55	1	E
12/04/2013	01:35	2	SSE	12/04/2013	06:00	1	SSE
12/04/2013	01:40	3	SSE	12/04/2013	06:05	2	SE
12/04/2013	01:45	2	S	12/04/2013	06:10	0	SE
12/04/2013	01:50	3	S	12/04/2013	06:15	0	SE
12/04/2013	01:55	2	S	12/04/2013	06:20	1	SE
12/04/2013	02:00	2	S	12/04/2013	06:25	4	NNE
12/04/2013	02:05	2	SSE	12/04/2013	06:30	4	NNE
12/04/2013	02:10	1	SSE	12/04/2013	06:35	2	NE
12/04/2013	02:15	3	SSE	12/04/2013	06:40	4	NE
12/04/2013	02:20	2	SSE	12/04/2013	06:45	4	ENE
12/04/2013	02:25	2	ESE	12/04/2013	06:50	2	E
12/04/2013	02:30	1	SSE	12/04/2013	06:55	2	SE
12/04/2013	02:35	2	SSE	12/04/2013	07:00	4	ENE
12/04/2013	02:40	1	SE	12/04/2013	07:05	4	E
12/04/2013	02:45	1	SSE	12/04/2013	07:10	4	SE
12/04/2013	02:50	3	S	12/04/2013	07:15	2	SE
12/04/2013	02:55	3	SSE	12/04/2013	07:20	3	SE
12/04/2013	03:00	2	SSE	12/04/2013	07:25	3	ESE
12/04/2013	03:05	1	SSE	12/04/2013	07:30	2	E
12/04/2013	03:10	1	S	12/04/2013	07:35	2	SSE
12/04/2013	03:15	0	S	12/04/2013	07:40	2	ESE
12/04/2013	03:20	0	---	12/04/2013	07:45	3	SSE
12/04/2013	03:25	0	---	12/04/2013	07:50	4	SSE
12/04/2013	03:30	1	N	12/04/2013	07:55	2	SSW
12/04/2013	03:35	3	N	12/04/2013	08:00	3	S
12/04/2013	03:40	2	NNW	12/04/2013	08:05	2	SSW
12/04/2013	03:45	1	NNW	12/04/2013	08:10	2	S
12/04/2013	03:50	0	SW	12/04/2013	08:15	3	SE
12/04/2013	03:55	1	S	12/04/2013	08:20	2	SE
12/04/2013	04:00	2	SSE	12/04/2013	08:25	0	SE
12/04/2013	04:05	1	ESE	12/04/2013	08:30	0	SE
12/04/2013	04:10	0	ESE	12/04/2013	08:35	0	SE
12/04/2013	04:15	0	ESE	12/04/2013	08:40	1	SSE
12/04/2013	04:20	0	ESE	12/04/2013	08:45	1	SSE
12/04/2013	04:25	2	ESE	12/04/2013	08:50	1	S
12/04/2013	04:30	2	SSE	12/04/2013	08:55	1	WSW
12/04/2013	04:35	1	SE	12/04/2013	09:00	1	NW
12/04/2013	04:40	1	SE	12/04/2013	09:05	0	NW
12/04/2013	04:45	3	ENE	12/04/2013	09:10	0	W
12/04/2013	04:50	2	ESE	12/04/2013	09:15	0	W
12/04/2013	04:55	2	E	12/04/2013	09:20	0	W
12/04/2013	05:00	3	E	12/04/2013	09:25	1	WSW
12/04/2013	05:05	1	SSE	12/04/2013	09:30	2	NW
12/04/2013	05:10	1	S	12/04/2013	09:35	1	WNW
12/04/2013	05:15	3	SSE	12/04/2013	09:40	1	WNW
12/04/2013	05:20	3	SSE	12/04/2013	09:45	0	WNW
12/04/2013	05:25	2	SE	12/04/2013	09:50	1	WNW
12/04/2013	05:30	4	SE	12/04/2013	09:55	2	NW
12/04/2013	05:35	3	SSE	12/04/2013	10:00	1	WNW
12/04/2013	05:40	1	S	12/04/2013	10:05	1	NW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
12/04/2013	10:10	2	ENE	12/04/2013	14:35	1	SSE
12/04/2013	10:15	1	ESE	12/04/2013	14:40	1	S
12/04/2013	10:20	1	E	12/04/2013	14:45	1	S
12/04/2013	10:25	0	SSE	12/04/2013	14:50	1	S
12/04/2013	10:30	0	SSE	12/04/2013	14:55	0	SSW
12/04/2013	10:35	1	S	12/04/2013	15:00	1	E
12/04/2013	10:40	1	SSW	12/04/2013	15:05	2	E
12/04/2013	10:45	1	S	12/04/2013	15:10	1	E
12/04/2013	10:50	2	ENE	12/04/2013	15:15	2	SE
12/04/2013	10:55	2	ENE	12/04/2013	15:20	2	SE
12/04/2013	11:00	1	NNE	12/04/2013	15:25	4	ESE
12/04/2013	11:05	2	ESE	12/04/2013	15:30	3	SSE
12/04/2013	11:10	2	NE	12/04/2013	15:35	6	SE
12/04/2013	11:15	3	SE	12/04/2013	15:40	6	SE
12/04/2013	11:20	2	SSE	12/04/2013	15:45	6	SE
12/04/2013	11:25	2	S	12/04/2013	15:50	6	SSE
12/04/2013	11:30	2	S	12/04/2013	15:55	6	SE
12/04/2013	11:35	2	SSW	12/04/2013	16:00	6	SSE
12/04/2013	11:40	2	S	12/04/2013	16:05	5	SE
12/04/2013	11:45	2	SE	12/04/2013	16:10	4	SSE
12/04/2013	11:50	3	SSE	12/04/2013	16:15	4	SSE
12/04/2013	11:55	2	SSE	12/04/2013	16:20	5	SE
12/04/2013	12:00	2	S	12/04/2013	16:25	5	SSE
12/04/2013	12:05	3	E	12/04/2013	16:30	3	S
12/04/2013	12:10	2	E	12/04/2013	16:35	4	S
12/04/2013	12:15	2	E	12/04/2013	16:40	3	SSE
12/04/2013	12:20	1	E	12/04/2013	16:45	4	SE
12/04/2013	12:25	0	E	12/04/2013	16:50	4	SE
12/04/2013	12:30	1	ENE	12/04/2013	16:55	3	SE
12/04/2013	12:35	1	NE	12/04/2013	17:00	3	SE
12/04/2013	12:40	1	ESE	12/04/2013	17:05	2	SE
12/04/2013	12:45	1	ENE	12/04/2013	17:10	2	SE
12/04/2013	12:50	1	ENE	12/04/2013	17:15	2	ESE
12/04/2013	12:55	0	ENE	12/04/2013	17:20	1	SE
12/04/2013	13:00	0	ENE	12/04/2013	17:25	4	SSE
12/04/2013	13:05	1	NE	12/04/2013	17:30	3	SSE
12/04/2013	13:10	1	NE	12/04/2013	17:35	4	SSE
12/04/2013	13:15	0	NE	12/04/2013	17:40	3	S
12/04/2013	13:20	1	NE	12/04/2013	17:45	3	S
12/04/2013	13:25	0	NE	12/04/2013	17:50	4	S
12/04/2013	13:30	0	NE	12/04/2013	17:55	4	SE
12/04/2013	13:35	0	NE	12/04/2013	18:00	4	SE
12/04/2013	13:40	0	---	12/04/2013	18:05	3	SE
12/04/2013	13:45	0	NE	12/04/2013	18:10	2	SSE
12/04/2013	13:50	0	---	12/04/2013	18:15	3	SSE
12/04/2013	13:55	1	SSE	12/04/2013	18:20	3	SE
12/04/2013	14:00	1	SSW	12/04/2013	18:25	2	SSE
12/04/2013	14:05	2	ENE	12/04/2013	18:30	1	S
12/04/2013	14:10	1	E	12/04/2013	18:35	2	SE
12/04/2013	14:15	0	E	12/04/2013	18:40	3	SSE
12/04/2013	14:20	1	E	12/04/2013	18:45	3	SE
12/04/2013	14:25	0	E	12/04/2013	18:50	4	SSE
12/04/2013	14:30	0	E	12/04/2013	18:55	4	S

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
12/04/2013	19:00	3	S	12/04/2013	23:25	5	SSE
12/04/2013	19:05	4	S	12/04/2013	23:30	6	SE
12/04/2013	19:10	5	SSE	12/04/2013	23:35	6	SE
12/04/2013	19:15	3	SSE	12/04/2013	23:40	6	SSE
12/04/2013	19:20	2	SE	12/04/2013	23:45	6	SSE
12/04/2013	19:25	3	SSE	12/04/2013	23:50	7	SSE
12/04/2013	19:30	4	SSE	12/04/2013	23:55	7	SSE
12/04/2013	19:35	3	SSE	13/04/2013	00:00	9	SSE
12/04/2013	19:40	2	SSE	13/04/2013	00:05	11	SSE
12/04/2013	19:45	2	SE	13/04/2013	00:10	11	SSE
12/04/2013	19:50	2	ENE	13/04/2013	00:15	12	SSE
12/04/2013	19:55	1	E	13/04/2013	00:20	11	SSE
12/04/2013	20:00	1	E	13/04/2013	00:25	10	SSE
12/04/2013	20:05	1	N	13/04/2013	00:30	9	SE
12/04/2013	20:10	1	N	13/04/2013	00:35	11	SE
12/04/2013	20:15	4	SSE	13/04/2013	00:40	9	SE
12/04/2013	20:20	2	S	13/04/2013	00:45	11	SE
12/04/2013	20:25	2	SSE	13/04/2013	00:50	11	SE
12/04/2013	20:30	2	SE	13/04/2013	00:55	11	SE
12/04/2013	20:35	3	S	13/04/2013	01:00	7	SE
12/04/2013	20:40	2	SE	13/04/2013	01:05	5	SE
12/04/2013	20:45	1	SSE	13/04/2013	01:10	3	SE
12/04/2013	20:50	4	SSE	13/04/2013	01:15	4	ESE
12/04/2013	20:55	3	SE	13/04/2013	01:20	4	SE
12/04/2013	21:00	4	SE	13/04/2013	01:25	5	SE
12/04/2013	21:05	4	SE	13/04/2013	01:30	4	SSE
12/04/2013	21:10	4	SSE	13/04/2013	01:35	4	SSE
12/04/2013	21:15	3	SSE	13/04/2013	01:40	5	SSE
12/04/2013	21:20	3	SSE	13/04/2013	01:45	4	SSE
12/04/2013	21:25	2	SSE	13/04/2013	01:50	5	SSE
12/04/2013	21:30	2	SSE	13/04/2013	01:55	4	SSE
12/04/2013	21:35	3	SSE	13/04/2013	02:00	3	S
12/04/2013	21:40	3	SSE	13/04/2013	02:05	2	SSE
12/04/2013	21:45	4	SSE	13/04/2013	02:10	2	SSE
12/04/2013	21:50	6	SSE	13/04/2013	02:15	1	NNE
12/04/2013	21:55	4	S	13/04/2013	02:20	1	NNE
12/04/2013	22:00	5	SSE	13/04/2013	02:25	2	SE
12/04/2013	22:05	6	SSE	13/04/2013	02:30	1	S
12/04/2013	22:10	6	SSE	13/04/2013	02:35	3	SSE
12/04/2013	22:15	5	SSE	13/04/2013	02:40	1	S
12/04/2013	22:20	4	SSE	13/04/2013	02:45	1	NNE
12/04/2013	22:25	4	SSE	13/04/2013	02:50	1	NNW
12/04/2013	22:30	4	SSE	13/04/2013	02:55	1	N
12/04/2013	22:35	4	SE	13/04/2013	03:00	0	WSW
12/04/2013	22:40	5	SSE	13/04/2013	03:05	1	W
12/04/2013	22:45	4	SSE	13/04/2013	03:10	1	SE
12/04/2013	22:50	3	SE	13/04/2013	03:15	3	SE
12/04/2013	22:55	4	SSE	13/04/2013	03:20	4	SE
12/04/2013	23:00	5	SSE	13/04/2013	03:25	3	SE
12/04/2013	23:05	6	SE	13/04/2013	03:30	1	SE
12/04/2013	23:10	4	SE	13/04/2013	03:35	2	SSE
12/04/2013	23:15	4	SE	13/04/2013	03:40	3	ESE
12/04/2013	23:20	4	SSE	13/04/2013	03:45	2	ESE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
13/04/2013	03:50	2	SE	13/04/2013	08:15	1	NW
13/04/2013	03:55	1	S	13/04/2013	08:20	1	NNW
13/04/2013	04:00	1	S	13/04/2013	08:25	2	NW
13/04/2013	04:05	1	S	13/04/2013	08:30	1	NNW
13/04/2013	04:10	0	S	13/04/2013	08:35	1	NNW
13/04/2013	04:15	0	S	13/04/2013	08:40	0	NNW
13/04/2013	04:20	0	S	13/04/2013	08:45	0	NNW
13/04/2013	04:25	1	S	13/04/2013	08:50	1	ENE
13/04/2013	04:30	1	W	13/04/2013	08:55	2	ESE
13/04/2013	04:35	0	W	13/04/2013	09:00	2	E
13/04/2013	04:40	0	---	13/04/2013	09:05	2	E
13/04/2013	04:45	1	W	13/04/2013	09:10	2	SSE
13/04/2013	04:50	1	W	13/04/2013	09:15	2	SE
13/04/2013	04:55	1	W	13/04/2013	09:20	3	E
13/04/2013	05:00	2	NW	13/04/2013	09:25	2	E
13/04/2013	05:05	1	NW	13/04/2013	09:30	2	E
13/04/2013	05:10	1	WNW	13/04/2013	09:35	2	E
13/04/2013	05:15	1	NW	13/04/2013	09:40	2	SSE
13/04/2013	05:20	2	NNW	13/04/2013	09:45	3	SSE
13/04/2013	05:25	1	NE	13/04/2013	09:50	4	SSE
13/04/2013	05:30	1	E	13/04/2013	09:55	5	SE
13/04/2013	05:35	1	SSE	13/04/2013	10:00	8	SE
13/04/2013	05:40	2	WNW	13/04/2013	10:05	8	SE
13/04/2013	05:45	1	S	13/04/2013	10:10	8	SE
13/04/2013	05:50	2	WNW	13/04/2013	10:15	8	SE
13/04/2013	05:55	3	NW	13/04/2013	10:20	7	SE
13/04/2013	06:00	3	WNW	13/04/2013	10:25	8	SE
13/04/2013	06:05	2	SE	13/04/2013	10:30	9	SE
13/04/2013	06:10	4	WNW	13/04/2013	10:35	8	SSE
13/04/2013	06:15	5	NW	13/04/2013	10:40	6	SSE
13/04/2013	06:20	3	NW	13/04/2013	10:45	5	SSE
13/04/2013	06:25	3	NW	13/04/2013	10:50	7	SSE
13/04/2013	06:30	2	NW	13/04/2013	10:55	7	SE
13/04/2013	06:35	1	S	13/04/2013	11:00	8	SE
13/04/2013	06:40	2	S	13/04/2013	11:05	6	SE
13/04/2013	06:45	2	SSE	13/04/2013	11:10	6	E
13/04/2013	06:50	3	SSE	13/04/2013	11:15	6	E
13/04/2013	06:55	3	SSE	13/04/2013	11:20	5	SE
13/04/2013	07:00	3	SE	13/04/2013	11:25	6	E
13/04/2013	07:05	1	SSE	13/04/2013	11:30	5	E
13/04/2013	07:10	1	SSE	13/04/2013	11:35	5	E
13/04/2013	07:15	0	WSW	13/04/2013	11:40	5	E
13/04/2013	07:20	1	WSW	13/04/2013	11:45	7	E
13/04/2013	07:25	1	WSW	13/04/2013	11:50	6	E
13/04/2013	07:30	1	WSW	13/04/2013	11:55	5	ENE
13/04/2013	07:35	1	WNW	13/04/2013	12:00	2	ENE
13/04/2013	07:40	2	NW	13/04/2013	12:05	2	NE
13/04/2013	07:45	3	NNW	13/04/2013	12:10	4	NE
13/04/2013	07:50	2	NW	13/04/2013	12:15	5	NNE
13/04/2013	07:55	1	WNW	13/04/2013	12:20	5	N
13/04/2013	08:00	1	WNW	13/04/2013	12:25	5	N
13/04/2013	08:05	1	NW	13/04/2013	12:30	5	N
13/04/2013	08:10	1	NW	13/04/2013	12:35	6	N

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
13/04/2013	12:40	7	N	13/04/2013	17:05	5	NNW
13/04/2013	12:45	7	N	13/04/2013	17:10	6	NW
13/04/2013	12:50	7	N	13/04/2013	17:15	7	NW
13/04/2013	12:55	6	N	13/04/2013	17:20	5	NW
13/04/2013	13:00	6	N	13/04/2013	17:25	5	NW
13/04/2013	13:05	6	N	13/04/2013	17:30	3	NNW
13/04/2013	13:10	5	N	13/04/2013	17:35	2	WNW
13/04/2013	13:15	5	N	13/04/2013	17:40	2	WNW
13/04/2013	13:20	6	NNE	13/04/2013	17:45	1	NNW
13/04/2013	13:25	5	N	13/04/2013	17:50	1	N
13/04/2013	13:30	3	NNE	13/04/2013	17:55	1	N
13/04/2013	13:35	3	N	13/04/2013	18:00	1	NE
13/04/2013	13:40	4	N	13/04/2013	18:05	1	E
13/04/2013	13:45	2	NE	13/04/2013	18:10	1	E
13/04/2013	13:50	2	NNE	13/04/2013	18:15	2	SE
13/04/2013	13:55	2	ENE	13/04/2013	18:20	1	SE
13/04/2013	14:00	2	NE	13/04/2013	18:25	2	SSE
13/04/2013	14:05	2	N	13/04/2013	18:30	1	SSE
13/04/2013	14:10	2	NE	13/04/2013	18:35	0	---
13/04/2013	14:15	1	ENE	13/04/2013	18:40	0	---
13/04/2013	14:20	0	ENE	13/04/2013	18:45	0	---
13/04/2013	14:25	2	ENE	13/04/2013	18:50	1	N
13/04/2013	14:30	2	ENE	13/04/2013	18:55	2	N
13/04/2013	14:35	2	ENE	13/04/2013	19:00	1	N
13/04/2013	14:40	2	E	13/04/2013	19:05	0	---
13/04/2013	14:45	3	E	13/04/2013	19:10	0	---
13/04/2013	14:50	4	N	13/04/2013	19:15	0	---
13/04/2013	14:55	4	N	13/04/2013	19:20	0	---
13/04/2013	15:00	2	NNE	13/04/2013	19:25	0	---
13/04/2013	15:05	1	NNE	13/04/2013	19:30	0	---
13/04/2013	15:10	2	NNE	13/04/2013	19:35	0	---
13/04/2013	15:15	2	NNE	13/04/2013	19:40	0	---
13/04/2013	15:20	3	NE	13/04/2013	19:45	0	---
13/04/2013	15:25	2	ENE	13/04/2013	19:50	1	NNW
13/04/2013	15:30	2	E	13/04/2013	19:55	3	NNW
13/04/2013	15:35	5	E	13/04/2013	20:00	3	NW
13/04/2013	15:40	5	E	13/04/2013	20:05	2	NW
13/04/2013	15:45	6	E	13/04/2013	20:10	1	NW
13/04/2013	15:50	5	E	13/04/2013	20:15	2	NW
13/04/2013	15:55	4	NE	13/04/2013	20:20	1	NW
13/04/2013	16:00	5	N	13/04/2013	20:25	2	NNW
13/04/2013	16:05	5	N	13/04/2013	20:30	0	NNW
13/04/2013	16:10	4	N	13/04/2013	20:35	0	NNW
13/04/2013	16:15	5	N	13/04/2013	20:40	0	NNW
13/04/2013	16:20	4	N	13/04/2013	20:45	0	---
13/04/2013	16:25	5	N	13/04/2013	20:50	0	---
13/04/2013	16:30	4	NNE	13/04/2013	20:55	0	---
13/04/2013	16:35	5	N	13/04/2013	21:00	0	---
13/04/2013	16:40	6	N	13/04/2013	21:05	0	---
13/04/2013	16:45	6	N	13/04/2013	21:10	0	---
13/04/2013	16:50	7	N	13/04/2013	21:15	0	---
13/04/2013	16:55	7	N	13/04/2013	21:20	0	---
13/04/2013	17:00	5	N	13/04/2013	21:25	0	---

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
13/04/2013	21:30	0	---	14/04/2013	01:55	0	NNW
13/04/2013	21:35	0	---	14/04/2013	02:00	1	NNW
13/04/2013	21:40	0	---	14/04/2013	02:05	0	---
13/04/2013	21:45	1	N	14/04/2013	02:10	0	---
13/04/2013	21:50	2	NNW	14/04/2013	02:15	0	---
13/04/2013	21:55	0	---	14/04/2013	02:20	0	---
13/04/2013	22:00	0	---	14/04/2013	02:25	0	---
13/04/2013	22:05	0	WNW	14/04/2013	02:30	0	---
13/04/2013	22:10	2	NNW	14/04/2013	02:35	0	---
13/04/2013	22:15	1	NNW	14/04/2013	02:40	0	---
13/04/2013	22:20	0	NNW	14/04/2013	02:45	0	---
13/04/2013	22:25	0	NNW	14/04/2013	02:50	0	---
13/04/2013	22:30	0	WNW	14/04/2013	02:55	0	---
13/04/2013	22:35	0	WNW	14/04/2013	03:00	0	---
13/04/2013	22:40	0	WNW	14/04/2013	03:05	0	---
13/04/2013	22:45	1	NNW	14/04/2013	03:10	0	NNW
13/04/2013	22:50	2	NNW	14/04/2013	03:15	2	NW
13/04/2013	22:55	1	NNW	14/04/2013	03:20	1	NW
13/04/2013	23:00	0	---	14/04/2013	03:25	0	NW
13/04/2013	23:05	0	NNW	14/04/2013	03:30	0	NW
13/04/2013	23:10	0	NNW	14/04/2013	03:35	1	WNW
13/04/2013	23:15	0	NNW	14/04/2013	03:40	2	W
13/04/2013	23:20	0	NNW	14/04/2013	03:45	1	W
13/04/2013	23:25	0	NNW	14/04/2013	03:50	1	WNW
13/04/2013	23:30	2	NNW	14/04/2013	03:55	1	WNW
13/04/2013	23:35	1	NNW	14/04/2013	04:00	1	WNW
13/04/2013	23:40	0	---	14/04/2013	04:05	2	W
13/04/2013	23:45	0	---	14/04/2013	04:10	2	WNW
13/04/2013	23:50	0	---	14/04/2013	04:15	1	NW
13/04/2013	23:55	0	---	14/04/2013	04:20	1	NW
14/04/2013	00:00	0	---	14/04/2013	04:25	1	NW
14/04/2013	00:05	0	---	14/04/2013	04:30	1	NW
14/04/2013	00:10	0	---	14/04/2013	04:35	0	NW
14/04/2013	00:15	0	---	14/04/2013	04:40	0	NW
14/04/2013	00:20	0	---	14/04/2013	04:45	1	NW
14/04/2013	00:25	0	---	14/04/2013	04:50	0	NW
14/04/2013	00:30	0	---	14/04/2013	04:55	0	WNW
14/04/2013	00:35	0	---	14/04/2013	05:00	1	WNW
14/04/2013	00:40	0	---	14/04/2013	05:05	0	NW
14/04/2013	00:45	0	---	14/04/2013	05:10	1	NW
14/04/2013	00:50	0	---	14/04/2013	05:15	1	WNW
14/04/2013	00:55	0	---	14/04/2013	05:20	0	WNW
14/04/2013	01:00	0	---	14/04/2013	05:25	0	---
14/04/2013	01:05	0	---	14/04/2013	05:30	0	---
14/04/2013	01:10	0	---	14/04/2013	05:35	0	WNW
14/04/2013	01:15	0	---	14/04/2013	05:40	0	---
14/04/2013	01:20	0	---	14/04/2013	05:45	1	WNW
14/04/2013	01:25	0	---	14/04/2013	05:50	3	WNW
14/04/2013	01:30	0	SW	14/04/2013	05:55	2	WNW
14/04/2013	01:35	3	SSW	14/04/2013	06:00	2	W
14/04/2013	01:40	0	S	14/04/2013	06:05	2	WNW
14/04/2013	01:45	0	S	14/04/2013	06:10	2	NNW
14/04/2013	01:50	1	S	14/04/2013	06:15	1	NNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
14/04/2013	06:20	0	NNW	14/04/2013	10:45	5	N
14/04/2013	06:25	0	NNW	14/04/2013	10:50	5	N
14/04/2013	06:30	0	---	14/04/2013	10:55	4	N
14/04/2013	06:35	0	---	14/04/2013	11:00	5	N
14/04/2013	06:40	0	---	14/04/2013	11:05	4	N
14/04/2013	06:45	0	WNW	14/04/2013	11:10	4	NNE
14/04/2013	06:50	0	---	14/04/2013	11:15	4	N
14/04/2013	06:55	2	NW	14/04/2013	11:20	4	NNE
14/04/2013	07:00	1	WNW	14/04/2013	11:25	5	N
14/04/2013	07:05	1	WNW	14/04/2013	11:30	5	NNW
14/04/2013	07:10	1	W	14/04/2013	11:35	5	N
14/04/2013	07:15	1	W	14/04/2013	11:40	5	N
14/04/2013	07:20	1	WNW	14/04/2013	11:45	5	N
14/04/2013	07:25	1	WNW	14/04/2013	11:50	3	N
14/04/2013	07:30	1	WNW	14/04/2013	11:55	5	NNW
14/04/2013	07:35	1	WNW	14/04/2013	12:00	4	NNW
14/04/2013	07:40	1	NE	14/04/2013	12:05	2	NNW
14/04/2013	07:45	1	N	14/04/2013	12:10	3	NW
14/04/2013	07:50	3	WNW	14/04/2013	12:15	3	NNW
14/04/2013	07:55	2	W	14/04/2013	12:20	4	N
14/04/2013	08:00	1	WSW	14/04/2013	12:25	4	N
14/04/2013	08:05	2	W	14/04/2013	12:30	3	N
14/04/2013	08:10	2	NW	14/04/2013	12:35	3	NNE
14/04/2013	08:15	2	WNW	14/04/2013	12:40	3	NNE
14/04/2013	08:20	2	WNW	14/04/2013	12:45	2	NNE
14/04/2013	08:25	2	NW	14/04/2013	12:50	3	NNE
14/04/2013	08:30	3	WNW	14/04/2013	12:55	4	NNE
14/04/2013	08:35	3	NW	14/04/2013	13:00	5	NE
14/04/2013	08:40	3	NNW	14/04/2013	13:05	5	NNE
14/04/2013	08:45	2	NNW	14/04/2013	13:10	5	NNE
14/04/2013	08:50	3	NW	14/04/2013	13:15	4	NNE
14/04/2013	08:55	3	WNW	14/04/2013	13:20	2	NNE
14/04/2013	09:00	4	NNW	14/04/2013	13:25	2	NNE
14/04/2013	09:05	3	NNW	14/04/2013	13:30	3	NNW
14/04/2013	09:10	3	NW	14/04/2013	13:35	3	NNE
14/04/2013	09:15	3	NW	14/04/2013	13:40	4	NNW
14/04/2013	09:20	2	NW	14/04/2013	13:45	2	NNE
14/04/2013	09:25	3	NW	14/04/2013	13:50	2	N
14/04/2013	09:30	2	NNW	14/04/2013	13:55	4	N
14/04/2013	09:35	3	NW	14/04/2013	14:00	4	N
14/04/2013	09:40	4	NW	14/04/2013	14:05	4	NNE
14/04/2013	09:45	4	NNW	14/04/2013	14:10	5	NNW
14/04/2013	09:50	4	N	14/04/2013	14:15	5	NNW
14/04/2013	09:55	2	N	14/04/2013	14:20	6	NNE
14/04/2013	10:00	3	NNW	14/04/2013	14:25	4	NNE
14/04/2013	10:05	4	N	14/04/2013	14:30	5	NNE
14/04/2013	10:10	5	N	14/04/2013	14:35	4	NNE
14/04/2013	10:15	5	N	14/04/2013	14:40	4	N
14/04/2013	10:20	4	N	14/04/2013	14:45	5	N
14/04/2013	10:25	4	NNW	14/04/2013	14:50	4	NE
14/04/2013	10:30	4	N	14/04/2013	14:55	5	NNW
14/04/2013	10:35	5	N	14/04/2013	15:00	4	WNW
14/04/2013	10:40	4	NNW	14/04/2013	15:05	2	NNE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
14/04/2013	15:05	2	NNE	14/04/2013	19:30	1	NNW
14/04/2013	15:10	4	NNW	14/04/2013	19:35	1	NW
14/04/2013	15:15	4	WNW	14/04/2013	19:40	0	NW
14/04/2013	15:20	4	NNW	14/04/2013	19:45	0	NW
14/04/2013	15:25	5	NNE	14/04/2013	19:50	0	NW
14/04/2013	15:30	5	N	14/04/2013	19:55	2	NW
14/04/2013	15:35	5	N	14/04/2013	20:00	1	S
14/04/2013	15:40	4	N	14/04/2013	20:05	0	S
14/04/2013	15:45	4	N	14/04/2013	20:10	0	S
14/04/2013	15:50	4	N	14/04/2013	20:15	1	S
14/04/2013	15:55	4	N	14/04/2013	20:20	1	SSE
14/04/2013	16:00	4	NNW	14/04/2013	20:25	1	SSE
14/04/2013	16:05	3	NNW	14/04/2013	20:30	1	SSE
14/04/2013	16:10	4	N	14/04/2013	20:35	1	SSE
14/04/2013	16:15	5	NNW	14/04/2013	20:40	1	NE
14/04/2013	16:20	2	NNE	14/04/2013	20:45	1	NE
14/04/2013	16:25	2	N	14/04/2013	20:50	1	NE
14/04/2013	16:30	3	NNE	14/04/2013	20:55	1	SSE
14/04/2013	16:35	2	N	14/04/2013	21:00	2	SSE
14/04/2013	16:40	2	N	14/04/2013	21:05	1	SSE
14/04/2013	16:45	2	N	14/04/2013	21:10	1	SSE
14/04/2013	16:50	3	N	14/04/2013	21:15	1	SSE
14/04/2013	16:55	3	NNW	14/04/2013	21:20	1	SSE
14/04/2013	17:00	3	N	14/04/2013	21:25	1	SSE
14/04/2013	17:05	3	NW	14/04/2013	21:30	0	SSE
14/04/2013	17:10	2	WNW	14/04/2013	21:35	0	SSE
14/04/2013	17:15	3	NW	14/04/2013	21:40	0	NNE
14/04/2013	17:20	4	NW	14/04/2013	21:45	0	---
14/04/2013	17:25	4	NW	14/04/2013	21:50	0	---
14/04/2013	17:30	4	NW	14/04/2013	21:55	0	---
14/04/2013	17:35	3	NW	14/04/2013	22:00	0	---
14/04/2013	17:40	4	NW	14/04/2013	22:05	0	---
14/04/2013	17:45	4	WNW	14/04/2013	22:10	0	---
14/04/2013	17:50	4	NW	14/04/2013	22:15	0	---
14/04/2013	17:55	3	NW	14/04/2013	22:20	0	NNE
14/04/2013	18:00	3	NW	14/04/2013	22:25	0	---
14/04/2013	18:05	3	NW	14/04/2013	22:30	0	---
14/04/2013	18:10	2	WNW	14/04/2013	22:35	0	---
14/04/2013	18:15	3	WNW	14/04/2013	22:40	0	---
14/04/2013	18:20	3	NW	14/04/2013	22:45	0	---
14/04/2013	18:25	2	NW	14/04/2013	22:50	0	---
14/04/2013	18:30	1	NW	14/04/2013	22:55	0	---
14/04/2013	18:35	1	NW	14/04/2013	23:00	0	NNE
14/04/2013	18:40	2	NW	14/04/2013	23:05	0	---
14/04/2013	18:45	2	WNW	14/04/2013	23:10	0	---
14/04/2013	18:50	2	WNW	14/04/2013	23:15	0	---
14/04/2013	18:55	2	WNW	14/04/2013	23:20	0	NNE
14/04/2013	19:00	1	W	14/04/2013	23:25	0	NNE
14/04/2013	19:05	0	SW	14/04/2013	23:30	1	NNE
14/04/2013	19:10	1	SW	14/04/2013	23:35	0	NNE
14/04/2013	19:15	1	W	14/04/2013	23:40	0	NNE
14/04/2013	19:20	1	W	14/04/2013	23:45	1	NNE
14/04/2013	19:25	1	WNW	14/04/2013	23:50	0	---

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
14/04/2013	23:55	0	NNE	15/04/2013	04:20	0	---
15/04/2013	00:00	0	---	15/04/2013	04:25	0	---
15/04/2013	00:05	0	---	15/04/2013	04:30	0	---
15/04/2013	00:10	0	---	15/04/2013	04:35	0	NNE
15/04/2013	00:15	0	---	15/04/2013	04:40	1	NNE
15/04/2013	00:20	0	---	15/04/2013	04:45	1	NNE
15/04/2013	00:25	0	---	15/04/2013	04:50	0	NNE
15/04/2013	00:30	0	---	15/04/2013	04:55	0	---
15/04/2013	00:35	0	---	15/04/2013	05:00	0	---
15/04/2013	00:40	0	---	15/04/2013	05:05	0	---
15/04/2013	00:45	0	---	15/04/2013	05:10	0	---
15/04/2013	00:50	0	---	15/04/2013	05:15	0	---
15/04/2013	00:55	0	---	15/04/2013	05:20	0	---
15/04/2013	01:00	0	---	15/04/2013	05:25	0	---
15/04/2013	01:05	0	---	15/04/2013	05:30	0	---
15/04/2013	01:10	0	---	15/04/2013	05:35	0	---
15/04/2013	01:15	0	---	15/04/2013	05:40	0	---
15/04/2013	01:20	0	---	15/04/2013	05:45	0	---
15/04/2013	01:25	0	---	15/04/2013	05:50	0	---
15/04/2013	01:30	0	---	15/04/2013	05:55	0	---
15/04/2013	01:35	0	---	15/04/2013	06:00	0	---
15/04/2013	01:40	0	---	15/04/2013	06:05	0	---
15/04/2013	01:45	0	---	15/04/2013	06:10	0	---
15/04/2013	01:50	0	---	15/04/2013	06:15	0	---
15/04/2013	01:55	0	---	15/04/2013	06:20	0	---
15/04/2013	02:00	0	---	15/04/2013	06:25	0	---
15/04/2013	02:05	0	---	15/04/2013	06:30	0	---
15/04/2013	02:10	0	---	15/04/2013	06:35	0	---
15/04/2013	02:15	0	---	15/04/2013	06:40	0	---
15/04/2013	02:20	0	---	15/04/2013	06:45	0	---
15/04/2013	02:25	0	NNE	15/04/2013	06:50	0	---
15/04/2013	02:30	0	---	15/04/2013	06:55	0	---
15/04/2013	02:35	0	---	15/04/2013	07:00	0	---
15/04/2013	02:40	0	---	15/04/2013	07:05	0	SE
15/04/2013	02:45	0	---	15/04/2013	07:10	0	SE
15/04/2013	02:50	0	---	15/04/2013	07:15	0	SE
15/04/2013	02:55	0	---	15/04/2013	07:20	0	---
15/04/2013	03:00	0	---	15/04/2013	07:25	0	---
15/04/2013	03:05	0	---	15/04/2013	07:30	0	---
15/04/2013	03:10	0	---	15/04/2013	07:35	0	---
15/04/2013	03:15	0	---	15/04/2013	07:40	0	---
15/04/2013	03:20	0	---	15/04/2013	07:45	0	---
15/04/2013	03:25	0	---	15/04/2013	07:50	0	---
15/04/2013	03:30	0	---	15/04/2013	07:55	0	---
15/04/2013	03:35	0	---	15/04/2013	08:00	0	---
15/04/2013	03:40	0	---	15/04/2013	08:05	1	E
15/04/2013	03:45	0	---	15/04/2013	08:10	2	E
15/04/2013	03:50	1	NNE	15/04/2013	08:15	2	E
15/04/2013	03:55	0	NNE	15/04/2013	08:20	2	ESE
15/04/2013	04:00	0	NNE	15/04/2013	08:25	3	E
15/04/2013	04:05	0	NNE	15/04/2013	08:30	2	ENE
15/04/2013	04:10	0	NNE	15/04/2013	08:35	1	ENE
15/04/2013	04:15	0	---	15/04/2013	08:40	2	ENE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
15/04/2013	08:45	2	ENE	15/04/2013	13:10	2	N
15/04/2013	08:50	2	ENE	15/04/2013	13:15	2	NNE
15/04/2013	08:55	2	ENE	15/04/2013	13:20	2	NNE
15/04/2013	09:00	1	ENE	15/04/2013	13:25	3	E
15/04/2013	09:05	2	ENE	15/04/2013	13:30	3	E
15/04/2013	09:10	1	ENE	15/04/2013	13:35	4	ENE
15/04/2013	09:15	1	ENE	15/04/2013	13:40	4	E
15/04/2013	09:20	1	ENE	15/04/2013	13:45	6	E
15/04/2013	09:25	0	ENE	15/04/2013	13:50	5	E
15/04/2013	09:30	1	ENE	15/04/2013	13:55	5	ENE
15/04/2013	09:35	0	NNE	15/04/2013	14:00	5	E
15/04/2013	09:40	1	NNE	15/04/2013	14:05	6	E
15/04/2013	09:45	1	NNE	15/04/2013	14:10	5	E
15/04/2013	09:50	2	NNE	15/04/2013	14:15	7	ENE
15/04/2013	09:55	2	NNE	15/04/2013	14:20	6	E
15/04/2013	10:00	2	NE	15/04/2013	14:25	6	E
15/04/2013	10:05	2	ENE	15/04/2013	14:30	5	ENE
15/04/2013	10:10	2	ENE	15/04/2013	14:35	4	NE
15/04/2013	10:15	2	ENE	15/04/2013	14:40	5	NNE
15/04/2013	10:20	3	E	15/04/2013	14:45	8	NNW
15/04/2013	10:25	5	E	15/04/2013	14:50	7	NNW
15/04/2013	10:30	4	E	15/04/2013	14:55	6	N
15/04/2013	10:35	5	E	15/04/2013	15:00	3	NNW
15/04/2013	10:40	4	E	15/04/2013	15:05	4	NNW
15/04/2013	10:45	4	E	15/04/2013	15:10	5	N
15/04/2013	10:50	3	E	15/04/2013	15:15	5	NNE
15/04/2013	10:55	3	E	15/04/2013	15:20	6	NE
15/04/2013	11:00	3	E	15/04/2013	15:25	5	NE
15/04/2013	11:05	3	E	15/04/2013	15:30	3	NE
15/04/2013	11:10	3	E	15/04/2013	15:35	1	SSE
15/04/2013	11:15	3	E	15/04/2013	15:40	2	SE
15/04/2013	11:20	2	E	15/04/2013	15:45	5	N
15/04/2013	11:25	3	E	15/04/2013	15:50	5	NE
15/04/2013	11:30	2	E	15/04/2013	15:55	3	NE
15/04/2013	11:35	2	E	15/04/2013	16:00	2	N
15/04/2013	11:40	2	E	15/04/2013	16:05	3	S
15/04/2013	11:45	2	ENE	15/04/2013	16:10	2	S
15/04/2013	11:50	2	ENE	15/04/2013	16:15	1	N
15/04/2013	11:55	3	N	15/04/2013	16:20	2	ENE
15/04/2013	12:00	3	NNW	15/04/2013	16:25	2	NE
15/04/2013	12:05	5	NNE	15/04/2013	16:30	3	NNE
15/04/2013	12:10	4	N	15/04/2013	16:35	4	ENE
15/04/2013	12:15	4	N	15/04/2013	16:40	3	E
15/04/2013	12:20	5	N	15/04/2013	16:45	1	ESE
15/04/2013	12:25	6	N	15/04/2013	16:50	2	S
15/04/2013	12:30	5	N	15/04/2013	16:55	2	SE
15/04/2013	12:35	5	N	15/04/2013	17:00	2	NNW
15/04/2013	12:40	3	NNE	15/04/2013	17:05	1	ENE
15/04/2013	12:45	4	N	15/04/2013	17:10	2	SE
15/04/2013	12:50	4	NNW	15/04/2013	17:15	2	SE
15/04/2013	12:55	5	N	15/04/2013	17:20	2	NE
15/04/2013	13:00	4	NNE	15/04/2013	17:25	3	ESE
15/04/2013	13:05	4	NNE	15/04/2013	17:30	2	N

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
15/04/2013	17:35	3	NE	15/04/2013	22:00	4	SE
15/04/2013	17:40	2	E	15/04/2013	22:05	3	ENE
15/04/2013	17:45	2	ENE	15/04/2013	22:10	1	S
15/04/2013	17:50	3	ENE	15/04/2013	22:15	1	SSW
15/04/2013	17:55	3	NE	15/04/2013	22:20	1	S
15/04/2013	18:00	2	E	15/04/2013	22:25	2	S
15/04/2013	18:05	2	ENE	15/04/2013	22:30	2	S
15/04/2013	18:10	1	E	15/04/2013	22:35	2	S
15/04/2013	18:15	2	ESE	15/04/2013	22:40	3	S
15/04/2013	18:20	2	ENE	15/04/2013	22:45	5	SE
15/04/2013	18:25	1	NE	15/04/2013	22:50	4	SSW
15/04/2013	18:30	2	NNE	15/04/2013	22:55	6	SSW
15/04/2013	18:35	1	N	15/04/2013	23:00	2	SSE
15/04/2013	18:40	3	N	15/04/2013	23:05	3	ESE
15/04/2013	18:45	2	N	15/04/2013	23:10	3	S
15/04/2013	18:50	2	WNW	15/04/2013	23:15	2	ENE
15/04/2013	18:55	3	NNW	15/04/2013	23:20	2	SSE
15/04/2013	19:00	4	NW	15/04/2013	23:25	2	ENE
15/04/2013	19:05	4	NNW	15/04/2013	23:30	1	WNW
15/04/2013	19:10	3	NNW	15/04/2013	23:35	2	SSE
15/04/2013	19:15	1	NNW	15/04/2013	23:40	1	E
15/04/2013	19:20	1	S	15/04/2013	23:45	1	SSE
15/04/2013	19:25	2	E	15/04/2013	23:50	4	NE
15/04/2013	19:30	3	ESE	15/04/2013	23:55	4	ESE
15/04/2013	19:35	4	ENE	16/04/2013	00:00	4	NNW
15/04/2013	19:40	3	NNE	16/04/2013	00:05	4	NNW
15/04/2013	19:45	3	NE	16/04/2013	00:10	3	N
15/04/2013	19:50	3	NE	16/04/2013	00:15	2	N
15/04/2013	19:55	3	NW	16/04/2013	00:20	0	ESE
15/04/2013	20:00	3	NE	16/04/2013	00:25	1	NE
15/04/2013	20:05	3	NNE	16/04/2013	00:30	0	---
15/04/2013	20:10	3	NE	16/04/2013	00:35	0	---
15/04/2013	20:15	2	NNE	16/04/2013	00:40	0	---
15/04/2013	20:20	2	SSE	16/04/2013	00:45	0	---
15/04/2013	20:25	1	S	16/04/2013	00:50	0	---
15/04/2013	20:30	2	SE	16/04/2013	00:55	1	NNE
15/04/2013	20:35	3	NNW	16/04/2013	01:00	1	NNE
15/04/2013	20:40	7	N	16/04/2013	01:05	0	NNE
15/04/2013	20:45	3	WNW	16/04/2013	01:10	0	NNE
15/04/2013	20:50	3	SSE	16/04/2013	01:15	0	N
15/04/2013	20:55	4	SSW	16/04/2013	01:20	1	N
15/04/2013	21:00	3	SSE	16/04/2013	01:25	1	N
15/04/2013	21:05	4	SSE	16/04/2013	01:30	2	N
15/04/2013	21:10	5	SSW	16/04/2013	01:35	3	N
15/04/2013	21:15	4	S	16/04/2013	01:40	1	N
15/04/2013	21:20	3	SE	16/04/2013	01:45	1	N
15/04/2013	21:25	4	S	16/04/2013	01:50	0	---
15/04/2013	21:30	3	S	16/04/2013	01:55	0	N
15/04/2013	21:35	5	SSW	16/04/2013	02:00	1	N
15/04/2013	21:40	5	S	16/04/2013	02:05	2	SE
15/04/2013	21:45	3	SE	16/04/2013	02:10	1	SE
15/04/2013	21:50	2	E	16/04/2013	02:15	1	SE
15/04/2013	21:55	4	SSE	16/04/2013	02:20	1	S

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
16/04/2013	02:25	2	SW	16/04/2013	06:50	1	ESE
16/04/2013	02:30	0	SW	16/04/2013	06:55	0	---
16/04/2013	02:35	0	SW	16/04/2013	07:00	0	---
16/04/2013	02:40	2	NNW	16/04/2013	07:05	0	---
16/04/2013	02:45	3	NW	16/04/2013	07:10	0	---
16/04/2013	02:50	2	N	16/04/2013	07:15	0	---
16/04/2013	02:55	1	NW	16/04/2013	07:20	0	---
16/04/2013	03:00	1	NW	16/04/2013	07:25	0	---
16/04/2013	03:05	2	NW	16/04/2013	07:30	0	---
16/04/2013	03:10	1	NW	16/04/2013	07:35	0	---
16/04/2013	03:15	1	NW	16/04/2013	07:40	0	---
16/04/2013	03:20	1	WNW	16/04/2013	07:45	0	---
16/04/2013	03:25	1	WNW	16/04/2013	07:50	0	---
16/04/2013	03:30	1	WNW	16/04/2013	07:55	0	---
16/04/2013	03:35	1	WNW	16/04/2013	08:00	0	---
16/04/2013	03:40	1	WNW	16/04/2013	08:05	0	---
16/04/2013	03:45	3	NNW	16/04/2013	08:10	0	---
16/04/2013	03:50	3	WNW	16/04/2013	08:15	2	N
16/04/2013	03:55	4	NW	16/04/2013	08:20	1	N
16/04/2013	04:00	3	NW	16/04/2013	08:25	1	N
16/04/2013	04:05	1	NNW	16/04/2013	08:30	0	---
16/04/2013	04:10	1	NW	16/04/2013	08:35	0	---
16/04/2013	04:15	1	NW	16/04/2013	08:40	0	---
16/04/2013	04:20	2	SE	16/04/2013	08:45	1	N
16/04/2013	04:25	0	---	16/04/2013	08:50	2	NNE
16/04/2013	04:30	0	---	16/04/2013	08:55	1	NNE
16/04/2013	04:35	0	---	16/04/2013	09:00	2	SE
16/04/2013	04:40	0	---	16/04/2013	09:05	2	SSE
16/04/2013	04:45	0	---	16/04/2013	09:10	1	SSE
16/04/2013	04:50	0	SSE	16/04/2013	09:15	0	---
16/04/2013	04:55	2	NW	16/04/2013	09:20	1	SSE
16/04/2013	05:00	1	NW	16/04/2013	09:25	0	SSE
16/04/2013	05:05	2	SSE	16/04/2013	09:30	0	SSE
16/04/2013	05:10	1	SE	16/04/2013	09:35	1	N
16/04/2013	05:15	1	SE	16/04/2013	09:40	0	N
16/04/2013	05:20	1	SE	16/04/2013	09:45	0	NE
16/04/2013	05:25	0	SE	16/04/2013	09:50	1	NE
16/04/2013	05:30	0	---	16/04/2013	09:55	2	E
16/04/2013	05:35	0	SE	16/04/2013	10:00	0	NE
16/04/2013	05:40	0	SE	16/04/2013	10:05	3	SE
16/04/2013	05:45	1	SSE	16/04/2013	10:10	3	SE
16/04/2013	05:50	2	S	16/04/2013	10:15	2	SSE
16/04/2013	05:55	1	S	16/04/2013	10:20	1	SE
16/04/2013	06:00	0	S	16/04/2013	10:25	2	E
16/04/2013	06:05	0	S	16/04/2013	10:30	2	ENE
16/04/2013	06:10	1	S	16/04/2013	10:35	2	SE
16/04/2013	06:15	1	SSE	16/04/2013	10:40	2	E
16/04/2013	06:20	0	SSE	16/04/2013	10:45	2	SSE
16/04/2013	06:25	0	S	16/04/2013	10:50	2	SE
16/04/2013	06:30	0	S	16/04/2013	10:55	2	ESE
16/04/2013	06:35	0	S	16/04/2013	11:00	2	E
16/04/2013	06:40	1	S	16/04/2013	11:05	3	E
16/04/2013	06:45	1	S	16/04/2013	11:10	1	ESE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
16/04/2013	11:15	2	E	16/04/2013	15:40	4	ESE
16/04/2013	11:20	2	ENE	16/04/2013	15:45	4	SSE
16/04/2013	11:25	0	ENE	16/04/2013	15:50	5	SSE
16/04/2013	11:30	1	ENE	16/04/2013	15:55	3	NW
16/04/2013	11:35	5	NNE	16/04/2013	16:00	5	ENE
16/04/2013	11:40	2	NNE	16/04/2013	16:05	5	NNE
16/04/2013	11:45	1	N	16/04/2013	16:10	5	N
16/04/2013	11:50	1	N	16/04/2013	16:15	5	NE
16/04/2013	11:55	3	NNE	16/04/2013	16:20	4	N
16/04/2013	12:00	1	NNE	16/04/2013	16:25	2	E
16/04/2013	12:05	0	NNE	16/04/2013	16:30	4	NE
16/04/2013	12:10	1	WNW	16/04/2013	16:35	5	E
16/04/2013	12:15	2	W	16/04/2013	16:40	6	NNW
16/04/2013	12:20	1	E	16/04/2013	16:45	5	NNE
16/04/2013	12:25	2	NNE	16/04/2013	16:50	8	NNW
16/04/2013	12:30	3	NE	16/04/2013	16:55	5	NNW
16/04/2013	12:35	2	ESE	16/04/2013	17:00	3	NE
16/04/2013	12:40	3	SE	16/04/2013	17:05	5	NNW
16/04/2013	12:45	3	S	16/04/2013	17:10	3	N
16/04/2013	12:50	2	NNE	16/04/2013	17:15	5	N
16/04/2013	12:55	2	NE	16/04/2013	17:20	4	NNW
16/04/2013	13:00	3	ESE	16/04/2013	17:25	5	N
16/04/2013	13:05	4	NE	16/04/2013	17:30	5	NW
16/04/2013	13:10	2	SSE	16/04/2013	17:35	3	E
16/04/2013	13:15	2	ENE	16/04/2013	17:40	3	NE
16/04/2013	13:20	2	NE	16/04/2013	17:45	4	SE
16/04/2013	13:25	2	NNE	16/04/2013	17:50	3	E
16/04/2013	13:30	2	SE	16/04/2013	17:55	3	SE
16/04/2013	13:35	4	NE	16/04/2013	18:00	4	SE
16/04/2013	13:40	2	ENE	16/04/2013	18:05	3	ESE
16/04/2013	13:45	2	NNW	16/04/2013	18:10	5	SE
16/04/2013	13:50	4	SE	16/04/2013	18:15	4	SSE
16/04/2013	13:55	2	ENE	16/04/2013	18:20	4	E
16/04/2013	14:00	3	ENE	16/04/2013	18:25	5	E
16/04/2013	14:05	2	NE	16/04/2013	18:30	4	NE
16/04/2013	14:10	2	ENE	16/04/2013	18:35	4	ESE
16/04/2013	14:15	2	E	16/04/2013	18:40	4	SSE
16/04/2013	14:20	2	N	16/04/2013	18:45	4	ESE
16/04/2013	14:25	5	NNW	16/04/2013	18:50	6	SSE
16/04/2013	14:30	3	NNE	16/04/2013	18:55	6	SSE
16/04/2013	14:35	4	NNE	16/04/2013	19:00	4	ENE
16/04/2013	14:40	4	SSE	16/04/2013	19:05	5	SSE
16/04/2013	14:45	4	ESE	16/04/2013	19:10	5	SE
16/04/2013	14:50	5	N	16/04/2013	19:15	3	E
16/04/2013	14:55	6	N	16/04/2013	19:20	4	NE
16/04/2013	15:00	6	N	16/04/2013	19:25	4	ESE
16/04/2013	15:05	5	N	16/04/2013	19:30	3	NE
16/04/2013	15:10	6	NNW	16/04/2013	19:35	4	ESE
16/04/2013	15:15	6	N	16/04/2013	19:40	3	E
16/04/2013	15:20	3	E	16/04/2013	19:45	3	NE
16/04/2013	15:25	5	N	16/04/2013	19:50	4	E
16/04/2013	15:30	3	NNW	16/04/2013	19:55	6	N
16/04/2013	15:35	2	ENE	16/04/2013	20:00	4	N

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
16/04/2013	20:05	4	NNE	17/04/2013	00:30	5	NW
16/04/2013	20:10	7	NNW	17/04/2013	00:35	5	SSE
16/04/2013	20:15	6	N	17/04/2013	00:40	6	NE
16/04/2013	20:20	6	N	17/04/2013	00:45	7	NNE
16/04/2013	20:25	5	SE	17/04/2013	00:50	8	ESE
16/04/2013	20:30	4	ESE	17/04/2013	00:55	5	SE
16/04/2013	20:35	2	E	17/04/2013	01:00	7	N
16/04/2013	20:40	4	S	17/04/2013	01:05	4	NNE
16/04/2013	20:45	6	S	17/04/2013	01:10	7	N
16/04/2013	20:50	6	SSE	17/04/2013	01:15	8	NW
16/04/2013	20:55	3	SSE	17/04/2013	01:20	7	NNE
16/04/2013	21:00	3	SE	17/04/2013	01:25	6	N
16/04/2013	21:05	4	SE	17/04/2013	01:30	7	N
16/04/2013	21:10	4	NNE	17/04/2013	01:35	8	NNW
16/04/2013	21:15	5	ENE	17/04/2013	01:40	7	NE
16/04/2013	21:20	6	N	17/04/2013	01:45	7	N
16/04/2013	21:25	3	N	17/04/2013	01:50	5	N
16/04/2013	21:30	2	ESE	17/04/2013	01:55	5	NNE
16/04/2013	21:35	2	SSE	17/04/2013	02:00	5	NNW
16/04/2013	21:40	4	E	17/04/2013	02:05	4	N
16/04/2013	21:45	3	SSE	17/04/2013	02:10	3	NE
16/04/2013	21:50	3	S	17/04/2013	02:15	2	ENE
16/04/2013	21:55	5	SSE	17/04/2013	02:20	1	E
16/04/2013	22:00	4	E	17/04/2013	02:25	1	SE
16/04/2013	22:05	3	ENE	17/04/2013	02:30	4	SSW
16/04/2013	22:10	4	NNE	17/04/2013	02:35	2	WSW
16/04/2013	22:15	6	NE	17/04/2013	02:40	3	S
16/04/2013	22:20	4	N	17/04/2013	02:45	3	SSE
16/04/2013	22:25	4	NE	17/04/2013	02:50	4	N
16/04/2013	22:30	4	SSE	17/04/2013	02:55	4	SSE
16/04/2013	22:35	4	SSE	17/04/2013	03:00	4	SE
16/04/2013	22:40	4	SE	17/04/2013	03:05	4	ESE
16/04/2013	22:45	4	ENE	17/04/2013	03:10	4	S
16/04/2013	22:50	5	SE	17/04/2013	03:15	3	ESE
16/04/2013	22:55	5	ESE	17/04/2013	03:20	2	ESE
16/04/2013	23:00	6	ENE	17/04/2013	03:25	4	NNE
16/04/2013	23:05	8	E	17/04/2013	03:30	2	N
16/04/2013	23:10	5	N	17/04/2013	03:35	2	N
16/04/2013	23:15	5	ESE	17/04/2013	03:40	2	E
16/04/2013	23:20	5	SSE	17/04/2013	03:45	5	E
16/04/2013	23:25	3	NW	17/04/2013	03:50	3	N
16/04/2013	23:30	6	NNE	17/04/2013	03:55	3	NNE
16/04/2013	23:35	10	N	17/04/2013	04:00	3	SW
16/04/2013	23:40	4	SSE	17/04/2013	04:05	4	SE
16/04/2013	23:45	5	E	17/04/2013	04:10	4	ENE
16/04/2013	23:50	6	NNW	17/04/2013	04:15	6	NNE
16/04/2013	23:55	4	NE	17/04/2013	04:20	7	NNW
17/04/2013	00:00	5	NE	17/04/2013	04:25	3	ENE
17/04/2013	00:05	6	S	17/04/2013	04:30	5	NNW
17/04/2013	00:10	5	SSE	17/04/2013	04:35	4	N
17/04/2013	00:15	6	NW	17/04/2013	04:40	3	NNW
17/04/2013	00:20	6	NE	17/04/2013	04:45	4	W
17/04/2013	00:25	7	N	17/04/2013	04:50	3	NE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
17/04/2013	04:55	2	NNE	17/04/2013	09:20	4	NE
17/04/2013	05:00	3	ESE	17/04/2013	09:25	3	SSE
17/04/2013	05:05	3	E	17/04/2013	09:30	3	SW
17/04/2013	05:10	3	SSE	17/04/2013	09:35	4	ENE
17/04/2013	05:15	3	ENE	17/04/2013	09:40	4	NNE
17/04/2013	05:20	3	N	17/04/2013	09:45	4	SE
17/04/2013	05:25	2	NE	17/04/2013	09:50	4	NE
17/04/2013	05:30	3	N	17/04/2013	09:55	4	NNE
17/04/2013	05:35	4	N	17/04/2013	10:00	5	NNE
17/04/2013	05:40	5	N	17/04/2013	10:05	5	N
17/04/2013	05:45	4	N	17/04/2013	10:10	4	NE
17/04/2013	05:50	4	NNW	17/04/2013	10:15	5	NE
17/04/2013	05:55	5	N	17/04/2013	10:20	3	ENE
17/04/2013	06:00	3	N	17/04/2013	10:25	3	ENE
17/04/2013	06:05	4	NNW	17/04/2013	10:30	4	NNW
17/04/2013	06:10	3	NNE	17/04/2013	10:35	3	NW
17/04/2013	06:15	2	NNW	17/04/2013	10:40	2	S
17/04/2013	06:20	3	NW	17/04/2013	10:45	4	N
17/04/2013	06:25	2	NNE	17/04/2013	10:50	2	S
17/04/2013	06:30	2	NE	17/04/2013	10:55	2	W
17/04/2013	06:35	1	S	17/04/2013	11:00	3	SE
17/04/2013	06:40	2	N	17/04/2013	11:05	2	ENE
17/04/2013	06:45	1	ENE	17/04/2013	11:10	3	S
17/04/2013	06:50	1	SE	17/04/2013	11:15	1	S
17/04/2013	06:55	2	SSE	17/04/2013	11:20	3	N
17/04/2013	07:00	2	ESE	17/04/2013	11:25	7	N
17/04/2013	07:05	2	ESE	17/04/2013	11:30	4	E
17/04/2013	07:10	1	E	17/04/2013	11:35	1	SE
17/04/2013	07:15	0	ENE	17/04/2013	11:40	2	ESE
17/04/2013	07:20	0	ENE	17/04/2013	11:45	2	NE
17/04/2013	07:25	1	ENE	17/04/2013	11:50	2	ESE
17/04/2013	07:30	1	S	17/04/2013	11:55	2	NNW
17/04/2013	07:35	0	SE	17/04/2013	12:00	2	NW
17/04/2013	07:40	0	SE	17/04/2013	12:05	2	NNE
17/04/2013	07:45	2	SE	17/04/2013	12:10	3	NNE
17/04/2013	07:50	3	SE	17/04/2013	12:15	3	N
17/04/2013	07:55	4	SSE	17/04/2013	12:20	1	N
17/04/2013	08:00	5	NNE	17/04/2013	12:25	3	N
17/04/2013	08:05	5	NE	17/04/2013	12:30	3	N
17/04/2013	08:10	4	E	17/04/2013	12:35	5	NNW
17/04/2013	08:15	5	N	17/04/2013	12:40	2	N
17/04/2013	08:20	4	NNW	17/04/2013	12:45	2	NNE
17/04/2013	08:25	5	NE	17/04/2013	12:50	2	N
17/04/2013	08:30	6	NNW	17/04/2013	12:55	2	SE
17/04/2013	08:35	5	ENE	17/04/2013	13:00	4	N
17/04/2013	08:40	6	NNW	17/04/2013	13:05	5	N
17/04/2013	08:45	4	ESE	17/04/2013	13:10	3	NNE
17/04/2013	08:50	5	NNE	17/04/2013	13:15	2	SSW
17/04/2013	08:55	5	N	17/04/2013	13:20	4	SSW
17/04/2013	09:00	2	SE	17/04/2013	13:25	2	NNE
17/04/2013	09:05	2	E	17/04/2013	13:30	1	SW
17/04/2013	09:10	2	E	17/04/2013	13:35	2	SE
17/04/2013	09:15	4	NNE	17/04/2013	13:40	3	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
17/04/2013	13:45	3	SSE	17/04/2013	18:10	1	SSE
17/04/2013	13:50	3	SSE	17/04/2013	18:15	2	S
17/04/2013	13:55	3	SSE	17/04/2013	18:20	1	SSE
17/04/2013	14:00	3	SE	17/04/2013	18:25	1	SSE
17/04/2013	14:05	3	SSE	17/04/2013	18:30	2	ENE
17/04/2013	14:10	2	NE	17/04/2013	18:35	2	ESE
17/04/2013	14:15	2	ESE	17/04/2013	18:40	2	ESE
17/04/2013	14:20	2	ENE	17/04/2013	18:45	2	SSE
17/04/2013	14:25	2	ENE	17/04/2013	18:50	2	SSE
17/04/2013	14:30	0	---	17/04/2013	18:55	3	SSW
17/04/2013	14:35	1	SSW	17/04/2013	19:00	1	S
17/04/2013	14:40	2	S	17/04/2013	19:05	1	SSE
17/04/2013	14:45	2	N	17/04/2013	19:10	0	S
17/04/2013	14:50	1	ENE	17/04/2013	19:15	0	S
17/04/2013	14:55	0	---	17/04/2013	19:20	0	---
17/04/2013	15:00	1	N	17/04/2013	19:25	0	---
17/04/2013	15:05	1	W	17/04/2013	19:30	0	E
17/04/2013	15:10	4	NNE	17/04/2013	19:35	2	E
17/04/2013	15:15	4	NNE	17/04/2013	19:40	1	ENE
17/04/2013	15:20	4	N	17/04/2013	19:45	0	ENE
17/04/2013	15:25	4	N	17/04/2013	19:50	0	---
17/04/2013	15:30	4	NNE	17/04/2013	19:55	0	ENE
17/04/2013	15:35	2	SSW	17/04/2013	20:00	1	N
17/04/2013	15:40	3	ENE	17/04/2013	20:05	1	SE
17/04/2013	15:45	4	ENE	17/04/2013	20:10	1	SE
17/04/2013	15:50	1	E	17/04/2013	20:15	0	SE
17/04/2013	15:55	2	ENE	17/04/2013	20:20	0	SE
17/04/2013	16:00	2	ENE	17/04/2013	20:25	0	---
17/04/2013	16:05	3	ENE	17/04/2013	20:30	1	ENE
17/04/2013	16:10	3	ENE	17/04/2013	20:35	1	ENE
17/04/2013	16:15	3	ESE	17/04/2013	20:40	1	ENE
17/04/2013	16:20	2	NE	17/04/2013	20:45	2	NNE
17/04/2013	16:25	2	WNW	17/04/2013	20:50	3	NNE
17/04/2013	16:30	3	SSE	17/04/2013	20:55	3	NE
17/04/2013	16:35	3	SSE	17/04/2013	21:00	3	SE
17/04/2013	16:40	2	S	17/04/2013	21:05	2	SSE
17/04/2013	16:45	0	SSE	17/04/2013	21:10	1	S
17/04/2013	16:50	1	WSW	17/04/2013	21:15	2	E
17/04/2013	16:55	3	N	17/04/2013	21:20	2	NE
17/04/2013	17:00	2	SSE	17/04/2013	21:25	1	NW
17/04/2013	17:05	2	N	17/04/2013	21:30	2	SSE
17/04/2013	17:10	3	ESE	17/04/2013	21:35	4	ESE
17/04/2013	17:15	3	NE	17/04/2013	21:40	4	SSE
17/04/2013	17:20	3	N	17/04/2013	21:45	2	S
17/04/2013	17:25	1	NNW	17/04/2013	21:50	2	S
17/04/2013	17:30	0	ESE	17/04/2013	21:55	2	S
17/04/2013	17:35	1	NNE	17/04/2013	22:00	2	SSE
17/04/2013	17:40	1	NNE	17/04/2013	22:05	1	W
17/04/2013	17:45	1	S	17/04/2013	22:10	1	SE
17/04/2013	17:50	3	SSE	17/04/2013	22:15	2	ENE
17/04/2013	17:55	2	SSE	17/04/2013	22:20	1	ENE
17/04/2013	18:00	1	ESE	17/04/2013	22:25	1	NE
17/04/2013	18:05	2	SE	17/04/2013	22:30	1	SSW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
17/04/2013	22:35	1	SSW	18/04/2013	03:00	1	SE
17/04/2013	22:40	1	SSW	18/04/2013	03:05	1	S
17/04/2013	22:45	1	W	18/04/2013	03:10	1	SSW
17/04/2013	22:50	1	W	18/04/2013	03:15	0	SSW
17/04/2013	22:55	4	SSW	18/04/2013	03:20	3	NE
17/04/2013	23:00	2	SSW	18/04/2013	03:25	1	ENE
17/04/2013	23:05	1	SSW	18/04/2013	03:30	1	SSE
17/04/2013	23:10	1	NE	18/04/2013	03:35	1	SSE
17/04/2013	23:15	1	NNE	18/04/2013	03:40	1	SSE
17/04/2013	23:20	1	ESE	18/04/2013	03:45	1	S
17/04/2013	23:25	0	ESE	18/04/2013	03:50	0	---
17/04/2013	23:30	1	NE	18/04/2013	03:55	0	---
17/04/2013	23:35	1	N	18/04/2013	04:00	0	---
17/04/2013	23:40	2	N	18/04/2013	04:05	0	---
17/04/2013	23:45	1	WNW	18/04/2013	04:10	0	---
17/04/2013	23:50	4	SSE	18/04/2013	04:15	0	---
17/04/2013	23:55	2	SSE	18/04/2013	04:20	0	---
18/04/2013	00:00	2	SSE	18/04/2013	04:25	0	---
18/04/2013	00:05	3	SSE	18/04/2013	04:30	0	---
18/04/2013	00:10	3	SE	18/04/2013	04:35	1	NNE
18/04/2013	00:15	2	SSE	18/04/2013	04:40	0	NNE
18/04/2013	00:20	2	SSE	18/04/2013	04:45	0	NNE
18/04/2013	00:25	2	ESE	18/04/2013	04:50	1	ESE
18/04/2013	00:30	2	SE	18/04/2013	04:55	1	ESE
18/04/2013	00:35	1	SSE	18/04/2013	05:00	1	ESE
18/04/2013	00:40	0	SSE	18/04/2013	05:05	1	ESE
18/04/2013	00:45	0	SSE	18/04/2013	05:10	0	---
18/04/2013	00:50	1	SSE	18/04/2013	05:15	1	S
18/04/2013	00:55	2	SE	18/04/2013	05:20	2	SSW
18/04/2013	01:00	2	S	18/04/2013	05:25	2	SSE
18/04/2013	01:05	1	SSE	18/04/2013	05:30	2	SSE
18/04/2013	01:10	2	N	18/04/2013	05:35	1	SE
18/04/2013	01:15	1	NNE	18/04/2013	05:40	1	SE
18/04/2013	01:20	2	NNE	18/04/2013	05:45	0	SSE
18/04/2013	01:25	2	WNW	18/04/2013	05:50	1	SSW
18/04/2013	01:30	1	WNW	18/04/2013	05:55	1	SSE
18/04/2013	01:35	2	W	18/04/2013	06:00	2	NNE
18/04/2013	01:40	1	NW	18/04/2013	06:05	1	NNE
18/04/2013	01:45	1	SSE	18/04/2013	06:10	0	NNE
18/04/2013	01:50	0	---	18/04/2013	06:15	1	NE
18/04/2013	01:55	0	SSE	18/04/2013	06:20	1	NE
18/04/2013	02:00	0	SSE	18/04/2013	06:25	1	E
18/04/2013	02:05	0	SSE	18/04/2013	06:30	0	SE
18/04/2013	02:10	1	SSE	18/04/2013	06:35	1	SW
18/04/2013	02:15	1	SSE	18/04/2013	06:40	0	SW
18/04/2013	02:20	0	SSE	18/04/2013	06:45	1	SW
18/04/2013	02:25	0	SSE	18/04/2013	06:50	1	SW
18/04/2013	02:30	0	SSE	18/04/2013	06:55	2	NNE
18/04/2013	02:35	2	SSE	18/04/2013	07:00	1	NE
18/04/2013	02:40	1	SSE	18/04/2013	07:05	4	NNE
18/04/2013	02:45	1	SSE	18/04/2013	07:10	2	NE
18/04/2013	02:50	1	E	18/04/2013	07:15	1	ENE
18/04/2013	02:55	0	E	18/04/2013	07:20	1	NE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
18/04/2013	07:25	2	N	18/04/2013	11:50	4	SE
18/04/2013	07:30	2	NW	18/04/2013	11:55	3	NNE
18/04/2013	07:35	4	NW	18/04/2013	12:00	4	SSE
18/04/2013	07:40	5	NNE	18/04/2013	12:05	5	ESE
18/04/2013	07:45	2	NNE	18/04/2013	12:10	4	NE
18/04/2013	07:50	3	NNE	18/04/2013	12:15	5	ENE
18/04/2013	07:55	2	NE	18/04/2013	12:20	5	ENE
18/04/2013	08:00	3	SE	18/04/2013	12:25	5	N
18/04/2013	08:05	2	E	18/04/2013	12:30	5	ENE
18/04/2013	08:10	3	NNE	18/04/2013	12:35	5	SE
18/04/2013	08:15	2	NE	18/04/2013	12:40	4	SE
18/04/2013	08:20	3	NNE	18/04/2013	12:45	5	ESE
18/04/2013	08:25	4	ENE	18/04/2013	12:50	7	NW
18/04/2013	08:30	4	SSE	18/04/2013	12:55	3	ENE
18/04/2013	08:35	4	E	18/04/2013	13:00	4	E
18/04/2013	08:40	6	ENE	18/04/2013	13:05	5	E
18/04/2013	08:45	4	NE	18/04/2013	13:10	4	ESE
18/04/2013	08:50	6	NNE	18/04/2013	13:15	4	SSE
18/04/2013	08:55	4	NNW	18/04/2013	13:20	5	N
18/04/2013	09:00	4	ENE	18/04/2013	13:25	3	NNW
18/04/2013	09:05	3	NNW	18/04/2013	13:30	5	N
18/04/2013	09:10	4	N	18/04/2013	13:35	5	N
18/04/2013	09:15	5	SE	18/04/2013	13:40	6	N
18/04/2013	09:20	5	ENE	18/04/2013	13:45	7	NNW
18/04/2013	09:25	5	SSE	18/04/2013	13:50	4	N
18/04/2013	09:30	3	NE	18/04/2013	13:55	4	N
18/04/2013	09:35	6	NNW	18/04/2013	14:00	4	NE
18/04/2013	09:40	6	SE	18/04/2013	14:05	3	N
18/04/2013	09:45	4	SSE	18/04/2013	14:10	1	ESE
18/04/2013	09:50	2	SSE	18/04/2013	14:15	3	ESE
18/04/2013	09:55	2	NNE	18/04/2013	14:20	2	ENE
18/04/2013	10:00	4	N	18/04/2013	14:25	2	NE
18/04/2013	10:05	3	NE	18/04/2013	14:30	5	NNW
18/04/2013	10:10	5	ENE	18/04/2013	14:35	5	NNW
18/04/2013	10:15	2	SSE	18/04/2013	14:40	5	NW
18/04/2013	10:20	3	NE	18/04/2013	14:45	4	S
18/04/2013	10:25	4	NNW	18/04/2013	14:50	8	S
18/04/2013	10:30	3	ESE	18/04/2013	14:55	1	SSW
18/04/2013	10:35	2	SSE	18/04/2013	15:00	2	NE
18/04/2013	10:40	4	E	18/04/2013	15:05	3	NE
18/04/2013	10:45	4	SSE	18/04/2013	15:10	2	NE
18/04/2013	10:50	5	NNW	18/04/2013	15:15	2	NE
18/04/2013	10:55	3	SSE	18/04/2013	15:20	2	NW
18/04/2013	11:00	4	SE	18/04/2013	15:25	1	WNW
18/04/2013	11:05	3	ENE	18/04/2013	15:30	3	N
18/04/2013	11:10	3	ESE	18/04/2013	15:35	2	E
18/04/2013	11:15	5	SSE	18/04/2013	15:40	2	SE
18/04/2013	11:20	3	SSE	18/04/2013	15:45	3	SE
18/04/2013	11:25	5	SE	18/04/2013	15:50	3	SSE
18/04/2013	11:30	6	SSE	18/04/2013	15:55	2	ESE
18/04/2013	11:35	6	S	18/04/2013	16:00	1	SSE
18/04/2013	11:40	4	ESE	18/04/2013	16:05	3	SE
18/04/2013	11:45	5	SSE	18/04/2013	16:10	1	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
18/04/2013	16:15	4	ESE	18/04/2013	20:40	1	NE
18/04/2013	16:20	3	SE	18/04/2013	20:45	0	NNW
18/04/2013	16:25	2	ESE	18/04/2013	20:50	0	NNW
18/04/2013	16:30	1	S	18/04/2013	20:55	4	NNW
18/04/2013	16:35	3	ESE	18/04/2013	21:00	1	N
18/04/2013	16:40	2	NNW	18/04/2013	21:05	1	SSE
18/04/2013	16:45	2	SSE	18/04/2013	21:10	2	SSE
18/04/2013	16:50	1	SSE	18/04/2013	21:15	2	SSE
18/04/2013	16:55	2	SSE	18/04/2013	21:20	2	ESE
18/04/2013	17:00	3	S	18/04/2013	21:25	1	ENE
18/04/2013	17:05	4	SE	18/04/2013	21:30	4	ENE
18/04/2013	17:10	1	SSE	18/04/2013	21:35	1	E
18/04/2013	17:15	2	ESE	18/04/2013	21:40	0	ENE
18/04/2013	17:20	0	E	18/04/2013	21:45	0	SSE
18/04/2013	17:25	0	NE	18/04/2013	21:50	2	S
18/04/2013	17:30	2	SE	18/04/2013	21:55	1	ESE
18/04/2013	17:35	3	SE	18/04/2013	22:00	1	ESE
18/04/2013	17:40	3	NNW	18/04/2013	22:05	3	NNE
18/04/2013	17:45	4	NNW	18/04/2013	22:10	4	NNE
18/04/2013	17:50	6	NNW	18/04/2013	22:15	4	N
18/04/2013	17:55	9	NNW	18/04/2013	22:20	4	NE
18/04/2013	18:00	10	N	18/04/2013	22:25	3	NE
18/04/2013	18:05	4	N	18/04/2013	22:30	4	E
18/04/2013	18:10	2	NE	18/04/2013	22:35	1	SSW
18/04/2013	18:15	1	ENE	18/04/2013	22:40	1	S
18/04/2013	18:20	2	SE	18/04/2013	22:45	2	S
18/04/2013	18:25	2	E	18/04/2013	22:50	1	S
18/04/2013	18:30	3	E	18/04/2013	22:55	1	SSW
18/04/2013	18:35	3	SE	18/04/2013	23:00	1	W
18/04/2013	18:40	1	ESE	18/04/2013	23:05	1	W
18/04/2013	18:45	2	ESE	18/04/2013	23:10	3	SSE
18/04/2013	18:50	2	SSE	18/04/2013	23:15	3	SSE
18/04/2013	18:55	2	S	18/04/2013	23:20	3	SSE
18/04/2013	19:00	1	NW	18/04/2013	23:25	3	S
18/04/2013	19:05	1	WSW	18/04/2013	23:30	3	SSE
18/04/2013	19:10	2	SSE	18/04/2013	23:35	2	SE
18/04/2013	19:15	1	ESE	18/04/2013	23:40	2	SSE
18/04/2013	19:20	0	ESE	18/04/2013	23:45	2	S
18/04/2013	19:25	1	ESE	18/04/2013	23:50	1	SSE
18/04/2013	19:30	2	SE	18/04/2013	23:55	1	SSE
18/04/2013	19:35	2	SSE	19/04/2013	00:00	0	---
18/04/2013	19:40	2	SSE	19/04/2013	00:05	0	---
18/04/2013	19:45	1	SSE	19/04/2013	00:10	0	SSE
18/04/2013	19:50	1	ESE	19/04/2013	00:15	1	ESE
18/04/2013	19:55	0	ESE	19/04/2013	00:20	2	NE
18/04/2013	20:00	0	---	19/04/2013	00:25	1	NE
18/04/2013	20:05	0	---	19/04/2013	00:30	0	E
18/04/2013	20:10	0	---	19/04/2013	00:35	1	ESE
18/04/2013	20:15	0	---	19/04/2013	00:40	2	SSE
18/04/2013	20:20	0	---	19/04/2013	00:45	2	SSE
18/04/2013	20:25	0	SE	19/04/2013	00:50	1	SE
18/04/2013	20:30	0	---	19/04/2013	00:55	0	S
18/04/2013	20:35	0	---	19/04/2013	01:00	0	S

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
19/04/2013	01:05	1	NNE	19/04/2013	05:30	0	---
19/04/2013	01:10	1	N	19/04/2013	05:35	1	ENE
19/04/2013	01:15	0	N	19/04/2013	05:40	1	SSE
19/04/2013	01:20	1	N	19/04/2013	05:45	0	SSE
19/04/2013	01:25	2	SE	19/04/2013	05:50	1	SSE
19/04/2013	01:30	1	SSW	19/04/2013	05:55	1	SSE
19/04/2013	01:35	1	SE	19/04/2013	06:00	1	SSE
19/04/2013	01:40	0	SE	19/04/2013	06:05	0	SSE
19/04/2013	01:45	0	---	19/04/2013	06:10	1	SSE
19/04/2013	01:50	0	SE	19/04/2013	06:15	1	SSE
19/04/2013	01:55	2	ESE	19/04/2013	06:20	1	SSE
19/04/2013	02:00	0	S	19/04/2013	06:25	2	SSE
19/04/2013	02:05	0	SSE	19/04/2013	06:30	2	ESE
19/04/2013	02:10	2	S	19/04/2013	06:35	2	SSE
19/04/2013	02:15	1	S	19/04/2013	06:40	2	SSE
19/04/2013	02:20	1	S	19/04/2013	06:45	0	SSE
19/04/2013	02:25	1	SSW	19/04/2013	06:50	1	SSE
19/04/2013	02:30	1	S	19/04/2013	06:55	1	SSE
19/04/2013	02:35	1	S	19/04/2013	07:00	1	SSE
19/04/2013	02:40	1	S	19/04/2013	07:05	1	SE
19/04/2013	02:45	1	S	19/04/2013	07:10	1	SE
19/04/2013	02:50	1	SSE	19/04/2013	07:15	1	SSE
19/04/2013	02:55	1	NE	19/04/2013	07:20	1	SSE
19/04/2013	03:00	1	NE	19/04/2013	07:25	0	SSE
19/04/2013	03:05	0	NE	19/04/2013	07:30	0	E
19/04/2013	03:10	0	---	19/04/2013	07:35	2	E
19/04/2013	03:15	0	---	19/04/2013	07:40	1	ESE
19/04/2013	03:20	0	---	19/04/2013	07:45	1	ESE
19/04/2013	03:25	0	---	19/04/2013	07:50	2	NNE
19/04/2013	03:30	1	SE	19/04/2013	07:55	0	NNE
19/04/2013	03:35	0	ESE	19/04/2013	08:00	0	NE
19/04/2013	03:40	0	ESE	19/04/2013	08:05	0	NE
19/04/2013	03:45	0	ESE	19/04/2013	08:10	0	NE
19/04/2013	03:50	1	ESE	19/04/2013	08:15	1	NE
19/04/2013	03:55	0	ESE	19/04/2013	08:20	1	NE
19/04/2013	04:00	2	N	19/04/2013	08:25	2	ENE
19/04/2013	04:05	2	S	19/04/2013	08:30	0	E
19/04/2013	04:10	1	SSE	19/04/2013	08:35	0	NNE
19/04/2013	04:15	1	S	19/04/2013	08:40	1	NNE
19/04/2013	04:20	2	S	19/04/2013	08:45	0	NNE
19/04/2013	04:25	1	S	19/04/2013	08:50	0	NNE
19/04/2013	04:30	0	---	19/04/2013	08:55	0	NNE
19/04/2013	04:35	0	S	19/04/2013	09:00	1	NNE
19/04/2013	04:40	2	NE	19/04/2013	09:05	1	NNE
19/04/2013	04:45	0	NE	19/04/2013	09:10	0	NNE
19/04/2013	04:50	1	ESE	19/04/2013	09:15	1	NNE
19/04/2013	04:55	1	SE	19/04/2013	09:20	3	NE
19/04/2013	05:00	0	---	19/04/2013	09:25	3	E
19/04/2013	05:05	0	SE	19/04/2013	09:30	1	E
19/04/2013	05:10	1	SE	19/04/2013	09:35	1	E
19/04/2013	05:15	1	SE	19/04/2013	09:40	1	ESE
19/04/2013	05:20	1	NW	19/04/2013	09:45	1	SE
19/04/2013	05:25	0	NW	19/04/2013	09:50	1	ENE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
19/04/2013	09:55	2	E	19/04/2013	14:20	2	ESE
19/04/2013	10:00	2	ESE	19/04/2013	14:25	2	ENE
19/04/2013	10:05	2	SSE	19/04/2013	14:30	2	ENE
19/04/2013	10:10	2	E	19/04/2013	14:35	1	ENE
19/04/2013	10:15	2	E	19/04/2013	14:40	1	ENE
19/04/2013	10:20	3	E	19/04/2013	14:45	1	E
19/04/2013	10:25	3	E	19/04/2013	14:50	1	ENE
19/04/2013	10:30	2	SE	19/04/2013	14:55	0	ENE
19/04/2013	10:35	2	E	19/04/2013	15:00	1	NE
19/04/2013	10:40	3	E	19/04/2013	15:05	3	NNE
19/04/2013	10:45	1	E	19/04/2013	15:10	4	SSE
19/04/2013	10:50	1	E	19/04/2013	15:15	3	SSE
19/04/2013	10:55	1	E	19/04/2013	15:20	3	SE
19/04/2013	11:00	1	SE	19/04/2013	15:25	6	NW
19/04/2013	11:05	1	SSE	19/04/2013	15:30	2	NE
19/04/2013	11:10	1	SSE	19/04/2013	15:35	6	NNW
19/04/2013	11:15	1	SE	19/04/2013	15:40	4	SSE
19/04/2013	11:20	2	SE	19/04/2013	15:45	4	NNE
19/04/2013	11:25	2	SE	19/04/2013	15:50	3	E
19/04/2013	11:30	2	SE	19/04/2013	15:55	3	NNE
19/04/2013	11:35	3	E	19/04/2013	16:00	6	NW
19/04/2013	11:40	4	E	19/04/2013	16:05	1	NNW
19/04/2013	11:45	2	ENE	19/04/2013	16:10	4	ESE
19/04/2013	11:50	2	ENE	19/04/2013	16:15	1	S
19/04/2013	11:55	2	ENE	19/04/2013	16:20	2	SE
19/04/2013	12:00	1	ENE	19/04/2013	16:25	2	NNE
19/04/2013	12:05	1	ENE	19/04/2013	16:30	2	NW
19/04/2013	12:10	0	ENE	19/04/2013	16:35	2	N
19/04/2013	12:15	2	E	19/04/2013	16:40	4	NNW
19/04/2013	12:20	2	E	19/04/2013	16:45	3	NW
19/04/2013	12:25	2	E	19/04/2013	16:50	3	NW
19/04/2013	12:30	1	E	19/04/2013	16:55	2	N
19/04/2013	12:35	2	E	19/04/2013	17:00	1	NE
19/04/2013	12:40	2	E	19/04/2013	17:05	3	E
19/04/2013	12:45	2	E	19/04/2013	17:10	3	NNE
19/04/2013	12:50	2	E	19/04/2013	17:15	2	NNE
19/04/2013	12:55	1	E	19/04/2013	17:20	1	NNE
19/04/2013	13:00	1	E	19/04/2013	17:25	1	NNE
19/04/2013	13:05	2	E	19/04/2013	17:30	2	N
19/04/2013	13:10	2	E	19/04/2013	17:35	4	NE
19/04/2013	13:15	1	E	19/04/2013	17:40	4	ENE
19/04/2013	13:20	2	E	19/04/2013	17:45	2	NNE
19/04/2013	13:25	1	ESE	19/04/2013	17:50	3	SSE
19/04/2013	13:30	1	ESE	19/04/2013	17:55	3	NE
19/04/2013	13:35	2	E	19/04/2013	18:00	4	SE
19/04/2013	13:40	2	ENE	19/04/2013	18:05	1	ENE
19/04/2013	13:45	1	E	19/04/2013	18:10	2	ENE
19/04/2013	13:50	1	ESE	19/04/2013	18:15	3	ENE
19/04/2013	13:55	1	E	19/04/2013	18:20	3	NE
19/04/2013	14:00	1	E	19/04/2013	18:25	3	E
19/04/2013	14:05	2	ESE	19/04/2013	18:30	3	SE
19/04/2013	14:10	2	E	19/04/2013	18:35	1	SE
19/04/2013	14:15	2	E	19/04/2013	18:40	3	E

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
19/04/2013	18:45	2	ENE	19/04/2013	23:10	9	SSE
19/04/2013	18:50	3	NE	19/04/2013	23:15	8	SSE
19/04/2013	18:55	5	NE	19/04/2013	23:20	12	SE
19/04/2013	19:00	2	ESE	19/04/2013	23:25	13	SE
19/04/2013	19:05	1	ESE	19/04/2013	23:30	13	SE
19/04/2013	19:10	2	SSE	19/04/2013	23:35	13	SSE
19/04/2013	19:15	2	E	19/04/2013	23:40	13	SSE
19/04/2013	19:20	2	NNW	19/04/2013	23:45	14	SE
19/04/2013	19:25	1	ENE	19/04/2013	23:50	14	SE
19/04/2013	19:30	1	N	19/04/2013	23:55	14	SE
19/04/2013	19:35	2	NNW	20/04/2013	00:00	12	SSE
19/04/2013	19:40	1	NW	20/04/2013	00:05	12	SSE
19/04/2013	19:45	2	NE	20/04/2013	00:10	11	SSE
19/04/2013	19:50	3	SE	20/04/2013	00:15	12	SSE
19/04/2013	19:55	3	SSW	20/04/2013	00:20	13	SSE
19/04/2013	20:00	4	SE	20/04/2013	00:25	13	SE
19/04/2013	20:05	3	SSE	20/04/2013	00:30	15	SSE
19/04/2013	20:10	4	SSE	20/04/2013	00:35	14	SSE
19/04/2013	20:15	11	SE	20/04/2013	00:40	13	SE
19/04/2013	20:20	8	SE	20/04/2013	00:45	15	SE
19/04/2013	20:25	9	SE	20/04/2013	00:50	16	SE
19/04/2013	20:30	12	SSE	20/04/2013	00:55	14	SE
19/04/2013	20:35	10	SSE	20/04/2013	01:00	14	SSE
19/04/2013	20:40	9	SSE	20/04/2013	01:05	15	SSE
19/04/2013	20:45	7	SE	20/04/2013	01:10	15	SSE
19/04/2013	20:50	2	ESE	20/04/2013	01:15	15	SSE
19/04/2013	20:55	3	SSW	20/04/2013	01:20	13	SE
19/04/2013	21:00	3	SSE	20/04/2013	01:25	14	SSE
19/04/2013	21:05	5	SSE	20/04/2013	01:30	13	SSE
19/04/2013	21:10	8	SE	20/04/2013	01:35	9	SSE
19/04/2013	21:15	7	SE	20/04/2013	01:40	6	SE
19/04/2013	21:20	6	SSE	20/04/2013	01:45	4	E
19/04/2013	21:25	7	SSE	20/04/2013	01:50	6	SE
19/04/2013	21:30	4	SE	20/04/2013	01:55	4	SE
19/04/2013	21:35	4	SSE	20/04/2013	02:00	4	SSE
19/04/2013	21:40	6	SSE	20/04/2013	02:05	5	SE
19/04/2013	21:45	8	SSE	20/04/2013	02:10	4	ESE
19/04/2013	21:50	7	SSE	20/04/2013	02:15	2	SSW
19/04/2013	21:55	7	SSE	20/04/2013	02:20	3	SSE
19/04/2013	22:00	3	SSE	20/04/2013	02:25	7	SE
19/04/2013	22:05	8	SSE	20/04/2013	02:30	7	ESE
19/04/2013	22:10	11	SSE	20/04/2013	02:35	6	SE
19/04/2013	22:15	11	SSE	20/04/2013	02:40	7	SSE
19/04/2013	22:20	11	SSE	20/04/2013	02:45	7	SSE
19/04/2013	22:25	11	SSE	20/04/2013	02:50	6	SE
19/04/2013	22:30	12	SSE	20/04/2013	02:55	8	SE
19/04/2013	22:35	12	SSE	20/04/2013	03:00	4	SSE
19/04/2013	22:40	13	SSE	20/04/2013	03:05	4	SE
19/04/2013	22:45	15	SSE	20/04/2013	03:10	2	W
19/04/2013	22:50	12	SSE	20/04/2013	03:15	5	N
19/04/2013	22:55	11	SSE	20/04/2013	03:20	5	N
19/04/2013	23:00	11	SE	20/04/2013	03:25	5	SE
19/04/2013	23:05	8	SE	20/04/2013	03:30	7	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
20/04/2013	03:35	10	SE	20/04/2013	08:00	1	NNW
20/04/2013	03:40	12	SE	20/04/2013	08:05	0	N
20/04/2013	03:45	11	SE	20/04/2013	08:10	1	N
20/04/2013	03:50	6	SSE	20/04/2013	08:15	1	NNW
20/04/2013	03:55	7	SSE	20/04/2013	08:20	2	N
20/04/2013	04:00	8	SSE	20/04/2013	08:25	3	NE
20/04/2013	04:05	5	ENE	20/04/2013	08:30	3	ENE
20/04/2013	04:10	3	W	20/04/2013	08:35	3	NE
20/04/2013	04:15	8	SE	20/04/2013	08:40	5	E
20/04/2013	04:20	8	SE	20/04/2013	08:45	0	ENE
20/04/2013	04:25	10	SE	20/04/2013	08:50	1	ENE
20/04/2013	04:30	12	SE	20/04/2013	08:55	2	N
20/04/2013	04:35	11	SE	20/04/2013	09:00	3	E
20/04/2013	04:40	10	SE	20/04/2013	09:05	6	E
20/04/2013	04:45	7	SE	20/04/2013	09:10	6	E
20/04/2013	04:50	6	SSE	20/04/2013	09:15	6	E
20/04/2013	04:55	5	SE	20/04/2013	09:20	5	E
20/04/2013	05:00	5	SSE	20/04/2013	09:25	4	ESE
20/04/2013	05:05	4	SE	20/04/2013	09:30	3	E
20/04/2013	05:10	1	SSE	20/04/2013	09:35	1	NE
20/04/2013	05:15	1	SSE	20/04/2013	09:40	3	NNE
20/04/2013	05:20	2	SW	20/04/2013	09:45	2	N
20/04/2013	05:25	1	SSE	20/04/2013	09:50	2	N
20/04/2013	05:30	1	SW	20/04/2013	09:55	1	E
20/04/2013	05:35	2	SSE	20/04/2013	10:00	2	NE
20/04/2013	05:40	3	SSW	20/04/2013	10:05	3	ENE
20/04/2013	05:45	1	NE	20/04/2013	10:10	3	ESE
20/04/2013	05:50	2	WNW	20/04/2013	10:15	4	E
20/04/2013	05:55	2	N	20/04/2013	10:20	2	E
20/04/2013	06:00	0	NW	20/04/2013	10:25	4	ENE
20/04/2013	06:05	2	S	20/04/2013	10:30	4	E
20/04/2013	06:10	5	SE	20/04/2013	10:35	4	E
20/04/2013	06:15	5	SSE	20/04/2013	10:40	4	E
20/04/2013	06:20	8	SSE	20/04/2013	10:45	3	ENE
20/04/2013	06:25	7	SSE	20/04/2013	10:50	2	NE
20/04/2013	06:30	7	SSE	20/04/2013	10:55	2	E
20/04/2013	06:35	6	SE	20/04/2013	11:00	1	ENE
20/04/2013	06:40	5	S	20/04/2013	11:05	2	E
20/04/2013	06:45	6	SSE	20/04/2013	11:10	1	E
20/04/2013	06:50	4	SSE	20/04/2013	11:15	1	E
20/04/2013	06:55	2	SSE	20/04/2013	11:20	2	NE
20/04/2013	07:00	2	SSE	20/04/2013	11:25	1	NE
20/04/2013	07:05	2	SSE	20/04/2013	11:30	2	NE
20/04/2013	07:10	1	WSW	20/04/2013	11:35	2	ENE
20/04/2013	07:15	2	NNW	20/04/2013	11:40	2	E
20/04/2013	07:20	3	NNW	20/04/2013	11:45	3	ENE
20/04/2013	07:25	1	NNW	20/04/2013	11:50	2	E
20/04/2013	07:30	0	N	20/04/2013	11:55	3	E
20/04/2013	07:35	2	NW	20/04/2013	12:00	3	E
20/04/2013	07:40	2	NNW	20/04/2013	12:05	3	ESE
20/04/2013	07:45	2	WNW	20/04/2013	12:10	2	SE
20/04/2013	07:50	2	N	20/04/2013	12:15	2	SSE
20/04/2013	07:55	1	N	20/04/2013	12:20	2	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
20/04/2013	12:25	3	SE	20/04/2013	16:50	3	S
20/04/2013	12:30	2	SSE	20/04/2013	16:55	4	E
20/04/2013	12:35	3	E	20/04/2013	17:00	2	SSE
20/04/2013	12:40	3	E	20/04/2013	17:05	3	SE
20/04/2013	12:45	3	ESE	20/04/2013	17:10	4	SSE
20/04/2013	12:50	2	E	20/04/2013	17:15	3	SSE
20/04/2013	12:55	1	E	20/04/2013	17:20	4	NNE
20/04/2013	13:00	1	NNW	20/04/2013	17:25	4	N
20/04/2013	13:05	1	NNE	20/04/2013	17:30	1	NE
20/04/2013	13:10	2	NNE	20/04/2013	17:35	3	N
20/04/2013	13:15	2	NNE	20/04/2013	17:40	4	N
20/04/2013	13:20	2	N	20/04/2013	17:45	4	NNW
20/04/2013	13:25	2	NNE	20/04/2013	17:50	3	NNW
20/04/2013	13:30	2	NNE	20/04/2013	17:55	1	ESE
20/04/2013	13:35	1	NNE	20/04/2013	18:00	2	N
20/04/2013	13:40	3	E	20/04/2013	18:05	2	SE
20/04/2013	13:45	3	E	20/04/2013	18:10	4	NNW
20/04/2013	13:50	5	E	20/04/2013	18:15	2	NNE
20/04/2013	13:55	4	E	20/04/2013	18:20	3	NNE
20/04/2013	14:00	3	ESE	20/04/2013	18:25	3	N
20/04/2013	14:05	2	E	20/04/2013	18:30	4	N
20/04/2013	14:10	1	ENE	20/04/2013	18:35	5	WNW
20/04/2013	14:15	0	ESE	20/04/2013	18:40	3	NW
20/04/2013	14:20	2	NE	20/04/2013	18:45	4	NE
20/04/2013	14:25	2	NE	20/04/2013	18:50	4	NW
20/04/2013	14:30	3	NE	20/04/2013	18:55	2	NE
20/04/2013	14:35	4	E	20/04/2013	19:00	1	NNE
20/04/2013	14:40	4	E	20/04/2013	19:05	3	E
20/04/2013	14:45	3	E	20/04/2013	19:10	3	NE
20/04/2013	14:50	4	ESE	20/04/2013	19:15	3	N
20/04/2013	14:55	3	ESE	20/04/2013	19:20	3	NNW
20/04/2013	15:00	3	ENE	20/04/2013	19:25	3	NNW
20/04/2013	15:05	2	ENE	20/04/2013	19:30	3	N
20/04/2013	15:10	4	E	20/04/2013	19:35	2	NE
20/04/2013	15:15	4	E	20/04/2013	19:40	3	NNW
20/04/2013	15:20	4	E	20/04/2013	19:45	4	NW
20/04/2013	15:25	3	ENE	20/04/2013	19:50	4	NNE
20/04/2013	15:30	2	E	20/04/2013	19:55	3	N
20/04/2013	15:35	2	ENE	20/04/2013	20:00	4	NE
20/04/2013	15:40	4	E	20/04/2013	20:05	2	ESE
20/04/2013	15:45	3	NE	20/04/2013	20:10	1	NE
20/04/2013	15:50	3	ENE	20/04/2013	20:15	1	ESE
20/04/2013	15:55	2	SE	20/04/2013	20:20	1	ESE
20/04/2013	16:00	2	NE	20/04/2013	20:25	3	NNW
20/04/2013	16:05	3	E	20/04/2013	20:30	3	NNE
20/04/2013	16:10	5	N	20/04/2013	20:35	3	NE
20/04/2013	16:15	3	S	20/04/2013	20:40	1	NNE
20/04/2013	16:20	2	SSE	20/04/2013	20:45	2	NE
20/04/2013	16:25	2	NNE	20/04/2013	20:50	3	NNW
20/04/2013	16:30	3	SE	20/04/2013	20:55	3	N
20/04/2013	16:35	4	S	20/04/2013	21:00	2	N
20/04/2013	16:40	3	S	20/04/2013	21:05	2	ENE
20/04/2013	16:45	4	NE	20/04/2013	21:10	1	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
20/04/2013	21:15	2	SSE	21/04/2013	01:40	1	E
20/04/2013	21:20	4	NNW	21/04/2013	01:45	1	E
20/04/2013	21:25	4	NNE	21/04/2013	01:50	0	E
20/04/2013	21:30	1	ENE	21/04/2013	01:55	2	ESE
20/04/2013	21:35	2	NNW	21/04/2013	02:00	2	E
20/04/2013	21:40	1	WNW	21/04/2013	02:05	2	S
20/04/2013	21:45	1	NW	21/04/2013	02:10	1	SSW
20/04/2013	21:50	2	NW	21/04/2013	02:15	0	SW
20/04/2013	21:55	2	NW	21/04/2013	02:20	1	SW
20/04/2013	22:00	2	NW	21/04/2013	02:25	1	WNW
20/04/2013	22:05	1	N	21/04/2013	02:30	3	WNW
20/04/2013	22:10	0	SSE	21/04/2013	02:35	2	WNW
20/04/2013	22:15	1	SSE	21/04/2013	02:40	3	NW
20/04/2013	22:20	0	N	21/04/2013	02:45	3	NW
20/04/2013	22:25	1	N	21/04/2013	02:50	4	NNW
20/04/2013	22:30	1	N	21/04/2013	02:55	2	NNW
20/04/2013	22:35	1	N	21/04/2013	03:00	4	N
20/04/2013	22:40	0	W	21/04/2013	03:05	3	NNW
20/04/2013	22:45	1	NW	21/04/2013	03:10	0	NNW
20/04/2013	22:50	2	NW	21/04/2013	03:15	1	NNW
20/04/2013	22:55	8	NE	21/04/2013	03:20	1	WNW
20/04/2013	23:00	7	ENE	21/04/2013	03:25	3	SE
20/04/2013	23:05	5	NE	21/04/2013	03:30	1	ESE
20/04/2013	23:10	1	E	21/04/2013	03:35	2	ESE
20/04/2013	23:15	1	S	21/04/2013	03:40	2	SE
20/04/2013	23:20	1	NW	21/04/2013	03:45	2	ESE
20/04/2013	23:25	1	ESE	21/04/2013	03:50	2	SSE
20/04/2013	23:30	1	ESE	21/04/2013	03:55	2	S
20/04/2013	23:35	0	---	21/04/2013	04:00	1	S
20/04/2013	23:40	1	ESE	21/04/2013	04:05	0	S
20/04/2013	23:45	2	ESE	21/04/2013	04:10	2	W
20/04/2013	23:50	2	SE	21/04/2013	04:15	1	W
20/04/2013	23:55	1	ESE	21/04/2013	04:20	2	SSW
21/04/2013	00:00	1	ESE	21/04/2013	04:25	1	SW
21/04/2013	00:05	1	SE	21/04/2013	04:30	1	SW
21/04/2013	00:10	0	---	21/04/2013	04:35	1	SW
21/04/2013	00:15	0	---	21/04/2013	04:40	0	SW
21/04/2013	00:20	0	---	21/04/2013	04:45	1	ESE
21/04/2013	00:25	0	---	21/04/2013	04:50	1	ESE
21/04/2013	00:30	1	SSE	21/04/2013	04:55	1	ESE
21/04/2013	00:35	1	NW	21/04/2013	05:00	0	ESE
21/04/2013	00:40	0	NW	21/04/2013	05:05	1	ESE
21/04/2013	00:45	2	NE	21/04/2013	05:10	1	NE
21/04/2013	00:50	0	NE	21/04/2013	05:15	0	NE
21/04/2013	00:55	1	SSE	21/04/2013	05:20	0	---
21/04/2013	01:00	2	NW	21/04/2013	05:25	1	NE
21/04/2013	01:05	4	WNW	21/04/2013	05:30	0	W
21/04/2013	01:10	3	WNW	21/04/2013	05:35	1	NNW
21/04/2013	01:15	2	WNW	21/04/2013	05:40	1	NNW
21/04/2013	01:20	2	SSE	21/04/2013	05:45	1	NNW
21/04/2013	01:25	0	SSE	21/04/2013	05:50	1	NNW
21/04/2013	01:30	3	SE	21/04/2013	05:55	4	ENE
21/04/2013	01:35	1	ESE	21/04/2013	06:00	6	ENE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
21/04/2013	06:05	5	ENE	21/04/2013	10:30	8	SE
21/04/2013	06:10	4	E	21/04/2013	10:35	8	SE
21/04/2013	06:15	3	ENE	21/04/2013	10:40	8	SE
21/04/2013	06:20	2	NE	21/04/2013	10:45	8	SSE
21/04/2013	06:25	1	N	21/04/2013	10:50	8	SSE
21/04/2013	06:30	1	NNW	21/04/2013	10:55	9	SSE
21/04/2013	06:35	1	NNW	21/04/2013	11:00	8	SSE
21/04/2013	06:40	2	NNW	21/04/2013	11:05	7	SSE
21/04/2013	06:45	3	NNW	21/04/2013	11:10	8	SSE
21/04/2013	06:50	2	NNW	21/04/2013	11:15	7	SSE
21/04/2013	06:55	1	NNW	21/04/2013	11:20	10	SE
21/04/2013	07:00	1	WNW	21/04/2013	11:25	8	SSE
21/04/2013	07:05	2	E	21/04/2013	11:30	8	SSE
21/04/2013	07:10	1	E	21/04/2013	11:35	7	SSE
21/04/2013	07:15	1	E	21/04/2013	11:40	7	SSE
21/04/2013	07:20	1	S	21/04/2013	11:45	7	SSE
21/04/2013	07:25	2	SE	21/04/2013	11:50	8	SSE
21/04/2013	07:30	1	SE	21/04/2013	11:55	9	SSE
21/04/2013	07:35	3	E	21/04/2013	12:00	7	SSE
21/04/2013	07:40	3	E	21/04/2013	12:05	8	SSE
21/04/2013	07:45	3	SE	21/04/2013	12:10	9	SSE
21/04/2013	07:50	3	SSE	21/04/2013	12:15	8	SSE
21/04/2013	07:55	3	SSE	21/04/2013	12:20	6	SE
21/04/2013	08:00	3	SSE	21/04/2013	12:25	5	SE
21/04/2013	08:05	3	SE	21/04/2013	12:30	7	SE
21/04/2013	08:10	6	SE	21/04/2013	12:35	7	ESE
21/04/2013	08:15	6	SE	21/04/2013	12:40	8	SE
21/04/2013	08:20	6	SSE	21/04/2013	12:45	6	SE
21/04/2013	08:25	6	SE	21/04/2013	12:50	8	SE
21/04/2013	08:30	3	SSE	21/04/2013	12:55	6	SE
21/04/2013	08:35	4	E	21/04/2013	13:00	8	SE
21/04/2013	08:40	4	SE	21/04/2013	13:05	7	SSE
21/04/2013	08:45	5	SE	21/04/2013	13:10	9	SSE
21/04/2013	08:50	3	ESE	21/04/2013	13:15	10	SSE
21/04/2013	08:55	3	E	21/04/2013	13:20	8	SSE
21/04/2013	09:00	3	E	21/04/2013	13:25	10	SSE
21/04/2013	09:05	4	E	21/04/2013	13:30	8	SSE
21/04/2013	09:10	2	E	21/04/2013	13:35	9	SSE
21/04/2013	09:15	3	ENE	21/04/2013	13:40	8	SSE
21/04/2013	09:20	3	E	21/04/2013	13:45	8	SE
21/04/2013	09:25	3	SSE	21/04/2013	13:50	8	SSE
21/04/2013	09:30	3	SE	21/04/2013	13:55	9	SSE
21/04/2013	09:35	4	SE	21/04/2013	14:00	8	S
21/04/2013	09:40	3	SE	21/04/2013	14:05	9	SSE
21/04/2013	09:45	3	ESE	21/04/2013	14:10	8	SSE
21/04/2013	09:50	4	ESE	21/04/2013	14:15	9	SSE
21/04/2013	09:55	4	SSE	21/04/2013	14:20	9	SSE
21/04/2013	10:00	6	SE	21/04/2013	14:25	9	SSE
21/04/2013	10:05	10	SE	21/04/2013	14:30	10	SE
21/04/2013	10:10	8	SE	21/04/2013	14:35	9	SSE
21/04/2013	10:15	8	SE	21/04/2013	14:40	9	SSE
21/04/2013	10:20	8	SE	21/04/2013	14:45	9	SSE
21/04/2013	10:25	6	SE	21/04/2013	14:50	9	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
21/04/2013	14:55	9	SSE	21/04/2013	19:20	5	SE
21/04/2013	15:00	9	SSE	21/04/2013	19:25	5	SSE
21/04/2013	15:05	6	SSE	21/04/2013	19:30	6	SSE
21/04/2013	15:10	6	S	21/04/2013	19:35	5	SSE
21/04/2013	15:15	8	SSE	21/04/2013	19:40	4	SE
21/04/2013	15:20	8	SSE	21/04/2013	19:45	6	SSE
21/04/2013	15:25	8	SSE	21/04/2013	19:50	9	SSE
21/04/2013	15:30	8	SSE	21/04/2013	19:55	6	SSE
21/04/2013	15:35	6	SSE	21/04/2013	20:00	6	SSE
21/04/2013	15:40	5	SE	21/04/2013	20:05	7	SE
21/04/2013	15:45	6	SE	21/04/2013	20:10	7	SSE
21/04/2013	15:50	7	SE	21/04/2013	20:15	9	SE
21/04/2013	15:55	6	SE	21/04/2013	20:20	10	SSE
21/04/2013	16:00	4	E	21/04/2013	20:25	11	SSE
21/04/2013	16:05	4	ESE	21/04/2013	20:30	8	SE
21/04/2013	16:10	5	ESE	21/04/2013	20:35	7	SSE
21/04/2013	16:15	5	SE	21/04/2013	20:40	8	SSE
21/04/2013	16:20	5	SE	21/04/2013	20:45	7	SE
21/04/2013	16:25	6	SE	21/04/2013	20:50	6	SSE
21/04/2013	16:30	3	SE	21/04/2013	20:55	7	SE
21/04/2013	16:35	4	SE	21/04/2013	21:00	8	SSE
21/04/2013	16:40	8	SE	21/04/2013	21:05	6	S
21/04/2013	16:45	5	SSE	21/04/2013	21:10	5	SSE
21/04/2013	16:50	7	SE	21/04/2013	21:15	6	SE
21/04/2013	16:55	6	SSE	21/04/2013	21:20	10	SE
21/04/2013	17:00	8	SE	21/04/2013	21:25	11	SE
21/04/2013	17:05	12	SSE	21/04/2013	21:30	11	SE
21/04/2013	17:10	10	SE	21/04/2013	21:35	10	SE
21/04/2013	17:15	9	SSE	21/04/2013	21:40	9	SE
21/04/2013	17:20	9	S	21/04/2013	21:45	12	SE
21/04/2013	17:25	9	SSE	21/04/2013	21:50	12	SE
21/04/2013	17:30	11	SSE	21/04/2013	21:55	14	SE
21/04/2013	17:35	10	SSE	21/04/2013	22:00	13	SE
21/04/2013	17:40	9	SE	21/04/2013	22:05	12	SE
21/04/2013	17:45	8	SSE	21/04/2013	22:10	12	SE
21/04/2013	17:50	8	SSE	21/04/2013	22:15	12	SE
21/04/2013	17:55	8	SE	21/04/2013	22:20	11	SE
21/04/2013	18:00	11	SSE	21/04/2013	22:25	10	SE
21/04/2013	18:05	10	SSE	21/04/2013	22:30	10	SE
21/04/2013	18:10	7	SSE	21/04/2013	22:35	10	SE
21/04/2013	18:15	7	SSE	21/04/2013	22:40	10	SE
21/04/2013	18:20	6	SSE	21/04/2013	22:45	11	SE
21/04/2013	18:25	10	SSE	21/04/2013	22:50	11	SE
21/04/2013	18:30	9	SSE	21/04/2013	22:55	9	SE
21/04/2013	18:35	6	SSE	21/04/2013	23:00	10	SE
21/04/2013	18:40	9	SSE	21/04/2013	23:05	10	SE
21/04/2013	18:45	9	SE	21/04/2013	23:10	10	SE
21/04/2013	18:50	12	SE	21/04/2013	23:15	10	SE
21/04/2013	18:55	9	SE	21/04/2013	23:20	12	SSE
21/04/2013	19:00	7	SSE	21/04/2013	23:25	11	SSE
21/04/2013	19:05	6	SSE	21/04/2013	23:30	13	SE
21/04/2013	19:10	6	SE	21/04/2013	23:35	13	SSE
21/04/2013	19:15	6	SSE	21/04/2013	23:40	12	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
21/04/2013	23:45	14	SE	22/04/2013	04:10	11	SSE
21/04/2013	23:50	13	SE	22/04/2013	04:15	9	SSE
21/04/2013	23:55	13	SE	22/04/2013	04:20	10	SSE
22/04/2013	00:00	12	SE	22/04/2013	04:25	9	SSE
22/04/2013	00:05	12	SSE	22/04/2013	04:30	9	SE
22/04/2013	00:10	13	SSE	22/04/2013	04:35	10	SE
22/04/2013	00:15	14	SSE	22/04/2013	04:40	11	SE
22/04/2013	00:20	10	SSE	22/04/2013	04:45	11	SSE
22/04/2013	00:25	10	SSE	22/04/2013	04:50	11	SE
22/04/2013	00:30	9	SSE	22/04/2013	04:55	9	SSE
22/04/2013	00:35	9	SSE	22/04/2013	05:00	9	SSE
22/04/2013	00:40	11	SSE	22/04/2013	05:05	9	SSE
22/04/2013	00:45	12	SSE	22/04/2013	05:10	9	SSE
22/04/2013	00:50	10	SSE	22/04/2013	05:15	9	SSE
22/04/2013	00:55	11	SSE	22/04/2013	05:20	9	SE
22/04/2013	01:00	10	SSE	22/04/2013	05:25	12	SSE
22/04/2013	01:05	10	SSE	22/04/2013	05:30	11	SSE
22/04/2013	01:10	10	SSE	22/04/2013	05:35	10	SSE
22/04/2013	01:15	10	SSE	22/04/2013	05:40	9	SE
22/04/2013	01:20	11	SE	22/04/2013	05:45	11	SSE
22/04/2013	01:25	10	SSE	22/04/2013	05:50	9	SSE
22/04/2013	01:30	10	SSE	22/04/2013	05:55	11	SE
22/04/2013	01:35	11	SSE	22/04/2013	06:00	11	SSE
22/04/2013	01:40	9	SSE	22/04/2013	06:05	12	SE
22/04/2013	01:45	12	SSE	22/04/2013	06:10	11	SE
22/04/2013	01:50	12	SSE	22/04/2013	06:15	11	SE
22/04/2013	01:55	11	SSE	22/04/2013	06:20	14	SE
22/04/2013	02:00	11	SSE	22/04/2013	06:25	13	SE
22/04/2013	02:05	12	SSE	22/04/2013	06:30	12	SE
22/04/2013	02:10	13	SE	22/04/2013	06:35	12	SSE
22/04/2013	02:15	10	SSE	22/04/2013	06:40	11	SE
22/04/2013	02:20	11	SSE	22/04/2013	06:45	8	SSE
22/04/2013	02:25	12	SSE	22/04/2013	06:50	10	SE
22/04/2013	02:30	12	SSE	22/04/2013	06:55	13	SE
22/04/2013	02:35	11	SSE	22/04/2013	07:00	10	SE
22/04/2013	02:40	11	SSE	22/04/2013	07:05	11	SE
22/04/2013	02:45	11	SSE	22/04/2013	07:10	14	SE
22/04/2013	02:50	11	SSE	22/04/2013	07:15	14	SE
22/04/2013	02:55	10	SSE	22/04/2013	07:20	14	SE
22/04/2013	03:00	12	SSE	22/04/2013	07:25	14	SE
22/04/2013	03:05	12	SSE	22/04/2013	07:30	14	SE
22/04/2013	03:10	13	SE	22/04/2013	07:35	13	SE
22/04/2013	03:15	12	SSE	22/04/2013	07:40	13	SE
22/04/2013	03:20	13	SE	22/04/2013	07:45	10	SE
22/04/2013	03:25	13	SE	22/04/2013	07:50	12	SE
22/04/2013	03:30	10	SSE	22/04/2013	07:55	12	SE
22/04/2013	03:35	9	SSE	22/04/2013	08:00	13	SE
22/04/2013	03:40	10	SSE	22/04/2013	08:05	10	SE
22/04/2013	03:45	10	SSE	22/04/2013	08:10	13	SE
22/04/2013	03:50	12	SSE	22/04/2013	08:15	11	SSE
22/04/2013	03:55	10	SSE	22/04/2013	08:20	11	SE
22/04/2013	04:00	10	SSE	22/04/2013	08:25	16	SE
22/04/2013	04:05	9	SSE	22/04/2013	08:30	14	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
22/04/2013	08:35	13	SE	22/04/2013	13:00	16	SE
22/04/2013	08:40	10	SE	22/04/2013	13:05	15	SE
22/04/2013	08:45	12	SE	22/04/2013	13:10	14	SSE
22/04/2013	08:50	12	SE	22/04/2013	13:15	14	SE
22/04/2013	08:55	12	SSE	22/04/2013	13:20	13	SE
22/04/2013	09:00	11	SE	22/04/2013	13:25	11	SSE
22/04/2013	09:05	12	SE	22/04/2013	13:30	13	SSE
22/04/2013	09:10	9	SE	22/04/2013	13:35	13	SE
22/04/2013	09:15	9	SSE	22/04/2013	13:40	12	SE
22/04/2013	09:20	9	SSE	22/04/2013	13:45	12	SE
22/04/2013	09:25	12	SE	22/04/2013	13:50	11	SE
22/04/2013	09:30	11	SSE	22/04/2013	13:55	14	SSE
22/04/2013	09:35	9	SE	22/04/2013	14:00	14	SE
22/04/2013	09:40	10	SE	22/04/2013	14:05	13	SE
22/04/2013	09:45	10	SSE	22/04/2013	14:10	14	SE
22/04/2013	09:50	10	SSE	22/04/2013	14:15	13	SE
22/04/2013	09:55	12	SE	22/04/2013	14:20	16	SE
22/04/2013	10:00	12	SE	22/04/2013	14:25	14	SSE
22/04/2013	10:05	14	SE	22/04/2013	14:30	12	SSE
22/04/2013	10:10	10	SE	22/04/2013	14:35	11	SSE
22/04/2013	10:15	10	SSE	22/04/2013	14:40	10	SE
22/04/2013	10:20	12	SSE	22/04/2013	14:45	11	SE
22/04/2013	10:25	13	SSE	22/04/2013	14:50	10	SE
22/04/2013	10:30	14	SE	22/04/2013	14:55	11	SE
22/04/2013	10:35	16	SE	22/04/2013	15:00	13	SE
22/04/2013	10:40	16	SE	22/04/2013	15:05	12	SE
22/04/2013	10:45	15	SE	22/04/2013	15:10	12	SE
22/04/2013	10:50	15	SSE	22/04/2013	15:15	11	SSE
22/04/2013	10:55	13	SE	22/04/2013	15:20	13	SE
22/04/2013	11:00	15	SE	22/04/2013	15:25	12	SE
22/04/2013	11:05	11	SSE	22/04/2013	15:30	12	SE
22/04/2013	11:10	15	SE	22/04/2013	15:35	15	SE
22/04/2013	11:15	14	SSE	22/04/2013	15:40	14	SE
22/04/2013	11:20	14	SE	22/04/2013	15:45	13	SE
22/04/2013	11:25	16	SSE	22/04/2013	15:50	14	SE
22/04/2013	11:30	15	SE	22/04/2013	15:55	13	SE
22/04/2013	11:35	12	SE	22/04/2013	16:00	13	SE
22/04/2013	11:40	12	SSE	22/04/2013	16:05	14	SSE
22/04/2013	11:45	14	SE	22/04/2013	16:10	12	SSE
22/04/2013	11:50	14	SE	22/04/2013	16:15	15	SE
22/04/2013	11:55	14	SE	22/04/2013	16:20	14	SE
22/04/2013	12:00	13	SE	22/04/2013	16:25	11	SSE
22/04/2013	12:05	16	SE	22/04/2013	16:30	13	SSE
22/04/2013	12:10	17	SE	22/04/2013	16:35	15	SSE
22/04/2013	12:15	16	SE	22/04/2013	16:40	15	SSE
22/04/2013	12:20	11	SE	22/04/2013	16:45	13	SE
22/04/2013	12:25	14	SE	22/04/2013	16:50	13	SE
22/04/2013	12:30	14	SE	22/04/2013	16:55	15	SSE
22/04/2013	12:35	12	SE	22/04/2013	17:00	15	SE
22/04/2013	12:40	14	SE	22/04/2013	17:05	14	SE
22/04/2013	12:45	15	SE	22/04/2013	17:10	12	SE
22/04/2013	12:50	15	SE	22/04/2013	17:15	13	SSE
22/04/2013	12:55	15	SE	22/04/2013	17:20	11	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
22/04/2013	17:25	13	SE	22/04/2013	21:50	14	SE
22/04/2013	17:30	14	SSE	22/04/2013	21:55	14	SE
22/04/2013	17:35	13	SSE	22/04/2013	22:00	14	SE
22/04/2013	17:40	13	SE	22/04/2013	22:05	16	SSE
22/04/2013	17:45	14	SE	22/04/2013	22:10	14	SSE
22/04/2013	17:50	16	SSE	22/04/2013	22:15	13	SSE
22/04/2013	17:55	13	SE	22/04/2013	22:20	14	SSE
22/04/2013	18:00	15	SE	22/04/2013	22:25	13	SSE
22/04/2013	18:05	14	SE	22/04/2013	22:30	13	SSE
22/04/2013	18:10	14	SSE	22/04/2013	22:35	14	SSE
22/04/2013	18:15	15	SSE	22/04/2013	22:40	11	SSE
22/04/2013	18:20	16	SSE	22/04/2013	22:45	11	SSE
22/04/2013	18:25	12	SSE	22/04/2013	22:50	12	SSE
22/04/2013	18:30	13	SE	22/04/2013	22:55	12	SE
22/04/2013	18:35	13	SE	22/04/2013	23:00	15	SSE
22/04/2013	18:40	12	SSE	22/04/2013	23:05	15	SSE
22/04/2013	18:45	10	SE	22/04/2013	23:10	14	SSE
22/04/2013	18:50	11	SSE	22/04/2013	23:15	13	SSE
22/04/2013	18:55	11	SE	22/04/2013	23:20	13	SSE
22/04/2013	19:00	10	SSE	22/04/2013	23:25	11	SSE
22/04/2013	19:05	9	SE	22/04/2013	23:30	10	SSE
22/04/2013	19:10	11	SE	22/04/2013	23:35	10	SSE
22/04/2013	19:15	11	SSE	22/04/2013	23:40	11	SSE
22/04/2013	19:20	13	SE	22/04/2013	23:45	14	SE
22/04/2013	19:25	14	SE	22/04/2013	23:50	15	SSE
22/04/2013	19:30	13	SE	22/04/2013	23:55	16	SE
22/04/2013	19:35	13	SE	23/04/2013	00:00	15	SE
22/04/2013	19:40	13	SSE	23/04/2013	00:05	17	SE
22/04/2013	19:45	9	SSE	23/04/2013	00:10	16	SE
22/04/2013	19:50	9	SSE	23/04/2013	00:15	16	SE
22/04/2013	19:55	11	SE	23/04/2013	00:20	16	SE
22/04/2013	20:00	11	SSE	23/04/2013	00:25	17	SE
22/04/2013	20:05	11	SE	23/04/2013	00:30	16	SE
22/04/2013	20:10	10	SSE	23/04/2013	00:35	16	SE
22/04/2013	20:15	10	SSE	23/04/2013	00:40	13	SE
22/04/2013	20:20	12	SE	23/04/2013	00:45	14	SE
22/04/2013	20:25	13	SSE	23/04/2013	00:50	13	SE
22/04/2013	20:30	12	SSE	23/04/2013	00:55	13	SE
22/04/2013	20:35	14	SSE	23/04/2013	01:00	15	SE
22/04/2013	20:40	12	SE	23/04/2013	01:05	14	SE
22/04/2013	20:45	13	SE	23/04/2013	01:10	11	ESE
22/04/2013	20:50	15	SSE	23/04/2013	01:15	6	ESE
22/04/2013	20:55	12	SE	23/04/2013	01:20	6	E
22/04/2013	21:00	14	SE	23/04/2013	01:25	3	SSE
22/04/2013	21:05	13	SSE	23/04/2013	01:30	4	WNW
22/04/2013	21:10	13	SE	23/04/2013	01:35	2	WNW
22/04/2013	21:15	14	SE	23/04/2013	01:40	5	ENE
22/04/2013	21:20	14	SE	23/04/2013	01:45	5	NW
22/04/2013	21:25	14	SSE	23/04/2013	01:50	8	NW
22/04/2013	21:30	13	SE	23/04/2013	01:55	6	NW
22/04/2013	21:35	14	SE	23/04/2013	02:00	8	NNW
22/04/2013	21:40	12	SE	23/04/2013	02:05	6	NNW
22/04/2013	21:45	13	SSE	23/04/2013	02:10	11	NNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
23/04/2013	02:15	10	N	23/04/2013	06:40	10	SSE
23/04/2013	02:20	5	N	23/04/2013	06:45	12	SE
23/04/2013	02:25	8	N	23/04/2013	06:50	11	SE
23/04/2013	02:30	5	NE	23/04/2013	06:55	12	SSE
23/04/2013	02:35	7	NNE	23/04/2013	07:00	15	SE
23/04/2013	02:40	6	NW	23/04/2013	07:05	14	SE
23/04/2013	02:45	6	NNW	23/04/2013	07:10	12	SE
23/04/2013	02:50	5	NW	23/04/2013	07:15	11	SE
23/04/2013	02:55	4	NW	23/04/2013	07:20	9	SE
23/04/2013	03:00	5	ESE	23/04/2013	07:25	10	SE
23/04/2013	03:05	6	SSE	23/04/2013	07:30	8	SE
23/04/2013	03:10	11	SSE	23/04/2013	07:35	8	SE
23/04/2013	03:15	10	SE	23/04/2013	07:40	9	SE
23/04/2013	03:20	11	SSE	23/04/2013	07:45	9	SE
23/04/2013	03:25	11	SSE	23/04/2013	07:50	8	SE
23/04/2013	03:30	8	SE	23/04/2013	07:55	7	SE
23/04/2013	03:35	7	SE	23/04/2013	08:00	8	SE
23/04/2013	03:40	5	NNW	23/04/2013	08:05	8	SE
23/04/2013	03:45	5	NNW	23/04/2013	08:10	8	SE
23/04/2013	03:50	5	NW	23/04/2013	08:15	8	SE
23/04/2013	03:55	8	NNW	23/04/2013	08:20	8	SE
23/04/2013	04:00	7	NNW	23/04/2013	08:25	9	SE
23/04/2013	04:05	6	NNW	23/04/2013	08:30	9	SE
23/04/2013	04:10	8	NNW	23/04/2013	08:35	9	SE
23/04/2013	04:15	9	NNW	23/04/2013	08:40	10	SE
23/04/2013	04:20	7	WNW	23/04/2013	08:45	10	SE
23/04/2013	04:25	4	NW	23/04/2013	08:50	10	SE
23/04/2013	04:30	6	NNW	23/04/2013	08:55	9	SE
23/04/2013	04:35	5	NNW	23/04/2013	09:00	11	SE
23/04/2013	04:40	5	N	23/04/2013	09:05	10	SSE
23/04/2013	04:45	4	N	23/04/2013	09:10	11	SE
23/04/2013	04:50	6	N	23/04/2013	09:15	9	SE
23/04/2013	04:55	6	N	23/04/2013	09:20	10	SE
23/04/2013	05:00	11	NNW	23/04/2013	09:25	9	SE
23/04/2013	05:05	10	NNW	23/04/2013	09:30	7	SE
23/04/2013	05:10	11	N	23/04/2013	09:35	8	SE
23/04/2013	05:15	10	N	23/04/2013	09:40	8	SSE
23/04/2013	05:20	8	NW	23/04/2013	09:45	9	SE
23/04/2013	05:25	8	NW	23/04/2013	09:50	8	SE
23/04/2013	05:30	11	NNW	23/04/2013	09:55	7	ESE
23/04/2013	05:35	9	NNW	23/04/2013	10:00	10	SE
23/04/2013	05:40	8	NNW	23/04/2013	10:05	8	SE
23/04/2013	05:45	4	WNW	23/04/2013	10:10	8	SE
23/04/2013	05:50	6	WNW	23/04/2013	10:15	8	SE
23/04/2013	05:55	2	WNW	23/04/2013	10:20	8	SE
23/04/2013	06:00	3	NW	23/04/2013	15:55	5	NNW
23/04/2013	06:05	3	NW	23/04/2013	16:00	5	W
23/04/2013	06:10	5	E	23/04/2013	16:05	2	ENE
23/04/2013	06:15	8	SE	23/04/2013	16:10	6	SE
23/04/2013	06:20	8	SE	23/04/2013	16:15	3	WSW
23/04/2013	06:25	8	SE	23/04/2013	16:20	2	SE
23/04/2013	06:30	9	SE	23/04/2013	16:25	3	NE
23/04/2013	06:35	10	SSE	23/04/2013	16:30	3	NW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
23/04/2013	16:35	5	NW	23/04/2013	21:00	2	ESE
23/04/2013	16:40	5	E	23/04/2013	21:05	2	SE
23/04/2013	16:45	4	E	23/04/2013	21:10	1	SE
23/04/2013	16:50	4	E	23/04/2013	21:15	1	SE
23/04/2013	16:55	2	NE	23/04/2013	21:20	0	SE
23/04/2013	17:00	5	E	23/04/2013	21:25	2	SE
23/04/2013	17:05	4	WNW	23/04/2013	21:30	4	SE
23/04/2013	17:10	4	SSE	23/04/2013	21:35	4	SE
23/04/2013	17:15	4	S	23/04/2013	21:40	4	SE
23/04/2013	17:20	2	NNW	23/04/2013	21:45	1	SSE
23/04/2013	17:25	4	E	23/04/2013	21:50	1	SSE
23/04/2013	17:30	3	SSE	23/04/2013	21:55	1	S
23/04/2013	17:35	6	ESE	23/04/2013	22:00	0	S
23/04/2013	17:40	2	ENE	23/04/2013	22:05	2	NNW
23/04/2013	17:45	4	N	23/04/2013	22:10	1	NNW
23/04/2013	17:50	3	ENE	23/04/2013	22:15	1	NNW
23/04/2013	17:55	3	NE	23/04/2013	22:20	0	NW
23/04/2013	18:00	2	SSE	23/04/2013	22:25	2	NW
23/04/2013	18:05	1	WNW	23/04/2013	22:30	4	NNW
23/04/2013	18:10	1	N	23/04/2013	22:35	3	NNE
23/04/2013	18:15	3	NNE	23/04/2013	22:40	3	NNE
23/04/2013	18:20	3	NE	23/04/2013	22:45	3	NNW
23/04/2013	18:25	2	E	23/04/2013	22:50	1	NNW
23/04/2013	18:30	2	NNE	23/04/2013	22:55	1	NW
23/04/2013	18:35	2	ENE	23/04/2013	23:00	1	NW
23/04/2013	18:40	2	NNE	23/04/2013	23:05	0	NW
23/04/2013	18:45	1	N	23/04/2013	23:10	0	NW
23/04/2013	18:50	1	ENE	23/04/2013	23:15	0	NW
23/04/2013	18:55	0	---	23/04/2013	23:20	0	NW
23/04/2013	19:00	0	---	23/04/2013	23:25	0	---
23/04/2013	19:05	0	ENE	23/04/2013	23:30	0	NW
23/04/2013	19:10	2	E	23/04/2013	23:35	0	NW
23/04/2013	19:15	3	ESE	23/04/2013	23:40	0	---
23/04/2013	19:20	1	ESE	23/04/2013	23:45	1	NNE
23/04/2013	19:25	1	SSE	23/04/2013	23:50	1	NNE
23/04/2013	19:30	1	SSE	23/04/2013	23:55	1	NNE
23/04/2013	19:35	1	SSE	24/04/2013	00:00	1	W
23/04/2013	19:40	0	SSE	24/04/2013	00:05	1	W
23/04/2013	19:45	2	NW	24/04/2013	00:10	0	W
23/04/2013	19:50	2	NNW	24/04/2013	00:15	1	W
23/04/2013	19:55	3	N	24/04/2013	00:20	1	W
23/04/2013	20:00	4	NNW	24/04/2013	00:25	0	W
23/04/2013	20:05	3	NNW	24/04/2013	00:30	0	---
23/04/2013	20:10	2	N	24/04/2013	00:35	0	W
23/04/2013	20:15	3	N	24/04/2013	00:40	0	---
23/04/2013	20:20	1	NNW	24/04/2013	00:45	0	W
23/04/2013	20:25	2	WNW	24/04/2013	00:50	2	SE
23/04/2013	20:30	1	NE	24/04/2013	00:55	3	ESE
23/04/2013	20:35	2	NNW	24/04/2013	01:00	4	E
23/04/2013	20:40	1	NNW	24/04/2013	01:05	1	ESE
23/04/2013	20:45	1	NNW	24/04/2013	01:10	2	SSW
23/04/2013	20:50	2	NNE	24/04/2013	01:15	2	SSW
23/04/2013	20:55	2	ESE	24/04/2013	01:20	0	SSW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction
24/04/2013	01:25	0	---
24/04/2013	01:30	0	---
24/04/2013	01:35	0	---
24/04/2013	01:40	0	---
24/04/2013	01:45	0	---
24/04/2013	01:50	0	---
24/04/2013	01:55	0	---
24/04/2013	02:00	0	SSW
24/04/2013	02:05	1	SSW
24/04/2013	02:10	0	W
24/04/2013	02:15	0	W
24/04/2013	02:20	1	NW
24/04/2013	02:25	1	ENE
24/04/2013	02:30	0	---
24/04/2013	02:35	1	NE
24/04/2013	02:40	2	NE
24/04/2013	02:45	2	WNW
24/04/2013	02:50	2	WNW
24/04/2013	02:55	1	WNW
24/04/2013	03:00	0	WNW
24/04/2013	03:05	0	WNW
24/04/2013	03:10	1	WNW
24/04/2013	03:15	1	WNW
24/04/2013	03:20	1	WNW
24/04/2013	03:25	1	WNW
24/04/2013	03:30	1	WNW
24/04/2013	03:35	2	WNW
24/04/2013	03:40	0	WNW
24/04/2013	03:45	0	WNW
24/04/2013	03:50	0	---
24/04/2013	03:55	1	WNW
24/04/2013	04:00	1	S
24/04/2013	04:05	0	---
24/04/2013	04:10	0	NNW
24/04/2013	04:15	2	W
24/04/2013	04:20	0	W
24/04/2013	04:25	0	W
24/04/2013	04:30	1	W
24/04/2013	04:35	0	NW
24/04/2013	04:40	2	NNW
24/04/2013	04:45	1	NW
24/04/2013	04:50	0	NW
24/04/2013	04:55	0	---
24/04/2013	05:00	0	---
24/04/2013	05:05	0	---
24/04/2013	05:10	0	---
24/04/2013	05:15	0	---
24/04/2013	05:20	1	W
24/04/2013	05:25	2	WNW
24/04/2013	05:30	2	NW
24/04/2013	05:35	2	NW
24/04/2013	05:40	1	NW
24/04/2013	05:45	0	WNW

Date	Time	Wind Speed (mph)	Wind Direction
24/04/2013	05:50	0	---
24/04/2013	05:55	0	---
24/04/2013	06:00	0	---
24/04/2013	06:05	2	NE
24/04/2013	06:10	2	WNW
24/04/2013	06:15	1	NW
24/04/2013	06:20	1	NW
24/04/2013	06:25	3	NW
24/04/2013	06:30	2	WNW
24/04/2013	06:35	1	SSW
24/04/2013	06:40	0	SSW
24/04/2013	06:45	0	---
24/04/2013	06:50	0	---
24/04/2013	06:55	0	---
24/04/2013	07:00	0	---
24/04/2013	07:05	0	---
24/04/2013	07:10	0	---
24/04/2013	07:15	0	---
24/04/2013	07:20	0	---
24/04/2013	07:25	0	---
24/04/2013	07:30	0	---
24/04/2013	07:35	0	---
24/04/2013	07:40	0	NE
24/04/2013	07:45	0	NE
24/04/2013	07:50	1	NE
24/04/2013	07:55	0	NE
24/04/2013	08:00	1	NE
24/04/2013	08:05	0	NE
24/04/2013	08:10	0	---
24/04/2013	08:15	0	ESE
24/04/2013	08:20	1	ESE
24/04/2013	08:25	3	ESE
24/04/2013	08:30	2	ESE
24/04/2013	08:35	0	ESE
24/04/2013	08:40	1	ESE
24/04/2013	08:45	1	NNE
24/04/2013	08:50	1	ENE
24/04/2013	08:55	1	W
24/04/2013	09:00	1	NE
24/04/2013	09:05	0	NE
24/04/2013	09:10	0	NE
24/04/2013	09:15	1	ESE
24/04/2013	09:20	1	ENE
24/04/2013	09:25	1	ENE
24/04/2013	09:30	0	ENE
24/04/2013	09:35	2	ENE
24/04/2013	09:40	2	N
24/04/2013	09:45	2	NNE
24/04/2013	09:50	1	NNE
24/04/2013	09:55	1	NNE
24/04/2013	10:00	1	NNE
24/04/2013	10:05	1	NNE
24/04/2013	10:10	0	NNE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
24/04/2013	10:15	1	NNE	24/04/2013	14:40	6	E
24/04/2013	10:20	1	NNE	24/04/2013	14:45	5	E
24/04/2013	10:25	0	---	24/04/2013	14:50	6	E
24/04/2013	10:30	0	NNE	24/04/2013	14:55	6	E
24/04/2013	10:35	1	NNE	24/04/2013	15:00	6	E
24/04/2013	10:40	1	NNE	24/04/2013	15:05	5	E
24/04/2013	10:45	2	NNE	24/04/2013	15:10	5	E
24/04/2013	10:50	1	ENE	24/04/2013	15:15	5	E
24/04/2013	10:55	1	ENE	24/04/2013	15:20	4	E
24/04/2013	11:00	1	ENE	24/04/2013	15:25	4	E
24/04/2013	11:05	2	NNE	24/04/2013	15:30	5	E
24/04/2013	11:10	2	N	24/04/2013	15:35	4	E
24/04/2013	11:15	2	NNE	24/04/2013	15:40	5	E
24/04/2013	11:20	2	NE	24/04/2013	15:45	4	E
24/04/2013	11:25	2	ENE	24/04/2013	15:50	4	E
24/04/2013	11:30	3	NE	24/04/2013	15:55	3	E
24/04/2013	11:35	2	NE	24/04/2013	16:00	4	E
24/04/2013	11:40	2	NE	24/04/2013	16:05	3	E
24/04/2013	11:45	3	E	24/04/2013	16:10	3	E
24/04/2013	11:50	5	E	24/04/2013	16:15	4	E
24/04/2013	11:55	5	E	24/04/2013	16:20	3	E
24/04/2013	12:00	5	E	24/04/2013	16:25	2	E
24/04/2013	12:05	5	E	24/04/2013	16:30	1	SE
24/04/2013	12:10	7	E	24/04/2013	16:35	2	E
24/04/2013	12:15	6	E	24/04/2013	16:40	1	E
24/04/2013	12:20	5	E	24/04/2013	16:45	1	ESE
24/04/2013	12:25	5	ENE	24/04/2013	16:50	3	E
24/04/2013	12:30	3	ENE	24/04/2013	16:55	3	E
24/04/2013	12:35	2	NNE	24/04/2013	17:00	2	ENE
24/04/2013	12:40	1	NNE	24/04/2013	17:05	3	ESE
24/04/2013	12:45	1	NNE	24/04/2013	17:10	2	ESE
24/04/2013	12:50	1	NNE	24/04/2013	17:15	3	ESE
24/04/2013	12:55	1	NNE	24/04/2013	17:20	2	E
24/04/2013	13:00	1	ENE	24/04/2013	17:25	2	E
24/04/2013	13:05	1	NE	24/04/2013	17:30	2	SE
24/04/2013	13:10	2	NE	24/04/2013	17:35	2	SE
24/04/2013	13:15	2	N	24/04/2013	17:40	2	SE
24/04/2013	13:20	3	NNE	24/04/2013	17:45	2	SSE
24/04/2013	13:25	6	N	24/04/2013	17:50	3	SE
24/04/2013	13:30	7	N	24/04/2013	17:55	2	SE
24/04/2013	13:35	3	NE	24/04/2013	18:00	1	SE
24/04/2013	13:40	4	ENE	24/04/2013	18:05	2	SE
24/04/2013	13:45	5	ENE	24/04/2013	18:10	2	ESE
24/04/2013	13:50	6	E	24/04/2013	18:15	3	E
24/04/2013	13:55	5	ENE	24/04/2013	18:20	2	E
24/04/2013	14:00	6	ENE	24/04/2013	18:25	2	ESE
24/04/2013	14:05	5	ENE	24/04/2013	18:30	3	ESE
24/04/2013	14:10	5	ENE	24/04/2013	18:35	3	SE
24/04/2013	14:15	6	ENE	24/04/2013	18:40	2	ESE
24/04/2013	14:20	7	E	24/04/2013	18:45	0	ESE
24/04/2013	14:25	6	E	24/04/2013	18:50	3	NNW
24/04/2013	14:30	6	E	24/04/2013	18:55	4	NNW
24/04/2013	14:35	7	E	24/04/2013	19:00	4	NW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
24/04/2013	19:05	3	NW	24/04/2013	23:30	1	ENE
24/04/2013	19:10	2	NW	24/04/2013	23:35	0	E
24/04/2013	19:15	2	NW	24/04/2013	23:40	0	E
24/04/2013	19:20	4	NW	24/04/2013	23:45	0	E
24/04/2013	19:25	2	WNW	24/04/2013	23:50	1	E
24/04/2013	19:30	2	N	24/04/2013	23:55	1	E
24/04/2013	19:35	2	NNW	25/04/2013	00:00	3	NNW
24/04/2013	19:40	2	NNW	25/04/2013	00:05	2	NNW
24/04/2013	19:45	2	NNW	25/04/2013	00:10	2	NNW
24/04/2013	19:50	2	SE	25/04/2013	00:15	1	NNW
24/04/2013	19:55	1	SE	25/04/2013	00:20	3	NW
24/04/2013	20:00	2	SE	25/04/2013	00:25	2	NW
24/04/2013	20:05	4	NNW	25/04/2013	00:30	2	NW
24/04/2013	20:10	2	N	25/04/2013	00:35	2	NW
24/04/2013	20:15	2	NNW	25/04/2013	00:40	1	NW
24/04/2013	20:20	0	SSW	25/04/2013	00:45	1	NW
24/04/2013	20:25	1	E	25/04/2013	00:50	1	NW
24/04/2013	20:30	0	E	25/04/2013	00:55	0	NW
24/04/2013	20:35	0	E	25/04/2013	01:00	1	NW
24/04/2013	20:40	0	---	25/04/2013	01:05	1	NW
24/04/2013	20:45	0	---	25/04/2013	01:10	1	NW
24/04/2013	20:50	0	---	25/04/2013	01:15	1	NW
24/04/2013	20:55	0	---	25/04/2013	01:20	1	NW
24/04/2013	21:00	0	---	25/04/2013	01:25	2	NNW
24/04/2013	21:05	0	---	25/04/2013	01:30	2	NNW
24/04/2013	21:10	0	---	25/04/2013	01:35	2	NE
24/04/2013	21:15	0	---	25/04/2013	01:40	0	NNE
24/04/2013	21:20	1	WNW	25/04/2013	01:45	0	---
24/04/2013	21:25	2	NE	25/04/2013	01:50	0	---
24/04/2013	21:30	1	ENE	25/04/2013	01:55	0	---
24/04/2013	21:35	0	ENE	25/04/2013	02:00	0	---
24/04/2013	21:40	0	---	25/04/2013	02:05	0	---
24/04/2013	21:45	0	---	25/04/2013	02:10	0	---
24/04/2013	21:50	0	---	25/04/2013	02:15	0	---
24/04/2013	21:55	0	---	25/04/2013	02:20	0	---
24/04/2013	22:00	0	---	25/04/2013	02:25	0	---
24/04/2013	22:05	1	WNW	25/04/2013	02:30	0	---
24/04/2013	22:10	0	WNW	25/04/2013	02:35	0	---
24/04/2013	22:15	0	---	25/04/2013	02:40	0	---
24/04/2013	22:20	0	---	25/04/2013	02:45	0	---
24/04/2013	22:25	0	---	25/04/2013	02:50	0	---
24/04/2013	22:30	0	---	25/04/2013	02:55	0	---
24/04/2013	22:35	0	---	25/04/2013	03:00	0	---
24/04/2013	22:40	0	---	25/04/2013	03:05	0	---
24/04/2013	22:45	0	---	25/04/2013	03:10	0	---
24/04/2013	22:50	0	---	25/04/2013	03:15	0	---
24/04/2013	22:55	0	ENE	25/04/2013	03:20	0	---
24/04/2013	23:00	1	NE	25/04/2013	03:25	0	---
24/04/2013	23:05	1	NE	25/04/2013	03:30	0	---
24/04/2013	23:10	1	NNE	25/04/2013	03:35	1	E
24/04/2013	23:15	2	NW	25/04/2013	03:40	1	E
24/04/2013	23:20	2	NNW	25/04/2013	03:45	2	SSE
24/04/2013	23:25	1	NE	25/04/2013	03:50	1	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
25/04/2013	03:55	1	SSE	25/04/2013	08:20	1	E
25/04/2013	04:00	1	SSE	25/04/2013	08:25	2	E
25/04/2013	04:05	1	SSE	25/04/2013	08:30	2	SE
25/04/2013	04:10	1	SSE	25/04/2013	08:35	1	SSE
25/04/2013	04:15	2	S	25/04/2013	08:40	1	SSE
25/04/2013	04:20	1	S	25/04/2013	08:45	1	SSE
25/04/2013	04:25	0	---	25/04/2013	08:50	2	E
25/04/2013	04:30	0	S	25/04/2013	08:55	2	E
25/04/2013	04:35	1	S	25/04/2013	09:00	1	E
25/04/2013	04:40	2	S	25/04/2013	09:05	1	E
25/04/2013	04:45	2	SSE	25/04/2013	09:10	2	E
25/04/2013	04:50	1	SSE	25/04/2013	09:15	2	E
25/04/2013	04:55	2	SSE	25/04/2013	09:20	2	E
25/04/2013	05:00	1	SSE	25/04/2013	09:25	3	E
25/04/2013	05:05	0	SSE	25/04/2013	09:30	4	E
25/04/2013	05:10	0	SSE	25/04/2013	09:35	4	E
25/04/2013	05:15	0	SSE	25/04/2013	09:40	5	E
25/04/2013	05:20	0	SSE	25/04/2013	09:45	4	E
25/04/2013	05:25	1	E	25/04/2013	09:50	1	E
25/04/2013	05:30	1	E	25/04/2013	09:55	2	E
25/04/2013	05:35	2	ESE	25/04/2013	10:00	2	ENE
25/04/2013	05:40	1	ESE	25/04/2013	10:05	0	ENE
25/04/2013	05:45	1	ESE	25/04/2013	10:10	2	ENE
25/04/2013	05:50	1	ESE	25/04/2013	10:15	2	E
25/04/2013	05:55	1	ESE	25/04/2013	10:20	2	E
25/04/2013	06:00	0	---	25/04/2013	10:25	4	E
25/04/2013	06:05	1	ESE	25/04/2013	10:30	3	E
25/04/2013	06:10	1	ESE	25/04/2013	10:35	3	E
25/04/2013	06:15	0	---	25/04/2013	10:40	3	SE
25/04/2013	06:20	1	ESE	25/04/2013	10:45	3	ESE
25/04/2013	06:25	1	ESE	25/04/2013	10:50	3	SE
25/04/2013	06:30	1	S	25/04/2013	10:55	3	SSE
25/04/2013	06:35	0	S	25/04/2013	11:00	4	SSE
25/04/2013	06:40	0	S	25/04/2013	11:05	4	SSE
25/04/2013	06:45	0	S	25/04/2013	11:10	3	SE
25/04/2013	06:50	1	S	25/04/2013	11:15	4	SE
25/04/2013	06:55	1	S	25/04/2013	11:20	5	SE
25/04/2013	07:00	1	S	25/04/2013	11:25	4	SE
25/04/2013	07:05	2	S	25/04/2013	11:30	4	SE
25/04/2013	07:10	0	S	25/04/2013	11:35	4	SE
25/04/2013	07:15	0	S	25/04/2013	11:40	4	SE
25/04/2013	07:20	1	S	25/04/2013	11:45	4	SE
25/04/2013	07:25	1	S	25/04/2013	11:50	4	SE
25/04/2013	07:30	2	ESE	25/04/2013	11:55	4	SE
25/04/2013	07:35	2	SE	25/04/2013	12:00	6	E
25/04/2013	07:40	1	SE	25/04/2013	12:05	5	E
25/04/2013	07:45	1	SE	25/04/2013	12:10	5	E
25/04/2013	07:50	0	SE	25/04/2013	12:15	3	ESE
25/04/2013	07:55	1	SE	25/04/2013	12:20	4	SSE
25/04/2013	08:00	1	SE	25/04/2013	12:25	4	SSE
25/04/2013	08:05	2	ESE	25/04/2013	12:30	4	SSE
25/04/2013	08:10	4	E	25/04/2013	12:35	5	SSE
25/04/2013	08:15	2	E	25/04/2013	12:40	4	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
25/04/2013	12:45	4	SE	25/04/2013	17:10	6	NNW
25/04/2013	12:50	4	ESE	25/04/2013	17:15	6	NNW
25/04/2013	12:55	4	SE	25/04/2013	17:20	7	NNW
25/04/2013	13:00	5	SE	25/04/2013	17:25	7	N
25/04/2013	13:05	5	SE	25/04/2013	17:30	5	N
25/04/2013	13:10	2	E	25/04/2013	17:35	5	NNW
25/04/2013	13:15	3	SSE	25/04/2013	17:40	3	NNE
25/04/2013	13:20	4	SE	25/04/2013	17:45	4	NNW
25/04/2013	13:25	6	E	25/04/2013	17:50	7	NW
25/04/2013	13:30	5	SE	25/04/2013	17:55	8	N
25/04/2013	13:35	6	SE	25/04/2013	18:00	7	NW
25/04/2013	13:40	6	ESE	25/04/2013	18:05	8	NW
25/04/2013	13:45	7	ESE	25/04/2013	18:10	7	NNE
25/04/2013	13:50	4	E	25/04/2013	18:15	5	NNW
25/04/2013	13:55	2	ENE	25/04/2013	18:20	4	NW
25/04/2013	14:00	3	ENE	25/04/2013	18:25	3	ENE
25/04/2013	14:05	3	E	25/04/2013	18:30	2	NNE
25/04/2013	14:10	3	E	25/04/2013	18:35	2	ENE
25/04/2013	14:15	3	E	25/04/2013	18:40	3	NE
25/04/2013	14:20	3	E	25/04/2013	18:45	3	NNE
25/04/2013	14:25	3	ENE	25/04/2013	18:50	2	N
25/04/2013	14:30	3	ESE	25/04/2013	18:55	2	SSE
25/04/2013	14:35	4	SSE	25/04/2013	19:00	2	ESE
25/04/2013	14:40	5	SE	25/04/2013	19:05	1	E
25/04/2013	14:45	5	SSE	25/04/2013	19:10	1	ESE
25/04/2013	14:50	4	E	25/04/2013	19:15	2	NE
25/04/2013	14:55	4	E	25/04/2013	19:20	5	NNW
25/04/2013	15:00	3	N	25/04/2013	19:25	11	NNW
25/04/2013	15:05	3	N	25/04/2013	19:30	14	NNW
25/04/2013	15:10	4	NNW	25/04/2013	19:35	6	N
25/04/2013	15:15	3	SW	25/04/2013	19:40	4	N
25/04/2013	15:20	3	S	25/04/2013	19:45	4	NW
25/04/2013	15:25	4	NE	25/04/2013	19:50	6	NW
25/04/2013	15:30	4	NE	25/04/2013	19:55	6	NW
25/04/2013	15:35	4	NE	25/04/2013	20:00	6	WNW
25/04/2013	15:40	3	NE	25/04/2013	20:05	6	WNW
25/04/2013	15:45	6	NNW	25/04/2013	20:10	3	W
25/04/2013	15:50	3	NE	25/04/2013	20:15	1	WSW
25/04/2013	15:55	4	ENE	25/04/2013	20:20	2	NW
25/04/2013	16:00	5	E	25/04/2013	20:25	1	WNW
25/04/2013	16:05	5	NNW	25/04/2013	20:30	1	SSW
25/04/2013	16:10	5	N	25/04/2013	20:35	1	WSW
25/04/2013	16:15	4	ENE	25/04/2013	20:40	1	WSW
25/04/2013	16:20	4	N	25/04/2013	20:45	1	SSW
25/04/2013	16:25	6	NNW	25/04/2013	20:50	2	WNW
25/04/2013	16:30	7	NNW	25/04/2013	20:55	2	NW
25/04/2013	16:35	5	N	25/04/2013	21:00	2	NW
25/04/2013	16:40	4	NE	25/04/2013	21:05	3	W
25/04/2013	16:45	7	N	25/04/2013	21:10	2	WSW
25/04/2013	16:50	5	N	25/04/2013	21:15	2	WSW
25/04/2013	16:55	6	NNW	25/04/2013	21:20	3	WNW
25/04/2013	17:00	10	NW	25/04/2013	21:25	2	WNW
25/04/2013	17:05	7	NW	25/04/2013	21:30	3	WNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
25/04/2013	21:35	4	WNW	26/04/2013	02:00	0	W
25/04/2013	21:40	2	NW	26/04/2013	02:05	0	W
25/04/2013	21:45	2	W	26/04/2013	02:10	1	W
25/04/2013	21:50	3	WNW	26/04/2013	02:15	1	S
25/04/2013	21:55	2	WNW	26/04/2013	02:20	2	S
25/04/2013	22:00	4	NNW	26/04/2013	02:25	2	E
25/04/2013	22:05	4	WNW	26/04/2013	02:30	1	ESE
25/04/2013	22:10	4	W	26/04/2013	02:35	1	SSE
25/04/2013	22:15	3	WNW	26/04/2013	02:40	1	SE
25/04/2013	22:20	3	NW	26/04/2013	02:45	0	---
25/04/2013	22:25	1	W	26/04/2013	02:50	1	SE
25/04/2013	22:30	1	S	26/04/2013	02:55	0	SE
25/04/2013	22:35	2	SSW	26/04/2013	03:00	0	SE
25/04/2013	22:40	1	SSW	26/04/2013	03:05	0	SE
25/04/2013	22:45	2	ESE	26/04/2013	03:10	1	S
25/04/2013	22:50	1	NE	26/04/2013	03:15	1	SSW
25/04/2013	22:55	5	NE	26/04/2013	03:20	2	SSE
25/04/2013	23:00	3	N	26/04/2013	03:25	4	SSE
25/04/2013	23:05	3	NNE	26/04/2013	03:30	2	S
25/04/2013	23:10	1	WNW	26/04/2013	03:35	3	SSE
25/04/2013	23:15	1	WNW	26/04/2013	03:40	3	SSE
25/04/2013	23:20	1	WNW	26/04/2013	03:45	4	E
25/04/2013	23:25	2	WNW	26/04/2013	03:50	2	E
25/04/2013	23:30	3	NNW	26/04/2013	03:55	2	SSE
25/04/2013	23:35	4	NNW	26/04/2013	04:00	3	S
25/04/2013	23:40	5	NNW	26/04/2013	04:05	2	SE
25/04/2013	23:45	4	NW	26/04/2013	04:10	1	SE
25/04/2013	23:50	3	NW	26/04/2013	04:15	2	SE
25/04/2013	23:55	1	NW	26/04/2013	04:20	1	ESE
26/04/2013	00:00	2	NW	26/04/2013	04:25	2	SSE
26/04/2013	00:05	1	NW	26/04/2013	04:30	2	S
26/04/2013	00:10	3	NW	26/04/2013	04:35	2	SSE
26/04/2013	00:15	3	NW	26/04/2013	04:40	1	SSE
26/04/2013	00:20	2	WNW	26/04/2013	04:45	2	SE
26/04/2013	00:25	2	WNW	26/04/2013	04:50	2	SSE
26/04/2013	00:30	2	NNW	26/04/2013	04:55	2	SSE
26/04/2013	00:35	1	N	26/04/2013	05:00	1	SE
26/04/2013	00:40	0	NNW	26/04/2013	05:05	0	ESE
26/04/2013	00:45	0	---	26/04/2013	05:10	1	SSE
26/04/2013	00:50	0	---	26/04/2013	05:15	2	S
26/04/2013	00:55	1	WNW	26/04/2013	05:20	2	SSE
26/04/2013	01:00	2	WNW	26/04/2013	05:25	3	SSE
26/04/2013	01:05	1	WNW	26/04/2013	05:30	4	SSE
26/04/2013	01:10	2	WNW	26/04/2013	05:35	4	SSE
26/04/2013	01:15	2	NW	26/04/2013	05:40	4	SSE
26/04/2013	01:20	2	WNW	26/04/2013	05:45	3	SE
26/04/2013	01:25	2	WNW	26/04/2013	05:50	3	SE
26/04/2013	01:30	2	NNW	26/04/2013	05:55	2	SE
26/04/2013	01:35	3	NNW	26/04/2013	06:00	1	SSE
26/04/2013	01:40	3	NW	26/04/2013	06:05	2	SE
26/04/2013	01:45	2	NW	26/04/2013	06:10	4	SE
26/04/2013	01:50	1	W	26/04/2013	06:15	6	SE
26/04/2013	01:55	0	W	26/04/2013	06:20	4	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
26/04/2013	06:25	4	SE	26/04/2013	10:50	3	NNW
26/04/2013	06:30	7	SE	26/04/2013	10:55	3	NNW
26/04/2013	06:35	6	SSE	26/04/2013	11:00	1	N
26/04/2013	06:40	6	SSE	26/04/2013	11:05	2	N
26/04/2013	06:45	5	SE	26/04/2013	11:10	3	NW
26/04/2013	06:50	5	SSE	26/04/2013	11:15	4	NNW
26/04/2013	06:55	4	SE	26/04/2013	11:20	4	NNW
26/04/2013	07:00	5	SE	26/04/2013	11:25	3	WNW
26/04/2013	07:05	7	SSE	26/04/2013	11:30	4	WNW
26/04/2013	07:10	7	SSE	26/04/2013	11:35	5	NNW
26/04/2013	07:15	5	SSE	26/04/2013	11:40	5	NNW
26/04/2013	07:20	6	SE	26/04/2013	11:45	3	NNE
26/04/2013	07:25	5	SSE	26/04/2013	11:50	3	E
26/04/2013	07:30	5	SSE	26/04/2013	11:55	3	ESE
26/04/2013	07:35	4	SSE	26/04/2013	12:00	5	SE
26/04/2013	07:40	2	SSE	26/04/2013	12:05	4	SE
26/04/2013	07:45	5	SSE	26/04/2013	12:10	4	SE
26/04/2013	07:50	5	SSE	26/04/2013	12:15	3	NNE
26/04/2013	07:55	5	SSE	26/04/2013	12:20	3	NNW
26/04/2013	08:00	5	SSE	26/04/2013	12:25	2	WNW
26/04/2013	08:05	4	SE	26/04/2013	12:30	2	SE
26/04/2013	08:10	4	SE	26/04/2013	12:35	2	SE
26/04/2013	08:15	5	SE	26/04/2013	12:40	3	NNE
26/04/2013	08:20	5	SE	26/04/2013	12:45	3	NNE
26/04/2013	08:25	5	SE	26/04/2013	12:50	2	N
26/04/2013	08:30	6	SE	26/04/2013	12:55	2	SE
26/04/2013	08:35	6	SE	26/04/2013	13:00	6	SE
26/04/2013	08:40	5	SE	26/04/2013	13:05	5	SE
26/04/2013	08:45	5	SE	26/04/2013	13:10	5	SE
26/04/2013	08:50	2	E	26/04/2013	13:15	8	SSE
26/04/2013	08:55	3	ESE	26/04/2013	13:20	5	SSE
26/04/2013	09:00	3	ESE	26/04/2013	13:25	8	SE
26/04/2013	09:05	2	SE	26/04/2013	13:30	9	SSE
26/04/2013	09:10	2	N	26/04/2013	13:35	10	SSE
26/04/2013	09:15	4	NNW	26/04/2013	13:40	10	SE
26/04/2013	09:20	2	WNW	26/04/2013	13:45	8	SSE
26/04/2013	09:25	2	ENE	26/04/2013	13:50	10	SSE
26/04/2013	09:30	3	ENE	26/04/2013	13:55	12	SE
26/04/2013	09:35	2	ENE	26/04/2013	14:00	10	SSE
26/04/2013	09:40	4	SSE	26/04/2013	14:05	10	SSE
26/04/2013	09:45	4	SE	26/04/2013	14:10	11	SSE
26/04/2013	09:50	4	SE	26/04/2013	14:15	9	SSE
26/04/2013	09:55	2	SE	26/04/2013	14:20	11	SE
26/04/2013	10:00	1	ESE	26/04/2013	14:25	10	SSE
26/04/2013	10:05	2	ESE	26/04/2013	14:30	10	SSE
26/04/2013	10:10	1	ESE	26/04/2013	14:35	10	SE
26/04/2013	10:15	3	ENE	26/04/2013	14:40	11	SSE
26/04/2013	10:20	5	E	26/04/2013	14:45	9	SSE
26/04/2013	10:25	3	ESE	26/04/2013	14:50	12	SSE
26/04/2013	10:30	1	ENE	26/04/2013	14:55	11	SSE
26/04/2013	10:35	2	NNW	26/04/2013	15:00	10	SSE
26/04/2013	10:40	4	NNW	26/04/2013	15:05	14	SSE
26/04/2013	10:45	2	NNW	26/04/2013	15:10	12	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
26/04/2013	15:15	12	SE	26/04/2013	19:40	11	SSE
26/04/2013	15:20	10	SSE	26/04/2013	19:45	12	SSE
26/04/2013	15:25	9	SE	26/04/2013	19:50	12	SSE
26/04/2013	15:30	10	SSE	26/04/2013	19:55	12	SSE
26/04/2013	15:35	6	SE	26/04/2013	20:00	12	SSE
26/04/2013	15:40	8	SSE	26/04/2013	20:05	11	SSE
26/04/2013	15:45	8	SSE	26/04/2013	20:10	11	SSE
26/04/2013	15:50	7	SSE	26/04/2013	20:15	13	SSE
26/04/2013	15:55	8	SSE	26/04/2013	20:20	12	SSE
26/04/2013	16:00	5	SE	26/04/2013	20:25	11	SSE
26/04/2013	16:05	6	SSE	26/04/2013	20:30	14	SSE
26/04/2013	16:10	5	SSE	26/04/2013	20:35	12	SSE
26/04/2013	16:15	5	ESE	26/04/2013	20:40	10	SSE
26/04/2013	16:20	3	SE	26/04/2013	20:45	12	SSE
26/04/2013	16:25	4	E	26/04/2013	20:50	10	SSE
26/04/2013	16:30	5	ENE	26/04/2013	20:55	10	SSE
26/04/2013	16:35	5	SE	26/04/2013	21:00	10	SSE
26/04/2013	16:40	8	SSE	26/04/2013	21:05	11	SSE
26/04/2013	16:45	12	SSE	26/04/2013	21:10	12	SSE
26/04/2013	16:50	12	SSE	26/04/2013	21:15	13	SSE
26/04/2013	16:55	13	SE	26/04/2013	21:20	12	SSE
26/04/2013	17:00	13	SE	26/04/2013	21:25	10	SSE
26/04/2013	17:05	13	SE	26/04/2013	21:30	11	SSE
26/04/2013	17:10	11	SE	26/04/2013	21:35	10	SSE
26/04/2013	17:15	13	SE	26/04/2013	21:40	13	SSE
26/04/2013	17:20	12	SSE	26/04/2013	21:45	12	SSE
26/04/2013	17:25	12	SE	26/04/2013	21:50	11	SSE
26/04/2013	17:30	10	SSE	26/04/2013	21:55	13	SSE
26/04/2013	17:35	13	SSE	26/04/2013	22:00	12	SSE
26/04/2013	17:40	11	SSE	26/04/2013	22:05	11	SSE
26/04/2013	17:45	10	SSE	26/04/2013	22:10	11	SSE
26/04/2013	17:50	11	SSE	26/04/2013	22:15	11	SSE
26/04/2013	17:55	12	SSE	26/04/2013	22:20	13	SSE
26/04/2013	18:00	11	SSE	26/04/2013	22:25	11	SSE
26/04/2013	18:05	12	SSE	26/04/2013	22:30	14	SSE
26/04/2013	18:10	9	SSE	26/04/2013	22:35	11	SSE
26/04/2013	18:15	11	SSE	26/04/2013	22:40	13	SSE
26/04/2013	18:20	10	SSE	26/04/2013	22:45	11	SSE
26/04/2013	18:25	11	SSE	26/04/2013	22:50	12	SSE
26/04/2013	18:30	13	SSE	26/04/2013	22:55	13	SSE
26/04/2013	18:35	11	SSE	26/04/2013	23:00	12	SSE
26/04/2013	18:40	13	SSE	26/04/2013	23:05	13	SSE
26/04/2013	18:45	13	SSE	26/04/2013	23:10	11	SSE
26/04/2013	18:50	13	SSE	26/04/2013	23:15	12	SSE
26/04/2013	18:55	13	SSE	26/04/2013	23:20	13	SSE
26/04/2013	19:00	12	SSE	26/04/2013	23:25	11	SSE
26/04/2013	19:05	13	SSE	26/04/2013	23:30	10	SSE
26/04/2013	19:10	13	SSE	26/04/2013	23:35	11	SSE
26/04/2013	19:15	13	SSE	26/04/2013	23:40	13	SSE
26/04/2013	19:20	12	SSE	26/04/2013	23:45	12	SSE
26/04/2013	19:25	13	SSE	26/04/2013	23:50	10	SSE
26/04/2013	19:30	10	SSE	26/04/2013	23:55	10	SSE
26/04/2013	19:35	10	SSE	27/04/2013	00:00	10	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
27/04/2013	00:05	9	SSE	27/04/2013	04:30	8	SE
27/04/2013	00:10	11	SSE	27/04/2013	04:35	6	SE
27/04/2013	00:15	10	SSE	27/04/2013	04:40	5	SE
27/04/2013	00:20	9	SSE	27/04/2013	04:45	8	SE
27/04/2013	00:25	11	SSE	27/04/2013	04:50	9	SE
27/04/2013	00:30	10	SSE	27/04/2013	04:55	9	SE
27/04/2013	00:35	11	SSE	27/04/2013	05:00	6	ESE
27/04/2013	00:40	11	SSE	27/04/2013	05:05	4	E
27/04/2013	00:45	10	SSE	27/04/2013	05:10	3	SSE
27/04/2013	00:50	11	SSE	27/04/2013	05:15	4	SSE
27/04/2013	00:55	11	SSE	27/04/2013	05:20	5	ESE
27/04/2013	01:00	9	SSE	27/04/2013	05:25	4	SE
27/04/2013	01:05	11	SSE	27/04/2013	05:30	6	SE
27/04/2013	01:10	11	SSE	27/04/2013	05:35	6	SE
27/04/2013	01:15	11	SSE	27/04/2013	05:40	6	SE
27/04/2013	01:20	12	SSE	27/04/2013	05:45	8	SE
27/04/2013	01:25	14	SSE	27/04/2013	05:50	8	SE
27/04/2013	01:30	9	SSE	27/04/2013	05:55	11	SE
27/04/2013	01:35	10	SE	27/04/2013	06:00	11	SE
27/04/2013	01:40	9	SSE	27/04/2013	06:05	8	SSE
27/04/2013	01:45	8	SE	27/04/2013	06:10	6	SE
27/04/2013	01:50	11	SSE	27/04/2013	06:15	9	SSE
27/04/2013	01:55	12	SSE	27/04/2013	06:20	7	SSE
27/04/2013	02:00	12	SSE	27/04/2013	06:25	7	SE
27/04/2013	02:05	8	SE	27/04/2013	06:30	6	SSE
27/04/2013	02:10	10	SE	27/04/2013	06:35	8	SE
27/04/2013	02:15	12	SSE	27/04/2013	06:40	7	SSE
27/04/2013	02:20	12	SE	27/04/2013	06:45	6	SSE
27/04/2013	02:25	10	SE	27/04/2013	06:50	6	SSE
27/04/2013	02:30	10	SE	27/04/2013	06:55	7	SSE
27/04/2013	02:35	12	SE	27/04/2013	07:00	7	SSE
27/04/2013	02:40	11	SE	27/04/2013	07:05	6	SSE
27/04/2013	02:45	10	SE	27/04/2013	07:10	5	SE
27/04/2013	02:50	13	SE	27/04/2013	07:15	7	SSE
27/04/2013	02:55	13	SE	27/04/2013	07:20	9	SSE
27/04/2013	03:00	11	SSE	27/04/2013	07:25	8	SE
27/04/2013	03:05	9	SSE	27/04/2013	07:30	7	SSE
27/04/2013	03:10	9	SSE	27/04/2013	07:35	7	SE
27/04/2013	03:15	10	SSE	27/04/2013	07:40	6	SE
27/04/2013	03:20	6	SSE	27/04/2013	07:45	6	SE
27/04/2013	03:25	6	SE	27/04/2013	07:50	7	SE
27/04/2013	03:30	7	SSE	27/04/2013	07:55	5	SE
27/04/2013	03:35	8	SSE	27/04/2013	08:00	10	SE
27/04/2013	03:40	8	SE	27/04/2013	08:05	10	SE
27/04/2013	03:45	7	SSE	27/04/2013	08:10	8	SE
27/04/2013	03:50	7	SSE	27/04/2013	08:15	8	SSE
27/04/2013	03:55	8	SE	27/04/2013	08:20	9	SE
27/04/2013	04:00	7	SSE	27/04/2013	08:25	8	SE
27/04/2013	04:05	8	SE	27/04/2013	08:30	7	SSE
27/04/2013	04:10	9	SSE	27/04/2013	08:35	6	SSE
27/04/2013	04:15	7	SE	27/04/2013	08:40	7	SE
27/04/2013	04:20	8	SE	27/04/2013	08:45	7	SE
27/04/2013	04:25	7	SE	27/04/2013	08:50	9	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
27/04/2013	08:55	10	SE	27/04/2013	13:20	10	SE
27/04/2013	09:00	8	SE	27/04/2013	13:25	10	SE
27/04/2013	09:05	7	SE	27/04/2013	13:30	9	SE
27/04/2013	09:10	9	SSE	27/04/2013	13:35	9	SE
27/04/2013	09:15	7	SSE	27/04/2013	13:40	11	SE
27/04/2013	09:20	8	SE	27/04/2013	13:45	9	SE
27/04/2013	09:25	8	SE	27/04/2013	13:50	9	SSE
27/04/2013	09:30	9	SE	27/04/2013	13:55	8	SE
27/04/2013	09:35	8	SE	27/04/2013	14:00	11	SE
27/04/2013	09:40	7	SSE	27/04/2013	14:05	11	SE
27/04/2013	09:45	6	SSE	27/04/2013	14:10	10	SSE
27/04/2013	09:50	6	SSE	27/04/2013	14:15	9	SSE
27/04/2013	09:55	5	SE	27/04/2013	14:20	9	SE
27/04/2013	10:00	5	SSE	27/04/2013	14:25	8	SE
27/04/2013	10:05	7	SE	27/04/2013	14:30	8	SSE
27/04/2013	10:10	6	SE	27/04/2013	14:35	4	SSE
27/04/2013	10:15	8	SE	27/04/2013	14:40	6	SSE
27/04/2013	10:20	9	SE	27/04/2013	14:45	6	SSE
27/04/2013	10:25	6	SE	27/04/2013	14:50	7	SSE
27/04/2013	10:30	5	SE	27/04/2013	14:55	5	SE
27/04/2013	10:35	8	SSE	27/04/2013	15:00	7	SE
27/04/2013	10:40	10	SSE	27/04/2013	15:05	8	SE
27/04/2013	10:45	10	SSE	27/04/2013	15:10	6	SSE
27/04/2013	10:50	10	SSE	27/04/2013	15:15	6	SSE
27/04/2013	10:55	10	SSE	27/04/2013	15:20	7	SE
27/04/2013	11:00	9	SSE	27/04/2013	15:25	6	SSE
27/04/2013	11:05	6	SE	27/04/2013	15:30	6	SE
27/04/2013	11:10	9	SE	27/04/2013	15:35	7	SE
27/04/2013	11:15	10	SE	27/04/2013	15:40	7	SE
27/04/2013	11:20	12	SE	27/04/2013	15:45	8	SE
27/04/2013	11:25	8	SSE	27/04/2013	15:50	7	SE
27/04/2013	11:30	6	SSE	27/04/2013	15:55	8	SE
27/04/2013	11:35	6	SE	27/04/2013	16:00	9	SE
27/04/2013	11:40	12	SE	27/04/2013	16:05	12	SE
27/04/2013	11:45	11	SE	27/04/2013	16:10	11	SE
27/04/2013	11:50	13	SE	27/04/2013	16:15	10	SE
27/04/2013	11:55	13	SSE	27/04/2013	16:20	10	SE
27/04/2013	12:00	13	SE	27/04/2013	16:25	11	SE
27/04/2013	12:05	15	SE	27/04/2013	16:30	12	SE
27/04/2013	12:10	14	SSE	27/04/2013	16:35	11	SE
27/04/2013	12:15	13	SE	27/04/2013	16:40	12	SE
27/04/2013	12:20	13	SE	27/04/2013	16:45	11	SE
27/04/2013	12:25	14	SSE	27/04/2013	16:50	11	SE
27/04/2013	12:30	13	SSE	27/04/2013	16:55	9	SE
27/04/2013	12:35	12	SSE	27/04/2013	17:00	11	SE
27/04/2013	12:40	11	SE	27/04/2013	17:05	11	SE
27/04/2013	12:45	10	SE	27/04/2013	17:10	9	SE
27/04/2013	12:50	11	SE	27/04/2013	17:15	10	SE
27/04/2013	12:55	11	SE	27/04/2013	17:20	12	SE
27/04/2013	13:00	9	SE	27/04/2013	17:25	12	SE
27/04/2013	13:05	9	SE	27/04/2013	17:30	12	SE
27/04/2013	13:10	10	SE	27/04/2013	17:35	13	SE
27/04/2013	13:15	10	SE	27/04/2013	17:40	11	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
27/04/2013	17:45	10	SE	27/04/2013	22:10	5	E
27/04/2013	17:50	9	SE	27/04/2013	22:15	8	SE
27/04/2013	17:55	11	SE	27/04/2013	22:20	9	SE
27/04/2013	18:00	9	SE	27/04/2013	22:25	8	ESE
27/04/2013	18:05	11	SE	27/04/2013	22:30	8	ESE
27/04/2013	18:10	11	ESE	27/04/2013	22:35	6	ESE
27/04/2013	18:15	10	SE	27/04/2013	22:40	7	SE
27/04/2013	18:20	13	SE	27/04/2013	22:45	6	SE
27/04/2013	18:25	11	SE	27/04/2013	22:50	9	SE
27/04/2013	18:30	9	SE	27/04/2013	22:55	9	SE
27/04/2013	18:35	10	SE	27/04/2013	23:00	10	SE
27/04/2013	18:40	11	SE	27/04/2013	23:05	9	ESE
27/04/2013	18:45	11	ESE	27/04/2013	23:10	9	SE
27/04/2013	18:50	11	SE	27/04/2013	23:15	7	SE
27/04/2013	18:55	11	SE	27/04/2013	23:20	7	SE
27/04/2013	19:00	9	SE	27/04/2013	23:25	8	SE
27/04/2013	19:05	8	ESE	27/04/2013	23:30	7	SE
27/04/2013	19:10	10	SE	27/04/2013	23:35	6	ESE
27/04/2013	19:15	9	SE	27/04/2013	23:40	5	ENE
27/04/2013	19:20	10	SE	27/04/2013	23:45	8	SE
27/04/2013	19:25	13	SE	27/04/2013	23:50	9	SE
27/04/2013	19:30	9	ESE	27/04/2013	23:55	10	SE
27/04/2013	19:35	10	SE	28/04/2013	00:00	9	SE
27/04/2013	19:40	9	E	28/04/2013	00:05	8	SSE
27/04/2013	19:45	6	SSE	28/04/2013	00:10	9	SE
27/04/2013	19:50	4	SE	28/04/2013	00:15	10	SE
27/04/2013	19:55	3	E	28/04/2013	00:20	9	SE
27/04/2013	20:00	7	N	28/04/2013	00:25	8	SE
27/04/2013	20:05	5	NE	28/04/2013	00:30	9	SE
27/04/2013	20:10	5	E	28/04/2013	00:35	8	SE
27/04/2013	20:15	3	ESE	28/04/2013	00:40	8	ESE
27/04/2013	20:20	7	SE	28/04/2013	00:45	8	SE
27/04/2013	20:25	6	SE	28/04/2013	00:50	7	SE
27/04/2013	20:30	7	ESE	28/04/2013	00:55	8	SE
27/04/2013	20:35	8	ESE	28/04/2013	01:00	9	SE
27/04/2013	20:40	5	SE	28/04/2013	01:05	11	SE
27/04/2013	20:45	5	SE	28/04/2013	01:10	9	SE
27/04/2013	20:50	5	SE	28/04/2013	01:15	9	SE
27/04/2013	20:55	8	E	28/04/2013	01:20	7	SE
27/04/2013	21:00	10	SE	28/04/2013	01:25	9	SE
27/04/2013	21:05	9	SE	28/04/2013	01:30	7	SE
27/04/2013	21:10	9	SE	28/04/2013	01:35	7	ESE
27/04/2013	21:15	9	SE	28/04/2013	01:40	7	E
27/04/2013	21:20	7	SE	28/04/2013	01:45	7	E
27/04/2013	21:25	8	SE	28/04/2013	01:50	6	E
27/04/2013	21:30	9	SE	28/04/2013	01:55	7	ESE
27/04/2013	21:35	6	ESE	28/04/2013	02:00	5	ESE
27/04/2013	21:40	5	ESE	28/04/2013	02:05	7	ESE
27/04/2013	21:45	6	E	28/04/2013	02:10	7	SE
27/04/2013	21:50	6	ENE	28/04/2013	02:15	8	SE
27/04/2013	21:55	4	NNE	28/04/2013	02:20	8	ESE
27/04/2013	22:00	4	NE	28/04/2013	02:25	7	SE
27/04/2013	22:05	4	E	28/04/2013	02:30	9	SE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
28/04/2013	02:35	9	SE	28/04/2013	08:25	11	SE
28/04/2013	02:40	10	SE	28/04/2013	08:30	9	SE
28/04/2013	02:45	10	ESE	28/04/2013	08:35	6	SE
28/04/2013	02:50	11	SE	28/04/2013	08:40	5	SE
28/04/2013	02:55	11	SE	28/04/2013	08:45	7	SE
28/04/2013	03:00	12	SE	28/04/2013	08:50	7	SE
28/04/2013	03:05	12	SE	28/04/2013	08:55	8	SE
28/04/2013	03:10	9	SE	28/04/2013	09:00	10	ESE
28/04/2013	03:15	12	SE	28/04/2013	09:05	8	SE
28/04/2013	03:20	9	SE	28/04/2013	09:10	10	SE
28/04/2013	03:25	10	SE	28/04/2013	09:15	13	SE
28/04/2013	03:30	11	SE	28/04/2013	09:20	12	SE
28/04/2013	03:35	11	SE	28/04/2013	09:25	10	SE
28/04/2013	03:40	9	ESE	28/04/2013	09:30	9	SE
28/04/2013	03:45	8	SE	28/04/2013	09:35	10	SE
28/04/2013	03:50	8	SE	28/04/2013	09:40	8	SSE
28/04/2013	03:55	7	SE	28/04/2013	09:45	7	SE
28/04/2013	04:00	6	SE	28/04/2013	09:50	10	SE
28/04/2013	04:05	7	ESE	28/04/2013	09:55	8	SSE
28/04/2013	04:10	8	ESE	28/04/2013	10:00	12	SE
28/04/2013	04:15	7	SE	28/04/2013	10:05	11	SE
28/04/2013	04:20	7	SE	28/04/2013	10:10	13	SE
28/04/2013	04:25	9	SE	28/04/2013	10:15	13	SE
28/04/2013	04:30	8	SE	28/04/2013	10:20	11	SE
28/04/2013	04:35	7	SE	28/04/2013	10:25	12	SE
28/04/2013	04:40	10	SE	28/04/2013	10:30	10	SE
28/04/2013	04:45	9	SE	28/04/2013	10:35	10	SE
28/04/2013	04:50	9	SE	28/04/2013	10:40	10	SE
28/04/2013	04:55	8	SE	28/04/2013	10:45	12	SE
28/04/2013	05:00	8	SE	28/04/2013	10:50	10	SE
28/04/2013	05:05	9	SE	28/04/2013	10:55	11	SE
28/04/2013	05:10	8	SE	28/04/2013	11:00	11	SE
28/04/2013	05:15	9	SE	28/04/2013	11:05	10	SE
28/04/2013	05:20	8	SE	28/04/2013	11:10	10	ESE
28/04/2013	05:25	9	SE	28/04/2013	11:15	9	SE
28/04/2013	05:30	9	SE	28/04/2013	11:20	10	SE
28/04/2013	05:35	9	SE	28/04/2013	11:25	10	SE
28/04/2013	05:40	9	SE	28/04/2013	11:30	10	SE
28/04/2013	05:45	8	SE	28/04/2013	11:35	11	SSE
28/04/2013	05:50	8	SE	28/04/2013	11:40	12	SE
28/04/2013	05:55	9	SE	28/04/2013	11:45	11	SE
28/04/2013	06:00	9	SE	28/04/2013	11:50	12	SE
28/04/2013	06:05	10	SE	28/04/2013	11:55	13	SE
28/04/2013	06:10	9	SE	28/04/2013	12:00	12	SE
28/04/2013	06:15	8	SE	28/04/2013	12:05	12	SE
28/04/2013	06:20	10	SE	28/04/2013	12:10	11	SE
28/04/2013	06:25	9	SE	28/04/2013	12:15	10	SE
28/04/2013	06:30	9	SE	28/04/2013	12:20	8	SE
28/04/2013	06:35	7	SE	28/04/2013	12:25	8	SE
28/04/2013	06:40	8	ESE	28/04/2013	12:30	10	SE
28/04/2013	06:45	9	SE	28/04/2013	12:35	12	SE
28/04/2013	06:50	10	SE	28/04/2013	12:40	9	SE
28/04/2013	06:55	9	SSE	28/04/2013	12:45	10	SE
28/04/2013	07:00	7	SSE	28/04/2013	12:50	9	SE
28/04/2013	07:05	7	SE	28/04/2013	12:55	10	SE
28/04/2013	07:10	7	SE	28/04/2013	13:00	9	SE
28/04/2013	07:15	8	SE	28/04/2013	13:05	11	SE
28/04/2013	07:20	7	SE	28/04/2013	13:10	9	SE
28/04/2013	07:25	7	SE	28/04/2013	13:15	10	SE
28/04/2013	07:30	5	SSE	28/04/2013	13:20	9	ESE
28/04/2013	07:35	4	ESE	28/04/2013	13:25	11	SE
28/04/2013	07:40	5	ESE	28/04/2013	13:30	10	SE
28/04/2013	07:45	6	SE	28/04/2013	13:35	11	SE
28/04/2013	07:50	6	SE	28/04/2013	13:40	10	SE
28/04/2013	07:55	7	SE	28/04/2013	13:45	11	SE
28/04/2013	08:00	8	SE	28/04/2013	13:50	10	SE
28/04/2013	08:05	8	SE	28/04/2013	13:55	9	SE
28/04/2013	08:10	6	E	28/04/2013	14:00	9	SE
28/04/2013	08:15	9	SE	28/04/2013	14:05	10	SE
28/04/2013	08:20	9	SE	28/04/2013	14:10	9	SE
28/04/2013	14:15	10	SE	28/04/2013	20:05	6	SE

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
28/04/2013	14:20	9	SE	28/04/2013	20:10	5	E
28/04/2013	14:25	10	SE	28/04/2013	20:15	7	E
28/04/2013	14:30	9	SE	28/04/2013	20:20	6	ENE
28/04/2013	14:35	9	SE	28/04/2013	20:25	5	NNW
28/04/2013	14:40	9	SE	28/04/2013	20:30	6	NNW
28/04/2013	14:45	11	SE	28/04/2013	20:35	4	NNE
28/04/2013	14:50	12	SE	28/04/2013	20:40	5	NNE
28/04/2013	14:55	13	SE	28/04/2013	20:45	6	NNW
28/04/2013	15:00	13	SE	28/04/2013	20:50	5	N
28/04/2013	15:05	11	SE	28/04/2013	20:55	5	NNW
28/04/2013	15:10	12	SE	28/04/2013	21:00	5	N
28/04/2013	15:15	11	SE	28/04/2013	21:05	5	NNE
28/04/2013	15:20	11	SE	28/04/2013	21:10	4	NNW
28/04/2013	15:25	8	E	28/04/2013	21:15	6	NNW
28/04/2013	15:30	7	ESE	28/04/2013	21:20	8	NNW
28/04/2013	15:35	8	ESE	28/04/2013	21:25	7	NNW
28/04/2013	15:40	8	SE	28/04/2013	21:30	5	N
28/04/2013	15:45	7	ESE	28/04/2013	21:35	3	NNW
28/04/2013	15:50	5	SE	28/04/2013	21:40	5	NNW
28/04/2013	15:55	6	ESE	28/04/2013	21:45	4	NNE
28/04/2013	16:00	6	SE	28/04/2013	21:50	4	NNW
28/04/2013	16:05	8	SE	28/04/2013	21:55	3	NNE
28/04/2013	16:10	8	SE	28/04/2013	22:00	4	ENE
28/04/2013	16:15	9	SE	28/04/2013	22:05	4	N
28/04/2013	16:20	6	SE	28/04/2013	22:10	2	N
28/04/2013	16:25	5	ENE	28/04/2013	22:15	4	NE
28/04/2013	16:30	4	NNE	28/04/2013	22:20	3	ESE
28/04/2013	16:35	3	NNE	28/04/2013	22:25	4	ESE
28/04/2013	16:40	5	ENE	28/04/2013	22:30	4	SE
28/04/2013	16:45	5	ESE	28/04/2013	22:35	6	SE
28/04/2013	16:50	6	SSE	28/04/2013	22:40	4	ESE
28/04/2013	16:55	8	SE	28/04/2013	22:45	7	SE
28/04/2013	17:00	6	ESE	28/04/2013	22:50	9	SE
28/04/2013	17:05	4	ENE	28/04/2013	22:55	9	SE
28/04/2013	17:10	3	ENE	28/04/2013	23:00	9	SE
28/04/2013	17:15	0	SSE	28/04/2013	23:05	9	SE
28/04/2013	17:20	4	SSE	28/04/2013	23:10	8	SE
28/04/2013	17:25	2	ENE	28/04/2013	23:15	9	SE
28/04/2013	17:30	3	ENE	28/04/2013	23:20	10	SSE
28/04/2013	17:35	5	ENE	28/04/2013	23:25	11	SSE
28/04/2013	17:40	5	E	28/04/2013	23:30	10	SSE
28/04/2013	17:45	5	N	28/04/2013	23:35	9	SSE
28/04/2013	17:50	5	N	28/04/2013	23:40	9	SSE
28/04/2013	17:55	4	NNE	28/04/2013	23:45	8	SSE
28/04/2013	18:00	4	ENE	28/04/2013	23:50	8	SSE
28/04/2013	18:05	5	ENE	28/04/2013	23:55	7	SSE
28/04/2013	18:10	4	ENE	29/04/2013	00:00	8	SE
28/04/2013	18:15	5	NE	29/04/2013	00:05	9	SSE
28/04/2013	18:20	5	NE	29/04/2013	00:10	9	SE
28/04/2013	18:25	6	N	29/04/2013	00:15	7	SSE
28/04/2013	18:30	7	ENE	29/04/2013	00:20	9	SSE
28/04/2013	18:35	7	E	29/04/2013	00:25	9	SE
28/04/2013	18:40	4	ENE	29/04/2013	00:30	9	SE
28/04/2013	18:45	5	ENE	29/04/2013	00:35	10	SE
28/04/2013	18:50	6	ESE	29/04/2013	00:40	9	SE
28/04/2013	18:55	9	ESE	29/04/2013	00:45	10	SE
28/04/2013	19:00	10	SE	29/04/2013	00:50	9	SSE
28/04/2013	19:05	10	SE	29/04/2013	00:55	8	SSE
28/04/2013	19:10	7	SE	29/04/2013	01:00	8	SSE
28/04/2013	19:15	8	SE	29/04/2013	01:05	8	SSE
28/04/2013	19:20	7	SE	29/04/2013	01:10	9	SE
28/04/2013	19:25	7	SE	29/04/2013	01:15	8	SE
28/04/2013	19:30	8	SE	29/04/2013	01:20	9	SE
28/04/2013	19:35	7	SE	29/04/2013	01:25	8	SSE
28/04/2013	19:40	6	ESE	29/04/2013	01:30	7	SSE
28/04/2013	19:45	7	SSE	29/04/2013	01:35	6	SSE
28/04/2013	19:50	7	SSE	29/04/2013	01:40	10	SSE
28/04/2013	19:55	9	SE	29/04/2013	01:45	6	SSE
28/04/2013	20:00	7	SE	29/04/2013	01:50	9	SE
29/04/2013	01:55	9	SSE	29/04/2013	07:45	10	SSE
29/04/2013	02:00	9	SSE	29/04/2013	07:50	9	SSE

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
29/04/2013	02:05	10	SSE	29/04/2013	07:55	10	SE
29/04/2013	02:10	10	SE	29/04/2013	08:00	10	SE
29/04/2013	02:15	9	SSE	29/04/2013	08:05	10	ESE
29/04/2013	02:20	10	SSE	29/04/2013	08:10	9	SE
29/04/2013	02:25	11	SE	29/04/2013	08:15	10	SE
29/04/2013	02:30	9	SSE	29/04/2013	08:20	9	SE
29/04/2013	02:35	8	SSE	29/04/2013	08:25	7	ESE
29/04/2013	02:40	8	SSE	29/04/2013	08:30	5	SE
29/04/2013	02:45	9	SSE	29/04/2013	08:35	9	SE
29/04/2013	02:50	8	SE	29/04/2013	08:40	7	SE
29/04/2013	02:55	8	SE	29/04/2013	08:45	9	SE
29/04/2013	03:00	6	SE	29/04/2013	08:50	8	SSE
29/04/2013	03:05	5	NE	29/04/2013	08:55	6	SE
29/04/2013	03:10	6	NNW	29/04/2013	09:00	8	SE
29/04/2013	03:15	7	N	29/04/2013	09:05	8	SE
29/04/2013	03:20	7	NNW	29/04/2013	09:10	10	SE
29/04/2013	03:25	5	NNE	29/04/2013	09:15	9	SE
29/04/2013	03:30	4	NE	29/04/2013	09:20	10	SE
29/04/2013	03:35	4	ESE	29/04/2013	09:25	10	SE
29/04/2013	03:40	4	SE	29/04/2013	09:30	11	SE
29/04/2013	03:45	5	ESE	29/04/2013	09:35	12	SE
29/04/2013	03:50	4	ESE	29/04/2013	09:40	12	SSE
29/04/2013	03:55	4	E	29/04/2013	09:45	11	SE
29/04/2013	04:00	3	ENE	29/04/2013	09:50	12	SE
29/04/2013	04:05	4	NE	29/04/2013	09:55	10	SE
29/04/2013	04:10	3	N	29/04/2013	10:00	9	SE
29/04/2013	04:15	2	NNW	29/04/2013	10:05	12	SE
29/04/2013	04:20	3	SSE	29/04/2013	10:10	11	SE
29/04/2013	04:25	3	SSE	29/04/2013	10:15	10	SSE
29/04/2013	04:30	6	SSE	29/04/2013	10:20	10	SSE
29/04/2013	04:35	5	SSE	29/04/2013	10:25	7	SSE
29/04/2013	04:40	5	SE	29/04/2013	10:30	5	S
29/04/2013	04:45	7	SE	29/04/2013	10:35	7	SE
29/04/2013	04:50	4	ESE	29/04/2013	10:40	4	SE
29/04/2013	04:55	5	SSE	29/04/2013	10:45	5	SE
29/04/2013	05:00	6	SSE	29/04/2013	10:50	7	SE
29/04/2013	05:05	6	SSE	29/04/2013	10:55	6	SE
29/04/2013	05:10	5	SE	29/04/2013	11:00	9	SE
29/04/2013	05:15	7	SSE	29/04/2013	11:05	11	SSE
29/04/2013	05:20	6	SE	29/04/2013	11:10	12	SSE
29/04/2013	05:25	5	SE	29/04/2013	11:15	11	SSE
29/04/2013	05:30	7	SE	29/04/2013	11:20	11	SSE
29/04/2013	05:35	5	SE	29/04/2013	11:25	10	SSE
29/04/2013	05:40	4	SE	29/04/2013	11:30	11	SSE
29/04/2013	05:45	4	SE	29/04/2013	11:35	13	SSE
29/04/2013	05:50	3	SE	29/04/2013	11:40	12	SE
29/04/2013	05:55	5	W	29/04/2013	11:45	12	SE
29/04/2013	06:00	5	SE	29/04/2013	11:50	9	SSE
29/04/2013	06:05	5	SE	29/04/2013	11:55	11	SSE
29/04/2013	06:10	3	ESE	29/04/2013	12:00	12	SE
29/04/2013	06:15	3	SSE	29/04/2013	12:05	11	SSE
29/04/2013	06:20	4	E	29/04/2013	12:10	13	SE
29/04/2013	06:25	3	ESE	29/04/2013	12:15	12	SE
29/04/2013	06:30	2	SE	29/04/2013	12:20	11	SE
29/04/2013	06:35	5	SE	29/04/2013	12:25	13	SE
29/04/2013	06:40	4	ESE	29/04/2013	12:30	12	SE
29/04/2013	06:45	5	SE	29/04/2013	12:35	10	SSE
29/04/2013	06:50	6	SE	29/04/2013	12:40	13	SSE
29/04/2013	06:55	6	SE	29/04/2013	12:45	11	SSE
29/04/2013	07:00	5	SE	29/04/2013	12:50	11	SSE
29/04/2013	07:05	6	SSE	29/04/2013	12:55	11	SE
29/04/2013	07:10	6	SE	29/04/2013	13:00	11	SE
29/04/2013	07:15	4	SE	29/04/2013	13:05	11	SE
29/04/2013	07:20	5	SSE	29/04/2013	13:10	11	SE
29/04/2013	07:25	5	SSE	29/04/2013	13:15	11	SE
29/04/2013	07:30	8	SSE	29/04/2013	13:20	11	SE
29/04/2013	07:35	8	SSE	29/04/2013	13:25	13	SE
29/04/2013	07:40	9	SSE	29/04/2013	13:30	11	SE
29/04/2013	13:35	12	SSE	29/04/2013	19:25	11	SSE
29/04/2013	13:40	12	SSE	29/04/2013	19:30	11	SSE
29/04/2013	13:45	12	SSE	29/04/2013	19:35	11	SSE

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
29/04/2013	13:50	11	SSE	29/04/2013	19:40	13	SE
29/04/2013	13:55	11	SE	29/04/2013	19:45	12	SSE
29/04/2013	14:00	12	SE	29/04/2013	19:50	12	SSE
29/04/2013	14:05	12	SE	29/04/2013	19:55	11	SE
29/04/2013	14:10	15	SSE	29/04/2013	20:00	12	SE
29/04/2013	14:15	12	SSE	29/04/2013	20:05	10	SSE
29/04/2013	14:20	14	SE	29/04/2013	20:10	9	SSE
29/04/2013	14:25	13	SE	29/04/2013	20:15	8	SSE
29/04/2013	14:30	13	SSE	29/04/2013	20:20	9	SSE
29/04/2013	14:35	13	SE	29/04/2013	20:25	11	SSE
29/04/2013	14:40	11	SSE	29/04/2013	20:30	9	SSE
29/04/2013	14:45	10	SSE	29/04/2013	20:35	10	SSE
29/04/2013	14:50	10	SE	29/04/2013	20:40	10	SSE
29/04/2013	14:55	12	SSE	29/04/2013	20:45	10	SSE
29/04/2013	15:00	12	SSE	29/04/2013	20:50	7	SE
29/04/2013	15:05	9	SSE	29/04/2013	20:55	5	SSE
29/04/2013	15:10	10	SE	29/04/2013	21:00	5	SE
29/04/2013	15:15	11	SE	29/04/2013	21:05	8	SSE
29/04/2013	15:20	10	SE	29/04/2013	21:10	9	SSE
29/04/2013	15:25	13	SE	29/04/2013	21:15	9	SE
29/04/2013	15:30	12	SE	29/04/2013	21:20	8	SSE
29/04/2013	15:35	10	SE	29/04/2013	21:25	8	SE
29/04/2013	15:40	11	SE	29/04/2013	21:30	9	SE
29/04/2013	15:45	12	SSE	29/04/2013	21:35	7	SSE
29/04/2013	15:50	12	SSE	29/04/2013	21:40	8	SSE
29/04/2013	15:55	15	SE	29/04/2013	21:45	4	ESE
29/04/2013	16:00	13	SE	29/04/2013	21:50	5	SSE
29/04/2013	16:05	14	SE	29/04/2013	21:55	5	SE
29/04/2013	16:10	15	SE	29/04/2013	22:00	7	SSE
29/04/2013	16:15	13	SE	29/04/2013	22:05	6	SSE
29/04/2013	16:20	14	SE	29/04/2013	22:10	9	SSE
29/04/2013	16:25	14	SE	29/04/2013	22:15	8	SE
29/04/2013	16:30	14	SE	29/04/2013	22:20	6	SE
29/04/2013	16:35	12	SE	29/04/2013	22:25	7	SSE
29/04/2013	16:40	12	SE	29/04/2013	22:30	6	SE
29/04/2013	16:45	12	SE	29/04/2013	22:35	8	SE
29/04/2013	16:50	13	SE	29/04/2013	22:40	10	SSE
29/04/2013	16:55	12	SE	29/04/2013	22:45	12	SSE
29/04/2013	17:00	13	SE	29/04/2013	22:50	8	SSE
29/04/2013	17:05	12	SE	29/04/2013	22:55	9	SSE
29/04/2013	17:10	8	SSE	29/04/2013	23:00	10	SSE
29/04/2013	17:15	10	SE	29/04/2013	23:05	10	SSE
29/04/2013	17:20	10	SE	29/04/2013	23:10	9	SSE
29/04/2013	17:25	8	SSE	29/04/2013	23:15	6	SSE
29/04/2013	17:30	7	SSE	29/04/2013	23:20	6	SSE
29/04/2013	17:35	6	SSE	29/04/2013	23:25	9	SSE
29/04/2013	17:40	4	SSE	29/04/2013	23:30	9	SE
29/04/2013	17:45	9	SE	29/04/2013	23:35	6	SSE
29/04/2013	17:50	9	SE	29/04/2013	23:40	5	SSE
29/04/2013	17:55	9	SE	29/04/2013	23:45	10	SE
29/04/2013	18:00	10	SE	29/04/2013	23:50	8	SSE
29/04/2013	18:05	11	SE	29/04/2013	23:55	4	SE
29/04/2013	18:10	13	SSE	30/04/2013	00:00	3	ENE
29/04/2013	18:15	14	SE	30/04/2013	00:05	4	N
29/04/2013	18:20	12	SSE	30/04/2013	00:10	4	ENE
29/04/2013	18:25	12	SE	30/04/2013	00:15	3	NNE
29/04/2013	18:30	11	SSE	30/04/2013	00:20	3	SSE
29/04/2013	18:35	13	SSE	30/04/2013	00:25	4	SSE
29/04/2013	18:40	13	SSE	30/04/2013	00:30	2	S
29/04/2013	18:45	13	SSE	30/04/2013	00:35	2	NW
29/04/2013	18:50	13	SSE	30/04/2013	00:40	3	N
29/04/2013	18:55	13	SE	30/04/2013	00:45	2	N
29/04/2013	19:00	13	SE	30/04/2013	00:50	4	E
29/04/2013	19:05	12	SE	30/04/2013	00:55	3	SE
29/04/2013	19:10	10	SSE	30/04/2013	01:00	4	SE
29/04/2013	19:15	12	SSE	30/04/2013	01:05	3	ESE
29/04/2013	19:20	12	SSE	30/04/2013	01:10	6	NNE
30/04/2013	01:15	5	SE	30/04/2013	07:05	3	SE
30/04/2013	01:20	2	ENE	30/04/2013	07:10	4	SE
30/04/2013	01:25	1	WNW	30/04/2013	07:15	7	N
30/04/2013	01:30	2	WNW	30/04/2013	07:20	5	NNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
30/04/2013	01:35	3	NNE	30/04/2013	07:25	4	NNW
30/04/2013	01:40	2	WNW	30/04/2013	07:30	3	NNE
30/04/2013	01:45	2	E	30/04/2013	07:35	6	NNE
30/04/2013	01:50	4	ENE	30/04/2013	07:40	3	ENE
30/04/2013	01:55	3	ENE	30/04/2013	07:45	4	SSE
30/04/2013	02:00	4	ENE	30/04/2013	07:50	5	NE
30/04/2013	02:05	3	ENE	30/04/2013	07:55	3	SE
30/04/2013	02:10	3	ENE	30/04/2013	08:00	5	ENE
30/04/2013	02:15	2	NNE	30/04/2013	08:05	4	SSE
30/04/2013	02:20	3	N	30/04/2013	08:10	7	NE
30/04/2013	02:25	1	NNW	30/04/2013	08:15	5	SSE
30/04/2013	02:30	2	N	30/04/2013	08:20	5	N
30/04/2013	02:35	0	WNW	30/04/2013	08:25	4	SSE
30/04/2013	02:40	1	WNW	30/04/2013	08:30	4	NNW
30/04/2013	02:45	2	SSE	30/04/2013	08:35	5	NW
30/04/2013	02:50	2	WSW	30/04/2013	08:40	4	NE
30/04/2013	02:55	1	E	30/04/2013	08:45	4	N
30/04/2013	03:00	3	ENE	30/04/2013	08:50	4	NE
30/04/2013	03:05	4	SSE	30/04/2013	08:55	6	NE
30/04/2013	03:10	2	SE	30/04/2013	09:00	4	N
30/04/2013	03:15	2	S	30/04/2013	09:05	4	E
30/04/2013	03:20	2	SSW	30/04/2013	09:10	2	NNE
30/04/2013	03:25	2	NE	30/04/2013	09:15	3	ESE
30/04/2013	03:30	3	ESE	30/04/2013	09:20	3	SSE
30/04/2013	03:35	1	WSW	30/04/2013	09:25	3	NNE
30/04/2013	03:40	3	NE	30/04/2013	09:30	5	NNW
30/04/2013	03:45	5	NNE	30/04/2013	09:35	4	N
30/04/2013	03:50	3	NNE	30/04/2013	09:40	3	NNW
30/04/2013	03:55	3	NE	30/04/2013	09:45	3	NE
30/04/2013	04:00	4	NNE	30/04/2013	09:50	6	NNW
30/04/2013	04:05	5	ENE	30/04/2013	09:55	3	ESE
30/04/2013	04:10	5	NE	30/04/2013	10:00	4	E
30/04/2013	04:15	2	NE	30/04/2013	10:05	3	NNE
30/04/2013	04:20	2	ENE	30/04/2013	10:10	5	N
30/04/2013	04:25	2	E	30/04/2013	10:15	3	NNW
30/04/2013	04:30	1	E	30/04/2013	10:20	4	E
30/04/2013	04:35	3	ENE	30/04/2013	10:25	5	N
30/04/2013	04:40	2	E	30/04/2013	10:30	4	N
30/04/2013	04:45	2	WNW	30/04/2013	10:35	4	N
30/04/2013	04:50	3	NNW	30/04/2013	10:40	7	N
30/04/2013	04:55	3	NNE	30/04/2013	10:45	6	NNW
30/04/2013	05:00	2	E	30/04/2013	10:50	5	NNE
30/04/2013	05:05	1	ENE	30/04/2013	10:55	5	SSW
30/04/2013	05:10	2	NE	30/04/2013	11:00	7	SSE
30/04/2013	05:15	3	SE	30/04/2013	11:05	6	E
30/04/2013	05:20	3	SE	30/04/2013	11:10	6	NE
30/04/2013	05:25	2	WNW	30/04/2013	11:15	5	E
30/04/2013	05:30	3	NNE	30/04/2013	11:20	7	S
30/04/2013	05:35	3	NE	30/04/2013	11:25	8	SSE
30/04/2013	05:40	3	N	30/04/2013	11:30	8	SE
30/04/2013	05:45	3	NNW	30/04/2013	11:35	8	ESE
30/04/2013	05:50	2	W	30/04/2013	11:40	6	NW
30/04/2013	05:55	2	NNW	30/04/2013	11:45	4	SSE
30/04/2013	06:00	3	ENE	30/04/2013	11:50	5	N
30/04/2013	06:05	4	N	30/04/2013	11:55	4	NNE
30/04/2013	06:10	3	N	30/04/2013	12:00	5	ENE
30/04/2013	06:15	3	SSE	30/04/2013	12:05	6	ESE
30/04/2013	06:20	2	SE	30/04/2013	12:10	6	NNE
30/04/2013	06:25	2	WNW	30/04/2013	12:15	8	SSE
30/04/2013	06:30	2	SSE	30/04/2013	12:20	5	SE
30/04/2013	06:35	4	SE	30/04/2013	12:25	7	NNE
30/04/2013	06:40	4	SSE	30/04/2013	12:30	6	NNW
30/04/2013	06:45	2	N	30/04/2013	12:35	6	NNW
30/04/2013	06:50	4	SE	30/04/2013	12:40	6	SSE
30/04/2013	06:55	5	SE	30/04/2013	12:45	7	NNW
30/04/2013	07:00	5	SE	30/04/2013	12:50	6	N
30/04/2013	12:55	8	NNW	30/04/2013	18:45	5	NNW
30/04/2013	13:00	8	NW	30/04/2013	18:50	3	NNW
30/04/2013	13:05	7	NNW	30/04/2013	18:55	1	NNW
30/04/2013	13:10	7	NNW	30/04/2013	19:00	2	WNW
30/04/2013	13:15	7	N	30/04/2013	19:05	3	WNW

Extracted from the Weather Station at Tung Chung China State Site Office Rooftop

Date	Time	Wind Speed (mph)	Wind Direction	Date	Time	Wind Speed (mph)	Wind Direction
30/04/2013	13:20	9	NNW	30/04/2013	19:10	3	NW
30/04/2013	13:25	5	NW	30/04/2013	19:15	4	NW
30/04/2013	13:30	7	N	30/04/2013	19:20	3	NNW
30/04/2013	13:35	6	N	30/04/2013	19:25	4	WNW
30/04/2013	13:40	7	NNW	30/04/2013	19:30	3	WNW
30/04/2013	13:45	7	N	30/04/2013	19:35	4	WNW
30/04/2013	13:50	7	N	30/04/2013	19:40	3	WNW
30/04/2013	13:55	9	NNW	30/04/2013	19:45	2	NE
30/04/2013	14:00	10	NNW	30/04/2013	19:50	3	NW
30/04/2013	14:05	9	NW	30/04/2013	19:55	4	N
30/04/2013	14:10	9	NNW	30/04/2013	20:00	2	NNE
30/04/2013	14:15	10	NNW	30/04/2013	20:05	2	NW
30/04/2013	14:20	8	NNW	30/04/2013	20:10	0	NW
30/04/2013	14:25	11	NNW	30/04/2013	20:15	1	WNW
30/04/2013	14:30	9	N	30/04/2013	20:20	1	WNW
30/04/2013	14:35	20	N	30/04/2013	20:25	2	NNW
30/04/2013	14:40	13	NNW	30/04/2013	20:30	0	NNW
30/04/2013	14:45	13	NNW	30/04/2013	20:35	1	SSW
30/04/2013	14:50	15	NW	30/04/2013	20:40	2	WNW
30/04/2013	14:55	7	NNW	30/04/2013	20:45	2	NW
30/04/2013	15:00	6	NW	30/04/2013	20:50	2	WNW
30/04/2013	15:05	5	NW	30/04/2013	20:55	3	WNW
30/04/2013	15:10	7	NW	30/04/2013	21:00	4	WNW
30/04/2013	15:15	7	NNW	30/04/2013	21:05	5	WNW
30/04/2013	15:20	7	NW	30/04/2013	21:10	6	NW
30/04/2013	15:25	8	NW	30/04/2013	21:15	5	NW
30/04/2013	15:30	6	NW	30/04/2013	21:20	3	WNW
30/04/2013	15:35	6	NW	30/04/2013	21:25	3	NNW
30/04/2013	15:40	9	NNW	30/04/2013	21:30	2	NW
30/04/2013	15:45	9	NW	30/04/2013	21:35	2	WNW
30/04/2013	15:50	7	WNW	30/04/2013	21:40	3	WNW
30/04/2013	15:55	6	WNW	30/04/2013	21:45	3	NW
30/04/2013	16:00	5	W	30/04/2013	21:50	3	NNW
30/04/2013	16:05	5	NW	30/04/2013	21:55	3	NW
30/04/2013	16:10	5	NW	30/04/2013	22:00	3	NW
30/04/2013	16:15	8	NNW	30/04/2013	22:05	3	NW
30/04/2013	16:20	6	NW	30/04/2013	22:10	3	NW
30/04/2013	16:25	4	WNW	30/04/2013	22:15	2	WNW
30/04/2013	16:30	5	NW	30/04/2013	22:20	4	NNW
30/04/2013	16:35	4	WNW	30/04/2013	22:25	2	WNW
30/04/2013	16:40	3	WNW	30/04/2013	22:30	2	NW
30/04/2013	16:45	4	WNW	30/04/2013	22:35	2	NW
30/04/2013	16:50	6	WNW	30/04/2013	22:40	3	WNW
30/04/2013	16:55	4	WNW	30/04/2013	22:45	2	NW
30/04/2013	17:00	1	NW	30/04/2013	22:50	0	NW
30/04/2013	17:05	1	W	30/04/2013	22:55	1	NW
30/04/2013	17:10	2	SSE	30/04/2013	23:00	1	S
30/04/2013	17:15	2	NNW	30/04/2013	23:05	3	WNW
30/04/2013	17:20	3	SSW	30/04/2013	23:10	2	NW
30/04/2013	17:25	4	WNW	30/04/2013	23:15	3	WNW
30/04/2013	17:30	3	WNW	30/04/2013	23:20	3	NW
30/04/2013	17:35	2	SSW	30/04/2013	23:25	3	WNW
30/04/2013	17:40	4	NW	30/04/2013	23:30	4	WNW
30/04/2013	17:45	4	WNW	30/04/2013	23:35	3	WNW
30/04/2013	17:50	3	NW	30/04/2013	23:40	4	WNW
30/04/2013	17:55	3	WNW	30/04/2013	23:45	4	WNW
30/04/2013	18:00	2	SW	30/04/2013	23:50	4	WNW
30/04/2013	18:05	3	S	30/04/2013	23:55	3	WNW
30/04/2013	18:10	3	N				
30/04/2013	18:15	2	NNE				
30/04/2013	18:20	4	NW				
30/04/2013	18:25	4	NW				
30/04/2013	18:30	3	NNW				
30/04/2013	18:35	1	WNW				
30/04/2013	18:40	4	NW				



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX H

Dolphin Monitoring Results



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

Annex I. HKLR03 Survey Effort Database (April 2013)

(Abbreviations: BEAU = Beaufort Sea State; P = Primary Line Effort; S = Secondary Line Effort)

DATE	AREA	BEAU	EFFORT	SEASON	VESSEL	TYPE	P/S
2-Apr-13	NE LANTAU	0	2.10	SPRING	STANDARD31516	HKLR	P
2-Apr-13	NE LANTAU	1	9.40	SPRING	STANDARD31516	HKLR	P
2-Apr-13	NE LANTAU	2	13.90	SPRING	STANDARD31516	HKLR	P
2-Apr-13	NE LANTAU	1	3.20	SPRING	STANDARD31516	HKLR	S
2-Apr-13	NE LANTAU	2	6.30	SPRING	STANDARD31516	HKLR	S
2-Apr-13	NW LANTAU	2	20.20	SPRING	STANDARD31516	HKLR	P
2-Apr-13	NW LANTAU	3	14.30	SPRING	STANDARD31516	HKLR	P
2-Apr-13	NW LANTAU	4	0.70	SPRING	STANDARD31516	HKLR	P
2-Apr-13	NW LANTAU	2	5.30	SPRING	STANDARD31516	HKLR	S
2-Apr-13	NW LANTAU	3	2.50	SPRING	STANDARD31516	HKLR	S
3-Apr-13	NW LANTAU	2	2.80	SPRING	STANDARD31516	HKLR	P
3-Apr-13	NW LANTAU	3	8.40	SPRING	STANDARD31516	HKLR	P
3-Apr-13	NW LANTAU	4	17.97	SPRING	STANDARD31516	HKLR	P
3-Apr-13	NW LANTAU	5	8.23	SPRING	STANDARD31516	HKLR	P
3-Apr-13	NW LANTAU	2	2.40	SPRING	STANDARD31516	HKLR	S
3-Apr-13	NW LANTAU	3	4.90	SPRING	STANDARD31516	HKLR	S
3-Apr-13	NW LANTAU	4	2.70	SPRING	STANDARD31516	HKLR	S
3-Apr-13	NW LANTAU	5	1.00	SPRING	STANDARD31516	HKLR	S
3-Apr-13	NE LANTAU	2	5.10	SPRING	STANDARD31516	HKLR	P
3-Apr-13	NE LANTAU	3	6.80	SPRING	STANDARD31516	HKLR	P
3-Apr-13	NE LANTAU	2	2.10	SPRING	STANDARD31516	HKLR	S
3-Apr-13	NE LANTAU	3	3.10	SPRING	STANDARD31516	HKLR	S
8-Apr-13	NE LANTAU	1	7.80	SPRING	STANDARD31516	HKLR	P
8-Apr-13	NE LANTAU	2	9.93	SPRING	STANDARD31516	HKLR	P
8-Apr-13	NE LANTAU	1	5.50	SPRING	STANDARD31516	HKLR	S
8-Apr-13	NE LANTAU	2	4.47	SPRING	STANDARD31516	HKLR	S
8-Apr-13	NW LANTAU	1	11.15	SPRING	STANDARD31516	HKLR	P
8-Apr-13	NW LANTAU	2	24.70	SPRING	STANDARD31516	HKLR	P
8-Apr-13	NW LANTAU	3	5.00	SPRING	STANDARD31516	HKLR	P
8-Apr-13	NW LANTAU	0	1.80	SPRING	STANDARD31516	HKLR	S
8-Apr-13	NW LANTAU	1	2.96	SPRING	STANDARD31516	HKLR	S
8-Apr-13	NW LANTAU	2	4.62	SPRING	STANDARD31516	HKLR	S
12-Apr-13	NW LANTAU	1	1.90	SPRING	STANDARD31516	HKLR	P
12-Apr-13	NW LANTAU	2	20.00	SPRING	STANDARD31516	HKLR	P
12-Apr-13	NW LANTAU	3	9.40	SPRING	STANDARD31516	HKLR	P
12-Apr-13	NW LANTAU	1	3.70	SPRING	STANDARD31516	HKLR	S
12-Apr-13	NW LANTAU	2	1.10	SPRING	STANDARD31516	HKLR	S
12-Apr-13	NW LANTAU	3	1.90	SPRING	STANDARD31516	HKLR	S
12-Apr-13	NE LANTAU	1	9.40	SPRING	STANDARD31516	HKLR	P
12-Apr-13	NE LANTAU	2	10.40	SPRING	STANDARD31516	HKLR	P
12-Apr-13	NE LANTAU	2	10.70	SPRING	STANDARD31516	HKLR	S

Annex II. HKLR03 Chinese White Dolphin Sighting Database (April 2013)


(Abbreviations: STG# = Sighting Number; HRD SZ = Dolphin Herd Size; BEAU = Beaufort Sea State; PSD = Perpendicular Distance; BOAT ASSOC. = Fishing Boat Association P/S; Sighting Made on Primary/Secondary Line§

DATE	STG #	TIME	HRD SZ	AREA	BEAU	PSD	EFFORT	TYPE	NORTHING	EASTING	SEASON	BOAT ASSOC.	P/S
02-Apr-13	1	1410	2	NW LANTAU	2	0	ON	HKLR	826028	807526	SPRING	NONE	P
02-Apr-13	2	1417	3	NW LANTAU	2	238	ON	HKLR	826936	807538	SPRING	NONE	P
08-Apr-13	1	1426	1	NW LANTAU	1	31	ON	HKLR	827957	806489	SPRING	NONE	P
08-Apr-13	2	1434	1	NW LANTAU	1	13	ON	HKLR	828090	806469	SPRING	NONE	P
12-Apr-13	1	1140	3	NW LANTAU	3	10	ON	HKLR	829573	806997	SPRING	NONE	S
12-Apr-13	2	1223	2	NW LANTAU	2	139	ON	HKLR	826881	807528	SPRING	NONE	P
12-Apr-13	3	1242	1	NW LANTAU	2	ND	OFF	HKLR	824400	807523	SPRING	NONE	

Annex III. Individual dolphins identified during HKLR03 monitoring surveys in April 2013

ID#	DATE	STG#	AREA
NL33	12/04/13	2	NW LANTAU
NL224	12/04/13	1	NW LANTAU
NL233	12/04/13	1	NW LANTAU
WL46	12/04/13	1	NW LANTAU

*Annex IV: Photographs of Identified
Individual Dolphins in April 2013
(HKLR 03)*



Annex IV: Photographs of Identified Individual Dolphins in April 2013 (HKLR03)




Figure 1. Transect Line Layout in Northwest and Northeast Lantau Survey Areas




Figure 2. Survey Route on April 2nd, 2013




Figure 3. Survey Route on April 3rd, 2013




Figure 4. Survey Route on April 8th, 2013




Figure 5. Survey Route on April 12th, 2013




Figure 6. Distribution of Chinese White Dolphin Sightings During April 2013 HKLR03 Monitoring Surveys



APPENDIX I

Waste Flow Table



MONTHLY SUMMARY WASTE FLOW TABLE

Name of Department: Hyd

Contract No.: HY/2011/03

Monthly Summary Waste Flow Table for 2013

Month	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly					
	Total Quantity Generated (in '000m ³)	Hard Rock and Large Broken Concrete (in '000m ³)	Reused in the Contract (Note 8) (in '000m ³)	Reused in Other Projects (Note 8) (in '000m ³)	Disposed as Public Fill (Note 6) (in '000m ³)	Imported Fill (Note 6) (in '000m ³)	Metals (in '000kg)	Paper / Cardboard Packaging (in '000kg)	Plastics (Note 3) (in '000kg)	Chemical Waste (in '000kg)	Others, e.g. general refuse (Note 8) (in '000m ³)	
Jan	8.472	0.000	8.472	0.000	0.000	11.120	0.000	0.000	0.000	0.293		
Feb	8.648	0.000	8.648	0.000	0.000	8.501	0.000	0.000	0.000	0.117		
Mar	6.826	0.000	6.826	0.000	0.000	0.000	0.243	0.000	0.000	0.091		
Apr	6.822	0.000	6.822	0.000	0.000	0.059	0.000	0.000	0.000	0.117		
May	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Jun	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Sub-total	30.768	0.000	30.768	0.000	0.000	19.680	0.243	0.000	0.000	0.618		
Jul	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Aug	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Sep	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Oct	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Nov	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Dec	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		
Sub- total	0.000	0.000	0.000	0.000	0.000	0.000	0.243	0.000	0.000	0.000		
Total	30.768	0.000	30.768	0.000	0.000	19.680	0.243	0.000	0.000	0.618		

Contract No. HY/2011/03

Particular Specification

HKZMB Section Between HKLR and HKBCF

Forecast of Total Quantities of C&D Materials to be Generated from the Contract*										
Total Quantity Generated	Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in Other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper / Cardboard Packaging	Plastics (see Note 3)	Chemical Waste	Others, e.g. general refuse
(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000m ³)
245.878	67.628	40.593	30.000	175.285	0.000	10.000	4.500	0.500	2.500	0.300

Notes: The performance target are given in ER Appendix 8J Clause 14

- (1)
- (2) The waste flow table shall also include C&D materials that are not specified in the Contract to be imported for use
- (3) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material
- (4) The Contractor shall also submit the latest forecast of the amount of C&D materials expected to be generated from the Works, together with a break down of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000m³.
- (5) All recyclable materials, including metals, paper / cardboard packaging, plastics, etc. will be collected by
- (6) Conversion factors for reporting purpose:
excavated (bulk): rock = 2.0 tonnes/m³; soil = 1.8 tonnes/m³; sand=1.9tonnes/m³
- (7) Numbers are rounded off to the nearest three decimal places
- (8) 30T dump truck carries C&D waste of 8.0m³; 24T dump truck carries C&D waste of 6.5m³



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX J

Cumulative Statistic on Complaints



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

HYD Contract No.HY/2011/03
 Hong Kong - Zhuhai - Macao Bridge Hong Kong Link Road
 Section between Scenic Hill and Hong Kong Boundary Crossing Facilities

Complaint Register

Complaint No.	Date	Time	Source	Category	Complaint Details	Location	Improvement Measures Taken	Status	Remarks
COM-2012-008	22-Oct-12	16:41	EPD	Environmental (Water Pollution)	文在生投訴渠務處對其屋前水渠臭味嚴重，有污物排到海中 (臭味極強)，污染環境，嚴重影響健康。 (Photos attached). The "phenomenon" was observed over the past week. The photos attached were taken on 19.10.2012, 22.10.2012 and 23.10.2012	Portion X	The pelican barge as shown in the photos provided on 24 October 2012 did not belong to the Contractor.	Closed	-
COM-2012-009	5-Nov-12	-	1823 CASE: 1-391341859	Environmental (Noise and light)	The citizen complained about noise and light pollution from the barges working on the Zhuhai Macau Bridge project. Barge machinery working to about 10pm at night and sometimes can be heard intermittently through the night. The noise is more audible because the machinery is sited on/over the water.	Portion X	The Contractor has adjusted the emission angle of the lights on working vessels with a view to minimizing the glaring effect to the adjoining residential areas	Closed	-
COM-2012-009(2)	11-Nov-12	-	1823 CASE: 1-391341859	Environmental (Noise, water quality & air quality)	The complainant noted that the barges are still working on a Sunday until 10pm at night, creating noise and light pollution of the site and at times spilling black smoke from their engines. A photograph taken at 10:48am on Sunday 11 November 2012 was attached.	Portion X	-	Closed	-
COM-2012-009(3)	14-Nov-12	-	1823 CASE: 1-391341859	Environmental (Noise)	The complainant did not accept the reply. He further said that "All staff has to do is come out either at night or a Sunday to check, so easy. If this continues I will have no choice to call the police out."	Portion X	The Contractor has taken the following further mitigation measures for the reclamation works: (a) Mitigation Measures for Noise Nuisance: • Improvement of noise covers onto the generators / motors on barges; and • Increase frequency of applying lubricant to all moving parts and gear wheels of the working barges. (b) Mitigation Measures for Smoke Emission: • Increase frequency of maintenance and checking of engines on barges that may emit smoke; and • Installation/ replacement of smoke suppression device such as air filter, at engines where necessary.	Closed	-
COM-2012-010(1)	6-Nov-12	-	<tr><td>tzrbenquirv@hyd.gov.hk>	Environmental (Noise)	The complainant stated that lately work has started opposite Le Bleu Deux estate using barges. The work in process is generated high level of noise from powered tools used on those barges. Even if the noise was acceptable on weekdays during daytime, it is definitely creating nuisance to local resident at night (past 7pm) and on Sunday. Basically as 5 November 12 evening, he could not leave his window open as the level of noise prevent the baby to sleep and he could not even hear the TV in his flat. The noise coming from the site is higher than the sounds from my TV. He would like to know what measure you are planning to put in place to address this issue. He did not think that the current level of noise are acceptable past 7pm and on Sunday.	Portion X	-	Closed	-
COM-2012-010(2)	15-Nov-12	-	<tr><td>tzrbenquirv@hyd.gov.hk>	Environmental (Noise & air quality)	The noise can be very annoying, on days depending of the wind direction, you are making more noise than the plane taking off (I measured it myself), to give you an idea of the disturbance you are creating again, I would also like to bring an other topic beside the noise. Since the beginning of the filling operation, very strong smell of exhaust pipe gas can be smell in the residential area and I think this is a huge health concern for the local population. On certain days when the wind is blowing towards the residential areas, I have the feeling that there is a diesel engine running in my living room! I would like to know how you are planning to address this?	Portion X	-	Closed	-

HYD Contract No.HY/2011/03
 Hong Kong - Zhuhai - Macao Bridge Hong Kong Link Road
 Section between Scenic Hill and Hong Kong Boundary Crossing Facilities

Complaint Register

Complaint No.	Date	Time	Source	Category	Complaint Details	Location	Improvement Measures Taken	Status	Remarks	
COM-2012-010(3)	15-Nov-12	-	EPD	Environmental (Noise, water quality & air quality)	The complainant has copied his reply from HYD dated 15 Nov 2012 to EPD and Health Department and he further complained on the following issues: • Noise nuisance generated by diesel engine; • Smell of exhaust pipe gas in his residence; and • Suspected marine water pollution (see enclosed photo). The complainant also requested EPD to install noise and air quality monitoring at Le Bleu Deux estate.	WA6 Portion X	Noise from blowing horn from vessels and barges, and Metallic Parts thrown on Ground • Reminded the Contractor to request the captains of the vessels and barges not blowing the horn except in case of emergency or prevention of ship collisions/serious safety matters; • The supervision teams would enhance their tight control on the vessels and barges working at that location, and monitor the situation and take corresponding actions; and • To enhance the work force of HSS to supervise each step of construction activities and the use of hand tools until the completion of the site office erection. Noise from Engines and Cranes of the Barges during Marine Operation • Installation of noise covers onto the generators' motors on all working barges; • Increase frequency of applying lubricant to all moving parts and gear wheels of the working barges and plants at night time and abnormal sound; and • Review of working hours for the reclamation works and switching off all unnecessary machinery and plants at night time and Sundays. Noise from power generators • All generators should be either screened or covered by adequate sound reducing materials; • All generators situated in front of Le Bleu Deux estate will be switched off at 19:00 hrs, except two generators will be kept running up to 22:00hrs and one generator will be kept running overnight for generating emergency power for lighting, maintenance and arrangement with CLP Power HK Ltd (CLP) for the permanent power supply to the site offices has been chased in a matter of urgency. The use of power generators will be terminated in phase starting from 6 December 2012. Exhaust Fume Emission • Tight control on using the machine and generators in the vicinity of Le Bleu Deux estate; and • Closely monitor the frequency on engine cleansing and replacement of dust filter. Change of Sea Water in Yellow • The Contractor was reminded to move their vessels and barges at areas with adequate water depth as practically as possible.	Closed	-	
COM-2012-010(4)	19-Nov-12	22:25 hrs.	EPD	Environmental (Air quality and Noise)	The complainant filed again a complaint for the strong exhaust pipe fumes smell coming for the construction site in Tung Chung tonight, as well as the extremely high level of noise as at 10:30 pm (19/11/12).	WA6				
COM-2012-010(5)	24-Nov-12	13:42 hrs. 13:49 hrs	EPD (cc to HYD)	Environmental (Air quality and Noise)	The noise is coming for the following sources: - power generator - engines from the barges used for marine operation - noise from the cranes use of the construction barges. - engine from the boat used to transport staff in and out - boats blowing their horn late in the evening and at night Gas emissions: - power generators - marine operation The complainant file again a complaint against the strong exhaust pipe emission flowing towards le Bleu Deux estate this afternoon 24/11/10 at 13:47. I can assure you that is it not "not that bad" whatever that means for you. And again strong noise of metallic parts being thrown on the ground. / <i>thought you have already sorted out that problem according to your multiple replies to my complaints since July???</i>	WA6				
	25-Nov-12	22:02 hrs. 22:08 hrs.	EPD (cc to HYD)		A pictures taken this morning (25/11/12) around 9:30am-10am showing the water pollution in different area outside the floating barriers. At 21:56 hrs, boat used by the Highway Department against blew their horn repetitively at close proximity from the residential estate.	Portion X				
COM-2012-012(1)	13-Nov-12	22:27 hrs.	HYD	Environmental (Noise)	Once again your site continues to work late. The attached photo was taken at 10:15pm on Tuesday 13 Nov. The machinery used on the barges is very noisy. Why do you continue to work till 10pm and why do you work on a Sunday. Surely this is classified as a construction site for which you are in breach of various ordinances. An early reply is appreciated.	Portion X	The following further mitigation measures during the course of the reclamation works will be taken: • Installation of noise covers onto the generators / motors on all working barges; • Increase frequency of applying lubricant to all moving parts and gear wheels of the working barges to avoid generation of abnormal sound; and • Review of working hours for the reclamation works and switching off all unnecessary machinery and plants at nighttime and Sundays.	Closed	-	
COM-2013-015	17-Jan-13	-	EPD	Environmental (Air)	The complainant raised that construction dust was arising from construction site of China State Construction Engineering (Hong Kong) Ltd near Su Ho Wan Sewage Treatment Works due to insufficient dust suppression and inadequate wheel washing.	WA3	The Contractor of HY/2011/03 would take the following actions with immediate effect • To ensure no loosed earth material exposed at the edges of eth stockpiled earth materials i.e. to prevent erosion by wind and water ; • To cover the stockpiled earth material by adequate tarpaulin; • To enhance the frequency of watering (3 times per day) onto existing haul road and other area as appropriate; and • To install a water sprinkler system to enhance the existing dust suppression measures once the water point is ready for water supply by WSD.	Closed	-	

HYD Contract No.HY/2011/03
 Hong Kong - Zhuhai - Macao Bridge Hong Kong Link Road
 Section between Scenic Hill and Hong Kong Boundary Crossing Facilities

Complaint Register

Complaint No.	Date	Time	Source	Category	Complaint Details	Location	Improvement Measures Taken	Status	Remarks
COM-2013-016	18-Jan-13	-	EPD	Environmental (Water)	The complainant advised that turbid water and concretisation has been arising from the Hong Kong-Zhuhai-Macao Bridge Hong Kong Projects to marine water. The complainant did not specify the source of the turbid water and concrete/cement.	N/A	-	Closed	-
COM-2013-018	2-Mar-13	-	HYD	Environmental (Noise)	The complainant advised that "It seems that the Contractor's cranes operating on the barges are again in need of bit of lubricant, as this evening, i.e. 2 March 2013, the cranes are again polluting the neighborhood with intolerable noise." The complainant requested Mr. Ng from EPD to take note of this complaint and expected a detailed report.	Porton X	The Contractor has been reminded to continue the process of applying lubricant/ grease to all barges which are to be worked in the site area near Le Bleu Deux.	Closed	-
COM-2013-018 (2)	4-Mar-13	-	EPD	Environmental (Noise)	The complainant complained that the cranes operating on the barges for the HZMB HK project generating squeak noise in the evening of 1 March 2013 causing an annoyance to him/her.	Porton X	The Contractor implemented the following measures : - Briefing given to the operator for the proper operation of marine vessels; - Keep adequate routine maintenance ; - Minimize the quantities of plant after 7pm; & - Review the working hours of night time works and switch off all unnecessary machinery and plants at night time.	Closed	-
COM-2013-018 (3)	13-Mar-13	-	HYD	Environmental (Noise)	The complainant asked what noise mitigation the Contractor was taking. The complainant pointed out that the noise in question was so strong that it woke up his baby girl.	Porton X	-	Closed	-
COM-2013-018 (4)	22-Mar-13	14:19 hrs	HYD	Environmental (Noise)	The complainant complained that "the lifting appliance was operated gently and softly to keep the noise emission as low as possible" but the noise still woke up his baby. "Lubricant was regularly applied to smoothen all moving parts and gear wheels of the working barges" that did not seem to be the case at all. The complainant pointed that the crane operating at 10:27 hrs on 24 March 2012 needed lubricant.	Porton X	The Contractor will keep on closely monitoring the situation and carry out the necessary noise mitigation measures while barges are working in the site area nearby residential area.	Closed	-
COM-2013-018 (5)	31-Mar-13	10:25 hrs	HYD	Environmental (Noise)	The complainant complained that noise emitted from a crane at 10:19 hrs. The complainant further complained that noise was generated from a barge at 07:30 hrs.	Porton Y	-	Closed	-
COM-2013-018 (6), (7) & (9)	15-Apr-13	15:41 hrs	EPD	Environmental (Noise)	The complainant complained that machinery noise generated from the construction site near Tung Chung Development Pier operating for the Hong Kong-Zhuhai-Macao Bridge Hong Kong during the normal working hours on 6 April 2013 and 13 April 2013 and the late evening of 10 April 2013 causing nuisance to public.	Porton X	The Contractor has been reminded to comply with ONP conditions for construction works undertaken during restricted hours. To minimize the potential noise impact during restricted hours and non-restricted hours, the Contractor has implemented the following additional measures: - Briefing given to the operator of the barges for proper operation of marine vessels; - Operating barge by experienced operators only; - Keeping adequate routine maintenance for barges e.g. application of lubricants into moving parts in order to minimize squeak noise. - Install noise covers onto noisy equipment where practicable. - Remind subcontractor only well-maintained plant should be operated on-site. - Minimized the quantities of plant used after 7pm as far as practicable; - Speed up of construction works in order to shorten the duration (days) of potential noise impact/nuisance to the surrounding environment; and - Regular review of working hours for night time works and switch off all unnecessary machinery and plants at night time.	Closed	-

HYD Contract No. HY/2011/03
 Hong Kong - Zhuhai - Macao Bridge Hong Kong Link Road
 Section between Scenic Hill and Hong Kong Boundary Crossing Facilities

Complaint Register

Complaint No.	Date	Time	Source	Category	Complaint Details	Location	Improvement Measures Taken	Status	Remarks
COM-2013-018 (11)	28-Apr-13	15:44	EPD	Environmental (Noise)	The complainant complained that machinery noise generated from the reclamation site near Tung Chung Development Pier at around 22:00 of 28 April 2013 causing nuisance to public.	Portion X	<ul style="list-style-type: none"> - The Contractor has been reminded to comply with ONP conditions for construction works undertaken during restricted hours. - To minimize the potential noise impact during restricted hours, the Contractor has implemented the following additional measures: <ul style="list-style-type: none"> - Briefing given to the operator of the barges for proper operation of marine vessels; - Operating barge by experienced operators only; - Keeping adequate routine maintenance for barges e.g. application of lubricants into moving parts in order to avoid squeak noise; - Install noise covers onto noisy equipment where practicable. - Remind subcontractor only well-maintained plant should be operated on-site. - Speed up of construction works in order to shorten the duration (days) of potential noise impact/nuisance to the surrounding environment; and - Regular review of working hours for night time works and switch off all unnecessary machinery and plants at night time. 	Closed	-
COM-2013-022	8-Apr-13	--	EPD	Environmental (Water)	The complaint alleged that oil was dumped from various vessels operating for HZMB HK projects near Tung Chung Development Pier over the past few months. Photos were provided by the complainant.	Portion X	<ul style="list-style-type: none"> - The Contractor has checked the photos provided by the complainant and confirmed that the vessels and boats shown in the photos do not belong to Contract No. HY/2011/03. As this complaint is not related to this Contract, no follow up action is required. - The Contractor has reminded their subcontractors to implement the measures recommended in the Spill Response Plan (SRP) in case of accidental release of oils from vessel. 	Closed	-



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX K

Environmental Licenses and Permits



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

Summary of Environmental Licences and Permits Application and Status

Environmental Permit

Date Application Submitted	Status	Date EP Issued	EP No.	EP Holder	Expiry Date
31.10.2011	VEP issued	09.11.2011	EP-352/2009/A	Highways Department	N/A
18.04.2013	VEP Issued	24.04.2013	EP-353/2009/F	Highways Department	N/A

Notification of Carrying Out Notifiable Works under Air Pollution Control (Construction Dust) Regulation

Date Notification Submitted	Notification Ref. No.	Valid Since	Expiry Date
25.05.2012	345690	01.06.2012	N/A

Billing Account for Disposal of Construction Waste

Date Application Submitted	Account No	Valid Since	Expiry Date
01.06.2012	7015313	27.06.2012	N/A

Chemical Waste Producer Registration

Date Registration Submitted	Waste Producer No.	Date Registration Issued	Major Waste Type	Expiry Date
20.06.2012	5213-950-C1169-43	12.07.2012	Spent lubricating oil, spent flammable liquid (diesel), surplus paint, spent organic solvent and their containers, spent batteries, soil containing mineral oil	N/A

Wastewater Discharge License

Item No.	Date Application Submitted	Area Applied	Status	Expiry Date
1	22.06.2012	Site Office for Supervising Officer (WA6)	Application Ref. No. 346651 Letter from the EPD (Ref: EP/RS/0000346267) dated 19.07.2012 confirming that license under WPCO is not required.	N/A
2	04.07.2012	Site Office for China States (WA6)	Application Ref. No. 346982 Water Discharge License WT00014182-2012 was granted on 20 Sep 2012	Valid until 30 Sept 2017

3.	31.07.2012	Portion B, Portion X & Portion Y	Application Ref. No. 348019 Water Discharge License WT00014118-2012 was granted on 20 Sep 2012	Valid until 30 Sep 2017.
4.	15.01.2013	WA 3	Application Ref No.356237 Water Discharge License Ref. WT00015423-2013 was granted on 4 Mar 2013	Valid until 31/03/2018
5.	15.01.2013	WA 4	Application Ref No. 356240 Applied for Water Discharge License and pending for approval	N/A

Construction Noise Permit

Item No.	Date Application Submitted	Works Area Applied	Description	Status	CNP No.	Validity of CNP	
						From	To
1	30.11.2012	WA 06	Lighting for Office	CNP issued on 14.12.2012 (Valid)	GW-RS1321-12	15.12.2012 19:00	14.06.2013 23:00
2	20.12.2012	Portion X	Marine Works (1900 to 2300)	CNP issued on 10.01.2013 (Valid)	GW-RS0019-13	10.01.2013 19:00	03.07.2013 23:00
3	20.12.2012	Portion X	Marine Works (2300 to 0700)	CNP issued on 10.01.2013 (Valid)	GW-RS0020-13	10.01.2013 23:00	03.07.2013 07:00
4	31.12.2012	Kwo Lo Wan	Street Lighting, Welding and Pile Piling Works (1900 to 2300)	CNP issued on 14.01.2013 (Valid)	GW-RS0035-13	14.01.2013 19:00	15.07.2013 23:00
5	31.12.2012	Kwo Lo Wan	Street Lighting, water treatment and Welding Works	CNP issued on 14.01.2013 (Valid)	GW-RS0037-13	14.01.2013 23:00	15.07.2013 07:00
6.	07.01.2013	West Portal	Site Formation and Waste water treatment	CNP issued on 21.01.2013 (valid)	GW-RS0049-13	21.01.2013 19:00	20.07.2013 07:00
7.	09.01.2013	WA 4	Loading of Fill Materials	CNP issued on 23.01.2013 (Valid)	GW-RW0054-13	25.01.2013 19:00	24.07.2013 23:00
9.	18.01.2013	Kwo Lo Wan	Pile Piling	CNP issued on 01.02.2013 (Valid)	GW-RS0105-13	04.02.2013 19:00	03.08.2013 23:00

Item No.	Date Application Submitted	Works Area Applied	Description	Status	CNP No.	Validity of CNP	
						From	To
10	28.01.2013	WA 03	Street lighting and water pumping	CNP issued on 08.02.2013 (Withdraw)	GW-RS2128-13	14.02.2013 19:00	13.08.2013 23:00
11	05.02.2013	Kwo Lo Wan	TTA Works (Mar 2013)	CNP issued on 19.02.2013 (Expire on 31.03.2013)	GW-RS0184-13	20.02.2013 23:00	31.03.2013 05:00
12	27.02.2013	Airport Road	Wastewater Treatment	CNP issued on 13.03.2013	GW-RS0243-13	13.03.2013 23:00	12.08.2013 07:00
13	13.03.2013	Kwo Lo Wan	TTA Works (Apr 2013)	CNP issued on 27.03.2013	GW-RS0301-13	01.04.2013 23:00	30.04.2013 05:00
14	15.03.2013	WA 3	Unloading of TTA material and wastewater treatment	CNP issued on 28.03.2013	GW-RS0319-13	28.03.2013 19:00	27.09.2013 07:00
15	17.04.2013	Kwo Lo Wan	TTA Works (May 2013)	Applied on 17.04.2013 and pending for approval	N/A	N/A	N/A
16	19.04.2013	Portion X	Marine Works (1900 to 2300)	Applied on 19.04.2013 and pending for approval	N/A	N/A	N/A
17	19.04.2013	Portion X	Marine Works (2300 to 0700)	Applied on 19.04.2013 and pending for approval	N/A	N/A	N/A



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX L

Implementation Schedule of Environmental Mitigation Measures



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
Air Quality							
S5.5.6.1	A1	1) The contractor shall follow the procedures and requirements given in the Air Pollution Control (Construction Dust) Regulation	Good construction site practices to control the dust impact at the nearby sensitive receivers to within the relevant criteria.	Contractor	All construction sites	Construction stage	✓
S5.5.6.2	A2	2) Proper watering of exposed spoil should be undertaken throughout the construction phase: <ul style="list-style-type: none"> Any excavated or stockpile of dusty material should be covered entirely by impervious sheeting or sprayed with water to maintain the entire surface wet and then removed or backfilled or reinstated where practicable within 24 hours of the excavation or unloading; Any dusty materials remaining after a stockpile is removed should be wetted with water and cleared from the surface of roads; A stockpile of dusty material should not be extend beyond the pedestrian barriers, fencing or traffic cones. The load of dusty materials on a vehicle leaving a construction site should be covered entirely by impervious sheeting to ensure that the dusty materials do not leak from the vehicle; Where practicable, vehicle washing facilities with high pressure water jet should be provided at every discernible or designated vehicle exit point. The area where vehicle washing takes place and the road section between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores; 	Good construction site practices to control the dust impact at the nearby sensitive receivers to within the relevant criteria.	Contractor	All construction sites	Construction stage	✓
S5.5.6.2	A2	<ul style="list-style-type: none"> When there are open excavation and reinstatement works, hoarding of not less than 2.4m high should be provided as far as practicable along the site boundary with provision for public crossing. Good site practice shall also be adopted by the Contractor to ensure the conditions of the hoardings are properly maintained throughout the construction period; 	Good construction site practices to control the dust impact at the nearby sensitive receivers to within the relevant criteria.	Contractor	All construction sites	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S5.5.6.2	A2	<p>Recommended Mitigation Measures</p> <ul style="list-style-type: none"> • The portion of any road leading only to construction site that is within 30m of a vehicle entrance or exit should be kept clear of dusty materials; • Surfaces where any pneumatic or power-driven drilling, cutting, polishing or other mechanical breaking operation takes place should be sprayed with water or a dust suppression chemical continuously; • Any area that involves demolition activities should be sprayed with water or a dust suppression chemical immediately prior to, during and immediately after the activities so as to maintain the entire surface wet; • Where a scaffolding is erected around the perimeter of a building under construction, effective dust screens, sheeting or netting should be provided to enclose the scaffolding from the ground floor level of the building, or a canopy should be provided from the first floor level up to the highest level of the scaffolding; • Any skip hoist for material transport should be totally enclosed by impervious sheeting; • Every stock of more than 20 bags of cement or dry pulverized fuel ash (PFA) should be covered entirely by impervious sheeting or placed in an area sheltered on the top and the 3 sides; 	<p>Objectives of the Recommended Measures & Main Concerns to address</p> <p>Good construction site practices to control the dust impact at the nearby sensitive receivers to within the relevant criteria.</p>	<p>Who to implement the measures?</p> <p>Contractor</p>	<p>Location of the measures</p> <p>All construction sites</p>	<p>When to implement the measures?</p> <p>Construction stage</p>	<p>Implementation Status</p> <p>✓</p>
S5.5.6.2	A2	<ul style="list-style-type: none"> • Cement or dry PFA delivered in bulk should be stored in a closed silo fitted with an audible high level alarm which is interlocked with the material filling line and no overfilling is allowed; • Loading, unloading, transfer, handling or storage of bulk cement or dry PFA should be carried out in a totally enclosed system or facility, and any vent or exhaust should be fitted with an effective fabric filter or equivalent air pollution control system; and • Exposed earth should be properly treated by compaction, turfing, hydroseeding, vegetation planting or sealing with latex, vinyl, bitumen, shotcrete or other suitable surface stabiliser within six months after the last construction activity on the construction site or part of the construction site where the exposed earth lies. 	<p>Objectives of the Recommended Measures & Main Concerns to address</p> <p>Good construction site practices to control the dust impact at the nearby sensitive receivers to within the relevant criteria.</p>	<p>Who to implement the measures?</p> <p>Contractor</p>	<p>Location of the measures</p> <p>All construction sites</p>	<p>When to implement the measures?</p> <p>Construction stage</p>	<p>Implementation Status</p> <p>N/A</p>

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S5.5.6.3	A3	3) The Contractor should undertake proper watering on all exposed spoil (with at least 8 times per day) throughout the construction phase.	Control dust	Contractor	All construction sites	Construction stage	✓
S5.5.6	A5	5) Implement regular dust monitoring under EM&A programme during the construction stage.	Monitor the 24 hr and 1hr TSP levels at the representative dust monitoring stations to ensure compliance with relevant criteria throughout the construction period	Contractor	Selected representative dust monitoring station	Construction stage	✓
S5.5.71	A6	The following mitigation measures should be adopted to prevent fugitive dust emissions for concrete batching plant: <ul style="list-style-type: none"> • Loading, unloading, handling, transfer or storage of any dusty materials should be carried out in totally enclosed system; • All dust-laden air or waste gas generated by the process operations should be properly extracted and vented to fabric filtering system to meet the emission limits for TSP; • Vents for all silos and cement/pulverised fuel ash (PFA) weighing scale should be fitted with fabric filtering system; • The materials which may generate airborne dusty emissions should be wetted by water spray system; • All receiving hoppers should be enclosed on three sides up to 3m above unloading point; • All conveyor transfer points should be totally enclosed; • All access and route roads within the premises should be paved and wetted; and • Vehicle cleaning facilities should be provided and used by all concrete trucks before leaving the premises to wash off any dust on the wheels and/or body. 	Monitor the 24 hr and 1hr TSP levels at the representative dust monitoring stations to ensure compliance with relevant criteria throughout the construction period	Contractor	Selected representative dust monitoring station	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S5.5.2.7	A7	<p>The following mitigation measures should be adopted to prevent fugitive dust emissions at barging point:</p> <ul style="list-style-type: none"> • All road surface within the barging facilities will be paved; • Dust enclosures will be provided for the loading ramp; • Vehicles will be required to pass through designated wheels wash facilities; and • Continuous water spray at the loading points. 	Control construction dust	Contractor	All construction sites	Construction stage	✓
Noise							
S6.4.10	N1	<p>1) Use of good site practices to limit noise emissions by considering the following:</p> <ul style="list-style-type: none"> • only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction programme; • machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum; • plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs; • silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works • mobile plant should be sited as far away from NSRs as possible and practicable; • material stockpiles, mobile container site officer and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities. 	Control construction airborne noise by means of good site practices	Contractor	All construction sites	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S6.4.11	N2	2) Install temporary hoarding located on the site boundaries between noisy construction activities and NSRs. The conditions of the hoardings shall be properly maintained throughout the construction period.	Reduce the construction noise levels at low-level zone of NSRs through partial screening.	Contractor	All construction sites	Construction stage	✓
S6.4.12	N3	3) Install movable noise barriers (typically density @ 14kg/m ²), acoustic mat or full enclosure close to noisy plants including air compressor, generators, saw.	Screen the noisy plant items to be used at all construction sites	Contractor	For plant items listed in Appendix 6D of the EIA report at all construction sites	Construction stage	✓
S6.4.13	N4	4) Select .Quiet plants. which comply with the BS 5228 Part 1 or TM standards.	Reduce the noise levels of plant items	Contractor	For plant items listed in Appendix 6D of the EIA report at all construction sites	Construction stage	✓
S6.4.14	N5	5) Sequencing operation of construction plants where practicable.	Operate sequentially within the same work site to reduce the construction airborne noise	Contractor	All construction sites where practicable	Construction stage	✓
	N6	6) Implement a noise monitoring under EM&A programme.	Monitor the construction noise levels at the selected representative locations	Contractor	Selected representative noise monitoring station	Construction stage	✓
Waste Management (Construction waste)							
S8.3.8	WM1	Construction and Demolition Material The following mitigation measures should be implemented in handling the waste: •Maintain temporary stockpiles and reuse excavated fill material for backfilling and reinstatement; •Carry out on-site sorting; •Make provisions in the Contract documents to allow and promote the use of recycled aggregates where appropriate; •Adopt .Selective Demolition. technique to demolish the existing structures and facilities	Good site practice to minimize the waste generation and recycle the C&D materials as far as practicable so as to reduce the amount for final disposal	Contractor	All construction sites	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S8.3.9-S8.3.11	WM2	<p>with a view to recovering broken concrete effectively for recycling purpose, where possible;</p> <ul style="list-style-type: none"> Implement a trip-ticket system for each works contract to ensure that the disposal of C&D materials are properly documented and verified; and Implement an enhanced Waste Management Plan similar to ETWBTC (Works) No. 19/2005. Environmental Management on Construction Sites, to encourage on-site sorting of C&D materials and to minimize their generation during the course of construction. In addition, disposal of the C&D materials onto any sensitive locations such as agricultural lands, etc. should be avoided. The Contractor shall propose the final disposal sites to the Project Proponent and get its approval before implementation 					
		<p>C&D Waste</p> <ul style="list-style-type: none"> Standard formwork or pre-fabrication should be used as far as practicable in order to minimise the arising of C&D materials. The use of more durable formwork or plastic facing for the construction works should be considered. Use of wooden hoardings should not be used, as in other projects. Metal hoarding should be used to enhance the possibility of recycling. The purchasing of construction materials will be carefully planned in order to avoid over ordering and wastage. The Contractor should recycle as much of the C&D materials as possible on-site. Public fill and C&D waste should be segregated and stored in different containers or skips to enhance reuse or recycling of materials and their proper disposal. Where practicable, concrete and masonry can be crushed and used as fill. Steel reinforcement bar can be used by scrap steel mills. Different areas of the sites should be considered for such segregation and storage. 	<p>Good site practice to minimize the waste generation and recycle the C&D materials as far as practicable so as to reduce the amount for final disposal</p>	Contractor	All construction sites	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S8.2.12- S8.3.15	WM3	<p>Chemical Waste</p> <ul style="list-style-type: none"> •Chemical waste that is produced, as defined by Schedule 1 of the Waste Disposal (Chemical Waste) (General) Regulation, should be handled in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes. •Containers used for the storage of chemical wastes should be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed; have a capacity of less than 450 liters unless the specification has been approved by the EPD; and display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the regulation.. •The storage area for chemical wastes should be clearly labeled and used solely for the storage of chemical waste; enclosed on at least 3 sides; have an impermeable floor and bunding of sufficient capacity to accommodate 110% of the volume of the largest container or 20 % of the total volume of waste stored in that area, whichever is the greatest; have adequate ventilation; covered to prevent rainfall entering; and arranged so that incompatible materials are adequately separated. •Disposal of chemical waste should be via a licensed waste collector; be to a facility licensed to receive chemical waste, such as the Chemical Waste Treatment Centre which also offers a chemical waste collection service and can supply the necessary storage containers; or be to a reuser of the waste, under approval from the EPD. 	Control the chemical waste and ensure proper storage, handling and disposal.	Contractor	All construction sites	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S8.3.16	WM4	<p><u>Sewage</u></p> <ul style="list-style-type: none"> • Adequate numbers of portable toilets should be provided for the workers. The portable toilets should be maintained in a state, which will not deter the workers from utilizing these portable toilets. Night soil should be collected by licensed collectors regularly. 	<p>Proper handling of sewage from worker to avoid odour, pest and litter impacts</p>	Contractor	All construction sites	Construction stage	✓
S8.3.17	WM5	<p><u>General Refuse</u></p> <ul style="list-style-type: none"> • General refuse generated on-site should be stored in enclosed bins or compaction units separately from construction and chemical wastes. • A reputable waste collector should be employed by the Contractor to remove general refuse from the site, separately from construction and chemical wastes, on a daily basis to minimize odour, pest and litter impacts. Burning of refuse on construction sites is prohibited by law. • Aluminium cans are often recovered from the waste stream by individual collectors if they are segregated and made easily accessible. Separate labelled bins for their deposit should be provided if feasible. • Office wastes can be reduced through the recycling of paper if volumes are large enough to warrant collection. Participation in a local collection scheme should be considered by the Contractor. In addition, waste separation facilities for paper, aluminum cans, plastic bottles etc., should be provided. • Training should be provided to workers about the concepts of site cleanliness and appropriate waste management procedure, including reduction, reuse and recycling of wastes. 	<p>Minimize production of the general refuse and avoid odour, pest and litter impacts</p>	Contractor	All construction sites	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
Water quality (Construction Phase)							
S9.11.1- S9.11.1.2	W1	<ul style="list-style-type: none"> Mitigation during the marine works to reduce impacts to within acceptable levels have been recommended and will comprise a series of measures that restrict the method and sequencing of filling work, as well as protection measures. Details of the measures are provided below and summarised in the Environmental Mitigation Implementation Schedule in EM&A Manual. Construction of seawalls to be advanced by at least 100-200m before the filling can commence. It should be noted that the protection by advanced seawall is a dynamic process depending on the progress of the construction activities. The part of the works where such measures can be undertaken for the majority of the time includes the following locations: <ul style="list-style-type: none"> TMCLKL northern reclamation; TMCLKL southern reclamation (after formation of the nips); Reclamation filling for Portion 1 of HKLR; Single layer silt curtains will be applied around all works; silt curtain shall be fully maintained throughout the works. 	To control construction water quality	Contractor	During seawall filling	Construction stage	✓
S9.11.1- S9.11.1.2	W1	<ul style="list-style-type: none"> Single layer silt curtains will be applied around all works; silt curtain shall be fully maintained throughout the works. 	To control construction water quality	Contractor	During seawall filling	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S9.11.1- S9.11.1.2	W1	<p>• excess material shall be cleaned from the decks and exposed fittings of barges before the vessel is moved;</p> <p>• all vessels shall be sized such that adequate clearance is maintained between vessels and the sea bed at all states of the tide to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash; and</p> <p>• the works shall not cause foam, oil, grease, litter or other objectionable matter to be present in the water within and adjacent to the works site.</p>	To control construction water quality	Contractor	During seawall filling	Construction stage	✓
S9.11.1- S9.11.1.2	W1	<p>• Mechanical grabs shall be designed and maintained to avoid spillage and should seal tightly while being lifted;</p> <p>• barges shall have tight fitting seals to their bottom openings to prevent leakage of material;</p> <p>• any pipe leakages shall be repaired quickly. Plant should not be operated with leaking pipes;</p> <p>• loading of barges shall be controlled to prevent splashing of filling materials to the surrounding water.</p> <p>• Barges shall not be filled to a level which will cause overflow of materials or pollution of water during loading or transportation;</p> <p>• adequate freeboard shall be maintained on barges to reduce the likelihood of decks being washed by wave action;</p> <p>• all vessels shall be sized such that adequate clearance is maintained between vessels and the sea bed at all states of the tide to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash; and</p> <p>• the works shall not cause foam, oil, grease, litter or other objectionable matter to be present in the water within and adjacent to the works site .</p>	To control construction water quality	Contractor	During seawall filling	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
		into the drainage system, and to prevent storm run-off from getting into foul sewers; <ul style="list-style-type: none"> • discharges of surface run-off into foul sewers must always be prevented in order not to unduly overload the foul sewerage system. 					
S9.14	W3	<ul style="list-style-type: none"> • Implement a water quality monitoring programme 	Control water quality	Contractor	At identified monitoring	During construction	✓
Ecology (Construction Phase)							
S10.7	E1	<ul style="list-style-type: none"> • Good site practices to avoid runoff entering woodland habitats in Scenic Hill; • Reinstate works areas in Scenic Hill; • Avoid stream modification in Scenic Hill. 	Avoid potential disturbance on habitat of Romer's Tree Frog in Scenic Hill	Designer; Contractor	Scenic Hill	During construction	✓
S10.7	E2	<ul style="list-style-type: none"> • Install silt curtain during the construction; • Construct seawall prior to reclamation filling where practicable; • Good site practices; • Site runoff control3; • Spill response plan. 	Minimise marine water quality impacts	Contractor	Seawall, reclamation area	During construction	✓
S10.7	E4	<ul style="list-style-type: none"> • Watering to reduce dust generation; prevention of siltation of freshwater habitats; Site runoff should be desilted, to reduce the potential for suspended sediments, organics and other contaminants to enter streams and standing freshwater. 	Prevent Sedimentation from Land-based works areas	Contractor	Land-based works areas	During construction	✓
S10.7	E5	<ul style="list-style-type: none"> • Good site practices, including strictly following the permitted works hours, using quieter machines where practicable, and avoiding excessive lightings during night time 	Prevent disturbance to terrestrial fauna and habitats	Contractor	Land-based works areas	During construction	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S10.7	E6	<ul style="list-style-type: none"> • Dolphin Exclusion Zone; • Dolphin watching plan . 	Minimize temporary marine habitat loss impact to dolphins	Contractor	Marine works	During marine works	✓
S10.7	E7	<ul style="list-style-type: none"> • Decouple compressors and other equipment on working vessels; • Avoidance of percussive piling; • Marine underwater noise monitoring; • Temporal suspension of drilling bored pile casing in rock during peak dolphin calving season in May and June; • Handling with care for the installation of sheet piling for reclamation site 	Minimize temporary marine habitat loss impact to dolphins	Contractor	Marine works	During marine works	✓
S10.7	E8	<ul style="list-style-type: none"> • Control vessel speed; • Skipper training; • Predefined and regular routes for working vessels; avoid Brothers Islands. 	Minimise marine traffic disturbance on dolphins	Contractor	Marine traffic	During marine works	✓
S10.10	E9	<ul style="list-style-type: none"> • Dolphin vessel monitoring; • Mudflat ecological monitoring. 	Minimise marine traffic disturbance on dolphins	Contractor	North Lantau and West Lantau	Prior to construction, during construction, and 1 year after operation	✓
Ecology (Operation Phase)							
S10.7	E10	<ul style="list-style-type: none"> • Preconstruction dive survey for corals 	Minimise impacts on marine ecology	Contractor	The marine pier sites nearest to intertidal zone and along the shore of the HKLR reclamation site	Prior to marine construction works in these locations	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
Fisheries							
S11.7	F2	<ul style="list-style-type: none"> Reduce re-suspension of sediments Good site practices Spill response plan 	Minimise marine water quality impacts	Contractor	Seawall, reclamation area	During construction	✓
S11.7	F3	<ul style="list-style-type: none"> Install silt-grease trap in the drainage system collecting surface runoff 	Minimise impacts on marine water quality impacts	Designer	Reclamation area	During construction	✓
S11.7	F4	<ul style="list-style-type: none"> Maritime Oil Spill Response Plan (MOSRP); Contingency plan. 	Minimise impacts on marine water quality impacts	Management	HKLR	During operation stage	✓
Landscape & Visual (Detailed Design Phase)							
S14.3.3.1	LV1	<p>General design measures include:</p> <ul style="list-style-type: none"> Roadside planting and planting along the edge of the reclamation is proposed; Transplanting of mature trees in good health and amenity value where appropriate and reinstatement of areas disturbed during construction by compensatory hydro-seeding and planting; Protection measures for the trees to be retained during construction activities; Optimizing the sizes and spacing of the bridge columns; Fine-tuning the location of the bridge columns to avoid visually sensitive locations; Aesthetic design of the bridge form and its structural elements for HKLR, e.g. parapet, soffit, columns, lightings and so on; <p>Considering the decorative urban design elements for HKLR, e.g. decorative road lightings;</p>	Minimise visual & landscape impact	Detailed designer	HKLR	Design stage	

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
S14.3.3.1	LV1	<p>Recommended Mitigation Measures</p> <ul style="list-style-type: none"> • Maximizing new tree, shrub and other vegetation planting to compensate tree felled and vegetation removed; • Providing planting area around peripheral of HKLR for tree planting screening effect. • Providing salt-tolerant native trees along the planter strip at affected seawall and newly reclaimed coastline. • Providing salt-tolerant native trees along the planter strip at affected seawall and newly reclaimed coastline. • For HKLR, providing aesthetic design on the viaduct, tunnel portals, at-grade roads and reclamation (e.g. subtle colour tone and slim form for viaduct to minimize the bulkiness of the structure and to blend the viaduct better with the background environment, featured form of tunnel portals, roadside planting along at-grade roads and landscape berm on & planting along edge of reclamation area) to beautify the HKLR alignment (refer to Figure 14.4.3). 	Minimise visual & landscape impact	Detailed designer	HKLR	Design stage	
Landscape & Visual (Construction Phase)							
S14.3.3.3	LV2	<p>Mitigate both Landscape and Visual Impacts</p> <p>G1. Grass-hydroseed bare soil surface and stock pile areas.</p> <p>G2. Add planting strip and automatic irrigation system if appropriate at some portions of bridge or footbridge to screen bridge and traffic.</p> <p>G3. For HKLR, providing aesthetic design on the viaduct, tunnel portals, at-grade roads and reclamation (e.g. subtle colour tone and slim form for viaduct, featured form of tunnel portals, roadside planting along at-grade roads and landscape berm on & planting along edge of reclamation area) to beautify the HKLR alignment.</p> <p>G4. Vegetation reinstatement and upgrading to disturbed areas.</p>	Minimise visual & landscape impact	Contractor	HKLR	Construction stage	✓

EIA Ref.	EM&A Log Ref	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	When to implement the measures?	Implementation Status
		<p>G5. Maximize new tree, shrub and other vegetation planting to compensate tree felled and vegetation removed.</p> <p>G6. Provide planting area around peripheral of and within HKLR for tree screening buffer effect.</p> <p>G7. Plant salt tolerant native tree and shrubs etc along the planterstrip at affected seawall.</p> <p>G8. Reserve of loose natural granite rocks for re-use. Provide new coastline to adopt .natural-look. by means of using armour rocks in the form of natural rock materials and planting strip area accommodating screen buffer to enhance .natural-look. of the new coastline (see Figure 14.4.2 for example).</p>					
S14.3.3.3	LV3	<p>Mitigate Visual Impacts</p> <p>V1.Minimize time for construction activities during construction period.</p> <p>V2.Provide screen hoarding at the portion of the project site / works areas / storage areas near VSRs who have close low-level views to the Project during HKLR construction.</p>					✓
EM&A							
S15.5-S15.6	EM2	<p>1) An Environmental Team needs to be employed as per the EM&A Manual.</p> <p>2) Prepare a systematic Environmental Management Plan to ensure effective implementation of the mitigation measures.</p> <p>3) An environmental impact monitoring needs to be implementing by the Environmental Team to ensure all the requirements given in the EM&A Manual are fully complied with.</p>	Perform environmental monitoring & auditing	Contractor	All construction sites	Construction stage	✓



APPENDIX M

Record of “Notification of Environmental Quality Limit Exceedances”



Contract No. HY/2011/03 - Hong Kong- Zhuhai- Macao Bridge
Hong Kong Link Road Section between Scenic Hill and Hong Kong Boundary Crossing Facilities
Notifications of Environmental Quality Limits Exceedances Notification No.: 137 (ver1)

Date of Notification: 22 April 2013

Works Inspected: Data collected from water sampling works on 10 April 2013 and the test report was issued on 17 April 2013.

Monitoring Location: Water Quality Monitoring Stations

Parameter: Dissolved Oxygen (DO)/ Suspended Solids (SS)/ Turbidity (TURB)

Action & Limit Level (AL & LL) / Measured Level:

PARAM	STATION	DEPTH	AL (mg/L)	LL (mg/L)	MEASURED AT MID-EBB TIDE (mg/L)	MEASURED AT MID-FLOOD TIDE (mg/L)
SS	IS8	DA	23.5 and 120% of upstream control station's suspended solid at the same tide of the same day (i.e. CS2: 8.78 x 120% = 10.5 mg/L for mid ebb) AND CS(Mf)5: 4.45 x 120% = 5.3 mg/L for mid flood)	34.4 and 130% of upstream control station's suspended solid at the same tide of the same day (i.e. CS2: 8.78 x 130% = 11.4 mg/L for mid ebb) AND CS(Mf)5: 4.45 x 130% = 5.8 mg/L for mid flood)	6.4	23.9

Notes:
 DA means depth average.
Bold Italic means AL exceedances.
Bold Italic with underline means LL exceedances.

Possible reason for Action or Limit Level Non-compliance:

On 10 April 2013, an AL exceedance at station IS8 was recorded during mid-flood tide.

The exceedance has been investigated and is considered unlikely to be related to contract works due to the following reasons:

- The sampling time for IS8 was around 06:54 hour for mid-flood tide on 10 April 2013. According to the information provided by the Contractor, a tug boat was used to tow barges during the sampling date and a hopper barge was used to carry out rock filling at Zone 3A from 11:00 to 11:45 hour on 10 April 2013. No marine works were undertaken during the sampling period of IS8 for the mid-flood tide.
- The ranges of suspended solid at station IS8 during the baseline monitoring are shown as below:

Station	Range of Suspended Solid (mg/L) Mid- Ebb Tide	Range of Suspended Solid (mg/L) Mid- Flood Tide
IS8	5.5 to 25.5	5.8 to 31.3

The measured values at station IS8 were within the range of suspended solid during baseline monitoring for mid-ebb tide and mid-flood tide.


- There were no specific activities recorded during the monitoring period that would cause any significant impacts on the monitoring results.
- No leakage of turbid water or any abnormality or malpractice was observed during the sampling exercise.

As such, the suspended solid levels are considered to be attributed to other external factors, rather than the contract works.

Actions taken/ to be taken:

As the suspended solid levels recorded beyond the water quality criteria were not related to contract works, no immediate actions are considered necessary.

Location Plan:



Reviewed by : Claudine Lee

Title : ET Leader

Date : 26 April 2013

Copied to : Supervising Officer, IEC, EPD, Contractor, ENPO

Contract No. HY/2011/03 - Hong Kong- Zhuhai- Macao Bridge
Hong Kong Link Road Section between Scenic Hill and Hong Kong Boundary Crossing Facilities
Notifications of Environmental Quality Limits Exceedances Notification No.: 138

Date of Notification: 7 May 2013

Works Inspected: Data collected from water sampling works on 26 April 2013 and the test report was issued on 6 May 2013.

Monitoring Location: Water Quality Monitoring Stations

Parameter: Dissolved Oxygen (DO)/ Suspended Solids (SS)/ Turbidity (TURB)

Action & Limit Level (AL & LL) / Measured Level:

PARAM	STATION	DEPTH	AL (mg/L)	LL (mg/L)	MEASURED AT MID-EBB TIDE (mg/L)	MEASURED AT MID-FLOOD TIDE (mg/L)
SS	IS10	DA	23.5 and 120% of upstream control station's suspended solid at the same tide of the same day (i.e. CS2: 10.38 x 120% = 12.5 mg/L for mid ebb) AND CS(Mf)5: 5.78 x 120% = 6.9 mg/L for mid flood)	34.4 and 130% of upstream control station's suspended solid at the same tide of the same day (i.e. CS2: 10.38 x 130% = 13.5 mg/L for mid ebb) AND CS(Mf)5: 5.78 x 130% = 7.5 mg/L for mid flood)	11.3	24.1
SS	SR5	DA	CS2: 10.38 x 120% = 12.5 mg/L for mid ebb) AND CS(Mf)5: 5.78 x 120% = 6.9 mg/L for mid flood)	CS2: 10.38 x 130% = 13.5 mg/L for mid ebb) AND CS(Mf)5: 5.78 x 130% = 7.5 mg/L for mid flood)	11.0	25.8

Notes:
 DA means depth average.
Bold Italic means AL exceedances.
Bold Italic with underline means LL exceedances.

Possible reason for Action or Limit Level Non-compliance:

On 26 April 2013, AL exceedances at station IS10 and SR5 were recorded during mid-flood tide.

The exceedances have been investigated and are considered unlikely to be related to contract works due to the following reasons:

1. The sampling time for IS10 and SR 5 were around 06:22 and 06:29 hour for mid-flood tide on 26 April 2013. According to the information provided by the Contractor, removal of temporary stone platform and installation of stone column were carried out on 26 April 2013 during the working hours (after 8am). No marine works were undertaken during the sampling period of IS10 and SR5 for the mid-flood tide.
2. The ranges of suspended solid at station IS10 and SR5 during the baseline monitoring are shown as below:

Station	Range of Suspended Solid (mg/L) Mid- Ebb Tide	Range of Suspended Solid (mg/L) Mid- Flood Tide
IS10	6.1 to 20.2	7.2 to 16
SR5	6.7 to 16.5	6.5 to 31.2

The measured value at station IS10 is higher than the range of suspended solid during mid-flood tide and the measured value at station SR5 was within the range of suspended solid during baseline monitoring for mid-flood tide.


3. There were no specific activities recorded during the monitoring period that would cause any significant impacts on the monitoring results.
4. No leakage of turbid water or any abnormality or malpractice was observed during the sampling exercise.

As such, the suspended solid levels are considered to be attributed to other external factors, rather than the contract works.

Actions taken/ to be taken:

As the suspended solid levels recorded beyond the water quality criteria were not related to contract works, no immediate actions are considered necessary.

Location Plan:



Reviewed by : Claudine Lee

Title : ET Leader

Date : 7 May 2013

Copied to : Supervising Officer, IEC, EPD, Contractor, ENPO

Contract No. HY/2011/03 - Hong Kong- Zhuhai- Macao Bridge Hong Kong Link Road Section between Scenic Hill and Hong Kong Boundary Crossing Facilities Notifications of Environmental Quality Limits Exceedances			Notification No.: 139a
Date of Notification: 14 May 2013			
Works Inspected: Not Applicable			
Monitoring Location: Not Applicable			
Parameter: Noise			
Action & Limit Levels		Description	
Time Period	Action Level	Limit Level	2 Action level exceedances were recorded due to 1 documented complaint received - A facsimile complaint was received on 15 April 2013 regarding the machinery noise generated from the construction site near Tung Chung Development Pier operating for the Hong Kong-Zhuhai-Macao Bridge Hong Kong during the normal working hours on 6 April 2013 and 13 April 2013 causing nuisance to public.
07:00–19:00 hrs Normal weekday	1 complaint	75 dB(A)	
Possible reason for Action or Limit Level Non-compliance:			
<p>According to the site dairy provided by the Contractor, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zone 1 during the normal working hours of 6 April 2013 (7:30a.m. to 6p.m.) where malfunctioning of the bulldozer operating at Zone 3A was recorded and the machine was checked and repaired to resume functional. During the normal working hours (7:30a.m. to 6p.m) of 13 April 2013, stone column installation was undertaken at Zone 3A and rock filling activities were undertaken at Zones 1 and 3A. The construction activities did not cause adverse noise impacts on nearby noise sensitive receivers. The site diary for the complaint time period of 6 and 13 April 2013 is attached for information.</p>			
Actions taken/ to be taken:			
<p>A site inspection was undertaken on 17 April 2013 between 9:30 a.m. and noon. During the site inspection, the following activities were undertaken:</p> <ul style="list-style-type: none"> • Zone 3A – Rock transfer from pelican barge to hopper barge • Zone 3A – Stone column installation • Zone 3B – Forming access at rock platform by excavator and dump trucks <p>It was found that powered mechanical equipment was operated under normal condition and no significant noise was generated from the construction activities.</p> <p>Based on the Contractor's site dairy and our investigation, it is considered that the complaint is invalid.</p>			
Recommendations/ mitigation measures/ actions if necessary:			
<p>Although the noise complaint was considered invalid, the Contractor was also reminded to minimize the noise impact and implement the noise mitigation measures as required in the Implementation Schedule to minimize the potential noise impacts.</p>			


Reviewed by : Claudine Lee

Title : ET Leader



Date : 14 May 2013

Copied to : Supervising Officer, IEC, EPD, Contractor



Marine Plant Operation during normal working hours on 6 Apr 2013

Location	Time	Plant Name	Vessel Type	Working Status	CNP No.	Group
Zone 3A	0730 - 1800	N/A	Stone column rig	Stone column installation	N/A	N/A
		N/A	Air compressor	Provided compressed air for the stone column installation	N/A	N/A
		N/A	Generator	Provided power supply for the stone column installation	N/A	N/A
		N/A	Loader	Feeding rock material for stone column rig	N/A	N/A
Zone 1	1000 - 1800	N/A	Bulldozer	Moving rock material to location for use by loader	N/A	N/A
		盛業FB101	Flat top barge	Sudden mechanical breakdown at 0930 and stopped operation for inspection and maintenance	N/A	N/A
		C.M.118	Hopper barge	Acting as marker pontoon at fix position	N/A	N/A
				Rockfilling		

Marine Plant Operation during normal working hours on 13 Apr 2013

Location	Time	Plant Name	Plant Type	Working Status	CNP No.	Group
Zone 3A	0730 - 1900	N/A	Stone column rig	Stone column installation	N/A	N/A
		N/A	Air compressor	Provided compressed air for the stone column installation	N/A	N/A
		N/A	Generator	Provided power supply for the stone column installation	N/A	N/A
		N/A	Loader	Feeding rock material for stone column rig	N/A	N/A
		N/A	Bulldozer	Moving rock material to location for use by loader	N/A	N/A
Zone 1	1000 - 1800	盛業FB101	Flat top barge	Acting as marker pontoon at fix position	N/A	N/A
		C.M.118	Hopper barge	Rockfilling For positioning only without crane operation	N/A	N/A
Zone 3A	0800 - 1200	新訊SS2	Derrick barge			
		C.S.2001	Hopper barge	Rockfilling		
Zone 1	0900 - 0900 0900 - 11:00	粵惠州貨3388	Pelican barge	Rockfilling	N/A	N/A
		粵廣州貨1062	Pelican barge	Rockfilling	N/A	N/A
Zone 1	0800 - 1800	C.M.83	Derrick barge	For positioning only without crane operation	N/A	N/A
		海駁5	Hopper barge	Rockfilling		

Summary of Notifications of Summons and Prosecutions

Total No. of Notifications of Summons / Prosecutions Received	No. of Notifications of Summons / Prosecutions Received during Reporting Period	Status of Notifications of Summons / Prosecutions
0	0	N/A



路政署
HIGHWAYS DEPARTMENT

港珠澳大橋香港工程管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

Contract No. HY/2011/03 : Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road - Section between Scenic Hill
and Hong Kong Boundary Crossing Facilities
7th Monthly EM&A Report

APPENDIX N

Location of Works Areas



中國建築工程(香港)有限公司
CHINA STATE CONSTRUCTION ENGINEERING (HONG KONG) LTD.

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.
 ALL RIGHTS RESERVED.
 © DIC ARUP & PARTNERS HONG KONG LIMITED.



NOTES

1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRG. NOS. 214487/2/T/131 - 133.

Rev	Description	By	Date
A	TENDER ISSUE	IL	02/12

Consultant
ARUP 奧雅納工程顧問
 Ove Arup & Partners Hong Kong Limited

Contract No. and Title
 Contract No. HY/2011/03
 Hong Kong-Zhuhai-Macao Bridge
 Hong Kong Link Road -
 Section Between Seem Hill and
 Hong Kong Boundary Crossing Facilities



Drawing Title
**WORKS AREAS
 KEY PLAN**

Drawing no. **214487/2/T/130** Rev. **A**

Drawn	Checked	Approved
RY	IL	SK
Date	02/12	
Scale	1:30000 @A1	Status
		TENDER


COPYRIGHT RESERVED








WORKS AREA WA4







**WORKS AREA
WA5**

大蠔灣
TAI HO WAN



白芒
Pak Mong





**WORKS AREA
WA6**

NOTES
 1. FOR DETAILED DESCRIPTION OF PORTION OF SITE, REFER TO PER PART 2 GENERAL SITE DATA.
 2. ACCESS ROAD TO NP360 CABLE CAR ANGLE STATION SHALL BE MAINTAINED AT ALL TIMES.



Rev	Description	By	Date
A	TENDER ISSUE	IL	02/12

Consultant
ARUP 奧雅納工程顧問
 Ove Arup & Partners Hong Kong Limited


Contract No. and Title:
Contract No. HY/2011/03
 Hong Kong-Zhuhai-Macao Bridge
 Hong Kong Link Road -
 Section Between Seismic Hill and
 Hong Kong Boundary Crossing Facilities

Drawing Title
PORTION OF SITE
(SHEET 1 OF 3)

Drawing no.	214487/2/T/121	Rev.	A
Drawn	IL	Checked	SK
RY	02/12	Approved	SK
Scale	1:2000 @A1	Status	TENDER

COPYRIGHT RESERVED

路政署
HIGHWAYS DEPARTMENT
 港珠澳大橋香港工程管理局
 Hong Kong - Zhuhai - Macao Bridge
 Hong Kong Project Management Office



DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.
 ALL RIGHTS RESERVED.
 © DIC, ARUP & PARTNERS HONG KONG LIMITED.

NOTES

1. FOR GENERAL NOTES AND LEGEND, REFER TO DRG. NO. 214487/2/1/121.

Rev	Description	By	Date
A	TENDER ISSUE	IL	02/12

Consultant
ARUP 奧雅納工程顧問
 Ove Arup & Partners Hong Kong Limited

Contract No. and Title:
 Contract No. HY/2011/03
 Hong Kong-Zhuhai-Macao Bridge
 Hong Kong Link Road -
 Section Between Seem Hill and
 Hong Kong Boundary Crossing Facilities

Drawing title
**PORTION OF SITE
 (SHEET 2 OF 3)**

Drawing no.	214487/2/1/122	Rev.	A
Drawn	IL	Checked	Approved
RY	02/12	IL	SK
Scale	1:2000 @A1	Status	TENDER



DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.
 ALL RIGHTS RESERVED.
 © OVE ARUP & PARTNERS HONG KONG LIMITED.

HONG KONG INTERNATIONAL AIRPORT
 SOUTH PLY

NOTES

1. FOR GENERAL NOTES AND LEGEND, REFER TO DRG. NO. 214487/2/T/121.

SETTING OUT CO-ORDINATES OF SITE PORTION C

POINT	CO-ORDINATES	
	EASTING	NORTHING
C1	812097.481	819361.966
C2	812254.199	819116.562
C3	812178.695	819101.208
C4	811970.282	819189.551
C5	811941.125	819235.206

SETTING OUT CO-ORDINATES OF SITE PORTION D1

POINT	CO-ORDINATES	
	EASTING	NORTHING
D1-1	812059.460	819421.497
D1-2	812014.853	819351.273
D1-3	812026.200	819329.938


Rev	Description	By	Date
A	TENDER ISSUE	IL	02/12

Consultant
ARUP 奧雅納工程顧問
Ove Arup & Partners Hong Kong Limited

Contract No. and Title
Contract No. HY/2011/03
Hong Kong-Zhuhai-Macao Bridge
Hong Kong Link Road -
Section Between Seem Hill and
Hong Kong Boundary Crossing Facilities

Drawing title
**PORTION OF SITE
(SHEET 3 OF 3)**

Drawing no.	214487/2/T/123	Rev.	A
Drawn By	IL	Checked	SK
Scale	1:2000 @A1	Status	TENDER



DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.
ALL RIGHTS RESERVED.
© OVE ARUP & PARTNERS HONG KONG LIMITED.