

**Environmental Monitoring and Audit
for Contaminated Mud Pits to the
South of The Brothers and at East
Sha Chau (2012-2017) – Investigation
Agreement No. CE 23/2012(EP)**

**33rd Monthly Progress Report for Contaminated
Mud Pits to the South of The Brothers and at
East Sha Chau – May 2015**

Revision 0

15 June 2015

Environmental Resources Management
16/F Berkshire House
25 Westlands Road
Quarry Bay, Hong Kong
Telephone (852) 2271 3000
Facsimile (852) 2723 5660
www.erm.com



Environmental Monitoring and Audit for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau (2012-2017) – Investigation




33rd Monthly Progress Report for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau – May 2015

Revision 0

Environmental Resources Management

16/F
 Berkshire House
 25 Westlands Road
 Quarry Bay
 Hong Kong
 Telephone: (852) 2271 3000
 Facsimile: (852) 2723 5660
 E-mail: post.hk@erm.com
 http://www.erm.com

Document Code: 0175086 Monthly May 2015_v0.doc

Client: Civil Engineering and Development Department (CEDD)		Project No: 0175086			
Summary: This document presents the 33 rd monthly progress report for Contaminated Mud Pits at the South of The Brothers and at East Sha Chau.		Date: 15 June 2015			
		Approved by: 			
		Craig A. Reid Partner			
v0	33 rd Monthly Progress Report for ESC CMPs and SB CMPs	CY	JT	CAR	15/6/15
Revision	Description	By	Checked	Approved	Date
<p>This report has been prepared by Environmental Resources Management the trading name of 'ERM Hong-Kong, Limited', with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.</p> <p>We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.</p> <p>This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at their own risk.</p>		<p>Distribution</p> <p><input type="checkbox"/> Internal</p> <p><input checked="" type="checkbox"/> Public</p> <p><input type="checkbox"/> Confidential</p>			
		 			

**Dredging, Management and Capping of Contaminated Sediment Disposal
Facility to the South of The Brothers**

**Environmental Certification Sheet
EP-427/2011/A**


Reference Document/Plan

Document/Plan to be Certified/ Verified:	33 rd Monthly Progress Report for Contaminated Mud Pits to the South of The Brothers and at East Sha Chau - May 2015
Date of Report:	15 June 2015
Date prepared by ET:	15 June 2015
Date received by IA:	15 June 2015


Reference EP Condition

Environmental Permit Condition:	Condition No.: 4.4
4 hard copies and 1 electronic copy of monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of the reporting month. The EM&A Reports shall include a summary of all non-compliance (exceedances) of the environmental quality performance limits (Action and Limit Levels). The submissions shall be certified by the ET Leader and verified by the Independent Auditor. Additional copies of the submission shall be provided to the Director upon request by the Director.	

ET Certification

I hereby certify that the above referenced document/ plan complies with the above referenced condition of EP-427/2011/A	
Craig A. Reid, Environmental Team Leader:	 Date: 15/6/2015

IA Verification

I hereby verify that the above referenced document/ plan complies with the above referenced condition of EP-427/2011/A	
Dr Wang Wen Xiong, Independent Auditor:	 Date: 15/6/2015

CONTENTS

1.1	BACKGROUND	1
1.2	REPORTING PERIOD	2
1.3	DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES	2
1.4	DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS	3
1.5	BRIEF DISCUSSION OF THE MONITORING RESULTS FOR SB CMPS	3
1.6	ACTIVITIES SCHEDULED FOR THE NEXT MONTH	7
1.7	STUDY PROGRAMME	7

ANNEXES

ANNEX A	SAMPLING SCHEDULE
ANNEX B	GRAPHICAL PRESENTATIONS
ANNEX C	WATER QUALITY MONITORING RESULTS
ANNEX D	STUDY PROGRAMME

Agreement No. CE 23/2012 (EP)
Environmental Monitoring and Audit
for Contaminated Mud Pits to the South of The Brothers and at East Sha
Chau (2012-2017) - Investigation

33RD MONTHLY PROGRESS REPORT FOR MAY 2015

1.1 BACKGROUND

1.1.1 Since early 1990s, contaminated sediment ⁽¹⁾ arising from various construction works (e.g. dredging and reclamation projects) in Hong Kong has been disposed of at a series of seabed pits at East of Sha Chau (ESC). In late 2008, a review indicated that the existing and planned facilities at ESC would not be able to meet the disposal demand after 2012. In order to meet this demand, the Hong Kong Special Administrative Region Government (HKSARG) decided to implement a new contained aquatic disposal (CAD) ⁽²⁾ facility at the South of The Brothers (SB CMPs) which had been under consideration for a number of years.

1.1.2 The environmental acceptability of the construction and operation of the Project had been confirmed by findings of the associated Environmental Impact Assessment (EIA) study completed in 2005 under *Agreement No. CE 12/2002(EP)* ⁽³⁾. The Director of Environmental Protection (DEP) approved this EIA report under the *Environmental Impact Assessment Ordinance (Cap. 499) (EIAO)* in September 2005 (*EIA Register No.: AEIAR-089/2005*).

1.1.3 In accordance with the EIA recommendation, prior to commencement of construction works for the SB CMPs, the Civil Engineering and Development Department (CEDD) undertook a detailed review and update of the EIA findings for the SB site ⁽⁴⁾. Findings of the EIA review undertaken in 2009/2010 confirmed that the construction and operation of the SB site had been predicted to be environmentally acceptable.

(1) According to the Management Framework of Dredged/ Excavated Sediment of ETWB TC(W) No. 34/2002, contaminated sediment in general shall mean those sediment requiring Type 2 – Confined Marine Disposal as determined according to this TC(W).

(2) CAD options may involve use of excavated borrow pits, or may involve purpose-built excavated pits. CAD sites are those which involve filling a seabed pit with contaminated mud and capping it with uncontaminated material such that the original seabed level is restored and the contaminated material is isolated from the surrounding marine environment.⁷

(3) Detailed Site Selection Study for a Proposed Contaminated Mud Disposal Facility within the Airport East/ East of Sha Chau Area (*Agreement No. CE 12/2002(EP)*)

(4) Under the CEDD study *Contaminated Sediment Disposal Facility to the South of The Brothers (Agreement No. FM 2/2009)*

1.1.4 Environmental Permits (EPs) (EP-312/2008/A and EP-427/2011A) were issued by the Environmental Protection Department (EPD) to the CEDD, the Permit Holder, on 28 November 2008 for ESC CMP V and on 23 December 2011 for SB CMPs, respectively. Under the requirements of the EPs, an Environmental Monitoring and Audit (EM&A) programme as set out in the EM&A Manuals ⁽¹⁾ ⁽²⁾ is required to be implemented for the CMPs.

1.1.5 The present EM&A programme under Agreement No. CE 23/2012 (EP) covers the dredging, disposal and capping operations of the SB CMPs as well as ESC CMPs. Detailed works schedule for both CMPs is shown in Figure 1.1. In May 2015, the following works were being undertaken at the CMPs:

- Capping operations at ESC CMPs;
- Capping operations at SB CMP 1; and
- Disposal of contaminated mud at SB CMP 2.

Figure 1.1 Works Schedule for ESC CMPs and SB CMPs

Pit	Operation	2012			2013					2014					2015					2016					2017						
		S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F
ESC CMP	Dredging																														
	Backfilling																														
	Capping																														
SB CMP 1	Dredging																														
	Backfilling																														
	Capping																														
SB CMP 2	Dredging																														
	Backfilling																														
	Capping																														

1.2 REPORTING PERIOD

1.2.1 This 33rd Monthly Progress Report covers the EM&A activities for the reporting month of May 2015.

1.3 DETAILS OF SAMPLING AND LABORATORY TESTING ACTIVITIES

1.3.1 No monitoring activities have been undertaken for ESC CMPs in May 2015.

1.3.2 The following monitoring activities have been undertaken for SB CMPs in May 2015:

- Routine Water Quality Monitoring of CMP 2 was undertaken on 11 May 2015;

(1) ERM (2012) Environmental Monitoring and Audit (EM&A) Manual. Final First Review. Environmental Monitoring and Audit for Contaminated Mud Pits to the South of the Brothers and at East Sha Chau (2012-2017) - Investigation. Agreement No. CE 23/2012(EP). Submitted to EPD in November 2012.

(2) ERM (2010) Environmental Monitoring and Audit (EM&A) Manual. Final Second Review. Environmental Monitoring and Audit for Contaminated Mud Pit at Sha Chau (2009-2013) - Investigation. Agreement No. CE 4/2009(EP). Submitted to EPD in November 2010.

- *Pit Specific Sediment Chemistry* of CMP 2 was undertaken on 12 May 2015; and
- *Water Column Profiling* of CMP 2 was undertaken on 13 May 2015.

1.4 *DETAILS OF OUTSTANDING SAMPLING AND/OR ANALYSIS*

1.4.1 No outstanding sampling remained for May 2015. The following laboratory analyses were still in progress during the preparation of this monthly report and hence are not presented in this monthly report:

- Laboratory analyses of sediment samples collected for *Pit Specific Sediment Chemistry* of CMP 2 in May 2015.

1.4.2 A summary of field activities conducted are presented in *Annex A*.

1.5 *BRIEF DISCUSSION OF THE MONITORING RESULTS FOR SB CMPS*

1.5.1 Brief discussion of the monitoring results of the following activities for SB CMPS is presented in this *33rd Monthly Progress Report*:

- *Routine Water Quality Monitoring* of CMP 2 conducted in April (laboratory measurements) and May 2015;
- Laboratory analyses of sediment samples collected for *Pit Specific Sediment Chemistry* of CMP 2 in April 2015; and
- *Water Column Profiling* of CMP 2 undertaken on 13 May 2015.

1.5.2 *Routine Water Quality Monitoring of SB CMP 2 - April and May 2015*

1.5.3 The monitoring results for the *Routine Water Quality Monitoring* conducted in April and May 2015 in the wet season have been assessed for compliance with the Water Quality Objectives (WQOs) set by EPD. This consists of a review of the EPD routine water quality monitoring data for the wet season period (April to October) of 2004 - 2013 from stations in the Northwestern Water Control Zone, where the CMPs are located. For Salinity, the averaged value obtained from the Reference stations was used for the basis as the WQO. Levels of Dissolved Oxygen (DO) and Turbidity were also assessed for compliance with the Action and Limit Levels (see *Table C1 of Annex C* for details). The monitoring results are shown in *Figures 1-15 of Annex B* and *Table C2 of Annex C*. A total of fourteen (14) monitoring stations were sampled in April 2015 and May 2015 as shown in *Figure 1.2*. The *in-situ* data for April 2015 has been discussed in *32nd Monthly Progress Report*.

In-situ Measurements

1.5.4 Analyses of results for May 2015 indicated that the levels of pH and DO complied with the WQOs at all stations (Impact, Intermediate, Reference and Water Sensitive Receiver stations) in May 2015 (*Figures 1-5 of Annex B*). However, the levels of Salinity at all stations (Impact, Intermediate and Water Sensitive Receiver stations) were out of the range of WQO. Salinities at Impact, Intermediate, Ma Wan, Shum Shui Kok and Tai Mo To stations exceeded the WQO while salinities at Tai Ho Bay stations were lower than the WQO. The lower salinities recorded at Tai Ho Bay and Reference stations are likely due to the close proximity of the nearby streams, which release large amount of freshwater runoff in the area during flooding.

1.5.5 The levels of DO and Turbidity complied with the Action and Limit Levels at all stations (*Figures 3 and 5 of Annex B; Table C1 of Annex C*).

1.5.6 Overall, *in-situ* measurement results of the *Routine Water Quality Monitoring* indicated that the disposal operation at CMP 2 did not appear to cause any unacceptable impacts in water quality in May 2015.

Laboratory Measurements

Laboratory analysis of April and May 2015 results indicated that concentrations of Cadmium, Mercury and Silver were below their limit of reporting at all stations. Arsenic, Chromium, Copper, Lead, Nickel and Zinc were detected in April and May 2015 samples and the concentrations were similar amongst stations (*Figures 6-7 and 11-12 of Annex B*). Results of laboratory analysis were shown in *Table C3 of Annex C*.




Figure 1.2

Routine & Capping Water Quality Sampling Stations (Flood-Tide) for South Brothers Facility

- 1.5.7 For nutrients, concentrations of Total Inorganic Nitrogen (TIN) at all stations in April 2015 complied the WQO (0.5mg/L) while all station in May 2015 exceeded the WQO (*Figures 8 and 13 of Annex B*). It is important to note that due to the effect of the Pearl River, the North Western WCZ has historically experienced higher levels of TIN ⁽¹⁾. In addition, a higher TIN concentration was recorded at Reference stations than Impact station. Therefore, the exceedances of TIN WQO at all stations in May were unlikely to be caused by the disposal operation at CMP 2. Ammonia Nitrogen (NH₃-N) concentration was relatively similar amongst all stations (*Figures 8 and 13 of Annex B*). Levels of 5-day Biochemical Oxygen Demand (BOD₅) appear to be higher at Shum Shui Kok, Tai Mo To and Tai Ho Bay 2 stations in April 2015 and at Impact stations in May 2015 (*Figures 9 and 14 of Annex B*).
- 1.5.8 Concentrations of SS exceeded the WQO (11.6 mg/L for wet season) at Shum Shui Kok and Tai Ho Bay 1 stations in April and May 2015 respectively. Exceedance did not occur at Impact stations, thus these exceedances were considered to be due to sporadic events in this area of Hong Kong. SS complied with the Action and Limit Levels at all stations in April and May 2015 (*Figures 10 and 15 of Annex B; Table C3 of Annex C*).
- 1.5.9 Overall, results of the *Routine Water Quality Monitoring* indicated that the disposal operation at CMP 2 did not appear to cause any unacceptable deterioration in water quality in April and May 2015. Detailed statistical analysis will be presented in the Quarterly Report to observe any spatial and temporal trends.
- 1.5.10 ***Pit Specific Sediment Chemistry of CMP 2 - April 2015***
- 1.5.11 Monitoring locations for *Pit Specific Sediment Chemistry for CMP 2* are shown in *Figure 1.3*. A total of six (6) monitoring stations were sampled in April 2015.
- 1.5.12 The concentrations of most inorganic contaminants were lower than the Lower Chemical Exceedance Level (LCEL) at most stations except for Chromium, Nickel, Silver and Zinc at Active Pit station SB-NPBB and Mercury at Near-Pit stations SB-NNBA and SB-NNBB in April 2015 (*Figures 16-17 of Annex B*). Chromium, Nickel and Zinc exceeded the LCEL at Active Pit station SB-NPBB while Silver exceeded the Upper Chemical Exceedance Level (UCEL) at Active Pit station SB-NPBB in April 2015. Mercury exceeded the LCEL at Near-Pit stations SB-NNBA and SB-NNBB in April 2015. As higher Chromium, Nickel, Silver and Zinc concentrations were recorded within the Active Pit station only which were receiving contaminated mud during the reporting month while higher mercury concentrations were recorded at the Near-Pit stations only, there is no evidence indicating any dispersal of contaminants from the active pit.

(1) http://www.epd.gov.hk/epd/misc/marine_quality/1986-2005/textonly/eng/index.htm




Figure 1.3

Pit Specific Sediment Quality Monitoring Stations for South Brothers Facility

1.5.13 For organic contaminants, the concentrations of Total Organic Carbon (TOC) were observed to be slightly higher in Active-Pit station SB-NPBB, Pit-Edge SB-NEBA and Near-Pit SB-NNBA (*Figure 18 of Annex B*). Tributyltin (TBT), total dichlorodiphenyltrichloroethane (DDT), 4,4'-dichlorodiphenyldichloroethylene (DDE), Total Polychlorinated Biphenyls (PCBs), Low and High Molecular Weight Polycyclic Aromatic Hydrocarbons (MW PAHs) were below the limit of reporting at most stations (except for High MW PAHs at Impact station SB-NPBB) in April 2015 (*Figure 19 of Annex B*).

1.5.14 Overall, there is no evidence indicating any unacceptable environmental impacts to sediment quality as a result of the contaminated mud disposal operations at CMP 2 in April 2015. Statistical analysis will be undertaken in the quarterly report to investigate whether there are any unacceptable impacts in the area caused by the contaminated mud disposal.

1.5.15 ***Water Column Profiling of CMP 2 – May 2015***

1.5.16 *Water Column Profiling* was undertaken at a total of two sampling stations (Upstream and Downstream stations) on 13 May 2015. The water quality monitoring results have been assessed for compliance with the WQOs as discussed in *Section 1.5.3*. The monitoring results were also compared with the Action and Limit Levels set in *Baseline Monitoring Report* (see *Table C1 of Annex C* for details).

In-situ Measurements

1.5.17 Analyses of results for May 2015 indicated that levels of Salinity, DO and pH complied with the WQOs at both Downstream and Upstream stations (*Table C4 of Annex C*). DO and Turbidity at all stations complied with the Action and Limit Levels (*Tables C1 and C4 of Annex C*).

Laboratory Measurements for SS

1.5.18 Analyses of results for May 2015 indicated that the Suspended Solid (SS) levels at both Upstream and Downstream stations exceeded the WQO. It is considered that the exceedance of SS was possibly caused by natural background variation of water quality in the area. However, both Upstream and Downstream stations complied with the Action and Limit Levels (*Tables C1 and C4 of Annex C*).

1.5.19 Overall, the monitoring results indicated that the mud disposal operation at CMP 2 did not appear to cause any deterioration in water quality during this reporting period.

1.6 *ACTIVITIES SCHEDULED FOR THE NEXT MONTH*

1.6.1 The following monitoring activities will be conducted in the next monthly period of June 2015 for SB CMPs:

- *Pit Specific Sediment Chemistry of CMP 2;*
- *Cumulative Impact Specific Chemistry of CMP 2;*
- *Water Column Profiling of CMP 2; and*
- *Water Quality Monitoring during Capping Operations of CMP 1.*

1.6.2 The following monitoring activity will be conducted in the next monthly period of June 2015 for ESC CMPs.

- *Water Quality Monitoring during Capping of ESC CMP.*

1.6.3 The sampling schedule is presented in *Annex A*.

1.7 *STUDY PROGRAMME*

1.7.1 A summary of the Study programme is presented in *Annex D*.

Annex A

Sampling Schedule

Annex A1 - Environmental Monitoring and Audit Sampling Schedule for East of Sha Chau (September 2012 - February 2017)

		2012				2013				2014				2015				2016				2017																						
		S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	
Benthic Recolonisation Studies																																												
Capped Contaminated Mud Pits IVa-c	ESC-CPA			*									*			*							*			*			*							*			*					
	ESC-CPB			*									*			*							*			*			*							*			*					
	ESC-CPC			*									*			*							*			*			*							*			*					
	Reference Stations																																											
	ESC-RBA			*									*			*							*			*			*							*			*					
	ESC-RBB			*									*			*							*			*			*							*			*					
ESC-RBC			*									*			*							*			*			*							*			*						
Impact Monitoring for Dredging																																												
Upstream/Reference Stations																																												
	US1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	US2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Downstream/Impact Stations																																												
	DS1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	DS2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	DS3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	DS4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	DS5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Ma Wan Station																																												
	MW1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Capping																																												
<i>Ebb Tide</i>																																												
Impact Station																																												
	ESC-IPE1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-IPE2												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-IPE3												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-IPE4												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-IPE5												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
Intermediate Station																																												
	ESC-INE1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-INE2												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-INE3												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-INE4												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-INE5												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
Reference Station																																												
	ESC-RFE1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-RFE2												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-RFE3												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-RFE4												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-RFE5												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
Ma Wan Station																																												
	MW1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
<i>Flood Tide</i>																																												
Impact Station																																												
	ESC-IPF1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-IPF2												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-IPF3												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
Intermediate Station																																												
	ESC-INF1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-INF2												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-INF3												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
Reference Station																																												
	ESC-RFF1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-RFF2												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
	ESC-RFF3												*	*			*	*				*	*			*	*				*	*			*	*				*	*			
Ma Wan Station																																												
	MW1												*	*			*	*				*	*			*	*				*	*			*	*				*	*			

Annex B

Graphical Presentations

Routine Water Quality Monitoring for CMP 2 - May 2015




Figure 1: Level of pH recorded during Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.

Routine Water Quality Monitoring CMP 2 - May 2015




Figure 2: Level of Dissolved Oxygen (% saturation; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.




Figure 3: Concentration of Dissolved Oxygen (mg/L; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.




Figure 4: Level of Salinity (ppt; mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.

Routine Water Quality Monitoring for CMP 2 - May 2015




Figure 5: Levels of Turbidity (NTU; ,mean + SD) recorded during Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.

Routine Water Quality Monitoring Results for Metals April 2015




Figure 6: Concentration of Arsenic, Chromium, Lead, Nickel (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in April 2015.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\33th (May 2015)

Date: 15/6/2015

**Environmental
Resources
Management**






Figure 7: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in April 2015.




Figure 8: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in April 2015.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\33th (May 2015)

Date: 15/6/2015

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
April 2015**




Figure 9: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in April 2015.

**Routine Water Quality Monitoring for Suspended Solids
April 2015**




Figure 10: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in April 2015.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\33th (May 2015)

Date: 15/6/2015

**Environmental
Resources
Management**



**Routine Water Quality Monitoring Results for Metals
May 2015**




Figure 11: Concentration of Arsenic, Chromium, Lead, Nickel (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.

**Routine Water Quality Monitoring Results for Metals
May 2015**




Figure 12: Concentration of Copper and Zinc (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.

**Routine Water Quality Monitoring Results for Nutrients
May 2015**




Figure 13: Concentration of Total Inorganic Nitrogen and NH₃-N (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in February 2015.

**Routine Water Quality Monitoring Results for Biochemical Oxygen Demand (BOD₅)
May 2015**




Figure 14: Level of Biochemical Oxygen Demand (BOD₅; mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.

**Routine Water Quality Monitoring for Suspended Solids
May 2015**




Figure 15: Concentration of Suspended Solids (mean + SD) in water samples collected from Routine Water Quality Monitoring for disposal operations at CMP 2 in May 2015.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\33th (May 2015)

Date: 15/6/2015

**Environmental
Resources
Management**



**Pit Specific Sediment Chemistry for Metal and Metalloid Contaminants at SB CMP 2
April 2015**




Figure 16: Concentration of Metals (Cr, Cu, Ni, Pb, Zn, As; mean +SD) in sediment samples collected from *Pit Specific Sediment Chemistry Monitoring* for CMP 2 in April 2015.

**Pit Specific Sediment Chemistry for Metal Contaminants at SB CMP 2
April 2015**




Figure 17: Concentration of Metals (Cd, Hg, Ag; mean +SD) in sediment samples collected from *Pit Specific Sediment Chemistry Monitoring* for CMP 2 in April 2015.

**Pit Specific Sediment Chemistry for Total Organic Carbon (TOC) at SB CMP 2
April 2015**




Figure 18: Concentration of Total Organic Carbon (mg/kg dry weight; mean +SD) in sediment samples collected from *Pit Specific Sediment Chemistry Monitoring* for CMP 2 in April 2015.

Pit Specific Sediment Chemistry for Low and High Molecular Weight Polycyclic Aromatics Hydrocarbons (PAHs) at CMP 2 in April 2015




Figure 19: Concentration of Low and High Molecular Weight Polycyclic Aromatics Hydrocarbons (mg/kg dry weight; mean +SD) in sediment samples collected from *Pit Specific Sediment Chemistry Monitoring* for CMP 2 in April 2015.

Source: H:\Team\EM\GMS Projects\0175086 CEDD EM&A for South Brothers\02 Deliverable\07 CMP Monthly Report\33th (May 2015)

Date: 15/6/2015

**Environmental
Resources
Management**



Annex C

Water Quality Monitoring Results

Table C1 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities for SB CMPs

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) ⁽¹⁾	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for surface and middle layer = 4.32 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 4 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for bottom layers = 3.12 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Bottom</u> The average of the impact station, WSR 45C and WSR 46 readings are < 2 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) ⁽³⁾⁽⁴⁾	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data for depth average = 21.60 mg L⁻¹ and 120% of control station's SS at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data for depth average = 40.10 mg L⁻¹ and 130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) ⁽³⁾⁽⁴⁾	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data = 25.04 NTU and 120% of control station's Tby at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data = 32.68 NTU and 130% of control station's Tby at the same tide of the same day

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (4) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table C2 In-situ Monitoring Results for Routine Water Quality Monitoring of CMP 2 on 11 May 2015

Sampling Period	Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%)	Dissolved Oxygen (mg L ⁻¹)	pH (mg L ⁻¹)
May 2015	RFF (Reference)	26.29	23.29	7.49	79.47	5.63	7.85
	IPF (Impact)	25.77	25.90	11.54	74.85	5.27	7.86
	INF (Intermediate)	25.01	29.22	5.62	73.71	5.16	7.89
	Ma Wan	24.96	29.46	3.46	74.32	5.20	7.89
	Shum Shui Kok	25.12	28.88	9.65	72.80	5.09	7.89
	Tai Mo To	25.49	27.17	10.59	75.05	5.27	7.88
	Tai Ho Bay 1	27.04	20.84	7.92	83.67	5.93	7.83
	Tai Ho Bay 2	27.10	19.90	4.08	81.91	5.83	7.82
	WQO	N/A	20.96 - 25.62 [#]	N/A	N/A	>4	6.5-8.5

Notes:

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table C3 Laboratory Results for Routine Water Quality Monitoring of CMP 2 in January and February 2015

Sampling Period	Stations	As (µg/L)	Cd (µg/L)	Cr (µg/L)	Cu (µg/L)	Pb (µg/L)	Hg (µg/L)	Ni (µg/L)	Ag (µg/L)	Zn (µg/L)	NH ₃ (mg/L)	TIN (mg/L)	BOD ₅ (mg/L)	SS (mg/L)
April 2015	RFF	2.23	<LOR	0.74	4.41	0.67	<LOR	0.99	<LOR	9.83	0.13	0.40	1.94	9.47
	IPF	2.26	<LOR	0.65	4.30	0.68	<LOR	0.72	<LOR	9.55	0.13	0.38	1.92	8.88
	INF	2.31	<LOR	0.64	4.45	0.57	<LOR	0.68	<LOR	19.93	0.14	0.35	2.11	7.25
	Ma Wan	2.25	<LOR	0.80	6.21	1.31	<LOR	1.18	<LOR	10.54	0.15	0.27	1.75	7.80
	Shum Shui Kok	2.39	<LOR	0.81	4.13	0.66	<LOR	1.20	<LOR	9.99	0.15	0.37	3.05	7.78
	Tai Mo To	2.23	<LOR	0.70	3.25	<LOR	<LOR	1.33	<LOR	14.25	0.17	0.41	4.31	10.68
	Tai Ho Bay 1	2.24	<LOR	0.79	2.69	0.64	<LOR	1.25	<LOR	10.98	0.13	0.46	2.28	12.16
	Tai Ho Bay 2	2.28	<LOR	0.64	3.50	0.78	<LOR	1.43	<LOR	9.78	0.09	0.46	3.71	8.90
May 2015	RFF	2.60	<LOR	0.68	9.49	<LOR	<LOR	2.77	<LOR	12.81	0.21	1.17	0.80	10.40
	IPF	2.37	<LOR	1.70	6.18	2.13	<LOR	2.91	<LOR	14.25	0.21	0.96	1.42	10.12
	INF	2.34	<LOR	0.93	2.94	0.71	<LOR	1.53	<LOR	8.66	0.16	0.73	0.85	5.98
	Ma Wan	2.12	<LOR	<LOR	6.51	<LOR	<LOR	1.40	<LOR	17.04	0.19	0.59	0.78	6.06
	Shum Shui Kok	2.32	<LOR	<LOR	4.85	<LOR	<LOR	1.52	<LOR	14.32	0.20	0.67	0.91	14.70
	Tai Mo To	2.35	<LOR	<LOR	2.40	<LOR	<LOR	1.83	<LOR	6.46	0.20	0.91	0.89	8.78
	Tai Ho Bay 1	2.45	<LOR	0.57	6.34	<LOR	<LOR	2.68	<LOR	10.31	0.19	1.31	0.86	9.91
	Tai Ho Bay 2	2.07	<LOR	0.76	1.68	<LOR	<LOR	2.68	<LOR	5.43	0.16	1.34	0.90	5.78

WQO of TIN: 0.5 mg/L

Wet Season WQO of SS : 11.6 mg/L

Note: Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table C4 *Water Column Profiling Results for SB CMP 2 on 13 May 2015*

Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen		pH (mg L ⁻¹)	Suspended Solids (mg L ⁻¹)
				(%)	(mg L ⁻¹)	(mg L ⁻¹)	
WCP 1 (Downstream)	25.71	25.44	20.41	75.76	5.35	7.87	19.98
WCP 2 (Upstream)	25.71	25.65	16.97	74.87	5.28	7.86	13.63
WQO (wet season)	N/A	22.99- 28.21 [#]	N/A	N/A	>4	6.5-8.5	11.6

Note: [#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.
Cell shaded grey indicate value exceeding the WQO.

Annex D

Study Programme

