

Table B1 *Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities at ESC CMPs*

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) ⁽¹⁾	<u>Surface and Mid-depth</u> ⁽²⁾ 5%-ile of baseline data for surface and middle layer = 3.76 mg L⁻¹	<u>Surface and Mid-depth</u> ⁽²⁾ 1%-ile of baseline data for surface and middle layer = 3.11 mg L⁻¹ ⁽³⁾
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> 5%-ile of baseline data for bottom layers = 2.96 mg L⁻¹	<u>Bottom</u> The average of the impact station readings are <2 mg/L⁻¹
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) ⁽⁴⁾⁽⁵⁾	95%-ile of baseline data for depth average = 37.88 mg L⁻¹	99%-ile of baseline data for depth average = 61.92 mg L⁻¹
	and	and
	120% of control station's SS at the same tide of the same day	130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) ⁽⁴⁾⁽⁵⁾	95%-ile of baseline data = 28.14 NTU	99%-ile of baseline data = 38.32 NTU
	and	and
	120% of control station's Tby at the same tide of the same day	130% of control station's Tby at the same tide of the same day

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L⁻¹, it is proposed to set the Limit Level at 3.11 mg L⁻¹ which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B2 *In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in August 2016*

Sampling Period	Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%)	Dissolved Oxygen (mg L ⁻¹)	pH (mg L ⁻¹)
August 2016	RFE (Reference)	27.72	21.45	7.12	68.81	4.80	7.62
	IPE (Impact)	27.18	23.46	5.56	64.87	4.52	7.66
	INE (Intermediate)	27.45	22.45	3.47	64.28	4.48	7.62
	Ma Wan	25.93	27.49	2.10	59.32	4.13	7.61
	WQO	N/A	19.20 – 23.59 [#]	N/A	N/A	>4	6.5-8.5

Notes:

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B3 *Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in August 2016*

Sampling Period	Stations	As (µg/L)	Cd (µg/L)	Cr (µg/L)	Cu (µg/L)	Pb (µg/L)	Hg (µg/L)	Ni (µg/L)	Ag (µg/L)	Zn (µg/L)	NH ₃ (mg/L)	TIN (mg/L)	BOD ₅ (mg/L)	SS (mg/L)
August 2016	RFE	2.66	<LOR	0.70	3.43	<LOR	<LOR	3.37	<LOR	4.15	0.07	1.05	2.84	11.09
	IPE	2.77	<LOR	1.37	2.41	<LOR	<LOR	2.26	<LOR	3.51	0.08	0.94	2.70	10.75
	INE	2.86	<LOR	2.18	2.86	<LOR	<LOR	2.96	<LOR	4.13	0.08	0.99	2.51	6.23
	Ma Wan	2.49	<LOR	0.50	3.31	<LOR	<LOR	2.22	<LOR	4.58	0.08	0.74	3.45	3.98

WQO of TIN: 0.5 mg/L

Wet Season WQO of SS : 11.1 mg/L

Notes:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B4 *Water Column Profiling Results for ESC CMP Vd in August 2016*

Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%)	Dissolved Oxygen (mg L ⁻¹)	pH (mg L ⁻¹)	Suspended Solids (mg L ⁻¹)
WCP 1 (Downstream)	26.23	25.48	4.87	57.95	4.06	7.61	12.25
WCP 2 (Upstream)	25.33	28.57	7.93	48.12	3.36	7.59	10.25
WQO (Wet season)	N/A	24.32 – 31.43 [#]	N/A	N/A	>4	6.5-8.5	11.1

Note:

[#]Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B5 Action and Limit Levels of Water Quality for Dredging, Backfilling and Capping Activities for SB CMPs

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) ⁽¹⁾	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for surface and middle layer = 4.32 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Surface and Mid-depth</u> ⁽²⁾ The average of the impact, WSR 45C and WSR 46 station readings are < 4 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> The average of the impact, WSR 45C and WSR 46 station readings are < 5%-ile of baseline data for bottom layers = 3.12 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)	<u>Bottom</u> The average of the impact station, WSR 45C and WSR 46 readings are < 2 mg L⁻¹ and Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) ⁽³⁾⁽⁴⁾	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data for depth average = 21.60 mg L⁻¹ and 120% of control station's SS at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data for depth average = 40.10 mg L⁻¹ and 130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) ⁽³⁾⁽⁴⁾	The average of the impact, WSR 45C and WSR 46 station readings are > 95%-ile of baseline data = 25.04 NTU and 120% of control station's Tby at the same tide of the same day	The average of the impact, WSR 45C and WSR 46 station readings are > 99%-ile of baseline data = 32.68 NTU and 130% of control station's Tby at the same tide of the same day

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (4) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B6 *Monitoring Results for Water Quality Monitoring during Capping of SB CMP in August 2016*

Sampling Period	Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%)	pH (mg L ⁻¹)	SS (mg L ⁻¹)	NH3 (mg L ⁻¹)	TIN (mg L ⁻¹)	BOD ₅ (mg L ⁻¹)	
August 2016	RFE (Reference)	26.54	26.13	29.24	63.87	4.43	7.57	25.80	0.15	0.97	1.05
	IPE (Impact)	27.05	24.34	7.45	72.05	5.00	7.60	10.81	0.20	1.10	1.37
	INE (Intermediate)	27.21	24.02	9.45	73.59	5.11	7.60	11.32	0.19	1.08	1.37
	Ma Wan	26.75	25.93	5.92	66.40	4.60	7.57	11.35	0.18	0.94	0.90
	Sham Shui Kok	27.14	24.28	5.30	71.67	4.97	7.59	10.22	0.18	1.04	1.17
	Tai Mo To	26.42	26.19	13.34	62.83	4.37	7.03	17.45	0.18	1.01	1.50
	Tai Ho Bay 1	26.96	24.33	4.49	77.98	5.43	7.59	9.93	0.12	0.92	1.73
	Tai Ho Bay 2	27.34	23.26	4.07	65.12	4.53	7.37	5.80	0.16	0.92	1.30
	WQO	N/A	23.52-28.74*	N/A	N/A	>4	6.5-8.5	11.1	N/A	0.50	N/A

Notes:

Not exceeding 2°C of change of the results from the Reference Station.

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.