
South-East Asia Japan Cable System (SJC)

Hong Kong Segment

**Environmental Impact Monitoring and Site
Audit Report**


Week 17

8 October 2012 to 14 October 2012

ATKINS

Project Title: South-East Asia Japan Cable System (SJC), Hong Kong Segment	Project No.: 4575
Document No.: 4575-OR025	Controlled Copy No.:
Document Title: Environmental Impact Monitoring and Site Audit Report (Week 17)	
Covering Letter/Transmittal Ref. No.: 4575/OC475/SH/EY/twc	Date of Issue: 9 November 2012

Revision, Review and Approval Records

		/	/	/
		/	/	/
		/	/	/
				
00	Environmental Impact Monitoring and Site Audit Report (Week 17)	Various/ 9 November 2012	Enid Yung/ 9 November 2012	Susana Halliday/ 9 November 2012
Revision	Description	Prepared by / date	Reviewed by / date	Approved by / date

Distribution (if insufficient space, please use separate paper)

Controlled Copy No.	Issued to
1	WEN
2-4	EPD
5	IEC
6	ACL

Table of Contents

EXECUTIVE SUMMARY	1
1. INTRODUCTION.....	2
1.1 Background of the Project.....	2
1.2 Summary of Impact EM&A Requirements	2
2. MONITORING RESULTS	3
2.1 Water Quality	3
2.2 Marine Mammals.....	7
2.3 Construction and Demolition Waste Management	7
3. ENVIRONMENTAL NON-COMPLIANCE AND COMPLAINTS.....	8
3.1 Environmental Exceedances.....	8
3.2 Site Inspections.....	8
3.3 Environmental Complaint	8
4. FORECAST AND SCHEDULE.....	9
4.1 Key Engineering Works for the Coming Week.....	9
4.2 Monitoring Schedule for the Coming Week.....	9
5. CONCLUSION.....	10

List of Tables

Table 2-1 – Water Quality Monitoring Programme	3
Table 2-2 – Impact Water Quality Monitoring Stations	3
Table 2-3 – Summary of Water Quality Data on 11 October 2012 – Mid-Ebb	4
Table 2-4 – Summary of Water Quality Data on 11 October 2012 – Mid-Flood.....	5

List of Figures

Figure 2-1 Water Quality Monitoring Stations

List of Annex

Annex A	Calibration Certificates for Water Quality Monitoring Equipment
Annex B	Water Quality Monitoring Data and Result

EXECUTIVE SUMMARY

The site preparation works for the SJC cable network system commenced on 21 June 2012. Atkins China Limited (ACL) has been appointed as the Environmental Team (ET) to undertake environmental management and monitoring work in accordance with the EM&A Manual.

This is the Seventeenth Weekly Environmental Impact Monitoring and Site Audit Report for the works specified in the Environmental Permit (EP-423/2011/A) and Environmental Monitoring and Audit (EM&A) Manual. This report summarises the findings and results of the EM&A during the reporting period of the seventeenth week of works and covers the reporting period 8 October 2012 to 14 October 2012.

Environmental Monitoring and Audit Progress

The EM&A programme have been undertaken in accordance with the approved EM&A Manual. A summary of the monitoring activities performed in the reporting period is summarised below:

- Water quality monitoring was conducted on 11 October 2012 during mid-ebb and mid-flood tide periods.

Exceedance of Action and Limit Levels

No exceedance of action and limit level was recorded during the reporting period.

Complaint Log

No complaints were received in relation to environmental impact during the reporting period.

Site Inspection and Audit

According to the Contractor and based on the site inspection on 23 August 2012. Shore based construction and reinstatements were completed and no more shore-based site activities are anticipated. Therefore, no site inspection during the reporting period was undertaken.

1. INTRODUCTION

1.1 Background of the Project

- 1.1.1 South-East Asia Japan Cable System (SJC) is a submarine cable system linking South-East Asia to Japan. SJC will provide direct access and diverse routing between Singapore, the Philippines, Hong Kong, China, Brunei and Japan. The cable system will span approx. 8,900km and will be mainly composed of a seven-fibre pair high capacity submarine cable system with a design capacity of 17.9 terabits per second. The project will increase the broadband capacity of Hong Kong.
- 1.1.2 The Project is classified as a Designated Project under Item C12 of Part I Schedule 2 of the Environmental Impact Assessment Ordinance (EIAO): “A *dredging operation which is (a) less than 500 metres from the nearest boundary of an existing or planned (iii) bathing beach; and (vii) coastal protection area*”.
- 1.1.3 In accordance with the EIAO, an environmental assessment was undertaken and a Project Profile was submitted to the Environmental Protection Department (EPD) (PP-444/2011) for an Application for Permission to Apply Directly for Environmental Permit for the project (Application No. DIR-213/2011) (DIR). The DIR was granted by EPD on 1st August 2011 with conditions.
- 1.1.4 Atkins China Limited (ACL) has been appointed as the Environmental Team (ET) to undertake environmental management and monitoring work in accordance with the EM&A Manual and required under the Variation of Environmental Permit (No. EP-423/2011/A) issued to China Telecom (Hong Kong) International Limited in October 2011 for the Project of South-East Asia Japan Cable System (SJC) — Hong Kong Segment.
- 1.1.5 This is the Seventeenth Weekly Environmental Impact Monitoring and Site Audit Report for the works specified in the Environmental Monitoring and Audit (EM&A) Manual. This report summarises the results and findings of the EM&A during the reporting period 8 October 2012 to 14 October 2012.

1.2 Summary of Impact EM&A Requirements

- 1.2.1 The EM&A programme requires environmental monitoring for water quality, marine mammals and construction and demolition waste management, as specified in the EM&A Manual. This shall be conducted accordingly.

2. MONITORING RESULTS

2.1 Water Quality

Programme

2.1.1 The water quality monitoring programme for this reporting period is presented in Table 2-1.

Table 2-1 – Water Quality Monitoring Programme

Date of Sampling	Tidal State	Time of Sampling
11 October 2012	Mid-Ebb	07:45-10.25
	Mid-Flood	14:20-17:00

Monitoring Stations

2.1.2 Seventeen water quality monitoring stations were sampled during the impact water quality monitoring (see Figure 2-1) and listed in Table 2-1 as follows. These stations are applicable for works undertaken during installation of the cable in Stanley Bay.

Table 2-2 – Impact Water Quality Monitoring Stations

Monitoring Station	Co-ordinates		Station Purpose
A1	839451	808265	180m from point A
A2	839511	808265	120m from point A
A3	839571	808265	60m from point A
A4	839691	808265	60m from point A
A5	839751	808265	120m from point A
A6	839811	808265	180m from point A
B1	839408	808160	180m from point B
B2	839468	808160	120m from point B
B3	839528	808160	60m from point B
B4	839648	808160	60m from point B
B5	839708	808160	120m from point B
B6	839768	808160	180m from point B
C	840081	808353	Control Station
D1	839429	808641	100m from point D
D2	839540	808552	100m from point D
D3	839453	808443	100m from point D
D4	839344	808531	100m from point D

Methodology

2.1.3 Water quality monitoring was conducted in accordance with the methodology described in the EM&A Manual.

2.1.4 The water quality parameters monitored included dissolved oxygen (DO) (% saturation and mg/L), temperature, turbidity (NTU), salinity and suspended solids

(SS). DO, temperature, turbidity and salinity were measured *in-situ* whereas SS was determined by laboratory analysis.

- 2.1.5 Laboratory analysis of SS was carried out at ALS Laboratory Group, a recognised HOKLAS accredited laboratory.

Results

- 2.1.7 The weather during the monitoring period is sunny. The impact monitoring results at each monitoring locations are provided in full in **Annex B**.

- 2.1.8 The impact monitoring data on 11 October 2012 and laboratory results at each monitoring location are provided in full in **Annex B**. The recorded field transcripts of the impact monitoring data were checked in hard copy with the electronic version of the results and were found to be accurate. The result of the impact monitoring data at each monitoring location are summarised in **Tables 2-3 to 2-6**.

Mid-Ebb and Mid-Flood Results Summary

- 2.1.9 No DO, Turbidity and SS exceedances were found during the reporting period.

Mid-Ebb Results

Table 2-3 – Summary of Water Quality Data on 11 October 2012 – Mid-Ebb

Station	Depth	Data Results for Mid Ebb					
		Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)	Suspended Solids (SS)
Control Stations							
C	s	N/A	N/A	N/A	N/A	N/A	N/A
	m*	25.2	28.4	6.5	91.5	3.8	3
	b	N/A	N/A	N/A	N/A	N/A	N/A
Marine-based Stations							
A1	s	25.2	28.1	6.8	97.5	2.4	4
	m	23.4	33.0	6.4	91.3	2.8	4
	b	23.4	33.8	6.3	89.0	7.0	2
A2	s	25.2	28.1	6.6	96.8	2.4	5
	m	23.3	33.1	6.4	91.2	4.6	4
	b	23.0	33.6	6.3	88.8	5.9	4
A3	s	25.2	28.2	6.8	97.2	1.8	7
	m	23.4	33.0	6.5	92.2	3.1	7
	b	23.2	33.8	6.3	88.6	6.7	4
A4	s	25.2	28.2	6.8	92.9	1.9	4
	m	23.5	33.0	6.4	91.3	2.9	4
	b	23.3	33.6	6.3	88.4	6.7	3
A5	s	25.1	28.2	6.8	97.3	1.8	3
	m	23.4	33.0	6.5	91.5	2.7	3
	b	23.1	33.6	6.3	89.3	6.9	3
A6	s	25.2	28.1	6.8	97.6	1.6	5
	m	23.2	33.1	6.4	90.9	4.3	6
	b	23.0	33.7	6.3	87.6	6.8	3
B1	s*	25.2	28.3	6.7	96.1	2.2	3
	m	23.2	33.2	6.4	90.5	4.0	3
	b	23.2	34.1	6.3	88.3	5.5	2
B2	s	25.1	28.3	6.6	94.3	2.0	3
	m	23.3	33.3	6.4	90.1	3.8	3
	b	23.1	34.2	6.3	88.0	6.4	3
B3	s	25.2	28.2	6.7	97.1	1.8	3
	m	23.5	33.2	6.5	92.4	2.2	3
	b*	23.2	34.1	6.3	88.8	5.8	2
B4	s*	25.2	28.2	6.7	96.8	0.9	4
	m	23.5	33.2	6.4	91.1	1.8	2
	b	23.0	34.2	6.3	89.3	6.9	3
B5	s	25.2	28.2	6.8	98.7	1.1	<2
	m	23.8	33.2	6.5	92.2	2.7	<2
	b	23.1	34.0	6.3	88.5	5.9	<2
B6	s	25.1	28.1	6.7	97.6	1.8	3
	m	23.6	33.3	6.4	91.5	2.8	2
	b	23.3	34.1	6.3	88.9	6.4	2
D1	s	N/A	N/A	N/A	N/A	N/A	N/A
	m*	25.1	28.5	6.5	92.1	2.8	3
	b	N/A	N/A	N/A	N/A	N/A	N/A
D2	s*	25.2	27.8	6.5	92.5	1.7	<2
	m	N/A	N/A	N/A	N/A	N/A	N/A
	b	24.1	30.0	6.3	87.8	6.2	5
D3	s*	25.2	27.8	6.5	92.5	1.6	3
	m	N/A	N/A	N/A	N/A	N/A	N/A
	b	23.9	31.7	6.3	88.0	6.6	2
D4	s	N/A	N/A	N/A	N/A	N/A	N/A
	m	24.8	28.7	6.5	91.9	5.5	3
	b	N/A	N/A	N/A	N/A	N/A	N/A

Notes: s – 1 m below the surface; m – mid depth; b – 1 m above the seabed

XX: Limit Level Exceedance; **XX**: Action Level Exceedance

* – Average value of duplicate sample

Mid-Flo

Mid-Flood Results

Table 2-6 – Summary of Water Quality Data on 11 October 2012 – Mid-Flood

Station	Depth	Data Results for Mid Ebb					
		Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)	Suspended Solids (SS)
Control Stations							
C	s	N/A	N/A	N/A	N/A	N/A	N/A
	m*	25.8	28.9	6.5	91.0	4.3	2
	b	N/A	N/A	N/A	N/A	N/A	N/A
Marine-based Stations							
A1	s	25.8	28.7	6.7	96.9	3.4	2
	m	33.6	33.6	6.4	90.5	4.4	3
	b	33.9	33.9	6.3	88.5	6.8	4
A2	s	28.6	28.6	6.5	95.1	2.4	3
	m	33.7	33.7	6.4	90.3	3.7	4
	b	34.1	34.1	6.3	88.0	6.3	6
A3	s	28.7	28.7	6.7	96.1	2.7	2
	m	33.8	33.8	6.4	91.2	4.1	6
	b	34.0	34.0	6.3	86.8	6.9	3
A4	s	28.7	28.7	6.7	96.2	2.4	2
	m	33.6	33.6	6.4	91.0	3.4	8
	b	34.4	34.4	6.3	86.9	5.9	4
A5	s	28.7	28.7	6.7	96.8	2.9	3
	m	33.6	33.6	6.5	93.5	5.0	4
	b	34.3	34.3	6.3	88.8	6.7	4
A6	s	28.7	28.7	6.7	96.8	4.1	3
	m	33.5	33.5	6.4	89.5	5.3	2
	b	34.1	34.1	6.3	88.2	6.7	3
B1	s	25.8	28.8	6.7	95.0	2.5	4
	m	34.0	34.0	6.4	89.5	4.3	2
	b	34.7	34.7	6.3	87.2	6.4	3
B2	s	28.8	28.8	6.6	95.5	3.0	2
	m	34.1	34.1	6.4	89.2	5.2	3
	b	34.8	34.8	6.3	87.4	5.4	4
B3	s	28.7	28.7	6.7	96.2	2.2	2
	m	34.1	34.1	6.5	89.0	3.2	3
	b	34.7	34.7	6.3	88.9	5.5	3
B4	s	28.8	28.8	6.7	95.8	1.9	4
	m	34.1	34.1	6.4	90.3	2.7	4
	b	34.8	34.8	6.3	88.8	5.9	3
B5	s	28.9	28.9	6.8	96.6	1.8	2
	m	34.0	34.0	6.5	90.1	2.7	3
	b	34.5	34.5	6.3	89.1	6.4	2
B6	s	28.8	28.8	6.7	97.2	1.8	4
	m	34.1	34.1	6.4	89.8	3.0	<2
	b	34.7	34.7	6.3	87.4	7.0	<2
D1	s	N/A	N/A	N/A	N/A	N/A	N/A

Station	Depth	Data Results for Mid Ebb					
		Temperature (°C)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)	Suspended Solids (SS)
	m*	25.6	29.1	6.5	91.2	3.8	≤2
	b	N/A	N/A	N/A	N/A	N/A	N/A
D2	s*	25.8	28.1	6.5	92.2	3.2	3
	m	N/A	N/A	N/A	N/A	N/A	N/A
	b	23.9	32.5	6.3	87.3	4.4	2
D3	s*	25.7	28.3	6.5	92.6	2.7	<2
	m	N/A	N/A	N/A	N/A	N/A	N/A
	b	23.9	32.5	6.3	87.9	5.3	<2
D4	s	N/A	N/A	N/A	N/A	N/A	N/A
	m	25.0	28.7	6.4	90.0	6.6	<2
	b	N/A	N/A	N/A	N/A	N/A	N/A

Notes: s – 1 m below the surface; m – mid depth; b – 1 m above the seabed

XX: Limit Level Exceedance; **XX**: Action Level Exceedance

* – Average value of duplicate sample

2.2 Marine Mammals

2.2.1 No marine works within marine mammals inspection area in accordance with the EM&A manual were undertaken during the reporting period. Therefore, no marine mammal inspection was conducted during reporting period.

2.3 Construction and Demolition Waste Management

2.3.1 According to the Contractor and based on the site inspection on 23 August 2012. Shore-based construction and reinstatement were completed and no more shore-based site activities are anticipated. Therefore, no construction and demolition waste was generated during reporting period.

3. ENVIRONMENTAL NON-COMPLIANCE AND COMPLAINTS

3.1 Environmental Exceedances

Water Quality

3.1.1 Water quality monitoring was conducted on 11 October 2012. No exceedance of action and limit level was recorded during the reporting period.

3.2 Site Inspections

3.2.1 No shore-based works were undertaken during the reporting period. Therefore, no site inspection was undertaken during the reporting period.

3.3 Environmental Complaint

3.3.1 No complaints were received in relation to environmental impact during the reporting period.

4. FORECAST AND SCHEDULE

4.1 Key Engineering Works for the Coming Week

4.1.1 The construction work for the SJC cable installation within Hong Kong SAR Boundary has been finished on 11 October 2012. No more construction activities are anticipated.


4.2 Monitoring Schedule for the Coming Week

4.2.1 Since the construction of the SJC cable installation within Hong Kong SAR boundary has been completed, this will be the last weekly EM&A report before the cessation of the EM&A programme for construction stage of the Project.

5. CONCLUSION

- 5.1.1 This is the Seventeenth Weekly Environmental Impact Monitoring and Site Audit Report prepared by Atkins China Limited (ACL), for the consultancy services for the south-East Asia Japan Cable System (SJC) Project. This report been prepared in compliance with the Environmental Permit (EP-423/2011/A) and associated EM&A Manual, and covers the reporting period 8 October 2012 to 14 October 2012.
- 5.1.2 Water quality monitoring was conducted on 11 October 2012. No exceedance of water quality was recorded in the reporting period.
- 5.1.3 No shore-based works were undertaken during the reporting period. Therefore, no site inspection was undertaken during the reporting period.
- 5.1.4 Overall, environmental impacts arising from the project activities have been controlled and properly rectified.
- 5.1.5 Since the construction of the SJC cable installation within Hong Kong SAR boundary has been completed, this will be the last weekly EM&A report before the cessation of the EM&A programme for construction stage of the Project.

Figures



Annex A

Calibration Certificates for Water Quality Monitoring Equipment



ALS Technichem (HK) Pty Ltd

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

CONTACT: MR IVAN LEUNG
CLIENT: ALS TECHNICHEM (HK) PTY LTD
ADDRESS: 11/F., CHUNG SHUN KNITTING CENTRE,
1-3 WING YIP STREET,
KWAI CHUNG,
N.T., HONG KONG

WORK ORDER: HK1220476
LABORATORY: HONG KONG
DATE RECEIVED: 16/07/2012
DATE OF ISSUE: 08/08/2012

COMMENTS

It is certified that the item under calibration/checking has been calibrated/checked by corresponding calibrated equipment in the laboratory.

Maximum Tolerance and calibration frequency stated in the report, unless otherwise stated, the internal acceptance criteria of ALS will be followed.

Scope of Test: Conductivity, Dissolved Oxygen, pH, Salinity, Temperature and Turbidity
Description: YSI Sonde
Brand Name: YSI
Model No.: 6920 V2
Serial No.: 11F100014
Equipment No.: --
Date of Calibration: 16 July, 2012

NOTES

This is the Final Report and supersedes any preliminary report with this batch number.

Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release.

ISSUING LABORATORY: HONG KONG

Address

ALS Technichem (HK) Pty Ltd
11/F Chung Shun Knitting Centre
1-3 Wing Yip Street
Kwai Chung
HONG KONG

Phone: 852-2610 1044
Fax: 852-2610 2021
Email: hongkong@alsglobal.com


Mr Chan Kwok Fai, Godfrey
Laboratory Manager - Hong Kong

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

Page 1 of 2

ADDRESS 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong PHONE +852 2610 1044 FAX +852 2610 2021
ALS TECHNICHEM (HK) PTY LTD Part of the ALS Laboratory Group A Campbell Brothers Limited Company

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION

Work Order: HK1220476
Date of Issue: 08/08/2012
Client: ALS TECHNICHEM (HK) PTY LTD



Description: YSI Sonde
Brand Name: YSI
Model No.: 6920 V2
Serial No.: 11F100014
Equipment No.: --
Date of Calibration: 16 July, 2012 **Date of next Calibration:** 15 October, 2012

Parameters:

Conductivity

Method Ref: APHA (21st edition), 2510B

Expected Reading (mS/cm)	Displayed Reading (mS/cm)	Tolerance (%)
0.1469	0.141	-4.0
6.667	6.453	-3.2
12.890	12.69	-1.6
58.670	56.15	-4.3
Tolerance Limit (%)		10.0

Dissolved Oxygen

Method Ref: APHA (21st edition), 4500O: G

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
2.96	2.83	-0.13
6.72	6.63	-0.09
7.54	7.69	0.15
Tolerance Limit (\pm mg/L)		0.20

pH Value

Method Ref: APHA 21st Ed. 4500H:B

Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)
4.0	4.00	0.00
7.0	7.05	0.05
10.0	10.0	0.00
Tolerance Limit (\pm unit)		0.2

Salinity

Method Ref: APHA (21st edition), 2520B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
10	10.17	1.7
20	20.21	1.1
30	30.40	1.3
Tolerance Limit (\pm %)		10.0


 Mr Chan Kwok Fai, Godfrey
 Laboratory Manager - Hong Kong

REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1220476
Date of Issue: 08/08/2012
Client: ALS TECHNICHEM (HK) PTY LTD

Description: YSI Sonde
Brand Name: YSI
Model No.: 6920 V2
Serial No.: 11F100014
Equipment No.: --
Date of Calibration: 16 July, 2012 **Date of next Calibration:** 15 October, 2012

Parameters:

Temperature

Method Ref: Section 6 of International Accreditation New Zealand Technical Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.

Expected Reading (°C)	Displayed Reading (°C)	Tolerance (°C)
11.5	10.99	-0.5
21.0	21.17	0.2
40.5	40.88	0.4
	Tolerance Limit (°C)	2.0

Turbidity

Method Ref: APHA (21st edition), 2130B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0.0	--
4	4.3	7.5
40	41.2	3.0
400	417.6	4.4
	Tolerance Limit (±%)	10.0



 Mr. Chan Kwok Fai, Godfrey
 Laboratory Manager - Hong Kong

Annex B

Water Quality Monitoring Data and Result

Marine Water Quality Monitoring - Data Record Sheet

Project Name: Stanley Bay marine water monitoring

Date of Monitoring: 11/10/2012

Weather: Sunny

Tide: Ebb

Sea Condition: Mild

Monitoring Equipment	Equipment No.
YSI Sonde 6920 V2	

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)	
A1	9:45	7.5	1.0	25.2	28.1	6.8	97.5	2.4	①
			3.8	23.4	33.0	6.4	91.3	2.8	②
			6.5	23.4	33.8	6.3	89.0	7.0	③
A2	9:35	9.1	1.0	25.2	28.1	6.6	96.8	2.4	④
			4.6	23.3	33.1	6.4	91.2	4.6	⑤
			8.1	23.0	33.6	6.3	88.8	5.9	⑥
A3	9:25	8.2	1.0	25.2	28.2	6.8	97.2	1.8	⑦
			4.1	23.4	33.0	6.5	92.2	3.1	⑧
			7.2	23.2	33.8	6.3	88.6	6.7	⑨
A4	9:15	7.6	1.0	25.2	28.2	6.8	96.9	1.9	⑩
			3.8	23.5	33.0	6.4	91.3	2.9	⑪
			6.6	23.3	33.6	6.3	88.4	6.7	⑫
A5	9:05	6.8	1.0	25.1	28.2	6.8	97.3	1.8	⑬
			3.4	23.4	33.0	6.5	91.5	2.7	⑭
			5.8	23.1	33.6	6.3	89.3	6.9	⑮
A6	8:55	6.8	1.0	25.2	28.1	6.8	97.6	1.6	⑯
			3.4	23.2	33.1	6.4	90.9	4.3	⑰
			5.8	23.0	33.7	6.3	87.6	6.8	⑱

Project Name: Stanley Bay marine water monitoring

Date of Monitoring: 11/10/2012

Weather: Sunny

Tide: Ebb

Sea Condition: Mild

Monitoring Equipment	Equipment No.
YSI Sonde 6920 V2	

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)
B1	7:45	11.8	1.0	25.2	28.3	6.7	96.1	2.2
			5.9	23.2	33.2	6.4	90.5	4.0
			10.8	23.2	34.1	6.3	88.3	5.5
B2	7:55	11.8	1.0	25.1	28.3	6.6	94.3	2.0
			5.9	23.3	33.3	6.4	90.1	3.8
			10.8	23.1	34.2	6.3	88.0	6.4
B3	8:05	11.2	1.0	25.2	28.2	6.7	97.1	1.8
			5.6	23.5	33.2	6.5	92.4	2.2
			10.2	23.2	34.1	6.3	88.8	5.8
B4	8:15	10.6	1.0	25.2	28.2	6.7	95.8	0.9
			5.3	23.5	33.2	6.4	91.1	1.8
			9.6	23.0	34.2	6.3	89.3	6.9
B5	8:25	11.2	1.0	25.2	28.2	6.8	98.7	1.1
			5.6	23.8	33.2	6.5	92.2	2.7
			10.2	23.1	34.0	6.3	88.5	5.9
B6	8:35	12.0	1.0	25.1	28.1	6.7	97.6	1.8
			6.0	23.6	33.3	6.4	91.5	2.8
			11.0	23.3	34.1	6.3	88.9	6.4

19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

Project Name: Stanley Bay marine water monitoring

Date of Monitoring: 11/10/2012

Weather: Sunny

Tide: Ebb

Sea Condition: Mild

Monitoring Equipment	Equipment No.
YSI Sonde 6920 V2	

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)
C	8:45	2.7						
			1.4	25.2	28.4	6.5	91.5	3.8
D1	9:55	2.6						
			1.3	25.1	28.5	6.5	92.1	2.7
D2	10:25	5.0	1.0	25.2	27.8	6.5	92.6	1.6
			4.0	24.1	30.0	6.3	87.8	6.2
D3	10:15	5.6	1.0	25.2	27.8	6.5	92.7	1.6
			4.6	23.9	31.7	6.3	88.0	6.6
D4	10:05	2.8						
			1.4	24.8	28.7	6.5	91.9	5.5

(37)
(38)
(39)
(40)
(41)
(42)
(43)

Marine Water Quality Monitoring - Data Record Sheet

Project Name: Stanley Bay marine water monitoring

Date of Monitoring: 11/10/2012

Weather: Sunny

Tide: Flood

Sea Condition: Mild

Monitoring Equipment	Equipment No.
YSI Sonde 6920 V2	

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)
A1	16:20	11.2	1.0	25.8	28.7	6.7	96.9	3.4
			5.6	23.7	33.6	6.4	90.5	4.4
			10.2	23.5	33.9	6.3	88.5	6.8
A2	16:10	10.2	1.0	25.8	28.6	6.5	95.1	2.4
			5.1	23.7	33.7	6.4	90.3	3.7
			9.2	23.5	34.1	6.3	88.0	6.3
A3	16:00	9.0	1.0	25.8	28.7	6.7	96.1	2.7
			4.5	23.6	33.8	6.4	91.2	4.1
			8.0	23.4	34.0	6.3	86.8	6.9
A4	15:50	7.0	1.0	26.0	28.7	6.7	96.2	2.4
			3.5	23.7	33.6	6.4	91.0	3.4
			6.0	23.6	34.4	6.3	86.9	5.9
A5	15:40	6.4	1.0	25.8	28.7	6.7	96.8	2.9
			3.2	23.8	33.6	6.5	93.5	5.0
			5.4	23.4	34.3	6.3	88.8	6.7
A6	15:30	6.8	1.0	25.7	28.7	6.7	96.8	4.1
			3.4	23.7	33.5	6.4	89.5	5.3
			5.8	23.3	34.1	6.3	88.2	6.7

(44)
 (45)
 (46)
 (47)
 (48)
 (49)
 (50)
 (51)
 (52)
 (53)
 (54)
 (55)
 (56)
 (57)
 (58)
 (59)
 (60)
 (61)

Project Name: Stanley Bay marine water monitoring

Date of Monitoring: 11/10/2012 Weather: Sunny Tide: Flood Sea Condition: Mild

Monitoring Equipment	Equipment No.
YSI Sonde 6920 V2	

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)	
B1	14:20	12.0	1.0	25.8	28.8	6.7	95.0	2.5	62
			6.0	23.8	34.0	6.4	89.5	4.3	63
			11.0	23.6	34.7	6.3	87.2	6.4	64
B2	14:30	12.2	1.0	25.8	28.8	6.6	95.5	3.0	65
			6.1	23.7	34.1	6.4	89.2	5.2	66
			11.2	23.6	34.8	6.3	87.4	5.4	67
B3	14:40	11.4	1.0	25.8	28.7	6.7	96.2	2.2	68
			5.7	23.7	34.1	6.5	89.0	3.2	69
			10.4	23.7	34.7	6.3	86.9	5.5	70
B4	14:50	11.4	1.0	25.9	28.8	6.7	95.8	1.9	71
			5.7	23.6	34.1	6.4	90.3	2.7	72
			10.4	23.4	34.8	6.3	88.8	5.9	73
B5	15:00	10.0	1.0	25.8	28.9	6.8	96.6	1.8	74
			5.0	23.8	34.0	6.5	90.1	2.7	75
			9.0	23.5	34.5	6.3	89.1	6.4	76
B6	15:10	10.2	1.0	25.7	28.8	6.7	97.2	1.8	77
			5.1	23.6	34.1	6.4	89.8	3.0	78
			9.2	23.4	34.7	6.3	87.4	7.0	79

Project Name: Stanley Bay marine water monitoring

Date of Monitoring: 11/10/2012

Weather: Sunny

Tide: Flood

Sea Condition: Mild

Monitoring Equipment	Equipment No.
YSI Sonde 6920 V2	

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)
C	15:20	2.9						
			1.5	25.8	28.9	6.5	90.9	4.3
D1	16:30	3.0						
			1.5	25.6	29.1	6.5	91.2	3.8
D2	17:00	5.4	1.0	25.8	28.1	6.5	92.2	3.2
			4.4	23.9	32.5	6.3	87.3	4.4
D3	16:50	5.8	1.0	25.7	28.3	6.5	92.7	2.8
D4	16:40	3.0						
			1.5	25.0	28.7	6.4	90.0	6.6

80

81

82

83

84

85

86

Project Name: Stanley Bay marine water monitoring

Date of Monitoring: _____ Weather : _____ Tide: _____ Sea Condition: _____

Monitoring Equipment	Equipment No.
YSI Sonde 6920 V2	

Monitoring Location	Time	Water Depth (m)	Sampling Depth (m)	Temperature (oC)	Salinity (ppt)	DO (mg/L)	DOS (%)	Turbidity (NTU)
C-M-E			middle	25.2	28.4	6.5	91.5	3.8
D1-M-E			middle	25.1	28.5	6.5	92.0	2.9
D2-S-E			surface	25.2	27.8	6.5	92.3	1.8
D3-S-E			surface	25.2	27.8	6.5	92.3	1.6
C-M-F			middle	25.8	28.9	6.5	91.1	4.4
D1-M-F			middle	25.6	29.1	6.5	91.2	3.7
D2-S-F			surface	25.8	28.2	6.5	92.1	3.3
D3-S-F			surface	25.7	28.3	6.5	92.5	2.6

87
88
89
90
91
92
93
94



CERTIFICATE OF ANALYSIS

<i>Client</i>	: ATKINS CHINA LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 8
<i>Contact</i>	: MS ENID YUNG	<i>Contact</i>	: Chan Kwok Fai, Godfrey	<i>Work Order</i>	: HK1227116
<i>Address</i>	: 5TH FLOOR, WHARF T&T CENTRE, HARBOUR CITY, TSIM SHA TSUI HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: enid.yung@atkinsglobal.com	<i>E-mail</i>	: Godfrey.Chan@alsglobal.com		
<i>Telephone</i>	: +852 2972 1802	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: +852 2890 6343	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: QUOTATION OF WATER TEST - STANLEY	<i>Quote number</i>	: ---	<i>Date received</i>	: 11-OCT-2012
<i>Order number</i>	: ---			<i>Date of issue</i>	: 22-OCT-2012
<i>C-O-C number</i>	: ---			<i>No. of samples</i>	- <i>Received</i> : 94
<i>Site</i>	: STANLEY BAY				- <i>Analysed</i> : 94

Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1227116 supersedes any previous reports with this reference. The completion date of analysis is 17-OCT-2012. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1227116 :
Sample(s) were collected by ALS Technichem (HK) staff on 11 October, 2012.
Water sample(s) analysed and reported on an as received basis.
Temperature, Salinity, Dissolved Oxygen and Turbidity were measured on-site by ALS Technichem (HK) staff.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong. Chapter 553. Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics
Fung Lim Chee, Richard	General Manager	Sampling



Analytical Results

Sub-Matrix: WATER

Client sample ID	Client sampling date / time	Laboratory sample ID	Compound	EA025: Suspended Solids (SS)	EA012-SAMP: Temperature	EA020-SAMP: Salinity	EA045-SAMP: Turbidity	EP025-SAMP: Dissolved Oxygen
			LOR Unit	2 mg/L	0.1 °C	0.1 g/L	1 NTU	0.1 mg/L
			EA/ED: Physical and Aggregate Properties	OS: On-Site Measurement	OS: On-Site Measurement	OS: On-Site Measurement	OS: On-Site Measurement	OS: On-Site Measurement
A1-S MID-EBB	[11-OCT-2012]	HK1227116-001		4	25.2	28.1	2	6.8
A1-M MID-EBB	[11-OCT-2012]	HK1227116-002		4	23.4	33.0	3	6.4
A1-B MID-EBB	[11-OCT-2012]	HK1227116-003		2	23.4	33.8	7	6.3
A2-S MID-EBB	[11-OCT-2012]	HK1227116-004		5	25.2	28.1	2	6.6
A2-M MID-EBB	[11-OCT-2012]	HK1227116-005		4	23.3	33.1	5	6.4
A2-B MID-EBB	[11-OCT-2012]	HK1227116-006		4	23.0	33.6	6	6.3
A3-S MID-EBB	[11-OCT-2012]	HK1227116-007		7	25.2	28.2	2	6.8
A3-M MID-EBB	[11-OCT-2012]	HK1227116-008		7	23.4	33.0	3	6.5
A3-B MID-EBB	[11-OCT-2012]	HK1227116-009		4	23.2	33.8	7	6.3
A4-S MID-EBB	[11-OCT-2012]	HK1227116-010		4	25.2	28.2	2	6.8
A4-M MID-EBB	[11-OCT-2012]	HK1227116-011		4	23.5	33.0	3	6.4
A4-B MID-EBB	[11-OCT-2012]	HK1227116-012		3	23.3	33.6	7	6.3
A5-S MID-EBB	[11-OCT-2012]	HK1227116-013		3	25.1	28.2	2	6.8
A5-M MID-EBB	[11-OCT-2012]	HK1227116-014		3	23.4	33.0	3	6.5
A5-B MID-EBB	[11-OCT-2012]	HK1227116-015		3	23.1	33.6	7	6.3
A6-S MID-EBB	[11-OCT-2012]	HK1227116-016		5	25.2	28.1	2	6.8
A6-M MID-EBB	[11-OCT-2012]	HK1227116-017		6	23.2	33.1	4	6.4
A6-B MID-EBB	[11-OCT-2012]	HK1227116-018		3	23.0	33.7	7	6.3
B1-S MID-EBB	[11-OCT-2012]	HK1227116-019		3	25.2	28.3	2	6.7
B1-M MID-EBB	[11-OCT-2012]	HK1227116-020		3	23.2	33.2	4	6.4
B1-B MID-EBB	[11-OCT-2012]	HK1227116-021		2	23.2	34.1	6	6.3
B2-S MID-EBB	[11-OCT-2012]	HK1227116-022		3	25.1	28.3	2	6.6
B2-M MID-EBB	[11-OCT-2012]	HK1227116-023		3	23.3	33.3	4	6.4
B2-B MID-EBB	[11-OCT-2012]	HK1227116-024		3	23.1	34.2	6	6.3
B3-S MID-EBB	[11-OCT-2012]	HK1227116-025		3	25.2	28.2	2	6.7
B3-M MID-EBB	[11-OCT-2012]	HK1227116-026		3	23.5	33.2	2	6.5
B3-B MID-EBB	[11-OCT-2012]	HK1227116-027		2	23.2	34.1	6	6.3
B4-S MID-EBB	[11-OCT-2012]	HK1227116-028		4	25.2	28.2	<1	6.7
B4-M MID-EBB	[11-OCT-2012]	HK1227116-029		2	23.5	33.2	2	6.4
B4-B MID-EBB	[11-OCT-2012]	HK1227116-030		3	23.0	34.2	7	6.3
B5-S MID-EBB	[11-OCT-2012]	HK1227116-031		<2	25.2	28.2	1	6.8
B5-M MID-EBB	[11-OCT-2012]	HK1227116-032		<2	23.8	33.2	3	6.5
B5-B MID-EBB	[11-OCT-2012]	HK1227116-033		<2	23.1	34.0	6	6.3
B6-S MID-EBB	[11-OCT-2012]	HK1227116-034		3	25.1	28.1	2	6.7
B6-M MID-EBB	[11-OCT-2012]	HK1227116-035		2	23.6	33.3	3	6.4



Sub-Matrix: WATER

Client sample ID	Client sampling date / time	Laboratory sample ID	Compound	EA025: Suspended Solids (SS)	EA012-SAMP: Temperature	EA020-SAMP: Salinity	EA045-SAMP: Turbidity	EP025-SAMP: Dissolved Oxygen
			LOR Unit	2 mg/L	0.1 °C	0.1 g/L	1 NTU	0.1 mg/L
				EA/ED: Physical and Aggregate Properties	OS: On-Site Measurement	OS: On-Site Measurement	OS: On-Site Measurement	OS: On-Site Measurement
B6-B MID-EBB	[11-OCT-2012]	HK1227116-036		2	23.0	34.1	6	6.3
CM MID-EBB	[11-OCT-2012]	HK1227116-037		4	25.2	28.4	4	6.5
D1-M MID-EBB	[11-OCT-2012]	HK1227116-038		4	25.1	28.5	3	6.5
D2-S MID-EBB	[11-OCT-2012]	HK1227116-039		3	25.2	27.8	2	6.5
D2-B MID-EBB	[11-OCT-2012]	HK1227116-040		5	24.1	30.0	6	6.3
D3-S MID-EBB	[11-OCT-2012]	HK1227116-041		3	25.2	27.8	2	6.5
D3-B MID-EBB	[11-OCT-2012]	HK1227116-042		2	23.9	31.7	7	6.3
D4-M MID-EBB	[11-OCT-2012]	HK1227116-043		3	24.8	28.7	6	6.5
A1-S MID-FLOOD	[11-OCT-2012]	HK1227116-044		2	25.8	28.7	3	6.7
A1-M MID-FLOOD	[11-OCT-2012]	HK1227116-045		3	23.7	33.6	4	6.4
A1-B MID-FLOOD	[11-OCT-2012]	HK1227116-046		4	23.5	33.9	7	6.3
A2-S MID-FLOOD	[11-OCT-2012]	HK1227116-047		3	25.8	28.6	2	6.5
A2-M MID-FLOOD	[11-OCT-2012]	HK1227116-048		4	23.7	33.7	4	6.4
A2-B MID-FLOOD	[11-OCT-2012]	HK1227116-049		6	23.5	34.1	6	6.3
A3-S MID-FLOOD	[11-OCT-2012]	HK1227116-050		2	25.8	28.7	3	6.7
A3-M MID-FLOOD	[11-OCT-2012]	HK1227116-051		6	23.6	33.8	4	6.4
A3-B MID-FLOOD	[11-OCT-2012]	HK1227116-052		3	23.4	34.0	7	6.3
A4-S MID-FLOOD	[11-OCT-2012]	HK1227116-053		2	26.0	28.7	2	6.7
A4-M MID-FLOOD	[11-OCT-2012]	HK1227116-054		8	23.7	33.6	3	6.4
A4-B MID-FLOOD	[11-OCT-2012]	HK1227116-055		4	23.6	34.4	6	6.3
A5-S MID-FLOOD	[11-OCT-2012]	HK1227116-056		3	25.8	28.7	3	6.7
A5-M MID-FLOOD	[11-OCT-2012]	HK1227116-057		4	23.8	33.6	5	6.5
A5-B MID-FLOOD	[11-OCT-2012]	HK1227116-058		4	23.4	34.3	7	6.3
A6-S MID-FLOOD	[11-OCT-2012]	HK1227116-059		3	25.7	28.7	4	6.7
A6-M MID-FLOOD	[11-OCT-2012]	HK1227116-060		2	23.7	33.5	5	6.4
A6-B MID-FLOOD	[11-OCT-2012]	HK1227116-061		3	23.3	34.1	7	6.3
B1-S MID-FLOOD	[11-OCT-2012]	HK1227116-062		4	25.8	28.8	2	6.7
B1-M MID-FLOOD	[11-OCT-2012]	HK1227116-063		2	23.8	34.0	4	6.4
B1-B MID-FLOOD	[11-OCT-2012]	HK1227116-064		3	23.6	34.7	6	6.3
B2-S MID-FLOOD	[11-OCT-2012]	HK1227116-065		2	25.8	28.8	3	6.6
B2-M MID-FLOOD	[11-OCT-2012]	HK1227116-066		3	23.7	34.1	5	6.4
B2-B MID-FLOOD	[11-OCT-2012]	HK1227116-067		4	23.6	34.8	5	6.3
B3-S MID-FLOOD	[11-OCT-2012]	HK1227116-068		2	25.8	28.7	2	6.7
B3-M MID-FLOOD	[11-OCT-2012]	HK1227116-069		3	23.7	34.1	3	6.5
B3-B MID-FLOOD	[11-OCT-2012]	HK1227116-070		3	23.7	34.7	6	6.3



Sub-Matrix: WATER

Client sample ID	Client sampling date / time	Laboratory sample ID	Compound	EA025: Suspended Solids (SS)	EA012-SAMP: Temperature	EA020-SAMP: Salinity	EA045-SAMP: Turbidity	EP025-SAMP: Dissolved Oxygen
			LOR Unit	2 mg/L	0.1 °C	0.1 g/L	1 NTU	0.1 mg/L
				EA/ED: Physical and Aggregate Properties	OS: On-Site Measurement	OS: On-Site Measurement	OS: On-Site Measurement	OS: On-Site Measurement
B4-S MID-FLOOD	[11-OCT-2012]	HK1227116-071		4	25.9	28.8	2	6.7
B4-M MID-FLOOD	[11-OCT-2012]	HK1227116-072		4	23.6	34.1	3	6.4
B4-B MID-FLOOD	[11-OCT-2012]	HK1227116-073		3	23.4	34.8	6	6.3
B5-S MID-FLOOD	[11-OCT-2012]	HK1227116-074		2	25.8	28.9	2	6.8
B5-M MID-FLOOD	[11-OCT-2012]	HK1227116-075		3	23.8	34.0	3	6.5
B5-B MID-FLOOD	[11-OCT-2012]	HK1227116-076		2	23.5	34.5	6	6.3
B6-S MID-FLOOD	[11-OCT-2012]	HK1227116-077		4	25.7	28.8	2	6.7
B6-M MID-FLOOD	[11-OCT-2012]	HK1227116-078		<2	23.6	34.1	3	6.4
B6-B MID-FLOOD	[11-OCT-2012]	HK1227116-079		<2	23.4	34.7	7	6.3
CM MID-FLOOD	[11-OCT-2012]	HK1227116-080		2	25.8	28.9	4	6.5
D1-M MID-FLOOD	[11-OCT-2012]	HK1227116-081		<2	25.6	29.1	4	6.5
D2-S MID-FLOOD	[11-OCT-2012]	HK1227116-082		2	25.8	28.1	3	6.5
D2-B MID-FLOOD	[11-OCT-2012]	HK1227116-083		2	23.9	32.5	4	6.3
D3-S MID-FLOOD	[11-OCT-2012]	HK1227116-084		<2	25.7	28.3	3	6.5
D3-B MID-FLOOD	[11-OCT-2012]	HK1227116-085		<2	23.9	32.5	5	6.3
D4-M MID-FLOOD	[11-OCT-2012]	HK1227116-086		<2	25.0	28.7	7	6.4
C-M-E	[11-OCT-2012]	HK1227116-087		2	25.2	28.4	4	6.5
D1-M-E	[11-OCT-2012]	HK1227116-088		<2	25.1	28.5	3	6.5
D2-S-E	[11-OCT-2012]	HK1227116-089		<2	25.2	27.8	2	6.5
D3-S-E	[11-OCT-2012]	HK1227116-090		3	25.2	27.8	2	6.5
C-M-F	[11-OCT-2012]	HK1227116-091		3	25.8	28.9	4	6.5
D1-M-F	[11-OCT-2012]	HK1227116-092		2	25.6	29.1	4	6.5
D2-S-F	[11-OCT-2012]	HK1227116-093		4	25.8	28.2	3	6.5
D3-S-F	[11-OCT-2012]	HK1227116-094		<2	25.7	28.3	3	6.5



Sub-Matrix: WATER

Compound

LOR Unit

			EP025-SAMP: Dissolved Oxygen - % Saturation				
			0.1 %				
Client sample ID	Client sampling date / time	Laboratory sample ID	OS: On-Site Measurement				
A1-S MID-EBB	[11-OCT-2012]	HK1227116-001	97.5				
A1-M MID-EBB	[11-OCT-2012]	HK1227116-002	91.3				
A1-B MID-EBB	[11-OCT-2012]	HK1227116-003	89.0				
A2-S MID-EBB	[11-OCT-2012]	HK1227116-004	96.8				
A2-M MID-EBB	[11-OCT-2012]	HK1227116-005	91.2				
A2-B MID-EBB	[11-OCT-2012]	HK1227116-006	88.8				
A3-S MID-EBB	[11-OCT-2012]	HK1227116-007	97.2				
A3-M MID-EBB	[11-OCT-2012]	HK1227116-008	92.2				
A3-B MID-EBB	[11-OCT-2012]	HK1227116-009	88.6				
A4-S MID-EBB	[11-OCT-2012]	HK1227116-010	96.9				
A4-M MID-EBB	[11-OCT-2012]	HK1227116-011	91.3				
A4-B MID-EBB	[11-OCT-2012]	HK1227116-012	88.4				
A5-S MID-EBB	[11-OCT-2012]	HK1227116-013	97.3				
A5-M MID-EBB	[11-OCT-2012]	HK1227116-014	91.5				
A5-B MID-EBB	[11-OCT-2012]	HK1227116-015	89.3				
A6-S MID-EBB	[11-OCT-2012]	HK1227116-016	97.6				
A6-M MID-EBB	[11-OCT-2012]	HK1227116-017	90.9				
A6-B MID-EBB	[11-OCT-2012]	HK1227116-018	87.6				
B1-S MID-EBB	[11-OCT-2012]	HK1227116-019	96.1				
B1-M MID-EBB	[11-OCT-2012]	HK1227116-020	90.5				
B1-B MID-EBB	[11-OCT-2012]	HK1227116-021	88.3				
B2-S MID-EBB	[11-OCT-2012]	HK1227116-022	94.3				
B2-M MID-EBB	[11-OCT-2012]	HK1227116-023	90.1				
B2-B MID-EBB	[11-OCT-2012]	HK1227116-024	88.0				
B3-S MID-EBB	[11-OCT-2012]	HK1227116-025	97.1				
B3-M MID-EBB	[11-OCT-2012]	HK1227116-026	92.4				
B3-B MID-EBB	[11-OCT-2012]	HK1227116-027	88.8				
B4-S MID-EBB	[11-OCT-2012]	HK1227116-028	95.8				
B4-M MID-EBB	[11-OCT-2012]	HK1227116-029	91.1				
B4-B MID-EBB	[11-OCT-2012]	HK1227116-030	89.3				
B5-S MID-EBB	[11-OCT-2012]	HK1227116-031	98.7				
B5-M MID-EBB	[11-OCT-2012]	HK1227116-032	92.2				
B5-B MID-EBB	[11-OCT-2012]	HK1227116-033	88.5				
B6-S MID-EBB	[11-OCT-2012]	HK1227116-034	97.6				



Sub-Matrix: WATER

Compound

LOR Unit

			EP025-SAMP: Dissolved Oxygen - % Saturation				
			0.1 %				
Client sample ID	Client sampling date / time	Laboratory sample ID	OS: On-Site Measurement				
B6-M MID-EBB	[11-OCT-2012]	HK1227116-035	91.5				
B6-B MID-EBB	[11-OCT-2012]	HK1227116-036	88.9				
CM MID-EBB	[11-OCT-2012]	HK1227116-037	91.5				
D1-M MID-EBB	[11-OCT-2012]	HK1227116-038	92.1				
D2-S MID-EBB	[11-OCT-2012]	HK1227116-039	92.6				
D2-B MID-EBB	[11-OCT-2012]	HK1227116-040	87.8				
D3-S MID-EBB	[11-OCT-2012]	HK1227116-041	92.7				
D3-B MID-EBB	[11-OCT-2012]	HK1227116-042	88.0				
D4-M MID-EBB	[11-OCT-2012]	HK1227116-043	91.9				
A1-S MID-FLOOD	[11-OCT-2012]	HK1227116-044	96.9				
A1-M MID-FLOOD	[11-OCT-2012]	HK1227116-045	90.5				
A1-B MID-FLOOD	[11-OCT-2012]	HK1227116-046	88.5				
A2-S MID-FLOOD	[11-OCT-2012]	HK1227116-047	95.1				
A2-M MID-FLOOD	[11-OCT-2012]	HK1227116-048	90.3				
A2-B MID-FLOOD	[11-OCT-2012]	HK1227116-049	88.0				
A3-S MID-FLOOD	[11-OCT-2012]	HK1227116-050	96.1				
A3-M MID-FLOOD	[11-OCT-2012]	HK1227116-051	91.2				
A3-B MID-FLOOD	[11-OCT-2012]	HK1227116-052	86.8				
A4-S MID-FLOOD	[11-OCT-2012]	HK1227116-053	96.2				
A4-M MID-FLOOD	[11-OCT-2012]	HK1227116-054	91.0				
A4-B MID-FLOOD	[11-OCT-2012]	HK1227116-055	86.9				
A5-S MID-FLOOD	[11-OCT-2012]	HK1227116-056	96.8				
A5-M MID-FLOOD	[11-OCT-2012]	HK1227116-057	93.5				
A5-B MID-FLOOD	[11-OCT-2012]	HK1227116-058	88.8				
A6-S MID-FLOOD	[11-OCT-2012]	HK1227116-059	96.8				
A6-M MID-FLOOD	[11-OCT-2012]	HK1227116-060	89.5				
A6-B MID-FLOOD	[11-OCT-2012]	HK1227116-061	88.2				
B1-S MID-FLOOD	[11-OCT-2012]	HK1227116-062	95.0				
B1-M MID-FLOOD	[11-OCT-2012]	HK1227116-063	89.5				
B1-B MID-FLOOD	[11-OCT-2012]	HK1227116-064	87.2				
B2-S MID-FLOOD	[11-OCT-2012]	HK1227116-065	95.5				
B2-M MID-FLOOD	[11-OCT-2012]	HK1227116-066	89.2				
B2-B MID-FLOOD	[11-OCT-2012]	HK1227116-067	87.4				
B3-S MID-FLOOD	[11-OCT-2012]	HK1227116-068	96.2				



Sub-Matrix: WATER

Compound

LOR Unit

			EP025-SAMP: Dissolved Oxygen - % Saturation				
			0.1 %				
Client sample ID	Client sampling date / time	Laboratory sample ID	OS: On-Site Measurement				
B3-M MID-FLOOD	[11-OCT-2012]	HK1227116-069	89.0				
B3-B MID-FLOOD	[11-OCT-2012]	HK1227116-070	86.9				
B4-S MID-FLOOD	[11-OCT-2012]	HK1227116-071	95.8				
B4-M MID-FLOOD	[11-OCT-2012]	HK1227116-072	90.3				
B4-B MID-FLOOD	[11-OCT-2012]	HK1227116-073	88.8				
B5-S MID-FLOOD	[11-OCT-2012]	HK1227116-074	96.6				
B5-M MID-FLOOD	[11-OCT-2012]	HK1227116-075	90.1				
B5-B MID-FLOOD	[11-OCT-2012]	HK1227116-076	89.1				
B6-S MID-FLOOD	[11-OCT-2012]	HK1227116-077	97.2				
B6-M MID-FLOOD	[11-OCT-2012]	HK1227116-078	89.8				
B6-B MID-FLOOD	[11-OCT-2012]	HK1227116-079	87.4				
CM MID-FLOOD	[11-OCT-2012]	HK1227116-080	90.9				
D1-M MID-FLOOD	[11-OCT-2012]	HK1227116-081	91.2				
D2-S MID-FLOOD	[11-OCT-2012]	HK1227116-082	92.2				
D2-B MID-FLOOD	[11-OCT-2012]	HK1227116-083	87.3				
D3-S MID-FLOOD	[11-OCT-2012]	HK1227116-084	92.7				
D3-B MID-FLOOD	[11-OCT-2012]	HK1227116-085	87.9				
D4-M MID-FLOOD	[11-OCT-2012]	HK1227116-086	90.0				
C-M-E	[11-OCT-2012]	HK1227116-087	91.5				
D1-M-E	[11-OCT-2012]	HK1227116-088	92.0				
D2-S-E	[11-OCT-2012]	HK1227116-089	92.3				
D3-S-E	[11-OCT-2012]	HK1227116-090	92.3				
C-M-F	[11-OCT-2012]	HK1227116-091	91.1				
D1-M-F	[11-OCT-2012]	HK1227116-092	91.2				
D2-S-F	[11-OCT-2012]	HK1227116-093	92.1				
D3-S-F	[11-OCT-2012]	HK1227116-094	92.5				



Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 2550574)								
HK1227116-001	A1-S MID-EBB	EA025: Suspended Solids (SS)	----	2	mg/L	4	5	23.1
HK1227116-011	A4-M MID-EBB	EA025: Suspended Solids (SS)	----	2	mg/L	4	2	0.0
EA/ED: Physical and Aggregate Properties (QC Lot: 2550575)								
HK1227116-021	B1-B MID-EBB	EA025: Suspended Solids (SS)	----	2	mg/L	2	2	0.0
HK1227116-031	B5-S MID-EBB	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
EA/ED: Physical and Aggregate Properties (QC Lot: 2550576)								
HK1227116-041	D3-S MID-EBB	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.0
HK1227116-051	A3-M MID-FLOOD	EA025: Suspended Solids (SS)	----	2	mg/L	6	7	15.8
EA/ED: Physical and Aggregate Properties (QC Lot: 2550577)								
HK1227116-061	A6-B MID-FLOOD	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.0
HK1227116-071	B4-S MID-FLOOD	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.0
EA/ED: Physical and Aggregate Properties (QC Lot: 2550578)								
HK1227116-081	D1-M MID-FLOOD	EA025: Suspended Solids (SS)	----	2	mg/L	<2	<2	0.0
HK1227116-091	C-M-F	EA025: Suspended Solids (SS)	----	2	mg/L	3	4	44.8

Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
						LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 2550574)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	20 mg/L	98.5	----	85	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 2550575)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	20 mg/L	87.5	----	85	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 2550576)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	20 mg/L	103	----	85	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 2550577)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	20 mg/L	94.0	----	85	113	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 2550578)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	20 mg/L	101	----	85	113	----	----

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.