
MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Quarterly EM&A Report

November 2015 - January 2016

Client : China International Water & Electric Corporation

Project: Providing Sufficient Water Depth for Kwai Tsing Container Basin
and its Approach Channel – CV/2013/04

Report No.: 0394/13/ED/0314

Project Proponent:

Civil Engineering & Development Department
101 Princess Margaret Road,
Homantin,
Kowloon, Hong Kong.

Prepared by: Cyrus Lai

Reviewed by: Vincent Chan

Certified by: _____


Colin Yung
Environmental Team Leader for
MaterialLab Consultants Limited

Ref.: CEDDWKTBEM00_0_0242L.16

9 March 2016
By Post and Fax (2419 6218)

Mott MacDonald Hong Kong Ltd.
20/F, AIA Kowloon Tower,
Landmark East,
100 How Ming Street,
Kwun Tong, Kowloon

Attention: Ir Chau T C, Felix, Engineer's Representative

Dear Ir Chau,

**Re: Agreement No. CE 63/2008 (CE)
Dredging Works in Kwai Tsing Container Basin and its Approach Channel
– Investigation, Design and Construction)**

**Contract No. CV/2013/04
Dredging Works in Kwai Tsing Container Basin and its Approach Channel
Verification of Quarterly EM&A Report for November 2015 to January
2016**

Reference is made to the Environmental Team's submission of the Quarterly Environmental Monitoring & Audit Report for November 2015 to January 2016 (ET's Report. No. 0394/13/ED/0314) received by e-mail on 26 February 2016.

We write to verify the captioned report in accordance with Section 12.4 iii of EM&A Manual (AEIAR-156/2010).

Thank you very much for your kind attention and please do not hesitate to contact our Ms Laraine Chau or the undersigned should you have any queries.

Yours faithfully,
For and on behalf of
Ramboll Environ Hong Kong Limited



Y H Hui
Independent Environmental Checker

Cc:	MMHK	Mr. C M Howley	2827 1823 (by fax)
	Materialab	Mr. Colin Yung	2450 6138 (by fax)
	CIWE	Mr. K.O. Leung and Mr. Lam Wai-hung	2419 6028 (by fax)

Q:\Projects\CEDDWKTBEM00\02 Project Management\02 Corr\CEDDWKTBEM00_0_0242L.16.docx

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab

Report No.: 0394/13/ED/0314

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
1. INTRODUCTION	5
2. BASIC PROJECT INFORMATION	7
3. EM&A REQUIREMENTS – ROUTINE IMPACT MONITORING	10
4. EM&A REQUIREMENTS – 24-HR WATER QUALITY MONITORING	16
5. ENVIRONMENTAL SITE INSPECTION AND AUDIT	18
6. NON-COMPLIANCE, COMPLAINTS, NOTIFICATION OF SUMMONS AND PROSECUTION	24
7. CONCLUSIONS	25

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab

Report No.: 0394/13/ED/0314

TABLES:

Table I	Summary of Water Quality Exceedances – Routine Impact Monitoring (In-situ)	1
Table II	Summary of Water Quality Exceedances – Routine Impact Monitoring (Laboratory Analysis)	2
Table III	Summary of the Exceedances Recorded in Reporting Period – 24-hr Monitoring	3
Table 2-1	Key Personnel Contact of the Contract	7
Table 2-2	Detail Dredging Quantity	8
Table 3-1	Monitoring Parameters and Frequency	11
Table 3-2	Water Quality Monitoring Parameters	12
Table 3-3	Summary of Water Quality Exceedance (In-situ Measurement)	13
Table 3-4	Summary of Water Quality Exceedance (Laboratory Analysis)	14
Table 4-1	24-hr Water Quality Monitoring Parameters	16
Table 4-2	Summary of Water Quality Exceedance (24-hr Monitoring)	17
Table 5-1	Waste Quantities of Dredging Works	19
Table 5-2	Comparison of Quarterly Mean to Baseline Mean	21
Table 5-3	Summary of Statistical Analysis	23
Table 6-1	Environmental Complaints Log	24
Table 6-2	Cumulative Statistics on Complaints	24
Table 6-3	Cumulative Statistics on Successful Prosecutions	24

FIGURES:

Figure 1	Project General Layout
Figure 2	Dredging Work Location during the Reporting Period
Figure 3	Locations of Water Quality Monitoring Stations

APPENDICES:

Appendix A	Project Organization Chart
Appendix B	Construction Programme
Appendix C	Action and Limit Levels
Appendix D	Graphical Presentation – Routine Impact Monitoring Results
Appendix E	Graphical Presentation – 24-hr Monitoring Results
Appendix F	Environmental Mitigation Implementation Schedule
Appendix G	Waste Generation in Reporting Period
Appendix H	Quarterly Assessment of Construction Impacts

EXECUTIVE SUMMARY

- i. This is the Seventh Quarterly Environmental Monitoring Audit (EM&A) Report – November 2015 - January 2016 for Contract No. CV/2013/04 – Dredging Works in Kwai Tsing and its Approach Channel (CE63/2008 – Providing Sufficient Water Depth for Kwai Tsing Container Basin and its Approach Channel). The dredging works commenced on 23 April 2014. This report presents the environmental monitoring and audit works conducted from 23 October 2015 to 22 January 2016.
- ii. Construction Activities for the Reporting Period
During this reporting period, the principal work activities included:

November 2015	December 2015	January 2016
<ul style="list-style-type: none"> • Dredging at Portion A / Zone 2A2, 2A3, 2B2, 2C2, 2C3 and Zone 3A, 3B and Zone 4A and 4B in EP • Dredging at Portion B / Zone 5A, 5B, Zone 6A and Zone 8 in EP • Dredging at Portion C / Zone 9, Zone 10 and Zone 12 in EP 	<ul style="list-style-type: none"> • Dredging at Portion A / Zone 1B, Zone 2A1, 2A2, 2A3, 2B1, 2B2 and Zone 3A, 3B and Zone 4A and 4B in EP • Dredging at Portion B / Zone 5A, 5B, Zone 6A, 6B, 6C, 6D, Zone 7 and Zone 8 in EP 	<ul style="list-style-type: none"> • Dredging at Portion A / Zone 1B, Zone 2A1, 2A3, 2B1, 2B2, Zone 2C2 and Zone 3A, 3B in EP • Dredging at Portion B / Zone 5A, Zone 6D and Zone 8 in EP • Dredging at Portion C / Zone 10 in EP

iii. Water Quality Monitoring

Routine impact water quality monitoring at 22 designated monitoring stations namely C1, C2, C3, G1, G2, G3, G4, G5, G6, SR1, SR2, SR3, SR4, SR5, SR6, SR7, SR8, SR9, SR10, SR11, SR12 and SR13 were conducted during the reporting period. Exceedances of Turbidity, TIN (in-situ & lab) and Suspended Solids were recorded at various monitoring stations, detail of exceedance are summarized in **Table I and II**. However, investigation indicated these exceedances were not related to the Project works.

Table I Summary of Water Quality Exceedances – Routine Impact Monitoring (In-situ)

Station	Exceedance Level	DO (S&M)		DO (B)		Turbidity		NH3-N		UIA		TIN		Total	
		E	F	E	F	E	F	E	F	E	F	E	F	E	F
SR1	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR2	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR3	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR4	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR5	Action	0	0	0	0	0	0	-	-	-	-	5	3	5	3
	Limit	0	0	0	0	0	0	-	-	-	-	19	23	19	23
SR6	Action	0	0	0	0	4	4	-	-	-	-	-	-	4	4
	Limit	0	0	0	0	1	1	-	-	-	-	-	-	1	1
SR7	Action	0	0	0	0	0	1	-	-	-	-	-	-	0	1
	Limit	0	0	0	0	1	0	-	-	-	-	-	-	1	0
SR8	Action	0	0	0	0	0	0	-	-	-	-	-	-	0	0
	Limit	0	0	0	0	0	0	-	-	-	-	-	-	0	0

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 2 of 25

Station	Exceedance Level	DO (S&M)		DO (B)		Turbidity		NH3-N		UIA		TIN		Total	
SR9	Action	0	0	0	0	0	1	-	-	-	-	8	7	8	8
	Limit	0	0	0	0	1	0	-	-	-	-	21	22	22	22
SR10	Action	0	0	0	0	0	0	-	-	-	-	14	14	14	14
	Limit	0	0	0	0	0	0	-	-	-	-	3	3	3	3
SR11	Action	0	0	0	0	0	0	-	-	-	-	12	13	12	13
	Limit	0	0	0	0	0	0	-	-	-	-	3	3	3	3
SR12	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR13	Action	0	0	0	0	0	0	-	-	-	-	-	-	0	0
	Limit	0	0	0	0	0	0	-	-	-	-	-	-	0	0
Total	Action	0	0	0	0	4	6	0	0	0	0	39	37	86	
	Limit	0	0	0	0	3	1	0	0	0	0	46	51	101	

Table II Summary of Water Quality Exceedances – Routine Impact Monitoring (Laboratory Analysis)

Station	Exceedance Level	Suspended Solids		BOD ₅		E. coli		NH ₃ -N		UIA		Synthetic Detergent		TIN		Total	
		E	F	E	F	E	F	E	F	E	F	E	F	E	F	E	F
SR1	Action	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	6	7	0	0	0	0	0	0	0	0	0	0	-	-	6	7
SR2	Action	0	1	-	-	-	-	0	0	0	0	-	-	-	-	0	1
	Limit	1	0	-	-	-	-	0	0	0	0	-	-	-	-	1	0
SR3	Action	0	0	-	-	-	-	0	0	0	0	-	-	-	-	0	0
	Limit	0	0	-	-	-	-	0	0	0	0	-	-	-	-	0	0
SR4	Action	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	1	5	0	0	0	0	0	0	0	0	0	0	-	-	1	5
SR5	Action	1	0	-	-	-	-	-	-	-	-	-	-	5	3	6	3
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	19	23	19	23
SR6	Action	7	5	-	-	-	-	-	-	-	-	-	-	-	-	7	5
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
SR7	Action	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
SR8	Action	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
SR9	Action	3	4	-	-	-	-	-	-	-	-	-	-	8	7	11	11
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	21	22	21	22
SR10	Action	0	0	-	-	-	-	-	-	-	-	-	-	14	13	14	13
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	3	4	3	4
SR11	Action	0	0	-	-	-	-	-	-	-	-	-	-	12	13	12	13
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	3	3	3	3
SR12	Action	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	6	0	0	0	0	0	0	0	0	0	0	-	-	0	6
SR13	Action	0	1	-	-	-	-	-	-	-	-	-	-	-	-	0	1
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
Total	Action	15	14	0	0	0	0	0	0	0	0	0	0	39	36	104	
	Limit	8	18	0	0	0	0	0	0	0	0	0	0	46	52	124	

Among the 22 monitoring stations, supplementary 24-hr water quality monitoring was also conducted at 7 of the stations, which are SR4, SR5, SR9, SR10, SR11, SR12 and SR13. No exceedance was recorded in the reporting month. Number of exceedances recorded in the reporting month at each impact station is summarized in **Table III**.

Table III Summary of the Exceedances Recorded in Reporting Quarter – 24-hr Monitoring

Station	Exceedance Level	Turbidity	DO	NH ₃ -N	Total
SR4	Action	0	0	0	0
	Limit	0	0	0	0
SR5	Action	0	0	-	0
	Limit	0	0	-	0
SR9	Action	0	0	-	0
	Limit	0	0	-	0
SR10	Action	0	0	-	0
	Limit	0	0	-	0
SR11	Action	0	0	-	0
	Limit	0	0	-	0
SR12	Action	0	0	0	0
	Limit	0	0	0	0
SR13	Action	0	0	-	0
	Limit	0	0	-	0
Total	Action	0	0	0	0
	Limit	0	0	0	0

iii. Waste Management

There was marine sediment, Type 1 (Open Sea Disposal) disposed to East Sha Chau CMP or South Cheung Chau Spoil Disposal Area or South of Brothers CMP1 or CMP2 and Type 2 sediment (Confined Marine Disposal) disposed to South of Brothers CMP1 or CMP2. No inert or non-inert C&D material related to dredging works and a small amount of general refuse were disposed off site in the reporting month.

iv. Non-Compliance, Complaints, Notifications of Summons and Successful Prosecutions

No complaint, notification of prosecutions or summons was received in the reporting period.

A leakage incident was on 2 October 2015. A comprehensive incident report on the leakage has been submitted to EPD separately on 17 December 2015.

v. Site Inspections and Audit

The Environmental Team conducted 13 site inspections in the reporting period. The Contractor was reminded to keep the silt curtain in good condition and to close all the covers/ panels of the engine part during operation to minimize the noise emission. Also, housekeeping issues were reported, including the chemical container shall be store properly and the deck of the hopper barge 139 shall be kept tidy.

According to Contractor, no archaeological deposit was found during reporting period.

vi. Compliance with Specific EP conditions

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab

Report No.: 0394/13/ED/0314

Page 4 of 25

Implementation of contractor's mitigation for dredging work and the associated dredging records were checked. It was concluded that the dredging is conducted orderly in compliance with the EP requirements on site mitigation measures in general.

vii. Construction Activities for the Coming Reporting Period

During the coming reporting period, the principal work activities include:

- Dredging at Portion A / Zone 1B, Zone 2A1, 2A3, 2B1, 2B2, Zone 2C2 and Zone 3A, 3B in EP
- Dredging at Portion B / Zone 5A, Zone 6D and Zone 8 in EP
- Dredging at Portion C / Zone 10 in EP

Future Key Issues include:

- Regular inspection on silt curtain deployment
- Regular inspection on silt screen deployment
- Implementation of EM&A Programme
- Maintain dredging below allowable dredging rate in EP.
- Cleaning of excess material from the decks and exposed fittings of barges and dredgers before the vessel is moved.
- Barge loading shall be monitored to ensure material is not lost during transportation.
- Conditions in dumping permit shall be followed strictly.

1. INTRODUCTION

1.1 Background

- 1.1.1 The Project objective is to dredge approximately 4.0 million cubic metres of sediment from the seabed of Kwai Tsing Container Basin, as well as portions of Northern Fairway and Western Fairway, to provide sufficient depth of container basin and approach channel to Kwai Tsing Container Terminal (KTCT) for the safe navigation of Ultra Large Container Ships (ULCS).
- 1.1.2 The environmental monitoring and audit works of this Project is governed by Environmental Permit (EP) No. EP-426/2011/A, EM&A Manual (AEIAR-156/2010) and EM&A TIN (EPD Letter Ref: (34) in Ax(1) to EP2/N3/C/57Pt.7)).
- 1.1.3 The project proponent was the Civil Engineering & Development Department, HKSAR (CEDD). The Project General Layout is shown in **Figure 1**.
- 1.1.4 Mott MacDonald Hong Kong Ltd. (MMHK) was commissioned by CEDD as the Engineer for the Project. Ramboll Environ Hong Kong Limited (REHK) was employed as the Independent Environmental Checker (IEC) in the Project.
- 1.1.5 China International Water & Electric Corporation Limited (CIWE) was appointed as the main contractor for the dredging works.
- 1.1.6 MaterialLab Consultants Limited (MCL) was appointed as the Environmental Team (ET) to implement the Environmental Monitoring and Audit (EM&A) programme for the Project.
- 1.1.7 The construction phase of the Project under the EP was commenced on 23 April 2014. The impact EM&A programme of the Project commenced on 23 April 2014.

1.2 Purpose of the Report

- 1.2.1 This Seventh Quarterly EM&A Report is prepared by MCL. This report presents a summary of the environmental monitoring and audit works, list of activities and mitigation measures proposed by the ET for the Project in 23 October 2015 to 22 January 2016.

1.3 Structure of the Report

- 1.3.1 The structure of this report is as follows:

- Section 1: Introduction, including background, purpose and structure of the report
- Section 2: Basic Project Information – summaries background and scope of the Contract, site description, project organization and contract details, construction programme, the construction works undertaken and the status of Environmental Permits/Licenses during the reporting period.
- Section 3: Routine Impact Water Quality Monitoring – summaries the monitoring parameters, monitoring programmes, monitoring methodologies, monitoring frequency,

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab

Report No.: 0394/13/ED/0314

Page 6 of 25

monitoring locations, Action and Limit Levels, monitoring results and Event / Action Plans.

Section 4: 24-hr Water Quality Monitoring – summaries the monitoring parameters, monitoring programmes, monitoring methodologies, monitoring frequency, monitoring locations, Action and Limit Levels, monitoring results and Event / Action Plans.

Section 5: Environmental Site Inspection – summaries the audit findings of the weekly site inspections undertaken within the reporting period.

Section 7: Non-Compliance, Complaints, notifications of summons and Prosecution – summaries any environmental complaints, environmental summons and successful prosecutions within the reporting period.

Section 8: Conclusions and Recommendation

2. BASIC PROJECT INFORMATION

2.1 Project Organizations

2.1.1 The Project Organization structure is shown in **Appendix A**. The key personnel contact names and numbers are summarized in **Table 2.1**.

Table 2-1 Key Personnel Contact of the Contract

Party	Position	Name	Telephone	Fax
Engineer's Representative (MMHK)	Senior Resident Engineer	Ir. Felix Chau	2419 6008	2419 6218
Independent Environmental Checker (REHK)	Independent Environmental Checker	Mr. YH Hui	3465 2888	3465 2899
Contractor (CIWE)	Site Agent	Mr. KO Leung	2419 6008	2419 6218
	Environmental Officer	Mr. WH Lam	2419 6008	2419 6218
Environmental Team (MCL)	Environmental Team Leader	Mr. Colin Yung	3565 4114	3565 4160

2.2 Construction Programme and Synopsis of Work

2.2.1 The construction phase of the Project under the EP commenced on 23 April 2014.

2.2.2 The construction programme of the Project is shown in **Appendix B**.

2.2.3 The environmental mitigation measures implementation schedule is presented in **Appendix F**.

2.3 Works undertaken during the quarter

During the reporting period, according to the Contractor, the principal work activities include:

November 2015	December 2015	January 2016
<ul style="list-style-type: none"> • Dredging at Portion A / Zone 2A2, 2A3, 2B2, 2C2, 2C3 and Zone 3A, 3B and Zone 4A and 4B in EP • Dredging at Portion B / Zone 5A, 5B, Zone 6A and Zone 8 in EP • Dredging at Portion C / Zone 9, Zone 10 and Zone 12 in EP 	<ul style="list-style-type: none"> • Dredging at Portion A / Zone 1B, Zone 2A1, 2A2, 2A3, 2B1, 2B2 and Zone 3A, 3B and Zone 4A and 4B in EP • Dredging at Portion B / Zone 5A, 5B, Zone 6A, 6B, 6C, 6D, Zone 7 and Zone 8 in EP 	<ul style="list-style-type: none"> • Dredging at Portion A / Zone 1B, Zone 2A1, 2A3, 2B1, 2B2, Zone 2C2 and Zone 3A, 3B in EP • Dredging at Portion B / Zone 5A, Zone 6D and Zone 8 in EP • Dredging at Portion C / Zone 10 in EP •

Daily dredging quantity in the reporting period is provided in **Table 2.2**.

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
 Profit Industrial Building,
 1-15 Kwai Fung Crescent,
 Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
 Fax : (852)-24508032
 Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 8 of 25

Table 2-2 Detail Dredging Quantity

Date	Dredged Quantity (in-situ, m ³)				
	Portion A			Portion B	Portion C
	Zone (Maximum Allowable Daily Dredged Rate)			Max Allowable Daily Dredged Rate=4000	
10/23/2015	2A2: 538 (650)	0	0	0	1615
10/24/2015	0	0	0	0	2692
10/25/2015	2C2: 800 (1100)	0	0	0	3500
10/26/2015	2C2: 1077 (1100)	0	0	0	2154
10/27/2015	2C2: 538 (1100)	0	0	0	2692
10/28/2015	2C2: 538 (1100)	0	0	1077	538
10/29/2015	0	0	0	0	0
10/30/2015	2C2: 1077 (1100)	0	0	0	0
10/31/2015	0	0	0	0	0
11/1/2015	2C2: 846 (1100)	0	0	0	0
11/2/2015	2A3: 423 (1500)	3A: 846 (1600)	0	846	0
11/3/2015	2A2: 646 (650)	0	0	0	0
11/4/2015	2A3: 846 (1500)	3B: 423 (1600)	0	0	846
11/5/2015	2A3: 423 (1500)	2C3: 846 (2750)	0	423	0
11/6/2015	2A3: 846 (1500)	0	0	0	0
11/7/2015	3B: 231 (1600)	0	0	0	0
11/8/2015	0	0	0	0	0
11/9/2015	0	0	0	0	0
11/10/2015	0	0	0	1269	0
11/11/2015	3B: 510 (1600)	0	0	1529	0
11/12/2015	3B: 1269 (1600)	0	0	0	0
11/13/2015	2A2: 650 (650)	3B: 844 (1600)	0	844	0
11/14/2015	3B: 452 (1600)	4A: 452 (1600)	4B: 452 (1600)	0	452
11/15/2015	4A: 1269 (1600)	0	0	1077	423
11/16/2015	4A: 1269 (1600)	0	0	0	0
11/17/2015	3B: 1011 (1600)	0	0	2527	0
11/18/2015	3A: 452 (1600)	3B: 481 (1600)	4B: 904 (1600)	0	933
11/19/2015	4A: 1500 (1600)	0	0	0	846
11/20/2015	4B: 1600 (1600)	0	0	1077	538
11/21/2015	2B2: 423 (950)	4A: 1200 (1600)	0	0	0
11/22/2015	0	0	0	0	0

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
 Profit Industrial Building,
 1-15 Kwai Fung Crescent,
 Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
 Fax : (852)-24508032
 Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 9 of 25

Date	Dredged Quantity (in-situ, m ³)				Portion B Max Allowable Daily Dredged Rate=4000
	Portion A				
	Zone (Maximum Allowable Daily Dredged Rate)				
11/23/2015	4B: 1077 (1600)	0	0	0	1077
11/24/2015	4A: 1077 (1600)	0	0	0	1615
11/25/2015	3B: 846 (1600)	0	0	0	3231
11/26/2015	0	0	0	0	2692
11/27/2015	2A1: 750 (750)	2A2: 412 (650)	4A: 1077 (1600)	0	0
11/28/2015	3B: 938 (1600)	4A: 469 (1600)	0	0	938
11/29/2015	3B: 846 (1600)	0	0	0	2154
11/30/2015	3A: 500 (1600)	3B: 1600 (1600)	0	0	1000
12/1/2015	3A: 962 (1600)	3B: 481 (1600)	4B: 1600 (1600)	0	481
12/2/2015	2A1: 600 (750)	3B: 1069 (1600)	0	0	1069
12/3/2015	4B: 923 (1600)	0	0	0	2308
12/4/2015	2A1: 404 (750)	2A2: 650 (650)	3A: 808 (1600)	0	538
12/5/2015	3A: 1440 (1600)	0	0	0	360
12/6/2015	2A3: 554 (1500)	4A: 1600 (1600)	4B: 554 (1600)	0	0
12/7/2015	2A1: 413 (750)	2A2: 413 (650)	2B2: 413 (950)	3B: 413 (1600)	0
12/8/2015	3A: 1304 (1600)	0	0	0	435
12/9/2015	4A: 1600 (1600)	0	0	0	1077
12/10/2015	4A: 1600 (1600)	4B: 423 (1600)	0	0	538
12/11/2015	4B: 1600 (1600)	0	0	0	1077
12/12/2015	4B: 1600 (1600)	0	0	0	938
12/13/2015	2A2: 646 (650)	4A: 835 (1600)	4B: 417 (1600)	0	417
12/14/2015	3B: 515 (1600)	4A: 515 (1600)	0	0	1546
12/15/2015	4A: 923 (1600)	0	0	0	1538
12/16/2015	3A: 1523 (1600)	4A: 800 (1600)	0	0	0
12/18/2015	2A1: 428 (750)	2A2: 428 (650)	4B: 800 (1600)	0	428
12/19/2015	4A: 1600 (1600)	0	0	0	1077
12/20/2015	2A3: 500 (1500)	4A: 1000 (1600)	0	0	846
12/21/2015	2B1: 400 (400)	2B2: 500 (950)	0	0	1000
12/22/2015	1B: 1100 (1100)	3A: 846 (1600)	0	0	1062

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
 Profit Industrial Building,
 1-15 Kwai Fung Crescent,
 Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
 Fax : (852)-24508032
 Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 10 of 25

Date	Dredged Quantity (in-situ, m ³)				
	Portion A			Portion B	Portion C
	Zone (Maximum Allowable Daily Dredged Rate)			Max Allowable Daily Dredged Rate=4000	
12/23/2015	1B: 846 (1100)	2B2: 500 (950)	0	1000	0
12/24/2015	2B2: 946 (950)	0	0	0	0
12/25/2015	0	0	0	0	0
12/26/2015	0	0	0	0	0
12/27/2015	0	0	0	0	0
12/28/2015	0	0	0	0	0
12/29/2015	0	0	0	0	0
12/30/2015	0	0	0	0	0
12/31/2015	2A3: 538 (1500)	0	0	1077	0
1/1/2016	2A1: 750 (750)	0	0	527	0
1/2/2016	1B: 538 (1100)	2B1: 400 (400)	0	538	0
1/3/2016	1B: 785 (1100)	2A1: 462 (750)	0	462	0
1/4/2016	1B: 805 (1100)	2C2: 403 (1100)	0	538	0
1/5/2016	3B: 1356 (1600)	0	0	452	0
1/6/2016	2B1: 400 (400)	3B: 481 (1600)	0	481	0
1/7/2016	1B: 423 (1100)	2A3: 423 (1500)	0	0	0
1/8/2016	3A: 1000 (1600)	0	0	500	0
1/9/2016	2A1: 396 (750)	2B2: 396 (950)	0	0	0
1/10/2016	0	0	0	0	0
1/11/2016	0	0	0	0	0
1/12/2016	0	0	0	0	0
1/13/2016	0	0	0	0	0
1/14/2016	0	0	0	0	0
1/15/2016	0	0	0	0	0
1/16/2016	1B: 423 (1100)	3B: 846 (1600)	0	538	0
1/17/2016	0	0	0	0	0
1/18/2016	2B2: 365 (950)	0	0	365	0
1/19/2016	2A1: 423 (750)	0	0	0	538
1/20/2016	2B2: 538 (950)	0	0	0	1077
1/21/2016	1B: 843 (1100)	2B2: 333 (950)	0	333	1529
1/22/2016	3B: 831 (1600)	0	0	415	0

3. EM&A REQUIREMENTS – ROUTINE IMPACT MONITORING

3.1 Monitoring Parameters

3.1.1 The monitoring parameters and frequency for both in-situ measurement and laboratory analysis are summarised in **Table 3.1**. Parameters for each monitoring station are specified in **Table 3.2**.

Table 3-1 Monitoring Parameters and Frequency

Parameters	Monitoring Frequency
<u>In-situ Measurement</u> Turbidity (in NTU), pH, Dissolved Oxygen (in mg/L and %), Temperature (in °C), Salinity (in ppt), ¹ Ammonia-N (in mg/L-N and UIA); ² TIN: Ammonia-N (in mg/L), Nitrite (in mg/L), Nitrate (in mg/L)	3 days per week, at mid-flood and mid-ebb tides (except detergent which shall be taken one day per month, at mid-flood and mid-ebb)
<u>Laboratory Analysis</u> ¹ Ammonia-N (in mg/L-N and UIA), Suspended Solids (SS), ² BOD ₅ , ² <i>E.coli</i> , ² Synthetic Detergent; ² TIN: Ammonia-N (in mg/L), Nitrite (in mg/L), Nitrate (in mg/L)	36 hours interval was allowed between subsequent sets of measurement.

Notes:

- Ammonia measurements and samples were taken at SR1, SR2, SR3, SR4, SR12, C1, C2, C3 only; UIA: In-situ unionized ammonia was calculated from in-situ measurement of NH₃-N, temperature, pH and salinity; Laboratory determined unionized ammonia was calculated from analysed NH₃-N from water samples and in-situ measurement of temperature, pH and salinity;
- Total Inorganic Nitrogen (TIN) measurements and samples were taken at SR5, SR9, SR10, SR11, G1, G2, G3, G4, G5, G6 only;
- BOD₅, *E.coli* and Synthetic Detergent samples were taken at SR1, SR4, SR12, C1, C2, C3 only.

Table 3-2 Water Quality Monitoring Parameters

ID	In-situ Measurement							Laboratory Analysis					
	pH	Temperature	Salinity	Turbidity	Dissolved Oxygen / Dissolved Oxygen%	NH ₃ -N / UIA	TIN (NH ₃ -N, NO ₂ & NO ₃)	Suspended Solids	BOD ₅	E. coli	NH ₃ -N / UIA	Synthetic Detergent	TIN (NH ₃ -N, NO ₂ & NO ₃)
SR1	0	0	0	0	0	0		0	0	0	0	0	
SR2	0	0	0	0	0	0		0			0		
SR3	0	0	0	0	0	0		0			0		
SR4	0	0	0	0	0	0		0	0	0	0	0	
SR5	0	0	0	0	0	0	0	0					0
SR6	0	0	0	0	0	0		0					
SR7	0	0	0	0	0	0		0					
SR8	0	0	0	0	0	0		0					
SR9	0	0	0	0	0	0	0	0					0
SR10	0	0	0	0	0	0	0	0					0
SR11	0	0	0	0	0	0	0	0					0
SR12	0	0	0	0	0	0	0	0	0	0	0	0	
SR13	0	0	0	0	0	0		0					
G1	0	0	0	0	0	0	0	0					0
G2	0	0	0	0	0	0	0	0					0
G3	0	0	0	0	0	0	0	0					0
G4	0	0	0	0	0	0	0	0					0
G5	0	0	0	0	0	0	0	0					0
G6	0	0	0	0	0	0	0	0					0
C1	0	0	0	0	0	0		0	0	0	0	0	
C2	0	0	0	0	0	0		0	0	0	0	0	
C3	0	0	0	0	0	0		0	0	0	0	0	

Note:

1. UIA: In-situ unionized ammonia was calculated from in-situ measurement of NH₃-N, temperature, pH and salinity; laboratory determined unionized ammonia was calculated from analysed NH₃-N from water samples taken and in-situ measurement of temperature, pH and salinity.

3.2 Monitoring Locations

3.2.1 Impact water quality monitoring was conducted at 22 locations, including 13 sensitive receivers (SR1-13), 6 gradient stations (G1-6) and 3 control stations (C1-3). The locations of the stations are also shown in **Figure 3**.

3.2.2 Revisions on monitoring locations were proposed in previous submission (MaterialLab Report No. Ref: 0394/13/ED/0103 – WATER QUALITY MONITORING LOCATION) and were agreed among AFCD, EMSD, WSD and EPD.

3.3 Results and Observations

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 13 of 25

- 3.3.1 Impact water quality monitoring was conducted at all designated monitoring stations in the reporting quarter. Impact water quality monitoring results graphical presentations are provided in **Appendix D**.
- 3.3.2 During the reporting period, some adverse weather conditions, including Rainstorm Warnings, Thunderstorm Warning signals, were reported. Heavy marine traffic (not associated with the Project) was commonly observed nearby the Project site and its vicinity, that the propeller wash from vessels could lead to potential disturbance of seabed sediment and affect the water quality.
- 3.3.3 Exceedances were recorded for Turbidity, TIN (in-situ & lab) and Suspended Solids. Number of exceedances recorded in the reporting quarter at each impact station is summarized in **Table 3-5 and 3-6**.

Table 3-3 Summary of Water Quality Exceedance (In-situ Measurement)

Station	Exceedance Level	DO (S&M)		DO (B)		Turbidity		NH3-N		UIA		TIN		Total	
		E	F	E	F	E	F	E	F	E	F	E	F	E	F
SR1	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR2	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR3	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR4	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR5	Action	0	0	0	0	0	0	-	-	-	-	5	3	5	3
	Limit	0	0	0	0	0	0	-	-	-	-	19	23	19	23
SR6	Action	0	0	0	0	4	4	-	-	-	-	-	-	4	4
	Limit	0	0	0	0	1	1	-	-	-	-	-	-	1	1
SR7	Action	0	0	0	0	0	1	-	-	-	-	-	-	0	1
	Limit	0	0	0	0	1	0	-	-	-	-	-	-	1	0
SR8	Action	0	0	0	0	0	0	-	-	-	-	-	-	0	0
	Limit	0	0	0	0	0	0	-	-	-	-	-	-	0	0
SR9	Action	0	0	0	0	0	1	-	-	-	-	8	7	8	8
	Limit	0	0	0	0	1	0	-	-	-	-	21	22	22	22
SR10	Action	0	0	0	0	0	0	-	-	-	-	14	14	14	14
	Limit	0	0	0	0	0	0	-	-	-	-	3	3	3	3
SR11	Action	0	0	0	0	0	0	-	-	-	-	12	13	12	13
	Limit	0	0	0	0	0	0	-	-	-	-	3	3	3	3
SR12	Action	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	-	-	0	0
SR13	Action	0	0	0	0	0	0	-	-	-	-	-	-	0	0
	Limit	0	0	0	0	0	0	-	-	-	-	-	-	0	0
Total	Action	0	0	0	0	4	6	0	0	0	0	39	37	86	
	Limit	0	0	0	0	3	1	0	0	0	0	46	51	101	

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 14 of 25

Table 3-4 Summary of Water Quality Exceedance (Laboratory Analysis)

Station	Exceedance Level	Suspended Solids		BOD ₅		<i>E. coli</i>		NH ₃ -N		UIA		Synthetic Detergent		TIN		Total	
		E	F	E	F	E	F	E	F	E	F	E	F	E	F	E	F
SR1	Action	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	6	7	0	0	0	0	0	0	0	0	0	0	-	-	6	7
SR2	Action	0	1	-	-	-	-	0	0	0	0	-	-	-	-	0	1
	Limit	1	0	-	-	-	-	0	0	0	0	-	-	-	-	1	0
SR3	Action	0	0	-	-	-	-	0	0	0	0	-	-	-	-	0	0
	Limit	0	0	-	-	-	-	0	0	0	0	-	-	-	-	0	0
SR4	Action	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	1	5	0	0	0	0	0	0	0	0	0	0	-	-	1	5
SR5	Action	1	0	-	-	-	-	-	-	-	-	-	-	5	3	6	3
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	19	23	19	23
SR6	Action	7	5	-	-	-	-	-	-	-	-	-	-	-	-	7	5
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
SR7	Action	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
SR8	Action	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
SR9	Action	3	4	-	-	-	-	-	-	-	-	-	-	8	7	11	11
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	21	22	21	22
SR10	Action	0	0	-	-	-	-	-	-	-	-	-	-	14	13	14	13
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	3	4	3	4
SR11	Action	0	0	-	-	-	-	-	-	-	-	-	-	12	13	12	13
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	3	3	3	3
SR12	Action	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0
	Limit	0	6	0	0	0	0	0	0	0	0	0	0	-	-	0	6
SR13	Action	0	1	-	-	-	-	-	-	-	-	-	-	-	-	0	1
	Limit	0	0	-	-	-	-	-	-	-	-	-	-	-	-	0	0
Total	Action	15	14	0	0	0	0	0	0	0	0	0	0	39	36	104	
	Limit	8	18	0	0	0	0	0	0	0	0	0	0	46	52	124	

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

Materialab

Report No.: 0394/13/ED/0314

Page 15 of 25

- 3.3.4 During the reporting period, 10 AL and 4 LL exceedances for Turbidity, 76 AL and 97 LL exceedances for TIN (in-situ), 29 AL and 26 LL exceedances for Total Suspended Solids, and 75 AL and 98 LL exceedances for TIN (lab) were recorded.
- 3.3.5 According to the investigations, the exceedances were considered caused by influences in the vicinity of the station or changes in ambient conditions and not related to the Project.

4. EM&A REQUIREMENTS – 24-HR WATER QUALITY MONITORING

4.1 Monitoring Parameters

4.1.1 Dissolved oxygen, temperature and turbidity are recorded every 5 minutes, 24 hours a day 7 days a week during dredging works.

4.1.2 In-situ NH₃-N at WSD Flushing Water Intake is measured every 20 minutes, 24 hours a day 7 days a week during works.

4.1.3 The water quality parameters measured at particular locations are shown in **Table 4.1**.

Table 4-1 24-hr Water Quality Monitoring Parameters

ID	Description	Parameters				
		Temperature	Turbidity	DO (mg/L)	DO%	NH ₃ -N
SR4	Tsuen Wan, WSD Flushing Water Intake	○	○	○	○	○
SR5	Ma Wan, Fish Culture Zone	○	○	○	○	
SR9	Cheung Sha Wan, Fish Culture Zone	○	○	○	○	
SR10	Lo Tik Wan, Fish Culture Zone	○	○	○	○	
SR11	Sok Kwu Wan, Fish Culture Zone	○	○	○	○	
SR12	Tsing Yi, WSD Flushing Water Intake	○	○	○	○	○
SR13	EMSD Cooling Water Intake for Kwai Chung Hospital	○	○	○	○	

4.2 Monitoring Locations

4.2.1 As shown in Table 4.1, the 24 hours water quality monitoring works are performed at SR4, SR5, SR9, SR10, SR11, SR12 and SR13.

4.2.2 Revisions on monitoring locations were proposed in previous submission (MaterialLab Report No. Ref: 0394/13/ED/0103 – WATER QUALITY MONITORING LOCATION) and were agreed among AFCD, EMSD, WSD and EPD.

4.3 Results and Observations

4.3.1 24-hr water quality monitoring was conducted at all designated monitoring stations in the reporting quarter. Monitoring result graphical presentations are provided in **Appendix E**.

4.3.2 During the reporting period, some adverse weather conditions, including Rainstorm Warnings and Thunderstorm Warning, were reported. Heavy marine traffic (not associated with the Project) was also commonly observed nearby the Project site and its vicinity, that the propeller wash from vessels could lead to potential disturbance of seabed sediment and affect the water

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
 Profit Industrial Building,
 1-15 Kwai Fung Crescent,
 Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
 Fax : (852)-24508032
 Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 17 of 25

quality. The above conditions may affect monitoring results. Furthermore, the fish culturing or other activities occurring on the fish rack may cause adverse impact on the receiving water.

4.3.3 Number of exceedances recorded in the reporting period at each impact station is summarized in Table 4.2.

Table 4-2 Summary of Water Quality Exceedance (24-hr Monitoring)

Station	Exceedance Level	Turbidity	DO	NH ₃ -N	Total
SR4	Action	0	0	0	0
	Limit	0	0	0	0
SR5	Action	0	0	-	0
	Limit	0	0	-	0
SR9	Action	0	0	-	0
	Limit	0	0	-	0
SR10	Action	0	0	-	0
	Limit	0	0	-	0
SR11	Action	0	0	-	0
	Limit	0	0	-	0
SR12	Action	0	0	0	0
	Limit	0	0	0	0
SR13	Action	0	0	-	0
	Limit	0	0	-	0
Total	Action	0	0	0	0
	Limit	0	0	0	0

4.3.4 No exceedance was recorded in the reporting quarter.

5. ENVIRONMENTAL SITE INSPECTION AND AUDIT

5.1 Site Inspections

5.1.1 The Environmental Team conducted 13 site inspections in the reporting period.

5.1.2 The Environmental Team conducted 13 site inspections in the reporting period. The Contractor was reminded to keep the silt curtain in good condition and to close all the covers/panels of the engine part during operation to minimize the noise emission. Also, housekeeping issues were reported, including the chemical container shall be store properly and the deck of the hopper barge 139 shall be kept tidy.

5.1.3 According to Contractor, no archaeological deposit was found during reporting period.

5.2 Implementation Status of Environmental Mitigation Measures

5.2.1 A summary of the Implementation Schedule of Environmental Mitigation Measures (EMIS) is presented in **Appendix F**. Most of the necessary mitigation measures were implemented properly.

5.2.2 The mitigation measures recommended in the EIA report and required by the EP are considered effective in minimizing environmental impacts. The Contractor has implemented the recommended mitigation measures except those mitigation measures not applicable at this stage. The Contractor should be reminded to keep the mitigation measures implemented effectively, especially the installation and maintenance of silt screen and silt curtain, and to maintain good condition of hopper barge and grab dredger to ensure their intended effects are fully achieved.

5.3 Summary of Action taken

5.3.1 The exceedances recorded were considered not related to the Project, follow-up actions are not required.

5.4 Advice on the Solid and Liquid Waste Management Status

5.4.1 According to the Contractor, 30m³ general refuse were generated and disposed of in the reporting period. Summary of waste flow table is detailed in **Appendix G**.

5.4.2 There was marine sediment, Type 1 (Open Sea Disposal) disposed to East Sha Chau CMP or South Cheung Chau Spoil Disposal Area or South of Brothers CMP1 or CMP2 and Type 2 sediment (Confined Marine Disposal) disposed to South of Brothers CMP1 or CMP2. The details can be referred to the **Table 5-1**.

Table 5-1 Waste Quantities of Dredging Works

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 19 of 25

Month	Marine Sediment Type	Quantity Generated in this month (m ³)	Cumulative-to-date (m ³)	Disposal / Dumping Ground
November 2015	Type 1 – Open Sea Disposal	34490	1446690	East Sha Chau CMP or South Cheung Chau Spoil Disposal Area or South of Brothers CMP1 or CMP2
	Type 2 – Confined Marine Disposal	34120	414800	South of Brothers CMP1 or CMP2
	Type 3 – Special Treatment / Disposal	0	0	NA
December 2015	Type 1 – Open Sea Disposal	41300	1487990	East Sha Chau CMP or South Cheung Chau Spoil Disposal Area or South of Brothers CMP1 or CMP2
	Type 2 – Confined Marine Disposal	57230	472030	South of Brothers CMP1 or CMP2
	Type 3 – Special Treatment / Disposal	0	0	NA
January 2016	Type 1 – Open Sea Disposal	12580	1500570	East Sha Chau CMP or South Cheung Chau Spoil Disposal Area or South of Brothers CMP1 or CMP2
	Type 2 – Confined Marine Disposal	22290	494320	South of Brothers CMP1 or CMP2
	Type 3 – Special Treatment / Disposal	0	0	NA

5.5 Review of Action and Limit Level

5.5.1 Referring to the ER Letter ref. (CV/2013/04)/M45/400/1247 dated 19 March 2015, a Revised Baseline Water Quality Monitoring Test Methodology – Review of Action and Limit Levels has been submitted to EPD by ER in March 2015. The Action and Limit Level for the wet season (April – October) was effected and applied to the water quality monitoring data from 1 April 2015. The Action and Limit Level is given in **Appendix C**.

5.6 Quarterly Review of Constructional Impacts on Water Quality

- 5.6.1 The construction impact on water quality was assessed by comparing the quarterly mean values with the relevant ambient or baseline mean values. Results showed that the quarterly mean values of TIN (in-situ) and TSS at all clusters of monitoring stations; and Turbidity at cluster 1 and cluster 3 stations were below the 1.3 x baseline value. Cluster stations with higher quarterly impact data are statistically compared to 1.3 x baseline levels or other relevant levels to assess the constructional impacts.
- 5.6.2 The quarterly turbidity mean of cluster 2 stations are compared to their 1.3 x baseline levels respectively, and the quarterly impact mean is significantly larger than their 1.3 x baseline levels ($p < 0.05$). The quarterly turbidity mean is further compared to the quarterly control levels at C1, C2 and C3, and the impact level is significantly smaller than the control level ($p < 0.05$), and indicated that the background turbidity is high and the quarterly construction impact is not significant.
- 5.6.3 Quarterly means of cluster 1 station and cluster 2 stations of TIN (Lab) are compared to their 1.3 x baseline data respectively. Results show the quarterly mean of cluster 1 TIN (Lab) and cluster 2 TIN (Lab) are significantly greater than their 1.3 x baseline level ($p < 0.05$). As TIN is not detected at Control stations, quarterly mean of impact station is further compared to the quarterly mean of gradient stations (G2, G3 and G4 are gradient stations in vicinity of cluster 1 stations; G1 is the most upstream location at the gradient station among all impact stations at ebb tide, thus is used to compare to cluster 2 stations). Data from ebb tide are compared for cluster 2 while data from flood tide are compared for cluster 1 as according to their relative position to the Project (data analysed for relative tide where clustered monitoring stations situate at downstream position and may be subject to project impact, reference made to Figure 3.). For cluster 1, at flood tide, results show no significant difference between TIN (Lab) of gradient station (G2, G3 & G4) from that of the impact station (SR5) ($p > 0.05$), indicating the trend is not increasing towards the project area and project impact is not significant. For cluster 2, at ebb tide, results show TIN (Lab) of impact station (SR9, SR10 & SR11) is significantly smaller from that of the gradient station G1 (the most upstream location at the gradient station) ($p < 0.05$), indicating background TIN level is high, and Project impact is not significant. The summary of key statistical analysis is provided in Table 5.3. Details of key statistical analysis results are provided in **Appendix H**.
- 5.6.4 As 24-hr monitoring is to supplement the routine WQM activities (EM&A Manual Section 2.1.10) and there is no baseline value and/or control / gradient value for a meaningful statistical analysis. Thus no statistical analysis was done for 24-hr monitoring. Also, statistical analysis was not performed for some parameters without exceedances (DO (S&M), DO (B), NH₃-N for both in-situ and lab results, UIA for both in-situ and lab results, *E.coli*, BOD₅ and Synthetic Detergent) in the reporting quarter.

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 21 of 25

Table 5-2 Comparison of Quarterly Mean to Baseline Mean

		Turbidity						TIN (In-situ)					
		Dry Season Baseline	Baseline x 1.3	Average	Nov 2015 - Jan 2016	Average	Larger than Baseline x 1.3	Dry Season Baseline	Baseline x 1.3	Average	Nov 2015 - Jan 2016	Average	Larger than Baseline x 1.3
Control (Flood)	C1	2.53	3.30		3.49		yes						
	C2	0.99	1.30	NA	3.21	NA	yes	NA	NA	NA	NA	NA	NA
	C3	0.50	0.70		1.78		yes						
Control (Ebb)	C1	1.16	1.50		3.47		yes						
	C2	1.21	1.60	NA	3.17	NA	yes	NA	NA	NA	NA	NA	NA
	C3	1.05	1.40		1.74		yes						
Gradient (Flood)	G1	1.94	2.50		3.37		yes	0.42	0.55		0.46		yes
	G2	1.73	2.20	NA	2.63	NA	yes	0.44	0.57		0.42		no
	G3	1.78	2.30		2.63		yes	0.42	0.55	NA	0.34	NA	no
	G4	2.29	3.00		3.88		yes	0.56	0.73		0.46		no
	G5	3.56	4.60	NA	3.32	NA	no	0.26	0.34		0.32		yes
	G6	0.69	0.90		2.04		yes	0.20	0.26		0.24		yes
Gradient (Ebb)	G1	1.33	1.70		3.35		yes	0.40	0.52		0.45		yes
	G2	1.00	1.30	NA	2.17	NA	yes	0.38	0.49		0.40		yes
	G3	1.19	1.50		2.61		yes	0.36	0.46	NA	0.34	NA	no
	G4	2.03	2.60		3.86		yes	0.53	0.69		0.45		no
	G5	0.86	1.10	NA	3.27	NA	yes	0.21	0.27		0.32		yes
	G6	0.63	0.80		2.07		yes	0.21	0.27		0.24		yes
Cluster 1 (Flood)	SR1	3.37	4.40		2.85			NA	NA		NA		
	SR2	2.04	2.70		2.57			NA	NA		NA		
	SR3	1.77	2.30	4.00	2.34	2.93	no	NA	NA	0.51	NA	0.43	no
	SR4	3.59	4.70		3.03			NA	NA		NA		
	SR5	3.50	4.60		2.74			0.39	0.51		0.43		
	SR12	3.83	5.00		4.05			NA	NA		NA		
Cluster 1 (Ebb)	SR1	2.46	3.20		2.79			NA	NA		NA		
	SR2	2.12	2.80		2.40			NA	NA		NA		
	SR3	1.70	2.20	3.10	2.24	2.54	no	NA	NA	0.53	NA	0.43	no
	SR4	2.86	3.70		2.12			NA	NA		NA		
	SR5	2.05	2.70		2.61			0.41	0.53		0.43		
	SR12	3.10	4.00		3.08			NA	NA		NA		
Cluster 2 (Flood)	SR6	2.45	3.20		2.47			NA	NA		NA		
	SR7	1.85	2.40		1.98			NA	NA		NA		
	SR8	1.20	1.60	1.70	1.81	1.89	yes	NA	NA	0.27	NA	0.24	no
	SR9	0.88	1.10		2.07			0.20	0.26		0.30		
	SR10	0.90	1.20		1.59			0.22	0.29		0.21		
	SR11	0.72	0.90		1.40			0.20	0.26		0.20		
Cluster 2 (Ebb)	SR6	1.75	2.30		2.46			NA	NA		NA		
	SR7	1.24	1.60		2.04			NA	NA		NA		
	SR8	0.95	1.20	1.30	1.93	1.91	yes	NA	NA	0.27	NA	0.23	no
	SR9	0.71	0.90		2.09			0.20	0.26		0.30		
	SR10	0.36	0.50		1.64			0.22	0.28		0.20		
	SR11	1.00	1.30		1.29			0.20	0.26		0.20		
Cluster 3 (Flood)	SR13	10.19	13.20	13.20	3.66	3.66	no	NA	NA	NA	NA	NA	NA
Cluster 3 (Ebb)	SR13	5.92	7.70	7.70	3.64	3.64	no	NA	NA	NA	NA	NA	NA

NA: Not Applicable

- Control and Gradient stations are compared on individual stations for reference, no clustering analysis was performed. Impact stations are compared in clusters of stations, or
- Parameter is not monitored at the station.

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk



Report No.: 0394/13/ED/0314

Page 22 of 25

		TSS						TIN (Lab)					
		Dry Season Baseline	Baseline x 1.3	Average	Nov 2015 - Jan 2016	Average	Larger than Baseline x 1.3	Dry Season Baseline	Baseline x 1.3	Average	Nov 2015 - Jan 2016	Average	Larger than Baseline x 1.3
Control (Flood)	C1	7	9	NA	5	NA	no	NA	NA	NA	NA	NA	NA
	C2	4	6		5		no						
	C3	4	5		4		no						
Control (Ebb)	C1	6	7	NA	6	NA	no	NA	NA	NA	NA	NA	NA
	C2	5	7		6		no						
	C3	4	5		4		no						
Gradient (Flood)	G1	7	10	NA	6	NA	no	0.30	0.39	NA	0.45	NA	yes
	G2	5	7		5		no	0.31	0.40		0.42		yes
	G3	6	8		5		no	0.30	0.39		0.34		yes
	G4	8	10		6		no	0.35	0.46		0.45		yes
	G5	6	8		6		no	0.15	0.20		0.33		yes
	G6	4	5		5		no	0.12	0.16		0.23		yes
Gradient (Ebb)	G1	5	7	NA	6	NA	no	0.28	0.36	NA	0.45	NA	yes
	G2	5	7		5		no	0.28	0.36		0.40		yes
	G3	5	7		5		no	0.24	0.31		0.34		yes
	G4	7	9		6		no	0.34	0.44		0.45		yes
	G5	5	7		6		no	0.13	0.17		0.32		yes
	G6	4	5		5		no	0.13	0.17		0.23		yes
Cluster 1 (Flood)	SR1	7	9	8.67	6	5.67	no	NA	NA	0.38	NA	0.44	yes
	SR2	5	7		5			NA	NA		NA		
	SR3	5	7		5			NA	NA		NA		
	SR4	7	9		6			NA	NA		NA		
	SR5	6	8		5			0.29	0.38		0.44		
	SR12	9	12		7			NA	NA		NA		
Cluster 1 (Ebb)	SR1	7	9	7.33	6	5.00	no	NA	NA	0.36	NA	0.43	yes
	SR2	5	7		5			NA	NA		NA		
	SR3	5	6		5			NA	NA		NA		
	SR4	5	7		4			NA	NA		NA		
	SR5	5	6		5			0.28	0.36		0.43		
	SR12	7	9		5			NA	NA		NA		
Cluster 2 (Flood)	SR6	5	6	6.17	6	4.83	no	NA	NA	0.16	NA	0.24	yes
	SR7	6	8		5			NA	NA		NA		
	SR8	4	5		5			NA	NA		NA		
	SR9	5	7		5			0.11	0.14		0.31		
	SR10	5	7		4			0.13	0.17		0.21		
	SR11	3	4		4			0.12	0.16		0.20		
Cluster 2 (Ebb)	SR6	4	6	5.83	6	5.00	no	NA	NA	0.14	NA	0.23	yes
	SR7	6	8		5			NA	NA		NA		
	SR8	4	5		5			NA	NA		NA		
	SR9	4	6		6			0.11	0.14		0.30		
	SR10	4	5		4			0.11	0.14		0.21		
	SR11	4	5		4			0.11	0.14		0.19		
Cluster 3 (Flood)	SR13	16	21	21.00	7	7.00	no	NA	NA	NA	NA	NA	NA
Cluster 3 (Ebb)	SR13	10	14	14.00	7	7.00	no	NA	NA	NA	NA	NA	NA

NA: Not Applicable

- Control and Gradient stations are compared on individual stations for reference, no clustering analysis was performed. Impact stations are compared in clusters of stations, or
- Parameter is not monitored at the station.

Table 5-3 Summary of Statistical Analysis

Parameter	Cluster	Compared against	Results and Conclusions
Turbidity	Cluster 2	Quarterly Mean at Impact Stations against 1.3 x Baseline Level	Quarterly mean is significantly higher than 1.3 x Baseline mean ($p < 0.05$).
		Quarterly Mean at Impact Stations against Control Stations	Impact Mean is significantly smaller than the Control Mean ($p < 0.05$), indicating background turbidity level is high, and Project impact is not significant
TIN (Lab)	Cluster 1	Quarterly Mean at Impact Stations (Flood tide) against 1.3 x Baseline Level (Flood tide)	Quarterly mean (Flood tide) is significantly higher than 1.3 x Baseline mean (Flood tide) ($p < 0.05$).
		Quarterly Mean at Impact Stations (Flood tide) against Quarterly Mean at Gradient Stations (Flood tide)	Impact Mean (Flood tide) is not significantly different from the Gradient Mean (Flood tide) ($p \geq 0.05$), meaning the trend is not increasing towards the project area, and Project impact is not significant
	Cluster 2	Quarterly Mean at Impact Stations (Ebb tide) against 1.3 x Baseline Level (Ebb tide)	Quarterly mean (Ebb tide) is significantly higher than 1.3 x Baseline mean (Ebb tide) ($p < 0.05$).
		Quarterly Mean at Impact Stations (Ebb tide) against Upstream Gradient Station (Ebb tide)	Impact Mean (Ebb tide) is significantly smaller than Upstream Gradient (G1) Mean (Ebb tide) ($p < 0.05$), indicating background TIN level is high, and Project impact is not significant

5.6.5 Exceedance are considered to be due to change in ambient conditions or influences in the vicinity of the stations. Mitigation measures for dredging works were implemented in accordance with EP and EIA requirements.

6. NON-COMPLIANCE, COMPLAINTS, NOTIFICATION OF SUMMONS AND PROSECUTION

6.1.1 In this reporting period, no complaint, inspection notice, notification of summons or prosecution was received. Cumulative complaint log, summaries of complaints, notification of summons and successful prosecutions are presented in **Tables 7.1, 7.2 and 7.3**.

Table 6-1 Environmental Complaints Log

Complaint Log No.	Date of Receipt	Received From and Received By	Nature of Complaint	Date Investigated	Outcome	Date of Reply
Nil	-	-	-	-	-	-

Table 6-2 Cumulative Statistics on Complaints

Environmental Parameters	Cumulative No. Brought Forward	No. of Complaints This Period	Cumulative Project-to-Date
Air	0	0	0
Noise	0	0	0
Water	0	0	0
Waste	0	0	0
Total	0	0	0

Table 6-3 Cumulative Statistics on Successful Prosecutions

Environmental Parameters	Cumulative No. Brought Forward	No. of Prosecutions This Period	Cumulative Project-to-Date
Air	0	0	0
Noise	0	0	0
Water	0	0	0
Waste	0	0	0
Total	0	0	0

6.1.2 A leakage incident was on 2 October 2015. A comprehensive incident report on the leakage has been submitted to EPD separately on 17 December 2015.

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab

Report No.: 0394/13/ED/0314

Page 25 of 25

7. CONCLUSIONS

- 7.1.1 The dredging works was commenced on 23 April 2014. The EM&A programme was carried out in accordance with the EM&A Manual requirements. As per the EM&A Manual, water quality impact monitoring was conducted during the dredging works.
- 7.1.2 During the reporting period, exceedances were record for Turbidity, TIN (in-situ & lab) and Suspended Solids in the routine impact monitoring. No exceedance was recorded in 24-hr monitoring. Investigation found that the exceedances were not project related and were considered caused by influences in the vicinity of the stations or change in ambient conditions.
- 7.1.3 13 environmental site inspections were carried out weekly in the reporting period.
- 7.1.4 No environmental complaint was received and followed up by Environmental Team in the reporting period.
- 7.1.5 No notification of summons and prosecution was received in the reporting period.

MATERIALAB CONSULTANTS LIMITED


Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab

Figure 1

Project General Layout



© Mott MacDonald Hong Kong Limited
 This document should not be relied on or used in circumstances other than those for which it was originally prepared and for which Mott MacDonald Hong Kong Limited was commissioned. Mott MacDonald Limited accepts no responsibility for this document to any other party other than the person by whom it was commissioned.
 Map / Image data reproduced with permission of the Director of Lands, the Government of Hong Kong SAR, Agreement No. 83 / 2008.



MATERIALAB CONSULTANTS LIMITED





Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab





Figure 2

Dredging Work Location during the Reporting Period



C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-10-30 DB19 for C24.tbl\Zone AB 2015-10-30 DB19 for C24.tbl

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-10-30 DB19 for C24.tbl\Zone AB 2015-10-30 DB19 for C24.tbl




C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-01-10-31 DB85 for C24.ksp\Main


C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-01-10-31 DB83 for A24 for 1st Sunday.ksp\Main

C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-01-10-31 DB85 for C24.ksp\Main


C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-02 DB85 for C23.ksp\Main




C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-03 DB88 for B23.xls\$fill\$







C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-04 DB89 for B15.xls\$fill\$



C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-04 DB89 for B15.xls\$fill\$



C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-05 DB89 for B15.xls\$fill\$







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-1-05 DB90 for A22.ass\Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-1-05 DB91 for A22.ass\Map





C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-1-06 DB92 for E18.ass\Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-1-06 DB93 for E18.ass\Map



K:\CW\Users\Public\From -\O\Portion AB 2015-11-10.D864 for G1 & H1.sxd\plan

C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-11.D867 for G1 & H1.sxd\plan







C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-12 D889 for A24.asx\Main

C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-11 D888 for B13.asx\Main

C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-13 D901 for E17.asx\Main

C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-13 D900 for E18.asx\Main







C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-14 D065 for KC1 for fish facility.sshplan

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-16 D004 for G17.sshplan

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-17 D005 for G16.sshplan

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-17 D006 for G20.sshplan







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-19 D088 for A25.docx

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-17 D087 for A17.docx

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-18 D089 for A25.docx

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-18 D088 for A20.docx




C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-11-19 D910 for A12_Alex\Main


C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-11-19 D911 for A17_Alex\Main

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-11-19 D910 for A20_Alex\Main

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-11-20 D913 for A16_Alex\Main




C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-21 D415 for A21 A8\Main







C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-21 D914 for A20 A8\Main



C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-21 D918 for E18 for A21 A8\Main



C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-21 D918 for E18 for A21 A8\Main




C:\Users\CV201364\Desktop\WF & AB Working Programme\Zone C Working Programme\Parion C 2015-11-23.D258 for C096 C095-A6-Main


C:\Users\CV201364\Desktop\WF & AB Working Programme\Zone C Working Programme\Parion C 2015-11-14.D248 for C127-SubMain

C:\Users\CV201364\Desktop\WF & AB Working Programme\Zone C Working Programme\Parion C 2015-11-16.D257 for C127-SubMain


C:\Users\CV201364\Desktop\WF & AB Working Programme\Zone C Working Programme\Parion C 2015-11-18.D248 for C127-SubMain




C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-21 D916 for E18 for 23rd Sunday.Ash11







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-25 D920 for X14-X15.Ash11



C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-21 D916 for A21.Ash11







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-23 D917 for G12.Ash11



C:\Users\CV201364\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-24_DS18A_for_A24_A0911A

C:\Users\CV201364\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-11-24_DS18A_for_A24_A0911A




C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-29_D026 for A11.docx(16)


C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-11-28_D024 for A24.docx(16)

\\CME\Users\Public\From Help\Portion AB 2015-11-29_D026 for A11.docx(16)


\\CME\Users\Public\From Help\Portion AB 2015-11-28_D024 for A24.docx(16)




WOWMEUserPublicFrom HoipPorter AB 2015-11-30 09:03 for F15 sea/lan




WOWMEUserPublicFrom HoipPorter AB 2015-11-30 09:03 for G11 sea/lan




WOWMEUserPublicFrom HoipPorter AB 2015-11-30 09:03 for A11 sea/lan




WOWMEUserPublicFrom HoipPorter AB 2015-11-30 09:03 for F15 sea/lan




C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-01 D035 for G18.dwg




C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-01 D035 for A24.dwg



C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-01 D034 for F10.dwg



C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-01 D036 for A20.dwg



Notes:
MCM No. 95 of 2014
Porton A, Dredging Operation
Start Date: 03 December 2015
End Date: 03 December 2015

Works Extent	Latitude	Longitude
A	22° 20' 6.627"	114° 7' 58.7"
B	22° 20' 7.145"	114° 7' 0.072"
C	22° 20' 16.700"	114° 7' 2.402"
D	22° 20' 16.700"	114° 7' 2.402"

Affected Berths:
KC1, KC2, KC5

Direction of Traffic:
ONE-WAY

Remarks:
3 hrs in advance notification to MCM/TS/terminal operators for any change of enclosing position.


Legend:
Dredging Area

Box No.: A24

Contractor:
AION
CONSTRUCTION MANAGEMENT
CORPORATION LIMITED
UNIT 19/F, WING LOK BUILDING
NO. 100, WING LOK STREET
HONG KONG

Project M. Co-ordinator Name:
Daily Programme:
CWE-KTCB-D911

Scale:
N.T.S.



Notes:
MCM No. 95 of 2014
Porton B, Dredging Operation
Start Date: 03 December 2015
End Date: 03 December 2015

Works Extent	Latitude	Longitude
A	22° 19' 23.14"	114° 6' 37.4"
B	22° 19' 7.705"	114° 7' 33.75"
C	22° 19' 16.700"	114° 7' 2.402"
D	22° 19' 16.700"	114° 7' 0.092"

Affected Berths:
No Berth Affected

Direction of Traffic:
ONE-WAY

Remarks:
3 hrs in advance notification to MCM/TS/terminal operators for any change of enclosing position.

Legend:
Dredging Area

Box No.: JB


Contractor:
AION
CONSTRUCTION MANAGEMENT
CORPORATION LIMITED
UNIT 19/F, WING LOK BUILDING
NO. 100, WING LOK STREET
HONG KONG

Project M. Co-ordinator Name:
Daily Programme:
CWE-KTCB-D949

Scale:
N.T.S.

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-12-03 D911 for A24.xls\SitePlan

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-12-03 D949 for JB.xls\SitePlan



Notes:
MCM No. 95 of 2014
Porton A, Dredging Operation
Start Date: 03 December 2015
End Date: 03 December 2015

Works Extent	Latitude	Longitude
A	22° 20' 6.627"	114° 7' 58.7"
B	22° 20' 7.145"	114° 7' 0.072"
C	22° 20' 16.700"	114° 7' 2.402"
D	22° 20' 16.700"	114° 7' 2.402"

Affected Berths:
KC1, KC2, KC5

Direction of Traffic:
TWO-WAY

Remarks:
3 hrs in advance notification to MCM/TS/terminal operators for any change of enclosing position.


Legend:
Dredging Area

Box No.: A24

Contractor:
AION
CONSTRUCTION MANAGEMENT
CORPORATION LIMITED
UNIT 19/F, WING LOK BUILDING
NO. 100, WING LOK STREET
HONG KONG

Project M. Co-ordinator Name:
Daily Programme:
CWE-KTCB-D918

Scale:
N.T.S.



Notes:
MCM No. 95 of 2014
Porton B, Dredging Operation
Start Date: 03 December 2015
End Date: 03 December 2015

Works Extent	Latitude	Longitude
A	22° 20' 6.627"	114° 7' 58.7"
B	22° 20' 7.145"	114° 7' 0.072"
C	22° 20' 16.700"	114° 7' 2.402"
D	22° 20' 16.700"	114° 7' 0.092"

Affected Berths:
KC17, KC18

Direction of Traffic:
ONE-WAY

Remarks:
3 hrs in advance notification to MCM/TS/terminal operators for any change of enclosing position.

Legend:
Dredging Area

Box No.: F16


Contractor:
AION
CONSTRUCTION MANAGEMENT
CORPORATION LIMITED
UNIT 19/F, WING LOK BUILDING
NO. 100, WING LOK STREET
HONG KONG

Project M. Co-ordinator Name:
Daily Programme:
CWE-KTCB-D937


Scale:
N.T.S.

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-12-03 D918 for A24.xls\SitePlan


C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2015-12-03 D937 for F16.xls\SitePlan




C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-03 D0830A for L7.docx







C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-04 D0842 for A14.docx



C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-03 D087A for F18.docx




C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-03 D093A for A24.docx




C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\DailyPorton AB 2015-12-04 D046 for A15.scp.htm


C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\DailyPorton AB 2015-12-05 D046 for A21.scp.htm




C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-05 0846 for A20 for 6th Sunday.asd(Mah)




C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-07 0950 for F10.asd(Mah)




C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-05 0847 for A14 for 6th Sunday.asd(Mah)




C:\Users\C201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-05 0846 for A25 for 6th Sunday.asd(Mah)




C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-07 D052 for A14.asx(14)







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-06 D054 for A11.asx(14)



C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-07 D055 for A24.asx(14)



C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-08 D055 for A24.asx(14)




C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-12-10 D056 for A20.xls\Main


C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-12-10 D056 for A11.xls\Main

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-12-10 D057 for A17.xls\Main


C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Partition AB 2015-12-11 D058 for A18.xls\Main




C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-12 D2B2 for A15.asx\Map







C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-12 D2B4 for A22.asx\Map



C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-11 D2B5 for A15.asx\Map



C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-12 D2B5 for F14.asx\Map







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-15-12-15.D986 for AZ1 for 13th Sunday.xlsx#tab

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-12.D986 for G16 for 13th Sunday.xlsx#tab





C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-14.D986 for A4.xlsx#tab

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-12.D986 for G17 for 13th Sunday.xlsx#tab



C:\Users\CV20134\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-14 D270 for A18.docx

C:\Users\CV20134\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-14 D269 for A14.docx







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-17 D078 for A18.asx(1).htm

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-17 D077 for A18.asx(1).htm

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-18 D080 for A19.asx(1).htm

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-18 D079 for A19.asx(1).htm











C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-18 D983 for A20_Abs\Main

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-19 D982 for A16_Abs\Main

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-18 D983 for A22_Abs\Main

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-19 D984 for A25_Abs\Main










C:\Users\CV201384\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-23 D099 for A15_A15A15A

C:\Users\CV201384\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-23 D099 for A15_A15A15A


C:\Users\CV201384\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-23 D099 for A25_A25A25A

C:\Users\CV201384\Desktop\WF & AB Working Programme\Daily\Portion AB 2015-12-23 D099 for JB_JB_A25A25A







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-31 0957 for G16.docx\Map







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-31 0959 for A25.docx\Map



C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-12-31 0958 for A21.docx\Map



C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2015-01-01 01:00 for G16.docx\Map







C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-01 D1001 for AZ2.asx\Map

C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-01 D1002 for AZ2.asx\Map

C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-02 D1003 for AZ2.asx\Map

C:\Users\CV201384\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-02 D1004 for AZ2.asx\Map







C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-02 D1006 for G16 for 3rd Sunday.xlsx

C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-02 D1006 for G25 for 3rd Sunday.xlsx





C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-02 D1006 for G16 for 3rd Sunday.xlsx

C:\Users\C201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-02 D1007 for G25 for 3rd Sunday.xlsx



C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-04 D1010 for G17.docx

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-04 D1011 for G17.docx







C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-05 D1014 for A18.xlsx/Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-06 D1015 for A25.xlsx/Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-06 D1016 for B13.xlsx/Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-06 D1015 for P16.xlsx/Map








C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2016-01-07 D1016 for A7.docx

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2016-01-08 D1017 for A7.docx


C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2016-01-07 D1016 for A25.docx

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Porton AB 2016-01-07 D1016 for A25.docx







C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2016-01-09 D1025 for A25.xls\MapA







C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2016-01-09 D1027 for F2 for 10th Sunday.xls\MapA











C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2016-01-09 D1028 for A25 for 10th Sunday.xls\MapA



C:\Users\CV201304\Desktop\WF & AB Working Programme\Daily\Portion AB 2016-01-09 D1028 for A25 for 10th Sunday.xls\MapA











C:\Users\CV201394\Desktop\WP & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-18 D1038 for A25-Asy\Map

C:\Users\CV201394\Desktop\WP & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2018-01-18 D1040 for A24-Asy\Map




C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-19 D194 for A25-Asx\Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-18 D104 for E17-Asx\Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-19 D194 for B25-Asx\Map

C:\Users\CV201304\Desktop\WF & AB Working Programme\Zone AB Working Programme\Daily\Portion AB 2016-01-18 D104 for A10-Asx\Map



Notes:
MON 4 of 2016
Period A - Drilling
Operation
Start Date: 20 January 2016
End Date: 20 January 2016
Works Extent
Location Latitude Longitude
A 22° 20' 44.62" 114° 7' 25.1"
B 22° 20' 44.62" 114° 7' 25.1"
C 22° 20' 44.62" 114° 7' 25.1"
D 22° 20' 44.62" 114° 7' 25.1"
Affected Berths(s)
KC1, KC2, KC3
Direction of Traffic
ONE-WAY
Legend:
Drilling Area


Box No.: B21

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

Notes:
1. This is in advance notification to MDT/TS for any change of authorising position.
2. Final Confirmation Cut Off Time 2000 hours

Project AB - Container Bank
Area Programs
N.T.S.



Notes:
MON 4 of 2016
Period A - Drilling
Operation
Start Date: 20 January 2016
End Date: 21 January 2016
Works Extent
Location Latitude Longitude
A 22° 20' 48.77" 114° 7' 04.11"
B 22° 20' 48.77" 114° 7' 04.11"
C 22° 20' 48.77" 114° 7' 04.11"
D 22° 20' 48.77" 114° 7' 04.11"
Affected Berths(s)
KC1, KC2, KC3
Direction of Traffic
ONE-WAY
Legend:
Drilling Area


Box No.: B22

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

Notes:
1. This is in advance notification to MDT/TS for any change of authorising position.
2. Final Confirmation Cut Off Time 2000 hours

Project AB - Container Bank
Area Programs
N.T.S.



Notes:
MON 5 of 2016
Drilling Location -
Period C
Start Date: 20 January 2016
End Date: 20 January 2016
Works Extent
Location Latitude Longitude
A 22° 19' 24.09" 114° 6' 59.76"
B 22° 19' 24.09" 114° 6' 59.76"
C 22° 19' 24.09" 114° 6' 59.76"
D 22° 19' 24.09" 114° 6' 59.76"
Affected Berths(s)
KC16, KC17
Direction of Traffic
ONE-WAY
Legend:
Drilling Area


Box No.: G21

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

Notes:
1. This is in advance notification to MDT/TS for any change of authorising position.
2. Final Confirmation Cut Off Time 2000 hours

Project AB - Container Bank
Area Programs
N.T.S.



Notes:
MON 5 of 2016
Drilling Location -
Period C
Start Date: 20 January 2016
End Date: 20 January 2016
Works Extent
Location Latitude Longitude
A 22° 19' 24.09" 114° 6' 59.76"
B 22° 19' 24.09" 114° 6' 59.76"
C 22° 19' 24.09" 114° 6' 59.76"
D 22° 19' 24.09" 114° 6' 59.76"
Affected Berths(s)
KC16, KC17
Direction of Traffic
ONE-WAY
Legend:
Drilling Area


Box No.: G21

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

CWME Contact
Tel No.: 5627 3166
Designer/Duty Supervisor 24 Hr (1): 6948 0900
Designer/Duty Supervisor 24 Hr (2): 6948 2004
W T Ho: 9159 0430
Dominic Leung
KO Leung
9034 2130

Notes:
1. This is in advance notification to MDT/TS for any change of authorising position.
2. Final Confirmation Cut Off Time 2000 hours

Project AB - Container Bank
Area Programs
N.T.S.



Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00




Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00

Notes:
 MDN No. 95 of 2114
 Person A - Drilling
 Operation
 Drilling Location -
 To be made available
 Work No.
 Daily Programme:
 22 Jan 2016 21:00
 22 Jan 2016 21:00



MATERIALAB CONSULTANTS LIMITED


Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

Materialab

Figure 3

Locations of Water Quality Monitoring Stations



NOTES:

1. ALL COORDINATES ARE IN HONG KONG METRIC GRID (1980).
2. THE CONTRACTOR SHALL REFER TO RELEVANT SECTION(S) AND APPENDICES OF THE PARTICULAR SPECIFICATION REGARDING THE WATER QUALITY MONITORING.

- LEGEND:**
- SITE BOUNDARY
 - MONITORING STATION
 - CONTROL STATION
 - GRADIENT STATION
 - 24-HRS MONITORING STATION
 - FISH CULTURE ZONE

1	APR 13	WH	TENDER ADDENDUM NO. 1	SL	CMH
0	APR 13	WH	TENDER DRAWING	SL	CMH
Rev	Date	Drawn	Description	Chk'd	App'd

20/F AIA Newbank Tower
 Landmark East
 100 Hous Bay Street
 Kowloon, Hong Kong
 Tel: +852 2518 5707
 Fax: +852 2517 1853
 www.mottmac.com.hk

Client
 THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 CIVIL ENGINEERING
 AND DEVELOPMENT DEPARTMENT

Project
 CONTRACT NO. : CV/2013/04
 DREDGING WORKS IN KWAI TSING
 CONTAINER BASIN AND ITS
 APPROACH CHANNEL

Title
 PROVISIONAL LOCATION
 OF WATER QUALITY
 MONITORING STATIONS

Designed	FC		Eng check	SL	
Drawn	WH		Coordination	TF	
Dwg check	FC		Approved	CMH	
Scale at A1	Status	Rev			
1:35000	TEN	2			

Drawing Number
 MMH/259053/EM/403




MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

MaterialLab

Appendix A
Project Organization Chart



Legend:
 — Line of Reporting
 - - - Line of Communication

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

The logo for MaterialLab, featuring the word "MaterialLab" in a bold, sans-serif font. The text is centered between two thick, horizontal black bars.

Report No.: 0394/13/ED/0314

Appendix B
Construction Programme

ID	Task Name	Duration	Start	Finish	Predecessors	Successors	Resource Names
1	Contract Period	922 days	Fri 30/8/13	Tue 8/3/16			
2	Contract Commencement Date	0 days	Fri 30/8/13	Fri 30/8/13		3SS	
3	Possession of Site	0 d			S,17SS,30SS,40SS	N	
4	Section 1	922 days	Fri 30/8/13	Tue 8/3/16			
5	Submission	893 days	Fri 30/8/13	Mon 8/2/16			
6	Routine Monitoring / Temporary Marine Traffic Management	484 days	Fri 30/8/13	Fri 26/12/14			
7	Environmental Management	484 days	Fri 30/8/13	Fri 26/12/14			
8	Baseline monitoring	231 days	Fri 30/8/13	Thu 17/4/14			
9	ETL and relevant site personal	30 days	Fri 30/8/13	Sat 28/9/13		3SS,12	N
10	Lab Test	30 days	Fri 30/8/13	Sat 28/9/13		3SS,12	N
11	Monitoring (Location see Drg No. EM/401)	201 days	Sun 29/9/13	Thu 17/4/14			
12	Plan	93 days	Sun 29/9/13	Mon 30/12/13		9,10	130
13	Sediment Report	88 days	Mon 20/1/14	Thu 17/4/14			
14	Preliminary report	19 days	Mon 20/1/14	Fri 7/2/14		134	135
15	Final report	27 days	Sat 22/3/14	Thu 17/4/14		135	182,184,200
16	Grab sample (Portions A, B & C)	321 days	Fri 30/8/13	Wed 16/7/14			
17	Grab sample specialist	30 days	Fri 30/8/13	Sat 28/9/13		3SS,18	N
18	Sediment testing and sampling plan	162 days	Sun 29/9/13	Sun 9/3/14		17	138
19	Sediment report	105 days	Thu 3/4/14	Wed 16/7/14			
20	Preliminary report	26 days	Thu 3/4/14	Mon 28/4/14		142	143
21	Final report	37 days	Tue 10/6/14	Wed 16/7/14		143	186
22	Vibro-coring (Portions A, B & C)	159 days	Mon 21/7/14	Fri 26/12/14			
23	Sediment testing and sampling plan	28 days	Mon 21/7/14	Sun 17/8/14		146	N
24	Sediment report	105 days	Sat 13/9/14	Fri 26/12/14			
25	Preliminary report	26 days	Sat 13/9/14	Wed 8/10/14		150	151
26	Final report	37 days	Thu 20/11/14	Fri 26/12/14		151	186FS-139 days
27	24 Hours monitoring station and TIN Measuring Device (Location see Drg No. EM/401)	79 days	Mon 25/11/13	Tue 11/2/14			
28	Instrumentation	79 days	Mon 25/11/13	Tue 11/2/14		153	N
29	Survey	179 days	Fri 30/8/13	Mon 24/2/14			
30	Surveyor	35 days	Fri 30/8/13	Thu 3/10/13		3SS,34,37	N
31	Geophysicist	35 days	Sun 3/11/13	Sat 7/12/13		200	N
32	Land Survey (Container Basin & DSD Tsing Yi Plant)	67 days	Tue 26/11/13	Fri 31/1/14			
33	Settlement markers	67 days	Tue 26/11/13	Fri 31/1/14			
34	Method Statement for Installation and Monitoring	24 days	Tue 26/11/13	Thu 19/12/13		30	161
35	Initial report	12 days	Mon 20/1/14	Fri 31/1/14		162	163
36	Hydrographic Survey (Portions A to E)	144 days	Fri 4/10/13	Mon 24/2/14			
37	Method Statement	36 days	Fri 4/10/13	Fri 8/11/13		30	166
38	Initial survey Report	29 days	Mon 27/1/14	Mon 24/2/14		166	167
39	Temporary Marine Traffic Management (Portions A to E)	144 days	Fri 30/8/13	Mon 20/1/14			
40	Consultant, Risk Manager and Marine Traffic Engineer	28 days	Fri 30/8/13	Thu 26/9/13		3SS,42	N
41	Independent Checking Engineer (ICE)	25 days	Fri 27/12/13	Mon 20/1/14		172FS-60 days	N
42	Webbase software and Trial Run	50 days	Fri 27/9/13	Fri 15/11/13		40	172
43	Dredging Works (Portions A to E)	817 days	Thu 14/11/13	Mon 8/2/16			
44	Independent Checking Engineer (ICE)	21 days	Thu 14/11/13	Wed 4/12/13		50	N
45	Silt screen deployment plan and report (Location see Drg No. EM/401)	77 days	Fri 6/12/13	Thu 20/2/14			
46	Method statement	77 days	Fri 6/12/13	Thu 20/2/14		184,177	N
47	Dredging method statement and silt curtain deployment plan	118 days	Thu 28/11/13	Tue 25/3/14			
48	Method statement for dredging works	104 days	Thu 28/11/13	Tue 11/3/14		200	N
49	Silt curtain deployment plan	118 days	Thu 28/11/13	Tue 25/3/14			
50	Design	70 days	Tue 17/12/13	Mon 24/2/14		44	51FS-89 days
51	Deployment plan	118 days	Thu 28/11/13	Tue 25/3/14		50FS-89 days	200
52	Dredging Works at Portions A and B	812 days	Tue 19/11/13	Mon 8/2/16			
53	General seabed	812 days	Tue 19/11/13	Mon 8/2/16			
54	Marine Notice approval by Marine Departemnt	247 days	Tue 19/11/13	Wed 23/7/14		184	N
55	Noise Permit	749 days	Mon 23/12/13	Sun 10/1/16			







China International Water & Electric Corp. Task Critical Task Milestone Summary

* Subject to availability of working windows


ID	Task Name	Duration	Start	Finish	Predecessors	Successors	Resource Names
111	Endorsed by ETL	5 days	Tue 14/10/14	Sat 18/10/14	110	112	N
112	Verified by IEC	5 days	Sun 19/10/14	Thu 23/10/14	111	113	N
113	Approval by EPD	30 days	Fri 24/10/14	Sat 22/11/14	112	195	N
114	Method statement for dredging hard material	109 days	Tue 10/6/14	Fri 26/9/14			
115	Preparation and submission	14 days	Tue 10/6/14	Mon 23/6/14		116	N
116	Comment	3 days	Tue 24/6/14	Thu 26/6/14	115	117	N
117	Resubmission	14 days	Tue 15/7/14	Mon 28/7/14	116	118	N
118	Further comment	2 days	Tue 29/7/14	Wed 30/7/14	117	119	N
119	Resubmission	14 days	Thu 11/8/14	Wed 24/8/14	118	120	N
120	Approval by Mott	2 days	Thu 25/8/14	Fri 26/8/14	119	196	N
121	Dredging Works at Portions C, D and E	111 days	Mon 21/2/13	Sat 22/3/14			
122	Marine Notice approval by Marine Departemnt	48 days	Mon 21/2/13	Sat 18/1/14		200	N
123	Noise Permit	95 days	Wed 18/12/13	Sat 22/3/14		200	N
124	Dumping Permit	57 days	Thu 2/1/14	Thu 27/2/14		200	N
125	Works	894 days	Fri 27/8/13	Tue 8/3/16			
126	Routine Monitoring / Temporary Marine Traffic Management	894 days	Fri 27/8/13	Tue 8/3/16			
127	Environmental Management	894 days	Fri 27/8/13	Tue 8/3/16			
128	Baseline monitoring	81 days	Tue 31/12/13	Fri 21/3/14			
129	Monitoring (Location see Drg No. EM/401)	81 days	Tue 31/12/13	Fri 21/3/14			
130	Mobilization	3 days	Tue 31/12/13	Thu 2/1/14	12	132,134	1
131	Field works and Lab Test	78 days	Fri 3/1/14	Fri 21/3/14			
132	Field works	3 days	Fri 3/1/14	Sun 5/1/14	130	134SS+3 days	1
133	Lab test	75 days	Mon 6/1/14	Fri 21/3/14			
134	Chemical test	14 days	Mon 6/1/14	Sun 19/1/14	132SS+3 days,130	14	N
135	Biological test	42 days	Sat 8/2/14	Fri 21/3/14	14	15	N
136	Grab sample (Portions A, B & C)	256 days	Fri 27/8/13	Mon 9/6/14			
137	Marine Department Notice	45 days	Fri 27/8/13	Sun 10/11/13		138	N
138	Grab sample specialist mobilization	7 days	Mon 10/3/14	Sun 16/3/14	16,137	140	2
139	Grab sample (field works) and Lab Test	85 days	Mon 17/3/14	Mon 9/6/14			
140	Field works	3 days	Mon 17/3/14	Wed 19/3/14	138	142	2
141	Lab test	82 days	Thu 20/3/14	Mon 9/6/14			
142	Chemical test	14 days	Thu 20/3/14	Wed 2/4/14	140	20	N
143	Biological test	42 days	Tue 28/4/14	Mon 9/6/14	20	21	N
144	Vibro-coring (Portions A, B & C)	127 days	Wed 16/7/14	Wed 19/11/14			
145	Marine Department Notice	28 days	Wed 16/7/14	Tue 12/8/14		146	N
146	Vibro-coring specialist mobilization	9 days	Mon 18/8/14	Tue 26/8/14	23,145	148	3
147	Vibro-coring (field works) and Lab Test	85 days	Wed 27/8/14	Wed 19/11/14			
148	Field works	3 days	Wed 27/8/14	Fri 29/8/14	146	150	3
149	Lab test	82 days	Sat 30/8/14	Wed 19/11/14			
150	Chemical test	14 days	Sat 30/8/14	Fri 12/9/14	148	25	N
151	Biological test	42 days	Thu 9/10/14	Wed 19/11/14	25	26	N
152	24 Hours monitoring station and TIN Measuring Device (Location see Drg No. EM/401)	756 days	Wed 12/2/14	Tue 8/3/16			
153	Procurement and delivery	45 days	Wed 12/2/14	Fri 28/3/14	28	154	N
154	Installation	14 days	Sat 28/3/14	Fri 11/4/14	153	155	1
155	Monitoring	684 days	Fri 25/4/14	Tue 8/3/16	154,200	157FF	1
156	Impact monitoring (Location see Drg No. EM/401)	684 days	Fri 25/4/14	Tue 8/3/16			
157	Impact monitoring and report submission	684 days	Fri 25/4/14	Tue 8/3/16	156FF		1
158	Survey	810 days	Fri 20/12/13	Tue 8/3/16			
159	Land Survey (Container Basin & DSD Tsing Yi Plant)	796 days	Fri 20/12/13	Tue 23/2/16			
160	Settlement markers	796 days	Fri 20/12/13	Tue 23/2/16			
161	Installation	14 days	Fri 20/12/13	Thu 2/1/14	34	162	4
162	Initial survey	7 days	Mon 13/1/14	Sun 19/1/14	161	35	4
163	Interim monitoring	670 days	Fri 25/4/14	Tue 23/2/16	167FF,200,35	274FF	4
164	Hydrographic Survey (Portions A to E)	786 days	Mon 13/1/14	Tue 8/3/16			
165	Initial survey	14 days	Mon 13/1/14	Sun 26/1/14			



ID	Task Name	Duration	Start	Finish	Predecessors	Successors	Resource Names
166	Field works	14 days	Mon 13/1/14	Sun 26/1/14	37	38	5
167	Interim survey	603 days	Tue 1/7/14	Tue 23/2/16	38	168,163FF	5
168	Final survey	7 days	Wed 24/2/16		96,197,212,207,204	169	5
169	Final survey report	7 days	Wed 2/3/16	Tue 8/3/16	168	274FF	N
170	Temporary Marine Traffic Management (Portions A to E)	879 days	Mon 30/9/13	Thu 25/2/16			
171	Organizing meeting for information collection	848 days	Mon 30/9/13	Mon 25/1/16			N
172	Temporary marine traffic management and TMTM meeting	826 days	Fri 22/11/13	Thu 25/2/16	41FS-60 days:42		N
173	Dredging Works (Portions A to E)	829 days	Sun 1/12/13	Tue 8/3/16			
174	Interface with other contractors or utility undertakings	815 days	Sun 1/12/13	Tue 23/2/16			
175	Organizing coordination meeting	815 days	Sun 1/12/13	Tue 23/2/16			N
176	Silt screen (Location see Drg No. EM/401)	747 days	Fri 21/2/14	Tue 8/3/16			
177	Installation of silt screen	7 days	Fri 21/2/14	Thu 27/2/14	46	178,200	6
178	Maintenance of silt screen	678 days	Thu 24/4/14	Tue 1/3/16	177	179	6
179	Removal of silt screen	7 days	Wed 2/3/16	Tue 8/3/16	178		6
180	Dredging Works at Portions A and B	625 days	Mon 9/6/14	Tue 23/2/16			
181	General seabed	625 days	Mon 9/6/14	Tue 23/2/16			
182	Mobilization	42 days	Fri 27/6/14	Thu 7/8/14	73,76,15,56	184	7
183	Fabrication of silt curtain	7 days	Mon 9/6/14	Sun 15/6/14		184	8
184	Pilot test for silt curtain	2 days	Fri 8/8/14	Sat 9/8/14	183,73,15,46,54,56	186	7
185	Monitoring brief for unidentified sonar contacts & masked areas	3 days	Wed 27/7/14	Fri 4/7/14		186	N
186	Dredging works 1 (subject to availability of working windows)	30 days	Sun 10/8/14	Mon 1/9/14	73,76,21,28FS-139 days	194	7
187	Dredging works 2 (subject to availability of working windows)	519 days	Tue 23/9/14	Tue 23/2/16	194,68FS-324 days	168	7
188	Type 3 Cat HF Sediment (Portion A)	207 days	Sat 1/8/15	Tue 23/2/16			
189	Procurement and delivery of Geo-container	112 days	Sat 1/8/15	Fri 20/11/15	103	191	N
190	Trial dumping operation of Type 2 sediment using geo-containers	2 days	Fri 22/1/16	Sat 23/1/16			
191	Trial dumping	2 days	Fri 22/1/16	Sat 23/1/16	84,189	192,85	7
192	Dredging works	15 days	Tue 9/2/16	Tue 23/2/16	103,191,86	168	7
193	Hot Spot (Portion A)	533 days	Tue 9/9/14	Tue 23/2/16			
194	Field trial at Zone Z2C	14 days	Tue 9/9/14	Mon 22/9/14	186,107	187,109	7
195	Dredging works at Z2B *	417 days	Thu 1/1/15	Tue 23/2/16	113	168	7
196	Dredging of hard material *	417 days	Thu 1/1/15	Tue 23/2/16	120	168	7
197	Outfall demolition works*	54 days	Fri 1/1/16	Tue 23/2/16		168	7
198	Dredging Works for Portions C, D and E	676 days	Fri 18/4/14	Mon 22/2/16			
199	Dredging Works for Portion D	657 days	Fri 18/4/14	Wed 3/2/16			
200	Mobilization	7 days	Fri 18/4/14	Ti	115,51,122,123,124	201,202,155,163	9
201	Pilot test of silt curtain	2 days	Fri 25/4/14	Sat 26/4/14	200	202FF	9
202	Trial dredging	2 days	Fri 25/4/14	Sat 26/4/14	200,201FF	203	9
203	Dredging works	153 days	Sun 27/4/14	Fri 26/9/14	202	206,204	9
204	Removal of high spot	6 days	Fri 29/1/16	Wed 3/2/16	203	207,168	
205	Dredging Works for Portion E	503 days	Sat 27/9/14	Thu 11/2/16			9
206	Dredging Works	51 days	Sat 27/9/14	Sun 16/11/14	203	207,209,211	
207	Removal of high spot	8 days	Thu 4/2/16	Thu 11/2/16	206,204	168,212	
208	Dredging Works for Portion C	447 days	Wed 3/12/14	Mon 22/2/16			
209	Northern west section	260 days	Wed 3/12/14	Wed 19/8/15	206		7,9
210	Middle section	16 days	Thu 5/11/15	Fri 20/11/15	211FS+4 days	212	7
211	Southern east section	321 days	Mon 15/12/14	Sat 31/10/15	206	210FS+4 days	7,9
212	Removal of high spot	11 days	Fri 12/2/16	Mon 22/2/16	210,207	168	
213	Section 2	922 days	Fri 30/8/13	Tue 8/3/16			
214	Submission	883 days	Wed 11/9/13	Wed 10/2/16			
215	Preliminaries (Portion F)	883 days	Wed 11/9/13	Wed 10/2/16			
216	Engineer Principal Accommodation	83 days	Wed 11/9/13	Mon 2/12/13			
217	Preparation and submission of location and layout	0 days	Wed 11/9/13	Wed 11/9/13		218	N
218	Approval of location and layout	30 days	Thu 12/9/13	Fri 11/10/13	217	220	N
219	Independent Checking Engineer (ICE)	14 days	Mon 7/10/13	Sun 20/10/13	220FF-1 day		N
220	Preparation of calculation	10 days	Sat 12/10/13	Mon 21/10/13	218	221,219FF-1 day	N



ID	Task Name	Duration	Start	Finish	Predecessors	Successors	Resource Names
221	Comment and resubmission of calculation	35 days	Tue 22/10/13	Mon 25/11/13	220	222	N
222	Approval of calculation	7 days	Tue 26/11/13	Mon 2/12/13	221	262	N
223	Outfall Modification Works (Location see Drg No. S202)	486 days	Mon 13/10/14	Wed 10/2/16			
224	Method statement for modification works	437 days	Mon 1/12/14	Wed 10/2/16			
225	Preparation and submission	423 days	Mon 1/12/14	Wed 27/1/16			
226	Preparation and submission	38 days	Mon 1/12/14	Wed 7/1/15		227	N
227	Resubmission	7 days	Thu 21/1/16	Wed 27/1/16	226	228	N
228	Approval by Mott	14 days	Thu 28/1/16	Wed 10/2/16	227	229FF	N
229	Approval by DSD	14 days	Thu 28/1/16	Wed 10/2/16	228FF	271	N
230	Flow Measurement Survey	452 days	Mon 13/10/14	Thu 7/1/16			
231	Preparation and submission	17 days	Mon 13/10/14	Wed 29/10/14		232	N
232	Resubmission	14 days	Wed 19/11/14	Tue 2/12/14	231	233	N
233	Further comment by Mott	3 days	Wed 3/12/14	Fri 5/12/14	232	234	N
234	Resubmission	48 days	Wed 17/12/14	Mon 2/2/15	233	235	N
235	Approval by Mott	7 days	Tue 3/2/15	Mon 9/2/15	234	236FF	N
236	Approval by DSD	7 days	Tue 3/2/15	Mon 9/2/15	235FF	238	N
237	Flow Survey Measurement report	243 days	Tue 10/2/15	Sat 10/10/15			
238	Analyzing survey data	5 days	Tue 10/2/15	Sat 14/2/15	236	239	N
239	Preparation and submission	126 days	Tue 3/3/15	Mon 6/7/15	238	243,240	N
240	Approval by Mott	1 day	Tue 7/7/15	Tue 7/7/15	239	241	N
241	Approval by DSD	95 days	Wed 8/7/15	Sat 10/10/15	240		N
242	Engineer's Assessment Report on Flow Measurement Survey	283 days	Tue 31/3/15	Thu 7/1/16			
243	Assessment calculations	14 days	Wed 21/10/15	Tue 3/11/15	239	247	N
244	Preparation and submission	203 days	Tue 31/3/15	Mon 19/10/15		245	N
245	Further comment by Mott	1 day	Tue 20/10/15	Tue 20/10/15	244	246	N
246	Resubmission	14 days	Wed 21/10/15	Tue 3/11/15	245	247	N
247	Approval by Mott	10 days	Wed 4/11/15	Fri 13/11/15	246,243	248	N
248	Approval by DSD	55 days	Sat 14/11/15	Thu 7/1/16	247	266	N
249	Video Filming and Dye Test	132 days	Thu 1/1/15	Tue 12/5/15			
250	Preparation and submission	75 days	Thu 1/1/15	Mon 16/3/15	251,253FS-1 day		N
251	Approval by Mott	2 days	Tue 17/3/15	Wed 18/3/15	250	252FF	N
252	Approval by DSD	2 days	Tue 17/3/15	Wed 18/3/15	251FF		N
253	Using digital camera in lieu of CCTV	58 days	Mon 16/3/15	Tue 12/5/15	250FS-1 day	270	N
254	Works	922 days	Fri 30/8/13	Tue 8/3/16			
255	Preliminaries (Portion F)	258 days	Fri 30/8/13	Wed 14/5/14			
256	Contractor's mobilization	36 days	Fri 30/8/13	Fri 4/10/13			
257	Site clearance	8 days	Fri 30/8/13	Fri 6/9/13	3SS,258	10	
258	Contractor's site office	28 days	Sat 7/9/13	Fri 4/10/13	257	10	
259	Security Guard	0 days	Fri 30/8/13	Fri 30/8/13	3SS	11	
260	Temporary electricity power supply	30 days	Fri 30/8/13	Sat 28/9/13	3SS	10	
261	Engineer's Initial Temporary Accommodation	14 days	Fri 30/8/13	Thu 12/9/13	3SS	10	
262	Engineer's Principal Accommodation	40 days	Tue 3/12/13	Sat 11/1/14	222	12	
263	Engineer's Car Park	14 days	Thu 1/5/14	Wed 14/5/14		12	
264	Outfall Modification Works (Location see Drg No. S202)	61 days	Fri 8/1/16	Tue 8/3/16			
265	Procurement of material	53 days	Fri 8/1/16	Mon 29/2/16			
266	Non return valves	53 days	Fri 8/1/16	Mon 29/2/16	248	267FF	N
267	Flange adaptors	53 days	Fri 8/1/16	Mon 29/2/16	266FF	272	N
268	1200mm diameter concret pipes	30 days	Sun 31/1/16	Mon 29/2/16		272	N
269	Dye test	7 days	Mon 1/2/16	Sun 7/2/16	269FF,253	270FF	13
270	Video filming	7 days	Mon 1/2/16	Sun 7/2/16	269FF,253	271	14
271	Dredging works	7 days	Thu 11/2/16	Wed 17/2/16	270,229	272	7
272	Modification works	1 day	Tue 1/3/16	Tue 1/3/16	267,268,271	273	14
273	As-built video submission	7 days	Wed 2/3/16	Tue 8/3/16	272	274FF	N
274	Revised Contract Completion Date	0 days	Tue 8/3/16	Tue 8/3/16	63FF,169FF,273FF		



MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

The logo for MaterialLab, featuring the word "MaterialLab" in a bold, sans-serif font. The text is centered between two thick, horizontal black bars.

Report No.: 0394/13/ED/0314

Appendix C
Action and Limit Levels

Action and Limit Levels for Routine Water Quality Monitoring (Dry Season)

Monitoring Station	DO (mg/L) Surface & Middle		DO (mg/L) Bottom		Turbidity (NTU) Depth-Averaged		Suspended Solids (mg/L) Depth-averaged		BOD5(mg/L) Depth- averaged		E.coli (CFU /100mL) Depth-averaged		NH3-N (mg/L) Depth-averaged		UIA (mg/L) Depth-averaged		Synthetic Detergent as MBAS (mg/L) Depth- averaged		TIN (mg/L) Depth Averaged		
	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	
Seawater Intake																					
SR1	2	2	2	2	<10	<10	<10	<10	<10	<10	<20,000	<20,000	<1	<1	0.021	0.021	<5	<5	NA	NA	
SR4																					
SR12																					
Fish Culture Zone																					
SR5	5.45	5.39 [#]	5.43	5.27 ⁺	6.7 or 120%C [*]	10.1 or 130%C [^]	12 or 120%C [*]	19 or 130%C [^]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.36	0.39	
SR9	6.11	6.02 [#]	6.11	6.04 ⁺	2.9 or 120%C [*]	4.8 or 130%C [^]	9 or 120%C [*]	18 or 130%C [^]													
SR10																					
SR11																					
Gazetted Beach																					
SR2	5.45	5.39 [#]	5.43	5.27 ⁺	6.7 or 120%C [*]	10.1 or 130%C [^]	12 or 120%C [*]	19 or 130%C [^]	NA	NA	NA	NA	0.21 or 120%C [*]	0.24 or 130%C [^]	0.021	0.021	NA	NA	NA	NA	
SR3																					
Corals																					
SR6	6.11	6.02 [#]	6.11	6.04 ⁺	2.9 or 120%C [*]	4.8 or 130%C [^]	9 or 120%C [*]	18 or 130%C [^]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SR7																					
SR8																					
EMSD Cooling Water Intake																					
SR13	5.31	5.22 [#]	5.29	5.12 ⁺	13.1 or 120%C [*]	15.7 or 130%C [^]	23 or 120%C [*]	38 or 130%C [^]	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Note:

* Or 120% of upstream control station at the same tide of the day

^ Or 130% of upstream control station at the same tide of the day

According to EM&A Manual, LL of DO (surface & middle) is 5 mg/L or 1 percentile of baseline data in FCZ; 4 mg/L or 1 percentile of baseline data in other impact monitoring stations.

+ According to EM&A Manual, LL of DO (bottom) is 2 mg/L or 1 percentile of baseline data

For DO measurement, non-compliance occurs when monitoring result is lower than the limits;

For TIN, UIA, NH₃-N, SS, BOD₅, E.coli, synthetic detergent and turbidity, non-compliance of water quality results when monitoring results is higher than the limits;

AL/LL of TIN and NH₃-N are determined from laboratory results for better accuracy and reliability. These AL/LL will be applied to both laboratory and in-situ measurements at impact stage.

Dry Season: November to March

Action and Limit Levels for Routine Water Quality Monitoring (Wet Season)

Monitoring Station	DO (mg/L) Surface & Middle		DO (mg/L) Bottom		Turbidity (NTU) Depth-Averaged		Suspended Solids (mg/L) Depth-averaged		BOD5 (mg/L) Depth-averaged		E.coli (CFU /100mL) Depth-averaged		NH3-N (mg/L) Depth-averaged		UIA (mg/L) Depth-averaged		Synthetic Detergent as MBAS (mg/L) Depth-averaged		TIN (mg/L) Depth Averaged	
	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL	AL	LL
Seawater Intake																				
SR1	2	2	2	2	<10	<10	<10	<10	<10	<10	<20,000	<20,000	<1	<1	0.021	0.021	<5	<5	NA	NA
SR4																				
SR12																				
Fish Culture Zone																				
SR5	5.00#	5.00#	4.11	4.04+	10.8 or 120%C*	15.0 or 130%C^	12 or 120%C*	19 or 130%C^	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.45	0.50
SR9	5.00	5.00#	4.41	4.25+	4.0 or 120%C*	8.7 or 130%C^	9 or 120%C*	18 or 130%C^											0.37	0.49
SR10																				
SR11																				
Gazetted Beach																				
SR2	4.68	4.62#	4.11	4.04+	10.8 or 120%C*	15.0 or 130%C^	12 or 120%C*	19 or 130%C^	NA	NA	NA	NA	0.21 or 120%C*	0.24 or 130%C^	0.021	0.021	NA	NA	NA	NA
SR3																				
Corals																				
SR6	5.00	4.82#	4.41	4.25+	4.0 or 120%C*	8.7 or 130%C^	9 or 120%C*	18 or 130%C^	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SR7																				
SR8																				
EMSD Cooling Water Intake																				
SR13	4.24	4.17#	3.70	3.58+	13.1 or 120%C*	15.7 or 130%C^	23 or 120%C*	38 or 130%C^	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Note:

* Or 120% of upstream control station at the same tide of the day

^ Or 130% of upstream control station at the same tide of the day

According to EM&A Manual, LL of DO (surface & middle) is 5 mg/L or 1 percentile of baseline data in FCZ; 4 mg/L or 1 percentile of baseline data in other impact monitoring stations. (5%ile & 1 %ile determined from wet season baseline data for cluster 1 (4.68mg/L & 4.62mg/L) and cluster 2 (5.00mg/L & 4.82mg/L) are 5mg/L or below, thus 5mg/L was adopted as the AL & LL for the SR in FCZ)

+ According to EM&A Manual, LL of DO (bottom) is 2 mg/L or 1 percentile of baseline data

Referring to the ER Letter ref. (CV/2013/04)/M45/400/1247 dated 19 March 2015, a Revised Baseline Water Quality Monitoring Test Methodology – Review of Action and Limit Levels has been submitted to EPD by ER in March 2015. The Action and Limit Level for the wet season (April – October) was effected and applied to the water quality monitoring data from 1 April 2015.

For DO measurement, non-compliance occurs when monitoring result is lower than the limits;

For TIN, UIA, NH₃-N, SS, BOD₅, E.coli, synthetic detergent and turbidity, non-compliance of water quality results when monitoring results is higher than the limits;

AL/LL of TIN and NH₃-N are determined from laboratory results for better accuracy and reliability. These AL/LL will be applied to both laboratory and in-situ measurements at impact stage.

Wet season: April to October

Action and Limit Levels for 24-hr Water Quality Monitoring (Dry Season)

Monitoring Station	DO (mg/L) Surface		Turbidity (NTU) Surface		Ammonia-N (mg/L) Surface	
	AL	LL	AL	LL	AL	LL
WSD Seawater Intake						
SR4	2	2	<10	<10	<1	<1
SR12						
Fish Culture Zone						
SR5	5.46	5.39	6.0	7.9	NA	NA
SR9	6.12	5.97	2.8	4.7		
SR10						
SR11						
EMSD Cooling Water Intake						
SR13	5.28	5.22	11.9	13.3	NA	NA

Note: According to EM&A Manual, LL of DO (surface & middle) is 5 mg/L or 1 percentile of baseline data in FCZ; 4 mg/L or 1 percentile of baseline data in other impact monitoring stations.

Dry Season: November to March.

Action and Limit Levels for 24-hr Water Quality Monitoring (Wet Season)

Monitoring Station	DO (mg/L) Surface		Turbidity (NTU) Surface		Ammonia-N (mg/L) Surface	
	AL	LL	AL	LL	AL	LL
WSD Seawater Intake						
SR4	2	2	<10	<10	<1	<1
SR12						
Fish Culture Zone						
SR5	5.24	5.13	9.7	14.4	NA	NA
SR9	5.13	5.00#	5.9	7.1		
SR10						
SR11						
EMSD Cooling Water Intake						
SR13	4.23	4.17	11.9	13.3	NA	NA

Note: # According to EM&A Manual, LL of DO (surface & middle) is 5 mg/L or 1 percentile of baseline data in FCZ; 4 mg/L or 1 percentile of baseline data in other impact monitoring stations. (1 %ile determined from wet season baseline data for cluster 2 (4.78mg/L) is below 5mg/L, thus 5mg/L was adopted as the DO (surface) LL for the SR in FCZ in cluster 2 stations)

Referring to the ER Letter ref. (CV/2013/04)/M45/400/1247 dated 19 March 2015, a Revised Baseline Water Quality Monitoring Test Methodology – Review of Action and Limit Levels has been submitted to EPD by ER in March 2015. The Action and Limit Level for the wet season (April – October) was effected and applied to the water quality monitoring data from 1 April 2015.

Wet Season: April to October

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk




Materialab

Report No.: 0394/13/ED/0314




Appendix D

Graphical Presentation – Routine Impact Monitoring Results




Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide






Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide




Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide








Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide




Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide




Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide




Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide




Dissolved Oxygen (Surface and Middle) at Mid-Ebb Tide




SR11




SR12




Dissolved Oxygen (Bottom) at Mid-Ebb Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide




C2




G2




C3








G3




Dissolved Oxygen (Bottom) at Mid-Ebb Tide








Dissolved Oxygen (Bottom) at Mid-Ebb Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






SR11






SR12






Turbidity (Depth average) at Mid-Ebb Tide






Turbidity (Depth average) at Mid-Ebb Tide




Turbidity (Depth average) at Mid-Ebb Tide








Turbidity (Depth average) at Mid-Ebb Tide




Turbidity (Depth average) at Mid-Ebb Tide




Turbidity (Depth average) at Mid-Ebb Tide




Turbidity (Depth average) at Mid-Ebb Tide




Turbidity (Depth average) at Mid-Ebb Tide






SR11






SR12





In-situ Ammonia (Depth average) at Mid-Ebb Tide






In-situ Ammonia (Depth average) at Mid-Ebb Tide




In-situ Ammonia (Depth average) at Mid-Ebb Tide







In-situ UIA (Depth average) at Mid-Ebb Tide






In-situ UIA (Depth average) at Mid-Ebb Tide






In-situ UIA (Depth average) at Mid-Ebb Tide




In-situ TIN (Depth average) at Mid-Ebb Tide




In-situ TIN (Depth average) at Mid-Ebb Tide




In-situ TIN (Depth average) at Mid-Ebb Tide




In-situ TIN (Depth average) at Mid-Ebb Tide






SR9






SR10






Total Suspended Solids (Depth average) at Mid-Ebb Tide






Total Suspended Solids (Depth average) at Mid-Ebb Tide




Total Suspended Solids (Depth average) at Mid-Ebb Tide








Total Suspended Solids (Depth average) at Mid-Ebb Tide






Total Suspended Solids (Depth average) at Mid-Ebb Tide




Total Suspended Solids (Depth average) at Mid-Ebb Tide




Total Suspended Solids (Depth average) at Mid-Ebb Tide








Total Suspended Solids (Depth average) at Mid-Ebb Tide





Ammonia Nitrogen (Depth average) at Mid-Ebb Tide






Ammonia Nitrogen (Depth average) at Mid-Ebb Tide




Ammonia Nitrogen (Depth average) at Mid-Ebb Tide







Laboratory Analysis UIA (Depth average) at Mid-Ebb Tide






Laboratory Analysis UIA (Depth average) at Mid-Ebb Tide






Laboratory Analysis UIA (Depth average) at Mid-Ebb Tide




Laboratory Analysis TIN (Depth average) at Mid-Ebb Tide






Laboratory Analysis TIN (Depth average) at Mid-Ebb Tide






Laboratory Analysis TIN (Depth average) at Mid-Ebb Tide






Laboratory Analysis TIN (Depth average) at Mid-Ebb Tide






E.coli (Depth average) at Mid-Ebb Tide






E.coli (Depth average) at Mid-Ebb Tide






BOD₅ (Depth average) at Mid-Ebb Tide






BOD₅ (Depth average) at Mid-Ebb Tide






Synthetic Detergent (Depth average) at Mid-Ebb Tide






Synthetic Detergent (Depth average) at Mid-Ebb Tide






Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide






Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide






Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide






Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide




Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide






Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide



Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide









Dissolved Oxygen (Surface and Middle) at Mid-Flood Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Flood Tide



Dissolved Oxygen (Bottom) at Mid-Flood Tide









Dissolved Oxygen (Bottom) at Mid-Flood Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide


Dissolved Oxygen (Bottom) at Mid-Flood Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide






Turbidity (Depth average) at Mid-Flood Tide






Turbidity (Depth average) at Mid-Flood Tide






Turbidity (Depth average) at Mid-Flood Tide






Turbidity (Depth average) at Mid-Flood Tide




Turbidity (Depth average) at Mid-Flood Tide






Turbidity (Depth average) at Mid-Flood Tide






Turbidity (Depth average) at Mid-Flood Tide






Turbidity (Depth average) at Mid-Flood Tide





In-situ Ammonia (Depth average) at Mid-Flood Tide






In-situ Ammonia (Depth average) at Mid-Flood Tide




In-situ Ammonia (Depth average) at Mid-Flood Tide







In-situ UIA (Depth average) at Mid-Flood Tide






In-situ UIA (Depth average) at Mid-Flood Tide






In-situ UIA (Depth average) at Mid-Flood Tide




In-situ TIN (Depth average) at Mid-Flood Tide






In-situ TIN (Depth average) at Mid-Flood Tide






In-situ TIN (Depth average) at Mid-Flood Tide






In-situ TIN (Depth average) at Mid-Flood Tide






Total Suspended Solids (Depth average) at Mid-Flood Tide






Total Suspended Solids (Depth average) at Mid-Flood Tide






Total Suspended Solids (Depth average) at Mid-Flood Tide






Total Suspended Solids (Depth average) at Mid-Flood Tide






Total Suspended Solids (Depth average) at Mid-Flood Tide




Total Suspended Solids (Depth average) at Mid-Flood Tide






Total Suspended Solids (Depth average) at Mid-Flood Tide






Total Suspended Solids (Depth average) at Mid-Flood Tide





Ammonia Nitrogen (Depth average) at Mid-Flood Tide






Ammonia Nitrogen (Depth average) at Mid-Flood Tide






Ammonia Nitrogen (Depth average) at Mid-Flood Tide





Laboratory Analysis UIA (Depth average) at Mid-Flood Tide






Laboratory Analysis UIA (Depth average) at Mid-Flood Tide






Laboratory Analysis UIA (Depth average) at Mid-Flood Tide




Laboratory Analysis TIN (Depth average) at Mid-Flood Tide






Laboratory Analysis TIN (Depth average) at Mid-Flood Tide



Laboratory Analysis TIN (Depth average) at Mid-Flood Tide









Laboratory Analysis TIN (Depth average) at Mid-Flood Tide









E.coli (Depth average) at Mid-Flood Tide

E.coli (Depth average) at Mid-Flood Tide






BOD₅ (Depth average) at Mid-Flood Tide




BOD₅ (Depth average) at Mid-Flood Tide



Synthetic Detergent (Depth average) at Mid-Flood Tide



Synthetic Detergent (Depth average) at Mid-Flood Tide



MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk




The logo for MaterialLab, featuring the word "MaterialLab" in a bold, black, sans-serif font. The text is centered between two thick, horizontal black bars.

Report No.: 0394/13/ED/0314




Appendix E

Graphical Presentation – 24-hr Monitoring Results


Turbidity 24-hr Water Quality Monitoring






Turbidity 24-hr Water Quality Monitoring






Turbidity 24-hr Water Quality Monitoring




Dissolved Oxygen
24-hr Water Quality Monitoring





Dissolved Oxygen
24-hr Water Quality Monitoring



Dissolved Oxygen
24-hr Water Quality Monitoring



**Ammonia-N
24-hr Water Quality Monitoring**



MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

The logo for MaterialLab, featuring the word "MaterialLab" in a bold, sans-serif font. The text is white and is set against a black rectangular background that has horizontal bars extending from the top and bottom edges.

Report No.: 0394/13/ED/0314

Appendix F

Environmental Mitigation Implementation Schedule

EIA Ref	EM& A Ref	No.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to Address	Who to implement the measure	Location of the measure	When to implement the measure?	Implementation Status
		A	Water Quality					
3.8	2.9		<u>Use of Silt Screens</u>	Minimize the effect of potential increase in SS levels at the seawater intakes	Contractor	WSD8, WSD9 and EMSD1	Construction Phase	Implemented
		A1	Silt Screens shall be installed at the flushing water intakes WSRs WSD1, WSD8, WSD9 and EMSD1 to minimise the effect of potential increase in SS levels at the seawater intakes.					
3.8	2.9		<u>Use of Silt Curtains</u>	Minimize the release of suspended soil from the dredging area	Contractor	Construction Work Sites	Construction Phase	Implemented
		A2	To minimize the potential SS impact from dredging, deployment of silt curtains around the grab dredgers is recommended; and Before commencement of dredging works, the holder of the Environmental Permit shall submit detailed proposal of the design and arrangement of the frame type silt curtain to EPD for approval.					
3.10	2.9	A3	Water Quality Monitoring Program	Perform water quality monitoring at sensitive receivers during construction phase	ET	Monitoring Locations as stated in Table 2.1 of the EM&A Manual	Construction Phase	Implemented
			Water quality monitoring shall be carried out in accordance with Section 2 of the Environmental Monitoring and Audit (EM&A) Manual. Event and Action Plan (EAP) for water quality shall be followed in case of any exceedance in action and limit level.					
3.8 (EP Ref 3)	-		Dredging Operation	Minimize potential adverse effect as a result of dredging activities	Contractor	Construction Work Sites	Construction Phase	Implemented
		A4	Only two types of dredgers are allowed for this Project: (a) grab dredger with closed grab, and (b) cutter suction dredger spud pole grab dredger.					
		A5	The speed of any construction vessels shall not exceed 10 knots when passing through the area of the Project.					
		A6	No more than three two grab dredgers with closed grab (or one cutter suction dredger with two closed grab dredgers) shall be operated within the Project Area at any one time for the Project.					
		A7	Only one closed grab dredger or one cutter suction dredger shall be operated in Zone 2B and during which no other closed grab dredger shall be allowed in other zones within the Project Area.					
		A8	No more than one grab dredger with closed grab (or one cutter suction dredger) shall be operated within each of the five main zones at any one time for the Project in which the cutter suction dredger shall only be operated in Zones 2 and 4 with maximum dredging rate of 700 m ³ in 30 minutes in any given hour (max. 8,400 m ³ /day, based on a 12-hour operation per day).					
		A9	The maximum dredging rate for closed grab dredger at Rambler Channel – Zones 1 to 2 (subzones Z1A, Z1B, Z2A, Z2B and Z2C) shall follow the Dredging Plan for the Hotspot, as shown in EP-426/2011/A.					
		A10	The maximum dredging rate for closed grab dredger at Rambler Channel – Zones 3 to 4 (subzones Z3A to Z4B) shall not exceed 1,600 m ³ per day during dry season or 3,440 m ³ per day during wet season as shown in EP-426/2011/A.					
		A11	The maximum dredging rate for closed grab dredger at Rambler Channel – Zones 5 to 6 (subzones Z5A, Z5B and Z6A) shall not exceed 4,000 m ³ per day during both dry and wet seasons as shown in EP-426/2011/A.					
		A12	The maximum dredging rate for closed grab dredger at Rambler Channel –					

EIA Ref	EM& A Ref	No.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to Address	Who to implement the measure	Location of the measure	When to implement the measure?	Implementation Status
			Zones 5 to 8 (subzones Z5C, Z6B, Z6C, Z6D, Z7 and Z8) shall not exceed 4,000 m ³ per day during both dry and wet seasons as shown in EP-426/2011/A.					
		A13	The maximum dredging rate for closed grab dredger at Northern Fairway – Zones 9 to 12 shall not exceed 4,000 m ³ per day during both dry and wet seasons as shown in EP-426/2011/A.					Implemented
		A14	The maximum dredging rate for closed grab dredger at Western Fairway – Zone 13A shall not exceed 4,000 m ³ per day during both dry and wet seasons as shown in EP-426/2011/A.					NA-Dredging works substantially completed
		A15	The maximum dredging rate for closed grab dredger at Western Fairway – Zone 13B shall not exceed 4,000 m ³ per day during both dry and wet seasons as shown in EP-426/2011/A.					NA-Dredging works substantially completed
		A16	The dredging pump of cutter suction dredger shall be operated during cutting to reduce the sediment loss to water body.					NA-no CSD employed
		A17	Project dredging works within Zone 1 to 6 (including sub-zones) of the Container Basin shall not be carried out at the same time with Terminal Operator's maintenance dredging activities.					NA-No Terminal Operator's maintenance dredging carried out
		A18	Cutter suction dredger is only to be deployed for the removal of harder material during daytime only (07:00 to 19:00) in Zone 2 (including sub-zones) of the Container Basin.					NA-no CSD employed
		A19	In case of rainstorm warning in effect during dredging works, the dredged material on barge shall be covered properly before transportation to disposal site.					Implemented
		A20	In case of exceedance of SS and NH ₃ -N at the Tsing Yi WSD flushing intake due to dredging operation is evidenced, the Contractor shall propose mitigation measures not limited to reducing dredging rate. If exceedance persists, the Contractor shall propose not to undertake dredging operation in close proximity to the Tsing Yi flushing water intake during flood tide. The Contractor shall liaise with the ETL, IEC, ER, EPD and WSD for the proposed mitigation measures.					NA-no exceedance due to dredging operation
		A21	If further mitigation measures are required due to continuous exceedance of SS and NH ₃ -N, consideration shall then be given to dredge only on the state of the tide which would avoid migration of SS towards the WSD and EMSD intakes.					NA-no exceedance due to dredging operation
		A22	Dredging sub-zone Z2B where high NH ₃ -N in sediment is found shall be isolated with dredging works to be carried out towards the end of construction programme.					Implemented
		A23	Administrative control in terms of dredging rate adjustment in controlling the release of contaminants shall be employed as mitigation measures.					Implemented
		A24	Field trials shall be carried out to propose the most effective dredging process and rate to control the release of ammoniacal nitrogen and UIA into the water column and achieve compliance at the WSD1 seawater intake					Implemented

EIA Ref	EM& A Ref	No.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to Address	Who to implement the measure	Location of the measure	When to implement the measure?	Implementation Status
			(NH ₃ -N) and at the beaches for UIA. Capital dredging works in dredging sub-zone Z2B (Figure 1.2h refers) should not therefore be carried out until the proposed method and rate are confirmed.					
		A25	Detailed dredging plan shall be prepared providing details of individual dredging subzones and dredging rate taking into account of the field trial results.					Implemented
3.8	-		Other Good Site Practices for Dredging	Minimize potential adverse effect as a result of dredging activities	Contractor	Construction Work Sites	Construction Phase	
		A26	All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash.					Implemented
		A27	The speed of all Contractor's vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments.					Implemented
		A28	All barges / dredgers used should be fitted with tight fitting seals to their bottom openings to prevent leakage of material.					Implemented
		A29	Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present on the water within the site or dumping grounds.					Implemented
		A30	No overflow of dredged mud should be allowed. Barges or hopper should not be filled to a level that will cause the overflow of materials or polluted water during loading or transportation.					Implemented
		B	Waste Management					
			<u>Good Site Practices</u>	Minimize potential adverse effect arising from the handling of dredged material	Contractor	Construction Work Sites (General)	Construction Phase	
4.5	3.3	B1	Obtain the profile of different sediment categories and careful planning of sediment removal.					Implemented
		B2	Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site.					Implemented
		B3	Training of site personnel in proper waste management and chemical handling procedures.					Implemented
		B4	Provision of sufficient waste disposal points and regular collection of waste.					Implemented
		B5	Well planned delivery programme for offsite disposal such that adverse environmental impact from transporting sediment material is not anticipated.					Implemented
		B6	Use well maintained PME on site.	Implemented				
			<u>General Refuse</u>	Minimize the adverse effect arising from the handling of site general refuse	Contractor	Construction Work Sites (General)	Construction Phase	
4.5	3.3	B7	General refuse should be stored in enclosed bins. A reputable waste collector should be employed by the contractor to remove general refuse from the site.					Implemented
			<u>Chemical Waste</u>	Minimize the adverse effect arising from the handling of site chemical waste	Contractor	Construction Work Site	Construction Phase	
4.5	3.3	B8	If chemical wastes are produced at the construction site, the Contractor shall be required to register with the EPD as a chemical waste producer and to follow the guidelines stated in the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes. Good quality containers compatible with the chemical wastes shall be used, and incompatible chemicals should be stored separately. Appropriate labels shall be securely					Implemented

EIA Ref	EM& A Ref	No.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to Address	Who to implement the measure	Location of the measure	When to implement the measure?	Implementation Status
			attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility, in accordance with the Waste Disposal (Chemical Waste) (General) Regulation.					
4.5	3.3		Marine Dredged Sediment	Control of transportation and disposal of dredged material in a manner to minimize potential impacts on water quality	Contractor	Construction Work Site	Construction Phase	
		B9	Control of transportation and disposal of dredged material in a manner to minimize potential impacts on water quality.					Implemented
		B10	Bottom opening of barges will be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved.					Implemented
		B11	Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD.					Implemented
		B12	Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.					Implemented
		B13	Sediment Quality Report shall be prepared and submit to EPD under DASO.					Implemented
		B14	If disposal of Type 3 sediment is identified, agreement with EPD shall be reached regarding the treatment of sediment before disposal.					NA – no type 3 material disposed
		B15	Project works shall not be carried out before obtaining confirmation from MFC on disposal option.					Implemented
		B16	Follow strictly all conditions stipulated in the dumping permit.	Implemented				
		C	Marine Ecology					
5.7	4.1	C1	Water quality monitoring results shall be reviewed from time to time to assess if there were any impact to marine ecology due to dredging operation.	Review and assess the potential adverse effect on marine ecology	Contractor	Construction Work Sites	Construction Phase	Implemented
		D	Fisheries					
6.7	5.1	D1	Water quality monitoring results shall be reviewed from time to time to assess if there were any impact to fisheries due to dredging operation.	Review and assess the potential adverse effect on fisheries	Contractor	Construction Work Sites	Construction Phase	Implemented
		E	Hazard to Life					
7.8.2	6.2	E1	Sound communication channel shall be established with the oil companies, Marine Department, and Fire Services Department for effective notification and emergency evacuation in case of accidents.		Contractor	Construction Work Sites (General)	Construction Phase	Implemented
		E2	Proper safety and emergency training shall be given to the relevant operation staff at the dredging site. Emergency plans and procedures should be prepared and drills should be performed periodically.	Implemented				
		F	Landscape Visual and Glare					
8.9 Table 8-3 & 8-6	7.2	F1	Visa shields to the lights of dredgers shall be provided.	Minimize landscape and visual impacts during construction phase	Contractor	Construction activities' area	Throughout design, construction phase	Implemented
		F2	The light source shall not point directly to any VSRs.					Implemented
		F3	Lights shall be switched off if they are not in use.					Implemented

EIA Ref	EM& A Ref	No.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concerns to Address	Who to implement the measure	Location of the measure	When to implement the measure?	Implementation Status
		G	Cultural Heritage					
9.5	8		<u>Monitoring Brief</u>	Minimize potential marine archaeological impact during dredging activities	Contractor	Locations of the 20 unidentified sonar contacts and masked areas	During Construction works	
		G1	A monitoring brief shall be conducted during the dredging. It shall only be required during dredging at the locations of the 20 unidentified sonar contacts and masked areas and does not need to cover all of the dredging activities. Dredging staff should be briefed about the possibility of locating archaeological objects and a marine archaeologist shall be available to monitor the dredged spoil and provide advice. If material indicative of archaeological remains is retrieved, the AMO should be contacted as soon as possible.					NA- no archaeological deposit was found during reporting period.
		H	Noise					
10.8	9		<u>Good Site Practices</u>	Control and minimize the generation of undue noise nuisance	Contractor	Construction Work Sites (Along the alignment of dredging)	Construction Phase	
		H1	Only well-maintained plant shall be operated on-site and plant should be serviced regularly during the construction program.					Implemented
		H2	Machines and plant that may be in intermittent use should be shut down between works periods or should be throttled down to a minimum.					Implemented
		H3	Plant known to emit noise strongly in one direction should, wherever possible, be orientated so that the noise is directed away from nearby NSRs.					Implemented
		H4	If dredging is to be carried out during restricted hours, work locations close to NSRs shall be avoided.					Implemented
		I	Construction Dust					
11.7	10		<u>Dust Control</u>	Good site practice to control dust and odour impact to the nearby sensitive receivers	Contractor	Construction Work Sites (General)	Construction Phase	
		I1	Requirements of the Air Pollution Control (Construction Dust) Regulation, where relevant, shall be adhered to during the construction period.					Implemented
			<u>Odour</u>		Contractor	Construction Work Sites (General)	Construction Phase	
		I2	To minimize potential odour emissions, if dredged sediment is anticipated to be placed on barge for more than a day the load shall be properly covered as far as practicable to minimise the exposed area and potential odour.	NA-no work in such condition				
		I3	If dredged sediment is found to be malodorous it shall be removed from site as soon as possible within one hour after the barge being filled up.					NA-no work in such condition

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

Materialab

Report No.: 0394/13/ED/0314

Appendix G

Waste Generation in Reporting Period

Name of Department : Civil Engineering and Development Department
 Contract No. : CV/2013/04

Monthly Summary Waste Flow Table for 2015-2016 (year)

Month/Year	Actual Quantities of Inert C&D Materials Generated Monthly					Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated (in '000 m ³)	Broken Concrete (see Note 4) (in '000 m ³)	Reused in the Contract (in '000 m ³)	Reused in other Projects (in '000 m ³)	Disposed as Public Fill (in '000 m ³)	Metals (in '000 kg)	Paper/cardboard packaging (in '000 kg)	Plastics (see Note 3) (in '000 kg)	Chemical Waste (in '000 kg)	Others, e.g. general refuse (in '000 m ³)
Nov/2015	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.01
Dec/2015	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.01
Jan/2016	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.01
Feb/2016										
Mar/2016										
Apr/2016										
May/2016										
Jun/2016										
Jul/2016										
Aug/2016										
Sep/2016										
Oct/2016										
Nov/2016										
Dec/2016										
Total	nil	nil	nil	nil	nil	nil	nil	nil	nil	0.03

Notes:

- (1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- (2) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material.
- (3) Broken concrete for recycling into aggregates

Yearly Summary Waste Flow Table

Year	Estimated Annual Quantities of Inert C&D Materials (in '000m ³)										Estimated Annual of C&D Wastes									
	Total Quantity Generated		Broken Concrete (see Note 3)		Reused in the Contract		Reused in other Projects		Disposed as Public Fill		Metals		Paper/cardboard packaging		Plastics (see Note 2)		Chemical Waste		Others, e.g. general refuse	
	(a)		(b)		(c)		(d)		(a-b-c-d)		(in '000 kg)		(in '000 kg)		(in '000 kg)		(in '000 kg)		(in '000 m ³)	
	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.
2013	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.003	0.01
2014	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.2	0.16
2015	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	13	14.4	0.2	0.12
2016	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	17	-	0.2	-
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2019	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2020																				
2021																				
Grand Total	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	30	-	0.603	-

Notes:

- (1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- (2) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material
- (3) Broken concrete for recycling into aggregates.

Monthly Summary of Sediment Disposal (2014-2015)

Marine Sediment Type	Type 1 – Open Sea Disposal	Type 2 – Confined Marine Disposal	Type 3 – Special Treatment / Disposal
Month	Monthly Quantity (m ³)	Monthly Quantity (m ³)	Monthly Quantity (m ³)
2014			
Jan-Dec	549,430	99,660	nil
2015			
January	126,750	47,580	nil
February	153,770	12,440	nil
March	101,370	65,870	nil
April	173,760	29,840	nil
May	99,550	29,180	nil
June	49,460	9,360	nil
July	30,680	5,180	nil
August	36,960	21,520	nil
September	49,270	32,500	nil
October	41,200	27,550	nil
November	34,490	34,120	nil
December	41,300	57,230	nil
2016			
January	12,580	22,290	nil
Total	1,500,570	494,320	nil

MATERIALAB CONSULTANTS LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent,
Kwai Fong, N.T., Hong Kong.

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com.hk

Materialab

Report No.: 0394/13/ED/0314

Appendix H

Quarterly Assessment of Construction Impact

Cluster 2 Turbidity
1.3 x Baseline vs Impact

1.3 x Baseline Turbidity (NTU)			
SR6	1/4/2014	Mid-Flood	2.9
SR6	1/7/2014	Mid-Flood	3.4
SR6	1/9/2014	Mid-Flood	0.7
SR6	1/11/2014	Mid-Flood	0.3
SR6	1/14/2014	Mid-Flood	0.1
SR6	1/16/2014	Mid-Flood	1.6
SR6	1/18/2014	Mid-Flood	0.4
SR6	1/21/2014	Mid-Flood	0.1
SR6	1/23/2014	Mid-Flood	0.1
SR6	1/25/2014	Mid-Flood	0.4
SR6	1/27/2014	Mid-Flood	0.6
SR6	1/29/2014	Mid-Flood	1.0
SR7	1/4/2014	Mid-Flood	5.3
SR7	1/14/2014	Mid-Flood	2.3
SR7	1/9/2014	Mid-Flood	0.1
SR7	1/11/2014	Mid-Flood	0.1
SR7	1/14/2014	Mid-Flood	0.1
SR7	1/16/2014	Mid-Flood	0.1
SR7	1/18/2014	Mid-Flood	0.1
SR7	1/21/2014	Mid-Flood	0.1
SR7	1/23/2014	Mid-Flood	0.2
SR7	1/25/2014	Mid-Flood	0.2
SR7	1/27/2014	Mid-Flood	0.1
SR7	1/29/2014	Mid-Flood	0.5
SR8	1/4/2014	Mid-Flood	1.4
SR8	1/7/2014	Mid-Flood	1.2
SR8	1/9/2014	Mid-Flood	0.1
SR8	1/11/2014	Mid-Flood	0.1
SR8	1/14/2014	Mid-Flood	0.1
SR8	1/16/2014	Mid-Flood	0.4
SR8	1/18/2014	Mid-Flood	0.1
SR8	1/21/2014	Mid-Flood	0.1
SR8	1/23/2014	Mid-Flood	0.1
SR8	1/25/2014	Mid-Flood	0.7
SR8	1/27/2014	Mid-Flood	0.6
SR8	1/29/2014	Mid-Flood	0.7
SR9	1/4/2014	Mid-Flood	1.3
SR9	1/7/2014	Mid-Flood	1.9
SR9	1/9/2014	Mid-Flood	1.0
SR9	1/11/2014	Mid-Flood	1.0
SR9	1/14/2014	Mid-Flood	0.3
SR9	1/16/2014	Mid-Flood	1.3
SR9	1/18/2014	Mid-Flood	0.4
SR9	1/21/2014	Mid-Flood	0.5
SR9	1/23/2014	Mid-Flood	0.3
SR9	1/25/2014	Mid-Flood	0.7
SR9	1/27/2014	Mid-Flood	1.0
SR9	1/29/2014	Mid-Flood	0.9
SR10	1/4/2014	Mid-Flood	0.6
SR10	1/7/2014	Mid-Flood	0.6
SR10	1/9/2014	Mid-Flood	0.1
SR10	1/11/2014	Mid-Flood	0.1
SR10	1/14/2014	Mid-Flood	2.1
SR10	1/16/2014	Mid-Flood	1.2
SR10	1/18/2014	Mid-Flood	0.1
SR10	1/21/2014	Mid-Flood	0.1
SR10	1/23/2014	Mid-Flood	0.1
SR10	1/25/2014	Mid-Flood	0.5
SR10	1/27/2014	Mid-Flood	0.3
SR10	1/29/2014	Mid-Flood	0.6
SR11	1/4/2014	Mid-Flood	0.5
SR11	1/7/2014	Mid-Flood	0.1
SR11	1/9/2014	Mid-Flood	0.1
SR11	1/11/2014	Mid-Flood	0.1
SR11	1/14/2014	Mid-Flood	0.1
SR11	1/16/2014	Mid-Flood	0.1
SR11	1/18/2014	Mid-Flood	0.1
SR11	1/21/2014	Mid-Flood	0.1
SR11	1/23/2014	Mid-Flood	0.1
SR11	1/25/2014	Mid-Flood	0.2
SR11	1/27/2014	Mid-Flood	0.1
SR11	1/29/2014	Mid-Flood	0.9

Impact Turbidity (NTU)											
SR6	10/24/2015	Mid-Flood	3.5	SR8	10/24/2015	Mid-Flood	1.5	SR10	10/24/2015	Mid-Flood	0.9
SR6	10/27/2015	Mid-Flood	3.6	SR8	10/27/2015	Mid-Flood	1.9	SR10	10/27/2015	Mid-Flood	0.6
SR6	10/29/2015	Mid-Flood	8.5	SR8	10/29/2015	Mid-Flood	1.2	SR10	10/29/2015	Mid-Flood	2.6
SR6	10/31/2015	Mid-Flood	3.2	SR8	10/31/2015	Mid-Flood	2.1	SR10	10/31/2015	Mid-Flood	3.6
SR6	11/3/2015	Mid-Flood	3.4	SR8	11/3/2015	Mid-Flood	2.0	SR10	11/3/2015	Mid-Flood	2.2
SR6	11/5/2015	Mid-Flood	2.0	SR8	11/5/2015	Mid-Flood	2.6	SR10	11/5/2015	Mid-Flood	2.8
SR6	11/7/2015	Mid-Flood	2.9	SR8	11/7/2015	Mid-Flood	2.6	SR10	11/7/2015	Mid-Flood	2.4
SR6	11/10/2015	Mid-Flood	4.5	SR8	11/10/2015	Mid-Flood	2.2	SR10	11/10/2015	Mid-Flood	2.8
SR6	11/12/2015	Mid-Flood	4.9	SR8	11/12/2015	Mid-Flood	2.7	SR10	11/12/2015	Mid-Flood	2.4
SR6	11/14/2015	Mid-Flood	2.7	SR8	11/14/2015	Mid-Flood	2.8	SR10	11/14/2015	Mid-Flood	1.7
SR6	11/17/2015	Mid-Flood	2.8	SR8	11/17/2015	Mid-Flood	1.6	SR10	11/17/2015	Mid-Flood	2.7
SR6	11/19/2015	Mid-Flood	2.8	SR8	11/19/2015	Mid-Flood	1.6	SR10	11/19/2015	Mid-Flood	1.2
SR6	11/21/2015	Mid-Flood	2.3	SR8	11/21/2015	Mid-Flood	1.5	SR10	11/21/2015	Mid-Flood	0.6
SR6	11/24/2015	Mid-Flood	2.8	SR8	11/24/2015	Mid-Flood	2.1	SR10	11/24/2015	Mid-Flood	1.7
SR6	11/26/2015	Mid-Flood	2.8	SR8	11/26/2015	Mid-Flood	2.8	SR10	11/26/2015	Mid-Flood	2.3
SR6	11/28/2015	Mid-Flood	3.7	SR8	11/28/2015	Mid-Flood	2.8	SR10	11/28/2015	Mid-Flood	2.8
SR6	12/1/2015	Mid-Flood	2.6	SR8	12/1/2015	Mid-Flood	2.0	SR10	12/1/2015	Mid-Flood	2.8
SR6	12/3/2015	Mid-Flood	2.6	SR8	12/3/2015	Mid-Flood	1.0	SR10	12/3/2015	Mid-Flood	0.1
SR6	12/5/2015	Mid-Flood	1.9	SR8	12/5/2015	Mid-Flood	2.8	SR10	12/5/2015	Mid-Flood	1.9
SR6	12/8/2015	Mid-Flood	2.8	SR8	12/8/2015	Mid-Flood	2.8	SR10	12/8/2015	Mid-Flood	2.3
SR6	12/10/2015	Mid-Flood	2.8	SR8	12/10/2015	Mid-Flood	2.7	SR10	12/10/2015	Mid-Flood	2.6
SR6	12/12/2015	Mid-Flood	2.5	SR8	12/12/2015	Mid-Flood	2.7	SR10	12/12/2015	Mid-Flood	2.7
SR6	12/15/2015	Mid-Flood	2.8	SR8	12/15/2015	Mid-Flood	2.7	SR10	12/15/2015	Mid-Flood	2.1
SR6	12/17/2015	Mid-Flood	2.5	SR8	12/17/2015	Mid-Flood	2.0	SR10	12/17/2015	Mid-Flood	0.4
SR6	12/19/2015	Mid-Flood	2.3	SR8	12/19/2015	Mid-Flood	2.0	SR10	12/19/2015	Mid-Flood	2.1
SR6	12/22/2015	Mid-Flood	1.4	SR8	12/22/2015	Mid-Flood	2.2	SR10	12/22/2015	Mid-Flood	0.9
SR6	12/24/2015	Mid-Flood	2.7	SR8	12/24/2015	Mid-Flood	2.4	SR10	12/24/2015	Mid-Flood	2.5
SR6	12/26/2015	Mid-Flood	2.7	SR8	12/26/2015	Mid-Flood	2.4	SR10	12/26/2015	Mid-Flood	0.7
SR6	12/29/2015	Mid-Flood	2.6	SR8	12/29/2015	Mid-Flood	1.5	SR10	12/29/2015	Mid-Flood	0.9
SR6	12/31/2015	Mid-Flood	1.5	SR8	12/31/2015	Mid-Flood	0.7	SR10	12/31/2015	Mid-Flood	0.2
SR6	1/2/2016	Mid-Flood	0.9	SR8	1/2/2016	Mid-Flood	0.3	SR10	1/2/2016	Mid-Flood	0.5
SR6	1/5/2016	Mid-Flood	2.1	SR8	1/5/2016	Mid-Flood	1.9	SR10	1/5/2016	Mid-Flood	1.0
SR6	1/7/2016	Mid-Flood	0.7	SR8	1/7/2016	Mid-Flood	0.5	SR10	1/7/2016	Mid-Flood	1.8
SR6	1/9/2016	Mid-Flood	0.6	SR8	1/9/2016	Mid-Flood	0.2	SR10	1/9/2016	Mid-Flood	0.8
SR6	1/12/2016	Mid-Flood	0.8	SR8	1/12/2016	Mid-Flood	1.2	SR10	1/12/2016	Mid-Flood	1.4
SR6	1/14/2016	Mid-Flood	0.4	SR8	1/14/2016	Mid-Flood	0.2	SR10	1/14/2016	Mid-Flood	0.2
SR6	1/16/2016	Mid-Flood	0.3	SR8	1/16/2016	Mid-Flood	0.4	SR10	1/16/2016	Mid-Flood	0.6
SR6	1/19/2016	Mid-Flood	0.3	SR8	1/19/2016	Mid-Flood	0.7	SR10	1/19/2016	Mid-Flood	0.6
SR6	1/21/2016	Mid-Flood	0.2	SR8	1/21/2016	Mid-Flood	0.9	SR10	1/21/2016	Mid-Flood	0.5
SR7	10/24/2015	Mid-Flood	1.4	SR9	10/24/2015	Mid-Flood	2.0	SR11	10/24/2015	Mid-Flood	1.7
SR7	10/27/2015	Mid-Flood	1.5	SR9	10/27/2015	Mid-Flood	3.8	SR11	10/27/2015	Mid-Flood	1.4
SR7	10/29/2015	Mid-Flood	3.7	SR9	10/29/2015	Mid-Flood	3.6	SR11	10/29/2015	Mid-Flood	0.8
SR7	10/31/2015	Mid-Flood	2.7	SR9	10/31/2015	Mid-Flood	2.8	SR11	10/31/2015	Mid-Flood	1.9
SR7	11/3/2015	Mid-Flood	4.4	SR9	11/3/2015	Mid-Flood	4.8	SR11	11/3/2015	Mid-Flood	1.1
SR7	11/5/2015	Mid-Flood	2.9	SR9	11/5/2015	Mid-Flood	1.2	SR11	11/5/2015	Mid-Flood	1.1
SR7	11/7/2015	Mid-Flood	2.2	SR9	11/7/2015	Mid-Flood	2.0	SR11	11/7/2015	Mid-Flood	0.8
SR7	11/10/2015	Mid-Flood	2.3	SR9	11/10/2015	Mid-Flood	2.7	SR11	11/10/2015	Mid-Flood	2.7
SR7	11/12/2015	Mid-Flood	2.7	SR9	11/12/2015	Mid-Flood	2.4	SR11	11/12/2015	Mid-Flood	2.7
SR7	11/14/2015	Mid-Flood	2.5	SR9	11/14/2015	Mid-Flood	2.4	SR11	11/14/2015	Mid-Flood	0.9
SR7	11/17/2015	Mid-Flood	1.7	SR9	11/17/2015	Mid-Flood	2.1	SR11	11/17/2015	Mid-Flood	1.3
SR7	11/19/2015	Mid-Flood	1.7	SR9	11/19/2015	Mid-Flood	1.8	SR11	11/19/2015	Mid-Flood	0.8
SR7	11/21/2015	Mid-Flood	1.7	SR9	11/21/2015	Mid-Flood	1.4	SR11	11/21/2015	Mid-Flood	0.6
SR7	11/24/2015	Mid-Flood	1.9	SR9	11/24/2015	Mid-Flood	2.7	SR11	11/24/2015	Mid-Flood	2.1
SR7	11/26/2015	Mid-Flood	2.9	SR9	11/26/2015	Mid-Flood	2.8	SR11	11/26/2015	Mid-Flood	2.9
SR7	11/28/2015	Mid-Flood	2.7	SR9	11/28/2015	Mid-Flood	2.8	SR11	11/28/2015	Mid-Flood	2.7
SR7	12/1/2015	Mid-Flood	1.7	SR9	12/1/2015	Mid-Flood	1.0	SR11	12/1/2015	Mid-Flood	1.6
SR7	12/3/2015	Mid-Flood	2.0	SR9	12/3/2015	Mid-Flood	2.6	SR11	12/3/2015	Mid-Flood	1.7
SR7	12/5/2015	Mid-Flood	2.1	SR9	12/5/2015	Mid-Flood	2.5	SR11	12/5/2015	Mid-Flood	2.3
SR7	12/8/2015	Mid-Flood	2.8	SR9	12/8/2015	Mid-Flood	2.7	SR11	12/8/2015	Mid-Flood	2.7
SR7	12/10/2015	Mid-Flood	2.8	SR9	12/10/2015	Mid-Flood	2.8	SR11	12/10/2015	Mid-Flood	2.7
SR7	12/12/2015	Mid-Flood	2.8	SR9	12/12/2015	Mid-Flood	2.7	SR11	12/12/2015	Mid-Flood	2.7
SR7	12/15/2015	Mid-Flood	2.8	SR9	12/15/2015	Mid-Flood	2.8	SR11	12/15/2015	Mid-Flood	1.2
SR7	12/17/2015	Mid-Flood	2.5	SR9	12/17/2015	Mid-Flood	1.5	SR11	12/17/2015	Mid-Flood	1.1
SR7	12/19/2015	Mid-Flood	2.6	SR9	12/19/2015	Mid-Flood	2.7	SR11	12/19/2015	Mid-Flood	1.2
SR7	12/22/2015	Mid-Flood	1.8	SR9	12/22/2015	Mid-Flood	1.7	SR11	12/22/2015	Mid-Flood	1.4
SR7	12/24/2015	Mid-Flood	2.7	SR9	12/24/2015	Mid-Flood	2.4	SR11	12/24/2015	Mid-Flood	2.3
SR7	12/26/2015	Mid-Flood	1.9	SR9	12/26/2015	Mid-Flood	1.7	SR11	12/26/2015	Mid-Flood	0.4
SR7	12/29/2015	Mid-Flood	1.5	SR9	12/29/2015	Mid-Flood	2.6	SR11	12/29/2015	Mid-Flood	0.4
SR7	12/31/2015	Mid-Flood	2.2	SR9	12/31/2015	Mid-Flood	2.2	SR11	12/31/2015	Mid-Flood	0.2
SR7	1/2/2016	Mid-Flood	0.2	SR9	1/2/2016	Mid-Flood	0.7	SR11	1/2/2016	Mid-Flood	0.4
SR7	1/5/2016	Mid-Flood	0.8	SR9	1/5/2016	Mid-Flood	1.0	SR11	1/5/2016	Mid-Flood	1.2
SR7	1/7/2016	Mid-Flood	0.4	SR9	1/7/2016	Mid-Flood	1.3	SR11	1/7/2016	Mid-Flood	0.8
SR7	1/9/2016	Mid-Flood	0.3	SR9	1/9/2016	Mid-Flood	1.3	SR11	1/9/2016	Mid-Flood	1.1
SR7	1/12/2016	Mid-Flood	0.3	SR9	1/12/2016	Mid-Flood	1.5	SR11	1/12/2016	Mid-Flood	1.6
SR7	1/14/2016	Mid-Flood	0.5	SR9	1/14/2016	Mid-Flood	0.3	SR11	1/14/2016	Mid-Flood	0.4
SR7	1/16/2016	Mid-Flood	2.2	SR9	1/16/2016	Mid-Flood	0.7	SR11	1/16/2016	Mid-Flood	0.5
SR7	1/19/2016	Mid-Flood	1.2	SR9	1/19/2016	Mid-Flood	0.4	SR11	1/19/2016	Mid-Flood	0.6
SR7	1/21/201										

Cluster 2 Turbidity
1.3 x Baseline vs Impact

1.3 x Baseline Turbidity (NTU)			
SR6	1/4/2014	Mid-Ebb	3.3
SR6	1/7/2014	Mid-Ebb	1.2
SR6	1/9/2014	Mid-Ebb	0.4
SR6	1/11/2014	Mid-Ebb	0.1
SR6	1/14/2014	Mid-Ebb	0.1
SR6	1/16/2014	Mid-Ebb	0.2
SR6	1/18/2014	Mid-Ebb	0.7
SR6	1/21/2014	Mid-Ebb	0.1
SR6	1/23/2014	Mid-Ebb	0.6
SR6	1/25/2014	Mid-Ebb	0.4
SR6	1/27/2014	Mid-Ebb	0.7
SR6	1/29/2014	Mid-Ebb	0.4
SR7	1/4/2014	Mid-Ebb	2.9
SR7	1/11/2014	Mid-Ebb	0.9
SR7	1/9/2014	Mid-Ebb	0.1
SR7	1/11/2014	Mid-Ebb	0.1
SR7	1/14/2014	Mid-Ebb	0.1
SR7	1/16/2014	Mid-Ebb	0.1
SR7	1/18/2014	Mid-Ebb	0.1
SR7	1/21/2014	Mid-Ebb	0.1
SR7	1/23/2014	Mid-Ebb	0.7
SR7	1/25/2014	Mid-Ebb	0.1
SR7	1/27/2014	Mid-Ebb	0.9
SR7	1/29/2014	Mid-Ebb	0.3
SR8	1/4/2014	Mid-Ebb	0.9
SR8	1/7/2014	Mid-Ebb	0.2
SR8	1/9/2014	Mid-Ebb	0.2
SR8	1/11/2014	Mid-Ebb	0.2
SR8	1/14/2014	Mid-Ebb	0.1
SR8	1/16/2014	Mid-Ebb	0.1
SR8	1/18/2014	Mid-Ebb	0.2
SR8	1/21/2014	Mid-Ebb	0.1
SR8	1/23/2014	Mid-Ebb	0.1
SR8	1/25/2014	Mid-Ebb	0.1
SR8	1/27/2014	Mid-Ebb	0.5
SR8	1/29/2014	Mid-Ebb	1.0
SR8	1/29/2014	Mid-Ebb	0.9
SR9	1/4/2014	Mid-Ebb	1.2
SR9	1/7/2014	Mid-Ebb	0.9
SR9	1/9/2014	Mid-Ebb	2.1
SR9	1/11/2014	Mid-Ebb	0.4
SR9	1/14/2014	Mid-Ebb	0.1
SR9	1/16/2014	Mid-Ebb	0.9
SR9	1/18/2014	Mid-Ebb	0.6
SR9	1/21/2014	Mid-Ebb	0.1
SR9	1/23/2014	Mid-Ebb	0.1
SR9	1/25/2014	Mid-Ebb	0.2
SR9	1/27/2014	Mid-Ebb	1.2
SR9	1/29/2014	Mid-Ebb	0.8
SR10	1/4/2014	Mid-Ebb	0.5
SR10	1/7/2014	Mid-Ebb	0.1
SR10	1/9/2014	Mid-Ebb	0.2
SR10	1/11/2014	Mid-Ebb	0.2
SR10	1/14/2014	Mid-Ebb	0.1
SR10	1/16/2014	Mid-Ebb	0.1
SR10	1/18/2014	Mid-Ebb	0.1
SR10	1/21/2014	Mid-Ebb	0.1
SR10	1/23/2014	Mid-Ebb	0.1
SR10	1/25/2014	Mid-Ebb	0.2
SR10	1/27/2014	Mid-Ebb	0.4
SR10	1/29/2014	Mid-Ebb	0.6
SR11	1/4/2014	Mid-Ebb	0.7
SR11	1/7/2014	Mid-Ebb	0.1
SR11	1/9/2014	Mid-Ebb	0.1
SR11	1/11/2014	Mid-Ebb	0.1
SR11	1/14/2014	Mid-Ebb	0.1
SR11	1/16/2014	Mid-Ebb	0.1
SR11	1/18/2014	Mid-Ebb	0.1
SR11	1/21/2014	Mid-Ebb	0.1
SR11	1/23/2014	Mid-Ebb	0.1
SR11	1/25/2014	Mid-Ebb	0.2
SR11	1/27/2014	Mid-Ebb	0.6
SR11	1/29/2014	Mid-Ebb	1.1

Impact Turbidity (NTU)											
SR6	10/24/2015	Mid-Ebb	3.1	SR8	10/24/2015	Mid-Ebb	1.7	SR10	10/24/2015	Mid-Ebb	1.0
SR6	10/27/2015	Mid-Ebb	3.6	SR8	10/27/2015	Mid-Ebb	3.5	SR10	10/27/2015	Mid-Ebb	0.6
SR6	10/29/2015	Mid-Ebb	6.9	SR8	10/29/2015	Mid-Ebb	0.8	SR10	10/29/2015	Mid-Ebb	2.4
SR6	10/31/2015	Mid-Ebb	2.9	SR8	10/31/2015	Mid-Ebb	2.0	SR10	10/31/2015	Mid-Ebb	4.0
SR6	11/3/2015	Mid-Ebb	3.9	SR8	11/3/2015	Mid-Ebb	2.3	SR10	11/3/2015	Mid-Ebb	2.6
SR6	11/5/2015	Mid-Ebb	1.9	SR8	11/5/2015	Mid-Ebb	2.6	SR10	11/5/2015	Mid-Ebb	2.5
SR6	11/7/2015	Mid-Ebb	2.8	SR8	11/7/2015	Mid-Ebb	2.5	SR10	11/7/2015	Mid-Ebb	1.8
SR6	11/10/2015	Mid-Ebb	4.6	SR8	11/10/2015	Mid-Ebb	2.8	SR10	11/10/2015	Mid-Ebb	2.7
SR6	11/12/2015	Mid-Ebb	3.2	SR8	11/12/2015	Mid-Ebb	2.8	SR10	11/12/2015	Mid-Ebb	2.7
SR6	11/14/2015	Mid-Ebb	2.5	SR8	11/14/2015	Mid-Ebb	2.3	SR10	11/14/2015	Mid-Ebb	1.6
SR6	11/17/2015	Mid-Ebb	2.8	SR8	11/17/2015	Mid-Ebb	1.6	SR10	11/17/2015	Mid-Ebb	2.7
SR6	11/19/2015	Mid-Ebb	2.6	SR8	11/19/2015	Mid-Ebb	2.0	SR10	11/19/2015	Mid-Ebb	1.4
SR6	11/21/2015	Mid-Ebb	2.7	SR8	11/21/2015	Mid-Ebb	1.8	SR10	11/21/2015	Mid-Ebb	0.3
SR6	11/24/2015	Mid-Ebb	2.7	SR8	11/24/2015	Mid-Ebb	2.8	SR10	11/24/2015	Mid-Ebb	1.8
SR6	11/26/2015	Mid-Ebb	2.7	SR8	11/26/2015	Mid-Ebb	2.8	SR10	11/26/2015	Mid-Ebb	2.8
SR6	11/28/2015	Mid-Ebb	6.7	SR8	11/28/2015	Mid-Ebb	2.2	SR10	11/28/2015	Mid-Ebb	2.6
SR6	12/1/2015	Mid-Ebb	2.5	SR8	12/1/2015	Mid-Ebb	2.1	SR10	12/1/2015	Mid-Ebb	2.8
SR6	12/3/2015	Mid-Ebb	2.7	SR8	12/3/2015	Mid-Ebb	1.0	SR10	12/3/2015	Mid-Ebb	1.1
SR6	12/5/2015	Mid-Ebb	1.5	SR8	12/5/2015	Mid-Ebb	2.8	SR10	12/5/2015	Mid-Ebb	1.8
SR6	12/8/2015	Mid-Ebb	2.8	SR8	12/8/2015	Mid-Ebb	2.7	SR10	12/8/2015	Mid-Ebb	2.6
SR6	12/10/2015	Mid-Ebb	2.8	SR8	12/10/2015	Mid-Ebb	2.7	SR10	12/10/2015	Mid-Ebb	2.4
SR6	12/12/2015	Mid-Ebb	2.8	SR8	12/12/2015	Mid-Ebb	2.7	SR10	12/12/2015	Mid-Ebb	2.8
SR6	12/15/2015	Mid-Ebb	2.5	SR8	12/15/2015	Mid-Ebb	2.8	SR10	12/15/2015	Mid-Ebb	2.2
SR6	12/17/2015	Mid-Ebb	2.4	SR8	12/17/2015	Mid-Ebb	2.1	SR10	12/17/2015	Mid-Ebb	0.9
SR6	12/19/2015	Mid-Ebb	2.2	SR8	12/19/2015	Mid-Ebb	1.9	SR10	12/19/2015	Mid-Ebb	2.4
SR6	12/22/2015	Mid-Ebb	1.6	SR8	12/22/2015	Mid-Ebb	1.9	SR10	12/22/2015	Mid-Ebb	0.8
SR6	12/24/2015	Mid-Ebb	2.3	SR8	12/24/2015	Mid-Ebb	2.8	SR10	12/24/2015	Mid-Ebb	2.6
SR6	12/26/2015	Mid-Ebb	2.8	SR8	12/26/2015	Mid-Ebb	2.5	SR10	12/26/2015	Mid-Ebb	0.7
SR6	12/29/2015	Mid-Ebb	2.7	SR8	12/29/2015	Mid-Ebb	1.5	SR10	12/29/2015	Mid-Ebb	0.4
SR6	12/31/2015	Mid-Ebb	1.5	SR8	12/31/2015	Mid-Ebb	0.7	SR10	12/31/2015	Mid-Ebb	0.3
SR6	1/2/2016	Mid-Ebb	0.9	SR8	1/2/2016	Mid-Ebb	0.5	SR10	1/2/2016	Mid-Ebb	0.6
SR6	1/5/2016	Mid-Ebb	2.4	SR8	1/5/2016	Mid-Ebb	2.3	SR10	1/5/2016	Mid-Ebb	0.9
SR6	1/7/2016	Mid-Ebb	0.2	SR8	1/7/2016	Mid-Ebb	0.6	SR10	1/7/2016	Mid-Ebb	0.8
SR6	1/9/2016	Mid-Ebb	0.9	SR8	1/9/2016	Mid-Ebb	0.4	SR10	1/9/2016	Mid-Ebb	0.8
SR6	1/12/2016	Mid-Ebb	1.1	SR8	1/12/2016	Mid-Ebb	1.2	SR10	1/12/2016	Mid-Ebb	1.5
SR6	1/14/2016	Mid-Ebb	0.3	SR8	1/14/2016	Mid-Ebb	0.3	SR10	1/14/2016	Mid-Ebb	0.4
SR6	1/16/2016	Mid-Ebb	0.6	SR8	1/16/2016	Mid-Ebb	0.8	SR10	1/16/2016	Mid-Ebb	0.7
SR6	1/19/2016	Mid-Ebb	0.4	SR8	1/19/2016	Mid-Ebb	0.6	SR10	1/19/2016	Mid-Ebb	0.5
SR6	1/21/2016	Mid-Ebb	0.5	SR8	1/21/2016	Mid-Ebb	1.8	SR10	1/21/2016	Mid-Ebb	0.4
SR7	10/24/2015	Mid-Ebb	1.7	SR9	10/24/2015	Mid-Ebb	2.2	SR11	10/24/2015	Mid-Ebb	1.7
SR7	10/27/2015	Mid-Ebb	1.5	SR9	10/27/2015	Mid-Ebb	3.7	SR11	10/27/2015	Mid-Ebb	0.7
SR7	10/29/2015	Mid-Ebb	3.9	SR9	10/29/2015	Mid-Ebb	3.3	SR11	10/29/2015	Mid-Ebb	1.1
SR7	10/31/2015	Mid-Ebb	2.3	SR9	10/31/2015	Mid-Ebb	2.8	SR11	10/31/2015	Mid-Ebb	1.7
SR7	11/3/2015	Mid-Ebb	6.0	SR9	11/3/2015	Mid-Ebb	5.3	SR11	11/3/2015	Mid-Ebb	1.5
SR7	11/5/2015	Mid-Ebb	2.7	SR9	11/5/2015	Mid-Ebb	1.1	SR11	11/5/2015	Mid-Ebb	0.8
SR7	11/7/2015	Mid-Ebb	2.3	SR9	11/7/2015	Mid-Ebb	2.0	SR11	11/7/2015	Mid-Ebb	0.7
SR7	11/10/2015	Mid-Ebb	2.4	SR9	11/10/2015	Mid-Ebb	2.8	SR11	11/10/2015	Mid-Ebb	2.6
SR7	11/12/2015	Mid-Ebb	2.7	SR9	11/12/2015	Mid-Ebb	2.4	SR11	11/12/2015	Mid-Ebb	2.5
SR7	11/14/2015	Mid-Ebb	2.5	SR9	11/14/2015	Mid-Ebb	1.9	SR11	11/14/2015	Mid-Ebb	0.6
SR7	11/17/2015	Mid-Ebb	1.1	SR9	11/17/2015	Mid-Ebb	2.1	SR11	11/17/2015	Mid-Ebb	1.2
SR7	11/19/2015	Mid-Ebb	1.9	SR9	11/19/2015	Mid-Ebb	2.5	SR11	11/19/2015	Mid-Ebb	0.8
SR7	11/21/2015	Mid-Ebb	1.9	SR9	11/21/2015	Mid-Ebb	1.4	SR11	11/21/2015	Mid-Ebb	0.3
SR7	11/24/2015	Mid-Ebb	1.9	SR9	11/24/2015	Mid-Ebb	2.7	SR11	11/24/2015	Mid-Ebb	1.9
SR7	11/26/2015	Mid-Ebb	2.8	SR9	11/26/2015	Mid-Ebb	2.8	SR11	11/26/2015	Mid-Ebb	2.6
SR7	11/28/2015	Mid-Ebb	2.7	SR9	11/28/2015	Mid-Ebb	2.3	SR11	11/28/2015	Mid-Ebb	2.6
SR7	12/1/2015	Mid-Ebb	1.8	SR9	12/1/2015	Mid-Ebb	1.0	SR11	12/1/2015	Mid-Ebb	1.7
SR7	12/3/2015	Mid-Ebb	2.6	SR9	12/3/2015	Mid-Ebb	2.7	SR11	12/3/2015	Mid-Ebb	1.8
SR7	12/5/2015	Mid-Ebb	2.0	SR9	12/5/2015	Mid-Ebb	2.7	SR11	12/5/2015	Mid-Ebb	0.6
SR7	12/8/2015	Mid-Ebb	2.8	SR9	12/8/2015	Mid-Ebb	2.8	SR11	12/8/2015	Mid-Ebb	2.6
SR7	12/10/2015	Mid-Ebb	2.7	SR9	12/10/2015	Mid-Ebb	2.7	SR11	12/10/2015	Mid-Ebb	2.0
SR7	12/12/2015	Mid-Ebb	2.8	SR9	12/12/2015	Mid-Ebb	2.8	SR11	12/12/2015	Mid-Ebb	2.7
SR7	12/15/2015	Mid-Ebb	2.7	SR9	12/15/2015	Mid-Ebb	2.8	SR11	12/15/2015	Mid-Ebb	1.3
SR7	12/17/2015	Mid-Ebb	2.6	SR9	12/17/2015	Mid-Ebb	1.6	SR11	12/17/2015	Mid-Ebb	0.4
SR7	12/19/2015	Mid-Ebb	2.7	SR9	12/19/2015	Mid-Ebb	2.8	SR11	12/19/2015	Mid-Ebb	1.2
SR7	12/22/2015	Mid-Ebb	1.8	SR9	12/22/2015	Mid-Ebb	1.6	SR11	12/22/2015	Mid-Ebb	1.7
SR7	12/24/2015	Mid-Ebb	2.6	SR9	12/24/2015	Mid-Ebb	2.5	SR11	12/24/2015	Mid-Ebb	2.7
SR7	12/26/2015	Mid-Ebb	1.9	SR9	12/26/2015	Mid-Ebb	1.9	SR11	12/26/2015	Mid-Ebb	0.3
SR7	12/29/2015	Mid-Ebb	1.5	SR9	12/29/2015	Mid-Ebb	2.7	SR11	12/29/2015	Mid-Ebb	0.4
SR7	12/31/2015	Mid-Ebb	2.1	SR9	12/31/2015	Mid-Ebb	2.1	SR11	12/31/2015	Mid-Ebb	0.2
SR7	1/2/2016	Mid-Ebb	0.1	SR9	1/2/2016	Mid-Ebb	0.5	SR11	1/2/2016	Mid-Ebb	0.5
SR7	1/5/2016	Mid-Ebb	0.4	SR9	1/5/2016	Mid-Ebb	1.3	SR11	1/5/2016	Mid-Ebb	1.4
SR7	1/7/2016	Mid-Ebb	0.8	SR9	1/7/2016	Mid-Ebb	1.1	SR11	1/7/2016	Mid-Ebb	0.8
SR7	1/9/2016	Mid-Ebb	0.5	SR9	1/9/2016	Mid-Ebb	1.0	SR11	1/9/2016	Mid-Ebb	0.7
SR7	1/12/2016	Mid-Ebb	0.3	SR9	1/12/2016	Mid-Ebb	1.3	SR11	1/12/2016	Mid-Ebb	1.6
SR7	1/14/2016	Mid-Ebb	0.6	SR9	1/14/2016	Mid-Ebb	0.4	SR11	1/14/2016	Mid-Ebb	0.4
SR7	1/16/2016	Mid-Ebb	2.4	SR9	1/16/2016	Mid-Ebb	0.6	SR11	1/16/2016	Mid-Ebb	0.4
SR7	1/19/2016	Mid-Ebb	1.2	SR9	1/19/2016	Mid-Ebb	0.7	SR11	1/19/2016		

Cluster 2 Turbidity
1.3 x Baseline vs Impact

1.3 x Baseline		Impact	
Raw Statistics		Raw Statistics	
Number of Valid Observations	144	Number of Valid Observations	468
Number of Distinct Observations	22	Number of Distinct Observations	168
Minimum	0.1	Minimum	0.0917
Maximum	5.3	Maximum	8.533
Mean of Raw Data	0.553	Mean of Raw Data	1.897
Standard Deviation of Raw Data	0.753	Standard Deviation of Raw Data	1.097
Kstar	0.902	Kstar	2.332
Mean of Log Transformed Data	-1.228	Mean of Log Transformed Data	0.412
Standard Deviation of Log Transformed Data	1.097	Standard Deviation of Log Transformed Data	0.77
Normal Distribution Test Results		Normal Distribution Test Results	
Correlation Coefficient R	0.791	Correlation Coefficient R	0.954
Approximate Shapiro Wilk Test Statistic	0.647	Approximate Shapiro Wilk Test Statistic	0.913
Approximate Shapiro Wilk P Value	0	Approximate Shapiro Wilk P Value	0
Lilliefors Test Statistic	0.274	Lilliefors Test Statistic	0.126
Lilliefors Critical (0.95) Value	0.0738	Lilliefors Critical (0.95) Value	0.041
Data not Normal at (0.05) Significance Level		Data not Normal at (0.05) Significance Level	

Wilcoxon-Mann-Whitney Site vs Background Comparison Test for Full Data Sets without NDs		
User Selected Options		
Confidence Coefficient	95%	
Substantial Difference	0%	
Selected Null Hypothesis	Site or AOC Mean/Median Less Than or Equal to Background Mean/Median (Form 1)	
Alternative Hypothesis	Site or AOC Mean/Median Greater Than Background Mean/Median	
Area of Concern Data: Impact		
Background Data: 1.3 x Baseline		
Raw Statistics		
	Site	Background
Number of Valid Observations	468	144
Number of Distinct Observations	168	22
Minimum	0.0917	0.1
Maximum	8.533	5.3
Mean	1.897	0.553
Median	1.967	0.2
SD	1.097	0.753
SE of Mean	0.0507	0.0627
Wilcoxon-Mann-Whitney (WMW) Test		
H0: Mean/Median of Site or AOC <= Mean/Median of Background		
Site Rank Sum W-Stat	168552	
WMW Test U-Stat	13.53	
WMW Critical Value (0.050)	1.645	
P-Value	0	
Conclusion with Alpha = 0.05		
Reject H0, Conclude Site > Background		
P-Value < alpha (0.05)		

Cluster 2 Turbidity
Control vs Impact

Control Turbidity (NTU)						
C1	10/24/2015	Mid-Flood	1.3 C3	10/24/2015	Mid-Flood	0.6
C1	10/27/2015	Mid-Flood	5.6 C3	10/27/2015	Mid-Flood	0.9
C1	10/29/2015	Mid-Flood	8.1 C3	10/29/2015	Mid-Flood	2.7
C1	10/31/2015	Mid-Flood	5.0 C3	10/31/2015	Mid-Flood	0.7
C1	11/3/2015	Mid-Flood	1.9 C3	11/3/2015	Mid-Flood	0.7
C1	11/5/2015	Mid-Flood	1.2 C3	11/5/2015	Mid-Flood	1.4
C1	11/7/2015	Mid-Flood	5.6 C3	11/7/2015	Mid-Flood	2.6
C1	11/10/2015	Mid-Flood	1.2 C3	11/10/2015	Mid-Flood	3.0
C1	11/12/2015	Mid-Flood	5.5 C3	11/12/2015	Mid-Flood	6.3
C1	11/14/2015	Mid-Flood	8.6 C3	11/14/2015	Mid-Flood	2.3
C1	11/17/2015	Mid-Flood	3.4 C3	11/17/2015	Mid-Flood	1.8
C1	11/19/2015	Mid-Flood	2.4 C3	11/19/2015	Mid-Flood	0.7
C1	11/21/2015	Mid-Flood	1.7 C3	11/21/2015	Mid-Flood	0.5
C1	11/24/2015	Mid-Flood	2.5 C3	11/24/2015	Mid-Flood	2.3
C1	11/26/2015	Mid-Flood	8.3 C3	11/26/2015	Mid-Flood	2.6
C1	11/28/2015	Mid-Flood	7.2 C3	11/28/2015	Mid-Flood	5.4
C1	12/1/2015	Mid-Flood	4.9 C3	12/1/2015	Mid-Flood	1.5
C1	12/3/2015	Mid-Flood	2.2 C3	12/3/2015	Mid-Flood	1.8
C1	12/5/2015	Mid-Flood	1.5 C3	12/5/2015	Mid-Flood	1.6
C1	12/8/2015	Mid-Flood	3.4 C3	12/8/2015	Mid-Flood	2.2
C1	12/10/2015	Mid-Flood	5.4 C3	12/10/2015	Mid-Flood	4.3
C1	12/12/2015	Mid-Flood	7.1 C3	12/12/2015	Mid-Flood	4.3
C1	12/15/2015	Mid-Flood	9.5 C3	12/15/2015	Mid-Flood	1.8
C1	12/17/2015	Mid-Flood	5.0 C3	12/17/2015	Mid-Flood	1.8
C1	12/19/2015	Mid-Flood	2.6 C3	12/19/2015	Mid-Flood	3.1
C1	12/22/2015	Mid-Flood	1.8 C3	12/22/2015	Mid-Flood	1.2
C1	12/24/2015	Mid-Flood	3.2 C3	12/24/2015	Mid-Flood	2.6
C1	12/26/2015	Mid-Flood	6.6 C3	12/26/2015	Mid-Flood	0.5
C1	12/29/2015	Mid-Flood	4.1 C3	12/29/2015	Mid-Flood	0.4
C1	12/31/2015	Mid-Flood	2.0 C3	12/31/2015	Mid-Flood	0.4
C1	1/2/2016	Mid-Flood	0.9 C3	1/2/2016	Mid-Flood	0.7
C1	1/5/2016	Mid-Flood	0.7 C3	1/5/2016	Mid-Flood	1.9
C1	1/7/2016	Mid-Flood	0.9 C3	1/7/2016	Mid-Flood	0.3
C1	1/9/2016	Mid-Flood	1.2 C3	1/9/2016	Mid-Flood	0.9
C1	1/12/2016	Mid-Flood	1.1 C3	1/12/2016	Mid-Flood	1.6
C1	1/14/2016	Mid-Flood	1.1 C3	1/14/2016	Mid-Flood	0.3
C1	1/16/2016	Mid-Flood	0.4 C3	1/16/2016	Mid-Flood	0.8
C1	1/19/2016	Mid-Flood	1.2 C3	1/19/2016	Mid-Flood	0.7
C1	1/21/2016	Mid-Flood	0.1 C3	1/21/2016	Mid-Flood	0.5
C2	10/24/2015	Mid-Flood	2.6			
C2	10/27/2015	Mid-Flood	5.8			
C2	10/29/2015	Mid-Flood	2.4			
C2	10/31/2015	Mid-Flood	3.0			
C2	11/3/2015	Mid-Flood	2.6			
C2	11/5/2015	Mid-Flood	3.5			
C2	11/7/2015	Mid-Flood	3.5			
C2	11/10/2015	Mid-Flood	3.4			
C2	11/12/2015	Mid-Flood	3.8			
C2	11/14/2015	Mid-Flood	2.5			
C2	11/17/2015	Mid-Flood	3.0			
C2	11/19/2015	Mid-Flood	1.8			
C2	11/21/2015	Mid-Flood	2.7			
C2	11/24/2015	Mid-Flood	4.2			
C2	11/26/2015	Mid-Flood	7.0			
C2	11/28/2015	Mid-Flood	4.4			
C2	12/1/2015	Mid-Flood	2.6			
C2	12/3/2015	Mid-Flood	2.2			
C2	12/5/2015	Mid-Flood	4.3			
C2	12/8/2015	Mid-Flood	6.7			
C2	12/10/2015	Mid-Flood	4.7			
C2	12/12/2015	Mid-Flood	5.4			
C2	12/15/2015	Mid-Flood	7.7			
C2	12/17/2015	Mid-Flood	3.1			
C2	12/19/2015	Mid-Flood	6.9			
C2	12/22/2015	Mid-Flood	2.0			
C2	12/24/2015	Mid-Flood	8.7			
C2	12/26/2015	Mid-Flood	3.4			
C2	12/29/2015	Mid-Flood	1.6			
C2	12/31/2015	Mid-Flood	1.7			
C2	1/2/2016	Mid-Flood	2.1			
C2	1/5/2016	Mid-Flood	0.3			
C2	1/7/2016	Mid-Flood	1.0			
C2	1/9/2016	Mid-Flood	0.6			
C2	1/12/2016	Mid-Flood	1.4			
C2	1/14/2016	Mid-Flood	0.2			
C2	1/16/2016	Mid-Flood	0.3			
C2	1/19/2016	Mid-Flood	0.6			
C2	1/21/2016	Mid-Flood	1.6			

Impact Turbidity (NTU)											
SR6	10/24/2015	Mid-Flood	3.5	SR8	10/24/2015	Mid-Flood	1.5	SR10	10/24/2015	Mid-Flood	0.9
SR6	10/27/2015	Mid-Flood	3.6	SR8	10/27/2015	Mid-Flood	1.9	SR10	10/27/2015	Mid-Flood	0.6
SR6	10/29/2015	Mid-Flood	8.5	SR8	10/29/2015	Mid-Flood	1.2	SR10	10/29/2015	Mid-Flood	2.6
SR6	10/31/2015	Mid-Flood	3.2	SR8	10/31/2015	Mid-Flood	2.1	SR10	10/31/2015	Mid-Flood	3.6
SR6	11/3/2015	Mid-Flood	3.4	SR8	11/3/2015	Mid-Flood	2.0	SR10	11/3/2015	Mid-Flood	2.2
SR6	11/5/2015	Mid-Flood	2.0	SR8	11/5/2015	Mid-Flood	2.6	SR10	11/5/2015	Mid-Flood	2.8
SR6	11/7/2015	Mid-Flood	2.9	SR8	11/7/2015	Mid-Flood	2.6	SR10	11/7/2015	Mid-Flood	2.4
SR6	11/10/2015	Mid-Flood	4.5	SR8	11/10/2015	Mid-Flood	2.2	SR10	11/10/2015	Mid-Flood	2.8
SR6	11/12/2015	Mid-Flood	4.9	SR8	11/12/2015	Mid-Flood	2.7	SR10	11/12/2015	Mid-Flood	2.4
SR6	11/14/2015	Mid-Flood	2.7	SR8	11/14/2015	Mid-Flood	2.8	SR10	11/14/2015	Mid-Flood	1.1
SR6	11/17/2015	Mid-Flood	2.8	SR8	11/17/2015	Mid-Flood	1.6	SR10	11/17/2015	Mid-Flood	2.7
SR6	11/19/2015	Mid-Flood	2.8	SR8	11/19/2015	Mid-Flood	1.6	SR10	11/19/2015	Mid-Flood	1.2
SR6	11/21/2015	Mid-Flood	2.3	SR8	11/21/2015	Mid-Flood	1.5	SR10	11/21/2015	Mid-Flood	0.6
SR6	11/24/2015	Mid-Flood	2.8	SR8	11/24/2015	Mid-Flood	2.1	SR10	11/24/2015	Mid-Flood	1.7
SR6	11/26/2015	Mid-Flood	2.8	SR8	11/26/2015	Mid-Flood	2.8	SR10	11/26/2015	Mid-Flood	2.3
SR6	11/28/2015	Mid-Flood	3.7	SR8	11/28/2015	Mid-Flood	2.8	SR10	11/28/2015	Mid-Flood	2.8
SR6	12/1/2015	Mid-Flood	2.6	SR8	12/1/2015	Mid-Flood	2.0	SR10	12/1/2015	Mid-Flood	2.8
SR6	12/3/2015	Mid-Flood	2.6	SR8	12/3/2015	Mid-Flood	1.0	SR10	12/3/2015	Mid-Flood	0.1
SR6	12/5/2015	Mid-Flood	1.9	SR8	12/5/2015	Mid-Flood	2.8	SR10	12/5/2015	Mid-Flood	1.9
SR6	12/8/2015	Mid-Flood	2.8	SR8	12/8/2015	Mid-Flood	2.8	SR10	12/8/2015	Mid-Flood	2.3
SR6	12/10/2015	Mid-Flood	2.8	SR8	12/10/2015	Mid-Flood	2.7	SR10	12/10/2015	Mid-Flood	2.6
SR6	12/12/2015	Mid-Flood	2.5	SR8	12/12/2015	Mid-Flood	2.7	SR10	12/12/2015	Mid-Flood	2.7
SR6	12/15/2015	Mid-Flood	2.8	SR8	12/15/2015	Mid-Flood	2.7	SR10	12/15/2015	Mid-Flood	2.1
SR6	12/17/2015	Mid-Flood	2.5	SR8	12/17/2015	Mid-Flood	2.0	SR10	12/17/2015	Mid-Flood	0.4
SR6	12/19/2015	Mid-Flood	2.3	SR8	12/19/2015	Mid-Flood	2.0	SR10	12/19/2015	Mid-Flood	2.1
SR6	12/22/2015	Mid-Flood	1.4	SR8	12/22/2015	Mid-Flood	2.2	SR10	12/22/2015	Mid-Flood	0.9
SR6	12/24/2015	Mid-Flood	2.7	SR8	12/24/2015	Mid-Flood	2.4	SR10	12/24/2015	Mid-Flood	2.5
SR6	12/26/2015	Mid-Flood	2.7	SR8	12/26/2015	Mid-Flood	2.4	SR10	12/26/2015	Mid-Flood	0.7
SR6	12/29/2015	Mid-Flood	2.6	SR8	12/29/2015	Mid-Flood	1.5	SR10	12/29/2015	Mid-Flood	0.9
SR6	12/31/2015	Mid-Flood	1.5	SR8	12/31/2015	Mid-Flood	0.7	SR10	12/31/2015	Mid-Flood	0.2
SR6	1/2/2016	Mid-Flood	0.9	SR8	1/2/2016	Mid-Flood	0.3	SR10	1/2/2016	Mid-Flood	0.5
SR6	1/5/2016	Mid-Flood	2.1	SR8	1/5/2016	Mid-Flood	1.9	SR10	1/5/2016	Mid-Flood	1.0
SR6	1/7/2016	Mid-Flood	0.7	SR8	1/7/2016	Mid-Flood	0.5	SR10	1/7/2016	Mid-Flood	1.8
SR6	1/9/2016	Mid-Flood	0.6	SR8	1/9/2016	Mid-Flood	0.2	SR10	1/9/2016	Mid-Flood	0.8
SR6	1/12/2016	Mid-Flood	0.8	SR8	1/12/2016	Mid-Flood	1.2	SR10	1/12/2016	Mid-Flood	1.4
SR6	1/14/2016	Mid-Flood	0.4	SR8	1/14/2016	Mid-Flood	0.2	SR10	1/14/2016	Mid-Flood	0.2
SR6	1/16/2016	Mid-Flood	0.3	SR8	1/16/2016	Mid-Flood	0.4	SR10	1/16/2016	Mid-Flood	0.6
SR6	1/19/2016	Mid-Flood	0.3	SR8	1/19/2016	Mid-Flood	0.7	SR10	1/19/2016	Mid-Flood	0.6
SR6	1/21/2016	Mid-Flood	0.2	SR8	1/21/2016	Mid-Flood	0.9	SR10	1/21/2016	Mid-Flood	0.5
SR7	10/24/2015	Mid-Flood	1.4	SR9	10/24/2015	Mid-Flood	2.0	SR11	10/24/2015	Mid-Flood	1.7
SR7	10/27/2015	Mid-Flood	1.5	SR9	10/27/2015	Mid-Flood	3.8	SR11	10/27/2015	Mid-Flood	1.4
SR7	10/29/2015	Mid-Flood	3.7	SR9	10/29/2015	Mid-Flood	3.6	SR11	10/29/2015	Mid-Flood	0.8
SR7	10/31/2015	Mid-Flood	2.7	SR9	10/31/2015	Mid-Flood	2.8	SR11	10/31/2015	Mid-Flood	1.9
SR7	11/3/2015	Mid-Flood	4.4	SR9	11/3/2015	Mid-Flood	4.8	SR11	11/3/2015	Mid-Flood	1.1
SR7	11/5/2015	Mid-Flood	2.9	SR9	11/5/2015	Mid-Flood	1.2	SR11	11/5/2015	Mid-Flood	1.1
SR7	11/7/2015	Mid-Flood	2.2	SR9	11/7/2015	Mid-Flood	2.0	SR11	11/7/2015	Mid-Flood	0.8
SR7	11/10/2015	Mid-Flood	2.3	SR9	11/10/2015	Mid-Flood	2.7	SR11	11/10/2015	Mid-Flood	2.7
SR7	11/12/2015	Mid-Flood	2.7	SR9	11/12/2015	Mid-Flood	2.4	SR11	11/12/2015	Mid-Flood	2.7
SR7	11/14/2015	Mid-Flood	2.5	SR9	11/14/2015	Mid-Flood	2.4	SR11	11/14/2015	Mid-Flood	0.9
SR7	11/17/2015	Mid-Flood	1.7	SR9	11/17/2015	Mid-Flood	2.1	SR11	11/17/2015	Mid-Flood	1.3
SR7	11/19/2015	Mid-Flood	1.7	SR9	11/19/2015	Mid-Flood	1.8	SR11	11/19/2015	Mid-Flood	0.8
SR7	11/21/2015	Mid-Flood	1.7	SR9	11/21/2015	Mid-Flood	1.4	SR11	11/21/2015	Mid-Flood	0.6
SR7	11/24/2015	Mid-Flood	1.9	SR9	11/24/2015	Mid-Flood	2.7	SR11	11/24/2015	Mid-Flood	2.1
SR7	11/26/2015	Mid-Flood	2.9	SR9	11/26/2015	Mid-Flood	2.8	SR11	11/26/2015	Mid-Flood	2.9
SR7	11/28/2015	Mid-Flood	2.7	SR9	11/28/2015	Mid-Flood	2.8	SR11	11/28/2015	Mid-Flood	2.7
SR7	12/1/2015	Mid-Flood	1.7	SR9	12/1/2015	Mid-Flood	1.0	SR11	12/1/2015	Mid-Flood	1.6
SR7	12/3/2015	Mid-Flood	2.0	SR9	12/3/2015	Mid-Flood	2.6	SR11	12/3/2015	Mid-Flood	1.7
SR7	12/5/2015	Mid-Flood	2.1	SR9	12/5/2015	Mid-Flood	2.5	SR11	12/5/2015	Mid-Flood	2.3
SR7	12/8/2015	Mid-Flood	2.8	SR9	12/8/2015	Mid-Flood	2.7	SR11	12/8/2015	Mid-Flood	2.7
SR7	12/10/2015	Mid-Flood	2.8	SR9	12/10/2015	Mid-Flood	2.8	SR11	12/10/2015	Mid-Flood	2.7
SR7	12/12/2015	Mid-Flood	2.8	SR9	12/12/2015	Mid-Flood	2.7	SR11	12/12/2015		

Cluster 2 Turbidity
Control vs Impact

Control Turbidity (NTU)				
C1	10/24/2015	Mid-Ebb	1.7	C3
C1	10/27/2015	Mid-Ebb	6.4	C3
C1	10/29/2015	Mid-Ebb	8.7	C3
C1	10/31/2015	Mid-Ebb	4.5	C3
C1	11/3/2015	Mid-Ebb	2.3	C3
C1	11/5/2015	Mid-Ebb	1.3	C3
C1	11/7/2015	Mid-Ebb	5.8	C3
C1	11/10/2015	Mid-Ebb	1.1	C3
C1	11/12/2015	Mid-Ebb	5.3	C3
C1	11/14/2015	Mid-Ebb	6.2	C3
C1	11/17/2015	Mid-Ebb	2.9	C3
C1	11/19/2015	Mid-Ebb	2.5	C3
C1	11/21/2015	Mid-Ebb	1.8	C3
C1	11/24/2015	Mid-Ebb	2.5	C3
C1	11/26/2015	Mid-Ebb	8.1	C3
C1	11/28/2015	Mid-Ebb	7.2	C3
C1	12/1/2015	Mid-Ebb	4.6	C3
C1	12/3/2015	Mid-Ebb	2.5	C3
C1	12/5/2015	Mid-Ebb	1.8	C3
C1	12/8/2015	Mid-Ebb	3.5	C3
C1	12/10/2015	Mid-Ebb	5.0	C3
C1	12/12/2015	Mid-Ebb	6.8	C3
C1	12/15/2015	Mid-Ebb	10.3	C3
C1	12/17/2015	Mid-Ebb	4.6	C3
C1	12/19/2015	Mid-Ebb	2.8	C3
C1	12/22/2015	Mid-Ebb	2.0	C3
C1	12/24/2015	Mid-Ebb	3.1	C3
C1	12/26/2015	Mid-Ebb	5.9	C3
C1	12/29/2015	Mid-Ebb	4.6	C3
C1	12/31/2015	Mid-Ebb	1.9	C3
C1	1/2/2016	Mid-Ebb	0.8	C3
C1	1/5/2016	Mid-Ebb	0.6	C3
C1	1/7/2016	Mid-Ebb	1.1	C3
C1	1/9/2016	Mid-Ebb	1.2	C3
C1	1/12/2016	Mid-Ebb	0.8	C3
C1	1/14/2016	Mid-Ebb	1.2	C3
C1	1/16/2016	Mid-Ebb	0.3	C3
C1	1/19/2016	Mid-Ebb	1.3	C3
C1	1/21/2016	Mid-Ebb	0.3	C3
C2	10/24/2015	Mid-Ebb	3.8	
C2	10/27/2015	Mid-Ebb	9.4	
C2	10/29/2015	Mid-Ebb	2.2	
C2	10/31/2015	Mid-Ebb	1.9	
C2	11/3/2015	Mid-Ebb	2.2	
C2	11/5/2015	Mid-Ebb	3.7	
C2	11/7/2015	Mid-Ebb	6.0	
C2	11/10/2015	Mid-Ebb	4.2	
C2	11/12/2015	Mid-Ebb	5.4	
C2	11/14/2015	Mid-Ebb	1.1	
C2	11/17/2015	Mid-Ebb	1.8	
C2	11/19/2015	Mid-Ebb	1.9	
C2	11/21/2015	Mid-Ebb	3.3	
C2	11/24/2015	Mid-Ebb	4.3	
C2	11/26/2015	Mid-Ebb	6.8	
C2	11/28/2015	Mid-Ebb	2.3	
C2	12/1/2015	Mid-Ebb	2.7	
C2	12/3/2015	Mid-Ebb	2.2	
C2	12/5/2015	Mid-Ebb	4.3	
C2	12/8/2015	Mid-Ebb	7.4	
C2	12/10/2015	Mid-Ebb	4.6	
C2	12/12/2015	Mid-Ebb	5.3	
C2	12/15/2015	Mid-Ebb	7.7	
C2	12/17/2015	Mid-Ebb	2.2	
C2	12/19/2015	Mid-Ebb	7.5	
C2	12/22/2015	Mid-Ebb	1.9	
C2	12/24/2015	Mid-Ebb	3.9	
C2	12/26/2015	Mid-Ebb	3.5	
C2	12/29/2015	Mid-Ebb	1.7	
C2	12/31/2015	Mid-Ebb	1.6	
C2	1/2/2016	Mid-Ebb	1.2	
C2	1/5/2016	Mid-Ebb	0.5	
C2	1/7/2016	Mid-Ebb	0.4	
C2	1/9/2016	Mid-Ebb	0.8	
C2	1/12/2016	Mid-Ebb	1.4	
C2	1/14/2016	Mid-Ebb	0.3	
C2	1/16/2016	Mid-Ebb	0.6	
C2	1/19/2016	Mid-Ebb	0.6	
C2	1/21/2016	Mid-Ebb	1.1	

Impact Turbidity (NTU)											
SR6	10/24/2015	Mid-Ebb	3.1	SR8	10/24/2015	Mid-Ebb	1.7	SR10	10/24/2015	Mid-Ebb	1.0
SR6	10/27/2015	Mid-Ebb	3.6	SR8	10/27/2015	Mid-Ebb	3.5	SR10	10/27/2015	Mid-Ebb	0.6
SR6	10/29/2015	Mid-Ebb	6.9	SR8	10/29/2015	Mid-Ebb	0.8	SR10	10/29/2015	Mid-Ebb	2.4
SR6	10/31/2015	Mid-Ebb	2.9	SR8	10/31/2015	Mid-Ebb	2.0	SR10	10/31/2015	Mid-Ebb	4.0
SR6	11/3/2015	Mid-Ebb	3.9	SR8	11/3/2015	Mid-Ebb	2.3	SR10	11/3/2015	Mid-Ebb	2.6
SR6	11/5/2015	Mid-Ebb	1.9	SR8	11/5/2015	Mid-Ebb	2.6	SR10	11/5/2015	Mid-Ebb	2.5
SR6	11/7/2015	Mid-Ebb	2.8	SR8	11/7/2015	Mid-Ebb	2.5	SR10	11/7/2015	Mid-Ebb	1.8
SR6	11/10/2015	Mid-Ebb	4.6	SR8	11/10/2015	Mid-Ebb	2.8	SR10	11/10/2015	Mid-Ebb	2.7
SR6	11/12/2015	Mid-Ebb	3.2	SR8	11/12/2015	Mid-Ebb	2.8	SR10	11/12/2015	Mid-Ebb	2.7
SR6	11/14/2015	Mid-Ebb	2.5	SR8	11/14/2015	Mid-Ebb	2.3	SR10	11/14/2015	Mid-Ebb	1.6
SR6	11/17/2015	Mid-Ebb	2.8	SR8	11/17/2015	Mid-Ebb	1.6	SR10	11/17/2015	Mid-Ebb	2.7
SR6	11/19/2015	Mid-Ebb	2.6	SR8	11/19/2015	Mid-Ebb	2.0	SR10	11/19/2015	Mid-Ebb	1.4
SR6	11/21/2015	Mid-Ebb	2.7	SR8	11/21/2015	Mid-Ebb	1.8	SR10	11/21/2015	Mid-Ebb	0.3
SR6	11/24/2015	Mid-Ebb	2.7	SR8	11/24/2015	Mid-Ebb	2.8	SR10	11/24/2015	Mid-Ebb	1.8
SR6	11/26/2015	Mid-Ebb	2.7	SR8	11/26/2015	Mid-Ebb	2.8	SR10	11/26/2015	Mid-Ebb	2.8
SR6	11/28/2015	Mid-Ebb	6.7	SR8	11/28/2015	Mid-Ebb	2.2	SR10	11/28/2015	Mid-Ebb	2.6
SR6	12/1/2015	Mid-Ebb	2.5	SR8	12/1/2015	Mid-Ebb	2.1	SR10	12/1/2015	Mid-Ebb	2.8
SR6	12/3/2015	Mid-Ebb	2.7	SR8	12/3/2015	Mid-Ebb	1.0	SR10	12/3/2015	Mid-Ebb	1.1
SR6	12/5/2015	Mid-Ebb	1.5	SR8	12/5/2015	Mid-Ebb	2.8	SR10	12/5/2015	Mid-Ebb	1.8
SR6	12/8/2015	Mid-Ebb	2.8	SR8	12/8/2015	Mid-Ebb	2.7	SR10	12/8/2015	Mid-Ebb	2.6
SR6	12/10/2015	Mid-Ebb	2.8	SR8	12/10/2015	Mid-Ebb	2.7	SR10	12/10/2015	Mid-Ebb	2.4
SR6	12/12/2015	Mid-Ebb	2.8	SR8	12/12/2015	Mid-Ebb	2.7	SR10	12/12/2015	Mid-Ebb	2.8
SR6	12/15/2015	Mid-Ebb	2.5	SR8	12/15/2015	Mid-Ebb	2.8	SR10	12/15/2015	Mid-Ebb	2.2
SR6	12/17/2015	Mid-Ebb	2.4	SR8	12/17/2015	Mid-Ebb	2.1	SR10	12/17/2015	Mid-Ebb	0.9
SR6	12/19/2015	Mid-Ebb	2.2	SR8	12/19/2015	Mid-Ebb	1.9	SR10	12/19/2015	Mid-Ebb	2.4
SR6	12/22/2015	Mid-Ebb	1.6	SR8	12/22/2015	Mid-Ebb	1.9	SR10	12/22/2015	Mid-Ebb	0.8
SR6	12/24/2015	Mid-Ebb	2.3	SR8	12/24/2015	Mid-Ebb	2.8	SR10	12/24/2015	Mid-Ebb	2.6
SR6	12/26/2015	Mid-Ebb	2.8	SR8	12/26/2015	Mid-Ebb	2.5	SR10	12/26/2015	Mid-Ebb	0.7
SR6	12/29/2015	Mid-Ebb	2.7	SR8	12/29/2015	Mid-Ebb	1.5	SR10	12/29/2015	Mid-Ebb	0.4
SR6	12/31/2015	Mid-Ebb	1.5	SR8	12/31/2015	Mid-Ebb	0.7	SR10	12/31/2015	Mid-Ebb	0.3
SR6	1/2/2016	Mid-Ebb	0.9	SR8	1/2/2016	Mid-Ebb	0.5	SR10	1/2/2016	Mid-Ebb	0.6
SR6	1/5/2016	Mid-Ebb	2.4	SR8	1/5/2016	Mid-Ebb	2.3	SR10	1/5/2016	Mid-Ebb	0.9
SR6	1/7/2016	Mid-Ebb	0.2	SR8	1/7/2016	Mid-Ebb	0.6	SR10	1/7/2016	Mid-Ebb	0.8
SR6	1/9/2016	Mid-Ebb	0.9	SR8	1/9/2016	Mid-Ebb	0.4	SR10	1/9/2016	Mid-Ebb	0.8
SR6	1/12/2016	Mid-Ebb	1.1	SR8	1/12/2016	Mid-Ebb	1.2	SR10	1/12/2016	Mid-Ebb	1.5
SR6	1/14/2016	Mid-Ebb	0.3	SR8	1/14/2016	Mid-Ebb	0.3	SR10	1/14/2016	Mid-Ebb	0.4
SR6	1/16/2016	Mid-Ebb	0.6	SR8	1/16/2016	Mid-Ebb	0.8	SR10	1/16/2016	Mid-Ebb	0.7
SR6	1/19/2016	Mid-Ebb	0.4	SR8	1/19/2016	Mid-Ebb	0.6	SR10	1/19/2016	Mid-Ebb	0.5
SR6	1/21/2016	Mid-Ebb	0.5	SR8	1/21/2016	Mid-Ebb	1.8	SR10	1/21/2016	Mid-Ebb	0.4
SR7	10/24/2015	Mid-Ebb	1.7	SR9	10/24/2015	Mid-Ebb	2.2	SR11	10/24/2015	Mid-Ebb	1.7
SR7	10/27/2015	Mid-Ebb	1.5	SR9	10/27/2015	Mid-Ebb	3.7	SR11	10/27/2015	Mid-Ebb	0.7
SR7	10/29/2015	Mid-Ebb	3.9	SR9	10/29/2015	Mid-Ebb	3.3	SR11	10/29/2015	Mid-Ebb	1.1
SR7	10/31/2015	Mid-Ebb	2.3	SR9	10/31/2015	Mid-Ebb	2.8	SR11	10/31/2015	Mid-Ebb	1.7
SR7	11/3/2015	Mid-Ebb	6.0	SR9	11/3/2015	Mid-Ebb	5.3	SR11	11/3/2015	Mid-Ebb	1.5
SR7	11/5/2015	Mid-Ebb	2.7	SR9	11/5/2015	Mid-Ebb	1.1	SR11	11/5/2015	Mid-Ebb	0.8
SR7	11/7/2015	Mid-Ebb	2.3	SR9	11/7/2015	Mid-Ebb	2.0	SR11	11/7/2015	Mid-Ebb	0.7
SR7	11/10/2015	Mid-Ebb	2.4	SR9	11/10/2015	Mid-Ebb	2.8	SR11	11/10/2015	Mid-Ebb	2.6
SR7	11/12/2015	Mid-Ebb	2.7	SR9	11/12/2015	Mid-Ebb	2.4	SR11	11/12/2015	Mid-Ebb	2.5
SR7	11/14/2015	Mid-Ebb	2.5	SR9	11/14/2015	Mid-Ebb	1.9	SR11	11/14/2015	Mid-Ebb	0.6
SR7	11/17/2015	Mid-Ebb	1.1	SR9	11/17/2015	Mid-Ebb	2.1	SR11	11/17/2015	Mid-Ebb	1.2
SR7	11/19/2015	Mid-Ebb	1.9	SR9	11/19/2015	Mid-Ebb	2.5	SR11	11/19/2015	Mid-Ebb	0.8
SR7	11/21/2015	Mid-Ebb	1.9	SR9	11/21/2015	Mid-Ebb	1.4	SR11	11/21/2015	Mid-Ebb	0.3
SR7	11/24/2015	Mid-Ebb	1.9	SR9	11/24/2015	Mid-Ebb	2.7	SR11	11/24/2015	Mid-Ebb	1.9
SR7	11/26/2015	Mid-Ebb	2.8	SR9	11/26/2015	Mid-Ebb	2.8	SR11	11/26/2015	Mid-Ebb	2.6
SR7	11/28/2015	Mid-Ebb	2.7	SR9	11/28/2015	Mid-Ebb	2.3	SR11	11/28/2015	Mid-Ebb	2.6
SR7	12/1/2015	Mid-Ebb	1.8	SR9	12/1/2015	Mid-Ebb	1.0	SR11	12/1/2015	Mid-Ebb	1.7
SR7	12/3/2015	Mid-Ebb	2.6	SR9	12/3/2015	Mid-Ebb	2.7	SR11	12/3/2015	Mid-Ebb	1.8
SR7	12/5/2015	Mid-Ebb	2.0	SR9	12/5/2015	Mid-Ebb	2.7	SR11	12/5/2015	Mid-Ebb	0.6
SR7	12/8/2015	Mid-Ebb	2.8	SR9	12/8/2015	Mid-Ebb	2.8	SR11	12/8/2015	Mid-Ebb	2.6
SR7	12/10/2015	Mid-Ebb	2.7	SR9	12/10/2015	Mid-Ebb	2.7	SR11	12/10/2015	Mid-Ebb	2.0
SR7	12/12/2015	Mid-Ebb	2.8	SR9	12/12/2015	Mid-Ebb	2.8	SR11	12/12/2015	Mid-Ebb	2.7
SR7	12/15/2015	Mid-Ebb	2.7	SR9	12/15/2015	Mid-Ebb	2.8	SR11	12/15/2015	Mid-Ebb	1.3
SR7	12/17/2015	Mid-Ebb	2.6	SR9	12/17/2015	Mid-Ebb	1.6	SR11	12/17/2015	Mid-Ebb	0.4
SR7	12/19/2015	Mid-Ebb	2.7	SR9	12/19/2015	Mid-Ebb	2.8	SR11	12/19/2015	Mid-Ebb	1.2
SR7	12/22/2015	Mid-Ebb	1.8	SR9	12/22/2015	Mid-Ebb	1.6	SR11	12/22/2015	Mid-Ebb	1.7
SR7	12/24/2015	Mid-Ebb	2.6	SR9	12/24/2015	Mid-Ebb	2.5	SR11	12/24/2015	Mid-Ebb	2.7
SR7	12/26/2015	Mid-Ebb	1.9	SR9	12/26/2015	Mid-Ebb	1.9	SR11	12/26/2015	Mid-Ebb	0.3
SR7	12/29/2015	Mid-Ebb	1.5	SR9	12/29/2015	Mid-Ebb	2.7	SR11	12/29/2015	Mid-Ebb	0.4
SR7	12/31/2015	Mid-Ebb	2.1	SR9	12/31/2015	Mid-Ebb	2.1	SR11	12/31/2015	Mid-Ebb	0.2
SR7	1/2/2016	Mid-Ebb	0.1	SR9	1/2/2016	Mid-Ebb	0.5	SR11	1/2/2016	Mid-Ebb	0.5
SR7	1/5/2016	Mid-Ebb	0.4	SR9	1/5/2016	Mid-Ebb	1.3	SR11	1/5/2016	Mid-Ebb	1.4
SR7	1/7/2016	Mid-Ebb	0.8	SR9	1/7/2016	Mid-Ebb	1.1	SR11	1/7/2016	Mid-Ebb	0.8
SR7	1/9/2016										

Cluster 2 Turbidity
Control vs Impact

Impact		Control	
Raw Statistics		Raw Statistics	
Number of Valid Observations	480	Number of Valid Observations	240
Number of Distinct Observations	174	Number of Distinct Observations	161
Minimum	0.0917	Minimum	0.133
Maximum	8.533	Maximum	10.3
Mean of Raw Data	1.87	Mean of Raw Data	2.779
Standard Deviation of Raw Data	1.098	Standard Deviation of Raw Data	2.221
Kstar	2.282	Kstar	1.546
Mean of Log Transformed Data	0.393	Mean of Log Transformed Data	0.669
Standard Deviation of Log Transformed Data	0.777	Standard Deviation of Log Transformed Data	0.909
Normal Distribution Test Results		Normal Distribution Test Results	
Correlation Coefficient R	0.955	Correlation Coefficient R	0.941
Approximate Shapiro Wilk Test Statistic	0.913	Approximate Shapiro Wilk Test Statistic	0.868
Approximate Shapiro Wilk P Value	0	Approximate Shapiro Wilk P Value	0
Lilliefors Test Statistic	0.122	Lilliefors Test Statistic	0.154
Lilliefors Critical (0.95) Value	0.0404	Lilliefors Critical (0.95) Value	0.0572
Data not Normal at (0.05) Significance Level		Data not Normal at (0.05) Significance Level	

Wilcoxon-Mann-Whitney Site vs Background Comparison Test for Full Data Sets without NDs		
User Selected Options		
Full Precision	OFF	
Confidence Coefficient	95%	
Substantial Difference	0	
Selected Null Hypothesis	Site or AOC Mean/Median Less Than or Equal to Background Mean/Median (Form 1)	
Alternative Hypothesis	Site or AOC Mean/Median Greater Than Background Mean/Median	
Area of Concern Data: Impact		
Background Data: Control		
Raw Statistics		
	Site	Background
Number of Valid Observations	480	240
Number of Distinct Observations	174	161
Minimum	0.0917	0.133
Maximum	8.533	10.3
Mean	1.87	2.779
Median	1.933	2.15
SD	1.098	2.221
SE of Mean	0.0501	0.143
Wilcoxon-Mann-Whitney (WMW) Test		
H0: Mean/Median of Site or AOC <= Mean/Median of Background		
Site Rank Sum W-Stat	163401	
WMW Test U-Stat	-3.664	
WMW Critical Value (0.050)	1.645	
P-Value	1.24E-04	
Conclusion with Alpha = 0.05		
Do Not Reject H0, Conclude Site <= Background		
P-Value < alpha (0.05)		

Cluster 1 TIN(Lab)
1.3 x Baseline vs Impact

1.3 x Baseline TIN (Insitu) (mg/L) data				Impact TIN (Insitu) (mg/L) data			
SR5	1/4/2014	Mid-Flood	0.29	SR5	10/24/2015	Mid-Flood	0.37
SR5	1/7/2014	Mid-Flood	0.32	SR5	10/27/2015	Mid-Flood	0.48
SR5	1/9/2014	Mid-Flood	0.29	SR5	10/29/2015	Mid-Flood	0.45
SR5	1/11/2014	Mid-Flood	0.32	SR5	10/31/2015	Mid-Flood	0.50
SR5	1/14/2014	Mid-Flood	0.21	SR5	11/3/2015	Mid-Flood	0.43
SR5	1/16/2014	Mid-Flood	0.26	SR5	11/5/2015	Mid-Flood	0.32
SR5	1/18/2014	Mid-Flood	0.36	SR5	11/7/2015	Mid-Flood	0.33
SR5	1/21/2014	Mid-Flood	0.20	SR5	11/10/2015	Mid-Flood	0.42
SR5	1/23/2014	Mid-Flood	0.34	SR5	11/12/2015	Mid-Flood	0.35
SR5	1/25/2014	Mid-Flood	0.29	SR5	11/14/2015	Mid-Flood	0.40
SR5	1/27/2014	Mid-Flood	0.25	SR5	11/17/2015	Mid-Flood	0.53
SR5	1/29/2014	Mid-Flood	0.40	SR5	11/19/2015	Mid-Flood	1.02
				SR5	11/21/2015	Mid-Flood	0.84
				SR5	11/24/2015	Mid-Flood	0.71
				SR5	11/26/2015	Mid-Flood	0.63
				SR5	11/28/2015	Mid-Flood	0.40
				SR5	12/1/2015	Mid-Flood	0.45
				SR5	12/3/2015	Mid-Flood	0.67
				SR5	12/5/2015	Mid-Flood	0.35
				SR5	12/8/2015	Mid-Flood	0.13
				SR5	12/10/2015	Mid-Flood	0.17
				SR5	12/12/2015	Mid-Flood	0.24
				SR5	12/15/2015	Mid-Flood	0.40
				SR5	12/17/2015	Mid-Flood	0.20
				SR5	12/19/2015	Mid-Flood	0.17
				SR5	12/22/2015	Mid-Flood	0.25
				SR5	12/24/2015	Mid-Flood	0.37
				SR5	12/26/2015	Mid-Flood	0.44
				SR5	12/29/2015	Mid-Flood	0.41
				SR5	12/31/2015	Mid-Flood	0.49
				SR5	1/2/2016	Mid-Flood	0.46
				SR5	1/5/2016	Mid-Flood	0.62
				SR5	1/7/2016	Mid-Flood	0.54
				SR5	1/9/2016	Mid-Flood	0.49
				SR5	1/12/2016	Mid-Flood	0.47
				SR5	1/14/2016	Mid-Flood	0.43
				SR5	1/16/2016	Mid-Flood	0.43
				SR5	1/19/2016	Mid-Flood	0.41
				SR5	1/21/2016	Mid-Flood	0.34

Cluster 1 TIN(Lab)
1.3 x Baseline vs Impact

Baseline (Lab) x 1.3		Impact (Lab)	
Raw Statistics		Raw Statistics	
Number of Valid Observations	12	Number of Valid Observations	39
Number of Distinct Observations	12	Number of Distinct Observations	39
Minimum	0.198	Minimum	0.133
Maximum	0.403	Maximum	1.016
Mean of Raw Data	0.294	Mean of Raw Data	0.439
Standard Deviation of Raw Data	0.0593	Standard Deviation of Raw Data	0.175
Kstar	19.61	Kstar	5.974
Mean of Log Transformed Data	-1.242	Mean of Log Transformed Data	-0.903
Standard Deviation of Log Transformed Data	0.208	Standard Deviation of Log Transformed Data	0.419
Normal Distribution Test Results		Normal Distribution Test Results	
Correlation Coefficient R	0.994	Correlation Coefficient R	0.957
Shapiro Wilk Test Statistic	0.986	Shapiro Wilk Test Statistic	0.927
Shapiro Wilk Critical (0.95) Value	0.859	Shapiro Wilk Critical (0.95) Value	0.939
Approximate Shapiro Wilk P Value	0.993	Approximate Shapiro Wilk P Value	0.0175
Lilliefors Test Statistic	0.108	Lilliefors Test Statistic	0.158
Lilliefors Critical (0.95) Value	0.256	Lilliefors Critical (0.95) Value	0.142
Data appear Normal at (0.05) Significance Level		Data not Normal at (0.05) Significance Level	

Wilcoxon-Mann-Whitney Site vs Background Comparison Test for Full Data Sets without NDs			
User Selected Options			
From File	C:\Users\achoi\Desktop\TIN C1 lab vs 1.3 x Baseline (data input).xls.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Substantial Difference	0		
Selected Null Hypothesis	Site or AOC Mean/Median Less Than or Equal to Background Mean/Median (Form 1)		
Alternative Hypothesis	Site or AOC Mean/Median Greater Than Background Mean/Median		
Area of Concern Data: Impact (Lab)			
Background Data: Baseline (Lab) x 1.3			
Raw Statistics			
	Site	Background	
Number of Valid Observations		39	12
Number of Distinct Observations		39	12
Minimum		0.133	0.198
Maximum		1.016	0.403
Mean		0.439	0.294
Median		0.43	0.293
SD		0.175	0.0593
SE of Mean		0.028	0.0171
Wilcoxon-Mann-Whitney (WMW) Test			
H0: Mean/Median of Site or AOC <= Mean/Median of Background			
Site Rank Sum W-Stat		1163	
WMW Test U-Stat		3.298	
WMW Critical Value (0.050)		1.645	
P-Value		4.88E-04	
Conclusion with Alpha = 0.05			
Reject H0, Conclude Site > Background			
P-Value < alpha (0.05)			

Cluster 1 TIN(Insitu)
Gradient vs Impact

Impact (Lab)		Gradient (Lab)	
Raw Statistics		Raw Statistics	
Number of Valid Observations	39	Number of Valid Observations	117
Number of Distinct Observations	39	Number of Distinct Observations	111
Minimum	0.133	Minimum	0.0933
Maximum	1.016	Maximum	0.911
Mean of Raw Data	0.439	Mean of Raw Data	0.406
Standard Deviation of Raw Data	0.175	Standard Deviation of Raw Data	0.143
Kstar	5.974	Kstar	7.129
Mean of Log Transformed Data	-0.903	Mean of Log Transformed Data	-0.972
Standard Deviation of Log Transformed Data	0.419	Standard Deviation of Log Transformed Data	0.397
Normal Distribution Test Results		Normal Distribution Test Results	
Correlation Coefficient R	0.957	Correlation Coefficient R	0.988
Shapiro Wilk Test Statistic	0.927	Approximate Shapiro Wilk Test Statistic	0.975
Shapiro Wilk Critical (0.95) Value	0.939	Approximate Shapiro Wilk P Value	2.26E-01
Approximate Shapiro Wilk P Value	0.0175	Lilliefors Test Statistic	0.065
Lilliefors Test Statistic	0.158	Lilliefors Critical (0.95) Value	0.0819
Lilliefors Critical (0.95) Value	0.142	Data appear Normal at (0.05) Significance Level	
Data not Normal at (0.05) Significance Level			

Wilcoxon-Mann-Whitney Site vs Background Comparison Test for Full Data Sets without NDs			
User Selected Options			
Full Precision	OFF		
Confidence Coefficient	0.95		
Substantial Difference	0%		
Selected Null Hypothesis	Site or AOC Mean/Median Less Than or Equal to Background Mean/Median (Form 1)		
Alternative Hypothesis	Site or AOC Mean/Median Greater Than Background Mean/Median		
Area of Concern Data: Impact (Lab)			
Background Data: Gradient (Lab)			
Raw Statistics			
	Site	Background	
Number of Valid Observations	39	117	
Number of Distinct Observations	39	111	
Minimum	0.133	0.0933	
Maximum	1.016	0.911	
Mean	0.439	0.406	
Median	0.43	0.404	
SD	0.175	0.143	
SE of Mean	0.028	0.0132	
Wilcoxon-Mann-Whitney (WMW) Test			
H0: Mean/Median of Site or AOC <= Mean/Median of Background			
Site Rank Sum W-Stat	3285		
WMW Test U-Stat	0.913		
WMW Critical Value (0.050)	1.645		
P-Value	1.81E-01		
Conclusion with Alpha = 0.05			
Do Not Reject H0, Conclude Site <= Background			
P-Value >= alpha (0.05)			

Cluster 2 TIN(Lab)
1.3 x Baseline vs Impact

Baseline x 1.3 TIN (lab) (mg/L)			
SR9	1/4/2014	Mid-Ebb	0.10
SR9	1/7/2014	Mid-Ebb	0.16
SR9	1/9/2014	Mid-Ebb	0.38
SR9	1/11/2014	Mid-Ebb	0.40
SR9	1/14/2014	Mid-Ebb	0.23
SR9	1/16/2014	Mid-Ebb	0.22
SR9	1/18/2014	Mid-Ebb	0.13
SR9	1/21/2014	Mid-Ebb	0.04
SR9	1/23/2014	Mid-Ebb	0.03
SR9	1/25/2014	Mid-Ebb	0.03
SR9	1/27/2014	Mid-Ebb	0.03
SR9	1/29/2014	Mid-Ebb	0.03
SR10	1/4/2014	Mid-Ebb	0.19
SR10	1/7/2014	Mid-Ebb	0.20
SR10	1/9/2014	Mid-Ebb	0.20
SR10	1/11/2014	Mid-Ebb	0.21
SR10	1/14/2014	Mid-Ebb	0.14
SR10	1/16/2014	Mid-Ebb	0.13
SR10	1/18/2014	Mid-Ebb	0.13
SR10	1/21/2014	Mid-Ebb	0.12
SR10	1/23/2014	Mid-Ebb	0.15
SR10	1/25/2014	Mid-Ebb	0.08
SR10	1/27/2014	Mid-Ebb	0.09
SR10	1/29/2014	Mid-Ebb	0.12
SR11	1/4/2014	Mid-Ebb	0.18
SR11	1/7/2014	Mid-Ebb	0.17
SR11	1/9/2014	Mid-Ebb	0.19
SR11	1/11/2014	Mid-Ebb	0.21
SR11	1/14/2014	Mid-Ebb	0.14
SR11	1/16/2014	Mid-Ebb	0.12
SR11	1/18/2014	Mid-Ebb	0.10
SR11	1/21/2014	Mid-Ebb	0.12
SR11	1/23/2014	Mid-Ebb	0.18
SR11	1/25/2014	Mid-Ebb	0.12
SR11	1/27/2014	Mid-Ebb	0.07
SR11	1/29/2014	Mid-Ebb	0.09

Impact TIN (lab) (mg/L)							
SR9	10/24/2015	Mid-Ebb	0.03	SR11	10/24/2015	Mid-Ebb	0.05
SR9	10/27/2015	Mid-Ebb	0.11	SR11	10/27/2015	Mid-Ebb	0.11
SR9	10/29/2015	Mid-Ebb	0.21	SR11	10/29/2015	Mid-Ebb	0.23
SR9	10/31/2015	Mid-Ebb	0.27	SR11	10/31/2015	Mid-Ebb	0.23
SR9	11/3/2015	Mid-Ebb	0.22	SR11	11/3/2015	Mid-Ebb	0.14
SR9	11/5/2015	Mid-Ebb	0.13	SR11	11/5/2015	Mid-Ebb	0.11
SR9	11/7/2015	Mid-Ebb	0.13	SR11	11/7/2015	Mid-Ebb	0.13
SR9	11/10/2015	Mid-Ebb	0.25	SR11	11/10/2015	Mid-Ebb	0.13
SR9	11/12/2015	Mid-Ebb	0.42	SR11	11/12/2015	Mid-Ebb	0.25
SR9	11/14/2015	Mid-Ebb	0.28	SR11	11/14/2015	Mid-Ebb	0.10
SR9	11/17/2015	Mid-Ebb	0.44	SR11	11/17/2015	Mid-Ebb	0.30
SR9	11/19/2015	Mid-Ebb	0.53	SR11	11/19/2015	Mid-Ebb	0.40
SR9	11/21/2015	Mid-Ebb	0.55	SR11	11/21/2015	Mid-Ebb	0.25
SR9	11/24/2015	Mid-Ebb	0.39	SR11	11/24/2015	Mid-Ebb	0.26
SR9	11/26/2015	Mid-Ebb	0.37	SR11	11/26/2015	Mid-Ebb	0.17
SR9	11/28/2015	Mid-Ebb	0.34	SR11	11/28/2015	Mid-Ebb	0.17
SR9	12/1/2015	Mid-Ebb	0.33	SR11	12/1/2015	Mid-Ebb	0.24
SR9	12/3/2015	Mid-Ebb	0.38	SR11	12/3/2015	Mid-Ebb	0.24
SR9	12/5/2015	Mid-Ebb	0.35	SR11	12/5/2015	Mid-Ebb	0.17
SR9	12/8/2015	Mid-Ebb	0.32	SR11	12/8/2015	Mid-Ebb	0.07
SR9	12/10/2015	Mid-Ebb	0.27	SR11	12/10/2015	Mid-Ebb	0.11
SR9	12/12/2015	Mid-Ebb	0.24	SR11	12/12/2015	Mid-Ebb	0.10
SR9	12/15/2015	Mid-Ebb	0.25	SR11	12/15/2015	Mid-Ebb	0.17
SR9	12/17/2015	Mid-Ebb	0.11	SR11	12/17/2015	Mid-Ebb	0.10
SR9	12/19/2015	Mid-Ebb	0.19	SR11	12/19/2015	Mid-Ebb	0.11
SR9	12/22/2015	Mid-Ebb	0.21	SR11	12/22/2015	Mid-Ebb	0.16
SR9	12/24/2015	Mid-Ebb	0.29	SR11	12/24/2015	Mid-Ebb	0.16
SR9	12/26/2015	Mid-Ebb	0.36	SR11	12/26/2015	Mid-Ebb	0.15
SR9	12/29/2015	Mid-Ebb	0.36	SR11	12/29/2015	Mid-Ebb	0.22
SR9	12/31/2015	Mid-Ebb	0.35	SR11	12/31/2015	Mid-Ebb	0.25
SR9	1/2/2016	Mid-Ebb	0.34	SR11	1/2/2016	Mid-Ebb	0.26
SR9	1/5/2016	Mid-Ebb	0.47	SR11	1/5/2016	Mid-Ebb	0.24
SR9	1/7/2016	Mid-Ebb	0.44	SR11	1/7/2016	Mid-Ebb	0.25
SR9	1/9/2016	Mid-Ebb	0.40	SR11	1/9/2016	Mid-Ebb	0.38
SR9	1/12/2016	Mid-Ebb	0.32	SR11	1/12/2016	Mid-Ebb	0.25
SR9	1/14/2016	Mid-Ebb	0.26	SR11	1/14/2016	Mid-Ebb	0.23
SR9	1/16/2016	Mid-Ebb	0.28	SR11	1/16/2016	Mid-Ebb	0.24
SR9	1/19/2016	Mid-Ebb	0.31	SR11	1/19/2016	Mid-Ebb	0.17
SR9	1/21/2016	Mid-Ebb	0.35	SR11	1/21/2016	Mid-Ebb	0.22
SR10	10/24/2015	Mid-Ebb	0.11				
SR10	10/27/2015	Mid-Ebb	0.16				
SR10	10/29/2015	Mid-Ebb	0.27				
SR10	10/31/2015	Mid-Ebb	0.23				
SR10	11/3/2015	Mid-Ebb	0.10				
SR10	11/5/2015	Mid-Ebb	0.17				
SR10	11/7/2015	Mid-Ebb	0.09				
SR10	11/10/2015	Mid-Ebb	0.13				
SR10	11/12/2015	Mid-Ebb	0.25				
SR10	11/14/2015	Mid-Ebb	0.20				
SR10	11/17/2015	Mid-Ebb	0.32				
SR10	11/19/2015	Mid-Ebb	0.38				
SR10	11/21/2015	Mid-Ebb	0.26				
SR10	11/24/2015	Mid-Ebb	0.23				
SR10	11/26/2015	Mid-Ebb	0.17				
SR10	11/28/2015	Mid-Ebb	0.18				
SR10	12/1/2015	Mid-Ebb	0.24				
SR10	12/3/2015	Mid-Ebb	0.29				
SR10	12/5/2015	Mid-Ebb	0.14				
SR10	12/8/2015	Mid-Ebb	0.07				
SR10	12/10/2015	Mid-Ebb	0.10				
SR10	12/12/2015	Mid-Ebb	0.10				
SR10	12/15/2015	Mid-Ebb	0.23				
SR10	12/17/2015	Mid-Ebb	0.11				
SR10	12/19/2015	Mid-Ebb	0.10				
SR10	12/22/2015	Mid-Ebb	0.16				
SR10	12/24/2015	Mid-Ebb	0.16				
SR10	12/26/2015	Mid-Ebb	0.19				
SR10	12/29/2015	Mid-Ebb	0.26				
SR10	12/31/2015	Mid-Ebb	0.27				
SR10	1/2/2016	Mid-Ebb	0.29				
SR10	1/5/2016	Mid-Ebb	0.26				
SR10	1/7/2016	Mid-Ebb	0.25				
SR10	1/9/2016	Mid-Ebb	0.38				
SR10	1/12/2016	Mid-Ebb	0.28				
SR10	1/14/2016	Mid-Ebb	0.23				
SR10	1/16/2016	Mid-Ebb	0.25				
SR10	1/19/2016	Mid-Ebb	0.16				
SR10	1/21/2016	Mid-Ebb	0.22				

Cluster 2 TIN(Lab)
1.3 x Baseline vs Impact

Baseline (Lab) x 1.3		Impact (Lab)	
Raw Statistics		Raw Statistics	
Number of Valid Observations	36	Number of Valid Observations	117
Number of Distinct Observations	31	Number of Distinct Observations	100
Minimum	0.026	Minimum	0.03
Maximum	0.396	Maximum	0.552
Mean of Raw Data	0.145	Mean of Raw Data	0.234
Standard Deviation of Raw Data	0.0824	Standard Deviation of Raw Data	0.104
Kstar	2.637	Kstar	4.513
Mean of Log Transformed Data	-2.115	Mean of Log Transformed Data	-1.563
Standard Deviation of Log Transformed Data	0.68	Standard Deviation of Log Transformed Data	0.506
Normal Distribution Test Results		Normal Distribution Test Results	
Correlation Coefficient R	0.947	Correlation Coefficient R	0.986
Shapiro Wilk Test Statistic	0.9	Approximate Shapiro Wilk Test Statistic	0.962
Shapiro Wilk Critical (0.95) Value	0.935	Approximate Shapiro Wilk P Value	1.84E-02
Approximate Shapiro Wilk P Value	3.19E-03	Lilliefors Test Statistic	0.0799
Lilliefors Test Statistic	0.114	Lilliefors Critical (0.95) Value	0.0819
Lilliefors Critical (0.95) Value	0.148	Data appear Normal at (0.05) Significance Level	
Data not Normal at (0.05) Significance Level			

Wilcoxon-Mann-Whitney Site vs Background Comparison Test for Full Data Sets without NDs			
User Selected Options			
Full Precision	OFF		
Confidence Coefficient	95%		
Substantial Difference	0		
Selected Null Hypothesis	Site or AOC Mean/Median Less Than or Equal to Background Mean/Median (Form 1)		
Alternative Hypothesis	Site or AOC Mean/Median Greater Than Background Mean/Median		
Area of Concern Data: Impact (Lab)			
Background Data: Baseline (Lab) x 1.3			
Raw Statistics			
	Site	Background	
Number of Valid Observations	117	36	
Number of Distinct Observations	100	31	
Minimum	0.03	0.026	
Maximum	0.552	0.396	
Mean	0.234	0.145	
Median	0.239	0.133	
SD	0.104	0.0824	
SE of Mean	0.00961	0.0137	
Wilcoxon-Mann-Whitney (WMW) Test			
H0: Mean/Median of Site or AOC <= Mean/Median of Background			
Site Rank Sum W-Stat	10104		
WMW Test U-Stat	4.705		
WMW Critical Value (0.050)	1.645		
P-Value	1.27E-06		
Conclusion with Alpha = 0.05			
Reject H0, Conclude Site > Background			
P-Value < alpha (0.05)			

Cluster 2 TIN(Lab)
G1 vs Impact

G1 TIN (lab) (mg/L)			
G1	10/24/2015	Mid-Ebb	0.42
G1	10/27/2015	Mid-Ebb	0.52
G1	10/29/2015	Mid-Ebb	0.46
G1	10/31/2015	Mid-Ebb	0.50
G1	11/3/2015	Mid-Ebb	0.44
G1	11/5/2015	Mid-Ebb	0.37
G1	11/7/2015	Mid-Ebb	0.33
G1	11/10/2015	Mid-Ebb	0.49
G1	11/12/2015	Mid-Ebb	0.33
G1	11/14/2015	Mid-Ebb	0.39
G1	11/17/2015	Mid-Ebb	0.55
G1	11/19/2015	Mid-Ebb	1.05
G1	11/21/2015	Mid-Ebb	0.81
G1	11/24/2015	Mid-Ebb	0.81
G1	11/26/2015	Mid-Ebb	0.69
G1	11/28/2015	Mid-Ebb	0.39
G1	12/1/2015	Mid-Ebb	0.45
G1	12/3/2015	Mid-Ebb	0.75
G1	12/5/2015	Mid-Ebb	0.39
G1	12/8/2015	Mid-Ebb	0.11
G1	12/10/2015	Mid-Ebb	0.16
G1	12/12/2015	Mid-Ebb	0.21
G1	12/15/2015	Mid-Ebb	0.38
G1	12/17/2015	Mid-Ebb	0.15
G1	12/19/2015	Mid-Ebb	0.24
G1	12/22/2015	Mid-Ebb	0.25
G1	12/24/2015	Mid-Ebb	0.41
G1	12/26/2015	Mid-Ebb	0.43
G1	12/29/2015	Mid-Ebb	0.44
G1	12/31/2015	Mid-Ebb	0.43
G1	1/2/2016	Mid-Ebb	0.48
G1	1/5/2016	Mid-Ebb	0.67
G1	1/7/2016	Mid-Ebb	0.63
G1	1/9/2016	Mid-Ebb	0.49
G1	1/12/2016	Mid-Ebb	0.46
G1	1/14/2016	Mid-Ebb	0.41
G1	1/16/2016	Mid-Ebb	0.42
G1	1/19/2016	Mid-Ebb	0.46
G1	1/21/2016	Mid-Ebb	0.36

Impact TIN (lab) (mg/L)									
SR9	10/24/2015	Mid-Ebb	0.03	SR11	10/24/2015	Mid-Ebb	0.05		
SR9	10/27/2015	Mid-Ebb	0.11	SR11	10/27/2015	Mid-Ebb	0.11		
SR9	10/29/2015	Mid-Ebb	0.21	SR11	10/29/2015	Mid-Ebb	0.23		
SR9	10/31/2015	Mid-Ebb	0.27	SR11	10/31/2015	Mid-Ebb	0.23		
SR9	11/3/2015	Mid-Ebb	0.22	SR11	11/3/2015	Mid-Ebb	0.14		
SR9	11/5/2015	Mid-Ebb	0.13	SR11	11/5/2015	Mid-Ebb	0.11		
SR9	11/7/2015	Mid-Ebb	0.13	SR11	11/7/2015	Mid-Ebb	0.13		
SR9	11/10/2015	Mid-Ebb	0.25	SR11	11/10/2015	Mid-Ebb	0.13		
SR9	11/12/2015	Mid-Ebb	0.42	SR11	11/12/2015	Mid-Ebb	0.25		
SR9	11/14/2015	Mid-Ebb	0.28	SR11	11/14/2015	Mid-Ebb	0.10		
SR9	11/17/2015	Mid-Ebb	0.44	SR11	11/17/2015	Mid-Ebb	0.30		
SR9	11/19/2015	Mid-Ebb	0.53	SR11	11/19/2015	Mid-Ebb	0.40		
SR9	11/21/2015	Mid-Ebb	0.55	SR11	11/21/2015	Mid-Ebb	0.25		
SR9	11/24/2015	Mid-Ebb	0.39	SR11	11/24/2015	Mid-Ebb	0.26		
SR9	11/26/2015	Mid-Ebb	0.37	SR11	11/26/2015	Mid-Ebb	0.17		
SR9	11/28/2015	Mid-Ebb	0.34	SR11	11/28/2015	Mid-Ebb	0.17		
SR9	12/1/2015	Mid-Ebb	0.33	SR11	12/1/2015	Mid-Ebb	0.24		
SR9	12/3/2015	Mid-Ebb	0.38	SR11	12/3/2015	Mid-Ebb	0.24		
SR9	12/5/2015	Mid-Ebb	0.35	SR11	12/5/2015	Mid-Ebb	0.17		
SR9	12/8/2015	Mid-Ebb	0.32	SR11	12/8/2015	Mid-Ebb	0.07		
SR9	12/10/2015	Mid-Ebb	0.27	SR11	12/10/2015	Mid-Ebb	0.11		
SR9	12/12/2015	Mid-Ebb	0.24	SR11	12/12/2015	Mid-Ebb	0.10		
SR9	12/15/2015	Mid-Ebb	0.25	SR11	12/15/2015	Mid-Ebb	0.17		
SR9	12/17/2015	Mid-Ebb	0.11	SR11	12/17/2015	Mid-Ebb	0.10		
SR9	12/19/2015	Mid-Ebb	0.19	SR11	12/19/2015	Mid-Ebb	0.11		
SR9	12/22/2015	Mid-Ebb	0.21	SR11	12/22/2015	Mid-Ebb	0.16		
SR9	12/24/2015	Mid-Ebb	0.29	SR11	12/24/2015	Mid-Ebb	0.16		
SR9	12/26/2015	Mid-Ebb	0.36	SR11	12/26/2015	Mid-Ebb	0.15		
SR9	12/29/2015	Mid-Ebb	0.36	SR11	12/29/2015	Mid-Ebb	0.22		
SR9	12/31/2015	Mid-Ebb	0.35	SR11	12/31/2015	Mid-Ebb	0.25		
SR9	1/2/2016	Mid-Ebb	0.34	SR11	1/2/2016	Mid-Ebb	0.26		
SR9	1/5/2016	Mid-Ebb	0.47	SR11	1/5/2016	Mid-Ebb	0.24		
SR9	1/7/2016	Mid-Ebb	0.44	SR11	1/7/2016	Mid-Ebb	0.25		
SR9	1/9/2016	Mid-Ebb	0.40	SR11	1/9/2016	Mid-Ebb	0.38		
SR9	1/12/2016	Mid-Ebb	0.32	SR11	1/12/2016	Mid-Ebb	0.25		
SR9	1/14/2016	Mid-Ebb	0.26	SR11	1/14/2016	Mid-Ebb	0.23		
SR9	1/16/2016	Mid-Ebb	0.28	SR11	1/16/2016	Mid-Ebb	0.24		
SR9	1/19/2016	Mid-Ebb	0.31	SR11	1/19/2016	Mid-Ebb	0.17		
SR9	1/21/2016	Mid-Ebb	0.35	SR11	1/21/2016	Mid-Ebb	0.22		
SR10	10/24/2015	Mid-Ebb	0.11						
SR10	10/27/2015	Mid-Ebb	0.16						
SR10	10/29/2015	Mid-Ebb	0.27						
SR10	10/31/2015	Mid-Ebb	0.23						
SR10	11/3/2015	Mid-Ebb	0.10						
SR10	11/5/2015	Mid-Ebb	0.17						
SR10	11/7/2015	Mid-Ebb	0.09						
SR10	11/10/2015	Mid-Ebb	0.13						
SR10	11/12/2015	Mid-Ebb	0.25						
SR10	11/14/2015	Mid-Ebb	0.20						
SR10	11/17/2015	Mid-Ebb	0.32						
SR10	11/19/2015	Mid-Ebb	0.38						
SR10	11/21/2015	Mid-Ebb	0.26						
SR10	11/24/2015	Mid-Ebb	0.23						
SR10	11/26/2015	Mid-Ebb	0.17						
SR10	11/28/2015	Mid-Ebb	0.18						
SR10	12/1/2015	Mid-Ebb	0.24						
SR10	12/3/2015	Mid-Ebb	0.29						
SR10	12/5/2015	Mid-Ebb	0.14						
SR10	12/8/2015	Mid-Ebb	0.07						
SR10	12/10/2015	Mid-Ebb	0.10						
SR10	12/12/2015	Mid-Ebb	0.10						
SR10	12/15/2015	Mid-Ebb	0.23						
SR10	12/17/2015	Mid-Ebb	0.11						
SR10	12/19/2015	Mid-Ebb	0.10						
SR10	12/22/2015	Mid-Ebb	0.16						
SR10	12/24/2015	Mid-Ebb	0.16						
SR10	12/26/2015	Mid-Ebb	0.19						
SR10	12/29/2015	Mid-Ebb	0.26						
SR10	12/31/2015	Mid-Ebb	0.27						
SR10	1/2/2016	Mid-Ebb	0.29						
SR10	1/5/2016	Mid-Ebb	0.26						
SR10	1/7/2016	Mid-Ebb	0.25						
SR10	1/9/2016	Mid-Ebb	0.38						
SR10	1/12/2016	Mid-Ebb	0.28						
SR10	1/14/2016	Mid-Ebb	0.23						
SR10	1/16/2016	Mid-Ebb	0.25						
SR10	1/19/2016	Mid-Ebb	0.16						
SR10	1/21/2016	Mid-Ebb	0.22						

Cluster 2 TIN(Lab)
G1 vs Impact

Impact (Lab)		G1 (Lab)	
Raw Statistics		Raw Statistics	
Number of Valid Observations	117	Number of Valid Observations	39
Number of Distinct Observations	100	Number of Distinct Observations	39
Minimum	0.03	Minimum	0.114
Maximum	0.552	Maximum	1.05
Mean of Raw Data	0.234	Mean of Raw Data	0.454
Standard Deviation of Raw Data	0.104	Standard Deviation of Raw Data	0.19
Kstar	4.513	Kstar	5.239
Mean of Log Transformed Data	-1.563	Mean of Log Transformed Data	-0.88
Standard Deviation of Log Transformed Data	0.506	Standard Deviation of Log Transformed Data	0.454
Normal Distribution Test Results		Normal Distribution Test Results	
Correlation Coefficient R	0.986	Correlation Coefficient R	0.959
Approximate Shapiro Wilk Test Statistic	0.962	Shapiro Wilk Test Statistic	0.929
Approximate Shapiro Wilk P Value	1.84E-02	Shapiro Wilk Critical (0.95) Value	0.939
Lilliefors Test Statistic	0.0799	Approximate Shapiro Wilk P Value	0.0201
Lilliefors Critical (0.95) Value	0.0819	Lilliefors Test Statistic	0.174
Data appear Normal at (0.05) Significance Level		Lilliefors Critical (0.95) Value	0.142
		Data not Normal at (0.05) Significance Level	

Wilcoxon-Mann-Whitney Site vs Background Comparison Test for Full Data Sets without NDs			
User Selected Options			
Full Precision	OFF		
Confidence Coefficient	95%		
Substantial Difference	0		
Selected Null Hypothesis	Site or AOC Mean/Median Greater Than or Equal to Background Mean/Median (Form 2)		
Alternative Hypothesis	Site or AOC Mean/Median Less Than Background Mean/Median		
Area of Concern Data: Impact (Lab)			
Background Data: G1 (Lab)			
Raw Statistics			
	Site	Background	
Number of Valid Observations	117	39	
Number of Distinct Observations	100	39	
Minimum	0.03	0.114	
Maximum	0.552	1.05	
Mean	0.234	0.454	
Median	0.239	0.428	
SD	0.104	0.19	
SE of Mean	0.00961	0.0304	
Wilcoxon-Mann-Whitney (WMW) Test			
H0: Mean/Median of Site or AOC >= Mean/Median of Background			
Site Rank Sum W-Stat	7532		
WMW Test U-Stat	-6.761		
WMW Critical Value (0.050)	-1.645		
P-Value	6.84E-12		
Conclusion with Alpha = 0.05			
Reject H0, Conclude Site < Background			
P-Value < alpha (0.05)			