Civil Engineering and Development Department

Contract No. ST/2013/01 Sha Tin New Town Stage II Road T3 and Associated Roadworks – Remaining Works, Phase III

Monthly EM&A Report (Version 1.0) October 2014

Certified By

(Environmental Team Leader)

REMARKS:

The information supplied and contained within this report is, to the best of our knowledge, correct at the time of printing.

CINOTECH accepts no responsibility for changes made to this report by third parties

CINOTECH CONSULTANTS LTD

Room 1710, Technology Park, 18 On Lai Street, Shatin, NT, Hong Kong Tel: (852) 2151 2083 Fax: (852) 3107 1388 Email: info@cinotech.com.hk

TABLE OF CONTENTS

			Page
EXE	CUTIV	VE SUMMARY	1
Intro	duction		1
		tal Monitoring and Audit Works	
		tal Licenses and Permits	
Key	Informa	ation in the Reporting Month	1
Futu	re Key I	Issues	2
1	INTRO	DDUCTION	4
Back	ground		4
	_	n Programme	
		EM&A Requirements	
		MONITORING	
Mon	itoring I	Requirements	6
		Locations	
	_	Equipment	
		Parameters, Frequency and Duration	
		Methodology and QA/QC Procedures	
		Observations	
3		RONMENTAL AUDIT	
Cito			
		nvironmental Monitoring Procedures	
State	is of Env	vironmental Licensing and Permitting	0
		aste Management	
		tion Status of Environmental Mitigation Measures	
		Exceedance	
		tion Status of Event Action Plans	
		Complaint and Prosecution	
4		RE KEY ISSUES	
M			
		Schedule for the Next Month	
Cons		Program for the Next Month	
5	CONC	LUSIONS AND RECOMMENDATIONS	14
Cond	clusions		14
Reco	mmend	lations	14
LIST	Γ OF TA	ABLES	
Tabl	e I	Summary Table for Events Recorded in the Reporting Month	
Tabl	e II	Summary Table for Key Information in the Reporting Month	
Tabl	e III	Key Information in the EIA Report and the Status of EMIS	
Tabl	e 1.1	Key Project Contacts	
Tabl	e 2.1	Location of Noise Monitoring Station	
Tabl	e 2.2	Noise Monitoring Equipment	
Tabl		Noise Monitoring Parameters, Frequency and Duration	
Tabl	e 2.4	Baseline Noise Level and Allowed Construction Noise Level for Noise Station	Monitoring
Tabl	e 2.5	Summary Table of Noise Monitoring Results during the Reporting M	Ionth

- Table 3.1 Summary of Environmental Licensing and Permit Status
- Table 3.2 Observations and Recommendations of Site Audit

LIST OF FIGURE

Figure 1 Site Layout Plan with location of Noise Monitoring Station

Figure 2 ET's Organization Chart

LIST OF APPENDICES

Appendix A Action and Limit Leve

Appendix B Copies of Calibration Certificates

Appendix C Environmental Monitoring Schedules

Appendix D Noise Monitoring Results and Graphical Presentations

Appendix E Summary of Exceedance

Appendix F Site Audit Summary

Appendix G Event Action Plan

Appendix H Updated Environmental Mitigation Implementation Schedule

Appendix I Waste Generation in the Reporting Month

Appendix J Complaint Log

Appendix K Construction Programme

EXECUTIVE SUMMARY

Introduction

- 1. This is the 5th monthly Environmental Monitoring and Audit (EM&A) Report prepared by Cinotech Consultants Limited for CEDD Contract No. ST/2013/01 "Sha Tin New Town Stage II, Road T3 and Associated Roadworks Remaining Works, Phase III" (hereinafter referred to as 'the Project'). This report documents the findings of EM&A Works conducted in October 2014.
- 2. The major site activities undertaken in the reporting month included:
 - Formwork erection/removal and reinforcement fixing
 - Concreting/Soil backfilling
 - Excavation & disposal of surplus material

Environmental Monitoring and Audit Works

- 3. Environmental monitoring and audit works for the Project were performed regularly and the results were checked and reviewed. Site audits were conducted once per week. The implementation of the environmental mitigation measures, Event Action Plans and environmental complaint handling procedures were also checked.
- 4. Summary of the non-compliance of the reporting month is tabulated in **Table I**.

Table I Summary Table for Events Recorded in the Reporting Month

Davamatan	No. of Ex	ceedance	No. of Exceedance	Action Taken	
Parameter	Action Level	Limit Level	Due to this Project	Action Taken	
Noise	0	0	0	N/A	

Construction Noise

5. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Environmental Licenses and Permits

6. Environmental related licenses/permits granted to the Project include the Environmental Permit (EP) for the Project and the Water Discharge Licence.

Key Information in the Reporting Month

7. Summary of key information in this reporting month is tabulated in **Table II**. The key information in the EIA Report is summarized in the Table III below. According to the EIA Report, air quality and noise would be the key environmental issues during the construction of the Project. Details of the implementation of mitigation measures are provided in the Appendix H.

Table II Summary Table for Key Information in the Reporting Month

Event	Event Details		Action Taken	CAndria	Remark	
Event	Number	Nature	Action Taken	Status	Kemark	
Complaint received	0		N/A	N/A		
Changes to the assumptions and key construction / operation activities recorded	0		N/A	N/A		
Status of submissions under EP	1	Monthly EM&A Report for (September 2014)	Submitted to EPD on 21 th October 2014.	N/A		
Notifications of any summons & prosecutions	0		N/A	N/A		

Future Key Issues

Major site activities for the coming month will include:

- Sheet piling erection
- Formwork erection/removal and reinforcement fixing
- Excavation & disposal of surplus material

The anticipated major environmental issues will be mainly on silty surface runoff, blocking of drainage system and ponding water during rainy season; and dust and noise nuisance due to roadwork activities.

Table III Key Information in the EIA Report and the Status of EMIS

	Table III Key Information in the ETA Report and the Status of EMIS					
	Issues	Assumptions and Assessment	Recommended Mitigation Measures	Status of Implementation of Mitigation Measures		
	Air	With the implementation of dust suppression mitigation measures, the level of construction dust would comply with the relevant AQO.	Watering the work area at least twice a day. Environmental pollution control measures for minimizing construction dust impact as stipulated in the APCO.	During the audit sessions, it was observed that: • Watering the work site was provided.		
lse	Noise	Noise level at most of NSRs would exceed the noise criteria without mitigation measures.	Good site practices, adoption of quiet construction plant, reduction of on-time operation of plant, movable noise barrier, avoid simultaneous noisy activities.	During the audit sessions, it was observed that: • Simultaneous noisy activities were avoided.		
Construction Phase	Water	The potential impact rose from the construction of flyovers spanning to the upper Shing Mun River Channel.	Construction works spanning the upper Shing Mun River should be undertaken in the dry season All storm runoff should be routed through oil/grit separators and/or sediment basins/traps before being allowed to be discharged into the nearby receiving waters. All stockpiled areas should be covered. All sediment removable facilities should be maintained and the deposited sediments should be removed regularly.	The construction of flyovers spanning to the upper Shing Mun River Channel was completed under Sha Tin New Town – Stage II, Trunk Road T3 Project in 2009		

1 INTRODUCTION

Background

- 1.1 'Road T3 and Associated Roadworks Remaining Works, Phase III' Project (hereinafter referred to as "the Project") is the remaining works of the Project 'Sha Tin New Town Stage II, Trunk Road T3 (Tai Wai)' which is a Schedule 2 Designated Project under the Environmental Impact Assessment Ordinance (Cap. 449). A study of environmental impact assessment (EIA) was undertaken for the 'Sha Tin New Town Stage II, Trunk Road T3 (Tai Wai)' to consider the key issues of to provide information on nature and extent of environmental impacts arising from the construction and operation of Road T3, and identify possible mitigation measures associated with the works. An EIA Report was approved by the Environmental Protection Department (EPD) on March 1998.
- 1.2 The Project includes the construction of an outstanding 1-lane slip road in the original Road T3 Scheme under the Environmental Permit EP-135/2002/J (EP) issued for Schedule 2 Project 'Sha Tin New Town, Stage II Road T3 and associated roadworks' on 6 February 2014. The construction period of the Contract is tentatively 16 months. The commencement date of major construction works of the Project was scheduled to 19th June 2014.
- 1.3 Cinotech Consultants Limited was commissioned by the CEDD to undertake the Environmental Monitoring and Audit (EM&A) works for the Project.
- 1.4 The site layout plan and the location of noise monitoring station are shown in **Figure 1**.
- 1.5 According to the Baseline Environmental Monitoring Plan submitted to EPD on 21 February 2014, there is one noise monitoring station under the Project for monitoring the impact construction noise. No comment was received from EPD.
- 1.6 This is the 5th monthly EM&A report summarizing the EM&A works conducted for the Projects in October 2014.

Project Organizations

- 1.7 Different parties with different levels of involvement in the project organization include:
 - Project Proponent Civil Engineering and Development Department (CEDD)
 - Engineer's Representative (ER) AECOM
 - Environmental Team (ET) Cinotech Consultants Ltd.
 - Independent Environmental Checker (IEC) ANEWR Consulting Limited
 - Contractor Sheen Billion Development Ltd.
- 1.8 The key contacts of the Project are shown in **Table 1.1**, and the organization chart of ET is shown in **Figure 2**.

Table 1.1 Key Project Contacts

Party	Role	Name	Position	Phone No.	Fax No.
GED D	Project	Mr. Bryan YUEN	Engineer	2301 1398	/
CEDD	Proponent	Mr. T.M. KONG	Engineer	2762 5392	2714 5174
AECOM	Engineer's Representative	Mr. Daniel KO	Resident Engineer	2607 7805	2687 2322
Cinotech	Environmental Team Leader	Dr. Priscilla CHOY	Director	2151 2089	3107 1388
ANEWR	Independent Environmental Checker	Mr. James CHOI	Director	2869 6018	3007 8556
Sheen Billion		Mr. Walance LI	Project Manager	9609 1908	
Development Ltd.	Contractor	Mr. Ryan CHAN	Site Engineer / Environmental Officer	9708 7539	3427 9289

Construction Programme

- 1.9 The site activities undertaken in the reporting month were:
 - Formwork erection/removal and reinforcement fixing
 - Concreting/Soil backfilling
 - Excavation & disposal of surplus material

Summary of EM&A Requirements

- 1.10 The EM&A programme requires construction phase noise monitoring as well as environmental site audits. The EM&A requirements are described in the following sections, including:
 - All monitoring parameters;
 - Action and Limit levels for all environmental parameters;
 - Event / Action Plans:
 - Environmental mitigation measures, as recommended in the project EIA study final report; and
 - Environmental requirements in contract documents.
- 1.11 The advice on the implementation status of environmental protection and pollution control/mitigation measures is summarized in Section 3 of this report.
- 1.12 This report presents the monitoring results, observations, locations, equipment, period, methodology and QA/QC procedures of the required monitoring parameters, namely noise as well as audit works for the Project in the reporting month.

2 NOISE MONITORING

Monitoring Requirements

2.1 One noise monitoring station, namely N6 was approved for impact monitoring. **Appendix A** shows the established Action and Limit Level for the environmental monitoring works.

Monitoring Locations

2.2 Noise monitoring was conducted at one designated monitoring station as presented in **Table 2.1**. **Figure 1** shows the location of the monitoring station.

Table 2.1 Location of Noise Monitoring Station

Monitoring Station	Description	Location of Measurement
N6	Scenery Court	Block 1 of Scenery Court

Monitoring Equipment

2.3 **Table 2.2** summarizes the noise monitoring equipment model being used.

Table 2.2 Noise Monitoring Equipment

Equipment	Model and Make	Quantity
Integrating Sound Level Meter	SVANTEK - SVAN 955 and SVAN 957	3
Calibrator	SVANTEK - SV30A	3

Monitoring Parameters, Frequency and Duration

2.4 **Table 2.3** summarizes the monitoring parameters, frequency and total duration of monitoring.

Table 2.3 Noise Monitoring Parameters, Frequency and Duration

Station	Parameter	Period	Frequency	Measurement
N6	L ₁₀ (30 min.) dB(A) L ₉₀ (30 min.) dB(A) L _{eq} (30 min.) dB(A)	0700-1900 hrs. on normal weekdays	Once a week	Façade

Monitoring Methodology and QA/QC Procedures

Field Monitoring

- 2.5 The monitoring procedures are as follows:
 - The microphone head of the sound level meter was positioned 1m exterior of the noise sensitive facade and lowered sufficiently so that the building's external wall acts as a reflecting surface.
 - The battery condition was checked to ensure good functioning of the meter.
 - Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:

- frequency weighting : A- time weighting : Fast

- measurement time : 30 minutes

- Prior to and after noise measurement, the meter was calibrated using the calibrator for 94.0 dB at 1000 Hz. If the difference in the calibration level before and after measurement is more than 1.0 dB, the measurement was considered invalid and repeat of noise measurement was required after re-calibration or repair of the equipment.
- The wind speed at the monitoring station was checked with the portable wind meter. Noise monitoring was cancelled in the presence of fog, rain, and wind with a steady speed exceeding 5 m/s, or wind with gusts exceeding 10 m/s.
- Noise measurement was paused during periods of high intrusive noise if possible and observation was recorded when intrusive noise was not avoided.
- At the end of the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.

Maintenance and Calibration

- 2.6 Maintenance and Calibration procedures were as follows:
 - The microphone head of the sound level meter and calibrator were cleaned with a soft cloth at quarterly intervals.
 - The sound level meter and calibrator were checked and calibrated at yearly intervals. Copies of calibration certificates are attached in **Appendix B**.

Results and Observations

- 2.7 In the reporting month, noise monitoring was conducted as scheduled at the designated location. The noise monitoring schedule is provided in **Appendix C**.
- 2.8 All the Construction Noise Levels (CNLs) reported in this report were adjusted with the corresponding baseline level (i.e. Measured Leq Baseline Leq = Measured CNL), in order to facilitate the interpretation of the noise exceedance. The baseline noise level and the allowed CNL at the designated noise monitoring station are presented at Table

2.4.

Table 2.4 Baseline Noise Level and Allowed Construction Noise Level for Monitoring Station

Station	Baseline Noise Level, dB (A)	Allowed CNL, dB (A)
N6 – Scenery Court	66.7	75.0

- 2.9 The details of the monitoring results and graphical presentations are shown in **Appendix D**. The weather during the monitoring session was sunny and cloudy. In accordance with Condition 6.2 of the EP, all environmental monitoring data was made available to the public via internet access at the website: http://www.st201301.com/test/.
- 2.10 No Action/Limit Level exceedance for construction noise monitoring was recorded in the reporting month. The Action/Limit Level and the noise monitoring result are summarized at Table 2.5.

Table 2.5 Summary Table of Noise Monitoring Results during the Reporting Month

Parameter	Date	CNLs L _{eq} (30min) dB (A)	Action Level	Limit Level
	3 October 2014	68.5	When one documented complaint is received	75dB(A)
	9 October 2014	65.1		
N6	14 October 2014	67.3		
	21 October 2014	65.6		
	29 October 2014	50.4		

2.11 According to our field observations, the major noise sources identified at the designated monitoring station are as follows:

Station	Major Noise Sources
N6 – Scenery Court	Road Traffic

3 ENVIRONMENTAL AUDIT

Site Audits

- 3.1 Site audits were carried out by ET on weekly basis to monitor the timely implementation of proper environmental management practices and mitigation measures in the Project site. The summaries of site audits are attached in **Appendix F**.
- 3.2 Site audits were conducted on 9th, 15th, 23th and 31st October 2014 by ET. A joint site audit with the representative with IEC, ER, the Contractor and the ET was carried out on 31st October 2014. No site inspection was conducted by EPD during the reporting month. The details of observations during site audit can refer to **Table 3.3**.

Review of Environmental Monitoring Procedures

3.3 The monitoring works conducted by the monitoring team were inspected regularly. The following observations have been recorded for the monitoring works:

Noise Monitoring

- The monitoring team recorded all observations around the monitoring stations, which might affect the monitoring result.
- Major noise sources were identified and recorded. Other intrusive noise attributing to the result was trimmed off by pausing the monitoring temporarily.

Status of Environmental Licensing and Permitting

3.4 All permits/licenses obtained for the Project are summarized in **Table 3.1**.

Table 3.1 Summary of Environmental Licensing and Permit Status

Downit / Licongo No	Valid Period		Status
Permit / License No.	From	To	Status
Environmental Permit (EP)			
EP-135/2002/J	6/2/2014	N/A	Valid
Billing Account for Construction Waste Disposal			
RS01172	19/2/2014	N/A	Valid
Registration of Chemical Waste Producer			
WPN5213-758-S3797-01	4/2/2014	N/A	Valid
Effluent Discharge License under Water Pollution Control Ordinance			
WT00019462-2014	8/7/2014	N/A	Valid

Status of Waste Management

3.5 There was no Construction and Demolition (C&D) materials generated in this reporting month. The table summarizing the quantities of waste generated in this reporting month is presented in **Appendix I**.

Implementation Status of Environmental Mitigation Measures

3.6 The key information in the EIA Report is summarized in **Table 3.2**. With referring to the EIA Report, air quality and noise would be the key issues during the construction of the Project. Details of the implementation of mitigation measures are provided in the **Appendix H**.

Table 3.2 Key Information in the EIA Report and the Status of EMIS

	Issues	Assumptions and Assessment	Recommended Mitigation Measures	Status of Implementation of Mitigation Measures
	Air	With the implementation of dust suppression mitigation measures, the level of construction dust would comply with the relevant AQO.	Watering the work area at least twice a day. Environmental pollution control measures for minimizing construction dust impact as stipulated in the APCO.	During the audit sessions, it was observed that: • Watering the work site was provided.
ıase	Noise	Noise level at most of NSRs would exceed the noise criteria without mitigation measures.	Good site practices, adoption of quiet construction plant, reduction of on-time operation of plant, movable noise barrier, avoid simultaneous noisy activities.	During the audit sessions, it was observed that: • Simultaneous activities were avoided.
Construction Phase	Water	The potential impact rose from the construction of flyovers spanning to the upper Shing Mun River Channel.	Construction works spanning the upper Shing Mun River should be undertaken in the dry season All storm runoff should be routed through oil/grit separators and/or sediment basins/traps before being allowed to be discharged into the nearby receiving waters. All stockpiled areas should be covered. All sediment removable facilities should be maintained and the deposited sediments should be removed regularly.	The construction of flyovers spanning to the upper Shing Mun River Channel was completed under Sha Tin New Town – Stage II, Trunk Road T3 Project in 2009

3.7 During site inspections in the reporting month, no non-conformance was identified. The observations and recommendations made during the audit sessions are summarized in **Table 3.3**.

Table 3.3 Observations and Recommendations of Site Audit

Parameters	Date	Observations	Remedial Actions
Water Quality	23 October 2014	Filter or sand bags should be placed at the entrance of the sediment tank.	The observation was observed to be improved/rectified by the Contractor during the audit session on 31 October 2014.
Air Quality	N/A	N/A	N/A
	15 October 2014	A properly-designed movable noise barrier should be provided for the breaker.	
Noise	23 October 2014	The noise barrier should be properly designed and placed properly to minimize the noise from PME (piling rig) from affecting nearby NSRs.	Follow-up action will be reported during the next reporting period.
	31 October 2014	Proper noise mitigation measures should be provided for the PMEs (breaker and piling rig).	
	26 September 2014		
	30 September 2014	Oil stains on the ground should be clear, and excavator should be	The observation was observed to be improved/rectified by the
	9 October 2014	maintained properly to prevent oil leakage.	Contractor during the audit session on 23 October 2014.
Waste /	15 October 2014		
Chemical Management	23 October 2014	Drip tray should be provided for the chemical containers.	The observation was observed to be improved/rectified by the Contractor during the audit session on 31 October 2014.
	31 October 2014	Proper rubbish bins should be provided for the sorting of general refuse for recycling, and designated area for chemical waste should be set-up.	Follow-up action will be reported during the next reporting period.
Permit/ Licenses	N/A	N/A	N/A

Summary of Exceedance

3.8 No exceedance of monitoring results was recorded in the reporting month. Summary of exceedance is provided in **Appendix E**.

Implementation Status of Event Action Plans

3.9 The Event Action Plan for construction noise is presented in **Appendix G**. No exceedance was recorded and thus no action was required to be implemented.

Summary of Complaint and Prosecution

- 3.10 No environmental related complaint, prosecution or notification of summons was received in the reporting month.
- 3.11 There was no environmental complaint, prosecution or notification of summon received since the Project commencement. The Complaint Log is attached in **Appendix J.**

4 FUTURE KEY ISSUES

- 4.1 Key issues to be considered in the coming month include:
 - Effluent discharge generated from surface runoff;
 - Dust generation from excavation works, concrete breaking works and stockpile of dusty materials;
 - Noise generation from the operation of PMEs
 - Accumulation of stagnant water in the site areas; and
 - Accumulation of C&D waste on site.

Monitoring Schedule for the Next Month

4.2 The tentative environmental monitoring schedule for the next month is shown in **Appendix C**.

Construction Program for the Next Month

- 4.3 A tentative construction programme is provided in **Appendix K**. The major construction activities in the coming month will include:
 - Sheet piling erection
 - Formwork erection/removal and reinforcement fixing
 - Excavation & disposal of surplus material

5 CONCLUSIONS AND RECOMMENDATIONS

Conclusions

- 5.1 Environmental monitoring and audit works were conducted in the reporting month. Site inspections were conducted on a weekly basis. The results were reviewed and checked.
- 5.2 All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.
- 5.3 There was no environmental complaint, prosecution or notification of summons received.

Recommendations

5.4 According to the environmental audit performed in the reporting month, the following recommendations were made:

Water Quality

• Provide mitigation measures to prevent muddy surface runoff from leaking offsite under raining.

Air Quality

• Regularly clear the sand on haul road and water the haul road to prevent dust generation


Construction Noise

• Provide proper mitigation measure to minimize the noise of operating PMEs from affecting the nearby NSR(s)

Waste / Chemical Management

- Provide mitigation measure to prevent oil spillage/leakage from construction equipments
- Provide drip trays for chemical container

FIGURE(S)



Environmental Team Leader Dr. Priscilla Choy (Tel: 2151 2089)

Project Coordinator

coordination of the Project and compile reports
 lvy Tam

(Tel: 2151 2090)

Monitoring Team

- perform environmental monitoring works

Team Leader: Tang Wing Kwai (Tel: 2151 2073)

Team Members: Lee Man Hei, Mo Yik Wai, Lam Ho Chun, Man Chun Fai, Ching Ka Wai, Ho Ka Chun

Title

Audit Team

- conduct site inspection, complete the environmental checklist once a week

Team Leader: Ivy Tam (Tel: 2151 2090)

Site Auditor: Harris Wong (Tel: 2151 2098)

Contract No. ST 2013/01 Sha Tin New Town, Stage II Environmental Team for Road T3 & Associated Roadworks - Remaining Works, Phase III

ET's Organization Chart

Scale	N.T.S	Project No.	MA13058
Date	Jun-14	Figure	2

CINOTECH

APPENDIX A ACTION AND LIMIT LEVEL

Monthly EM&A Report

APPENDIX A - Action and Limit Level

Construction Noise

Time Period	Action Level	Limit Level
0700-1900 hrs on normal weekdays		75 dB(A)
0700-2300 hrs on holidays; and 1900- 2300 hrs on all other days	When one documented complaint is received	70* dB(A)
2300-0700 hrs of next day		55* dB(A)

Notes:

Notes: If works are to be carried during restricted hours, the conditions stipulated in the construction noise permit issued by the Noise Control Authority have to be followed.

(*) reduce to 70 dB(A) for schools and 65 dB(A) during school examination periods.

APPENDIX B COPIES OF CALIBRATION CERTIFCATES



Rms 816, 1516 & 1701, Technology Park, 18 On Lai Street, Shatin, N.T, Hong Kong. Tel: 2898 7388 Fax: 2898 7076

Website: www.wcllab.com.hk

TEST REPORT

APPLICANT: Cinotech Consultants Limited

Room 1710, Technology Park,

18 On Lai Street,

Shatin, NT, Hong Kong

Test Report No.: C/N/140919/3
Date of Issue: 2014-09-21
Date Received: 2014-09-19
Date Tested: 2014-09-21

Date Completed: 2014-09-21 Next Due Date: 2015-09-20

ATTN:

Mr. W.K. Tang

Page:

1 of 1

Certificate of Calibration

Item for calibration:

Description

: 'SVANTEK' Integrating Sound Level Meter

Manufacturer

: SVANTEK

Model No.

: SVAN 955

Serial No.

: 12563

Microphone No.

: 34377

Equipment No.

: N-08-03

Test conditions:

Room Temperatre

: 23 degree Celsius

Relative Humidity

: 55%

Test Specifications:

Performance checking at 94 and 114 dB

Methodology:

In-house method, according to manufacturer instruction manual


Results:

Reference Set Point, dB	Instrument Readings, dB	
94	94.0	
114	114.0	

PREPARED AND CHECKED BY:

For and On Behalf of WELLAB Ltd.

PATRICK TSE





Rms 816, 1516 & 1701, Technology Park, 18 On Lai Street, Shatin, N.T, Hong Kong. Tel: 2898 7388 Fax: 2898 7076 Website: www.wellab.com.hk

TEST REPORT

APPLICANT: Cinotech Consultants Limited

Room 1710, Technology Park,

18 On Lai Street,

Shatin, NT, Hong Kong

Test Report No.: C/N/140104
Date of Issue: 2014-01-05
Date Received: 2014-01-04
Date Tested: 2014-01-04
Date Completed: 2014-01-05
Next Due Date: 2015-01-04

ATTN:

Mr. W. K. Tang

Page:

1 of 1

Certificate of Calibration

Item for calibration:

Description

: 'SVANTEK' Integrating Sound Level Meter

Manufacturer

: SVANTEK

Model No.

: SVAN 955

Serial No.

: 14303 : 35222

Microphone No. Equipment No.

: N-08-05

Test conditions:

Room Temperatre

: 19 degree Celsius

Relative Humidity

: 52%

Test Specifications:

Performance checking at 94 and 114 dB

Methodology:

In-house method, according to manufacturer instruction manual

Results:

Reference Set Point, dB	Instrument Readings, dB	
94	94.0	
114	114.0	

Remark: 1)This report supersedes the one dated 2012/01/21 with certificate number C/N/120120/1.

PREPARED AND CHECKED BY:

For and On Behalf of WELLAB Ltd.

PATRICK TSE



Rms 816, 1516 & 1701, Technology Park, 18 On Lai Street, Shatin, N.T, Hong Kong. Tel: 2898 7388 Fax: 2898 7076

Website: www.wellab.com.hk

TEST REPORT

APPLICANT: Cinotech Consultants Limited

Room 1710, Technology Park,

18 On Lai Street,

Shatin, NT, Hong Kong

Test Report No.: C/N/140822/1
Date of Issue: 2014-08-25

Date Received: 2014-08-22

Date Tested: 2014-08-22

Date Completed: 2014-08-25

1 of 1

Next Due Date: 2015-08-24

ATTN:

Mr. W.K. Tang

Page:

Certificate of Calibration

Item for calibration:

Description : 'SVANTEK' Integrating Sound Level Meter

Manufacturer: SVANTEKModel No.: SVAN 957Serial No.: 21460Microphone No.: 43679

Equipment No. : N-08-09

Test conditions:

Room Temperatre : 22 degree Celsius

Relative Humidity : 55%

Test Specifications:

Performance checking at 94 and 114 dB

Methodology:

In-house method, according to manufacturer instruction manual

Results:

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

PREPARED AND CHECKED BY:

For and On Behalf of WELLAB Ltd.

PATRICK TSE



Rms 816, 1516 & 1701, Technology Park, 18 On Lai Street, Shatin, N.T, Hong Kong. Tel: 2898 7388 Fax: 2898 7076

Website: www.wellab.com.hk

TEST REPORT

APPLICANT:

Cinotech Consultants Limited

Room 1710, Technology Park,

18 On Lai Street.

Shatin, NT, Hong Kong

Test Report No.:	C/N/140919/4	
Date of Issue:	2014-09-21	
Date Received:	2014-09-19	
Date Tested:	2014-09-21	
Date Completed:	2014-09-21	
Next Due Date:	2015-09-20	

ATTN:

Mr. W.K. Tang

Page:

1 of 1

Item for calibration:

Description

: SVANTEK

Manufacturer Model No.

: SV30A

: Acoustical Calibrator

Serial No.

: 10929

Equipment No.

: N-09-01

Test conditions:

Room Temperatre

: 23 degree Celsius

Relative Humidity

:55%

Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

PREPARED AND CHECKED BY:

For and On Behalf of WELLAB Ltd.



Rms 816, 1516 & 1701, Technology Park, 18 On Lai Street, Shatin, N.T, Hong Kong. Tel: 2898 7388 Fax: 2898 7076

Website: www.wellab.com.hk

TEST REPORT

APPLICANT: Cinotech Consultants Limited

Room 1710, Technology Park,

18 On Lai Street,

Shatin, NT, Hong Kong

Test Report No.:	C/N/131101/1
Date of Issue:	2013-11-02
Date Received:	2013-11-01
Date Tested:	2013-11-01
Date Completed:	2013-11-02
Next Due Date:	2014-11-01

ATTN:

Mr. W.K. Tang

Page:

1 of 1

Item for calibration:

Description

: Acoustical Calibrator

Manufacturer

: SVANTEK

Model No.

: SV30A

Serial No.

: 10965

Equipment No.

: N-09-02

Test conditions:

Room Temperatre

: 20 degree Celsius

Relative Humidity

: 52%

Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

PREPARED AND CHECKED BY:

For and On Behalf of WELLAB Ltd.

PATRICK TSE



Rms 816, 1516 & 1701, Technology Park, 18 On Lai Street, Shatin, N.T, Hong Kong. Tel: 2898 7388 Fax: 2898 7076

Website: www.wellab.com.hk

TEST REPORT

APPLICANT: Cinotech Consultants Limited

Room 1710, Technology Park,

18 On Lai Street,

Shatin, NT, Hong Kong

Test Report No.:	C/N/131004/1
Date of Issue:	2013-10-05
Date Received:	2013-10-04
Date Tested:	2013-10-04
Date Completed:	2013-10-05
Next Due Date:	2014-10-04

ATTN:

Mr. W.K. Tang

Page:

1 of 1

Item for calibration:

Description

: Acoustical Calibrator

Manufacturer

: SVANTEK

Model No.

: SV30A

Serial No.

: 24803

Equipment No.

: N-09-03

Test conditions:

Room Temperatre

: 21 degree Celsius

Relative Humidity

: 57%

Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

PREPARED AND CHECKED BY:

For and On Behalf of WELLAB Ltd.

PATRICK TSE



Rms 816, 1516 & 1701, Technology Park, 18 On Lai Street, Shatin, N.T, Hong Kong. Tel: 2898 7388 Fax: 2898 7076

Website: www.wellab.com.hk

TEST REPORT

APPLICANT: Cinotech Consultants Limited

Room 1710, Technology Park,

18 On Lai Street,

Shatin, NT, Hong Kong

Test Report No.:	C/N/141003/1
Date of Issue:	2014-10-04
Date Received:	2014-10-03
Date Tested:	2014-10-03
Date Completed:	2014-10-04
Next Due Date:	2015-10-03

ATTN:

Mr. W.K. Tang

Page:

1 of 1

Item for calibration:

Description

: Acoustical Calibrator

Manufacturer

: SVANTEK

Model No.

: SV30A

Serial No.

: 24803

Equipment No.

: N-09-03

Test conditions:

Room Temperatre

: 22 degree Celsius

Relative Humidity

: 56%

Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

PREPARED AND CHECKED BY:

For and On Behalf of WELLAB Ltd.

PATRICK TSE

APPENDIX C ENVIRONMENTAL MONITORING SCHEDULES

Contract No. ST/2013/01 Sha Tin New Town Stage II Road T3 and Associated Roadworks – Remaining Works, Phase III Noise Monitoring Schedule in October 2014

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	_	•	1-Oct	2-Oct	3-Oct	4-Oct
					Noise	
5-Oct	6-Oct	7-Oct	8-Oct	9-Oct	10-Oct	11-Oct
				Noise		
12-Oct	13-Oct	14-Oct	15-Oct	16-Oct	17-Oct	18-Oct
		Noise				
19-Oct	20-Oct	21-Oct	22-Oct	23-Oct	24-Oct	25-Oct
		Noise				
26-Oct	27-Oct	28-Oct	29-Oct	30-Oct	31-Oct	
			Noise			

Noise Monitoring Stations

Contract No. ST/2013/01 Sha Tin New Town Stage II Road T3 and Associated Roadworks – Remaining Works, Phase III Tentative Noise Monitoring Schedule in November 2014

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		2 000000	• • • • • • • • • • • • • • • • • •	22222	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1-Nov
2 N	2 11	4 21	5 N	(Name	7 11	0 11
2-Nov	3-Nov	4-Nov	5-Nov	6-Nov	7-Nov	8-Nov
				Noise		
				Noise		
9-Nov	10-Nov	11-Nov	12-Nov	13-Nov	14-Nov	15-Nov
					_	
					Noise	
16-Nov	17-Nov	18-Nov	19-Nov	20-Nov	21-Nov	22-Nov
10-1101	17-1404	10-1101	19-1101	20-1101	21-1107	22-1107
		Noise				
23-Nov	24-Nov	25-Nov	26-Nov	27-Nov	28-Nov	29-Nov
				Maia		
				Noise		
30-Nov						

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)


APPENDIX D NOISE MONITORING RESULTS AND GRAPHICAL PRESENTATIONS

App D - Noise Monitoring Results

Location N6 - Scenery Court							
				Unit: dB (A) (30-min)			
Date	Time	Weather	Meas	sured Noise	Level	Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L 90	L _{eq}	L _{eq}
3-Oct-14	09:30	Sunny	70.7	73.8	66.8		68.5
9-Oct-14	16:45	Sunny	69.0	71.7	65.7		65.1
14-Oct-14	10:00	Sunny	70.0	72.8	66.7	66.7	67.3
21-Oct-14	10:00	Sunny	69.2	71.4	65.9		65.6
29-Oct-14	15:00	Sunny	66.8	68.5	64.7		50.4

MA14009/Noise Cinotech

Noise Levels



Title	Sha Tin New Town Stage II
	Road T3 and Associated Road Works- Remaning Works,
	Phase III
	Graphical Presentation of Construction Noise Monitoring
	Results

1	Scale		Project No.
		N.T.S	MA13058
	Date	Oct 14	Appendix D



APPENDIX E SUMMARY OF EXCEEDANCE

Monthly EM&A Report – October 2014

APPENIDX E – SUMMARY OF EXCEEDANCE

Reporting Month: October 2014

a) Exceedance Report for Construction Noise (NIL)

APPENDIX F SITE AUDIT SUMMARY

Sha Tin New Town Stage II

Road T3 and Associated Roadworks - Remaining Works, Phase III

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	141009	
Date	9 October 2014 (Thursday)	
Time	10:00-11:00	

D.C.M.	Non Compliance	Related Item No.
Ref. No.	Non-Compliance None identified	Tiem 1to.
	None identified	Related
Ref. No.	Remarks/Observations	Item No.
	A. Water Quality	
	No environmental deficiency was identified during site inspection.	
	B. Air Quality	
	No environmental deficiency was identified during site inspection.	
	C. Noise	
	No environmental deficiency was identified during site inspection.	
	D. Waste/Chemical Management	
141009-R01	Oil was observed leaking from the excavator. Contractor was reminded to maintain the excavator and clear the oil on the ground.	E7
	E. Permits/Licences	
	No environmental deficiency was identified during site inspection.	
	F. Others	
	• Follow-up on previous site audit session (Ref. No. 140930), follow-up action is required for the item 140930- R01, which was renamed as 141009-R01.	

	Name	Signature	Date
Recorded by	Harris Wong	A	9 October 2014
Checked by	Dr. Priscilla Choy	WE	9 October 2014

Contract ST/2013/01

Sha Tin New Town Stage II

Road T3 and Associated Roadworks - Remaining Works, Phase III

Weekly Site Inspection Record Summary Inspection Information

Checklist Reference Number	141015
Date	15 October 2014 (Wednesday)
Time	10:00-11:00

		Related
Ref. No.	Non-Compliance	Item No.
	None identified	-
		Related
Ref. No.	Remarks/Observations	Item No.
	A. Water Quality	
	No environmental deficiency was identified during site inspection.	
	B. Air Quality	
	No environmental deficiency was identified during site inspection.	
	C. Noise	
141015-R02	A properly-designed movable noise barrier should be provided for the breaker.	D7
	D. Waste/Chemical Management	
141015-R01	Oil leakage from excavator was observed. Contractor was reminded to maintain the excavator and clear the oil stain as chemical waste.	E7
	E. Permits/Licences	
	No environmental deficiency was identified during site inspection.	
	F. Others	
	• Follow-up on previous site audit session (Ref. No. 141009), follow-up action is required for the item 141009- R01, which was renamed as 141015-R01.	-

	Name	Signature	Date
Recorded by	Harris Wong	Am	15 October 2014
Checked by	Dr. Priscilla Choy	WI	15 October 2014

Contract ST/2013/01

Sha Tin New Town Stage II

Road T3 and Associated Roadworks - Remaining Works, Phase III

Weekly Site Inspection Record Summary Inspection Information

Checklist Reference Number	141023
Date	23 October 2014 (Wednesday)
Time	10:00-11:00

D 4 M		Related
Ref. No.	Non-Compliance	Item No.
	None identified	-
		Related
Ref. No.	Remarks/Observations	Item No.
	A. Water Quality	
141023-R03	Filter or sand bags should be placed at the entrance of the sediment tank.	B8
	B. Air Quality	
•	No environmental deficiency was identified during site inspection.	
	C. Noise	
141023-R02	• The noise barrier should be properly designed and placed properly to minimize the noise from PME (piling rig) from affecting nearby NSRs.	D7
	D. Waste/Chemical Management	
141023-R01	Drip tray should be provided for the chemical containers.	E8
	E. Permits/Licences	
	No environmental deficiency was identified during site inspection.	
	F. Others	
	• Follow-up on previous site audit session (Ref. No. 141015), item 141015-R01 was observed improved/rectified by Contractor during the site inspection. Follow-up action is required for the item 141015-R02, which was renamed as 141023-R02.	

	Name	Signature	Date
Recorded by	Harris Wong	CAA	23 October 2014
Checked by	Dr. Priscilla Choy	NI	23 October 2014

Contract ST/2013/01

Sha Tin New Town Stage II

Road T3 and Associated Roadworks - Remaining Works, Phase III

Weekly Site Inspection Record Summary Inspection Information

Checklist Reference Number	141031
Date	31 October 2014 (Wednesday)
Time	10:00-11:00

Ref. No.	Non-Compliance	Related Item No.
	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	A. Water Quality	
	No environmental deficiency was identified during site inspection.	
	B. Air Quality	
	No environmental deficiency was identified during site inspection.	
	C. Noise	
141031-R02	Proper noise mitigation measures should be provided for the PMEs (breaker and piling rig).	D7
	D. Waste/Chemical Management	
141031-R01	Proper rubbish bins should be provided for the sorting of general refuse for recycling, and designated area for chemical waste should be set-up.	E1ii, E2i
	E. Permits/Licences	
	No environmental deficiency was identified during site inspection.	
	F. Others	
	• Follow-up on previous site audit session (Ref. No. 141023), items 141023-R01 and R03 were observed improved/rectified by Contractor during the site inspection. Follow-up action is required for the item 141023-R02, which was renamed as 141031-R02.	

	Name	Signature	Date
Recorded by	Harris Wong	Spa	31 October 2014
Checked by	Dr. Priscilla Choy	NA	31 October 2014

APPENDIX G EVENT ACTION PLAN

Appendix G Event/Action Plan

Event/Action Plan for Construction Noise

		AC	TION	
EVENT	ET	IEC	ER	CONTRACTOR
ACTION LEVEL				
	 Undertake measurement to establish validity of complaint Identify the source(s) of the complaint Inform ER & IEC in writing. Discuss remedial actions required with ER & IEC Increase monitoring frequency to assess efficacy of remedial measures If exceedance continues, meet with ER&IEC to review implementation of appropriate mitigation measures If exceedance stops, cease additional monitoring 	 Review the analyzed results submitted by the ET Review the proposed remedial measures by the Contractor and advise the ER & ET accordingly Supervise the implementation of remedial measures. 	 Confirm receipt of notification of complaint and notify Contractor if proven Check monitoring data trends and Contractor's working methods. Remind the Contractor of his Contractual obligations and discuss with ET, IEC and Contractor on proposed remedial actions. Assess the efficacy of remedial actions and keep the Contractor informed Inform complainant of actions taken 	 Submit proposals for remedial actions to ER within three working days of notification Amend proposals if required by the Engineer Implement the remedial actions immediately upon instruction Liaise with the ER to optimise the effectiveness of the agreed mitigation Amend proposal if appropriate
LIMIT LEVEL			taken	
LIMIT LEVEL	 Repeat measurement to confirm findings Identify the source(s) of impact Inform ER&IEC and EPD in writing Discuss remedial actions required with ER&IEC Increase monitoring frequency to assess efficacy of remedial measures If exceedance continues, meet with ER&IEC to identify appropriate mitigation measures If exceedance stops, cease additional monitoring 	Check monitoring data submitted by ET Review Contractor's remedial actions to assure their effectiveness and advise the ER &ET accordingly Supervise the implementation of the remedial measures	Confirm receipt of notification of exceedance and notify Contractor Check monitoring data trends and Contractor's working methods Discuss with ET, IC(E) and Contractor on proposed remedial actions to be implemented Assess the efficacy of remedial actions and keep the Contractor informed If exceedance continuous, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is aborted	 Take immediate action to avoid further exceedance Submit proposals for remedial actions to ER within three working days of notification Amend proposals if required by the ER Implement remedial actions immediately upon instruction Liaise with the ER to optimize the effectiveness of the agreed mitigation Resubmit proposals if problem still not under control Stop the relevant portion of works as determined by the ER until the exceedance is aborted.

APPENDIX H UPDATED ENVIRONMENTAL MITIGATION IMPLEMENTATION SCHEDULE

Appendix H - Implementation Schedule of Environmental Mitigation Measures

EIA/ ERR Ref. Ref.	Recommended Mitigation Measures	Who to implement the measures?	Location of the measures	When to Implement the measures?
Construct	ion Noise			
2.5.4 / 2.3	 Where available, the Contractor shall use quiet items of PME or model of plants that are quieter than those specified in the EPD's Technical Memorandum (GW-TM) for undertaking construction works. Where practicable, the Contractor shall use movable noise barriers and avoid simultaneous noisy activities. 	Contractor	At active construction locations.	Construction stage
Air Quality	,			
3.5.3/ 3.4.5	Watering the works area at least twice a day	Contractor	Work site	Construction stage
3.5.4/ 3.4.5	Environmental pollution control measures for minimizing construction dust impact as stipulated in the Air Pollution Control Regulation.	Contractor	Work site	Construction stage
Waste Ma	nagement			
5.2 – 5.6/4.5	Environmental pollution control measures for minimizing waste arising from the construction works.	Contractor	Within the works boundary	Construction stage
Water Qua	hlity			
4.5.1/5.5.1	Environmental pollution control measures for minimizing impacts on water quality.	Contractor	All construction sites	Construction stage
Landscap	e and Visual			•
-/Table 6-1	Storage of materials and plant shall be limited to areas less visible to receivers.	Contractor	Project site	Construction stage
-/Table 6-1	Preservation wherever possible of existing trees and transplanting wherever practical of trees affected by the Works.	Contractor	Project site	Construction stage
-/Table 6-1	Stripping, storing and re-use of topsoil.	Contractor	Project site	Construction stage

Note: EIA Ref. refers to Trunk Road T3 (Tai Wai) - Updated Final Environmental Impact Assessment Report, March 1998

APPENDIX I WASTE GENERATION IN THE REPORTING MONTH

Civil Engineering and Development Department

Contract No. ST/2013/01 Sha Tin New Town Stage II Road T3 and Associated Roadworks – Remaining Works, Phase III

Monthly Summary Waste Flow Table for 2014 (year)

		Actual Quanti	ties of Inert C&D	Materials Generate	ed Monthly		_	Actual Quantities of	C&D Wastes G	enerated Monthly	
Month	Total Quantity Generated	Broken Concrete	Reused in the Contract	Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper/ cardboard packaging	Plastics	Chemical Waste	Others, e.g. general refuse
	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000 kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000m ³)
June	0.228	0.000	0.000	0.000	0.228	0.000	0.000	0.000	0.000	0.000	0.000
July	0.542	0.005	0.000	0.000	0.537	0.000	0.000	0.000	0.000	0.000	0.000
Aug	0.391	0.000	0.000	0.000	0.391	0.000	0.000	0.000	0.000	0.000	0.000
Sept	0.060	0.000	0.000	0.000	0.060	0.000	0.000	0.000	0.000	0.000	0.000
Oct	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Nov	-	-	-	-	-	-	-	-	-	-	-
Dec	-	-	-	-	-	-	-	-	-	-	-
G.Total	1.211	0.005	0.000	0.000	1.216	0.000	0.000	0.000	0.000	0.000	0.000

APPENDIX J COMPLAINT LOG


APPENDIX J - COMPLAINT LOG


Reporting Month: October 2014

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
N/A	N/A	N/A	N/A	N/A	N/A

Remarks: No environmental complaint was received in the reporting month.

APPENDIX K CONSTRUCTION PROGRAMME





	Task Name	Duration	Start	Finish
83	ELS system removal	5 days	Thu 19/2/15	Mon 23/2/15
84	Bay 3 and 2 (2nd portion of 7m length) Footing construction	61 days	Tue 24/2/15	Sat 25/4/15
85	ELS system installation & surplus material disposal	21 days	Tue 24/2/15	Mon 16/3/15
86	Forwork erection & steel reinforcement fixing	18 days	Tue 17/3/15	Fri 3/4/15
87	Concreting & curing	10 days	Sat 4/4/15	Mon 13/4/15
88	Formwork removal & soil backfill	7 days	Tue 14/4/15	Mon 20/4/15
89	ELS system removal	5 days	Tue 21/4/15	Sat 25/4/15
90	Steelwork Erection	140 days	Tue 16/12/14	Mon 4/5/15
91	Noise Barrier Panel, cladding and gutter fixing	21 days	Tue 5/5/15	Mon 25/5/15
92	New Sign Gantry construction	272 days	Mon 1/9/14	Sat 30/5/15
93	Shop drawing and E&M works submission and approval	150 days	Mon 1/9/14	Wed 28/1/15
94	Footing modification	21 days	Sun 26/4/15	Sat 16/5/15
95	Steelwork & sign plate fixing	14 days	Sun 17/5/15	Sat 30/5/15
96	Drainage works	28 days	Sun 26/4/15	Sat 23/5/15
97	Carriageway construction	14 days	Sun 24/5/15	Sat 6/6/15
98	St lighting duct laying and street furniture provision	7 days	Sun 31/5/15	Sat 6/6/15
99	Irrigation system construction	7 days	Sun 7/6/15	Sat 13/6/15
100	Cycletracks & footpath construction	7 days	Sun 7/6/15	Sat 13/6/15
101	2nd stage modification of traffic signal at J/O Sha Tin Centre St & Lion Rock Tunnel Rd	1 day	Sun 14/6/15	Sun 14/6/15
102	Joint site inspection with LCSD for handover posessed site	1 day	Sun 14/6/15	Sun 14/6/15
103				