

Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling Stage 2

Monthly EM&A Report

February 2014 to April 2014

Submitted to

Environmental Protection Department

Prepared By

Meinhardt Infrastructure and Environment Ltd

Meinhardt Infrastructure and Environment Limited

**Entrusted Portion of Widening of Tolo
Highway / Fanling Highway between Island
House Interchange and Fanling Stage 2**

Quarterly EM&A Report

(February 2014 to April 2014)

Certified by: Fredrick Leong 

Position: Environmental Team Leader

Date: 14 May 2014



Our ref AFK/TK/jn/bw/T329380/22.05/L-0024
T 2828 5919
E terence.kong@mottmac.com.hk
Your ref

Hyder-Arup-Black & Veatch Joint Venture
c/o Hyder Consulting Limited
47/F Hopewell Centre
183 Queen's Road East
Wanchai, Hong Kong

14 May 2014
By Fax (2805 5028) & Post

Dear Sir,

Attn: Mr. James Penny

**EM&A for Widening of Tolo Highway/Fanling Highway between Island House Interchange and Fanling Stage 2 (between Tai Hang to Wo Hop Shek Interchange) – Entrusted Works
Environmental Permit No. EP-324/2008/B
Quarterly EM&A Summary Report for February 2014 to April 2014 for the portion of Stage 2 works entrusted to CEDD under Contract No. CV/2012/09**

We refer to the Quarterly EM&A Summary Report for February 2014 to April 2014 for the Project received on 9 and 12 May 2014 submitted by ET via email. We confirm we have no comment.

Yours faithfully
for MOTT MACDONALD HONG KONG LIMITED

A handwritten signature in black ink, appearing to read 'Terence Kong'.

Terence Kong
Independent Environmental Checker

c.c. HyD – Mr. Chung Lok Chin (Fax: 2714 5198) / Ms. Jackei Yin (Fax: 2761 4864)
CEDD/BCP – Mr. Chris Wong / Mr. Desmond Lam (Fax: 2714 0103)
AECOM – Mr. Alan Lee (Fax: 3922 9797)
Meinhardt Infrastructure and Environment Limited – Mr. Fredrick Leong (Fax: 2540 1580)

Date	Revision	Prepared By	Checked By	Approved By
14 May 2014	0	Ivan TING Cindy KWOK	Fredrick LEONG	Helen COCHRANE

Contents

	Page
EXECUTIVE SUMMARY	iii
1 INTRODUCTION AND PROJECT INFORMATION	1
1.1 Background.....	1
1.2 Construction Programme and Activities.....	1
1.3 Project Organisation.....	1
1.4 Purpose of the Report	2
2 SUMMARY OF EM&A REQUIREMENTS	2
2.1 Monitoring Requirements	2
2.2 Environmental Mitigation Measures.....	3
3 SUMMARY OF EM&A Monitoring Data	3
3.1 Monitoring Data.....	3
3.2 Summary of Monitoring Exceedances	4
4 WASTE MANAGEMENT	5
5 ENVIRONMENTAL NON-CONFORMANCE	5
6 CONCLUSION, COMMENTS AND RECOMMENDATIONS	6

List of Tables

Table 1.1	Contact Information of Key Personnel
Table 2.1	Monitoring Parameter
Table 3.1	Summary of Monitoring Data in the Reporting Quarter
Table 3.2	Summary of Exceedance Events in the Reporting Quarter

List of Figures

Figure 1	Demarcation of Entrusted Portion of Widening of Tolo Highway/Fanling Highway between Island House Interchange and Fanling – Stage 2
Figure 2	Environmental Monitoring Locations

List of Appendices

Appendix A	Construction Programme
Appendix B	Project Organization Structure
Appendix C	Implementation Schedule of Environmental Mitigation Measures (EMIS)
Appendix D	Meteorological Data Extracted from Hong Kong Observatory
Appendix E	Environmental Monitoring Data for Air, Noise and Water Quality
Appendix F	Waste Flow Table
Appendix G	Statistics on Complaints, Notifications of Summons and Successful Prosecutions

EXECUTIVE SUMMARY

This report documents the findings of EM&A works conducted in the quarter between 1 February 2014 to 30 April 2014.

The impact stage EM&A programme for the Project includes air quality, noise and water quality monitoring.

The EM&A programme was carried out by the ET in accordance with the EM&A Manual requirements. It is concluded from the environmental monitoring and audit works that adequate environmental mitigation measures have been implemented by the civil works contractors where appropriate in the reporting quarter.

In the reporting quarter, a total of 9 exceedance events were recorded. The exceedances were concluded not to be project related. No necessary remedial actions have been taken.

No environmental non-compliance was noted. No environmental complaint was received. No environmental related prosecution or notification of summons was received in the reporting quarter.

The box culvert works has been partially completed by the end of March 2014 except the last construction activity, installation of a base slab at Box Culvert ID4. Due to the loading requirement of a fresh water main under the box culvert, installation of the base slab at Box Culvert ID4 has to be scheduled to be carried out in November 2015 after the utilities diversions complete. The construction works are temporary suspended until the utilities diversion works complete.

As such, water quality monitoring has been conducted for the first week of April 2014 only to cover the temporary suspension of the construction work. The 4-week post construction water quality monitoring will be commenced after the installation of the base slab finishes, hence the completion of the box culvert works.

1 INTRODUCTION AND PROJECT INFORMATION

1.1 Background

1.1.1 The Project is a Designated Project under the Environmental Impact Assessment Ordinance (EIAO) (Cap. 499). An Environmental Impact Assessment (EIA) Report together with an Environmental Monitoring and Audit (EM&A) Manual were approved on 14 July 2000 (Register Number: EIA-043/2000). The Project is governed by an Environmental Permit (EP) (EP-324/2008) which was granted on 23 December 2008. A variation of EP (VEP) was applied and the VEP (EP-324/2008/A) was subsequently granted on 31 January 2012. An additional VEP has been applied on 24 February 2014 and the VEP (EP-324/2008/B) was subsequently granted on 17 March 2014.

1.1.2 Chun Wo Construction & Engineering Co Ltd (Chun Wo) was commissioned by the Civil Engineering and Development Department (CEDD) as the Civil Contractor for the Entrusted Portion of Widening of Tolo Highway/Fanling Highway between Island House Interchange and Fanling Stage 2. Meinhardt Infrastructure & Environment Ltd (MIEL) has been appointed by Chun Wo as the Environmental Team (ET) to fulfill the corresponding EM&A requirements pursuant to Environmental Permit No. EP-324/2008/B in accordance with the Updated EM&A Manual (dated March 2014) for Widening of Tolo Highway/Fanling Highway between Island House Interchange and Fanling Stage 2. The EM&A programme commenced in 5 November 2013.

1.1.3 **Figure 1** shows the works areas for the Entrusted Portion of Widening of Tolo Highway/Fanling Highway between Island House Interchange and Fanling Stage 2.

1.2 Construction Programme and Activities

1.2.1 The construction programme is presented in **Appendix A**. The major construction activities undertaken in the reporting quarter are summarized below:

- Cable detection and trial trenches;
- Tree felling works;
- Pre-drilling works and piling works;
- Extension of box culvert ID04, ID05 and BC01;
- Bored pile and Bored pile wall construction;
- Construction of haul road and temporary soil platform for geotechnical works;
- Slope upgrading works;
- Noise barrier installation; and
- Waterworks.

1.3 Project Organisation

1.3.1 The project organization structure is shown in **Appendix B**. The key personnel contact names and numbers for the Project, together with the general enquiry hotline, are summarised in **Table 1.1**.

Table 1.1 Contact Information of Key Personnel

Party	Role	Position	Name	Telephone	Fax
AECOM	Engineer's Representative	Senior Resident Engineer	Mr. Alan Lee	2472 7228	2472 0132
		Resident Engineer (Environmental)	Mr. Perry Yam	2674 2273	--
Mott MacDonald	Independent Environmental Checker (IEC)	IEC	Mr. Terence Kong	2828 5919	2827 1823
Chun Wo	Contractor	Site Agent	Mr. Daniel Ho	2638 6144	2638 7077
		Environmental Officer	Mr. Victor Huang	2638 6181	
		Environmental Officer	Mr. Sam Lam	2638 6147	
Meinhardt	Environmental Team (ET)	ET Leader	Mr. Fredrick Leong	2859 1739	2540 1580
Enquiry Hotline	General Enquiry	--	Ms Helena Mak	6355 1731	--

1.4 Purpose of the Report

1.4.1 This is the Quarterly EM&A Report which summaries the impact monitoring results and audit findings for the Project during the reporting period of February 2014 to April 2014.

2 SUMMARY OF EM&A REQUIREMENTS

2.1 Monitoring Requirements

2.1.1 In accordance with the Updated EM&A Manual, environmental parameters including Air Quality, Noise and Water quality have been monitored. The specific parameters, monitoring frequency and the respective Action and Limit Levels are given in **Table 2.1** and the locations of the monitoring and control stations are shown in the **Figure 2** and **Figure 3**.

Table 2.1 Monitoring Parameter

Parameter	Unit	Action Level	Limit Level	Frequency
Air Quality				
1 hour TSP	µg/m ³	292.7	500	Three times every 6 days
24 hour TSP	µg/m ³	170.3	260	Once every 6 days
Construction Noise				
Leq 30min	dB(A)	When one documented valid complaint is received	75	Once every Week
Water Quality				
Depth		--	--	Three occasions per week
Temperature	°C	--	--	Three occasions per week
Salinity	ppt	--	--	Three occasions per week

Parameter	Unit	Action Level	Limit Level	Frequency
pH	--	--	--	Three occasions per week
DO	mg/L	6.7	4mg/L or 40% saturation at 15 degree Celsius	Three occasions per week
DO Saturation	%	--	--	Three occasions per week
Turbidity	NTU	81.9NTU or 120% of upstream control station's Tby of the same day	91.9NTU or 130% of upstream control station's Tby of the same day	Three occasions per week
SS	mg/L	42.6 mg/L or 120% of upstream control station's SS of the same day	46.8 mg/L or 130% of upstream station's SS of the same day and specific sensitive receiver water quality requirements	Three occasions per week

Temporary Suspension of Box Culvert Works and Temporary of Water Quality Monitoring

- 2.1.2 The box culvert works has been partially completed by the end of March 2014 except the last construction activity, installation of a base slab at Box Culvert ID4. Due to the loading requirement of a fresh water main under the box culvert, installation of the base slab at Box Culvert ID4 has to be scheduled to be carried out in November 2015 after the utilities diversions complete. The construction works are temporary suspended until the utilities diversion works complete.
- 2.1.3 As such, water quality monitoring has been conducted for the first week of April 2014 only to cover the temporary suspension of the construction work. The 4-week post construction water quality monitoring will be commenced after the installation of the base slab finishes, hence the completion of the box culvert works.

2.2 Environmental Mitigation Measures

- 2.2.1 Environmental mitigation measures have been recommended in the EM&A Manual and are given in **Appendix C**. The implementation status for the reporting quarter is also given in the Appendix.

3 SUMMARY OF EM&A Monitoring Data

3.1 Monitoring Data

- 3.1.1 Monitoring has been conducted in accordance to the specification in the EM&A Manual in the reporting quarter. Meteorological data for the reporting quarter has been extracted from Hong Kong Observatory and are given in **Appendix D**. Monitoring Data with graphical presentation for the reporting quarter have been given in **Appendix E**. A summary on the monitoring results has also given in **Table 3.1**.

Table 3.1 Summary of Monitoring Data in the Reporting Quarter

Monitoring Location	Minimum	Maximum	Average
Air Quality			
1 hour Total Suspended Particulate			
SR77	129.0µg/m ³	232.0µg/m ³	180.8µg/m ³

Monitoring Location	Minimum	Maximum	Average
24 hour Total Suspended Particulate			
SR77	67.1µg/m ³	221.5µg/m ³	134.3µg/m ³
Construction Noise			
SR77	54.5dB(A)	66.9dB(A)	62.2dB(A)
Water Quality			
DO			
I5	6.7mg/L	9.3mg/L	7.9mg/L
Baseline Data	6.6mg/L	8.8mg/L	8.0mg/L
30% disturbance due to human activity	4.6mg/L	6.2mg/L	5.6mg/L
Turbidity			
I5	9.1NTU	86.7NTU	28.5NTU
Baseline Data	12.4NTU	91.5NTU	26.1NTU
30% disturbance due to human activity	16.1NTU	118.9NTU	34.0NTU
SS			
I5	3.7mg/L	72.5mg/L	13.9mg/L
Baseline Data	6.5mg/L	46.5mg/L	16.4mg/L
30% disturbance due to human activity	8.5mg/L	60.5mg/L	21.3mg/L

3.1.2 The maximum recorded suspended solid in the reporting quarter is 72.5mg/L which is higher than the 30% disturbance of the baseline maximum value (60.5mg/L). However, respective investigation has been conducted and concluded the exceedances would not be project related.

3.1.3 The other recorded water quality monitoring levels during the reporting quarter were not exceed the 30% disturbance over the baseline level for quarterly average.

3.2 Summary of Monitoring Exceedances

3.2.1 The number of exceedances event recorded in the reporting quarter is summarized in **Table 3.2**.

3.2.2 Investigations for the exceedances events in the reporting quarter have been completed. The exceedances were considered not to be related to the construction works. The respective investigation reports have been presented in the respective Monthly EM&A Reports.

Table 3.2 Summary of Exceedance Events in the Reporting Quarter

Parameter		Number of Exceedances Events	Number of Project Related Exceedance Events
Air Quality			
1 hour Total Suspended Particulate	Action Level	0	0
	Limit Level	0	0
24 hour Total Suspended Particulate	Action Level	3	0
	Limit Level	0	0
Construction Noise			
Leq 30min	Action Level	0	0
	Limit Level	0	0
Water Quality			
DO	Action Level	0	0
	Limit Level	0	0

Parameter		Number of Exceedances Events	Number of Project Related Exceedance Events
Turbidity	Action Level	1	0
	Limit Level	0	0
SS	Action Level	0	0
	Limit Level	5	0

3.2.3 Contractor has been reminded to strengthen the mitigation measures including:

- Watering of exposed slope and earths to avoid fugitive dust emission;
- Water spraying should be properly implemented whenever necessary for the unpaved roads, access roads and construction areas;
- Silty effluent should be treated/desilted before discharged. Untreated effluent should be prevented from entering public drain channel;
- Channels or earth bunds or sand bag barriers should be provided on site to prevent surface runoff and properly direct stormwater to silt removal facilities;
- Ensuring regular maintenance and cleaning of waste storage area;
- Improving site cleanliness especially avoid general refuse being left within the construction site;
- All types of wastes, both on land and floating in the river stream, should be collected and sorted properly, and also be disposed timely and properly; and
- Ensuring the provision of tree protection zone for all existing trees to be transplanted or retained.

4 WASTE MANAGEMENT

4.1.1 The Contractor has registered as a chemical waste producer of the Project. The C&D materials and waste sorting were carried out on-site. Receptacles were provided for general refuse collection.

4.1.2 During the reporting quarter, a total of 8,323m³ of excavated material has been generated. 5,263m³ of inert C&D materials was disposed of at public fill to Tuen Mun Area 38, while 2,144m³ of inert C&D materials were reused on site. 440m³ of general refuse was disposed of at North East New Territories (NENT) Landfill. No plastics and no paper/cardboard packaging, plastics and metals were collected by recycling contractor in the reporting quarter. 39m³ of chemical waste was collected by licensed contractor in the reporting quarter. Details of the waste management data are presented in **Appendix F**.


5 ENVIRONMENTAL NON-CONFORMANCE

5.1.1 No environmental non-compliance were recorded in the reporting quarter. No environmental complaints were received in the reporting quarter. Investigations have been conducted. No environmental related prosecution or notification of summons was received in the reporting quarter. The summary for the non-compliance, complaints and prosecutions is provided in **Appendix G**.

6 CONCLUSION, COMMENTS AND RECOMMENDATIONS

- 6.1.1 The EM&A programme was carried out by the ET in accordance with the EM&A Manual requirements. It is concluded from the environmental monitoring and audit works that adequate environmental mitigation measures have been implemented by the civil works contractors where appropriate in the reporting quarter.
- 6.1.2 In the reporting quarter, a total of 9 exceedance events have been recorded. No exceedances were concluded not to be project related. No necessary remedial actions have been taken.
- 6.1.3 No environmental non-compliances were noted. No environmental complaint was received. No environmental related prosecution or notification of summons were received in the reporting quarter.
- 6.1.4 The box culvert works has been partially completed by the end of March 2014 except the last construction activity, installation of a base slab at Box Culvert ID4. Due to the loading requirement of a fresh water main under the box culvert, installation of the base slab at Box Culvert ID4 has to be scheduled to be carried out in November 2015 after the utilities diversions complete. The construction works are temporary suspended until the utilities diversion works complete.
- 6.1.5 As such, water quality monitoring has been conducted for the first week of April 2014 only to cover the temporary suspension of the construction work. The 4-week post construction water quality monitoring will be commenced after the installation of the base slab finishes, hence the completion of the box culvert works.


Figure



CV/201209-T-CWC-SK-001g_AD_edit.dgn 22/1/2014 17:10:34

Legend:

 Works Area for Entrusted Portion



- Legend:**
- Air and Noise Monitoring Location
 - Impact Water Monitoring Location
 - Control Water Monitoring Location




Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling Stage 2

Figure 2: Environmental Monitoring Locations

Appendix A

Construction Programme

Activity ID	Activity Name	OD	Start	Finish	Total Float	2014												2015												2016												2017												2018											
						A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J
CWP - Under Development (Postpone Pipe Jacking)																																																																	
Key Dates (Forecast)																																																																	
Major Works																																																																	
KD-0105	KD1: Complete Section 1A - all HyD's entrustment works in Zone3 and SBZ2 except for landscaping works	0		07-Dec-17	53																																																												
KD-0205	KD2: Complete Section 1B - all HyD's entrustment works in NBZ1 except for landscaping works	0		09-Jan-18	234																																																												
Major Milestones and Events																																																																	
MS-0220	Commissioning of Diverted Twin DN1400 Fresh Water Mains	0		14-Nov-14	132																																																												
MS-1000A	Implement TTA for shifting Fanling Highway SB North Portion (CH7470-7925) eastward to the completed road near TWSI	2	07-Dec-16	08-Dec-16	3																																																												
MS-1000B	Implement TTA for shifting Fanling Highway NB North Portion (CH7470-7925) eastward to the designed alignment	2	06-Mar-17	07-Mar-17	3																																																												
MS-3000	Implement TTA for shifting existing TWSR East to the completed widened Fanling Highway SB North Portion	2	11-Sep-14	12-Sep-14	7																																																												
MS-3010	Commissioning of Realigned TWSR East	0	15-Oct-16		3																																																												
Section IA & IB - Fanling Highway Widening (KD-1 & KD-2)																																																																	
Fanling Highway North Portion between CH7470 and CH7925																																																																	
Fanling Highway Zone 6 between CH7470 and CH7600 (Provision of Kiu Tau Footbridge)																																																																	
Kiu Tau Footbridge Re-provision (East)																																																																	
FHW-5000A	KT-AB1 - Piling Works 3	30	09-Feb-15	21-Mar-15	612																																																												
FHW-5000B	KT-AB2 - Piling Works 1	30	15-Nov-14	19-Dec-14	132																																																												
FHW-5000C	KT-P2 - Piling Works 5	30	14-May-15	18-Jun-15	612																																																												
FHW-5000D	KT-P3 - Piling Works 2	40	20-Dec-14	07-Feb-15	612																																																												
FHW-5000E	KT-P4 - Piling Works 4	40	23-Mar-15	13-May-15	612																																																												
FHW-5010A	KT-AB1 - Pile Cap & Pier	90	23-Mar-15	14-Jul-15	660																																																												
FHW-5010B	KT-AB2 - Pile Cap & Pier	75	20-Dec-14	27-Mar-15	745																																																												
FHW-5010C	KT-P2 - Pile Cap & Pier	75	19-Jun-15	16-Sep-15	612																																																												
FHW-5010D	KT-P3 - Pile Cap & Pier	75	09-Feb-15	19-May-15	705																																																												
FHW-5010E	KT-P4 - Pile Cap & Pier	75	14-May-15	12-Aug-15	635																																																												
FHW-5020	Steel Truss Installation at TWSR East	7	13-Aug-15	20-Aug-15	635																																																												
FHW-5030	Steel Truss Installation across Fanling Highway	7	17-Sep-15	24-Sep-15	612																																																												
FHW-5040	Installation of Bridge Decking and Cladding	35	25-Sep-15	07-Nov-15	612																																																												
FHW-5050	Installation of Drainage and Lighting Facilities (Overall)	35	09-Nov-15	18-Dec-15	612																																																												
FHW-5060	Testing and Commissioning (Overall)	7	19-Dec-15	29-Dec-15	612																																																												
At-Grade Road Works (130m)																																																																	
FHW-5100	Demolition of Existing Structure and Site Clearance	45	27-Jan-14	26-Mar-14	135																																																												
FHW-5110*	Pipe Laying & Connection - Twin DN1400 Watermains (CHE & CHG) adjacent to existing TWSRE (90m, 9m depth)	186	31-Mar-14	14-Nov-14	132																																																												
FHW-5120	Implementation of TTA - Scheme E1 (shifting TWSR East to new completed road near Fanling Highway)	0	13-Sep-14		573																																																												
FHW-5130	Noise Barrier NB73 - Mini-Piling adjacent to SB lane (18nos)	54	13-Sep-14	17-Nov-14	573																																																												
FHW-5140	Noise Barrier NB73 - Footing adjacent to SB lane (130m)	240	14-Jul-15	07-May-16	332																																																												
FHW-5150*	Pipe Laying - DN1200 & DN600 Watermains (CHB & CHC) along existing TWSRE (120m long, 3m depth)	240	04-Sep-15	02-Jul-16	373																																																												
FHW-5160	Demolition of existing Kiu Tau Footbridge	65	30-Dec-15	22-Mar-16	885																																																												
FHW-5170	Completion of Demolition of existing control valve house	0		28-Aug-15	1050																																																												
FHW-5180	Permanent Road Drainage (Eastern Side)	125	23-Mar-16	24-Aug-16	885																																																												
FHW-5190	Permanent Road Formation & Kerb (Eastern Side)	45	15-Oct-16	06-Dec-16	3																																																												
FHW-5200	Demolition of Existing Central Divider and Road Formation (Middle Part, Pavement Only)	45	09-Dec-16	09-Feb-17	3																																																												
FHW-5300	Road Formation, Road Drainage, Kerb, Noise Barrier (Western Side)	145	08-Mar-17	01-Sep-17	520																																																												
FHW-5400	Road Formation, Central Barrier (Remaining Works at Middle Part)	145	08-Mar-17	01-Sep-17	57																																																												
Fanling Highway Zone 7 between CH7600 and CH7660 (Existing Vehicular Bridge)																																																																	
At-Grade Roadworks (60m)																																																																	
FHW-6100	Permanent Road Formation and Pavement (Eastern Side)	35	31-Jul-14	10-Sep-14	7																																																												
FHW-6110	Noise Barrier NB73 - Footing adjacent to SB lane (75m)	166	09-May-16	24-Nov-16	332																																																												
FHW-6200	Demolition of Existing Central Divider and Road Formation (Middle Part, Pavement Only)	20	10-Feb-17	04-Mar-17	3																																																												
FHW-6300	Road Formation, Road Drainage, Kerb (Western Side)	65	02-Sep-17	20-Nov-17	520																																																												
FHW-6400	Road Formation, Central Barrier (Remaining Works at Middle Part)	65	02-Sep-17	20-Nov-17	57																																																												
Fanling Highway Zone 8 between CH7660 and CH7925																																																																	
At-Grade Roadworks (265m)																																																																	
FHW-7100	Site Formation, Preparation Works & Tree Transplant	127	30-Aug-13 A	07-Feb-14	7																																																												
FHW-7110	Permanent Road Formation and Pavement (Eastern Side)	140	08-Feb-14	30-Jul-14	7																																																												
FHW-7200	Demolition of Existing Central Divider and Road Formation (Middle Part, Pavement Only)	65	09-Dec-16	04-Mar-17	3																																																												
FHW-7300	Road Formation, Road Drainage, Kerb (Western Side)	150	08-Mar-17	07-Sep-17	3																																																												
FHW-7400	Road Formation, Central Barrier (Remaining Works at Middle Part)	250	08-Mar-17	09-Jan-18	187																																																												



- █ Actual Work
- █ Remaining Work
- █ Critical Remaining Work
- ◆ Milestone




CEDD Contract No. CV/2012/09

Liantang / Heung Yuen Wai BCP - Site Formation & Infrastructure Works, Contract 3

Works Sequence for Fanling Highway North Portion

CWP004-1 _____ Page 1 of 1 _____ 11-Oct-13

Date	Revision	Checked	Approved
11-Oct-13		SL	



- █ Actual Work
- █ Remaining Work
- █ Critical Remaining Work
- ◆ Milestone
- Project Baseline Bar


CEDD Contract No. CV/2012/09

Liantang / Heung Yuen Wai BCP - Site Formation & Infrastructure Works, Contract 3

Works Sequence for TWSRE

CWP004-1 _____ Page 1 of 1 _____ 11-Oct-13

Date	Revision	Checked	Approved
11-Oct-13		SL	



- █ Actual Work
- █ Remaining Work
- █ Critical Remaining Work
- ◆ Milestone
- Project Baseline Bar

CEDD Contract No. CV/2012/09


Liantang / Heung Yuen Wai BCP - Site Formation & Infrastructure Works, Contract 3

Works Sequence for TWSRW

Date	Revision	Checked	Approved
11-Sep-13		SL	

Appendix B

Project Organization Structure



Appendix C Implementation Schedule of Environmental Mitigation Measures (EMIS)

Impact	Environmental Protection Measures	Timing	Responsibility	Implementation Status #
Air Quality				
Air Quality during Construction	<ul style="list-style-type: none"> Restricting heights from which materials are dropped, as far as practicable to minimize the fugitive dust arising from unloading/loading. All stockpiles of excavated materials or spoil of more than 50m³ shall be enclosed, covered or dampened during dry or windy conditions. Effective water sprays shall be used to control potential dust emission sources such as unpaved haul roads and active construction areas. All spraying of materials and surfaces shall avoid excessive water usage. Vehicles that have the potential to create dust while transporting materials shall be covered, with the cover properly secured and extended over the edges of the side and tail boards. Materials shall be dampened, if necessary, before transportation. Travelling speeds shall be controlled to reduce traffic induced dust dispersion and re-suspension within the site from the operating haul trucks. Vehicle washing facilities shall be provided to minimise the quantity of material deposited on public roads. 	During Construction	Contractor	✓ Obs Rem ✓ ✓ ✓ ✓ ✓
Air Quality during Operation	Not required	N/A	N/A	N/A
Noise				
Noise during Construction	<ul style="list-style-type: none"> Use of silenced plant or plant equipped with mufflers or dampers in substitute of ordinary plant. Reduce the number of equipment and their percentage on-time. 	During Construction	Contractor	✓ ✓
Noise during Operation	Not required	N/A	N/A	N/A
Water Quality				
Water Quality during Construction	<u>Road Widening Works, Earthworks and Culvert Extension Works</u> <ul style="list-style-type: none"> Wastewater generated from any concrete batching washdown of equipment or similar activities should be discharged into foul sewers, after the removal of settleable solids, and pH adjustment as necessary. All sewage discharges from the study area should meet the TM standards and approval from EPD through the licensing process is required. 	During Construction	Contractor	✓

Notes (#): ✓ – Compliance; Rem – Reminder; Obs – Observation; N/C – Non Compliance; N/A – Not Applicable;

Impact	Environmental Protection Measures	Timing	Responsibility	Implementation Status #
	<ul style="list-style-type: none"> • Sand traps, oil interceptors and other pollution prevention installations should be provided, properly cleaned and maintained. • Runoff from exposed working areas, unfinished slopes and from unlined temporary channels should be directed to stilling basins and/or silt traps before discharging to the drainage outfalls. • Regular inspections of stilling basins and/or silt traps is required to ensure that sediment is not conveyed into the existing drainage system. • Open stockpiles should be covered with a tarpaulin cover. • During the wet season, any exposed top soils should be covered with a tarpaulin, shotcreted or hydroseeded. • Sand and silt from wash-water from vehicle washing should be settled out before discharging into storm drains. • Fuels should be stored in bunded areas such that spillage can be easily collected. 			✓ Rem ✓ ✓ ✓ ✓
Water Quality during Operation	Not required	N/A	N/A	N/A
Waste Management				
Waste Management during Construction	<u>General Waste</u> <ul style="list-style-type: none"> • Transport of wastes off site as soon as possible. • Maintenance of accurate waste records. • Minimisation of waste generation for disposal (via reduction/recycling/re-use). • No on-site burning will be permitted. • Use of re-useable metal hoardings/signboards. <u>Vegetation from site clearance</u> <ul style="list-style-type: none"> • Segregation of materials to facilitate disposal. • Mulching to reduce bulk and where possible review opportunities for the possible beneficial use within landscaping areas. 	During Construction During Construction	Contractor Contractor	✓ ✓ ✓ ✓ ✓ ✓ ✓

Notes (#): ✓ – Compliance; Rem – Reminder; Obs – Observation; N/C – Non Compliance; N/A – Not Applicable;

Impact	Environmental Protection Measures	Timing	Responsibility	Implementation Status #
	<p><u>Demolition Wastes</u></p> <ul style="list-style-type: none"> • Segregation of materials to facilitate disposal. • Appropriate stockpile management. <p><u>Excavated Materials</u></p> <ul style="list-style-type: none"> • Segregation of materials to facilitate disposal / reuse. • Appropriate stockpile management. • Re-use of excavated material on or off site (where possible). • Special handling and disposal procedures in the event that contaminated materials are excavated. <p><u>Construction Wastes</u></p> <ul style="list-style-type: none"> • Segregation of materials to facilitate recycling/reuse (within designated area in appropriate containers/stockpiles). • Appropriate stockpile management. • Planning to reduce over ordering and waste generation. • Recycling and re-use of materials where possible (e.g. metal, wood from formwork) • For material which cannot be re-used/recycled, collection should be carried out by an approved waste contractor for landfill disposal. <p><u>Bentonite Slurries</u></p> <ul style="list-style-type: none"> • Bentonite slurries should be reused as far as possible. • Disposal in accordance with Practice Note For Professional Persons ProPECC PN 1/94. <p><u>Chemical Wastes</u></p> <ul style="list-style-type: none"> • Storage within locked, covered and bunded area. • The storage area shall not be located adjacent to sensitive receivers e.g. drains. 	<p>During Construction</p> <p>During Construction</p> <p>During Construction</p> <p>During Construction</p> <p>During Construction</p> <p>During Construction</p>	<p>Contractor</p> <p>Contractor</p> <p>Contractor</p> <p>Contractor</p> <p>Contractor</p> <p>Contractor</p>	<p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>N/A</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>✓</p> <p>N/A</p> <p>N/A</p> <p>✓</p> <p>✓</p>

Notes (#): ✓ – Compliance; Rem – Reminder; Obs – Observation; N/C – Non Compliance; N/A – Not Applicable;

Impact	Environmental Protection Measures	Timing	Responsibility	Implementation Status #
	<ul style="list-style-type: none"> Minimise waste production and recycle oils/solvents where possible. A spill response procedure shall be in place and absorption material available for minor spillages. Use appropriate and labelled containers. Educate site workers on site cleanliness/waste management procedures. If chemical wastes are to be generated, the contractor must register with EPD as a chemical waste producer. The chemical wastes shall be collected by a licensed chemical waste collector. <p><u>Municipal Wastes</u></p> <ul style="list-style-type: none"> Waste shall be stored within a temporary refuse collection facility, in appropriate containers prior to collection and disposal. Regular, daily collections are required by an approved waste collector. 	During Construction	Contractor	✓ ✓ ✓ Obs ✓ ✓ Obs ✓
Waste Management during Operation	Not required.	N/A	N/A	N/A
Ecology				
Ecology during Construction	<p><u>Accurate Delineation of Works Area</u></p> <ul style="list-style-type: none"> Boundaries of proposed works areas shall be clearly identified and separated from external areas by a physical barrier to prevent encroachment of adjacent habitats. Individual trees which fall within the works areas but which work plans show do not require removal are to be retained and fenced off to maximise protection. <p><u>Dust generation</u></p> <p>There are a number of measures which shall be taken as specified in the Air Pollution Control (Construction Dust) Regulation on 'Dust Control Requirements, including the following key measures to be applied during construction:</p> <ul style="list-style-type: none"> vehicle washing facilities to be provided at every discernible or designated vehicle exit point; 	During Construction	Contractor	✓ Obs ✓

Notes (#): ✓ – Compliance; Rem – Reminder; Obs – Observation; N/C – Non Compliance; N/A – Not Applicable;

Impact	Environmental Protection Measures	Timing	Responsibility	Implementation Status #
	<ul style="list-style-type: none"> • all temporary site access roads shall be sprayed with water to suppress dust as necessary; • all dusty materials should be sprayed with water immediately prior to any handling; and • all debris should be covered entirely by impervious sheeting or stored in a sheltered debris collection area. <p><u>Surface Run-off</u></p> <p>In general, mitigation measures shall be in accordance with ProPECC PN1/94 on 'Construction Site Drainage'. Key measures include:</p> <ul style="list-style-type: none"> • Bund and cover stock piles to avoid run-off; • Channel any run-off through a system of oil, grease and sediment / silt traps and reuse water on site where ever practical; • All vehicle maintenance to be undertaken within a bunded area; and • Maximise vegetation retention on-site to maximise absorption (minimise transport). 	During Construction	Contractor ✓	✓ ✓ ✓ ✓ N/A ✓
Ecology during Operation	<ul style="list-style-type: none"> • To conduct compensatory ecological planting as specified in the latest landscape plans approved by EPD (Clause 2.6 of the Environmental Permit refers). 	During Construction and operation	Contractor (during construction) / LCS D* (during operation) (Note: * The division of vegetation planting and maintenance responsibilities shall follow the guidelines stipulated in ETWB TCW No. 2/2004.)	N/A
Landscape and Visual				
Landscape and Visual during Construction	<p><u>Preservation of Existing Vegetation</u></p> <ul style="list-style-type: none"> • Trees identified for retention within the project limit would be protected during the works • The tree transplanting and planting works shall be implemented by approved Landscape Contractors 	During Construction	Contractor	Obs ✓

Notes (#): ✓ – Compliance; Rem – Reminder; Obs – Observation; N/C – Non Compliance; N/A – Not Applicable;

Impact	Environmental Protection Measures	Timing	Responsibility	Implementation Status #
	<p><u>Temporary Works Areas</u></p> <ul style="list-style-type: none"> Where feasible the works areas would be screened using hoarding and existing vegetation would be retained where possible to reduce the landscape and visual impacts arising from the construction activity. The landscape of these works areas would be restored following the completion of the construction phase. <p><u>Hoarding</u></p> <ul style="list-style-type: none"> A hoarding would be erected where practicable in the most visually sensitive locations to screen the temporary construction works from the local VSRs. <p><u>Top Soils</u></p> <ul style="list-style-type: none"> The works will result in disturbance to extensive areas of topsoil. Topsoil worthy of retention should be stockpiled for use following completion of the civil engineering works. It should either be temporarily vegetated with hydroseeded grass or turned over on a regular basis. <p><u>Protection of Important Landscape Features</u></p> <ul style="list-style-type: none"> Important features such as temples, Island House and kilns within the study area, although remote from the proposed works retained and adequately protected. 	During Construction	Contractor	✓
		During Construction	Contractor	✓
		During Construction	Contractor	N/A
		During Construction	Contractor	N/A
Landscape and Visual during Operation	Not required.	N/A	N/A	N/A

Notes (#): ✓ – Compliance; Rem – Reminder; Obs – Observation; N/C – Non Compliance; N/A – Not Applicable;

Appendix D Meteorological Data Extracted from Hong Kong Observatory

Extract of Meteorological Observations for Sheung Shui Automatic Weather Station, February 2014 (Table 1)

Date	Mean Pressure at M.S.L. (hPa)	Air Temperature			Mean Dew Point Temperature (deg C)	Relative Humidity		
		Max. (deg C)	Mean (deg C)	Min. (deg C)		Max. (%)	Mean (%)	Min. (%)
Feb 1	1015.5	25.8	19.4	14.8	15.4	97	79	49
Feb 2	1011.7	26.3	18.6	13.2	13.8	96	76	45
Feb 3	1010.2	27.4	19.1	12.9	13.8	95	74	43
Feb 4	1013.3	21.2	17.9	15.0	13.7	93	77	62
Feb 5	1013.9	21.0	17.9	16.3	13.4	85	75	63
Feb 6	1012.0	23.0	19.3	17.0	15.9	89	81	68
Feb 7	1010.8	24.3	20.5	18.0	17.5	92	83	68
Feb 8	1012.0	18.4	14.5	12.8	12.1	96	86	68
Feb 9	1013.2	16.6	13.3	7.6	11.3	96	88	69
Feb 10	1020.6	8.2	7.2	6.2	1.4	81	67	57
Feb 11	1021.2	7.7	6.4	5.5	-0.9	65	60	53
Feb 12	1020.0	8.1	6.6	5.0	3.5	93	81	62
Feb 13	1022.9	8.1	6.9	6.1	4.6	93	86	66
Feb 14	1023.1	15.9	9.8	6.8	1.8	69	58	40
Feb 15	1021.0	13.8	10.6	7.6	5.1	79	69	59
Feb 16	1018.5	15.8	14.9	13.8	12.0	91	83	74
Feb 17	1018.0	23.6	18.2	15.7	16.4	97	90	71
Feb 18	1017.0	22.6	16.2	10.6	14.3	98	89	72
Feb 19	1022.9	10.8	8.8	6.8	3.3	94	69	55
Feb 20	1025.4	21.8	11.1	4.8	2.4	88	60	18
Feb 21	1024.8	16.6	12.3	6.8	6.6	95	70	40
Feb 22	1023.2	18.9	15.0	12.5	8.3	77	64	43
Feb 23	1022.7	23.5	17.4	14.6	10.6	80	65	41
Feb 24	1020.5	21.8	17.9	14.1	12.9	90	73	56
Feb 25	1018.5	23.5	19.5	16.5	15.9	91	80	68
Feb 26	1017.9	24.9	20.4	18.2	17.9	95	86	65
Feb 27	1018.8	23.1	19.9	18.0	16.8	95	83	70
Feb 28	1016.8	20.4	19.1	18.1	15.7	87	81	77
Mean	1018.1	19.0	15.0	12.0	10.6	89	76	58
Maximum	1025.4	27.4	20.5	18.2	17.9	98	90	77
Minimum	1010.2	7.7	6.4	4.8	-0.9	65	58	18

**Extract of Meteorological Observations for Sheung Shui Automatic Weather Station,
February 2014 (Table 2)**

Date	Total Rainfall (mm)	Prevailing Wind Direction (degrees)	Mean Wind Speed (km/h)
Feb 1	0.0	***	*****
Feb 2	0.0	***	*****
Feb 3	0.0	***	*****
Feb 4	0.0	***	*****
Feb 5	0.0	***	*****
Feb 6	0.0	***	*****
Feb 7	0.0	***	*****
Feb 8	1.0	***	*****
Feb 9	10.0	***	*****
Feb 10	0.5	***	*****
Feb 11	0.0	***	*****
Feb 12	2.5	***	*****
Feb 13	10.5	***	*****
Feb 14	0.0	***	*****
Feb 15	0.0	***	*****
Feb 16	0.0	***	*****
Feb 17	0.0	***	*****
Feb 18	0.0	***	*****
Feb 19	8.5	***	*****
Feb 20	0.0	***	*****
Feb 21	0.0	***	*****
Feb 22	0.5	***	*****
Feb 23	0.0	***	*****
Feb 24	0.0	***	*****
Feb 25	0.0	***	*****
Feb 26	0.5	***	*****
Feb 27	0.0	***	*****
Feb 28	0.0	***	*****
Mean	-----	***	*****
Total	34.0	---	-----
Maximum	10.5	---	*****
Minimum	0.0	---	*****

*** unavailable

missing (less than 24 hourly observations a day)

Rainfall measured in increment of 0.5 mm. Amount of < 0.5 mm cannot be detected

Climatological Information Services > Extracts of Climatological Data > Extract of Automatic Weather Station > Station: Sheung Shui Automatic Weather Station, Year: 2014, Month: March

Extract of Meteorological Observations for Sheung Shui Automatic Weather Station, March 2014 (Table 1)

Date	Mean Pressure at M.S.L. (hPa)	Air Temperature			Mean Dew Point Temperature (deg C)	Relative Humidity		
		Max. (deg C)	Mean (deg C)	Min. (deg C)		Max. (%)	Mean (%)	Min. (%)
Mar 1	1014.3	24.0	21.0	18.8	17.9	93	83	72
Mar 2	1014.7	21.7	18.7	15.2	16.0	96	84	66
Mar 3	1016.8	16.4	16.0	15.2	12.6	90	81	73
Mar 4	1017.6	19.3	17.3	15.8	15.1	96	87	79
Mar 5	1018.8	17.6	16.5	15.4	12.1	94	75	64
Mar 6	1018.1	16.6	15.8	15.2	11.8	89	77	64
Mar 7	1020.4	15.6	15.0	14.3	11.7	89	81	74
Mar 8	1018.9	16.5	15.1	14.2	13.3	96	89	80
Mar 9	1021.4	14.9	13.6	12.1	10.3	88	80	74
Mar 10	1022.5	15.6	13.9	12.5	10.9	95	82	74
Mar 11	1020.0	17.0	15.8	14.2	12.4	91	80	75
Mar 12	1014.4	22.5	18.9	16.0	17.6	96	92	82
Mar 13	1016.6	23.1	20.7	19.1	14.3	98	69	49
Mar 14	1022.4	20.0	17.3	15.4	7.5	70	53	36
Mar 15	1022.2	18.2	16.4	14.9	8.3	78	60	40
Mar 16	1021.0	21.2	18.9	16.3	12.4	85	66	54
Mar 17	1018.9	24.8	21.0	18.3	18.1	92	84	70
Mar 18	1015.8	28.2	23.0	20.2	19.5	96	82	60
Mar 19	1013.4	28.5	23.2	19.3	19.2	96	80	56
Mar 20	1014.3	28.5	21.9	17.4	16.8	96	75	54
Mar 21	1020.8	17.5	15.8	14.6	7.9	68	60	54
Mar 22	1021.1	24.8	17.6	14.0	9.1	73	59	33
Mar 23	1021.8	26.3	19.6	15.9	10.1	75	56	30
Mar 24	1019.2	27.4	20.8	16.2	12.9	78	61	43
Mar 25	1015.4	28.7	22.5	18.2	16.1	85	68	48
Mar 26	1013.7	27.7	22.2	17.5	18.4	95	80	59
Mar 27	1012.5	30.4	23.4	17.6	18.9	96	77	50
Mar 28	1011.8	26.1	23.3	21.8	20.6	92	85	74
Mar 29	1011.1	23.6	22.1	20.6	21.0	97	94	86
Mar 30	1010.3	25.5	22.4	19.6	20.6	98	90	75
Mar 31	1009.6	21.0	19.9	19.0	19.3	98	96	89
Mean	1017.1	22.2	19.0	16.6	14.6	90	77	62
Maximum	1022.5	30.4	23.4	21.8	21.0	98	96	89
Minimum	1009.6	14.9	13.6	12.1	7.5	68	53	30

Extract of Meteorological Observations for Sheung Shui Automatic Weather Station, March 2014 (Table 2)

Date	Total Rainfall (mm)	Prevailing Wind Direction (degrees)	Mean Wind Speed (km/h)
Mar 1	0.0	***	*****
Mar 2	0.0	***	*****
Mar 3	0.0	***	*****
Mar 4	0.0	***	*****
Mar 5	0.0	***	*****
Mar 6	0.0	***	*****
Mar 7	0.0	***	*****
Mar 8	1.0	***	*****
Mar 9	1.0	***	*****
Mar 10	1.0	***	*****
Mar 11	0.0	***	*****
Mar 12	0.0	***	*****
Mar 13	3.0	***	*****
Mar 14	0.0	***	*****
Mar 15	0.0	***	*****
Mar 16	0.0	***	*****
Mar 17	0.0	***	*****
Mar 18	0.0	***	*****
Mar 19	0.0	***	*****
Mar 20	0.0	***	*****
Mar 21	0.0	***	*****
Mar 22	0.0	***	*****
Mar 23	0.0	***	*****
Mar 24	0.0	***	*****
Mar 25	0.0	***	*****
Mar 26	0.0	***	*****
Mar 27	0.0	***	*****
Mar 28	0.0	***	*****
Mar 29	8.0	***	*****
Mar 30	122.5	***	*****
Mar 31	99.0	***	*****
Mean	-----	***	*****
Total	235.5	---	-----
Maximum	122.5	---	*****
Minimum	0.0	---	*****

*** unavailable

missing (less than 24 hourly observations a day)

Rainfall measured in increment of 0.5 mm. Amount of < 0.5 mm cannot be detected

Climatological Information Services > Extracts of Climatological Data > Extract of Automatic Weather Station > Station: Sheung Shui Automatic Weather Station, Year: 2014, Month: April

Extract of Meteorological Observations for Sheung Shui Automatic Weather Station, April 2014 (Table 1)

Date	Mean Pressure at M.S.L. (hPa)	Air Temperature			Mean Dew Point Temperature (deg C)	Relative Humidity		
		Max. (deg C)	Mean (deg C)	Min. (deg C)		Max. (%)	Mean (%)	Min. (%)
Apr 1	1011.0	22.0	20.2	19.3	19.2	99	94	82
Apr 2	1011.6	21.5	19.7	18.3	18.4	96	92	83
Apr 3	1013.4	21.1	19.8	18.7	18.7	98	94	86
Apr 4	1016.4	24.8	20.5	17.6	15.9	98	77	50
Apr 5	1016.2	28.2	21.9	17.1	13.1	90	61	30
Apr 6	1017.1	23.0	19.4	17.6	16.5	97	84	57
Apr 7	1016.3	21.5	19.9	18.0	16.5	93	81	72
Apr 8	1014.5	23.0	20.7	19.4	18.9	97	89	80
Apr 9	1013.8	30.4	23.6	19.0	19.7	98	80	53
Apr 10	1014.9	27.3	23.3	21.7	18.2	89	74	53
Apr 11	1013.4	28.7	24.0	21.1	19.5	88	77	61
Apr 12	1011.9	31.9	25.3	21.9	20.3	90	75	50
Apr 13	1011.7	32.1	26.3	21.7	21.7	93	78	53
Apr 14	1014.5	25.0	23.4	22.0	19.3	95	78	62
Apr 15	1015.4	26.5	22.8	20.7	16.2	82	67	47
Apr 16	1013.0	26.2	23.1	21.6	19.1	85	78	66
Apr 17	1011.7	30.6	25.0	21.3	20.7	94	79	55
Apr 18	1011.8	29.1	24.5	20.1	20.6	95	80	60
Apr 19	1011.4	30.7	24.8	20.5	21.3	96	82	59
Apr 20	1010.8	29.8	25.7	22.5	22.3	94	82	63
Apr 21	1012.3	26.5	24.3	23.1	21.6	94	85	75
Apr 22	1012.4	28.9	25.1	22.5	22.1	93	84	66
Apr 23	1012.0	24.8	23.1	22.0	20.5	92	85	79
Apr 24	1011.2	23.1	22.4	21.5	20.0	91	86	83
Apr 25	1011.8	26.6	23.9	22.3	21.4	93	86	76
Apr 26	1012.8	27.2	23.3	21.9	21.1	94	87	73
Apr 27	1013.3	31.4	25.9	20.5	20.5	96	74	48
Apr 28	1013.5	31.2	26.0	23.6	17.7	80	61	41
Apr 29	1012.9	27.6	24.4	22.7	19.6	85	75	59
Apr 30	1011.6	25.5	23.0	20.9	20.3	97	85	74
Mean	1013.2	26.9	23.2	20.7	19.4	93	80	63
Maximum	1017.1	32.1	26.3	23.6	22.3	99	94	86
Minimum	1010.8	21.1	19.4	17.1	13.1	80	61	30

Extract of Meteorological Observations for Sheung Shui Automatic Weather Station, April 2014 (Table 2)

Date	Total Rainfall (mm)	Prevailing Wind Direction (degrees)	Mean Wind Speed (km/h)
Apr 1	16.0	***	*****
Apr 2	39.5	***	*****
Apr 3	47.0	***	*****
Apr 4	0.0	***	*****
Apr 5	0.0	***	*****
Apr 6	14.0	***	*****
Apr 7	0.5	***	*****
Apr 8	6.0	***	*****
Apr 9	0.0	***	*****
Apr 10	0.0	***	*****
Apr 11	0.0	***	*****
Apr 12	0.0	***	*****
Apr 13	0.0	***	*****
Apr 14	0.0	***	*****
Apr 15	0.0	***	*****
Apr 16	0.0	***	*****
Apr 17	0.0	***	*****
Apr 18	0.0	***	*****
Apr 19	0.0	***	*****
Apr 20	0.0	***	*****
Apr 21	0.0	***	*****
Apr 22	0.0	***	*****
Apr 23	0.0	***	*****
Apr 24	0.0	***	*****
Apr 25	0.0	***	*****
Apr 26	3.5	***	*****
Apr 27	0.0	***	*****
Apr 28	0.0	***	*****
Apr 29	0.0	***	*****
Apr 30	9.0	***	*****
Mean	-----	***	*****
Total	135.5	---	-----
Maximum	47.0	---	*****
Minimum	0.0	---	*****

*** unavailable

missing (less than 24 hourly observations a day)

Rainfall measured in increment of 0.5 mm. Amount of < 0.5 mm cannot be detected

Appendix E Environmental Monitoring Data for Air, Noise and Water Quality

Appendix E
Air Quality Monitoring Results and their Graphical Presentation


24-Hour TSP Monitoring Result at station: SR77

Sampling Date	Weather Condition	Paper No.	Wt. of paper (g)			Elapse Time			Flow Rate (CFM)			Flow Rate (m ³ /min)			Total Volume (m ³)	TSP Concentration (µg/m ³)	Action Level (µg/m ³)	Limit Level (µg/m ³)	Wind speed m/s	Wind direction
			Initial Wt.	Final Wt.	Wt. of Dust	Initial	Final	Sampling Hour	Initial	Final	Avg Flow Rate	Initial	Final	Avg Flow Rate						
2-Jan-14	Sunny	205834	2.6667	3.0836	0.4169	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	200.5	170.3	260.0	<5	N
8-Jan-14	Fine	205904	2.8976	3.3749	0.4773	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	229.5	170.3	260.0	<5	N
14-Jan-14	Fine	205835	2.7456	3.1824	0.4368	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	210.0	170.3	260.0	<5	N
20-Jan-14	Fine	205836	2.7541	3.4253	0.6712	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	322.8	170.3	260.0	<5	N
25-Jan-14	Sunny	205837	2.7496	3.1072	0.3576	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	172.0	170.3	260.0	<5	N
30-Jan-14	Fine	205838	2.7561	3.1216	0.3655	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	175.8	170.3	260.0	<5	N
5-Feb-14	Fine	205839	2.7351	2.8805	0.1454	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	69.9	170.3	260.0	<5	N
11-Feb-14	Cloudy	205840	2.7582	3.0589	0.3007	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	144.6	170.3	260.0	<5	N
17-Feb-14	Fine	205907	2.9323	3.2644	0.3321	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	159.7	170.3	260.0	<5	N
22-Feb-14	Fine	1	2.6884	3.0733	0.3849	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	185.1	170.3	260.0	<5	N
28-Feb-14	Fine	2	2.6782	3.1388	0.4606	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	221.5	170.3	260.0	<5	N
6-Mar-14	Cloudy	3	2.7216	3.0258	0.3042	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	146.3	170.3	260.0	<5	N
12-Mar-14	Cloudy	6	2.7007	3.0468	0.3461	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	166.4	170.3	260.0	<5	N
18-Mar-14	Fine	7	2.7102	2.9790	0.2688	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	129.3	170.3	260.0	<5	N
24-Mar-14	Fine	8	2.6925	3.0836	0.3911	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	188.1	170.3	260.0	<5	N
29-Mar-14	Rainy	9	2.6958	2.8354	0.1396	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	67.1	170.3	260.0	<5	N
4-Apr-14	Cloudy	10	2.6869	2.8690	0.1821	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	87.6	170.3	260.0	<5	N
10-Apr-14	Fine	11	2.6915	2.9070	0.2155	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	103.6	170.3	260.0	<5	N
16-Apr-14	Sunny	12	2.7313	3.0336	0.3023	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	145.4	170.3	260.0	<5	N
22-Apr-14	Sunny	13	2.7088	2.9072	0.1984	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	95.4	170.3	260.0	<5	N
28-Apr-14	Sunny	14	2.6694	2.8877	0.2183	0.00	24.00	24.00	51	51	51.0	1.44	1.44	1.44	2079.59	105.0	170.3	260.0	<5	N

Summary For the Reporting Quarter (Feb - Apr 2014)	
Average	134.3
Minimum	67.1
Maximum	221.5

Note: No major dust source observed during the monitoring period
Data in **Bold** denotes exceedance of respective Action Level
Data in **Bold Underline** denotes exceedance of respective Limit Level

24-Hour TSP Monitoring Result at Station: SR77 (January - April 2014)



Appendix E
Air Quality Monitoring Results and their Graphical Presentation


1-Hour TSP Monitoring Result at station: SR77

Date	Weather Condition	Time	Conc.(µg/m ³)			Action Level (µg/m3)	Limit Level (µg/m3)
			1 st Hour	2 nd Hour	3 rd Hour		
2-Jan-14	Sunny	9:30 - 12:34	188.0	184.0	181.0	292.7	500.0
8-Jan-14	Fine	9:30 - 12:34	201.0	203.0	201.0	292.7	500.0
14-Jan-14	Fine	13:00 - 16:04	211.0	198.0	200.0	292.7	500.0
20-Jan-14	Fine	13:00 - 16:04	222.0	219.0	199.0	292.7	500.0
25-Jan-14	Sunny	9:00 - 12:04	178.0	177.0	169.0	292.7	500.0
30-Jan-14	Fine	14:00 - 17:04	212.0	219.0	189.0	292.7	500.0
5-Feb-14	Fine	9:00 - 12:04	166.0	192.0	150.0	292.7	500.0
11-Feb-14	Cloudy	10:00 - 13:04	147.0	155.0	149.0	292.7	500.0
17-Feb-14	Fine	10:30 - 13:34	202.0	211.0	188.0	292.7	500.0
22-Feb-14	Fine	9:00 - 12:04	189.0	166.0	198.0	292.7	500.0
28-Feb-14	Fine	10:45 - 13:49	221.0	187.0	211.0	292.7	500.0
6-Mar-14	Cloudy	11:00 - 14:04	211.0	218.0	197.0	292.7	500.0
12-Mar-14	Cloudy	11:00 - 14:04	197.0	199.0	232.0	292.7	500.0
18-Mar-14	Fine	14:00 - 17:04	212.0	216.0	203.0	292.7	500.0
24-Mar-14	Fine	11:00 - 14:04	199.0	198.0	221.0	292.7	500.0
29-Mar-14	Rainy	10:00 - 13:04	167.0	161.0	173.0	292.7	500.0
4-Apr-14	Cloudy	8:00 - 11:04	189.0	191.0	203.0	292.7	500.0
10-Apr-14	Fine	10:30 - 13:34	156.0	171.0	163.0	292.7	500.0
16-Apr-14	Sunny	11:01 - 14:05	144.0	147.0	151.0	292.7	500.0
22-Apr-14	Sunny	11:30 - 14:34	152.0	136.0	129.0	292.7	500.0
28-Apr-14	Sunny	11:00 - 14:04	163.0	166.0	139.0	292.7	500.0

Summary For the Reporting Quarter (Feb - Apr 2014)	
Average	180.8
Minimum	129.0
Maximum	232.0

Note: No major dust source observed during the monitoring period

1-Hour TSP Monitoring Result at station: SR77 (January - April 2014)



Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure works - Contract 3
Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2

Noise Monitoring Result at SR77

Date	Weather Condition	Start Time	End Time	Measured Noise Level (dB(A))*			Baseline Corrected Level, dB(A)**	Baseline Noise Level (dB(A), Leq(30min))	Limit Level dB(A)	Exceedance (Y / N)
				L10(30min)	L90(30min)	Leq(30min)				
2014/01/02	Sunny	9:30	10:00	70.8	72.3	62.0	-	67.8	75.0	N
2014/01/08	Fine	9:30	10:00	71.2	76.1	61.6	-	67.8	75.0	N
2014/01/14	Fine	13:00	13:30	70.4	74.5	63.1	-	67.8	75.0	N
2014/01/20	Fine	13:00	13:30	76.8	72.1	57.8	-	67.8	75.0	N
2014/01/30	Fine	14:00	14:30	70.8	72.9	60.3	-	67.8	75.0	N
2014/02/05	Fine	14:30	15:00	61.3	64.7	54.5	-	67.8	75.0	N
2014/02/11	Cloudy	10:00	10:30	67.4	71.3	58.6	-	67.8	75.0	N
2014/02/17	Fine	10:30	11:00	69.4	72.1	61.9	-	67.8	75.0	N
2014/02/28	Fine	10:45	11:15	71.6	75.5	65.5	-	67.8	75.0	N
2014/03/06	Cloudy	11:00	11:30	70.8	76.1	64.9	-	67.8	75.0	N
2014/03/12	Cloudy	11:00	11:30	71.8	88.1	66.1	-	67.8	75.0	N
2014/03/18	Fine	14:00	14:30	74.2	89.1	66.9	-	67.8	75.0	N
2014/03/24	Fine	11:00	11:30	71.8	83.3	61.6	-	67.8	75.0	N
2014/04/04	Cloudy	8:00	8:30	70.5	72.5	63.5	-	67.8	75.0	N
2014/04/10	Fine	10:30	11:00	68.5	71.3	62.1	-	67.8	75.0	N
2014/04/16	Sunny	11:01	11:31	69.3	71.9	61.1	-	67.8	75.0	N
2014/04/22	Sunny	11:30	12:00	70.1	71.8	60.2	-	67.8	75.0	N
2014/04/28	Sunny	11:00	11:30	69.9	72.4	61.5	-	67.8	75.0	N


Summary For the Reporting Quarter (Feb - Apr 2014)	
Average	62.2
Minimum	54.5
Maximum	66.9

Remarks

* +3dB(A) Façade effect correction included

** Baseline corrected level is only calculated when measured noise level (Leq) > limit level.

**Noise monitoring result: SR77
(January - April 2014)**



Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure works - Contract 3
 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2

Date of Monitoring 2/1/2014 Weather : Sunny

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:59	<0.5	17.2	17.2	7.7	7.7	8.4	8.4	87.7	87.7	18.6	18.9	<0.1	<0.1	17	17.5
			17.2		7.7		8.4		87.7		19.2		<0.1		18	
C3b	10:28	<0.5	15.9	15.9	8	8.0	8.5	8.6	86.4	86.8	25.7	25.9	<0.1	<0.1	21	21.5
			15.9		8		8.6		87.2		26.1		<0.1		22	
I5	10:44	<0.5	15.9	15.9	7.5	7.5	8.1	8.1	81.8	81.8	31.8	32.5	<0.1	<0.1	9	9
			15.9		7.5		8.1		81.8		33.1		<0.1		9	

Date of Monitoring 4/1/2014 Weather : Sunny

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:00	<0.5	16.4	16.4	7.7	7.7	8.5	8.5	86.7	86.7	36.1	36.2	<0.1	<0.1	18	19
			16.4		7.7		8.5		86.7		36.2		<0.1		20	
C3b	10:18	<0.5	16.8	16.8	8	8.0	8.8	8.8	90.4	90.4	33.4	34.8	<0.1	<0.1	6	6
			16.8		8		8.8		90.4		36.1		<0.1		6	
I5	10:29	<0.5	17.1	17.1	7.5	7.5	7.9	7.9	82.1	82.1	29.2	29.7	<0.1	<0.1	5	5.5
			17.1		7.5		7.9		82.1		30.2		<0.1		6	

Date of Monitoring 6/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:51	<0.5	18.7	18.7	7.6	7.6	7.1	7.1	75.8	75.8	26.1	25.6	<0.1	<0.1	22	21
			18.7		7.6		7.1		75.8		25.1		<0.1		20	
C3b	12:19	<0.5	18.1	18.1	8.1	8.1	8.2	8.2	86.7	86.7	15.4	15.7	<0.1	<0.1	9	9
			18.1		8.1		8.2		86.7		15.9		<0.1		9	
I5	12:33	<0.5	18.6	18.6	7.4	7.4	8.1	8.1	87.1	87.1	16.9	17.0	<0.1	<0.1	8	7.5
			18.6		7.4		8.1		87.1		17.1		<0.1		7	

Date of Monitoring 8/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:31	<0.5	20.2	20.2	7.6	7.6	7.9	7.9	86.8	86.8	41.8	41.5	<0.1	<0.1	36	35.5
			20.2		7.6		7.9		86.8		41.2		<0.1		35	
C3b	9:55	<0.5	20.4	20.4	8.1	8.1	7.8	7.8	86.3	86.3	41.6	41.4	<0.1	<0.1	9	9.5
			20.4		8.1		7.8		86.3		41.1		<0.1		10	
I5	10:13	<0.5	19.5	19.5	7.4	7.4	8.5	8.5	92.5	92.5	33.2	33.5	<0.1	<0.1	7	7
			19.5		7.4		8.5		92.5		33.7		<0.1		7	

Date of Monitoring 10/1/2014 Weather : Sunny

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:33	<0.5	17	17.0	7.7	7.7	7.6	7.6	78.4	78.4	25.5	25.5	<0.1	<0.1	14	14.5
			17		7.7		7.6		78.4		25.5		<0.1		15	
C3b	10:05	<0.5	16.6	16.6	8	8.0	8.6	8.6	88.1	88.1	16.8	16.8	<0.1	<0.1	4	4
			16.6		8		8.6		88.1		16.8		<0.1		4	
I5	10:16	<0.5	17	17.0	7.5	7.5	8.6	8.6	89	89.0	15.6	15.6	<0.1	<0.1	7	6.5
			17		7.5		8.6		89		15.6		<0.1		6	

Date of Monitoring 13/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:00	<0.5	14	14.0	7.1	7.1	10.3	10.3	99.8	99.8	17	17.5	<0.1	<0.1	4	4.5
			14		7.1		10.3		99.7		18		<0.1		5	
C3b	10:17	<0.5	14	14.0	7.8	7.8	10.0	10.1	97.3	97.5	18.1	17.6	<0.1	<0.1	5	4.5
			14		7.8		10.1		97.6		17.1		<0.1		4	
I5	9:40	<0.5	14.5	14.5	7.4	7.4	10.1	10.1	98.58	98.7	16	16.7	<0.1	<0.1	3	3
			14.5		7.4		10.1		98.8		17.3		<0.1		3	

Date of Monitoring 15/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:01	<0.5	20.4	20.4	7.1	7.1	7.5	7.6	82.8	84.2	16.9	17.4	<0.1	<0.1	7	7
			20.4		7.1		7.7		85.6		17.8		<0.1		7	
C3b	13:46	<0.5	18.5	18.5	7.8	7.8	8.5	8.6	90.7	91.4	20.8	21.9	<0.1	<0.1	5	5.5
			18.5		7.8		8.6		92		22.9		<0.1		6	
I5	13:30	<0.5	20	20.0	7.4	7.4	8.0	7.8	87.5	85.0	21.7	22.1	<0.1	<0.1	10	11
			20		7.4		7.5		82.5		22.5		<0.1		12	

Date of Monitoring 17/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	13:03	<0.5	19.5	19.5	7.7	7.7	7.9	7.8	85.6	84.9	25.6	25.4	<0.1	<0.1	9	9.5
			19.5		7.7		7.7		84.1		25.2		<0.1		10	
C3b	13:41	<0.5	19.5	19.5	8	8.0	8.4	8.4	91.1	91.1	21.2	20.8	<0.1	<0.1	4	3.5
			19.5		8		8.4		91.1		20.3		<0.1		3	
I5	13:27	<0.5	18.8	18.8	7.5	7.5	7.6	7.6	81.9	81.9	19	19.3	<0.1	<0.1	7	7
			18.8		7.5		7.6		81.9		19.5		<0.1		7	

Date of Monitoring 20/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (°C)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:07	<0.5	21	21.0	7.1	7.1	7.5	7.5	84	84.0	22.8	22.7	<0.1	<0.1	9	9
			21		7.1		7.5		84		22.5		<0.1		9	
C3b	13:56	<0.5	19.9	19.9	7.8	7.8	7.3	7.3	80.3	80.3	12.7	12.8	<0.1	<0.1	5	5
			19.9		7.8		7.3		80.3		12.8		<0.1		5	
I5	13:53	<0.5	20.8	20.8	7.4	7.4	7.9	7.9	87.9	87.9	14.1	14.0	<0.1	<0.1	6	6
			20.8		7.4		7.9		87.9		13.8		<0.1		6	

NOTE:
 Data in **Bold** denotes exceedance of respective Action Level
 Data in **Bold Underline** denotes exceedance of respective Limit Level

Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure works - Contract 3
 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2

Date of Monitoring 22/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:01	<0.5	19.3	19.3	7.7	7.7	8.7	8.7	94.2	94.2	22.9	22.3	<0.1	<0.1	6	6
			19.3		7.7		8.7		94.2		21.6		<0.1		6	
			18.1		8		8.4		89.4		23.8		<0.1		6	
C3b	13:41	<0.5	18.1	18.1	8	8.0	8.4	8.4	89.4	89.4	23.1	23.5	<0.1	<0.1	6	6.5
			19.7		7.5		7.9		86.4		23.1		<0.1		7	
			19.7		7.5		7.9		86.4		13.7		<0.1		5	
I5	13:33	<0.5	19.3	19.3	7.7	7.7	8.7	8.7	94.2	94.2	22.9	22.3	<0.1	<0.1	6	6
			19.3		7.7		8.7		94.2		21.6		<0.1		6	
			18.1		8		8.4		89.4		23.8		<0.1		6	

Date of Monitoring 24/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:28	<0.5	21.5	21.5	7.7	7.7	7.2	7.2	81.7	81.7	15.7	15.9	<0.1	<0.1	4	4
			21.5		7.7		7.2		81.7		16		<0.1		4	
			19.8		8		8.2		89.8		28.8		<0.1		7	
C3b	13:49	<0.5	19.8	19.8	8	8.0	8.2	8.2	89.8	89.8	29.9	29.4	<0.1	<0.1	5	6
			19.8		8		8.2		89.8		29.9		<0.1		5	
			20.8		7.5		8.0		89		31		<0.1		10	
I5	13:33	<0.5	20.8	20.8	7.5	7.5	8.0	8.0	89	89.0	29.7	30.4	<0.1	<0.1	9	<u>9.5</u>
			20.8		7.5		8.0		89		29.7		<0.1		9	
			20.8		7.5		8.0		89		29.7		<0.1		9	

Date of Monitoring 27/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:55	<0.5	21.1	21.1	7.7	7.7	7.4	7.4	83.8	83.8	22.1	22.2	<0.1	<0.1	7	6.5
			21.1		7.7		7.4		83.8		22.2		<0.1		6	
			20.9		8		7.4		82.7		26		<0.1		9	
C3b	14:31	<0.5	20.9	20.9	8	8.0	7.4	7.4	82.7	82.7	26.1	26.1	<0.1	<0.1	10	9.5
			20.9		8		7.4		82.7		26		<0.1		10	
			22.1		7.5		7.9		90.9		14.2		<0.1		8	
I5	14:11	<0.5	22.1	22.1	7.5	7.5	7.9	7.9	90.9	90.9	14.1	14.2	<0.1	<0.1	8	8
			22.1		7.5		7.9		90.9		14.1		<0.1		8	
			22.1		7.5		7.9		90.9		14.1		<0.1		8	

Date of Monitoring 29/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:40	<0.5	23	23.0	7.7	7.7	7.4	7.4	86.3	86.3	24	23.8	<0.1	<0.1	3	3
			23		7.7		7.4		86.3		23.5		<0.1		3	
			21.9		8		7.4		84.4		22.7		<0.1		4	
C3b	14:19	<0.5	21.9	21.9	8	8.0	7.4	7.4	84.4	84.4	22.6	22.7	<0.1	<0.1	4	4
			21.9		8		7.4		84.4		22.6		<0.1		4	
			23.1		7.5		7.7		90.2		22.3		<0.1		4	
I5	14:32	<0.5	23.1	23.1	7.5	7.5	7.7	7.7	90.2	90.2	23.1	22.7	<0.1	<0.1	4	4.5
			23		7.5		7.7		90.2		23.1		<0.1		5	
			23		7.5		7.7		90.2		23.1		<0.1		5	

Date of Monitoring 30/1/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:35	<0.5	23.1	23.1	7.7	7.7	6.9	6.9	81.3	81.3	29.9	29.5	<0.1	<0.1	5	5
			23.1		7.7		6.9		81.3		29		<0.1		5	
			22.9		8		7.5		87.9		22.7		<0.1		5	
C3b	14:03	<0.5	22.9	22.9	8	8.0	7.9	7.7	91.8	89.9	22.9	22.8	<0.1	<0.1	4	4.5
			22.9		8		7.9		91.8		22.9		<0.1		4	
			23.9		7.5		7.0		82.8		24.8		<0.1		6	
I5	14:17	<0.5	23.9	23.9	7.5	7.5	7.0	7.0	82.8	82.8	24.9	24.9	<0.1	<0.1	6	6
			23.9		7.5		7.0		82.8		24.9		<0.1		6	
			23.9		7.5		7.0		82.8		24.9		<0.1		6	

Date of Monitoring 5/2/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:13	<0.5	21.9	21.9	7.8	7.8	7.3	7.3	83.4	83.4	23.3	22.8	<0.1	<0.1	9	9
			21.9		7.8		7.3		83.3		22.3		<0.1		9	
			20.6		7.9		7.7		85.2		23.5		<0.1		6	
C3b	13:56	<0.5	20.6	20.6	7.9	7.9	7.7	7.7	85	85.1	23.3	23.4	<0.1	<0.1	5	5.5
			20.6		7.9		7.7		85		23.3		<0.1		5	
			20.9		7.9		9.3		104.5		24.7		<0.1		9	
I5	13:47	<0.5	20.9	20.9	7.9	7.9	9.3	9.3	104.5	104.5	23.3	24.0	<0.1	<0.1	10	9.5
			20.9		7.9		9.3		104.5		23.3		<0.1		10	
			20.9		7.9		9.3		104.5		23.3		<0.1		10	

Date of Monitoring 7/2/2014 Weather : Sunny

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:19	<0.5	22.9	23.0	7.8	7.8	6.8	6.8	80.1	79.8	33.2	33.0	<0.1	<0.1	5	5.5
			23		7.8		6.9		79.4		32.8		<0.1		6	
			22.1		7.8		7.6		87.2		38.6		<0.1		4	
C3b	14:07	<0.5	22.1	22.1	7.9	7.9	7.6	7.6	87.4	87.3	41.6	40.1	<0.1	<0.1	5	4.5
			22.1		7.9		7.6		87.4		41.6		<0.1		5	
			22.5		7.7		9.2		105.6		33.8		<0.1		9	
I5	13:58	<0.5	22.6	22.6	7.8	7.8	9.1	9.1	105.3	105.5	37.2	35.5	<0.1	<0.1	9	<u>9</u>
			22.6		7.8		9.1		105.3		37.2		<0.1		9	
			22.6		7.8		9.1		105.3		37.2		<0.1		9	

Date of Monitoring 10/2/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:44	<0.5	13.2	13.2	7.8	7.8	8.6	8.7	82.2	83.2	48.8	48.8	<0.1	<0.1	68	67.5
			13.2		7.8		8.8		84.1		48.8		<0.1		6	
			13		8		9.5		90		48.5		<0.1		8	
C3b	11:29	<0.5	13	13.0	8	8.0	9.5	9.5	90	90.0	48.4	48.5	<0.1	<0.1	10	9
			13		8		9.5		90		48.4		<0.1		10	
			13.5		7.9		8.8		85		46.9		<0.1		7	
I5	11:16	<0.5	13.5	13.5	7.9	7.9	8.8	8.8	85	85.0	46.9	46.9	<0.1	<0.1	7	7
			13.5		7.9		8.8		85		46.9		<0.1		7	
			13.5		7.9		8.8		85		46.9		<0.1		7	

Date of Monitoring 12/2/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:56	<0.5	11.5	11.5	7.9	7.9	8.5	8.5	78.3	78.3	14.1	14.1	<0.1	<0.1	17	16
			11.5		7.9		8.5		78.3		14.1		<0.1		15	
			11.8		8.1		9.8		90.6		13.1		<0.1		7	
C3b	11:24	<0.5	11.8	11.8	8.1	8.1	9.8	9.8	90.6	90.6	13.1	13.1	<0.1	<0.1	6	6.5
			11.8		8.1		9.8		90.6		13.1		<0.1		6	
			11.6		7.9		8.9		82		11.1		<0.1		4	
I5	11:31	<0.5	11.6	11.6	7.9	7.9	8.9	8.9	82	82.0	11	11.1	<0.1	<0.1	4	4
			11.6		7.9		8.9		82		11		<0.1		4	

Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure works - Contract 3
 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2

Date of Monitoring 14/2/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:23	<0.5	11.7	11.7	7.8	7.8	9.2	9.2	84.6	84.6	24.3	24.3	<0.1	<0.1	3.7	3.85
			11.7		7.8		9.2		84.6		24.3		<0.1		4	
			12		8		9.1		84.5		33.1		<0.1		7.9	
C3b	9:47	<0.5	12	12.0	8	8.0	9.1	9.1	84.5	84.5	33.1	33.1	<0.1	<0.1	7.9	8.4
			12		8		9.1		84.5		33.1		<0.1		9.5	
			12.1		7.7		8.7		80.9		26.1		<0.1		3.9	
I5	10:05	<0.5	12.1	12.1	7.7	7.7	8.7	8.7	81	81.0	26.1	26.1	<0.1	<0.1	3.4	3.65
			12.1		7.7		8.7		81		26.1		<0.1		3.4	

Date of Monitoring 17/2/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:29	<0.5	18.7	18.7	7.8	7.8	7.6	7.6	81.4	81.4	55.6	55.6	<0.1	<0.1	48	45
			18.7		7.8		7.6		81.4		55.6		<0.1		42	
			19.9		8		8.0		88		70.3		<0.1		21	
C3b	11:06	<0.5	19.9	19.9	8.1	8.1	8.0	8.0	88	88.0	70.3	70.3	<0.1	<0.1	25	23
			19.9		8.1		8.0		88		70.3		<0.1		25	
			19.8		7.7		7.7		84		68.9		<0.1		41	
I5	11:13	<0.5	19.8	19.8	7.7	7.7	7.7	7.7	84	84.0	68.9	68.9	<0.1	<0.1	36	38.5
			19.8		7.7		7.7		84		68.9		<0.1		36	

Date of Monitoring 19/2/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	17:44	<0.5	13.1	13.1	7.8	7.8	9.2	9.2	87.2	87.2	13.6	13.6	<0.1	<0.1	<3	<3
			13.1		7.8		9.2		87.2		13.5		<0.1		<3	
			13.4		8		8.9		85.1		28.4		<0.1		16	
C3b	17:11	<0.5	13.4	13.4	8.1	8.1	8.9	8.9	85.1	85.1	28.4	28.4	<0.1	<0.1	16	16
			13.4		8.1		8.9		85.1		28.4		<0.1		16	
			13.4		7.7		8.4		80.5		25.3		<0.1		5.3	
I5	17:21	<0.5	13.4	13.4	7.7	7.7	8.4	8.4	80.5	80.5	25.3	25.3	<0.1	<0.1	5.1	5.2
			13.4		7.7		8.4		80.4		25.2		<0.1		5.1	

Date of Monitoring 21/2/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:03	<0.5	16.1	16.1	7.8	7.8	7.9	7.9	80.6	80.6	26.5	26.5	<0.1	<0.1	15	13.5
			16.1		7.8		7.9		80.6		26.5		<0.1		12	
			15.4		8		8.4		83.8		23.8		<0.1		16	
C3b	10:31	<0.5	15.4	15.4	8	8.0	8.4	8.4	83.8	83.8	23.8	23.8	<0.1	<0.1	16	16
			15.4		8		8.4		83.8		23.8		<0.1		16	
			15.8		7.7		7.5		75.5		21.2		<0.1		11	
I5	10:42	<0.5	15.8	15.8	7.7	7.7	7.5	7.5	75.5	75.5	21.2	21.2	<0.1	<0.1	10	10.5
			15.8		7.7		7.5		75.5		21.2		<0.1		10	

Date of Monitoring 24/2/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:34	<0.5	21.7	21.7	7.9	7.9	8.0	8.0	91.4	91.4	21.1	21.1	<0.1	<0.1	14	13.5
			21.7		7.9		8.0		91.4		21.1		<0.1		13	
			20.4		8.1		7.5		83.6		26.6		<0.1		7.8	
C3b	11:01	<0.5	20.4	20.4	8.1	8.1	7.5	7.5	83.6	83.6	26.6	26.6	<0.1	<0.1	6.6	7.2
			20.4		8.1		7.5		83.6		26.6		<0.1		6.6	
			20.1		7.7		7.6		83.5		28.1		<0.1		6.5	
I5	11:17	<0.5	20.1	20.1	7.7	7.7	7.6	7.6	83.5	83.5	28.1	28.1	<0.1	<0.1	6.5	6.5
			20.1		7.7		7.6		83.5		28.1		<0.1		6.5	

Date of Monitoring 26/2/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:04	<0.5	20.2	20.2	7.8	7.8	7.7	7.8	85.2	85.9	17.2	17.2	<0.1	<0.1	15	17
			20.2		7.8		7.8		86.6		17.2		<0.1		19	
			19.9		8		7.4		81.5		18.1		<0.1		8.2	
C3b	10:31	<0.5	19.9	19.9	8	8.0	7.4	7.4	81.5	81.5	18.1	18.1	<0.1	<0.1	6.6	7.4
			19.9		8		7.4		81.5		18.1		<0.1		6.6	
			19.7		7.7		7.6		83.7		17.9		<0.1		6.2	
I5	10:47	<0.5	19.7	19.7	7.7	7.7	7.6	7.6	83.7	83.7	17.9	17.9	<0.1	<0.1	6.4	6.3
			19.7		7.7		7.6		83.7		17.9		<0.1		6.4	

Date of Monitoring 28/2/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:48	<0.5	19.5	19.5	7.8	7.8	7.5	7.5	81.6	81.6	27.7	27.7	<0.1	<0.1	22	22.5
			19.5		7.8		7.5		81.6		27.7		<0.1		23	
			19.2		8		7.6		82.2		33.4		<0.1		14	
C3b	11:21	<0.5	19.2	19.2	8	8.0	7.7	7.7	83.9	83.1	33.4	33.4	<0.1	<0.1	24	19
			19.2		8		7.8		83.9		33.4		<0.1		24	
			18.9		7.7		7.9		84.7		30.1		<0.1		9.8	
I5	11:29	<0.5	18.9	18.9	7.7	7.7	7.9	7.9	84.7	84.7	30.1	30.1	<0.1	<0.1	12	10.9
			18.9		7.7		7.9		84.7		30.1		<0.1		12	

Date of Monitoring 3/3/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:13	<0.5	17.7	17.7	7.2	7.2	8.3	8.3	87.1	87.2	27.8	27.8	<0.1	<0.1	29.0	30.0
			17.7		7.2		8.3		87.2		27.8		<0.1		31.0	
			17.6		8.3		8.3		71.2		61.6		<0.1		8.0	
C3b	10:56	<0.5	17.6	17.6	8.3	8.3	6.8	6.8	71.2	71.2	61.6	61.6	<0.1	<0.1	7.6	7.8
			17.6		8.3		6.8		71.2		61.9		<0.1		7.6	
			17.5		8.2		7.6		80.0		56.2		<0.1		16.0	
I5	10:45	<0.5	17.5	17.5	8.2	8.2	7.6	7.6	80.0	80.0	56.2	56.2	<0.1	<0.1	16.0	16.0
			17.5		8.2		7.6		80.0		56.1		<0.1		16.0	

Date of Monitoring 5/3/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	9:41	<0.5	17.7	17.7	7.4	7.4	8.3	8.3	86.7	86.7	11.0	11.1	<0.1	<0.1	10.0	10.0
			17.7		7.4		8.3		86.7		11.1		<0.1		10.0	
			17.5		8.0		8.2		85.7		8.7		<0.1		4.0	
C3b	9:18	<0.5	17.4	17.5	8.0	8.0	8.2	8.2	85.7	85.7	8.7	8.7	<0.1	<0.1	4.4	4.2
			17.4		8.0		8.2		85.7		8.7		<0.1		4.4	
			17.4		7.4		7.6		79.9		11.4		<0.1		6.8	
I5	9:25	<0.5	17.4	17.6	7.4	7.4	7.6	7.6	79.9	79.9	11.5	11.5	<0.1	<0.1	7.0	6.9
			17.7		7.4		7.6		79.9		11.5		<0.1		7.0	

NOTE:
 Data in **Bold** denotes exceedance of respective Action Level
 Data in **Bold Underline** denotes exceedance of respective Limit Level

Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure works - Contract 3
 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2

Date of Monitoring 7/3/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	9:59	<0.5	16.4	16.4	7.6	7.6	7.9	7.9	81.0	81.0	13.6	13.7	<0.1	<0.1	22.0	22.5
			16.4		7.6		7.9		81.0		13.9		<0.1		23.0	
			16.2		8.0		7.8		79.3		6.4		<0.1		9.2	
C3b	9:30	<0.5	16.2	16.2	8.0	8.0	7.8	7.8	79.3	79.3	6.6	6.5	<0.1	<0.1	7.0	8.1
			16.2		8.0		7.8		79.3		6.6		<0.1		7.0	
			15.9		7.6		7.9		79.3		11.0		<0.1		4.2	
I5	9:41	<0.5	15.8	15.8	7.6	7.6	7.9	7.9	79.3	79.3	11.0	10.6	<0.1	<0.1	4.2	4.7
			15.8		7.6		7.9		79.3		10.1		<0.1		5.2	

Date of Monitoring 10/3/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:29	<0.5	14.9	14.9	7.8	7.8	8.5	8.6	84.1	84.7	16.1	16.1	<0.1	<0.1	12.0	15.5
			14.9		7.8		8.6		85.3		16.1		<0.1		19.0	
			15.1		8.3		8.7		86.4		9.9		<0.1		6.0	
C3b	10:01	<0.5	15.1	15.1	8.3	8.3	8.7	8.7	86.4	86.4	9.9	9.9	<0.1	<0.1	6.8	6.4
			15.1		8.3		8.7		86.4		9.9		<0.1		6.8	
			14.7		8.1		7.8		77.2		16.4		<0.1		17.0	
I5	10:09	<0.5	14.7	14.7	8.1	8.1	7.7	7.8	75.6	76.4	16.4	16.4	<0.1	<0.1	20.0	18.5
			14.7		8.1		7.7		75.6		16.4		<0.1		20.0	

Date of Monitoring 12/3/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:24	<0.5	16.8	16.8	7.5	7.5	8.2	8.2	78.1	78.1	8.2	8.2	<0.1	<0.1	9.6	9.8
			16.8		7.5		8.2		78.1		8.2		<0.1		10.0	
			16.9		7.9		7.8		74.2		7.7		<0.1		6.6	
C3b	10:01	<0.5	16.9	16.9	7.9	7.9	7.8	7.8	74.2	74.2	7.7	7.7	<0.1	<0.1	7.4	7.0
			16.9		7.9		7.8		74.2		7.7		<0.1		7.4	
			16.7		8.0		6.6		62.2		9.1		<0.1		8.6	
I5	10:09	<0.5	16.7	16.7	8.0	8.0	6.7	6.7	62.7	62.5	9.1	9.1	<0.1	<0.1	9.4	9.0
			16.7		8.0		6.7		62.7		9.1		<0.1		9.4	

Date of Monitoring 14/3/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:23	<0.5	17.6	17.6	7.8	7.8	8.1	8.1	84.5	84.5	15.4	15.4	<0.1	<0.1	6.6	6.6
			17.6		7.8		8.1		84.5		15.4		<0.1		6.6	
			17.4		8.1		8.4		87.6		33.1		<0.1		22.0	
C3b	10:01	<0.5	17.4	17.4	8.1	8.1	8.4	8.4	87.6	87.6	33.1	33.1	<0.1	<0.1	22.0	22.0
			17.9		7.9		8.0		84.2		19.4		<0.1		12.0	
			17.9		7.9		8.0		84.2		19.4		<0.1		12.0	
I5	10:08	<0.5	17.9	17.9	7.9	7.9	8.0	8.0	84.2	84.2	19.4	19.4	<0.1	<0.1	12.0	12.0
			17.9		7.9		8.0		84.2		19.4		<0.1		12.0	

Date of Monitoring 17/3/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	14:21	<0.5	22.1	22.1	7.8	7.8	7.1	7.1	81.8	81.8	7.6	7.6	<0.1	<0.1	5.8	5.8
			22.1		7.8		7.1		81.8		7.6		<0.1		5.8	
			22.3		8.1		7.8		90.2		11.7		<0.1		5.8	
C3b	14:00	<0.5	22.3	22.3	8.1	8.1	7.8	7.8	89.9	90.1	11.7	11.7	<0.1	<0.1	6.6	6.2
			22.3		8.1		7.8		89.9		11.7		<0.1		6.6	
			22.2		7.9		7.5		85.6		10.0		<0.1		6.0	
I5	14:07	<0.5	22.2	22.2	7.9	7.9	7.5	7.5	85.6	85.6	10.0	10.0	<0.1	<0.1	7.6	6.8
			22.2		7.9		7.5		85.6		10.0		<0.1		7.6	

Date of Monitoring 19/3/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:39	<0.5	24.4	24.4	7.8	7.8	7.5	7.5	89.6	89.6	11.8	11.8	<0.1	<0.1	9.2	8.4
			24.4		7.8		7.5		89.6		11.8		<0.1		7.6	
			23.9		8.1		6.6		78.8		10.6		<0.1		4.3	
C3b	10:15	<0.5	23.9	23.9	8.1	8.1	6.6	6.6	78.8	78.8	10.6	10.6	<0.1	<0.1	4.8	4.6
			23.9		8.1		6.6		78.8		10.6		<0.1		4.8	
			23.4		7.9		7.2		84.2		9.4		<0.1		8.4	
I5	10:23	<0.5	23.4	23.4	7.9	7.9	7.2	7.2	84.2	84.2	9.4	9.4	<0.1	<0.1	6.6	7.5
			23.4		7.9		7.2		84.2		9.4		<0.1		6.6	

Date of Monitoring 21/3/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:31	<0.5	18.2	18.2	7.8	7.8	7.6	7.6	80.1	80.1	43.4	43.4	<0.1	<0.1	8.2	8.4
			18.2		7.8		7.6		80.1		43.4		<0.1		8.6	
			18.0		8.1		8.4		88.6		51.2		<0.1		13.0	
C3b	10:15	<0.5	18.0	18.0	8.1	8.1	8.4	8.4	88.6	88.6	51.2	51.2	<0.1	<0.1	13.0	13.0
			18.0		8.1		8.4		88.6		51.2		<0.1		13.0	
			17.8		7.9		7.6		79.8		49.7		<0.1		11.0	
I5	10:06	<0.5	17.8	17.8	7.9	7.9	7.6	7.6	79.8	79.8	49.7	49.7	<0.1	<0.1	8.8	9.9
			17.8		7.9		7.6		79.8		49.7		<0.1		8.8	

Date of Monitoring 24/3/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:34	<0.5	21.0	21.0	7.7	7.7	6.4	6.4	71.5	71.5	15.4	15.4	<0.1	<0.1	3.6	4.5
			21.0		7.7		6.4		71.5		15.4		<0.1		5.3	
			21.0		7.8		7.7		86.3		14.8		<0.1		4.1	
C3b	10:11	<0.5	21.0	21.0	7.8	7.8	7.7	7.7	86.3	86.3	14.8	14.8	<0.1	<0.1	4.0	4.1
			21.0		7.8		7.7		86.3		14.8		<0.1		4.0	
			20.3		7.9		8.6		95.3		12.3		<0.1		13.0	
I5	10:03	<0.5	20.3	20.3	7.9	7.9	8.6	8.6	95.3	95.3	12.3	12.3	<0.1	<0.1	9.6	11.3
			20.3		7.9		8.6		95.3		12.3		<0.1		9.6	

Date of Monitoring 26/3/2014 Weather : Fine

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:39	<0.5	24.3	24.3	7.8	7.8	6.9	6.9	82.9	82.9	13.5	13.5	<0.1	<0.1	4.4	4.6
			24.3		7.8		6.9		82.9		13.5		<0.1		4.8	
			24.0		8.1		6.6		78.1		9.8		<0.1		3.2	
C3b	10:21	<0.5	24.0	24.0	8.1	8.1	6.6	6.6	78.1	78.1	9.8	9.8	<0.1	<0.1	6.6	4.9
			24.0		8.1		6.6		78.1		9.8		<0.1		6.6	
			24.4		7.9		6.7		80.4		14.4		<0.1		13.0	
I5	10:09	<0.5	24.4	24.4	7.9	7.9	6.7	6.7	80.4	80.4	14.4	14.4	<0.1	<0.1	13.0	13.0
			24.4		7.9		6.7		80.4		14.4		<0.1		13.0	

NOTE:
 Data in **Bold** denotes exceedance of respective Action Level
 Data in **Bold Underline** denotes exceedance of respective Limit Level

Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure works - Contract 3
 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2

Date of Monitoring 28/3/2014 Weather : Cloudy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	10:47	<0.5	24.2	24.2	7.9	7.9	7.6	7.6	90.5	90.5	13.2	13.2	<0.1	<0.1	22.0	22.0
			24.2		7.9		7.6		90.5		13.2		<0.1		22.0	
C3b	10:01	<0.5	22.8	22.8	8.1	8.1	6.9	6.9	80.7	80.7	4.9	4.9	<0.1	<0.1	4.7	4.5
			22.8		8.1		6.9		80.7		4.9		<0.1		4.3	
I5	10:19	<0.5	23.4	23.4	7.9	7.9	6.8	6.8	79.5	79.5	13.3	13.3	<0.1	<0.1	10.0	9.7
			23.4		7.9		6.8		79.5		13.3		<0.1		9.4	

Date of Monitoring 31/3/2014 Weather : Rainy

Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:31	<0.5	19.6	19.6	7.9	7.9	7.6	7.6	83.3	83.3	87.7	87.7	<0.1	<0.1	71.0	72.0
			19.6		7.9		7.6		83.3		87.7		<0.1		73.0	
C3b	11:01	<0.5	19.5	19.5	7.9	7.9	8.0	8.0	87.4	87.4	90.3	90.3	<0.1	<0.1	77.0	75.0
			19.5		7.9		8.0		87.4		90.3		<0.1		73.0	
I5	11:09	<0.5	19.3	19.3	7.3	7.3	7.4	7.4	80.5	80.5	86.7	86.7	<0.1	<0.1	73.0	72.5
			19.3		7.3		7.4		80.5		86.7		<0.1		72.0	

Date of Monitoring 2/4/2014 Weather : Rainy




Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	11:13	<0.5	20.0	20.0	7.2	7.2	8.0	8.0	88.5	88.5	63.2	63.0	<0.1	<0.1	41.0	39.0
			20.0		7.2		8.0		88.5		62.8		<0.1		37.0	
C3b	11:35	<0.5	19.8	19.8	7.3	7.3	7.2	7.3	78.9	79.6	65.0	64.6	<0.1	<0.1	41.0	42.5
			19.8		7.3		7.3		80.2		64.1		<0.1		44.0	
I5	10:55	<0.5	19.8	19.8	7.5	7.5	7.5	7.5	82.3	82.3	73.1	72.0	<0.1	<0.1	46.0	47.5
			19.8		7.5		7.5		82.3		70.8		<0.1		49.0	

Date of Monitoring 4/4/2014 Weather : Cloudy




Monitoring Location	Time	Water Depth (m)	Temperature (oC)		pH		DO (mg/L)		DO (% saturation)		Turbidity (NTU)		Salinity (g/L)		SS (mg/L)	
			Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	Value	Average
C3a	8:58	<0.5	20.1	20.1	7.6	7.6	7.7	7.7	85.4	85.4	13.8	13.8	<0.1	<0.1	9.0	9.0
			20.1		7.6		7.7		85.4		13.7		<0.1		9.0	
C3b	8:41	<0.5	19.3	19.3	7.8	7.8	8.7	8.7	93.9	93.9	14.8	14.8	<0.1	<0.1	5.0	5.0
			19.3		7.8		8.7		93.9		14.8		<0.1		5.0	
I5	8:35	<0.5	19.6	19.6	8.1	8.1	8.7	8.7	94.4	94.4	14.3	14.3	<0.1	<0.1	5.6	5.7
			19.6		8.1		8.7		94.4		14.3		<0.1		5.8	

NOTE:
 Data in **Bold** denotes exceedance of respective Action Level
 Data in **Bold Underline** denotes exceedance of respective Limit Level




Dissolved Oxygen (January - April 2014)



Turbidity (January - April 2014)



Suspended Solid (January - April 2014)



Appendix F Waste Flow Table

Appendix K Monthly Summary Waste Flow Table

Month	Actual Quantities of Inert C&D Materials Generated Monthly							Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated	Hard Rock and Large Broken Concrete	Soil	Soil Reused in the Contract	Soil Reused in other Projects	Soil Disposed as Public Fill	Imported Fill	Metals	Paper/ cardboard packaging (Note 3)	Plastics	Chemical Waste	General Refuse (Note 2)
Unit	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)	(in '000m3)
Feb-14	2.209	0.356	1.853	0.380	-	1.473	-	0.002	-	-	0.019	0.040
Mar-14	4.460	0.506	3.954	1.092	-	2.862	-	-	-	-	-	0.265
Apr-14	1.654	0.054	1.600	0.672	-	0.928	0.200	-	-	-	0.020	0.135
Total	8.323	0.916	7.407	2.144	-	5.263	0.200	0.002	-	-	0.039	0.440

- Note:
1. Assume the density of soil fill is 2 ton/m3.
 2. Assume the density of rock and broken concrete is 2.5 ton/m3.
 3. Assume each truck of C&D wastes is 5m3.
 4. The inert C&D materials except slurry and bentonite are disposed at Tuen Mun 38.
 5. The slurry and bentonite are disposed at Tseung Kwun O 137.
 6. The non-inert C&D wastes are disposed at NENT.
 7. Assume the density of metal is 7,850 kg/m3.

Appendix G Cumulative Statistics on Complaints, Notifications of Summons and Successful Prosecutions

Cumulative Complaint Log

Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
C131126	November 26, 2013	Mr. Tony Hung from WWF	Mat Wat River (works sites for box culvert extension)	Suspected unauthorised discharge of water from a construction site to Ma Wat River, Tai Wo Service Road East, Tai Po	<ol style="list-style-type: none"> 1) It was found that the water leaving the end of the steel pipes was the diverted water from the upstream of the existing box culverts, instead of being discharged from the construction works sites. 2) An EM&A Programme is being undertaken to monitoring the environmental performance of the construction works, and the Contractor has also implemented appropriate mitigation measures to avoid silt-laden runoff discharging from the works sites into the river. 3) The complaint is considered an invalid complaint under this Project. 	Completed

Cumulative Log for Notifications of Summons

Log No.	Date/Location	Subject	Status	Total Received in this reporting month	Total no. Received since project commencement

Cumulative log for Successful Prosecutions

Log No.	Date/Location	Subject	Status	Total Received in this reporting month	Total no. Received since project commencement



**Meinhardt Infrastructure and
Environment Ltd**
邁進基建環保工程顧問有限公司

4/F Wah Ming Centre
421 Queen's Road West
Hong Kong
香港皇后大道西421號華明中心4樓

Tel 電話: +852 2858 0738
Fax 傳真: +852 2540 1580

mail@meinhardt.com.hk
www.meinhardt-china.com
www.meinhardtgroup.com