



Update of Design of the Existing Lagoon Show in Ocean Park Hong Kong

6th Monthly Noise Monitoring Report
(For December 2021)

7 January 2022

Project No.: 0540005

Document details	
Document title	Update of Design of the Existing Lagoon Show in Ocean Park Hong Kong
Document subtitle	6 th Monthly Noise Monitoring Report (For December 2021)
Project No.	0540005
Date	7 January 2022
Version	1.0
Author	Pako Yu
Client Name	Ocean Park Corporation

Document history

Version	Revision	Author	Reviewed by	ERM approval to issue		Comments
				Name	Date	
Draft	1.0	Pako Yu	Mandy To	Terence Fong	7.1.2022	-



Environmental Permit No. EP-249/2006/D

Ocean Park Master Redevelopment Project

Environmental Team Leader Certification

Reference Document/Plan

Document/~~Plan~~ to be Certified/ ~~Verified~~: Monthly Noise Monitoring Report (For December 2021)

Date of Report: 7 January 2022

Reference EP Condition

Environmental Permit Condition: 3.4

Four hard copies and one electronic copy of the monthly EM&A Reports for the construction and operation stages shall be submitted to the Director within two weeks after the end of the reporting month. The monthly EM&A Reports shall include a summary of all non-compliance with the recommendations in the EIA Report or this Permit. The submissions shall be certified by the ET Leader and verified by the IEC as complied with the requirements as set out in the EM&A Manual before submission to the Director. Additional copies of the submission shall be provided upon request by the Director.

ETL Verification

I hereby verify that the above referenced document/~~plan~~ complies with the above referenced condition of EP-249/2006/D.

Ms Mandy To
Environmental Team Leader

Date: 7 January 2022

Our ref: 0540005_ETL Verification Cert_6_20220107.docx

M

M

**MOTT
MACDONALD**

Ocean Park Corporation
180 Wong Chuk Hang Road
Aberdeen
Hong Kong

Attn: Ms. Eva Au Yeung

**Ocean Park Master Redevelopment Project Contract No. P007
Independent Environmental Checker (IEC)
Environmental Permit No. EP-249/2006/D - Condition 3.1
Update of Design of the Existing Lagoon Show in Ocean Park Hong Kong –
6th Monthly Noise Monitoring Report dated 7 January 2022**

Our Reference
AFK/EC/h/416500/02.02/
L-0014

3/F Manulife Place
348 Kwun Tong Road
Kwun Tong
Kowloon
Hong Kong


T +852 2828 5757
F +852 2827 1823
mottmac.hk

10 January 2022
By Email and Post

Dear Eva,

I refer to the captioned submission dated 7 January 2022. Pursuant to the requirement under Condition 3.1 of the Environmental Permit No. EP-249/2006/D, I hereby verify the Update of Design of the Existing Lagoon Show in Ocean Park Hong Kong – 6th Monthly Noise Monitoring Report for the Project.

Yours sincerely,
for MOTT MACDONALD HONG KONG LIMITED



Ir Eric Ching
Independent Environmental Checker (IEC)
T 2828 5825
Eric.Ching@mottmac.com

Ocean Park Master Redevelopment Project

Environmental Permit No. EP-249/2006/D - Condition 3.1

**Update of Design of the Existing Lagoon Show in Ocean Park Hong Kong
6th Monthly Noise Monitoring Report
(For December 2021)**

Submitted by ERM-Hong Kong, Limited dated 07 January 2022


This is to verify that

**Update of Design of the Existing Lagoon Show in Ocean Park Hong Kong
6th Monthly Noise Monitoring Report
(For December 2021)**

Submitted by ERM-Hong Kong, Limited dated 07 January 2022

Has been verified by the undersigned.

Signed



Ir Eric Ching
Independent Environmental Checker (IEC)
Retained by Ocean Park Corporation
pursuant to Environmental Permit No. EP-249/2006/D

Date

10 January 2022

Signature Page

7 January 2022

Update of Design of the Existing Lagoon Show in Ocean Park Hong Kong

6th Monthly Noise Monitoring Report (For December 2021)



Terence Fong
Partner

ERM-Hong Kong, Limited
2509, 25/F One Harbourfront,
18 Tak Fung Street,
Hung Hom, Kowloon
Hong Kong

© Copyright 2022 by ERM Worldwide Group Ltd and/or its affiliates ("ERM").
All rights reserved. No part of this work may be reproduced or transmitted in any form,
or by any means, without the prior written permission of ERM.

CONTENTS

1.	INTRODUCTION	1
1.1	Purpose of the Report.....	1
1.2	Structure of the Report.....	1
2.	NOISE MONITORING	2
2.1	Introduction	2
2.2	Noise Monitoring Requirements	2
2.2.1	Monitoring Locations.....	2
2.2.2	Monitoring Parameters.....	3
2.2.3	Monitoring Frequency	3
2.2.4	Monitoring Methodology.....	3
2.2.5	Compliance Assessment	4
2.3	Results of Noise Monitoring	5
2.4	Summary of Noise Exceedances.....	5
3.	CONCLUSION	6

List of Appendices

APPENDIX A	CALIBRATION CERTIFICATES OF THE NOISE MEASUREMENT EQUIPMENT
APPENDIX B	RESULTS OF NOISE MONITORING
APPENDIX C	PHOTOGRAPHS OF THE MONITORING STATIONS

List of Tables

Table 2.1	Alternative Noise Monitoring Stations	3
Table 2.2	Schedule of the Shows	3
Table 2.3	Noise Monitoring Schedule during this Reporting Month	3
Table 2.4	Noise Measurement Equipment.....	4
Table 2.5	Action and Limit Levels for Entertainment Noise	4
Table 2.5	Compliance of Noise Monitoring during this Reporting Period	5

1. INTRODUCTION

ERM-Hong Kong, Limited (ERM) has been appointed by Ocean Park Corporation (OPC) to undertake noise monitoring for the first operational year of the Update of Design of the Existing Lagoon Show under the “*Repositioning and Long Term Operation Plan of Ocean Park*” (the Project) with an updated layout of loudspeaker clusters, as presented in the *Noise Review Study Report (Noise Review 2020)* deposited to the EPD on 9 January 2020.

1.1 Purpose of the Report

The Update of Design of the Existing Lagoon Show (including the Soul of the Ocean and Vision of Hong Kong) commenced on 19 January 2020 with the 1st noise monitoring report which presented monitoring results during the reporting period from 10 January to 9 February 2020 submitted to EPD in February 2021. The operation of Ocean Park was then temporarily closed and the lagoon show was suspended due to COVID-19 afterwards.

The operation of Ocean Park resumed on 18 February 2021 and the Vision of Hong Kong (VHK) has been resumed from 18 December 2021 to 2 January 2022. This is the 6th noise monitoring report which summarises the impact monitoring results during the reporting period from **18 December 2021 to 2 January 2022**.

1.2 Structure of the Report

After this introductory section, the remainder of this report is arranged as follows:

Section 2 describes the noise monitoring methodology, presents the monitoring results and discusses the results; and

Section 3 presents an overall conclusion of the noise monitoring.

2. NOISE MONITORING

2.1 Introduction

Noise monitoring has been carried out following the requirements given in Condition 3.1 of the Environmental Permit (EP-249/2006/D) and the updated EM&A Manual. The requirements and results are detailed in the following sections.

2.2 Noise Monitoring Requirements

It has been recommended in the approved EIA Report for “*Repositioning and Long Term Operation Plan of Ocean Park*” and stated in the EM&A Manual that fixed plant noise source monitoring should be conducted during the first operational year of the Open-air Night Show at the Aqua City. Therefore, noise monitoring is carried out during the first operational year of the Update of Design of the Existing Lagoon Show to review the compliance with the noise limits and requirements stipulated in the *Noise Review 2020*.

The monitoring of fixed plant noise source impact is to be conducted:

- During the lagoon night show (hereinafter referred to as “lagoon night show noise monitoring”)

Lagoon night show noise monitoring was carried out at all designated monitoring stations during the performance of lagoon night shows at a logging interval of 5 minutes. The noise monitoring should be conducted twice a week, i.e. once on a normal weekday and once on a general holiday or Sunday, as per the EM&A Manual.

As confirmed with OPC, lagoon night show (VHK) has been resumed during weekends (Saturdays and Sundays) from 18 December 2021 to 2 January 2022. The other lagoon night show (Soul of the Ocean) has not been performed during this period. Based on the change in the show frequency, the need for noise monitoring during the lagoon night show was reviewed based on the monitoring results. Agreement from the IEC and approval from EPD (EPD’s letter dated 2 December 2021) have been sought to reduce the monitoring frequency to once a week.

The following sections describe the detailed methodology of the fixed plant noise monitoring.

2.2.1 Monitoring Locations

Noise monitoring was conducted at five alternative noise monitoring stations, which are the similar locations as that carried out during the first year of operation for the lagoon night show (ie Symbio) from January 2011 to February 2012. The five alternative noise monitoring stations are presented in *Table 2.1*, and shown in *Figure 2.1*.




Figure 2.1

Noise Monitoring Locations

Table 2.1 Alternative Noise Monitoring Stations

Alternative Noise Monitoring Stations	Description	Location	With or without Façade Correction
AON1	Open Area adjacent to Police Training School	1.2m above street level	without façade correction
AON2	Marriott Hotel, Ocean Park	1m from façade at roof level	with façade correction
AON3	Woodgreen Estate	1.5m above street level outside boundary wall	with façade correction
AON4 ^(a)	Manly Villa	1.2m above street level	with façade correction
AON5	Hau Yuen	3.0m above street level outside boundary wall	with façade correction

Note:

(a) Due to security concern from Manly Villa, alternative noise monitoring location, AON4, has been relocated away from the entrance of Manly Villa (see *Figure 2.1*) which is closer to Ocean Park. Therefore, it is considered representative.

2.2.2 Monitoring Parameters

2.2.2.1 Show Noise Monitoring

The measurements of $L_{Aeq, 5 \text{ min}}$ reading were carried out to calculate the noise level during the show with schedule shown in *Table 2.2*.

Table 2.2 Schedule of the Show

Description	Time
Vision of Hong Kong (VHK)	20:00-20:05 hours

2.2.2.2 Background Noise Level

Measurements of $L_{Aeq, 5 \text{ min}}$ reading were carried out before and after the show when speakers were switched off to calculate the overall background noise level at each locations.

Any significant influencing factors on the measured noise levels were noted in accordance with standard acoustical principles and practices. The background-corrected noise level due to the show was computed based on the background noise level and measured noise level during the shows.

2.2.3 Monitoring Frequency

The noise monitoring for the show was conducted once per week. Noise monitoring schedule during this reporting month is summarised in *Table 2.3*.

Table 2.3 Noise Monitoring Schedule during this Reporting Month

Scheduled Monitoring Date	Monitoring Stations
18 Dec 2021 (Saturday)	AON1 to AON5
25 Dec 2021 (Saturday)	AON1 to AON5
1 Jan 2022 (Saturday)	AON1 to AON5

2.2.4 Monitoring Methodology

The sound level meters and calibrator used for the noise monitoring, as listed in *Table 2.4* below, complies with IEC 651: 1979 and 804:1985 (Type 1) or equivalent international standards.

Table 2.4 Noise Measurement Equipment

Monitoring Location		Monitoring Equipment
AON1	Open Area adjacent to Police Training School	RION NL-52 Sound Level Meter CAL200 Calibrator
AON2	Marriott Hotel, Ocean Park	RION NL-52 Sound Level Meter CAL200 Calibrator
AON3	Woodgreen Estate	RION NL-52 Sound Level Meter CAL200 Calibrator
AON4	Manly Villa	RION NL-52 Sound Level Meter CAL200 Calibrator
AON5	Hau Yuen	RION NL-52 Sound Level Meter CAL200 Calibrator

Noise monitoring was conducted with reference to the calibration and measurement procedures as stated in the *Technical Memorandum for the Assessment of Noise from Places other than Domestic Premises, Public Places or Construction Sites (IND-TM)* issued under the *Noise Control Ordinance (NCO)*. Immediately prior to and following each noise measurement the accuracy of the monitoring equipment was checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements were accepted as the calibration levels from before and after the noise measurement agree to within 1.0 dB.

The sound level meters and acoustic calibrators have been calibrated by a HOKLAS accredited laboratory every two years. The relevant calibration certificates are presented in *Appendix A*.

Noise measurements were conducted without the presence of fog and rain, and with steady wind speed and gusts not exceeding 5 ms^{-1} and 10 ms^{-1} , respectively in accordance with international standards and practices ⁽¹⁾. Measurement of L_{Aeq} , L_{10} , L_{90} , L_{max} and L_{min} has been recorded for reference.

If measured noise level is affected by other noise sources at the monitoring station, eg traffic noise, such that the measured noise level is dominated by noise source other than the show, noise data will be discarded.

If measured noise level for the show is below or equal to the measured background noise level, the noise from the show is considered as insignificant and hence negligible at the monitoring location.

2.2.5 Compliance Assessment

2.2.5.1 Fixed Plant Noise Criteria

As recommended in the approved EIA Report and stated in the EM&A Manual, OPC will follow the Action and Limit (A/L) Levels as recommended in the approved EIA Report and EM&A Manual which are summarised in *Table 2.5*. In case exceedances are resulted from cumulative impacts, all steps stipulated in the Event/ Action Plan shall be followed.

Table 2.5 Action and Limit Levels for Entertainment Noise

Identification No.	Action Level	Limit Level
ON1/AON1	When documented complaint is received from any one of the sensitive receivers	L_{eq} (5 min) 60 dB(A)
ON2/AON2		L_{eq} (5 min) 60 dB(A)
ON3/AON3		L_{eq} (5 min) 55 dB(A)
ON4/AON4		L_{eq} (5 min) 55 dB(A)
ON5/AON5		L_{eq} (5 min) 55 dB(A)

⁽¹⁾ ISO 11819-1:1997 and ISO/FDIS 13472-1:2001

2.2.5.2 Noise Criteria for Outdoor Activities

As advised by EPD, the noise levels from the outdoor activities should not be more than 5dB(A) above the prevailing background noise level during the daytime and evening periods (0700-2300 hrs), as measured at 1m from the exterior building façade of the most affected NSRs for regular outdoor activities in accordance with the *Noise Control Guidelines for Music, Singing and Instrument Performing Activities*. For the night-time period (2300-0700 hrs of the next day), the noise from outdoor events should not be audible at the nearby NSRs.

2.3 Results of Noise Monitoring

The results of noise monitoring conducted during this reporting period are given in *Appendix B*, with summary of compliance shown in *Table 2.6*. Photographs taken at the monitoring stations are shown in *Appendix C*.

Table 2.6 Compliance of Noise Monitoring during this Reporting Period

Date	ID	Compliance		
		<BGL+5	Limit Level	Not Applicable
18 Dec 2021 (Saturday)	AON1	YES	YES	-
	AON2	-	-	NA ^(a)
	AON3	YES	YES	-
	AON4	YES	YES	-
	AON5	YES	YES	-
25 Dec 2021 (Saturday)	AON1	YES	YES	-
	AON2	YES	YES	-
	AON3	YES	YES	-
	AON4	YES	YES	-
	AON5	YES	YES	-
1 Jan 2022 (Saturday)	AON1	-	-	NA ^(a)
	AON2	YES	YES	-
	AON3	YES	YES	-
	AON4	YES	YES	-
	AON5	YES	YES	-

Note:

(a) Noise data discarded as measurement was affected by other significant noise sources, ie pass-by bus and pass-by vehicle along Wong Chuk Hang Road.

2.4 Summary of Noise Exceedances

No record of noise exceedance during this reporting month.

3. CONCLUSION

This is the 6th monthly noise monitoring report which summarises the noise monitoring results during the reporting period on **18 December 2021 – 2 January 2022**.

The noise monitoring were carried out at five designated monitoring stations during this reporting period.

No noise exceedances have been recorded during this reporting period.

**APPENDIX A CALIBRATION CERTIFICATES OF THE NOISE
MEASUREMENT EQUIPMENT**



Certificate of Calibration

校正證書

Certificate No. : C211598
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC21-0400) Date of Receipt / 收件日期 : 26 February 2021

Description / 儀器名稱 : Sound Level Meter
Manufacturer / 製造商 : Rion
Model No. / 型號 : NL-52
Serial No. / 編號 : 00643049
Supplied By / 委託者 : Envirotech Services Co.
Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(50 \pm 25)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration


DATE OF TEST / 測試日期 : 17 March 2021

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
The results do not exceed manufacturer's specification. (after adjustment)
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA

Tested By : 
測試 : _____
K P Cheuk
Project Engineer

Certified By : 
核證 : _____
K C Lee
Engineer

Date of Issue : 18 March 2021
簽發日期

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C211598

證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration using the internal standard (After Adjustment) was performed before the test 6.1.1.2 to 6.3.2.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

<u>Equipment ID</u>	<u>Description</u>	<u>Certificate No.</u>
CL280	40 MHz Arbitrary Waveform Generator	C210084
CL281	Multifunction Acoustic Calibrator	AV210017

5. Test procedure : MA101N.

6. Results :

- 6.1 Sound Pressure Level

- 6.1.1 Reference Sound Pressure Level

- 6.1.1.1 Before Adjustment

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	* 92.0	± 1.1

* Out of IEC 61672 Class 1 Spec.

- 6.1.1.2 After Adjustment

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	94.0	± 1.1

- 6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
30 - 130	L _A	A	Fast	94.00	1	94.0 (Ref.)
				104.00		104.0
				114.00		114.0

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C211598

證書編號

6.2 Time Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	94.0	Ref.
			Slow				

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _A	A	Fast	94.00	63 Hz	67.7	-26.2 ± 1.5
					125 Hz	77.7	-16.1 ± 1.5
					250 Hz	85.3	-8.6 ± 1.4
					500 Hz	90.7	-3.2 ± 1.4
					1 kHz	94.0	Ref.
					2 kHz	95.2	+1.2 ± 1.6
					4 kHz	95.0	+1.0 ± 1.6
					8 kHz	93.0	-1.1 (+2.1 ; -3.1)
					12.5 kHz	89.6	-4.3 (+3.0 ; -6.0)

6.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _C	C	Fast	94.00	63 Hz	93.1	-0.8 ± 1.5
					125 Hz	93.8	-0.2 ± 1.5
					250 Hz	94.0	0.0 ± 1.4
					500 Hz	94.0	0.0 ± 1.4
					1 kHz	94.0	Ref.
					2 kHz	93.8	-0.2 ± 1.6
					4 kHz	93.2	-0.8 ± 1.6
					8 kHz	91.1	-3.0 (+2.1 ; -3.1)
					12.5 kHz	87.6	-6.2 (+3.0 ; -6.0)

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C211598

證書編號

- Remarks :
- UUT Microphone Model No. : UC-59 & S/N : 06829
 - Mfr's Spec. : IEC 61672 Class 1
 - Uncertainties of Applied Value :

94 dB	: 63 Hz - 125 Hz	: ± 0.35 dB
	250 Hz - 500 Hz	: ± 0.30 dB
	1 kHz	: ± 0.20 dB
	2 kHz - 4 kHz	: ± 0.35 dB
	8 kHz	: ± 0.45 dB
	12.5 kHz	: ± 0.70 dB
104 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)
114 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)
 - The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室


c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C214064
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC21-1260)

Date of Receipt / 收件日期 : 28 June 2021

Description / 儀器名稱 : Sound Level Meter

Manufacturer / 製造商 : Rion

Model No. / 型號 : NL-52

Serial No. / 編號 : 00643040

Supplied By / 委託者 : Envirotech Services Co.

Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$

Relative Humidity / 相對濕度 : $(50 \pm 25)\%$

Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 13 July 2021

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.

The results do not exceed manufacturer's specification.


The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA


Tested By

測試


K P Cheuk
Project Engineer

Certified By

核證


K C Lee
Engineer

Date of Issue

簽發日期

15 July 2021

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel 電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Certificate of Calibration

校正證書

Certificate No. : C214064
證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration was performed before the test.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

Equipment ID	Description	Certificate No.
CL280	40 MHz Arbitrary Waveform Generator	C210084
CL281	Multifunction Acoustic Calibrator	AV210017

5. Test procedure : MA101N.

6. Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	94.6	± 1.1

6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
30 - 130	L _A	A	Fast	94.00	1	94.6 (Ref.)
				104.00		104.6
				114.00		114.6

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

6.2 Time Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	94.6	Ref.
			Slow				

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C214064

證書編號

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _A	A	Fast	94.00	63 Hz	68.3	-26.2 ± 1.5
					125 Hz	78.3	-16.1 ± 1.5
					250 Hz	85.9	-8.6 ± 1.4
					500 Hz	91.3	-3.2 ± 1.4
					1 kHz	94.6	Ref.
					2 kHz	95.8	+1.2 ± 1.6
					4 kHz	95.6	+1.0 ± 1.6
					8 kHz	93.6	-1.1 (+2.1 ; -3.1)
					16 kHz	86.6	-6.6 (+3.5 ; -17.0)

6.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _C	C	Fast	94.00	63 Hz	93.7	-0.8 ± 1.5
					125 Hz	94.4	-0.2 ± 1.5
					250 Hz	94.6	0.0 ± 1.4
					500 Hz	94.6	0.0 ± 1.4
					1 kHz	94.6	Ref.
					2 kHz	94.4	-0.2 ± 1.6
					4 kHz	93.8	-0.8 ± 1.6
					8 kHz	91.7	-3.0 (+2.1 ; -3.1)
					16 kHz	84.7	-8.5 (+3.5 ; -17.0)

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C214064
證書編號

Remarks : - UUT Microphone Model No. : UC-59 & S/N : 16652

- Mfr's Spec. : IEC 61672 Class 1

- Uncertainties of Applied Value :

94 dB	: 63 Hz - 125 Hz	: ± 0.35 dB
	250 Hz - 500 Hz	: ± 0.30 dB
	1 kHz	: ± 0.20 dB
	2 kHz - 4 kHz	: ± 0.35 dB
	8 kHz	: ± 0.45 dB
	16 kHz	: ± 0.70 dB
104 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)
114 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C212881

證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC21-0837)

Date of Receipt / 收件日期 : 30 April 2021

Description / 儀器名稱 : Sound Level Meter

Manufacturer / 製造商 : Rion

Model No. / 型號 : NL-52

Serial No. / 編號 : 00542913

Supplied By / 委託者 : Envirotech Services Co.

Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$

Relative Humidity / 相對濕度 : $(50 \pm 25)\%$

Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 17 May 2021

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.

The results do not exceed manufacturer's specification.


The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA

Tested By

測試


K P Cheuk
Project Engineer

Certified By

核證


K C Lee
Engineer

Date of Issue

簽發日期

18 May 2021

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Certificate of Calibration

校正證書

Certificate No. : C212881
證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration was performed before the test.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

<u>Equipment ID</u>	<u>Description</u>	<u>Certificate No.</u>
CL280	40 MHz Arbitrary Waveform Generator	C210084
CL281	Multifunction Acoustic Calibrator	AV210017

5. Test procedure : MA101N.

6. Results :

- 6.1 Sound Pressure Level

- 6.1.1 Reference Sound Pressure Level

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	93.9	± 1.1

- 6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
30 - 130	L _A	A	Fast	94.00	1	93.9 (Ref.)
				104.00		104.0
				114.00		114.0

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

- 6.2 Time Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	93.9	Ref.
			Slow				

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C212881

證書編號

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _A	A	Fast	94.00	63 Hz	67.6	-26.2 ± 1.5
					125 Hz	77.7	-16.1 ± 1.5
					250 Hz	85.2	-8.6 ± 1.4
					500 Hz	90.7	-3.2 ± 1.4
					1 kHz	93.9	Ref.
					2 kHz	95.1	+1.2 ± 1.6
					4 kHz	94.9	+1.0 ± 1.6
					8 kHz	92.9	-1.1 (+2.1 ; -3.1)
					16 kHz	85.9	-6.6 (+3.5 ; -17.0)

6.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _C	C	Fast	94.00	63 Hz	93.0	-0.8 ± 1.5
					125 Hz	93.7	-0.2 ± 1.5
					250 Hz	93.9	0.0 ± 1.4
					500 Hz	93.9	0.0 ± 1.4
					1 kHz	93.9	Ref.
					2 kHz	93.7	-0.2 ± 1.6
					4 kHz	93.1	-0.8 ± 1.6
					8 kHz	91.0	-3.0 (+2.1 ; -3.1)
					16 kHz	84.0	-8.5 (+3.5 ; -17.0)

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C212881
證書編號

Remarks : - UUT Microphone Model No. : UC-59 & S/N : 13748

- Mfr's Spec. : IEC 61672 Class 1

- Uncertainties of Applied Value :

94 dB	: 63 Hz - 125 Hz	: ± 0.35 dB
	250 Hz - 500 Hz	: ± 0.30 dB
	1 kHz	: ± 0.20 dB
	2 kHz - 4 kHz	: ± 0.35 dB
	8 kHz	: ± 0.45 dB
	16 kHz	: ± 0.70 dB
104 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)
114 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C213807

證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC21-1168)

Date of Receipt / 收件日期 : 15 June 2021

Description / 儀器名稱 : Sound Level Meter

Manufacturer / 製造商 : Rion

Model No. / 型號 : NL-52

Serial No. / 編號 : 00331806

Supplied By / 委託者 : Envirotech Services Co.

Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$

Relative Humidity / 相對濕度 : $(50 \pm 25)\%$

Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 30 June 2021

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.

The results do not exceed manufacturer's specification.


The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA


Tested By

測試


K P Cheuk
Project Engineer

Certified By

核證


K C Lee
Engineer

Date of Issue

簽發日期

3 July 2021

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Certificate of Calibration

校正證書

Certificate No. : C213807
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- Self-calibration was performed before the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

Equipment ID	Description	Certificate No.
CL280	40 MHz Arbitrary Waveform Generator	C210084
CL281	Multifunction Acoustic Calibrator	AV210017

- Test procedure : MA101N.

- Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	93.6	± 1.1

6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
30 - 130	L _A	A	Fast	94.00	1	93.6 (Ref.)
				104.00		103.6
				114.00		113.6

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

6.2 Time Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	93.6	Ref.
			Slow				± 0.3

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C213807
證書編號

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _A	A	Fast	94.00	63 Hz	67.3	-26.2 ± 1.5
					125 Hz	77.4	-16.1 ± 1.5
					250 Hz	85.0	-8.6 ± 1.4
					500 Hz	90.4	-3.2 ± 1.4
					1 kHz	93.6	Ref.
					2 kHz	94.9	+1.2 ± 1.6
					4 kHz	94.6	+1.0 ± 1.6
					8 kHz	92.6	-1.1 (+2.1 ; -3.1)
					16 kHz	85.7	-6.6 (+3.5 ; -17.0)

6.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _C	C	Fast	94.00	63 Hz	92.8	-0.8 ± 1.5
					125 Hz	93.5	-0.2 ± 1.5
					250 Hz	93.6	0.0 ± 1.4
					500 Hz	93.7	0.0 ± 1.4
					1 kHz	93.6	Ref.
					2 kHz	93.5	-0.2 ± 1.6
					4 kHz	92.9	-0.8 ± 1.6
					8 kHz	90.7	-3.0 (+2.1 ; -3.1)
					16 kHz	83.8	-8.5 (+3.5 ; -17.0)

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C213807

證書編號

Remarks : - UUT Microphone Model No. : UC-59 & S/N : 12128

- Mfr's Spec. : IEC 61672 Class 1

- Uncertainties of Applied Value :

94 dB	63 Hz - 125 Hz	: ± 0.35 dB
	250 Hz - 500 Hz	: ± 0.30 dB
	1 kHz	: ± 0.20 dB
	2 kHz - 4 kHz	: ± 0.35 dB
	8 kHz	: ± 0.45 dB
	16 kHz	: ± 0.70 dB
104 dB	1 kHz	: ± 0.10 dB (Ref. 94 dB)
114 dB	1 kHz	: ± 0.10 dB (Ref. 94 dB)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓


Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Page 4 of 4



Certificate of Calibration

校正證書

Certificate No. : C216287
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC21-2155) Date of Receipt / 收件日期 : 19 October 2021

Description / 儀器名稱 : Sound Level Meter
Manufacturer / 製造商 : Rion
Model No. / 型號 : NL-52
Serial No. / 編號 : 00175561
Supplied By / 委託者 : Envirotech Services Co.
Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(50 \pm 25)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check


DATE OF TEST / 測試日期 : 28 October 2021


TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
The results do not exceed manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA

Tested By : 
測試 : _____
K P Cheuk
Project Engineer

Certified By : 
核證 : _____
K C Lee
Engineer

Date of Issue : 2 November 2021
簽發日期

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C216287

證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration was performed before the test.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

<u>Equipment ID</u>	<u>Description</u>	<u>Certificate No.</u>
CL280	40 MHz Arbitrary Waveform Generator	C210084
CL281	Multifunction Acoustic Calibrator	AV210017

5. Test procedure : MA101N.

6. Results :

- 6.1 Sound Pressure Level

- 6.1.1 Reference Sound Pressure Level

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	93.8	± 1.1

- 6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
30 - 130	L _A	A	Fast	94.00	1	93.8 (Ref.)
				104.00		103.8
				114.00		113.8

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

- 6.2 Time Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 130	L _A	A	Fast	94.00	1	93.8	Ref.
			Slow				

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C216287
證書編號

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _A	A	Fast	94.00	63 Hz	67.5	-26.2 ± 1.5
					125 Hz	77.6	-16.1 ± 1.5
					250 Hz	85.1	-8.6 ± 1.4
					500 Hz	90.6	-3.2 ± 1.4
					1 kHz	93.8	Ref.
					2 kHz	95.0	+1.2 ± 1.6
					4 kHz	94.8	+1.0 ± 1.6
					8 kHz	92.8	-1.1 (+2.1 ; -3.1)
					16 kHz	85.9	-6.6 (+3.5 ; -17.0)

6.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Function	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 130	L _C	C	Fast	94.00	63 Hz	92.9	-0.8 ± 1.5
					125 Hz	93.6	-0.2 ± 1.5
					250 Hz	93.8	0.0 ± 1.4
					500 Hz	93.9	0.0 ± 1.4
					1 kHz	93.8	Ref.
					2 kHz	93.7	-0.2 ± 1.6
					4 kHz	93.0	-0.8 ± 1.6
					8 kHz	90.9	-3.0 (+2.1 ; -3.1)
					16 kHz	83.9	-8.5 (+3.5 ; -17.0)

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C216287
證書編號

Remarks : - UUT Microphone Model No. : UC-59 & S/N : 16651

- Mfr's Spec. : IEC 61672 Class 1

- Uncertainties of Applied Value :

94 dB	: 63 Hz - 125 Hz	: ± 0.35 dB
	250 Hz - 500 Hz	: ± 0.30 dB
	1 kHz	: ± 0.20 dB
	2 kHz - 4 kHz	: ± 0.35 dB
	8 kHz	: ± 0.45 dB
	16 kHz	: ± 0.70 dB
104 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)
114 dB	: 1 kHz	: ± 0.10 dB (Ref. 94 dB)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Sun Creation Engineering Limited – Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室


c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com



輝創工程有限公司

Sun Creation Engineering Limited

Calibration & Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C217234
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC21-2432) Date of Receipt / 收件日期 : 25 November 2021

Description / 儀器名稱 : Precision Acoustic Calibrator
Manufacturer / 製造商 : LARSON DAVIS
Model No. / 型號 : CAL200
Serial No. / 編號 : 10227
Supplied By / 委託者 : Envirotech Services Co.
Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(50 \pm 25)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 16 December 2021


TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA

Tested By : 
測試 : K P Cheuk
Project Engineer

Certified By : 
核證 : K C Lee
Engineer

Date of Issue : 16 December 2021
簽發日期

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited Calibration & Testing Laboratory

c/o 4/F, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號四樓

Tel/電話: (852) 2927 2606

Fax/傳真: (852) 2744 8986

E-mail/電郵: callab@suncreation.com

Website/網址: www.suncreation.com

Certificate of Calibration

校正證書

Certificate No. : C217234

證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

<u>Equipment ID</u>	<u>Description</u>	<u>Certificate No.</u>
CL130	Universal Counter	C213954
CL281	Multifunction Acoustic Calibrator	AV210017
TST150A	Measuring Amplifier	C201309

- Test procedure : MA100N.

- Results :

5.1 Sound Level Accuracy

UUT Nominal Value	Measured Value (dB)	Uncertainty of Measured Value (dB)
94 dB, 1 kHz	93.8	± 0.2
114 dB, 1 kHz	113.8	

5.2 Frequency Accuracy

UUT Nominal Value (kHz)	Measured Value (kHz)	Uncertainty of Measured Value (Hz)
1	1.000	± 1

Remark : The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.



Certificate of Calibration

校正證書

Certificate No. : C216698
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC21-2266) Date of Receipt / 收件日期 : 4 November 2021
Description / 儀器名稱 : Precision Acoustic Calibrator
Manufacturer / 製造商 : LARSON DAVIS
Model No. / 型號 : CAL200
Serial No. / 編號 : 16172
Supplied By / 委託者 : Envirotech Services Co.
Room 113, 1/F, My Loft, 9 Hoi Wing Road, Tuen Mun,
New Territories, Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(50 \pm 25)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check


DATE OF TEST / 測試日期 : 20 November 2021

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
The results do not exceed manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies / Keysight Technologies
- Fluke Everett Service Center, USA

Tested By : 
測試 : H T Wong
Assistant Engineer

Certified By : 
核證 : K C Lee
Engineer

Date of Issue : 22 November 2021
簽發日期

The test equipment used for calibration is traceable to the National Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。



Certificate of Calibration

校正證書

Certificate No. : C216698
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

Equipment ID	Description	Certificate No.
CL130	Universal Counter	C213954
CL281	Multifunction Acoustic Calibrator	AV210017
TST150A	Measuring Amplifier	C201309

- Test procedure : MA100N.

- Results :

5.1 Sound Level Accuracy

UUT Nominal Value	Measured Value (dB)	Mfr's Spec. (dB)	Uncertainty of Measured Value (dB)
94 dB, 1 kHz	93.9	± 0.2	± 0.2
114 dB, 1 kHz	113.9		

5.2 Frequency Accuracy

UUT Nominal Value (kHz)	Measured Value (kHz)	Mfr's Spec.	Uncertainty of Measured Value (Hz)
1	1.000	1 kHz ± 1 %	± 1

Remark : The uncertainties are for a confidence probability of not less than 95 %.

Note :

Only the original copy or the laboratory's certified true copy is valid.

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

APPENDIX B RESULTS OF NOISE MONITORING

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	18 December 2021 (Saturday)
Noise Monitoring Staff:	Ho Kam Chuen
Temperature:	20 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00542913
Calibrator Model / Identification:	CAL200/ 16172
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON1	19:45-19:50	Background	70.7	71.2	-	-	-	-	-	-	
AON1	19:50-19:55	Background	71.3								
AON1	19:55-20:00	Background	71.8								
AON1	20:00-20:05	VHK	70.8		-0.4	Negligible	60.0	YES	YES	-	
AON1	20:05-20:10	Background	70.8		-	-	-	-	-	-	
AON1	20:10-20:15	Background	71.1								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	18 December 2021 (Saturday)
Noise Monitoring Staff:	Yeung Ping Fai
Temperature:	20 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00175561
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON2	19:45-19:50	Background	61.8	61.5	-	-	-	-	-	-	
AON2	19:50-19:55	Background	61.4								
AON2	19:55-20:00	Background	61.3								
AON2	20:00-20:05	VHK	66.7		5.2	65.1	60.0	-	-	N/A	passby vehicle along Wong Chuk Hang Road
AON2	20:10-20:15	Background	61.6		-	-	-	-	-	-	
AON2	20:15-20:20	Background	61.3								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	18 December 2021 (Saturday)
Noise Monitoring Staff:	Ho Hiu Wa
Temperature:	20 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00643049
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON3	19:45-19:50	Background	64.8	63.8	-	-	-	-	-	-	
AON3	19:50-19:55	Background	64.4								
AON3	19:55-20:00	Background	62.3								
AON3	20:00-20:05	VHK	64.0		0.2	50.3	55.0	YES	YES	-	
AON3	20:05-20:10	Background	64.3		-	-	-	-	-	-	
AON3	20:10-20:15	Background	62.7								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	18 December 2021 (Saturday)
Noise Monitoring Staff:	Cheng Tse Ho
Temperature:	20 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00331806
Calibrator Model / Identification:	CAL200/ 16172
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON4	19:45-19:50	Background	49.6	50.9	-	-	-	-	-	-	
AON4	19:50-19:55	Background	50.3								
AON4	19:55-20:00	Background	49.9								
AON4	20:00-20:05	VHK	51.7		0.8	44.0	55.0	YES	YES	-	passby vehicle
AON4	20:05-20:10	Background	53.4		-	-	-	-	-	-	passby vehicle
AON4	20:10-20:15	Background	49.9								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	18 December 2021 (Saturday)
Noise Monitoring Staff:	Ho Kam Fat
Temperature:	20 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00643040
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON5	19:45-19:50	Background	54.4	60.3	-	-	-	-	-	-	
AON5	19:50-19:55	Background	53.8								
AON5	19:55-20:00	Background	57.6								
AON5	20:00-20:05	VHK	57.8		-2.5	Negligible	55.0	YES	YES	-	
AON5	20:05-20:10	Background	65.4		-	-	-	-	-	-	passby vehicle
AON5	20:10-20:15	Background	59.1								passby vehicle

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	25 December 2021 (Saturday)
Noise Monitoring Staff:	Ho Kam Chuen
Temperature:	18 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00542913
Calibrator Model / Identification:	CAL200/ 16172
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON1	19:45-19:50	Background	79.3	76.0	-	-	-	-	-	-	passby bus
AON1	19:50-19:55	Background	75.8		-	-	-	-	-	-	
AON1	19:55-20:00	Background	74.4		-	-	-	-	-	-	
AON1	20:00-20:05	VHK	70.6		-5.4	Negligible	60.0	YES	YES	-	
AON1	20:05-20:10	Background	72.7		-	-	-	-	-	-	
AON1	20:10-20:15	Background	74.6		-	-	-	-	-	-	

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	25 December 2021 (Saturday)
Noise Monitoring Staff:	Yeung Ping Fai
Temperature:	18 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00175561
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON2	19:45-19:50	Background	62.2	64.1	-	-	-	-	-	-	
AON2	19:50-19:55	Background	62.5								
AON2	19:55-20:00	Background	63.2								
AON2	20:00-20:05	VHK	64.6		0.5	55.2	60.0	YES	YES	-	
AON2	20:05-20:10	Background	66.9		-	-	-	-	-	-	passby vehicle along Wong Chuk Hang Road
AON2	20:10-20:15	Background	63.7								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	25 December 2021 (Saturday)
Noise Monitoring Staff:	Ho Hiu Wa
Temperature:	18 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00643049
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON3	19:45-19:50	Background	66.0	65.5	-	-	-	-	-	-	
AON3	19:50-19:55	Background	65.8								
AON3	19:55-20:00	Background	65.8								
AON3	20:00-20:05	VHK	65.3		-0.2	Negligible	55.0	YES	YES	-	
AON3	20:05-20:10	Background	63.7		-	-	-	-	-	-	
AON3	20:10-20:15	Background	65.6								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	25 December 2021 (Saturday)
Noise Monitoring Staff:	Cheng Tse Ho
Temperature:	18 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00331806
Calibrator Model / Identification:	CAL200/ 16172
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON4	19:45-19:50	Background	50.2	50.1	-	-	-	-	-	-	
AON4	19:50-19:55	Background	49.1								
AON4	19:55-20:00	Background	49.7								
AON4	20:00-20:05	VHK	51.6		1.5	46.2	55.0	YES	YES	-	
AON4	20:05-20:10	Background	51.8		-	-	-	-	-	-	
AON4	20:10-20:15	Background	49.1								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	25 December 2021 (Saturday)
Noise Monitoring Staff:	Ho Kam Fat
Temperature:	18 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00643040
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON5	19:45-19:50	Background	58.0	58.9	-	-	-	-	-	-	
AON5	19:50-19:55	Background	53.5								
AON5	19:55-20:00	Background	60.3								passby vehicle
AON5	20:00-20:05	VHK	57.6		-1.3	Negligible	55.0	YES	YES	-	
AON5	20:05-20:10	Background	62.3								passby vehicle
AON5	20:10-20:15	Background	54.3								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	1 January 2022 (Saturday)
Noise Monitoring Staff:	Ho Kam Chuen
Temperature:	14 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00542913
Calibrator Model / Identification:	CAL200/ 16172
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON1	19:45-19:50	Background	70.4	71.5	-	-	-	-	-	-	
AON1	19:50-19:55	Background	69.5								
AON1	19:55-20:00	Background	71.0								
AON1	20:00-20:05	VHK	72.0		0.5	62.5	60.0	-	-	N/A	passby bus
AON1	20:05-20:10	Background	72.3		-	-	-	-	-	-	passby bus
AON1	20:10-20:15	Background	73.2		-	-	-	-	-	-	passby bus

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	1 January 2022 (Saturday)
Noise Monitoring Staff:	Yeung Ping Fai
Temperature:	14 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00175561
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON2	19:45-19:50	Background	61.7	62.6	-	-	-	-	-	-	
AON2	19:50-19:55	Background	61.7								
AON2	19:55-20:00	Background	61.6								
AON2	20:00-20:05	VHK	64.4		1.8	59.6	60.0	YES	YES	-	passby vehicle along Wong Chuk Hang Road
AON2	20:05-20:10	Background	65.6		-	-	-	-	-	-	passby vehicle along Wong Chuk Hang Road
AON2	20:10-20:15	Background	60.6								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	1 January 2022 (Saturday)
Noise Monitoring Staff:	Ho Hiu Wa
Temperature:	14 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00643049
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON3	19:45-19:50	Background	65.0	64.3	-	-	-	-	-	-	passby vehicle
AON3	19:50-19:55	Background	66.3		-	-	-	-	-	-	passby vehicle
AON3	19:55-20:00	Background	64.4		-	-	-	-	-	-	passby vehicle
AON3	20:00-20:05	VHK	62.2		-2.1	Negligible	55.0	YES	YES	-	
AON3	20:05-20:10	Background	62.0		-	-	-	-	-	-	
AON3	20:10-20:15	Background	61.9		-	-	-	-	-	-	

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	1 January 2022 (Saturday)
Noise Monitoring Staff:	Cheng Tse Ho
Temperature:	14 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00331806
Calibrator Model / Identification:	CAL200/ 16172
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON4	19:45-19:50	Background	48.7	51.1	-	-	-	-	-	-	
AON4	19:50-19:55	Background	48.6								
AON4	19:55-20:00	Background	54.8								passby vehicle
AON4	20:00-20:05	VHK	51.0		-0.1	Negligible	55.0	YES	YES	-	
AON4	20:05-20:10	Background	51.5		-	-	-	-	-	-	
AON4	20:10-20:15	Background	47.8								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

Noise Monitoring Field Record Sheet

Project Name / GMS No.:	0540005 OPC Noise Monitoring
Date of Monitoring:	1 January 2022 (Saturday)
Noise Monitoring Staff:	Ho Kam Fat
Temperature:	14 °C
Wind Speed:	<5 m/s
Noise Meter Model / Identification:	Rion-NL52/ 00643040
Calibrator Model / Identification:	CAL200/ 10227
Calibration Level before Measurement (dB(A)):	94.0
Calibration Level after Measurement (dB(A)):	94.0

Measurement Location:	
AON1	Open Area adjacent to Police Training School
AON2	Marriott Hotel
AON3	Woodgreen Estate
AON4	Manly Villa
AON5	Hau Yuen

Measurement Results (dB(A)):

Measurement Location	Time	Background/ With Show	L _{eq, 5min}	Averaged BGL	Noise Level with Show - BGL	BG-corrected ^(a) L _{eq, 5min}	Limit Level	Compliance			Remarks
								NCO (BGL+5)	Limit Level	Not Applicable	
AON5	19:45-19:50	Background	60.0	58.4	-	-	-	-	-	-	
AON5	19:50-19:55	Background	55.2								
AON5	19:55-20:00	Background	57.1								
AON5	20:00-20:05	VHK	57.9		-0.5	Negligible	55.0	YES	YES	-	
AON5	20:05-20:10	Background	59.1								
AON5	20:10-20:15	Background	58.9								

Note:

(a) Impact from the show is considered negligible when measured noise level with the show is lower than measured background noise level.

APPENDIX C PHOTOGRAPHS OF THE MONITORING STATIONS



Appendix C

Open Area adjacent to Police Training School (AON1)

DATE: 04/01/2022

Environmental
Resources
Management





Appendix C

Marriot Hotel, Ocean Park (AON2)

DATE: 04/01/2022

Environmental
Resources
Management









ERM has over 160 offices across the following countries and territories worldwide

Argentina	New Zealand
Australia	Norway
Belgium	Panama
Brazil	Peru
Canada	Poland
China	Portugal
Colombia	Puerto Rico
France	Romania
Germany	Russia
Hong Kong	Singapore
Hungary	South Africa
India	South Korea
Indonesia	Spain
Ireland	Sweden
Italy	Switzerland
Japan	Taiwan
Kazakhstan	Thailand
Kenya	UAE
Malaysia	UK
Mexico	US
Myanmar	Vietnam
The Netherlands	

ERM-Hong Kong, Limited

2509, 25/F One Harbourfront
18 Tak Fung Street
Hunghom
Kowloon
Hong Kong

T: +852 2271 3000

F: +852 3015 8052

www.erm.com