

## Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2016-06-06	AMS5	13:05	1-hr TSP	97	ug/m3
HKLR	HY/2011/03	2016-06-06	AMS5	14:05	1-hr TSP	97	ug/m3
HKLR	HY/2011/03	2016-06-06	AMS5	15:05	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2016-06-10	AMS5	13:17	1-hr TSP	88	ug/m3
HKLR	HY/2011/03	2016-06-10	AMS5	14:17	1-hr TSP	88	ug/m3
HKLR	HY/2011/03	2016-06-10	AMS5	15:17	1-hr TSP	94	ug/m3
HKLR	HY/2011/03	2016-06-16	AMS5	13:05	1-hr TSP	108	ug/m3
HKLR	HY/2011/03	2016-06-16	AMS5	14:05	1-hr TSP	103	ug/m3
HKLR	HY/2011/03	2016-06-16	AMS5	15:05	1-hr TSP	99	ug/m3
HKLR	HY/2011/03	2016-06-22	AMS5	13:03	1-hr TSP	89	ug/m3
HKLR	HY/2011/03	2016-06-22	AMS5	14:03	1-hr TSP	88	ug/m3
HKLR	HY/2011/03	2016-06-22	AMS5	15:03	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2016-06-28	AMS5	13:19	1-hr TSP	86	ug/m3
HKLR	HY/2011/03	2016-06-28	AMS5	14:19	1-hr TSP	89	ug/m3
HKLR	HY/2011/03	2016-06-28	AMS5	15:19	1-hr TSP	91	ug/m3
HKLR	HY/2011/03	2016-07-04	AMS5	13:11	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2016-07-04	AMS5	14:11	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2016-07-04	AMS5	15:11	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2016-07-08	AMS5	09:27	1-hr TSP	174	ug/m3
HKLR	HY/2011/03	2016-07-08	AMS5	10:27	1-hr TSP	205	ug/m3
HKLR	HY/2011/03	2016-07-08	AMS5	11:27	1-hr TSP	194	ug/m3
HKLR	HY/2011/03	2016-07-14	AMS5	14:20	1-hr TSP	106	ug/m3
HKLR	HY/2011/03	2016-07-14	AMS5	15:20	1-hr TSP	105	ug/m3
HKLR	HY/2011/03	2016-07-14	AMS5	16:20	1-hr TSP	421	ug/m3
HKLR	HY/2011/03	2016-07-19	AMS5	13:35	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2016-07-19	AMS5	14:35	1-hr TSP	85	ug/m3
HKLR	HY/2011/03	2016-07-19	AMS5	15:35	1-hr TSP	86	ug/m3
HKLR	HY/2011/03	2016-07-25	AMS5	09:36	1-hr TSP	76	ug/m3
HKLR	HY/2011/03	2016-07-25	AMS5	10:36	1-hr TSP	76	ug/m3
HKLR	HY/2011/03	2016-07-25	AMS5	11:36	1-hr TSP	76	ug/m3
HKLR	HY/2011/03	2016-07-29	AMS5	09:35	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2016-07-29	AMS5	10:35	1-hr TSP	85	ug/m3
HKLR	HY/2011/03	2016-07-29	AMS5	11:35	1-hr TSP	85	ug/m3
HKLR	HY/2011/03	2016-08-04	AMS5	13:43	1-hr TSP	80	ug/m3
HKLR	HY/2011/03	2016-08-04	AMS5	14:43	1-hr TSP	86	ug/m3
HKLR	HY/2011/03	2016-08-04	AMS5	15:43	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2016-08-10	AMS5	13:39	1-hr TSP	75	ug/m3
HKLR	HY/2011/03	2016-08-10	AMS5	14:39	1-hr TSP	76	ug/m3
HKLR	HY/2011/03	2016-08-10	AMS5	15:39	1-hr TSP	80	ug/m3
HKLR	HY/2011/03	2016-08-16	AMS5	13:22	1-hr TSP	97	ug/m3
HKLR	HY/2011/03	2016-08-16	AMS5	14:22	1-hr TSP	104	ug/m3
HKLR	HY/2011/03	2016-08-16	AMS5	15:22	1-hr TSP	101	ug/m3
HKLR	HY/2011/03	2016-08-22	AMS5	09:38	1-hr TSP	99	ug/m3
HKLR	HY/2011/03	2016-08-22	AMS5	10:38	1-hr TSP	96	ug/m3
HKLR	HY/2011/03	2016-08-22	AMS5	11:38	1-hr TSP	96	ug/m3
HKLR	HY/2011/03	2016-08-26	AMS5	09:05	1-hr TSP	99	ug/m3
HKLR	HY/2011/03	2016-08-26	AMS5	10:05	1-hr TSP	91	ug/m3
HKLR	HY/2011/03	2016-08-26	AMS5	11:05	1-hr TSP	85	ug/m3
HKLR	HY/2011/03	2016-06-03	AMS5	See Remark 1	24-hr TSP	See Remark 1	ug/m3
HKLR	HY/2011/03	2016-06-07	AMS5	11:37	24-hr TSP	32	ug/m3
HKLR	HY/2011/03	2016-06-08	AMS5	12:05	24-hr TSP	27	ug/m3
HKLR	HY/2011/03	2016-06-14	AMS5	08:00	24-hr TSP	30	ug/m3
HKLR	HY/2011/03	2016-06-20	AMS5	08:00	24-hr TSP	25	ug/m3
HKLR	HY/2011/03	2016-06-24	AMS5	08:00	24-hr TSP	22	ug/m3
HKLR	HY/2011/03	2016-06-30	AMS5	08:00	24-hr TSP	79	ug/m3
HKLR	HY/2011/03	2016-07-06	AMS5	08:00	24-hr TSP	33	ug/m3
HKLR	HY/2011/03	2016-07-12	AMS5	See Remark 2	24-hr TSP	See Remark 2	ug/m3
HKLR	HY/2011/03	2016-07-14	AMS5	17:11	24-hr TSP	44	ug/m3
HKLR	HY/2011/03	2016-07-18	AMS5	08:00	24-hr TSP	79	ug/m3
HKLR	HY/2011/03	2016-07-22	AMS5	08:00	24-hr TSP	33	ug/m3

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2016-07-28	AMS5	08:00	24-hr TSP	20	ug/m3
HKLR	HY/2011/03	2016-08-03	AMS5	08:00	24-hr TSP	21	ug/m3
HKLR	HY/2011/03	2016-08-09	AMS5	08:00	24-hr TSP	55	ug/m3
HKLR	HY/2011/03	2016-08-15	AMS5	08:00	24-hr TSP	27	ug/m3
HKLR	HY/2011/03	2016-08-19	AMS5	08:00	24-hr TSP	52	ug/m3
HKLR	HY/2011/03	2016-08-25	AMS5	08:00	24-hr TSP	36	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-08-31	AMS5	08:00	24-hr TSP	43	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-06-06	AMS6	09:03	1-hr TSP	91	ug/m3
HKLR	HY/2011/03	2016-06-06	AMS6	10:03	1-hr TSP	100	ug/m3
HKLR	HY/2011/03	2016-06-06	AMS6	11:03	1-hr TSP	89	ug/m3
HKLR	HY/2011/03	2016-06-10	AMS6	09:01	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2016-06-10	AMS6	10:01	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2016-06-10	AMS6	11:01	1-hr TSP	88	ug/m3
HKLR	HY/2011/03	2016-06-16	AMS6	08:49	1-hr TSP	153	ug/m3
HKLR	HY/2011/03	2016-06-16	AMS6	09:49	1-hr TSP	113	ug/m3
HKLR	HY/2011/03	2016-06-16	AMS6	10:49	1-hr TSP	122	ug/m3
HKLR	HY/2011/03	2016-06-22	AMS6	08:59	1-hr TSP	92	ug/m3
HKLR	HY/2011/03	2016-06-22	AMS6	09:59	1-hr TSP	93	ug/m3
HKLR	HY/2011/03	2016-06-22	AMS6	10:59	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2016-06-28	AMS6	08:58	1-hr TSP	92	ug/m3
HKLR	HY/2011/03	2016-06-28	AMS6	09:58	1-hr TSP	91	ug/m3
HKLR	HY/2011/03	2016-06-28	AMS6	10:58	1-hr TSP	86	ug/m3
HKLR	HY/2011/03	2016-07-04	AMS6	09:00	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2016-07-04	AMS6	10:00	1-hr TSP	82	ug/m3
HKLR	HY/2011/03	2016-07-04	AMS6	11:00	1-hr TSP	82	ug/m3
HKLR	HY/2011/03	2016-07-08	AMS6	13:26	1-hr TSP	153	ug/m3
HKLR	HY/2011/03	2016-07-08	AMS6	14:26	1-hr TSP	143	ug/m3
HKLR	HY/2011/03	2016-07-08	AMS6	15:26	1-hr TSP	147	ug/m3
HKLR	HY/2011/03	2016-07-14	AMS6	09:16	1-hr TSP	110	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-07-14	AMS6	10:16	1-hr TSP	110	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-07-14	AMS6	11:16	1-hr TSP	104	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-07-19	AMS6	09:36	1-hr TSP	88	ug/m3
HKLR	HY/2011/03	2016-07-19	AMS6	10:36	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2016-07-19	AMS6	11:36	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2016-07-25	AMS6	13:27	1-hr TSP	80	ug/m3
HKLR	HY/2011/03	2016-07-25	AMS6	14:27	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2016-07-25	AMS6	15:27	1-hr TSP	82	ug/m3
HKLR	HY/2011/03	2016-07-29	AMS6	13:33	1-hr TSP	76	ug/m3
HKLR	HY/2011/03	2016-07-29	AMS6	14:33	1-hr TSP	76	ug/m3
HKLR	HY/2011/03	2016-07-29	AMS6	15:33	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2016-08-04	AMS6	09:36	1-hr TSP	82	ug/m3
HKLR	HY/2011/03	2016-08-04	AMS6	10:36	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2016-08-04	AMS6	11:36	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2016-08-10	AMS6	08:43	1-hr TSP	108	ug/m3
HKLR	HY/2011/03	2016-08-10	AMS6	09:43	1-hr TSP	132	ug/m3
HKLR	HY/2011/03	2016-08-10	AMS6	10:43	1-hr TSP	126	ug/m3
HKLR	HY/2011/03	2016-08-16	AMS6	09:37	1-hr TSP	88	ug/m3
HKLR	HY/2011/03	2016-08-16	AMS6	10:37	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2016-08-16	AMS6	11:37	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2016-08-22	AMS6	13:05	1-hr TSP	92	ug/m3
HKLR	HY/2011/03	2016-08-22	AMS6	14:05	1-hr TSP	92	ug/m3
HKLR	HY/2011/03	2016-08-22	AMS6	15:05	1-hr TSP	89	ug/m3
HKLR	HY/2011/03	2016-08-26	AMS6	13:05	1-hr TSP	95	ug/m3
HKLR	HY/2011/03	2016-08-26	AMS6	14:05	1-hr TSP	110	ug/m3
HKLR	HY/2011/03	2016-08-26	AMS6	15:05	1-hr TSP	136	ug/m3
HKLR	HY/2011/03	2016-06-03	AMS6	08:00	24-hr TSP	63	ug/m3
HKLR	HY/2011/03	2016-06-08	AMS6	08:00	24-hr TSP	34	ug/m3
HKLR	HY/2011/03	2016-06-14	AMS6	08:00	24-hr TSP	42	ug/m3
HKLR	HY/2011/03	2016-06-20	AMS6	08:00	24-hr TSP	39	ug/m3
HKLR	HY/2011/03	2016-06-24	AMS6	08:00	24-hr TSP	51	ug/m3
HKLR	HY/2011/03	2016-06-30	AMS6	08:00	24-hr TSP	26	ug/m3


Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2016-07-06	AMS6	See Remark 3	24-hr TSP	See Remark 3	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-07-13	AMS6	08:00	24-hr TSP	37	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-07-18	AMS6	08:00	24-hr TSP	34	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-07-22	AMS6	08:00	24-hr TSP	39	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-07-28	AMS6	08:00	24-hr TSP	45	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-08-03	AMS6	08:00	24-hr TSP	31	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-08-09	AMS6	08:00	24-hr TSP	66	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-08-15	AMS6	08:00	24-hr TSP	25	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-08-19	AMS6	08:00	24-hr TSP	53	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-08-25	AMS6	08:00	24-hr TSP	64	ug/m <sup>3</sup>
HKLR	HY/2011/03	2016-08-31	AMS6	08:00	24-hr TSP	44	ug/m <sup>3</sup>

Remark:

1. Due to malfunction of HVS at station AMS5 - Ma Wan Chung Village on 3 Jun 2016, the 24-hr TSP monitoring at AMS5 on 3 Jun 2016 was cancelled and rescheduled on 7 Jun 2016.
2. Due to power interruption of HVS at station AMS5, the 24-hr TSP monitoring at AMS5 was rescheduled from 12 July 2016 to 14 July 2016.
3. Due to malfunction of HVS at station AMS6, the 24-hr TSP monitoring on 6 July 2016 was cancelled. The HVS was repaired on 13 July 2016. The 24-hr TSP monitoring at AMS6 was rescheduled from 12 July 2016 to 13 July 2016.


Graphical Plot of 1-hour TSP at AMS5 and AMS6

### Air Quality Monitoring Data (1-hour)



Graphical Plot of 24-hour TSP at AMS5 and AMS6

Air Quality Monitoring Data (24-hour)



Remarks:

- 1) Due to power interruption and malfunction of HVS at station AMS5, the 24-hr TSP monitoring at AMS5 on 30 May 2016 was cancelled.
- 2) Due to power interruption and malfunction of HVS at station AMS5, the 24-hr TSP monitoring at AMS5 on 3 June 2016 was rescheduled to 7 June 2016.
- 3) Due to malfunction of HVS at station AMS6, the 24-hr TSP monitoring on 6 July 2016 was cancelled. The HVS was repaired on 13 July 2016. The 24-hr TSP monitoring at AMS6 was rescheduled from 12 July 2016 to 13 July 2016.
- 4) Due to power interruption of HVS at station AMS5, the 24-hr TSP monitoring at AMS5 was rescheduled from 12 July 2016 to 14 July 2016.