Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

: +852 2450 8233 Tel Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Report No.: 0064/18/ED/0553A

### **QUARTERLY EM&A REPORT**

#### September 2020 – November 2020

Client	:	Civil Engineering and Development Department, HKSAR
Contract No.	:	NDO 03/2018
Contract Name	):	Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)
Report No.	:	0064/18/ED/0553A

Prepared by

**Rex Chow** 

**Reviewed by** 

**Certified by** 

Cyrus Lai

2

2

1

Yorky

David Hung Environmental Team Leader Fugro Technical Services Limited



Acuity Sustainability Consulting Limited – Nature & Technologies (HK) Limited Joint Venture



Our ref: PL-202102024

Unit 1501, Level 15, Tower I, Metroplaza, 223 Hing Fong Road, Kwai Fong, N.T., Hong Kong.

Attention: Miss FUNG Cannifer

10 February 2021

Dear Miss Fung,

### NE/2017/05 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section) Quarterly EM&A Report for September to November 2020

I refer to the email of the ET regarding to the captioned Quarterly EM&A Report with report No. 0064/18/ED/0553A, we have no adverse comment on it and verify this quarterly report according to section 1.9 of the Environmental Permit with Permit No. EP- 463/2013/B

Yours faithfully,

Li Wai Ming Kevin Independent Environmental Checker

cc. CRE – Mr. YU Albert (by email only: albert.yu@aecom.com) CEDD – Mr. YAN Joseph (by email only: jkcyan@cedd.gov.hk)



Date10 February 2021Our Ref.MCL/ED/0064/2021/C

The EIA Ordinance Register Office Environmental Protection Department 27/F, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong Attn: Ms. LAU Yee Ching, Eva

**BY HAND & E-MAIL** 

Dear Ms. Lau,

#### Contract No. NE/2017/05 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

#### Environmental Permit: EP-463/2013B Submission of Quarterly EM&A Report (0064/18/ED/0553A)

Pursuant to Updated EM&A Manual Section 8.7, we hereby submit three hardcopies and two e-copy of the quarterly EM&A Report (0064/18/ED/0553A) for your retention. This quarterly EM&A Report has been certified by ETL and verified by IEC accordingly.

Thank you for your attention, should there be any comments or queries, please contact our Environmental Team Leader David Hung at 3565-4371.

Yours faithfully, for and on behalf of FUGRO TECHNICAL SERVICES LIMITED

David Hung Environmental Team Leader

c.c. CEDD Attn: Mr. Kevin Yip / Ms. Cannifer Fung (by E-mail) AECOM Attn: Mr. Albert Yu / Mr. Jacky Tse / Mr. Andrew Cheng / Mr. Matthew Ma (by E-mail) IEC Attn: Mr. Kevin Li / Mr. Tandy Tse (by E-mail) CCZJV Attn: Mr. Chung Sing Chu / Ms. Kimberly Wong / Mr. Aaron Au (by E-mail)

Encl.

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Report No.: 0064/18/ED/0553A

		CON	TENTS
IADLE		LUN	
	_		

EXE	CUTIVE SU	IMMARY	1
1.	INTRODU	CTION	4
2.	SUMMARY	Y OF EM&A REQUIREMENTS AND MONITORING RESULTS	9
3.	LANDSCA	PE AND VISUAL	14
4.	WASTE M	ANAGEMENT	15
5.	SITE INSP	ECTION	16
6.	ENVIRON	MENTAL COMPLAINT AND NON-COMPLIANCE	18
7.	IMPLEME	NTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES	23
8.	CONCLUS	SIONS	24
FIGU	RES		
	e 1 e 2a e 2b	Project General Layout Air Monitoring Locations Noise Monitoring Locations	
LIST		DICES	

- Appendix A Construction Programme
- Appendix B Project Organization Chart
- Appendix C Action and Limit Levels for Air Quality and Noise
- Appendix D Graphical Presentation of Monitoring Data
- Appendix E Waste Flow Table
- Appendix F Cumulative Statistics on Exceedances, Complaints, Notifications of Summons and Successful Prosecutions
- Appendix G Environmental Mitigation Implementation Schedule (EMIS)



### EXECUTIVE SUMMARY

- i. The Civil Engineering and Development Department HKSAR has appointed Fugro Technical Services Limited (FTS) to undertake the Environmental Team services for the Project and implement the EM&A works.
- ii. This is the 8<sup>th</sup> Quarterly EM&A Report presents the environmental monitoring and audit works for the period between 1 Sep 2020 and 30 Nov 2020. As informed by the Contractor, major activities in the reporting period included:

Date	Zone 1	Zone 2	Zone 3	Zone 4	Zone 5
Sep 2020	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantatio n)</li> <li>Underground utilities diversion</li> <li>Road reinstatement works</li> <li>Mini pile works</li> <li>Construction / diversion of temporary cycle track and footpath</li> <li>Per-drilling works</li> <li>Noise barrier foundation works</li> </ul>	<ul> <li>Underground utilities diversion</li> <li>Road reinstatement works</li> <li>Mini pile works</li> <li>Pile Cap Construction</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Pre bored H-pile works</li> <li>Soldier pile works</li> <li>Mini pile works</li> <li>Pile Cap Construction</li> <li>Noise barrier foundation works</li> <li>Construction of Lagging wall and retaining wall</li> <li>Construction of temporary road for bus terminal</li> <li>Construction of G39 sign gantry footing</li> <li>Cross road duct construction works</li> <li>Pier construction works</li> <li>Bored pile works</li> <li>Construction of G39 sign gantry footing</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation )</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Structural Works for Footbridge NF40 Staircases</li> <li>Foundation works for Footbridge F66</li> <li>Mini Pile works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Construction of Noise Barrier Foundation</li> <li>Construct temporary road and site access</li> <li>Soil replacement works on slopes</li> </ul>
Oct 2020	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantatio n)</li> </ul>	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning /</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning /</li> </ul>

A Fugro Group Company

1

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



	<ul> <li>Underground utilities diversion</li> <li>Mini pile works</li> <li>Per-drilling works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> </ul>	<ul> <li>Underground utilities diversion</li> <li>Mini pile works</li> <li>Per-drilling works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> </ul>	<ul> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Pre bored H-pile works</li> <li>Soldier pile works</li> <li>Mini pile works</li> <li>Pier construction works</li> <li>Bored pile works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> <li>Construction of Lagging wall and retaining wall</li> <li>Construction of temporary road for bus terminal</li> <li>Installation of FRP platform at STRCR</li> </ul>	<ul> <li>Transplantation )</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Demolition works for Footbridge NF40 existing staircases</li> <li>Foundation works for Footbridge NF 66</li> <li>Mini Pile works</li> </ul>	<ul> <li>Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Construction of Noise Barrier Foundation / Pile Cap Works</li> <li>Soil replacement works on slopes</li> <li>Mini Pile works</li> </ul>
Nov 2020	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantatio n)</li> <li>Underground utilities diversion</li> <li>Mini pile works</li> <li>Pre-drilling works</li> <li>Noise barrier foundation works/Pile Cap Works</li> </ul>	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre bored H-pile works</li> <li>Soldier pile works</li> <li>Pier construction works</li> <li>Bored pile works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> <li>Construction of Lagging wall and retaining wall</li> <li>Construction of temporary road for bus terminal</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation )</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Demolition works for Footbridge NF40 existing staircases</li> <li>Foundation works for Footbridge NF 66</li> <li>Mini Pile works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Construction of Noise Barrier Foundation / Pile Cap Works</li> <li>Soil replacement works on slopes</li> <li>Mini Pile works</li> </ul>

### **Breaches of the Action and Limit Levels**

iii. No Action / Limit Level exceedance was recorded for 24-hr and 1-hr TSP at the site area in the reporting quarter.



- iv. Day time construction noise monitoring was carried out in the reporting quarter, no Action / Limit Level exceedance was recorded during the period.
- v. For night time construction noise monitoring, no exceedance cases were recorded between 2300 and 0700 of the next day during the reporting quarter.

### Complaint, Notification of Summons and Successful Prosecution

- vi. Total 5 complaint cases were received during the reporting period. 5 complaint cases were received on 10<sup>th</sup>, 20<sup>th</sup>, 24<sup>th</sup> and 30<sup>th</sup> November from the 1823 and EPD regarding to the noise nuisance, air nuisance and water nuisance. After ET's investigation, the 4 complaint cases received on 20<sup>th</sup>, 24<sup>th</sup> and 30<sup>th</sup> November were considered to be project-related.
- vii. No notification of summons and successful prosecution were received in the reporting period.



#### 1. INTRODUCTION

#### 1.1 Background

- 1.1.1 Contract No. NE/2017/05 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section) (TPR-ST) (hereafter referred as "the Contract"), is the Works Contract involved the construction of road widening and retrofitting noise barriers on TPR-ST.
- 1.1.2 The Works of road widening on TPR-ST is classified as a designated project (DP) under the Part I of Schedule 2 of the Environmental Impact Assessment Ordinance (EIAO) (Cap. 499). The scale and scope of DP is classified as below:
  - Widening and reconstruction of an approximate 1.2 km long of the existing Tai Po Road (Sha Tin Section) from dual 2-lane to dual 3-lane carriageway; and improvement of the existing Sha Tin Rural Committee Road and its junctions.
- 1.1.3 The Environmental Monitoring and Audit (EM&A) programme under this Contract is governed by the Environmental Permit (EP) (EP No: EP-463/2013/B) and the updated EM&A Manual (Reference No.: 0064/18/ED/0122D). The Works to be executed under this Contract and corresponding EPs include but not be limited to the following main items:
  - (i) Road widening works of TPR-ST:
    - (a) widening of TPR-ST of about 1.1 kilometres between Sha Tin Rural Committee Road (STRCR) and Fo Tan Road from dual two-lane to dual three-lane;
    - (b) modification to the existing diamond interchange at TPR-ST / STRCR (STRCR Interchange);
    - (c) provision of two pedestrian lifts, re-provision of staircase and cycle track ramp at the modified STRCR Interchange;
    - (d) modification of existing cycle track subway no. NS30 near Sha Tin Plaza;
    - (e) modification of the existing footbridge no. NF40 across TPR-ST near Wo Che Street;
    - (f) modification of the existing footbridge no. NF66 near Fung Wo Lane;
    - (g) installation of noise mitigation measures between Citylink Plaza and Mei Wo House of Wo Che Estate;
    - (h) associated drainage works, waterworks, street lighting works and traffic control and surveillance system (TCSS).
  - (ii) Retrofitting of noise barriers along TPR-ST:
    - (a) western section between Citylink Plaza and Scenery Court;
    - (b) eastern section between Mei Wo House of Wo Che Estate and Fo Tan Road; and
    - (c) associated drainage works, waterworks and street lighting works.
  - (iii) Associated street furniture, road marking, traffic signs, directional signs, services and utilities, and
  - (iv) Associated landscaping works.
- 1.1.4 The location and boundary of the site is shown in **Figure 1**.
- 1.1.5 This quarterly EM&A report is required under EP-463/2013/B Condition 3.4. It is to report the results and findings of the EM&A programme required in the updated EM&A Manual.



1.1.6 This is the 8<sup>th</sup> quarterly EM&A Report which summarized the impact monitoring results and audit findings for the construction of the road widening and retrofitting noise barriers on Tai Po Road (Sha Tin Section) (TPR-ST) (hereafter referred as "the Project") within the period between 1 Sep 2020 and 30 Nov 2020.

#### 1.2 **Project Organization**

- 1.2.1 The project proponent was the Civil Engineering and Development Department, HKSAR (CEDD). AECOM Asia Co. Ltd. (AECOM) was commissioned by CEDD as the Engineer for the Project. Acuity Sustainability Consulting Limited Nature & Technologies (HK) Limited Joint Venture was commissioned as the Independent Environmental Checker (IEC). China railway China Railway First Group Zhen Hua Engineering Joint Venture (CCZJV) was appointed as the main contractor for the construction works under the contract NE/2017/05. Fugro Technical Services Limited (FTS) was appointed as the Environmental Team (ET) by CEDD to implement the EM&A programme for the Project.
- 1.2.2 The organization structure is shown in **Appendix B**. The key personnel contact names and numbers for the Project are summarized in **Table 1.1**.

Party	Position	Name	Telephone
Project Proponent (CEDD)	Senior Engineer	Ms. Cannifer Fung	3152 3446
Engineer's Representative (AECOM)	Chief Resident Engineer	Mr. Albert Yu	2276 0618
IEC (Acuity Sustainability Consulting Limited – Nature & Technologies (HK) Limited Joint Venture)	Independent Environmental Checker	Mr. Kevin Li	9779 2247
Main Contractor (CCZJV)	Site Agent	Mr. Alvin Chan	9800 9494
	Environmental Officer	Ms. Kimberly Wong	5542 1669
ET (FTS)	Environmental Team Leader	Mr. David Hung	3565 4371

Table 1.1	Contact Information of Key Personnel
-----------	--------------------------------------

#### FUGRO TECHNICAL SERVICES LIMITED Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel Fax : +852 2450 8233 Fax : +852 2450 6138 E-mail : +852 2450 6138



### 1.3 Construction Programme and Activities

1.3.1 The construction of the Project commenced on 29 November 2018 and is expected to complete in 2023. The construction programme is shown in **Appendix A**. A summary of the major construction activities undertaken in the reporting period were:

Date	Zone 1	Zone 2	Zone 3	Zone 4	Zone 5
Sep 2020	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities diversion</li> <li>Road reinstatement works</li> <li>Mini pile works</li> <li>Construction / diversion of temporary cycle track and footpath</li> <li>Per-drilling works</li> <li>Noise barrier foundation works</li> </ul>	<ul> <li>Underground utilities diversion</li> <li>Road reinstatement works</li> <li>Mini pile works</li> <li>Pile Cap Construction</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Pre bored H-pile works</li> <li>Soldier pile works</li> <li>Mini pile works</li> <li>Pile Cap Construction</li> <li>Noise barrier foundation works</li> <li>Construction of Lagging wall and retaining wall</li> <li>Construction of temporary road for bus terminal</li> <li>Construction of G39 sign gantry footing</li> <li>Cross road duct construction works</li> <li>Pier construction works</li> <li>Bored pile works</li> <li>Construction of G39 sign gantry footing</li> <li>Sord pile works</li> <li>Construction of G39 sign gantry footing</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Structural Works for Footbridge NF40 Staircases</li> <li>Foundation works for Footbridge F66</li> <li>Mini Pile works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Construction of Noise Barrier Foundation</li> <li>Construct temporary road and site access</li> <li>Soil replacement works on slopes</li> </ul>
Oct 2020	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities diversion</li> <li>Mini pile works</li> <li>Per-drilling works</li> </ul>	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities diversion</li> <li>Mini pile works</li> <li>Per-drilling works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Pre bored H-pile works</li> <li>Soldier pile works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities detections</li> <li>Underground utilities</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Construction of Noise Barrier</li> </ul>

A Fugro Group Company

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Noise barrier foundation works/ Pile Cap Works	Noise barrier foundation works/ Pile Cap Works	<ul> <li>Mini pile works</li> <li>Pier construction works</li> <li>Bored pile works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> <li>Construction of Lagging wall and retaining wall</li> <li>Construction of temporary road for bus terminal</li> <li>Installation of FRP platform at STRCR</li> </ul>	diversion Demolition works for Footbridge NF40 existing staircases Foundation works for Footbridge N F66 Mini Pile works	Foundation / Pile Cap Works • Soil replacement works on slopes • Mini Pile works
<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities diversion</li> <li>Mini pile works</li> <li>Nov 2020</li> <li>Pre-drilling works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> </ul>	<ul> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre bored H-pile works</li> <li>Soldier pile works</li> <li>Pier construction works</li> <li>Bored pile works</li> <li>Noise barrier foundation works/ Pile Cap Works</li> <li>Construction of Lagging wall and retaining wall</li> <li>Construction of temporary road for bus terminal</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantati on)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Demolition works for Footbridge NF40 existing staircases</li> <li>Foundation works for Footbridge N F66</li> <li>Mini Pile works</li> </ul>	<ul> <li>Trial pits excavation</li> <li>Tree Works (including Preservation / Felling / Pruning / Transplantation)</li> <li>Underground utilities detections</li> <li>Underground utilities diversion</li> <li>Pre-drilling works</li> <li>Construction of Noise Barrier Foundation / Pile Cap Works</li> <li>Soil replacement works on slopes</li> <li>Mini Pile works</li> </ul>

### 1.4 Status of Environmental Licences, Notifications and Permits

1.4.1 A summary of the relevant environmental licenses, permits and/or notifications on environmental protection for this Contract is presented in **Table 1.2**.

Table 1.2 Relevant Environmental Licenses, Permits and/or Notification
--

able 1.2 Relevant Environmental Licenses, Permits and/or Notifications					
Environmental License / Permit / Notification	Reference Number	Valid From	Valid Till		
Environmental Permit for whole project	EP-463/2013/B	20/12/2016	Nil		
Receipt of the notification of construction dust production	Form NA	27/7/2018	Nil		
Construction Waste Disposal Account	7031619	17/8/2018	Nil		

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Environmental License / Permit / Notification	Reference Number	Valid From	Valid Till
Chemical Waste Producer Registration	5318-758-C4314-01	06/11/2018	Nil
Effluent Discharge License (Zone 1 – Zone 5)	WT00032446-2018	09/11/2018	30/11/2023
· · · · · · · · · · · · · · · · · · ·	GW-RN0480-20	01/08/2020	24/09/2020
Construction Noise Permit for Road	GW-RN0561-20	10/08/2020	09/11/2020
Closure works at restricted hours	GW-RN0636-20	14/09/2020	30/11/2020
	GW-RN0798-20	12/11/2020	11/5/2021
	GW-RN0799-20	12/11/2020	19/1/2021

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company A Fugro Group Company



#### 2. SUMMARY OF EM&A REQUIREMENTS AND MONITORING RESULTS

#### 2.1 Monitoring Requirement

2.1.1 In accordance with the updated EM&A Manuals, 24-hour & 1-hour Total Suspended Particulates (TSP) level and Leq (30min) at the designated monitoring stations is required. Impact 24-hour and 1-hour TSP monitoring should be carried out at least once every 6 days. Leq (30min) monitoring is conducted for at least once a week during the construction phase between 0700 and 1900 on normal weekdays. The Action and Limit Levels of the air quality monitoring and noise monitoring are given in **Appendix C**.

#### 2.2 Monitoring Locations

2.2.1 The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works. The most updated locations are summarized in **Table 2.1** and shown in **Figure 2a**.

Reporting Period	Monitoring Station	Location	Land uses
	AMS 2	Villa Le Parc	Residential
Son 2020	AMS 6	Shatin Plaza	Residential
Sep 2020	AMS 7A	Sheung Wo Che	Residential Village
	AMS 13	Fung Wo Estate	Residential
	AMS 5	Tin Liu	Residential Village
Oct 2020	AMS 8	Lek Yuen Estate	Residential
001 2020	AMS 10	Shatin Police Station	Office
	AMS 11A	Sheung Wo Che	Residential Village
	AMS 6	Shatin Plaza	Residential
Nov 2020	AMS 8	Lek Yuen Estate	Residential
1100 2020	AMS 11A	Sheung Wo Che	Residential Village
	AMS 13	Fung Wo Estate	Residential

Table 2.1 Location of Air Quality Monitoring

2.2.2 According to the updated EM&A Manual, 25 noise monitoring locations were included during the noise monitoring. The most updated locations are summarized in **Table 2.2** and shown in **Figure 2b**.

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Monitoring	Location	Land Uses	Type of
Station			Measurement
NMS1	Scenery Court	Residential	Façade
NMS2	Villa Le Parc	Residential	Façade
NMS3	Hilton Plaza	Residential	Façade
NMS4	Tin Liu	Residential Village	Façade
NMS5A	Wai Wah Centre	Residential	Façade
NMS6A	Wai Wah Centre	Residential	Façade
NMS7	Tin Liu	Residential Village	Façade
NMS8	Shatin Plaza	Residential	Façade
NMS9	Lek Yuen Estate	Residential	Façade
NMS10A	Shatin Tsung Tsin School	School	Façade
NMS11	Sheung Wo Che	Residential Village	Façade
NMS12	SKH Holy Spirit Primary School	School	Façade
NMS13	Lek Yuen Estate	Residential	Façade
NMS14	Sheung Wo Che	Residential Village	Façade
NMS15	Ha Wo Che	Residential Village	Façade
NMS16	Ha Wo Che	Residential Village	Façade
NMS17	Shatin Pui Ying College	School	Façade
NMS18	Ha Wo Che	Residential Village	Façade
NMS19	Wo Che Estate	Residential	Façade
NMS20	Wo Che Estate	Residential	Façade
NMS23	Pai Tau	Residential Village	Façade
NMS24	Shatin Plaza	Residential	Façade
NMS25A	Sheung Wo Che	Residential Village	Façade
NMS26	Wo Che Estate	Residential	Façade
NMS27	Jockey Club Ti-I College	School	Façade

#### Table 2.2 Location of Noise Monitoring Station

#### 2.3 Results and Observations

2.3.1 No Action and Limit Level exceedance for 24-hr & 1-hr TSP was recorded in the reporting period at all monitoring stations. The monitoring data of 24-hr and 1-hr TSP are summarized in **Table 2.3 and 2.4.** Graphical presentation of the monitoring data in the reporting period is presented in **Appendix D**.



Monitoring	24-hr TSP (	μg/m³) in Repor	ting Period	Average	Action Level	Limit Level
Station	Sep 2020	Oct 2020	Nov 2020	(µg/m³)	$(\mu g/m^3)$	(µg/ m <sup>3</sup> )
AMS 2	32 - 55	-	-	45	166	
AMS 5	-	62 - 77	-	70	156	
AMS 6	37 - 60	-	43 - 57	51	165	
AMS7A	39 - 59	-	-	52	171	260
AMS 8	-	67 - 73	49 - 54	62	161	200
AMS 10	-	72 - 82	-	76	155	
AMS 11A	-	78 - 86	50 - 57	69	165	
AMS 13	37 - 63	-	49 - 62	54	174	

### Table 2.3 Summary of 24-hr TSP Monitoring Results

#### Table 2.4 Summary of 1-hr TSP Monitoring Results

Monitoring	1-hr TSP (j	ug/m³) in Report	Average	Action Level	Limit Level	
Station	ation Sep 2020 Oct 2020 Nov 2020 (µg/		(µg/m³)	$(\mu g/m^3)$	(µg/ m <sup>3</sup> )	
AMS 2	32-69	-	-	51	324	
AMS 5	-	63-92	-	79	340	
AMS 6	37-69	-	50 - 70	57	347	
AMS7A	35-70	-	-	56	344	260
AMS 8	-	63-82	61 - 72	71	336	200
AMS 10	-	67-96	-	79	330	
AMS 11A	-	74-96	57 - 69	75	335	
AMS 13	39-79	-	56 -77	63	303	

2.3.2 No Action / Limit Level exceedance for day time construction noise monitoring was recorded in the reporting period at all monitoring stations. The results are summarized in Table 2.5. Graphical presentation of the monitoring data in the reporting period is presented in Appendix D.

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Table 2.5 Summary of Day Time Noise Impact Monitoring Results							
Monitoring		Leq <sub>(30min)</sub> Limit					
Station	Sep 2020	Oct 2020	Nov 2020	Level, dB(A)			
NMS1	58.6 - 64.0	64.7 - 67.2	61.6 – 66.2	75			
NMS2	55.8 - 56.7	61.7 – 64.0	54.2 – 56.2	75			
NMS3	57.8 - 68.8	67.8 – 68.7	70.4 – 71.3	75			
NMS4	66.9 - 68.1	66.9 - 67.7	66.0 - 67.4	75			
NMS5A	69.3 - 73.2	66.9 - 68.7	67.8 – 73.8	75			
NMS6A	68.7 – 73.4	67.5 – 69.3	69.2 – 72.2	75			
NMS7	63.6 - 73.7	66.3 – 68.1	69.7 – 73.2	75			
NMS8	66.3 - 68.1	69.4 – 71.2	65.8 – 71.0	75			
NMS9	59.2 - 65.5	69.4 – 71.1	61.3 – 71.6	75			
NMS10A	62.0 - 64.8	65.6 - 67.3	59.3 – 64.1	70*			
NMS11	65.8 - 68.6	66.3 - 68.0	63.1 – 64.5	75			
NMS12	63.6 - 67.4	63.5 – 65.2	60.2 - 64.3	70*			
NMS13	62.5 - 68.7	63.6 – 65.4	57.7 – 70.1	75			
NMS14	62.2 - 65.5	65.1 – 66.9	57.2 – 66.2	75			
NMS15	62.7 – 67.5	67.6 – 70.1	63.1 – 66.4	75			
NMS16	61.3 – 65.0	66.1 – 67.9	63.0 – 65.2	75			
NMS17	64.0 - 64.8	64.1 – 65.9	59.1 – 64.4	70*			
NMS18	59.7 – 65.8	64.9 - 66.7	61.8 – 63.8	75			
NMS19	66.1 - 68.8	65.6 - 67.4	58.6 - 68.4	75			
NMS20	67.0 – 71.8	66.4 - 68.2	60.3 - 69.6	75			
NMS23	62.2 - 69.4	66.1 – 67.9	66.2 - 67.7	75			
NMS24	66.6 - 68.8	67.6 – 69.4	58.2 - 69.2	75			
NMS25A	72.2 – 73.0	67.6 – 69.4	64.6 – 71.5	75			
NMS26	71.6 – 74.4	69.9 – 71.7	67.4 – 68.1	75			
NMS27	61.6 – 67.2	65.6 – 67.4	63.9 – 64.5	70*			

Note: 1. Leq (30min) was measured at day-time (0700-1900) on normal weekdays.

2. 70 dB(A) for schools and 65 dB(A) for schools during examination period. Exam schedules of NMS 10A, NMS12, NMS 17 and NMS 27 are provided in the monthly report for reference.

<b>FUGRO TECHNICAL</b>	SERVICES LIMITED
Fugro Development Centre,	Tel : +852 2450 8233
5 Lok Yi Street, Tai Lam,	Fax : +852 2450 6138
Tuen Mun, N.T.,	E-mail : matlab@fugro.com
Hong Kong.	Website : www.fugro.com

2)



2.3.3 According to the Monthly EM&A reports, no exceedance case was recorded between 2300 and 0700 of the next day during the reporting month. The results are summarized in Table 2.6.

Table 2.6	Table 2.6         Summary of Night Time Noise Impact Monitoring Results (2300 – 0700)								
Monitoring	Leq Range	e ,dB(A) in Report	ing Period	Baseline	Leq Limit				
Station	Sep 2020	Oct 2020	Nov 2020	Level, dB(A)	Level, dB(A)				
NMS 1	55.8 – 58.1	54.9 - 56.0	55.4 – 57.2	61.4	55				
NMS 2	47.5 – 54.3	49.2 - 52.8	49.6 - 52.2	49.7	55				
NMS 3	62.6 - 63.7	59.2 - 62.5	62.3 - 62.8	70.9	55				
NMS 4	55.9 - 58.2	55.5 – 57.8	57.1 – 57.5	62.6	55				
NMS 5A	61.7 – 65.7	60.7 – 61.4	59.5 - 60.9	67.9	55				
NMS 6A	66.3 – 70.7	67.2 – 68.0	67.8 – 69.1	71.5	55				
NMS 7	45.8 – 58.5 <sup>[2]</sup>	58.4 – 58.9	38.1 – 58.9 <sup>[2]</sup>	59.0	55				
NMS 8	57.5 – 60.3	57.2 – 58.1	57.9 – 58.2	64.4	55				
		$54.1 - 54.2^{[2]}$	512 - 550	E 2 E	EE				

NMS 8	57.5 – 60.3	57.2 – 58.1	57.9 – 58.2	64.4	55
NMS 9	50.5 – 54.0 <sup>[2]</sup>	54.1 – 54.2 <sup>[2]</sup>	54.2 – 55.0	53.5	55
NMS 11	50.7 - 54.8[2]	51.3 – 54.6 <sup>[2]</sup>	53.1 – 54.8 <sup>[2]</sup>	53.2	55
NMS 13	51.9 – 54.9 <sup>[2]</sup>	46.6 – 57.2 <sup>[2]</sup>	47.6 – 56.6 <sup>[2]</sup>	57.3	55
NMS 14	52.7 – 54.2 <sup>[2]</sup>	52.5 – 55.0 <sup>[2]</sup>	52.0 – 54.8 <sup>[2]</sup>	54.1	55
NMS 15	57.3 - 58.8	42.1 – 58.3 <sup>[2]</sup>	54.3 – 58.8 <sup>[2]</sup>	58.8	55
NMS 16	51.0 – 59.8 <sup>[2]</sup>	46.9 - 59.7 <sup>[2]</sup>	57.2 – 59.3	60.1	55
NMS 18	57.6 - 60.2	56.6 - 60.5	57.1 – 61.0	63.2	55
NMS 19	58.0 - 59.4	57.6 – 59.2	58.2 – 59.8	61.7	55
NMS 20	48.3 - 57.7 <sup>[2]</sup>	49.9 - 53.7 <sup>[2]</sup>	53.5 – 54.9 <sup>[2]</sup>	57.7	55
NMS 23	56.6 - 59.4	52.4 – 59.4 <sup>[2]</sup>	58.4 – 59.9	59.9	55
NMS 24	48.2 - 54.9[2]	47.5 - 57.9 <sup>[2]</sup>	48.8 - 57.4 <sup>[2]</sup>	58.0	55
NMS 25A	56.7 – 57.9	47.0 - 59.1 <sup>[2]</sup>	58.7 – 59.2	59.7	55
NMS 26	58.2 - 59.7	58.2 – 60.2 <sup>[2]</sup>	60.0 - 60.2	61.2	55

Note: 1) Leq (15min) was measured at night-time (2300-0700).

When the Average Measured Noise Level is greater than Limit Level and baseline level, Average Construction Noise Level (CNL) will be applied, where Calculated CNL = Measured Noise Level during operation - Baseline

- No raining and wind with speed over 5 m/s was observed during noise monitoring according to 2.3.4 the onsite observation.
- 2.3.5 During the reporting period, major dust sources including trial pits excavation and bore piling were observed in the site. Other factors such as road traffic along Tai Po Road may affect the monitoring results. Major noise sources including road traffic along Tai Po Road was observed which may affect the monitoring results.



### 3. LANDSCAPE AND VISUAL

#### 3.1 Results and Observations

- 3.1.1 Site audits were carried out to monitor and audit the implementation of landscape and visual mitigation measures.
- 3.1.2 No non-compliance was recorded in the weekly Site audits in the reporting period.
- 3.1.3 Observations and recommendations during site audits are summarized in **Table 5.1**.



#### 4. WASTE MANAGEMENT

#### 4.1 Results and Observations

- 4.1.1 C&D materials and wastes sorting were carried out on site. Receptacles were available for C&D wastes and general refuse collection.
- 4.1.2 The amount of wastes generated by the site activities in the reporting period is shown in **Appendix E**.
- 4.1.3 The Contractor is advised to properly maintain on site C&D materials and wastes collection, sorting and recording system and maximize reuse / recycle of C&D materials and wastes. The Contractor is reminded to properly maintain the site tidiness and dispose of the wastes accumulated on site regularly and properly.
- 4.1.4 The Contractor is reminded that chemical waste containers should be properly treated and stored temporarily in designated chemical waste storage area on site in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.



#### 5. SITE INSPECTION

#### 5.1 Site Inspection

- 5.1.1 Site inspections were carried out weekly to monitor the implementation of proper environmental pollution control and mitigation measures for the Project. A summary of the mitigation measures implementation schedule is provided in **Appendix G**.
- 5.1.2 In the reporting quarter, 13 site inspections were carried out. 3 of them were the joint inspections with the IEC, ER, the Contractor and the ET.
- 5.1.3 All the follow-up actions requested by Contractor's ET and IEC during the site inspections were completed as reported by the Contractor. No outstanding issues were reported during the reporting period.
- 5.1.4 Details of observations recorded during the site inspections are presented in **Table 5.1**.

Parameters	Date	Observations and Recommendations	Follow-up
	17 Sep 2020	Observation:           1.         Check and maintain the air compressor to prevent smoky emission (RW7).           Reminder:         I.           1.         Properly cover the excavated material to prevent washing of silty material to storm drains (Zone 3).	1. No smoke is emitted after checking and maintenance
Air Quality	8 Oct 2020	Observation:           1.         NRMM label should be shown on machine due to the requirement of APAR.           Reminder:         .           1.         Waste should be cleared regularly at Work Area B to maintain good site condition.	<ol> <li>NRMM label should be shown on machine due to the requirement of APCR.</li> </ol>
	15 Oct 2020	Observation:           1.         To cover the stockpile of excavated materials. (Zone 2)	1. (Zone 2) Stockpile have been cover properly.
	5 Nov 2020	<b>Observation:</b> 1. NRMM label should be shown on machine at Zone 1 to fulfil requirement of APO.	1. NRMM label has been affixed. (Zone 1)
	17 Nov 2020 (ad hoc)	Reminder: 1. The frequency of water spray shall be increased for unpaved area to reduce the dust impact. (Zone 1)	-
Noise	No spec	ific observation was identified in the reporting quarter.	•
	3 Sep 2020	Reminder:         1.       The contractor was reminded to regularly clear the silty deposit in the U channel to ensure drainage capacity and discharge quality (Zone 3).         2.       The contractor was reminded to desilt the sedimentation tank regularly. (Zone 3).	-
	8 Sep 2020	Observation:         1.       De-silt the U channel to prevent discharge being contaminated (Zone 4).         2.       Provide mitigation measure such as bunding/sandbag with geotextile at the sides of gullies to prevent runoff to public drain (Zone 4).         3.       Clear deposit and silty water in the U channel to water treatment facility (Zone 5 S02).	1.       (Zone 4) U channel was cleared.         2.       (Zone 4) Prevention measure was provided.         3.       (Zone 5) U channel was cleared
Water Quality	17 Sep 2020	Observation:           1.         To clean up silty material in the intercepting channel and prevent discharge of contaminated surface runoff (Zone 3).           2.         Desilt the sedimentation tank to maintain its functioning capacity in avoiding overflow or discharge of untreated effluent (S06, Zone 3).	1.(Zone 3)Uchannelwascleared.2.(Zone 3)Settlementwascleared.
	24 Sep 2020	Observation:         1.       The sedimentation tank should be cleaned out. (Zone 3)         2.       Illegal discharge of washing machine is prohibited. (Zone 3)         3.       Sandbags/ earth bunds should be provided in slope as temporary treatment to prevent sand/water leakage. (Zone 3)	<ol> <li>(Zone 3) Settlement was cleared.</li> <li>(Zone 3) Hoses connect to washing machine have been removed.</li> </ol>
	29 Sep 2020	Reminder:           1.         Sand bags or bunds should be provided to prevent sand leakage. (Zone 3)	-
	15 Oct	Reminder:	-

 Table 5.1
 Observations and Recommendations of Site Audit

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Parameters	Date	Observations and Recommendations	Follow-up
	2020	1. To clean up the sedimentation tank regularly to avoid overflow. (Zone 3 S06)	
	22 Oct 2020	Reminder:           1.         Sedimentation tank should be clear regularly at Zone 3.	-
	29 Oct 2020	Observation: 1. Waste water should be treated before discharge, prevent discharge of muddy water. (Zone 5) Reminder: 1. Desilt the u-channel regularly. (Zone 4)	<ol> <li>(Zone 5) Wastewater (pipe has been connected to sedimentatio tank properly before discharge.</li> </ol>
	5 Nov 2020	Observation:     1. Stagnant water should be cleared at Zone 1.	1. Stagnant water was cleared. (Zone 1).
	12 Nov 2020	<b>Observation:</b> 1. Drainage shall be cleaned regularly to prevent sludge leakage. (Zone 4, NF40)	1. Drainage has been cleared. (Zone 1)
	19 Nov 2020	Observation: 1. Sediment of Sedimentation rank should be cleared regularly to ensure the quality of treated water at Zone 3. Reminder: 1. Contractor was reminded to prevent water leakage outside site boundary at Zone 2.	1. Sedimentation Tank has been cleared (Zone 3).
	3 Sep 2020	Observation:           1.         Provide drip tray or proper storage of the chemicals to avoid accidental spillage (Zone 3).	1. (Zone 3) Prevention measur have been provided
	8 Sep 2020	Reminder:           1.         Recycle the scrap sheet pile / metal and regularly dispose the tree waste (Zone 5).	-
	24 Sep 2020	Observation:           1.         Stain water in drip tray should be cleared. (Zone 3)	1. (Zone 3) Stagnant water wat
	29 Sep 2020	Observation: 1. General refuse should be collected and stored to maintain good site condition. (Zone 3)	1. (Zone 3) Debris has bee cleared
	15 Oct 2020	Observation: 1. Clear the stagnant water in the drip tray for power pack. (Zone 3 S06)	1. (Zone 3) Stagnant water wa cleared.
	22 Oct 2020	Observation:         1.       General waste in drip tray should be clear at Zone 3 to maintain good site condition.         2.       Stagnant water and oil in drip tray should be clear regularly at Zone 3 to prevent spill over.	1.       (Zone 3) Stagnant water without oil in drip tray was cleared.         2.       (Zone 3) General Waster drip tray have been removed.
Chemical and Waste Management	29 Oct 2020	Observation:           1.         Provide trip tray for chemical /fuel oil near the air compressor. (Zone 4)           2.         Replace/ repair the drip tray to provide proper mitigation for preventing chemical spillage. (Zone 5)	1.     (Zone 5) Chemical drum have been removed.       2.     (Zone 5) Drip tray has bee repaired.
	5 Nov 2020	Observations: 1. General waste should be cleared to maintain good site practice at works area B. 2. Drip tray should be provided under chemical containers at Zone 1 to prevent chemical pollution to environment if there any leakage.	1. Debris has been removed (Works Are B)     2. Container has been provided to preve leakage. (Zone 1)
	19 Nov 2020	Observations: 1. Drip Tray should be provided for chemical containers to prevent chemical pollution when leakage occur at Zone 3. 2. Sand bags or border should be provided to prevent sludge leakage outside to the site boundary at Zone 3.	<ol> <li>Chemical drums have been removed.</li> <li>Prevention measures (cover) hav been provided to avoid leakage stockpile. (Zone 3).</li> </ol>
	26 Nov 2020	<ul> <li>Observations:</li> <li>1. Provide mitigation measure, such as drip tray, for the chemicals containers to prevent spillage.</li> <li>2. Replace the broken sandbags and enhance mitigation measures to prevent leakage of silty material outside boundary (Zone 4).</li> <li>3. Remove the stack of excavated material to avoid leakage out of boundary (Zone 4).</li> <li>4. Remove the stagnant water mixed with oil inside the drip tray and provide a plug for the tray as circled (Zone 3).</li> </ul>	<ol> <li>Chemical Drums have been removed. (Zone 4)</li> <li>Broken sandbag has been replaced. (Zone 4)</li> <li>Prevention measures (border) have been provided to avoid leakage of stockpile. (Zone 4)</li> <li>Stagnant Oily water was cleared and plug has been provided. (Zone 3)</li> </ol>
Land Contamination	No defic	iency was found during the reporting quarter.	
Landscape and Visual Impact	No defic	iency was found during the reporting quarter.	
General Condition	No defic	iency was found during the reporting quarter.	
Permit / Licenses	15 Oct 2020	Observation: 1. To displace the complete set of CNP at site entrance. (Zone 3)	1. (Zone 3) Complete set c CNP have been displayed at sit entrance



#### 6. ENVIRONMENTAL COMPLAINT AND NON-COMPLIANCE

#### 6.1 Environmental Exceedance

- 6.1.1 No project-related Action and Limit Level exceedance for 24-hr & 1-hr TSP and day time noise was recorded in the reporting period at all monitoring stations.
- 6.1.2 For night time construction noise monitoring, no exceedance case was recorded between 2300 and 0700 of the next day during the reporting quarter. Number of exceedance in the reporting period was summarized in **Table 6.1** and **6.2**.

Monitor	ing		Number of exceedance in the reporting period									
Monitoring Station			24-hour T	TSP		1-hour T	rsp					
		Sep 2020	Oct 2020	Nov 2020	Total	Sep 2020	Oct 2020	Nov 2020	Total			
AMS 2	AL	0	-	-	0	0	-	-	0			
AIVIS Z	LL	0	-	-	0	0	-	-	0			
AMS 5	AL	-	0	-	0	-	0	-	0			
AIVIS 5	LL	-	0	-	0	-	0	-	0			
AMS 6	AL	0	-	0	0	0	-	0	0			
AIVIS 0	LL	0	-	0	0	0	-	0	0			
AMS7A	AL	0	-	-	0	0	-	-	0			
AIVISTA	LL	0	-	-	0	0	-	-	0			
AMS 8	AL	-	0	0	0	-	0	0	0			
AIVIS 0	LL	-	0	0	0	-	0	0	0			
AMS 10	AL	-	0	-	0	-	0	-	0			
AIVIS TU	LL	-	0	-	0	-	0	-	0			
AMS	AL	-	0	0	0	-	0	0	0			
11A	LL	-	-0	0	0	-	-0	0	0			
AMS 13	AL	0	-	0		0	-	0				
	LL	0	-	0		0	-	0				
Total	AL	0	0	0	0	0	0	0	0			
Total	LL	0	0	0	0	0	0	0	0			

#### Table 6.1 Summary of Exceedance of Dust Monitoring in Reporting Period

#### FUGRO TECHNICAL SERVICES LIMITED Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel Fax

: +852 2450 8233 : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



#### Table 6.2 Summary of Exceedance of Daytime Noise Monitoring in Reporting Period

wonitor	Number of exceedance in the reporting period						
Monitoring Station <sup>1</sup>			Tatal				
Station	n	Sep 2020	Leq (30min) dB(A) Oct 2020	Nov 2020	Total		
	AL	0	0	0	0		
NMS 1	LL	0	0	0	0		
NMS 2	AL	0	0	0	0		
	LL	0	0	0	0		
NMS 3 AL		0	0	0	0		
ININIS 3 LL		0	0	0	0		
NMS 4	AL	0	0	0	0		
	LL	0	0	0	0		
NMS 5A	AL	0	0	0	0		
		0	0	0	0		
NMS 6A	AL LL	0 0	0	0	0		
		0	0	0	0		
NMS 7	AL LL	0	0	0	0		
l I	AL	0	0	0	0		
NMS 8		0	0	0	0		
	AL	0	0	0	0		
NMS 9	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 10A	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 11	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 12	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 13	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 14	LL	0	0	0	0		
NMS 15	AL	0	0	0	0		
	LL	0	0	0	0		
NMS 16	AL	0	0	0	0		
	LL	0	0	0	0		
NMS 17	AL	0	0	0	0		
	LL	0	0	0	0		
NMS 18	AL	0	0	0	0		
	LL	0	0	0	0		
NMS 19	AL	0	0	0	0		
		0 0	0	0	0		
NMS 20	AL LL	0	0	0	0		
	AL	0	0	0	0		
NMS 23		0	0	0	0		
	AL	0	0	0	0		
NMS 24	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 25A	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 26	LL	0	0	0	0		
	AL	0	0	0	0		
NMS 27	LL	0	0	0	0		
Tatal	AL	0	0	0	0		
Total	LL	0	0	0	0		





Period						
Monitoring	Number of exceedance in the reporting period					
Monitoring Station <sup>1</sup>	Leq (15min) dB(A)			Total		
	Sep 2020	Oct 2020	Nov 2020	Total		
NMS 1	0	0	0	0		
NMS 2	0	0	0	0		
NMS 3	0	0	0	0		
NMS 4	0	0	0	0		
NMS 5A	0	0	0	0		
NMS 6A	0	0	0	0		
NMS 7	0	0	0	0		
NMS 8	0	0	0	0		
NMS 9	0	0	0	0		
NMS 11	0	0	0	0		
NMS 13	0	0	0	0		
NMS 14	0	0	0	0		
NMS 15	0	0	0	0		
NMS 16	0	0	0	0		
NMS 18	0	0	0	0		
NMS 19	0	0	0	0		
NMS 20	0	0	0	0		
NMS 23	0	0	0	0		
NMS 24	0	0	0	0		
NMS 25A	0	0	0	0		
NMS 26	0	0	0	0		
Total	0	0	0	0		

#### Table 6.3 Summary of Exceedance of Night-time Noise Monitoring in Reporting Devied

# FUGRO TECHNICAL SERVICES LIMITED Fugro Development Centre, Tel : +852 2450 8233 5 Lok Yi Street, Tai Lam, Fax : +852 2450 6138 Tuen Mun, N.T., E-mail : matlab@fugro.com Hong Kong. Website: : www.fugro.com



#### 6.2 Complaints, Notification of Summons and Prosecution

- 6.2.1 Total 5 complaint cases were received during the reporting period. 5 complaint cases were received on 10<sup>th</sup>, 20<sup>th</sup>, 24<sup>th</sup> and 30<sup>th</sup> November from the 1823 and EPD regarding to the noise nuisance, air nuisance and water nuisance. After ET's investigation, the 4 complaint cases received on 20<sup>th</sup>, 24<sup>th</sup> and 30<sup>th</sup> November were considered to be project-related.
- The complainant on 10<sup>th</sup> November 2020 complained about water discharge onto the traffic 6.2.2 lanes of Northbound towards Sha Tin Section of Tai Po Highway. According to the Main Contractor, there is one active site access located at Zone 1 (R1) near Pai Tau, site access no. is N02. Restricted opening hours of the site access Zone 1 (R1) is between 10:00 to 16:00. The operation which might be related to the complaint was water flow from water-filled barriers before the opening of site access and no water spilling onto the traffic lanes from the access area of Zone 1 (R1). The released water was directed towards to the work areas facing Zone 1 (R1) and no water was flowed towards the high-speed road or traffic lanes. ET conducted adhoc site inspection on 17th November 2020. ET had no particular findings related to the complaint and conducted trial to open the bottom of the water barrier valve for testing and checking on the water flow to the construction site at Zone 1. Contractor performed well on environmental preventive measures for soil or silt leakage protection as impervious sheet with sand bags had been provided at the site boundary of Zone 3. ET analyzed that released water was directed towards to the work areas facing Zone 1 (R1) and no water was flowed towards the high-speed road or traffic lanes.
- The complainant on via ICC1823 on 20th November 2020 complained about the noise 6.2.3 generated from the night-time asphalt laying construction works between Sha Tin Station and nearby Wo Che Estate. Although the main contractor no work at zone 5, but the major nighttime construction works was road surface remedial work which was related to the complainant concerned. According to the Main Contractor, the major construction works was road surface remedial work since 19th November 2020 conducted at restricted hours along zone 3 to zone 4 north bound of Tai Po Road Sha Tin section. 3.20 No exceedance cases were found on ET regular night-time noise monitoring measurement (Appendix F) at all noise monitoring stations. Contractor placed acoustic enclosure "SilentCUBE" with four sides and a top cover at asphalt removal works to mitigate. The Main Contractor was reminded to pay attention to CNP other condition 3.d.3, the electric hand-held breaker shall only be used for carrying out construction work between 22:00 - 23:30 hours. It is prohibited to use the electric hand-held breaker beyond the CNP condition 3.d.3 stated that the using limitation on 23:30. The Main Contractor was reminded to re-arrange their proposed night-time construction activities to fulfill the complainant expectation that noise emitting work should be paused during 00:00 to 06:00 sleeping time.
- 6.2.4 According to EPD Mr. Bryan Kwok, EPD carried out a site inspection on 24<sup>th</sup> November 2020, revealing that muddy effluent was discharged from an outfall at Fo Tan near Jockey Club Ti-l College while construction work of the abovementioned project site at Zone 5 opposite to Wo Che Estate was in progress. EPD team inspected the condition of waste water treatment facilities on site (slope F133) and observed that the water in the first and second sedimentation tanks was muddy; muddy water was observed at the outlet level of the Wetsep (waste water treatment plant) though there was no discharge and piling works at the time. EPD team reminded the Main Contractor that effluent does not complied with the discharge license standard should NOT be allowed to discharge. The waste water treatment system should be improved and maintained to ensure the effluent discharge standard. EPD team requested in both works area of Slope F133 and Slope F163 the Main Contractor to locate the network of drainage, connecting manhole(s) and downstream manhole, check if any presence



of muddy materials and clear-out. The main contractor was reminded to strictly follow and fully comply with the water discharge license (WT00032446-2018) conditions and the mitigation measures stipulated in the EM&A Manual for effluent discharge on the wastewater treatment system.

- 6.2.5 According to the complainant, the dust nuisance concerned at day time was at the slip road to Fo Tan Road near Lok King Street near Zone 5 works area. According to the Main Contractor, the major day time construction works at Zone 5 works area in November were mini-piling works and slope works of soil replacement. Regular movement of vehicle for transportation was also carried out on site. Thus, the complaint was considered to be related to the project. ET conducted regular day-time air guality monitoring in November 2020 and on the 3rd December 2020 at selected air monitoring stations AMS6, 8, 11A & 13 and AMS5, 4A, 7A & 12 respectively. The two air quality monitoring stations closed to the works area at zone 5 (where the complainant concerned of dust nuisance) were AMS12 and AM13; and AMS13 locate nearest to Zone 5. The ET regular air quality results measured at AMS13 and AM12 in November 2020 and on the 3rd December 2020 show that there was no exceedance case found in air quality monitoring measurement and the results were all below the action level. The Main Contractor was reminded to enhance the mitigation measures in dust control such as increase the water spray frequency at the construction site to suppress dust emission. The Main Contractor proposed to properly maintain the coverings on exposed slopes and keep them in good condition for minimizing dust impact. The Main Contractor proposed to frequently spraying of haul road especially at area where active movement of vehicles and pave the haul road where necessary to reduce dust impact.
- 6.2.6 No notification of summons or prosecution was received in the reporting period.
- 6.2.7 Cumulative complaint log, summaries of complaints, notification of summons and successful prosecutions are presented in **Appendix F**.



### 7. IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES

#### 7.1 Implementation Status

7.1.1 The Contractor has implemented environmental mitigation measures and requirements as stated in the EIA Reports, the EP and the EM&A Manuals. The implementation status of the mitigation measures during the reporting period is summarized in **Appendix G**.



### 8. CONCLUSIONS

- 8.1.1 No Action and Limit Level exceedance for 24-hr & 1-hr TSP was recorded in the reporting period at all monitoring stations.
- 8.1.2 Day time construction noise monitoring was carried out in the reporting quarter, no Action / Limit Level exceedance was recorded during the period.
- 8.1.3 For night time construction noise monitoring, no exceedance case was recorded between 2300 and 0700 of the next day during the reporting month.
- 8.1.4 Total 5 complaint cases were received during the reporting period. 5 complaint cases were received on 10<sup>th</sup>, 20<sup>th</sup>, 24<sup>th</sup> and 30<sup>th</sup> November from the 1823 and EPD regarding to the noise nuisance, air nuisance and water nuisance. After ET's investigation, the 4 complaint cases received on 20<sup>th</sup>, 24<sup>th</sup> and 30<sup>th</sup> November were considered to be project-related.
- 8.1.5 13 weekly environmental site inspections were carried out in the reporting period. Recommendations on mitigation measures on air quality, noise quality, water quality, chemical and waste management, landscape and visual impact were given to the Contractor for remediating the deficiencies identified during the site inspections.
- 8.1.6 Referring to the Contractor's information, no notification of summons and successful prosecution was received in the reporting period.

#### **Comment and Recommendations**

- 8.1.7 The recommended environmental mitigation measures, as proposed in the EIA reports and EM&A Manuals shall be effectively implemented to minimize the potential environmental impacts from the Project. The EM&A programme would effectively monitor the environmental impacts generated from the construction activities and ensure the proper implementation of mitigation measures.
- 8.1.8 According to the environmental audit performed in the reporting period, the following recommendations were made:

#### Air Quality Impact

- Check and maintain the air compressor to prevent smoky emission (RW7).
- Properly cover the excavated material to prevent washing of silty material to storm drains (Zone 3).
- NRMM label should be shown on machine due to the requirement of APCR.
- To cover the stockpile of excavated materials. (Zone 2)
- NRMM label should be shown on machine at Zone 1 to fulfil requirement of APO.

Construction Noise Impact

• No specific observation was identified in the reporting period.

Water Quality Impact

- The contractor was reminded to regularly clear the silty deposit in the U channel to ensure drainage capacity and discharge quality (Zone 3).
- The contractor was reminded to desilt the sedimentation tank regularly (Zone 3).
- De-silt the U channel to prevent discharge being contaminated (Zone 4).
- Provide mitigation measure such as bunding/sandbag with geotextile at the sides of gullies to prevent runoff to public drain (Zone 4).
- Clear deposit and silty water in the U channel to water treatment facility (Zone 5 S02).

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



- To clean up silty material in the intercepting channel and prevent discharge of contaminated surface runoff (Zone 3).
- Desilt the sedimentation tank to maintain its functioning capacity in avoiding overflow or discharge of untreated effluent (S06, Zone 3).
- Illegal discharge of washing machine is prohibited. (Zone 3)
- Sandbags/ earth bunds should be provided in slope as temporary treatment to prevent sand/water leakage. (Zone 3)
- Sand bags or bunds should be provided to prevent sand leakage. (Zone 3)
- The sedimentation tank should be cleaned out. (Zone 3)
- To clean up the sedimentation tank regularly to avoid overflow. (Zone 3 S06)
- Sedimentation tank should be clear regularly at Zone 3.
- Desilt the u-channel regularly. (Zone 4)
- Waste water should be treated before discharge, prevent discharge of muddy water. (Zone 5)
- Stagnant water should be cleared at Zone 1.
- Drainage shall be cleaned regularly to prevent sludge leakage. (Zone 4,NF 40)
- Sediment of Sedimentation tank should be cleared regularly to ensure the quality of treated water at Zone 3.
- Remove the stagnant water mixed with oil inside the drip tray and provide a plug for the tray as circled (Zone 3).

#### Chemical and Waste Management

- Provide drip tray or proper storage of the chemicals to avoid accidental spillage (Zone 3).
- Recycle the scrap sheet pile / metal and regularly dispose the tree waste (Zone 5).
- Stain water in drip tray should be cleared. (Zone 3)
- General refuse should be collected and stored to maintain good site condition. (Zone 3)
- Waste should be cleared regularly at Work Area B to maintain good site condition.
- Clear the stagnant water in the drip tray for power pack. (Zone 3 S06)
- General waste in drip tray should be clear at Zone 3 to maintain good site condition.
- Stagnant water and oil in drip tray should be clear regularly at Zone 3 to prevent spill over.
- Provide trip tray for chemical /fuel oil near the air compressor. (Zone 4)
- Replace/ repair the drip tray to provide proper mitigation for preventing chemical spillage. (Zone 5)
- General waste should be cleared to maintain good site practice at works area B.
- Drip Tray should be provided under chemical containers at Zone 1 to prevent chemical pollution to environment if there any leakage.
- Drip Tray should be provided for chemical containers to prevent chemical pollution when leakage occur at Zone 3.
- Sand bags or border should be provided to prevent sludge leakage outside to the site boundary at Zone 3.
- Provide mitigation measure, such as drip tray, for the chemicals containers to prevent spillage.
- Replace the broken sandbags and enhance mitigation measures to prevent leakage of silty material outside boundary (Zone 4).
- Remove the stack of excavated material to avoid leakage out of site boundary (Zone 4)

### Land Contamination

• No specific observation was identified in the reporting period.

#### Landscape and Visual Impact

• No specific observation was identified in the reporting period.

### General Condition

• No specific observation was identified in the reporting period.

### Permit / Licenses

• To displace the complete set of CNP at site entrance. (Zone 3)

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.


Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Figure 1

**Project General Layout** 

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company A Fugro Group Company





# ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

### CLIENT <sub>業主</sub>



CEDD
土木工程拓展署
Civil Engineering and
Development Department

### **CONSULTANT** 工程顧問公司

AECOM Asia Company Ltd. www.aecom.com

# **SUB-CONSULTANTS** 分判工程顧問公司

### **ISSUE/REVISION**

		ć	N)
А	FEB. 18	TENDER ADDENDUM NO.2	BBC
-	JAN. 18	TENDER DRAWING	BCC
<b>I/R</b> 修訂	DATE 日期	<b>DESCRIPTION</b> 內容摘要	<b>CHK.</b> 複核

### **STATUS** 階段

SCALE <sup>比例</sup>	DIMENSION UNIT 尺寸單位
A1 1 : 4000	METRES
<b>KEY PLAN</b> 索引圖	FIGURE 1.1a

# CONTRACT NO. <sub>合約編號</sub>


NE/2017/05

SHEET TITLE <sup>圖紙名稱</sup>

KEY PLAN FIGURE 1.1a

# SHEET NUMBER 圖紙編號

60481656/C1/1000A





# ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

### CLIENT <sub>業主</sub>




< 土木工程拓展署 CEDD Civil Engineering and Development Department

### **CONSULTANT** 工程顧問公司

AECOM Asia Company Ltd. www.aecom.com

### SUB-CONSULTANTS 分判工程顧問公司

### ISSUE/REVISION 修訂



## STATUS <sub>階段</sub>


# SCALE <sup>比例</sup>

### DIMENSION UNIT <sub>尺寸單位</sub>

A1 1 : 500

METRES

**KEY PLAN** A1 1 : 40000 家引圖



### CONTRACT NO. <sup>合約編號</sup>

60481656

SHEET TITLE 圖紙名稱


GENERAL LAYOUT PLAN FIGURE 1.1 b

# SHEET NUMBER <sup>圖紙編號</sup>

60481656/C1/1001

NE/2017/05

SHEET 1 OF 6





# ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

## CLIENT <sup>業主</sup>




CEDD
土木工程拓展署
Civil Engineering and
Development Department

### **CONSULTANT** 工程顧問公司

AECOM Asia Company Ltd. www.aecom.com

### **SUB-CONSULTANTS** 分判工程顧問公司

### **ISSUE/REVISION**



### STATUS <sub>階段</sub>

# SCALE 比例

### DIMENSION UNIT <sup>尺寸單位</sup>

METRES

**KEY PLAN** A1 1 : 40000 索引圖

## CONTRACT NO. <sup>合約編號</sup>

NE/2017/05


SHEET TITLE 圖紙名稱

GENERAL LAYOUT PLAN FIGURE 1.1b

# SHEET NUMBER <sup>圖紙編號</sup>

60481656/C1/1002

SHEET 2 OF 6





PROJECT

# ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

## CLIENT <sub>業主</sub>



< 土木工程拓展署 CEDD Civil Engineering and Development Department

### **CONSULTANT** 工程顧問公司

AECOM Asia Company Ltd. www.aecom.com

## **SUB-CONSULTANTS** 分判工程顧問公司

### ISSUE/REVISION

		c	3
В	FEB. 18	TENDER ADDENDUM NO. 2	всс
Α	FEB. 18	TENDER ADDENDUM NO. 1	BCC
-	JAN. 18	TENDER DRAWING	BCC
<b>I/R</b> 修訂	DATE 日期	<b>DESCRIPTION</b> 內容摘要	CHK. 複核


### STATUS 階段

SCALE 比例

### DIMENSION UNIT <sub>尺寸單位</sub>

METRES

**KEY PLAN** A1 1 : 40000 索引圖



### CONTRACT NO. <sub>合約編號</sub>

NE/2017/05


SHEET TITLE 圖紙名稱

GENERAL LAYOUT PLAN FIGURE 1.1 b

# SHEET NUMBER 圖紙編號

60481656/C1/1003B

SHEET 3 OF 6





**PROJECT** <sup>項目</sup>

# ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

## CLIENT <sup>業主</sup>




CEDD
土木工程拓展署
Civil Engineering and
Development Department

### **CONSULTANT** 工程顧問公司

AECOM Asia Company Ltd. www.aecom.com

### **SUB-CONSULTANTS** 分判工程顧問公司

### **ISSUE/REVISION**




### **STATUS** 階段

# SCALE 比例

### DIMENSION UNIT <sub>尺寸單位</sub>

METRES

**KEY PLAN** A1 1 : 40000 索引圖



### CONTRACT NO. <sup>合約編號</sup>

NE/2017/05


SHEET TITLE 圖紙名稱

GENERAL LAYOUT PLAN FIGURE 1.1b

SHEET NUMBER <sup>圖紙編號</sup>

60481656/C1/1004

SHEET 4 OF 6





# ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

# CLIENT <sup>業主</sup>




< 土木工程拓展署 CEDD CEDD Civil Engineering and Development Department

## **CONSULTANT** 工程顧問公司

AECOM Asia Company Ltd. www.aecom.com

## SUB-CONSULTANTS 分判工程顧問公司

### ISSUE/REVISION 修訂



### STATUS <sub>階段</sub>


# SCALE <sup>比例</sup>

## DIMENSION UNIT <sup>尺寸單位</sup>

A1 1 : 500

METRES

**KEY PLAN** A1 1 : 40000 *案*引圖



## CONTRACT NO. <sup>合約編號</sup>

NE/2017/05


## SHEET TITLE 圖紙名稱

GENERAL LAYOUT PLAN FIGURE 1.1b

# SHEET NUMBER 圖紙編號

60481656/C1/1005

SHEET 5 OF 6





**PROJECT** <sub>項目</sub>

# ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

# CLIENT <sub>業主</sub>



CEDD
土木工程拓展署
Civil Engineering and
Development Department

# **CONSULTANT** 工程顧問公司

AECOM Asia Company Ltd. www.aecom.com

# **SUB-CONSULTANTS** 分判工程顧問公司

## **ISSUE/REVISION**

		c	2
А	FEB. 18	TENDER ADDENDUM NO.2	BCC
I	JAN. 18	TENDER DRAWING	BCC
<b>I/R</b> 修訂	DATE 日期	<b>DESCRIPTION</b> 內容摘要	<b>CHK.</b> 複核
		-	


# **STATUS** 階段

# DIMENSION UNIT <sup>尺寸單位</sup>

A1 1 : 500

METRES

**KEY PLAN** A1 1 : 40000 索引圖



# CONTRACT NO. <sub>合約編號</sub>

NE/2017/05

SHEET TITLE 圖紙名稱

GENERAL LAYOUT PLAN FIGURE 1.1b

SHEET 6 OF 6

# SHEET NUMBER 圖紙編號

60481656/C1/1006A

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Figure 2a

**Air Monitoring Locations** 

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.




Figure 2a Air Quality Monitoring Locations



Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Figure 2b

**Noise Monitoring Locations** 




Figure 2b Noise Monitoring Locations



Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com




Appendix A

**Construction Programme** 

	Activity Name	Original I Duration	Remaining 3MRP Start Duration	3MRP Finish	AP9 Start	AP9 Finish	Aug	Sep	2020 Oct
ontract N	IE/2017/05 Road Widening and Retrofitting Noise B	arriers o	n Tai Po Road	l (Sha Tij	n Section		26	27	21
	ARIES & GENERAL REQUIREMENT								
	SUBMISSION								
SUB1343	TCSS Configuration Management	0	0 31-Aug-20*		31-Jul-20			TCSS Configuration Management	
SUB1347	Lift Installation - Design Data	0	0 31-Aug-20*		31-Jul-20			Lift Installation - Design Data	
SUB1403	ITP's for Lighting Luminaires and System	0	0 31-Aug-20*		31-Jul-20			TTP's for Lighting Luminaires and System	
SUB1405 SUB1410	All Lighting Designs Combined Services Drawings (CSD)	0	0 31-Aug-20* 0 31-Aug-20*		31-Jul-20 31-Jul-20			All Lighting Designs	
	UBMISSION	0	0 31-Aug-20		31-Jul-20			Combined Services Drawings (CSD)	
	ERCHANGE MODIFICATION WORKS (Alternative Design)								
DES1150	PM Consent for Construction	28	17 03-May-19 A	16-Sep-20	31-Jul-19	27-Aug-19		PM Consent for Con	
	IGATION MEASURES	20	17 00 May 1077	10 000 20	or our to	27 // dg 10		PM Consent for Cor	Istruction
DES1230	PM Consent for Construction	28	1 02-Jan-19 A	31-Aug-20	31-Jan-19	27-Feb-19		PM Consent for Construction	
DES1250	PM review & comment	28	14 12-Jul-19 A	13-Sep-20	01-Sep-19	29-Sep-19		PM review & comment	
DES1260	Re-submit Foundation Design of Noise Mitigation Measures in Zone 3 w/Design Certific	23	23 15-Sep-20	07-Oct-20	15-Aug-20	06-Sep-20			Re-submit Fo
DES1270	PM Consent for Construction	28	28 08-Oct-20	04-Nov-20	07-Sep-20	04-Oct-20			
DES1290	PM review & comment	28	14 07-Aug-19 A	13-Sep-20	31-Aug-19	27-Sep-19		PM review & comment	
DES1300 DES1310	Re-submit Superstructure Design of Noise Mitigation Measures in Zone 1 & 2 w/Design PM Consent for Construction	20 28	20 15-Sep-20 28 05-Oct-20	04-Oct-20 01-Nov-20	15-Aug-20 04-Sep-20	03-Sep-20 01-Oct-20			Re-submit Superst
DES1310	PM consent for construction PM review & comment	28	20 07-Aug-19 A	19-Sep-20	31-Aug-19	27-Sep-19			
DES1340	Re-submit Superstructure Design of Noise Mitigation Measures in Zone 3 w/Design Cer	21	21 20-Sep-20	11-Oct-20	20-Aug-20	10-Sep-20		PM review & c	Re-sut
DES1350	PM Consent for Construction	28	28 11-Oct-20	08-Nov-20	10-Sep-20	08-Oct-20			
DES1370	PM review & comment	28	20 07-Aug-19 A	19-Sep-20	31-Aug-19	27-Sep-19		PM review & c	omment
DES1380	Re-submit Superstructure Design of Noise Mitigation Measures in Zones 4 & 5 w/Desig	20	20 20-Sep-20	10-Oct-20	20-Aug-20	09-Sep-20			Re-subr
DES1390	PM Consent for Construction	28	28 10-Oct-20	07-Nov-20	09-Sep-20	07-Oct-20			
REMAINING		00		00.0 00		07.4 10			
DES1470 DES1480	PM Consent for Construction Prepare & submit Foundation Design of Pedestrian Lift 1 & 2, Lift 2 Staircase, Cycle Ti	28 21	3 11-Mar-19 A 0 26-Nov-18 A	02-Sep-20 31-Aug-20	31-Jul-19 31-Dec-18	27-Aug-19 20-Jan-19		PM Consent for Construction	
DES1480	Prepare & submit roundation Design of Pedesthan Lift 1 & 2, Lift 2 Stallcase, Cycle in PM review & comment	21	1 25-Jan-19 A	31-Aug-20 31-Aug-20	04-Aug-19	01-Sep-19		Prepare & submit Foundation Design of Pedestri	an Lift 1 & 2, Lift 2 Staircase,
DES1500	Re-submit Foundation Design of Pedestrian Lift 1 & 2, Lift 2 Staircase, Cycle Track Ra	35	1 13-Apr-20 A	03-Sep-20	02-Jun-20	07-Jul-20		PM review & comment Re-submit Foundation Design of Pedestriar	Lift 1 & 2. Lift 2 Staircase. O
DES1510	PM Consent for Construction	28	28 03-Sep-20	01-Oct-20	03-Aug-20	31-Aug-20			PM Consent for Constru
DES1530	PM review & comment	28	1 02-Jan-19 A	31-Aug-20	31-Jan-19	27-Feb-19		PM review & comment	
DES1540	Re-submit Design of Watermain & Irrigation System w/Design Certificate	32	1 02-Jan-19 A	31-Aug-20	02-Apr-19	03-May-19		Re-submit Design of Watermain & Irrigation Syst	tem w/Design Certificate
DES1560	Prepare & submit Design of E&M System (E&M & Road Lighting) w/Design Certificate	35	35 31-Aug-20	04-Oct-20	31-Jul-20	03-Sep-20			Prepare & submit
DES1570 DES1580	PM review & comment Re-submit Design of E&M System (E&M & Road Lighting) w/Design Certificate	28 32	28 05-Oct-20 32 03-Nov-20	01-Nov-20 04-Dec-20	04-Sep-20 03-Oct-20	01-Oct-20 03-Nov-20			
DES1580	PM Consent for Construction	28	28 05-Dec-20	01-Jan-21	03-Oct-20 04-Nov-20	01-Dec-20			
	NG & PROCUREMENT SCHEDULE	20		or our Er	011107 20	01 200 20			
SUBLETTIN									
SPS1000	Maintenance of Traffic Flow	30	30 31-Aug-20	29-Sep-20	01-Aug-20	30-Aug-20			Maintenance of Traffic Flow
SPS1210	Drainage (PC pipe, manhole & gully) and Duct	30	30 31-Aug-20	29-Sep-20	31-Jul-20	29-Aug-20			Drainage (PC pipe, manhole
SPS1220	CCTV for Drainage Pipe	30	7 31-Mar-20 A	06-Sep-20	01-Jun-20	30-Jun-20		CCTV for Drainage Pipe	
SPS1290	Steelwork for NB and Lift Tower	30	7 31-Mar-20 A	06-Sep-20	31-May-20	29-Jun-20		Steelwork for NB and Lift Tower	
SPS1320	Tendon Works	30	4 25-Mar-20 A	03-Sep-20	31-May-20	29-Jun-20		Tendon Works	
SPS1370	Integration of TCSS System into existing system	30	18 29-May-20 A	02-Jan-21	02-Oct-20	31-Oct-20			
SPS1390 SPS1420	E&M Works	30 30	30 04-Dec-20	02-Jan-21	02-Nov-20 31-Jul-20	01-Dec-20 29-Aug-20		_	
SPS1420 SPS1430	Lighting System for Noise Mitigation Measures Panels for Noise Mitigation Measures	30	30 31-Aug-20 7 31-Mar-20 A	29-Sep-20 20-Oct-20	02-Aug-20	31-Aug-20			Lighting System for Noise
SPS1440	Drainage for Noise Mitigation Measures	30	30 31-Aug-20	29-Sep-20	31-Jul-20	29-Aug-20		-	Drainage for Noise Mitigation
SPS1460	Waterproofing (Bitumen Paint)	30	30 31-Aug-20	29-Sep-20	31-Jul-20	29-Aug-20		-	Waterproofing (Bitumen Pa
	TWEEN SHING MUN TUNNELS ROAD AND FOOT BRIDG	E NF71A	(ZONE 1)						
VORK BE	ARIES WORKS								
			203 28-Dec-19 A	10-May-21	31-Dec-19	05-Feb-21			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
PRELIMINA	Zone 1 Stage 1 RSE1 CM foundation	328	203 20-Dec-19 A						
PRELIMINA SUMMARY I		328 268	266 19-Aug-19 A	26-Jul-21	31-Jul-20	26-Jun-21			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

				08-Se	ep-20
			Nov 29		Dec 30
ation Design of Noise M	itigation N	<i>l</i> easures in Zo	ne 3 w/Design Ce	rtificate	
		PM Consent for			
uro Dooire of Malaa Me	action M	anures in 7-	1 8 0 m/D==!=	Contificatio	
ure Design of Noise Mit		onsent for Con		Certificate	
	<b></b>				
Superstructure Design	of Noise I			-	tificate
		PINICON	sent for Construct	.1011	
Superstructure Design of	Noise Mi	tigation Measu	res in Zones 4 &	5 w/Design	Certificate
		PM Conse	nt for Constructio	n 	
le Track Ramp & Sign G	antry w/D	esign C			
Track Ramp & Sign Gar	trv w/Des	ian Certific			
n					
gn of E&M System (E&I	M & Road	Lighting) w/De	sign Certificate		
		view & comme			
					Re-s
gully) and Duct					
					<u> </u>
ation Measures					
Panels for Noise M	litigation	Measures			
easures					
*****	XXXXXX	XXXXXXXXX XXXXXXXX	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
*****	~~~~~	~~~~~~		××××××	XXXXXXX
Revision		Checked	An	proved	
3MRP DWP 200	)8	Tim			

ID		Original	Remaining 3MRP Start	3MRP Finish	AP9 Start	AP9 Finish		2020
	Activity Name	Duration	Duration		/		Aug	Sep
UTILITIES DIV	VERSION			1	I		26	27
NORTHBOUN								
Z1_1350	UU_CLP-abandoned 11kv cable for R1 CH1200-1300 100m	19	0 15-Aug-20 A	15-Aug-20 A	26-Jul-21	17-Aug-21		
Z1_1360	UU_HKT-slew c able for R1 CH1275-1310 35 m	4	0 15-Aug-20 A	15-Aug-20 A	23-Sep-21	28-Sep-21		
Z1_1380	UU_Fresh watermain for R1 CH1225-1275 50m 25PE	31	0 19-Mar-20 A	08-Aug-20 A	17-Aug-21	23-Sep-21	l	
Z1_1390	UU_Fresh watermain for R1 CH1225-1275 50m 100PE	31	0 19-Mar-20 A	08-Aug-20 A	17-Aug-21	23-Sep-21	<mark>-</mark> -	
Z1_1400	UU_Fresh watermain for R1 CH1225-1275 50m 150PE	31	0 19-Mar-20 A	08-Aug-20 A	25-Jun-21	02-Aug-21	<mark>-</mark>	
	RIER AND SEMI-ENCLOSURE	•••						
	ATION WORKS							
NORTHBOUN Z1_1520	ND R1_mini piles for R1-02P (5nr raking, 3nr ver)	40	40 31-Aug-20	17-Oct-20	31-Jul-20	15-Sep-20		
		40	40 31-Aug-20	17-001-20	31-30-20	13-3ep-20		
SOUTHBOUN Z1_1060		175	151 01-Jun-20 A	26-Apr-21	19-Oct-20	25-May-21		
	R2_mini piles for R2-02P to 06P (19nr raking, 16nr ver)	175	131 01-001-20 A	20-Apr-21	13-001-20	23-1Vidy-21		
PILE CAP AN								
NORTHBOUN Z1_1000		30	30 19-Oct-20	23-Nov-20	16-Sep-20	22-Oct-20		
	R1_ELS for footing/cap construction R1-01 to R1-08 (110m_1 side)	30	30 19-001-20	23-1107-20	10-3ep-20	22-001-20		
CENTRAL BA	ARRIER RSE1_ELS for footing construction RSE1-01 to RSE1-07 (83m_2 side)	46	46 29-Sep-20	25-Nov-20	21 Aug 20	24-Oct-20		
Z1_1130					31-Aug-20			
Z1_1147	RSE1_footing/cap construction RSE1-01P to RSE1-05 (5nr)	105	105 29-Oct-20	08-Mar-21	26-Sep-20	02-Feb-21		
VORK BET	WEEN FOOT BRIDGE NF71A AND CITYLINE PLAZA (ZC	NE 2)						
PRELIMINAR	RIES WORKS							
SUMMARY P	ROGRAMME							
Z2SU1000	Construction Zone 2_Stage 1 RSE2 CM foundation	594	343 10-Jul-19 A	27-Oct-21	08-Aug-19	10-Aug-21		
UTILITIES DIV								
NORTHBOUN								+
Z2_1240	UU_CLP-slew 11kv cable CH1350-1440 90m	11	0 15-Aug-20 A	15-Aug-20 A	01-Sep-21	14-Sep-21		
 Z2_1250	UU_CLP-slew 132kv cable CH1350-1440 90m	11	0 15-Aug-20 A	15-Aug-20 A	14-Sep-21	28-Sep-21		J I I I I I I I I I I I I I I I I I I I
_	RIER AND SEMI-ENCLOSURE				· · ·			
	ATION WORKS							
CENTRAL BA		105	04 17 1 00 1	10 Dec 20	OG Max 00	20 Nov 00		
Z2_1010	RSE2_mini piles for RSE2-01P, 03P to 15P (57nr raking, 59nr ver)	195	84 17-Jan-20 A	10-Dec-20	26-Mar-20	20-Nov-20		
PILE CAP AN								
CENTRAL BA			00 00 00		01.0	00 D 00		
Z2_1040	RSE2_ELS for footing/cap construction RSE2-01 to RSE2-15P (174m_2 side)	96	96 29-Sep-20	26-Jan-21	31-Aug-20	23-Dec-20		;
WORK BET	WEEN CITYLINE PLAZA AND FOOTBRIDGE NF40 (ZON	E 3)						
PRELIMINAR								
PRELIMINAR SUMMARY PI								
		354	262 20-Nov-19 A	21-Jul-21	02-Sep-19	10-Nov-20		
SUMMARY P Z3SU5000	Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4						_	e
<b>SUMMARY P</b> Z3SU5000 Z3SU5030	Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4           Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation	393	247 20-May-19 A	03-Jul-21	31-Jul-19	23-Nov-20		¢×××××××××××××××××××××××××××××××××××××
<b>SUMMARY P</b> Z3SU5000 Z3SU5030 Z3SU5040	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2	393 256	247 20-May-19 A 221 31-Mar-20 A	03-Jul-21 01-Jun-21	31-Jul-19 29-Jun-20	23-Nov-20 11-May-21		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge	393 256 323	247 20-May-19 A 221 31-Mar-20 A 421 21-Feb-20 A	03-Jul-21 01-Jun-21 29-Jan-22	31-Jul-19 29-Jun-20 29-Feb-20	23-Nov-20 11-May-21 31-Mar-21		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5050	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp	393 256 323 682	247 20-May-19 A 221 31-Mar-20 A 421 21-Feb-20 A 682 03-Oct-20	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a	393 256 323	247 20-May-19 A 221 31-Mar-20 A 421 21-Feb-20 A	03-Jul-21 01-Jun-21 29-Jan-22	31-Jul-19 29-Jun-20 29-Feb-20	23-Nov-20 11-May-21 31-Mar-21		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a	393 256 323 682	247 20-May-19 A 221 31-Mar-20 A 421 21-Feb-20 A 682 03-Oct-20	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUND	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND	393 256 323 682 86	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23 23-Jan-21	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20 16-Sep-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20		
SUMMARY P           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION	393 256 323 682	247 20-May-19 A 221 31-Mar-20 A 421 21-Feb-20 A 682 03-Oct-20	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUND	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND	393 256 323 682 86	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23 23-Jan-21	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20 16-Sep-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUN           Z3_2860	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH17 10-1950 240m	393 256 323 682 86	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23 23-Jan-21 15-Aug-20 A	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20 16-Sep-20 08-Jun-21	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           Z3_2860           Z3_2880           Z3_2880           Z3_2900	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         NU         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_HGC-slew cable for SE5 CH2050-2120 70m	393 256 323 682 86 86 35 35	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           8         15-Aug-20 A           15-Aug-20 A         15-Aug-20 A	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23 23-Jan-21 15-Aug-20 A 15-Aug-20 A	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20 16-Sep-20 08-Jun-21 16-Jul-21	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           Z3_2860           Z3_2880           Z3_2900           NOISE BARR	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE	393 256 323 682 86 86 35 35	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           8         15-Aug-20 A           15-Aug-20 A         15-Aug-20 A	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23 23-Jan-21 15-Aug-20 A 15-Aug-20 A	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20 16-Sep-20 08-Jun-21 16-Jul-21	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUN           Z3_2860           Z3_2880           Z3_2800           X3_2900           NOISE BARR           PILE FOUND	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR3) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1 SE5, SE8, SR6 foundation         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LCLP-abandoned 11kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS	393 256 323 682 86 86 35 35	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           8         15-Aug-20 A           15-Aug-20 A         15-Aug-20 A	03-Jul-21 01-Jun-21 29-Jan-22 19-Jan-23 23-Jan-21 15-Aug-20 A 15-Aug-20 A	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20 16-Sep-20 08-Jun-21 16-Jul-21	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21		
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUN           Z3_2860           Z3_2900           NOISE BARR           PILE FOUNDIA           SOUTHBOUNDA	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR3) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_HGC-slew cable for SE5 CH2050-2120 70m         UU_CLP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND	393 256 323 682 86 86 35 8 35 8 17	247 20-May-19 A 221 31-Mar-20 A 4421 21-Feb-20 A 682 03-Oct-20 86 10-Oct-20 7 7 8 8 15-Aug-20 A 15-Aug-20 A 15-Aug-20 A	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         ************************************	31-Jul-19 29-Jun-20 29-Feb-20 04-Sep-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20	23-Nov-20 11-May-21 31-Mar-21 21-Dec-22 21-Dec-20 221-Jul-21 24-Jul-21 25-Aug-20		EXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUN           Z3_2860           Z3_2800           Z3_2800           Z3_2900           NOISE BARR           PILE FOUND/A           SOUTHBOUN           Z3_1522	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LCLP-abandoned 11kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)	393 256 323 682 86 35 35 8 35 17	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         15-Aug-20 A           9         15-Aug-20 A	03-Jul-21       01-Jun-21       29-Jan-22       19-Jan-23       23-Jan-21       *       15-Aug-20 A       15-Aug-20 A       15-Aug-20 A       02-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20		
SUMMARY PI           Z3SU5000           Z3SU5000           Z3SU5000           Z3SU5000           Z3SU5040           Z3SU5070           Z3SU5070           Z3SU5070           Z3SU5070           Z3SU5070           Z3SU5070           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUN           Z3_2880           Z3_2900           NOISE BARR           PILE FOUND/A           SOUTHBOUN           Z3_1522           Z3_1530	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LP-abandoned 11kv cable for SE5 & SE6 CH2090-2175 85m         RIEF AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)	393 256 323 682 86 35 35 8 35 8 17	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           662         03-Oct-20           86         10-Oct-20           86         15-Aug-20 A           9         15-Aug-20 A	03-Jul-21           01-Jun-21           29-Jan-22           19-Jan-23           23-Jan-21           *           15-Aug-20 A           15-Aug-20 A           15-Aug-20 A           02-Sep-20           01-Aug-20 A	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20	23-Nov-20 11-May-21 31-Mar-21 21-Dec-22 21-Dec-20 22 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU5100           UTILITIES DIV           SOUTHBOUN           Z3_2860           Z3_2800           Z3_2800           Z3_2900           NOISE BARR           PILE FOUND           Z3_1522           Z3_1530           Z3_5640	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_HGC-slew cable for SE5 CH2050-2120 70m         UU_CLP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIEF AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-5_site investigation for S1E6-51P (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)	393 256 323 682 86 35 35 8 35 17	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         15-Aug-20 A           9         15-Aug-20 A	03-Jul-21       01-Jun-21       29-Jan-22       19-Jan-23       23-Jan-21       *       15-Aug-20 A       15-Aug-20 A       15-Aug-20 A       02-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20		EXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
SUMMARY PI Z3SU5000 Z3SU5030 Z3SU5040 Z3SU5070 Z3SU5070 Z3SU5070 UTILITIES DIV SOUTHBOUN Z3_2860 Z3_2860 Z3_2880 Z3_2800 Z3_2880 Z3_2900 NOISE BARR PILE FOUND/ SOUTHBOUN Z3_1522 Z3_1530 Z3_5640 SOUTHBOUN	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LPG-slew cable for SE5 CH2050-2120 70m         UU_CLP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIEF AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_minin jelles for S2E1-52P (12nr raking, 11nr ver)         ND SLIP ROAD	393 256 323 682 86 35 35 8 17 7 7 5 5 8	247     20-May-19 A       221     31-Mar-20 A       421     21-Feb-20 A       682     03-Oct-20       86     10-Oct-20       86     10-Oct-20       8     15-Aug-20 A       9     15-Aug-20 A       9     15-Aug-20 A       9     15-Aug-20 A       9     13-Jun-20 A       10     13-Jun-20 A       125     23-Mar-20 A	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         ************************************	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI Z3SU5000 Z3SU5030 Z3SU5040 Z3SU5070 Z3SU5070 Z3SU5070 UTILITIES DIN SOUTHBOUN Z3_2860 Z3_2880 Z3_2880 Z3_2800 ROISE BARR PILE FOUND SOUTHBOUN Z3_1522 Z3_1530 Z3_5640 SOUTHBOUN Z3_1765	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LCLP-abandoned 11kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)         ND         SE1-1_mini piles for SR6 1-B & 2-B (6nr)	393 256 323 682 86 35 35 8 35 8 17	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           662         03-Oct-20           86         10-Oct-20           86         15-Aug-20 A           9         15-Aug-20 A	03-Jul-21           01-Jun-21           29-Jan-22           19-Jan-23           23-Jan-21           *           15-Aug-20 A           15-Aug-20 A           15-Aug-20 A           02-Sep-20           01-Aug-20 A	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20	23-Nov-20 11-May-21 31-Mar-21 21-Dec-22 21-Dec-20 22 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           SOUTHBOUND           Z3_2860           Z3_2900           NOISE BARR           PILE FOUND           Z3_1520           Z3_1520           Z3_5640           SOUTHBOUND           Z3_1765           PILE CAP ANI	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LPGC-slew cable for SE5 CH2050-2120 70m         UU_CLP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E5-51P (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)         ND         LIP ROAD         SE3-1_mini piles for SR6 1-B & 2-B (6nr)         ID FOOTING	393 256 323 682 86 35 35 8 17 7 7 5 5 8	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           9         13-Jun-20 A           10         13-Jun-20 A           125         23-Mar-20 A	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         ************************************	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z32800           Z3_1520           Z3_1530           Z3_1650           SOUTHBOUND           Z3_1765           PILE CAP ANI           SOUTHBOUND           Z3_1765	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_HGC-slew cable for SE5 CH2050-2120 70m         UU_LP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-5_site investigation for S1E5-51 (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)         ND         SEB-1_mini piles for SR6 1-B & 2-B (6nr)         ID         FOOTING         ND	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 58 64	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           0         15-Aug-20 A           0         15-Aug-20 A           0         15-Aug-20 A           0         13-Jun-20 A           25         23-Mar-20 A           64         04-Nov-20	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         15-Aug-20 A         15-Aug-20 A         15-Aug-20 A         02-Sep-20         01-Aug-20 A         29-Sep-20         29-Sep-20         21-Jan-21	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20 19-Jan-21		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3232860           Z3_2900           NOISE BARR           PILE FOUND // SOUTHBOUN           Z3_1520           Z3_5640           SOUTHBOUN           Z3_1765           PILE CAP ANI           SOUTHBOUN           Z3_1765           PILE CAP ANI           SOUTHBOUN           Z3_5650	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         VU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LCP-abandoned 31kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_mini piles for SR6 1-B & 2-B (6nr)         DFOOTING         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 5 8 64	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           0         13-Jun-20 A           23-Mar-20 A         23-Mar-20 A           64         04-Nov-20	03-Jul-21           01-Jun-21           29-Jan-22           19-Jan-23           23-Jan-21           15-Aug-20 A           15-Aug-20 A           15-Aug-20 A           02-Sep-20           01-Aug-20 A           29-Sep-20           11-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           20-Sep-20           01-Aug-20 A           20-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20 19-Jan-21 19-Jan-21		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z32900           NOISE BARR           PILE FOUND/ SOUTHBOUND           Z3_1520           Z3_1530           Z3_1765           PILE CAP ANI           SOUTHBOUND           Z3_1765	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_HGC-slew cable for SE5 CH2050-2120 70m         UU_LP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-5_site investigation for S1E5-51 (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)         ND         SEB-1_mini piles for SR6 1-B & 2-B (6nr)         ID         FOOTING         ND	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 58 64	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           0         15-Aug-20 A           0         15-Aug-20 A           0         15-Aug-20 A           0         13-Jun-20 A           25         23-Mar-20 A           64         04-Nov-20	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         15-Aug-20 A         15-Aug-20 A         15-Aug-20 A         02-Sep-20         01-Aug-20 A         29-Sep-20         29-Sep-20         21-Jan-21	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20 19-Jan-21		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5000           Z3SU5040           Z3SU5050           Z3SU5070           Z325600           Z3_1630           Z3_1630           Z3_1630           Z3_1630           Z3_1765           PILE CAP ANI           SOUTHBOUN           Z3_5650           Z3_5660	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         VU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LCP-abandoned 31kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_mini piles for SR6 1-B & 2-B (6nr)         DFOOTING         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 5 8 64	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           0         13-Jun-20 A           23-Mar-20 A         23-Mar-20 A           64         04-Nov-20	03-Jul-21           01-Jun-21           29-Jan-22           19-Jan-23           23-Jan-21           15-Aug-20 A           15-Aug-20 A           15-Aug-20 A           02-Sep-20           01-Aug-20 A           29-Sep-20           11-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           20-Sep-20           01-Aug-20 A           20-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20 19-Jan-21 19-Jan-21		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5000           Z3SU5040           Z3SU5050           Z3SU5070           Z325600           Z3_1630           Z3_1630           Z3_1630           Z3_1630           Z3_1765           PILE CAP ANI           SOUTHBOUN           Z3_5650           Z3_5660	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH17 10-1950 240m         UU_LP-abandoned 31kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_mini piles for SR6 1-B & 2-B (6nr)         ND SLIP ROAD         SE8-1_mini piles for SR6 1-B & 2-B (6nr)         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)         SE2_pile cap construction S2E1-52P (2nr)         SETUCTURE WORKS	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 5 8 64	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           0         13-Jun-20 A           23-Mar-20 A         23-Mar-20 A           64         04-Nov-20	03-Jul-21           01-Jun-21           29-Jan-22           19-Jan-23           23-Jan-21           15-Aug-20 A           15-Aug-20 A           15-Aug-20 A           02-Sep-20           01-Aug-20 A           29-Sep-20           11-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           20-Sep-20           01-Aug-20 A           20-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20 19-Jan-21 19-Jan-21		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU507           Z3SU507           Z3SU507           Z32800           Z3_1520           Z3_5640           SOUTHBOUN           Z3_1765           PILE CAP ANI           Z3_5650           Z3_5660           BRIDGE AND	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH17 10-1950 240m         UU_LP-abandoned 31kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E5-51 (1nr)         SE2_mini piles for SR6 1-B & 2-B (6nr)         ND SLIP ROAD         SE8-1_mini piles for SR6 1-B & 2-B (6nr)         ND FOOTING         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)         SE2_pile cap construction S2E1-52P (2nr)         STRUCTURE WORKS	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 5 8 64	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           0         13-Jun-20 A           23-Mar-20 A         23-Mar-20 A           64         04-Nov-20	03-Jul-21           01-Jun-21           29-Jan-22           19-Jan-23           23-Jan-21           15-Aug-20 A           15-Aug-20 A           15-Aug-20 A           02-Sep-20           01-Aug-20 A           29-Sep-20           11-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           20-Sep-20           01-Aug-20 A           20-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20 19-Jan-21 19-Jan-21		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU507           Z3SU507           Z3SU507           Z32800           Z31520           Z31520           Z31520           Z31520           Z31520           Z31560           SOUTHBOUN           Z31650           PILE CAP ANI           Z35650           Z35660           BRIDGE AND           PRELIMINAR	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH17 10-1950 240m         UU_LP-abandoned 31kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E5-51 (1nr)         SE2_mini piles for SR6 1-B & 2-B (6nr)         ND SLIP ROAD         SE8-1_mini piles for SR6 1-B & 2-B (6nr)         ND FOOTING         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)         SE2_pile cap construction S2E1-52P (2nr)         STRUCTURE WORKS	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 5 8 64	247         20-May-19 A           221         31-Mar-20 A           421         21-Feb-20 A           682         03-Oct-20           86         10-Oct-20           86         10-Oct-20           86         15-Aug-20 A           0         13-Jun-20 A           23-Mar-20 A         23-Mar-20 A           64         04-Nov-20	03-Jul-21           01-Jun-21           29-Jan-22           19-Jan-23           23-Jan-21           15-Aug-20 A           15-Aug-20 A           15-Aug-20 A           02-Sep-20           01-Aug-20 A           29-Sep-20           11-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           29-Sep-20           01-Aug-20 A           20-Sep-20           01-Aug-20 A           20-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 05-Aug-20 27-Jul-20 24-Jun-20 19-Jan-21 19-Jan-21		Image: Second state investigation for S1E5-51 (1nr)
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU507           Z3SU507           Z3SU507           Z3SU507           Z3SU507           Z3SU507           Z3SU510           Z3SU510           Z3SU52           Z3SU52           Z3SU52           Z3SU52           Z3SU510           Z3SU510	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp         Zone 3c (near SR3) Stage 1a         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LP-abandoned 31kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-5_site investigation for S1E6-51P (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)         ND         SE3-1_mini piles for SR6 1-B & 2-B (6nr)         ID FOOTING         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)         SE2_pile cap construction S2E1-52P (2nr)         OSTRUCTURE WORKS         VERSION	<ul> <li>393</li> <li>256</li> <li>323</li> <li>682</li> <li>86</li> <li>86</li> <li>7</li> <li>35</li> <li>8</li> <li>17</li> <li>5</li> <li>58</li> <li>64</li> <li>64</li> <li>21</li> </ul>	247       20-May-19 A         221       31-Mar-20 A         421       21-Feb-20 A         682       03-Oct-20         86       10-Oct-20         86       10-Oct-20 A         0       15-Aug-20 A         0       13-Jun-20 A         25       23-Mar-20 A         64       04-Nov-20         65       26-Nov-20         64       03-Dec-20	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         15-Aug-20 A         15-Aug-20 A         15-Aug-20 A         20-Sep-20         01-Aug-20 A         29-Sep-20         01-Aug-20 A         29-Sep-20         02-Sep-20         02-Sep-20         15-Aug-20 A         29-Sep-20         29-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20 30-Oct-20 06-Nov-20	23-Nov-20 11-May-21 31-Mar-21 31-Dec-22 21-Dec-20 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 27-Jul-20 24-Jun-20 24-Jun-20 19-Jan-21 05-Nov-20 30-Nov-20	Le investigation for STER STP (100)	Second Stress       Second Stress         Second Stress
SUMMARY PI           Z3SU5000           Z3SU5030           Z3SU5040           Z3SU5050           Z3SU5070           Z3SU507           Z3SU507           Z3SU507           Z3SU507           Z3SU507           Z3SU507           Z3SU510           Z3SU52	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_HGC-slew cable for SE5 CH2050-2120 70m         UU_LP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)         ND         SE8-1_mini piles for SR6 1-B & 2-B (6nr)         DFOOTING         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)         SE2_pile cap construction S2E1-52P (2nr)         OSTRUCTURE WORKS         VERSION         Version         Version	393 256 323 682 86 35 8 35 8 17 7 5 5 5 8 5 8 64	247       20-May-19 A         221       31-Mar-20 A         421       21-Feb-20 A         682       03-Oct-20         86       10-Oct-20         86       10-Oct-20 A         0       15-Aug-20 A         0       13-Jun-20 A         25       23-Mar-20 A         64       04-Nov-20         65       26-Nov-20         64       03-Dec-20	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         15-Aug-20 A         15-Aug-20 A         15-Aug-20 A         20-Sep-20         01-Aug-20 A         29-Sep-20         01-Aug-20 A         29-Sep-20         02-Sep-20         02-Sep-20         15-Aug-20 A         29-Sep-20         29-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20 30-Oct-20 06-Nov-20	23-Nov-20 11-May-21 31-Dec-22 21-Dec-20 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 27-Jul-20 24-Jun-20 24-Jun-20 05-Aug-20 24-Jun-20 30-Nov-20 30-Nov-20	te investination for STER STP (Mr)	N TAI PO ROAD (SHA TIN SECTION)
SUMMARY PI Z3SU5000 Z3SU5000 Z3SU5070 Z3SU5070 Z3SU5070 UTILITIES DIV SOUTHBOUN Z3_2860 Z3_2860 Z3_2800 Z3_2800 Z3_2900 NOISE BARR PILE FOUND/ SOUTHBOUN Z3_1522 Z3_1530 Z3_5640 SOUTHBOUN Z3_1765 PILE CAP ANI SOUTHBOUN Z3_1765 PILE CAP ANI SOUTHBOUN Z3_5650 Z3_5660 BRIDGE AND PRELIMINAR UTILITIES DIV	ROGRAMME         Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4         Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation         Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         Zone 3c (near SR3) Stage 1 SE5, SE8, SR6 foundation and N262 bridge         VERSION         ND         UU_CLP-abandoned 11kv cable for SE2 & SE4 CH1710-1950 240m         UU_LP-abandoned 33kv cable for SE5 & SE6 CH2090-2175 85m         RIER AND SEMI-ENCLOSURE         ATION WORKS         ND         SE1-5_site investigation for S1E5-51 (1nr)         SE1-6_site investigation for S1E6-51P (1nr)         SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)         ND         SE3-1_mini piles for SR6 1-B & 2-B (6nr)         DFOOTING         ND         SE2_ELS for cap construction S2E1-52P (10m_2 side)         SE2_pile cap construction S2E1-52P (2nr)         OSTRUCTURE WORKS         VERSION         Version         Version	<ul> <li>393</li> <li>256</li> <li>323</li> <li>682</li> <li>86</li> <li>86</li> <li>7</li> <li>35</li> <li>8</li> <li>17</li> <li>5</li> <li>58</li> <li>64</li> <li>64</li> <li>21</li> </ul>	247 20-May-19 A 221 31-Mar-20 A 421 21-Feb-20 A 662 03-Oct-20 86 10-Oct-20 70 15-Aug-20 A 15-Aug-20 A 15-Aug-20 A 15-Aug-20 A 15-Aug-20 A 15-Aug-20 A 15-Aug-20 A 13-Jun-20 A 23-Mar-20 A 25 23-Mar-20 A 26 -Nov-20 21 03-Dec-20 21 03-Dec-20 21 03-Dec-20	03-Jul-21         01-Jun-21         29-Jan-22         19-Jan-23         23-Jan-21         15-Aug-20 A         15-Aug-20 A         15-Aug-20 A         20-Sep-20         01-Aug-20 A         29-Sep-20         01-Aug-20 A         29-Sep-20         02-Sep-20         02-Sep-20         15-Aug-20 A         29-Sep-20         29-Sep-20	31-Jul-19 29-Jun-20 29-Feb-20 16-Sep-20 08-Jun-21 16-Jul-21 05-Aug-20 31-Jul-20 22-Jul-20 15-Apr-20 03-Nov-20 30-Oct-20 06-Nov-20	23-Nov-20 11-May-21 31-Dec-22 21-Dec-20 21-Dec-20 21-Jul-21 24-Jul-21 25-Aug-20 27-Jul-20 24-Jun-20 24-Jun-20 05-Aug-20 24-Jun-20 30-Nov-20 30-Nov-20	Le investigation for STER STP (100)	N TAI PO ROAD (SHA TIN SECTION)



		Duration	Duration				Aug 26	27	
OUTHBOUND									
3_2940	UU_CLP-slew 11kv cable for RW1 & 2 CH1500-1580 80m	9	9 23-Nov-20	03-Dec-20	31-Oct-20	10-Nov-20			
3_2950	UU_CATV-slew cable for RW1 & 2 CH1500-1590 90m	11	11 10-Nov-20	23-Nov-20	17-Oct-20	30-Oct-20			
3_2960	UU_HKBN-slew cable for RW1 & 2 CH1500-1580 80m	9	9 23-Nov-20	03-Dec-20	31-Oct-20	10-Nov-20			
3_3100	UU_HKBN-slew cable for N262 CH1800-1810 10m	1	1 12-Sep-20	12-Sep-20	12-Sep-20	12-Sep-20		UU_HKBN-slew cable	for N262 CH1800-1810 1
3_4541	UU_Construct combine UU trough between RW1 to SR3 Stage 2	60	60 10-Oct-20*	21-Dec-20	16-Sep-20	27-Nov-20			
3_5680	UU_Construct combine UU trough between cycle track and RW1 Stage 1	75	34 08-Jun-20 A	10-Oct-20	31-Jul-20	29-Oct-20			1
	OF BRIDGE N263								
		02	13 02-Jun-20 A	14 Cap 20	20 Jun 20	17 Oct 00			
4120	NAW-1_piling works for new NHA wall (23nr socket H-pile)	92		14-Sep-20	30-Jun-20	17-Oct-20			<u> </u>
_4130	NAW-1_pile testing	14	14 14-Sep-20	28-Sep-20	19-Sep-20	03-Oct-20			NAW-1_p
4140	NAW-1_pile cap construction	35	35 02-Nov-20*	12-Dec-20	02-Nov-20 03-Oct-20	12-Dec-20			
_4180	NAW-2_pile cap construction	35	35 03-Oct-20*	13-Nov-20		13-Nov-20			
	NAW_construct new abutment wall (North side)	45	45 14-Nov-20	08-Jan-21	14-Nov-20	08-Jan-21			
3870	EXISTING PIER WALL OF N263 SAW-1_piling works for new south abutment wall (3nr 1.5m bored pie)	30	25 13-Aug-20 A	28-Sep-20	31-Jul-20	03-Sep-20			
_3890	SAW-1_pile testing	28	28 29-Sep-20	26-Oct-20	04-Sep-20	01-Oct-20			SAW-1_piling work
3930	SAW-2 & 3_ELS & pile cap construction	45	45 03-Oct-20	25-Nov-20	04-Sep-20	29-Oct-20			
_0000	SAW_Modify existing N263 pier wall (North side)	45	45 26-Nov-20	20-Jan-21	30-Oct-20	21-Dec-20			
	OF BRIDGE N262				55 557 20	2. 200 20			
STICATION 8510	C02_piling works 4nr mini pile	16	16 14-Oct-20	02-Nov-20	14-Oct-20	02-Nov-20			
3540	C02_piling works 7nr mini pile	24	24 14-Sep-20*	13-Oct-20	14-Oct-20 14-Sep-20	13-Oct-20			
3580	C04_ELS & footing construction 2nr	90	14 02-Jun-20 A	29-Sep-20	20-Nov-20	12-Mar-21	'		
3590	C04_ELS & rooting construction 2007	60	60 29-Sep-20	11-Dec-20	12-Dec-20	27-Feb-21			
V SLIP ROA		00	50 29-3eh-20	11 200-20	12 000-20	21100-21			
SLIP ROA	SR2-1_piling works 3nr 1.5m bored pile	30	30 28-Sep-20	05-Nov-20	04-Sep-20	10-Oct-20			
i340	SR2-1_pile testing	28	28 06-Nov-20	03-Dec-20	11-Oct-20	07-Nov-20			
5412	SR2-2A/B_piling works 3nr 1.5m bored pile	30	30 05-Nov-20	10-Dec-20	12-Oct-20	16-Nov-20			
			30 03-1100-20	10-Dec-20	12-001-20	10-1100-20			
	& STAIRCASE	30	30 09-Nov-20	12-Dec-20	29-Oct-20	02-Dec-20			
3680	L2-PC1_ELS & pile cap construction	30			29-001-20 21-Sep-20	28-Oct-20			
3790	L2S-PC3_ELS & pile cap construction		30 03-Oct-20	07-Nov-20	21-360-20	28-001-20			
V SLIP ROA	SR5-2_piling works 3nr mini pile	12	12 03-Oct-20	16-Oct-20	04-Sep-20	17 Sep 20			
	LL & SUBWAY	12	12 03-001-20	10-001-20	04-060-20	17-Sep-20	7		
FAINING WAI									
4550	RW1_demolish existing retaining structure between Bay 101 and Bay 104	45	45 10-Oct-20	03-Dec-20	16-Sep-20	10-Nov-20			
4560	RW1_ELS works for Bay 101 to Bay 104 (56m_2 side)	31	31 03-Dec-20	12-Jan-21	11-Nov-20	16-Dec-20			·
4600	RW1_demolish existing retaining structure between Bay 105 and Bay 107	45	45 03-Dec-20	28-Jan-21	11-Nov-20	05-Jan-21			
TAINING WAI									
1218_1000	RW6_ELS works for Bay 601 to Bay 606 (45m_2 side)	25	25 14-Sep-20	15-Oct-20	19-Sep-20	21-Oct-20			
1218_1010	RW6_base slab construction for Bay 601 to Bay 606	48	48 29-Sep-20	27-Nov-20	07-Oct-20	03-Dec-20			
1218_1020	RW6_retaining wall construction for Bay 601 to Bay 606	72	72 30-Oct-20	26-Jan-21	05-Nov-20	01-Feb-21			·
1218_1050	RW6_base slab construction for Bay 613 & Bay 614	16	16 27-Nov-20	16-Dec-20	03-Dec-20	22-Dec-20			
AINING WA	LL NO.7		I						
1218_2040	RW7_soldier pile wall & ELS for Bay 701 to Bay 705 (62nr)	124	81 19-May-20 A	07-Dec-20	13-Jul-20	07-Dec-20			
1218_2050	RW7_base slab construction for Bay 701 & Bay 704	32	32 09-Nov-20	16-Dec-20	30-Oct-20	07-Dec-20			
DIFY EXISTI	NG RETAINING WALL SR3								
4920	SR3_ELS works for Bay SR301 to Bay SR306 (67m_1 side)	19	18 24-Jul-20 A	21-Sep-20	05-Nov-20	26-Nov-20			
4940	SR3_base slab construction for Bay SR301 to Bay SR306	24	24 21-Sep-20	21-Oct-20	21-Aug-20	18-Sep-20			1
4950	SR3_retaining wall construction for Bay SR301 to SR306	36	36 21-Oct-20	03-Dec-20	18-Sep-20	03-Nov-20			
4960	SR3_remove ELS & backfill for Bay SR301 to SR304	9	9 03-Dec-20	14-Dec-20	03-Nov-20	13-Nov-20			
5020	SR3_ELS works for Bay SR307 to Bay SR311 (60m_1 side)	17	17 21-Sep-20	13-Oct-20	21-Aug-20	10-Sep-20			
_5040	SR3_base slab construction for Bay SR307 to Bay SR311	24	24 21-Oct-20	19-Nov-20	18-Sep-20	19-Oct-20			
_5050	SR3_retaining wall construction for Bay SR309 to SR311	36	36 03-Dec-20	18-Jan-21	03-Nov-20	15-Dec-20			
DIFY EXISTI	NG RETAINING WALL SR4								
_5070	SR4_ELS works for Bay SR401 to Bay SR405 (90m_1 side)	26	14 22-Jun-20 A	16-Sep-20	26-Aug-20	24-Sep-20			SR4_ELS works for Bay
_5080	SR4_base slab construction for Bay SR401 to Bay SR405	40	32 10-Jul-20 A	09-Oct-20	31-Jul-20	16-Sep-20		· · · · · · · · · · · · · · · · · · ·	
5090	SR4_retaining wall construction for Bay SR401 to SR405	60	60 31-Aug-20	12-Nov-20	24-Aug-20	05-Nov-20			
_5100	SR4_remove ELS & backfill for Bay SR401 to SR405	10	10 12-Nov-20	24-Nov-20	05-Nov-20	17-Nov-20			
5110	SR4_ELS works for Bay SR406 to Bay SR409 (80m_1 side)	22	15 30-Jun-20 A	07-Oct-20	25-Aug-20	19-Sep-20			SF
5120	SR4_base slab construction for Bay SR406 to Bay SR409	32	24 10-Aug-20 A	07-Nov-20	16-Sep-20	27-Oct-20			
5130	SR4_retaining wall construction for Bay SR406 to SR409	48	48 12-Nov-20	11-Jan-21	05-Nov-20	04-Jan-21			
DIFY EXISTI	NG SUBWAY NS30								
4542	Demolish existing subway & construct NS30	160	160 10-Oct-20	28-Apr-21	16-Sep-20	31-Mar-21			
Remainin	ng Level of Effort Actual Work 🔷	Milestone	RO	AD WIDEN	IING & RE	TROFITTIN	IG NOISE BARRIERS ON	I TAI PO ROAD (SHA TIN S	
	evel of Effort Remaining Work $\blacklozenge$	Baseline I					hs Rolling Programme (3	-	08-3
<ul> <li>Actual Le</li> </ul>									
<ul> <li>Actual Le</li> <li>Primary E</li> </ul>	5	• 20000000				0 110110	Page 3 of 5		

	Νον	Dec
	29	30
		UU_C
	UU_CATV-	lew cable fo
		UU_H
U	U_Construct combine UU trough between cycle track	and RW1 St
NAW-1_piling works for	new NHA wall (23nr socket H-pile)	
	NAW-2_pile cap construction	p
th abutment wall (3nr 1.5	im bored pile)	
SAW-1	pile testing	
		& 3_ELS &
-		
	C02_piling works 4nr mini pile	
oiling works 7nr mini pile		
and works the third pile		
	SR2-1_piling works 3nr 1.5m bored pile	
		SR2-1
	L2S-PC3_ELS & pile cap construction	
SR5-2_piling works 3nr n	hini pile	
		RW1_
RW6_ELS work	s for Bay 601 to Bay 606 (45m_2 side)	
		RW6
-		
	SR3	ELS works f
SR3_base slab	construction for Bay SR301 to Bay SR306	
		SR3_
-IS works for Bay SP20	7 to Bay SR311 (60m_1 sid <i>e</i> )	
		nstruction fr
	SR3_base slab co	instruction to
SR405 (90m_1 side)		
ab construction for Bay		
	SR4_retaining wall construction	
		ove ELS & b
for Bay SR406 to Bay S	R409 (80m_1 side)	
	SR4_base slab construction for Bay SI	R406 to Bay
Destate	Checket	
Revision	Checked Approved	
3MRP DWP 200	08 Tim	

ORK BETV	VEEN FOOTBRIDGE NF40 AND NF66 (ZONE 4)								
RELIMINARI	ES WORKS								
SUMMARYPF				ĺ					
Z4SU1000	Zone 4 Stage 1 SE6 51 to 57	154	146 19-Feb-20 A	26-Feb-21	25-Mar-20	30-Sep-20		***************************************	*****
Z4SU1005 Z4SU1100	Zone 4 Stage 2 NB & SB foundation Zone 4 NF66 Construction	434 220	346 06-Mar-20 A 204 20-Jul-20 A	01-Nov-21 11-May-21	31-Mar-20 31-Jul-20	16-Sep-21 28-Apr-21			****
Z4SU1100	Zone 4 NF40 Construction	387	267 12-Oct-19 A	27-Jul-21	06-Jan-20	28-Apr-21			*****
REPARATOR									
	N EXISTING ROAD/TEMPORARY ROAD								
Z4_1335	Zone 4 & 5_construct temporary road platform along Northbound	60	60 30-Sep-20	12-Dec-20	15-Sep-20	27-Nov-20			
<b>JTILITIES DIV</b>									
NORTHBOUN Z4_1270	D UU_CLP-abandoned 33kv cable for N4_CH2100-2350 250m (Abandoned)	0	0 15 Aug 20 A	15-Aug-20 A	11-Feb-21	11-Feb-21			
Z4_1270 Z4_1290	UU_CLP-abandoned 33kv cable for N4&SE6 CH2150-2160 20m (Abandoned)	0	0 15-Aug-20 A 0 15-Aug-20 A	15-Aug-20 A 15-Aug-20 A	25-Aug-20	25-Aug-20			
Z4_1200	UU_HKT-slew cable for N4 & NF66 CH2320-2360 40m	5	5 31-Aug-20	04-Sep-20	31-Jul-20	05-Aug-20		P-abandoned 33kv cable for N4&SE6 CH2150-2 UU_HKT-slew cable for N4 & NF66 C	
Z4_1310	UU_HKT-slew c able for SE6 CH2180-2300 120m	14	14 31-Aug-20	15-Sep-20	08-Aug-20	25-Aug-20			ble for SE6 CH2180-2300 120m
Z4_1360	UU_Fresh watermain for N4 CH2150-2200 77m 600mm	40	0 15-Aug-20 A	15-Aug-20 A	11-Feb-21	06-Apr-21			
Z4_1490	UU_Fresh watermain for N4 CH2300-2550 250m 600mm (Additional)	105	21 10-Feb-20 A	26-Sep-20	31-Mar-20	08-Aug-20			UU_Fresh watermain for N4 CH2300
Z4_1500	UU_Fresh watermain for N4 CH2000-2100 100m 200mm (Stage 2)	39	26 06-Mar-20 A	30-Sep-20	31-Mar-20	21-May-20			UU_Fresh watermain for N4 (
SOUTHBOUN									
Z4_1340	UU_CLP-slew 132kv cable for NF40 CH2090-2175 85m	10		06-Aug-20 A	31-Jul-20	11-Aug-20	UU_CLP-slew 132kv cable for	F40 CH2090-2175 85m	
Z4_1350	UU_CLP-slew 11kv cable for NF40 CH2120-2150 30m	4	0 28-Oct-19 A	06-Aug-20 A	31-Jul-20	04-Aug-20	UU_CLP-slew 11kv cable for NF40 CH212		
Z4_1370	UU_Fresh watermain for SE6 CH2130-2150 20m	21	0 15-Aug-20 A	15-Aug-20 A	31-Jul-20	25-Aug-20	I UU_Fr	sh watermain for SE6 CH2130-2150 20m	
NORTHBOUN									
Z4_1520	N4_mini piles for N4-12 to N4-27 (108nr ver)	144	144 28-Oct-20	26-Apr-21	12-Oct-20	09-Apr-21			
SOUTHBOUN	D								
Z4_1120	SE6_mini piles for S6E1-51P (10nr ver)	40	32 19-Aug-20 A	27-Oct-20	25-Aug-20	13-Oct-20			
Z4_1540	SE6_mini piles for S6E1-58 to S6E1-69 (72nr ver)	96	77 05-Jun-20 A	19-Mar-21	28-Sep-20	23-Jan-21			
PILE CAP AND									
SOUTHBOUNI Z4_1122	D SE6_ELS for footing/cap construction S6E1-51P to S6E1-57 (86m_2 side)	48	48 16-Sep-20	13-Nov-20	25-Aug-20	22-Oct-20			
Z4_1122 Z4_1126	SE6_footing/cap construction S6E1-57 (7nr)	84	84 14-Nov-20	26-Feb-21	22-Oct-20	02-Feb-21			
	STRUCTURE WORKS	04	04 14 100 20	2010021	EE OUT EU	0210021			
	N WORKS FOR NF40								
NF40_1000	Construct new staircase	120	0 12-Oct-19 A	31-Aug-20 A	06-Jan-20	03-Jun-20		Construct new staircase	
NF40_1010	Demolish existing staircase	45	45 31-Aug-20	23-Oct-20	04-Aug-20	25-Sep-20		- L	
NF40_1080	Construct pile cap & part of new column	60	60 24-Oct-20	06-Jan-21	25-Sep-20	08-Dec-20			
	N WORKS FOR NF66								
NF66_1000	ELS & footing construction	40	24 20-Jul-20 A	26-Sep-20	31-Jul-20	15-Sep-20			ELS & footing construction
NF66_1020	Construct the new column & columnhead	60	60 28-Sep-20	09-Dec-20	16-Sep-20	27-Nov-20			·
	VEEN FOOTBRIDGE NF66 AND FO TAN ROAD (ZON	E 5)							
RELIMINARI									
SUMMARY PF Z5SU1000	Zone 5 Stage 1 SE3-2 SB foundation	201	275 15-Feb-20 A	05 Aug 01	29-Feb-20	22-Feb-21			
Z5SU1000	Zone 5 Stage 1 SE3-2 Sb roundation Zone 5 Stage 2 NB & SB foundation	291 467	360 10-Feb-20 A	05-Aug-21 16-Nov-21	31-Mar-20	22-Pe0-21 28-Oct-21			*****
Z5SU1007	Zone 5 Stage 2 SB slip road foundation	407	417 25-Nov-20	26-Apr-22	23-Oct-20	14-Apr-22		-	*****
PREPARATOR				·					
	N EXISTING ROAD/TEMPORARY ROAD								
Z5_1720	Zone 5-1_construct temporary road platform along Northbound	45	45 01-Sep-20	24-Oct-20	31-Jul-20	21-Sep-20			
Z5_1730	Zone 5-1_remove existing central barrier	21	21 27-Oct-20	24-Nov-20	22-Sep-20	22-Oct-20	7		
UTILITIES DIV							<b>1</b>		
NORTHBOUN Z5_1610	D UU CLP-slew 132kv cable for N4 CH2500-2550 50m	6	6 31-Aug-20	05-Sep-20	31-Jul-20	06-Aug-20			
Z5_1610	UU_CLP-shandoned 33kv cable for N4 CH2550-2630 100m	19	0 15-Aug-20 A	15-Aug-20 A	07-Aug-20	28-Aug-20		UU_CLP-slew 132kv cable for N4 C	
Z5_1630	UU_HGC-slew cable for N4 CH2575-2650 75m	9	9 07-Sep-20	16-Sep-20	29-Aug-20	08-Sep-20		U_CLP-abandoned 33kv cable for N4 CH2550-2	cable for N4 CH2575-2650 75m
Z5_1640	UU_NWT-slew cable for N4 CH2580-2650 70m	15	15 17-Sep-20	06-Oct-20	09-Sep-20	25-Sep-20	<u>[</u>		UU_NWT-slew cal
Z5_1650	UU_CLP-abandoned 33kv cable for N4& SE3 CH2640 30m	11	0 15-Aug-20 A	15-Aug-20 A	31-Jul-20	12-Aug-20	UIL CLP-abandoned 33k	cable for N4& SE3 CH2640 30m	
 Z5_1660	UU_CLP-abandoned 11kv cable for SE3 CH2400-2470 70m	15	0 15-Aug-20 A	15-Aug-20 A	31-Jul-20	17-Aug-20		1kv cable for SE3 CH2400-2470 70m	
Z5_1670	UU_HGC-slew cable for SE3 CH2450-2525 75m	9	9 31-Aug-20	09-Sep-20	13-Aug-20	22-Aug-20		UU_HGC-slew cable for SE3	3 CH2450-2525 75m
Z5_1680	UU_HKT-slew cable for SE3 CH2675-2810 135m	16	16 10-Sep-20	28-Sep-20	24-Aug-20	10-Sep-20			UU_HKT-slew cable for SE3 CH2
Z5_1690	UU_CLP-abandoned 11kv cable for SE3&R5 CH2400-2700 300m	42	0 15-Aug-20 A	15-Aug-20 A	18-Aug-20	07-Oct-20			UU_CLP-abando
			1						Date
XXX Remain	ing Level of Effort Actual Work 🔷	Mileston	•   RO		NING & RE			N TAI PO ROAD (SHA TIN SI	ECTION) 08-Sep-20
			I						00-360-20
Actual L	Level of Effort Remaining Work $\blacklozenge$	Baseline	Milestone			3 Mon	ths Rolling Programme (	31/08/20)	'

			Nov	Dec
			29	30
				i l
********	~~~~~	~~~~~	******	~~~~~~
		~~~~~		
	xxxxXX	xxxxXX	xxxxxxxXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	xxxxXXX
~~~~~	$\infty$	$\infty$	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	XXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX	XXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	*****
				:
				:
				1
				:
				:
1				1
2550 250m 600mm / A -	itional)			
-2550 250m 600mm (Add				
H2000-2100 100m 200m	m (Stage 2)			
	/			
			(1 <b>-</b> )	
SE6_	nini piles for	S6E1-51P	(10nr ver)	
				:
			SE6_ELS for footing/cap co	nstruction S6
			_ 0.	
1				
Demolish ex	sting staires	ISE		
Domonan ex				
				1
				:
xxxxxxxxxxxx	XXXXXX	XXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX
	~~~~~	~~~~~		~~~~~
			$\times$	XXXXXXXX
Zone 5-1 d	onstruct ter	nporary road	d platform along Northbound	
			Zone 5-1	_remove exis
le for N4 CH2 580-2650 7	0m			
10 101 11 UTI2 000-2000 /	0111			
				:
675-2810 135m				
ned 11kv cable for SE38	R5 CH2400	2700 3.00m		
neu TINV CADIE TOF SE38	no ∪⊓2400-	2100 300m		
Revision	C	hecked	Approved	
			1-1-1-1-0	
3MRP DWP 200	T bi	im		

ity ID	Activity Name		Remaining 3MRP Start	3MRP Finish	AP9 Start	AP9 Finish			2020
		Duration	Duration				Aug 26	Sep 27	Oct 28
Z5_1850	UU_Fresh watermain for N4 CH2450-2560 63m 600mm	35	14 10-Oct-19 A	06-Oct-20	17-Aug-20	25-Sep-20	20		UU Fresh waterma
SOUTHBOUND			]						
Z5_1700	UU_HGC-slew cable for R4 CH2690-2800 110m	13	0 15-Aug-20 A	15-Aug-20 A	08-Oct-20	22-Oct-20			
NOISE BARRIE	R AND SEMI-ENCLOSURE								
PILE FOUNDAT									
NORTHBOUND									
Z5_1010	N4_mini piles for N4-29 &N4-30P (14nr ver)	56	56 07-Oct-20	11-Dec-20	26-Sep-20	03-Dec-20			
SOUTHBOUND									
Z5_1170	SE3-1_site investigation for S3E1-51 to S3E1-69 (32nr)	80	36 05-May-20 A	12-Nov-20	15-Jul-20	17-Oct-20			
Z5_1180	SE3-1_mini piles for S3E1-51 to S3E1-69 (122nr ver)	124	124 29-Sep-20	02-Mar-21	16-Sep-20	17-Feb-21			
Z5_2000	SE3-2_mini piles for S3E2-61P (8nr ver)	32	32 07-Sep-20*	15-Oct-20	07-Sep-20	15-Oct-20			
SOUTHBOUND	SLIP ROAD		I						
Z5_1290	R4_site investigation for R4-10P & 11P (3nr)	15	15 25-Nov-20	11-Dec-20	23-Oct-20	10-Nov-20			
PILE CAP AND	FOOTING					- I			
NORTHBOUND									
Z5_1020	N4_ELS for footing/cap construction N4-29 to N4-55 (322m_2 side)	89	89 07-Oct-20	22-Jan-21	26-Sep-20	14-Jan-21			
SOUTHBOUND			J						
Z5_1230	SE3-2_ELS for footing construction S3E2-51 to S3E2-60 (131m_2 side)	73	73 07-Sep-20	03-Dec-20	07-Sep-20	03-Dec-20			
Z5_1245	SE3-2_footing/cap construction S3E2-51 to 61P (10nr)	210	210 22-Oct-20	10-Jul-21	22-Oct-20	10-Jul-21			
PORTION E (Z	ZONE 5)		J.						
PRELIMINARIE									
SUMMARY PRO									
TPR NORTHBO PESU1000	Construction Zone 5 Portion E_Northbound structure	336	273 11-May-20 A	03-Aug-21	31-Jul-20	16-Sep-21			
		330	273 11-May-20 A	03-Aug-21	31-301-20	10-3ep-21	×	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
UTILITIES DIVE									
NORTHBOUND Z5E_1180	UU_Fresh watermain for R5 & R6 CH2750-2845 115m 150mm	45	36 17-Aug-20 A	14-Oct-20	31-Jul-20	22-Sep-20			
		45	30 17-Aug-20 A	14-001-20	31-301-20	22-3ep-20			
	R AND SEMI-ENCLOSURE								
PILE FOUNDAT									
NORTHBOUND									
Z5E_1000	R6_site investigation for R6-02P (6nr)	30	4 11-May-20 A	04-Sep-20	01-Jun-20	07-Jul-20		R6_site investigation for R6-02P (6nr)	
Z5E_1010	R6_mini piles for R6-02P & R6-05P (9nr raking, 15nr ver)	96	96 20-Oct-20	17-Feb-21	17-Sep-20	14-Jan-21			
PILE CAP AND I									
NORTHBOUND									·
Z5E_1020	R5_ELS for footing construction R5-01 to R5-09 (120m_1 side)	30	30 14-Oct-20	19-Nov-20	08-Oct-20	12-Nov-20			
	AND REMAINING WORKS								
GEOTECHNICA									
NORTHBOUND									
Z5E_1150	Zone 5 Portion E_fill replacement by no-fines concrete 7SE-A/F163 (open excavation)	50	50 09-Nov-20*	09-Jan-21	08-Oct-20	07-Dec-20	<u> </u>		
Z5E_1160	Zone 5 Portion E_fill replacement by no-fines concrete 7SE-A/FR136 (open excavation)	50	50 08-Sep-20*	09-Nov-20	08-Aug-20	08-Oct-20			
Z5E_1170	Zone 5 Portion E_fill replacement by no-fines concrete 7SE-A/F133 (open excavation)	38	8 10-Feb-20 A	08-Sep-20	11-Sep-20	28-Oct-20			

KXXXXX Remaining Level of Effort Actual Work	<b></b>	♦ Milestone	ROAD WIDENING & RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)	Date
Actual Level of Effort Remaining Work	•	<ul> <li>Baseline Milestone</li> </ul>	3 Months Rolling Programme (31/08/20)	08-Sep-20
Primary Baseline Critical Remaining Work	¥ k			
	ĸ		Page 5 of 5	

		Nov	Dec
in for NA OU0450 0500		29	30
ain for N4 CH2450-2560	UUITIITI		
UU_HGC-slew	cable for R4 CH2690-2	800 110m	
			<u> </u>
		SE3-1_site investigation for S	3E1-51 to S3
E3-2_mini piles for S3E2-	61P (8nr ver)		1
	. ,		
			SE3-2
*****	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	*****
Fresh watermain for R5	& R6 CH2750-2845 115	m 150mm	
	<u></u>		
		R5_ELS for footin	g constructio
	7000	5 Portion E_fill replacement by	, no finan na
Zon		cement by no-fines concrete 7	
			<u> </u>
Revision	Checked	Approved	
3MRP DWP 200			

	Activity Name	Original Duration	Remaining 3MRP Start Duration	3MRP Finish	AP9 Start	AP9 Finish	Sep	Oct	2020 Nov
Contract N	IE/2017/05 Road Widening and Retrofitting Noise B	arriers of	on Tai Po Road	l (Sha Tij	n Section	)	27	28	29
	ARIES & GENERAL REQUIREMENT								
	SUBMISSION								
SUB1343	TCSS Configuration Management	0	0 30-Sep-20*		31-Jul-20			TCSS Configuration Management	
SUB1347	Lift Installation - Design Data	0	0 30-Sep-20*		31-Jul-20			Lift Installation - Design Data	
SUB1403 SUB1405	ITP's for Lighting Luminaires and System	0	0 30-Sep-20*		31-Jul-20		-	TP's for Lighting Luminaires and System	
SUB1405	All Lighting Designs Combined Services Drawings (CSD)	0	0 30-Sep-20* 0 30-Sep-20*		31-Jul-20 31-Jul-20			All Lighting Designs	
	UBMISSION								
	ERCHANGE MODIFICATION WORKS (Alternative Design)								
DES1150	PM Consent for Construction	28	17 03-May-19 A	16-Oct-20	31-Jul-19	27-Aug-19		PM Consent for Con	Istruction
NOISE MITI	IGATION MEASURES								
DES1230	PM Consent for Construction	28	1 02-Jan-19 A	30-Sep-20	31-Jan-19	27-Feb-19		PM Consent for Construction	
DES1250	PM review & comment	28	14 12-Jul-19 A	13-Oct-20	01-Sep-19	29-Sep-19		PM review & comment	
DES1260 DES1270	Re-submit Foundation Design of Noise Mitigation Measures in Zone 3 w/Design Certific PM Consent for Construction	23 28	23 15-Oct-20 28 07-Nov-20	06-Nov-20 04-Dec-20	15-Aug-20	06-Sep-20 04-Oct-20			Re-submit Found
DES1270 DES1290	PM Consent for Construction PM review & comment	28	11 07-Aug-19 A	04-Dec-20 11-Oct-20	07-Sep-20 31-Aug-19	27-Sep-19	-	PM review & comment	
DES1300	Re-submit Superstructure Design of Noise Mitigation Measures in Zone 1 & 2 w/Design	20	20 12-Oct-20	01-Nov-20	15-Aug-20	03-Sep-20		Printeview & comment	Re-submit Superstructure
DES1310	PM Consent for Construction	28	28 01-Nov-20	29-Nov-20	04-Sep-20	01-Oct-20			
DES1330	PM review & comment	28	20 07-Aug-19 A	19-Oct-20	31-Aug-19	27-Sep-19		PM review & cc	omment
DES1340	Re-submit Superstructure Design of Noise Mitigation Measures in Zone 3 w/Design Cer	21	21 20-Oct-20	10-Nov-20	20-Aug-20	10-Sep-20			Re-submi
DES1350 DES1370	PM Consent for Construction PM review & comment	28 28	28 10-Nov-20 20 07-Aug-19 A	08-Dec-20 19-Oct-20	10-Sep-20 31-Aug-19	08-Oct-20 27-Sep-19	-	DM mulau 8 and	
DES1380	Re-submit Superstructure Design of Noise Mitigation Measures in Zones 4 & 5 w/Desig	20	20 20-Oct-20	09-Nov-20	20-Aug-20	09-Sep-20		PM review & co	Re-submit
DES1390	PM Consent for Construction	28	28 09-Nov-20	07-Dec-20	09-Sep-20	07-Oct-20			
REMAINING	G WORKS		,	·					
DES1470	PM Consent for Construction	28	3 11-Mar-19 A	02-Oct-20	31-Jul-19	27-Aug-19		PM Consent for Construction	
DES1480	Prepare & submit Foundation Design of Pedestrian Lift 1 & 2, Lift 2 Staircase, Cycle Ti	21	0 26-Nov-18 A	30-Sep-20	31-Dec-18	20-Jan-19		Prepare & submit Foundation Design of Pedestria	an Lift 1 & 2, Lift 2 Staircase, Cy
DES1490 DES1500	PM review & comment Re-submit Foundation Design of Pedestrian Lift 1 & 2, Lift 2 Staircase, Cycle Track Ra	28 35	1 25-Jan-19 A 1 13-Apr-20 A	30-Sep-20 03-Oct-20	04-Aug-19 02-Jun-20	01-Sep-19 07-Jul-20		PM review & comment	
DES1500	PM Consent for Construction	28	28 03-Oct-20	31-Oct-20	02-3011-20 03-Aug-20	31-Aug-20		Re-submit Foundation Design of Pedestrian	Lift 1 & 2, Lift 2 Staircase, Cycl
DES1530	PM review & comment	28	1 02-Jan-19 A	30-Sep-20	31-Jan-19	27-Feb-19		PM review & comment	
DES1540	Re-submit Design of Watermain & Irrigation System w/Design Certificate	32	1 02-Jan-19 A	30-Sep-20	02-Apr-19	03-May-19		Re-submit Design of Watermain & Irrigation Syst	em w/Design Certificate
DES1560	Prepare & submit Design of E&M System (E&M & Road Lighting) w/Design Certificate	35	35 30-Sep-20	03-Nov-20	31-Jul-20	03-Sep-20			Prepare & submit De
DES1570	PM review & comment	28	28 04-Nov-20	01-Dec-20	04-Sep-20	01-Oct-20			
DES1580 DES1590	Re-submit Design of E&M System (E&M & Road Lighting) w/Design Certificate PM Consent for Construction	32 28	32 03-Dec-20 28 04-Jan-21	03-Jan-21 31-Jan-21	03-Oct-20 04-Nov-20	03-Nov-20 01-Dec-20	-		
	NG & PROCUREMENT SCHEDULE								
SUBLETTIN									
SPS1000	Maintenance of Traffic Flow	30	30 30-Sep-20	29-Oct-20	01-Aug-20	30-Aug-20			Maintenance of Traffic Flow
SPS1210	Drainage (PC pipe, manhole & gully) and Duct	30	30 30-Sep-20	29-Oct-20	31-Jul-20	29-Aug-20			Drainage (PC pipe, manhole &
SPS1220	CCTV for Drainage Pipe	30	6 31-Mar-20 A	07-Oct-20	01-Jun-20	30-Jun-20		CCTV for Drainage Pipe	
SPS1290	Steelwork for NB and Lift Tower	30	6 31-Mar-20 A	05-Oct-20	31-May-20	29-Jun-20		Steelwork for NB and Lift Tower	
SPS1320 SPS1370	Tendon Works Integration of TCSS System into existing system	30 30	3 25-Mar-20 A 12 29-May-20 A	03-Oct-20 31-Jan-21	31-May-20 02-Oct-20	29-Jun-20 31-Oct-20		Tendon Works	
SPS1390	E&M Works	30	30 02-Jan-21	31-Jan-21	02-Nov-20	01-Dec-20			
SPS1420	Lighting System for Noise Mitigation Measures	30	30 30-Sep-20	29-Oct-20	31-Jul-20	29-Aug-20			Lighting System for Noise Miti
SPS1430	Panels for Noise Mitigation Measures	30	7 31-Mar-20 A	29-Oct-20	02-Aug-20	31-Aug-20			Panels for Noise Mitigation Me
SPS1440	Drainage for Noise Mitigation Measures	30	30 30-Sep-20	29-Oct-20	31-Jul-20	29-Aug-20			Drainage for Noise Mitigation
SPS1460	Waterproofing (Bitumen Paint)	30	30 30-Sep-20	29-Oct-20	31-Jul-20	29-Aug-20			Waterproofing (Bitumen Paint)
	TWEEN SHING MUN TUNNELS ROAD AND FOOT BRIDG	E NF71	A (ZONE 1)						
	ARIES WORKS								
PRELIMINA	Zone 1 Stage 1 RSE1 CM foundation	200	100 28 Dec 10 A	07 Jun 01	21 Dec 10	OF Feb 01			
PRELIMINA SUMMARY I		328	199 28-Dec-19 A	07-Jun-21 24-Aug-21	31-Dec-19 31-Jul-20	05-Feb-21 26-Jun-21		1	××××××××××××××××××××××××××××××××××××××
PRELIMINA SUMMARY I Z1SU1030		268	265   19-Aug-19 A						
PRELIMINA SUMMARY I	Zone 1 Stage 1 R1 structure R1-01 to 08 Zone 1 Stage 1 R1 structure R2	268 435	265 19-Aug-19 A 328 20-Feb-20 A	09-Nov-21	20-Mar-20	07-Sep-21			

## 09-Oct-20

				2021
			ec	Jan
		3	80	31
	1			
	1			
	1			
	1			
	1			
	1			
	1			
	1			
on Desian of Noise N	itigation Mea	sures in Zone	3 w/Design Certificate	
		Consent for C		
and an and black a build and		in 7	Duri Dani an Oratificata	
			2 w/Design Certificate	
	PM Consent	for Construction	on	
uperstructure Design	of Noise Miti	gation Measur	res in Zone 3 w/Design Cert	ificate
		PM Conser	t for Construction	
perstructure Design o	f Noise Mitiga	ation Measure	s in Zones 4 & 5 w/Design	Certificate
		PM Consent	for Construction	
<b>T</b>   <b>D</b>   0 <b>C</b>				
Track Ramp & Sign C	santry w/Des	ign C		
	1			
ack Ramp & Sign Ga	htry w/Desigr	n Certific		
	1			
of E&M System (E&	M & Road Lig	hting) w/Desig	gn Certificate	
	PM reviev	v & comment		
				Re-sub
	1			
	1			
lly) and Duct				
	1			
ion Measures				
ures	1			
sures				
	1			
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~	*****	*****	*****
*****	~~~~~	~~~~~~	*****	*****
*****	<u> </u>	<u></u>	<u> </u>	
Revisio	on	Checked	Approved	ł
3MRP DWP 2		Tim		
			1	

ctivity ID	Activity Name	Original	Remaining 3MRP Start	3MRP Finish	AP9 Start	AP9 Finish			2020
		Duration	Duration				Sep 27	Oct 28	Nov 29
	ER AND SEMI-ENCLOSURE								
PILE FOUNDAT									
NORTHBOUND Z1_1520	R1 mini piles for R1-02P (5nr raking, 3nr ver)	40	24 03-Sep-20 A	30-Oct-20	31-Jul-20	15-Sep-20			D1 mini nilon for D1 00D (Enr.
Z1_1060	R2_mini piles for R2-02P to 06P (19nr raking, 16nr ver)	175	115 01-Jun-20 A	20-Mar-21	19-Oct-20	25-May-21			
PILE CAP AND	FOOTING								
		20	20 21 Oct 20	04 Dec 20	16 Can 20	00 Oct 00			
			30 31-001-20	04-Dec-20	10-3ep-20	22-001-20		C	
Z1_1130	RSE1_ELS for footing construction RSE1-01 to RSE1-07 (83m_2 side)	46	35 02-Sep-20 A	09-Dec-20	31-Aug-20	24-Oct-20		· · · · · · · · · · · · · · · · · · ·	
Z1_1147	RSE1_footing/cap construction RSE1-01P to RSE1-05 (5nr)	105	105 29-Oct-20	08-Mar-21	26-Sep-20	02-Feb-21			:
_			30 04-Sep-20 A	30-Apr-21	22-Mar-21	11-May-21			
		ONE 2)							
		504	005 10 10 10 1	17 Nov 01	00 100 10	10. Aug. 01			1
								*****	<u> </u>
		204	24 000 2011	10 000 22	20 000 21	00 Aldg 22			
Z2_1010	RSE2_mini piles for RSE2-01P, 03P to 15P (57nr raking, 59nr ver)	195	49 17-Jan-20 A	28-Nov-20	26-Mar-20	20-Nov-20			1
		5	0 24-Sep-20 A	28-Sep-20 A	28-Sep-21	05-Oct-21			
		147	140 01-Sep-20 A	22-Jul-21	27-Nov-20	01-Jun-21			
Z3SU5000	Zone 3a (TPR area) Stage 1 RW6, RW7 & SR4	354	257 20-Nov-19 A	14-Aug-21	02-Sep-19	10-Nov-20		****	****
Z3SU5030	Zone 3b (near SR6) Stage 1 Construct N263 & N264 foundation	393	247 20-May-19 A	03-Aug-21	31-Jul-19	23-Nov-20		i	
Z3SU5040	Zone 3b (SB near SR6) Stage 1 Construct Lift Tower 2	256	220 31-Mar-20 A	02-Jul-21	29-Jun-20	11-May-21			
								***************************************	*******
							_	Ε	
		92	32 03=110V=20	23-1-60-21	10-3ep-20	21-Dec-20			*****
Z3_1522	SE1-5_site investigation for S1E5-51 (1nr)	5	3 02-Jul-20 A	05-Oct-20	31-Jul-20	05-Aug-20		SE1-5_site investigation for S1E5-51 (1nr)	
Z3_1524	SE1-5_mini piles for S1E5-51 (10nr ver)	40	40 18-Dec-20	06-Feb-21	17-Nov-20	05-Jan-21			-
Z3_5640	SE2_mini piles for S2E1-52P (12nr raking, 11nr ver)	58	0 23-Mar-20 A	08-Sep-20 A	15-Apr-20	24-Jun-20	SE2_mini piles for S2E1-52F uper	aking, 11nr ver)	
		64	64 04 Doo 20	24 Eab 21	02 Nov 20	10 Jon 21			
		64	04-DeC-20	24-1.60-21	03-1100-20	19-0dii-21			
Z3_5650	SE2_ELS for cap construction S2E1-52P (10m_2 side)	6	6 23-Dec-20	02-Jan-21	30-Oct-20	05-Nov-20		-	<u> </u>
Z3_5660	SE2_pile cap construction S2E1-52P (2nr)	21	21 02-Jan-21	27-Jan-21	06-Nov-20	30-Nov-20			
BRIDGE AND	STRUCTURE WORKS								
Z3_2940	UU_CLP-slew 11kv cable for RW1 & 2 CH1500-1580 80m	9	9 15-Dec-20	28-Dec-20	31-Oct-20	10-Nov-20		-	
Z3_2950	UU_CATV-slew cable for RW1 & 2 CH1500-1590 90m	11	11 02-Dec-20	15-Dec-20	17-Oct-20	30-Oct-20			
Z3_2960	UU_HKBN-slew cable for RW1 & 2 CH1500-1580 80m	9	9 15-Dec-20	28-Dec-20	31-Oct-20	10-Nov-20		-	<u>.</u>
Z3_3100	UU_HKBN-slew cable for N262 CH1800-1810 10m	1	1 30-Sep-20	30-Sep-20	12-Sep-20	12-Sep-20		UU_HKBN-slew cable for N262 CH1800-1810 10m	
Z3_4541	UU_Construct combine UU trough between RW1 to SR3 Stage 2	60	60 03-Nov-20*	15-Jan-21	16-Sep-20	27-Nov-20			
Z3_5680	UU_Construct combine UU trough between cycle track and RW1 Stage 1	75	26 08-Jun-20 A	03-Nov-20	31-Jul-20	29-Oct-20			UU_Construct combine
							<u>۱</u>		
Distance         Distance         Distance         Distance         Distance         Distance           Distance         Distance         Distance         Distance         Distance         Distance         Distance           Distance         Distance         Distance         Distance         Distance         Distance         Distance           Distance         Distance         Distance         Distance         Distance         Distance           Distance         Distance									
				· ·					n new min∧ wall (∠3ftr Socket F
	_r · · · · · · ·							iverve-i_pie testing	1
									Date
	-			AD WIDEN	NING & RI			-	ION)
	-	Baseline	Milestone			3 Mont		(30/09/20)	
Primary	Baseline Critical Remaining Work						Page 2 of 5		

	Dec	2021 Jan
	30	31
aking, 3nr ver)		
, on tony		
	R1_ELS for footing/cap construction R1-01 to	R1-08 (110m_
	RSE1_ELS for footing construction R	SE1-01 to RSE
*****	******	~~~~~~
******	*******	******
B	SE2_mini piles for RSE2-01P, 03P to 15P (57nr raking,	59nrven)
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	******	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
*****	******	******
~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~
~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	*****	~~~~~
xxxxxxxxxx	****	xxxxxxx
		SE2_ELS
		CLP-slew 11k v
	UU_CATV-slew cable for R	
		HKBN-slew cal
U trough between cy	cle track and RW1 Stage 1	
bile)		
Revisio		
3MRP DWP 2	009 Tim	

	Activity Name	Original Duration	Duration				Sep 27	Oct 28	
_4140	NAW-1_pile cap construction	35	35 02-No	v-20* 12-Dec	-20 02-Nov-20	12-Dec-20	27	20	
_4142	Demolish part of existing North Hollow Abutment wall for construction new wall	45	45 12-De	c-20* 06-Feb	-21 12-Dec-20	06-Feb-21			
3_4180	NAW-2_pile cap construction	35	35 03-00	t-20* 13-Nov	-20 03-Oct-20	13-Nov-20	_		
3_4190	NAW_construct new abutment wall (North side)	45	45 14-No	v-20 08-Jan	-21 14-Nov-20	08-Jan-21			
DIFICATION	EXISTING PIER WALL OF N263								
_3870	SAW-1_piling works for new south abutment wall (3nr 1.5m bored pile)	30	15 13-Au	g-20 A 19-Oct	-20 31-Jul-20	03-Sep-20		SAW-1_p	iling works for new south abutm
3_3890	SAW-1_pile testing	28	28 20-00	t-20 16-Nov	-20 04-Sep-20	01-Oct-20			1
3_3900	SAW-1_ELS & pile cap construction	30	30 18-De	c-20 26-Jan	-21 17-Nov-20	21-Dec-20			
3_3930	SAW-2 & 3_ELS & pile cap construction	45	45 05-O	t-20 A 23-Dec	-20 04-Sep-20	29-Oct-20			
3_3940	SAW_Modify existing N263 pier wall (North side)	45	45 23-De	c-20 20-Feb	-21 30-Oct-20	21-Dec-20	_		
ODIFICATION	EXISTING SOUTH HOLLOW ABUTMENT WALL								
3_3950	SHA_piling works for pier SHA 6 nos . Socket H-pile	48	48 18-De	c-20 19-Feb	-21 17-Nov-20	14-Jan-21			
DIFICATION	OF BRIDGE N262								
_3510	C02_piling works 4nr mini pile	16	16 02-No	v-20 19-Nov	-20 14-Oct-20	02-Nov-20			
_3540	C03_piling works 7nr mini pile	24	24 03-O	t-20* 31-Oct	-20 14-Sep-20	13-Oct-20			C03_piling works 7r
_3580	C04_ELS & footing construction 2nr	90	0 02-Ju	n-20 A 07-Sep	-20 A 20-Nov-20	12-Mar-21			
_3590	C04_A-shape column construction	60	60 03-O	t-20 12-Dec	-20 12-Dec-20	27-Feb-21			
W SLIP ROAL	D2		,		l				
_5330	SR2-1_piling works 3nr 1.5m bored pile	30	20 07-Se	p-20 A 13-Nov	-20 04-Sep-20	10-Oct-20			
_5340	SR2-1_pile testing	28	28 13-No	v-20 11-Dec	-20 11-Oct-20	07-Nov-20			
5412	SR2-2A/B_piling works 3nr 1.5m bored pile	30	30 13-No			16-Nov-20	-		
5414	SR2-2A/B_pile testing	28	28 18-De			14-Dec-20			
	& STAIRCASE								
_3680	L2-PC1_ELS & pile cap construction	30	30 05-De	c-20 13-Jan	-21 29-Oct-20	02-Dec-20			
3790	L2S-PC3_ELS & pile cap construction	30	30 31-0			28-Oct-20	_		_
W SLIP ROAL									
_5482	SR5-2_piling works 3nr mini pile	12	12 31-0	t-20 14-Nov	-20 04-Sep-20	17-Sep-20			
	LL & SUBWAY								
ETAINING WAL									
3_4550	RW1_demolish existing retaining structure between Bay 101 and Bay 104	45	45 03-No	v-20 28-Dec	-20 16-Sep-20	10-Nov-20			
	RW1_ELS works for Bay 101 to Bay 104 (56m_2 side)	31	31 28-De			16-Dec-20			
3_4600	RW1_demolish existing retaining structure between Bay 105 and Bay 107	45	45 28-De			05-Jan-21			
ETAINING WAL									
3_1218_1000	RW6_ELS works for Bay 601 to Bay 606 (45m_2 side)	25	25 30-Se	p-20 31-Oct	-20 19-Sep-20	21-Oct-20			RW6_ELS works fo
3_1218_1010	RW6_base slab construction for Bay 601 to Bay 606	48	48 17-00			03-Dec-20	-		
3_1218_1020	RW6_retaining wall construction for Bay 601 to Bay 606	72	72 16-No			01-Feb-21			
3_1218_1050	RW6_base slab construction for Bay 613 & Bay 614	16	16 14-De			22-Dec-20			
ETAINING WAL									
3_1218_2040	RW7_soldier pile wall & ELS for Bay 701 to Bay 705 (62nr)	124	63 19-M	ay-20 A 15-Dec	-20 13-Jul-20	07-Dec-20		1	1
3_1218_2050	RW7_base slab construction for Bay 701 & Bay 704	32	32 17-No	-	-20 30-Oct-20	07-Dec-20			
3_1218_2060	RW7_retaining wall construction for Bay 701 to Bay 704	48	48 24-De			04-Feb-21	_		
	NG RETAINING WALL SR3								
3_4920	SR3_ELS works for Bay SR301 to Bay SR306 (67m_1 side)	19	17 24-Ju	I-20 A 22-Oct	-20 05-Nov-20	26-Nov-20	_		
3_4940	SR3_base slab construction for Bay SR301 to Bay SR306	24	24 22-00	t-20 20-Nov	-20 21-Aug-20	18-Sep-20			
3_4950	SR3 retaining wall construction for Bay SR301 to SR306	36	36 20-No			03-Nov-20			
3_4960	SR3_remove ELS & backfill for Bay SR301 to SR304	9	9 05-Ja			13-Nov-20	-		
3_5020	SR3_ELS works for Bay SR307 to Bay SR311 (60m_1 side)	17	17 22-00			10-Sep-20			
3_5020 3_5040	SR3 base slab construction for Bay SR307 to Bay SR311	24	24 20-No		-	10-Sep-20	_		
3_5050	SR3_retaining wall construction for Bay SR309 to SR311	36	24 20-1NC 36 05-Ja			15-Dec-20	_		
			30 00-08		00-1407-20	10-060-20			
DDIFYEXISTIN 3_5070	NG RETAINING WALLSR4 SR4_ELS works for Bay SR401 to Bay SR405 (90m_1 side)	26	13 22-Ju	n-20 A 17-Oct	-20 26-Aug-20	24-Sep-20			
3_5070 3_5080	SR4_ELS works for Bay SR401 to Bay SR405 (5000_1 slot) SR4_base slab construction for Bay SR401 to Bay SR405	40	13 22-JU 24 10-Ju			24-Sep-20 16-Sep-20		SR4_ELS wo	rks for Bay SR401 to Bay SR40
									SR4_base slab con
3_5090	SR4_retaining wall construction for Bay SR401 to SR405	60	60 30-Se			05-Nov-20	_		
3_5100	SR4_remove ELS & backfill for Bay SR401 to SR405	10	10 12-De			17-Nov-20	_		
3_5110	SR4_ELS works for Bay SR406 to Bay SR409 (80m_1 side)	22	11 30-Ju			19-Sep-20			SR4_ELS works for
3_5120	SR4_base slab construction for Bay SR406 to Bay SR409	32	22 10-Au	-		27-Oct-20			
3_5130	SR4_retaining wall construction for Bay SR406 to SR409	48	48 12-De	c-20 10-Feb	-21 05-Nov-20	04-Jan-21			
	NG SUBWAY NS30				04				
3_4542	Demolish existing subway & construct NS30	160	160 03-No	v-20 22-May	-21 16-Sep-20	31-Mar-21			
RK BETWI	EEN FOOTBRIDGE NF40 AND NF66 (ZONE 4)								
ELIMINARIE	S WORKS								
MMARY PRO									
SU1000	Zone 4 Stage 1 SE6 51 to 57	154	146 19-Fe	b-20 A 29-Mar	-21 25-Mar-20	30-Sep-20			*****
SU1005	Zone 4 Stage 2 NB & SB foundation	434	334 06-M	ar-20 A 16-Nov	-21 31-Mar-20	16-Sep-21		××××××××××××××××××××××××××××××××××××××	~~~~~
								****	
Remainin	ng Level of Effort Actual Work 🔷	Milestone	•	ROAD W	DENING & F	RETROFITTI	NG NOISE BARRIERS O	N TAI PO ROAD (SHA TIN	
	evel of Effort Remaining Work $\blacklozenge$	<ul> <li>Baseline</li> </ul>	Miloctopo			0.14		(20,00,00)	08-Oc
<ul> <li>Actual Let</li> </ul>			IVINESIONE			3 Mon	ths Rolling Programme (	30/09/20)	

	Dec	2021 Jan
	30 NAW-1_pile cap construction	31
_pile cap constructio	1	
and Carlo and a lab		
nr 1.5m bored pile) AW-1_pile testing		
two i_pile testing		
	SAW-2 & 3_0	ELS & pile cap
C02_piling works	4nr mini pile	
piling works 3nr 1.5m	bored pile	
	SR2-1_pile testing	
	SR2-2A/B_piling work	s 3nr 1.5m bor
		-
	_	
	L2S-PC3_ELS & pile cap construction	
_piling works 3nr min	pile	
		4
	RW	1_demolish exi
		_
to Bay 606 (45m_2 s		
	RW6_base slab construction fo	r Bay 601 to B
		RW6_
	RW7_soldier pile wall & El	S for Bay 701
	RW7_base	e slab construc
SR3_	ELS works for Bay SR301 to Bay SR306 (67m_1 side)	
SR3_base slab	construction for Bay SR301 to Bay SR306	
		SR3
works for Ray SR20	7 to Bay SR311 (60m_1 side)	
	SR3_base slab const	ruction for Bav
side)	SD405	
or Bay SR401 to Bay	SR405 SR4_retaining wall construction	for Bay SR401
		ve ELS & back
6 to Bay SR409 (80m		
SR4	base slab construction for Bay SR406 to Bay SR409	<u></u>
~~~~~~	*****	<u> </u>
*****	******	
Revisio		
3MRP DWP 2	009 Tim	

		Duration	Duration				Sep 27	Oct 28	Nov 29
		220	200 20-Jul-20 A	07-Jun-21	31-Jul-20	28-Apr-21		***************************************	*****
		387	267 12-Oct-19 A	26-Aug-21	06-Jan-20	28-Apr-21		*****	*****
		60	60 30-Sep-20	11-Dec-20	15-Sep-20	27-Nov-20		1	
TILITIES DIVER	SION							1	1
		_							
_		-					_	UU_HKT-slew cable for N4 & NF66 CH2	
-	-							1	or SE6 CH2180-2300 120m
		39		19-Sep-20 A	31-Mar-20	21-May-20		ain for N4 CH2300-2550 250m 600mm (Additional) ain for N4 CH2000-2100 100m 200mm (Stage 2)	
DISE BARRIEF	R AND SEMI-ENCLOSURE							(orago 2)	
Image: Solution of the second set of the se				<u>.</u>	. <u>.</u>     				
ORTHBOUND									1 1 1
	N4_mini piles for N4-12 to N4-27 (108nr ver)	144	144 28-Oct-20	24-Apr-21	12-Oct-20	09-Apr-21			
	SE6 mini piles for S6E1-51P (10pr ver)	40	24 19-Aug-20 A	16-Nov-20	25-Aug-20	13-Oct-20			
Z4_1122	SE6_ELS for footing/cap construction S6E1-51P to S6E1-57 (86m_2 side)	48	48 19-Oct-20	14-Dec-20	25-Aug-20	22-Oct-20			
Z4_1126	SE6_footing/cap construction S6E1-51P to S6E1-57 (7nr)	84	84 15-Dec-20	29-Mar-21	22-Oct-20	02-Feb-21			
_				-			new staircase		
							_		
_		00	20 1107 20	0010021	20 000 20	00 200 20			
1		40	20 20-Jul-20 A	24-Oct-20	31-Jul-20	15-Sep-20		ELS & foo	oting construction
JF66_1020	Construct the new column & columnhead	60	60 27-Oct-20	07-Jan-21	16-Sep-20	27-Nov-20			
ORK BETWE	EN FOOTBRIDGE NF66 AND FO TAN ROAD (ZO	NE 5)							1
UMMARY PROC	GRAMME							÷	
Z5SU1000	Zone 5 Stage 1 SE3-2 SB foundation	291	269 15-Feb-20 A	28-Aug-21	29-Feb-20	22-Feb-21	_		*****
Z5SU1005	Zone 5 Stage 2 NB & SB foundation	467	358 10-Feb-20 A	14-Dec-21	31-Mar-20	28-Oct-21		*****	*****
25SU1007	Zone 5 Stage 2 SB slip road foundation	418	480 13-Aug-20 A	19-May-22	23-Oct-20	14-Apr-22		*****	*****
		45	45 30-Sep-20	24-Nov-20	31-Jul-20	21-Sep-20			
_							_		
<b>TILITIES DIVER</b>	SION								
NORTHBOUND									
			· · ·					UU_CLP-slew 132kv cable for N4 CH2	2500-2550 50m
								UU_HGC-slew cab	le for N4 CH2575-2650 75m
						· ·	_		UU_NWT-slew o
			· · ·					UU_HGC-slew cable for SE3 C	
								esh watermain for N4 CH2450-2560 63m 600mm	UU_HKT-slew cable for SE
Z5_1010	N4_mini piles for N4-29 &N4-30P (14nr ver)	56	56 07-Nov-20	14-Jan-21	26-Sep-20	03-Dec-20		• • •	
									1
_									
_		32	32 30-Sep-20"	09-1100-20	07-Sep-20	15-Oct-20		1	SE3-2_mir
	OOIING								· 
	N4_ELS for footing/cap construction N4-29 to N4-55 (322m_2 side)	89	89 07-Nov-20	25-Feb-21	26-Sep-20	14-Jan-21			
	SE3-2_ELS for footing construction S3E2-51 to S3E2-60 (131m_2 side)	73	73 30-Sep-20	29-Dec-20	07-Sep-20	03-Dec-20		1	1 1
	SE3-2_footing/cap construction S3E2-51 to 61P (10nr)	210	210 16-Nov-20	03-Aug-21	22-Oct-20	10-Jul-21			
DRTION E (ZO	ONE 5)								
								•	· · · · · · · · · · · · · · · · · · ·
🔀 Remaining	g Level of Effort Actual Work 🔷	Milestone	BO		IING & RE	TROFITTI	NG NOISE BARRIERS O	N TAI PO ROAD (SHA TIN SECT	TION) Date
Actual Lev	-	Baseline					ths Rolling Programme (	-	08-Oct-20
. 1010401 201	5	+ Duoomio				5 10011	and noming Frogramme	00,00,20	
Primary Ba	aseline Critical Remaining Work		I				Page 4 of 5		

		2021
	Dec 30	Jan 31
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
*****	***************************************	*****
	Zone 4 & 5_construct temporary	road platform a
		ioud platform c
EC mini niloo for CCE	1 51D (10pr vor)	
E6_mini piles for S6E		
		antrustica con-
	SE6_ELS for footing/cap co	nstruction S6E
Demolish	existing staircase	
		`
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~
~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~
		~~~~~~
*****	*******	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Zone 5-1	construct temporary road platform along Northbound	
Zone 5-1		nove existing (
	Zone 5-1_re	nove existing (
	Zone 5-1_re	nove existing (
	Zone 5-1_re	nove existing (
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing (
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing o
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing (
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing (
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing (
	Zone 5-1_re	nove existing (
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing (
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing o
9 for N4 CH2 580-2650	Zone 5-1_re	nove existing o
9 for N4 CH2 580-2650	Zone 5-1_re	
9 for N4 CH2 580-2650	Zone 5-1_re	
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer	
9 for N4 CH2 580-2650	Zone 5-1_rer	
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer	
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer	
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer	
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer	
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer Zone 5-1_rer Zone 5-1_rer SE3-1_site investigation for S3 ver)	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer Zone 5-1_rer Zone 5-1_rer SE3-1_site investigation for S3 ver)	
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer Zone 5-1_rer Zone 5-1_rer SE3-1_site investigation for S3 ver)	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer Zone 5-1_rer Zone 5-1_rer SE3-1_site investigation for S3 ver)	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_rer Zone 5-1_rer Zone 5-1_rer SE3-1_site investigation for S3 ver)	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m	Zone 5-1_re 70m SE3-1_site investigation for S3 ver)	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m les for S3E2-61P (8n	Zone 5-1_re 70m SE3-1_site investigation for S3 ver)	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m les for S3E2-61P (8nd	Zone 5-1_re 70m SE3-1_site investigation for S3 ver) Search and the second sec	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m les for S3E2-61P (8n	Zone 5-1_re 70m SE3-1_site investigation for S3 ver) Search and the second sec	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m les for S3E2-61P (8nd	Zone 5-1_re 70m SE3-1_site investigation for S3 ver) Search and the second sec	E1-51 to S3E1-
e for N4 CH2 580-2650 H2675-2810 135m les for S3E2-61P (8nd	Zone 5-1_re 70m SE3-1_site investigation for S3 ver) Search and the second sec	E1-51 to S3E1-

vity ID	Activity Name	Original	Remaining 3MRP Start	3MRP Finish	AP9 Start	AP9 Finish			2020
		Duration	Duration				Sep 27	Oct 28	29
PRELIMINA	RIES WORKS						21	20	2.5
	PROGRAMME								
TPR NORTH									
PESU1000	Construction Zone 5 Portion E_Northbound structure	336	272 11-May-20 A	01-Sep-21	31-Jul-20	16-Sep-21			
UTILITIES DI	VERSION								
NORTHBOU	ND								
Z5E_1180	UU_Fresh watermain for R5 & R6 CH2750-2845 115m 150mm	45	0 17-Aug-20 A	19-Sep-20 A	31-Jul-20	22-Sep-20	UU_Fresh	vatermain for R5 & R6 CH2750-2845 115m 150mm	
NOISE BAR	RIER AND SEMI-ENCLOSURE								
PILE FOUND	ATION WORKS								
NORTHBOU	ND SLIP ROAD								
Z5E_1000	R6_site investigation for R6-02P (6nr)	30	0 11-May-20 A	09-Sep-20 A	01-Jun-20	07-Jul-20	R6_site investigation for R6 02P	(enr)	
Z5E_1010	R6_mini piles for R6-02P & R6-05P (9nr raking, 15nr ver)	96	96 14-Nov-20	13-Mar-21	17-Sep-20	14-Jan-21			
PILE CAP AN	ID FOOTING								
NORTHBOU	ND SLIP ROAD								
Z5E_1020	R5_ELS for footing construction R5-01 to R5-09 (120m_1 side)	30	30 29-Oct-20	03-Dec-20	08-Oct-20	12-Nov-20	$\triangleright$		
ROADWORK	S AND REMAINING WORKS								
GEOTECHNI	ICAL WORKS								
NORTHBOU	ND SLIP ROAD								
Z5E_1150	Zone 5 Portion E_fill replacement by no-fines concrete 7SE-A/F163 (open excavation)	50	45 10-Sep-20 A	03-Feb-21	08-Oct-20	07-Dec-20			
Z5E_1160	Zone 5 Portion E_fill replacement by no-fines concrete 7SE-A/FR136 (open excavation)	50	50 10-Oct-20*	09-Dec-20	08-Aug-20	08-Oct-20			1
Z5E_1170	Zone 5 Portion E_fill replacement by no-fines concrete 7SE-A/F133 (open excavation)	38	8 10-Feb-20 A	10-Oct-20	11-Sep-20	28-Oct-20			one 5 Portion E fill replacement by r

XXXXXX Remaining Level of Effort Actual Work	<b></b>	♦ Milestone	ROAD WIDENING & RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)	Date
Actual Level of Effort Remaining Work	•	Baseline Milestone	3 Months Rolling Programme (30/09/20)	08-Oct-20
Primary Baseline Critical Remainin			Page 5 of 5	
			rage 5 01 5	

		-	00	2021
			ec O	Jan 31
******	~~~~~~	××××××	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	***
	R5 ELS	for footing	construction R5-01 to	R5-09 (120m 1 side
<i>n</i>			ortion E_fill replacemer	nt by no-fines concre
by no-fines concrete 7	SE-A/F133 (op	en excavati	on)	
Revisio		Checked	Appro	ved
3MRP DWP 2	009 T	ïm		

	Activity Name	Duration	Duration		AP 5 Sign	A a finiar	Oct 28	1 Nov	Dec	2021 Jan	T
ntract N	E/2017/05 Road Widening and Retrofitting Noise Ba	rriers o	1 Tai Po Road	I (Sha Tir	Section		10	20		31	
RELIMIN.	ARIES & GENERAL REQUIREMENT										
ENERAL	SUBMISSION										
UB1343	TCSS Configuration Management	0	0 31-Oct-20*		31-Jul-20			TCSS Configuration Management			1
UB1347	Lift installation - Design Data	0	0 31-Oct-20*		31-Jul-20			Litt Installation - Design Data			1
UB1403	ITP's for Lighting Luminaires and System	0	0 31-Oct-20*		31-Jui-20			TIP's for Lighting Luminaires and System			4
UB1405	All Lighting Designs	0	0 31-Oct-20*		31-Jul-20			All Lighting Designs	8	-	
UB1410	Cambined Services Drawings (CSD)	0	0 31-Oct-20"	_	31-Jul-20			Combined Services Drawings (CSD)		1	-
	UBMISSION										1
ES1150	ERCHANGE MODIFICATION WORKS (Alternative Design)										
	PM Consent for Construction	28	14 03-May-19 A	13-Nov-20	31-Jul-19	27-Aug-19		PM Consent for Construct	lion		
ES1230	IGATION MEASURES PM Consent for Construction	28	1 02-Jan-19 A	31-Oct-20	31-Jan-19	27-Feb-19					1
ES1250	PM review & comment	28	14 12-Jul-19 A	13-Nov-20	01-Sep-19	29-Sep-19		PM Concerts for Construction			
ES1260	Re-submit Foundation Design of Noise Mitigation Measures in Zone 3 w/Design	23	23 15-Nov-20	07-Dec-20	15-Aug-20	00-Sep-20		PM review & comment	De a desis Francisco Decisione Maria		
ES1270	Certificate PM Consent for Construction	28	28 08-Dec-20	04-Jan-21	07-Sep-20	04-Oct-20			Re-submit Foundation Design of Noise	Mitigation Measures in Zone 3 w/Design Certificate	
E\$1290	PM review & commont	28	11 07-Aug-19 A	11-Nov-20	31-Aug-19	27-Sep-19		PM review & comment		PM Consent for Construction	
ES 1300	Re-submit Superstructure Design of Noise Mitigation Measures in Zone 1 & 2 w/Design	20	20 12-Nov-20	02-Dec-20	15-Aug-20	03-Sep-20		Printeeview of Constient	Be-submit Superstructure Dasion of Noise Min	ation Measuros in Zone 1 & 2 w/Design Certificate	1
ES1310	PM Consent for Construction	28	28 02-Dec-20	30-Dec-20	04-Sep-20	01-Oct-20				PM Consent for Construction	
ES 1330	PM review & commont	28	20 07-Aug-19 A	19-Nov-20	31-//ug-19	27-Sep-19		PM review & co	mikent		
ES1340	Per submit Superatructum Design of Noise Malgation Measures in Zone 3 w/Design	21	21 20-Nov-20	11-Dec-20	20-Aug-20	10-Sep-20				n of Noise Mitigation Measures in Zone 3 w/Detiign (	Certificat
ES 1350	PM Consent for Construction	28	28 11-Dec-20	08-Jan-21	10-500-20	08-Oct-20				PM Concent for Construction	
ES1370	PM review & comment	28	20 07-Aug-19 A	19-Nov-20	31-Aug-19	27-Sep-19		PM review & co	aminent		
DES1380	Re-submit Superstructum Design of Noise Mitigation Measures in Zones 4 & 1 w/Design Certificate	20	20 20-Nov-20	10-Dec-20	20-Aug-20	09-Sep-20			Re-submit Superstructure Design	D Noise Mitigation Measures in Zones 4 & 5 w/Desi	ign Centif
DES 1390	PM Consent for Construction	28	28 10-Dec-20	07-Jan-21	09-Sep-20	07-Oct-20				PM Consent Ital Construction	
EMAININ	3 WORKS						8 8 8				
ES1470	PM Consent I ar Construction	28	1 11-Mar-19 A	01-Nov-20	31-Jul-19	27-Aug-19		PM Consent for Construction			
ES1480	Prepare & submit Foundation Design of Pedestrian Lift 1 & 2, Lift 2 Staircase, Cycle Track Ramo & Sion Gantry w/Desion C	21	0 26-Nov-18 A	31-Oct-20	31-Dec-18	20-Jan-19		Prepare & submit Foundation Design of Pedestria	an Lift 1 & 2, Lift 2 Staircase, Cycle Tada Ramp & Sign	Cantry w/Design C	
ES1490	PM review & comment	28	1 25-Jan-19 A	31-Oct-20	04-Aug-19	01-Sep-19		PM review & comment			
DES1500	Re-submit Foundation Design of Pedestnian Lift 1 & 2, Lift 2 Staircase, Cycle Track Ramo & Sion Gantry w/Design Certific	35	1 13-Apr-20 A	03-Nov-20	02-Jun-20	07-Jul-20		💼 📻 Re-submit Foundation Design of Pedestrian	Lift 1 & 2, Lift 2 Staircase, Cycle Track Ramp & Sign G	an ny w/Design Certific	
DES1510	PM Concert for Construction	28	28 03-Nov-20	01-Dec-20	03-Aug-20	31-Aug-20			PM Consent for Construction		
E\$1530	PM review & comment	28	1 02-Jan-19 A	31-Oct-20	31-Jan-19	27-Feb-19		PM review & comment	4		
ES1540	Re-submit Design of Watermain & Irrigation System w/Design Certificate	32	1 02-Jan-19 A	31-Oct-20	02-Apr-19	03-May-19		Re-submit Design of Watermain & Irrigation System	emw/Design Certificate	1	
E51560	Prepare & submit Design of E&M System (E&M & Road Lighting) w/Design Certificate	35	35 31-Oct-20	04-Dec-20	31-Jui-20	03-Sep-20			Propare & submit Design of E&M System (E		
ES1570	PM review & comment	28	28 05-Dec-20	01-Jan-21 03-Feb-21	04-Sep-20	01-Oct-20 03-Nov-20		1		PM review & comment	
DES 1580 DES 1590	Re-submit Design of E&M System (E&M & Road Lighting) w/Design Certificate PM Consent for Construction	32	28 04-Fub-21	03-Mar-21	04-Nov-20	01-Dec-20					-
			20 04190-61	0.549401421	044404-20	01-080-20		÷)			
	NG & PROCUREMENT SCHEDULE										
UBLETTI PS1000	Maintenance of Traffic Flow	20:	30 31-Oct-20	29-Nov-20	01-Aug-20	30-Aug-20			Maintenance of Traffic Flow		- 12
PS1210	Drainage (PC pipe, manhole & gully) and Duct	30	30 31-Oct-20	25-Nov-20	31-Jul-20	29-Aug-20		:	Drainage (PC pipe, manhole & gully) and Duct		
PS1220	CCTV for Drainage Pipe	30	6 31-Mar-20 A	05-Nov-20	01-Jun-20	30-Jun-20		CCTV for Drainage Pipe	chanage (i o pare, manoie a gaily) == 2001		74
PS1290	Steelwork for NB and Lift Tower	30	6 31-Mar-20 A	05-Nov-20	31-May-20	29-Jun-20		Steelwork for MB and Lift Tower			
SPS1320	Tendon Works	30	0 25-Mar-20 A	21-Oct-20 A	31-May-20	29-Jun-20					
P\$1330	Road Lighting System (Excluding Noise Mitigation Measures)	30	27 31-Aug-20 A	03 Mar-21	02-Noi-20	01-Dec-20		-			
PS1370	Integration of TCSS System into existing system	30	11 29-May-20 A	03-Mar-21	12-Oct-20	31-Oct-20					·····
PS1390	E&M Works	30	27 31-Aug-20 A	03-Mar-21	02-Nov-20	01-Dec-20		-	-		
PS1420	Lighting System for Noise Mitigation Measures	90	30 31-Oct-20	29-Nov-20	31-Jul-20	29-Aug-20			Lighting System for Home Mitigation Measures		
PS1430	Panels for Noise Mitigation Measures	30	6 31-Mar-20 A	29-Nov-20	02-Aug-20	31-Aug-20			Panels for Noise Mitigation Measures		
	Drainage for Noise Mitigation Measures	30	30 31-Oct-20	29-Nov-20	01-Jul-20	29-Aug-20			Drainage for House Mitigation Measures		1

ORK BETWEE           PRELIMINATIES: V           SUMMARY PROCE           21501020           21501020           21501020           21501024           2015           21501034           2016           PILE FOUNDATION           21,1020           21,1020           71,1020           PILE CAP AND FOOL           NORTHBOUND           21,1080           R2           NORTHBOUND           X1,1080           NORTHBOUND           X1,1080           NORTHBOUND			Duration		1			NUP	Dec	Jan	
PRELIMINATIES /           SUMMARY PROCES           21501020           21501020           21501020           21501024           20152           COSE BARFILER /           PILE FOUNDATION           21,1520           R0THBOUND           21,1600           P2,1,1600           P0LE CAP AND FOO           NORTHBOUND           NORTHBOUND           NORTHBOUND           NORTHBOUND	/aterproofing (Biturnen Paint)	30	30 31-Oct-20	29-Nov-20	31-Jul-20	29-Aug-20	28	29	30 Waterproofing (Bitumen Paint)	31	
SUMMARY PROCE           21501000         200           21501012         200           21501012         200           21501012         200           CISE BARHEELS         200           POLE FOUNDATION         NORTHBOUND           21-1520         R1           SOUTHBOUND         21,1000           21,1000         R2           PILE CONDUCTOR         PULE CAP AND FOOD           NORTHBOUND         NORTHBOUND	IN SHING MUN TUNNELS ROAD AND FOOT BRID	GE NF71	A (ZONE 1)	1. A							
21501030         200           21501034         200           21501034         200           COESE BARRIER 1         200           PILE FOUNDATION NORTHBOUND 21,1520         R1           SOUTHBOUND 21,1050         R2           PILE CAP AND FOOD NORTHBOUND         R00           NORTHBOUND         R1											1
215U1032         200           215U1034         200           COESE BARFIER         200           PILE FOUNDATION         000           NORTHBOUND         21           21,1060         62           PILE CAP AND FOO         000           NORTHBOUND         62           VILION         000	RAMME one 1 Stage 1 RSE1 CM foundation	328	199 28-Dec-19 A	07-Jul-21	31-Dec-19	05-Feb-21					*
Z15U1034         Za           COISE BARFILER         A           PILE FOUNDATION         NORTHBOUND           21_1520         R1           SOUTHBOUND         R2           21_1000         R2           PILE CAP AND FOOD         NORTHBOUND           NORTHBOUND         R2	one 1 Stage   R1 structure R1-01 to 08	268	265 19-Aug-19 A	22-Sep-21	31-Jul-20	26-Jun-21					
COISE BANNIER           PILE FOUNDATION           NORTHBOUND           21_1520           SOUTHBOUND           21,1060           R1           SOUTHBOUND           21,1060           R2           PILE CAP AND FOC           NORTHBOUND	bin 1 Stage 1 R1 structure R2	435	329 20-Feb-20 A	08-Dec-21	20-Mar-20	07-Sep-21		A CONTRACTOR OF A CONTRACTOR O	***************************************		*******
PILE FOUNDATION           NORTHBOUND           21_1520         R1           SOUTHBOUND           21,.1080         R2           PILE CAP AND FOO           NORTHBOUND	20120101021200		020 000 2011	00 000 1.1	20-1461-20	or oop Er			*******		
21_1520 R1 SOUTHBOUND 21,1060 R2 PILE CAP AND FOC NORTHBOUND											
SOUTHBOUND 21,.1060 R2 PILE CAP AND FOC NORTHBOUND	1 V J								(		
Z1, 1060 R2 PILE CAP AND FOC NORTHBOUND	n mini piles for R1-02P (Snr raking, 3nr ver)	40	0 03-Sep-20 A	20-Oct-20 A	31-Jui-20	15-Sep-20	Ri and play in	Ch. 02H /One miking, 3nr ver)			
PILE CAP AND FOO NORTHBOUND	n mini altas far Do 020 ta 020 (10 a reking 10 a rus)	175		0014-01	10 0 00	and the second					1
NORTHBOUND	2 mini piles Igr R2-02P to 0SP (19nr raking, 16nr ver)	175	115 01-Jun-20 A	20-Mar-21	19-Oct-20	25-May-21					
						_					10
Z1_1000 R1	1_ELS for looting/cap construction R1-01 to R1-08 (110m_1 side)	30	30 30-Nov-20	06-Jan-01	16-Sep-20	22-Oct-20		• • • • • • • • • • • • • • • • • • • •		R1_ELS for footing/cap construct	tion A1-01 to f
CENTRAL BARRIER											
	ISE1_ELS for footing construction RSE1-01 to RSE1-07 (83m_2 side)	46		12-Jan-21	31-Aug-20	24-Oct-20	5			RSE1_ELS for footing	construction P
	ISE1_footing/cap construction RSE1-01P to RSE1-05 (5nr)	105	105 30-Nov-20	10-Apr-21	26-Sep-20	02-Feb-21			Č.		
SOUTHBOUND 21_1070 F2	2_ELS for footing/cap construction R2-01 to R2-06P (Bam 2 side)	30	30 04-Sep-20 A	30-Apr-21	22-Mar-21	15-May-21				a	s
and the second se			10 04+3ep-20 X	apropriet	2219921-21	1 Shays21	And and a second se				
	EN FOOT BRIDGE NF71A AND CITYLINE PLAZA (ZO	DNE 2)									1
RELIMINARIES Y SUMMARY PROGR											1
	Construction Zone 2 Stage 1 RSET CM foundation	594	335 10-Jul-19 A	15-Dec-21	08-Aug-19	10-Aug-21					
Z2SU1010 Co	Construction Zone 2_Stage 2 RSE2 SB (oundation	254	572 24-Sep-20 A	06-Oct-22	28-Sep-21	09-Aug-22					
INISE BARRIER	AND SEMI-ENCLOSURE	-			_	-					
PILE FOUNDATION											1
CENTRAL BARRIER											
	ISE2_mini piles for RSE2-01P_03P to 15P (57nr raking, 59nr ver)	195	11 17-Jan-20 A	12-Nov-20	26-Mar-20	20-Nov-20		RSE2_mini pil	for RSE2-01P, 03P to 15P (57nr raking, 59nr ver)		in de la combra
PILE CAP AND FOO						-				1 N WERE 54 7	
Z2_1040 RS	INSE2_ELS for footing/cap construction RSE2-01 to RSE2-15P (174m_2 side)	96	86 08-Aug-20 A	17-Mar-21	31-Aug-20	23-Dec-20					
	ISE2 Jabiling/cap construction RSE2-01P to 15P (14nr)	147		16-Aug-21	27-Nov-20	01-Jun-21					
ORK BETWEE	EN CITYLINE PLAZA AND FOOTBRIDGE NF40 (ZOI	NE 3)									2
RELIMINARIES		VIII 0/									
SUMMARY PROGR	RAMME							10			
Z3SU5000 Zo	one 3a (TPR area) Stage 1 RW6, RW7 & SR4	354	251 20-Nov-19 A	04-Sep-21	02-Sep-19	10-Nov-20					
23SU5030 Zo	one 3b (near SR6) Stage 1 Construct N263 & N264 foundation	393	241 20-May-19 A	24-Aug-21	31-Jul-19	23-Nov-20					
Z3SU5040 Zo	Ione 3b (SB near SR8) Stage 1 Construct Lift Tower 2	256	220 31-Mar-20 A	30-Jui-21	29-Jun-20	11-May-21					00000000
Z3SU5050 Zo	Ione 3b (near SR6) Stage 1 SE5, SE8, SR6 foundation and N262 bridge	323	420 21-Feb-20 A	31-Mar-22	29-Feb-20	31-Mar-21	-				
Z3SU5070 Zo	one 📷 (near SR6) Stage 3 Construct SR5 & remaining staircase & cycle track ramp	682	708 28-Oct-20 A	21-Mar-23	04-Sep-20	31-Dec-22	-	************************			AAAAAAAA
Z3SU5100 Zo	Cone 3c (near SR3) Stage 1a	92	02 01-Dec-20	25-Mar-21	16-Sep-20	21-Dec-20					******
	AND SEMI-ENCLOSURE										1
PILE FOUNDATION	NWORKS										
SOUTHBOUND Z3_1522 SE	SE1-5_site investigation for S1E5-51 (1nr)	6	3 02-Jul-20 A	03-Nov-20	91-Jul-20	05-Aug-20		SE1-5_site investigation for S1E5-51 (1nr)			1
	3E1-5_mini piere for S1E5-51 (10nr ver)	40		22-Feb-21	17-Nov-20	05-Jan-21		in the second second second (in)			
SOUTHBOUND SLI											
	5E8-1 _mini piles for 5P6 1-8 & 2-8 (6nr)	64	64 04-Jan-21	23-Mar-21	03-Nov-20	19-Jan-21				(	1
PILE CAP AND FO	OTING	-									
SOUTHBOUND			0.00 hrs 01	20. Jan 01	10 0 0 00	OF New 22			1		
	SE2_ELS for the construction S2E1-52P (10m_2 side)	6	6 22-Jan-21	29-Jan-21	30-Oct-20 06-Nov-20	05-Nov-20			-		SE2_S
	SE2_pile cap construction S2E1-52P (2nr)	21	21 29-Jan-21	20100-21	00-1400-20	30-Nov-20					
BRIDGE AND STR PRELIMINARIES W	AUCTURE WORKS										<u>s</u>
UTILITIES DIVERSI									25		
SOUTHBOUND			and the second second							L	
							_			to the second	
Remaining L	Level of Effort Actual Work 🔷 🔇	Mileston	e RC	AD WIDE	NING & RI	ETROFITTI	NG NOISE BARRIERS	ON TAI PO ROAD (SHA TIN SE	CTION) Date Revis		pproved
Actual Level	el of Effort Remaining Work	Baseline	Milestone			3 Mon	ths Rolling Programme	e (31/10/20)	UO-INOV-20 JSIMRP DWP	2010 [1100 ]	_
Primary Bas	seline Critical Remaining Work						Page 2 of 5				

	Activity Name	Duration	Duration	3MRF PILISD	AP9 Start	AP9 Pinish	2020		2021	
		Durajion	Duration				28 29	30 Dec	Jan 31	1 F0
Z3_2940	UU_CLP-slew 1 ikv cable for RW1 & 2 CH1500-1580 80m	9	9 15-Jan-21	26-Jan-21	31-Oct-20	10-Nov-20				UU_CLP-slew 1
Z3 2950	UU_CATV-slew cable for RW1 & 2 CH1500-1590 90m	11	11 02-Jan-21	15-Jan-21	17-Oct-20	30-Oct-20			UU_CATV-slew cabl	
23_2960	UL_HKBN-slew cable for RW1 & 2 CH1500-1580 80m	9	9 15-Jan-21	26-Jan-21	31-Oct-20	10-Nov-20				UU_HKBN-slew
Z3_3100	UU_HKBN-slaw cable for N262 CH1800-1810 10m	1	1 31-Oct-20	31-Oct-20	12-Sep-20	12-Sep-20	UU_HKBN-slew coble for N262 CH1800-1810 10r		·	
Z3_4541	UU_Construct combine UU trough between RW1 to SR3 Stage 2	60	60 01-Dec-201	16-Feb-21	18-Sep-20	27-Nov-20				
23 5680	UU_Construct combine UU trough between cycle track and RW1 Stage 1	75	26 08-Jun-20 A	01-Dec-20	31-Jul-20	29-Oc1-20				
ODIEIC ATION	OF BRIDGE N263	_						UU_Construct combine UU traugh between cycle	Wack and RW1 Stage 1	
and the second se	TION ABUTMENT WALL AT NHA				_	-		· • · · · · · · · · · · · · · · · · · ·		·····
Z3_4130	NAW-1 plu testing	14	14 31-Oct-20	13-Nov-20	19-Sep-20	03-Oc1-20	NAW-1_pile testing			
Z3_4140	NAW-1_pile cap construction	35	35 13-Nov-20*	24-Dec-20	02-Nov-20	12-Dec-20		BIAN 1		
Z3_4142	Demolish part of existing North Hollow Abutment wall for construction new wall	45	45 24-Dec-20*	22-Feb-21	12-Dec-20	06-Feb-21		TRATE I	Sile cap construction	
Z3_4180	NAW-2_pile cap construction	35	35 31-Oct-20*	10-Dec-20	03-Oct-20	13-Nov-20				_
23_4190	NAW_construct new abutment wall (North side)	45	45 11-Dec-20	04-Fob-21	14-Nov-20	08-Jan-21		NAW-2, pile cap construction		1.64.0
	EXISTING PIER WALL OF N263		10 11 000 10	04100.01	14-160-20	00-040-21				
Z3_3870	SAW-1, pling works for new south abutment wall (3nr 1 5m bored pile)	30	6 13-Aug-20 A	06-Nov-20	31-Jui-20	03-Sop-20				
Z3 3890	SAW-1_pile testing	28	28 07-Nov-20	04-Dec-20	04-Sep-20	01-Oct-20	SAW-1_piling works for now nouth ab			
Z3 3900	SAW-1_ELS & pile cap construction	20						SAW-1_ple testing	-	
5000			30 02-Jan-21	06-Feb-21	17-Nov-20	21-Dec-20		· · · · · · · · · · · · · · · · · · ·	t	
Z3_3930	SAW-2 & 1_ELS & pile cap construction	45	43 05-Oct-20 A	22-Jan-21	04-Sep-20	29-Oc1-20			SAW-2	2 & 3_ELS & pil
Z3_3940	SAW_Modily existing N263 pier wall (North side)	45	45 22-Jan-21	19-Mar-21	30-Oct-20	21-Dec-20				_
	EXISTING SOUTH HOLLOW ABUTMENT WALL			-			1			
23_3950	SHA pilling works for plan SHA 9 nas . Sackat H-pile	48	## 02-Jan-21	00-Mar-21	17-Nov-20	14-Jan-21			<b>C</b>	-
	OF BRIDGE N262						-	N. N. N. G. WE X. 195		
23_3510	CO2, piling works 4nr mini pile	16	16 30-Nov-20	17-Dec-20	14-Oct-20	02-Nov-20		C02_piling works 4p	nini pile	
Z3 ,3540	C03 piling works 7nr mini pile	24	24 02-Nov-20'	28-Nov-20	14-Sep-20	13-Oct-20	C	C03_piling works 7nr mini pile		1
23_3590	C04_A-shape column construction	60	60 02-Nov-20	13-Jan-21	12-Dec-20	27-Feb-21				
IEW SLIP ROA	D 2									
Z3_5330	SR2-1_piling works 3nr 1_5m bored pile	.00	10 07-Sep-20 A	25-Nov-20	04-Sep-20	10-Oct-20	SR2	1 piling works 3nr 1.5m bored pile		1.00
23_5340	SR2-1_pile testing	28	28 25-Nov-20	23-Dec-20	11-Oct-20	07-Nov-20		Sft2-1_pi	pusting	
23 5412	SR2-2A/B_piling works 3nr 1 5m bared pile	30	30 25-Nov-20	02-Jan-21	12-Oct-20	16-Nov-20			SR2-2A/B pilling works 3nr 1.5m bored pild	a 1
Z3_5414	SR2-2A/B_pile testing	28	28 02-Jan-21	30-Jan-21	17-Nov-20	14-Dec-20				SF2-2
LIFT TOWER 2 8	& STAIRCASE									
Z3_3680	L2-PC1_ELS & pile can construction	30	30 08-Jan-21	16-Feb-21	29-Oct+20	02-Dec-20				-
Z3_3790	L2S-PC3_ELS & pile cap construction	30	30 01-Dec-20	08-Jan-21	21-Sep-20	28-Oct-20			L2S-PC3_ELS & pile cap constr	ruction
NEW SUP ROA	05									4
21_5482	SR5-2_piling works 3nr mini pile	12	11 28-Oct-20 A	12-Dec-20	04-Sep-20	17-Sep-20		SR5-2 piling works 3nr mini p	<u>22</u> ).	
ETAINING WA	LL SUBWAY				÷					19
RETAINING WAI	LL NO.1					-				
Z3_4550	RW1_demolish existing retaining structure between Bay 101 and Bay 104	45	45 01-Dec-20	26-Jan-21	16-Sep-20	10-Nov-20		4		RW 1_demotist
Z3_4560	RW1_ELS works for Bay 101 to Bay 104 (56m_2 side)	31	31 26-Jan-21	08-Mar-21	11-Nov+20	16-Dec-20	10			
23_4600	RW1_demolish existing retaining structure between Bay 105 and Bay 107	45	45 26-Jan-21	23-Mar-21	11-Nov-20	05-Jan-21				
RETAINING WA	LL NO.6							-		
Z3_1218_1000	RW6_ELS works for Bay 601 to Bay 606 (45m_2 side)	· 25	25 31-Oct-20	28-Nov-20	19-Sep-20	21-Oct-20	Ċ	RW6_ELS works for Bay 601 to Bay 606 (45m_2 side		
23_1218_1010	RW6_base slab construction for Bay 601 to Bay 606	48	48 16-Nov-20	13-Jan-21	07-Oct-20	03-Dec-20	÷ (*		FIW6 base slab const	ruction for Bay
23_1218_1020	RW6_retaining wall construction for Bay 601 to Bay 606	72	72 14-Dec-20	13-Mar-21	05-Nov-20	01-Feb-21			L.	
23_1218_1050	RW6_base slab construction (or Bay 613 & Bay 614	16	16 14-Jan 21	01-Feb-21	03-Dec-20	22-Dec-20				E FOA
RETAINING WA										1
21_1218_2040	RW7_soldier pilo wall & ELS for Bay 701 to Bay 705 (62nr)	124	45 19-May-20 A	22-Doc-20	13-Jul-20	07-Dec-20		RW7_soldi	r wall & ELS for Bay 701 to Bay 705 (62m)	
Z3_1218_2050	HW7 base alab construction for Bay 701 & Bay 704	32	32 24-Nov-20	04-Jan-21	30-Oct-20	07-Dec-20			RW7 base slab construction for Bay	701 & Bay 704
Z3_1218_2060	BW7_retaining well construction for Bay 701 to Bay 704	48	46 04-Jan-21	04-Mar-21	07-Dec-20	04-Feb-21				
	ING RETAINING WALL SR3									1
Z3_4920	SRI_ELS works for Bay SR001 to Bay SR306 (67m_1 side)	19	17 24-Jul-20 A	20-Nov-20	05-Nov-20	26-Nov-20	si si	3 ELS works for Bay SR001 to Bay SR306 (67m 1 sit	e3	
23_4940	SR3_base slab construction for Bay SR301 to Bay SR306	24	24 20-Nov-20	18-Dec-20	21-Aug-20	18-Sep-20		C. Sandal International Arrivation	struction for Bay SR001 to Bay SR006	
Z3_4950	SR3 retaining wall construction for Bay SR301 to SR306	36	38 18-Dec-20	02-Feb-21	18-Sep-20	03-Nov-20				s
23,4960	SR3_remove ELS & backfill for Bay SR301 to SR304	9	9 02-Feb-21	15-Feb-21	03-Nov-25	13-Nov-20				
Z3 5020	SR3_EL5 works for Bay SP007 to Bay SR311 (60m_1 side)	17		10-Dec-20	21-Aug-20	10-Sep-20		SR3_ELS works for Bay SR307 t	Bay 58311 (60m 1 side)	1
Z3_5040	SR3_base slab construction for Bay SR307 to Bay SR311	24		19-Jan-21	18-Sep-20	19-Oct-20		Grageco mena for any SH307 [		lab
23_3040	SH3_base side construction for bay Sh507 to bay Sh511	24		19-941-21	Tordeprize	19-001649			SH3_base s	lab construct
	ng Level of Effort Actual Work	♦ Milestone	a lec			TROFITT	IOISE BARRIERS ON TAI PO ROAD (SHA TIN SI	CTION) Date Rev	sion Checked App	proved
- Cindilli	-		, jnc	NO MOE	and a ni		TO BE DATIFIED ON TALEO ROAD (ONA THE OF	06-Nov-20 3MRP DWI	2010 Tim	
<ul> <li>Actual Le</li> </ul>	evel of Effort Elfort 🖉 Remaining Work	Baseline	Milastana			0.84.	Rolling Programme (31/10/20)	100-1404-20 1014111 0441	2010 11111	

		Duration	Duration					28 29	30	31	
5050	SR3_retaining wall construction for Bay SR309 to SR311	36	36 02-	Feb-21	19-Mar-21	03-Nov-20	15-Dec-20			, , , , , , , , , , , , , , , , , , ,	-
DIFY EXISTI	IG RETAINING WALL SR4							action 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 1942 - 19			:
5070	SR4_ELS works for Bay SR401 to Bay SR405 (90m, 1 side)	26	10 22-	Jun-20 A	13-Nov-20	26-Aug-20	24-Sep-20	SR4_ELS works for Bay SF	401 m Bay SR405 (90m 1 side)		
5080	SR4_base stab construction for Bay SR401 to Bay SR405	40	16 10-	A 02-81	19-Nov-20	31-Jul-20	10-Sep-20	SR4_base slab	onstruction for Bay SR401 to Bay SR405		
5090	SR4_retaining wall construction for Bay SR401 to SR405	60	54 31-	Oct-20 A	06-Jan-21	24-Aug-20	05-Nov-20			SR4_retaining wall construction for	Bay SR
5100	SR4_remove ELS & backfill for Bay SR401 to SR405	10	10 06-	Jan-21	18-Jan-21	05-Nov-20	17-Nov-20			SR4 remove t	ELS & Ba
5110	SR4_ELS works for Bay SR406 to Bay SR409 (80m_1 side)	22	6 30-	Jun-20 A	19-Nov-20	25-Aug-20	19-Sep-20	SR4_ELS works	for Bay SR406 to Bay SR409 (80m, 1 side)		ier ei
5120	SR4_base slab construction for Bay SR406 to Bay SR409	12	16 10-	Aug-20 A	08-Dec-20	16-Sep-20	27-Oct-20		SIM_base slab construction for Bay 5	HAD to Bay SR409	
5130	SR4_retaining wall construction for Bay SR406 to SR409	48	48 06-	Jan-21	06-Mar-21	05-Nov-20	04-Jan-21			-	<u> </u>
DIFY EXISTI	NG SUBWAY NS30										-
4542	Demolish mainting subway & construct NS30	160	160 01-	Dec-20	21-Jun-21	16-Sep-20	31-Mar-21			i	-
K BETW	EEN FOOTBRIDGE NF40 AND NF66 (ZONE 4)					1			1		
	IS WORKS										;
MARYPRO	GRAMME										1
J1 000	Zone 4 Stage 1 SE6 51 to 57	154	146 19-	Feb-20 A	30-Apr-21	25-Mar-20	30-Sep-20				000000
H 005	Zone 4 Stage 2 NB & SB foundation	434	336 06-	Mar-20 A	16-Dec-21	31-Mar-20	16-Sep-21				00000
J1100	Zone 4 NF66 Construction	220	185 20-	Jul-20 A	16-Jun-21	31-Jul-20	28-Apr-21				20002
U1110	Zone 4 NF40 Construction	387	258 12-	Oct-19 A	13-Sep-21	06-Jan-20	28-Apr-21				-
PARATORY	WORKS								•		1
	EXISTING ROAD/TEMPORARY ROAD										
1335	Zone 4 & 5_construct temporary road platform along Northbound	60	60 31-	Oct-20	12-Jan-21	15-Sep-20	27-Nov-20			Zone 4 & 5_construct to	mporary
TTES DIVE											
RTHBOUND		5	5.01	041.00	05-Nov-20	31-Jul-20	05 Aug 20				
,1300	UU_HKT-slew cable for N4 & NF66 CH2320-2360 40m			Oct-20			05-Aug-20	UU_HKT-siew cable for N4 & NF65 CH23			-
1310	UU_HKTstew cable for SEE CH2180-2300 120m	14	14 31-	Oct-20	16-Nov-20	08-Aug-20	25-Aug-20	UU_HKT-slew cable (	566 CH2180-2300 120m		
	R AND SEMI-ENCLOSURE										·····
	ION WORKS										1
RTHBOUND	N4_mini piles for N4-12 to M4-27 (108nr ver)	144	144 25	Nov-20	25-May-21	12-Oct-20	09-Apr-21				
UTHBOUND											1
_1120	SE6_mini piles for S6E1-51P (10nr var)	40	24 19	Aug-20 A	14-Dec-20	25-Aug-20	13-Oct-20	-	SEIL_mini piles for S6E1-5	P (10nr ver)	1
1540	SE6_mini piles for S6E1-58 to S6E1-69 (72nr ver)	96	67 05	Jun-20 A	08-Apt-21	28-Sep-20	23-Jan-21		·	· · · · · · · · · · · · · · · · · · ·	
E CAP AND	FOOTING										1
UTHBOUND		_		_							
1122	SE6_ELS for footing/cap construction S6E1-51P to S6E1-57 (86m_2 side)	48	48 17	Nov-20	14-Jan-21	25-Aug-20	22-Oct-20			SE6_ELS for faating	/cap con
.1126	SE6_footing/tap construction S6E1-51P to S6E1-57 (7nr)	84	84 15	Jan-21	30-Apr-21	22-Oct-20	02-Feb-21			C	
DGE AND	TRUCTURE WORKS							in a second second			į.
CONTRACTOR AND A DESCRIPTION OF	WORKS FOR NF40										÷.
0_1010	Demolish existing staircase	45		-Oct-20 A	11-Dec-20	04-Aug-20	25-Sep-20		Demolish existing staircase		÷.
0_1080	Construct pile cap & part of new column	60	60 12	-Dec-20	26-Feb-21	25-Sep-20	08-Dec-20		(		-
	WORKS FOR NF66								<u>.</u>		·····-
6_1000	ELS & footing construction	40		-Jul-20 A	30-Oct-20 A	31-Jul-20	15-Sep-20	ELS & footing construction			1
6_1020	Construct the new column & columnhead	60		-Nov-20	18-Jan-21	16-Sep-20	27-Nov-20			Construct the	/ new cdl
6_1020	Erection temporary support tower	60	80 19	-Jan-21	01-Apr-21	26-Nov-20	09-Feb-21			£	
RK BETW	EEN FOOTBRIDGE NF66 AND FO TAN ROAD (ZONE	5)									
LIMINARI	ES WORKS										
	DGRAMME				48.0						
U1000	Zone 5 Stage 1 SE3-2 SB foundation	291		-Feb-20 A	27-Sep-21	29-Feb-20	22-Feb-21	C			
01005	Zone 5 Stage 2 NB & SB foundation	467		-Feb-20 A	13-Jan-22	31-Mar-20	28-Oct-21	C			00000
U1907	Zone 5 Stage 2 SB slip road foundation	418	440 13	-Aug-20 A	29-Apr-22	23-Oct-20	14-Apr-22				00000
EPARATOR	YWORKS										
DIFICATION 1720	I EXISTING ROAD/TEMPORARY ROAD Zone 5-1 construct temporary road platform along Northbound	45	45 31	-Oct-20	22-Dec-20	31-Jui-20	21-Sep-20	·	Zone 5.1 cs	netruct temporary road platform along Northbour	nd
-	Zone 5-1 remove existing central barrier	21		-Dec-20	22-Jan-21	22-Sep-20	22-Oct-20				5-1_remò
_1730	enie o Cistutivas avisiund neuros	21	21 23				- Contraction			2016	
RTHBOUND	Inspirate and a second s									5 10 10 10 10 10	i
_1610	UU_CLP-slew 132kv cable for N4 CH2500-2550 50m	6	6 31	-Oct-20	06-Nov-20	31-Jul-20	06-Aug-20	UU_CLP-slew 132kv cable for N4 CH2			
. 1630	UU_HGC-slew sable for N4 CH0575-2650 75m	9	9 07	-Nov-20	17-Nov-20	29-Aug-20	08-Sep-20	UU_HGC-slaw cab	e for N4 CH2575-2650 75m	1	
		-		1				NOISE BARRIERS ON TAI PO ROAD (SHA TIN SE	Date Revi	sion Checked Apr	proved
	ng Level of Effort 🛛 🗖 Actual Work 🔷 🤇	Mileston	<b>`</b>	1 00		MIN/2 9 DI	FINIT			- PP	

iy ib	why Name	Duration	Bernaining 3MRP Start Duration	SAME PINSO	APS Start	Ara Filish	Oct	Y Nov	Dec	Jan	1
[							28	29	30	31	
Z5_1640 UU,	_NWT-slew cable for N4 CH2580-2650 70m	15	15 18-Nov-20	04-Dec-20	09-Sep-20	25-Sep-20		6	UU_NWT-slew cable for N4 CH2580-2650 70m		
Z5_1670 UU,	_HGC-slew cable for SE3 CH2450-2525 75m	9	9 31-Oct+20	10-Nov-20	13-Aug-20	22-Aug-20	1	UU_HGC-slew cable for SE3 CH2	450-2525 75m		
Z5_1680 LLL	HKT-slew cable for SE3 CH2675-2810 135m	16	16 11-Nov-20	28-Nov-20	24-Aug-20	10-Sep-20			U_HKT-slew cable for SE3 CH2675-2810 135m		
	AND SEMI-ENCLOSURE					_					
PILE FOUNDATION											
NORTHBOUND	WORKS	_									
	_mini piles for N4-29 &N4-30P (14nr ver)	56	56 05-Dec-20	11-Feb-21	26-Sep-20	03-Dec-20					_
SOUTHBOUND			Constant of the second s			_					
	3-1_site investigation for S3E1-51 to S3E1-69 (32nr)	80	36 05-May-20 A	13-Jan-21	15-Jul-20	17-Oct-20				SE3-1_site investigation	
	3-1_mini ples for 53E1-51 to S3E1-69 (122nr ver)	124	124 30-Nov-20	05-May-21	16-Sop-20	17-Feb-21				acon_site investigation	
							<u> </u>	L			
Z5_2000 SE	3-2_mini plan for S3E2-61P (8nr ver)	32	32 31-Oct-20*	07-Dec-20	07-Sep-20	15-Oc1-20		(	SE3-2_mini piles for S3E2-61P (8nr.vier)		
PILE CAP AND FOC	DTING										
NORTHBOUND		-	00 00 Dec 00		D0.000.05	11.1-0					
	ELS for footing/cap construction N4-29 to N4-55 (322m_2 side)	89	89 05-Dec-20	25-Mite-21	26-Sep-20	14-Jan-21					_
SOUTHBOUND											
	3-2_ELS for footing construction S3E2-51 to S3E2-00 (131m_2 side)	73		27-Jan-21	07-Sep-20	03-Dec-20		(			SE3-
-	3-2_looting/cap construction S3E2-51 to 61P (10nr)	210	210 14-Dec-20	31-Aug-21	22-Oct-20	10-Jul-21			0		
SOUTHBOUND SLIP											
Z5_1260 N3	ELS for looting construction N3-01 to N3-02 (30m_2 side)	17	9 01-Oct-20 A	08-Apr-21	15-Jan-21	03-Feb-21	11				
Z5_1270 N3	footing construction N3-01 to N3-02 (2nr)	-42	34 24-Oct-20 A	21-May-21	04-Feb-21	27-Mar-21					
Z5_1320 R4	footing construction R4-01 to R4-09 & R4-12 to R4-13 (11nr)	231	202 08-Oct-20 A	21-Jan-22	31-Mar-21	10-Jan-22					
PORTION E (ZOI	NE 5)		the second second second		-	a summer of					
PRELIMINARIES											
SUMMARYPROGR										17. 18. II. II. II. II. II. II. II. II. II. I	
TPR NORTHBOUND											
	methycrian Zone 5 Panion E. Northbound structure	336	272 11-May-20 A	30-Sep-21	31-Jul-20	16-Sep-21					
NOISE BARRIER	AND SEMI-ENCLOSURE	-									
PILE FOUNDATION											
NORTHBOUND SLI		_			_				····		•••••
	mini piles for R6-02P & R6-05P (Bre taking, 15rv ver)	96	94 27-Oct-20 A	06-Apr-21	17-Sep-20	14-Jan-21					-
PILE CAP AND FOR		_		-	_	and the owner where the party of the party o	_				
NORTHBOUND SLI											
	5_ELS for footing construction FIS-01 to PIS-09 (120m_1 side)	30	30 30-Nov-20	06-Jan-21	06-Oct-20	12-Nov-20				R5_ELS for footing construction R5-	01 to
DOADWORKS AN	D REMAINING WORKS										
GEOTECHNICAL W											
NORTHBOUND SLI											
	one 5 Portion E_IIII replacement by no-fines concrete 7SE-A/F163 (open excavation)	50	38 10-Sep-20 A	26-Feb-21	08-Oct-20	07-Dec-20					_
	5 Pontion E_III replacement by no-fines concrete 7SE-A/FR136 (open excavation)	50	50 09-Nov-20'	09-Jan-21	08-Aug-20	08-Oct-20		•		Zone 5 Portion E_fill replaceme	nt by
	s Portion =_III replacement by no-fines concrete 7SE-A/F133 (open excavation)	38	8 10-Feb-20 A	09-Nov-20	11-Sep-20	28-Oct-20		Zono 6 Partian E (ill racionament i	by no-lines concreto 7SE-A/F133 (open excavation)		••••
LOC_11/0 40	and a rorright =_intreplacement by nonnes concrete / 3c/w/r ro3 (open excevation)	30	o toned-20 X	00-1404-20	December	10000		Zone 5 Portion E_10 replacement i	of incluines concrete voe-vol-ies (oben exception)		_

A AND			0.15	DO AD MUDENING A DETROCITING NOIGE DARRIEDS ON TAL DO ROAD (SHA TAL SECTION)	Date	Revision	Checked	Approved
Remaining Level of Effort	Actual Work	0	Milestone	ROAD WIDENING & RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)	06-Nov-20	3MRP DWP 2010	Tim I	
Actual Level of Effort	Remaining Work	٠	<ul> <li>Baseline Milestone</li> </ul>	3 Months Rolling Programme (31/10/20)		10.000 0.000		
		-						
Primary Baseline	Critical Remaining Work			Page 5 of 5				
					· · · · · · · · · · · · · · · · · · ·			

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com




**Appendix B** 

**Project Organization Chart** 

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com





Legen	d:
	Line of Reporting
	Line of Communication

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Appendix C

Action and Limit Levels for Air Quality and Noise

FUGRO TECHNICAL SERVICES LIMITED Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



#### Action and Limit Levels for 24-hr TSP and 1-hr TSP

Parameter	Monitoring Station	Action Level (µg/m <sup>3</sup> )	Limit Level (µg/ m <sup>3</sup> )
	AMS1	171	
	AMS2	166	
	AMS3A	200	
	AMS4A	200	
	AMS5	156	
	AMS6	165	
	AMS7A	171	
	AMS8	161	7
	AMS9	159	7
24-hr TSP (µg/m <sup>3</sup> )	AMS10	155	260
	AMS11A	165	
	AMS12	168	
	AMS13	174	
	AMS14	174	
	AMS15	172	
	AMS16	180	
	AMS17	171	
	AMS18	175	
	AMS19	174	
	AMS1	350	
	AMS2	324	
	AMS3A	350	
	AMS4A	348	
	AMS5	340	
	AMS6	347	
	AMS7A	344	
	AMS8	336	
	AMS9	327	
1-hr TSP (µg/m <sup>3</sup> )	AMS10	330	500
	AMS11A	335	
	AMS12	296	
	AMS13	303	
	AMS14	350	]
	AMS15	350	]
	AMS16	310	]
	AMS17	338	7
	AMS18	308	7
	AMS19	305	]

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Time Period	Location	Action	Limit
0700-1900 hrs on normal weekdays	NMS1           NMS2           NMS3           NMS4           NMS5A           NMS6A           NMS7           NMS8           NMS9           NMS10A*           NMS11           NMS12*           NMS13           NMS15           NMS16           NMS17*           NMS18           NMS20           NMS23           NMS24           NMS25A           NMS26           NMS26           NMS27*	When one documented complaint is received	75 dB(A)

## Action and Limit Levels for Construction Noise, Leq (30min), dB(A)

\* For NMS 10A, 12, 17 and 27, the Limit Level is reduced to 70 dB(A) for schools and 65 dB(A) during school examination periods.

#### Action and Limit Levels for Construction Noise, Leq (15min), dB(A)

Time Period	Location	Action	Limit
2300-0700 hrs of next day	NMS1 NMS2 NMS2 NMS4 NMS5A NMS6A NMS7 NMS8 NMS9 NMS11 NMS13 NMS14 NMS15 NMS16 NMS16 NMS16 NMS18 NMS19 NMS20 NMS20 NMS23 NMS24 NMS25A NMS26	When one documented complaint is received	55 dB(A)

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Appendix D

**Graphical Presentation of Monitoring Data** 

#### 1-hour TSP Impact Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

#### AMS2 - Villa Le Parc

				1-hour TSP (	µg/m³)			
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather
2-Sep-20	17:11	52	44	46	47			Fine
8-Sep-20	12:40	45	41	32	39			Fine
14-Sep-20	16:34	58	56	47	54	54 324	500	Fine
19-Sep-20	9:28	64	47	64	58	524	300	Fine
25-Sep-20	12:16	62	54	49	55			Sunny
30-Sep-20	10:25	69	43	51	54			Fine
	Average		51					
	Max		69					
	Min		32					

#### AMS5 - Tin Liu

	1-hour TSP (µg/m³)														
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather							
6-Oct-20	17:41	84	63	74	74			Sunny							
12-Oct-20	16:40	91	81	73	82		500	Sunny							
17-Oct-20	15:30	88	71	73	77	340		Sunny							
23-Oct-20	16:35	92	70	73	78			Sunny							
29-Oct-20	14:46 91		76	87	85			Sunny							
	Average		79												
	Max		92												
	Min		63												

#### AMS6 - Shatin Plaza

				1-hour TSP (	µg/m³)			
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather
2-Sep-20	15:42	52	47	44	48			Fine
8-Sep-20	13:03	46	39	37	41			Fine
14-Sep-20	10:01	69	60	67	65			Fine
19-Sep-20	17:00	58	47	50	52			Fine
25-Sep-20	12:55	65	51	49	55			Sunny
30-Sep-20	15:49	67	65	52	61	347	500	Fine
4-Nov-20	12:36	51	52	50	51			Fine
10-Nov-20	11:38	68	69	64	67			Sunny
16-Nov-20	11:32	68	61	61	63			Fine
21-Nov-20	12:35	66	62	62	63			Fine
27-Nov-20	12:41	59	70	64	64			Fine
	Average		57					
	Max		70					
	Min		37					

#### AMS7A - Sheung Wo Che

	1-hour TSP (µg/m³)													
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather						
2-Sep-20	10:38	61	42	42	48			Fine						
8-Sep-20	21:30	53	47	35	45		500	Fine						
14-Sep-20	8:31	62	49	52	54	344		Fine						
19-Sep-20	14:25	68	58	58	61	044	000	Fine						
25-Sep-20	19:20	70	62	69	67			Sunny						
30-Sep-20	20:19	64	61	63	63			Fine						
	Average		56											
	Max		70											
	Min		35											

#### AMS 8 - Lek Yuen Estate

				1-hour TSP	µg/m³)			
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather
6-Oct-20	15:13	75	72	63	70			Sunny
12-Oct-20	13:08	82	70	81	78			Sunny
17-Oct-20	18:12	79	76	69	75			Sunny
23-Oct-20	15:15	81	75	67	74			Sunny
29-Oct-20	16:10	78	69	76	74	336	500	Sunny
4-Nov-20	17:46	61	65	64	63	000	000	Fine
10-Nov-20	17:49	68	72	70	70			Sunny
16-Nov-20	17:42	68	70	71	70			Fine
21-Nov-20	16:45	68	65	71	68			Fine
27-Nov-20	17:51	64	69	69	67			Fine
	Average		71					
	Max		82					
	Min		61					

#### AMS 10 - Shatin Police Station

				µg/m³)				
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather
6-Oct-20	22:00	86	67	75	76			Sunny
12-Oct-20	13:27	90	78	82	83			Sunny
17-Oct-20	11:11	82	69	72	74	330	500	Sunny
23-Oct-20	21:50	91	70	79	80			Sunny
29-Oct-20	22:40	96	73	73	81			Sunny
	Average		79					
	Max		96					
	Min		67					

AMS 11A - Sheung Wo Che


				1-hour TSP (	µg/m³)			
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather
6-Oct-20	15:00	86	82	86	85			Sunny
12-Oct-20	16:27	90	86	82	86			Sunny
17-Oct-20	15:11	90	76	74	80			Sunny
23-Oct-20	14:50	96	82	85	88			Sunny
29-Oct-20	12:40	94	90	90	91	335	500	Sunny
4-Nov-20	17:03	59	59	57	58	000	000	Fine
10-Nov-20	17:08	65	63	62	63			Sunny
16-Nov-20	16:59	69	69	66	68			Fine
21-Nov-20	17:02	68	67	62	66			Fine
27-Nov-20	16:58	68	67	63	66			Fine
	Average		75					
	Max		96					
	Min		57					


#### AMS 13 - Fung Wo Estate


				1-hour TSP	µg/m³)			
Date	Start Time	1st hr	2nd hr	3rd hr	Average	Action Level	Limit Level	Weather
2-Sep-20	17:28	57	47	50	51			Fine
8-Sep-20	18:29	48	45	39	44			Fine
14-Sep-20	13:56	69	63	61	64			Fine
19-Sep-20	19:46	63	57	43	54			Fine
25-Sep-20	13:00	79	68	64	70			Sunny
30-Sep-20	18:57	65	59	51	58	303	500	Fine
4-Nov-20	17:18	56	61	59	59			Fine
10-Nov-20	18:22	74	70	71	72			Sunny
16-Nov-20	17:14	73	77	73	74			Fine
21-Nov-20	14:16	74	73	66	71			Fine
27-Nov-20	11:13	69	71	71	70			Fine
	Average		63					
	Max		79					
	Min		39					


Remark 1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.


2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.




















AMS2 - Villa Le Parc					
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
2/9/2020 9:11	28	8/9/2020 9:40	26	14/9/2020 9:34	33
2/9/2020 10:11	32	8/9/2020 10:40	32	14/9/2020 10:34	39
2/9/2020 11:11	33	8/9/2020 11:40	34	14/9/2020 11:34	41
2/9/2020 12:11	38	8/9/2020 12:40	45	14/9/2020 12:34	55
2/9/2020 13:11	36	8/9/2020 13:40	41	14/9/2020 13:34	52
2/9/2020 14:11	41	8/9/2020 14:40	32	14/9/2020 14:34	44
2/9/2020 15:11	45	8/9/2020 15:40	34	14/9/2020 15:34	45
2/9/2020 16:11	45	8/9/2020 16:40	39	14/9/2020 16:34	58
2/9/2020 17:11	52	8/9/2020 17:40	38	14/9/2020 17:34	56
2/9/2020 18:11	44	8/9/2020 18:40	30	14/9/2020 18:34	47
2/9/2020 19:11	46	8/9/2020 19:40	26	14/9/2020 19:34	35
2/9/2020 20:11	38	8/9/2020 20:40	32	14/9/2020 20:34	51
2/9/2020 21:11	49	8/9/2020 21:40	30	14/9/2020 21:34	36
2/9/2020 22:11	46	8/9/2020 22:40	38	14/9/2020 22:34	57
2/9/2020 23:11	51	8/9/2020 23:40	26	14/9/2020 23:34	45
3/9/2020 0:11	41	9/9/2020 0:40	38	15/9/2020 0:34	54
3/9/2020 1:11	45	9/9/2020 1:40	32	15/9/2020 1:34	40
3/9/2020 2:11	43	9/9/2020 2:40	30	15/9/2020 2:34	40
3/9/2020 2:11	45	9/9/2020 2:40	34	15/9/2020 2:34	47
3/9/2020 3:11	38	9/9/2020 5.40	30	15/9/2020 3:34	43
	42	9/9/2020 4:40	24		39
3/9/2020 5:11				15/9/2020 5:34	
3/9/2020 6:11	44	9/9/2020 6:40	29	15/9/2020 6:34	32
3/9/2020 7:11	44	9/9/2020 7:40	23	15/9/2020 7:34	31
3/9/2020 8:11	34	9/9/2020 8:40	29	15/9/2020 8:34	32
Average	41	Average		Average	
Action Level	166	Action Level	166	Action Level	166
Action Level	166	Action Level	166	Action Level	166
Action Level Limit Level	166 260	Action Level Limit Level	166 260	Action Level Limit Level	166 260
Action Level Limit Level Date and Time	166 260 TSP Concentration (μg/m³)	Action Level Limit Level Date and Time	166 260 TSP Concentration (µg/m³)	Action Level Limit Level Date and Time	166 260 TSP Concentration (µg/m³)
Action Level Limit Level Date and Time 19/9/2020 9:28	<u>166</u> 260 <b>TSP Concentration (µg/m*)</b> 64	Action Level Limit Level Date and Time 25/9/2020 9:16	<u>166</u> 260 <b>TSP Concentration (µg/m³)</b> 43	Action Level Limit Level Date and Time 30/9/2020 9:25	<u>166</u> 260 <b>TSP Concentration (µg/m³)</b> 44
Action Level Limit Level Date and Time 19/9/2020 9:28 19/9/2020 10:28	166 260 TSP Concentration (µg/m³) 64 47	Action Level Limit Level Date and Time 25/9/2020 9:16 25/9/2020 10:16	166 260 <b>TSP Concentration (µg/m³)</b> 43 43	Action Level Limit Level Date and Time 30/9/2020 9:25 30/9/2020 10:25	<u>166</u> 260 <b>TSP Concentration (µg/m³)</b> 44 69
Action Level Limit Level Date and Time 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28	166 260 <b>TSP Concentration (µg/m³)</b> 64 47 64	Action Level Limit Level <b>Date and Time</b> 25/9/2020 19:16 25/9/2020 11:16	<u>166</u> 260 <b>TSP Concentration (µg/m³)</b> 43 43 50	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25	<u>166</u> 260 <b>TSP Concentration (μg/m³)</b> 44 69 43
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 12:28	166 260 TSP Concentration (μg/m <sup>3</sup> ) 64 47 64 56	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16	166 260 TSP Concentration (µg/m³) 43 43 50 62	Action Level Limit Level <b>Date and Time</b> 30/9/2020 9:25 30/9/2020 11:25 30/9/2020 11:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 12:28 19/9/2020 13:28	166 260 <b>TSP Concentration (μg/m*)</b> 64 47 64 55 55	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 12:16 25/9/2020 13:16	166 260 TSP Concentration (µg/m³) 43 43 50 62 54	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 12:25 30/9/2020 13:25	166 260 <b>TSP Concentration (μg/m*)</b> 44 69 43 51 49
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 12:28 19/9/2020 13:28 19/9/2020 13:28 19/9/2020 15:28	166 260 TSP Concentration (µg/m*) 64 47 64 56 55 58	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 15:16	166 260 TSP Concentration (µg/m³) 43 43 43 50 62 54 49 46	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 12:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 15:25	166 260 <b>TSP Concentration (μg/m*)</b> 44 69 43 51 49 55
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 12:28 19/9/2020 12:28 19/9/2020 12:28 19/9/2020 15:28	166 260 TSP Concentration (μg/m <sup>3</sup> ) 64 47 64 56 55 58 63	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 15:16 25/9/2020 15:16	166 260 <b>TSP Concentration (μg/m*)</b> 43 43 50 62 54 49	Action Level Limit Level <b>Date and Time</b> 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 15:25 30/9/2020 15:25 30/9/2020 15:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 55 53
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 12:28 19/9/2020 13:28 19/9/2020 13:28 19/9/2020 13:28	166 260 <b>TSP Concentration (μg/m³)</b> 64 47 64 56 55 58 63 59	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 15:16	166 260 TSP Concentration (µg/m*) 43 43 50 62 54 49 46 55	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 12:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 15:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 12:28 19/9/2020 13:28 19/9/2020 15:28 19/9/2020 15:28	166 260 <b>TSP Concentration (μg/m*)</b> 64 47 64 56 55 58 63 59 59 59	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 12:16 25/9/2020 12:16 25/9/2020 13:16 25/9/2020 15:16 25/9/2020 16:16 25/9/2020 16:16	166 260 TSP Concentration (µg/m³) 43 43 50 62 54 49 46 55 46	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 15:25 30/9/2020 15:25 30/9/2020 15:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 15:28	166 260 TSP Concentration (µg/m <sup>*</sup> ) 64 47 64 56 55 58 63 59 59 52	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 16:16	166 260 TSP Concentration (µg/m³) 43 43 43 50 62 54 49 46 55 46 47	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 17:25	166 260 <b>TSP Concentration (μg/m<sup>*</sup>)</b> 44 69 43 51 49 55 53 60 51 60
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 12:28 19/9/2020 14:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 18:28 19/9/2020 19:28	166 260 <b>TSP Concentration (μg/m³)</b> 64 47 64 55 55 58 63 59 59 59 59 52 56 53	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 12:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 15:16 25/9/2020 15:16 25/9/2020 15:16 25/9/2020 19:16 25/9/2020 19:16	166           260           TSP Concentration (µg/m³)           43           43           62           54           49           46           55           46           47           40           39	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 15:25 30/9/2020 15:25 30/9/2020 15:25 30/9/2020 17:25 30/9/2020 19:25 30/9/2020 19:25	166           260 <b>TSP Concentration (μg/m*)</b> 44           69           43           51           49           55           53           60           51           60           51           60           51           51           60           51           53           60           51           51
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 17:28 19/9/2020 18:28 19/9/2020 19:28	166 260 TSP Concentration (μg/m³) 64 47 64 56 55 58 63 59 59 52 56 53 57	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 17:16 25/9/2020 17:16 25/9/2020 17:16 25/9/2020 17:16 25/9/2020 17:16	166 260 TSP Concentration (µg/m³) 43 43 43 50 62 54 49 46 55 46 47 40 39 49	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 15:25 30/9/2020 17:25 30/9/2020 17:25 30/9/2020 17:25 30/9/2020 12:25	166 260 TSP Concentration (µg/m*) 44 69 43 51 49 55 53 60 51 60 54 51 62
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28	166 260 TSP Concentration (µg/m <sup>3</sup> ) 64 47 64 56 55 58 63 59 59 59 59 59 59 59 59 59 52 56 53 57 54	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 19:16 25/9/2020 20:16 25/9/2020 21:16	166           260           TSP Concentration (µg/m³)           43           43           62           54           49           46           55           46           55           46           47           40           39           49	Action Level Limit Level 30/9/2020 9:25 30/9/2020 9:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 12:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 18:25 30/9/2020 19:25 30/9/2020 21:25 30/9/2020 21:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 54 51 62 57
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 12:28 19/9/2020 20:28 19/9/2020 22:28	166 260 TSP Concentration (μg/m <sup>3</sup> ) 64 47 64 56 55 58 63 59 59 59 59 52 56 53 57 54 42	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16	166           260           TSP Concentration (µg/m³)           43           43           62           54           49           46           55           46           47           40           39           49           42	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 15:25 30/9/2020 15:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 20:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 60 51 65 57 65 57 65 57 65 57 65 57 65 57 65 57 57 57 57 57 57 57 57 57 5
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 13:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 17:28 19/9/2020 17:28 19/9/2020 12:28 19/9/2020 20:28 19/9/2020 22:28 19/9/2020 23:28 20/9/2020 0:28	166 260 TSP Concentration (µg/m³) 64 47 64 56 55 58 63 59 59 52 56 53 57 54 42 43	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 15:16 25/9/2020 15:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16	166 260 TSP Concentration (µg/m³) 43 43 43 50 62 54 49 46 55 46 47 40 39 49 49 49 42 53	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 15:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 17:25 30/9/2020 20:25 30/9/2020 20:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 22:25 30/9/2020 22:25 30/9/2020 22:25 30/9/2020 22:25	166 260 TSP Concentration (µg/m <sup>*</sup> ) 44 69 43 51 49 55 53 60 51 60 54 51 60 54 51 62 57 65 43
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 18:28 19/9/2020 18:28 19/9/2020 12:28 19/9/2020 21:28 19/9/2020 21:28 19/9/2020 22:28 19/9/2020 23:28 20/9/2020 028	166 260 TSP Concentration (µg/m <sup>s</sup> ) 64 47 64 56 55 58 63 59 59 59 52 56 53 57 54 42 43 63	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 19:16 25/9/2020 19:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           55           46           55           46           55           46           55           46           55           46           55           46           55           46           53           42	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 12:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 12:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 0:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 54 51 60 54 51 62 57 65 43 56
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 12:28 19/9/2020 21:28 19/9/2020 22:28 19/9/2020 23:28 20/9/2020 128	166           260           TSP Concentration (μg/m³)           64           47           64           56           55           58           63           59           52           56           53           57           54           42           43           63           54	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 11:16 26/9/2020 11:16	166           260           TSP Concentration (µg/m³)           43           43           62           54           49           46           55           46           55           46           39           49           42           53           42	Action Level Limit Level 30/9/2020 9:25 30/9/2020 9:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 18:25 30/9/2020 18:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 12:5	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 54 51 60 54 51 62 57 65 43 56 50
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 12:28 19/9/2020 20:28 19/9/2020 22:28 20/9/2020 0:28 20/9/2020 2:28 20/9/2020 2:28	166 260 TSP Concentration (µg/m³) 64 47 64 56 55 58 63 59 59 52 56 53 57 54 42 43 63 54 55 55 55 55 55 55 55 55 55	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 10:16 25/9/2020 10:16 25/9/2020 20:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 21:1626/9/2020 21:16 26/9/2020 21:1626/9/2020 21:16 26/9/2020 21:1626/9/2020 21:16 26/9/2020 21:1626/9/2020 21:16 26/9/2020 21:16 26/9/2020 21:16 26/9/2020 21:16 26/9/2020 21:162020 21:16 26/9/2020 21:16 26/9/2020 21:16 26/9/2020 21:16 26/9/2020 21:16 26/9/2020 21:16 25/9/2020 21:16 25/9/2020 2	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           47           40           39           49           42           53           42           44	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 13:25 30/9/2020 15:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 19:25 30/9/2020 19:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 1:25 1/10/2020 1:25 1/10/2020 1:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 51 60 51 60 51 60 51 60 54 51 62 57 65 43 56 50 48
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 17:28 19/9/2020 17:28 19/9/2020 21:28 19/9/2020 21:28 19/9/2020 21:28 19/9/2020 01:28 20/9/2020 01:28	166           260           TSP Concentration (μg/m²)           64           47           64           56           55           63           59           52           56           53           57           54           42           43           63           54           55	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 17:16 25/9/2020 17:16 25/9/2020 12:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 01:16 26/9/2020 01:16 26/9/2020 01:16 26/9/2020 01:16 26/9/2020 01:16	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           55           46           55           46           55           46           55           46           55           46           55           42           42           42           44           48	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 17:25 30/9/2020 12:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 0:25 1/10/2020 0:25 1/10/2020 0:25 1/10/2020 0:25 1/10/2020 0:25 1/10/2020 0:25 1/10/2020 0:25 1/10/2020 0:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 54 51 60 54 51 62 57 65 43 56 50 48 48
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 13:28 19/9/2020 12:28 19/9/2020 21:28 19/9/2020 21:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28	166 260 TSP Concentration (µg/m <sup>3</sup> ) 64 47 64 56 55 58 63 59 59 59 59 59 59 59 59 52 56 53 57 54 42 42 43 63 54 42 43 63 54 55 60	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 19:16 25/9/2020 20:16 25/9/2020 20:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           55           46           53           42           42           42           42           44           48           40	Action Level Limit Level 30/9/2020 9:25 30/9/2020 9:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 12:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 2:25 1/10/2020 1:25 1/10/2020 1:25 1/10/2020 3:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 62 57 65 43 56 57 65 43 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 51 60 54 57 65 57 65 57 65 57 65 57 65 57 55 57 57 57 57 57 57 57 5
Action Level Limit Level 19/9/2020 9:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 18:28 19/9/2020 18:28 19/9/2020 18:28 19/9/2020 21:28 20/9/2020 22:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 23:28 20/9/2020 5:28 20/9/2020 5:28 20/9/2020 5:28	166 260 TSP Concentration (µg/m³) 64 47 64 56 55 58 63 59 52 56 53 57 54 42 43 63 57 54 42 43 63 57 54 55 56 55 56 55 56 55 58 63 59 55 56 55 58 63 59 55 55 56 55 56 55 58 63 59 55 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 57 56 55 57 57 54 42 43 63 59 55 56 55 56 55 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 56 55 55	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 31:16 26/9/2020 31:16 26/9/2	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           55           46           39           49           42           53           42           43           40           39           49           42           53           42           53           42           53           42           53           42           53           42           53           42           53           40           31	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 2:25 1/10/2020 2:25 1/10/2020 3:25 1/10/2020 3:25 1/10/2020 5:25 1/10/2020 5:25	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 54 51 60 54 51 62 57 65 43 56 50 48 48 48 55 55
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 13:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 13:28 19/9/2020 13:28 19/9/2020 12:28 19/9/2020 21:28 19/9/2020 21:28 19/9/2020 21:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 3:28 20/9/2020 5:28	166           260           TSP Concentration (μg/m³)           64           47           64           56           55           63           59           52           56           53           57           54           42           43           63           59           52           56           53           57           54           42           43           63           54           55           60           54           52	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 17:16 25/9/2020 17:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 21:16 26/9/2	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           47           40           39           49           42           42           44           48           40           31           41	Action Level Limit Level 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 12:25 30/9/2020 20:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 0:25 1/10/2020 2:25 1/10/2020 3:25 1/10/2020 3:25 1/10/2020 3:25 1/10/2020 5:25 1/10/2020 5:25 1/10/2020 5:25 1/10/2020 5:25 1/10/2020 5:25 1/10/2020 5:25 1/10/2020 5:25 1/10/2020 5:25	166 260 TSP Concentration (µg/m*) 44 69 43 51 49 55 53 60 51 60 54 51 62 57 65 43 56 50 48 48 48 55 55 61
Action Level Limit Level 19/9/2020 9:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 20/9/2020 12:28 19/9/2020 21:28 19/9/2020 21:28 20/9/2020 21:28 20/9/2020 21:28 20/9/2020 21:28 20/9/2020 21:28 20/9/2020 4:28 20/9/2020 4:28 20/9/2020 5:28 20/9/2020 7:28 20/9/2020 7:28 20/9/2020 7:28	166           260           TSP Concentration (μg/m³)           64           47           64           56           55           63           59           52           56           53           57           54           42           43           63           54           55           60           54           55           60           54           52           55           60           54           52           50	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 19:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 31:16 26/9/2020 31:16 26/9/2	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           55           46           53           42           42           44           40           31           41           37	Action Level Limit Level 30/9/2020 9:25 30/9/2020 9:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 12:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 2:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25	166           260           TSP Concentration (µg/m²)           44           69           43           51           49           55           53           60           51           60           54           51           62           57           65           43           56           50           48           55           55           61           52
Action Level Limit Level 19/9/2020 0:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 13:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 18:28 19/9/2020 18:28 19/9/2020 23:28 20/9/2020 23:28 20/9/2020 12:28 20/9/2020 12:28 20/9/2	166           260           TSP Concentration (μg/m³)           64           47           64           56           55           58           63           59           52           56           53           57           54           42           43           63           54           52           56           53           57           54           42           43           63           54           52           56           53           54           52           55           60           54           52           50           55	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 11:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 31:16 26/9/2020 31:16 26/9/2	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           55           46           39           49           42           53           42           44           48           40           31           41           37           45	Action Level Limit Level 30/9/2020 9:25 30/9/2020 9:25 30/9/2020 10:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 13:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 18:25 30/9/2020 12:25 30/9/2020 21:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 1:25 1/10/2020 1:25 1/10/2020 1:25 1/10/2020 3:25 1/10/2020 3:2	166 260 <b>TSP Concentration (µg/m*)</b> 44 69 43 51 49 55 53 60 51 60 54 51 60 54 51 62 57 65 43 56 50 48 48 48 55 55 55 61 52 54
Action Level Limit Level 19/9/2020 9:28 19/9/2020 10:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 11:28 19/9/2020 12:28 19/9/2020 14:28 19/9/2020 14:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 19/9/2020 15:28 20/9/2020 12:28 20/9/2020 21:28 20/9/2020 22:28 20/9/2020 22:28 20/9/2020 22:28 20/9/2020 22:28 20/9/2020 22:28 20/9/2020 22:28 20/9/2020 22:28 20/9/2020 22:28 20/9/2020 4:28 20/9/2020 4:28 20/9/2020 5:28 20/9/2020 7:28 20/9/2020 7:28 20/9/2020 7:28	166           260           TSP Concentration (μg/m³)           64           47           64           56           55           63           59           52           56           53           57           54           42           43           63           54           55           60           54           55           60           54           52           55           60           54           52           50	Action Level Limit Level 25/9/2020 9:16 25/9/2020 10:16 25/9/2020 11:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 13:16 25/9/2020 14:16 25/9/2020 14:16 25/9/2020 16:16 25/9/2020 16:16 25/9/2020 19:16 25/9/2020 21:16 25/9/2020 21:16 25/9/2020 21:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 11:16 26/9/2020 31:16 26/9/2020 31:16 26/9/2	166           260           TSP Concentration (µg/m³)           43           43           50           62           54           49           46           55           46           55           46           53           42           42           44           40           31           41           37	Action Level Limit Level 30/9/2020 9:25 30/9/2020 9:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 11:25 30/9/2020 14:25 30/9/2020 14:25 30/9/2020 16:25 30/9/2020 16:25 30/9/2020 17:25 30/9/2020 12:25 30/9/2020 21:25 30/9/2020 21:25 1/10/2020 2:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25 1/10/2020 7:25	166           260           TSP Concentration (µg/m²)           44           69           43           51           49           55           53           60           51           60           54           51           62           57           65           43           56           50           48           55           55           61           52

24-hour TSP Impact Monitoring Result for. NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

I

Remark

1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

		л г		
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	4 - 1-	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
6/10/2020 8:41	52		12/10/2020 8:40	63
6/10/2020 9:41	57		12/10/2020 9:40	67
6/10/2020 10:41	42		12/10/2020 10:40	50
6/10/2020 11:41	61		12/10/2020 11:40	69
6/10/2020 12:41	72		12/10/2020 12:40	79
6/10/2020 13:41	64		12/10/2020 13:40	72
6/10/2020 14:41	72		12/10/2020 14:40	82
6/10/2020 15:41	58		12/10/2020 14:40	64
	83			91
6/10/2020 16:41			12/10/2020 16:40	
6/10/2020 17:41	84		12/10/2020 17:40	81
6/10/2020 18:41	63		12/10/2020 18:40	73
6/10/2020 19:41	74		12/10/2020 19:40	80
6/10/2020 20:41	57		12/10/2020 20:40	67
6/10/2020 21:41	68	1	12/10/2020 21:40	78
6/10/2020 22:41	53		12/10/2020 22:40	61
6/10/2020 23:41	58	1	12/10/2020 23:40	69
7/10/2020 0:41	70		13/10/2020 0:40	77
7/10/2020 1:41	49		13/10/2020 1:40	56
7/10/2020 2:41	49 59	1	13/10/2020 2:40	66
7/10/2020 3:41	80		13/10/2020 3:40	86
7/10/2020 4:41	61		13/10/2020 4:40	70
7/10/2020 5:41	48		13/10/2020 5:40	58
7/10/2020 6:41	52		13/10/2020 6:40	60
7/10/2020 7:41	64		13/10/2020 7:40	73
Average	62		Average	71
Action Level	156		Action Level	156
Limit Level	260	] [	Limit Level	260
r				
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	4 4	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
23/10/2020 8:35	62		29/10/2020 8:46	71
23/10/2020 9:35	66		29/10/2020 9:46	73
23/10/2020 10:35	48		29/10/2020 10:46	60
23/10/2020 11:35	69		29/10/2020 11:46	79
23/10/2020 12:35	63		29/10/2020 12:46	83
		1		
2.5/10/2020 15:551	69		29/10/2020 13:46	76
	69 68		29/10/2020 13:46	76
23/10/2020 14:35	68		29/10/2020 14:46	91
23/10/2020 14:35 23/10/2020 15:35	68 61		29/10/2020 14:46 29/10/2020 15:46	91 76
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35	68 61 92		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 16:46	91 76 87
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35	68 61 92 70		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 17:46	91 76 87 85
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35	68 61 92 70 73		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 17:46 29/10/2020 18:46	91 76 87 85 76
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 19:35	68 61 92 70 73 73		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 19:46	91 76 87 85 76 90
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 19:35	68 61 92 70 73 73 63		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 17:46 29/10/2020 18:46	91 76 87 85 76
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 19:35 23/10/2020 19:35	68 61 92 70 73 73		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 19:46	91 76 87 85 76 90
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 19:35 23/10/2020 20:35 23/10/2020 21:35	68 61 92 70 73 73 63		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 19:46 29/10/2020 20:46 29/10/2020 21:46	91 76 87 85 76 90 75
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 18:35 23/10/2020 20:35 23/10/2020 21:35 23/10/2020 22:35	68 61 92 70 73 73 63 75		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 19:46 29/10/2020 20:46 29/10/2020 21:46	91 76 87 85 76 90 75 87
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 20:35 23/10/2020 21:35 23/10/2020 22:35 23/10/2020 23:35	68 61 92 70 73 73 63 75 60 60 64		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 19:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 22:46 29/10/2020 23:46	91 76 85 76 90 75 87 69 77
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 18:35 23/10/2020 18:35 23/10/2020 18:35 23/10/2020 19:35 23/10/2020 20:35 23/10/2020 22:35 23/10/2020 23:35 24/10/2020 0:35	68 61 92 70 73 73 63 75 60 64 78		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 28:46 29/10/2020 20:46 29/10/2020 22:46 29/10/2020 23:46 30/10/2020 3:46	91 76 87 85 76 90 75 87 69 77 87 88
33/10/2020         14:35           33/10/2020         15:35           33/10/2020         17:35           33/10/2020         17:35           33/10/2020         17:35           33/10/2020         17:35           33/10/2020         17:35           33/10/2020         17:35           33/10/2020         12:35           33/10/2020         21:35           33/10/2020         23:35           23/10/2020         02:35           23/10/2020         02:35           24/10/2020         02:35           24/10/2020         135	68 61 92 70 73 73 63 75 60 64 78 56		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 19:46 29/10/2020 19:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 0:46 30/10/2020 1:46	91 76 87 85 76 90 75 87 69 77 86 61
3/10/2020 14:35 3/10/2020 15:35 3/10/2020 16:35 3/10/2020 17:35 3/10/2020 17:35 3/10/2020 18:35 3/10/2020 20:35 3/10/2020 21:35 3/10/2020 21:35 3/10/2020 23:35 2/10/2020 1:35 2/10/2020 1:35	68 61 92 70 73 73 63 75 60 64 78 56 70		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 19:46 29/10/2020 19:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 23:46 30/10/2020 1:46 30/10/2020 1:46	91 76 87 85 76 90 75 87 69 77 86 61 74
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 15:35 23/10/2020 17:35 23/10/2020 17:35 23/10/2020 19:35 23/10/2020 20:35 23/10/2020 20:35 24/10/2020 0:35 24/10/2020 1:35 24/10/2020 1:35 24/10/2020 2:35 24/10/2020 3:35	68 61 92 70 73 63 75 60 64 78 56 70 89		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46	91 76 87 85 76 90 75 87 69 77 86 61 74 75
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 20:35 23/10/2020 20:35 23/10/2020 23:35 23/10/2020 0:35 24/10/2020 1:35 24/10/2020 3:35 24/10/2020 3:35 24/10/2020 3:35	68 61 92 70 73 73 63 75 60 64 78 56 70 89 72		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 20:46 29/10/2020 21:46 29/10/2020 22:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 3:46	91 76 87 85 76 90 75 87 69 77 86 61 74 75 76
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 17:35 23/10/2020 17:35 23/10/2020 20:35 23/10/2020 21:35 23/10/2020 21:35 23/10/2020 23:35 24/10/2020 1:35 24/10/2020 1:35 24/10/2020 4:35 24/10/2020 4:35	68 61 92 70 73 73 63 75 60 64 75 60 64 78 56 70 89 72 56		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 19:46 29/10/2020 19:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 21:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 4:46 30/10/2020 4:46	91 76 87 85 76 90 75 87 69 77 86 61 74 75 76 68
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 19:35 23/10/2020 20:35 23/10/2020 20:35 23/10/2020 23:35 24/10/2020 0:35 24/10/2020 0:35 24/10/2020 3:35 24/10/2020 3:35	68 61 92 70 73 73 63 75 60 64 78 56 70 89 72		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 20:46 29/10/2020 21:46 29/10/2020 22:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 3:46	91 76 87 85 76 90 75 87 69 77 86 61 74 75 76
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 17:35 23/10/2020 17:35 23/10/2020 20:35 23/10/2020 21:35 23/10/2020 21:35 23/10/2020 23:35 24/10/2020 1:35 24/10/2020 1:35 24/10/2020 4:35 24/10/2020 4:35	68 61 92 70 73 73 63 75 60 64 75 60 64 78 56 70 89 72 56		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 19:46 29/10/2020 19:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 21:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 4:46 30/10/2020 4:46	91 76 87 85 76 90 75 87 69 77 86 61 74 75 76 68
24/10/2020 1:35 24/10/2020 2:35 24/10/2020 3:35 24/10/2020 4:35 24/10/2020 5:35 24/10/2020 6:35	68 61 92 70 73 63 75 60 64 78 56 70 89 72 56 56 56		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 2:46 30/10/2020 2:46 30/10/2020 2:46 30/10/2020 2:46 30/10/2020 5:46 30/10/2020 5:46	91 76 87 85 76 90 75 87 69 77 86 61 74 75 76 68 72
23/10/2020 14:35 23/10/2020 15:35 23/10/2020 15:35 23/10/2020 16:35 23/10/2020 17:35 23/10/2020 18:35 23/10/2020 19:35 23/10/2020 20:35 23/10/2020 20:35 24/10/2020 2:35 24/10/2020 2:35 24/10/2020 3:35 24/10/2020 3:35 24/10/2020 5:35 24/10/2020 6:35 24/10/2020 6:35 24/10/2020 6:35	68 61 92 70 73 73 63 75 60 64 78 56 70 89 72 56 56 70 89 72 56 70		29/10/2020 14:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 18:46 29/10/2020 20:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 12:46 30/10/2020 13:46 30/10/2020 3:46 30/10/2020 5:46 30/10/2020 6:46 30/10/2020 6:46 30/10/2020 6:46	91 76 87 85 76 90 75 87 69 77 86 61 74 75 76 68 72 79

Date and Time	TSP Concentration (µg/m <sup>3</sup> )
17/10/2020 8:30	60
17/10/2020 9:30	65
17/10/2020 10:30	54
17/10/2020 11:30	71
17/10/2020 12:30	81
17/10/2020 13:30	73
17/10/2020 14:30	83
17/10/2020 15:30	88
17/10/2020 16:30	71
17/10/2020 17:30	73
17/10/2020 18:30	71
17/10/2020 19:30	82
17/10/2020 20:30	68
17/10/2020 21:30	77
17/10/2020 22:30	61
17/10/2020 23:30	69
18/10/2020 0:30	78
18/10/2020 1:30	60
18/10/2020 2:30	70
18/10/2020 3:30	70
18/10/2020 4:30	69
18/10/2020 5:30	56
18/10/2020 6:30	60
18/10/2020 7:30	71
Average	70
Action Level	156
Limit Level	260

24-hour TSP Impact Monitoring Result for. NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

AMS5 - Tin Liu

Remark

Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

AMS6 - Shatin Plaza					
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
2/9/2020 8:42	37	8/9/2020 9:03	39	14/9/2020 9:01	65
2/9/2020 9:42	41	8/9/2020 10:03	43	14/9/2020 10:01	69
2/9/2020 10:42	46	8/9/2020 11:03	40	14/9/2020 11:01	60
2/9/2020 11:42	46	8/9/2020 12:03	43	14/9/2020 12:01	67
2/9/2020 12:42	47	8/9/2020 13:03	46	14/9/2020 13:01	60
2/9/2020 13:42	47	8/9/2020 14:03	39	14/9/2020 14:01	53
2/9/2020 14:42	50	8/9/2020 15:03	37	14/9/2020 15:01	61
2/9/2020 15:42	52	8/9/2020 16:03	36	14/9/2020 16:01	61
2/9/2020 16:42	47	8/9/2020 17:03	41	14/9/2020 17:01	65
2/9/2020 17:42	44	8/9/2020 18:03	36	14/9/2020 18:01	55
2/9/2020 18:42	41	8/9/2020 19:03	37	14/9/2020 19:01	64
2/9/2020 19:42	38	8/9/2020 20:03	40	14/9/2020 20:01	67
2/9/2020 19:42	33	8/9/2020 21:03	30	14/9/2020 20:01	66
	27		34	14/9/2020 22:01	63
2/9/2020 21:42		8/9/2020 22:03			
2/9/2020 22:42	28	8/9/2020 23:03	31	14/9/2020 23:01	60
2/9/2020 23:42	28	9/9/2020 0:03	33	15/9/2020 0:01	63
3/9/2020 0:42	32	9/9/2020 1:03	31	15/9/2020 1:01	55
3/9/2020 1:42	34	9/9/2020 2:03	36	15/9/2020 2:01	64
3/9/2020 2:42	38	9/9/2020 3:03	34	15/9/2020 3:01	65
3/9/2020 3:42	36	9/9/2020 4:03	39	15/9/2020 4:01	49
3/9/2020 4:42	41	9/9/2020 5:03	41	15/9/2020 5:01	59
3/9/2020 5:42	43	9/9/2020 6:03	37	15/9/2020 6:01	44
3/9/2020 6:42	38	9/9/2020 7:03	41	15/9/2020 7:01	50
3/9/2020 7:42	37	9/9/2020 8:03	37	15/9/2020 8:01	56
Average	40	Average	37	Average	60
	165	Action Level	165	Action Level	165
Action Level Limit Level	165 260	Action Level Limit Level	165 260	Action Level Limit Level	165 260
Action Level Limit Level	260	Limit Level	260	Limit Level	260
Action Level Limit Level Date and Time	260 TSP Concentration (μg/m <sup>3</sup> )	Limit Level Date and Time	260 TSP Concentration (μg/m³)	Limit Level Date and Time	260 TSP Concentration (µg/m³)
Action Level Limit Level Date and Time 19/9/2020 9:00	260 TSP Concentration (μg/m³) 52	Limit Level Date and Time 25/9/2020 8:55	260 TSP Concentration (µg/m³) 51	Limit Level <b>Date and Time</b> 30/9/2020 8:49	260 <b>TSP Concentration (µg/m³)</b> 49
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00	260 TSP Concentration (µg/m³) 52 52	Limit Level <b>Date and Time</b> 25/9/2020 8:55 25/9/2020 9:55	260 <b>TSP Concentration (µg/m³)</b> 51 56	Limit Level <b>Date and Time</b> 30/9/2020 8:49 30/9/2020 9:49	260 <b>TSP Concentration (µg/m³)</b> 49 58
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00	260 TSP Concentration (µg/m³) 52 52 51	Limit Level <b>Date and Time</b> 25/9/2020 8:55 25/9/2020 9:55 25/9/2020 10:55	260 TSP Concentration (µg/m³) 51 56 57	Limit Level <b>Date and Time</b> 30/9/2020 8:49 30/9/2020 9:49 30/9/2020 10:49	260 TSP Concentration (µg/m³) 49 58 56
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00	260 TSP Concentration (µg/m³) 52 52 51 54	Limit Level <b>Date and Time</b> 25/9/2020 8:55 25/9/2020 9:55 25/9/2020 10:55 25/9/2020 11:55	260 <b>TSP Concentration (µg/m³)</b> 51 56 57 51	Limit Level <b>Date and Time</b> 30/9/2020 8:49 30/9/2020 9:49 30/9/2020 10:49 30/9/2020 11:49	260 TSP Concentration (µg/m³) 49 58 56 55
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 13:00	260 TSP Concentration (µg/m³) 52 52 51 54 53	Limit Level <b>Date and Time</b> 25/9/2020 8:55 25/9/2020 10:55 25/9/2020 11:55 25/9/2020 11:55 25/9/2020 11:55	260 TSP Concentration (µg/m³) 51 56 57 51 65	Limit Level <b>Date and Time</b> 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49	260 TSP Concentration (µg/m³) 49 58 56 55 55 58
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50	Limit Level <b>Date and Time</b> 25/9/2020 8:55 25/9/2020 9:55 25/9/2020 10:55 25/9/2020 11:55	260 <b>TSP Concentration (µg/m³)</b> 51 56 57 51 65 51	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 12:49 30/9/2020 13:49 30/9/2020 13:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 13:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 10:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55	260 TSP Concentration (µg/m³) 51 56 57 51 65	Limit Level <b>Date and Time</b> 30/9/2020 8:49 30/9/2020 9:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 14:49	260 TSP Concentration (μg/m³) 49 58 56 55 58 57 50
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 13:00 19/9/2020 14:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 13:55	260 <b>TSP Concentration (µg/m³)</b> 51 56 57 51 65 51	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 12:49 30/9/2020 13:49 30/9/2020 13:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 14:00 19/9/2020 14:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 10:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57	Limit Level <b>Date and Time</b> 30/9/2020 8:49 30/9/2020 9:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 14:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 13:00 19/9/2020 15:00 19/9/2020 15:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48	Limit Level <b>Date and Time</b> 25/9/2020 9:55 25/9/2020 10:55 25/9/2020 11:55 25/9/2020 11:55 25/9/2020 13:55 25/9/2020 14:55 25/9/2020 14:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44	Limit Level <b>Date and Time</b> 30/9/2020 9:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 14:49 30/9/2020 15:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 16:00 19/9/2020 17:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58	Limit Level <b>Date and Time</b> 25/9/2020 8:55 25/9/2020 9:55 25/9/2020 11:55 25/9/2020 11:55 25/9/2020 11:55 25/9/2020 13:55 25/9/2020 15:55 25/9/2020 15:55 25/9/2020 15:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49	260 TSP Concentration (µg/m³) 49 58 56 55 55 58 57 50 67 65
Action Level Limit Level Date and Time 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 13:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 17:00 19/9/2020 17:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 48 58 47	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 12:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 14:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 17:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 12:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 19:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 48 58 47 50	Limit Level <b>Date and Time</b> 25/9/2020 8:55 25/9/2020 9:55 25/9/2020 11:55 25/9/2020 11:55 25/9/2020 13:55 25/9/2020 13:55 25/9/2020 15:55 25/9/2020 15:55 25/9/2020 18:55 25/9/2020 19:55 25/9/2020 18:55 25/9/2020 19:55 25/9/2020 18:55 25/9/2020 19:55 25/9/2020 19	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 14:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 18:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 16:00 19/9/2020 16:00 19/9/2020 18:00 19/9/2020 18:00 19/9/2020 20:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58 47 50 49	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 13:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 20:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 17:49 30/9/2020 18:49 30/9/2020 19:49 30/9/2020 19:49 3	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 57
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 13:00 19/9/2020 16:00 19/9/2020 16:00 19/9/2020 18:00 19/9/2020 19:00 19/9/2020 21:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 48 58 47 50 49 38 45	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 14:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 18:55           25/9/2020 18:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 56 53 42 49	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 12:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 18:49 30/9/2020 19:49 30/9/2020 19:40 30/9/2020 19:40 30/9/2020 19:40 3	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 17:00 19/9/2020 19:00 19/9/2020 20:00 19/9/2020 20:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 48 48 58 47 50 49 38 45 46	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 19:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43	Limit Level Date and Time 30/9/2020 9:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 14:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 18:49 30/9/2020 18:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49	260 TSP Concentration (μg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 17:00 19/9/2020 18:00 19/9/2020 21:00 19/9/2020 22:00 19/9/2020 22:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 46	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 12:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 22:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 18:49 30/9/2020 18:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 13:00 19/9/2020 21:00 19/9/2020 22:00 19/9/2020 22:00 20/9/2020 0:00 20/9/2020 1:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 50	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 17:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 19:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 21:55           25/9/2020 23:55           25/9/2020 23:55           25/9/2020 23:55           25/9/2020 23:55           25/9/2020 23:55           25/9/2020 23:55           25/9/2020 23:55           26/9/2020 03:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 17:49 30/9/2020 18:49 30/9/2020 19:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 13:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 18:00 19/9/2020 18:00 19/9/2020 20:00 19/9/2020 20:00 19/9/2020 20:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 48 58 47 50 49 38 45 46 46 46 50 51	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 14:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 18:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 21:55           25/9/2020 22:55           25/9/2020 22:55           25/9/2020 0:55           25/9/2020 0:55           25/9/2020 1:55           25/9/2020 0:55           25/9/2020 0:55           25/9/2020 0:55           25/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 43 50 47	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 12:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 19:49 30/9/2020 19:49 30/9/2020 19:49 30/9/2020 20:49 30/9/2020 20:49 30/9/2020 21:49 30/9/2020 23:49 30/9/2020 23:49 1/10/2020 0:49 1/10/2020 0:49 3/10/2020 1:49 3/10/2020	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 21:00 19/9/2020 21:00 19/9/2020 21:00 20/9/2020 20:00 20/9/2020 2:00 20/9/2020 2:00	260 TSP Concentration (µg/m*) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 46 46 50 51 51	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 8:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 16:55           25/9/2020 18:55           25/9/2020 18:55           25/9/2020 18:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           26/9/2020 20:55           26/9/2020 2:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55           26/9/2020 1:55 <td< td=""><td>260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50 47 53</td><td>Limit Level Date and Time 30/9/2020 8:49 30/9/2020 9:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 19:49 30/9/2020 20:49 30/9/2020 20:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40</td><td>260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53</td></td<>	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50 47 53	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 9:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 19:49 30/9/2020 20:49 30/9/2020 20:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 11:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 1:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 13:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 21:00 19/9/2020 22:00 20/9/2020 20:00 20/9/2020 1:00 20/9/2020 1:00 20/9/2020 3:00 20/9/2020 3:00 20/9/2020 3:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 46 50 51 51 58	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 20:55           25/9/2020 21:55           25/9/2020 22:55           25/9/2020 23:55           26/9/2020 02:55           26/9/2020 15:55           26/9/2020 23:55           26/9/2020 02:55           26/9/2020 02:55           26/9/2020 02:55           26/9/2020 02:55           26/9/2020 23:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50 47 53 51	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 17:49 30/9/2020 17:49 30/9/2020 17:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 31:49 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/2020 30:40 30/9/20	260 TSP Concentration (μg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53 48
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 13:00 19/9/2020 16:00 19/9/2020 16:00 19/9/2020 16:00 19/9/2020 10:00 19/9/2020 21:00 19/9/2020 21:00 19/9/2020 21:00 20/9/2020 1:00 20/9/2020 1:00 20/9/2020 1:00 20/9/2020 4:00 20/9/2020 4:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 48 48 48 48 48 48 48 48	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 14:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 17:55           25/9/2020 18:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50 47 53 56	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 21:49 30/9/2020 3:49 1/10/2020 3:49 30/9/2020 3	260 TSP Concentration (μg/m <sup>*</sup> ) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53 48 51
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 10:00 19/9/2020 21:00 19/9/2020 21:00 20/9/2020 21:00 20/9/2020 20:00 20/9/2020 3:00 20/9/2020 3:00 20/9/2020 5:00	260 TSP Concentration (µg/m*) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 46 46 50 51 51 58 58 45	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 14:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 11:55           26/9/2020 1:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50 47 53 51 56 50	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 9:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 16:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:49 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/2020 3:40 30/9/20	260 <b>TSP Concentration (µg/m*)</b> 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53 48 51 49
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 21:00 19/9/2020 21:00 19/9/2020 21:00 20/9/2020 20:00 20/9/2020 3:00 20/9/2020 3:00 20/9/2020 4:00 20/9/2020 4:00 20/9/2020 5:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 46 46 50 51 51 58 58 58 58 58 45 49	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           26/9/2020 21:55           26/9/2020 21:55           26/9/2020 21:55           26/9/2020 21:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 43 50 47 53 51 56 50 61	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 17:49 30/9/2020 17:49 30/9/2020 17:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/20	260 TSP Concentration (μg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53 48 51 49 49 49
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 13:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 13:00 19/9/2020 21:00 19/9/2020 22:00 20/9/2020 20:00 20/9/2020 3:00 20/9/2020 3:00 20/9/2020 4:00 20/9/2020 5:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 46 50 51 51 51 58 58 58 58 45 49 51	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 12:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           26/9/2020 21:55           26/9/2020 21:55           26/9/2020 21:55           26/9/2020 25:55           26/9/2020 25:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 5:55           26/9/2020 5:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50 47 53 51 56 50 61 50	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 17:49 30/9/2020 17:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:40 30/0/2020 51:40 30/0/2020 51:40 30/0/2020 51:40 30/0/	260 TSP Concentration (μg/m <sup>*</sup> ) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53 48 51 49 49 48
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 11:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 18:00 19/9/2020 20:00 20/9/2020 20:00 20/9/2020 1:00 20/9/2020 1:00 20/9/2020 1:00 20/9/2020 1:00 20/9/2020 5:00 20/9/2020 5:00 20/9/2020 5:00 20/9/2020 7:00 20/9/2020 7:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 48 58 47 50 49 38 45 46 50 51 51 58 58 45 45 45 45 50 51 51 51 51 51 51 51 51 52 51 54 53 50 48 48 48 58 47 50 51 51 50 48 48 48 58 47 50 51 51 50 48 48 58 47 50 49 38 45 46 50 51 51 51 50 48 58 47 50 49 51 58 45 58 45 58 45 50 50 58 45 58 45 50 50 58 45 50 50 58 45 50 50 50 58 58 45 50 50 51 58 58 45 50 50 51 51 58 58 45 46 50 51 51 51 51 50 51 51 51 51 51 51 51 51 51 51	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 13:55           25/9/2020 13:55           25/9/2020 14:55           25/9/2020 15:55           25/9/2020 16:55           25/9/2020 16:55           25/9/2020 17:55           25/9/2020 17:55           25/9/2020 10:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           25/9/2020 20:55           26/9/2020 20:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/2020 0:55           26/9/	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 457 53 56 53 42 49 43 43 43 50 47 53 51 56 50 61 50 52	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 18:49 30/9/2020 18:49 30/9/2020 19:49 30/9/2020 19:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/10/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020 3:49 30/2020	260 TSP Concentration (µg/m <sup>*</sup> ) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53 48 51 49 49 49 48 52 52
Action Level Limit Level 19/9/2020 9:00 19/9/2020 10:00 19/9/2020 11:00 19/9/2020 12:00 19/9/2020 12:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 15:00 19/9/2020 21:00 19/9/2020 22:00 20/9/2020 20:00 20/9/2020 3:00 20/9/2020 3:00 20/9/2020 4:00 20/9/2020 5:00	260 TSP Concentration (µg/m³) 52 52 51 54 53 50 48 48 58 47 50 49 38 45 46 46 50 51 51 51 58 58 58 58 45 49 51	Limit Level           Date and Time           25/9/2020 8:55           25/9/2020 9:55           25/9/2020 10:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 11:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 15:55           25/9/2020 12:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           25/9/2020 21:55           26/9/2020 21:55           26/9/2020 21:55           26/9/2020 21:55           26/9/2020 25:55           26/9/2020 25:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 3:55           26/9/2020 5:55           26/9/2020 5:55	260 TSP Concentration (µg/m³) 51 56 57 51 65 51 49 44 57 53 56 53 42 49 43 43 50 47 53 51 56 50 61 50	Limit Level Date and Time 30/9/2020 8:49 30/9/2020 10:49 30/9/2020 10:49 30/9/2020 11:49 30/9/2020 11:49 30/9/2020 13:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 15:49 30/9/2020 17:49 30/9/2020 17:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/9/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 21:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:49 30/0/2020 51:40 30/0/2020 51:40 30/0/2020 51:40 30/0/2020 51:40 30/0/	260 TSP Concentration (µg/m³) 49 58 56 55 58 57 50 67 65 52 56 57 51 43 38 39 48 52 53 48 51 49 49 48

24-hour TSP Impact Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section).

1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

IS6 - Shatin Plaza Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and T
4/11/2020 8:36	47	10/11/2020 8:38	64	16/11/202
4/11/2020 9:36	44	10/11/2020 9:38	62	16/11/202
4/11/2020 10:36	45	10/11/2020 10:38	54	16/11/2020
4/11/2020 11:36	50	10/11/2020 11:38	68	16/11/2020
4/11/2020 12:36	50	10/11/2020 12:38	69	16/11/2020
4/11/2020 13:36	52	10/11/2020 12:38	64	16/11/2020
4/11/2020 13:30	50	10/11/2020 13:38	59	16/11/2020
	42		59	
4/11/2020 15:36		10/11/2020 15:38		16/11/2020
4/11/2020 16:36	41	10/11/2020 16:38	56	16/11/2020
4/11/2020 17:36	41	10/11/2020 17:38	56	16/11/2020
4/11/2020 18:36	44	10/11/2020 18:38	55	16/11/2020
4/11/2020 19:36	45	10/11/2020 19:38	58	16/11/2020
4/11/2020 20:36	41	10/11/2020 20:38	49	16/11/2020
4/11/2020 21:36	38	10/11/2020 21:38	50	16/11/2020
4/11/2020 22:36	38	10/11/2020 22:38	56	16/11/2020
4/11/2020 23:36	39	10/11/2020 23:38	56	16/11/2020
5/11/2020 0:36	41	11/11/2020 0:38	59	17/11/202
5/11/2020 1:36	42	11/11/2020 1:38	53	17/11/202
5/11/2020 2:36	35	11/11/2020 2:38	45	17/11/202
5/11/2020 3:36	38	11/11/2020 3:38	50	17/11/202
5/11/2020 4:36	37	11/11/2020 4:38	46	17/11/202
5/11/2020 5:36	41	11/11/2020 5:38	49	17/11/202
5/11/2020 6:36	42	11/11/2020 6:38	61	17/11/202
5/11/2020 7:36	44	11/11/2020 7:38	61	17/11/202
Average	43	Average	57	А
Action Level	165	Action Level	165	Action
Limit Level	260	Limit Level	260	Limit
Date and Time	TSP Concentration (µg/m³)	Limit Level Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Limi
Pate and Time 21/11/2020 8:35	TSP Concentration (μg/m³) 63	Limit Level <b>Date and Time</b> 27/11/2020 8:41	TSP Concentration (µg/m³) 61	Limi
Date and Time           21/11/2020 8:35           21/11/2020 9:35	<b>TSP Concentration (μg/m³)</b> 63 55	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41	<b>TSP Concentration (µg/m³)</b> 61 52	Limi
Pate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35	TSP Concentration (μg/m³) 63 55 54	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41	<b>TSP Concentration (μg/m³)</b> 61 52 58	Limi
Pate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35	TSP Concentration (µg/m³)           63           55           54           62	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41	TSP Concentration (μg/m³)           61           52           58           63	Limi
Pate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35	<b>TSP Concentration (μg/m³)</b> 63 55 54	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41	<b>TSP Concentration (μg/m³)</b> 61 52 58	Limi
Pate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 12:35	TSP Concentration (µg/m³)           63           55           54           62	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41	TSP Concentration (μg/m³)           61           52           58           63	Limi
ate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 12:35           1/11/2020 13:35	TSP Concentration (μg/m³)           63           55           54           62           66	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 11:41	TSP Concentration (μg/m³)           61           52           58           63           59	Limi
ate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 14:35	TSP Concentration (µg/m³)           63           55           54           62           66           62	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41	TSP Concentration (μg/m³)           61           52           58           63           59           70	Limi
ate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 14:35           1/11/2020 15:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           66           62           62	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 10:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 13:41	TSP Concentration (μg/m³)           61           52           58           63           59           70           64	Limi
ate and Time 21/11/2020 8:35 21/11/2020 9:35 1/11/2020 10:35 1/11/2020 11:35 1/11/2020 12:35 1/11/2020 13:35 1/11/2020 15:35 1/11/2020 15:35	TSP Concentration (μg/m³)         63           63         55           54         62           66         62           62         66           62         49	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 14:41 27/11/2020 14:41 27/11/2020 14:41	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51	Limi
Pate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 13:35           1/11/2020 13:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 17:35	TSP Concentration (µg/m³)           63           55           54           62           62           62           62           55           56	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56	Limi
ate and Time 21/11/2020 8:35 21/11/2020 9:35 1/1 1/2020 10:35 1/1 1/2020 11:35 1/1 1/2020 11:35 1/1 1/2020 13:35 1/1 1/2020 13:35 1/1 1/2020 15:35 1/1 1/2020 17:35 1/1 1/2020 17:35 1/1 1/2020 17:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           62           62           55           54           55           54           55           54           56           51	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 14:41 27/11/2020 16:41 27/11/2020 16:41 27/11/2020 16:41	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60	Limi
ate and Time 21/11/2020 8:35 21/11/2020 9:35 1/11/2020 10:35 1/11/2020 11:35 1/11/2020 12:35 1/11/2020 12:35 1/11/2020 14:35 1/11/2020 16:35 1/11/2020 16:35 1/11/2020 18:35 1/11/2020 18:35 1/11/2020 18:35	TSP Concentration (µg/m³)         63         55         54         62         66         62         66         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         63         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51 <th< td=""><td>Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 18:41 27/11/2020 18:41 27/11/2020 18:41</td><td>TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58</td><td>Limi</td></th<>	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 18:41 27/11/2020 18:41 27/11/2020 18:41	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58	Limi
Atte and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 15:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 18:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           65           56           51           52           56           51           52           56           51           52           56	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41 27/1	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           48	Limi
Atte and Time           21/11/2020 8:35           21/11/2020 9:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 11:35           1/11/2020 13:35           1/11/2020 14:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35           1/11/2020 10:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           62           63           55           54           62           65           51           51           52           56           48	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 21:41	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           58           55	Limi
ate and Time 21/11/2020 8:35 21/11/2020 9:35 1/1 1/2020 11:35 1/1 1/2020 11:35 1/1 1/2020 11:35 1/1 1/2020 13:35 1/1 1/2020 13:35 1/1 1/2020 15:35 1/1 1/2020 17:35 1/1 1/2020 17:35 1/1 1/2020 19:35 1/1 1/2020 21:35 1/1 1/2020 11:35 1/1 1/2020 21:35 1/1 1/2020 21:35	TSP Concentration (µg/m³)         63         55         54         62         66         62         66         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         63         51         51         52         56         51         51         52         56         48         49         49         56         51         51         52         56         48         49         50         51         51         52         56         48         49         50         51         51         52         56         51         51         52         56         48         49         50         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51         51	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 21:41 27/11/2020 21:41 27/1	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           58           54           55           46	Limi
International         International           21/1/2020         8:35           21/1/2020         9:35           1/1/2020         9:35           1/1/2020         10:35           1/1/2020         10:35           1/1/2020         12:35           1/1/2020         13:35           1/1/2020         15:35           1/1/2020         15:35           1/1/2020         16:35           1/1/2020         19:35           1/1/2020         19:35           1/1/2020         19:35           1/1/2020         19:35           1/1/2020         20:35           1/1/2020         22:35           1/1/2020         22:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           62           65           51           52           56           51           52           56           51           52           56           51           52           56           58	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 21:41 27/11/2020 21:41 27/1	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           48           55           46           50	Limi
Atte and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 14:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 18:35           1/11/2020 20:35           1/11/2020 20:35           1/11/2020 20:35           1/11/2020 23:35           22/11/2020 0:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           63           55           54           62           63           56           51           52           56           48           49           58           55	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 21:41 27/11/2020 21:41 27/11/2020 23:41 27/11/2020 23:41 28/11/2020 03:41 28/11/2020 03:41 28/1	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           48           55           46           50           53	Limi
Atte and Time           21/11/2020 8:35           21/11/2020 9:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 11:35           1/11/2020 13:35           1/11/2020 14:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 10:35           1/11/2020 20:35           1/11/2020 20:35           1/11/2020 20:35           1/11/2020 20:35           1/11/2020 12:35           1/11/2020 22:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 12:35           2/11/2020 0:35           2/11/2020 12:35	TSP Concentration (µg/m³)         63         63         55         54         62         66         66         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         62         63         51         51         52         56         51         51         52         56         48         49         58         55         58         55         58         58	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 21:41 27/11/2020 22:41 27/11/2020 23:41 28/11/2020 0:41 28/11/2020 0:41 28/11/2020 0:41 28/11/2020 1:41 28/11/2020 1:41 28/1	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           56           60           58           58           58           58           58           58           58           58           55           46           50           53           59	
ate and Time 21/11/2020 8:35 21/11/2020 9:35 1/11/2020 10:35 1/11/2020 11:35 1/11/2020 11:35 1/11/2020 13:35 1/11/2020 13:35 1/11/2020 13:35 1/11/2020 17:35 1/11/2020 17:35 1/11/2020 21:35 1/11/2020 21:35 1/11/2020 21:35 1/11/2020 21:35 1/11/2020 11:35 22/11/2020 11	TSP Concentration (µg/m³)         63         55         54         62         66         62         66         62         62         62         62         62         62         62         62         62         62         62         62         62         63         51         51         52         56         51         51         52         56         48         49         58         55         58         58         55         58         44         58         55         58         44         58         56         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58         58	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 18:41 27/11/2020 18:41 27/11/2020 18:41 27/11/2020 18:41 27/11/2020 21:41 27/11/2020 22:41 27/11/2020 23:41 28/11/2020 2:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11/2020 1:41 28/11	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           58           58           58           58           58           58           58           58           58           58           55           46           50           53           59           51	Limi
Date and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 15:35           1/11/2020 15:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 20:35           1/11/2020 22:35           1/11/2020 23:35           22/11/2020 2:35           22/11/2020 2:35           22/11/2020 2:35           22/11/2020 2:35           22/11/2020 2:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           65           51           51           52           56           51           52           56           51           52           56           48           49           58           55           58           54           55           58           54           55           58           54           55           58           55           58           55           58           54           55           58           54           52	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 10:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 20:41 27/11/2020 20:41 27/11/2020 20:41 28/11/2020 21:41 28/11/2020 21:41 28/	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           58           48           55           46           50           53           59           51           53           59           51           53           51           57	
Date and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 13:35           1/11/2020 14:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 17:35           1/11/2020 19:35           1/11/2020 20:35           1/11/2020 22:35           1/11/2020 22:35           1/11/2020 23:35           22/11/2020 0:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           <	TSP Concentration (µg/m³)           63           55           54           62           66           62           62           63           55           54           62           63           51           51           52           56           48           49           58           55           58           44           52           47	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 23:41 28/11/2020 23:41 28/11/2020 23:41 28/11/2020 3:41 28/11/2020 3:41 28	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           58           56           60           58           58           58           58           58           58           58           58           58           57           53           59           51           53	
Ate and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 12:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 13:35           1/11/2020 13:35           1/11/2020 14:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 17:35           1/11/2020 17:35           1/11/2020 17:35           1/11/2020 13:35           1/11/2020 13:35           1/11/2020 20:35           1/11/2020 21:35           1/11/2020 21:35           1/11/2020 0:35           2/11/2020 0:35           2/11/2020 1:35           2/11/2020 3:35           2/11/2020 3:35           2/11/2020 4:35           2/11/2020 4:35           2/11/2020 4:35           2/11/2020 4:35           2/11/2020 4:35           2/11/2020 4:35           2/11/2020 5:35	TSP Concentration (μg/m³)         63           63         55           54         62           66         62           62         62           63         51           51         51           52         56           54         49           55         58           44         52           52         55	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 16:41 27/11/2020 16:41 27/11/2020 18:41 27/11/2020 18:41 27/11/2020 18:41 27/11/2020 20:41 27/11/2020 21:41 27/11/2020 21:41 27/11/2020 21:41 27/11/2020 21:41 28/11/2020 0:41 28/11/2020 0:41 28/11/2020 0:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/11/2020 2:41 28/1	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           54           55           46           50           53           59           51           57           53           48	
Atte and Time           21/1/2020 8:35           21/1/2020 9:35           1/1/2020 9:35           1/1/2020 11:35           1/1/2020 12:35           1/1/2020 13:35           1/1/2020 15:35           1/1/2020 15:35           1/1/2020 15:35           1/1/2020 15:35           1/1/2020 16:35           1/1/2020 16:35           1/1/2020 19:35           1/1/2020 19:35           1/1/2020 20:35           1/1/2020 20:35           2/1/1/2020 22:35           2/1/1/2020 2:35           2/1/1/2020 2:35           2/1/1/2020 3:35           2/1/1/2020 3:35           2/1/1/2020 3:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35           2/1/1/2020 5:35	TSP Concentration (μg/m²)         63           63         55           54         62           66         62           62         62           63         56           51         51           52         56           48         49           58         55           58         54           44         52           47         52           56         51	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 21:41 27/11/2020 21:41 27/11/2020 22:41 28/11/2020 2:41 28/11/2020 3:41 28/11/2020 5:41 28/11/2020 5:41 28/1	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           58           56           60           58           58           58           58           58           58           58           58           59           51           55           46           50           53           59           51           57           53           59           51           57           53           48	
Att and Time           21/11/2020 8:35           21/11/2020 9:35           1/11/2020 10:35           1/11/2020 11:35           1/11/2020 12:35           1/11/2020 13:35           1/11/2020 15:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 19:35           1/11/2020 19:35           1/11/2020 20:35           1/11/2020 20:35           2/11/2020 20:35           2/11/2020 20:35           2/11/2020 3:35           2/11/2020 3:35           2/11/2020 4:35           2/11/2020 4:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35           2/11/2020 6:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           63           55           54           62           63           56           51           52           56           48           49           58           55           58           54           52           58           52           58           55           58           52           55           58           52           55           58           55           58           52           53           54           55           56           57           58           52           53           54           55           56           55	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 10:41 27/11/2020 10:41 27/11/2020 12:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 19:41 27/11/2020 19:41 27/11/2020 29:41 27/11/2020 29:41 27/11/2020 29:41 28/11/2020 14 28/11/2020 3:41 28/11/2020 3:41 28/11/2020 4:41 28/11/2020 4:41 28/11/2020 4:41 28/11/2020 5:41 28/11/2020 6:41 28/11/2020 7:41 28/11/2020 7:41 28/	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           48           55           46           50           53           59           51           57           53           48           57           53           48           57	Limi
Att and Time           21/11/2020 8:35           21/11/2020 9:35           21/11/2020 10:35           1/11/2020 11:35           1/11/2020 11:35           1/11/2020 13:35           1/11/2020 14:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 16:35           1/11/2020 19:35           1/11/2020 20:35           1/11/2020 20:35           22/11/2020 0:35           22/11/2020 1:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 4:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 5:35           22/11/2020 7:35           Average	TSP Concentration (μg/m³)           63           55           54           62           66           62           62           63           55           54           62           64           55           51           51           52           56           48           49           58           55           58           44           52           47           52           56           55           58           55           58           55           58           55           58           55           55           55           55           55           55           55           55           55           55           55           55	Limit Level Date and Time 27/11/2020 8:41 27/11/2020 9:41 27/11/2020 9:41 27/11/2020 10:41 27/11/2020 11:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 13:41 27/11/2020 20:41 27/11/2020 21:41 27/11/2020 23:41 28/11/2020 03:41 28/11/2020 03:41 28/11/2020 3:41 28/11/2020 3:41 28	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           58           58           56           60           58           58           58           58           58           58           58           58           58           57           53           48           48           57           53           48           57           53           57           53           57           53           57           56	
Date and Time           21/11/2020 8:35           21/11/2020 9:35           21/11/2020 10:35           21/11/2020 12:35           21/11/2020 12:35           21/11/2020 12:35           21/11/2020 13:35           21/11/2020 15:35           21/11/2020 15:35           21/11/2020 16:35           21/11/2020 16:35           21/11/2020 16:35           21/11/2020 19:35           21/11/2020 19:35           21/11/2020 20:35           21/11/2020 20:35           22/11/2020 20:35           22/11/2020 20:35           22/11/2020 3:35           22/11/2020 3:35           22/11/2020 4:35           22/11/2020 4:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35           22/11/2020 6:35	TSP Concentration (µg/m³)           63           55           54           62           66           62           63           55           54           62           63           56           51           52           56           48           49           58           55           58           54           52           58           52           58           55           58           52           55           58           52           55           58           55           58           52           53           54           55           56           57           58           52           53           54           55           56           55	Limit Level <b>Date and Time</b> 27/11/2020 8:41 27/11/2020 10:41 27/11/2020 10:41 27/11/2020 12:41 27/11/2020 12:41 27/11/2020 13:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 15:41 27/11/2020 19:41 27/11/2020 19:41 27/11/2020 29:41 27/11/2020 29:41 27/11/2020 29:41 28/11/2020 14 28/11/2020 3:41 28/11/2020 3:41 28/11/2020 4:41 28/11/2020 4:41 28/11/2020 4:41 28/11/2020 5:41 28/11/2020 6:41 28/11/2020 7:41 28/11/2020 7:41 28/	TSP Concentration (μg/m³)           61           52           58           63           59           70           64           51           56           60           58           48           55           46           50           53           59           51           57           53           48           57           53           48           57	

24-hour TSP Impact Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

TSP Concentration (µg/m<sup>3</sup>)

56 165

260

AMS7A - Sheung Wo	) Che				
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
2/9/2020 8:38	36	8/9/2020 8:30	43	14/9/2020 8:31	62
2/9/2020 9:38	36	8/9/2020 9:30	39	14/9/2020 9:31	49
2/9/2020 10:38	61	8/9/2020 10:30	41	14/9/2020 10:31	52
2/9/2020 11:38	42	8/9/2020 11:30	41	14/9/2020 11:31	54
2/9/2020 12:38	42	8/9/2020 12:30	37	14/9/2020 12:31	49
2/9/2020 13:38	46	8/9/2020 13:30	45	14/9/2020 13:31	59
2/9/2020 14:38	49	8/9/2020 14:30	47	14/9/2020 14:31	55
2/9/2020 15:38	44	8/9/2020 15:30	39	14/9/2020 15:31	59
2/9/2020 16:38	42	8/9/2020 16:30	27	14/9/2020 16:31	44
2/9/2020 17:38	51	8/9/2020 17:30	33	14/9/2020 17:31	41
2/9/2020 18:38	55	8/9/2020 18:30	41	14/9/2020 18:31	52
2/9/2020 19:38	57	8/9/2020 19:30	45	14/9/2020 19:31	62
2/9/2020 20:38	49	8/9/2020 20:30	51	14/9/2020 20:31	59
2/9/2020 21:38	53	8/9/2020 21:30	53	14/9/2020 20:31	62
2/9/2020 22:38	48	8/9/2020 22:30	47	14/9/2020 22:31	60
2/9/2020 23:38	48	8/9/2020 22:30	35	14/9/2020 22:31	42
					42
3/9/2020 0:38 3/9/2020 1:38	46 48	9/9/2020 0:30 9/9/2020 1:30	27 33	15/9/2020 0:31	38 41
	48		33 29	15/9/2020 1:31	41 45
3/9/2020 2:38		9/9/2020 2:30	29 39	15/9/2020 2:31	
3/9/2020 3:38	51	9/9/2020 3:30		15/9/2020 3:31	55
3/9/2020 4:38	59	9/9/2020 4:30	43	15/9/2020 4:31	51
3/9/2020 5:38	57	9/9/2020 5:30	31	15/9/2020 5:31	49
3/9/2020 6:38	55	9/9/2020 6:30	35	15/9/2020 6:31	49
3/9/2020 7:38	49 49	9/9/2020 7:30	39 39	15/9/2020 7:31	57
Average	165	Average	165	Average	52 165
Action Level Limit Level	260	Action Level Limit Level	260	Action Level Limit Level	260
Lillin Level	200	Limit Level	200	Eliliit Level	200
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
Date and Time 19/9/2020 8:25	TSP Concentration (μg/m <sup>3</sup> ) 44	Date and Time 25/9/2020 8:20	TSP Concentration (μg/m³) 46	Date and Time 30/9/2020 8:19	TSP Concentration (μg/m <sup>3</sup> ) 62
					62
19/9/2020 8:25 19/9/2020 9:25	44 47	25/9/2020 8:20 25/9/2020 9:20	46 53	30/9/2020 8:19 30/9/2020 9:19	62 58
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25	44 47 53	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20	46 53 47	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19	62 58 53
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25	44 47 53 53	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20	46 53 47 60	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19	62 58 53 59
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 12:25	44 47 53 53 49	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20	46 53 47 60 59	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19	62 58 53 59 48
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 12:25 19/9/2020 13:25	44 47 53 53 49 57	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 11:20 25/9/2020 13:20	46 53 47 60 59 57	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19	62 58 53 59 48 52
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 12:25 19/9/2020 13:25 19/9/2020 14:25	44 47 53 53 49 57 68	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 14:20	46 53 47 60 59 57 67	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19	62 58 53 59 48 52 58
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 12:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 15:25	44 47 53 53 49 57 68 58	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 14:20 25/9/2020 15:20	46 53 47 60 59 57 67 56	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 14:19	62 58 53 59 48 52
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 12:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 15:25	44 47 53 53 49 57 68 58 58 58	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 14:20 25/9/2020 15:20	46 53 47 60 59 57 67 56 61	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 15:19 30/9/2020 15:19	62 58 53 59 48 52 58 56 38
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25	44 47 53 49 57 68 58 58 58 63	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20	46 53 47 60 59 57 67 56 61 67	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 14:19 30/9/2020 16:19 30/9/2020 16:19	62 58 53 59 48 52 58 56 38 40
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 18:25	44 47 53 53 49 57 68 58 58 58 63 63 61	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 13:20 25/9/2020 13:20 25/9/2020 14:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 18:20	46 53 47 60 59 57 67 56 61 67 62	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 17:19	62 58 59 48 52 58 56 38 40 57
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 18:25	44 47 53 53 49 57 68 58 58 58 63 61 55	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 17:20 25/9/2020 18:20	46 53 47 60 59 57 67 56 61 67 56 61 67 62 70	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 18:19 30/9/2020 18:19	62 58 53 59 48 52 58 56 38 40 57 63
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 18:25 19/9/2020 19:25	44 47 53 53 49 57 68 58 58 63 61 55 55 68	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 12:20 25/9/2020 14:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 18:20 25/9/2020 19:20 25/9/2020 19:20	46 53 47 60 59 57 67 56 61 67 62 70 62	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19	62 58 53 59 48 52 58 56 38 40 57 63 63 64
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 16:25 19/9/2020 18:25 19/9/2020 18:25 19/9/2020 19:25 19/9/2020 20:25	44 47 53 49 57 68 58 58 63 61 55 68 67	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 13:20 25/9/2020 13:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 19:20 25/9/2020 19:20 25/9/2020 20:20 25/9/2020 20:20	46 53 47 60 59 57 67 56 61 67 62 70 62 62 69	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 14:19 30/9/2020 15:19 30/9/2020 16:19 30/9/2020 18:19 30/9/2020 18:19 30/9/2020 19:19 30/9/2020 20:19	62 58 53 59 48 52 58 56 38 40 57 63 64 61
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 17:25 19/9/2020 19:25 19/9/2020 19:25 19/9/2020 21:25	44 47 53 53 49 57 68 58 63 61 55 61 55 68 67 62	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 19:20 25/9/2020 19:20 25/9/2020 21:20 25/9/2020 21:20	46 53 47 60 59 57 67 56 61 67 56 61 67 52 70 62 70 62 9 55	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 14:19 30/9/2020 16:19 30/9/2020 16:19 30/9/2020 18:19 30/9/2020 19:19 30/9/2020 19:19 30/9/2020 21:19 30/9/2020 21:19	62 58 59 48 52 58 56 38 40 57 63 64 61 63
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 16:25 19/9/2020 16:25 19/9/2020 18:25 19/9/2020 12:25 19/9/2020 21:25 19/9/2020 21:25 19/9/2020 22:25	44 47 53 49 57 68 58 58 63 61 55 68 61 55 68 67 62 60	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 18:20 25/9/2020 18:20 25/9/2020 18:20 25/9/2020 20:20 25/9/2020 21:20 25/9/2020 22:20	46 53 47 60 59 57 67 56 61 67 62 70 62 69 55 50	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 19:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 22:19 30/9/2020 23:19	62 58 53 59 48 52 58 56 38 40 57 63 63 64 61 63 51
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 10:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 16:25 19/9/2020 16:25 19/9/2020 10:25 19/9/2020 20:25 19/9/2020 21:25 19/9/2020 22:25 19/9/2020 23:25 20/9/2020 0:25	44 47 53 53 49 57 68 58 58 63 61 55 55 68 67 62 60 64	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 12:20 25/9/2020 14:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 19:20 25/9/2020 19:20 25/9/2020 20:20 25/9/2020 22:20 25/9/2020 23:20 26/9/2020 23:20	46 53 47 60 59 57 67 56 61 67 62 70 62 69 55 50 56	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 19:19 30/9/2020 20:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19	62 58 53 59 48 52 58 56 38 40 57 63 64 61 63 51 34
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 12:25 19/9/2020 02:25 19/9/2020 22:25 19/9/2020 22:25 20/9/2020 1:25	44 47 53 53 49 57 68 58 58 63 61 55 68 63 61 55 68 67 62 60 64 57	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 13:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 20:20 25/9/2020 22:20 25/9/2020 22:20 25/9/2020 22:20 25/9/2020 12:20	46 53 47 60 59 57 67 56 61 67 62 70 62 70 62 69 55 50 56 57	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 14:19 30/9/2020 14:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 21:19 30/9/2020 22:19 30/9/2020 23:19 11/10/2020 0:19 11/10/2020 0:19	62 58 59 48 52 58 56 38 40 57 63 64 61 63 51 34 45
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 21:25 19/9/2020 22:25 19/9/2020 0:25 20/9/2020 1:25 20/9/2020 1:25	44 47 53 53 49 57 68 58 63 61 55 68 61 55 68 67 62 60 64 57 54	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 12:20 25/9/2020 21:20 25/9/2020 22:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20	46 53 47 60 59 57 67 56 61 67 56 61 67 62 70 62 70 62 69 55 50 56 55 50 56 57 59	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 15:19 30/9/2020 16:19 30/9/2020 16:19 30/9/2020 18:19 30/9/2020 19:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 11/10/2020 10:19 11/10/2020 1:19	62 58 59 48 52 58 56 38 40 57 63 64 61 63 51 34 45 36
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 18:25 19/9/2020 19:25 19/9/2020 20:25 19/9/2020 20:25 19/9/2020 22:25 20/9/2020 0:25 20/9/2020 0:25 20/9/2020 2:25 20/9/2020 2:25	44 47 53 53 49 57 68 58 58 63 61 55 68 67 62 60 64 57 54 61	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 9:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 13:20 25/9/2020 12:20 25/9/2020 20:20 25/9/2020 20:20 25/9/2020 22:20 25/9/2020 22:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20	46 53 47 60 59 57 67 56 61 67 56 61 67 62 70 62 69 55 50 56 57 59 64	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 16:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 19:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 21:19	62 58 53 59 48 52 58 56 38 40 57 63 63 64 61 63 51 34 45 36 57
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 16:25 19/9/2020 10:25 19/9/2020 20:25 19/9/2020 21:25 19/9/2020 21:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 3:25 20/9/2020 3:25 20/9/2020 3:25	44 47 53 53 49 57 68 58 58 63 61 55 68 67 62 60 64 57 54 61 55	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 14:20 25/9/2020 14:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 17:20 25/9/2020 19:20 25/9/2020 29:20 25/9/2020 29:20 25/9/2020 22:20 25/9/2020 22:20 25/9/2020 22:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 3:20	$\begin{array}{c} 46\\ 53\\ 47\\ 60\\ 59\\ 57\\ 67\\ 56\\ 61\\ 67\\ 62\\ 70\\ 62\\ 69\\ 55\\ 50\\ 56\\ 57\\ 59\\ 64\\ 59\end{array}$	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 19:19 30/9/2020 21:19 30/9/2020 21:19 11/10/2020 1:19 11/10/2020 1:19 11/10/2020 3:19 11/10/2020 3:19	62 58 53 59 48 52 58 56 38 40 57 63 64 61 63 64 61 63 51 34 45 36 57 57 57
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 17:25 19/9/2020 12:25 19/9/2020 21:25 19/9/2020 21:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 4:25 20/9/2020 4:25	44 47 53 53 49 57 68 58 63 61 55 68 61 55 68 67 62 60 64 57 54 61 55 55 59	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 19:20 25/9/2020 19:20 25/9/2020 20:20 25/9/2020 21:20 25/9/2020 21:20 25/9/2020 21:20 26/9/2020 12:20 26/9/2020 12:20 26/9/2020 2:20 26/9/2020 3:20	$\begin{array}{c} 46\\ 53\\ 47\\ 60\\ 59\\ 57\\ 67\\ 56\\ 61\\ 67\\ 56\\ 61\\ 67\\ 62\\ 70\\ 62\\ 70\\ 62\\ 55\\ 50\\ 55\\ 50\\ 56\\ 57\\ 59\\ 64\\ 59\\ 58\end{array}$	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 14:19 30/9/2020 14:19 30/9/2020 16:19 30/9/2020 16:19 30/9/2020 19:19 30/9/2020 19:19 30/9/2020 20:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 21:19	62 58 59 48 52 58 56 38 40 57 63 64 61 63 51 34 45 36 57 57 47
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 17:25 19/9/2020 21:25 19/9/2020 21:25 19/9/2020 21:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 3:25 20/9/2020 5:25 20/9/2020 5:25	44 47 53 53 49 57 68 58 58 63 61 55 68 67 62 60 64 57 54 61 55 59 63	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 17:20 25/9/2020 19:20 25/9/2020 21:20 25/9/2020 21:20 25/9/2020 22:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 5:20	$\begin{array}{c} 46\\ 53\\ 47\\ 60\\ 59\\ 57\\ 67\\ 56\\ 61\\ 67\\ 56\\ 61\\ 67\\ 56\\ 61\\ 67\\ 56\\ 56\\ 57\\ 59\\ 55\\ 50\\ 56\\ 57\\ 59\\ 64\\ 59\\ 58\\ 64\\ 64\\ \end{array}$	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 18:19 30/9/2020 18:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 10/0/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 31:19 11/10/2020 5:19 11/10/2020 5:19	62 58 53 59 48 52 58 56 38 40 57 63 64 61 63 51 34 45 36 57 57 47 44
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 16:25 19/9/2020 18:25 19/9/2020 19:25 19/9/2020 20:25 19/9/2020 22:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 2:25 20/9/2020 3:25 20/9/2020 3:25 20/9/2020 5:25 20/9/2020 5:25 20/9/2020 5:25 20/9/2020 5:25 20/9/2020 5:25	44 47 53 49 57 68 58 58 63 61 55 68 67 62 60 64 57 54 61 55 59 63 57	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 17:20 25/9/2020 19:20 25/9/2020 20:20 25/9/2020 20:20 25/9/2020 20:20 25/9/2020 12:20 26/9/2020 1:20 26/9/2020 1:20 20 26/9/2020 1:20 20 20 20 20 20 20 20 20 20 20 20 20 2	$\begin{array}{c} 46\\ 53\\ 47\\ 60\\ 59\\ 57\\ 67\\ 56\\ 61\\ 67\\ 62\\ 70\\ 62\\ 69\\ 55\\ 50\\ 56\\ 57\\ 59\\ 64\\ 59\\ 58\\ 64\\ 63\\ \end{array}$	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 17:19 30/9/2020 19:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 4:19 11/10/2020 6:19 11/10/2020 6:19	62 58 53 59 48 52 58 56 38 40 57 63 64 61 63 51 34 45 36 57 57 47 44 49
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 15:25 19/9/2020 17:25 19/9/2020 19:25 19/9/2020 21:25 19/9/2020 21:25 20/9/2020 21:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 1:25 20/9/2020 3:25 20/9/2020 5:25 20/9/2020 5:25	44 47 53 53 49 57 68 58 58 63 61 55 68 67 62 60 64 57 54 61 55 59 63	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 12:20 25/9/2020 13:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 17:20 25/9/2020 17:20 25/9/2020 19:20 25/9/2020 21:20 25/9/2020 21:20 25/9/2020 22:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 1:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 2:20 26/9/2020 5:20	$\begin{array}{c} 46\\ 53\\ 47\\ 60\\ 59\\ 57\\ 67\\ 56\\ 61\\ 67\\ 56\\ 61\\ 67\\ 56\\ 61\\ 67\\ 56\\ 56\\ 57\\ 59\\ 55\\ 50\\ 56\\ 57\\ 59\\ 64\\ 59\\ 58\\ 64\\ 64\\ \end{array}$	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 13:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 17:19 30/9/2020 18:19 30/9/2020 18:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 30/9/2020 20:19 10/0/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 11/10/2020 21:19 11/10/2020 21:19 11/10/2020 31:19 11/10/2020 5:19 11/10/2020 5:19	62 58 53 59 48 52 58 56 38 40 57 63 64 61 63 51 34 45 36 57 57 47 44
19/9/2020 8:25 19/9/2020 9:25 19/9/2020 10:25 19/9/2020 11:25 19/9/2020 11:25 19/9/2020 11:25 19/9/2020 13:25 19/9/2020 14:25 19/9/2020 16:25 19/9/2020 19:25 19/9/2020 19:25 19/9/2020 19:25 19/9/2020 21:25 19/9/2020 21:25 20/9/2020 41:25 20/9/2020 41:25 20/9/2020 41:25 20/9/2020 41:25 20/9/2020 41:25 20/9/2020 41:25 20/9/2020 71:25 20/9/2020 71:25 20/9/2020 71:25	44 47 53 53 49 57 68 58 58 63 61 55 68 61 55 68 67 62 60 64 57 54 61 55 55 59 63 57 58	25/9/2020 8:20 25/9/2020 9:20 25/9/2020 10:20 25/9/2020 11:20 25/9/2020 11:20 25/9/2020 13:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 15:20 25/9/2020 20:20 25/9/2020 20:20 25/9/2020 20:20 25/9/2020 20:20 26/9/2020 20:20 26/9/2020 20:20 26/9/2020 20:20 26/9/2020 20:20 26/9/2020 4:20 26/9/2020 4:20 26/9/2020 5:20 26/9/2020 5:20 26/9/200 5:20 26/9/	$\begin{array}{c} 46\\ 53\\ 47\\ 60\\ 59\\ 57\\ 67\\ 56\\ 61\\ 67\\ 62\\ 70\\ 62\\ 70\\ 62\\ 70\\ 62\\ 55\\ 50\\ 56\\ 55\\ 50\\ 56\\ 57\\ 59\\ 64\\ 59\\ 58\\ 64\\ 63\\ 59\\ 59\\ 59\\ 58\\ 64\\ 63\\ 59\\ 59\\ 59\\ 59\\ 58\\ 64\\ 63\\ 59\\ 59\\ 59\\ 59\\ 59\\ 59\\ 59\\ 59\\ 59\\ 59$	30/9/2020 8:19 30/9/2020 9:19 30/9/2020 10:19 30/9/2020 11:19 30/9/2020 12:19 30/9/2020 14:19 30/9/2020 14:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 15:19 30/9/2020 20:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 30/9/2020 21:19 11/10/2020 01:19 11/10/2020 01:19 11/10/2020 11:19 11/10/2020 5:19 11/10/2020 5:19	$\begin{array}{c} 62 \\ 58 \\ 53 \\ 59 \\ 48 \\ 52 \\ 58 \\ 56 \\ 38 \\ 40 \\ 57 \\ 63 \\ 64 \\ 61 \\ 63 \\ 61 \\ 63 \\ 61 \\ 63 \\ 51 \\ 34 \\ 45 \\ 36 \\ 57 \\ 57 \\ 47 \\ 44 \\ 49 \\ 52 \end{array}$

24-hour TSP Impact Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

Remark

1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

MS 8 - Lek Yuen Es Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP C
6/10/2020 9:13	60	12/10/2020 9:08	3
6/10/2020 10:13	58	12/10/2020 10:08	3
6/10/2020 11:13	68	12/10/2020 11:08	3
6/10/2020 12:13	69	12/10/2020 12:08	3
6/10/2020 13:13	64	12/10/2020 13:08	3
6/10/2020 14:13	67	12/10/2020 14:08	3
6/10/2020 15:13	75	12/10/2020 15:08	3
6/10/2020 16:13	72	12/10/2020 16:08	3
6/10/2020 17:13	63	12/10/2020 17:08	3
6/10/2020 18:13	70	12/10/2020 18:08	3
6/10/2020 19:13	66	12/10/2020 19:08	3
6/10/2020 20:13	67	12/10/2020 20:08	3
6/10/2020 21:13	67	12/10/2020 21:08	3
6/10/2020 22:13	63	12/10/2020 22:08	3
6/10/2020 23:13	67	12/10/2020 23:08	3
7/10/2020 0:13	70	13/10/2020 0:08	3
7/10/2020 1:13	69	13/10/2020 1:08	3
7/10/2020 2:13	69	13/10/2020 2:08	3
7/10/2020 3:13	73	13/10/2020 3:08	3
7/10/2020 4:13	66	13/10/2020 4:08	3
7/10/2020 5:13	72	13/10/2020 5:08	3
7/10/2020 6:13	67	13/10/2020 6:08	3
7/10/2020 7:13	64	13/10/2020 7:08	3
7/10/2020 8:13	61	13/10/2020 8:08	3
Average	67	Average	2
Action Level	161	Action Leve	1
	101		
Limit Level	260	Limit Leve	
	260	Limit Leve	1
Date and Time	260 TSP Concentration (μg/m³)	Limit Leve	TSP C
Date and Time 23/10/2020 9:15	260 TSP Concentration (µg/m³) 66	Limit Leve           Date and Time           29/10/2020 9:10	1 TSP C
Date and Time           23/10/2020 9:15           23/10/2020 10:15	260 <b>TSP Concentration (µg/m³)</b> 66 63	Limit Leve Date and Time 29/10/2020 9:10 29/10/2020 10:10	1 TSP C
Date and Time           23/10/2020 9:15           23/10/2020 10:15           23/10/2020 11:15	260 TSP Concentration (µg/m³) 66 63 74	Limit Leve Date and Time 29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10	TSP C
Date and Time           23/10/2020 9:15           23/10/2020 10:15           23/10/2020 11:15           23/10/2020 12:15	260 TSP Concentration (µg/m³) 66 63 74 75	Limit Leve Date and Time 29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10	TSP C
Date and Time           23/10/2020 9:15           23/10/2020 10:15           23/10/2020 11:15           23/10/2020 12:15           23/10/2020 13:15	260 TSP Concentration (µg/m³) 66 63 74 75 71	Limit Leve Date and Time 29/10/2020 9:10 29/10/2020 10:11 29/10/2020 11:11 29/10/2020 12:11 29/10/2020 13:10	TSP C
Date and Time           23/10/2020 9:15           23/10/2020 10:15           23/10/2020 11:15           23/10/2020 12:15           23/10/2020 13:15           23/10/2020 13:15           23/10/2020 14:15	260 TSP Concentration (µg/m <sup>*</sup> ) 66 63 74 75 71 71	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 14:10(	TSP C
Date and Time           23/10/2020 9:15           23/10/2020 10:15           23/10/2020 11:15           23/10/2020 12:15           23/10/2020 13:15           23/10/2020 13:15           23/10/2020 14:15           23/10/2020 14:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 10:1( 29/10/2020 11:1( 29/10/2020 12:1( 29/10/2020 13:1( 29/10/2020 14:1( 29/10/2020 15:10)	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 15:15 23/10/2020 15:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81 75	Limit Leve Date and Time 29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:11 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:11 29/10/2020 16:10	TSP C
Date and Time           23/10/2020 9:15           23/10/2020 10:15           23/10/2020 11:15           23/10/2020 11:15           23/10/2020 13:15           23/10/2020 14:15           23/10/2020 15:15           23/10/2020 16:15           23/10/2020 16:15           23/10/2020 17:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 71 81 75 67	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 12:1( 29/10/2020 14:1( 29/10/2020 14:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 17:1(	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 14:15 23/10/2020 15:15 23/10/2020 17:15 23/10/2020 17:15 23/10/2020 18:15	260 TSP Concentration (µg/m <sup>*</sup> ) 66 63 74 75 71 71 81 75 67 73	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 17:1( 29/10/2020 18:10(	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 14:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 18:15 23/10/2020 18:15 23/10/2020 18:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81 75 67 73 72	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 12:1( 29/10/2020 13:1( 29/10/2020 14:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 29/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1( 20/10/2020 18:1(	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 15:15 23/10/2020 15:15 23/10/2020 17:15 23/10/2020 19:15 23/10/2020 19:15 23/10/2020 19:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81 75 67 73 72 72	Limit Leve Date and Time 29/10/2020 19:1( 29/10/2020 10:1( 29/10/2020 11:1( 29/10/2020 12:1( 29/10/2020 13:1( 29/10/2020 14:1( 29/10/2020 15:1( 29/10/2020 15:1( 29/10/2020 15:1( 29/10/2020 19:1( 29/10/2020 19:1( 29/10/2020 19:1( 29/10/2020 19:1( 29/10/2020 19:1(	TSP C.
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 15:15 23/10/2020 17:15 23/10/2020 17:15 23/10/2020 19:15 23/10/2020 20:15 23/10/2020 20:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81 75 67 73 72 72 75	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 10:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/1	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 14:15 23/10/2020 16:15 23/10/2020 17:15 23/10/2020 17:15 23/10/2020 19:15 23/10/2020 12:15 23/10/2020 21:15 23/10/2020 21:15	260 TSP Concentration (µg/m <sup>*</sup> ) 66 63 74 75 71 71 81 75 67 73 72 72 75 68	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 17:1( 29/10/2020 18:1( 29/10/2020 12:1( 29/10/2020 12:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1(	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 14:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 18:15 23/10/2020 18:15 23/10/2020 19:15 23/10/2020 19:15 23/10/2020 12:15 23/10/2020 22:15 23/10/2020 23:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81 75 67 73 72 72 75 68 71	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 20:1( 29/10/2020 20:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1( 20/10/2020 21:1(	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 14:15 23/10/2020 15:15 23/10/2020 16:15 23/10/2020 17:15 23/10/2020 19:15 23/10/2020 20:15 23/10/2020 21:15 23/10/2020 23:15 23/10/2020 23:15 23/10/2020 23:15 23/10/2020 23:15 24/10/2020 23:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81 75 67 73 72 72 75 68 71 73 72 75 68 71 75 73 72 75 75 71 73 72 75 75 71 73 72 75 75 71 75 71 73 72 75 75 71 73 72 75 75 71 73 72 75 75 73 72 75 73 72 75 75 71 73 72 75 75 71 73 72 75 75 73 72 75 75 71 75 71 75 71 75 71 75 71 75 71 75 71 75 71 75 71 75 75 71 75 71 75 75 71 75 75 71 75 75 75 71 75 75 71 75 75 75 75 75 75 75 75 75 75	Limit Leve Date and Time 29/10/2020 9:10 29/10/2020 10:11 29/10/2020 11:11 29/10/2020 12:11 29/10/2020 13:10 29/10/2020 14:11 29/10/2020 15:10 29/10/2020 16:10 29/10/2020 16:11 29/10/2020 19:10 29/10/2020 20:11 29/10/2020 20:11 29/10/2020 21:11 29/10/2020 21:11 20/10/2020 21:11 20/1	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 12:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 15:15 23/10/2020 17:15 23/10/2020 17:15 23/10/2020 19:15 23/10/2020 21:15 23/10/2020 21:15 23/10/2020 21:15 23/10/2020 01:15 24/10/2020 01:15	260 TSP Concentration (μg/m³) 66 63 74 75 71 71 81 75 67 73 72 72 75 68 71 75 68 71 75 68 71 78 76	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 1:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 20:1( 29/10/2020 20:1( 29/10/2020 20:1( 29/10/2020 20:1( 30/10/2020 0:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/20	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 14:15 23/10/2020 14:15 23/10/2020 17:15 23/10/2020 17:15 23/10/2020 12:15 23/10/2020 21:15 23/10/2020 21:15 23/10/2020 15:15 23/10/2020 15:15 23/10/2020 15:15 24/10/2020 15 24/10/2020 15	260 TSP Concentration (µg/m <sup>*</sup> ) 66 63 74 75 71 71 81 75 67 73 72 72 72 75 68 71 78 75 68 71 78 76 73	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 17:1( 29/10/2020 12:1( 29/10/2020 20:1( 29/10/2020 20:1( 29/10/2020 20:1( 29/10/2020 20:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2	
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 12:15 23/10/2020 12:15 23/10/2020 14:15 23/10/2020 14:15 23/10/2020 15:15 23/10/2020 15:15 23/10/2020 18:15 23/10/2020 18:15 23/10/2020 18:15 23/10/2020 19:15 23/10/2020 19:15 23/10/2020 22:15 23/10/2020 22:15 23/10/2020 23:15 24/10/2020 2:15 24/10/2020 2:15 24/10/2020 2:15 24/10/2020 3:15	260 TSP Concentration (µg/m³) 66 63 74 75 71 71 81 75 67 73 72 72 75 68 71 78 76 73 73 75 5 68 71 78 76 73 75 75 75 75 75 75 75 75 75 75	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 17:1( 29/10/2020 17:1( 29/10/2020 17:1( 29/10/2020 17:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 30/10/2020 21:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1(	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 14:15 23/10/2020 15:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020 16:15 23/10/2020	260 TSP Concentration (μg/m³) 66 63 74 75 71 71 81 75 67 73 72 75 68 71 72 75 68 71 73 72 75 68 71 75 67 73 72 75 67 73 72 75 67 73 72 75 67 73 72 75 67 73 72 75 67 73 72 75 67 73 72 75 67 73 72 75 67 73 72 75 67 75 67 73 72 75 67 75 67 73 72 75 67 75 67 73 72 75 68 71 75 67 73 72 75 68 71 75 67 75 75 71 75 67 73 72 75 68 71 75 68 71 75 68 71 75 67 75 67 75 75 67 75 75 67 75 75 72 75 67 75 75 67 75 67 75 75 75 75 75 75 75 67 75 75 68 71 78 75 68 71 78 76 75 68 71 78 76 75 68 71 78 76 75 68 71 78 76 75 68 71 78 76 75 68 71 78 76 75 68 71 78 76 75 68 71 75 68 75 75 68 75 75 68 75 75 68 75 75 68 75 75 68 75 75 68 75 75 68 75 75 68 75 75 68 75 75 62	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 10:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 14:1( 29/10/2020 14:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 20:1( 29/10/2020 20:1( 29/10/2020 20:1( 30/10/2020 21:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1( 30/10/2020 11:1(	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 15:15 23/10/2020 17:15 23/10/2020 17:15 23/10/2020 12:15 23/10/2020 21:15 23/10/2020 21:15 23/10/2020 11:15 23/10/2020 11:15 24/10/2020 11:15	260 TSP Concentration (μg/m <sup>*</sup> ) 66 63 74 75 71 71 81 75 67 73 72 72 75 68 71 78 76 73 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 66 67 73 75 67 73 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 66 73 75 66 73 75 66 73 75 66 73 75 66 73 75 66 73 75 62 67 73 75 62 67 73 75 62 67 73 75 62 67 73 75 62 67 73 75 62 67 75 67 67 73 75 62 67 75 67 67 75 67 67 75 67 67 75 67 67 67 67 67 67 67 67 67 67	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 1:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 30/10/2020 0:1( 30/10/2020 0:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/20	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 11:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 14:15 23/10/2020 15:15 23/10/2020 15:15 23/10/2020 18:15 23/10/2020 18:15 23/10/2020 19:15 23/10/2020 19:15 24/10/2020 19:15	260 TSP Concentration (µg/m <sup>3</sup> ) 66 63 74 75 71 71 81 75 67 73 72 72 75 68 71 78 76 73 75 62 67 70	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 11:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 19:1( 29/10/2020 20:1( 29/10/2020 20:1( 29/10/2020 20:1( 30/10/2020 21:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/20	TSP C
Date and Time 23/10/2020 9:15 23/10/2020 10:15 23/10/2020 12:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 13:15 23/10/2020 15:15 23/10/2020 17:15 23/10/2020 17:15 23/10/2020 12:15 23/10/2020 21:15 23/10/2020 21:15 23/10/2020 11:15 23/10/2020 11:15	260 TSP Concentration (μg/m <sup>*</sup> ) 66 63 74 75 71 71 81 75 67 73 72 72 75 68 71 78 76 73 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 66 67 73 75 67 73 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 75 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 71 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 68 73 75 66 73 75 66 73 75 66 73 75 66 73 75 66 73 75 66 73 75 62 67 73 75 62 67 73 75 62 67 73 75 62 67 73 75 62 67 73 75 62 67 75 67 75 62 67 75 67 67 75 67 67 75 67 67 75 67 67 67 67 67 67 67 67 67 67	Limit Leve Date and Time 29/10/2020 9:1( 29/10/2020 1:1( 29/10/2020 11:1( 29/10/2020 13:1( 29/10/2020 13:1( 29/10/2020 15:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 16:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 29/10/2020 21:1( 30/10/2020 0:1( 30/10/2020 0:1( 30/10/2020 1:1( 30/10/2020 1:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/2020 3:1( 30/10/20	TSP C

Date and Time	TSP Concentration (µg/m <sup>3</sup> )
12/10/2020 9:08	64
12/10/2020 10:08	73
12/10/2020 11:08	73
12/10/2020 12:08	73
12/10/2020 13:08	82
12/10/2020 14:08	70
12/10/2020 15:08	81
12/10/2020 16:08	78
12/10/2020 17:08	67
12/10/2020 18:08	74
12/10/2020 19:08	73
12/10/2020 20:08	73
12/10/2020 21:08	71
12/10/2020 22:08	69
12/10/2020 23:08	72
13/10/2020 0:08	77
13/10/2020 1:08	75
13/10/2020 2:08	76
13/10/2020 3:08	78
13/10/2020 4:08	73
13/10/2020 5:08	75
13/10/2020 6:08	71
13/10/2020 7:08	71
13/10/2020 8:08	68
Average	73
Action Level	161
Limit Level	260
Date and Time	TSP Concentration (µg/m <sup>3</sup> )
29/10/2020 9:10	65
29/10/2020 9:10 29/10/2020 10:10	65 64
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10	65 64 73
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10	65 64 73 74
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10	65 64 73 74 71
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 14:10	65 64 73 74 71 70
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10	65 64 73 74 71 70 77
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 16:10	65 64 73 74 71 70 77 78
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 16:10 29/10/2020 17:10	65 64 73 74 71 70 77 78 69
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 17:10 29/10/2020 17:10	65 64 73 74 71 70 77 78 69 76
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 17:10 29/10/2020 18:10 29/10/2020 18:10	65 64 73 74 71 70 77 78 69 76 71
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 18:10 29/10/2020 19:10 29/10/2020 19:10	65 64 73 74 71 70 77 78 69 76 71 72
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 19:10 29/10/2020 20:10	65 64 73 74 71 70 77 78 69 76 71 72 71
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 16:10 29/10/2020 16:10 29/10/2020 15:10 29/10/2020 20:10 29/10/2020 21:10 29/10/2020 21:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 18:10 29/10/2020 19:10 29/10/2020 19:10 29/10/2020 22:10 29/10/2020 22:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 19:10 29/10/2020 19:10 29/10/2020 21:10 29/10/2020 23:10 30/10/2020 23:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 13:10 29/10/2020 20:10 29/10/2020 20:10 29/10/2020 21:10 30/10/2020 0:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 16:10 29/10/2020 16:10 29/10/2020 16:10 29/10/2020 12:10 29/10/2020 20:10 29/10/2020 21:10 30/10/2020 1:10 30/10/2020 1:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 72
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 19:10 29/10/2020 21:10 29/10/2020 21:10 30/10/2020 1:10 30/10/2020 1:10 30/10/2020 3:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 72 70
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 13:10 29/10/2020 19:10 29/10/2020 29:10 29/10/2020 29:10 29/10/2020 23:10 30/10/2020 21:10 30/10/2020 3:10 30/10/2020 3:10 30/10/2020 3:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 72 70 70 70
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 12:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 13:10 29/10/2020 21:10 29/10/2020 20:10 29/10/2020 21:10 30/10/2020 11:10 30/10/2020 11:10 30/10/2020 3:10 30/10/2020 3:10 30/10/2020 4:10 30/10/2020 4:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 74 72 70 70 69
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 11:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 20:10 29/10/2020 21:10 30/10/2020 21:10 30/10/2020 21:10 30/10/2020 3:10 30/10/2020 3:10 30/10/2020 4:10 30/10/2020 4:10 30/10/2020 4:10 30/10/2020 4:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 72 70 70 70 70 70 70 70
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 17:10 29/10/2020 19:10 29/10/2020 21:10 29/10/2020 21:10 30/10/2020 21:10 30/10/2020 3:10 30/10/2020 3:10 30/10/2020 5:10 30/10/2020 5:10 30/10/2020 5:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 74 74 72 70 70 70 69 72 71
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 19:10 29/10/2020 21:10 29/10/2020 21:10 29/10/2020 21:10 30/10/2020 21:10 30/10/2020 10:10 30/10/2020 10:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 74 72 70 70 70 69 72 71 68
29/10/2020 9:10 29/10/2020 10:10 29/10/2020 11:10 29/10/2020 13:10 29/10/2020 13:10 29/10/2020 14:10 29/10/2020 15:10 29/10/2020 15:10 29/10/2020 17:10 29/10/2020 19:10 29/10/2020 21:10 29/10/2020 21:10 30/10/2020 21:10 30/10/2020 3:10 30/10/2020 3:10 30/10/2020 5:10 30/10/2020 5:10 30/10/2020 5:10	65 64 73 74 71 70 77 78 69 76 71 72 71 66 74 74 74 74 74 74 72 70 70 70 69 72 71

Date and Time	TSP Concentration (µg/m <sup>3</sup> )
17/10/2020 9:12	69
17/10/2020 10:12	70
17/10/2020 10:12	70
17/10/2020 12:12	77
17/10/2020 12:12	66
17/10/2020 13:12	65
17/10/2020 14:12	67
17/10/2020 15:12	67 75
17/10/2020 17:12	70
17/10/2020 18:12	79
17/10/2020 19:12	76
17/10/2020 20:12	69
17/10/2020 21:12	69
17/10/2020 22:12	76
17/10/2020 23:12	76
18/10/2020 0:12	73
18/10/2020 1:12	77
18/10/2020 2:12	79
18/10/2020 3:12	74
18/10/2020 4:12	68
18/10/2020 5:12	72
18/10/2020 6:12	77
18/10/2020 7:12	78
18/10/2020 8:12	64
Average	73
Action Level	161
Limit Level	260

Limit Level Remark

Averag

Action Level

71

161

260

Action Level

Limit Level

Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

161

260

24-hour TSP Impact Monitori	ng Result for		
NOD 03-2018 Road Widening	and Retrofitting	g Noise Barriers on Tai Po Road (	Sha Tin Section)

MS 8 - Lek Yuen Est		Data and Time	TSD Concentration (
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
4/11/2020 8:46	39	10/11/2020 8:49	46
4/11/2020 9:46	41	10/11/2020 9:49	46
4/11/2020 10:46	43	10/11/2020 10:49	48
4/11/2020 11:46	44	10/11/2020 11:49	47
4/11/2020 12:46	46	10/11/2020 12:49	52
4/11/2020 13:46	49	10/11/2020 13:49	55
4/11/2020 14:46	52	10/11/2020 14:49	56
4/11/2020 15:46	56	10/11/2020 15:49	62
4/11/2020 16:46	61	10/11/2020 16:49	65
4/11/2020 17:46	61	10/11/2020 17:49	68
4/11/2020 18:46	65	10/11/2020 18:49	72
4/11/2020 19:46	64	10/11/2020 19:49	70
4/11/2020 20:46	55	10/11/2020 20:49	63
4/11/2020 21:46	51	10/11/2020 21:49	53
4/11/2020 22:46	46	10/11/2020 22:49	50
4/11/2020 23:46	46	10/11/2020 23:49	53
5/11/2020 0:46	48	11/11/2020 0:49	52
5/11/2020 1:46	43	11/11/2020 1:49	48
5/11/2020 2:46	52	11/11/2020 2:49	58
5/11/2020 3:46	49	11/11/2020 3:49	53
5/11/2020 4:46	45	11/11/2020 4:49	48
5/11/2020 5:46	45	11/11/2020 4:49	40
5/11/2020 5:40	41 39	11/11/2020 5:49	44
	42		43 50
5/11/2020 7:46	42	11/11/2020 7:49	54
Average		Average	34
Action Loval	161	Action Level	161
Action Level	161	Action Level	161
Action Level Limit Level	161 260	Action Level Limit Level	161 260
Limit Level	260	Limit Level	260
Limit Level Date and Time	260 TSP Concentration (µg/m³)	Limit Level Date and Time	260 TSP Concentration (µg/m³)
Limit Level Date and Time 21/11/2020 8:45	260 TSP Concentration (µg/m³) 45	Limit Level Date and Time 27/11/2020 8:51	260 TSP Concentration (µg/m³) 46
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45	260 <b>TSP Concentration (μg/m³)</b> 45 46	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 10:51	260 <b>TSP Concentration (µg/m³)</b> 46 44
Limit Level           Date and Time           21/11/2020 8:45           21/11/2020 9:45           21/11/2020 10:45           21/11/2020 11:45	260 TSP Concentration (µg/m³) 45 46 47	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 10:51 27/11/2020 11:51	260 TSP Concentration (µg/m³) 46 44 49
Limit Level           Date and Time           21/11/2020 8:45           21/11/2020 9:45           21/11/2020 10:45           21/11/2020 11:45           21/11/2020 12:45	260 TSP Concentration (µg/m³) 45 46 47 48	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 11:51 27/11/2020 11:51 27/11/2020 12:51	260 TSP Concentration (µg/m³) 46 44 49 50
Limit Level 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 13:45	260 TSP Concentration (µg/m*) 45 46 47 48 49	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 10:51 27/11/2020 12:51 27/11/2020 12:51	260 TSP Concentration (µg/m³) 46 44 49 50 52
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 10:45 21/11/2020 12:45 21/11/2020 13:45 21/11/2020 13:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 14:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 13:45 21/11/2020 14:45 21/11/2020 15:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 10:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 15:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 12:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 16:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 15:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 12:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/100 21/11/2020 15:45 21/11/2020 15:45 21/100 21	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 16:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 17:45 21/11/2020 18:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 18:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64 69
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 19:45	260 TSP Concentration (µg/m*) 45 46 47 48 49 57 56 60 60 68 65 71 70	Limit Level <b>Date and Time</b> 27/11/2020 9:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 18:51 27/11/2020 18:51 27/11/2020 19:51 27/11/2020 19:51 2	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 63 68 64 69 69 69
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 12:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 60 68 65 71 70 59	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 20:51 27/11/2020 20:51 2	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64 69 69 61
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/11/2020 18:45 21/100 21/100 21/100 21/100 21/100 21/100 21/100 2	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58	Limit Level Date and Time 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 16:51 27/11/2020 16:51 27/	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64 69 69 61 54
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 12:45 21/11/2020 12:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 17:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58 52	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 18:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 12:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 22:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 56 63 68 64 69 69 61 54 49
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 16:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 20:45 21/11/2020 20:45 21/11/2020 22:45 21/11/2020 22:45 21/11/2020 23:45	260 TSP Concentration (µg/m*) 45 46 47 48 49 57 56 60 60 68 65 71 70 59 58 52 53	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 15:51 27/11/2020 22:51 27/11/2020 22:51 27/11/2020 23:51 27/11/2020 23:51 2/11/2020 23:51 2/11/2020 2/11/2020 2/11/2020 2/11/2020 2/11/2020 2/11	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64 69 69 61 54 49 50
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 60 68 65 71 70 59 58 52 53 53	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 21:51 27/11/2020 21:51 2	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64 69 69 61 54 49 50 50 50
Limit Level  Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 23:45 21/11/2020 23:45 22/11/2020 1:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58 52 53 53 50	Limit Level Date and Time 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 19:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 28/11/2020 1:51 2	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 56 63 68 64 69 69 61 54 49 50 50 50 50 49
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 12:45 21/11/2020 12:45 21/11/2020 12:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58 52 53 53 53 50 56	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 14:51 27/11/2020 16:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 28/11/2020 0:51 28/11/2020 0:51 28/11/2020 2:51 28/11/2020 2:51 28	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 56 63 68 64 69 69 61 54 49 50 50 50 50 51 52 52 56 52 56 52 56 52 56 52 52 56 52 55 52 55 52 55 52 55 55 55
Limit Level  Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 20:45 21/11/2020 20:45 21/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:4	260 TSP Concentration (µg/m*) 45 46 47 48 49 57 56 60 60 68 65 71 70 59 58 52 53 53 50 56 51	Limit Level           Date and Time           27/11/2020 8:51           27/11/2020 9:51           27/11/2020 10:51           27/11/2020 12:51           27/11/2020 12:51           27/11/2020 12:51           27/11/2020 13:51           27/11/2020 15:51           27/11/2020 16:51           27/11/2020 16:51           27/11/2020 16:51           27/11/2020 16:51           27/11/2020 17:51           27/11/2020 19:51           27/11/2020 20:51           27/11/2020 21:51           27/11/2020 21:51           27/11/2020 21:51           28/11/2020 2:51           28/11/2020 1:51           28/11/2020 2:51           28/11/2020 3:51           28/11/2020 3:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 56 63 68 64 69 69 61 54 49 50 50 50 50 50 50 50 51 55 55
Limit Level  Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 20:45 21/11/2020 20:45 21/11/2020 20:45 21/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 20:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45 22/11/2020 3:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 60 68 65 71 70 59 58 52 53 53 50 56 51 52	Limit Level <b>Date and Time</b> 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 28/11/2020 3:51 28/11/2020 3:51 38/11/2020 3:51 28/11/2020 3:51 28/11/202	260 TSP Concentration (µg/m*) 46 44 49 50 52 52 56 63 68 64 69 69 69 61 54 49 50 50 50 50 49 57 55 49
Limit Level  Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58 52 53 53 50 56 51 52 44	Limit Level Date and Time 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 28/11/2020 1:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 56 63 68 64 69 69 61 54 49 50 50 50 50 50 49 57 55 49 45
Limit Level  Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 16:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 19:45 21/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:45 22/11/2020 29:4	260 TSP Concentration (µg/m*) 45 46 47 48 49 57 56 60 60 68 65 71 70 59 58 52 53 53 50 56 51 52 44 44	Limit Level Date and Time 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 18:51 27/11/2020 18:51 27/11/2020 19:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 28/11/2020 20:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 56 63 68 64 69 69 61 54 49 50 50 50 50 51 55 49 50 57 55 49 45 46 46 46 46 46 46 46 46 47 46 47 46 48 49 50 52 52 52 52 56 56 57 57 57 57 57 57 57 57 57 57
Limit Level  Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 13:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 13:45 21/11/2020 13:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 0:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2020 1:45 22/11/2	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58 52 53 53 50 56 51 52 44 46 47	Limit Level Date and Time 27/11/2020 8:51 27/11/2020 10:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 16:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 20:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 28/11/2020 1:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/11/2020 2:51 28/	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64 69 69 61 54 49 50 50 50 50 50 50 50 50 51 54 49 50 50 52 52 52 52 52 55 52 55 49 50 50 52 52 52 52 55 52 55 52 55 52 55 52 55 55
Limit Level  Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 21/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:45 22/11/2020 71:4	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58 52 53 53 50 56 51 52 44 46 47 54	Limit Level Date and Time 27/11/2020 8:51 27/11/2020 9:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 13:51 27/11/2020 20:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 27/11/2020 21:51 28/11/2020 21:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51 28/11/2020 3:51	260 TSP Concentration (µg/m*) 46 44 49 50 52 52 56 63 68 64 69 69 69 69 61 54 49 50 50 49 50 50 49 50 50 49 50 51 52 52 52 52 52 55 56 63 68 64 69 69 61 54 45 45 45 45 45 45 45 45 45
Limit Level Date and Time 21/11/2020 8:45 21/11/2020 9:45 21/11/2020 10:45 21/11/2020 11:45 21/11/2020 11:45 21/11/2020 12:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 15:45 21/11/2020 21:45 21/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 21:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45 22/11/2020 61:45	260 TSP Concentration (µg/m³) 45 46 47 48 49 57 56 60 68 65 71 70 59 58 52 53 53 50 56 51 52 44 46 47	Limit Level Date and Time 27/11/2020 8:51 27/11/2020 0:51 27/11/2020 10:51 27/11/2020 11:51 27/11/2020 12:51 27/11/2020 12:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 15:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 19:51 27/11/2020 29:51 27/11/2020 29:51 27/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51 28/11/2020 29:51	260 TSP Concentration (µg/m³) 46 44 49 50 52 52 52 56 63 68 64 69 69 61 54 49 50 50 50 50 50 49 50 50 50 49 50 52 49 50 52 52 52 52 52 55 49 50 50 52 52 52 52 52 52 55 52 55 52 55 52 55 55

Date and Time	TSP Concentration (µg/m <sup>3</sup> )
16/11/2020 8:42	44
16/11/2020 9:42	45
16/11/2020 10:42	46
16/11/2020 11:42	50
16/11/2020 12:42	54
16/11/2020 13:42	55
16/11/2020 14:42	59
16/11/2020 15:42	60
16/11/2020 16:42	66
16/11/2020 17:42	68
16/11/2020 18:42	70
16/11/2020 19:42	71
16/11/2020 20:42	62
16/11/2020 21:42	55
16/11/2020 22:42	49
16/11/2020 23:42	50
17/11/2020 0:42	51
17/11/2020 1:42	47
17/11/2020 2:42	58
17/11/2020 3:42	55
17/11/2020 4:42	50
17/11/2020 5:42	47
17/11/2020 6:42	43
17/11/2020 7:42	49
Average	54
Action Level	161
Limit Level	260

Limit Level Remark

24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

IS 10 - Shatin Police Date and Time	TSP Concentration (µg/m <sup>3</sup> )	1	Data and Time	TSD Concentration (
			Date and Time	TSP Concentration (µg/m <sup>3</sup> )
6/10/2020 9:35	69		12/10/2020 9:41	75
6/10/2020 10:35	74		12/10/2020 10:41	79
/10/2020 11:35	82		12/10/2020 11:41	87
/10/2020 12:35	69		12/10/2020 12:41	71
/10/2020 13:35	72		12/10/2020 13:41	90
0/2020 14:35	76		12/10/2020 14:41	78
10/2020 15:35	77		12/10/2020 15:41	82
/10/2020 16:35	71		12/10/2020 16:41	77
/10/2020 17:35	73		12/10/2020 17:41	77
/10/2020 18:35	80		12/10/2020 18:41	85
5/10/2020 19:35	77		12/10/2020 19:41	80
6/10/2020 20:35	78		12/10/2020 20:41	84
6/10/2020 20:35	69		12/10/2020 20:41	76
	•••			
6/10/2020 22:35	86		12/10/2020 22:41	75
6/10/2020 23:35	67		12/10/2020 23:41	70
7/10/2020 0:35	75		13/10/2020 0:41	79
7/10/2020 1:35	70		13/10/2020 1:41	73
7/10/2020 2:35	69		13/10/2020 2:41	74
7/10/2020 3:35	74		13/10/2020 3:41	80
7/10/2020 4:35	72		13/10/2020 4:41	77
7/10/2020 5:35	69		13/10/2020 5:41	73
7/10/2020 6:35	62		13/10/2020 6:41	68
7/10/2020 7:35	63		13/10/2020 7:41	67
7/10/2020 8:35	70		13/10/2020 8:41	76
Average	73		Average	77
Action Level	165		Action Level	165
Limit Level	260	1	Limit Level	260
Limit Level ate and Time	260 TSP Concentration (μg/m³)	]	Limit Level Date and Time	260 TSP Concentration (µg/m³)
Limit Level ate and Time 23/10/2020 9:39	260 <b>TSP Concentration (μg/m³)</b> 73	]	Limit Level <b>Date and Time</b> 29/10/2020 9:46	260 TSP Concentration (µg/m <sup>3</sup> 80
Limit Level ate and Time 23/10/2020 9:39	260 TSP Concentration (μg/m³)	]	Limit Level Date and Time	260 TSP Concentration (µg/m³
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39	260 <b>TSP Concentration (μg/m³)</b> 73	]	Limit Level <b>Date and Time</b> 29/10/2020 9:46	260 TSP Concentration (µg/m <sup>3</sup> 80
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39	260 <b>TSP Concentration (µg/m³)</b> 73 76	]	Limit Level <b>Date and Time</b> 29/10/2020 9:46 29/10/2020 10:46	260 TSP Concentration (µg/m <sup>3</sup> 80 83
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39	260 TSP Concentration (µg/m³) 73 76 86	]	Limit Level <b>Date and Time</b> 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 13:39	260 TSP Concentration (µg/m*) 73 76 86 73 73 74	]	Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 12:46 29/10/2020 13:46	260 TSP Concentration (µg/m <sup>*</sup> 80 83 92 77 81
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 12:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 14:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81	]	Limit Level 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 12:46 29/10/2020 13:46 29/10/2020 14:46	260 TSP Concentration (μg/m <sup>8</sup> 80 83 92 77 81 82
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 14:39 3/10/2020 15:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83	j ] 	Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 14:46 29/10/2020 14:46	260 TSP Concentration (μg/m <sup>3</sup> 80 83 92 77 81 82 82 86
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 15:39 3/10/2020 16:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75	j ]   	Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46	260 <b>TSP Concentration (μg/m<sup>1</sup></b> 80 83 92 77 81 82 86 81
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 14:39 3/10/2020 15:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 17:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76	]	Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 12:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46	260 TSP Concentration (µg/m <sup>*</sup> 80 83 92 77 81 82 86 81 81 81
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83	j	Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 17:46	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 82 86 81 81 89
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 14:39 3/10/2020 15:39 3/10/2020 15:39 3/10/2020 17:39 3/10/2020 18:39 3/10/2020 18:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 83 80		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 12:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 18:46 29/10/2020 18:46 29/10/2020 18:46	260 TSP Concentration (µg/m <sup>1</sup> 80 83 92 77 81 82 86 81 81 81 82 86 81 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 81 82 86 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 82 86 81 81 82 86 81 81 82 86 81 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 81 82 86 80 80 80 80 80 80 80 80 80 80
Limit Level  ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 15:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 18:30 3/10/2020 3/10/2020 18:20 3/10/2020 18:20 3/10/2020 18 3/10/2020 3/1	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 83 80 83	]	Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 12:46 29/10/2020 12:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10000 20/10000 20/10000 20/100000000000 20/10000000000	260 TSP Concentration (µg/m <sup>*</sup> 80 83 92 77 81 82 86 81 81 81 81 89 86 86
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 12:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 14:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 18:39 3/10/2020 19:39 3/10/2020 20:39 3/10/2020 21:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74	]	Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/200 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 2	260 TSP Concentration (µg/m* 80 83 92 77 81 82 86 81 81 89 86 86 79
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 12:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 14:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 18:39 3/10/2020 19:39 3/10/2020 20:39 3/10/2020 21:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 83 80 83		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 12:46 29/10/2020 12:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/2020 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10:46 20/10/200 10000 20/10000 20/10000 20/100000000000 20/10000000000	260 TSP Concentration (µg/m <sup>*</sup> 80 83 92 77 81 82 86 81 81 81 81 89 86 86
Limit Level	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 29/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/2020 20:46 20/10/200 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 2	260 TSP Concentration (µg/m* 80 83 92 77 81 82 86 81 81 89 86 86 79
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 15:39 3/10/2020 15:39 3/10/2020 16:39 3/10/2020 18:39 3/10/2020 18:39 3/10/2020 19:39 3/10/2020 21:39 3/10/2020 22:39 3/10/2020 23:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 20/10/2020 17:46 20/10/2020 17:46 20/10/2020 17:46 20/10/2020 17:46 20/10/2020 17:46 20/10/2020 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:40 20/10/200 17:40 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:46 20/10/200 17:40 20/10/200 17:40 20/10/200 17:40 20/10/200 17:40 20/10/200 17:40 20/10/200 17:40 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/10/200 20/100 20/1000 20/100 20/100 20/100 20/100 20/100	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 89 86 86 86 87 99 96
Limit Level  tate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 12:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 12:39 3/10/2020 20:39 3/10/2020 20:39 3/10/2020 20:39 3/10/2020 20:39 2/10/2020 23:39 2/10/2020 23:39 2/10/2020 0:39	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 12:46 29/10/2020 13:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 18:46 29/10/2020 18:46 29/10/2020 20:46 29/10/2020 21:46 29/10/2020 22:46	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 81 89 86 86 79 96 73
Limit Level ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 12:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 21:39 3/10/2020 21:39 3/10/2020 23:39 3/10/2020 0:39 24/10/2020 0:39 24/10/2020 13:39	260 TSP Concentration (µg/m*) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 79		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 12:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 19:46 29/10/2020 19:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2020 21:46 20/10/2000 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20/10 20	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 81 89 86 86 79 96 73 83
Limit Level	260 TSP Concentration (µg/m*) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 79 74		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 21:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 89 86 86 79 96 73 83 78
Limit Level	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 79 74 74 74 78		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 19:46 29/10/2020 20:46 29/10/2020 21:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 2:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200 1:40 30/10/200	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 81 89 86 86 87 99 86 86 79 96 73 83 78 77 85
Limit Level	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 79 74 74 91 70 79 74 74 75 76 83 80 83 74 91 70 79 74 74 74 75 76 83 80 83 74 74 75 76 83 80 83 74 74 75 76 83 83 74 74 74 75 76 83 83 74 74 74 75 76 83 83 74 74 74 75 76 83 83 74 74 74 75 76 83 83 74 74 74 74 75 76 76 76 77 76 76 76 76 76 76		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 12:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 21:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200	260 TSP Concentration (µg/m <sup>1</sup> 80 83 92 77 81 82 86 81 81 89 86 86 79 96 73 83 78 77 85 82
Limit Level	260 TSP Concentration (µg/m*) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 79 74 74 74 75 72		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 19:46 29/10/2020 23:46 30/10/2020 23:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/2020 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46 30/10/200 1:46	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 89 86 86 79 96 73 83 78 77 85 82 78
Limit Level	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 79 74 74 74 74 74 74 74 75 72 65		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 17:46 29/10/2020 12:46 30/10/2020 21:46 30/10/2020 21:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:40 30/10/200 3:46 30/10/200 3:46 30/10/200	260 TSP Concentration (µg/m <sup>3</sup> 80 83 92 77 81 82 86 81 81 89 86 86 86 86 87 99 96 73 83 78 77 85 82 78 72
Limit Level  ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 12:39 3/10/2020 20:39 3/10/2020 20:39 3/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 20:39 2/10/2020 30:39 2/10/2020 30:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6:39 2/10/2020 6	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 74 91 70 79 74 74 91 70 79 74 74 75 76 83 80 83 74 91 70 79 74 74 81 83 83 83 74 83 83 83 83 83 74 91 75 76 83 80 83 83 74 91 75 76 83 80 83 83 74 91 75 76 83 80 83 74 91 75 76 83 80 83 74 91 75 76 83 80 83 74 91 75 76 83 80 83 74 91 75 76 83 80 79 74 81 83 80 83 74 74 81 83 80 83 74 74 91 75 76 83 80 83 74 74 81 83 83 74 91 75 76 83 83 74 75 76 83 83 74 75 76 83 83 74 75 76 83 83 74 75 76 83 76 76 83 83 74 75 76 76 83 77 76 76 76 76 76 76 76 76 76		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 10:46 29/10/2020 12:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 13:46 30/10/2020 23:46 30/10/2020 13:46 30/10/2020 13:46 30/10/2020 13:46 30/10/2020 13:46 30/10/2020 13:46 30/10/2020 3:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:46 30/10/2020 5:40 30/10/2020 5:40 30/10/2020 5:40 30/10/2020 5:40 30/10/2020 5:40 30/10/2020 5:40 30/10/200 5:40 30/10/200 5:40 30/10/200 5:40 30/10/200 5:40 30/10/200 5:40 30/10/200 5:40 30/10/200 5:40 30/10/200	260 TSP Concentration (µg/m* 80 83 92 77 81 82 86 81 81 81 89 86 86 79 96 73 83 78 77 83 77 85 82 78 72 72 72 72
Limit Level  ate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 11:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 15:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 12:39 3/10/2020 21:39 3/10/2020 21:39 3/10/2020 21:39 3/10/2020 21:39 24/10/2020 2:39 24/10/2020 2:39 24/10/2020 2:39 24/10/2020 3:39 24/10/2020 3:39 24/10/2020 5:39 24/10/2020 5:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/2020 7:39 24/10/200 7:39 24/10/200 7:39 24/10/	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 70 74 91 70 79 74 74 74 75 75 72 65 68 74		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 13:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 2:46 30/10/2020 1:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/20	260 TSP Concentration (μg/m <sup>*</sup> 80 83 92 77 81 82 86 81 81 89 86 86 79 96 73 83 78 77 85 82 78 72 80
Limit Level  tate and Time 23/10/2020 9:39 3/10/2020 10:39 3/10/2020 12:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 13:39 3/10/2020 16:39 3/10/2020 16:39 3/10/2020 17:39 3/10/2020 17:39 3/10/2020 21:39 3/10/2020 21:39 3/10/2020 21:39 3/10/2020 21:39 3/10/2020 21:39 2/10/2020 21:39 2/10/2020 21:39 2/10/2020 21:39 2/10/2020 21:39 2/10/2020 21:39 2/10/2020 21:39 2/10/2020 21:39 2/10/2020 21:39 2/10/2020 31 2/10/2020 31 2/10/2020 31 2/10/2020 32 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 4:39 2/10/2020 8:39	260 TSP Concentration (µg/m*) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 79 74 74 91 70 79 74 74 75 72 65 68 74 74 74 75 72 65 68 74 74 74 74 74 75 72 72 75 72 72 75 72 72 75 72 72 74 74 74 74 74 74 74 74 74 75 76 76 76 73 74 74 74 75 76 76 76 76 73 74 76 76 76 76 76 76 76 76 76 76		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 19:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 22:46 30/10/2020 22:46 30/10/2020 24:46 30/10/2020 24:46 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/2020 54:6 30/10/200 54:6 30/10/200 54:6 30/10/2	260 TSP Concentration (μg/m <sup>*</sup> 80 83 92 77 81 82 86 81 81 89 86 86 79 96 73 83 78 77 85 82 78 72 72 72 80 82
Limit Level	260 TSP Concentration (µg/m³) 73 76 86 73 74 81 83 75 76 83 80 83 80 83 74 91 70 70 74 91 70 79 74 74 74 75 75 72 65 68 74		Limit Level Date and Time 29/10/2020 9:46 29/10/2020 10:46 29/10/2020 11:46 29/10/2020 11:46 29/10/2020 13:46 29/10/2020 13:46 29/10/2020 15:46 29/10/2020 15:46 29/10/2020 16:46 29/10/2020 16:46 29/10/2020 13:46 29/10/2020 21:46 29/10/2020 21:46 30/10/2020 2:46 30/10/2020 1:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/2020 3:46 30/10/20	260 TSP Concentration (μg/m <sup>*</sup> 80 83 92 77 81 82 86 81 81 89 86 86 79 96 73 83 78 77 85 82 78 72 80

Date and Time	TSP Concentration (µg/m <sup>3</sup> )
17/10/2020 9:37	69
17/10/2020 10:37	74
17/10/2020 11:37	82
17/10/2020 12:37	69
17/10/2020 13:37	72
17/10/2020 14:37	76
17/10/2020 15:37	77
17/10/2020 16:37	71
17/10/2020 17:37	73
17/10/2020 18:37	80
17/10/2020 19:37	77
17/10/2020 20:37	78
17/10/2020 21:37	69
17/10/2020 22:37	76
17/10/2020 23:37	67
18/10/2020 0:37	75
18/10/2020 1:37	70
18/10/2020 2:37	69
18/10/2020 3:37	74
18/10/2020 4:37	72
18/10/2020 5:37	69
18/10/2020 6:37	62
18/10/2020 7:37	63
18/10/2020 8:37	70
Average	72
Action Level	165
Limit Level	260

Remark

24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

Date and Time	TCD Components of the land	D-4177	TCD Conservation (
	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
6/10/2020 9:58	72	12/10/2020 10:0	
6/10/2020 10:58	86	12/10/2020 11:0	
6/10/2020 11:58	69	12/10/2020 12:0	
6/10/2020 12:58	84	12/10/2020 13:0	
6/10/2020 13:58	86	12/10/2020 14:0	
6/10/2020 14:58	82	12/10/2020 15:0	
6/10/2020 15:58	86	12/10/2020 16:0	
6/10/2020 16:58	81	12/10/2020 17:0	
6/10/2020 17:58	77	12/10/2020 18:0	
6/10/2020 18:58	78	12/10/2020 19:0	
6/10/2020 19:58	71	12/10/2020 20:0	
6/10/2020 20:58	76	12/10/2020 21:0	
6/10/2020 21:58	69	12/10/2020 22:0	
6/10/2020 22:58	74	12/10/2020 23:0	2 82
6/10/2020 23:58	77	13/10/2020 0:0	2 81
7/10/2020 0:58	76	13/10/2020 1:0	2 84
7/10/2020 1:58	80	13/10/2020 2:0	2 88
7/10/2020 2:58	79	13/10/2020 3:0	2 87
7/10/2020 3:58	82	13/10/2020 4:0	2 69
7/10/2020 4:58	82	13/10/2020 5:0	2 71
7/10/2020 5:58	75	13/10/2020 6:0	2 82
7/10/2020 6:58	84	13/10/2020 7:0	2 72
7/10/2020 7:58	77	13/10/2020 8:0	2 87
7/10/2020 8:58	70	13/10/2020 9:0	2 75
Average	78	Averag	e 80
Action Level	165	Action Leve	1 165
Limit Level	260	Limit Leve	1 260
Date and Time	TOD Classifier (as (a)	D ( 100	TOD Constanting (as (a)
23/10/2020 9:57	TSP Concentration (µg/m <sup>3</sup> ) 83	Date and Time 29/10/2020 10:0	TSP Concentration (µg/m <sup>3</sup> ) 7 82
23/10/2020 9.57	93	29/10/2020 10:0	
	93 91	29/10/2020 11:0	92
23/10/2020 11:57			75
	89	29/10/2020 13:0	7 94
23/10/2020 13:57	89 91	29/10/2020 13:0 29/10/2020 14:0	7 94 7 90
23/10/2020 13:57 23/10/2020 14:57	89 91 94	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0	7 94 7 90 7 90
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57	89 91 94 96	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0	7 94 7 90 7 90 7 90 7 94
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57	89 91 94 96 82	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 17:0	7 94 7 90 7 90 7 94 7 90
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57	89 91 94 96 82 85	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0	7 94 7 90 7 90 7 94 7 94 7 90 7 86
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 18:57	89 91 94 96 82 85 85	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 17:0 29/10/2020 18:0 29/10/2020 19:0	7 94 7 90 7 90 7 94 7 90 7 90 7 86 7 88
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 18:57 23/10/2020 19:57	89 91 94 96 82 85 86 80	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 19:0	7 94 7 90 7 90 7 94 7 90 7 86 7 88 7 81
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 18:57 23/10/2020 19:57 23/10/2020 20:57	89 91 96 82 85 86 80 80	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 21:0	7 94 7 90 7 90 7 94 7 90 7 86 7 88 7 81 7 81 7 82
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 18:57 23/10/2020 19:57 23/10/2020 20:57 23/10/2020 21:57	89 91 96 82 85 86 80 80 74	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 19:0 29/10/2020 19:0 29/10/2020 21:0 29/10/2020 21:0 29/10/2020 21:0	7 94 7 90 7 90 7 94 7 90 7 86 7 88 7 81 7 81 7 82 7 76
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 17:57 23/10/2020 19:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 22:57	89 91 94 96 82 85 86 80 80 74 87	29/10/2020 13:0 29/10/2020 15:0 29/10/2020 15:0 29/10/2020 17:0 29/10/2020 17:0 29/10/2020 17:0 29/10/2020 19:0 29/10/2020 21:0 29/10/2020 21:0 29/10/2020 22:0 29/10/2020 22:0	7 94 7 90 7 90 7 94 7 90 7 86 7 88 8 7 81 7 82 7 76 7 78
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 15:57 23/10/2020 17:57 23/10/2020 17:57 23/10/2020 19:57 23/10/2020 21:57 23/10/2020 22:57 23/10/2020 22:57	89 91 94 96 82 85 86 80 80 74 87 85	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 21:0 29/10/2020 23:0 29/10/2020 23:0 30/10/2020 0:0	7         94           7         90           7         94           7         94           7         96           7         86           7         88           7         82           7         76           7         78           7         83
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 19:57 23/10/2020 20:57 23/10/2020 21:57 23/10/2020 23:57 24/10/2020 3:57	89 91 96 82 85 86 80 80 74 87 85 77	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 20:0 29/10/2020 20:0 29/10/2020 23:0 30/10/2020 0:0	94           7         90           7         90           7         94           7         90           7         88           7         81           7         76           7         83           7         83           7         81
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 19:57 23/10/2020 20:57 23/10/2020 20:57 23/10/2020 22:57 23/10/2020 25:57 24/10/2020 0:57 24/10/2020 1:57	89 91 96 82 85 86 80 80 74 87 85 77 85 77 84	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 19:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 21:0 29/10/2020 21:0 30/10/2020 10 30/10/2020 10 30/10/2020 10	7     94       7     90       7     94       7     94       7     90       7     88       7     81       7     76       7     83       7     81       7     83       7     81       7     87
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 19:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 21:57 24/10/2020 1:57 24/10/2020 1:57	89 91 94 96 82 85 86 80 74 87 85 77 85 77 84 90	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 17:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 21:0 29/10/2020 23:0 30/10/2020 0:0 30/10/2020 0:0 30/10/2020 0:0 30/10/2020 2:0	7     94       7     90       7     94       7     94       7     96       7     88       7     81       7     76       7     78       7     81       7     81       7     83       7     81       7     87       7     89
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 17:57 23/10/2020 17:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 157 24/10/2020 1:57 24/10/2020 2:57 24/10/2020 2:57	89 91 96 82 85 86 80 80 74 87 85 77 85 77 84 90 86	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 21:0 29/10/2020 22:0 29/10/2020 22:0 30/10/2020 2:0 30/10/2020 1:0 30/10/2020 1:0 30/10/2020 3:0	7     94       7     90       7     94       7     94       7     96       7     88       7     88       7     82       7     76       7     78       83     81       7     83       7     81       7     89       7     89
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 19:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 21:57 24/10/2020 1:57 24/10/2020 1:57	89 91 94 96 82 85 86 80 74 87 85 77 85 77 84 90	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 17:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 21:0 29/10/2020 23:0 30/10/2020 0:0 30/10/2020 0:0 30/10/2020 0:0 30/10/2020 2:0	7     94       7     90       7     94       7     94       7     96       7     88       7     88       7     82       7     76       7     78       83     81       7     83       7     81       7     89       7     89
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 17:57 23/10/2020 17:57 23/10/2020 17:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 21:57 23/10/2020 21:57 24/10/2020 1:57 24/10/2020 1:57 24/10/2020 2:57	89 91 96 82 85 86 80 80 74 87 85 77 85 77 84 90 86	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 21:0 29/10/2020 22:0 29/10/2020 22:0 30/10/2020 2:0 30/10/2020 1:0 30/10/2020 1:0 30/10/2020 3:0	94       7     90       7     90       7     94       7     90       7     84       7     86       7     81       7     82       7     76       7     83       7     83       7     87       7     89       7     89       7     89       7     89
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 19:57 23/10/2020 20:57 23/10/2020 21:57 23/10/2020 23:57 24/10/2020 1:57 24/10/2020 3:57 24/10/2020 3:57 24/10/2020 3:57	89 91 96 82 85 86 80 80 74 87 85 77 85 77 84 90 86 89	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 10:0 29/10/2020 20:0 29/10/2020 20:0 29/10/2020 20:0 30/10/2020 20:0 30/10/2020 1:0 30/10/2020 1:0 30/10/2020 5:0	7     94       7     90       7     94       7     94       7     90       7     84       7     88       7     81       7     82       7     76       7     83       7     81       7     83       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     82
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 15:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 19:57 23/10/2020 20:57 23/10/2020 20:57 23/10/2020 20:57 24/10/2020 0:57 24/10/2020 1:57 24/10/2020 4:57 24/10/2020 4:57 24/10/2020 4:57	89 91 94 96 82 85 86 80 80 74 87 85 77 85 77 84 90 86 89 89	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 20:0 29/10/2020 20:0 30/10/2020 1:0 30/10/2020 1:0	7     94       7     90       7     94       7     94       7     94       7     94       7     88       7     88       7     82       7     83       7     81       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     82       7     93
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 18:57 23/10/2020 20:57 23/10/2020 20:57 23/10/2020 21:57 23/10/2020 21:57 24/10/2020 1:57 24/10/2020 1:57 24/10/2020 1:57 24/10/2020 3:57 24/10/2020 5:57 24/10/2020 5:57 24/10/2020 5:57	89 91 94 96 82 85 86 80 80 80 74 87 85 77 85 77 85 77 84 90 86 89 89 88	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 18:0 29/10/2020 19:0 29/10/2020 19:0 29/10/2020 21:0 29/10/2020 22:0 30/10/2020 2:0 30/10/2020 4:0 30/10/2020 4:0 30/10/2020 4:0 30/10/2020 6:0 30/10/2020 6:0	7     94       7     90       7     94       7     94       7     96       7     86       7     88       7     82       7     76       7     78       83     81       7     83       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     83       7     89       7     89       7     89       7     83       8     8       8     8       8     8       8     8       8     8       8     8       8     8       8     8       8     8       8     8       8     8       8     8       8     8       8     8<
24/10/2020 1:57 24/10/2020 2:57 24/10/2020 3:57 24/10/2020 4:57 24/10/2020 5:57 24/10/2020 6:57 24/10/2020 7:57	89 91 94 96 82 85 86 80 80 80 74 87 85 77 85 77 84 90 86 89 89 88 87	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 19:0 29/10/2020 20:0 29/10/2020 21:0 29/10/2020 21:0 29/10/2020 21:0 30/10/2020 1:0 30/10/2020 1:0 30/10/2020 5:0 30/10/2020 5:0 30/10/2020 7:0 30/10/2020 7:0 30/10/2020 7:0 30/10/2020 7:0	94       7     90       7     90       7     94       7     90       7     84       7     86       7     81       7     82       7     76       7     83       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     80
23/10/2020 13:57 23/10/2020 14:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 16:57 23/10/2020 19:57 23/10/2020 20:57 23/10/2020 20:57 23/10/2020 20:57 24/10/2020 2:57 24/10/2020 3:57 24/10/2020 3:57 24/10/2020 3:57 24/10/2020 5:57 24/10/2020 5:57 24/10/2020 7:57 24/10/2020 7:57 24/10/2020 7:57	89 91 94 96 82 85 86 80 80 74 87 85 77 85 77 84 90 86 89 89 89 89 89 89 89 87 6 68	29/10/2020 13:0 29/10/2020 14:0 29/10/2020 15:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 16:0 29/10/2020 10:0 29/10/2020 20:0 29/10/2020 20:0 29/10/2020 20:0 30/10/2020 20:0 30/10/2020 1:0 30/10/2020 4:0 30/10/2020 5:0 30/10/2020 5:0	7     94       7     90       7     94       7     94       7     90       7     84       7     86       7     81       7     83       7     83       7     83       7     83       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     89       7     86       7     80       e     86

Date and Time	TSP Concentration (µg/m <sup>3</sup> )
17/10/2020 10:05	75
17/10/2020 11:05	89
17/10/2020 12:05	80
17/10/2020 13:05	83
17/10/2020 14:05	86
17/10/2020 15:05	84
17/10/2020 16:05	90
17/10/2020 17:05	76
17/10/2020 18:05	74
17/10/2020 19:05	78
17/10/2020 20:05	76
17/10/2020 21:05	75
17/10/2020 22:05	71
17/10/2020 23:05	77
18/10/2020 0:05	79
18/10/2020 1:05	73
18/10/2020 2:05	79
18/10/2020 3:05	85
18/10/2020 4:05	78
18/10/2020 5:05	85
18/10/2020 6:05	79
18/10/2020 7:05	82
18/10/2020 8:05	68
18/10/2020 9:05	58
Average	78
Action Level	165
Limit Level	260

Remark

24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

AMS 11A - Sheung V			· · · ·	
Date and Time	TSP Concentration (µg/m <sup>3</sup> )		Date and Time	TSP Concentration (µg/m <sup>3</sup> )
4/11/2020 9:03	36		10/11/2020 9:08	42
4/11/2020 10:03	38		10/11/2020 10:08	42
4/11/2020 11:03	42		10/11/2020 11:08	53
4/11/2020 12:03	44		10/11/2020 12:08	49
4/11/2020 13:03	38		10/11/2020 13:08	44
4/11/2020 14:03	48		10/11/2020 14:08	57
4/11/2020 15:03	49		10/11/2020 15:08	58
4/11/2020 16:03	53		10/11/2020 16:08	60
4/11/2020 17:03	59		10/11/2020 17:08	65
4/11/2020 18:03	59		10/11/2020 18:08	63
4/11/2020 19:03	57		10/11/2020 19:08	62
4/11/2020 20:03	51		10/11/2020 20:08	62
4/11/2020 20:03	48		10/11/2020 20:08	55
4/11/2020 22:03	48		10/11/2020 21:08	54
4/11/2020 23:03	53		10/11/2020 23:08	57
5/11/2020 0:03	49		11/11/2020 0:08	55
5/11/2020 1:03	51		11/11/2020 1:08	61
5/11/2020 2:03	60		11/11/2020 2:08	69
5/11/2020 3:03	52		11/11/2020 3:08	60
5/11/2020 4:03	61		11/11/2020 4:08	67
5/11/2020 5:03	57		11/11/2020 5:08	65
5/11/2020 6:03	53		11/11/2020 6:08	62
5/11/2020 7:03	51		11/11/2020 7:08	55
5/11/2020 8:03	49		11/11/2020 8:08	52
Average	50		Average	57
Action Level	165		Action Level	165
Limit Level	260	]	Limit Level	260
Date and Time				
	TSP Concentration (ug/m <sup>3</sup> )		Date and Time	TSP Concentration (ug/m <sup>3</sup> )
	TSP Concentration (µg/m <sup>3</sup> )		Date and Time	TSP Concentration (µg/m³)
21/11/2020 9:02	40		27/11/2020 8:58	43
21/11/2020 9:02 21/11/2020 10:02	40 47		27/11/2020 8:58 27/11/2020 9:58	43 44
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02	40 47 50		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58	43 44 51
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02	40 47 50 48		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58	43 44 51 53
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02	40 47 50 48 47		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 12:58	43 44 51 53 49
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02	40 47 50 48 47 56		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58	43 44 51 53 49 53
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02	40 47 50 48 47 56 53		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 13:58	43 44 51 53 49 53 58
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 16:02	40 47 50 48 47 56 53 59		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 13:58	43 44 51 53 49 53 58 62
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 17:02	40 47 50 48 47 56 53 59 68		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 15:58	43 44 51 53 49 53 58 62 68
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 13:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 17:02 21/11/2020 18:02	40 47 50 48 47 56 53 59 68 67		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 15:58 27/11/2020 15:58	43 44 51 53 49 53 58 62 68 67
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 18:02 21/11/2020 19:02	40 47 50 48 47 56 53 59 68 67 62		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 17:58	43 44 51 53 49 53 58 62 68 67 63
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 17:02 21/11/2020 18:02	40 47 50 48 47 56 53 59 68 67 62 56		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 15:58 27/11/2020 15:58	43 44 51 53 49 53 58 62 68 67 63 61
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 18:02 21/11/2020 19:02	40 47 50 48 47 56 53 59 68 67 62 56 54		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 17:58	43 44 51 53 49 53 58 62 68 67 63 61 56
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 19:02 21/11/2020 19:02 21/11/2020 19:02	40 47 50 48 47 56 53 59 68 67 62 56		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 14:58 27/11/2020 14:58 27/11/2020 18:58 27/11/2020 19:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 18:02 21/11/2020 19:02 21/11/2020 20:02 21/11/2020 21:02	40 47 50 48 47 56 53 59 68 67 62 56 54		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 19:58 27/11/2020 19:58 27/11/2020 19:58	43 44 51 53 49 53 58 62 68 67 63 61 56
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 17:58 27/11/2020 17:58 27/11/2020 18:58 27/11/2020 19:58 27/11/2020 20:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 21:02 21/11/2020 22:02 21/11/2020 23:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 16:58 27/11/2020 16:58 27/11/2020 19:58 27/11/2020 19:58 27/11/2020 19:58 27/11/2020 19:58 27/11/2020 19:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55 59
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 13:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 10:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 23:02 22/11/2020 0:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 14:58 27/11/2020 15:58 27/11/2020 18:58 27/11/2020 18:58 27/11/2020 18:58 27/11/2020 19:58 27/11/2020 20:58 27/11/2020 21:58 27/11/2020 22:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55 59 52
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 18:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 22:02 21/11/2020 02:02 21/11/2020 0:02 22/11/2020 0:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 10:58 27/11/2020 20:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58	$\begin{array}{c} 43\\ 44\\ 51\\ 53\\ 49\\ 53\\ 58\\ 62\\ 68\\ 67\\ 63\\ 61\\ 56\\ 55\\ 59\\ 52\\ 60\\ \end{array}$
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 13:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 22:02 21/11/2020 0:02 22/11/2020 0:02 22/11/2020 0:02 22/11/2020 0:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60 54 60 65		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55 59 52 60 67
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 19:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 22/11/2020 1:02 22/11/2020 1:02 22/11/2020 1:02 22/11/2020 1:02 22/11/2020 1:02 22/11/2020 1:02 22/11/2020 1:02 22/11/2020 1:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60 54 60 65 59		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 16:58 27/11/2020 16:58 27/11/2020 18:58 27/11/2020 18:58 27/11/2020 19:58 27/11/2020 20:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 28/11/2020 21:58 28/11/2020 11:58 28/11/2020 11:58 28/11/2020 3:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55 59 52 60 67 58
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 18:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 22:02 21/11/2020 0:02 22/11/2020 0:02 22/11/2020 0:02 22/11/2020 0:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60 65 59 70 64		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 10:58 27/11/2020 10:58 27/11/2020 21:58 27/11/2020 21:58 28/11/2020 10:58 28/11/2020 10:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55 59 52 60 67 58 68
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 02:02 21/11/2020 02:02 21/11/2020 02:02 22/11/2020 0:02 22/11/2020 0:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60 65 59 70 64 60		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 16:58 27/11/2020 16:58 27/11/2020 19:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 15:8 28/11/2020 15:8 28/11/2020 15:8 28/11/2020 15:8 28/11/2020 15:8	$\begin{array}{c} 43\\ 44\\ 51\\ 53\\ 49\\ 53\\ 58\\ 62\\ 68\\ 67\\ 63\\ 61\\ 56\\ 55\\ 59\\ 52\\ 60\\ 67\\ 58\\ 68\\ 61\\ 62\\ \end{array}$
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 4:02 22/11/2020 4:02 22/11/2020 4:02 22/11/2020 4:02 22/11/2020 4:02 22/11/2020 4:02 22/11/2020 4:02 22/11/2020 4:02 22/11/2020 4:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60 54 60 54 60 59 70 64 60 59		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 14:58 27/11/2020 14:58 27/11/2020 14:58 27/11/2020 14:58 27/11/2020 14:58 27/11/2020 12:58 27/11/2020 21:58 27/11/2020 21:58 27/11/2020 21:58 28/11/2020 1:58 28/11/2020 1:58 28/11/2020 1:58 28/11/2020 1:58 28/11/2020 1:58 28/11/2020 1:58 28/11/2020 3:58 28/11/2020 3:58 28/11/2020 3:58	$\begin{array}{c} 43\\ 44\\ 51\\ 53\\ 49\\ 53\\ 58\\ 62\\ 68\\ 67\\ 63\\ 61\\ 56\\ 55\\ 59\\ 52\\ 60\\ 67\\ 58\\ 68\\ 61\\ 62\\ 56\end{array}$
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 13:02 21/11/2020 15:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 19:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 22/11/2020 10:02 22/11/2020 10:02 22/11/2020 10:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 4:02 22/11/2020 5:02 22/11/2020 5:02 22/11/2020 5:02 22/11/2020 5:02 22/11/2020 5:02 22/11/2020 5:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60 65 59 70 64 60		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 16:58 27/11/2020 16:58 27/11/2020 18:58 27/11/2020 18:58 27/11/2020 19:58 27/11/2020 20:58 28/11/2020 20:58 28/11/2020 20:58 28/11/2020 4:58 28/11/2020 4:58 28/11/2020 4:58 28/11/2020 4:58	$\begin{array}{c} 43\\ 44\\ 51\\ 53\\ 49\\ 53\\ 58\\ 62\\ 68\\ 67\\ 63\\ 61\\ 56\\ 55\\ 59\\ 52\\ 60\\ 67\\ 58\\ 68\\ 61\\ 62\\ \end{array}$
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 15:02 21/11/2020 16:02 21/11/2020 17:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 21:02 22/11/2020 0:02 22/11/2020 0:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 5:02 22/11/2020 6:02 22/11/2020 6:02 22/11/2020 6:02 22/11/2020 6:02 22/11/2020 6:02 22/11/2020 6:02 22/11/2020 6:02	40 47 50 48 47 56 53 59 68 67 62 56 54 55 60 54 60 65 59 70 64 60 59 59 70 64 60 59 56 57		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 11:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 15:58 27/11/2020 10:58 27/11/2020 10:58 27/11/2020 10:58 27/11/2020 21:58 27/11/2020 21:58 28/11/2020 21:58 28/11/2020 10:58 28/11/2020 10:58 28/11/20	$\begin{array}{c} 43\\ 44\\ 51\\ 53\\ 49\\ 53\\ 58\\ 62\\ 68\\ 67\\ 63\\ 61\\ 56\\ 55\\ 59\\ 52\\ 60\\ 67\\ 58\\ 68\\ 61\\ 62\\ 56\\ 54\\ 57\\ \end{array}$
21/11/2020 9:02 21/11/2020 10:02 21/11/2020 11:02 21/11/2020 12:02 21/11/2020 13:02 21/11/2020 14:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 16:02 21/11/2020 19:02 21/11/2020 21:02 21/11/2020 21:02 21/11/2020 23:02 22/11/2020 0:02 22/11/2020 0:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 3:02 22/11/2020 4:02 22/11/2020 5:02 22/11/2020 5:02 22/11/2020 5:02 22/11/2020 5:02	$\begin{array}{c} 40\\ 47\\ 50\\ 48\\ 47\\ 56\\ 53\\ 59\\ 68\\ 67\\ 62\\ 56\\ 54\\ 55\\ 60\\ 54\\ 60\\ 65\\ 59\\ 70\\ 64\\ 60\\ 65\\ 59\\ 70\\ 64\\ 60\\ 59\\ 59\\ 56\\ \end{array}$		27/11/2020 8:58 27/11/2020 9:58 27/11/2020 10:58 27/11/2020 11:58 27/11/2020 12:58 27/11/2020 13:58 27/11/2020 15:58 27/11/2020 16:58 27/11/2020 16:58 27/11/2020 18:58 27/11/2020 18:58 27/11/2020 19:58 27/11/2020 20:58 28/11/2020 20:58 28/11/2020 20:58 28/11/2020 4:58 28/11/2020 4:58 28/11/2020 4:58 28/11/2020 4:58	43 44 51 53 49 53 58 62 68 67 63 61 56 55 59 52 60 67 58 68 61 62 56 54

Date and Time	TSP Concentration (µg/m <sup>3</sup> )
16/11/2020 8:59	41
16/11/2020 9:59	43
16/11/2020 10:59	46
16/11/2020 11:59	48
16/11/2020 12:59	44
16/11/2020 13:59	54
16/11/2020 14:59	58
16/11/2020 15:59	58
16/11/2020 16:59	69
16/11/2020 17:59	69
16/11/2020 18:59	66
16/11/2020 19:59	61
16/11/2020 20:59	54
16/11/2020 21:59	53
16/11/2020 22:59	62
16/11/2020 23:59	56
17/11/2020 0:59	58
17/11/2020 1:59	64
17/11/2020 2:59	61
17/11/2020 3:59	71
17/11/2020 4:59	61
17/11/2020 5:59	63
17/11/2020 6:59	60
17/11/2020 7:59	53
Average	57
Action Level	165
Limit Level	260

Remark

AMS 13 - Fung Wo	Vatate					
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	1	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
2/9/2020 9:28	39	8/9/2020 9:29	41		14/9/2020 9:56	44
2/9/2020 10:28	42	8/9/2020 10:29	41		14/9/2020 10:56	60
2/9/2020 11:28	43	8/9/2020 11:29	44		14/9/2020 11:56	54
2/9/2020 12:28	47	8/9/2020 12:29	45		14/9/2020 12:56	62
2/9/2020 13:28	50	8/9/2020 13:29	47		14/9/2020 13:56	69
2/9/2020 14:28	53	8/9/2020 14:29	39		14/9/2020 14:56	63
2/9/2020 15:28	53	8/9/2020 15:29	38		14/9/2020 15:56	61
2/9/2020 16:28	54	8/9/2020 16:29	36		14/9/2020 16:56	64
2/9/2020 17:28	57	8/9/2020 17:29	38		14/9/2020 17:56	64
2/9/2020 18:28	47	8/9/2020 18:29	48		14/9/2020 18:56	56
2/9/2020 19:28	50	8/9/2020 19:29	45		14/9/2020 19:56	63
2/9/2020 20:28	47	8/9/2020 20:29	39		14/9/2020 20:56	64
2/9/2020 21:28	35	8/9/2020 21:29	33		14/9/2020 21:56	44
2/9/2020 22:28	38	8/9/2020 22:29	35		14/9/2020 22:56	57
2/9/2020 23:28	37	8/9/2020 23:29	30		14/9/2020 23:56	47
3/9/2020 0:28	37	9/9/2020 0:29	32		15/9/2020 0:56	52
3/9/2020 1:28	35	9/9/2020 1:29	32		15/9/2020 1:56	44
3/9/2020 2:28	41	9/9/2020 2:29	27		15/9/2020 2:56	47
3/9/2020 3:28	38	9/9/2020 3:29	29		15/9/2020 2:50	53
3/9/2020 3:28	37	9/9/2020 3.29	35		15/9/2020 3:50	51
3/9/2020 4:28	32	9/9/2020 4:29	33		15/9/2020 5:56	51
3/9/2020 5:28	39	9/9/2020 5.29	41		15/9/2020 5:56	49
3/9/2020 0.28	41	9/9/2020 0.29	38		15/9/2020 0.50	49 53
3/9/2020 7:28	38	9/9/2020 7.29	36		15/9/2020 7:50	51
	43		37	-		55
Average Action Level	45	Average Action Level	174	-	Average Action Level	174
	1/4	Action Level	1/4		Action Level	1/4
Limit Loval	260	Limit Laval	260		Limit Loval	260
Limit Level	260	Limit Level	260	]	Limit Level	260
Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	]	Date and Time	TSP Concentration (µg/m <sup>3</sup> )
	TSP Concentration (µg/m³) 42		TSP Concentration (µg/m³) 50	]		TSP Concentration (μg/m³) 46
Date and Time	<b>TSP Concentration (µg/m³)</b> 42 54	Date and Time	<b>TSP Concentration (µg/m³)</b> 50 70	]	Date and Time	<b>TSP Concentration (µg/m³)</b> 46 53
Date and Time 19/9/2020 9:46	<b>TSP Concentration (μg/m³)</b> 42 54 59	Date and Time 25/9/2020 10:00	<b>TSP Concentration (μg/m³)</b> 50 70 68		Date and Time 30/9/2020 9:57	<b>TSP Concentration (μg/m³)</b> 46 53 58
Date and Time 19/9/2020 9:46 19/9/2020 10:46	<b>TSP Concentration (µg/m³)</b> 42 54	Date and Time 25/9/2020 10:00 25/9/2020 11:00	<b>TSP Concentration (µg/m³)</b> 50 70	]	Date and Time 30/9/2020 9:57 30/9/2020 10:57	<b>TSP Concentration (µg/m³)</b> 46 53
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46	<b>TSP Concentration (μg/m³)</b> 42 54 59	Date and Time 25/9/2020 10:00 25/9/2020 11:00 25/9/2020 12:00	<b>TSP Concentration (μg/m³)</b> 50 70 68	]	Date and Time 30/9/2020 9:57 30/9/2020 10:57 30/9/2020 11:57	<b>TSP Concentration (μg/m³)</b> 46 53 58
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46	TSP Concentration (µg/m³)           42           54           59           59           63	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 13:00	TSP Concentration (µg/m³)           50           70           68           79		Date and Time 30/9/2020 9:57 30/9/2020 10:57 30/9/2020 11:57 30/9/2020 12:57	<b>TSP Concentration (μg/m<sup>*</sup>)</b> 46 53 58 61
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46	TSP Concentration (µg/m³)           42           54           59           59           63	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 13:00           25/9/2020 14:00	TSP Concentration (μg/m <sup>3</sup> ) 50 70 68 79 68		Date and Time 30/9/2020 9:57 30/9/2020 10:57 30/9/2020 11:57 30/9/2020 12:57 30/9/2020 13:57	TSP Concentration (μg/m³)           46           53           58           61           61
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 13:46	TSP Concentration (µg/m³)           42           54           59           59           63           48	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 14:00           25/9/2020 15:00	TSP Concentration (µg/m³)           50           70           68           79           68           64		Date and Time 30/9/2020 9:57 30/9/2020 10:57 30/9/2020 11:57 30/9/2020 12:57 30/9/2020 13:57 30/9/2020 14:57	<b>TSP Concentration (µg/m<sup>*</sup>)</b> 46 53 58 61 61 57
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 15:46	TSP Concentration (µg/m³)           42           54           59           63           48           51           49           50	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 14:00           25/9/2020 14:00           25/9/2020 15:00           25/9/2020 15:00	TSP Concentration (µg/m³)           50           70           68           79           68           79           68           70		Date and Time 30/9/2020 9:57 30/9/2020 10:57 30/9/2020 11:57 30/9/2020 12:57 30/9/2020 13:57 30/9/2020 14:57 30/9/2020 15:57	<b>TSP Concentration (µg/m³)</b> 46 53 58 61 61 61 57 55
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 13:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 16:00           25/9/2020 17:00	TSP Concentration (µg/m³)           50           70           68           64           70           68	]	Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 12:57           30/9/2020 13:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57	TSP Concentration (μg/m³)         46           53         58         61           61         61         57           55         46         46
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 16:46 19/9/2020 16:46 19/9/2020 17:46	TSP Concentration (µg/m³)           42           54           59           63           48           51           49           50	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 14:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 18:00	TSP Concentration (µg/m³)           50           70           68           64           70           68           79           68           70           67           79           68           64           70           68           75		Date and Time 30/9/2020 9:57 30/9/2020 10:57 30/9/2020 11:57 30/9/2020 13:57 30/9/2020 14:57 30/9/2020 15:57 30/9/2020 16:57 30/9/2020 17:57	TSP Concentration (μg/m*)         46           53         58           61         61           57         55           46         47
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 17:46 19/9/2020 17:46	TSP Concentration (µg/m³)           42           54           59           63           48           51           49           50           58	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 17:00           25/9/2020 17:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 19:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           75           64	]	Date and Time 30/9/2020 9:57 30/9/2020 10:57 30/9/2020 11:57 30/9/2020 12:57 30/9/2020 13:57 30/9/2020 15:57 30/9/2020 17:57 30/9/2020 17:57	TSP Concentration (μg/m <sup>*</sup> )         46         53         58         61         61         61         57         55         46         47         65         47         65         46         47         65         46         47         65         46         47         65         46         47         45         46         47         45         46         47         45         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         46         47         <
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 14:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 18:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00	TSP Concentration (µg/m³)           50           70           68           79           68           70           68           79           68           64           70           68           64           75           64           65		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 14:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 19:57	TSP Concentration (μg/m³)           46           53           58           61           61           57           55           46           47           65           59
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 19:46 19/9/2020 19:46 19/9/2020 19:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 21:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           75           64           65           69	]	Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 12:57           30/9/2020 13:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 16:57           30/9/2020 17:57           30/9/2020 19:57           30/9/2020 19:57           30/9/2020 19:57	TSP Concentration (μg/m³)         46           53         58           61         61           57         55           46         47           65         59           51         51
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 18:46 19/9/2020 19:46 19/9/2020 20:46 19/9/2020 20:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 16:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 21:00           25/9/2020 22:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           75           64           65           69           54		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 13:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 21:57           30/9/2020 21:57	TSP Concentration (μg/m³)         46           53         58           61         57           55         46           47         65           59         51           43         43
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 17:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 22:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           43           48	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 18:00           25/9/2020 18:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 21:00           25/9/2020 22:00           25/9/2020 22:00           25/9/2020 23:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           75           64           65           69           54           61		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 12:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 20:57           30/9/2020 22:57           30/9/2020 22:57	TSP Concentration (μg/m <sup>*</sup> )           46           53           58           61           63           57           55           46           47           65           59           51           43
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 21:46 19/9/2020 22:46 19/9/2020 23:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 14:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 18:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           70           68           75           64           65           69           54           61           59		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 20:57           30/9/2020 21:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57	TSP Concentration (μg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           48           49
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 12:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 22:46 19/9/2020 22:46 20/9/2020 02:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47           46	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 17:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 21:00           25/9/2020 21:00           25/9/2020 21:00           25/9/2020 12:00           26/9/2020 10:00           26/9/2020 10:00           26/9/2020 10:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           70           68           64           65           69           54           61           59           58		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 14:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 16:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 19:57           30/9/2020 20:57           30/9/2020 20:57           30/9/2020 21:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 23:57           30/9/2020 23:57           30/9/2020 23:57           30/9/2020 23:57           30/9/2020 23:57 <t< td=""><td>TSP Concentration (μg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           49           44</td></t<>	TSP Concentration (μg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           49           44
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 17:46 19/9/2020 17:46 19/9/2020 12:46 19/9/2020 21:46 19/9/2020 21:46 19/9/2020 21:46 20/9/2020 1:46	TSP Concentration (µg/m³)           42           54           59           63           48           51           49           50           58           63           47           46           44	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 17:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00           26/9/2020 1:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           75           64           65           69           54           61           59           58           61		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 16:57           30/9/2020 17:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 12:57           30/9/2020 20:57           30/9/2020 22:57           30/9/2020 23:57           30/9/2020 15:7           30/9/2020 12:57           30/9/2020 23:57           30/9/2020 557           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 12:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           3	TSP Concentration (μg/m²)           46           53           58           61           57           55           46           47           65           59           51           43           48           49           44           50
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 12:46 19/9/2020 22:46 20/9/2020 23:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 3:46	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47           46           44	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 14:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 17:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           26/9/2020 20:00           26/9/2020 10:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           70           68           64           65           69           54           61           59           58           61           58           62		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 18:57           30/9/2020 18:57           30/9/2020 20:57           30/9/2020 21:57           30/9/2020 21:57           30/9/2020 22:57           1/10/2020 2:57           1/10/2020 2:57           1/10/2020 2:57           1/10/2020 2:57           1/10/2020 3:57	TSP Concentration (μg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           48           49           44           50           35
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 18:46 19/9/2020 18:46 19/9/2020 19:46 19/9/2020 21:46 19/9/2020 21:46 20/9/2020 12:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 20/9/2020 20/9/2020 20/9/2020 20/9/2020 20/9/2020 20/9/2020	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47           46           44           45           42           47	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 13:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 17:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 21:00           25/9/2020 21:00           25/9/2020 21:00           26/9/2020 23:00           26/9/2020 1:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 4:00           26/9/2020 4:00           26/9/2020 4:00           26/9/2020 5:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           75           64           65           69           54           61           59           58           62		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 14:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 20:57           30/9/2020 21:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           30/9/2020 22:57           1/10/2020 1:57           1/10/2020 2:57           1/10/2020 3:57           1/10/2020 3:57           1/10/2020 3:57           1/10/2020 3:57           1/10/2020 3:57           1/10/2020 3:57	TSP Concentration (μg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           48           49           44           50           35           38           49
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 17:46 19/9/2020 17:46 19/9/2020 21:46 19/9/2020 21:46 19/9/2020 21:46 20/9/2020 21:46 20/9/2020 21:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 1:40 20/9/2020 20/9/2020 20/9/200 20/9/20 20/9/200 20/9/200 20/9/200 20/9	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47           46           44           45           42	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           26/9/2020 20:00           26/9/2020 1:00           26/9/2020 2:00           26/9/2020 2:00           26/9/2020 2:00           26/9/2020 2:00           26/9/2020 2:00           26/9/2020 2:00           26/9/2020 2:00           26/9/2020 2:00           26/9/2020 4:00           26/9/2020 5:00           26/9/2020 5:00           26/9/2020 5:00           26/9/2020 5:00           26/9/2020 5:00           26/9/2020 5:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           70           68           64           65           69           54           61           59           58           61           58           62		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 11:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 15:57           30/9/2020 17:57           30/9/2020 17:57           30/9/2020 12:57           30/9/2020 20:57           30/9/2020 21:57           30/9/2020 21:57           30/9/2020 22:57           30/9/2020 21:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 2:57           1/10/2020 4:57           1/10/2020 4:57           1/10/2020 4:57           1/10/2020 4:57           1/10/2020 4:57           1/10/2020 4:57           1/10/2020 4:57	TSP Concentration (μg/m²)           46           53           58           61           57           55           46           47           65           59           51           43           48           49           44           50           35           38           49           40
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 21:46 19/9/2020 21:46 19/9/2020 21:46 19/9/2020 21:46 20/9/2020 2:46 20/9/2020 3:46 20/9/2020 3:46 20/9/2020 3:46 20/9/2020 3:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:40 20/9/2020 5:40 20/9/2020 5:40 20/9/2020 5:40 20/9/20	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47           46           44           45           42           47           49           57	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 18:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 30:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 5:00           26/9/2020 6:00           26/9/2020 6:00           26/9/2020 7:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           65           69           54           61           59           58           62           58           59           60		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 12:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:7           30/9/2020 12:57           30/9/2020 22:57           30/9/2020 23:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57	TSP Concentration (µg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           48           49           44           50           35           38           49           40           58
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 21:46 19/9/2020 21:46 20/9/2020 21:46 20/9/2020 21:46 20/9/2020 21:46 20/9/2020 11:46 20/9/2020 3:46 20/9/2020 3:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/2020 5:46 20/9/	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47           46           44           45           42           47           49           57           48	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 12:00           25/9/2020 14:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 17:00           25/9/2020 17:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 10:00           25/9/2020 20:00           25/9/2020 20:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 20:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 5:00           26/9/2020 5:00           26/9/2020 7:00           26/9/2020 7:00           26/9/2020 7:00           26/9/2020 8:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           75           64           65           69           54           61           58           62           58           69           61		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 13:57           30/9/2020 14:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 18:57           30/9/2020 20:57           30/9/2020 21:57           30/9/2020 22:57           30/9/2020 22:57           1/10/2020 2:57           1/10/2020 2:57           1/10/2020 2:57           1/10/2020 4:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57           1/10/2020 6:57	TSP Concentration (μg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           48           49           44           50           35           38           49           40           58           47
Date and Time 19/9/2020 9:46 19/9/2020 10:46 19/9/2020 11:46 19/9/2020 11:46 19/9/2020 12:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 15:46 19/9/2020 15:46 19/9/2020 13:46 19/9/2020 13:46 19/9/2020 21:46 19/9/2020 21:46 19/9/2020 21:46 19/9/2020 21:46 20/9/2020 21:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/2020 1:46 20/9/200 1:46 20/9/200 1:46 20/9/2020	TSP Concentration (µg/m³)           42           54           59           59           63           48           51           49           50           58           63           57           43           48           47           46           44           45           42           47           49           57	Date and Time           25/9/2020 10:00           25/9/2020 11:00           25/9/2020 11:00           25/9/2020 12:00           25/9/2020 13:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 15:00           25/9/2020 18:00           25/9/2020 19:00           25/9/2020 19:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 20:00           25/9/2020 30:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 3:00           26/9/2020 5:00           26/9/2020 6:00           26/9/2020 6:00           26/9/2020 7:00	TSP Concentration (µg/m³)           50           70           68           79           68           64           70           68           64           65           69           54           61           59           58           62           58           59           60		Date and Time           30/9/2020 9:57           30/9/2020 10:57           30/9/2020 11:57           30/9/2020 12:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:57           30/9/2020 15:7           30/9/2020 12:57           30/9/2020 22:57           30/9/2020 23:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 1:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57           1/10/2020 5:57	TSP Concentration (µg/m³)           46           53           58           61           61           57           55           46           47           65           59           51           43           48           49           44           50           35           38           49           40           58

24-hour TSP Impact Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

Limit Leve Remark 260

Action Level

174

Action Level

Limit Level

Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

174

260

174


260


Action Level


Limit Level


Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m <sup>3</sup> )	Date and Time	TSP Concentration (µg/m
4/11/2020 9:18	43	10/11/2020 9:22	45	16/11/2020 9:14	44
4/11/2020 10:18	44	10/11/2020 10:22	60	16/11/2020 10:14	53
4/11/2020 11:18	50	10/11/2020 11:22	68	16/11/2020 11:14	57
4/11/2020 12:18	52	10/11/2020 12:22	64	16/11/2020 12:14	67
4/11/2020 13:18	53	10/11/2020 13:22	64	16/11/2020 13:14	64
4/11/2020 14:18	56	10/11/2020 14:22	63	16/11/2020 14:14	75
4/11/2020 15:18	54	10/11/2020 15:22	70	16/11/2020 15:14	72
4/11/2020 16:18	54	10/11/2020 16:22	68	16/11/2020 16:14	69
4/11/2020 17:18	56	10/11/2020 10:22	66	16/11/2020 17:14	73
4/11/2020 18:18	61	10/11/2020 18:22	74	16/11/2020 18:14	77
4/11/2020 19:18	59	10/11/2020 19:22	70	16/11/2020 19:14	73
4/11/2020 20:18	52	10/11/2020 20:22	71	16/11/2020 20:14	63
4/11/2020 20:18	47	10/11/2020 20:22	63	16/11/2020 20:14	54
4/11/2020 22:18	47 47	10/11/2020 22:22	58	16/11/2020 22:14	62
4/11/2020 22:18	47	10/11/2020 22:22	54	16/11/2020 22:14	51
	40 38		44		52
5/11/2020 0:18		11/11/2020 0:22		17/11/2020 0:14	
5/11/2020 1:18	43	11/11/2020 1:22	61	17/11/2020 1:14	50
5/11/2020 2:18	44	11/11/2020 2:22	61	17/11/2020 2:14	51
5/11/2020 3:18	41	11/11/2020 3:22	57	17/11/2020 3:14	56
5/11/2020 4:18	47	11/11/2020 4:22	64	17/11/2020 4:14	54
5/11/2020 5:18	46	11/11/2020 5:22	55	17/11/2020 5:14	60
5/11/2020 6:18	52	11/11/2020 6:22	66	17/11/2020 6:14	59
5/11/2020 7:18	52	11/11/2020 7:22	69	17/11/2020 7:14	59
5/11/2020 8:18	53	11/11/2020 8:22	60	17/11/2020 8:14	62
Average	49	Average	62	Average	61
Action Level	174	Action Level	174	Action Level	174
Action Level Limit Level	174 260	Action Level Limit Level	174 260	Action Level	174
Action Level Limit Level Date and Time	174 260 TSP Concentration (µg/m³)	Action Level Limit Level Date and Time	174 260 TSP Concentration (µg/m³)	Action Level	174
Action Level Limit Level Date and Time 21/11/2020 9:16	174 260 <b>TSP Concentration (µg/m³)</b> 51	Action Level Limit Level Date and Time 27/11/2020 9:13	174 260 <b>TSP Concentration (µg/m³)</b> 45	Action Level	174
Action Level Limit Level Date and Time 21/11/2020 9:16 21/11/2020 10:16	174 260 <b>TSP Concentration (µg/m³)</b> 51 58	Action Level Limit Level Date and Time 27/11/2020 9:13 27/11/2020 10:13	174 260 TSP Concentration (µg/m³) 45 60	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16	174 260 <b>TSP Concentration (µg/m³)</b> 51 58 65	Action Level Limit Level <b>Date and Time</b> 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13	174 260 TSP Concentration (μg/m³) 45 60 69	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16	174 260 <b>TSP Concentration (μg/m³)</b> 51 58 65 68	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 11:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 13:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 65 68 66	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13	174 260 <b>TSP Concentration (µg/m³)</b> 45 60 69 71 71 71	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 13:16 21/11/2020 14:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 65 66 66 74	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 10:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 14:13	174 260 TSP Concentration (μg/m³) 45 60 69 71 71 66	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 14:16 21/11/2020 15:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 10:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 14:13 27/11/2020 15:13	174 260 <b>TSP Concentration (μg/m³)</b> 45 60 69 71 71 66 66 66	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 13:16 21/11/2020 15:16 21/11/2020 16:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73 66	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 14:13 27/11/2020 15:13 27/11/2020 15:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71 71 71 66 66 63	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 68 66 74 73 66 67	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 14:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 16:13	174 260 <b>TSP Concentration (μg/m<sup>*</sup>)</b> 45 60 69 71 71 71 66 66 66 63 63 63	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 13:16 21/11/2020 13:16 21/11/2020 13:16 21/11/2020 17:16 21/11/2020 17:16 21/11/2020 17:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 68 66 74 73 66 67 73	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 10:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 13:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 17:13 27/11/2020 17:13	174 260 <b>TSP Concentration (μg/m³)</b> 45 60 69 71 71 71 66 66 63 63 77	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 11:16 21/11/2020 11:16 21/11/2020 11:16 21/11/2020 15:16 21/11/2020 16:16 21/11/2020 18:16 21/11/2020 19:16	174 260 TSP Concentration (μg/m³) 51 58 65 68 66 74 73 66 67 73 68	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 18:13 27/11/2020 18:13 27/11/2020 18:13	174 260 TSP Concentration (µg/m <sup>*</sup> ) 45 60 69 71 71 71 66 66 63 63 63 63 77 70	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 19:16 21/11/2020 19:16	174 260 <b>TSP Concentration (µg/m³)</b> 51 58 65 68 66 74 73 66 67 73 66 67 73 66 67 73 66 67 73 66 67 73 66 68 62	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 19:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71 71 66 66 63 63 63 77 70 67	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 10:16 21/11/2020 20:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 68 66 74 73 66 67 73 68 62 66	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 18:13 27/11/2020 19:13 27/11/2020 20:13 27/11/2020 21:13	174 260 <b>TSP Concentration (μg/m<sup>*</sup>)</b> 45 60 69 71 71 71 66 66 63 63 63 77 70 67 59	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 13:16 21/11/2020 13:16 21/11/2020 17:16 21/11/2020 17:16 21/11/2020 17:16 21/11/2020 17:16 21/11/2020 21:16 21/11/2020 21:16 21/11/2020 21:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 68 66 74 73 66 67 73 66 67 73 68 62 66 57	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 15:13 27/11/2020 15:13	174 260 <b>TSP Concentration (μg/m<sup>*</sup>)</b> 45 60 69 71 71 71 66 66 63 63 63 77 70 67 59 54	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 21:16 21/11/2020 22:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73 66 67 73 66 67 73 66 67 73 66 67 73 66 57 53	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 11:13 27/11/2020 13:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 20:13 27/11/2020 20:13 27/11/2020 22:13 27/11/2020 22:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71 71 71 66 66 63 63 63 77 70 67 59 54 51	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73 66 67 73 66 67 73 68 62 66 57 53 48	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 13:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 20:13 27/11/2020 23:13 27/11/2020 23:13 27/11/2020 23:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71 71 66 66 63 63 63 77 70 67 59 54 51 53	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 10:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 21:16 21/11/2020 0:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73 66 67 73 66 67 73 68 62 66 57 53 48 55	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 14:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 19:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 01:13	174 260 <b>TSP Concentration (μg/m<sup>*</sup>)</b> 45 60 69 71 71 71 66 66 63 63 77 70 67 59 54 51 53 62	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 17:16 21/11/2020 17:16 21/11/2020 12:16 21/11/2020 21:16 21/11/2020 21:16 21/11/2020 21:16 22/11/2020 1:16 22/11/2020 1:16 22/11/2020 1:16 22/11/2020 1:16	174 260 <b>TSP Concentration (µg/m³)</b> 51 58 65 68 66 74 73 66 67 73 66 67 73 68 62 66 57 53 48 55 62	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 14:13 27/11/2020 14:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 11:13 28/11/2020 11:13 28/11/2020 21:13	174 260 <b>TSP Concentration (μg/m<sup>*</sup>)</b> 45 60 69 71 71 71 66 66 63 63 63 77 70 67 59 54 51 53 62 51	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 21:16 21/11/2020 22:16 21/11/2020 23:16 22/11/2020 2:16 22/11/2020 2:16 22/11/2020 2:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73 66 67 73 66 67 73 66 67 73 66 67 73 66 67 73 66 57 53 48 55 53 48 55 52 56	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 11:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 21:13 28/11/2020 11:13 28/11/2020 21:13 28/11/2020 21:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71 71 71 66 66 63 63 63 77 70 67 59 54 51 53 62 51 48	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 17:16 21/11/2020 17:16 21/11/2020 12:16 21/11/2020 21:16 21/11/2020 21:16 21/11/2020 21:16 22/11/2020 1:16 22/11/2020 1:16 22/11/2020 1:16 22/11/2020 1:16	174 260 <b>TSP Concentration (µg/m<sup>3</sup>)</b> 51 58 65 68 66 74 73 66 67 73 66 67 73 68 62 66 57 53 48 55 62 56 60	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 14:13 27/11/2020 14:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 11:13 28/11/2020 11:13 28/11/2020 21:13	174 260 <b>TSP Concentration (μg/m<sup>*</sup>)</b> 45 60 69 71 71 71 66 66 63 63 63 77 70 67 59 54 51 53 62 51	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 21:16 21/11/2020 22:16 21/11/2020 23:16 22/11/2020 2:16 22/11/2020 2:16 22/11/2020 2:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73 66 67 73 66 67 73 66 67 73 66 67 73 66 67 73 66 57 53 48 55 53 48 55 52 56	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 11:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 21:13 28/11/2020 11:13 28/11/2020 21:13 28/11/2020 21:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71 71 71 66 66 63 63 63 77 70 67 59 54 51 53 62 51 48	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 19:16 21/11/2020 20:16 21/11/2020 21:16 21/11/2020 21:16 22/11/2020 0:16 22/11/2020 3:16 22/11/2020 3:16 22/11/2020 3:16 22/11/2020 3:16	174 260 <b>TSP Concentration (µg/m<sup>3</sup>)</b> 51 58 65 68 66 74 73 66 67 73 66 67 73 68 62 66 57 53 48 55 62 56 60	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 13:13 27/11/2020 15:13 27/11/2020 16:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 20:13 27/11/2020 23:13 27/11/2020 23:13 28/11/2020 21:13 28/11/2020 21:13 28/11/2020 21:13 28/11/2020 21:13 28/11/2020 21:13 28/11/2020 21:13	174 260 <b>TSP Concentration (µg/m*)</b> 45 60 69 71 71 66 66 63 63 63 77 70 67 59 54 51 53 62 51 53 62 51 48 57	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 10:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 0:16 22/11/2020 0:16 22/11/2020 1:16 22/11/2020 1:16 22/11/2020 1:16 22/11/2020 4:16 22/11/2020 4:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 68 66 74 73 66 67 73 66 67 73 68 62 66 57 53 48 55 62 56 60 56	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 14:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 19:13 27/11/2020 20:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 01:13 28/11/2020 11:3 28/11/2020 11:3 28/11/20	174           260           TSP Concentration (μg/m³)           45           60           69           71           71           66           63           63           77           70           67           59           54           51           53           62           51           48           57           64	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 10:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 15:16 21/11/2020 15:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 21:16 21/11/2020 21:16 22/11/2020 51:16 22/11/2020 51:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 74 73 66 67 73 66 67 73 66 67 73 68 62 66 57 53 48 55 62 55 62 56 60 56 66	Action Level Limit Level 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 12:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 13:13 27/11/2020 13:13 27/11/2020 12:13 27/11/2020 22:13 27/11/2020 23:13 28/11/2020 2:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 3:13 28/11/2020 5:13	174 260 TSP Concentration (µg/m <sup>*</sup> ) 45 60 69 71 71 71 66 66 63 63 63 63 63 77 70 67 59 54 51 53 62 51 48 57 64 64 64	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 16:16 21/11/2020 19:16 21/11/2020 19:16 21/11/2020 21:16 21/11/2020 23:16 22/11/2020 23:16 22/11/2020 23:16 22/11/2020 23:16 22/11/2020 23:16 22/11/2020 3:16 22/11/2020 4:16 22/11/2020 6:16 22/11/2020 7:16	174 260 TSP Concentration (µg/m³) 51 58 65 68 66 67 73 66 67 73 66 67 73 66 67 73 66 67 73 68 62 66 67 57 53 48 55 62 56 60 56 62 66 63	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 15:13 27/11/2020 19:13 27/11/2020 19:13 27/11/2020 21:13 27/11/2020 21:13 28/11/2020 21:13 28/11/2020 21:13 28/11/2020 21:13 28/11/2020 41:13 28/11/2020 41:13	174           260           TSP Concentration (μg/m³)           45           60           69           71           71           66           63           63           77           70           67           59           54           51           53           62           51           48           57           64           63	Action Level	174
Action Level Limit Level 21/11/2020 9:16 21/11/2020 10:16 21/11/2020 11:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 12:16 21/11/2020 13:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 16:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 21/11/2020 20:16 22/11/2020 20:16 22/11/2020 0:16 22/11/2020 0:16 22/11/2020 0:16 22/11/2020 0:16 22/11/2020 3:16 22/11/2020 3:16	174 260 <b>TSP Concentration (µg/m*)</b> 51 58 65 68 66 74 73 66 67 73 68 62 66 67 73 68 62 66 57 53 48 55 62 56 60 56 60 56 66 63 67	Action Level Limit Level 27/11/2020 9:13 27/11/2020 9:13 27/11/2020 10:13 27/11/2020 11:13 27/11/2020 12:13 27/11/2020 13:13 27/11/2020 14:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 16:13 27/11/2020 19:13 27/11/2020 20:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 21:13 27/11/2020 21:13 28/11/2020 21:13 28/11/2020 21:13 28/11/2020 113 28/11/2020 113 28/11/2	174         260         TSP Concentration (μg/m²)         45         60         69         71         71         66         63         63         67         59         54         51         53         62         51         53         62         51         64         64         63         63         63         63         64         63         63         60           60	Action Level	174

24-hour TSP Impact Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)









# Impact Noise Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

### NMS 1 Scenery Court

	-	Measu	ured Noise	e Level	Limit Loval	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linnit Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	8:34	59.8	57.5	62.5		59.8	Fine	0.9
10-Aug-20	8:30	60.3	58.3	63.1		60.3	Sunny	0.6
21-Aug-20	9:02	66.0	62.0	67.0		66.0	Fine	0.6
27-Aug-20	9:12	66.3	61.7	66.8		66.3	Fine	0.9
2-Sep-20	8:11	58.6	54.0	60.5		58.6	Fine	0.2
8-Sep-20	9:15	63.2	60.5	64.5		63.2	Fine	0.2
14-Sep-20	9:36	64.0	60.2	64.1		64.0	Fine	0.5
25-Sep-20	9:17	63.2	60.6	65.0		63.2	Sunny	0.6
30-Sep-20	9:33	63.4	60.5	64.7	75	63.4	Fine	0.4
6-Oct-20	8:32	64.7	61.7	68.7		64.7	Sunny	0.8
12-Oct-20	8:47	67.2	65.2	71.2		67.2	Sunny	0.6
23-Oct-20	8:43	66.7	63.8	70.7		66.7	Sunny	0.6
29-Oct-20	8:37	65.5	62.6	69.5		65.5	Sunny	0.7
4-Nov-20	10:52	65.0	59.5	66.0	]	65.0	Fine	0.4
10-Nov-20	16:38	66.2	67.0	63.0	]	66.2	Fine	0.6
16-Nov-20	9:13	65.8	60.5	67.0	]	65.8	Fine	0.9
27-Nov-20	8:30	61.6	59.0	63.0	]	61.6	Fine	0.7

### NMS 2 Villa Le Parc

		Measu	ured Noise	e Level	Limit Lovel	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>			Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	10:59	54.6	51.0	56.3		54.6	Fine	1.4
10-Aug-20	10:53	55.4	53.2	59.1		55.4	Sunny	0.6
21-Aug-20	9:06	55.7	51.0	57.0		55.7	Fine	1.2
27-Aug-20	9:16	56.0	50.7	56.8		56.0	Fine	0.9
2-Sep-20	10:46	56.4	53.0	59.0	]	56.4	Fine	0.3
8-Sep-20	9:52	55.8	52.0	56.5		55.8	Fine	0.6
14-Sep-20	10:13	56.7	51.7	56.1		56.7	Fine	0.5
25-Sep-20	9:54	55.9	52.1	57.0		55.9	Sunny	0.6
30-Sep-20	10:10	56.1	52.0	56.7	75	56.1	Fine	0.4
6-Oct-20	9:34	61.7	58.6	66.9		61.7	Sunny	0.8
12-Oct-20	9:58	64.0	62.1	69.4		64.0	Sunny	0.6
23-Oct-20	9:50	63.6	60.7	68.9		63.6	Sunny	0.6
29-Oct-20	9:40	62.6	59.5	67.7		62.6	Sunny	0.7
4-Nov-20	11:28	54.2	50.5	55.0	]	54.2	Fine	1.0
10-Nov-20	13:35	56.2	52.5	57.0		56.2	Fine	1.4
16-Nov-20	9:51	55.0	51.5	56.0	]	55.0	Fine	0.6
27-Nov-20	10:52	55.1	53.0	56.0	]	55.1	Fine	1.1

### NMS 3 Hilton Plaza

		Measured Noise Level		Limit Lovel	Construction Noise Level		Wind	
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linin Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	9:11	69.6	64.5	72.0		69.6	Fine	0.8
10-Aug-20	9:13	70.1	68.1	71.8		70.1	Sunny	0.7
21-Aug-20	8:25	70.9	64.0	72.5		70.9	Fine	0.4
27-Aug-20	8:35	71.2	63.7	72.3		71.2	Fine	0.9
2-Sep-20	8:50	57.8	55.0	60.5		57.8	Fine	0.3
8-Sep-20	8:36	66.9	64.0	69.0		66.9	Fine	0.5
14-Sep-20	8:57	67.6	63.2	68.5		67.6	Fine	0.5
25-Sep-20	8:38	67.4	64.1	69.4		67.4	Sunny	0.6
30-Sep-20	8:54	68.8	63.5	69.1	75	68.8	Fine	0.4
6-Oct-20	9:03	67.8	64.7	69.5		67.8	Sunny	0.8
12-Oct-20	9:27	68.3	67.5	72.0		68.3	Sunny	0.6
23-Oct-20	9:19	67.9	66.5	71.5		67.9	Sunny	0.6
29-Oct-20	9:09	68.7	65.4	70.3		68.7	Sunny	0.7
4-Nov-20	10:16	70.6	66.0	72.0	]	70.6	Fine	0.6
10-Nov-20	15:57	70.6	68.0	73.5	]	70.6	Fine	0.7
16-Nov-20	8:35	71.3	67.0	73.0	]	71.3	Fine	0.7
27-Nov-20	9:06	70.4	67.5	73.0	]	70.4	Fine	1.2

### NMS 4 Tin Liu

		Measu	ured Noise	e Level	Limit Lovel	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linin Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	9:49	67.9	63.3	70.0		67.9	Fine	0.7
10-Aug-20	9:54	68.0	64.5	70.4		68.0	Sunny	0.7
21-Aug-20	9:43	68.5	66.0	72.0		68.5	Fine	0.3
27-Aug-20	9:53	68.8	65.7	71.8		68.8	Fine	0.9
2-Sep-20	11:28	67.1	64.5	69.0		67.1	Fine	0.2
8-Sep-20	10:32	66.9	64.0	68.0		66.9	Fine	0.4
14-Sep-20	10:53	68.1	63.5	67.6		68.1	Fine	0.5
25-Sep-20	10:34	67.1	64.1	68.5		67.1	Sunny	0.6
30-Sep-20	10:50	67.5	63.6	68.2	75	67.5	Fine	0.4
6-Oct-20	10:09	67.0	64.3	71.1		67.0	Sunny	0.8
12-Oct-20	10:33	67.3	66.2	70.2		67.3	Sunny	0.6
23-Oct-20	10:25	66.9	65.5	70.7		66.9	Sunny	0.6
29-Oct-20	10:15	67.7	65.0	71.9		67.7	Sunny	0.7
4-Nov-20	13:00	66.0	63.5	67.0	]	66.0	Fine	0.6
10-Nov-20	13:00	66.0	63.5	67.0	]	66.0	Fine	1.0
16-Nov-20	10:26	67.4	66.0	69.5	]	67.4	Fine	1.2
27-Nov-20	11:30	66.4	63.0	68.0	]	66.4	Fine	0.7

### NMS 5A Wai Wah Centre

		Measu	ured Noise	Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linin Lever	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	11:34	70.6	65.5	72.0		70.6	Fine	1.2
10-Aug-20	11:30	71.3	67.7	73.5		71.3	Sunny	0.8
21-Aug-20	9:39	69.6	66.5	73.0		69.6	Fine	0.8
27-Aug-20	9:49	69.9	66.2	72.8		69.9	Fine	0.9
2-Sep-20	9:26	69.3	66.0	72.5		69.3	Fine	0.2
8-Sep-20	11:42	71.8	66.0	73.5		71.8	Fine	0.6
14-Sep-20	12:03	73.2	65.7	73.1		73.2	Fine	0.5
25-Sep-20	11:44	70.4	66.1	74.0		70.4	Sunny	0.6
30-Sep-20	12:00	72.6	66.0	73.7	75	72.6	Fine	0.4
6-Oct-20	16:31	68.0	66.9	70.4		68.0	Sunny	0.8
12-Oct-20	16:20	67.3	64.6	69.5		67.3	Sunny	0.6
23-Oct-20	16:27	66.9	63.4	70.0		66.9	Sunny	0.6
29-Oct-20	16:37	68.7	67.6	71.2		68.7	Sunny	0.7
4-Nov-20	9:40	73.2	67.0	75.5	]	73.2	Fine	0.7
10-Nov-20	14:48	73.0	69.5	76.0	]	73.0	Fine	0.8
16-Nov-20	11:34	73.8	70.0	75.5	]	73.8	Fine	1.2
27-Nov-20	9:41	67.8	64.0	70.0	]	67.8	Fine	0.8

### NMS 6A Wai Wah Centre

		Measu	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linnit Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	13:02	71.6	67.0	74.0		71.6	Fine	0.8
10-Aug-20	13:10	70.4	68.1	73.4		70.4	Sunny	0.9
21-Aug-20	13:31	71.6	67.0	74.5		71.6	Fine	0.5
27-Aug-20	13:41	71.9	66.7	74.3		71.9	Fine	0.9
2-Sep-20	10:02	68.7	65.5	71.5		68.7	Fine	0.2
8-Sep-20	13:11	72.6	67.0	75.0		72.6	Fine	0.7
14-Sep-20	13:32	73.4	66.4	74.4		73.4	Fine	0.5
25-Sep-20	13:13	72.6	66.8	75.3		72.6	Sunny	0.6
30-Sep-20	13:29	72.8	66.4	74.8	75	72.8	Fine	0.4
6-Oct-20	15:41	68.6	66.3	69.8		68.6	Sunny	0.8
12-Oct-20	15:30	67.9	65.2	68.9		67.9	Sunny	0.6
23-Oct-20	15:37	67.5	64.0	69.4		67.5	Sunny	0.6
29-Oct-20	15:47	69.3	67.0	70.6		69.3	Sunny	0.7
4-Nov-20	8:35	71.1	66.5	73.0	]	71.1	Fine	0.4
10-Nov-20	15:22	72.2	69.0	75.0		72.2	Fine	1.1
16-Nov-20	13:00	72.0	69.0	74.5	]	72.0	Fine	1.4
27-Nov-20	10:16	69.2	64.5	72.0	]	69.2	Fine	0.6

### NMS 7 Tin Liu

		Measu	ured Noise	e Level		Construction Noise Level		Wind Speed (m/s) 0.7 0.8 0.7 0.9 0.3 0.7 0.5 0.6 0.4
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linin Level	Construction Noise Level	Weather	
			ns		(m/s)			
4-Aug-20	10:24	72.6	67.3	75.0		72.6	Fine	0.7
10-Aug-20	10:22	71.6	66.5	74.3		71.6	Sunny	0.8
21-Aug-20	10:17	74.2	69.0	77.5		74.2	Fine	0.7
27-Aug-20	10:29	74.5	68.7	77.3		74.5	Fine	0.9
2-Sep-20	13:02	63.6	60.5	66.8		63.6	Fine	0.3
8-Sep-20	11:06	73.7	70.0	76.5		73.7	Fine	0.7
14-Sep-20	11:27	64.4	69.4	76.1		64.4	Fine	0.5
25-Sep-20	11:08	63.8	71.2	77.0		63.8	Sunny	0.6
30-Sep-20	11:24	64.6	70.5	76.7	75	64.6	Fine	0.4
6-Oct-20	13:23	67.4	64.3	69.7		67.4	Sunny	0.8
12-Oct-20	13:12	66.7	64.0	68.8		66.7	Sunny	0.6
23-Oct-20	13:19	66.3	62.8	69.3		66.3	Sunny	0.6
29-Oct-20	13:29	68.1	65.0	70.5		68.1	Sunny	0.7
4-Nov-20	13:36	73.2	71.0	76.0	]	73.2	Fine	0.8
10-Nov-20	11:26	69.7	68.0	73.0		69.7	Fine	0.7
16-Nov-20	10:59	72.2	68.0	74.0		72.2	Fine	0.4
27-Nov-20	13:00	72.1	69.5	75.0		72.1	Fine	1.1

## NMS 8 Shatin Plaza

		Measu	ured Noise	e Level	Limit Loval	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linnit Lever	Construction Noise Level	Weather	Speed
				(m/s)				
5-Aug-20	9:42	63.7	61.0	66.5		63.7	Overcast	0.6
11-Aug-20	9:47	66.8	63.3	69.1		66.8	Fine	0.9
20-Aug-20	8:40	66.4	64.0	68.0		66.4	Fine	0.7
28-Aug-20	8:51	66.7	63.7	67.8		66.7	Fine	0.8
3-Sep-20	8:32	66.7	63.5	68.5		66.7	Fine	1.1
9-Sep-20	8:24	66.3	63.9	68.6		66.3	Sunny	0.9
15-Sep-20	8:46	68.1	63.6	68.2		68.1	Overcast	0.4
24-Sep-20	8:27	67.4	64.1	69.1		67.4	Sunny	0.5
29-Sep-20	8:43	67.9	63.9	68.8	75	67.9	Sunny	1.0
7-Oct-20	8:46	70.5	67.8	73.1		70.5	Sunny	0.9
14-Oct-20	8:50	69.8	67.1	72.2		69.8	Fine	1.5
22-Oct-20	8:42	69.4	65.9	72.7		69.4	Sunny	0.7
28-Oct-20	8:52	71.2	68.5	73.9		71.2	Fine	0.8
3-Nov-20	8:30	71.0	66.5	72.5	]	71.0	Fine	1.3
9-Nov-20	16:33	67.0	64.5	68.0	]	67.0	Fine	1.1
17-Nov-20	9:35	65.8	62.0	68.5	]	65.8	Fine	0.6
26-Nov-20	16:04	66.6	64.0	68.0	1	66.6	Fine	0.7

## NMS 9 Lek Yuen Estate

		Measu	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linin Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	10:21	63.4	60.5	65.0		63.4	Overcast	0.2
11-Aug-20	10:26	64.2	61.4	68.3		64.2	Fine	0.8
20-Aug-20	9:51	66.2	63.0	67.5		66.2	Fine	1.1
28-Aug-20	9:40	66.5	62.7	67.3		66.5	Fine	0.8
3-Sep-20	11:05	60.1	57.6	64.1		60.1	Fine	1.1
9-Sep-20	10:57	59.2	57.9	64.2		59.2	Sunny	1.0
15-Sep-20	11:19	60.5	57.7	63.8		60.5	Overcast	0.4
24-Sep-20	11:00	63.3	58.2	64.7		63.3	Sunny	0.5
29-Sep-20	11:16	65.5	58.0	66.9	75	65.5	Sunny	1.0
7-Oct-20	11:08	69.4	65.7	72.6		69.4	Sunny	0.9
14-Oct-20	11:12	71.1	68.4	72.7		71.1	Fine	1.5
22-Oct-20	11:04	70.7	67.2	72.2		70.7	Sunny	0.7
28-Oct-20	11:14	70.1	66.4	73.4		70.1	Fine	0.8
3-Nov-20	10:18	68.5	64.5	70.5		68.5	Fine	0.7
9-Nov-20	13:34	66.7	65.0	69.5	]	66.7	Fine	0.9
17-Nov-20	10:12	61.3	57.5	63.5		61.3	Fine	0.1
26-Nov-20	14:44	71.6	67.0	72.5		71.6	Fine	1.4

		Measu	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linin Lever	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	10:59	64.1	59.0	67.0		64.1	Overcast	0.2
11-Aug-20	10:57	64.9	62.5	68.2		64.9	Fine	0.7
20-Aug-20	10:26	65.3	62.0	66.0		65.3	Fine	0.7
28-Aug-20	10:37	65.6	61.7	65.8		65.6	Fine	0.8
3-Sep-20	9:48	62.4	58.3	64.0		62.4	Fine	0.4
9-Sep-20	9:40	62.0	58.7	64.1		62.0	Sunny	0.6
15-Sep-20	10:02	64.8	58.4	63.7		64.8	Overcast	0.4
24-Sep-20	9:43	62.1	59.3	64.6		62.1	Sunny	0.5
29-Sep-20	9:59	63.2	58.6	64.3	70	63.2	Sunny	1.0
7-Oct-20	13:37	65.6	63.1	68.7		65.6	Sunny	0.9
14-Oct-20	13:41	67.3	64.6	68.8		67.3	Fine	1.5
22-Oct-20	13:33	66.9	63.4	68.3		66.9	Sunny	0.7
28-Oct-20	13:43	66.3	63.8	69.5		66.3	Fine	0.8
3-Nov-20	9:42	64.1	60.5	65.0		64.1	Fine	0.9
9-Nov-20	11:07	63.8	60.0	65.0	]	63.8	Fine	0.7
17-Nov-20	9:57	59.3	56.5	61.5	1	59.3	Fine	0.2
26-Nov-20	14:18	63.1	57.5	65.0	1	63.1	Fine	1.6

## NMS 10A Shatin Tsung Tsin School

# NMS 11 Sheung Wo Che

		Meas	ured Noise	Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Lillin Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	9:09	59.6	51.5	62.0		59.6	Overcast	0.2
11-Aug-20	9:06	61.0	57.6	63.4		61.0	Fine	0.7
20-Aug-20	15:22	64.1	60.0	65.5		64.1	Fine	0.5
28-Aug-20	15:32	64.4	59.7	65.3		64.4	Fine	0.8
3-Sep-20	15:29	66.2	62.5	67.0		66.2	Fine	0.7
9-Sep-20	15:21	65.8	63.0	67.1		65.8	Sunny	0.6
15-Sep-20	15:43	68.6	62.7	66.7		68.6	Overcast	0.4
24-Sep-20	15:24	67.9	63.1	67.6		67.9	Sunny	0.5
29-Sep-20	15:40	68.0	62.9	67.3	75	68.0	Sunny	1.0
7-Oct-20	10:21	66.3	63.1	68.4		66.3	Sunny	0.9
14-Oct-20	10:25	68.0	65.3	68.5		68.0	Fine	1.5
22-Oct-20	10:17	67.6	64.1	68.0		67.6	Sunny	0.7
28-Oct-20	10:27	67.0	63.8	69.2		67.0	Fine	0.8
3-Nov-20	15:26	64.2	60.5	65.5		64.2	Fine	0.6
9-Nov-20	14:46	63.5	58.5	65.0		63.5	Fine	0.5
17-Nov-20	10:49	63.1	58.0	65.5		63.1	Fine	0.3
26-Nov-20	9:07	64.5	61.0	65.5		64.5	Fine	1.4

# NMS 12 SKH Holy Spirit Primary School

		Measu	ured Noise	e Level		Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Lillin Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	13:04	58.6	55.0	61.0		58.6	Overcast	0.3
11-Aug-20	10:52	60.1	58.2	64.2		60.1	Fine	0.4
20-Aug-20	11:02	64.5	61.0	65.5		64.5	Fine	0.8
28-Aug-20	11:12	64.8	60.7	65.3		64.8	Fine	0.8
3-Sep-20	10:28	64.0	60.0	65.3		64.0	Fine	0.6
9-Sep-20	10:20	63.6	60.4	65.4	70	63.6	Sunny	0.6
15-Sep-20	10:42	67.4	60.1	65.0	70	67.4	Overcast	0.4
24-Sep-20	10:23	64.7	60.6	65.9		64.7	Sunny	0.5
29-Sep-20	10:39	65.8	60.4	65.6		65.8	Sunny	1.0
7-Oct-20	14:35	63.5	61.5	68.7		63.5	Sunny	0.9
14-Oct-20	14:39	65.2	62.5	68.8		65.2	Fine	1.5
22-Oct-20	14:31	64.8	61.3	68.3		64.8	Sunny	0.7
28-Oct-20	14:41	64.2	62.2	69.5	65	64.2	Fine	0.8
3-Nov-20	10:55	63.3	58.5	64.5		63.3	Fine	1.0
9-Nov-20	10:29	64.3	59.0	66.0	70	64.3	Fine	0.7
17-Nov-20	11:28	60.2	56.0	63.0	70	60.2	Fine	0.2
26-Nov-20	13:40	62.6	57.0	64.5		62.6	Fine	0.8

Calculated CNL = Measured Noise Level during operation – Baseline (dB(A)).

		Meas	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	$L_{eq}$	L <sub>90</sub>	L <sub>10</sub>	Limit Level	Construction Noise Level	Weather	Speed
		•		Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	13:42	56.8	54.0	60.0		56.8	Overcast	0.4
11-Aug-20	13:40	57.2	55.7	60.2		57.2	Fine	0.7
20-Aug-20	13:00	65.4	61.5	67.0		65.4	Fine	0.4
28-Aug-20	13:09	65.7	61.2	66.8		65.7	Fine	0.6
3-Sep-20	14:56	64.9	63.0	67.0		64.9	Fine	0.7
9-Sep-20	14:48	62.5	63.4	67.1		62.5	Sunny	1.1
15-Sep-20	15:10	67.3	63.1	66.7		67.3	Overcast	0.4
24-Sep-20	14:51	65.6	63.6	67.6		65.6	Sunny	0.5
29-Sep-20	15:07	68.7	63.4	67.3	75	68.7	Sunny	1.0
7-Oct-20	14:36	64.7	62.1	68.9		64.7	Sunny	0.9
14-Oct-20	14:40	64.0	61.3	68.0		64.0	Fine	1.5
22-Oct-20	14:32	63.6	60.1	68.5		63.6	Sunny	0.7
28-Oct-20	14:42	65.4	62.8	69.7		65.4	Fine	0.8
3-Nov-20	11:32	67.7	65.0	69.0		67.7	Fine	0.7
9-Nov-20	13:00	65.2	62.0	66.0		65.2	Fine	0.8
17-Nov-20	13:05	57.7	55.0	60.0		57.7	Fine	0.8
26-Nov-20	13:00	70.1	60.0	73.0		70.1	Fine	1.1

# NMS 13 Lek Yuen Estate

# NMS 14 Sheung Wo Che

		Measu	ured Noise	Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	$L_{eq}$	L <sub>90</sub>	L <sub>10</sub>		Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	9:46	58.7	54.5	61.0		58.7	Overcast	0.3
11-Aug-20	9:43	60.2	57.9	64.2		60.2	Fine	0.7
20-Aug-20	14:47	62.8	59.0	64.5		62.8	Fine	0.7
28-Aug-20	14:56	63.1	58.7	64.3		63.1	Fine	0.6
3-Sep-20	16:06	65.5	62.0	66.5		65.5	Fine	0.9
9-Sep-20	15:58	63.1	62.4	66.6		63.1	Sunny	0.4
15-Sep-20	16:20	64.9	62.1	66.2		64.9	Overcast	0.4
24-Sep-20	16:01	62.2	62.6	67.1		62.2	Sunny	0.5
29-Sep-20	16:17	65.3	62.4	66.8	75	65.3	Sunny	1.0
7-Oct-20	10:49	66.2	62.7	68.6		66.2	Sunny	0.9
14-Oct-20	10:53	65.5	62.8	67.7		65.5	Fine	1.5
22-Oct-20	10:45	65.1	61.6	68.2		65.1	Sunny	0.7
28-Oct-20	10:55	66.9	63.4	69.4		66.9	Fine	0.8
3-Nov-20	14:49	65.0	62.5	66.0	]	65.0	Fine	0.3
9-Nov-20	14:10	64.0	62.0	65.0	]	64.0	Fine	0.3
17-Nov-20	10:34	57.2	53.0	59.5		57.2	Fine	0.1
26-Nov-20	9:42	66.2	62.5	67.5		66.2	Fine	0.7

## NMS 15 Ha Wo Che

		Measu	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	$L_{eq}$	L <sub>90</sub>	L <sub>10</sub>	Linit Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	15:16	63.4	60.0	65.5		63.4	Fine	0.7
10-Aug-20	15:13	62.5	60.7	64.7		62.5	Sunny	0.7
21-Aug-20	11:28	65.4	62.0	66.5		65.4	Fine	0.3
27-Aug-20	11:37	65.7	61.7	66.3		65.7	Fine	0.9
2-Sep-20	9:07	62.7	57.0	64.5		62.7	Fine	0.2
8-Sep-20	16:00	63.7	61.5	65.0		63.7	Fine	0.7
14-Sep-20	16:21	67.5	61.2	64.6		67.5	Fine	0.5
25-Sep-20	16:02	62.7	61.6	65.5		62.7	Sunny	0.6
30-Sep-20	16:18	65.9	61.5	65.2	75	65.9	Fine	0.4
6-Oct-20	15:12	67.6	63.8	69.2		67.6	Sunny	0.8
12-Oct-20	15:27	70.1	67.3	71.7		70.1	Sunny	0.6
23-Oct-20	15:23	69.6	65.9	71.2		69.6	Sunny	0.6
29-Oct-20	15:17	68.4	64.7	70.0		68.4	Sunny	0.7
4-Nov-20	16:14	63.6	58.0	65.0	]	63.6	Fine	0.7
10-Nov-20	8:32	64.0	60.0	65.5	]	64.0	Fine	0.6
16-Nov-20	15:57	66.4	63.0	67.5	]	66.4	Fine	1.3
27-Nov-20	15:15	63.1	60.5	64.5		63.1	Fine	1.2

# NMS 16 Ha Wo Che

		Measu	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	$L_{eq}$	L <sub>90</sub>	L <sub>10</sub>	Limit Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	15:52	64.9	62.0	68.5		64.9	Fine	0.4
10-Aug-20	15:50	63.4	61.4	66.8		63.4	Sunny	0.7
21-Aug-20	13:08	66.1	63.5	67.0		66.1	Fine	0.7
27-Aug-20	13:17	66.4	63.2	66.8		66.4	Fine	0.6
2-Sep-20	9:45	61.3	56.5	64.0		61.3	Fine	0.3
8-Sep-20	15:26	64.2	60.5	65.5		64.2	Fine	0.4
14-Sep-20	15:47	65.0	60.2	65.1		65.0	Fine	0.5
25-Sep-20	15:28	64.2	60.6	66.0		64.2	Sunny	0.6
30-Sep-20	15:44	64.4	60.5	65.7	75	64.4	Fine	0.4
6-Oct-20	14:33	67.2	65.2	70.1		67.2	Sunny	0.8
12-Oct-20	14:37	66.5	63.8	69.2		66.5	Sunny	1.0
23-Oct-20	14:29	66.1	62.6	69.7		66.1	Sunny	0.6
29-Oct-20	14:39	67.9	65.9	70.9		67.9	Sunny	0.6
4-Nov-20	15:39	63.0	58.5	64.5		63.0	Fine	0.3
10-Nov-20	9:05	65.2	61.0	66.0		65.2	Fine	1.5
16-Nov-20	15:22	64.2	62.0	65.0		64.2	Fine	0.7
27-Nov-20	15:48	65.0	62.0	66.0		65.0	Fine	1.2

# NMS 17 Shatin Pui Ying College

		Measu	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	$L_{eq}$	L <sub>90</sub>	L <sub>10</sub>			Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	11:08	59.6	56.0	61.5		59.6	Overcast	0.6
11-Aug-20	11:11	60.2	57.3	63.3		60.2	Fine	0.5
20-Aug-20	11:06	63.7	59.5	65.0		63.7	Fine	1.2
28-Aug-20	11:15	64.0	59.2	64.8		64.0	Fine	0.8
3-Sep-20	14:18	64.4	61.0	66.5		64.4	Fine	0.4
9-Sep-20	14:10	64.0	61.4	66.6		64.0	Sunny	0.5
15-Sep-20	14:32	64.8	61.1	66.2		64.8	Overcast	0.4
24-Sep-20	14:13	64.1	61.6	67.1		64.1	Sunny	0.5
29-Sep-20	14:29	64.2	61.4	66.8	70	64.2	Sunny	1.0
7-Oct-20	15:38	65.2	63.1	68.5		65.2	Sunny	0.9
14-Oct-20	15:42	64.5	61.8	67.6		64.5	Fine	1.5
22-Oct-20	15:34	64.1	60.6	68.1		64.1	Sunny	0.7
28-Oct-20	15:44	65.9	63.8	69.3		65.9	Fine	0.8
3-Nov-20	14:11	64.4	61.0	66.0	]	64.4	Fine	0.8
9-Nov-20	9:48	62.9	59.0	64.0	]	62.9	Fine	1.2
17-Nov-20	13:08	59.1	55.0	62.0	]	59.1	Fine	0.3
26-Nov-20	11:32	63.6	58.5	65.0		63.6	Fine	0.6

# NMS 18 Ha Wo Che

		Measu	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	$L_{eq}$	L <sub>90</sub>	L <sub>10</sub>	Linin Lever	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	16:31	62.6	57.3	63.5		62.6	Fine	0.7
10-Aug-20	16:33	61.0	58.2	63.2		61.0	Sunny	0.8
21-Aug-20	11:36	63.4	58.5	65.0		63.4	Fine	0.2
27-Aug-20	11:45	63.7	58.2	64.8		63.7	Fine	0.6
2-Sep-20	10:20	59.7	56.5	62.0		59.7	Fine	0.3
8-Sep-20	14:52	62.6	58.5	62.5		62.6	Fine	1.1
14-Sep-20	15:13	64.4	58.2	62.1		64.4	Fine	0.5
25-Sep-20	14:54	63.6	58.6	63.0		63.6	Sunny	0.6
30-Sep-20	15:10	65.8	58.5	62.7	75	65.8	Fine	0.4
6-Oct-20	14:12	66.0	63.7	69.1		66.0	Sunny	0.8
12-Oct-20	14:16	65.3	62.6	68.2		65.3	Sunny	1.0
23-Oct-20	14:08	64.9	61.4	68.7		64.9	Sunny	0.6
29-Oct-20	14:18	66.7	64.4	69.9		66.7	Sunny	0.6
4-Nov-20	15:02	61.8	57.5	63.0	]	61.8	Fine	0.7
10-Nov-20	9:42	62.6	59.5	63.5	]	62.6	Fine	1.2
16-Nov-20	14:37	62.2	58.0	63.0	]	62.2	Fine	1.1
27-Nov-20	16:23	63.8	60.0	64.5		63.8	Fine	0.8

Calculated CNL = Measured Noise Level during operation – Baseline ( dB(A)).

### NMS 19 Wo Che Estate

		Measu	ured Noise	Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>	Linnit Level	Construction Noise Level	Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	13:02	61.3	58.0	63.0		61.3	Overcast	0.4
11-Aug-20	13:06	62.1	60.5	64.7		62.1	Fine	0.8
20-Aug-20	13:36	68.6	66.0	70.5		68.6	Fine	0.6
28-Aug-20	13:45	68.9	65.7	70.3		68.9	Fine	0.6
3-Sep-20	13:04	68.4	66.0	69.5		68.4	Fine	0.8
9-Sep-20	12:56	68.0	66.4	69.6		68.0	Sunny	0.9
15-Sep-20	13:18	68.8	66.1	69.2		68.8	Overcast	0.4
24-Sep-20	12:59	66.1	66.6	70.1		66.1	Sunny	0.5
29-Sep-20	13:15	67.2	66.4	69.8	75	67.2	Sunny	1.0
7-Oct-20	16:00	66.7	63.5	69.3		66.7	Sunny	0.9
14-Oct-20	16:04	66.0	63.3	68.4		66.0	Fine	1.5
22-Oct-20	15:56	65.6	62.1	68.9		65.6	Sunny	0.7
28-Oct-20	16:06	67.4	64.2	70.1		67.4	Fine	0.8
3-Nov-20	13:00	68.0	65.0	70.0	]	68.0	Fine	0.4
9-Nov-20	9:07	68.2	65.5	71.0	]	68.2	Fine	1.6
17-Nov-20	13:45	58.6	54.0	61.0	]	58.6	Fine	0.3
26-Nov-20	10:54	68.4	66.5	70.0	]	68.4	Fine	0.8

### NMS 20 Wo Che Estate

		Meas	ured Noise	e Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>ea</sub>	L <sub>90</sub>	L <sub>10</sub>			Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	13:37	58.4	55.0	61.0		58.4	Overcast	0.3
11-Aug-20	13:33	59.7	57.3	63.7		59.7	Fine	0.7
20-Aug-20	14:11	71.0	66.5	72.0		71.0	Fine	0.5
28-Aug-20	14:20	71.3	66.2	71.8		71.3	Fine	0.8
3-Sep-20	13:37	67.4	65.0	69.0		67.4	Fine	1.0
9-Sep-20	13:29	67.0	65.4	69.1		67.0	Sunny	0.7
15-Sep-20	13:51	67.8	65.1	68.7		67.8	Overcast	0.4
24-Sep-20	13:32	69.6	65.6	69.6		69.6	Sunny	0.5
29-Sep-20	13:48	71.8	65.4	69.3	75	71.8	Sunny	1.0
7-Oct-20	16:36	67.5	64.1	70.2		67.5	Sunny	0.9
14-Oct-20	16:40	66.8	64.1	69.3		66.8	Fine	1.5
22-Oct-20	16:32	66.4	62.9	69.8		66.4	Sunny	0.7
28-Oct-20	16:42	68.2	64.8	71.0		68.2	Fine	0.8
3-Nov-20	13:34	64.4	61.0	66.0	]	64.4	Fine	0.8
9-Nov-20	8:30	69.6	66.0	72.5	]	69.6	Fine	1.6
17-Nov-20	14:21	60.3	56.5	63.0	]	60.3	Fine	0.2
26-Nov-20	10:20	69.6	66.0	72.0	]	69.6	Fine	1.0

#### NMS 23 Pai Tau

		Measu	ured Noise	Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>			Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	14:41	66.2	62.5	68.0		66.2	Fine	0.5
10-Aug-20	14:37	65.4	62.3	67.2		65.4	Sunny	0.6
21-Aug-20	10:43	66.6	63.0	68.0		66.6	Fine	0.6
27-Aug-20	10:52	66.9	62.7	67.8		66.9	Fine	0.9
2-Sep-20	8:26	62.2	58.5	64.0		62.2	Fine	0.3
8-Sep-20	16:36	67.2	64.5	69.5		67.2	Fine	0.4
14-Sep-20	16:57	69.0	64.2	69.1		69.0	Fine	0.5
25-Sep-20	16:38	68.2	64.6	70.0		68.2	Sunny	0.7
30-Sep-20	16:54	69.4	64.5	69.7	75	69.4	Fine	0.4
6-Oct-20	11:44	67.2	66.1	71.4		67.2	Sunny	0.8
12-Oct-20	11:48	66.5	63.8	70.5		66.5	Sunny	0.6
23-Oct-20	11:40	66.1	62.6	71.0		66.1	Sunny	0.6
29-Oct-20	11:50	67.9	66.8	72.2		67.9	Sunny	0.7
4-Nov-20	16:53	66.2	64.0	69.0	1	66.2	Fine	1.3
10-Nov-20	14:12	67.5	64.5	69.0	1	67.5	Fine	0.6
16-Nov-20	16:36	67.7	63.5	69.5		67.7	Fine	0.5
27-Nov-20	8:30	67.0	66.0	69.5	]	67.0	Fine	0.6

### NMS 24 Shatin Plaza

		Measu	ured Noise	Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	L <sub>eq</sub>	L <sub>90</sub>	L <sub>10</sub>			Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	9:08	61.3	57.0	63.0		61.3	Overcast	0.2
11-Aug-20	9:02	62.4	60.4	67.5		62.4	Fine	0.7
20-Aug-20	9:14	67.7	65.0	69.5		67.7	Fine	0.4
28-Aug-20	9:23	68.0	64.7	69.3		68.0	Fine	0.8
3-Sep-20	9:09	67.0	64.5	68.0		67.0	Fine	0.6
9-Sep-20	9:01	66.6	64.9	68.1		66.6	Sunny	0.6
15-Sep-20	9:23	68.4	64.6	67.7		68.4	Overcast	0.4
24-Sep-20	9:04	67.7	65.1	68.6		67.7	Sunny	0.5
29-Sep-20	9:20	68.8	64.9	68.3	75	68.8	Sunny	1.0
7-Oct-20	9:31	68.7	64.7	70.5		68.7	Sunny	0.9
14-Oct-20	9:35	68.0	65.3	69.6		68.0	Fine	1.5
22-Oct-20	9:27	67.6	64.1	70.1		67.6	Sunny	0.7
28-Oct-20	9:37	69.4	65.4	71.3		69.4	Fine	0.8
3-Nov-20	9:04	69.2	65.5	71.0		69.2	Fine	0.7
9-Nov-20	15:59	66.2	64.0	67.5		66.2	Fine	0.8
17-Nov-20	9:01	58.2	55.5	61.5		58.2	Fine	0.3
26-Nov-20	15:26	65.9	63.0	67.0		65.9	Fine	0.8

### NMS 25A Sheung Wo Che

NIVIS ZJA			ured Noise					Wind
Date	Start Time	Lea			Limit Level	Construction Noise Level	Weather	Speed
		-eq	-90		: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	8:33	66.2	62.5	68.0		66.2	Overcast	0.5
11-Aug-20	8:34	67.9	64.8	68.9		67.9	Fine	0.7
20-Aug-20	16:03	67.7	64.5	69.0		67.7	Fine	0.8
28-Aug-20	16:12	68.0	64.2	68.8		68.0	Fine	0.8
3-Sep-20	11:41	72.6	68.3	75.0		72.6	Fine	0.5
9-Sep-20	11:33	72.2	68.7	75.1		72.2	Sunny	1.2
15-Sep-20	11:55	73.0	68.4	74.7		73.0	Overcast	0.4
24-Sep-20	11:36	72.3	68.9	75.6		72.3	Sunny	0.5
29-Sep-20	11:52	72.4	68.7	75.3	75	72.4	Sunny	1.0
7-Oct-20	9:46	68.7	63.1	71.1		68.7	Sunny	0.9
14-Oct-20	9:50	68.0	65.3	70.2		68.0	Fine	1.5
22-Oct-20	9:42	67.6	64.1	70.7		67.6	Sunny	0.7
28-Oct-20	9:52	69.4	63.8	71.9		69.4	Fine	0.8
3-Nov-20	16:00	69.7	67.0	72.0	]	69.7	Fine	1.1
9-Nov-20	15:23	68.8	66.0	70.5		68.8	Fine	0.4
17-Nov-20	9:16	64.6	61.0	67.0	]	64.6	Fine	0.5
26-Nov-20	14:38	71.5	67.0	73.0	1	71.5	Fine	0.6


### NMS 26 Wo Che Estate


	TO Che Es		ured Noise		1			Wind
Date	Start Time	L <sub>eq</sub>			Limit Level	Construction Noise Level	Weather	Speed
		-eq	-90		: dB(A) 30 Mi	ns		(m/s)
5-Aug-20	10:29	69.2	66.0	71.5		69.2	Overcast	0.4
11-Aug-20	10:23	67.5	65.1	69.6		67.5	Fine	0.7
20-Aug-20	10:16	70.0	68.2	72.7		70.0	Fine	0.7
28-Aug-20	10:25	70.3	67.9	72.5		70.3	Fine	0.8
3-Sep-20	10:22	72.0	68.4	75.2		72.0	Fine	0.5
9-Sep-20	10:14	71.6	68.8	75.3		71.6	Sunny	0.8
15-Sep-20	10:36	74.4	66.5	74.9		74.4	Overcast	0.4
24-Sep-20	10:17	73.7	70.0	75.8		73.7	Sunny	0.5
29-Sep-20	10:33	73.8	69.8	75.5	75	73.8	Sunny	1.0
7-Oct-20	10:22	71.0	67.5	73.8		71.0	Sunny	0.9
14-Oct-20	10:26	70.3	67.6	72.9		70.3	Fine	1.5
22-Oct-20	10:18	69.9	66.4	73.4		69.9	Sunny	0.7
28-Oct-20	10:28	71.7	68.2	74.6		71.7	Fine	0.8
3-Nov-20	16:34	68.1	64.5	71.0		68.1	Fine	0.3
9-Nov-20	17:02	67.5	65.0	70.5		67.5	Fine	0.5
17-Nov-20	11:13	67.4	64.5	70.5		67.4	Fine	0.2
26-Nov-20	16:41	67.4	65.0	71.0		67.4	Fine	0.7


### NMS 27 Jockey Club Ti-I College


		Measu	ured Noise	Level	Limit Level	Construction Noise Level		Wind
Date	Start Time	Lea	L <sub>90</sub>	L <sub>10</sub>			Weather	Speed
				Unit	: dB(A) 30 Mi	ns		(m/s)
4-Aug-20	13:50	62.9	59.0	65.0		62.9	Fine	0.7
10-Aug-20	13:51	61.4	57.8	62.7		61.4	Sunny	0.7
21-Aug-20	10:53	64.2	62.0	66.0		64.2	Fine	0.9
27-Aug-20	11:02	64.5	61.7	65.8		64.5	Fine	0.9
2-Sep-20	11:17	61.6	59.0	64.5		61.6	Fine	0.2
8-Sep-20	14:02	64.4	62.0	66.0		64.4	Fine	0.6
14-Sep-20	14:23	67.2	59.7	65.6		67.2	Fine	0.5
25-Sep-20	14:04	66.4	63.1	66.5		66.4	Sunny	0.6
30-Sep-20	14:20	64.5	63.0	66.2	70	64.5	Fine	0.4
6-Oct-20	13:16	66.7	63.6	68.8		66.7	Sunny	0.8
12-Oct-20	13:20	66.0	63.3	67.9		66.0	Sunny	0.6
23-Oct-20	13:12	65.6	62.1	68.4		65.6	Sunny	0.6
29-Oct-20	13:22	67.4	64.3	69.6		67.4	Sunny	0.7
4-Nov-20	14:20	64.5	61.5	66.5	1	64.5	Fine	0.8
10-Nov-20	10:31	63.9	60.5	65.0	1	63.9	Fine	1.6
16-Nov-20	13:52	64.0	60.0	65.5	1	64.0	Fine	0.8
27-Nov-20	13:52	64.0	62.0	66.0	1	64.0	Fine	1.4


Calculated CNL = Measured Noise Level during operation - Baseline ( dB(A)).











# Night Time Noise Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Sectio

### NMS 1 Scenery Court

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
6-Aug-20	23:01	57.8	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
13-Aug-20	23:00	58.2	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
20-Aug-20	23:03	58.3	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Aug-20	23:00	57.6	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
3-Sep-20	23:00	58.1	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
10-Sep-20	23:02	57.8	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
17-Sep-20	23:00	56.4	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
24-Sep-20	23:05	55.8	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
29-Sep-20	23:00	55.8	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
8-Oct-20	23:02	54.9	61.4	52.8 - 66.3	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.4</td></limit>	Fine	0.4
15-Oct-20	23:01	55.1	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
22-Oct-20	23:00	55.2	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Oct-20	23:06	56.0	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
5-Nov-20	23:00	55.4	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
12-Nov-20	23:00	55.9	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
19-Nov-20	23:00	55.5	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
26-Nov-20	23:00	57.2	61.4	52.8 - 66.3	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.9</td></baseline<>	Fine	0.9

### NMS 2 Villa Le Parc

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	2:35	50.3	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.4</td></limit>	Fine	0.4
14-Aug-20	3:20	47.1	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
21-Aug-20	3:32	47.8	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.5</td></limit>	Fine	0.5
28-Aug-20	3:30	49.2	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.3</td></limit>	Fine	0.3
4-Sep-20	2:37	54.3	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.5</td></limit>	Fine	0.5
11-Sep-20	3:24	47.5	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.5</td></limit>	Fine	0.5
18-Sep-20	3:30	48.6	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.7</td></limit>	Fine	0.7
25-Sep-20	2:38	51.9	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.4</td></limit>	Fine	0.4
30-Sep-20	2:35	51.3	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
9-Oct-20	2:40	49.2	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.5</td></limit>	Fine	0.5
16-Oct-20	2:39	49.9	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.7</td></limit>	Fine	0.7
23-Oct-20	2:37	50.8	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
30-Oct-20	2:42	52.8	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.8</td></limit>	Fine	0.8
6-Nov-20	2:41	49.6	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.7</td></limit>	Fine	0.7
13-Nov-20	2:40	51.6	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
20-Nov-20	2:41	52.2	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
27-Nov-20	2:46	51.3	49.7	40.1 - 58.2	55	Measured Noise Level <limit leve<="" td=""><td>Fine</td><td>0.8</td></limit>	Fine	0.8

### NMS 3 Hilton Plaza

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
6-Aug-20	23:00	62.6	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
13-Aug-20	23:00	63.2	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
20-Aug-20	23:05	63.6	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
27-Aug-20	23:00	64.2	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
3-Sep-20	23:00	63.5	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
10-Sep-20	23:00	63.7	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
17-Sep-20	23:00	63.7	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.7</td></baseline<>	Fine	0.7
24-Sep-20	23:00	63.3	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Sep-20	23:00	62.6	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
8-Oct-20	23:00	62.4	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
15-Oct-20	23:00	62.5	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
22-Oct-20	23:00	61.5	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Oct-20	23:02	59.2	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.7</td></baseline<>	Fine	0.7
5-Nov-20	23:00	62.3	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
12-Nov-20	23:00	62.4	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
19-Nov-20	23:00	62.8	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
26-Nov-20	23:00	62.7	70.9	60.2 - 78.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

### NMS 4 Tin Liu

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	2:40	57.2	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
14-Aug-20	2:46	57.4	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
21-Aug-20	2:50	56.7	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	2:45	58.2	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
4-Sep-20	2:33	58.2	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
11-Sep-20	2:30	57.4	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
18-Sep-20	2:26	56.8	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
25-Sep-20	2:20	56.4	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	2:24	55.9	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
9-Oct-20	2:20	56.3	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
16-Oct-20	2:20	55.5	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
23-Oct-20	2:22	56.9	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Oct-20	2:26	57.8	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.7</td></baseline<>	Fine	0.7
6-Nov-20	2:20	57.1	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	2:18	57.5	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
20-Nov-20	2:23	57.3	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	2:22	57.2	62.6	53.1 - 68.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

### NMS 5A Wai Wah Centre

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
6-Aug-20	23:23	64.5	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
13-Aug-20	23:33	65.5	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
20-Aug-20	23:30	66.7	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
27-Aug-20	23:28	65.7	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
3-Sep-20	23:27	65.7	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
10-Sep-20	23:31	65.4	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
17-Sep-20	23:30	64.1	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
24-Sep-20	23:38	63.2	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Sep-20	23:34	61.7	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
8-Oct-20	23:33	61.4	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
15-Oct-20	23:30	60.7	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
22-Oct-20	23:35	61.3	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Oct-20	23:34	61.1	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
5-Nov-20	23:32	60.9	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
12-Nov-20	23:33	60.8	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
19-Nov-20	23:30	60.8	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
26-Nov-20	23:35	59.5	67.9	62.0 - 75.2	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

### NMS 6A Wai Wah Centre

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
6-Aug-20	23:22	69.4	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
13-Aug-20	23:25	66.5	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
20-Aug-20	23:32	68.0	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
27-Aug-20	23:33	64.6	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
3-Sep-20	23:24	68.9	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
10-Sep-20	23:28	69.7	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
17-Sep-20	23:25	70.7	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
24-Sep-20	23:25	68.0	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
29-Sep-20	23:28	66.3	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
8-Oct-20	23:27	68.0	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
15-Oct-20	23:25	67.9	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
22-Oct-20	23:28	67.2	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Oct-20	23:37	67.6	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
5-Nov-20	23:28	67.8	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
12-Nov-20	23:27	69.1	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
19-Nov-20	23:28	67.8	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
26-Nov-20	23:31	68.6	71.5	65.0 - 85.9	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

### NMS 7 Tin Liu

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	2:33	58.1	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
14-Aug-20	2:36	59.0	59.0	51.4 - 65.5	55	38.5*	Fine	0.5
21-Aug-20	2:38	60.1	59.0	51.4 - 65.5	55	53.5*	Fine	0.5
28-Aug-20	2:40	60.4	59.0	51.4 - 65.5	55	54.9*	Fine	0.4
4-Sep-20	2:36	59.2	59.0	51.4 - 65.5	55	46.2*	Fine	0.5
11-Sep-20	2:38	58.5	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
18-Sep-20	2:32	57.8	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
25-Sep-20	2:27	57.5	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	2:24	59.2	59.0	51.4 - 65.5	55	45.8*	Fine	0.6
9-Oct-20	2:20	58.4	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
16-Oct-20	2:25	58.5	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
23-Oct-20	2:27	58.9	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Oct-20	2:31	58.7	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
6-Nov-20	2:30	58.9	59.0	51.4 - 65.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	2:24	59.1	59.0	51.4 - 65.5	55	43.3*	Fine	0.6
20-Nov-20	2:31	60.4	59.0	51.4 - 65.5	55	54.9*	Fine	0.6
27-Nov-20	2:31	59.0	59.0	51.4 - 65.5	55	38.1*	Fine	0.8

Note: \*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

# NMS 8 Shatin Plaza

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
6-Aug-20	23:47	57.1	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
13-Aug-20	23:49	58.8	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
20-Aug-20	23:55	59.3	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	0:02	58.6	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
3-Sep-20	23:49	58.1	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
11-Sep-20	0:01	60.3	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
17-Aug-20	23:52	58.7	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
24-Sep-20	23:49	58.2	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Sep-20	23:51	57.5	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
8-Oct-20	23:51	58.1	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
15-Oct-20	23:49	58.0	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
22-Oct-20	23:51	57.2	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
29-Oct-20	23:49	57.6	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
5-Nov-20	23:53	58.2	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
12-Nov-20	23:52	58.1	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
19-Nov-20	23:53	58.1	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
26-Nov-20	23:47	57.9	64.4	55.6 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	0:19	56.8	53.5	39.5 - 63.1	55	54.1*	Fine	0.3
14-Aug-20	0:20	56.7	53.5	39.5 - 63.1	55	53.8*	Fine	0.3
21-Aug-20	0:30	56.6	53.5	39.5 - 63.1	55	53.7*	Fine	0.4
28-Aug-20	0:33	57.3	53.5	39.5 - 63.1	55	55.0*	Fine	0.3
4-Sep-20	0:21	55.2	53.5	39.5 - 63.1	55	50.5*	Fine	0.4
11-Sep-20	0:25	56.8	53.5	39.5 - 63.1	55	54.0*	Fine	0.3
18-Sep-20	0:26	56.6	53.5	39.5 - 63.1	55	53.6*	Fine	0.7
25-Sep-20	0:22	55.2	53.5	39.5 - 63.1	55	50.5*	Fine	0.4
30-Sep-20	0:26	56.0	53.5	39.5 - 63.1	55	52.4*	Fine	0.6
9-Oct-20	0:24	54.2	53.5	39.5 - 63.1	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.5</td></limit>	Fine	0.5
16-Oct-20	0:22	56.8	53.5	39.5 - 63.1	55	54.1*	Fine	0.6
23-Oct-20	0:22	56.8	53.5	39.5 - 63.1	55	54.1*	Fine	0.6
30-Oct-20	0:25	56.9	53.5	39.5 - 63.1	55	54.2*	Fine	0.8
6-Nov-20	0:25	54.2	53.5	39.5 - 63.1	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
13-Nov-20	0:24	54.2	53.5	39.5 - 63.1	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
20-Nov-20	0:25	54.2	53.5	39.5 - 63.1	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
27-Nov-20	0:26	55.0	53.5	39.5 - 63.1	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.8</td></limit>	Fine	0.8

## NMS 9 Lek Yuen Estate

Note:

\*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	1:50	54.3	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
14-Aug-20	1:55	54.8	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
21-Aug-20	1:56	54.5	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
28-Aug-20	1:52	55.6	53.2	46.1 - 62.8	55	51.8*	Fine	0.3
4-Sep-20	1:47	54.8	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
11-Sep-20	1:49	54.4	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
18-Sep-20	1:51	55.1	53.2	46.1 - 62.8	55	50.7*	Fine	0.6
25-Sep-20	1:54	55.3	53.2	46.1 - 62.8	55	51.2*	Fine	0.3
30-Sep-20	1:58	54.5	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
9-Oct-20	1:57	55.4	53.2	46.1 - 62.8	55	51.3*	Fine	0.6
16-Oct-20	1:55	55.8	53.2	46.1 - 62.8	55	52.3*	Fine	0.6
23-Oct-20	1:54	54.5	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
30-Oct-20	1:53	57.0	53.2	46.1 - 62.8	55	54.6*	Fine	0.3
6-Nov-20	1:51	54.8	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
13-Nov-20	1:55	54.8	53.2	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
20-Nov-20	1:57	56.2	53.2	46.1 - 62.8	55	53.1*	Fine	0.6
27-Nov-20	1:56	56.9	53.2	46.1 - 62.8	55	54.5*	Fine	0.3

# NMS 11 Sheung Wo Che

Note: \*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)	
7-Aug-20	0:24	57.7	57.3	45.4 - 72.5	55	46.7*	Fine	0.3	
14-Aug-20	0:26	59.2	57.3	45.4 - 72.5	55	54.6*	Fine	0.5	
21-Aug-20	0:31	58.9	57.3	45.4 - 72.5	55	53.9*	Fine	0.6	
28-Aug-20	0:28	58.7	57.3	45.4 - 72.5	55	53.0*	Fine	0.4	
4-Sep-20	0:25	58.9	57.3	45.4 - 72.5	55	53.7*	Fine	0.4	
11-Sep-20	0:28	59.3	57.3	45.4 - 72.5	55	54.9*	Fine	0.5	
18-Sep-20	0:32	59.0	57.3	45.4 - 72.5	55	54.0*	Fine	0.6	
25-Sep-20	0:33	59.2	57.3	45.4 - 72.5	55	54.6*	Fine	0.4	
30-Sep-20	0:31	58.4	57.3	45.4 - 72.5	55	51.9*	Fine	0.6	
9-Oct-20	0:27	58.2	57.3	45.4 - 72.5	55	51.1*	Fine	0.6	
16-Oct-20	0:29	57.7	57.3	45.4 - 72.5	55	46.6*	Fine	0.6	
23-Oct-20	0:27	56.9	57.3	45.4 - 72.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4	
30-Oct-20	0:29	57.2	57.3	45.4 - 72.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8	
6-Nov-20	0:24	57.7	57.3	45.4 - 72.5	55	47.6*	Fine	0.6	
13-Nov-20	0:26	56.6	57.3	45.4 - 72.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6	
20-Nov-20	0:24	56.5	57.3	45.4 - 72.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6	
27-Nov-20	0:29	57.8	57.3	45.4 - 72.5	55	48.6*	Fine	0.8	
Note: *Corrected Noise Level in Leg (15min) dB(A) was/were lower than Limit level: 55 dB(A).									

### NMS 13 Lek Yuen Estate

### NMS 14 Sheung Wo Che

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	1:46	56.1	54.1	46.1 - 62.8	55	51.7*	Fine	0.3
14-Aug-20	2:06	56.5	54.1	46.1 - 62.8	55	52.7*	Fine	0.4
21-Aug-20	2:10	56.8	54.1	46.1 - 62.8	55	53.4*	Fine	0.4
28-Aug-20	2:08	57.4	54.1	46.1 - 62.8	55	54.7*	Fine	0.4
4-Sep-20	1:48	56.9	54.1	46.1 - 62.8	55	53.8*	Fine	0.4
11-Sep-20	2:10	56.8	54.1	46.1 - 62.8	55	53.5*	Fine	0.3
18-Sep-20	2:15	56.9	54.1	46.1 - 62.8	55	53.6*	Fine	0.5
25-Sep-20	1:49	57.2	54.1	46.1 - 62.8	55	54.2*	Fine	0.4
30-Sep-20	1:52	56.5	54.1	46.1 - 62.8	55	52.7*	Fine	0.6
9-Oct-20	1:51	56.4	54.1	46.1 - 62.8	55	52.5*	Fine	0.5
16-Oct-20	1:50	56.5	54.1	46.1 - 62.8	55	52.8*	Fine	0.5
23-Oct-20	1:53	57.1	54.1	46.1 - 62.8	55	54.2*	Fine	0.6
30-Oct-20	1:52	57.6	54.1	46.1 - 62.8	55	55.0*	Fine	0.8
6-Nov-20	1:52	56.8	54.1	46.1 - 62.8	55	53.4*	Fine	0.6
13-Nov-20	1:51	54.8	54.1	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.6</td></limit>	Fine	0.6
20-Nov-20	1:52	56.2	54.1	46.1 - 62.8	55	52.0*	Fine	0.6
27-Nov-20	1:47	54.1	54.1	46.1 - 62.8	55	Measured Noise Level <limit level<="" td=""><td>Fine</td><td>0.8</td></limit>	Fine	0.8

\*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A). Note:

### NMS 15 Ha Wo Che

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	1:36	57.1	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
14-Aug-20	1:36	57.1	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
21-Aug-20	1:38	58.1	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	1:34	57.7	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
4-Sep-20	1:30	57.9	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
11-Sep-20	1:35	57.9	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
18-Sep-20	1:33	57.3	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
25-Sep-20	1:35	58.8	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	1:38	58.7	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
9-Oct-20	1:37	58.3	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
16-Oct-20	1:39	58.9	58.8	48.4 - 69.7	55	42.1*	Fine	0.8
23-Oct-20	1:37	59.9	58.8	48.4 - 69.7	55	53.5*	Fine	0.6
30-Oct-20	1:41	59.4	58.8	48.4 - 69.7	55	50.2*	Fine	0.9
6-Nov-20	1:44	58.6	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	1:47	58.8	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
20-Nov-20	1:48	58.7	58.8	48.4 - 69.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	1:48	60.1	58.8	48.4 - 69.7	55	54.3*	Fine	0.8

Note:

\*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	1:21	57.2	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
14-Aug-20	1:45	58.6	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
21-Aug-20	1:51	59.2	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	1:52	59.0	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
4-Sep-20	1:23	58.4	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
11-Sep-20	1:50	58.3	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
18-Sep-20	1:57	60.6	60.1	51.4 - 69.5	55	51.0*	Fine	0.7
25-Sep-20	1:24	58.9	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	1:25	59.8	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
9-Oct-20	1:25	58.1	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
16-Oct-20	1:23	59.7	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
23-Oct-20	1:21	60.3	60.1	51.4 - 69.5	55	46.9*	Fine	0.4
30-Oct-20	1:23	61.1	60.1	51.4 - 69.5	55	54.0*	Fine	0.6
6-Nov-20	1:26	57.2	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	1:25	59.3	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
20-Nov-20	1:26	58.9	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	1:26	58.4	60.1	51.4 - 69.5	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

### NMS 16 Ha Wo Che

Note: \*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

### NMS 18 Ha Wo Che

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	1:02	57.8	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
14-Aug-20	1:20	56.8	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
21-Aug-20	1:25	57.6	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	1:28	58.4	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
4-Sep-20	1:04	59.4	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
11-Sep-20	1:22	57.9	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
18-Sep-20	1:30	57.6	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
25-Sep-20	1:05	58.7	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	1:07	60.2	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
9-Oct-20	1:07	60.5	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
16-Oct-20	1:05	57.1	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
23-Oct-20	1:09	56.6	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Oct-20	1:12	59.0	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
6-Nov-20	1:08	61.0	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	1:07	59.6	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
20-Nov-20	1:08	60.3	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	1:11	57.1	63.2	56.0 - 72.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

### NMS 19 Wo Che Estate

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	0:52	59.1	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
14-Aug-20	0:56	59.5	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
21-Aug-20	0:59	60.3	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	1:02	59.9	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
4-Sep-20	1:00	59.4	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
11-Sep-20	1:03	59.0	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
18-Sep-20	1:02	58.0	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
25-Sep-20	1:06	58.8	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	1:11	58.6	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
9-Oct-20	1:10	59.2	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
16-Oct-20	1:13	57.6	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
23-Oct-20	1:17	58.1	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Oct-20	1:23	58.7	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
6-Nov-20	1:27	58.9	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	1:24	58.2	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
20-Nov-20	1:27	58.8	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	1:29	59.8	61.7	53.8 - 72.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

### NMS 20 Wo Che Estate

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	1:08	56.4	57.7	48.6 - 71.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
14-Aug-20	1:06	56.1	57.7	48.6 - 71.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.0</td></baseline<>	Fine	0.0
21-Aug-20	1:08	57.3	57.7	48.6 - 71.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	1:05	58.6	57.7	48.6 - 71.7	55	51.6*	Fine	0.4
4-Sep-20	1:10	57.7	57.7	48.6 - 71.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
11-Sep-20	1:16	58.2	57.7	48.6 - 71.7	55	48.3*	Fine	0.0
18-Sep-20	1:18	59.2	57.7	48.6 - 71.7	55	53.9*	Fine	0.6
25-Sep-20	1:22	58.2	57.7	48.6 - 71.7	55	48.9*	Fine	0.4
30-Sep-20	1:23	59.2	57.7	48.6 - 71.7	55	53.7*	Fine	0.6
9-Oct-20	1:20	58.4	57.7	48.6 - 71.7	55	49.9*	Fine	0.4
16-Oct-20	1:20	59.2	57.7	48.6 - 71.7	55	53.7*	Fine	0.0
23-Oct-20	1:23	59.1	57.7	48.6 - 71.7	55	53.3*	Fine	0.4
30-Oct-20	1:25	58.6	57.7	48.6 - 71.7	55	51.5*	Fine	0.8
6-Nov-20	1:22	59.5	57.7	48.6 - 71.7	55	54.9*	Fine	0.6
13-Nov-20	1:44	59.1	57.7	48.6 - 71.7	55	53.5*	Fine	0.0
20-Nov-20	1:46	59.2	57.7	48.6 - 71.7	55	53.8*	Fine	0.6
27-Nov-20	1:46	59.1	57.7	48.6 - 71.7	55	53.5*	Fine	0.8

Note: \*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

### NMS 23 Pai Tau

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	2:13	60.1	59.9	47.8 - 69.8	55	47.0*	Fine	0.3
14-Aug-20	2:36	56.6	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
21-Aug-20	2:40	57.1	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	2:44	58.0	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
4-Sep-20	2:15	59.4	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
11-Sep-20	2:43	56.6	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
18-Sep-20	2:55	57.0	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
25-Sep-20	2:16	59.4	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	2:18	59.2	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
9-Oct-20	2:17	59.4	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
16-Oct-20	2:16	60.6	59.9	47.8 - 69.8	55	52.4*	Fine	0.6
23-Oct-20	2:17	59.1	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Oct-20	2:18	58.7	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>1.1</td></baseline<>	Fine	1.1
6-Nov-20	2:18	59.5	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	2:17	59.5	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
20-Nov-20	2:18	58.4	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	2:19	59.9	59.9	47.8 - 69.8	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8

Note:

\*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

### NMS 24 Shatin Plaza

Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	0:09	57.3	58.0	50.2 - 66.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
14-Aug-20	0:51	59.0	58.0	50.2 - 66.7	55	52.3*	Fine	0.5
21-Aug-20	0:49	59.0	58.0	50.2 - 66.7	55	52.3*	Fine	0.6
28-Aug-20	0:44	59.0	58.0	50.2 - 66.7	55	52.3*	Fine	0.4
4-Sep-20	0:40	59.0	58.0	50.2 - 66.7	55	52.1*	Fine	0.5
11-Sep-20	0:43	59.2	58.0	50.2 - 66.7	55	53.0*	Fine	0.5
18-Sep-20	0:44	59.7	58.0	50.2 - 66.7	55	54.9*	Fine	0.8
25-Sep-20	0:43	58.4	58.0	50.2 - 66.7	55	48.2*	Fine	0.4
30-Sep-20	0:45	58.5	58.0	50.2 - 66.7	55	48.8*	Fine	0.6
9-Oct-20	0:41	57.2	58.0	50.2 - 66.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
16-Oct-20	0:44	57.9	58.0	50.2 - 66.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
23-Oct-20	0:46	57.9	58.0	50.2 - 66.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Oct-20	0:48	58.4	58.0	50.2 - 66.7	55	47.5*	Fine	0.8
6-Nov-20	0:45	57.4	58.0	50.2 - 66.7	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	0:48	58.6	58.0	50.2 - 66.7	55	49.3*	Fine	0.6
20-Nov-20	0:51	58.5	58.0	50.2 - 66.7	55	48.8*	Fine	0.6
27-Nov-20	0:46	59.6	58.0	50.2 - 66.7	55	54.4*	Fine	0.8

Note: \*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

# NMS 25A Sheung Wo Che


Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	2:11	58.9	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
14-Aug-20	2:16	57.1	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
21-Aug-20	2:18	58.1	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	2:11	58.1	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
4-Sep-20	2:10	57.9	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
11-Sep-20	2:13	57.5	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
18-Sep-20	2:11	56.7	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
25-Sep-20	2:08	57.2	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	2:04	57.0	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
9-Oct-20	2:01	57.1	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
16-Oct-20	2:02	58.9	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
23-Oct-20	2:05	59.9	59.7	50.3 - 68.4	55	47.0*	Fine	0.4
30-Oct-20	2:06	59.1	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
6-Nov-20	2:00	59.1	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	2:02	58.8	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
20-Nov-20	2:03	58.7	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	2:06	59.2	59.7	50.3 - 68.4	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4


Note: \*Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).


### NMS 26 Wo Che Estate


Date	Start Time	Average Leq (15 min) (dB(A))	Baseline (dB(A))	Baseline Range (dB(A))	Limit Level (dB(A))	Corrected Noise Level (dB(A))	Weather	Wind Speed (m/s)
7-Aug-20	0:44	58.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
14-Aug-20	0:46	60.6	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
21-Aug-20	0:57	59.1	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
28-Aug-20	0:47	58.7	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.3</td></baseline<>	Fine	0.3
4-Sep-20	0:46	58.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
11-Sep-20	0:56	59.7	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
18-Sep-20	1:04	59.6	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.9</td></baseline<>	Fine	0.9
25-Sep-20	0:47	58.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Sep-20	0:53	58.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
9-Oct-20	0:48	60.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.5</td></baseline<>	Fine	0.5
16-Oct-20	0:47	58.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
23-Oct-20	0:44	59.0	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.4</td></baseline<>	Fine	0.4
30-Oct-20	0:48	58.5	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8
6-Nov-20	0:49	60.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
13-Nov-20	0:48	60.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
20-Nov-20	0:49	60.2	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.6</td></baseline<>	Fine	0.6
27-Nov-20	0:56	60.0	61.2	45.7 - 70.1	55	Measured Noise Level <baseline< td=""><td>Fine</td><td>0.8</td></baseline<>	Fine	0.8


Calculated CNL = Measured Noise Level during operation – Baseline ( dB(A)).














21, AUG20

07.44920

04-Sep20

02.0002.00

18:5ep.20

16.0000

30-00+20

13,404.20

21,404-20

07.44920

04-Sep20

21.44920

02.00tr.29

16.00°+20

30100120

18:5epi20

13.1404.20

27.404.20

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Appendix E

Waste Flow Table

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Waste Flow	/ Table for Ye	ar 2018										
		Actual Quant	tities of Inert C&I	D Materials Gene	erated Monthly		Actual Quantities of Non-inert C&D Wastes Generated Monthly					
Months	Total Quantity Generated (T)	Hard Rock and Large Broken Concrete (A)	Reused in the Contract (B)	Reused in other Projects (C)	Disposed as Public Fill (D)	Imported Fill	Metals	Paper/ cardboard packaging	Plastics <sup>2</sup>	Chemical Waste	Others, e.g. general refuse	
	(in '000Ton)	(in '000kg)	(in '000Ton)	(in '000Ton)	(in '000Ton)	(in '000Ton)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000Ton)	
2018 Jan	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Feb	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Mar	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Apr	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 May	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Jun	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Sub-Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Jul	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Aug	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Sep	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2018 Oct	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.013	
2018 Nov	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.004	
2018 Dec	0.001	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.001	
Total	0.001	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.018	

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Waste Flow	/ Table for Ye	ar 2019										
		Actual Quant	tities of Inert C&I	D Materials Gene	erated Monthly		Actual Quantities of Non-inert C&D Wastes Generated Monthly					
Months	Total Quantity Generated (T)	Hard Rock and Large Broken Concrete (A)	Reused in the Contract (B)	Reused in other Projects (C)	Disposed as Public Fill (D)	Imported Fill	Metals	Paper/ cardboard packaging	Plastics <sup>2</sup>	Chemical Waste	Others, e.g. general refuse	
	(in '000Ton)	(in '000kg)	(in '000Ton)	(in '000Ton)	(in '000Ton)	(in '000Ton)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000Ton)	
2019 Jan	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.021	
2019 Feb	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.049	
2019 Mar	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.048	
2019 Apr	0.100	0.000	0.000	0.000	0.100	0.000	0.000	0.000	0.000	0.000	0.089	
2019 May	0.150	0.000	0.000	0.000	0.150	0.000	0.000	0.000	0.000	0.000	0.175	
2019 Jun	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.082	
Sub-Total	0.250	0.000	0.000	0.000	0.250	0.000	0.000	0.000	0.000	0.000	0.464	
2019 Jul	0.141	0.000	0.000	0.000	0.141	0.000	0.000	0.000	0.000	0.000	0.069	
2019 Aug	0.431	0.000	0.221	0.000	0.210	0.000	0.000	0.000	0.000	0.000	0.154	
2019 Sep	0.712	0.000	0.223	0.000	0.489	0.297	0.000	0.000	0.000	0.000	0.046	
2019 Oct	0.663	0.000	0.306	0.000	0.357	1.085	0.001	0.027	0.009	0.000	0.027	
2019 Nov	1.154	0.000	0.143	0.000	1.011	0.428	0.000	0.019	0.000	0.000	0.095	
2019 Dec	0.849	0.000	0.023	0.000	0.826	0.074	0.000	0.014	0.001	0.000	0.034	
Total	4.200	0.000	0.916	0.000	3.284	1.884	0.001	0.060	0.010	0.000	0.889	

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852 2450 8233 : +852 2450 6138 Fax E-mail : matlab@fugro.com Website : www.fugro.com



Waste Flow	Table for Year	2020										
		Actual Qua	antities of Inert C&	D Materials Genera	ted Monthly		Actual Quantities of Non-inert C&D Wastes Generated Monthly					
Monthly Ending	Total Quantity Generated (Inert C&D)	Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper/ cardboard packaging	Plastics (see Note 2)	Chemical Waste	Others, e.g. general refuse	
	(in '000Ton)	(in '000kg)	(in '000Ton)	(in '000Ton)	(in '000Ton)	(in '000Ton)	(in '000 kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000Ton)	
2020 Jan	0.584	0.000	0.027	0.000	0.557	0.040	0.001	0.030	0.001	0.000	0.039	
2020 Feb	1.072	0.000	0.042	0.000	1.030	0.000	0.001	0.026	0.003	0.000	0.013	
2020 Mar	0.422	0.000	0.006	0.000	0.416	0.062	0.000	0.000	0.000	0.000	0.054	
2020 Apr	0.450	0.000	0.000	0.000	0.450	0.000	0.002	0.085	0.003	0.000	0.025	
2020 May	1.144	0.000	0.000	0.000	1.144	0.319	0.001	0.021	0.005	0.000	0.027	
2020 Jun	3.660	0.000	0.000	0.000	3.660	0.077	0.001	0.027	0.004	0.000	0.048	
Sub-Total	7.332	0.000	0.075	0.000	7.257	0.498	0.006	0.189	0.016	0.000	0.206	
2020 Jul	2.008	0.000	0.014	0.000	1.994	0.000	0.002	0.047	0.006	0.000	0.067	
2020 Aug	2.215	0.000	0.018	0.000	2.197	0.000	0.001	0.040	0.006	0.000	0.014	
2020 Sep	4.305	0.000	0.000	0.000	4.305	0.000	0.002	0.042	0.009	0.000	0.044	
2020 Oct	3.073	0.000	0.002	0.000	3.071	0.000	0.001	0.019	0.005	0.000	0.029	
2020 Nov	1.670	0.000	0.000	0.000	1.670	0.000	0.001	0.030	0.006	0.000	0.036	
2020 Dec												
Total	20.603	0.000	0.109	0.000	20.494	0.498	0.013	0.367	0.048	0.000	0.396	

Note:

The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.

Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging materials.

1) 2) 3) The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m<sup>3</sup>.

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Appendix F

## Cumulative Statistics on Exceedances, Complaints, Notifications of Summons and Successful Prosecutions

. . . .

. . .

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

- .

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
COM-2019- 005	2/2/2019	EPD	Noise	According to the photo taken from the complainant, the complaint was related to the project. Although the tree felling works were covered by the valid CNP (GW-RN0783-18), Contractor was reminded to strictly follow and fully comply with the CNP conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. Contractor was recommended to increase the frequency of using the electrical chain saw instead of the diesel chain saw for reducing the noise impact. Environmental Team conducted additional ad-hoc noise monitoring on 19:00 14th February 2019 to 07:00 15 <sup>th</sup> February 2019 for evaluate the effectiveness on the proposed mitigation measures. No project-related noise exceedance case on 14-15 Feb 2019 Contractor's night tree-felling and removal works. The proposed mitigation measures were effective for noise impact.	Project- related	Closed
COM-2019- 006	22/2/2019	Project Hotline of NE/2017/05	Noise	According to the location of complainant from Kwai Wo House, the complaint was related to the project. Although the tree felling works were covered by the valid CNP (GW-RN0783-18), Contractor was reminded to strictly follow and fully comply with the CNP conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. An extended barrier at the top acts as a cantilever shape was recommended to modify the existing semi-enclosure installed in the cherry picker Also, three sides with top as a semi-enclosure to be used and those tree felling activities should be inside the semi-enclosure in the ground slope. The main contractor had been recommended to review their works program and methods of tree felling as to minimize the night time tree felling activities.	Project- related	Closed
COM-2019- 0010	28/3/2019	Project Hotline of NE/2017/05	Noise.	The complaint case should be related to the MTR night time maintenance works. Main Contractor used portable phones and head-set only for communication, and none of loudspeakers were allowed to be used. Main Contractor handled of tree debris into the lorry skip in care when loading. Besides, a layer of soft material (soil/tree debris) was observed leaving inside the skip of the grab lorry to reduce the loading noise. Contractor was reminded to strictly follow and fully comply with the CNP (GW-RN0132-19) conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during	Project- not related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				restricted hour.		
COM-2019- 0033	26/7/2019	Police visit on-site	Noise	The complaint is related to the project. The Main Contractor comply with CNP No.: GW-RN0443-19 allowable construction site and within the site boundary to carry out night work on tree felling and the clearance of felled tree debris during the restricted hour. Contractor was reminded to strictly follow and fully comply with the CNP (GW-RN0443-19) conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. Contractor was recommended to increase the frequency of using the electrical chain saw instead of the diesel chain saw for reducing the noise impact. Contractor was reminded to reschedule of tree felling arrangement that most of the fell branches and trunks were temporary laid on slope and arranged to cut smaller on Day Time to minimize the noise nuisance to the nearby NSRs.	Project- not related	Closed
COM-2019- 0045	30/8/2019	1823	Noise	The complaint is related to the project. Contractor was reminded to strictly follow and fully comply with the CNP (GW-RN0443-19) conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. Contractor should strictly follow the use of acoustic enclosure as in condition 3.d.5. of the CNP during the operation of breaker, hand-held, mass <=10kg (CNP023) shall only be operated inside the acoustic enclosure composed of four side-panels and one top-panel, so that no part of such equipment is visible from any nearby noise sensitive receiver. The panels shall be made of minimum 10mm thick plywood or 1mm thick steel outer skin and minimum 50mm thick sound absorbing lining, or equivalent construction. Contractor was reminded to use portable phones and head-set only for communication, and none of loudspeakers is allowed for night work activities.	Project- related	Closed
COM-2019- 0056	9/10/2019	Project Hotline of NE/2017/05 and EPD	Noise	The complaint of the construction noise especially the breaker noise is project related. Due to the concern of road safety, the Contractor conducted the emergency road repair works under an Emergency Excavation Permit (EXP) of Plan ID: EO13123 issued by Highways Department (HyD). The main contractor's PR / hotline staff was reminded to enhance communication with sufficient information provided for replying any enquiry / complaint in the future. The main contractor was also reminded that noise mitigation measures should be provided as far as practicable subject to the emergency situation. For construction works	Project- related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				covered by the CNP issued by EPD, the main contractor should fully complied with the conditions as stipulated and provided all noise mitigation measures as required under the conditions of the CNP. For works subject to the emergency situation, noise mitigation measures such as noise barrier, enclosure etc. should be provided as far as practicable to minimise the noise nuisance to the NSRs.		
COM-2019- 0057	9/10/2019	EPD	Noise	The complaint of the generator noise nuisance is related to the project. The concerned portable generator is supplying electric power for the Variable Message Sign (VMS) showing the speed limit in 50 km/hr. It is switched on and off manually by manpower, and would only be operated between daytime 07:00-19:00. No construction noise permit (CNP) should be required as the portable generator is not operating in restricted hours. The main contractor was reminded to strictly follow the use of their proposed semi-enclosure as the mitigation measures for the portable generator and the generator operates in daytime 07:00-19:00 only.	Project- related	Closed
COM-2019- 0066	6/11/2019	EPD	Noise	The complaint of the emergency road repair work is related to the project. The works on on 5 <sup>th</sup> November 2019 between 22:00 and 06:00 the next day at southbound slow lane of Tai Po Road outside Wai Wah Centre, including breaking operation. The main contractor should inform the EPD in advance of any emergency opening works of the Project in future to facilitate the effective handling of noise complaint that may arise.	Project- related	Closed
COM-2020- 0083	29/02/2020	Project email of NE/2017/05	Noise and Dust	The complaint of the dust and noise nuisance near Wai Wah Centre during both the day and night works was at zone 2. Contractor was reminded to enhance the water spray frequency on the construction site for mitigation measures on dust control. Also, Contractor should provide green tarpaulin curtain and additional acoustic Sound Proof Canvas as a secondary layer at the bottom of the mini-pile drilling machine to secure the total enclose condition to minimize the visual and noise impacts to nearby NSRs.	Project- not related	Closed
COM-2020- 0089	24/03/2020	Project hotline	Noise	A resident of Wai Wah Centre complained that noise generated from construction activities at night disturbing the nearby resident. Loading/unloading, steel bar cutting, steel plate grinding and asphalt compaction were carried out in the early hours of 24 <sup>th</sup> Mar 2020. The night work activities were within the site boundary. Also, 4 sides with top cover acoustic enclosure for	Project- not related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				the portable generator was used during the night work. Furthermore, mitigation measures listed in the CNP were implemented for PMEs and works activities. Three sides with top cover enclosure and additional acoustic comprised with 50 mm sound absorbing lining were used for night works activities.		
COM-2020- 0090	27/03/2020	Project	Noise	Both complaint cases were concerning about the noise nuisance generated from the construction work activities at night time disturbing the nearby Wai Wah Centre residence. According to the Main Contractor, similar nature of major construction works carried out between 03:00 a.m. and 04:00 a.m. on 27th & 28th March 2020 was the asphalt compaction for the road surface remedial works at zone 2 south lane adjacent to Wai Wah Centre. The Main Contractor complied with CNP No.: GW-RN0002-20 that is within the allowable construction site location and within the site boundary to carry out	Project- not	Closed
COM-2020- 0091	28/03/2020	hotline	Noise	night work on loading and unloading works. ET conduct regular night-time noise monitoring at all monitoring stations between 23:00 26 <sup>th</sup> March 2020 to 04:00 27 <sup>th</sup> March 2020, and between 23:00 2 <sup>nd</sup> April 2020 to 04:00 3 <sup>rd</sup> April respectively. No exceedance cases were found on both ET regular night-time noise monitoring measurement. ET did not remark on-site any noise related to construction works at above noise monitoring nights for which the results were lower than baseline noise level.	related	
COM-2020- 0093	06/04/2020	Project hotline	Noise	The complaint case on 6 <sup>th</sup> Apr was received by project hotline. The major construction works between (10:00pm – 11:00pm) on 6 <sup>th</sup> April 2020 was TTA implementation works and asphalt removal works for the road surface remedial work at zone 2 adjacent to Wai Wah Centre. The Main Contractor complied with CNP No.: GW-RN0152-20 that is within the allowable construction site location and within the site boundary to carry out night work on loading and unloading works. The five noise monitoring stations close to the concerned works area are NMS3, NMS4, NMS5A, NMS6A & NMS7, and NMS5A & NMS6A locate nearest to Wai Wah Centre. The night time noise monitoring results measured at NMS3, 4 & 6A were all lower than that of measured in the baseline, two exceedance case were found at NMS 5A especially NMS	Project- not related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				5A & NMS 6A monitoring stations where locate at the Wai Wah Centre. The corrected noise level measured at NMS 7 is lower than the night time limit 55dB (A). Therefore, there was no exceedance cases were found on ET regular night-time noise monitoring measurement.		
COM-2020- 0096	20/04/2020	Project hotline		A continues complaint were received on 20 Apr and 21 Apr 2020. A resident of Wai Wah Centre filed three complaints about the noise nuisance generated by the nearby construction activities during daytime. Two complaints were made through project hotline on 20 <sup>th</sup> Apr 2020 at 10:57 a.m. and 21 <sup>st</sup> Apr 2020 at 9:03 a.m., while the other one was through project email on 20 <sup>th</sup> Apr 2020 at 12:43 p.m. The noise source(s) of the concerned nuisance during complaint period should be mini piling works, which is opposite to Wai Wah Centre.		
COM-2020- 0097	20/04/2020	Project Email	Noise	According to the contractor's work schedule, major day work activity was mini-piling operation since early Feb 2020 at zone 2 in central median at non-restricted hours, from Mondays to Saturdays between 0800 and 1800 not including General Holidays. The mini piling operation on 20 <sup>th</sup> & 21 <sup>st</sup> Apr 2020 was carried out at non restricted hours. The limited level of noise generated by the construction of the Project during the non-restricted daytime hours will be 75 dB (A) for dwelling. The mini piling	Project- not related	Closed
COM-2020- 0098	21/04/2020	Project hotline		operation on 20 <sup>th</sup> and 21 <sup>st</sup> Apr 2020 was carried out at non restricted hours with green tarpaulin curtain and sound proof canvas. The noise level of NMS 5A and NMS 6A on 22 <sup>nd</sup> Apr 2020 were 73.5 dB (A) and 72.6 dB (A) respectively. No noise exceedance was occurred at NMS 5A and NMS 6A. The construction activity on 22 <sup>nd</sup> Apr 2020 was similar to 20 <sup>th</sup> and 21 <sup>st</sup> Apr 2020. Therefore, ET's day-time monitoring result on 22 <sup>nd</sup> April 2020 at NMS5A and NMS6A can act as a reference for impact noise from the similar mini-piling operation on 20 <sup>th</sup> and 21 <sup>st</sup> April 2020.		

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
COM-2020- 0099	21/04/2020	Project hotline	Noise	The complaint cases on 21 <sup>st</sup> Apr 2020 was received by project hotline from Police. According to the complainant who is the local resident at Wai Wah Centre, the noise source(s) of the concerned nuisance during night works was at zone 2 is opposite to Wai Wah Centre. The major construction works was road surface remedial work since 15 <sup>th</sup> April 2020 conducted at restricted hours along zone 2 south boundary adjacent to Wai Wah Centre. The Main Contractor complied with CNP No.: GW-RN0152-20 that is within the allowable construction site location and within the site boundary to carry out night work on road surface remedial works. Environmental Team (ET) conduct a regular night-time noise monitoring at all monitoring stations between 23:00 23 <sup>rd</sup> April 2020 to 04:00 24 <sup>th</sup> April 2020. The five noise monitoring stations close to the concerned works area are NMS3, NMS4, NMS5A, NMS6A & NMS7, and NMS5A & NMS6A locate nearest to Wai Wah Centre. There were no exceedance on the night time noise monitoring, especially measured at NMS 5A & NMS 6A where locate at the Wai Wah Centre, the measured result at NMS 5A & 6A were all lower than that of measured in the baseline. Therefore, no exceedance cases were found on ET regular night-time noise monitoring measurement.	Project- not related	Closed
COM-2020- 0100	23/04/2020	Project hotline	Noise	The complaint was received via project hotline on 23 <sup>rd</sup> April 2020 at 10:45 a.m. A resident of Wai Wah Centre complained that noise generated from operation of the two piling machines disturbing her daughter's study for DSE examination, and demanding limitation on operation hours of the machines only at two separate periods between 12 noon and 1p.m and 3 p.m. to 6 p.m. According to the Main Contractor, the major construction works at day time (08:00-18:00) on 23 <sup>rd</sup> April 2020 was mini-piling operation at Zone 2 Central Median of Tai Po Road near Wai Wah Centre. According to the	Project- not related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				photo records of day-time site condition on 23rd April 2020 provided by Main Contractor, the green tarpaulin curtain was provided for the minipile drilling machines so that the bottom part of the minipile drilling machine was blocked from view of nearby NSR (e.g. residents at Wai Wah Centre) and an additional layer of sound proof canvas was installed at lower level to mitigate the noise from minipile drilling operation. The day-time noise monitoring results measured at NMS3, 4, 5A, 6A and 7 were all lower than the limit level, especially NMS 5A & NMS 6A monitoring stations where locate at the Wai Wah Centre. The monitoring results show no noise exceedance occurred at both locations. Thus, ET day-time monitoring result on 22 <sup>nd</sup> April 2020 at NMS5 & NMS6 can be act as a reference for impact noise from the similar mini-piling operation activities on 23 <sup>rd</sup> April 2020. Therefore, there was no exceedance cases were found in ET regular day-time noise monitoring measurement.		
COM-2020- 0101	28/04/2020	1823 (CASE#3- 631675981 7)	Noise	The complainant on via ICC1823 on 28 <sup>th</sup> April 2020 complained about the noise and odor nuisance generated from the night-time asphalt laying construction works at Shatin Rural Committee Road (Zone 3) area. Although the main contractor no work at zone 3, but the major night-time construction works was road surface remedial work which was related to the complainant concerned. The major construction works was road surface remedial work since 15 <sup>th</sup> April 2020 at approved restricted hours along zone 2 south boundary adjacent to Wai Wah Centre. Also, Tai Po Road is the main strategic route, implementation of temporary traffic diversion at day time due to loading and unloading material or plant work or road surface remedial work is not feasible. The lorry had been used in TTA implementation & road opening, portable generator and electric handheld breaker had been used in asphalt removal work, dump truck with grab had been used for loading and unloading of asphalt or rubble, vibratory compactor had been used in asphalt compaction for road	Project- not related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				surface remedial works on 27^28 April 2020. The Main Contractor complied with CNP No.: GW-RN0152-20 that allowed PME used in Group C or Group F. According to the Main Contractor, advance "Notice to Affected Residents" had been issued and distributed on 26 <sup>th</sup> March 2020 in accordance with the CNP advice that prior notification should be given to nearby residents. Besides, the road re-surfacing work would be carried out at approximately 14 night-time works between 2 <sup>nd</sup> and 28 <sup>th</sup> April 2020 listed in the distributed notices. No exceedance cases were found on ET regular night-time noise monitoring measurement at all noise monitoring stations, especially measured at NMS 5A & NMS 6A where locate close to the works area (Wai Wah Centre in Zone 2), the measured result at NMS 5A & 6A were all lower than that of measured in the baseline.		
COM-2020- 0151	10/11/2020	EPD (EPD ref.: RN25799- 20)	Water	The complainant on 10 <sup>th</sup> November 2020 complained about water discharge onto the traffic lanes of Northbound towards Sha Tin Section of Tai Po Highway. According to the Main Contractor, there is one active site access located at Zone 1 (R1) near Pai Tau, site access no. is N02. Restricted opening hours of the site access Zone 1 (R1) is between 10:00 to 16:00. The operation which might be related to the complaint was water flow from water-filled barriers before the opening of site access and no water spilling onto the traffic lanes from the access area of Zone 1 (R1). The released water was directed towards to the work areas facing Zone 1 (R1) and no water was flowed towards the high-speed road or traffic lanes. ET conducted ad-hoc site inspection on 17 <sup>th</sup> November 2020. ET had no particular findings related to the complaint and conducted trial to open the bottom of the water barrier valve for testing and checking on the water flow to the construction site at Zone 1. Contractor performed well on environmental preventive measures for soil or silt leakage protection as impervious sheet with sand bags had been	Project- not related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				provided at the site boundary of Zone 3. ET analyzed that released water was directed towards to the work areas facing Zone 1 (R1) and no water was flowed towards the high-speed road or traffic lanes.		
COM-2020- 153	20/11/2020	1823 (CASE#3- 656139346 5)	Noise	The complainant on via ICC1823 on 20 <sup>th</sup> November 2020 complained about the noise generated from the night-time asphalt laying construction works between Sha Tin Station and nearby Wo Che Estate. Although the main contractor no work at zone 5, but the major night-time construction works was road surface remedial work which was related to the complainant concerned. According to the Main Contractor, the major construction works was road surface remedial work since 19 <sup>th</sup> November 2020 conducted at restricted hours along zone 3 to zone 4 north bound of Tai Po Road Sha Tin section. No exceedance cases were found on ET regular night-time noise monitoring measurement (Appendix F) at all noise monitoring stations. Contractor placed acoustic enclosure "SilentCUBE" with four sides and a top cover at asphalt removal works to mitigate. The Main Contractor was reminded to pay attention to CNP other condition 3.d.3, the electric hand-held breaker shall only be used for carrying out construction work between 22:00 – 23:30 hours. It is prohibited to use the electric hand-held breaker beyond the CNP condition 3.d.3 stated that the using limitation on 23:30. The Main Contractor was reminded to re-arrange their proposed night-time construction activities to fulfill the complainant expectation that noise emitting work should be paused during 00:00 to 06:00 sleeping time.	Project related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action		Status
0064/18/ED /0546A	24/11/2020	EPD	Water	According to EPD Mr. Bryan Kwok, EPD carried out a site inspection on 24 November 2020, revealing that muddy effluent was discharged from an outfall at Fo Tan near Jockey Club Ti-I College while construction work of the abovementioned project site at Zone 5 opposite to Wo Che Estate was in progress. EPD team inspected the condition of waste water treatment facilities on site (slope F133) and observed that the water in the first and second sedimentation tanks was muddy; muddy water was observed at the outlet level of the Wetsep (waste water treatment plant) though there was no discharge and piling works at the time. EPD team reminded the Main Contractor that effluent does not complied with the discharge license standard should NOT be allowed to discharge. The waste water treatment system should be improved and maintained to ensure the effluent discharge standard. EPD team requested in both works area of Slope F133 and Slope F163 the Main Contractor to locate the network of drainage, connecting manhole(s) and downstream manhole, check if any presence of muddy materials and clear-out. The main contractor was reminded to strictly follow and fully comply with the water discharge license (WT00032446-2018) conditions and the mitigation measures stipulated in the EM&A Manual for effluent discharge on the wastewater treatment system.	Project related	Closed
COM-2020- 154	27/11/2020	1823 (CASE#3- 656139346 5)	Noise	The complaint was received via ICC1823 on 27 <sup>th</sup> November 2020, the complainant expressed concern of construction noise nuisances near Wo Che Estate at around 01:14 am on 27 <sup>th</sup> November 2020. According to the Main Contractor, there were no construction works near Wo Che Estate (Zone 5) on 26^27 November 2020. The major construction works were works related to removal of central median (at night-time) under the approved road closure with CNP no.GW-RN0799-20. According to Main Contractor EO Kimberly, she sent prior notification to the EPD on 20 <sup>th</sup> November 2020 through logging in the webpage of EPD before the		Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				commencement of the construction work in relation to the CNP GW- RN0799-20 (conditions 3.d.11 and 4.d.8). The Main Contractor provided photo records showing that mitigation measures of the movable acoustic enclosure "SilentCUBE" with four sides and a top cover were implemented for night work on removal of existing central median: drill hole with percussive drill for temporary steel module spiral installation, drill hole at existing central median with concrete corer and asphalt compaction with portable roller. Main Contractor was reminded to strictly follow and fully comply with the CNP No.: GW-RN0799-20 conditions. 5.11 The Main Contractor was reminded to re-arrange their proposed night-time construction activities to fulfill the complainant expectation that noise emitting work should be paused during 00:00 to 06:00 sleeping time.		
COM-2020- 155	30/11/2020	1823 (CASE#3- 656631592 2)	Dust	According to the complainant, the dust nuisance concerned at day time was at the slip road to Fo Tan Road near Lok King Street near Zone 5 works area. According to the Main Contractor, the major day time construction works at Zone 5 works area in November were mini-piling works and slope works of soil replacement. Regular movement of vehicle for transportation was also carried out on site. Thus, the complaint was considered to be related to the project. ET conducted regular day-time air quality monitoring in November 2020 and on the 3rd December 2020 at selected air monitoring stations AMS6, 8, 11A & 13 and AMS5, 4A, 7A & 12 respectively. The two air quality monitoring stations closed to the works area at zone 5 (where the complainant concerned of dust nuisance) were AMS12 and AM13; and AMS13 locate nearest to Zone 5. The ET regular air quality results measured at AMS13 and AM12 in November 2020 and on the 3rd December 2020 show that there was no exceedance case found in air quality monitoring measurement and the results were all below the action	Project Related	Closed

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



Reference No.	Date of Complaint Received	Received From	Nature of Complaint	Investigation/Mitigation Action	Outcome	Status
				level. The Main Contractor was reminded to enhance the mitigation measures in dust control such as increase the water spray frequency at the construction site to suppress dust emission. The Main Contractor proposed to properly maintain the coverings on exposed slopes and keep them in good condition for minimizing dust impact. The Main Contractor proposed to frequently spraying of haul road especially at area where active movement of vehicles and pave the haul road where necessary to reduce dust impact.		

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



#### **Cumulative Statistics on Complaints**

Environmental Parameters	Cumulative No. Brought	No. of Comp	Cumulative Project-to-Date		
	Forward	Sep 2020	Oct 2020	Nov 2020	··· <b>,</b> ····
Air	0	0	0	1	1
Noise	19	0	0	2	21
Water	0	0	0	2	2
Waste	0	0	0	0	0
Total	19	0	0	0	24

#### **Cumulative Statistics on Successful Prosecutions**

Environmental Parameters	Cumulative No. Brought	No. of Com	plaints This Repo	rting Period	Cumulative Project-to-Date
	Forward	Sep 2020	Oct 2020	Nov 2020	··· <b>·</b>
Air	0	0	0	0	0
Noise	0	0	0	0	0
Water	0	0	0	0	0
Waste	0	0	0	0	0
Total	0	0	0	0	0

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Appendix G

**Environmental Mitigation Implementation Schedule (EMIS)** 

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase			
Noise Measures							
		<ul> <li>Scheduling the construction activities carefully according to the actual site work situation, avoid of concurrent activities and construction works fronting the affected schools, to minimize the total noise generated (max as 102dB (A).</li> </ul>	Contractor	Implemented			
		<ul> <li>PME is recommended to operate in sub-grouping, and different sub-groups shall not be operated concurrently within any half hour period</li> </ul>	Contractor	Implemented			
		<ul> <li>The construction activities should be carried out in the daytime hours (0700 – 1900). Construction Noise Permit (CNP) for constriction activities is required during evening or night time hours.</li> </ul>	Contractor	Implemented			
3.10.2, 3.10.3, 3.10.14, 2.10.15 and	Within the boundaries of all construction sites.	<ul> <li>Construction work programme should be considered before actual construction work is undertaken, and noise mitigation measures should be implemented to minimize the potential construction noise impact. Selection and optimization of construction programmes, avoidance and reduction of parallel operation of noisy PME during noise sensitive periods.</li> </ul>	Contractor	Implemented			
3.10.15 and Table 3.10		<ul> <li>Use of well-maintained and regularly-serviced plant during the works.</li> </ul>	Contractor	Implemented			
		<ul> <li>Plant operating on intermittent basis should be turned off or throttled down when not in active use.</li> </ul>	Contractor	Implemented			
		<ul> <li>Plant that is known to emit noise strongly in one direction should be orientated to face away from the NSRs.</li> </ul>	Contractor	Implemented			
		<ul> <li>Silencers, mufflers and enclosures for plant should be used where possible and maintained adequately throughout the works.</li> </ul>	Contractor	Not Applicable			
		Fixed plants should be sited away from NSRs where possible.	Contractor	Not Applicable			
		<ul> <li>Stockpiles of excavated materials and other structures such as site buildings should be used effectively to screen noise from the works.</li> </ul>	Contractor	Not Applicable			
3.10.4,		<ul> <li>The use of particular plant with equipment quieter than those specified in the GW-TM are recommended to reduce the noise levels generated by the plant.</li> </ul>	Contractor	Not Applicable			
3.10.5 and Table 3.3		<ul> <li>Other type of quiet PME are allowed to use for their needs based on the actual construction conditions and programmes</li> </ul>	Contractor	Not Applicable			
2 10 6 to		<ul> <li>Temporary noise barriers provide noise attenuation by screening NSRs from stationary and mobile plants from direct line-of-sight in shadow zone.</li> </ul>	Contractor	Partially Implemented			
3.10.6 to 3.10.9		<ul> <li>The use of 3m high moveable barriers with skid footing and a small cantilevered upper portion should be adopted. The barrier material shall have a surface mass of not less than 14kg/m<sup>2</sup> on skid footing with 25mm thick internal sound absorptive lining to achieve the maximum screening effect.</li> </ul>	Contractor	Not Applicable			

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
		<ul> <li>These temporary noise barriers should be located immediately adjacent to working area.</li> </ul>	Contractor	Not Applicable
		<ul> <li>The temporary noise barriers should be located along the working area to make sure the construction plant could be screened during all kinds of construction activities as far as practicable.</li> </ul>	Contractor	Not Applicable
		<ul> <li>Noise jacket/muffler shall be used to cover the noisy part of the engine or at the engine exhaust of particular mobile plants respectively when temporary noise barriers are not practicable or noise reduction achieved is insufficient.</li> </ul>	Contractor	Not Applicable
		<ul> <li>For the stationary plant bored pile oscillator, temporary noise barriers of sufficient height with skid footing and small cantilevered upper portion should be provided.</li> </ul>	Contractor	Not Applicable
		<ul> <li>Barrier material of surface density of at least 14 kg/m<sup>2</sup> is recommended in order to achieve the necessary screening effect.</li> </ul>	Contractor	Not Applicable
3.10.10		<ul> <li>Full noise enclosures should cover the PME or fixed plants such as air compressor.</li> </ul>	Contractor	Not Applicable
		<ul> <li>Silencers, mufflers and enclosures for plant should be used where possible and maintained adequately throughout the works;</li> </ul>	Contractor	Not Applicable
3.10.3		<ul> <li>Where possible fixed plants should be sited away from NSRs; and</li> </ul>	Contractor	Not Applicable
		<ul> <li>Stockpiles of excavated materials and other structures such as site buildings should be used effectively to screen noise from the works.</li> </ul>	Contractor	Not Applicable
		Air Quality Measures		
		<ul> <li>The Contractor shall notify any specific construction works as stated in the Air Pollution Control (Construction Dust) Regulation to the Authority before the commencement of such work. Dust mitigation measures stipulated in the Air Pollution Control (Construction Dust) Regulation should be implemented to control dust emissions from all construction work sites.</li> </ul>		Implemented
4.12.1 and 4.12.2		• The Contractor shall undertake at all times to prevent dust nuisance as a result of his activities. Dust suppression measures such as the water spraying are necessary and should be installed to ensure that the air quality at the boundary of the site and at any sensitive receivers complies with the Hong Kong Air Quality Objectives.	Contractor	Implemented
4.12.2	construction sites.	<ul> <li>The Contractor shall apply for a license or permit under the requirements of the relevant legislation (e.g. Air Pollution Control Ordinance and its subsidiary regulations) wherever applicable.</li> </ul>	Contractor	Implemented
		<ul> <li>Watering of unpaved areas, access roads, construction areas and dusty stockpiles shall be undertaken at least eight times daily during dry and windy weather. Watering of the haul road shall be undertaken four to eight times daily during dry or windy weather. Water sprays may be either fixed or mobile to follow individual areas to be wetted as and when required. Application of suitable wetting agents, such as dust suppression chemicals, shall be used in addition to water,</li> </ul>	Contractor	Implemented

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
		especially during the dry season (October to December). It is also suggested that watering with complete coverage of active construction area eight times a day.		
		• Effective water sprays shall be used during the delivery and handling of all raw sand and aggregate, and other similar materials, wet dust is likely to be created and to dampen all stored materials during dry and windy weather.		Partially Implemented
		• Stockpiles of sand, aggregate or any other dusty materials greater than 20m <sup>3</sup> shall be enclosed on three sides, with walls extending above the pile and 1 meter beyond the front of the pile.	Contractor	Partially Implemented
		• Suitable chemical wetting agent such as dust suppression chemical shall be used on completed cuts and fills to reduce wind erosion.	Contractor	Not Observed
		• Areas within the construction site where there is a regular movement of vehicles shall have a paved surface and be kept clear of loose surface material.	Contractor	Implemented
		• The Contractor shall restrict all motorized vehicles within the construction site, excluding those on public roads, to maximum speed of 20 km per hour and confine haulage and delivery vehicles to designated roadways inside the Site.		Implemented
		<ul> <li>Construction working areas should be restricted to a minimum practicable size.</li> </ul>	Contractor	Implemented
440.4		• The Contractor shall ensure that no earth, rock or debris is deposited on public or private rights of way as result of his activities, including any deposits arising from the movement of plant or vehicles.		Implemented
4.12.1		• The Contractor shall provide a wheel washing facility at the exits from work areas to the satisfaction of the Engineer and to the requirements of the Commissioner of Police. Water in wheel washing facilities and sediment shall be changed and removed respectively at least once a month.		Not Applicable
		• The Contractor shall submit details of the wheel washing facilities, which shall be usable prior to any earthworks excavation activity on the construction site. The Contractor shall also provide a hard-surfaced road between any washing facility and the public road.		Not Applicable
		• In the event of any spoil or debris from construction works being deposited on adjacent land, or steams, or any slit being washed down to any area, then all such spoil, debris or material and silt shall be immediately removed and the affected land and areas restored to their natural state by the Contractor to the satisfaction of the Engineer.		Not Applicable
		<ul> <li>If spoil cannot be immediately transported out of the Site, stockpiles should be stored in sheltered areas.</li> </ul>	Contractor	Implemented
		• Plant and vehicles shall be inspected annually to ensure that they are operating efficiently	Contractor	Implemented

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
		and that exhaust emissions are not causing a nuisance. All site vehicle exhausts should be directed vertically upwards or directed away from ground.		
4.12.1, 4.13.1 and	1	<ul> <li>Construction dust monitoring shall be carried out at representative monitoring locations during the construction period.</li> </ul>	Contractor	Implemented
Table 8.2		<ul> <li>Path for complaints and handling procedures should be set up and implement.</li> </ul>	Contractor	Implemented
		<ul> <li>Dark smoke emission shall be control in accordance with the Air Pollution Control (Smoke) Regulation and ETWB TCW 19/2005.</li> </ul>	Contractor	Implemented
NA		<ul> <li>Plant and equipment should be well maintained to prevent dark smoke emission.</li> </ul>	Contractor	Implemented
		<ul> <li>Only approved or exempted Non-road Mobile Machineries (NRMMs) including regulated machines and non-road vehicles with proper labels are allowed to be used in specified activities on-site.</li> </ul>	Contractor	Implemented
		Water Quality Measures		
		<ul> <li>Silt-laden surface run-off should be prevented from directly entering the sensitive receivers during the construction works. The mitigation measures described below for the construction phase are in accordance with ProPECC PN 1/94:</li> </ul>	Contractor	Partially Implemented
	Within the boundaries of	• Construction works should be programmed so as to minimise excavation during the wet season (April to September). If this is not possible then measures should be taken to minimise the areas exposed by covering temporary exposed slopes with tarpaulins or similar material, the protection of temporary road surfaces with gravel or crushed stone and the early reinstatement of final surfaces with hydro seed grass/shrub mixture. This latter measure would have the added benefit of reducing the windblown dust during the dry season. Where temporary covering of slopes is required this should be carried out before the onset of the rainfall or storm.		Partially Implemented
5.7	all construction sites.	<ul> <li>Existing and newly constructed open manholes should be covered and sealed to prevent run off and water borne debris entering the drainage network without having previously passed through a sediment trap.</li> </ul>	Contractor	Partially Implemented
		<ul> <li>Stock piles of construction materials, sand and gravel or excavated material should be covered with tarpaulins prior to rainstorms. The washing of material from the stockpiles directly into the storm drains should be prevented by passing the run off through a sediment trap.</li> </ul>	Contractor	Partially Implemented
		<ul> <li>The surface water from the site should be discharged into storm water drain after passing through sand and silt traps designed to accommodate the maximum discharge from the site. Within the site channels, bunds or sandbags should be used to direct run off into the traps. Storm water from outwit the site should be prevented from washing over the site by the construction of interceptor channels at the site boundary. Both perimeter channels and the sedimentation traps should be</li> </ul>	Contractor	Partially Implemented

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
		constructed prior to the commencement of site formation and earthworks.		
		<ul> <li>The efficiency of the interceptor channels, traps and sedimentation chambers should be maintained by regular cleaning of accumulated silt and sand. Particular attention should be paid to maintenance following heavy rainfall and immediately after the issue of heavy rainfall warning by the Hong Kong Observatory.</li> </ul>	Contractor	Partially Implemented
		<ul> <li>The ingress of rainwater into trenches should be minimised by the construction of bunds to prevent water flowing into the trench and covering by tarpaulins to prevent direct entry. The lengths of excavated trenches should be minimised and backfilled at the earliest opportunity. Water pumped from the trenches should be discharged to the storm water drains following passage through a suitable silt trap.</li> </ul>	Contractor	Partially Implemented
		<ul> <li>Any ground water seeping into any trenches or foundation works should be passed through a silt trap prior to discharge to the storm water drains.</li> </ul>	Contractor	Implemented
		• The water used for the washing down of mixing drums used for onsite batching of concrete and delivery lorries for off-site batched concrete should be recycled whenever possible. Wastewater generated from the washing which is discharged should be passed through a silt trap before discharge to the storm water system.	Contractor	Not Applicable
		<ul> <li>The wastewater from the washing of the wheels and subframe of vehicles returning from the site onto public roads will contain suspended solids and debris. A washing bay should be provided at the exit from the site and should, where practicable, incorporate water recirculation. Water from the washing bay which is discharged to the storm water system should first be passed through a silt trap which also includes an oil/grease removal weir.</li> </ul>	Contractor	Not Applicable
		<ul> <li>Plant maintenance areas should be paved to prevent waste oils soaking into the ground. Where possible the area should be undercover to minimise the formation of runoff and any runoff from the paved area passed through an oil trap before being discharged to the storm drains. Fuel storage tanks should be surrounded by bunds with a capacity of at least 150% of the storage capacity. The bunded areas should be able to be drained of rain water through the petrol interceptor and accumulated rain removed at regular intervals.</li> </ul>	Contractor	Not Applicable
		<ul> <li>Waste oils from the site should be collected and stored for recycling or disposal in accordance with the Waste Disposal Ordinance and absorbent cloths and granules should be available for the cleanup of spillages.</li> </ul>	Contractor	Not Applicable
		<ul> <li>Sewage from toilets and kitchens should be discharged directly into a foul sewer. If it is not possible to locate the site offices within easy access of a foul sewer a septic tank and soakaway should</li> </ul>	Contractor	Partially Implemented

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
		be constructed before the offices are occupied. Chemical toilets should be emptied on a daily basis and the contents taken to a foul sewer or the Sha Tin Sewage Treatment Works for disposal. Wastewater collected from canteen kitchens should be discharged to the foul sewers via grease traps which provide a minimum of 20 minutes retention during peak flow. All discharges into foul sewers and storm sewers should have to be complied with TM standards under WPCO.		
		<ul> <li>Run off from roofed surfaces of site facilities should be collected and diverted to a storm water drain.</li> <li>Passage through a silt trap is only required if the water is diverted via open .channels which might accumulate solids during non-rainy periods or which intercept surface run off from unpaved areas.</li> </ul>	Contractor	Partially Implemented
		<ul> <li>Discharges from the site shall be required to meet the terms and conditions of a valid WPCO Water Pollution Control Ordinance (WPCO).</li> </ul>	Contractor	Implemented
		<ul> <li>Regular site inspection of the construction works shall be carried out to determine compliance with the Inspection should be included:</li> </ul>	e recommended n	nitigation measures.
		(i) The functioning of onsite surface water collection channels and sediment traps.	Contractor	Partially Implemented
		(ii) The functioning of interception channels at the boundary of the works areas	Contractor	Implemented
		(iii) The covering of stockpiles of fill and construction materials and the routing of any run off through the sediment traps.	Contractor	Partially Implemented
Section 12.6 of the		(iv) The pumping procedures for emptying trenches and other excavations and the use of silt traps prior to the discharge of the water to the storm water system.	Contractor	Implemented
Approved EIA Report		(v) The use of washwater for hosing down concrete mixing and delivery vehicles and other vehicles leaving the site and the routine of excess water from the facility through sediment traps.	Contractor	Not Applicable
		(vi) The operation of the plant maintenance areas to control small spillages and the correct management of the fuel storage bunded area.	Contractor	Not Applicable
		(vii) The connection of the site office wastewater discharge to an existing foul sewer if appropriate or the operation of the kitchen wastewater grease trap and the regular emptying of the chemical toilets	Contractor	Not Applicable
		(viii)The operation of the roof rain water collection and drainage system.	Contractor	Not Applicable
		Landscape and Visual Mitigation Measures		
Table 6.5		Construction Phase		

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase				
		• Existing trees shall be preserved as much as possible. Detailed tree preservation and transplanting proposals shall be submitted to relevant government departments for approval in accordance with DEVB TC (W) No. 7/2015.	Contractor	Implemented				
	During construction	<ul> <li>Topsoil will be conserved as far as possible during the road improvement works and utilized during the replanting operations. The stock piling height of the topsoil will not be more than 2m.</li> </ul>	Contractor	Implemented				
	within the Project	<ul> <li>Old and valuable trees (OVTs) identified in the Project Boundary shall be protected in accordance with ETWB TCW no. 29/2004.</li> </ul>	Contractor	Implemented				
	Boundary.	<ul> <li>Night-time lighting glare shall be properly managed and control during construction so as to minimize any adverse visual impact on adjacent VSRs.</li> </ul>	Contractor	Not Applicable				
		<ul> <li>Decorative screen hoarding with design compatible with the surrounding landscape setting shall be erected along the southern boundary of Tai Po Road to mitigate any potential adverse impact on adjacent Pedestrian and Cyclists on Footpath/Bicycle Track.</li> </ul>	Contractor	Not Applicable				
	Operation Phase							
		• Compensatory planting shall be provided within and outside the project boundary where possible. Detailed compensatory planting proposal will be prepared in accordance with DEVB TC (W) No. 7/2015.	Contractor	Not Applicable				
	During construction within the	<ul> <li>Planting shall be undertaken at the earliest practical time in the construction period. The planting proposal shall aim to strengthen the existing tree species and supplement the existing tree planting to provide an effective screen to ameliorate any potential landscape and visual impacts. The proposed species to be utilized for road improvement works shall be agreed with LCSD and future maintenance authorities. All the proposed species for compensatory planting shall be suitable for roadside streetscape planting.</li> </ul>	Contractor	Not Applicable				
	Project Boundary.	<ul> <li>Provision of visually pleasing noise barriers and enclosures design shall be proposed. The design of these structures aims to minimize any potential visual impact and visually integrate the proposed structures into the adjacent landscape context. This should be achieved through the use of form, color, tones, materials and planting materials.</li> </ul>	Contractor	Not Applicable				
		<ul> <li>Aesthetically pleasing hard landscape treatment of the carriageway and roadside furniture shall be proposed, including development of chromatic themes in the architectural treatment of engineering structures, and the consideration of landscape lighting and special landscape features.</li> </ul>	Contractor	Not Applicable				

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase			
		<ul> <li>Shrubs and climbers planting are proposed on the facade of Noise Enclosures and Barriers to mitigate any adverse impact on adjacent VSRs in area where space for tree planting is not feasible.</li> </ul>	Contractor	Not Applicable			
	Waste Management Measures						
7.6.2 to 7.6.4	Within the	<ul> <li>In accordance with ETWB TC (W) No. 19/2005 - Environmental Management on Construction Sites", the Contractor shall prepare and implement a Waste Management Plan (WMP) as part of the Environmental Management Plan (EMP). The EMP shall describes the arrangements for avoidance, reuse, recovery, recycling, storage, collection, treatment and disposal of different categories of waste to be generated from the construction activities. Such a management plan should incorporate site specific factors, such as the designation of areas for segregation and temporary storage of reusable and recyclable materials. The EMP should be submitted to the Engineer for approval.</li> </ul>	Contractor	Partially Implemented			
	all construction sites.	<ul> <li>The Contractor should implement the waste management practices in the EMP throughout the construction stage of the Project. The EMP should be reviewed regularly and updated by the Contractor.</li> </ul>	Contractor	Partially Implemented			
		<ul> <li>Recommendations of good site practices and waste reduction measures should be stated in order to achieve avoidance and minimization of waste generation in the hierarchy.</li> </ul>	Contractor	Implemented			
7.6.5 to 7.6.6		<ul> <li>Environmental Management Plan (EMP) and trip-ticket system shall be implemented for monitoring management of waste.</li> </ul>	Contractor	Implemented			
		<ul> <li>Specific measures targeting the mitigation of impacts in works areas and the transportation of spoil off-site should be provided to minimize the potential impacts to the surrounding environment.</li> </ul>	Contractor	Implemented			
	-construction sites as well as transportatio n routes to designed areas for off-	<ul> <li>To facilitate adoption of the best-practice philosophy, training shall be provided to all personnel working on site. The training shall promote the concept of general site cleanliness and clearly explain the appropriate waste management procedures defined in the EMP. Overall, the training should encourage all workers to reduce, reuse and recycle wastes.</li> </ul>	Contractor	Implemented			
7.6.8 to 7.6.9		<ul> <li>The contractor's environmental performance shall be monitored and controlled through the weekly en environmental walks shall include:</li> </ul>	vironmental walks	s. The items after the			
		<ul> <li>A review of the EMP in particular the suitability of the environmental measures on nuisance abatement and waste management adopted by the contractor;</li> </ul>	Contractor	Implemented			
		The environmental performance of the contractor and his sub-contractors;	Contractor	Implemented			
		<ul> <li>The effectiveness of the environmental measures on nuisance abatement and waste management implemented on the site, and any complaints received; and</li> </ul>	Contractor	Implemented			

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
	of materials/Pri	<ul> <li>The promptness of rectification or improvement actions of the Contractor on the defects and deficiencies identified during inspections of the site.</li> </ul>	Contractor	Implemented
	or to and during construction activities.	<ul> <li>Waste shall only be disposed of at licensed sites and the WMP should include procedures to ensure that illegal disposal of wastes does not occur. Only waste haulers authorized to collect the specific category of waste concerned should be employed and a trip ticket system shall be implemented for offsite disposal of inert C&amp;D materials and non-inert C&amp;D materials at public fill reception facilities and landfills, respectively. Appropriate measures should be employed to minimize windblown litter and dust during transportation by either covering trucks or transporting wastes in enclosed containers.</li> </ul>		Implemented
7.6.10		<ul> <li>Work site(s) shall be arranged and managed to facilitate the proper management of wastes and materials. The WMP shall include plans indicating specific areas designated for the storage of particular types of waste, reusable and recyclable materials as well as areas and management proposals for any stockpiling areas. Waste storage areas should be well maintained and cleaned regularly. Specific provisions for different types of material are outlined below. In general, these areas should be designed to avoid cross contamination of materials as well as pollution of the surrounding environment.</li> </ul>	Contractor	Implemented
7.6.11 to 7.6.14		<ul> <li>In order to minimize the impact resulting from collection and transportation of C&amp;D material for off- site disposal, the excavated fill materials should be reused on site as backfill material as far as possible.</li> </ul>		Implemented
		<ul> <li>Careful design, planning and good site management should be maintained in order to minimise over ordering and generation of surplus materials such as concrete, mortars and cement grouts. The design of formwork should maximise the use of standard wooden panels so that high reuse levels can be achieved. Alternatives such as steel formwork or plastic facing should be considered to increase the potential for reuse.</li> </ul>		Implemented
		<ul> <li>C&amp;D materials should be segregated on site into different waste and material types. The Contractor should clearly demonstrate in the EMP how he intends to maximise the reuse of C&amp;D material on-site. Where reuse of materials on site is not feasible, the Contractor should explore opportunities for recycling materials off-site, and inert C&amp;D materials shall be reused on site as much as possible.</li> </ul>	Contractor	Implemented
		<ul> <li>Paving bricks arising from existing pavement should be recycled on site as much as possible.</li> </ul>	Contractor	Not Applicable
		<ul> <li>Existing marginal roadside barriers comprise pre-cast units should be reused in the following widening works as much as possible,</li> </ul>	Contractor	Not Applicable

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
		• Existing bridge parapets comprise aluminum post and railings, which have a recyclable value and should be sold for reconditioning or reused for scrap metal as much as possible	Contractor	Not Applicable
		• Any stockpile should be sited away from existing watercourses and suitably covered to prevent wind erosion and impacts on air and water quality.	Contractor	Implemented
		• Chemical waste shall be handled in accordance with the Code of Practice on the Packaging, Handl as follows. Containers used for the storage of chemical wastes should:	ing and Storage	of Chemical Wastes
		• be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed;	Contractor	Partially Implemented
		<ul> <li>have a capacity of less than 450L unless the specifications have been approved by the EPD; and</li> </ul>	Contractor	Implemented
		• display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the Waste Disposal (Chemical Waste) (General) Regulation (Cap. 354C).	Contractor	Implemented
		The storage area for chemical wastes should:		
		<ul> <li>be clearly labelled and used solely for the storage of chemical waste;</li> </ul>	Contractor	Implemented
7.6.15 to 7.6.17		• be enclosed on at least 3 sides;	Contractor	Partially Implemented
		• have an impermeable floor and bunding, of capacity to accommodate 110% of the volume of the largest container or 20% by volume of the chemical waste stored in that area, whichever is the greatest;		Implemented
		have adequate ventilation;	Contractor	Partially Implemented
		• be covered to prevent rainfall entering (water collected within the bund must be tested and disposed as chemical waste if necessary); and	Contractor	Implemented
		<ul> <li>be arranged so that incompatible materials are adequately separated.</li> </ul>	Contractor	Implemented
		The Contractor shall register with EPD as a Chemical Waste Producer. Waste oils and other chemical (Chemical Waste) (General) Regulation will require disposal by appropriate means and could require Appropriate means include disposal:		
		<ul> <li>via a licensed waste collector; and</li> </ul>	Contractor	Implemented
		<ul> <li>to a facility licensed to receive chemical waste, such as the Chemical Waste Treatment Facility which also offers a chemical waste collection service and can supply the necessary storage containers; or</li> </ul>		Implemented
		<ul> <li>to a reuser of the waste, under approval from EPD.</li> </ul>	Contractor	Not Applicable
7.6.18 to 7.6.20		• General refuse generated on-site should be stored in enclosed bins or compaction units separate from construction and chemical wastes. A reputable waste collector should be employed		Partially Implemented

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. 
 Tel
 : +852 2450 8233

 Fax
 : +852 2450 6138

 E-mail
 : matlab@fugro.com

 Website
 : www.fugro.com



EIA Review Ref	Location	Environmental Protection Measures/	Implementation Agent	Implementation Status in Construction Phase
		by the Contractor to remove general refuse from the site, separately from construction and chemical wastes, on a daily or every second day basis to minimize odour, pest and litter impacts. The burning of refuse on construction sites is prohibited by law.		
		<ul> <li>Separate labelled bins should be provided if feasible.</li> </ul>	Contractor	Not Observed
		• Office waste can be reduced through recycling of paper if volume is large enough to warrant collection. Participation in a local collection scheme should be considered if one is available.	Contractor	Implemented
7.7.1		<ul> <li>All wastes produced during the construction of the Project shall be handled, stored, and disposed of in accordance with good waste management practices and relevant regulations and requirements.</li> </ul>	Contractor	Partially Implemented
		• The mitigation measures recommended in the EIA/EIA review report should form a basis of the WMP to be developed by the Contractor in the construction phase of the Project.	Contractor	Implemented
EP 1.5		General Condition		
N.A	within the	• The Permit Holder shall display conspicuously a copy of this Permit on the Project site(s) at all vehicular site entrance/exits or at a convenient location for public information at all times. The Permit Holder shall ensure that the most updated information about the Permit, including ant amended Permit, is displayed at such locations. If the Permit Holder surrenders a part or the whole of the Permit, the notice he sends to the Director shall also be displayed at the same locations as the original Permit. The suspended, varied or cancelled Permit shall be removed from display at the Project site(s).	Contractor	Partially Implemented

Implementation status: Implemented / Partially Implemented / Not Implemented / Not Observed / Not Applicable