

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Report No.: 0064/18/ED/0652

MONTHLY EM&A REPORT

January 2022

Client : Civil Engineering and Development
Department, HKSAR


Contract No. : NDO 03/2018

Contract Name : Road Widening and Retrofitting Noise Barriers
on Tai Po Road (Sha Tin Section)

Report No. : 0064/18/ED/0652

Prepared by : Tommy Ho

Reviewed by : David Hung

Certified by : 

David Hung
Environmental Team Leader
Fugro Technical Services Limited

Our ref: PL-202202017

Unit 2320, Level 23,
Tower I, Metroplaza,
223 Hing Fong Road, Kwai Fong,
N.T., Hong Kong.

Attention: Mr. Joseph YAN

14 February 2022

Dear Joseph,

NE/2017/05

**Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)
Monthly EM&A Report for January 2022**

I refer to the email of the ET regarding to the captioned Monthly EM&A Report with report No. 0064/18/ED/0652, I have no adverse comment on it and verify this monthly report according to section 1.9 of the Environmental Permit with Permit No. EP- 463/2013/B.

Yours faithfully,



Li Wai Ming Kevin
Independent Environmental Checker

cc. CRE – Mr. YU Albert (by email only: albert.yu@aecom.com)
CEDD – Mr. YAN Joseph (by email only: jkcyang@cedd.gov.hk)



FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre
5 Lok Yi Street, Tai Lam
Tuen Mun, NT
Hong Kong

Date 15 February 2022

Our Ref. MCL/ED/0059/2022/C

The EIA Ordinance Register Office
Environmental Protection Department
27/F, Southorn Centre,
130 Hennessy Road, Wan Chai, Hong Kong
Attn: Ms. LAU Yee Ching, Eva

BY HAND & E-MAIL

Dear Ms. Lau,

Contract No. NE/2017/05
Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

Environmental Permit: EP-463/2013B
Submission of Monthly EM&A Report - January 2022 (0064/18/ED/0652)

Pursuant to EP-463/2013/B Condition 3.4, we hereby submit three hardcopies and two e-copy of the monthly EM&A Report (0064/18/ED/0652) for your retention. This monthly EM&A Report has been certified by ETL and verified by IEC accordingly.

Thank you for your attention, should there be any comments or queries, please contact our Environmental Team Leader David Hung at 3565-4371.

Yours faithfully,
for and on behalf of
FUGRO TECHNICAL SERVICES LIMITED

David Hung
Environmental Team Leader

| | | |
|------|-------|--|
| c.c. | CEDD | Attn: Mr. Joseph Yan / Mr. Kevin Yip (by E-mail) |
| | AECOM | Attn: Mr. Albert Yu / Mr. Andrew Cheng / Mr. Jacky Choi / Mr. Eric Yau (by E-mail) |
| | IEC | Attn: Mr. Kevin Li / Mr. Tandy Tse (by E-mail) |
| | CCZJV | Attn: Mr. Anthony Poon / Ms. Kimberly Wong (by E-mail) |

Encl.



TABLE OF CONTENTS

| | |
|--|-----------|
| EXECUTIVE SUMMARY | I |
| 1. INTRODUCTION | 1 |
| 2. AIR QUALITY | 5 |
| 3. NOISE | 9 |
| 4. LANDSCAPE AND VISUAL | 14 |
| 5. WASTE MANAGEMENT | 15 |
| 6. SITE INSPECTION | 16 |
| 7. ENVIRONMENTAL COMPLAINT AND NON-COMPLIANCE | 17 |
| 8. IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES | 20 |
| 9. FUTURE KEY ISSUES | 21 |
| 10. CONCLUSIONS | 22 |

FIGURES

| | |
|-----------|----------------------------|
| Figure 1 | Project General Layout |
| Figure 2a | Air Monitoring Locations |
| Figure 2b | Noise Monitoring Locations |

LIST OF APPENDICES

| | |
|------------|--|
| Appendix A | Construction Programme |
| Appendix B | Project Organization Chart |
| Appendix C | Action and Limit Levels for Air Quality and Noise |
| Appendix D | Calibration Certificates of Monitoring Equipment |
| Appendix E | Environmental Monitoring Schedules, Examination Schedules and Arrangements on Deferral of Class Resumption for All Schools |
| Appendix F | Air Quality Monitoring Data |
| Appendix G | Noise Monitoring Data |
| Appendix H | Event Action Plans |
| Appendix I | Waste Flow Table |
| Appendix J | Environmental Mitigation Implementation Schedule (EMIS) |
| Appendix K | Weather and Meteorological Conditions during Reporting Month |
| Appendix L | Cumulative statistics on Environmental Complaints, Notifications of Summons and Successful Prosecutions |
| Appendix M | Summary of Site Audit in the Reporting Month |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



EXECUTIVE SUMMARY

- i. The Civil Engineering and Development Department HKSAR has appointed Fugro Technical Services Limited (FTS) to undertake the Environmental Team services for the Project and implement the EM&A works.
- ii. This Monthly EM&A report presents the environmental monitoring and audit works for the period between 1 January 2022 and 31 January 2022. As informed by the Contractor, major activities in the reporting month were summarized as below table:

| Zone 1 | Zone 2 | Zone 3 | Zone 4 | Zone 5 |
|---|--|---|--|---|
| <ul style="list-style-type: none"> • Trial Pits Excavation • Tree Works (Including Preservation/ Felling/Pruning/ Transplantation) • Noise Barrier Foundation and Erection Works • Road Reconstruction Works, Sheet Pile Removal, and Lane Shifting Works • Mini Pile Construction Works | <ul style="list-style-type: none"> • Trial Pits Excavation • Tree Works (Including Preservation/ Felling/Pruning/ Transplantation) • Noise Barrier Foundation and Erection Works • Road Reconstruction Works, Sheet Pile Removal, and Lane Shifting Works • Mini Pile Construction Works • Removal of Existing Sign Gantries | <ul style="list-style-type: none"> • Tree Works (Including Preservation/Felling/ Pruning/ Transplantation) • Road Surface Maintenance • Construction / Diversion of Underground Utilities, Including ELS Works and Sheet Piling • Retaining Wall Construction Works • Lagging Wall Construction Works • Construction of Cycle Track Subway, Pump Room and Stem Wall Construction Works • Demolition of Existing Parapet • Pre Bore H Pile Construction Works • Steel Works Installation for Lift • Profile Barrier and Stem Wall Construction Works • Foundation Works for SR2 • Construction Works for N263 and N264 Bridge Deck Widening • Construction Works for SR6 Temporary Widening • ELS Works at SHA for Widening of SR3 • Removal of Existing Sign Gantries • Foundation Works for Lift | <ul style="list-style-type: none"> • Road Surface Maintenance • NF40 Footbridge Construction Works • Noise Barrier Foundation Works | <ul style="list-style-type: none"> • Road Surface Maintenance • Mini Pile Construction Works • Noise Barrier Foundation Works • Stem Wall and Drainage Construction Works |



Breaches of the Action and Limit Levels

- iii. 24-hour and 1-hour TSP impact monitoring were carried out in the reporting month, no Action / Limit Level exceedance was recorded during the period.
- iv. Day time construction noise monitoring was carried out in the reporting month, no Action / Limit Level exceedance was recorded during the period.
- v. Regular night time noise monitoring was carried out on 6, 13, 20 and 27 January 2022 respectively and no exceedance case was recorded between 2300 and 0700 of the next day during the reporting month.

Complaint, Notification of Summons and Successful Prosecution

- vi. One complaint was received during the reporting months. The complaint was received by EPD Regional Office (North) (ref: RN1596-22) on 17th January 2022. The complainant who lived near Mei Wo House, Wo Che Estate concerned about the night-time noise and dust nuisance generated from the nearby road.

Reporting Changes

- vii. There was no reporting change in the reporting month.

Future Key Issues

- viii. The key issues to be considered in the coming reporting month include:

Potential environmental impacts arising from the above construction activities are mainly associated with construction dust, construction noise, water quality, waste management and landscape and visual impact.



1. INTRODUCTION

1.1 Background

1.1.1 Contract No. NE/2017/05 – Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section) (TPR-ST) (hereafter referred as “the Contract”), is the Works Contract involved the construction of road widening and retrofitting noise barriers on TPR-ST.

1.1.2 The Works of road widening on TPR-ST is classified as a designated project (DP) under the Part I of Schedule 2 of the Environmental Impact Assessment Ordinance (EIAO) (Cap. 499). The scale and scope of DP is classified as below:

- Widening and reconstruction of an approximate 1.2 km long of the existing Tai Po Road (Sha Tin Section) from dual 2-lane to dual 3-lane carriageway; and improvement of the existing Sha Tin Rural Committee Road and its junctions.

1.1.3 The Environmental Monitoring and Audit (EM&A) programme under this Contract is governed by the Environmental Permit (EP) (EP No: EP-463/2013/B) and the updated EM&A Manual (Reference No.: 0064/18/ED/0122D). The Works to be executed under this Contract and corresponding EPs include but not be limited to the following main items:

(i) Road widening works of TPR-ST:

- a. widening of TPR-ST of about 1.1 kilometres between Sha Tin Rural Committee Road (STRCR) and Fo Tan Road from dual two-lane to dual three-lane;
- b. modification to the existing diamond interchange at TPR-ST / STRCR (STRCR Interchange);
- c. provision of two pedestrian lifts, re-provision of staircase and cycle track ramp at the modified STRCR Interchange;
- d. modification of existing cycle track subway no. NS30 near Sha Tin Plaza;
- e. modification of the existing footbridge no. NF40 across TPR-ST near Wo Che Street;
- f. modification of the existing footbridge no. NF66 near Fung Wo Lane;
- g. installation of noise mitigation measures between Citylink Plaza and Mei Wo House of Wo Che Estate;
- h. associated drainage works, waterworks, street lighting works and traffic control and surveillance system (TCSS).

(ii) Retrofitting of noise barriers along TPR-ST:

- (a) western section between Citylink Plaza and Scenery Court;
- (b) eastern section between Mei Wo House of Wo Che Estate and Fo Tan Road; and
- (c) associated drainage works, waterworks and street lighting works.

(iii) Associated street furniture, road marking, traffic signs, directional signs, services and utilities, and

(iv) Associated landscaping works.

1.1.4 The location and boundary of the site is shown in **Figure 1**.



1.1.5 This Monthly EM&A report is required under EP-463/2013/B Condition 3.4. It is to report the results and findings of the EM&A programme required in the updated EM&A Manual.

1.1.6 This is the 38th monthly EM&A Report which summarized the impact monitoring results and audit findings for the construction of the road widening and retrofitting noise barriers on Tai Po Road (Sha Tin Section) (TPR-ST) (hereafter referred as “the Project”) within the period between 1 January 2022 and 31 January 2022.

1.2 Project Organization

1.2.1 The project proponent was the Civil Engineering and Development Department, HKSAR (CEDD). AECOM Asia Co. Ltd. (AECOM) was commissioned by CEDD as the Engineer for the Project. Acuity Sustainability Consulting Limited – Nature & Technologies (HK) Limited Joint Venture was commissioned as the Independent Environmental Checker (IEC). China railway – China Railway First Group – Zhen Hua Engineering Joint Venture (CCZJV) was appointed as the main contractor for the construction works under the contract NE/2017/05. Fugro Technical Services Limited (FTS) was appointed as the Environmental Team (ET) by CEDD to implement the EM&A programme for the Project.

1.2.2 The organization structure is shown in **Appendix B**. The key personnel contact names and numbers for the Project are summarized in **Table 1.1**.

Table 1.1 Contact Information of Key Personnel

| Party | Position | Name | Telephone |
|---|-----------------------------------|-------------------|-----------|
| Project Proponent (CEDD) | Senior Engineer | Mr. Joseph Yan | 3152 3470 |
| Engineer’s Representative (AECOM) | Chief Resident Engineer | Mr. Albert Yu | 2276 0618 |
| IEC (Acuity Sustainability Consulting Limited – Nature & Technologies (HK) Limited Joint Venture) | Independent Environmental Checker | Mr. Kevin Li | 9779 2247 |
| Main Contractor (CCZJV) | Site Agent | Mr. Anthony Poon | 9811 5135 |
| | Environmental Officer | Ms. Kimberly Wong | 5222 4603 |
| ET (FTS) | Environmental Team Leader | Mr. David Hung | 3565 4371 |



1.3 Construction Programme and Activities

1.3.1 The construction of the Project commenced on 29 November 2018 and is expected to complete in 2023. The construction programme is shown in **Appendix A**.

1.3.2 A summary of the major construction activities undertaken in the reporting month were shown in below table:

| Zone 1 | Zone 2 | Zone 3 | Zone 4 | Zone 5 |
|---|--|---|--|---|
| <ul style="list-style-type: none"> • Trial Pits Excavation • Tree Works (Including Preservation/ Felling/Pruning/ Transplantation) • Noise Barrier Foundation and Erection Works • Road Reconstruction Works, Sheet Pile Removal, and Lane Shifting Works • Mini Pile Construction Works | <ul style="list-style-type: none"> • Trial Pits Excavation • Tree Works (Including Preservation/ Felling/Pruning/ Transplantation) • Noise Barrier Foundation and Erection Works • Road Reconstruction Works, Sheet Pile Removal, and Lane Shifting Works • Mini Pile Construction Works • Removal of Existing Sign Gantries | <ul style="list-style-type: none"> • Tree Works (Including Preservation/Felling/ Pruning/ Transplantation) • Road Surface Maintenance • Construction / Diversion of Underground Utilities, Including ELS Works and Sheet Piling • Retaining Wall Construction Works • Lagging Wall Construction Works • Construction of Cycle Track Subway, Pump Room and Stem Wall Construction Works • Demolition of Existing Parapet • Pre Bore H Pile Construction Works • Steel Works Installation for Lift • Profile Barrier and Stem Wall Construction Works • Foundation Works for SR2 • Construction Works for N263 and N264 Bridge Deck Widening • Construction Works for SR6 Temporary Widening • ELS Works at SHA for Widening of SR3 • Removal of Existing Sign Gantries • Foundation Works for Lift | <ul style="list-style-type: none"> • Road Surface Maintenance • NF40 Footbridge Construction Works • Noise Barrier Foundation Works | <ul style="list-style-type: none"> • Road Surface Maintenance • Mini Pile Construction Works • Noise Barrier Foundation Works • Stem Wall and Drainage Construction Works |



1.4 Status of Environmental Licenses, Notifications and Permits

1.4.1 A summary of the relevant environmental licenses, permits and/or notifications on environmental protection for this Contract is presented in **Table 1.2**.

Table 1.2 Relevant Environmental Licenses, Permits and/or Notifications

| Environmental License / Permit / Notification | Reference Number | Valid From | Valid Till |
|---|-------------------------|-------------------|-------------------|
| Environmental Permit for whole project | EP-463/2013/B | 20/12/2016 | Nil |
| Receipt of the notification of construction dust production | Form NA | 27/7/2018 | Nil |
| Construction Waste Disposal Account | 7031619 | 17/8/2018 | Nil |
| Chemical Waste Producer Registration | 5318-758-C4314-01 | 06/11/2018 | Nil |
| Effluent Discharge License (Zone 1 – 5) | WT00032446-2018 | 09/11/2018 | 30/11/2023 |
| Effluent Discharge License (Shui Chong Street) | WT00033829-2019 | 25/06/2019 | 30/06/2024 |
| Construction Noise Permit for the Operation of Water Pump (Zone 1 – 5) | GW-RN0714-21 | 01/10/2021 | 31/03/2022 |
| Construction Noise Permit for Road Closure, Road Maintenance (Zone 1 – 3) | GW-RN0793-21 | 18/11/2021 | 08/03/2022 |
| Construction Noise Permit for Road Closure, G39 Profile Barrier Erection Works (Zone 3) | GW-RN0861-21 | 26/11/2021 | 24/01/2022 |
| Construction Noise Permit for Road Closure, Lane Shifting and Removal of Sign Gantries Works (Zone 1 – 3) | GW-RN0871-21 | 05/12/2021 | 19/02/2022 |
| Construction Noise Permit for Road Closure, General Night Works (Zone 1 – 5) | GW-RN0916-21 | 27/12/2021 | 28/03/2022 |



2. AIR QUALITY

2.1 Monitoring Requirement

In accordance with the updated EM&A Manuals, 24-hour & 1-hour Total Suspended Particulates (TSP) level at the designated air quality monitoring station are required. Impact 24-hour and 1-hour TSP monitoring should be carried out at least once every 6 days. The Action and Limit Levels of the air quality monitoring are given in **Appendix C**.

2.2 Monitoring Equipment

The 24-hour and 1-hour TSP air quality monitoring was performed using High Volume Air Samplers (HVS) and portable TSP Monitors located at each of the designated monitoring station respectively.

Table 2.1 and 2.2 summarizes the equipment used in air quality monitoring.

Table 2.1 24-hour TSP Monitoring Equipment

| Item | Location | Brand | Model | Equipment | Serial Number |
|------|----------|---------|-------------|------------------------------|---------------|
| 1 | AMS5 | *Sibata | Model LD-3B | Sibata Portable TSP Monitors | 882189 |
| 2 | AMS7A | *Sibata | Model LD-3B | Sibata Portable TSP Monitors | 476783 |
| 3 | AMS14 | *Sibata | Model LD-3B | Sibata Portable TSP Monitors | 466711 |
| 4 | AMS15 | *Sibata | Model LD-3B | Sibata Portable TSP Monitors | 597317 |

*Notes: As electricity supply is not available and accessible for the High Volume Samplers (HVS) at AMS 5, 7A, 14 and 15 portable Laser Particle Photometer Monitors will be utilized for 24-hour TSP monitoring instead of High Volume samplers (HVS). The correlation between HVS and the portable Laser Particle Photometer Monitors are presented in Appendix D.

Table 2.2 1-hour TSP Monitoring Equipment

| Item | Location | Brand | Model | Equipment | Serial Number |
|------|----------|--------|-------------|------------------------------|---------------|
| 1 | AMS5 | Sibata | Model LD-3B | Sibata Portable TSP Monitors | 882189 |
| 2 | AMS7A | Sibata | Model LD-3B | Sibata Portable TSP Monitors | 476783 |
| 3 | AMS14 | Sibata | Model LD-3B | Sibata Portable TSP Monitors | 466711 |
| 4 | AMS15 | Sibata | Model LD-3B | Sibata Portable TSP Monitors | 597317 |

2.3 Monitoring Methodology

2.3.1 24-hour TSP air quality monitoring by High Volume Air Samplers (HVS)

HVS Installation

The following guidelines were adopted during the installation of HVS:

- Sufficient support is provided to secure the samplers against gusty wind.
- No two samplers are placed less than 2 meters apart.
- The distance between the sampler and an obstacle, such as buildings, is at least twice the height that the obstacle protrudes above the sampler.
- A minimum of 2 meters of separation from walls, parapets and penthouses is required for rooftop samples.
- A minimum of 2 meters separation from any supporting structure, measured horizontally is required.
- No furnaces or incineration flues are nearby.



- Airflow around the samplers is unrestricted.
- The samplers are more than 20 meters from the drip line.
- Any wire fence and gate, to protect the sampler, should not cause any obstruction during monitoring.

Filters Preparation

Fiberglass filters (provided by the HOKLAS accredited laboratory) shall be used (Note: these filters have a collection efficiency of larger than 99% for particles of 0.3 μm diameter). A HOKLAS accredited laboratory (Fugro Technical Services Limited) is responsible for the preparation of 24-hr conditioned and pre-weighed filter papers for monitoring team.

All filters are equilibrated in the conditioning environment for 24 hours before weighing. The conditioning environment temperature is around 25°C and not variable by more than $\pm 3^\circ\text{C}$; the relative humidity (RH) is $< 50\%$ and not variable by more than $\pm 5\%$. A convenient working RH is 40%.

Operating / Analytical Procedures

Operating / analytical procedures for the air quality monitoring are highlighted as follows:

- Prior to the commencement of the dust sampling, the flow rate of the HVS are properly set (between 0.6 m^3/min and 1.7 m^3/min) in accordance with the EM&A manual. The flow rate shall be indicated on the flow rate chart.
- The power supply shall be checked to ensure the samplers worked properly.
- On sampling, the samplers shall be operated for 5 minutes to establish thermal equilibrium before placing any filter media at the designated air quality monitoring station.
- The filter holding frame is then removed by loosening the four nuts and carefully a weighted and conditioned filter is centered with the stamped number upwards, on a supporting screen.
- The filter shall be aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter. Then the filter holding frame is tightened to the filter holder with swing bolts. The applied pressure should be sufficient to avoid air leakage at the edges.
- The shelter lid shall be closed and secured with the aluminum strip.
- The timer is then programmed. Information shall be recorded on the record sheet, which included the starting time, the weather condition and the filter number (the initial weight of the filter paper can be found out by using the filter number).
- After sampling, the filter shall be removed and sent to laboratory for weighing. The elapsed time is also recorded.
- Before weighing, all filters are equilibrated in a conditioning environment for 24 hours. The conditioning environment temperature should be between 25°C and 30°C and not vary by more than $\pm 3^\circ\text{C}$; the relative humidity (RH) should be $< 50\%$ and not vary by more than $\pm 5\%$. A convenient working RH is 40%. Weighing results are returned to MCL for further analysis of TSP concentrations collected by each filter.



2.3.2 24-hour TSP air quality monitoring by portable Laser Particle Photometer Monitors

Operating / Analytical Procedures

The measuring procedures of the 24-hr dust meter are in accordance with the Manufacturer's instruction Manual as follows:

- Pull up the air sampling inlet cover
- Change the Mode 0 to BG once
- Push Start/Stop switch once
- Turn the knob to SENSI.ADJ and press it
- Push Start/Stop switch once
- Return the knob to the position MEASURE slowly
- Push the timer set switch to set measuring time
- Remove the cap and make a measurement

Calculation of the value of 24-hr TSP concentration is given by the average of 24 calculated 1-hr TSP concentration, where the calculated 1-hr TSP concentration is given by the product of the direct reading and the K-factor based on the correlation results between the direct reading meter and high volume sampler.

2.3.3 1-hour TSP air quality monitoring

Operating / Analytical Procedures

The measuring procedures of the 1-hr dust meter are in accordance with the Manufacturer's instruction Manual as follows:

- Pull up the air sampling inlet cover
- Change the Mode 0 to BG once
- Push Start/Stop switch once
- Turn the knob to SENSI.ADJ and press it
- Push Start/Stop switch once
- Return the knob to the position MEASURE slowly
- Push the timer set switch to set measuring time
- Remove the cap and make a measurement

2.4 Maintenance / Calibration

2.4.1 24-hour TSP air quality monitoring

The following maintenance / calibration are required for the HVS:

- The high volume motors and their accessories are properly maintained. Appropriate maintenance such as routine motor brushes replacement and electrical wiring checking are made to ensure that the equipment and necessary power supply are in good working condition.
- All HVS shall be calibrated (five point calibration) using Calibration Kit upon installation and thereafter in every 3 months.
- A copy of the calibration certificates for the HVS and calibrator are provided in **Appendix D**.



2.4.2 1-hour TSP air quality monitoring

- The portable TSP monitor should be calibrated at 1-year intervals.

2.5 Monitoring Locations

2.5.1 The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works. According to the Hong Kong Observatory, wind direction in January 2022 are north and northeast. The most updated locations are summarized in **Table 2.3** and shown in **Figure 2a**.

Table 2.3 Location of Air Quality Monitoring Station

| Monitoring Station | Location | Land uses |
|--------------------|---------------|---------------------|
| AMS5 | Tin Liu | Residential Village |
| AMS7A | Sheung Wo Che | Residential Village |
| AMS14 | Ha Wo Che | Residential Village |
| AMS15 | Wo Che Estate | Residential Village |

2.6 Results and Observations

2.6.1 The schedule of air quality monitoring in reporting month is provided in **Appendix E**.

2.6.2 No Action / Limit Level exceedance was recorded for 24-hr and 1-hr TSP at AMS 5, 7A, 14 and 15 in the reporting month.

2.6.3 During the reporting month, major dust sources included trial pits excavation, mini-piling, demolition of existing parapet, road reconstruction and ELS works were observed in the site. Other factors such as road traffic along Tai Po Road may affect the monitoring results.

2.6.4 The weather conditions during the monitoring are provided in **Appendix K**.

2.6.5 The monitoring data of 24-hr and 1-hr TSP are summarized in **Table 2.4 and 2.5**. Detailed monitoring data are presented in **Appendix F**.

Table 2.4 Summary of 24-hr TSP Monitoring Results

| Parameter | Monitoring Station | Average ($\mu\text{g}/\text{m}^3$) | Range ($\mu\text{g}/\text{m}^3$) | Action Level ($\mu\text{g}/\text{m}^3$) | Limit Level ($\mu\text{g}/\text{m}^3$) |
|--|--------------------|--------------------------------------|------------------------------------|---|--|
| 24-hr TSP in $\mu\text{g}/\text{m}^3$ | AMS5 | 57 | 39 – 76 | 156 | 260 |
| | AMS7A | 53 | 39 – 64 | 171 | |
| | AMS14 | 52 | 37 – 63 | 174 | |
| | AMS15 | 53 | 37 – 61 | 172 | |

Table 2.5 Summary of 1-hr TSP Monitoring Results

| Parameter | Monitoring Station | Average ($\mu\text{g}/\text{m}^3$) | Range ($\mu\text{g}/\text{m}^3$) | Action Level ($\mu\text{g}/\text{m}^3$) | Limit Level ($\mu\text{g}/\text{m}^3$) |
|---|--------------------|--------------------------------------|------------------------------------|---|--|
| 1-hr TSP in $\mu\text{g}/\text{m}^3$ | AMS5 | 66 | 41 – 93 | 340 | 500 |
| | AMS7A | 61 | 47 – 82 | 344 | |
| | AMS14 | 62 | 42 – 78 | 350 | |
| | AMS15 | 61 | 39 – 76 | 350 | |

2.6.6 The Event and Action Plan for air quality is given in **Appendix H**.



3. NOISE

3.1 Monitoring Requirement

3.1.1 In accordance with the updated EM&A Manuals, L_{eq} (30min) monitoring is conducted for at least once a week during the construction phase between 0700 and 1900 on normal weekdays at the designated monitoring locations.

3.2 Monitoring Equipment

3.2.1 The sound level meter used in noise monitoring will comply with the International Electrotechnical Commission Publication 651:1979 (Type 1) and 804:1985 (Type 1) specifications as referred to in the Technical Memorandum issued under the Noise Control Ordinance (NCO).

3.2.2 Sound level calibrator will be used for the on-site calibration of the meter. This calibrator complies with the IEC Publication 942 (1988) Class 1 and ANSI S1.40 - 1984. Noise measurements were only accepted to be valid if the calibration levels from before and after the measurement agree to within 1.0dB.

3.2.3 Measurements shall be recorded to the nearest 0.1dB. Sound level meters are programmed to measure A-weighted equivalent continuous sound pressure level at 30-minute intervals between 0700 and 1900 on normal weekdays at least once a week when construction activities are underway.

Table 3.1 summarizes the noise monitoring equipment model being used for this project.

Table 3.1 Noise Monitoring Equipment

| Item | Brand | Model | Equipment | Serial Number |
|------|---------|----------------|-------------------------------|---------------|
| 1 | Casella | CEL-63X Series | Integrating Sound Level Meter | 1367959 |
| 2 | Casella | CEL-63X Series | Integrating Sound Level Meter | 1488270 |
| 3 | Casella | CEL-63X Series | Integrating Sound Level Meter | 1488293 |
| 4 | Casella | CEL-63X Series | Integrating Sound Level Meter | 1488295 |
| 5 | Casella | CEL-63X Series | Integrating Sound Level Meter | 1488302 |
| 6 | Casella | CEL-63X Series | Integrating Sound Level Meter | 4181568 |
| 7 | Casella | CEL-120 Series | Calibrator | 1677126 |
| 8 | Casella | CEL-120 Series | Calibrator | 2383707 |
| 9 | Casella | CEL-120 Series | Calibrator | 2383886 |
| 10 | Casella | CEL-120 Series | Calibrator | 3321858 |
| 11 | Casella | CEL-120 Series | Calibrator | 5230736 |

3.3 Monitoring Parameters and Frequency

Table 3.2 presents the noise monitoring parameters and frequencies.

Table 3.2 Monitoring Parameters and Frequencies of Noise Monitoring

| Parameter | Frequency and Period |
|---|---|
| L_{Aeq} (30min) L_{10} and L_{90} will be recorded for reference | At each station at 0700-1900 hours on normal weekdays at a frequency of once a week |

3.4 Monitoring Methodology

3.4.1 The monitoring procedures are as follows:

- The monitoring station is set at a point 1m from the exterior of the sensitive receivers building façade and set at a position 1.2m above the ground.
- The battery condition is checked to ensure good functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time are set as follows:
 - frequency weighting : A
 - time weighting : Fast
 - measurement time : Weekly 30 minutes between 0700-1900 on normal weekdays
- Prior to and after noise measurement, the meter shall be calibrated using the calibrator for 94.0 dB at 1000 Hz. If the difference in the calibration level before and after measurement is more than 1.0 dB, the measurement will be considered invalid and repeat of noise measurement is required after re-calibration or repair of the equipment.
- Noise monitoring should be cancelled in the presence of fog, rain, and wind with a steady speed exceeding 5 m/s, or wind with gusts exceeding 10 m/s.
- Noise measurement should be paused during periods of high intrusive noise if possible and observation shall be recorded when intrusive noise is not avoided.
- At the end of the monitoring period, the Leq, L10 and L90 are recorded. In addition, site conditions and noise sources are recorded on a standard record sheet.

3.5 Maintenance / Calibration

3.5.1 Maintenance and Calibration procedures are as follows:

- The microphone head of the sound level meter and calibrator should be cleaned with a soft cloth at quarterly intervals.
- The sound level meter and calibrator should be calibrated annually by a HOKLAS laboratory.
- Relevant calibration certificates are provided in **Appendix D**.

3.6 Monitoring Locations

3.6.1 According to the updated EM&A Manual, 25 noise monitoring locations were included during the noise monitoring. The monitoring locations are summarized in **Table 3.3** and shown in **Figure 2b**.



Table 3.3 Location of Noise Monitoring Station

| Monitoring Station | Location | Land Uses | Type of Measurement |
|--------------------|--------------------------------|---------------------|---------------------|
| NMS1 | Scenery Court | Residential | Façade |
| NMS2 | Villa Le Parc | Residential | Façade |
| NMS3 | Hilton Plaza | Residential | Façade |
| NMS4 | Tin Liu | Residential Village | Façade |
| NMS5A | Wai Wah Centre (Site Boundary) | Residential | Façade |
| NMS6A | Wai Wah Centre (Site Boundary) | Residential | Façade |
| NMS7 | Tin Liu | Residential Village | Façade |
| NMS8 | Shatin Plaza | Residential | Façade |
| NMS9 | Lek Yuen Estate | Residential | Façade |
| NMS10A | Shatin Tsung Tsin School | School | Façade |
| NMS11 | Sheung Wo Che | Residential Village | Façade |
| NMS12 | SKH Holy Spirit Primary School | School | Façade |
| NMS13 | Lek Yuen Estate | Residential | Façade |
| NMS14 | Sheung Wo Che | Residential Village | Façade |
| NMS15 | Ha Wo Che | Residential Village | Façade |
| NMS16 | Ha Wo Che | Residential Village | Façade |
| NMS17 | Shatin Pui Ying College | School | Façade |
| NMS18 | Ha Wo Che | Residential Village | Façade |
| NMS19 | Wo Che Estate | Residential | Façade |
| NMS20 | Wo Che Estate | Residential | Façade |
| NMS23 | Pai Tau | Residential Village | Façade |
| NMS24 | Shatin Plaza | Residential | Façade |
| NMS25A | Sheung Wo Che | Residential Village | Façade |
| NMS26 | Wo Che Estate | Residential | Façade |
| NMS27 | Jockey Club Ti-I College | School | Façade |

3.7 Results and Observations

- 3.7.1 The schedule of noise monitoring in reporting month is provided in **Appendix E**.
- 3.7.2 The exam schedules of the schools and Arrangements on Deferral of Class Resumption for All Schools are provided in **Appendix E**.
- 3.7.3 During the monitoring month, road traffic along Tai Po Road was observed which may affect the monitoring results.
- 3.7.4 According to the onsite observation, no raining was observed and no wind speed over 5 m/s was measured during the noise monitoring. The weather conditions during the monitoring month are provided in **Appendix K**.
- 3.7.5 The day time noise monitoring data are summarized in **Table 3.4**. Detailed monitoring data are presented in **Appendix G**.

Table 3.4 Summary of Day Time Noise Impact Monitoring Results

| Monitoring Station | Leq (30min) Range, dB(A) | Leq (30min) Limit Level, dB(A) |
|--------------------|--------------------------|--------------------------------|
| | Construction Noise Level | |
| NMS1 | 62.0 – 64.6 | 75 |
| NMS2 | 51.9 – 54.1 | 75 |
| NMS3 | 66.4 – 68.7 | 75 |
| NMS4 | 61.8 – 64.9 | 75 |
| NMS5A | 70.3 – 70.8 | 75 |
| NMS6A | 67.0 – 72.4 | 75 |
| NMS7 | 62.6 – 66.4 | 75 |
| NMS8 | 63.2 – 66.9 | 75 |
| NMS9 | 65.7 – 66.8 | 75 |
| NMS10A | 59.9 – 64.2 | 70 ^[2] |
| NMS11 | 59.3 – 61.7 | 75 |
| NMS12 | 60.1 – 63.4 | 70 ^[2] |
| NMS13 | 59.7 – 61.5 | 75 |
| NMS14 | 60.2 – 62.9 | 75 |
| NMS15 | 56.2 – 59.3 | 75 |
| NMS16 | 56.8 – 60.7 | 75 |
| NMS17 | 60.7 – 62.1 | 65 & 70 ^[2,3] |
| NMS18 | 57.4 – 62.4 | 75 |
| NMS19 | 63.2 – 64.0 | 75 |
| NMS20 | 58.3 – 65.8 | 75 |
| NMS23 | 61.6 – 63.3 | 75 |
| NMS24 | 62.1 – 67.9 | 75 |
| NMS25A | 63.8 – 66.5 | 75 |
| NMS26 | 69.0 – 71.1 | 75 |
| NMS27 | 60.7 – 63.9 | 65 & 70 ^[2,4] |

Note: 1. Leq (30min) was measured at day-time (0700-1900) on normal weekdays.
 2. 70 dB (A) for schools and 65 dB (A) for schools during examination period. The school calendar are provided in **Appendix E**.
 3. The limit level was 65 dB (A) for Shatin Pui Ying College (NMS 17) during 7, 10-14 and 17-20 January 2022.
 4. The limit level was 65 dB (A) for Jockey Club Ti-I College (NMS 27) during 3 – 15 January 2022.

3.7.6 Regular night time noise monitoring were conducted on 6, 13, 20 and 27 January 2022 and the results are summarized in **Table 3.5**. Detailed monitoring data are presented in **Appendix G**.



Table 3.5 Summary of Night Time Noise Impact Monitoring Results

| Monitoring Station | L_{eq} (15min) Range, dB(A) | L_{eq} (15min) Limit Level, dB(A) | L_{eq} (15min) Baseline, dB(A) |
|--------------------|-------------------------------|-------------------------------------|----------------------------------|
| | Construction Noise Level | | |
| NMS1 | 56.2 – 60.5 | 55 | 61.4 |
| NMS2 | 49.5 – 54.0 | 55 | 49.7 |
| NMS3 | 59.4 – 62.0 | 55 | 70.9 |
| NMS4 | 58.9 – 61.4 | 55 | 62.6 |
| NMS5A | 65.2 – 66.6 | 55 | 67.9 |
| NMS6A | 65.4 – 67.9 | 55 | 71.5 |
| NMS7 | 48.8 – 58.7 ^[2] | 55 | 59.0 |
| NMS8 | 57.2 – 62.3 | 55 | 64.4 |
| NMS9 | 51.9 – 53.3 ^[2] | 55 | 53.5 |
| NMS11 | 51.6 – 55.0 ^[2] | 55 | 53.2 |
| NMS13 | 51.4 – 54.8 ^[2] | 55 | 57.3 |
| NMS14 | 48.7 – 52.4 ^[2] | 55 | 54.1 |
| NMS15 | 52.4 – 58.0 ^[2] | 55 | 58.8 |
| NMS16 | 54.3 – 58.9 | 55 | 60.1 |
| NMS18 | 57.1 – 60.0 | 55 | 63.2 |
| NMS19 | 57.7 – 59.8 | 55 | 61.7 |
| NMS20 | 48.5 – 57.0 | 55 | 57.7 |
| NMS23 | 51.6 – 57.8 ^[2] | 55 | 59.9 |
| NMS24 | 44.7 – 56.3 ^[2] | 55 | 58.0 |
| NMS25A | 53.8 – 59.6 | 55 | 59.7 |
| NMS26 | 47.9 – 60.6 ^[2] | 55 | 61.2 |

Note: 1. L_{eq} (15min) was measured at night-time (2300-0700).
2. If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, } L_{eq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$

3. Detailed analysis of each monitoring location is provided in **Appendix G**.

3.7.7 Day time construction noise monitoring was carried out in the reporting month, no Action / Limit Level exceedance was recorded during the period. For night time noise monitoring, no exceedance case due to construction activity was recorded between 2300 and 0700 of the next day during the reporting month.

3.7.8 The Action and Limit Levels for noise impact monitoring have been set and are presented in **Appendix C**.

3.7.9 The Event and Action Plan for noise is given in **Appendix H**.



4. LANDSCAPE AND VISUAL

4.1 Audit Requirements

4.1.1 In accordance with the EM&A Manual, the landscape and visual mitigation measures during the construction phase are primarily due to those associated temporary works for the construction of retrofitting noise barriers/enclosures. To ensure compliance with the intended aims of the measures, weekly site inspections are undertaken throughout the construction period.

4.1.2 According to the updated EM&A Manual, measures to mitigate landscape and visual impacts during construction should be checked to ensure compliance with the intended aims of the measures. The progress of the engineering works shall be regularly reviewed onsite to identify the earliest practical opportunities for the landscape works to be undertaken. The ET shall report on the Contractor's compliance on a weekly basis.

4.2 Results and Observations

4.2.1 Site audits were carried out to monitor and audit the implementation of landscape and visual mitigation measures. The summary of the site audits is given in **Appendix M**.

4.2.2 No non-compliance of the landscape and visual impact was recorded in the reporting month.



5. WASTE MANAGEMENT

5.1 Audit Requirements

5.1.1 The effective management of waste arising during the construction phase will be monitored through the site audit programme. Regular audits and site inspections should be carried out to ensure that the recommended good site practices and other mitigation measures are implemented by the Contractor.

5.1.2 The audit should look at all aspects of on-site waste management practices including the waste generation, storage, recycling, transport and disposal. The aims of waste audit are:

- to ensure the waste arising from the works are handled, stored, collected, transferred and disposed of in an environmentally acceptable manner;
- verify the implementation status and evaluate the effectiveness of the mitigation measures; and
- to encourage the reuse and recycling of material.

5.2 Results and Observations

5.2.1 C&D materials and wastes sorting were carried out on site. Receptacles were available for C&D wastes and general refuse collection.

5.2.2 The amount of wastes generated by the site activities in the reporting month is shown in **Appendix I**.



6. SITE INSPECTION

6.1 Site Inspection

- 6.1.1 Site inspections were carried out weekly to monitor the implementation of proper environmental pollution control and mitigation measures for the Project. A summary of the mitigation measures implementation schedule is provided in **Appendix J**.
- 6.1.2 In the reporting month, 5 site inspections were carried out on 6, 13, 17, 27 and 31 January 2022. The site inspection held on 17 January 2022 was joint inspection with the IEC, ER, the Contractor and the ET during the reporting period.
- 6.1.3 The follow-up actions requested by ET and IEC during the site inspections were completed, reported by the Contractor. All the rectifications during the reporting period were fulfilled with the requirement of Proposal of Site Inspection, Deficiency and Remedial Action. No outstanding issues were reported during the reporting month. Details of observations recorded during the site inspections are summarized in **Appendix M**.
- 6.1.4 Night-time site inspection was carried out by Environmental Protection Inspectors (EPIs) on 15th January 2022 from 12:15 to 1:10 a.m. at Zone 1 and 2. The EPIs inspected the construction works activities being held under CNP no.: GW-RN0916-21. There was no particular observation during the site inspection.

7. ENVIRONMENTAL COMPLAINT AND NON-COMPLIANCE

7.1 Environmental Exceedance

- 7.1.1 24-hour and 1-hour TSP impact monitoring were carried out in the reporting month, no Action / Limit Level exceedance was recorded during the period.
- 7.1.2 Day time construction noise monitoring was carried out in the reporting month, no Action / Limit Level exceedance was recorded during the period. Regular night time noise monitoring was carried out on 6, 13, 20 and 27 January 2022 respectively and no exceedance case was recorded between 2300 and 0700 of the next day during the reporting month.

7.2 Complaints, Notification of Summons and Prosecution

- 7.2.1 Five complaints were received at the previous reporting month (December 2021). Among the complaint received, two of the investigation were completed in December 2021, while three of them were completed in January 2022. The summary of the investigation completed in January 2022 is shown as below:
- 7.2.2 A complaint was received by 1823 (ref: CASE # 3-7020268390) on 16th December 2021 at 12:27 a.m. The complainant concerned about the night-time noise nuisance generated from the Tai Po Road (Sha Tin Section) construction site (near Wai Wah Centre, Block 3) in recent days.

The construction work activities were allowed under the in-force CNP no.: GW-RN0600-21 Road Closure for General Night Works that issued by the EPD. According to the Main Contractor, the construction work activities were carried out during the permitted hours (22:00-05:00) between 13th and 16th December 2021 (at Zone 2). The night-time construction works included TTA implementation, asphalt removal and cutting works, loading and unloading of materials, lifting steel plate and site clearance.

ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 10th December 2021 and Notice to Affected Residents – PN165 have been issued to nearby NSRs on 29th November 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future.

- 7.2.3 Three complaints were received by 1823 from the same complainant (ref: CASE # 3-6727963845 via email) on 21st December 2021 at 8:35 a.m., 22nd December 2021 at 9:18 a.m. and 5:06 p.m. The complainant, Ms. So concerned about the recent day-time noise nuisance generated from day-time construction works from the Tai Po Road (Sha Tin Section) construction site (near Mei Wo House, Wo Che Estate).

According to the Main Contractor, the construction works were carried out at day-time (08:00-18:00) between 15th and 22nd December 2021 near Mei Wo House (at Zone 5). The construction work activities included formwork erection, formwork removal, rebar fixing, and concreting works.

ET carried out regular day-time noise monitoring on 20th and 21st December 2021 at NMS 16-20 and NMS 26, no exceedance case was found. All the noise monitoring results at the above-



mentioned stations were lower than the noise limit of 75 dB(A) L_{eq} (30 minutes) at the facade of dwellings and 70 dB(A) L_{eq} (30 minutes) for school.

To minimize the noise impact generated from day-time construction works, the Main Contractor reported that they have implemented an additional noise mitigation measure (with temporary noise barriers) for the Mei Wo House, NSR. During the ET weekly environmental inspection on 13th January 2022, the noise barriers were observed as properly installed. Most of the sight from the nearby NSRs for the noise works and PME were blocked by the implemented noise barrier. There was no particular observation about the noise impact generated from the construction activities during the site inspection. ET reminded the Main Contractor to ensure the additional noise barriers were applied properly next to the PMEs and noisy work. The contractor should minimize the noise impact generated from the daily construction works activities as much as possible.

- 7.2.4 Two complaints were received by 1823 (ref: CASE # 3-7043757669 via voice mail) on 29th December 2021 at 12:07 a.m. and (ref: CASE # 3-7046572787 via email) on 29th December 2021 at 1:07 a.m. and 1:18 a.m. (repeat email). The complainant, Mr. Sung concerned about the night-time noise nuisance generated from the Tai Po Road (Sha Tin Section) construction site (near Hilton Plaza) on 23rd December 2021 at 12:30 a.m. and 29th December 2021 at 12:00 a.m.

According to Main Contractor, there were night-time construction works carried out at Tai Po Road and near Hilton Plaza (Zone 1 and 2) on 22nd ^ 23rd and 28th ^ 29th December 2021. The works included TTA implementation, pavement breaking along existing profile barriers, excavation (handling of rubble), remove steel plate from the trench, pipe laying inside the trench, reinstate steel plate to cover trench, removal of rubble, plant demobilization, and site clearance on 22nd ^ 23rd December 2021. Moreover, TTA implementation, dismantling of access tower, noise barrier steel post delivery, plant mobilization, pavement breaking along existing profile barriers, erection of noise barrier steel post, removal of existing profile barriers, and site clearance were carried out on 28th ^ 29th December 2021.

ET checked that the Main Contractor did not comply with the conditions listed in CNP No.: GW-RN0600-21 and GW-RN0916-21 during the construction work activities on 22nd ^ 23rd and 28th ^ 29th December 2021 with unauthorized PME being used on-site. Enhance measures and supervision was urged by ET to the Main Contractor to prevent similar incident from happening again. The Main Contractor reported that enhancement measures, included altering the works schedule, enhance supervision and control system are applied currently.

The Main Contractor was reminded again by ET to strictly follow and fully comply with the requirement listed in the CNP. Only allowable PMEs listed in the CNP can be used to carry out construction works. Mitigation measures should also be applied according to CNP condition 3.d., 4.d and EM&A Manual when carrying out construction activities during the restricted hour. All construction works should be carried out as quickly as possible to minimize the noise nuisance to the sensitive receivers.

- 7.2.5 One complaint was received during the reporting month.
- 7.2.6 The complaint was received by EPD Regional Office (North) (ref: RN1596-22) on 17th January 2022. The complainant who lived near Mei Wo House, Wo Che Estate concerned about the night-time noise and dust nuisance generated from the nearby road.

The construction work activities were allowed under the in-force CNP no.: GW-RN0916-21



Road Closure for General Night Works that issued by the EPD. According to the Main Contractor, the construction work activities were carried out during the permitted hours (23:00-05:00) on 13th and 14th January 2022 (at Zone 5), and these construction activities were carried out within the allowable location listed in the CNP (Zone I). The night-time construction works on 13th January 2022 included TTA implementation, Loading and Unloading of rubble, Lifting Operation, and Site Clearance. For 14th January 2022, night-time works included TTA implementation, Loading and Unloading of rubble, Lifting operation, Plant mobilization, and Site Clearance.

ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0916-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 7th December 2021 and Notice to Affected Residents – PN162 and 165 have been issued to nearby NSRs on 28th December 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future.

- 7.2.7 Cumulative complaint log, summaries of complaints, notification of summons and successful prosecutions are presented in **Appendix L**.

8. IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES

8.1 Implementation Status

8.1.1 The Contractor has implemented environmental mitigation measures and requirements as stated in the EIA Review Report, the EP and the updated EM&A Manuals. The implementation status of the mitigation measures during the reporting month is summarized in **Appendix J**.

8.1.2 According to the environmental audit performed in the reporting month, the following recommendations were made:

Air Quality Impact

- Excavated soil (wait for backfilling) should be covered with a tarpaulin if the construction works are paused or idle (Zone 5, SB).
- Damaged NRMM label should be replaced with a new one (Zone 5, SB, S02).

Construction Noise Impact

- Noise barrier should be erected properly before conducting the construction works (Zone 3, SB, SR6).
- The cover of the air compressor should be kept closed, in order to minimize the noise impact (Zone 3, SB, S05).

Water Quality Impact

- U-channel should be de-silted. Sandbag bunding should be provided along the u-channel and around the discharge point (Zone 2, SB).
- Sandbags should be placed next to the u-channel and discharge point for preventing silt and soil (erosion from slope) enter (Zone 5, SB).
- U-channel should be de-silted and covered with tarpaulin to prevent silt from entering the public drainage system (Zone 3, SB, C03).
- U-channel should be de-silted and blocked with sandbags to prevent untreated water or surface runoff from entering the discharge point (Zone 2, SB, S12).
- U-channels should be de-silted to prevent silt from entering the public drainage system (Zone 3, SB, S06).

Chemical and Waste Management

- Silt was generated from loading and unloading activities and being disposed to the highway. The silt should be cleaned as soon as possible. Sandbag and tarpaulin should also be placed next to the crane and water barriers (Zone 5, SB, S3E1).

Land Contamination

- Oil leakage and land contamination were observed under the pilling machine. The plant should be well-maintained and conducted regular checking. The contaminated soil should be collected and treated as chemical waste (Zone 5, SB, S02).

Landscape and Visual Impact

- No specific observation was identified in the reporting month.

General Condition

- No specific observation was identified in the reporting month.

Permit / Licenses

- No specific observation was identified in the reporting month.



9. FUTURE KEY ISSUES

9.1 Construction Programme for the Next Month

During the coming reporting month, the principal work activities within the site include:

- (1) Trial Pits Excavation in Zone 1 and 2.
- (2) Tree Preservation, Felling, Pruning, Transplantation in Zone 1, 2 and 3.
- (3) Road Surface Maintenance in Zone 1, 2, 3, 4 and 5.
- (4) Noise Barrier Foundation Works in Zone 1, 2, 4 and 5.
- (5) Noise Barrier Erection Works in Zone 1, 2 and 5.
- (6) Mini Pile Construction Works in Zone 1, 2 and 5.
- (7) Construction, Diversion of Underground Utilities, including ELS works and Sheet Piling in Zone 3.
- (8) Foundation Works for Lift in Zone 3.
- (9) Retaining Wall and Lagging Wall Construction Works in Zone 3.
- (10) Construction of Cycle Track Subway, Pump Room and Stem Wall Construction Works in Zone 3.
- (11) Demolition of Existing Parapet in Zone 3.
- (12) Pre Bore H Pile Construction Works in Zone 3.
- (13) Steel Works Installation for Lift and SR5 Pile Cap Construction Works in Zone 3.
- (14) Profile Barrier, Stem Wall Construction Works and Foundation Works for SR2 in Zone 3.
- (15) Construction Works for N263 & N264 Bridge Deck Widening and SR6 Temporary Widening in Zone 3.
- (16) ELS Works at SHA for Widening of SR3 in Zone 3.
- (17) Removal of Existing Sign Gentries in Zone 3.
- (18) Column Construction Works in Zone 3.
- (19) Dismantling of NF40 Existing Pier in Zone 4.
- (20) Road Drainage Works in Zone 5.
- (21) Slope Replacement Works in Zone 5.

9.2 Key Issues for the Coming Month

- 9.2.1 Potential environmental impacts arising from the above construction activities are mainly associated with construction dust, construction noise, water quality, waste management and landscape and visual impact.

9.3 Monitoring Schedules for the Next Month

- 9.3.1 The tentative schedules for environmental monitoring in the coming month are provided in **Appendix E**.



10. CONCLUSIONS

- 10.1.1 24-hour and 1-hour TSP impact monitoring were carried out in the reporting month, no Action / Limit Level exceedance was recorded during the period.
- 10.1.2 Day time construction noise monitoring was carried out in the reporting month, no Action / Limit Level exceedance was recorded during the period.
- 10.1.3 Regular night time noise monitoring was carried out on 6, 13, 20 and 27 January 2022, respectively and no exceedance case was recorded between 2300 and 0700 of the next day during the reporting month.
- 10.1.4 5 site inspections were carried out on 6, 13, 17, 27 and 31 January 2022. Recommendations on mitigation measures on air quality, construction noise, water quality, chemical and waste management were given to the Contractor for remediating the deficiencies identified during the site inspections.
- 10.1.5 One complaint was received during the reporting month. The complaint was received by EPD Regional Office (North) (ref: RN1596-22) on 17th January 2022. The complainant who lived near Mei Wo House, Wo Che Estate concerned about the night-time noise and dust nuisance generated from the nearby road.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.


Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Figure 1

Project General Layout

Project Management In-charge: **DESIGNER: FMSD** Checked: **BCC** Approved: **CNN** **ISO A1 84mm x 64mm**
 4/1/2018
 PLOT FILE BY: **MSB**
 DATE: **2017/12/21**



NOTES:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60481656/C1/1002 TO 1006 AND 1021 TO 1023.
2. ALL DIMENSIONS ARE IN METERS AND REFER TO PRINCIPAL DATUM.
3. ALL CO-ORDINATES ARE IN ACCORDANCE WITH HK (1980) GAUSS CO-ORDINATE SYSTEM.
4. DETAILS INCLUDING DIMENSIONS, LEVELS, DESCRIPTIONS, LOCATIONS, ETC. GIVEN FOR EXISTING ROADS, FOOTPATHS, BRIDGE STRUCTURE ARE INDICATIVE ONLY. THE CONTRACTOR SHALL VERIFY THE ACTUAL EXISTING DETAILS ON SITE.
5. FOR SETTING OUT OF SITE BOUNDARY, REFER TO DRAWING NOS. 60481656/C1/1011 TO 1016.
6. FOR THE ARRANGEMENT OF RETAINING WALL, REFER TO DRAWING NOS. 60481656/C1/1011 TO 1016.
7. FOR SETTING OUT OF ROAD ALIGNMENT, REFER TO DRAWING NOS. 60481656/C1/1101 TO 1107.

LEGEND:

- | | | | |
|---------------|--|------------------------|--|
| ● N1 --- N1 ● | NOISE BARRIER WITH VARIOUS HIGH (10.7m TO 8.5m) WITH 2m CANTILEVER (30°) AT BOTH SIDES | ● R5 --- R5 ● | RETROFITTING 5m HIGH NOISE BARRIER (VERTICAL) WITH 2m CANTILEVER (30°) |
| ● N2 --- N2 ● | 1.2m HIGH NOISE BARRIER ON PARAPET (VERTICAL) | ● R6 --- R6 ● | RETROFITTING NOISE BARRIER (VERTICAL) WITH VARIOUS HEIGHT (5m TO 2m) |
| ● N3 --- N3 ● | 5m HIGH NOISE BARRIER (VERTICAL) | [Cross-hatched box] | EXISTING BOX CULVERT |
| ● N4 --- N4 ● | 5m HIGH NOISE BARRIER (VERTICAL) WITH 2m CANTILEVER (30°) | [Diagonal hatched box] | NOISE SEMI-ENCLOSURE WITH 2m CANTILEVER (30°) |
| ● N5 --- N5 ● | 5.5m HIGH NOISE BARRIER (VERTICAL) WITH 2m CANTILEVER (30°) | [Dotted box] | CYCLE TRACK |
| ● N6 --- N6 ● | 6m HIGH NOISE BARRIER (VERTICAL) WITH 2m CANTILEVER | [Dotted box] | FOOTPATH |
| ● R1 --- R1 ● | RETROFITTING 6m HIGH NOISE BARRIER (VERTICAL) | (6.0m) | HEIGHT OF NOISE SEMI-ENCLOSURE |
| ● R2 --- R2 ● | RETROFITTING 5m HIGH NOISE BARRIER (VERTICAL) WITH 3m CANTILEVER (30°) | [Tree symbol] | OLD AND VALUABLE TREE (OVT) |
| ● R4 --- R4 ● | RETROFITTING 5m HIGH NOISE BARRIER (VERTICAL) | [Square with cross] | LIFT |
| ▲ --- ▲ | RETAINING WALL | | |

AECOM

PROJECT
ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

CLIENT
CEDD 土木工程拓展署
 Civil Engineering and Development Department

CONSULTANT
AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 3AL/2017/05

ISSUE/REVISION


| NO. | DATE | DESCRIPTION | CHK. |
|-----|---------|----------------|------|
| - | JAN. 18 | TENDER DRAWING | BCC |

STATUS

SCALE
 A1: 1:500

DIMENSION UNIT
 大/小尺
 METRES

KEY PLAN
 A1: 1:4000



CONTRACT NO.
 NE/2017/05

SHEET TITLE
 GENERAL LAYOUT PLAN
 FIGURE 1.1 b

SHEET NUMBER
 60481656/C1/1001

SHEET 1 OF 6

15/01/2018 11:58:13 PEI File by ASIVUMT
D:\FH_projects\KST\TAIPO\BASIS\AECOM_DS02_ASI\Documents\60481656\WTP-ST-CAD PRODUCTION\DRAWINGS\CONTRACT\CT11000\CT1_1002.dwg
Project Management: Helmut
Designer: FHSO
Approver: CMM
Scale: ISO A1 (843mm x 647mm)
15/01/2018 11:58:13
15/01/2018 11:58:13

NOTE:
1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60481656/CT1/1001.

AECOM


PROJECT NO. _____

ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

CLIENT: **CEDD**
土水工程拓展署
Civil Engineering and Development Department

CONSULTANT: AECOM Asia Company Ltd.
www.aecom.com

SUB-CONSULTANTS: 沙田工程顧問公司




| ISSUE/REVISION |
|----------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |

| IR | DATE | DESCRIPTION | CHK. |
|----|---------|----------------|------|
| - | JAN. 18 | TENDER DRAWING | BCC |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| STATUS |
|--------|
| |

| SCALE | DIMENSION UNIT |
|----------|----------------|
| A1 1:500 | METRES |

KEY PLAN A1 1:40000




| CONTRACT NO. |
|--------------|
| NE/2017/05 |

SHEET TITLE
GENERAL LAYOUT PLAN
FIGURE 1.1b

| SHEET NUMBER |
|-------------------|
| 60481656/CT1/1002 |

This drawing has been prepared by AECOM for the use of the Government of the Hong Kong Special Administrative Region. It may not be used, modified, reproduced or distributed without the prior written approval of AECOM. AECOM assumes no responsibility for any errors or omissions in this drawing. The user of this drawing is advised to refer to the relevant specifications and standards for the work to be carried out.

Project Management: HLBK; Designer: FMS; Checker: BGC; Approver: CWN; ISO A1 84mm x 84mm; 2018/02/27; PEI File: PEI_VLMIT; PATH: pei\ascom\scw\best\rev\scm\AECOM_D832_AS\Documents\60481656\WTF_SITCAD_PRODUCT\DRAWING\CONTRACT\1000\C1_1002.dwg;



NOTE:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60481656/C1/1001.

AECOM
 PROJECT: ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)
 CLIENT: CEDD (Civil Engineering and Development Department)


CONSULTANT: AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS:

ISSUE/REVISION

| NO. | DATE | DESCRIPTION | CHK. |
|-----|---------|-----------------------|------|
| B | FEB. 18 | TENDER ADDENDUM NO. 2 | BCC |
| A | FEB. 18 | TENDER ADDENDUM NO. 1 | BCC |
| - | JAN. 18 | TENDER DRAWING | BCC |


STATUS:
 SCALE: A1 1:500; DIMENSION UNIT: METRES
 KEY PLAN: A1 1:40000



CONTRACT NO.: NE/2017/05

SHEET TITLE: GENERAL LAYOUT PLAN
 FIGURE 1.1 b
 SHEET NUMBER: 60481656/C1/1003B
 SHEET 3 OF 6

Project Management: Helix
 Designer: TRSC, Cheuk-wai BCC
 Approved: CMM
 15/01/2018, 11:15:10
 P:\18-01\18-01\AS\W\MT\24\H\proj\KST\TAIPO\66-66\as\m\66-66\AECOM_DS02_ASI\Documents\66-66\WTP_STCAD_PRODUCING\DRAWING\CONTRACT\11000\C1_1004.dgn
 PE1 TAU VILLAGE



NOTE:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60481656/C1/1001.

AECOM

PROJECT
 ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

CLIENT
 土木工程拓展署
 Civil Engineering and Development Department

CONSULTANT
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 沙田工程顧問公司


ISSUE/REVISION

| NO. | DATE | DESCRIPTION | CHK. |
|-----|---------|----------------|------|
| 1 | JAN. 18 | TENDER DRAWING | BCC |
| 2 | | | |
| 3 | | | |

STATUS

SCALE: A1: 1:500 DIMENSION UNIT: METRES

KEY PLAN: A1: 1:40000



CONTRACT NO.
 NE/2017/05

SHEET TITLE
 GENERAL LAYOUT PLAN
 FIGURE 1.1b

SHEET NUMBER
 60481656/C1/1004

SHEET 4 OF 6

This drawing has been prepared for the use of AECOM. It may not be used, modified, reproduced or distributed by third parties, without the prior written approval of AECOM. AECOM's liability is limited to the contract. All measurements shall be taken from the master drawings.

19/12/2018
 PLOT FILE BY: XE/EP
 DATL: jerry.koh@hstt.com.hk
 Project Management In-charge: Designer: FMS/C Checked: BCC Approved: CWN
 ISO A1 841mm x 611mm
 Project Management In-charge: Designer: FMS/C Checked: BCC Approved: CWN
 14/12/2018
 PLOT FILE BY: XE/EP
 DATL: jerry.koh@hstt.com.hk
 Project Management In-charge: Designer: FMS/C Checked: BCC Approved: CWN
 ISO A1 841mm x 611mm

NOTE:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60481656/C1/1001.

AECOM

PROJECT
ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

CLIENT
CEDD 土木工程拓展署
 Civil Engineering and Development Department


CONSULTANT
AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 24/12/2018

ISSUE/REVISION

| NO. | DATE | DESCRIPTION | CHK | APP |
|-----|--------|----------------|-----|-----|
| 1 | JAN 18 | TENDER DRAWING | BCC | |


SCALE
 A1: 1:500 DIMENSION UNIT METRES
 KEY PLAN A1: 1:4000



CONTRACT NO.
 NE/2017/05

SHEET TITLE
 GENERAL LAYOUT PLAN
 FIGURE 1.1b

SHEET NUMBER
 60481656/C1/1005



Project Management: HHSK
 Designer: FNSC
 Approver: RGC
 Scale: A1 84mm x 84mm
 Date: 22/2/18
 File No: accom061015
 Drawing No: 60481656/C1/1006

NOTE:

1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60481656/C1/1001.

AECOM

PROJECT

ROAD WIDENING AND RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)

CLIENT



CONSULTANT

AECOM Asia Company Ltd.
www.aecom.com

SUB-CONSULTANTS

ISSUE/REVISION


| REV | DATE | DESCRIPTION | CHK |
|-----|---------|----------------------|-----|
| A | FEB, 18 | TENDER ADDENDUM NO.2 | BCC |
| B | JAN, 18 | TENDER DRAWING | BCC |
| DR | | DATE | |
| DR | | 日期 | |

STATUS

Scale: A1 1:900
DIMENSION UNIT: METRES

KEY PLAN

Scale: 1:40000




CONTRACT NO.
NE/2017/05

SHEET TITLE
GENERAL LAYOUT PLAN
FIGURE 1.1b

SHEET 6 OF 6

SHEET NUMBER
60481656/C1/1006A



This drawing has been prepared for the use of AECOM and its associated contractors. It may not be used, modified, reproduced or distributed without the written consent of AECOM. AECOM accepts no responsibility for any loss, damage, injury, or expense caused by this drawing. The accuracy of the information and measurements shown hereon is the responsibility of the client.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Figure 2a

Air Monitoring Locations




Figure 2a Air Quality Monitoring Locations

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Figure 2b

Noise Monitoring Locations




Figure 2b Noise Monitoring Locations

FUGRO TECHNICAL SERVICES LIMITED


Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com




Appendix A

Construction Programme



| Date | Revision | Checked | Approved |
|-----------|---------------|---------|----------|
| 08-Jan-22 | 3MRP DWP 2112 | Tim | |



ROAD WIDENING & RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)
3 Months Rolling Programme (31/12/21)
 Page 2 of 5

- Remaining Level of Effort
- Remaining Work
- Milestone
- Actual Level of Effort
- Critical Remaining Work
- Baseline Milestone
- Actual Work
- Primary Baseline


| Date | Revision | Checked | Approved |
|-----------|---------------|---------|----------|
| 08-Jan-22 | 3MRP DWP 2112 | Tim | |

| Activity ID | Activity Name | Original Duration | Remaining Duration | 3MRP Start | 3MRP Finish | AP12 Start | AP12 Finish | 2021 | | | | 2022 | | | | | | | |
|---|--|-------------------|--------------------|-------------|-------------|------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|--|--|
| | | | | | | | | Dec 42 | Jan 43 | Feb 44 | Mar 45 | Apr 46 | May 47 | Jun 48 | Jul 49 | | | | |
| Z3_4240 | N264_temporary protection MTRC cable | 18 | 18 | 19-Feb-22 | 12-Mar-22 | 19-Feb-22 | 12-Mar-22 | | | | | | | | | | | | |
| Z3_4250 | N264_demolish existing parapet wall | 24 | 24 | 12-Mar-22 | 11-Apr-22 | 12-Mar-22 | 11-Apr-22 | | | | | | | | | | | | |
| MODIFICATION OF BRIDGE N263 | | | | | | | | | | | | | | | | | | | |
| RECONSTRUCTION ABUTMENT WALL AT NHA | | | | | | | | | | | | | | | | | | | |
| Z3_4190 | NAW_2_construct new abutment wall | 60 | 6 | 25-May-21 A | 07-Jan-22 | 31-Aug-21 | 11-Nov-21 | | | | | | | | | | | | |
| Z3_4195 | NAW_1_construct new abutment wall & remaining part between NAW1 | 75 | 53 | 07-Oct-21 A | 07-Mar-22 | 12-Nov-21 | 14-Feb-22 | | | | | | | | | | | | |
| MODIFICATION EXISTING SOUTH HOLLOW ABUTMENT WALL | | | | | | | | | | | | | | | | | | | |
| Z3_3950 | SHA_piling works for pier SHA6 nos. Socket H-pile | 24 | 24 | 17-Jan-22* | 17-Feb-22 | 17-Jan-22 | 17-Feb-22 | | | | | | | | | | | | |
| Z3_3960 | SHA_ELS & pile cap construction | 35 | 35 | 17-Feb-22 | 30-Mar-22 | 17-Feb-22 | 30-Mar-22 | | | | | | | | | | | | |
| Z3_3970 | SHA_abutment wall construction | 30 | 30 | 30-Mar-22 | 10-May-22 | 30-Mar-22 | 10-May-22 | | | | | | | | | | | | |
| Z3_4035 | SHW_construct temporary deck, temp. staircase & remove existing px | 50 | 10 | 18-Oct-21 A | 12-Jan-22 | 12-Nov-21 | 12-Jan-22 | | | | | | | | | | | | |
| Z3_4039 | SHW_TTA divert existing staircase user to temporary staircase | 0 | 0 | 13-Jan-22 | | 31-Dec-21 | | | | | | | | | | | | | |
| Z3_4040 | SHW_demolish of existing staircase & curved side wall | 18 | 18 | 13-Jan-22 | 05-Feb-22 | 31-Dec-21 | 21-Jan-22 | | | | | | | | | | | | |
| Z3_4060 | SHW_footing construction | 18 | 18 | 07-Feb-22 | 26-Feb-22 | 22-Jan-22 | 15-Feb-22 | | | | | | | | | | | | |
| Z3_4070 | SHW_abutment wall & slab construction | 24 | 24 | 28-Feb-22 | 26-Mar-22 | 16-Feb-22 | 15-Mar-22 | | | | | | | | | | | | |
| Z3_4072 | SHW_erect remaining temporary deck for STRCR stage 2 TTA | 12 | 12 | 28-Mar-22 | 11-Apr-22 | 16-Mar-22 | 29-Mar-22 | | | | | | | | | | | | |
| DECK CONSTRUCTION OF BRIDGE N263 | | | | | | | | | | | | | | | | | | | |
| Z3_3882 | N263_erect temporary working platform for deck construction (above existing TPA) | 35 | 7 | 27-Sep-21 A | 17-Jan-22 | 15-Nov-21 | 08-Feb-22 | | | | | | | | | | | | |
| Z3_3885 | N263_erect temporary working platform for deck construction (widen Area Stage 2) | 40 | 40 | 08-Jan-22 | 26-Feb-22 | 10-Dec-21 | 28-Jan-22 | | | | | | | | | | | | |
| Z3_3886 | N263_erect temporary working platform for deck construction (between existing TPA & TTA) | 35 | 35 | 07-Mar-22 | 21-Apr-22 | 26-Feb-22 | 08-Apr-22 | | | | | | | | | | | | |
| Z3_3980 | Construct the widen deck area PB-128a/b to 132a/b (Stage 1) | 60 | 60 | 28-Feb-22 | 13-May-22 | 29-Jan-22 | 13-Apr-22 | | | | | | | | | | | | |
| MODIFICATION OF BRIDGE N262 | | | | | | | | | | | | | | | | | | | |
| Z3_3520 | C02_ELS & pile cap construction | 21 | 21 | 16-Mar-22 | 11-Apr-22 | 14-Feb-22 | 10-Mar-22 | | | | | | | | | | | | |
| Z3_3550 | C03_ELS & pile cap construction | 21 | 18 | 08-Dec-21 A | 16-Mar-22 | 17-Jan-22 | 14-Feb-22 | | | | | | | | | | | | |
| Z3_3560 | C03_column construction | 21 | 21 | 16-Mar-22 | 11-Apr-22 | 14-Feb-22 | 10-Mar-22 | | | | | | | | | | | | |
| NEW SLIP ROAD 2 | | | | | | | | | | | | | | | | | | | |
| Z3_5350 | SR2-1_ELS & pile cap construction | 31 | 0 | 28-Sep-21 A | 18-Dec-21 A | 12-Nov-21 | 17-Dec-21 | | | | | | | | | | | | |
| Z3_5360 | SR2-1_column construction | 21 | 20 | 27-Dec-21 A | 10-Mar-23 | 15-Feb-23 | 11-Mar-23 | | | | | | | | | | | | |
| LIFT TOWER 1 | | | | | | | | | | | | | | | | | | | |
| Z3_3610 | L1-PC1_ELS & footing construction | 60 | 60 | 03-Jan-22* | 17-Mar-22 | 03-Jan-22 | 17-Mar-22 | | | | | | | | | | | | |
| Z3_3620 | Lift Tower_1_erect steel structure | 35 | 35 | 17-Mar-22 | 03-May-22 | 17-Mar-22 | 03-May-22 | | | | | | | | | | | | |
| LIFT TOWER 2 & STAIRCASE | | | | | | | | | | | | | | | | | | | |
| Z3_3690 | Lift Tower_2_erect steel structure | 28 | 28 | 31-Jan-22* | 07-Mar-22 | 13-Dec-21 | 17-Jan-22 | | | | | | | | | | | | |
| Z3_3700 | Lift Tower_2_external finishing | 45 | 45 | 08-Mar-22 | 04-May-22 | 18-Jan-22 | 14-Mar-22 | | | | | | | | | | | | |
| Z3_3710 | Lift Tower_2_lift installation | 75 | 75 | 08-Mar-22 | 09-Jun-22 | 18-Jan-22 | 22-Apr-22 | | | | | | | | | | | | |
| Z3_3802 | Lift Tower_2_Pier 2 column construction | 21 | 21 | 09-Mar-22 | 01-Apr-22 | 19-Jan-22 | 15-Feb-22 | | | | | | | | | | | | |
| Z3_3804 | Lift Tower_2_Pier 1 column construction | 21 | 21 | 09-Mar-22 | 01-Apr-22 | 19-Jan-22 | 15-Feb-22 | | | | | | | | | | | | |
| Z3_3820 | Staircase_staircase construction between Pier 3 and Pier 2 | 30 | 30 | 02-Apr-22 | 12-May-22 | 16-Feb-22 | 22-Mar-22 | | | | | | | | | | | | |
| Z3_3830 | Staircase_bridge deck construction between Pier 2 and Pier 1 | 30 | 30 | 02-Apr-22 | 12-May-22 | 16-Feb-22 | 22-Mar-22 | | | | | | | | | | | | |
| NEW SLIP ROAD 5 | | | | | | | | | | | | | | | | | | | |
| Z3_5490 | SR5-3_piling works 21nr mini pile | 84 | 28 | 25-Aug-21 A | 05-Feb-22 | 31-Aug-21 | 09-Dec-21 | | | | | | | | | | | | |
| Z3_5500 | SR5-3_ELS & pile cap construction | 45 | 45 | 05-Feb-22 | 30-Mar-22 | 19-Jan-22 | 16-Mar-22 | | | | | | | | | | | | |
| Z3_5540 | SR5-2_ELS & pile cap construction | 45 | 45 | 30-Mar-22 | 27-May-22 | 16-Mar-22 | 13-May-22 | | | | | | | | | | | | |
| RETAINING WALL & SUBWAY | | | | | | | | | | | | | | | | | | | |
| RETAINING WALL NO.1 | | | | | | | | | | | | | | | | | | | |
| Z3_4560 | RW1_ELS works for Bay 101 to Bay 104 (56m_2 side) | 31 | 0 | 22-May-21 A | 04-Dec-21 A | 29-Jun-21 | 04-Aug-21 | | | | | | | | | | | | |
| Z3_4570 | RW1_base slab construction for Bay 101 to Bay 104 | 32 | 0 | 25-May-21 A | 13-Dec-21 A | 10-Jul-21 | 16-Aug-21 | | | | | | | | | | | | |
| Z3_4580 | RW1_retaining wall construction for Bay 101 to Bay 104 | 56 | 0 | 04-Jun-21 A | 30-Dec-21 A | 26-Jul-21 | 29-Sep-21 | | | | | | | | | | | | |
| Z3_4590 | RW1_remove ELS & backfill for Bay 101 to Bay 104 | 10 | 10 | 17-Mar-22 | 29-Mar-22 | 09-Feb-22 | 21-Feb-22 | | | | | | | | | | | | |
| Z3_4600 | RW1_demolish existing retaining structure between Bay 105 and Bay 107 | 45 | 5 | 02-Jul-21 A | 14-Jan-22 | 31-Jul-21 | 22-Sep-21 | | | | | | | | | | | | |
| Z3_4610 | RW1_ELS works for Bay 105 to Bay 107 (29m_2 side) | 16 | 8 | 26-Feb-21 A | 24-Jan-22 | 05-Oct-21 | 25-Oct-21 | | | | | | | | | | | | |
| Z3_4620 | RW1_base slab construction for Bay 105 to Bay 107 | 21 | 14 | 14-Aug-21 A | 14-Feb-22 | 19-Oct-21 | 12-Nov-21 | | | | | | | | | | | | |
| Z3_4630 | RW1_retaining wall construction for Bay 105 to Bay 107 | 42 | 38 | 10-Nov-21 A | 29-Mar-22 | 17-Jan-22 | 10-Mar-22 | | | | | | | | | | | | |
| Z3_4640 | RW1_remove ELS & backfill for Bay 105 to Bay 107 | 5 | 5 | 29-Mar-22 | 04-Apr-22 | 21-Feb-22 | 26-Feb-22 | | | | | | | | | | | | |
| RETAINING WALL NO.6 | | | | | | | | | | | | | | | | | | | |
| Z3_1218_1050 | RW6_base slab construction for Bay 613 & Bay 614 | 20 | 20 | 07-Mar-22 | 30-Mar-22 | 26-Feb-22 | 21-Mar-22 | | | | | | | | | | | | |
| Z3_1218_1060 | RW6_retaining wall construction for Bay 613 to 614 | 20 | 20 | 30-Mar-22 | 27-Apr-22 | 22-Mar-22 | 14-Apr-22 | | | | | | | | | | | | |
| RETAINING WALL NO.7 | | | | | | | | | | | | | | | | | | | |
| Z3_1218_2000 | RW7_ELS works for Bay 706 to Bay 711 (54m_2 side) | 30 | 30 | 09-Feb-22 | 16-Mar-22 | 09-Feb-22 | 16-Mar-22 | | | | | | | | | | | | |
| Z3_1218_2010 | RW7_base slab construction for Bay 706 to Bay 711 | 42 | 42 | 26-Feb-22 | 21-Apr-22 | 26-Feb-22 | 21-Apr-22 | | | | | | | | | | | | |
| Z3_1218_2020 | RW7_retaining wall construction for Bay 706 to Bay 711 | 60 | 60 | 26-Mar-22 | 11-Jun-22 | 26-Mar-22 | 11-Jun-22 | | | | | | | | | | | | |
| Z3_1218_2050 | RW7_base slab construction for Bay 701 & Bay 704 | 60 | 45 | 23-Nov-21 A | 04-Mar-22 | 31-May-21 | 10-Aug-21 | | | | | | | | | | | | |
| Z3_1218_2060 | RW7_retaining wall construction for Bay 701 to Bay 704 | 60 | 59 | 27-Dec-21 A | 09-Apr-22 | 18-Jan-22 | 31-Mar-22 | | | | | | | | | | | | |
| MODIFY EXISTING RETAINING WALL SR3 | | | | | | | | | | | | | | | | | | | |
| Z3_4920 | SR3_ELS works for Bay SR301 to Bay SR306 (67m_1 side) | 19 | 6 | 31-Aug-21 A | 08-Jan-22 | 31-Aug-21 | 22-Sep-21 | | | | | | | | | | | | |
| Z3_4940 | SR3_base slab construction for Bay SR301 to Bay SR306 | 42 | 14 | 07-Sep-21 A | 25-Jan-22 | 19-Nov-21 | 11-Jan-22 | | | | | | | | | | | | |
| Z3_4950 | SR3_retaining wall construction for Bay SR301 to SR306 | 84 | 28 | 06-Nov-21 A | 21-Feb-22 | 17-Dec-21 | 31-Mar-22 | | | | | | | | | | | | |
| Z3_4960 | SR3_remove ELS & backfill for Bay SR301 to SR304 | 9 | 9 | 21-Feb-22 | 03-Mar-22 | 19-Feb-22 | 02-Mar-22 | | | | | | | | | | | | |
| Z3_5050 | SR3_retaining wall construction for Bay SR307 to SR310 | 56 | 13 | 17-May-21 A | 15-Jan-22 | 11-Aug-21 | 19-Oct-21 | | | | | | | | | | | | |
| Z3_5060 | SR3_remove ELS & backfill for Bay SR307 to SR310 | 5 | 5 | 15-Jan-22 | 21-Jan-22 | 09-Dec-21 | 15-Dec-21 | | | | | | | | | | | | |
| MODIFY EXISTING RETAINING WALL SR4 | | | | | | | | | | | | | | | | | | | |
| Z3_5085 | MTRC consent to resume SR4 works | 0 | 0 | | 03-Jan-22* | | 03-Jan-22 | | | | | | | | | | | | |
| Z3_5090 | SR4_retaining wall construction for Bay SR401 to SR405 | 70 | 19 | 31-Oct-20 A | 25-Jan-22 | 31-Oct-20 | 25-Jan-22 | | | | | | | | | | | | |

| | | | | | |
|--|---------------------------|---|-------------------------|---|--------------------|
|  | Remaining Level of Effort |  | Remaining Work |  | Milestone |
|  | Actual Level of Effort |  | Critical Remaining Work |  | Baseline Milestone |
|  | Actual Work |  | Primary Baseline | | |

ROAD WIDENING & RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)
3 Months Rolling Programme (31/12/21)
Page 3 of 5


| Date | Revision | Checked | Approved |
|-----------|---------------|---------|----------|
| 08-Jan-22 | 3MRP DWP 2112 | Tim | |



- Remaining Level of Effort
- Remaining Work
- Milestone
- Baseline Milestone
- Actual Level of Effort
- Critical Remaining Work
- Primary Baseline
- Actual Work

ROAD WIDENING & RETROFITTING NOISE BARRIERS ON TAI PO ROAD (SHA TIN SECTION)
3 Months Rolling Programme (31/12/21)

| Date | Revision | Checked | Approved |
|-----------|---------------|---------|----------|
| 08-Jan-22 | 3MRP DWP 2112 | Tim | |



- Remaining Level of Effort
- Remaining Work
- Milestone
- Baseline Milestone
- Actual Level of Effort
- Critical Remaining Work
- Baseline Milestone
- Actual Work
- Primary Baseline

| | | | |
|-----------|---------------|---------|----------|
| Date | Revision | Checked | Approved |
| 08-Jan-22 | 3MRP DWP 2112 | Tim | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com




Appendix B

Project Organization Chart

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Legend:

- Line of Reporting
- - - Line of Communication

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix C

Action and Limit Levels for Air Quality and Noise

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Action and Limit Levels for 24-hr TSP and 1-hr TSP

| Parameter | Monitoring Station | Action Level ($\mu\text{g}/\text{m}^3$) | Limit Level ($\mu\text{g}/\text{m}^3$) |
|--|--------------------|---|--|
| 24-hr TSP ($\mu\text{g}/\text{m}^3$) | AMS5 | 156 | 260 |
| | AMS7A | 171 | |
| | AMS14 | 174 | |
| | AMS15 | 172 | |
| 1-hr TSP ($\mu\text{g}/\text{m}^3$) | AMS5 | 340 | 500 |
| | AMS7A | 344 | |
| | AMS14 | 350 | |
| | AMS15 | 350 | |

Action and Limit Levels for Construction Noise, Leq (30min), dB(A)

| Time Period | Location | Action | Limit |
|----------------------------------|----------|---|----------|
| 0700-1900 hrs on normal weekdays | NMS1 | When one documented complaint is received | 75 dB(A) |
| | NMS2 | | |
| | NMS3 | | |
| | NMS4 | | |
| | NMS5A | | |
| | NMS6A | | |
| | NMS7 | | |
| | NMS8 | | |
| | NMS9 | | |
| | NMS10A* | | |
| | NMS11 | | |
| | NMS12* | | |
| | NMS13 | | |
| | NMS14 | | |
| | NMS15 | | |
| | NMS16 | | |
| | NMS17* | | |
| | NMS18 | | |
| | NMS19 | | |
| | NMS20 | | |
| NMS23 | | | |
| NMS24 | | | |
| NMS25A | | | |
| NMS26 | | | |
| NMS27* | | | |

* For NMS 10A, 12, 17 and 27, the Limit Level is reduced to 70 dB(A) for schools and 65 dB(A) during school examination periods.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix D

Calibration Certificates of Monitoring Equipment

Report no. : 940891CA211924(3)

Page 1 of 1

CALIBRATION CERTIFICATE OF DUST METER

Client : Fugro Technical Services Limited

Project : Calibration Services

Client Supplied Information

Details of Unit Under Test, UUT

Description : Laser dust monitor
Manufacturer : SIBATA
Model No. : LD-3B
Serial No. : 882189
Specification Limit : NA
Next Calibration Date : 11-Jul-2022

Laboratory Information

Description : 1. Balance 2. TSP high volume air sampler
Equipment ID. / Serial no. : 1. C-065-9 2. 4350
Date of Calibration : 12-Jul-2021 Ambient Temperature : 25 ± 10 °C
Calibration Location : General Chemical Laboratory of FTS and Ma Wan A1 Site Boundary
Method Used : By direct comparison the weight of dust particle trapped in a filter paper using high volume sampler (TSP method) for a certain period, with the reading of the UUT. They should be placed at the same location and powered on and off at the same time.

Calibration Results :

| Reference concentration (mg/m ³) | Total count for 1 hour | CPM (Count per minute) |
|--|------------------------|------------------------|
| 0.0424 | 1498 | 24.97 |
| 0.0194 | 1052 | 17.53 |
| 0.0230 | 1088 | 18.13 |

Remarks:

1. The equipment being used in this calibration is traceable to recognized National Standards.
2. The interpolation equation : Concentration (mg/m³) = K x [UUT reading (CPM)], where K = 0.001400
3. Correlation coefficient (r) : 0.9973

Checked by : Candy Date : 12-8-2021 Certified by : K.T. Leung Date : 13-8-2021

CA-R-297 (22/07/2009)

Leung Kwok Tai (Assistant Manager)


** End of Report **

Correlation between HVS & Dust Meter

Model: Sibata LD-3B

Serial No: 882189

| | | | | | | |
|---|-------|-------|-------|--------|--------|--------|
| HVS - 24hr TSP $\mu\text{g}/\text{m}^3$ | 18.96 | 50.23 | 65.32 | 127.68 | 175.63 | 190.24 |
| Dust Meter - 24hr CPM | 12.4 | 27.5 | 35.7 | 78.2 | 102.3 | 111.5 |



K factor = 1.7024

Report no. : 940891CA211924(1)

Page 1 of 1

CALIBRATION CERTIFICATE OF DUST METER

Client : Fugro Technical Services Limited

Project : Calibration Services

Client Supplied Information

Details of Unit Under Test, UUT

Description : Laser dust monitor
 Manufacturer : SIBATA
 Model No. : LD-3B
 Serial No. : 476783
 Specification Limit : NA
 Next Calibration Date : 11-Jul-2022

Laboratory Information

Description : 1. Balance 2. TSP high volume air sampler
 Equipment ID. / Serial no. : 1. C-065-9 2. 4350
 Date of Calibration : 12-Jul-2021 Ambient Temperature : 25 ± 10 °C
 Calibration Location : General Chemical Laboratory of FTS and Ma Wan A1 Site Boundary
 Method Used : By direct comparison the weight of dust particle trapped in a filter paper using high volume sampler (TSP method) for a certain period, with the reading of the UUT. They should be placed at the same location and powered on and off at the same time.

Calibration Results :

| Reference concentration (mg/m ³) | Total count for 1 hour | CPM (Count per minute) |
|--|------------------------|------------------------|
| 0.0424 | 1586 | 26.43 |
| 0.0194 | 1012 | 16.87 |
| 0.0230 | 1055 | 17.58 |

Remarks:

- The equipment being used in this calibration is traceable to recognized National Standards.
- The interpolation equation : Concentration (mg/m³) = K x [UUT reading (CPM)], where K = 0.001394
- Correlation coefficient (r) : 0.9969

 Checked by : Cunmy Date : 12-8-2021 Certified by : K.T. Leung Date : 13-8-2021

CA-R-297 (22/07/2009)

Leung Kwok Tai (Assistant Manager)


**** End of Report ****

Correlation between HVS & Dust Meter

Model: Sibata LD-3B

Serial No: 476783

| | | | | | | |
|---|-------|-------|-------|--------|--------|--------|
| HVS - 24hr TSP $\mu\text{g}/\text{m}^3$ | 21.89 | 42.35 | 58.70 | 109.56 | 154.83 | 185.54 |
| Dust Meter - 24hr CPM | 16.4 | 32.5 | 40.7 | 80.2 | 110.3 | 132.5 |



K factor = 1.3940

Report no. : 940891CA211924

Page 1 of 1

CALIBRATION CERTIFICATE OF DUST METER

Client : Fugro Technical Services Limited

Project : Calibration Services

Client Supplied Information

Details of Unit Under Test, UUT

Description : Laser dust monitor
 Manufacturer : SIBATA
 Model No. : LD-3B
 Serial No. : 466711
 Specification Limit : NA
 Next Calibration Date : 11-Jul-2022

Laboratory Information

Description : 1. Balance 2. TSP high volume air sampler
 Equipment ID. / Serial no. : 1. C-065-9 2. 4350
 Date of Calibration : 12-Jul-2021 Ambient Temperature : 25 ± 10 °C
 Calibration Location : General Chemical Laboratory of FTS and Ma Wan A1 Site Boundary
 Method Used : By direct comparison the weight of dust particle trapped in a filter paper using high volume sampler (TSP method) for a certain period, with the reading of the UUT. They should be placed at the same location and powered on and off at the same time.

Calibration Results :

| Reference concentration (mg/m ³) | Total count for 1 hour | CPM (Count per minute) |
|--|------------------------|------------------------|
| 0.0424 | 1296 | 21.60 |
| 0.0194 | 1022 | 17.03 |
| 0.0230 | 1081 | 18.02 |

Remarks:

1. The equipment being used in this calibration is traceable to recognized National Standards.
2. The interpolation equation : Concentration (mg/m³) = K x [UUT reading (CPM)], where K = 0.001498
3. Correlation coefficient (r) : 0.9982

Checked by : C. Chan Date : 12-8-2021 Certified by : Leung Kwok Tai Date : 13-8-2021
 CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)


** End of Report **

Correlation between HVS & Dust Meter

Model: Sibata LD-3B

Serial No: 466711

| | | | | | | |
|---|-------|-------|-------|--------|--------|--------|
| HVS - 24hr TSP $\mu\text{g}/\text{m}^3$ | 20.21 | 48.24 | 57.29 | 125.95 | 150.20 | 190.00 |
| Dust Meter - 24hr CPM | 13.6 | 28.9 | 40.3 | 82.1 | 105.7 | 123.5 |



K factor = 1.498

Report no. : 940891CA210393

Page 1 of 1

CALIBRATION CERTIFICATE OF DUST METER

Client : Fugro Technical Services Limited

Project : Calibration Services

Client Supplied Information

Details of Unit Under Test, UUT

Description : Laser dust monitor

Manufacturer : SIBATA

Model No. : LD-3B

Serial No. : 597317

Specification Limit : NA

Next Calibration Date : 17-Jan-2022

Laboratory Information

Description : 1. Balance 2. TSP high volume air sampler

Equipment ID. / Serial no. : 1. C-065-9 2. 4350

Date of Calibration : 18-Jan-2021 Ambient Temperature : 25 ± 10 °C

Calibration Location : General Chemical Laboratory of FTS and Ma Wan A1 Site Boundary

Method Used : By direct comparison the weight of dust particle trapped in a filter paper using high volume sampler (TSP method) for a certain period, with the reading of the UUT. They should be placed at the same location and powered on and off at the same time.

Calibration Results :

| Reference concentration (mg/m ³) | Total count for 1 hour | CPM (Count per minute) |
|--|------------------------|------------------------|
| 0.1447 | 5348 | 89.13 |
| 0.1385 | 5405 | 90.08 |
| 0.2094 | 7223 | 120.38 |

Remarks:

1. The equipment being used in this calibration is traceable to recognized National Standards.
2. The interpolation equation : Concentration (mg/m³) = K x [UUT reading (CPM)], where K = 0.001644
3. Correlation coefficient (r) : 0.9944

 Checked by : Cherry Date : 24-2-2021 Certified by : L. T. Leung Date : 24-2-2021

CA-R-297 (22/07/2009)

Leung Kwok Tai (Assistant Manager)


** End of Report **

Correlation between HVS & Dust Meter

Model: Sibata LD-3B

Serial No: 597317

| | | | | | | |
|---|-------|-------|-------|--------|--------|--------|
| HVS - 24hr TSP $\mu\text{g}/\text{m}^3$ | 25.61 | 45.63 | 64.24 | 140.65 | 188.85 | 196.54 |
| Dust Meter - 24hr CPM | 15.6 | 25.7 | 37.7 | 80.4 | 110.3 | 117.9 |



K factor = 1.702

Report no.: 212769CA212279

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND LEVEL METER

Client Supplied Information

Client : Fugro Technical Services Ltd.

Project : Calibration Services

Details of Unit Under Test, UUT

Description : Sound Level Meter
 Manufacturer : Casella
 Model No. :
 Serial No. :
 Equipment ID :
 Next Calibration Date :
 Specification Limit :

| | Meter | Microphone | Preamplifier |
|------------|---------|------------|--------------|
| Model No. | CEL-63X | CE-251 | CEL-495 |
| Serial No. | 1367959 | 03393 | 002712 |

Equipment ID : N-41-C
 Next Calibration Date : 12-Sep-2022
 Specification Limit : EN 61672-1: 2003 Class 1

Laboratory Information

Details of Reference Equipment -

Description : B & K Acoustic Multifunction Calibrator 4226 (Traditional free field setting)
 Equipment ID. : R-108-1

Date of Calibration : 13-Sep-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters | | Mean Value (dB) | Specification Limit(dB) |
|--------------------------------|-------------|-----------------|-------------------------|
| A-weighting frequency response | 4000Hz | 0.2 | 2.6 to -0.6 |
| | 2000Hz | 0.9 | 2.8 to -0.4 |
| | 1000Hz | -0.1 | 1.1 to -1.1 |
| | 500Hz | -3.4 | -1.8 to -4.6 |
| | 250Hz | -8.8 | -7.2 to -10.0 |
| | 125Hz | -16.2 | -14.6 to -17.6 |
| | 63Hz | -26.2 | -24.7 to -27.7 |
| | 31.5Hz | -39.2 | -37.4 to -41.4 |
| Differential level linearity | 94dB-104dB | 0.0 | ± 0.6 |
| | 104dB-114dB | 0.0 | ± 0.6 |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. For calibration: Reference SPL are 94, 104 & 114dB, range setting is 20-140dB & time weighting is fast
4. The UUT does comply with EN 61672-1: 2003 Class 1 sound level meter for the above measurement.
5. The values given in this Calibration Certificate only relate to unit under test and the values measured at the time of the test. Any uncertainties will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling or the capability of any other laboratory to repeat the measurement.

Checked by : Canny Date : 17-9-2021 Certified by : F.T. Leung Date : 17-9-2021
 CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)

** End of Report **

Report no.: 212769CA212069(1)

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND LEVEL METER

Client Supplied Information

Client : Fugro Technical Services Ltd.

Address : Room 723 & 725, 7/F., Block B Profit Industrial Building, 1-15 Kwai Fung Crescent, Kwai Chung, N.T.

Project : Calibration Services

Details of Unit Under Test, UUT

Description : Sound Level Meter

Manufacturer : Casella

| | Meter | Microphone | Preamplifier |
|------------|---------|------------|--------------|
| Model No. | CEL-63X | CE-251 | CEL-495 |
| Serial No. | 1488270 | 04228 | 004030 |

Equipment ID : N-53

Next Calibration Date : 25-Aug-2022

Specification Limit : EN 61672-1: 2003 Class 1

Laboratory Information

Details of Reference Equipment -

Description : B & K Acoustic Multifunction Calibrator 4226 (Traditional free field setting)

Equipment ID. : R-108-1

Date of Calibration : 26-Aug-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters | | Mean Value (dB) | Specification Limit(dB) |
|--------------------------------|-------------|-----------------|-------------------------|
| A-weighting frequency response | 4000Hz | 1.2 | 2.6 to -0.6 |
| | 2000Hz | 1.3 | 2.8 to -0.4 |
| | 1000Hz | 0.0 | 1.1 to -1.1 |
| | 500Hz | -3.3 | -1.8 to -4.6 |
| | 250Hz | -8.7 | -7.2 to -10.0 |
| | 125Hz | -16.1 | -14.6 to -17.6 |
| | 63Hz | -26.1 | -24.7 to -27.7 |
| | 31.5Hz | -38.8 | -37.4 to -41.4 |
| Differential level linearity | 94dB-104dB | 0.3 | ± 0.6 |
| | 104dB-114dB | -0.3 | ± 0.6 |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The expanded uncertainty is 0.3 dB with a coverage factor of 2 at a confidence level of 95%.
4. For calibration: Reference SPL are 94, 104 & 114dB, range setting is 20-140dB & time weighting is fast
5. The UUT does comply with EN 61672-1: 2003 Class 1 sound level meter for the above measurement.
6. The values given in this Calibration Certificate only relate to unit under test and the values measured at the time of the test. Any uncertainties will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling or the capability of any other laboratory to repeat the measurement.

 Checked by : Canny Date : 27-8-2021 Certified by : K.T. Young Date : 27-8-2021

CA-R-297 (22/07/2009)

Leung Kwok Tai (Assistant Manager)

** End of Report **

Report no.: 212769CA211755

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND LEVEL METER

Client Supplied Information

Client : Fugro Technical Services Ltd.

Address : Room 723 & 725, 7/F., Block B Profit Industrial Building, 1-15 Kwai Fung Crescent, Kwai Chung, N.T.

Project : Calibration Services

Details of Unit Under Test, UUT

 Description : Sound Level Meter
 Manufacturer : Casella

| | Meter | Microphone | Preamplifier |
|------------|---------|------------|--------------|
| Model No. | CEL-63X | CE-251 | CEL-495 |
| Serial No. | 1488293 | 04064 | 004061 |

Equipment ID : N/A

Next Calibration Date : 25-Jul-2022

Specification Limit : EN 61672-1: 2003 Class 1

Laboratory Information

Details of Reference Equipment -

 Description : B & K Acoustic Multifunction Calibrator 4226 (Traditional free field setting)
 Equipment ID. : R-108-1

Date of Calibration : 26-Jul-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters | Mean Value (dB) | Specification Limit(dB) |
|--------------------------------|-----------------|---------------------------|
| A-weighting frequency response | 4000Hz | 1.0 2.6 to -0.6 |
| | 2000Hz | 1.2 2.8 to -0.4 |
| | 1000Hz | 0.0 1.1 to -1.1 |
| | 500Hz | -3.4 -1.8 to -4.6 |
| | 250Hz | -8.7 -7.2 to -10.0 |
| | 125Hz | -16.2 -14.6 to -17.6 |
| | 63Hz | -26.1 -24.7 to -27.7 |
| | 31.5Hz | -38.9 -37.4 to -41.4 |
| Differential level linearity | 94dB-104dB | ± 0.6 |
| | 104dB-114dB | ± 0.6 |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The expanded uncertainty is 0.3 dB with a coverage factor of 2 at a confidence level of 95%.
4. For calibration: Reference SPL are 94, 104 & 114dB, range setting is 20-140dB & time weighting is fast
5. The UUT does comply with EN 61672-1: 2003 Class 1 sound level meter for the above measurement.
6. The values given in this Calibration Certificate only relate to unit under test and the values measured at the time of the test. Any uncertainties will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling or the capability of any other laboratory to repeat the measurement.

 Checked by : Cenny Date : 30-7-2021 Certified by : K.T. Leung Date : 30-7-2021
 CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)

**** End of Report ****

Report no.: 212769CA212069(2)

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND LEVEL METER

Client Supplied Information

Client : Fugro Technical Services Ltd.

Address : Room 723 & 725, 7/F., Block B Profit Industrial Building, 1-15 Kwai Fung Crescent, Kwai Chung, N.T.

Project : Calibration Services

Details of Unit Under Test, UUT

Description : Sound Level Meter

Manufacturer : Casella

| | Meter | Microphone | Preamplifier |
|------------|---------|------------|--------------|
| Model No. | CEL-63X | CE-251 | CEL-495 |
| Serial No. | 1488295 | 01163 | 004064 |

Equipment ID : N-54

Next Calibration Date : 25-Aug-2022

Specification Limit : EN 61672-1: 2003 Class 1

Laboratory Information

Details of Reference Equipment -

Description : B & K Acoustic Multifunction Calibrator 4226 (Traditional free field setting)

Equipment ID. : R-108-1

Date of Calibration : 26-Aug-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters | | Mean Value (dB) | Specification Limit(dB) |
|--------------------------------------|-------------|-----------------|-------------------------|
| A-weighting frequency response | 4000Hz | 2.3 | 2.6 to -0.6 |
| | 2000Hz | 1.5 | 2.8 to -0.4 |
| | 1000Hz | 0.0 | 1.1 to -1.1 |
| | 500Hz | -3.4 | -1.8 to -4.6 |
| | 250Hz | -8.8 | -7.2 to -10.0 |
| | 125Hz | -16.3 | -14.6 to -17.6 |
| | 63Hz | -26.3 | -24.7 to -27.7 |
| | 31.5Hz | -39.0 | -37.4 to -41.4 |
| Differential level linearity | 94dB-104dB | 0.1 | ± 0.6 |
| | 104dB-114dB | 0.1 | ± 0.6 |

Remarks :

- The equipment used in this calibration is traceable to recognized National Standards.
- The mean value is the average of four measurements.
- The expanded uncertainty is 0.3 dB with a coverage factor of 2 at a confidence level of 95%.
- For calibration: Reference SPL are 94, 104 & 114dB, range setting is 20-140dB & time weighting is fast
- The UUT does comply with EN 61672-1: 2003 Class 1 sound level meter for the above measurement.
- The values given in this Calibration Certificate only relate to unit under test and the values measured at the time of the test. Any uncertainties will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling or the capability of any other laboratory to repeat the measurement.

 Checked by : Canny Date : 27-8-2021 Certified by : K.T. Leung Date : 27-8-2021
 CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)

**** End of Report ****

Report no.: 212769CA211755(1)

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND LEVEL METER

Client Supplied Information

Client : Fugro Technical Services Ltd.

Address : Room 723 & 725, 7/F., Block B Profit Industrial Building, 1-15 Kwai Fung Crescent, Kwai Chung, N.T.

Project : Calibration Services

Details of Unit Under Test, UUT

 Description : Sound Level Meter
 Manufacturer : Casella

| | Meter | Microphone | Preamplifier |
|------------|---------|------------|--------------|
| Model No. | CEL-63X | CE-251 | CEL-495 |
| Serial No. | 1488302 | 02795 | 003538 |

Equipment ID : N-30

Next Calibration Date : 25-Jul-2022

Specification Limit : EN 61672-1: 2003 Class 1

Laboratory Information

Details of Reference Equipment -

 Description : B & K Acoustic Multifunction Calibrator 4226 (Traditional free field setting)
 Equipment ID. : R-108-1

Date of Calibration : 26-Jul-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters | | Mean Value (dB) | Specification Limit(dB) |
|--------------------------------------|-------------|-----------------|-------------------------|
| A-weighting frequency response | 4000Hz | 1.2 | 2.6 to -0.6 |
| | 2000Hz | 1.3 | 2.8 to -0.4 |
| | 1000Hz | 0.0 | 1.1 to -1.1 |
| | 500Hz | -3.3 | -1.8 to -4.6 |
| | 250Hz | -8.7 | -7.2 to -10.0 |
| | 125Hz | -16.1 | -14.6 to -17.6 |
| | 63Hz | -26.2 | -24.7 to -27.7 |
| | 31.5Hz | -39.2 | -37.4 to -41.4 |
| Differential level linearity | 94dB-104dB | 0.3 | ± 0.6 |
| | 104dB-114dB | -0.3 | ± 0.6 |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The expanded uncertainty is 0.3 dB with a coverage factor of 2 at a confidence level of 95%.
4. For calibration: Reference SPL are 94, 104 & 114dB, range setting is 20-140dB & time weighting is fast
5. The UUT does comply with EN 61672-1: 2003 Class 1 sound level meter for the above measurement.
6. The values given in this Calibration Certificate only relate to unit under test and the values measured at the time of the test. Any uncertainties will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling or the capability of any other laboratory to repeat the measurement.

 Checked by : Cenny Date : 30-7-2021 Certified by : K. T. Leung Date : 30-7-2021
 CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)

**** End of Report ****

Report no.: 212769CA212463

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND LEVEL METER

Client Supplied Information

Client : Fugro Technical Services Ltd.

Project : Calibration Services

Details of Unit Under Test, UUT

Description : Sound Level Meter
 Manufacturer : Casella

| | Meter | Microphone | Preamplifier |
|------------|---------|------------|--------------|
| Model No. | CEL-63X | CE-251 | CEL-495 |
| Serial No. | 4181568 | 03133 | 003967 |

Equipment ID : N/A
 Next Calibration Date : 27-Oct-2022
 Specification Limit : EN 61672-1: 2003 Class 1

Laboratory Information

Details of Reference Equipment -

Description : B & K Acoustic Multifunction Calibrator 4226 (Traditional free field setting)
 Equipment ID. : R-108-1

Date of Calibration : 28-Oct-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters | Mean Value (dB) | Specification Limit(dB) |
|--------------------------------|-----------------|---------------------------|
| A-weighting frequency response | 4000Hz | 1.6 2.6 to -0.6 |
| | 2000Hz | 1.4 2.8 to -0.4 |
| | 1000Hz | 0.1 1.1 to -1.1 |
| | 500Hz | -3.3 -1.8 to -4.6 |
| | 250Hz | -8.6 -7.2 to -10.0 |
| | 125Hz | -16.1 -14.6 to -17.6 |
| | 63Hz | -26.1 -24.7 to -27.7 |
| Differential level linearity | 94dB-104dB | ± 0.6 |
| | 104dB-114dB | ± 0.6 |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. For calibration: Reference SPL are 94, 104 & 114dB, range setting is 20-140dB & time weighting is fast
4. The UUT does comply with EN 61672-1: 2003 Class 1 sound level meter for the above measurement.
- 5 The values given in this Calibration Certificate only relate to unit under test and the values measured at the time of the test. Any uncertainties will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling or the capability of :

Checked by : Carmy Date : 3-11-2021 Certified by : K.T. Leung Date : 4-11-2021
 CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)

** End of Report **

Report no.: 212769CA212054

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND CALIBRATOR

Client : Materialab Consultants Ltd.

Project : Calibration Services

Client Supplied Information**Details of Unit Under Test, UUT**Description : Sound Calibrator
Manufacturer : Casella (Model CEL-120/1)
Serial No. : 1677126
Equipment ID : N/A

Next Calibration Date : 19-Aug-2022

Specification Limit : EN 60942: 2003 Class 1

Laboratory Information**Details of Calibration Equipment**Description : Reference Sound level meter
Equipment ID. : R-119-2

Date of Calibration : 20-Aug-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters (Setting of UUT) | Mean Value (error of measurement) | Specification Limit(dB) |
|-----------------------------|-----------------------------------|-------------------------|
| 94dB | 0.1 dB | ±0.4dB |
| 114dB | 0.2 dB | |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The unit under test complies with the specification limit.
4. The values given in this Calibration Certificate only relate to the unit-under-test and the values measured at the time of the test. Any uncertainties quoted will not include allowances for the environmental changes, variation and shock during transportation, or the capability of any other laboratory to repeat the measurement.

Checked by : C. Chan Date : 24-Aug-2021 Certified by : R.J. Leung Date : 24-8-2021
CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)**** End of Report ****

Report no.: 212769CA212069(3)

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND CALIBRATOR

Client : Fugro Technical Services Ltd.

Project : Calibration Services

Client Supplied Information

Details of Unit Under Test, UUT

Description : Sound Calibrator
 Manufacturer : Casella (Model CEL-120/1)
 Serial No. : 2383707
 Equipment ID : N/A

Next Calibration Date : 25-Aug-2022

Specification Limit : EN 60942: 2003 Class 1

Laboratory Information

Details of Calibration Equipment

Description : Reference Sound level meter
 Equipment ID. : R-119-2

Date of Calibration : 26-Aug-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters (Setting of UUT) | Mean Value (error of measurement) | Specification Limit(dB) |
|-----------------------------|-----------------------------------|-------------------------|
| 94dB | -0.4 dB | ±0.4dB |
| 114dB | -0.3 dB | |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The unit under test complies with the specification limit.
4. The values given in this Calibration Certificate only relate to the unit-under-test and the values measured at the time of the test. Any uncertainties quoted will not include allowances for the environmental changes, variation and shock during transportation, or the capability of any other laboratory to repeat the measurement.

Checked by : Canny Date : 27-8-2021 Certified by : K. Leung Date : 27-8-2021
 CA-R-297 (22/07/2009) Leung Kwok Tai (Assistant Manager)

** End of Report **

Report no.: 212769CA211663

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND CALIBRATOR

Client : Fugro Technical Services Ltd.

Project : Calibration Services

Client Supplied Information**Details of Unit Under Test, UUT**

Description : Sound Calibrator
Manufacturer : Casella (Model CEL-120/1)
Serial No. : 2383886
Equipment ID : N/A
Next Calibration Date : 15-Jul-2022
Specification Limit : EN 60942: 2003 Class 1

Laboratory Information**Details of Calibration Equipment**

Description : Reference Sound level meter
Equipment ID. : R-119-2
Date of Calibration : 16-Jul-2021
Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C
Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters (Setting of UUT) | Mean Value (error of measurement) | Specification Limit(dB) |
|-----------------------------|-----------------------------------|-------------------------|
| 94dB | 0.3 dB | ±0.4dB |
| 114dB | 0.4 dB | |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The expanded uncertainty is 0.3 dB with a coverage factor of 2 at a confidence level of 95%.
4. The unit under test complies with the specification limit.
5. The values given in this Calibration Certificate only relate to the unit-under-test and the values measured at the time of the test. Any uncertainties quoted will not include allowances for the environmental changes, variation and shock during transportation, or the capability of any other laboratory to repeat the measurement.

Checked by : Cenny Date : 20-7-2021 Certified by : K.T. Leung Date : 20-7-2021
CA-R-297 (22/07/2009)

Leung Kwok Tai (Assistant Manager)

** End of Report **

Report no.: 203258CA211142(1)

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND CALIBRATOR

Client : Fugro Technical Services Ltd.

Project : Calibration Services

Client Supplied Information

Details of Unit Under Test, UUT

Description : Sound Calibrator
Manufacturer : Casella (Model CEL-120/1)
Serial No. : 3321858
Equipment ID : N/A

Next Calibration Date : 27-May-2022

Specification Limit : EN 60942: 2003 Class 1

Laboratory Information

Details of Calibration Equipment

Description : Reference Sound level meter
Equipment ID. : R-119-2

Date of Calibration : 28-May-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters (Setting of UUT) | Mean Value (error of measurement) | Specification Limit(dB) |
|-----------------------------|-----------------------------------|-------------------------|
| 94dB | -0.2 dB | ±0.4dB |
| 114dB | -0.2 dB | |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The unit under test complies with the specification limit.
4. The values given in this Calibration Certificate only relate to the unit-under-test and the values measured at the time of the test. Any uncertainties quoted will not include allowances for the environmental changes, variation and shock during transportation, or the capability of any other laboratory to repeat the measurement.

Checked by : William Date : 1-6-2021 Certified by : C.T. Leung Date : 1-6-2021

CA-R-297 (22/07/2009)

Leung Kwok Tai (Assistant Manager)

**** End of Report ****

Report no.: 212769CA212279(2)

Page 1 of 1

CALIBRATION CERTIFICATE OF SOUND CALIBRATOR

Client : Fugro Technical Services Ltd.

Project : Calibration Services

Client Supplied Information

Details of Unit Under Test, UUT

Description : Sound Calibrator
 Manufacturer : Casella (Model CEL-120/1)
 Serial No. : 5230736
 Equipment ID : N/A

Next Calibration Date : 12-Sep-2022

Specification Limit : EN 60942: 2003 Class 1

Laboratory Information

Details of Calibration Equipment

Description : Reference Sound level meter
 Equipment ID. : R-119-2

Date of Calibration : 13-Sep-2021

Calibration Location : Calibration Laboratory of FTS Ambient Temperature : 20±2 °C

Method Used : By direct comparison Relative Humidity : <80% R.H.

Calibration Results :

| Parameters (Setting of UUT) | Mean Value (error of measurement) | Specification Limit(dB) |
|-----------------------------|-----------------------------------|-------------------------|
| 94dB | -0.1 dB | ±0.4dB |
| 114dB | -0.1 dB | |

Remarks :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The mean value is the average of four measurements.
3. The unit under test complies with the specification limit.
4. The values given in this Calibration Certificate only relate to the unit-under-test and the values measured at the time of the test. Any uncertainties quoted will not include allowances for the environmental changes, variation and shock during transportation, or the capability of any other laboratory to repeat the measurement.

 Checked by : Conny Date : 17-9-2021 Certified by : E.T. Leung Date : 17-9-2021

CA-R-297 (22/07/2009)

Leung Kwok Tai (Assistant Manager)

**** End of Report ****

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix E

Environmental Monitoring Schedules, Examination Schedules and Arrangements on Deferral of Class Resumption for All Schools

| | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
|--------|--------|---|--|--|--|--|---|
| Jan-22 | | | | | | | 1 |
| | | | | | | | |
| | | | | | | | |
| | 2 | | 3 | 4 | 5 | 6 | 7 |
| | | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | | | |
| | | | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 | | |
| | 9 | | 10 | 11 | 12 | 13 | 14 |
| | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | | | | |
| | | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 | | | |
| | 16 | | 17 | 18 | 19 | 20 | 21 |
| | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | | | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che |
| | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 | | | | |
| | 23 | | 24 | 25 | 26 | 27 | 28 |
| | | | | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | |
| | | | | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 | |
| 30 | | 31 | | | | | |

- Remark
- Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 - The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.
 - According to the Hong Kong Observatory, anticipated wind directions in January 2022 are north and northeast.
 - According to the Contractor, the anticipated major construction activities in the reporting month includes:
 - Tree Preservation, Felling, Pruning, Transplantation in Zone 1, 2 and 3.
 - Trial Pits Excavation in Zone 1 and 2.
 - Road Surface Maintenance in Zone 1, 2, 3, 4 and 5.
 - Noise Barrier Foundation Works in Zone 1, 2, 4 and 5.
 - Noise Barrier Erection Works in Zone 1 and 2.
 - Road Reconstruction Works, Sheet Pile Removal and Lane Shifting Works in Zone 1 and 2.
 - Mini Pile Construction Works in Zone 1, 2 and 5.
 - Construction, Diversion of Underground Utilities, including ELS works and Sheet Piling in Zone 3.
 - FRP Platform Erection in Zone 3.
 - Retaining Wall and Lagging Wall Construction Works in Zone 3.
 - Construction of Cycle Track Subway, Pump Room and Stem Wall Construction Works in Zone 3.
 - Demolition of Existing Parapet in Zone 3.
 - Pre Bore H Pile Construction Works and Steel Works Installation for Lift in Zone 3.
 - Profile Barrier, Stem Wall Construction Works and Foundation Works for SR2 in Zone 3.
 - Construction Works for N263 & N264 Bridge Deck Widening and SR6 Temporary Widening in Zone 3.
 - ELS Works at SHA for Widening of SR3 in Zone 3.
 - Removal of Existing Sign Gantries in Zone 3.
 - NF40 Footbridge Construction Works in Zone 4.
 - Stem Wall and Drainage Construction Works in Zone 5.

| | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
|--|--------|--------|---|--|--|--|--|
| | | | | 1 | 2 | 3 | 4 |
| | | | | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | |
| | | | | | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 |
| | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| | | | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | | |
| | | | | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 | |
| | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| | | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | | | |
| | | | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 | | |
| | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| | | | AMS5 Tin Liu AMS7A Sheung Wo Che AMS14 Ha Wo Che AMS15 Ha Wo Che | | | | |
| | | | NMS 1, NMS 2, NMS 3, NMS 4, NMS 5A, NMS 6A, NMS 7, NMS 15, NMS 16, NMS 18, NMS 23, NMS 27 | NMS 8, NMS9, NMS 10A, NMS 11, NMS 12, NMS 13, NMS 14, NMS17, NMS 19, NMS 20, NMS 24, NMS 25A, NMS 26 | | | |
| | 27 | 28 | | | | | |
| | | | | | | | |
| | | | | | | | |

Remark

1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.
3. According to the Hong Kong Observatory, anticipated wind directions in February 2022 are north, northeast and east.
4. According to the Contractor, the anticipated major construction activities in the reporting month includes:
 - (1) Trial Pits Excavation in Zone 1 and 2.
 - (2) Tree Preservation, Felling, Pruning, Transplantation in Zone 1, 2 and 3.
 - (3) Road Surface Maintenance in Zone 1, 2, 3, 4 and 5.
 - (4) Noise Barrier Foundation Works in Zone 1, 2, 4 and 5.
 - (5) Noise Barrier Erection Works in Zone 1, 2 and 5.
 - (6) Mini Pile Construction Works in Zone 1, 2 and 5.
 - (7) Construction, Diversion of Underground Utilities, including ELS works and Sheet Piling in Zone 3.
 - (8) Foundation Works for Lift in Zone 3.
 - (9) Retaining Wall and Lagging Wall Construction Works in Zone 3.
 - (10) Construction of Cycle Track Subway, Pump Room and Stem Wall Construction Works in Zone 3.
 - (11) Demolition of Existing Parapet in Zone 3.
 - (12) Pre Bore H Pile Construction Works in Zone 3.
 - (13) Steel Works Installation for Lift and SR5 Pile Cap Construction Works in Zone 3.
 - (14) Profile Barrier, Stem Wall Construction Works and Foundation Works for SR2 in Zone 3.
 - (15) Construction Works for N263 & N264 Bridge Deck Widening and SR6 Temporary Widening in Zone 3.
 - (16) ELS Works at SHA for Widening of SR3 in Zone 3.
 - (17) Removal of Existing Sign Gantries in Zone 3.
 - (18) Column Construction Works in Zone 3.
 - (19) Dismantling of NF40 Existing Pier in Zone 4.
 - (20) Road Drainage Works in Zone 5.
 - (21) Slope Replacement Works in Zone 5.

FUGRO TECHNICAL SERVICES LIMITED

Room 723 & 725, 7/F, Block B,
 Profit Industrial Building,
 1-15 Kwai Fung Crescent, Kwai Fong,
 Hong Kong

Tel : (852)-24508238
 Fax : (852)-24508032
 Email : mcl@fugro.com



Project: Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

Regular Night Time Noise Monitoring Schedule (January 2022)

| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|--|-----|-----|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 Regular night time noise monitoring | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 Regular night time noise monitoring | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 Regular night time noise monitoring | 21 | 22 |
| 23 | 24 | 25 | 26 | 27 Regular night time noise monitoring | 28 | 29 |
| 30 | 31 | | | | | |

Remarks

1. Due to safety concern, 2 staffs will carry out the night time noise monitoring together at all 21 monitoring stations on the same monitoring night of each week.
2. Actual monitoring schedule may be subjected to change due to any safety concern or adverse weather condition.

FUGRO TECHNICAL SERVICES LIMITED

Room 723 & 725, 7/F, Block B,
Profit Industrial Building,
1-15 Kwai Fung Crescent, Kwai Fong,
Hong Kong

Tel : (852)-24508238
Fax : (852)-24508032
Email : mcl@fugro.com



Project: Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

Tentative Regular Night Time Noise Monitoring Schedule (February 2022)

| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|--|---|-----|
| | | 1 | 2 | 3 | 4 Regular night time noise monitoring | 5 |
| 6 | 7 | 8 | 9 | 10 Regular night time noise monitoring | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 Regular night time noise monitoring | 18 | 19 |
| 20 | 21 | 22 | 23 | 24 Regular night time noise monitoring | 25 | 26 |
| 27 | 28 | | | | | |

Remarks

1. Due to safety concern, 2 staffs will carry out the night time noise monitoring together at all 21 monitoring stations on the same monitoring night of each week.
2. Actual monitoring schedule may be subjected to change due to any safety concern or adverse weather condition.

沙田崇真學校

2021 - 22 年度校曆表

27/8/2021 更新

| | | 日 | 一 | 二 | 三 | 四 | 五 | 六 | 假期 / 事項 | | | 日 | 一 | 二 | 三 | 四 | 五 | 六 | 假期 / 事項 |
|-------------|----|----|----|----|----|----|----|--|---|--------|----|----|----|----|----|----|---|--|---|
| 九 月 | | | | | 1 | 2 | 3 | 4 | 上學期開始(1/9) P.2-6 半天上課 (1-8/9) P.1 半天上課 (1-10/9) | 四 月 | | | | | | | 1 | 2 | 家長日(2/4) 清明節(5/4) 福音周及復活節崇拜 (7-8/4) 復活節假期(11/4-19/4) |
| | | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | 12 | 13 | 14 | 15 | 16 | 17 | 18 | | | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | |
| | | 19 | 20 | 21 | 22 | 23 | 24 | 25 | | | | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| | 26 | 27 | 28 | 29 | 30 | | | | 中秋節翌日(22/9) | | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 綵排日(28/4)校慶崇拜及晚會(29/4) | |
| 十 月 | | | | | | | | 2 | 國慶日(1/10) 零功課日(11/10)重陽節 (14/10) | 五 月 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 勞動節(1/5)勞動節補假(2/5) 零功課日(5/5) 佛誕補假(9/5) | |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | | | | | | | | | |
| | 10 | 11 | 12 | 13 | 14 | 15 | 16 | | | | | | | | | | | | |
| | 17 | 18 | 19 | 20 | 21 | 22 | 23 | | | | | | | | | | | | |
| | 24 | 25 | 26 | 27 | 28 | 29 | 30 | | | | | | | | | | | | |
| | 31 | | | | | | | | | | | | | | | | | | |
| 十一 月 | | 1 | 2 | 3 | 4 | 5 | 6 | 預考周(8/11-16/11) 一至六年級考試(17/11-23/11) | 六 月 | | | | 1 | 2 | 3 | 4 | 端午節(3/6) 全港性系統評估 (8-9/6) 教師專業發展日(13/6) 畢業禮(30/6) | | |
| | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | | | | | | | | | | | |
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | | | | | | | | | | | | |
| | 21 | 22 | 23 | 24 | 25 | 26 | 27 | | | | | | | | | | | | |
| | 28 | 29 | 30 | | | | | | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | |
| 十二 月 | | | | 1 | 2 | 3 | 4 | 全方位活動日 (2/12) 學校假期(3/12) 聖誕崇拜 (17/12) 立法會選舉翌日假期(20/12) 陸運會 (21/12) 聖誕及新年假期(22/12-2/1) | 七 月 | | | | | | | 2 | 香港特區成立紀念日 (1/7) 教師專業發展日(15/7) 暑假(16/7-31/8) | | |
| | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | | | | | | | | | |
| | 12 | 13 | 14 | 15 | 16 | 17 | 18 | | | | | | | | | | | | |
| | 19 | 20 | 21 | 22 | 23 | 24 | 25 | | | | | | | | | | | | |
| | 26 | 27 | 28 | 29 | 30 | 31 | | | | | | | | | | | | | |
| 二零二二年 一月 | | | | | | | | 1 | 六年級教育營(3-5/1) 一至五級專題研習周(3-6/1) 教師專業發展日(7/1) P.6 家長日(8/1) P.1-5 家長日(15/1) 零功課日(19/1) 跨學科活動日 (27/1) | 八 月 | | 1 | 2 | 3 | 4 | 5 | 6 | | |
| | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | | | | | | | | | |
| | 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | | | | | | | | | | |
| | 16 | 17 | 18 | 19 | 20 | 21 | 22 | | | | | | | | | | | | |
| | 23 | 24 | 25 | 26 | 27 | 28 | 29 | | | | | | | | | | | | |
| | 30 | 31 | | | | | | | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | | | |
| 二 月 | | | | | | | | | 農曆新年假期(28/1-8/2) 下學期開始(9/2) 預考周(14/2-22/2) 六年級報分試(23/2-1/3) 一至五年級主科考試(28/2-1/3) | 九 月 | | | | | | | | | 綠色為半天上課日 橙色為延伸學習活動課(周三) 紅色為公眾假期 本年度上課日數: 190 日 學校假期: 88 日 學校自決假期: 3 日 周六及日(不包長假期): 81 日 教師專業發展日: 3 日 合計: 365 日 |
| | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | | | | |
| | 13 | 14 | 15 | 16 | 17 | 18 | 19 | | | | | | | | | | | | |
| | 20 | 21 | 22 | 23 | 24 | 25 | 26 | | | | | | | | | | | | |
| | 27 | 28 | | | | | | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | | | | |
| 三 月 | | | 1 | 2 | 3 | 4 | 5 | 學校旅行(17/3) 學校假期(18/3) 學校籌款日 (27/3) 學校假期(28/3) | 十 月 | | | | | | | | | 學校假期 學校自決假期 教師專業發展日 | |
| | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | | | | |
| | 13 | 14 | 15 | 16 | 17 | 18 | 19 | | | | | | | | | | | | |
| | 20 | 21 | 22 | 23 | 24 | 25 | 26 | | | | | | | | | | | | |
| | 27 | 28 | 29 | 30 | 31 | | | | 21 | 22 | 23 | 24 | 25 | 26 | 27 | | | | |
| | | | | | | | | | | 28 | 29 | 30 | 31 | | | | | | |

新界沙田瀝源邨

網址: www.stts.edu.hk

電話: 3576 3344

傳真: 2609 0597

校長姓名: 洪細君女士

校長簽署: _____

日期: 27-8-2021

聖公會主風小學 2021-2022 年度上學期校曆表

| 週次 | 月份 | 星 期 | | | | | | | 行 事 要 項 | 假期日數 | | |
|----|----------------|-----|-----------|-----------|-----------|-----------|-----------|-----------------------------|-------------------------------------|--------|--------------------------------------|-------------|
| | | 日 | 一 | 二 | 三 | 四 | 五 | 六 | | | | |
| ① | 2021 九 月 | | | | 1* | 2 | 3 | 4 | 1/9 上學期開學日 | | | |
| ② | | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | | |
| ③ | | 12 | 13 | 14 | 15 | 16 | 17 | 18 | | | | |
| ④ | | 19 | 20 | 21* | 22 | 23 | 24 | 25 | | | 21/9 教師專業發展日 22/9 中秋節翌日 | 1 |
| ⑤ | | 26 | 27 | 28 | 29 | 30 | | | | | | |
| ⑥ | 十 月 | | | | | | 1 | 2 | 1/10 國慶日 | 1 | | |
| ⑦ | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | |
| ⑧ | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 14/10 重陽節 | 1 | | |
| ⑨ | | 17 | 18 | 19 | 20 | 21 | 22 | 23 | | | | |
| ⑩ | | 24 | 25 | <u>26</u> | <u>27</u> | <u>28</u> | <u>29</u> | 30 | 26/10-29/10 進展性評估(J.2-J.5)/呈分試(J.6) | | | |
| | 31 | | | | | | | | | | | |
| ⑪ | 十 一 月 | | 1 | 2 | 3 | 4 | 5 | 6 | 12/11 第十四屆陸運會 | | | |
| ⑫ | | 7 | 8 | 9 | 10 | 11 | 12* | 13 | | | | |
| ⑬ | | 14 | 15 | 16 | 17 | 18 | 19 | 20* | | | 20/11 上學期家長日、J.6 家長會 | |
| ⑭ | | 21 | 22 | 23 | 24 | 25 | 26 | 27 | | | | |
| | 28 | 29 | 30 | | | | | | | | | |
| ⑮ | 十 二 月 | | | | 1 | 2 | 3 | 4 | 9/12 教師專業發展日 | | | |
| ⑯ | | 5 | 6 | 7 | 8 | 9* | 10 | 11 | | | | |
| ⑰ | | 12 | <u>13</u> | <u>14</u> | <u>15</u> | <u>16</u> | 17 | 18 | | | 13/12-16/12 上學期學期試 | |
| ⑱ | | 19 | 20 | 21 | 22 | 23 | 24 | 25 | | | | 20/12 選舉日翌日 |
| ⑳ | 26 | 27 | 28 | 29 | 30 | 31 | | 21/12/2021-1/1/2022 聖誕及新年假期 | 1 5 6 | | | |
| ㉑ | 2022 一 月 | | | | | | | 1 | | 1 | | |
| ㉒ | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | |
| | | 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | | |
| | | 16 | 17* | 18 | 19 | 20 | 21 | 22 | 17/1 下學期開始 | | | |
| | | 23 | 24 | 25 | 26* | 27* | 28* | 29 | | | 26/1-28/1 教育營(J.6) 27/1 旅行日(J.1-J.5) | |
| | | 30 | 31 | | | | | 31/1-10/2 農曆新年假期 | | | | 1 |
| | 二 月 | | | 1 | 2 | 3 | 4 | 5 | | 5 5 | | |
| | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | |
| | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | | | | |

附註： □代表假期 *代表特別事宜

培英中學2021至2022年度校曆表

| | | 日 | 一 | 二 | 三 | 四 | 五 | 六 | 假期及注意事項 |
|----|---|-----------------|-----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|---|
| 週次 | 八 | (15) | (16) | (17) | (18) | (19) | (20) | (21) | |
| | 月 | (22) | (23) | (24) | (25) | (26) | (27) | (28) | |
| 1 | 九 | (29) | (30) | (31) | Sept 1 | 2 | 3 | 4 | (1/9)開學禮 (2/9)正式上課 |
| 2 | | 5 | 6 | 7 | 8 | 9 | 10 | 11 | (10/9)開學崇拜會 |
| 3 | | 12 | 13 | 14 | 15 | 16 | 17 | 18 | (13/9)中一至中四學生開始繳交周記 (14/9)各班拍攝學生相片 (13-17/9)藝術周 |
| 4 | | 19 | 20 | 21 | (22) | 23 | 24 | 25 | (22/9)中秋節翌日假期 (24/9)學生會候選內閣論壇 |
| 5 | 月 | 26 | 27 | 28 | 29 | 30 | Oct (1) | 2 | (27-30/9)學生會網上選舉 (27-30/9)個人社會及人文領域周 (1/10)國慶日假期 |
| 6 | 十 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | (9/10)香港培英校友會校友日 |
| 7 | | 10 | 11 | 12 | 13 | (14) | (15) | 16 | (14/10)重陽節假期 (15/10)教師專業發展日(1) |
| 8 | 月 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 9 | | 24 | 25 ^T | 26 ^T | 27 ^T | 28 ^T | 29 ^T | 30 | (25-29/10)中一至中六級統一測驗 |
| 10 | 十 | 31 | Nov 1 [△] | (2) | 3 | 4 | 5 | 6 | (1/11)第六十一屆陸運會 (2/11)陸運會翌日假期 (5/11)學生領袖就職典禮 |
| 11 | 一 | 7 | 8 | 9 | 10 | 11 | 12 | 13 [△] | (8-12/11)數學周 (13/11下午)家長教師會第二十四屆會員大會 |
| 12 | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
| 13 | 月 | 21 [△] | 22 | 23 | 24 | 25 | 26 | 27 | (21/11)南區中學巡禮 (22-26/11)敬師周 (26/11)師生聯誼日 |
| 14 | 十 | 28 | 29 | 30 | Dec 1 | 2 | 3 [△] | 4 | (3/12)全方位學習日 |
| 15 | 二 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | (6-10/12)英語周 (7/12)拍攝畢業照及班相 (11/12)中西南區小學數學比賽 |
| 16 | 月 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | (14-16/12)中六級校外模擬考試 (17/12)聖誕崇拜及慶祝會 |
| 17 | | 19 | (20) | (21) | (22) | (23) | (24) | (25) | (20/12)立法會選舉翌日假期 (21/12-1/1)聖誕及新年假期共12天 |
| 18 | 一 | (26) | (27) | (28) | (29) | (30) | (31) | Jan (1) | (21-24,28-30/12)中六級補課 |
| 19 | | 2 | 3 | 4 | 5 | 6 | 7 ^E | 8 | (7-18/1)中一至中五級上學期期考共8天 (7-20/1)中六級畢業試 |
| 20 | | 9 | 10 ^E | 11 ^E | 12 ^E | 13 ^E | 14 ^E | 15 | |
| 21 | | 16 | 17 ^E | 18 ^E | 19 ^E | 20 ^E | 21 | 22 | (19-21/1)中一至中五級試後回饋日 (21/1-10/3)中六級試後上課 (21/1下午)中五級學習概覽講座 |
| 22 | 月 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | (24-26/1)中一至中五級溫習及補考 |
| 23 | 二 | 30 | (31) | (1) | (2) | (3) | (4) | (5) | (31/1-12/2)農曆新年假期共13天 |
| 24 | | (6) | (7) | (8) | (9) | (10) | (11) | (12) | |
| 25 | | 13 | 14 | 15 | 16 | 17 | (18) | 19 | (14/2)下學期開始 (14-17/2)中華文化周 (18/2)區會中、小、幼聯校教師發展日 |
| 26 | 月 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | (25/2)區會中、小、幼聯校教師發展日(後備) (21/2)中一至中四級學生開始繳交周記 (21-25/2)福音周 (25/2)佈道會 |

() - 假期 ^E - 考試 [△] - 特別活動 教師發展日，學生不用上課

| 週日 | 週一 | 週二 | 週三 | 週四 | 週五 | 週六 |
|---|----|----|----|----|----|----|
| 26 | 27 | 28 | 29 | 30 | 31 | 1 |
| Christmas & New Year Holiday | | | | | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| First Term Exam | | | | | | |
| Week 17 | | | | | | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| First Term Exam | | | | | | |
| Week 18 | | | | | | |
| Opening Ceremony | | | | | | |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| First Term Exam Script Review in Normal Timetable | | | | | | |
| Week 19 | | | | | | |
| Newsletter to | | | | | | |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| Week 20 | | | | | | |
| First Term Prize | | | | | | |
| Parents'- Day | | | | | | |
| 30 | 31 | 1 | 2 | 3 | 4 | 5 |
| Chinese New Year Holiday | | | | | | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix F

Air Quality Monitoring Data

1-hour TSP Impact Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

AMS5 - Tin Liu

| 1-hour TSP ($\mu\text{g}/\text{m}^3$) | | | | | | | | |
|---|------------|--------|--------|--------|---------|--------------|-------------|----------|
| Date | Start Time | 1st hr | 2nd hr | 3rd hr | Average | Action Level | Limit Level | Weather |
| 05-Jan-22 | 16:07 | 41 | 48 | 42 | 44 | 340 | 500 | Fine |
| 11-Jan-22 | 08:06 | 93 | 89 | 83 | 88 | | | Fine |
| 17-Jan-22 | 17:58 | 73 | 74 | 73 | 73 | | | Overcast |
| 22-Jan-22 | 14:47 | 61 | 63 | 67 | 64 | | | Fine |
| 28-Jan-22 | 13:43 | 58 | 63 | 66 | 62 | | | Fine |
| Average | | 66 | | | | | | |
| Max | | 93 | | | | | | |
| Min | | 41 | | | | | | |

AMS7A - Sheung Wo Che

| 1-hour TSP ($\mu\text{g}/\text{m}^3$) | | | | | | | | |
|---|------------|--------|--------|--------|---------|--------------|-------------|----------|
| Date | Start Time | 1st hr | 2nd hr | 3rd hr | Average | Action Level | Limit Level | Weather |
| 05-Jan-22 | 14:48 | 49 | 49 | 47 | 48 | 344 | 500 | Fine |
| 11-Jan-22 | 08:16 | 69 | 82 | 77 | 76 | | | Fine |
| 17-Jan-22 | 14:37 | 60 | 57 | 62 | 60 | | | Overcast |
| 22-Jan-22 | 10:03 | 60 | 61 | 61 | 61 | | | Fine |
| 28-Jan-22 | 11:01 | 58 | 59 | 59 | 59 | | | Fine |
| Average | | 61 | | | | | | |
| Max | | 82 | | | | | | |
| Min | | 47 | | | | | | |

AMS14 - Ha Wo Che


| 1-hour TSP ($\mu\text{g}/\text{m}^3$) | | | | | | | | |
|---|------------|--------|--------|--------|---------|--------------|-------------|----------|
| Date | Start Time | 1st hr | 2nd hr | 3rd hr | Average | Action Level | Limit Level | Weather |
| 05-Jan-22 | 08:35 | 43 | 45 | 42 | 43 | 350 | 500 | Fine |
| 11-Jan-22 | 12:35 | 75 | 67 | 78 | 73 | | | Fine |
| 17-Jan-22 | 18:24 | 63 | 66 | 67 | 65 | | | Overcast |
| 22-Jan-22 | 12:14 | 66 | 66 | 67 | 66 | | | Fine |
| 28-Jan-22 | 12:10 | 62 | 60 | 62 | 61 | | | Fine |
| Average | | 62 | | | | | | |
| Max | | 78 | | | | | | |
| Min | | 42 | | | | | | |

AMS15 - Ha Wo Che


| 1-hour TSP ($\mu\text{g}/\text{m}^3$) | | | | | | | | |
|---|------------|--------|--------|--------|---------|--------------|-------------|----------|
| Date | Start Time | 1st hr | 2nd hr | 3rd hr | Average | Action Level | Limit Level | Weather |
| 05-Jan-22 | 18:22 | 43 | 39 | 44 | 42 | 350 | 500 | Fine |
| 11-Jan-22 | 08:51 | 76 | 66 | 64 | 69 | | | Fine |
| 17-Jan-22 | 13:16 | 63 | 64 | 60 | 62 | | | Overcast |
| 22-Jan-22 | 14:20 | 65 | 70 | 71 | 69 | | | Fine |
| 28-Jan-22 | 14:17 | 63 | 66 | 65 | 65 | | | Fine |
| Average | | 61 | | | | | | |
| Max | | 76 | | | | | | |
| Min | | 39 | | | | | | |

- Remark
1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.


1-hr TSP Monitoring record for AMS5




1-hr TSP Monitoring record for AMS7A



1-hr TSP Monitoring record for AMS14



1-hr TSP Monitoring record for AMS15



**24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)**

AM55 - Tin Liu

| Date and Time | TSP Concentration (µg/m³) |
|---------------------|---------------------------|
| 05/01/2022 08:07 | 34 |
| 05/01/2022 09:07 | 38 |
| 05/01/2022 10:07 | 38 |
| 05/01/2022 11:07 | 42 |
| 05/01/2022 12:07 | 48 |
| 05/01/2022 13:07 | 39 |
| 05/01/2022 14:07 | 36 |
| 05/01/2022 15:07 | 39 |
| 05/01/2022 16:07 | 41 |
| 05/01/2022 17:07 | 48 |
| 05/01/2022 18:07 | 42 |
| 05/01/2022 19:07 | 39 |
| 05/01/2022 20:07 | 35 |
| 05/01/2022 21:07 | 34 |
| 05/01/2022 22:07 | 32 |
| 05/01/2022 23:07 | 32 |
| 06/01/2022 00:07 | 41 |
| 06/01/2022 01:07 | 43 |
| 06/01/2022 02:07 | 36 |
| 06/01/2022 03:07 | 43 |
| 06/01/2022 04:07 | 43 |
| 06/01/2022 05:07 | 36 |
| 06/01/2022 06:07 | 39 |
| 06/01/2022 07:07 | 42 |
| Average | 39 |
| Action Level | 156 |
| Limit Level | 260 |

| Date and Time | TSP Concentration (µg/m³) |
|---------------------|---------------------------|
| 11/01/2022 07:06 | 53 |
| 11/01/2022 08:06 | 93 |
| 11/01/2022 09:06 | 89 |
| 11/01/2022 10:06 | 83 |
| 11/01/2022 11:06 | 73 |
| 11/01/2022 12:06 | 63 |
| 11/01/2022 13:06 | 55 |
| 11/01/2022 14:06 | 83 |
| 11/01/2022 15:06 | 85 |
| 11/01/2022 16:06 | 77 |
| 11/01/2022 17:06 | 81 |
| 11/01/2022 18:06 | 75 |
| 11/01/2022 19:06 | 83 |
| 11/01/2022 20:06 | 77 |
| 11/01/2022 21:06 | 69 |
| 11/01/2022 22:06 | 75 |
| 11/01/2022 23:06 | 53 |
| 12/01/2022 00:06 | 63 |
| 12/01/2022 01:06 | 75 |
| 12/01/2022 02:06 | 83 |
| 12/01/2022 03:06 | 81 |
| 12/01/2022 04:06 | 69 |
| 12/01/2022 05:06 | 99 |
| 12/01/2022 06:06 | 75 |
| Average | 76 |
| Action Level | 156 |
| Limit Level | 260 |

| Date and Time | TSP Concentration (µg/m³) |
|---------------------|---------------------------|
| 17/01/2022 07:58 | 52 |
| 17/01/2022 08:58 | 58 |
| 17/01/2022 09:58 | 64 |
| 17/01/2022 10:58 | 69 |
| 17/01/2022 11:58 | 61 |
| 17/01/2022 12:58 | 57 |
| 17/01/2022 13:58 | 63 |
| 17/01/2022 14:58 | 67 |
| 17/01/2022 15:58 | 72 |
| 17/01/2022 16:58 | 66 |
| 17/01/2022 17:58 | 73 |
| 17/01/2022 18:58 | 74 |
| 17/01/2022 19:58 | 73 |
| 17/01/2022 20:58 | 69 |
| 17/01/2022 21:58 | 51 |
| 17/01/2022 22:58 | 55 |
| 17/01/2022 23:58 | 61 |
| 18/01/2022 00:58 | 70 |
| 18/01/2022 01:58 | 58 |
| 18/01/2022 02:58 | 52 |
| 18/01/2022 03:58 | 54 |
| 18/01/2022 04:58 | 63 |
| 18/01/2022 05:58 | 66 |
| 18/01/2022 06:58 | 54 |
| Average | 63 |
| Action Level | 156 |
| Limit Level | 260 |

| Date and Time | TSP Concentration (µg/m³) |
|---------------------|---------------------------|
| 22/01/2022 08:47 | 48 |
| 22/01/2022 09:47 | 50 |
| 22/01/2022 10:47 | 54 |
| 22/01/2022 11:47 | 58 |
| 22/01/2022 12:47 | 63 |
| 22/01/2022 13:47 | 66 |
| 22/01/2022 14:47 | 61 |
| 22/01/2022 15:47 | 63 |
| 22/01/2022 16:47 | 67 |
| 22/01/2022 17:47 | 56 |
| 22/01/2022 18:47 | 51 |
| 22/01/2022 19:47 | 48 |
| 22/01/2022 20:47 | 56 |
| 22/01/2022 21:47 | 61 |
| 22/01/2022 22:47 | 58 |
| 22/01/2022 23:47 | 53 |
| 23/01/2022 00:47 | 51 |
| 23/01/2022 01:47 | 51 |
| 23/01/2022 02:47 | 47 |
| 23/01/2022 03:47 | 42 |
| 23/01/2022 04:47 | 41 |
| 23/01/2022 05:47 | 47 |
| 23/01/2022 06:47 | 44 |
| 23/01/2022 07:47 | 48 |
| Average | 54 |
| Action Level | 156 |
| Limit Level | 260 |

| Date and Time | TSP Concentration (µg/m³) |
|---------------------|---------------------------|
| 28/01/2022 08:43 | 45 |
| 28/01/2022 09:43 | 46 |
| 28/01/2022 10:43 | 51 |
| 28/01/2022 11:43 | 55 |
| 28/01/2022 12:43 | 58 |
| 28/01/2022 13:43 | 58 |
| 28/01/2022 14:43 | 63 |
| 28/01/2022 15:43 | 66 |
| 28/01/2022 16:43 | 54 |
| 28/01/2022 17:43 | 52 |
| 28/01/2022 18:43 | 49 |
| 28/01/2022 19:43 | 57 |
| 28/01/2022 20:43 | 57 |
| 28/01/2022 21:43 | 58 |
| 28/01/2022 22:43 | 58 |
| 28/01/2022 23:43 | 54 |
| 29/01/2022 00:43 | 52 |
| 29/01/2022 01:43 | 49 |
| 29/01/2022 02:43 | 48 |
| 29/01/2022 03:43 | 41 |
| 29/01/2022 04:43 | 42 |
| 29/01/2022 05:43 | 44 |
| 29/01/2022 06:43 | 44 |
| 29/01/2022 07:43 | 45 |
| Average | 52 |
| Action Level | 156 |
| Limit Level | 260 |

- Remark
1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

**24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)**

AMS7A - Sheung Wo Che

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 05/01/2022 07:48 | 32 |
| 05/01/2022 08:48 | 36 |
| 05/01/2022 09:48 | 40 |
| 05/01/2022 10:48 | 40 |
| 05/01/2022 11:48 | 35 |
| 05/01/2022 12:48 | 35 |
| 05/01/2022 13:48 | 33 |
| 05/01/2022 14:48 | 49 |
| 05/01/2022 15:48 | 49 |
| 05/01/2022 16:48 | 47 |
| 05/01/2022 17:48 | 40 |
| 05/01/2022 18:48 | 36 |
| 05/01/2022 19:48 | 33 |
| 05/01/2022 20:48 | 35 |
| 05/01/2022 21:48 | 35 |
| 05/01/2022 22:48 | 39 |
| 05/01/2022 23:48 | 40 |
| 06/01/2022 00:48 | 40 |
| 06/01/2022 01:48 | 38 |
| 06/01/2022 02:48 | 43 |
| 06/01/2022 03:48 | 40 |
| 06/01/2022 04:48 | 40 |
| 06/01/2022 05:48 | 43 |
| 06/01/2022 06:48 | 46 |
| Average | 39 |
| Action Level | 171 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 11/01/2022 07:16 | 51 |
| 11/01/2022 08:16 | 69 |
| 11/01/2022 09:16 | 82 |
| 11/01/2022 10:16 | 77 |
| 11/01/2022 11:16 | 61 |
| 11/01/2022 12:16 | 61 |
| 11/01/2022 13:16 | 77 |
| 11/01/2022 14:16 | 64 |
| 11/01/2022 15:16 | 58 |
| 11/01/2022 16:16 | 62 |
| 11/01/2022 17:16 | 58 |
| 11/01/2022 18:16 | 64 |
| 11/01/2022 19:16 | 54 |
| 11/01/2022 20:16 | 59 |
| 11/01/2022 21:16 | 48 |
| 11/01/2022 22:16 | 66 |
| 11/01/2022 23:16 | 72 |
| 12/01/2022 00:16 | 67 |
| 12/01/2022 01:16 | 64 |
| 12/01/2022 02:16 | 62 |
| 12/01/2022 03:16 | 72 |
| 12/01/2022 04:16 | 66 |
| 12/01/2022 05:16 | 58 |
| 12/01/2022 06:16 | 59 |
| Average | 64 |
| Action Level | 171 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 17/01/2022 07:37 | 43 |
| 17/01/2022 08:37 | 50 |
| 17/01/2022 09:37 | 53 |
| 17/01/2022 10:37 | 49 |
| 17/01/2022 11:37 | 53 |
| 17/01/2022 12:37 | 52 |
| 17/01/2022 13:37 | 59 |
| 17/01/2022 14:37 | 60 |
| 17/01/2022 15:37 | 57 |
| 17/01/2022 16:37 | 62 |
| 17/01/2022 17:37 | 53 |
| 17/01/2022 18:37 | 57 |
| 17/01/2022 19:37 | 59 |
| 17/01/2022 20:37 | 55 |
| 17/01/2022 21:37 | 52 |
| 17/01/2022 22:37 | 57 |
| 17/01/2022 23:37 | 53 |
| 18/01/2022 00:37 | 57 |
| 18/01/2022 01:37 | 52 |
| 18/01/2022 02:37 | 45 |
| 18/01/2022 03:37 | 53 |
| 18/01/2022 04:37 | 55 |
| 18/01/2022 05:37 | 53 |
| 18/01/2022 06:37 | 50 |
| Average | 54 |
| Action Level | 171 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 22/01/2022 09:03 | 57 |
| 22/01/2022 10:03 | 60 |
| 22/01/2022 11:03 | 61 |
| 22/01/2022 12:03 | 61 |
| 22/01/2022 13:03 | 58 |
| 22/01/2022 14:03 | 62 |
| 22/01/2022 15:03 | 55 |
| 22/01/2022 16:03 | 52 |
| 22/01/2022 17:03 | 54 |
| 22/01/2022 18:03 | 54 |
| 22/01/2022 19:03 | 61 |
| 22/01/2022 20:03 | 55 |
| 22/01/2022 21:03 | 57 |
| 22/01/2022 22:03 | 54 |
| 22/01/2022 23:03 | 51 |
| 23/01/2022 00:03 | 48 |
| 23/01/2022 01:03 | 49 |
| 23/01/2022 02:03 | 46 |
| 23/01/2022 03:03 | 51 |
| 23/01/2022 04:03 | 44 |
| 23/01/2022 05:03 | 46 |
| 23/01/2022 06:03 | 46 |
| 23/01/2022 07:03 | 45 |
| 23/01/2022 08:03 | 52 |
| Average | 53 |
| Action Level | 171 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 28/01/2022 09:01 | 56 |
| 28/01/2022 10:01 | 58 |
| 28/01/2022 11:01 | 58 |
| 28/01/2022 12:01 | 59 |
| 28/01/2022 13:01 | 59 |
| 28/01/2022 14:01 | 56 |
| 28/01/2022 15:01 | 59 |
| 28/01/2022 16:01 | 55 |
| 28/01/2022 17:01 | 53 |
| 28/01/2022 18:01 | 59 |
| 28/01/2022 19:01 | 58 |
| 28/01/2022 20:01 | 56 |
| 28/01/2022 21:01 | 55 |
| 28/01/2022 22:01 | 55 |
| 28/01/2022 23:01 | 53 |
| 29/01/2022 00:01 | 50 |
| 29/01/2022 01:01 | 50 |
| 29/01/2022 02:01 | 47 |
| 29/01/2022 03:01 | 49 |
| 29/01/2022 04:01 | 43 |
| 29/01/2022 05:01 | 44 |
| 29/01/2022 06:01 | 44 |
| 29/01/2022 07:01 | 43 |
| 29/01/2022 08:01 | 50 |
| Average | 53 |
| Action Level | 171 |
| Limit Level | 260 |

- Remark
- Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 - The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

**24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)**

AMS14 - Ha Wo Che

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 05/01/2022 07:35 | 36 |
| 05/01/2022 08:35 | 43 |
| 05/01/2022 09:35 | 45 |
| 05/01/2022 10:35 | 42 |
| 05/01/2022 11:35 | 34 |
| 05/01/2022 12:35 | 28 |
| 05/01/2022 13:35 | 25 |
| 05/01/2022 14:35 | 31 |
| 05/01/2022 15:35 | 34 |
| 05/01/2022 16:35 | 37 |
| 05/01/2022 17:35 | 42 |
| 05/01/2022 18:35 | 37 |
| 05/01/2022 19:35 | 37 |
| 05/01/2022 20:35 | 36 |
| 05/01/2022 21:35 | 33 |
| 05/01/2022 22:35 | 37 |
| 05/01/2022 23:35 | 37 |
| 06/01/2022 00:35 | 36 |
| 06/01/2022 01:35 | 34 |
| 06/01/2022 02:35 | 40 |
| 06/01/2022 03:35 | 46 |
| 06/01/2022 04:35 | 40 |
| 06/01/2022 05:35 | 39 |
| 06/01/2022 06:35 | 39 |
| Average | 37 |
| Action Level | 174 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 11/01/2022 07:35 | 64 |
| 11/01/2022 08:35 | 66 |
| 11/01/2022 09:35 | 60 |
| 11/01/2022 10:35 | 54 |
| 11/01/2022 11:35 | 60 |
| 11/01/2022 12:35 | 75 |
| 11/01/2022 13:35 | 67 |
| 11/01/2022 14:35 | 78 |
| 11/01/2022 15:35 | 55 |
| 11/01/2022 16:35 | 67 |
| 11/01/2022 17:35 | 52 |
| 11/01/2022 18:35 | 60 |
| 11/01/2022 19:35 | 63 |
| 11/01/2022 20:35 | 64 |
| 11/01/2022 21:35 | 72 |
| 11/01/2022 22:35 | 69 |
| 11/01/2022 23:35 | 70 |
| 12/01/2022 00:35 | 64 |
| 12/01/2022 01:35 | 63 |
| 12/01/2022 02:35 | 66 |
| 12/01/2022 03:35 | 57 |
| 12/01/2022 04:35 | 60 |
| 12/01/2022 05:35 | 54 |
| 12/01/2022 06:35 | 61 |
| Average | 63 |
| Action Level | 174 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 17/01/2022 07:24 | 39 |
| 17/01/2022 08:24 | 50 |
| 17/01/2022 09:24 | 49 |
| 17/01/2022 10:24 | 54 |
| 17/01/2022 11:24 | 47 |
| 17/01/2022 12:24 | 53 |
| 17/01/2022 13:24 | 49 |
| 17/01/2022 14:24 | 56 |
| 17/01/2022 15:24 | 59 |
| 17/01/2022 16:24 | 66 |
| 17/01/2022 17:24 | 60 |
| 17/01/2022 18:24 | 63 |
| 17/01/2022 19:24 | 66 |
| 17/01/2022 20:24 | 67 |
| 17/01/2022 21:24 | 54 |
| 17/01/2022 22:24 | 49 |
| 17/01/2022 23:24 | 54 |
| 18/01/2022 00:24 | 53 |
| 18/01/2022 01:24 | 57 |
| 18/01/2022 02:24 | 50 |
| 18/01/2022 03:24 | 56 |
| 18/01/2022 04:24 | 61 |
| 18/01/2022 05:24 | 66 |
| 18/01/2022 06:24 | 49 |
| Average | 55 |
| Action Level | 174 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 22/01/2022 09:14 | 48 |
| 22/01/2022 10:14 | 53 |
| 22/01/2022 11:14 | 60 |
| 22/01/2022 12:14 | 66 |
| 22/01/2022 13:14 | 66 |
| 22/01/2022 14:14 | 67 |
| 22/01/2022 15:14 | 60 |
| 22/01/2022 16:14 | 56 |
| 22/01/2022 17:14 | 57 |
| 22/01/2022 18:14 | 61 |
| 22/01/2022 19:14 | 64 |
| 22/01/2022 20:14 | 64 |
| 22/01/2022 21:14 | 63 |
| 22/01/2022 22:14 | 56 |
| 22/01/2022 23:14 | 53 |
| 23/01/2022 00:14 | 53 |
| 23/01/2022 01:14 | 48 |
| 23/01/2022 02:14 | 44 |
| 23/01/2022 03:14 | 42 |
| 23/01/2022 04:14 | 47 |
| 23/01/2022 05:14 | 44 |
| 23/01/2022 06:14 | 42 |
| 23/01/2022 07:14 | 42 |
| 23/01/2022 08:14 | 44 |
| Average | 54 |
| Action Level | 174 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 28/01/2022 09:10 | 49 |
| 28/01/2022 10:10 | 48 |
| 28/01/2022 11:10 | 60 |
| 28/01/2022 12:10 | 62 |
| 28/01/2022 13:10 | 60 |
| 28/01/2022 14:10 | 62 |
| 28/01/2022 15:10 | 58 |
| 28/01/2022 16:10 | 52 |
| 28/01/2022 17:10 | 52 |
| 28/01/2022 18:10 | 58 |
| 28/01/2022 19:10 | 60 |
| 28/01/2022 20:10 | 62 |
| 28/01/2022 21:10 | 60 |
| 28/01/2022 22:10 | 57 |
| 28/01/2022 23:10 | 57 |
| 29/01/2022 00:10 | 51 |
| 29/01/2022 01:10 | 49 |
| 29/01/2022 02:10 | 43 |
| 29/01/2022 03:10 | 45 |
| 29/01/2022 04:10 | 43 |
| 29/01/2022 05:10 | 43 |
| 29/01/2022 06:10 | 45 |
| 29/01/2022 07:10 | 40 |
| 29/01/2022 08:10 | 45 |
| Average | 53 |
| Action Level | 174 |
| Limit Level | 260 |

- Remark
1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
 2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.

**24-hour TSP Impact Monitoring Result for
NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)**

AMS 15 - Ha Wo Che

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 05/01/2022 07:22 | 35 |
| 05/01/2022 08:22 | 33 |
| 05/01/2022 09:22 | 38 |
| 05/01/2022 10:22 | 31 |
| 05/01/2022 11:22 | 31 |
| 05/01/2022 12:22 | 26 |
| 05/01/2022 13:22 | 30 |
| 05/01/2022 14:22 | 31 |
| 05/01/2022 15:22 | 35 |
| 05/01/2022 16:22 | 35 |
| 05/01/2022 17:22 | 39 |
| 05/01/2022 18:22 | 43 |
| 05/01/2022 19:22 | 39 |
| 05/01/2022 20:22 | 44 |
| 05/01/2022 21:22 | 38 |
| 05/01/2022 22:22 | 39 |
| 05/01/2022 23:22 | 36 |
| 06/01/2022 00:22 | 39 |
| 06/01/2022 01:22 | 39 |
| 06/01/2022 02:22 | 41 |
| 06/01/2022 03:22 | 38 |
| 06/01/2022 04:22 | 41 |
| 06/01/2022 05:22 | 39 |
| 06/01/2022 06:22 | 44 |
| Average | 37 |
| Action Level | 172 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 11/01/2022 07:51 | 55 |
| 11/01/2022 08:51 | 76 |
| 11/01/2022 09:51 | 66 |
| 11/01/2022 10:51 | 64 |
| 11/01/2022 11:51 | 70 |
| 11/01/2022 12:51 | 63 |
| 11/01/2022 13:51 | 60 |
| 11/01/2022 14:51 | 56 |
| 11/01/2022 15:51 | 57 |
| 11/01/2022 16:51 | 67 |
| 11/01/2022 17:51 | 62 |
| 11/01/2022 18:51 | 71 |
| 11/01/2022 19:51 | 60 |
| 11/01/2022 20:51 | 50 |
| 11/01/2022 21:51 | 48 |
| 11/01/2022 22:51 | 55 |
| 11/01/2022 23:51 | 59 |
| 12/01/2022 00:51 | 66 |
| 12/01/2022 01:51 | 62 |
| 12/01/2022 02:51 | 67 |
| 12/01/2022 03:51 | 64 |
| 12/01/2022 04:51 | 59 |
| 12/01/2022 05:51 | 50 |
| 12/01/2022 06:51 | 53 |
| Average | 61 |
| Action Level | 172 |
| Limit Level | 260 |



| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 17/01/2022 07:16 | 36 |
| 17/01/2022 08:16 | 45 |
| 17/01/2022 09:16 | 42 |
| 17/01/2022 10:16 | 48 |
| 17/01/2022 11:16 | 39 |
| 17/01/2022 12:16 | 45 |
| 17/01/2022 13:16 | 63 |
| 17/01/2022 14:16 | 64 |
| 17/01/2022 15:16 | 60 |
| 17/01/2022 16:16 | 43 |
| 17/01/2022 17:16 | 57 |
| 17/01/2022 18:16 | 56 |
| 17/01/2022 19:16 | 57 |
| 17/01/2022 20:16 | 53 |
| 17/01/2022 21:16 | 48 |
| 17/01/2022 22:16 | 60 |
| 17/01/2022 23:16 | 49 |
| 18/01/2022 00:16 | 52 |
| 18/01/2022 01:16 | 56 |
| 18/01/2022 02:16 | 56 |
| 18/01/2022 03:16 | 50 |
| 18/01/2022 04:16 | 56 |
| 18/01/2022 05:16 | 53 |
| 18/01/2022 06:16 | 53 |
| Average | 52 |
| Action Level | 172 |
| Limit Level | 260 |



| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 22/01/2022 09:20 | 52 |
| 22/01/2022 10:20 | 50 |
| 22/01/2022 11:20 | 47 |
| 22/01/2022 12:20 | 58 |
| 22/01/2022 13:20 | 61 |
| 22/01/2022 14:20 | 65 |
| 22/01/2022 15:20 | 70 |
| 22/01/2022 16:20 | 71 |
| 22/01/2022 17:20 | 58 |
| 22/01/2022 18:20 | 64 |
| 22/01/2022 19:20 | 59 |
| 22/01/2022 20:20 | 65 |
| 22/01/2022 21:20 | 68 |
| 22/01/2022 22:20 | 68 |
| 22/01/2022 23:20 | 62 |
| 23/01/2022 00:20 | 58 |
| 23/01/2022 01:20 | 62 |
| 23/01/2022 02:20 | 61 |
| 23/01/2022 03:20 | 55 |
| 23/01/2022 04:20 | 55 |
| 23/01/2022 05:20 | 56 |
| 23/01/2022 06:20 | 53 |
| 23/01/2022 07:20 | 50 |
| 23/01/2022 08:20 | 55 |
| Average | 59 |
| Action Level | 172 |
| Limit Level | 260 |

| Date and Time | TSP Concentration ($\mu\text{g}/\text{m}^3$) |
|------------------|--|
| 28/01/2022 09:17 | 53 |
| 28/01/2022 10:17 | 48 |
| 28/01/2022 11:17 | 48 |
| 28/01/2022 12:17 | 54 |
| 28/01/2022 13:17 | 57 |
| 28/01/2022 14:17 | 63 |
| 28/01/2022 15:17 | 66 |
| 28/01/2022 16:17 | 65 |
| 28/01/2022 17:17 | 59 |
| 28/01/2022 18:17 | 62 |
| 28/01/2022 19:17 | 60 |
| 28/01/2022 20:17 | 62 |
| 28/01/2022 21:17 | 56 |
| 28/01/2022 22:17 | 60 |
| 28/01/2022 23:17 | 60 |
| 29/01/2022 00:17 | 59 |
| 29/01/2022 01:17 | 60 |
| 29/01/2022 02:17 | 60 |
| 29/01/2022 03:17 | 56 |
| 29/01/2022 04:17 | 51 |
| 29/01/2022 05:17 | 54 |
| 29/01/2022 06:17 | 54 |
| 29/01/2022 07:17 | 51 |
| 29/01/2022 08:17 | 53 |
| Average | 57 |
| Action Level | 172 |
| Limit Level | 260 |

Remark

1. Actual monitoring may be subjected to change due to any safety concern or adverse weather condition.
2. The Impact Air Monitoring Stations to be monitored should be selected based on the prevailing wind direction and their proximity to the active construction works.





FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix G

Noise Monitoring Data

Impact Noise Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

NMS 1 Scenery Court

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 08:30 | 62.0 | 60.0 | 63.5 | 75 | 62.0 | Fine | 1.1 |
| 11-Jan-22 | 11:18 | 64.6 | 61.5 | 66.0 | | 64.6 | Fine | 0.5 |
| 17-Jan-22 | 08:18 | 64.1 | 62.0 | 66.5 | | 64.1 | Overcast | 0.3 |
| 28-Jan-22 | 08:14 | 62.7 | 60.0 | 65.0 | | 62.7 | Fine | 0.2 |

NMS 2 Villa Le Parc

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 09:08 | 51.9 | 50.5 | 53.0 | 75 | 51.9 | Fine | 0.6 |
| 11-Jan-22 | 08:42 | 53.4 | 52.0 | 54.5 | | 53.4 | Fine | 0.7 |
| 17-Jan-22 | 10:58 | 54.1 | 52.0 | 56.0 | | 54.1 | Overcast | 0.2 |
| 28-Jan-22 | 10:50 | 53.4 | 50.5 | 55.0 | | 53.4 | Fine | 0.3 |

NMS 3 Hilton Plaza

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 09:45 | 68.7 | 65.0 | 70.5 | 75 | 68.7 | Fine | 0.5 |
| 11-Jan-22 | 09:35 | 68.1 | 66.0 | 70.0 | | 68.1 | Fine | 0.9 |
| 17-Jan-22 | 08:59 | 66.4 | 63.5 | 69.0 | | 66.4 | Overcast | 0.3 |
| 28-Jan-22 | 10:05 | 67.0 | 66.4 | 68.7 | | 67.0 | Fine | 0.6 |

NMS 4 Tin Liu

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 13:06 | 64.9 | 62.5 | 66.5 | 75 | 64.9 | Fine | 0.4 |
| 11-Jan-22 | 13:00 | 63.0 | 61.5 | 64.0 | | 63.0 | Fine | 0.6 |
| 17-Jan-22 | 13:06 | 61.8 | 59.5 | 64.0 | | 61.8 | Overcast | 0.2 |
| 28-Jan-22 | 11:33 | 62.3 | 60.0 | 64.5 | | 62.3 | Fine | 0.2 |

NMS 5A Wai Wah Centre (Site Boundary)

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 10:29 | 70.6 | 66.5 | 71.5 | 75 | 70.6 | Fine | 0.5 |
| 11-Jan-22 | 10:24 | 70.7 | 67.5 | 72.0 | | 70.7 | Fine | 1.2 |
| 17-Jan-22 | 09:35 | 70.3 | 66.0 | 73.5 | | 70.3 | Overcast | 0.4 |
| 28-Jan-22 | 08:55 | 70.8 | 67.0 | 74.0 | | 70.8 | Fine | 0.4 |

NMS 6A Wai Wah Centre (Site Boundary)

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 11:08 | 71.8 | 68.0 | 74.0 | 75 | 71.8 | Fine | 0.5 |
| 11-Jan-22 | 14:23 | 72.4 | 68.5 | 74.0 | | 72.4 | Fine | 1.0 |
| 17-Jan-22 | 10:09 | 70.6 | 68.0 | 73.0 | | 70.6 | Overcast | 0.4 |
| 28-Jan-22 | 10:05 | 67.0 | 66.5 | 70.1 | | 67.0 | Fine | 0.2 |

If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, } L_{eq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$

NMS 7 Tin Liu

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|-----------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| | | Unit: dB(A) 30 Mins | | | | | | |
| 5-Jan-22 | 13:40 | 64.0 | 61.0 | 66.5 | 75 | 64.0 | Fine | 0.8 |
| 11-Jan-22 | 13:36 | 66.4 | 63.0 | 68.0 | | 66.4 | Fine | 0.6 |
| 17-Jan-22 | 13:41 | 62.6 | 61.0 | 64.5 | | 62.6 | Overcast | 0.3 |
| 28-Jan-22 | 13:01 | 63.1 | 61.0 | 65.0 | | 63.1 | Fine | 0.2 |

NMS 8 Shatin Plaza

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|-----------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| | | Unit: dB(A) 30 Mins | | | | | | |
| 6-Jan-22 | 08:28 | 63.2 | 61.0 | 64.5 | 75 | 63.2 | Fine | 0.9 |
| 12-Jan-22 | 15:20 | 66.9 | 65.0 | 69.0 | | 66.9 | Fine | 0.8 |
| 18-Jan-22 | 16:36 | 66.0 | 64.0 | 67.0 | | 66.0 | Fine | 0.8 |
| 29-Jan-22 | 08:30 | 64.4 | 61.0 | 66.5 | | 64.4 | Fine | 0.5 |

NMS 9 Lek Yuen Estate

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|-----------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| | | Unit: dB(A) 30 Mins | | | | | | |
| 6-Jan-22 | 09:45 | 66.0 | 61.5 | 68.0 | 75 | 66.0 | Fine | 0.6 |
| 12-Jan-22 | 14:46 | 65.7 | 64.0 | 67.0 | | 65.7 | Fine | 0.6 |
| 18-Jan-22 | 15:27 | 66.8 | 65.0 | 67.5 | | 66.8 | Fine | 0.8 |
| 29-Jan-22 | 09:43 | 66.2 | 61.0 | 67.5 | | 66.2 | Fine | 0.4 |

NMS 10A Shatin Tsung Tsin School

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|-----------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| | | Unit: dB(A) 30 Mins | | | | | | |
| 6-Jan-22 | 10:38 | 64.1 | 62.0 | 65.5 | 70 | 64.1 | Fine | 0.6 |
| 12-Jan-22 | 14:10 | 62.6 | 59.5 | 65.0 | | 62.6 | Fine | 0.8 |
| 18-Jan-22 | 14:52 | 59.9 | 55.5 | 62.0 | | 59.9 | Fine | 0.5 |
| 29-Jan-22 | 10:21 | 64.2 | 62.0 | 65.5 | | 64.2 | Fine | 0.6 |

*Note: The school calendar was provide in Appendix E.

NMS 11 Sheung Wo Che

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|-----------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| | | Unit: dB(A) 30 Mins | | | | | | |
| 6-Jan-22 | 16:57 | 61.1 | 57.5 | 63.5 | 75 | 61.1 | Fine | 0.8 |
| 12-Jan-22 | 09:09 | 59.3 | 53.0 | 60.0 | | 59.3 | Fine | 0.6 |
| 18-Jan-22 | 13:06 | 61.7 | 58.0 | 64.0 | | 61.7 | Fine | 0.5 |
| 29-Jan-22 | 15:53 | 60.3 | 58.0 | 61.5 | | 60.3 | Fine | 0.4 |

NMS 12 SKH Holy Spirit Primary School

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|-----------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| | | Unit: dB(A) 30 Mins | | | | | | |
| 6-Jan-22 | 11:15 | 62.4 | 60.0 | 64.5 | 70 | 62.4 | Fine | 0.7 |
| 12-Jan-22 | 13:36 | 60.1 | 58.0 | 61.5 | | 60.1 | Fine | 0.7 |
| 18-Jan-22 | 14:17 | 63.4 | 56.0 | 67.0 | | 63.4 | Fine | 0.7 |
| 29-Jan-22 | 10:58 | 60.3 | 57.5 | 61.5 | | 60.3 | Fine | 0.5 |

*Note: The school calendar was provide in Appendix E.

If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, } L_{eq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$

NMS 13 Lek Yuen Estate

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 13:05 | 61.5 | 58.5 | 63.5 | 75 | 61.5 | Fine | 1.0 |
| 12-Jan-22 | 16:30 | 60.4 | 59.6 | 62.1 | | 60.4 | Fine | 0.7 |
| 18-Jan-22 | 10:58 | 60.1 | 58.0 | 61.5 | | 60.1 | Fine | 0.7 |
| 29-Jan-22 | 11:36 | 59.7 | 57.5 | 61.0 | | 59.7 | Fine | 0.8 |

NMS 14 Sheung Wo Che

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 16:16 | 60.6 | 58.0 | 62.0 | 75 | 60.6 | Fine | 0.5 |
| 12-Jan-22 | 09:44 | 62.9 | 60.5 | 64.5 | | 62.9 | Fine | 0.7 |
| 18-Jan-22 | 11:35 | 60.2 | 57.0 | 61.0 | | 60.2 | Fine | 0.8 |
| 29-Jan-22 | 15:17 | 62.2 | 60.0 | 63.5 | | 62.2 | Fine | 0.5 |

NMS 15 Ha Wo Che

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 15:03 | 58.7 | 55.5 | 60.0 | 75 | 58.7 | Fine | 0.8 |
| 11-Jan-22 | 15:37 | 59.3 | 57.0 | 61.0 | | 59.3 | Fine | 0.8 |
| 17-Jan-22 | 15:06 | 56.7 | 54.0 | 59.5 | | 56.7 | Overcast | 0.2 |
| 28-Jan-22 | 14:28 | 56.2 | 53.5 | 58.5 | | 56.2 | Fine | 0.6 |

NMS 16 Ha Wo Che

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 15:41 | 60.7 | 59.0 | 62.0 | 75 | 60.7 | Fine | 0.7 |
| 11-Jan-22 | 16:19 | 60.0 | 57.5 | 62.5 | | 60.0 | Fine | 1.0 |
| 17-Jan-22 | 15:43 | 57.3 | 55.5 | 58.5 | | 57.3 | Overcast | 0.3 |
| 28-Jan-22 | 15:04 | 56.8 | 54.0 | 59.5 | | 56.8 | Fine | 0.5 |

NMS 17 Shatin Pui Ying College

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 13:53 | 61.8 | 59.0 | 63.0 | 70 | 61.8 | Fine | 0.8 |
| 12-Jan-22 | 10:51 | 62.1 | 57.5 | 63.0 | 65 | 62.1 | Fine | 0.8 |
| 18-Jan-22 | 09:48 | 60.7 | 59.5 | 61.5 | | 60.7 | Fine | 0.6 |
| 29-Jan-22 | 13:00 | 61.3 | 59.0 | 62.5 | 70 | 61.3 | Fine | 0.5 |

For Shatin Pui Ying College, 70 dB(A) noise level is set for school for normal days. The examination period was 7, 10-14 and 17-20 January 2022. Hence, the daytime noise level changed from 70 to 65 dB(A).

NMS 18 Ha Wo Che

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 16:20 | 61.6 | 58.5 | 63.0 | 75 | 61.6 | Fine | 0.7 |
| 11-Jan-22 | 16:54 | 62.4 | 60.0 | 63.5 | | 62.4 | Fine | 0.7 |
| 17-Jan-22 | 16:18 | 57.4 | 54.5 | 59.5 | | 57.4 | Overcast | 0.2 |
| 28-Jan-22 | 15:41 | 58.5 | 55.5 | 61.0 | | 58.5 | Fine | 0.6 |

If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, } L_{eq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$

NMS 19 Wo Che Estate

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 14:30 | 64.0 | 62.0 | 66.0 | 75 | 64.0 | Fine | 0.9 |
| 12-Jan-22 | 11:24 | 63.7 | 61.5 | 65.5 | | 63.7 | Fine | 0.6 |
| 18-Jan-22 | 09:10 | 63.7 | 59.5 | 64.0 | | 63.7 | Fine | 0.7 |
| 29-Jan-22 | 13:36 | 63.2 | 60.5 | 64.5 | | 63.2 | Fine | 0.4 |

NMS 20 Wo Che Estate

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 15:04 | 65.8 | 62.5 | 66.5 | 75 | 65.8 | Fine | 0.6 |
| 12-Jan-22 | 13:02 | 61.2 | 58.0 | 62.0 | | 61.2 | Fine | 0.5 |
| 18-Jan-22 | 08:37 | 58.3 | 56.0 | 59.0 | | 58.3 | Fine | 0.9 |
| 29-Jan-22 | 14:11 | 63.9 | 60.5 | 65.0 | | 63.9 | Fine | 0.4 |

NMS 23 Pai Tau

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 14:23 | 63.1 | 60.0 | 64.5 | 75 | 63.1 | Fine | 0.7 |
| 11-Jan-22 | 15:02 | 63.3 | 59.0 | 65.5 | | 63.3 | Fine | 1.1 |
| 17-Jan-22 | 14:24 | 61.9 | 60.0 | 64.0 | | 61.9 | Overcast | 0.2 |
| 28-Jan-22 | 13:43 | 61.6 | 59.5 | 64.0 | | 61.6 | Fine | 1.0 |

NMS 24 Shatin Plaza

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 09:04 | 62.1 | 60.0 | 63.5 | 75 | 62.1 | Fine | 0.7 |
| 12-Jan-22 | 15:53 | 67.9 | 66.0 | 69.0 | | 67.9 | Fine | 1.0 |
| 18-Jan-22 | 16:03 | 66.2 | 64.5 | 67.5 | | 66.2 | Fine | 0.7 |
| 29-Jan-22 | 09:03 | 63.6 | 61.5 | 65.0 | | 63.6 | Fine | 0.5 |

NMS 25A Sheung Wo Che

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 17:36 | 63.8 | 60.5 | 65.0 | 75 | 63.8 | Fine | 0.8 |
| 12-Jan-22 | 08:36 | 64.2 | 54.0 | 67.5 | | 64.2 | Fine | 0.7 |
| 18-Jan-22 | 13:41 | 66.5 | 61.5 | 67.5 | | 66.5 | Fine | 0.6 |
| 29-Jan-22 | 16:30 | 65.1 | 60.5 | 67.0 | | 65.1 | Fine | 0.6 |

NMS 26 Wo Che Estate

| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|---------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 6-Jan-22 | 15:40 | 69.5 | 66.5 | 71.0 | 75 | 69.5 | Fine | 1.0 |
| 12-Jan-22 | 10:18 | 69.0 | 66.0 | 71.0 | | 69.0 | Fine | 0.9 |
| 18-Jan-22 | 10:22 | 70.5 | 67.0 | 73.0 | | 70.5 | Fine | 0.7 |
| 29-Jan-22 | 14:40 | 71.1 | 68.0 | 72.5 | | 71.1 | Fine | 0.6 |







NMS 27 Jockey Club Ti-I College







| Date | Start Time | Measured Noise Level | | | Limit Level | Construction Noise Level | Weather | Wind Speed (m/s) |
|---------------------|------------|----------------------|-----------------|-----------------|-------------|--------------------------|----------|------------------|
| | | L _{eq} | L ₉₀ | L ₁₀ | | | | |
| Unit: dB(A) 30 Mins | | | | | | | | |
| 5-Jan-22 | 17:12 | 63.0 | 61.0 | 65.0 | 65 | 63.0 | Fine | 0.9 |
| 11-Jan-22 | 17:48 | 63.9 | 60.0 | 66.5 | | 63.9 | Fine | 0.5 |
| 17-Jan-22 | 17:11 | 60.7 | 58.0 | 63.0 | 70 | 60.7 | Overcast | 0.6 |
| 28-Jan-22 | 16:29 | 61.1 | 58.0 | 64.0 | | 61.1 | Fine | 0.6 |







For Jockey Club Ti-I College, 70 dB(A) noise level is set for school for normal days. The examination period was 3-15 January 2022. Hence, the daytime noise level changed from 70 to 65 dB(A).








If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, } L_{eq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$









Night Time Noise Monitoring Result for NOD 03-2018 Road Widening and Retrofitting Noise Barriers on Tai Po Road (Sha Tin Section)

NMS 1 Scenery Court

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 6-Jan-22 | 23:00 | 60.5 | 61.4 | 52.8 - 66.3 | 55 | Measured Noise Level<Baseline | Fine | 0.8 |
| 13-Jan-22 | 23:38 | 56.2 | | | | Measured Noise Level<Baseline | Fine | 0.9 |
| 20-Jan-22 | 23:06 | 56.9 | | | | Measured Noise Level<Baseline | Fine | 0.5 |
| 27-Jan-22 | 23:58 | 56.5 | | | | Measured Noise Level<Baseline | Fine | 1.2 |

NMS 2 Villa Le Parc

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 6-Jan-22 | 23:15 | 52.7 | 49.7 | 40.1 - 58.2 | 55 | Measured Noise Level<Limit Level | Fine | 0.8 |
| 13-Jan-22 | 23:00 | 49.5 | | | | Measured Noise Level<Limit Level | Fine | 1.8 |
| 21-Jan-22 | 02:30 | 54.0 | | | | Measured Noise Level<Limit Level | Fine | 1.7 |
| 27-Jan-22 | 23:04 | 52.2 | | | | Measured Noise Level<Limit Level | Fine | 0.8 |

NMS 3 Hilton Plaza

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 6-Jan-22 | 23:32 | 62.0 | 70.9 | 60.2 - 78.9 | 55 | Measured Noise Level<Baseline | Fine | 0.7 |
| 14-Jan-22 | 00:00 | 59.4 | | | | Measured Noise Level<Baseline | Fine | 1.2 |
| 20-Jan-22 | 23:28 | 61.9 | | | | Measured Noise Level<Baseline | Fine | 0.6 |
| 28-Jan-22 | 00:20 | 60.7 | | | | Measured Noise Level<Baseline | Fine | 1.4 |

NMS 4 Tin Liu

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 6-Jan-22 | 23:23 | 61.4 | 62.6 | 53.1 - 68.1 | 55 | Measured Noise Level<Baseline | Fine | 1.2 |
| 13-Jan-22 | 23:32 | 58.9 | | | | Measured Noise Level<Baseline | Fine | 1.6 |
| 21-Jan-22 | 02:06 | 61.0 | | | | Measured Noise Level<Baseline | Fine | 1.3 |
| 27-Jan-22 | 23:25 | 61.2 | | | | Measured Noise Level<Baseline | Fine | 1.2 |

NMS 5A Wai Wah Centre (Site Boundary)

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 6-Jan-22 | 23:59 | 65.4 | 67.9 | 62.0 - 75.2 | 55 | Measured Noise Level<Baseline | Fine | 0.7 |
| 13-Jan-22 | 23:00 | 65.7 | | | | Measured Noise Level<Baseline | Fine | 0.8 |
| 20-Jan-22 | 23:54 | 65.2 | | | | Measured Noise Level<Baseline | Fine | 0.6 |
| 27-Jan-22 | 23:18 | 66.6 | | | | Measured Noise Level<Baseline | Fine | 0.8 |

NMS 6A Wai Wah Centre (Site Boundary)

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 00:40 | 67.7 | 71.5 | 65.0 - 85.9 | 55 | Measured Noise Level<Baseline | Fine | 0.8 |
| 13-Jan-22 | 23:18 | 65.4 | | | | Measured Noise Level<Baseline | Fine | 0.9 |
| 21-Jan-22 | 00:20 | 67.9 | | | | Measured Noise Level<Baseline | Fine | 0.8 |
| 27-Jan-22 | 23:35 | 66.9 | | | | Measured Noise Level<Baseline | Fine | 1.2 |

If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, Leq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$

NMS 7 Tin Liu

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 6-Jan-22 | 23:42 | 58.7 | 59.0 | 51.4 - 65.5 | 55 | Measured Noise Level<Baseline | Fine | 0.7 |
| 13-Jan-22 | 23:51 | 57.7 | | | | Measured Noise Level<Baseline | Fine | 0.7 |
| 21-Jan-22 | 01:47 | 56.7 | | | | Measured Noise Level<Baseline | Fine | 0.9 |
| 27-Jan-22 | 23:48 | 59.4 | | | | 48.8* | Fine | 1.3 |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were greater than Limit level: 55 dB(A).

NMS 8 Shatin Plaza

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 00:58 | 62.3 | 64.4 | 55.6 - 72.8 | 55 | Measured Noise Level<Baseline | Fine | 0.9 |
| 14-Jan-22 | 00:29 | 57.2 | | | | Measured Noise Level<Baseline | Fine | 1.2 |
| 21-Jan-22 | 00:45 | 62.1 | | | | Measured Noise Level<Baseline | Fine | 0.8 |
| 28-Jan-22 | 00:50 | 60.5 | | | | Measured Noise Level<Baseline | Fine | 1.1 |

NMS 9 Lek Yuen Estate

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 7-Jan-22 | 01:52 | 55.8 | 53.5 | 39.5 - 63.1 | 55 | 51.9* | Fine | 0.6 |
| 14-Jan-22 | 01:13 | 56.0 | | | | 52.4* | Fine | 1.1 |
| 21-Jan-22 | 01:33 | 56.4 | | | | 53.3* | Fine | 0.9 |
| 28-Jan-22 | 01:35 | 52.5 | | | | Measured Noise Level<Limit Level | Fine | 1.4 |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

NMS 11 Sheung Wo Che

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 7-Jan-22 | 02:34 | 55.9 | 53.2 | 46.1 - 62.8 | 55 | 52.6* | Fine | 0.6 |
| 14-Jan-22 | 00:51 | 51.6 | | | | Measured Noise Level<Limit Level | Fine | 0.6 |
| 21-Jan-22 | 00:39 | 55.0 | | | | Measured Noise Level<Baseline | Fine | 0.6 |
| 28-Jan-22 | 00:52 | 53.4 | | | | Measured Noise Level<Limit Level | Fine | 0.3 |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, Leq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$

NMS 13 Lek Yuen Estate

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 7-Jan-22 | 02:16 | 53.5 | 57.3 | 45.4 - 72.5 | 55 | Measured Noise Level<Limit Level | Fine | 1.2 |
| 14-Jan-22 | 01:35 | 58.3 | | | | 51.4* | | |
| 21-Jan-22 | 01:53 | 54.8 | | | | Measured Noise Level<Limit Level | | |
| 28-Jan-22 | 01:55 | 52.9 | | | | Measured Noise Level<Limit Level | | |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

NMS 14 Sheung Wo Che

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 7-Jan-22 | 02:15 | 55.2 | 54.1 | 46.1 - 62.8 | 55 | 48.7* | Fine | 0.9 |
| 14-Jan-22 | 01:09 | 52.4 | | | | Measured Noise Level<Limit Level | | |
| 21-Jan-22 | 00:21 | 56.1 | | | | 51.8* | | |
| 28-Jan-22 | 01:10 | 56.3 | | | | 52.3* | | |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

NMS 15 Ha Wo Che

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 01:55 | 59.7 | 58.8 | 48.4 - 69.7 | 55 | 52.4* | Fine | 1.4 |
| 14-Jan-22 | 01:27 | 55.9 | | | | Measured Noise Level<Baseline | | |
| 21-Jan-22 | 00:01 | 59.7 | | | | 52.4* | | |
| 28-Jan-22 | 01:32 | 58.0 | | | | Measured Noise Level<Baseline | | |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

NMS 16 Ha Wo Che

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 7-Jan-22 | 01:34 | 56.4 | 60.1 | 51.4 - 69.5 | 55 | Measured Noise Level<Baseline | Fine | 1.0 |
| 14-Jan-22 | 01:47 | 54.3 | | | | Measured Noise Level<Limit Level | | |
| 20-Jan-22 | 23:41 | 58.9 | | | | Measured Noise Level<Baseline | | |
| 28-Jan-22 | 01:55 | 58.3 | | | | Measured Noise Level<Baseline | | |

NMS 18 Ha Wo Che

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 01:15 | 57.1 | 63.2 | 56.0 - 72.1 | 55 | Measured Noise Level<Baseline | Fine | 0.9 |
| 14-Jan-22 | 02:07 | 57.9 | | | | Measured Noise Level<Baseline | | |
| 20-Jan-22 | 23:22 | 57.8 | | | | Measured Noise Level<Baseline | | |
| 28-Jan-22 | 02:12 | 60.0 | | | | Measured Noise Level<Baseline | | |

If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, Leq}}{10}} \right) - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right]$$

NMS 19 Wo Che Estate

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 02:40 | 59.8 | 61.7 | 53.8 - 72.8 | 55 | Measured Noise Level<Baseline | Fine | 1.2 |
| 14-Jan-22 | 02:02 | 59.8 | | | | Measured Noise Level<Baseline | Fine | 1.2 |
| 21-Jan-22 | 02:15 | 58.6 | | | | Measured Noise Level<Baseline | Fine | 0.8 |
| 28-Jan-22 | 02:16 | 57.7 | | | | Measured Noise Level<Baseline | Fine | 0.8 |

NMS 20 Wo Che Estate

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 7-Jan-22 | 03:01 | 57.0 | 57.7 | 48.6 - 71.7 | 55 | Measured Noise Level<Baseline | Fine | 1.0 |
| 14-Jan-22 | 02:20 | 51.1 | | | | Measured Noise Level<Limit Level | Fine | 1.3 |
| 21-Jan-22 | 02:39 | 56.0 | | | | Measured Noise Level<Baseline | Fine | 0.8 |
| 28-Jan-22 | 02:33 | 48.5 | | | | Measured Noise Level<Limit Level | Fine | 0.7 |

NMS 23 Pai Tau

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 00:04 | 57.8 | 59.9 | 47.8 - 69.8 | 55 | Measured Noise Level<Baseline | Fine | 1.4 |
| 14-Jan-22 | 01:10 | 56.4 | | | | Measured Noise Level<Baseline | Fine | 1.3 |
| 21-Jan-22 | 01:22 | 57.2 | | | | Measured Noise Level<Baseline | Fine | 0.6 |
| 28-Jan-22 | 00:09 | 60.5 | | | | 51.6* | Fine | 1.6 |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were greater than Limit level: 55 dB(A).

NMS 24 Shatin Plaza

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 01:18 | 58.2 | 58.0 | 50.2 - 66.7 | 55 | 44.7* | Fine | 1.0 |
| 14-Jan-22 | 00:48 | 58.9 | | | | 51.6* | Fine | 1.2 |
| 21-Jan-22 | 01:07 | 58.7 | | | | 50.4* | Fine | 1.0 |
| 28-Jan-22 | 01:08 | 56.3 | | | | Measured Noise Level<Baseline | Fine | 1.4 |

Note: *Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

NMS 25A Sheung Wo Che

| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|----------------------------------|---------|------------------|
| 7-Jan-22 | 00:27 | 58.5 | 59.7 | 50.3 - 68.4 | 55 | Measured Noise Level<Baseline | Fine | 1.8 |
| 14-Jan-22 | 00:36 | 56.2 | | | | Measured Noise Level<Baseline | Fine | 2.2 |
| 21-Jan-22 | 00:58 | 59.6 | | | | Measured Noise Level<Baseline | Fine | 1.6 |
| 28-Jan-22 | 00:30 | 53.8 | | | | Measured Noise Level<Limit Level | Fine | 0.4 |









NMS 26 Wo Che Estate









| Date | Start Time | Average Leq (15 min) (dB(A)) | Baseline (dB(A)) | Baseline Range (dB(A)) | Limit Level (dB(A)) | Corrected Noise Level (dB(A)) | Weather | Wind Speed (m/s) |
|-----------|------------|------------------------------|------------------|------------------------|---------------------|-------------------------------|---------|------------------|
| 7-Jan-22 | 00:53 | 61.4 | 61.2 | 45.7 - 70.1 | 55 | 47.9* | Fine | 1.1 |
| 14-Jan-22 | 02:37 | 60.6 | | | | Measured Noise Level<Baseline | Fine | 2.1 |
| 20-Jan-22 | 23:00 | 60.6 | | | | Measured Noise Level<Baseline | Fine | 0.9 |
| 28-Jan-22 | 02:34 | 60.0 | | | | Measured Noise Level<Baseline | Fine | 0.8 |






Note: *Corrected Noise Level in Leq (15min) dB(A) was/were lower than Limit level: 55 dB(A).

If measured noise level (L_{eq}) > limit level, Corrected noise level (CNL) is calculated as:

$$10 \times \log \left[\left(10^{\frac{\text{Measured noise level, Leq}}{10}} - \left(10^{\frac{\text{Baseline noise level}}{10}} \right) \right) \right]$$







FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix H

Events and Action Plan

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Event and Action Plan for Construction Dust Monitoring

| EVENT | ACTION | | | |
|---|--|--|---|--|
| | ET Leader | IEC | SO | Contractor |
| Action Level | | | | |
| 1. Exceedance for one sample | <ol style="list-style-type: none"> 1. Identify the source. 2. Inform the IEC and the SO. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency to daily. | <ol style="list-style-type: none"> 1. Check monitoring data submitted by the ET Leader. 2. Check Contractor's working method. | <ol style="list-style-type: none"> 1. Notify Contractor. | <ol style="list-style-type: none"> 1. Rectify any unacceptable practice. 2. Amend working methods if appropriate. |
| 2. Exceedance for two or more consecutive samples | <ol style="list-style-type: none"> 1. Identify the source. 2. Inform the IEC and the SO. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency to daily. 5. Discuss with the IEC and the Contractor on remedial actions required. 6. If exceedance continues, arrange meeting with the IEC and the SO. 7. If exceedance stops, cease additional monitoring. | <ol style="list-style-type: none"> 1. Check monitoring data submitted by the ET Leader. 2. Check the Contractor's working method. 3. Discuss with the ET Leader and the Contractor on possible remedial measures. 4. Advise the SO on the effectiveness of the proposed remedial measures. 5. Supervisor implementation of remedial measures. | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Ensure remedial measures properly implemented. | <ol style="list-style-type: none"> 1. Submit proposals for remedial actions to IEC within 3 working days of notification. 2. Implement the agreed proposals. 3. Amend proposal if appropriate. |
| Limit Level | | | | |
| 1. Exceedance for one sample | <ol style="list-style-type: none"> 1. Identify the source. 2. Inform the SO and the EPD. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency to daily. 5. Assess effectiveness of Contractor's remedial actions and keep the IEC, the EPD and the SO informed of the results. | <ol style="list-style-type: none"> 1. Check monitoring data submitted by the ET Leader. 2. Check Contractor's working method. 3. Discuss with the ET Leader and the Contractor on possible remedial measures. 4. Advise the SO on the effectiveness of the proposed remedial measures. 5. Supervisor implementation of remedial measures. | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Ensure remedial measures are properly implemented. | <ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit proposals for remedial actions to IEC within 3 working days of notification. 3. Implement the agreed proposals. 4. Amend proposal if appropriate. |
| 2. Exceedance | <ol style="list-style-type: none"> 1. Notify the IEC, the SO and the EPD and the | <ol style="list-style-type: none"> 1. Discuss amongst the SO, ET | <ol style="list-style-type: none"> 1. Confirm receipt of | <ol style="list-style-type: none"> 1. Take immediate action to avoid |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EVENT | ACTION | | | |
|-------------------------------------|---|---|--|--|
| | ET Leader | IEC | SO | Contractor |
| for two or more consecutive samples | Contractor. 2. Identify the source. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency to daily. 5. Carry out analysis of the Contractor's working procedures to determine possible mitigation to be implemented. 6. Arrange meeting with the IEC and the SO to discuss the remedial actions to be taken. 7. Assess effectiveness of Contractor's remedial actions and keep the IEC, the EPD and the SO informed of the results. 8. If exceedance stops, cease additional monitoring. | Leader and the Contractor on the potential remedial actions. 2. Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise the SO accordingly. 3. Supervisor implementation of remedial measures. | notification of failure in writing. 2. Notify the Contractor. 3. In consultation with the Contractor on the remedial measures to be implemented. 4. Ensure remedial measures are properly implemented. 5. If exceedance continues, consider what activity of the work is responsible and instruct the Contractor to stop that activity of work until the exceedance is abated. | further exceedance. 2. Submit proposals for remedial actions to IEC within 3 working days of notification. 3. Implement the agreed proposals. 4. Resubmit proposals if problem still not under control. 5. Stop the relevant activity of works as determined by the SO until the exceedance is abated. |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Event and Action Plan for Noise Impact

| EVENT | ACTION | | | |
|--------------|--|--|--|--|
| | ET Leader | IEC | SO | Contractor |
| Action Level | <ol style="list-style-type: none"> 1. Notify the IEC and the Contractor. 2. Carry out investigation. 3. Report the results of investigation to the IEC. 4. Discuss with the Contractor and formulate remedial measures. 5. Increase monitoring frequency to check mitigation effectiveness. | <ol style="list-style-type: none"> 1. Review the analysed results submitted by the ET. 2. Review the proposed remedial measures by the Contractor and advise the SO accordingly. 3. Supervise the implementation of remedial measures. | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. | <ol style="list-style-type: none"> 1. Submit noise mitigation proposals to IEC. 2. Implement noise mitigation proposals. |
| Limit Level | <ol style="list-style-type: none"> 1. Notify the IEC, the SO and the Contractor. 2. Identify the source. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. Inform the IEC, the SO and the EPD the causes & actions taken for the exceedance. 7. Assess effectiveness if the Contractor's remedial actions and keep the IEC and the SO informed of the results. 8. If exceedance stops, cease additional monitoring. | <ol style="list-style-type: none"> 1. Discuss amongst the SO, the ET Leader and the Contractor on the potential remedial actions. 2. Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise the SO accordingly. 3. Supervise the implementation of remedial measures. | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 5. If exceedance continues, consider what activities of the work is responsible and instruct the Contractor to stop that activity of work until the exceedance is abated. | <ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance, 2. Submit proposals for remedial actions to IEC within 3 working days of notification. 3. Implement the agreed proposals 4. Resubmit proposals if problem still not under control 5. Stop the relevant activity of works as determined by the SO until the exceedance is abated. |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Event and Action Plan for Landscape and Visual Impact

| Event | Action | | |
|--------------------------------|--|--|---|
| | ET | SO | Contractor |
| Non-conformity on one occasion | <ol style="list-style-type: none"> 1. Identify Source; 2. Inform the Contractor and the SO; 3. Discuss remedial actions with the SO and the Contractor; and 4. Monitor remedial actions until rectification has been completed | <ol style="list-style-type: none"> 1. Notify Contractor; and 2. Ensure remedial measures are properly implemented. | <ol style="list-style-type: none"> 1. Amend working methods; 2. Rectify damage and undertake any necessary replacement. |
| Repeated conformity Non- | <ol style="list-style-type: none"> 1. Identify Source; 2. Inform the Contractor and the SO; 3. Increase monitoring frequency; 4. Discuss remedial actions with the SO and the Contractor; 5. Monitor remedial actions until rectification has been completed; and 6. If exceedance stops, cease additional monitoring. | <ol style="list-style-type: none"> 1. Notify Contractor; and 2. Ensure remedial measures are properly implemented. | <ol style="list-style-type: none"> 1. Amend working methods; 2. Rectify damage and undertake any necessary replacement. |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix I

Waste Flow Table

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Waste Flow Table for Year 2018

| Monthly Ending | Actual Quantities of Inert C&D Materials Generated Monthly | | | | | | Actual Quantities of Non-inert C&D Wastes Generated Monthly | | | | |
|------------------|--|-------------------------------------|------------------------|--------------------------|-------------------------|---------------|---|----------------------------|-----------------------|----------------|------------------------------|
| | Total Quantity Generated (Inert C&D) | Hard Rock and Large Broken Concrete | Reused in the Contract | Reused in other Projects | Disposed as Public Fill | Imported Fill | Metals | Paper/ cardboard packaging | Plastics (see Note 2) | Chemical Waste | Others, e.g., general refuse |
| | (in '000Ton) | (in '000kg) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000 kg) | (in '000kg) | (in '000kg) | (in '000kg) | (in '000Ton) |
| 2018 Jan | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Feb | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Mar | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Apr | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 May | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Jun | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Sub-Total | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Jul | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Aug | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Sep | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 2018 Oct | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.013 |
| 2018 Nov | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.004 |
| 2018 Dec | 0.001 | 0.000 | 0.000 | 0.000 | 0.001 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.001 |
| Total | 0.001 | 0.000 | 0.000 | 0.000 | 0.001 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.018 |

Note:

- 1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- 2) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging materials.
- 3) The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Waste Flow Table for Year 2019

| Monthly Ending | Actual Quantities of Inert C&D Materials Generated Monthly | | | | | | Actual Quantities of Non-inert C&D Wastes Generated Monthly | | | | |
|------------------|--|-------------------------------------|------------------------|--------------------------|-------------------------|---------------|---|----------------------------|-----------------------|----------------|------------------------------|
| | Total Quantity Generated (Inert C&D) | Hard Rock and Large Broken Concrete | Reused in the Contract | Reused in other Projects | Disposed as Public Fill | Imported Fill | Metals | Paper/ cardboard packaging | Plastics (see Note 2) | Chemical Waste | Others, e.g., general refuse |
| | (in '000Ton) | (in '000kg) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000 kg) | (in '000kg) | (in '000kg) | (in '000kg) | (in '000Ton) |
| 2019 Jan | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.021 |
| 2019 Feb | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.049 |
| 2019 Mar | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.048 |
| 2019 Apr | 0.100 | 0.000 | 0.000 | 0.000 | 0.100 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.089 |
| 2019 May | 0.150 | 0.000 | 0.000 | 0.000 | 0.150 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.175 |
| 2019 Jun | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.082 |
| Sub-Total | 0.250 | 0.000 | 0.000 | 0.000 | 0.250 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.464 |
| 2019 Jul | 0.141 | 0.000 | 0.000 | 0.000 | 0.141 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.069 |
| 2019 Aug | 0.431 | 0.000 | 0.221 | 0.000 | 0.210 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.154 |
| 2019 Sep | 0.712 | 0.000 | 0.223 | 0.000 | 0.489 | 0.297 | 0.000 | 0.000 | 0.000 | 0.000 | 0.046 |
| 2019 Oct | 0.663 | 0.000 | 0.306 | 0.000 | 0.357 | 1.085 | 0.001 | 0.027 | 0.009 | 0.000 | 0.027 |
| 2019 Nov | 1.154 | 0.000 | 0.143 | 0.000 | 1.011 | 0.428 | 0.000 | 0.019 | 0.000 | 0.000 | 0.095 |
| 2019 Dec | 0.849 | 0.000 | 0.023 | 0.000 | 0.826 | 0.074 | 0.000 | 0.014 | 0.001 | 0.000 | 0.034 |
| Total | 4.200 | 0.000 | 0.916 | 0.000 | 3.284 | 1.884 | 0.001 | 0.060 | 0.010 | 0.000 | 0.889 |

Note:

- 1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- 2) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging materials.
- 3) The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Waste Flow Table for Year 2020

| Monthly Ending | Actual Quantities of Inert C&D Materials Generated Monthly | | | | | | Actual Quantities of Non-inert C&D Wastes Generated Monthly | | | | |
|------------------|--|-------------------------------------|------------------------|--------------------------|-------------------------|---------------|---|----------------------------|-----------------------|----------------|------------------------------|
| | Total Quantity Generated (Inert C&D) | Hard Rock and Large Broken Concrete | Reused in the Contract | Reused in other Projects | Disposed as Public Fill | Imported Fill | Metals | Paper/ cardboard packaging | Plastics (see Note 2) | Chemical Waste | Others, e.g., general refuse |
| | (in '000Ton) | (in '000kg) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000 kg) | (in '000kg) | (in '000kg) | (in '000kg) | (in '000Ton) |
| 2020 Jan | 0.584 | 0.000 | 0.027 | 0.000 | 0.557 | 0.040 | 0.001 | 0.030 | 0.001 | 0.000 | 0.039 |
| 2020 Feb | 1.072 | 0.000 | 0.042 | 0.000 | 1.030 | 0.000 | 0.001 | 0.026 | 0.003 | 0.000 | 0.013 |
| 2020 Mar | 0.422 | 0.000 | 0.006 | 0.000 | 0.416 | 0.062 | 0.000 | 0.000 | 0.000 | 0.000 | 0.054 |
| 2020 Apr | 0.450 | 0.000 | 0.000 | 0.000 | 0.450 | 0.000 | 0.002 | 0.085 | 0.003 | 0.000 | 0.025 |
| 2020 May | 1.144 | 0.000 | 0.000 | 0.000 | 1.144 | 0.319 | 0.001 | 0.021 | 0.005 | 0.000 | 0.027 |
| 2020 Jun | 3.660 | 0.000 | 0.000 | 0.000 | 3.660 | 0.077 | 0.001 | 0.027 | 0.004 | 0.000 | 0.048 |
| Sub-Total | 7.332 | 0.000 | 0.075 | 0.000 | 7.257 | 0.498 | 0.006 | 0.189 | 0.016 | 0.000 | 0.206 |
| 2020 Jul | 2.008 | 0.000 | 0.014 | 0.000 | 1.994 | 0.000 | 0.002 | 0.047 | 0.006 | 0.000 | 0.067 |
| 2020 Aug | 2.215 | 0.000 | 0.018 | 0.000 | 2.197 | 0.000 | 0.001 | 0.040 | 0.006 | 0.000 | 0.014 |
| 2020 Sep | 4.305 | 0.000 | 0.000 | 0.000 | 4.305 | 0.000 | 0.002 | 0.042 | 0.009 | 0.000 | 0.044 |
| 2020 Oct | 3.073 | 0.000 | 0.002 | 0.000 | 3.071 | 0.000 | 0.001 | 0.019 | 0.005 | 0.000 | 0.029 |
| 2020 Nov | 1.670 | 0.000 | 0.000 | 0.000 | 1.670 | 0.000 | 0.001 | 0.030 | 0.006 | 0.000 | 0.036 |
| 2020 Dec | 3.498 | 0.000 | 0.000 | 0.000 | 3.498 | 0.000 | 24.751 | 0.036 | 0.006 | 0.000 | 0.042 |
| Total | 24.101 | 0.000 | 0.109 | 0.000 | 23.992 | 0.498 | 24.764 | 0.403 | 0.054 | 0.000 | 0.438 |

Note:

- 1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- 2) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging materials.
- 3) The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Waste Flow Table for Year 2021

| Monthly Ending | Actual Quantities of Inert C&D Materials Generated Monthly | | | | | | Actual Quantities of Non-inert C&D Wastes Generated Monthly | | | | |
|------------------|--|-------------------------------------|------------------------|--------------------------|-------------------------|---------------|---|----------------------------|-----------------------|----------------|------------------------------|
| | Total Quantity Generated (Inert C&D) | Hard Rock and Large Broken Concrete | Reused in the Contract | Reused in other Projects | Disposed as Public Fill | Imported Fill | Metals | Paper/ cardboard packaging | Plastics (see Note 2) | Chemical Waste | Others, e.g., general refuse |
| | (in '000Ton) | (in '000kg) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000 kg) | (in '000kg) | (in '000kg) | (in '000kg) | (in '000Ton) |
| 2021 Jan | 3.196 | 0.000 | 0.000 | 0.000 | 3.196 | 0.000 | 0.001 | 0.048 | 0.855 | 0.000 | 0.053 |
| 2021 Feb | 3.877 | 0.000 | 0.000 | 0.000 | 3.877 | 0.032 | 0.000 | 0.010 | 1.642 | 0.000 | 0.013 |
| 2021 Mar | 7.348 | 0.000 | 0.000 | 0.000 | 7.348 | 0.000 | 0.001 | 0.215 | 0.004 | 0.000 | 0.050 |
| 2021 Apr | 3.302 | 0.000 | 0.000 | 0.000 | 3.302 | 0.100 | 0.002 | 0.013 | 0.004 | 0.000 | 0.050 |
| 2021 May | 2.315 | 0.000 | 0.150 | 0.000 | 2.165 | 0.024 | 0.001 | 0.008 | 0.005 | 0.000 | 0.106 |
| 2021 Jun | 1.809 | 0.000 | 0.307 | 0.000 | 1.502 | 0.059 | 0.000 | 0.000 | 0.000 | 0.000 | 0.029 |
| Sub-Total | 21.847 | 0.000 | 0.457 | 0.000 | 21.390 | 0.215 | 0.005 | 0.294 | 2.510 | 0.000 | 0.301 |
| 2021 Jul | 2.693 | 0.000 | 0.019 | 0.000 | 2.674 | 0.262 | 0.003 | 0.011 | 0.007 | 0.000 | 0.119 |
| 2021 Aug | 3.088 | 0.000 | 0.000 | 0.000 | 3.088 | 0.095 | 0.002 | 0.007 | 0.011 | 0.000 | 0.071 |
| 2021 Sep | 1.698 | 0.000 | 0.000 | 0.000 | 1.698 | 0.000 | 0.001 | 0.004 | 0.003 | 0.000 | 0.049 |
| 2021 Oct | 1.500 | 0.000 | 0.000 | 0.000 | 1.500 | 0.279 | 0.002 | 0.003 | 0.005 | 0.000 | 0.021 |
| 2021 Nov | 3.258 | 0.000 | 0.000 | 0.000 | 3.258 | 0.015 | 0.002 | 0.009 | 0.007 | 0.000 | 0.070 |
| 2021 Dec | 1.935 | 0.000 | 0.000 | 0.000 | 1.935 | 0.000 | 0.002 | 0.003 | 0.002 | 0.000 | 0.035 |
| Total | 36.019 | 0.000 | 0.476 | 0.000 | 35.543 | 0.866 | 0.017 | 0.331 | 2.545 | 0.000 | 0.666 |

Note:

- 1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- 2) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging materials.
- 3) The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Waste Flow Table for Year 2022

| Monthly Ending | Actual Quantities of Inert C&D Materials Generated Monthly | | | | | | Actual Quantities of Non-inert C&D Wastes Generated Monthly | | | | |
|------------------|--|-------------------------------------|------------------------|--------------------------|-------------------------|---------------|---|----------------------------|-----------------------|----------------|------------------------------|
| | Total Quantity Generated (Inert C&D) | Hard Rock and Large Broken Concrete | Reused in the Contract | Reused in other Projects | Disposed as Public Fill | Imported Fill | Metals | Paper/ cardboard packaging | Plastics (see Note 2) | Chemical Waste | Others, e.g., general refuse |
| | (in '000Ton) | (in '000kg) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000Ton) | (in '000 kg) | (in '000kg) | (in '000kg) | (in '000kg) | (in '000Ton) |
| 2022 Jan | 1.751 | 0.000 | 0.000 | 0.000 | 1.751 | 0.097 | 20.640 | 0.000 | 0.000 | 0.000 | 0.041 |
| 2022 Feb | | | | | | | | | | | |
| 2022 Mar | | | | | | | | | | | |
| 2022 Apr | | | | | | | | | | | |
| 2022 May | | | | | | | | | | | |
| 2022 Jun | | | | | | | | | | | |
| Sub-Total | 1.751 | 0.000 | 0.000 | 0.000 | 1.751 | 0.097 | 20.640 | 0.000 | 0.000 | 0.000 | 0.041 |
| 2022 Jul | | | | | | | | | | | |
| 2022 Aug | | | | | | | | | | | |
| 2022 Sep | | | | | | | | | | | |
| 2022 Oct | | | | | | | | | | | |
| 2022 Nov | | | | | | | | | | | |
| 2022 Dec | | | | | | | | | | | |
| Total | 1.751 | 0.000 | 0.000 | 0.000 | 1.751 | 0.097 | 20.640 | 0.000 | 0.000 | 0.000 | 0.041 |

Note:

- 1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- 2) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging materials.
- 3) The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³.

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix J

Environmental Mitigation Implementation Schedule (EMIS)

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|---|--|--|----------------------|---|
| <u>Noise Measures</u> | | | | |
| 3.10.2, 3.10.3, 3.10.14, 3.10.15 and Table 3.10 | Within the boundaries of all construction sites. | • Scheduling the construction activities carefully according to the actual site work situation, avoid of concurrent activities and construction works fronting the affected schools, to minimize the total noise generated (max as 102dB (A)). | Contractor | Implemented |
| | | • PME is recommended to operate in sub-grouping, and different sub-groups shall not be operated concurrently within any half hour period | Contractor | Implemented |
| | | • The construction activities should be carried out in the daytime hours (0700 – 1900). Construction Noise Permit (CNP) for construction activities is required during evening or night time hours. | Contractor | Implemented |
| | | • Construction work programme should be considered before actual construction work is undertaken, and noise mitigation measures should be implemented to minimize the potential construction noise impact. Selection and optimization of construction programmes, avoidance and reduction of parallel operation of noisy PME during noise sensitive periods. | Contractor | Implemented |
| | | • Use of well-maintained and regularly-serviced plant during the works. | Contractor | Partially Implemented |
| | | • Plant operating on intermittent basis should be turned off or throttled down when not in active use. | Contractor | Implemented |
| | | • Plant that is known to emit noise strongly in one direction should be orientated to face away from the NSRs. | Contractor | Not Applicable |
| | | • Silencers, mufflers and enclosures for plant should be used where possible and maintained adequately throughout the works. | Contractor | Not Applicable |
| | | • Fixed plants should be sited away from NSRs where possible. | Contractor | Not Applicable |
| | | • Stockpiles of excavated materials and other structures such as site buildings should be used effectively to screen noise from the works. | Contractor | Not Applicable |
| 3.10.4, 3.10.5 and Table 3.3 | | • The use of particular plant with equipment quieter than those specified in the GW-TM are recommended to reduce the noise levels generated by the plant. | Contractor | Implemented |
| | | • Other type of quiet PME are allowed to use for their needs based on the actual construction conditions and programmes | Contractor | Implemented |
| 3.10.6 to 3.10.9 | | • Temporary noise barriers provide noise attenuation by screening NSRs from stationary and mobile plants from direct line-of-sight in shadow zone. | Contractor | Implemented |
| | | • The use of 3m high moveable barriers with skid footing and a small cantilevered upper portion should be adopted. The barrier material shall have a surface mass of not less than 14kg/m ² on skid footing with 25mm thick internal sound absorptive lining to achieve the maximum screening effect. | Contractor | Not Applicable |
| | | • These temporary noise barriers should be located immediately adjacent to working area. | Contractor | Implemented |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|-----------------------------|--|---|----------------------|---|
| | | • The temporary noise barriers should be located along the working area to make sure the construction plant could be screened during all kinds of construction activities as far as practicable. | Contractor | Not Applicable |
| | | • Noise jacket/muffler shall be used to cover the noisy part of the engine or at the engine exhaust of particular mobile plants respectively when temporary noise barriers are not practicable or noise reduction achieved is insufficient. | Contractor | Partially Implemented |
| | | • For the stationary plant bored pile oscillator, temporary noise barriers of sufficient height with skid footing and small cantilevered upper portion should be provided. | Contractor | Not Applicable |
| | | • Barrier material of surface density of at least 14 kg/m ² is recommended in order to achieve the necessary screening effect. | Contractor | Not Applicable |
| 3.10.10 | | • Full noise enclosures should cover the PME or fixed plants such as air compressor. | Contractor | Not Applicable |
| 3.10.3 | | • Silencers, mufflers and enclosures for plant should be used where possible and maintained adequately throughout the works; | Contractor | Not Applicable |
| | | • Where possible fixed plants should be sited away from NSRs; and | Contractor | Not Applicable |
| | | • Stockpiles of excavated materials and other structures such as site buildings should be used effectively to screen noise from the works. | Contractor | Not Applicable |
| Air Quality Measures | | | | |
| 4.12.1 and 4.12.2 | Within the boundaries of all construction sites. | • The Contractor shall notify any specific construction works as stated in the Air Pollution Control (Construction Dust) Regulation to the Authority before the commencement of such work. Dust mitigation measures stipulated in the Air Pollution Control (Construction Dust) Regulation should be implemented to control dust emissions from all construction work sites. | Contractor | Implemented |
| | | • The Contractor shall undertake at all times to prevent dust nuisance as a result of his activities. Dust suppression measures such as the water spraying are necessary and should be installed to ensure that the air quality at the boundary of the site and at any sensitive receivers complies with the Hong Kong Air Quality Objectives. | Contractor | Implemented |
| | | • The Contractor shall apply for a license or permit under the requirements of the relevant legislation (e.g. Air Pollution Control Ordinance and its subsidiary regulations) wherever applicable. | Contractor | Implemented |
| | | • Watering of unpaved areas, access roads, construction areas and dusty stockpiles shall be undertaken at least eight times daily during dry and windy weather. Watering of the haul road shall be undertaken four to eight times daily during dry or windy weather. Water sprays may be either fixed or mobile to follow individual areas to be wetted as and when required. Application of suitable wetting agents, such as dust suppression chemicals, shall be used in addition to water, especially during the dry season (October to December). It is also suggested that watering with | Contractor | Implemented |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|---|------------|--|----------------------|---|
| | | complete coverage of active construction area eight times a day. | | |
| | | • Effective water sprays shall be used during the delivery and handling of all raw sand and aggregate, and other similar materials, wet dust is likely to be created and to dampen all stored materials during dry and windy weather. | Contractor | Implemented |
| 4.12.1 | | • Stockpiles of sand, aggregate or any other dusty materials greater than 20m ³ shall be enclosed on three sides, with walls extending above the pile and 1 meter beyond the front of the pile. | Contractor | Implemented |
| | | • Suitable chemical wetting agent such as dust suppression chemical shall be used on completed cuts and fills to reduce wind erosion. | Contractor | Not Applicable |
| | | • Areas within the construction site where there is a regular movement of vehicles shall have a paved surface and be kept clear of loose surface material. | Contractor | Implemented |
| | | • The Contractor shall restrict all motorized vehicles within the construction site, excluding those on public roads, to maximum speed of 20 km per hour and confine haulage and delivery vehicles to designated roadways inside the Site. | Contractor | Implemented |
| | | • Construction working areas should be restricted to a minimum practicable size. | Contractor | Implemented |
| | | • The Contractor shall ensure that no earth, rock or debris is deposited on public or private rights of way as result of his activities, including any deposits arising from the movement of plant or vehicles. | Contractor | Partially Implemented |
| | | • The Contractor shall provide a wheel washing facility at the exits from work areas to the satisfaction of the Engineer and to the requirements of the Commissioner of Police. Water in wheel washing facilities and sediment shall be changed and removed respectively at least once a month. | Contractor | Implemented |
| | | • The Contractor shall submit details of the wheel washing facilities, which shall be usable prior to any earthworks excavation activity on the construction site. The Contractor shall also provide a hard-surfaced road between any washing facility and the public road. | Contractor | Implemented |
| | | • In the event of any spoil or debris from construction works being deposited on adjacent land, or steams, or any slit being washed down to any area, then all such spoil, debris or material and silt shall be immediately removed and the affected land and areas restored to their natural state by the Contractor to the satisfaction of the Engineer. | Contractor | Partially Implemented |
| | | • If spoil cannot be immediately transported out of the Site, stockpiles should be stored in sheltered areas. | Contractor | Implemented |
| • Plant and vehicles shall be inspected annually to ensure that they are operating efficiently and that exhaust emissions are not causing a nuisance. All site vehicle exhausts should be directed vertically upwards or directed away from ground. | Contractor | Implemented | | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|-------------------------------|--|--|----------------------|---|
| 4.12.1, 4.13.1 and Table 8.2 | | • Construction dust monitoring shall be carried out at representative monitoring locations during the construction period. | Contractor | Implemented |
| | | • Path for complaints and handling procedures should be set up and implement. | Contractor | Implemented |
| NA | | • Dark smoke emission shall be control in accordance with the Air Pollution Control (Smoke) Regulation and ETWB TCW 19/2005. | Contractor | Implemented |
| | | • Plant and equipment should be well maintained to prevent dark smoke emission. | Contractor | Implemented |
| | | • Only approved or exempted Non-road Mobile Machineries (NRMMs) including regulated machines and non-road vehicles with proper labels are allowed to be used in specified activities on-site. | Contractor | Partially Implemented |
| <u>Water Quality Measures</u> | | | | |
| 5.7 | Within the boundaries of all construction sites. | • Silt-laden surface run-off should be prevented from directly entering the sensitive receivers during the construction works. The mitigation measures described below for the construction phase are in accordance with ProPECC PN 1/94: | Contractor | Partially Implemented |
| | | • Construction works should be programmed so as to minimise excavation during the wet season (April to September). If this is not possible then measures should be taken to minimise the areas exposed by covering temporary exposed slopes with tarpaulins or similar material, the protection of temporary road surfaces with gravel or crushed stone and the early reinstatement of final surfaces with hydro seed grass/shrub mixture. This latter measure would have the added benefit of reducing the windblown dust during the dry season. Where temporary covering of slopes is required this should be carried out before the onset of the rainfall or storm. | Contractor | Implemented |
| | | • Existing and newly constructed open manholes should be covered and sealed to prevent run off and water borne debris entering the drainage network without having previously passed through a sediment trap. | Contractor | Partially Implemented |
| | | • Stock piles of construction materials, sand and gravel or excavated material should be covered with tarpaulins prior to rainstorms. The washing of material from the stockpiles directly into the storm drains should be prevented by passing the run off through a sediment trap. | Contractor | Implemented |
| | | • The surface water from the site should be discharged into storm water drain after passing through sand and silt traps designed to accommodate the maximum discharge from the site. Within the site channels, bunds or sandbags should be used to direct run off into the traps. Storm water from outwit the site should be prevented from washing over the site by the construction of interceptor channels at the site boundary. Both perimeter channels and the sedimentation traps should be constructed prior to the commencement of site formation and earthworks. | Contractor | Partially Implemented |
| | | • The efficiency of the interceptor channels, traps and sedimentation chambers should be maintained | Contractor | Partially Implemented |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|----------------|----------|---|----------------------|---|
| | | by regular cleaning of accumulated silt and sand. Particular attention should be paid to maintenance following heavy rainfall and immediately after the issue of heavy rainfall warning by the Hong Kong Observatory. | | |
| | | <ul style="list-style-type: none"> The ingress of rainwater into trenches should be minimised by the construction of bunds to prevent water flowing into the trench and covering by tarpaulins to prevent direct entry. The lengths of excavated trenches should be minimised and backfilled at the earliest opportunity. Water pumped from the trenches should be discharged to the storm water drains following passage through a suitable silt trap. | Contractor | Partially Implemented |
| | | <ul style="list-style-type: none"> Any ground water seeping into any trenches or foundation works should be passed through a silt trap prior to discharge to the storm water drains. | Contractor | Implemented |
| | | <ul style="list-style-type: none"> The water used for the washing down of mixing drums used for onsite batching of concrete and delivery lorries for off-site batched concrete should be recycled whenever possible. Wastewater generated from the washing which is discharged should be passed through a silt trap before discharge to the storm water system. | Contractor | Not Applicable |
| | | <ul style="list-style-type: none"> The wastewater from the washing of the wheels and subframe of vehicles returning from the site onto public roads will contain suspended solids and debris. A washing bay should be provided at the exit from the site and should, where practicable, incorporate water recirculation. Water from the washing bay which is discharged to the storm water system should first be passed through a silt trap which also includes an oil/grease removal weir. | Contractor | Implemented |
| | | <ul style="list-style-type: none"> Plant maintenance areas should be paved to prevent waste oils soaking into the ground. Where possible the area should be undercover to minimise the formation of runoff and any runoff from the paved area passed through an oil trap before being discharged to the storm drains. Fuel storage tanks should be surrounded by bunds with a capacity of at least 150% of the storage capacity. The bunded areas should be able to be drained of rain water through the petrol interceptor and accumulated rain removed at regular intervals. | Contractor | Partially Implemented |
| | | <ul style="list-style-type: none"> Waste oils from the site should be collected and stored for recycling or disposal in accordance with the Waste Disposal Ordinance and absorbent cloths and granules should be available for the cleanup of spillages. | Contractor | Implemented |
| | | <ul style="list-style-type: none"> Sewage from toilets and kitchens should be discharged directly into a foul sewer. If it is not possible to locate the site offices within easy access of a foul sewer a septic tank and soakaway should be constructed before the offices are occupied. Chemical toilets should be emptied on a daily basis and the contents taken to a foul sewer or the Sha Tin Sewage Treatment Works for disposal. | Contractor | Implemented |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|---|--|--|----------------------|---|
| | | Wastewater collected from canteen kitchens should be discharged to the foul sewers via grease traps which provide a minimum of 20 minutes retention during peak flow. All discharges into foul sewers and storm sewers should have to be complied with TM standards under WPCO. | | |
| | | • Run off from roofed surfaces of site facilities should be collected and diverted to a storm water drain. Passage through a silt trap is only required if the water is diverted via open channels which might accumulate solids during non-rainy periods or which intercept surface run off from unpaved areas. | Contractor | Not Applicable |
| | | • Discharges from the site shall be required to meet the terms and conditions of a valid WPCO Water Pollution Control Ordinance (WPCO). | Contractor | Implemented |
| Section 12.6 of the Approved EIA Report | | • Regular site inspection of the construction works shall be carried out to determine compliance with the recommended mitigation measures. Inspection should be included: | | |
| | | (i) The functioning of onsite surface water collection channels and sediment traps. | Contractor | Partially Implemented |
| | | (ii) The functioning of interception channels at the boundary of the works areas | Contractor | Partially Implemented |
| | | (iii) The covering of stockpiles of fill and construction materials and the routing of any run off through the sediment traps. | Contractor | Implemented |
| | | (iv) The pumping procedures for emptying trenches and other excavations and the use of silt traps prior to the discharge of the water to the storm water system. | Contractor | Implemented |
| | | (v) The use of washwater for hosing down concrete mixing and delivery vehicles and other vehicles leaving the site and the routine of excess water from the facility through sediment traps. | Contractor | Implemented |
| | | (vi) The operation of the plant maintenance areas to control small spillages and the correct management of the fuel storage bunded area. | Contractor | Partially Implemented |
| | | (vii) The connection of the site office wastewater discharge to an existing foul sewer if appropriate or the operation of the kitchen wastewater grease trap and the regular emptying of the chemical toilets | Contractor | Implemented |
| | | (viii) The operation of the roof rain water collection and drainage system. | Contractor | Implemented |
| <i>Landscape and Visual Mitigation Measures</i> | | | | |
| Construction Phase | | | | |
| Table 6.5 | During construction within the Project Boundary. | • Existing trees shall be preserved as much as possible. Detailed tree preservation and transplanting proposals shall be submitted to relevant government departments for approval in accordance with DEVB TC (W) No. 7/2015. | Contractor | Implemented |
| | | • Topsoil will be conserved as far as possible during the road improvement works and utilized during the replanting operations. The stock piling height of the topsoil will not be more than 2m. | Contractor | Implemented |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase | |
|----------------|--|---|----------------------|---|--|
| | | • Old and valuable trees (OVTs) identified in the Project Boundary shall be protected in accordance with ETWB TCW no. 29/2004. | Contractor | Implemented | |
| | | • Night-time lighting glare shall be properly managed and control during construction so as to minimize any adverse visual impact on adjacent VSRs. | Contractor | Implemented | |
| | | • Decorative screen hoarding with design compatible with the surrounding landscape setting shall be erected along the southern boundary of Tai Po Road to mitigate any potential adverse impact on adjacent Pedestrian and Cyclists on Footpath/Bicycle Track. | Contractor | Not Applicable | |
| | Operation Phase | | | | |
| | During construction within the Project Boundary. | • Compensatory planting shall be provided within and outside the project boundary where possible. Detailed compensatory planting proposal will be prepared in accordance with DEVB TC (W) No. 7/2015. | Contractor | Not Applicable | |
| | | • Planting shall be undertaken at the earliest practical time in the construction period. The planting proposal shall aim to strengthen the existing tree species and supplement the existing tree planting to provide an effective screen to ameliorate any potential landscape and visual impacts. The proposed species to be utilized for road improvement works shall be agreed with LCSD and future maintenance authorities. All the proposed species for compensatory planting shall be suitable for roadside streetscape planting. | Contractor | Not Applicable | |
| | | • Provision of visually pleasing noise barriers and enclosures design shall be proposed. The design of these structures aims to minimize any potential visual impact and visually integrate the proposed structures into the adjacent landscape context. This should be achieved through the use of form, color, tones, materials and planting materials. | Contractor | Not Applicable | |
| | | • Aesthetically pleasing hard landscape treatment of the carriageway and roadside furniture shall be proposed, including development of chromatic themes in the architectural treatment of engineering structures, and the consideration of landscape lighting and special landscape features. | Contractor | Not Applicable | |
| | | • Shrubs and climbers planting are proposed on the facade of Noise Enclosures and Barriers to mitigate any adverse impact on adjacent VSRs in area where space for tree planting is not feasible. | Contractor | Not Applicable | |
| | Waste Management Measures | | | | |
| 7.6.2 to 7.6.4 | Within the boundaries of all construction | • In accordance with ETWB TC (W) No. 19/2005 - Environmental Management on Construction Sites", the Contractor shall prepare and implement a Waste Management Plan (WMP) as part of the Environmental Management Plan (EMP). The EMP shall describes the arrangements for avoidance, reuse, recovery, recycling, storage, collection, treatment and disposal of different | Contractor | Implemented | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|----------------|--|---|----------------------|---|
| 7.6.5 to 7.6.6 | sites. | categories of waste to be generated from the construction activities. Such a management plan should incorporate site specific factors, such as the designation of areas for segregation and temporary storage of reusable and recyclable materials. The EMP should be submitted to the Engineer for approval. | | |
| | | • The Contractor should implement the waste management practices in the EMP throughout the construction stage of the Project. The EMP should be reviewed regularly and updated by the Contractor. | Contractor | Implemented |
| | | • Recommendations of good site practices and waste reduction measures should be stated in order to achieve avoidance and minimization of waste generation in the hierarchy. | Contractor | Implemented |
| | | • Environmental Management Plan (EMP) and trip-ticket system shall be implemented for monitoring management of waste. | Contractor | Implemented |
| 7.6.7 | Within the boundaries of all construction sites as well as transportation routes to designed areas for off-site disposal of materials/Prior to and during construction activities. | • Specific measures targeting the mitigation of impacts in works areas and the transportation of spoil off-site should be provided to minimize the potential impacts to the surrounding environment. | Contractor | Implemented |
| | | • To facilitate adoption of the best-practice philosophy, training shall be provided to all personnel working on site. The training shall promote the concept of general site cleanliness and clearly explain the appropriate waste management procedures defined in the EMP. Overall, the training should encourage all workers to reduce, reuse and recycle wastes. | Contractor | Implemented |
| 7.6.8 to 7.6.9 | | • The contractor's environmental performance shall be monitored and controlled through the weekly environmental walks. The items after the environmental walks shall include: | | |
| | | • A review of the EMP in particular the suitability of the environmental measures on nuisance abatement and waste management adopted by the contractor; | Contractor | Implemented |
| | | • The environmental performance of the contractor and his sub-contractors; | Contractor | Implemented |
| | | • The effectiveness of the environmental measures on nuisance abatement and waste management implemented on the site, and any complaints received; and | Contractor | Implemented |
| | | • The promptness of rectification or improvement actions of the Contractor on the defects and deficiencies identified during inspections of the site. | Contractor | Implemented |
| | | • Waste shall only be disposed of at licensed sites and the WMP should include procedures to ensure that illegal disposal of wastes does not occur. Only waste haulers authorized to collect the specific category of waste concerned should be employed and a trip ticket system shall be implemented for offsite disposal of inert C&D materials and non-inert C&D materials at public fill reception facilities and landfills, respectively. Appropriate measures should be employed to minimize windblown litter and dust during transportation by either covering trucks or transporting wastes in | Contractor | Implemented |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|------------------|----------|--|----------------------|---|
| | | enclosed containers. | | |
| 7.6.10 | | <ul style="list-style-type: none"> Work site(s) shall be arranged and managed to facilitate the proper management of wastes and materials. The WMP shall include plans indicating specific areas designated for the storage of particular types of waste, reusable and recyclable materials as well as areas and management proposals for any stockpiling areas. Waste storage areas should be well maintained and cleaned regularly. Specific provisions for different types of material are outlined below. In general, these areas should be designed to avoid cross contamination of materials as well as pollution of the surrounding environment. | Contractor | Implemented |
| 7.6.11 to 7.6.14 | | <ul style="list-style-type: none"> In order to minimize the impact resulting from collection and transportation of C&D material for off-site disposal, the excavated fill materials should be reused on site as backfill material as far as possible. | Contractor | Implemented |
| | | <ul style="list-style-type: none"> Careful design, planning and good site management should be maintained in order to minimise over ordering and generation of surplus materials such as concrete, mortars and cement grouts. The design of formwork should maximise the use of standard wooden panels so that high reuse levels can be achieved. Alternatives such as steel formwork or plastic facing should be considered to increase the potential for reuse. | Contractor | Implemented |
| | | <ul style="list-style-type: none"> C&D materials should be segregated on site into different waste and material types. The Contractor should clearly demonstrate in the EMP how he intends to maximise the reuse of C&D material on-site. Where reuse of materials on site is not feasible, the Contractor should explore opportunities for recycling materials off-site, and inert C&D materials shall be reused on site as much as possible. | Contractor | Implemented |
| | | <ul style="list-style-type: none"> Paving bricks arising from existing pavement should be recycled on site as much as possible. | Contractor | Not Applicable |
| | | <ul style="list-style-type: none"> Existing marginal roadside barriers comprise pre-cast units should be reused in the following widening works as much as possible, | Contractor | Not Applicable |
| | | <ul style="list-style-type: none"> Existing bridge parapets comprise aluminum post and railings, which have a recyclable value and should be sold for reconditioning or reused for scrap metal as much as possible | Contractor | Not Applicable |
| | | <ul style="list-style-type: none"> Any stockpile should be sited away from existing watercourses and suitably covered to prevent wind erosion and impacts on air and water quality. | Contractor | Not Applicable |
| 7.6.15 to 7.6.17 | | <ul style="list-style-type: none"> Chemical waste shall be handled in accordance with the Code of Practice on the Packaging, Handling and Storage of Chemical Wastes as follows. Containers used for the storage of chemical wastes should: | | |
| | | <ul style="list-style-type: none"> be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed; | Contractor | Implemented |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase | |
|------------------|----------|--|----------------------|---|--|
| | | • have a capacity of less than 450L unless the specifications have been approved by the EPD; and | Contractor | Implemented | |
| | | • display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the Waste Disposal (Chemical Waste) (General) Regulation (Cap. 354C). | Contractor | Implemented | |
| | | The storage area for chemical wastes should: | | | |
| | | • be clearly labelled and used solely for the storage of chemical waste; | Contractor | Implemented | |
| | | • be enclosed on at least 3 sides; | Contractor | Implemented | |
| | | • have an impermeable floor and bunding, of capacity to accommodate 110% of the volume of the largest container or 20% by volume of the chemical waste stored in that area, whichever is the greatest; | Contractor | Implemented | |
| | | • have adequate ventilation; | Contractor | Implemented | |
| | | • be covered to prevent rainfall entering (water collected within the bund must be tested and disposed as chemical waste if necessary); and | Contractor | Implemented | |
| | | • be arranged so that incompatible materials are adequately separated. | Contractor | Implemented | |
| | | The Contractor shall register with EPD as a Chemical Waste Producer. Waste oils and other chemical wastes as defined in the Waste Disposal (Chemical Waste) (General) Regulation will require disposal by appropriate means and could require pre-notification to EPD prior to disposal. Appropriate means include disposal: | | | |
| | | • via a licensed waste collector; and | Contractor | Implemented | |
| | | • to a facility licensed to receive chemical waste, such as the Chemical Waste Treatment Facility which also offers a chemical waste collection service and can supply the necessary storage containers; or | Contractor | Implemented | |
| | | • to a reuser of the waste, under approval from EPD. | Contractor | Not Applicable | |
| 7.6.18 to 7.6.20 | | • General refuse generated on-site should be stored in enclosed bins or compaction units separate from construction and chemical wastes. A reputable waste collector should be employed by the Contractor to remove general refuse from the site, separately from construction and chemical wastes, on a daily or every second day basis to minimize odour, pest and litter impacts. The burning of refuse on construction sites is prohibited by law. | Contractor | Implemented | |
| | | • Separate labelled bins should be provided if feasible. | Contractor | Implemented | |
| | | • Office waste can be reduced through recycling of paper if volume is large enough to warrant collection. Participation in a local collection scheme should be considered if one is available. | Contractor | Implemented | |
| 7.7.1 | | • All wastes produced during the construction of the Project shall be handled, stored, and disposed of in accordance with good waste management practices and relevant regulations and | Contractor | Implemented | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| EIA Review Ref | Location | Environmental Protection Measures/ | Implementation Agent | Implementation Status in Construction Phase |
|----------------|--|--|----------------------|---|
| | | requirements. | | |
| | | <ul style="list-style-type: none"> The mitigation measures recommended in the EIA/EIA review report should form a basis of the WMP to be developed by the Contractor in the construction phase of the Project. | Contractor | Implemented |
| EP 1.5 | <u>General Condition</u> | | | |
| N.A | During construction within the Project Boundary. | <ul style="list-style-type: none"> The Permit Holder shall display conspicuously a copy of this Permit on the Project site(s) at all vehicular site entrance/exits or at a convenient location for public information at all times. The Permit Holder shall ensure that the most updated information about the Permit, including any amended Permit, is displayed at such locations. If the Permit Holder surrenders a part or the whole of the Permit, the notice he sends to the Director shall also be displayed at the same locations as the original Permit. The suspended, varied or cancelled Permit shall be removed from display at the Project site(s). | Contractor | Implemented |

Implementation status: Implemented / Partially Implemented / Not Implemented / Not Observed / Not Applicable

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix K

Weather and Meteorological Conditions during Reporting Month

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Date | Mean Pressure (hPa) | Air Temperature | | | Mean Relative Humidity (%) | Total Rainfall (mm) |
|--------------|---------------------|------------------|---------------|------------------|----------------------------|---------------------|
| | | Maximum (deg. C) | Mean (deg. C) | Minimum (deg. C) | | |
| January 2022 | | | | | | |
| 1 | 1024.4 | 19.3 | 17.6 | 16.4 | 76 | - |
| 2 | 1022.5 | 22.0 | 18.4 | 16.0 | 77 | - |
| 3 | 1021.1 | 20.5 | 18.3 | 17.0 | 79 | - |
| 4 | 1019.6 | 21.5 | 19.1 | 17.4 | 75 | - |
| 5 | 1017.3 | 23.6 | 20.4 | 18.3 | 75 | Trace |
| 6 | 1019.2 | 23.6 | 20.3 | 18.3 | 80 | - |
| 7 | 1021.6 | 21.1 | 18.6 | 17.2 | 79 | - |
| 8 | 1020.5 | 20.2 | 17.8 | 16.0 | 75 | - |
| 9 | 1018.2 | 20.1 | 18.0 | 16.7 | 79 | - |
| 10 | 1017.5 | 20.9 | 18.4 | 16.5 | 76 | - |
| 11 | 1020.2 | 18.8 | 15.8 | 13.7 | 70 | 1.2 |
| 12 | 1020.9 | 17.9 | 16.1 | 14.7 | 72 | - |
| 13 | 1021.5 | 18.9 | 17.0 | 15.6 | 64 | Trace |
| 14 | 1020.7 | 17.3 | 16.6 | 15.4 | 75 | - |
| 15 | 1020.1 | 19.8 | 17.9 | 16.5 | 82 | - |
| 16 | 1020.4 | 21.1 | 18.8 | 17.4 | 82 | - |
| 17 | 1020.7 | 18.4 | 17.8 | 17.1 | 84 | - |
| 18 | 1020.9 | 18.3 | 17.3 | 15.8 | 82 | 0.2 |
| 19 | 1019.3 | 20.3 | 17.1 | 14.9 | 70 | - |
| 20 | 1018.4 | 20.8 | 17.6 | 15.4 | 73 | - |
| 21 | 1017.6 | 19.7 | 17.9 | 16.5 | 80 | - |
| 22 | 1014.3 | 17.8 | 17.3 | 16.8 | 91 | 1.5 |
| 23 | 1013.1 | 21.8 | 19.4 | 17.5 | 84 | 0.1 |
| 24 | 1014.3 | 21.8 | 19.7 | 18.8 | 88 | 1.0 |
| 25 | 1016.7 | 20.9 | 18.6 | 17.5 | 82 | - |
| 26 | 1017.1 | 21.1 | 19.2 | 17.7 | 83 | Trace |
| 27 | 1016.8 | 22.1 | 19.8 | 18.4 | 84 | Trace |
| 28 | 1016.3 | 19.9 | 18.8 | 18.1 | 86 | Trace |
| 29 | 1014.4 | 20.2 | 18.1 | 16.3 | 81 | 0.1 |
| 30 | 1017.5 | 20.0 | 16.0 | 13.2 | 64 | - |
| 31 | 1019.2 | 15.5 | 14.6 | 13.6 | 70 | Trace |

Source: Hong Kong Observatory

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix L

Cumulative statistics on Environmental Complaints, Notifications of Summons and Successful Prosecutions

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Environmental Complaints Log

| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|-------------------------------|-------------|---------------------|-----------------------|---|---------------|
| COM-2019-005 | 02/02/2019 | EPD | CCZJV | Noise | 13/02/2019 | According to the photo taken from the complainant, the complaint was related to the project. Although the tree felling works were covered by the valid CNP (GW-RN0783-18), Contractor was reminded to strictly follow and fully comply with the CNP conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. Contractor was recommended to increase the frequency of using the electrical chain saw instead of the diesel chain saw for reducing the noise impact. Environmental Team conducted additional ad-hoc noise monitoring on 19:00 14 th February 2019 to 07:00 15 th February 2019 for evaluate the effectiveness on the proposed mitigation measures. No project-related noise exceedance case on 14-15 Feb 2019 Contractor's night tree-felling and removal works. The proposed mitigation measures were effective for noise impact. | 20/02/2019 |
| COM-2019-006 | 22/02/2019 | Project Hotline of NE/2017/05 | CCZJV | Noise | 26/02/2019 | According to the location of complainant from Kwai Wo House, the complaint was related to the project. Although the tree felling works were covered by the valid CNP (GW-RN0783-18), Contractor was reminded to strictly follow and fully comply with the CNP conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. An extended barrier at the top acts as a cantilever shape was recommended to modify the existing semi-enclosure installed in the cherry picker Also, three sides with top as a semi-enclosure to be used and those tree felling activities should be inside the semi-enclosure in the ground slope. The main contractor had been recommended to review their works program and methods of tree felling as to minimize the night time tree felling activities. | 04/03/2019 |
| COM-2019-0010 | 28/03/2019 | Project Hotline of NE/2017/05 | CCZJV | Noise | 28/03/2019 | The complaint case should be related to the MTR night time maintenance works. Main Contractor used portable phones and head-set only for communication, and none of loudspeakers were allowed to be used. Main Contractor handled of tree debris | 04/04/2019 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|----------------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | into the lorry skip in care when loading. Besides, a layer of soft material (soil/tree debris) was observed leaving inside the skip of the grab lorry to reduce the loading noise. Contractor was reminded to strictly follow and fully comply with the CNP (GW-RN0132-19) conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. | |
| COM-2019-0033 | 26/07/2019 | Police visit on-site | CCZJV | Noise | 26/07/2019 | The complaint is related to the project. The Main Contractor comply with CNP No.: GW-RN0443-19 allowable construction site and within the site boundary to carry out night work on tree felling and the clearance of felled tree debris during the restricted hour. Contractor was reminded to strictly follow and fully comply with the CNP (GW-RN0443-19) conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. Contractor was recommended to increase the frequency of using the electrical chain saw instead of the diesel chain saw for reducing the noise impact. Contractor was reminded to reschedule of tree felling arrangement that most of the fell branches and trunks were temporary laid on slope and arranged to cut smaller on Day Time to minimize the noise nuisance to the nearby NSRs. | 30/07/2019 |
| COM-2019-0045 | 30/08/2019 | 1823 | CCZJV | Noise | 30/08/2019 | The complaint is related to the project. Contractor was reminded to strictly follow and fully comply with the CNP (GW-RN0443-19) conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during restricted hour. Contractor should strictly follow the use of acoustic enclosure as in condition 3.d.5. of the CNP during the operation of breaker, hand-held, mass <=10kg (CNP023) shall only be operated inside the acoustic enclosure composed of four side-panels and one top-panel, so that no part of such equipment is visible from any nearby noise sensitive receiver. The panels shall be made of minimum 10mm thick plywood or 1mm thick steel outer skin and minimum 50mm thick sound | 19/09/2019 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------------------------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | absorbing lining, or equivalent construction. Contractor was reminded to use portable phones and head-set only for communication, and none of loudspeakers is allowed for night work activities. | |
| COM-2019-0056 | 09/10/2019 | Project Hotline of NE/2017/05 and EPD | CCZJV | Noise | 19/10/2019 | The complaint of the construction noise especially the breaker noise is project related. Due to the concern of road safety, the Contractor conducted the emergency road repair works under an Emergency Excavation Permit (EXP) of Plan ID: EO13123 issued by Highways Department (HyD). The main contractor's PR / hotline staff was reminded to enhance communication with sufficient information provided for replying any enquiry / complaint in the future. The main contractor was also reminded that noise mitigation measures should be provided as far as practicable subject to the emergency situation. For construction works covered by the CNP issued by EPD, the main contractor should fully comply with the conditions as stipulated and provided all noise mitigation measures as required under the conditions of the CNP. For works subject to the emergency situation, noise mitigation measures such as noise barrier, enclosure etc. should be provided as far as practicable to minimise the noise nuisance to the NSRs. | 04/11/2019 |
| COM-2019-0057 | 09/10/2019 | EPD | CCZJV | Noise | 18/10/2019 | The complaint of the generator noise nuisance is related to the project. The concerned portable generator is supplying electric power for the Variable Message Sign (VMS) showing the speed limit in 50 km/hr. It is switched on and off manually by manpower, and would only be operated between daytime 07:00-19:00. No construction noise permit (CNP) should be required as the portable generator is not operating in restricted hours. The main contractor was reminded to strictly follow the use of their proposed semi-enclosure as the mitigation measures for the portable generator and the generator operates in daytime 07:00-19:00 only. | 21/10/2019 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|-----------------------------|-------------|---------------------|-----------------------|---|---------------|
| COM-2019-0066 | 06/11/2019 | EPD | CCZJV | Noise | 07/11/2019 | The complaint of the emergency road repair work is related to the project. The works on on 5 th November 2019 between 22:00 and 06:00 the next day at southbound slow lane of Tai Po Road outside Wai Wah Centre, including breaking operation. The main contractor should inform the EPD in advance of any emergency opening works of the Project in future to facilitate the effective handling of noise complaint that may arise. | 12/11/2019 |
| COM-2020-0083 | 29/02/2020 | Project email of NE/2017/05 | CCZJV | Noise and Dust | 29/02/2020 | The complaint of the dust and noise nuisance near Wai Wah Centre during both the day and night works was at zone 2. The construction works at zone 2 was the mini-piling operation during the day time was same as the complaint. Thus, the complaint in daytime is related to the project. Furthermore, loading and unloading works was carried in night time. Contractor was reminded to enhance the water spray frequency on the construction site for mitigation measures on dust control. Also, Contractor should provide green tarpaulin curtain and additional acoustic Sound Proof Canvas as a secondary layer at the bottom of the mini-pile drilling machine to secure the total enclosure condition to minimize the visual and noise impacts to nearby NSRs. ET checked the regular impact air and noise monitoring data between day time and night-time regular noise monitoring data, no exceedance case was found on both regular impact air and noise monitoring measurement. The main contractor should carry out further review the effectiveness of the enclosure or noise barrier with their mitigation measure and propose alternative noise mitigation measures to enhance the noise reduction on similar day works or night works in restricted hours. | 19/03/2020 |
| COM-2020-0089 | 24/03/2020 | Project hotline | CCZJV | Noise | 24/03/2020 | A resident of Wai Wah Centre complained that noise generated from construction activities at night disturbing the nearby resident. According to the Contractor's information, loading/unloading, steel bar cutting, steel plate grinding and asphalt compaction were carried out in the early hours of 24 th | 07/04/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|-----------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | Mar 2020. The night work activities were within the site boundary. Also, 4 sides with top cover acoustic enclosure for the portable generator was used during the night work. Furthermore, mitigation measures listed in the CNP were implemented for PMEs and works activities. Three sides with top cover enclosure and additional acoustic comprised with 50 mm sound absorbing lining were used for night works activities. ET analysed that the complaint noise source should not be project-related construction noise. | |
| COM-2020-0090 | 27/03/2020 | Project hotline | CCZJV | Noise | 27/03/2020 | Both complaint cases were concerning about the noise nuisance generated from the construction work activities at night time disturbing the nearby Wai Wah Centre residence. According to the Main Contractor, similar nature of major construction works carried out between 03:00 a.m. and 04:00 a.m. on 27 th & 28 th March 2020 was the asphalt compaction for the road surface remedial works at zone 2 south lane adjacent to Wai Wah Centre. The Main Contractor complied with CNP No.: GW-RN0002-20 that is within the allowable construction site location and within the site boundary to carry out night work on loading and unloading works. ET conduct regular night-time noise monitoring at all monitoring stations between 23:00 26 th March 2020 to 04:00 27 th March 2020, and between 23:00 2 nd April 2020 to 04:00 3 rd April respectively. No exceedance cases were found on both ET regular night-time noise monitoring measurement. ET did not remark on-site any noise related to construction works at above noise monitoring nights for which the results were lower than baseline noise level. Hence, ET analysed that the dominant noise source should be road traffic noise but not the project-related construction noise. | 04/05/2020 |
| COM-2020-0091 | 28/03/2020 | Project hotline | CCZJV | Noise | 28/03/2020 | | |
| COM-2020-0093 | 06/04/2020 | Project hotline | CCZJV | Noise | 06/04/2020 | The complaint case on 6 th Apr was received by project hotline. The major construction works between (10:00pm – 11:00pm) on 6 th April 2020 was TTA implementation works and asphalt removal works for the road surface remedial work at zone 2 adjacent to Wai Wah Centre. The Main Contractor complied with | 28/04/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|-----------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | CNP No.: GW-RN0152-20 that is within the allowable construction site location and within the site boundary to carry out night work on loading and unloading works. The five noise monitoring stations close to the concerned works area are NMS3, NMS4, NMS5A, NMS6A & NMS7, and NMS5A & NMS6A locate nearest to Wai Wah Centre. The night time noise monitoring results measured at NMS3, 4 & 6A were all lower than that of measured in the baseline, two exceedance case were found at NMS 5A especially NMS 5A & NMS 6A monitoring stations where locate at the Wai Wah Centre. The corrected noise level measured at NMS 7 is lower than the night time limit 55dB (A). Therefore, there was no exceedance cases were found on ET regular night-time noise monitoring measurement. ET analyzed that the dominant noise source should be road traffic noise but not the project-related construction noise. | |
| COM-2020-0096 | 20/04/2020 | Project hotline | CCZJV | Noise | 20/04/2020 | A continues complaint were received on 20 Apr and 21 Apr 2020. A resident of Wai Wah Centre filed three complaints about the noise nuisance generated by the nearby construction activities during daytime. Two complaints were made through project hotline on 20 th Apr 2020 at 10:57 a.m. and 21 st Apr 2020 at 9:03 a.m., while the other one was through project email on 20 th Apr 2020 at 12:43 p.m. The noise source(s) of the concerned nuisance during complaint period should be mini piling works, which is opposite to Wai Wah Centre. According to the contractor's work schedule, major day work activity was mini-piling operation since early Feb 2020 at zone 2 in central median at non-restricted hours, from Mondays to Saturdays between 0800 and 1800 not including General Holidays. The mini piling operation on 20 th & 21 st Apr 2020 was carried out at non restricted hours. The limited level of noise generated by the construction of the Project during the non-restricted daytime hours will be 75 dB (A) for dwelling. The mini piling operation on 20 th and 21 st Apr 2020 was carried out at non restricted hours | 19/05/2020 |
| COM-2020-0097 | 20/04/2020 | Project Email | CCZJV | Noise | 20/04/2020 | | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|-----------------|-------------|---------------------|-----------------------|---|---------------|
| COM-2020-0098 | 21/04/2020 | Project hotline | CCZJV | Noise | 21/04/2020 | with green tarpaulin curtain and sound proof canvas. The noise level of NMS 5A and NMS 6A on 22 nd Apr 2020 were 73.5 dB (A) and 72.6 dB (A) respectively. No noise exceedance was occurred at NMS 5A and NMS 6A. The construction activity on 22 nd Apr 2020 was similar to 20 th and 21 st Apr 2020. Therefore, ET's day-time monitoring result on 22 nd April 2020 at NMS5A and NMS6A can act as a reference for impact noise from the similar mini-piling operation on 20 th and 21 st April 2020. ET analyzed that the dominant noise source should be road traffic noise but not the project-related construction noise. | |
| COM-2020-0099 | 21/04/2020 | Project hotline | CCZJV | Noise | 21/04/2020 | The complaint cases on 21 st Apr 2020 was received by project hotline from Police. According to the complainant who is the local resident at Wai Wah Centre, the noise source(s) of the concerned nuisance during night works was at zone 2 is opposite to Wai Wah Centre. The major construction works was road surface remedial work since 15 th April 2020 conducted at restricted hours along zone 2 south boundary adjacent to Wai Wah Centre. The Main Contractor complied with CNP No.: GW-RN0152-20 that is within the allowable construction site location and within the site boundary to carry out night work on road surface remedial works. Environmental Team (ET) conduct a regular night-time noise monitoring at all monitoring stations between 23:00 23 rd April 2020 to 04:00 24 th April 2020. The five noise monitoring stations close to the concerned works area are NMS3, NMS4, NMS5A, NMS6A & NMS7, and NMS5A & NMS6A locate nearest to Wai Wah Centre. There were no exceedance on the night time noise monitoring, especially measured at NMS 5A & NMS 6A where locate at the Wai Wah Centre, the measured result at NMS 5A & 6A were all lower than that of measured in the baseline. Therefore, no exceedance cases were found on ET regular night-time noise monitoring measurement. ET analyzed that the dominant noise source should be road traffic noise but not the project-related construction noise. | 05/05/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|-----------------|-------------|---------------------|-----------------------|---|---------------|
| COM-2020-0100 | 23/04/2020 | Project hotline | CCZJV | Noise | 23/04/2020 | The complaint was received via project hotline on 23 rd April 2020 at 10:45 a.m. A resident of Wai Wah Centre complained that noise generated from operation of the two piling machines disturbing her daughter's study for DSE examination, and demanding limitation on operation hours of the machines only at two separate periods between 12 noon and 1p.m and 3 p.m. to 6 p.m. According to the Main Contractor, the major construction works at day time (08:00-18:00) on 23 rd April 2020 was mini-piling operation at Zone 2 Central Median of Tai Po Road near Wai Wah Centre. According to the photo records of day-time site condition on 23 rd April 2020 provided by Main Contractor, the green tarpaulin curtain was provided for the mini-pile drilling machines so that the bottom part of the mini-pile drilling machine was blocked from view of nearby NSR (e.g. residents at Wai Wah Centre) and an additional layer of sound proof canvas was installed at lower level to mitigate the noise from mini-pile drilling operation. The day-time noise monitoring results measured at NMS3, 4, 5A, 6A and 7 were all lower than the limit level, especially NMS 5A & NMS 6A monitoring stations where locate at the Wai Wah Centre. The monitoring results show no noise exceedance occurred at both locations. Thus, ET day-time monitoring result on 22 nd April 2020 at NMS5 & NMS6 can be act as a reference for impact noise from the similar mini-piling operation activities on 23 rd April 2020. Therefore, there was no exceedance cases were found in ET regular day-time noise monitoring measurement. ET analyzed that the dominant noise source should be road traffic noise but not the project-related construction noise. | 11/05/2020 |
| COM-2020-0101 | 28/04/2020 | 1823 | CCZJV | Noise | 28/04/2020 | The complainant on via ICC1823 on 28 th April 2020 complained about the noise and odor nuisance generated from the night-time asphalt laying construction works at Shatin Rural Committee Road (Zone 3) area. Although the main contractor no work at zone 3, but the major night-time construction works was road surface remedial work which was related to the | 15/05/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | complainant concerned. The major construction works was road surface remedial work since 15 th April 2020 at approved restricted hours along zone 2 south boundary adjacent to Wai Wah Centre. Also, Tai Po Road is the main strategic route, implementation of temporary traffic diversion at day time due to loading and unloading material or plant work or road surface remedial work is not feasible. The lorry had been used in TTA implementation & road opening, portable generator and electric handheld breaker had been used in asphalt removal work, dump truck with grab had been used for loading and unloading of asphalt or rubble, vibratory compactor had been used in asphalt compaction for road surface remedial works on 27 th & 28 th April 2020. The Main Contractor complied with CNP No.: GW-RN0152-20 that allowed PME used in Group C or Group F. According to the Main Contractor, advance "Notice to Affected Residents" had been issued and distributed on 26 th March 2020 in accordance with the CNP advice that prior notification should be given to nearby residents. Besides, the road re-surfacing work would be carried out at approximately 14 night-time works between 2 nd and 28 th April 2020 listed in the distributed notices. No exceedance cases were found on ET regular night-time noise monitoring measurement at all noise monitoring stations, especially measured at NMS 5A & NMS 6A where locate close to the works area (Wai Wah Centre in Zone 2), the measured result at NMS 5A & 6A were all lower than that of measured in the baseline. ET analyzed that the dominant noise source should be road traffic noise but not the project-related construction noise. | |
| COM-2020-0151 | 10/11/2020 | EPD | CCZJV | Water | 10/11/2020 | The complainant on 10 th November 2020 complained about water discharge onto the traffic lanes of Northbound towards Sha Tin Section of Tai Po Highway. According to the Main Contractor, there is one active site access located at Zone 1 (R1) near Pai Tau, site access no. is N02. Restricted opening hours of the site access Zone 1 (R1) is between 10:00 to 16:00. | 27/11/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | The operation which might be related to the complaint was water flow from water-filled barriers before the opening of site access and no water spilling onto the traffic lanes from the access area of Zone 1 (R1). The released water was directed towards to the work areas facing Zone 1 (R1) and no water was flowed towards the high-speed road or traffic lanes. ET conducted ad-hoc site inspection on 17 th November 2020. ET had no particular findings related to the complaint and conducted trial to open the bottom of the water barrier valve for testing and checking on the water flow to the construction site at Zone 1. Contractor performed well on environmental preventive measures for soil or silt leakage protection as impervious sheet with sand bags had been provided at the site boundary of Zone 3. ET analyzed that released water was directed towards to the work areas facing Zone 1 (R1) and no water was flowed towards the high-speed road or traffic lanes. | |
| COM-2020-0152 | 20/11/2020 | 1823 | CCZJV | Noise | 20/11/2020 | <p>The complainant on via ICC1823 on 20th November 2020 complained about the noise generated from the night-time asphalt laying construction works between Sha Tin Station and nearby Wo Che Estate. Although the main contractor no work at zone 5, but the major night-time construction works was road surface remedial work which was related to the complainant concerned. According to the Main Contractor, the major construction works was road surface remedial work since 19th November 2020 conducted at restricted hours along zone 3 to zone 4 north bound of Tai Po Road Sha Tin section. 3.20</p> <p>No exceedance cases were found on ET regular night-time noise monitoring measurement (Appendix F) at all noise monitoring stations. Contractor placed acoustic enclosure "SilentCUBE" with four sides and a top cover at asphalt removal works to mitigate. The Main Contractor was reminded to pay attention to CNP other condition 3.d.3, the electric hand-held breaker shall only be used for carrying out construction work between 22:00 – 23:30 hours. It is prohibited to use the electric</p> | 07/12/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | hand-held breaker beyond the CNP condition 3.d.3 stated that the using limitation on 23:30. The Main Contractor was reminded to re-arrange their proposed night-time construction activities to fulfill the complainant expectation that noise emitting work should be paused during 00:00 to 06:00 sleeping time. | |
| COM-2020-153 | 26/11/2020 | EPD | CCZJV | Water | 24/11/2020 | According to EPD Mr. Bryan Kwok, EPD carried out a site inspection on 24 November 2020, revealing that muddy effluent was discharged from an outfall at Fo Tan near Jockey Club Ti-I College while construction work of the abovementioned project site at Zone 5 opposite to Wo Che Estate was in progress. EPD team inspected the condition of waste water treatment facilities on site (slope F133) and observed that the water in the first and second sedimentation tanks was muddy; muddy water was observed at the outlet level of the WetSep (waste water treatment plant) though there was no discharge and piling works at the time. EPD team reminded the Main Contractor that effluent does not complied with the discharge license standard should NOT be allowed to discharge. The waste water treatment system should be improved and maintained to ensure the effluent discharge standard. EPD team requested in both works area of Slope F133 and Slope F163 the Main Contractor to locate the network of drainage, connecting manhole(s) and downstream manhole, check if any presence of muddy materials and clear-out. The main contractor was reminded to strictly follow and fully comply with the water discharge license (WT00032446-2018) conditions and the mitigation measures stipulated in the EM&A Manual for effluent discharge on the wastewater treatment system. | 23/12/2020 |
| COM-2020-154 | 27/11/2020 | 1823 | CCZJV | Noise | 30/11/2020 | The complaint was received via ICC1823 on 27 th November 2020, the complainant expressed concern of construction noise nuisances near Wo Che Estate at around 01:14 am on 27 th November 2020. According to the Main Contractor, there were no construction works near Wo Che Estate (Zone 5) on 26 th 27 November 2020. The major construction works were works | 14/12/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | related to removal of central median (at night-time) under the approved road closure with CNP no.GW-RN0799-20. According to Main Contractor EO Kimberly, she sent prior notification to the EPD on 20 th November 2020 through logging in the webpage of EPD before the commencement of the construction work in relation to the CNP GW-RN0799-20 (conditions 3.d.11 and 4.d.8). The Main Contractor provided photo records showing that mitigation measures of the movable acoustic enclosure "SilentCUBE" with four sides and a top cover were implemented for night work on removal of existing central median: drill hole with percussive drill for temporary steel module spiral installation, drill hole at existing central median with concrete corer and asphalt compaction with portable roller. Main Contractor was reminded to strictly follow and fully comply with the CNP No.: GW-RN0799-20 conditions. 5.11 The Main Contractor was reminded to re-arrange their proposed night-time construction activities to fulfill the complainant expectation that noise emitting work should be paused during 00:00 to 06:00 sleeping time. | |
| COM-2020-155 | 26/11/2020 | 1823 | CCZJV | Dust | 30/11/2020 | According to the complainant, the dust nuisance concerned at day time was at the slip road to Fo Tan Road near Lok King Street near Zone 5 works area. According to the Main Contractor, the major day time construction works at Zone 5 works area in November were mini-piling works and slope works of soil replacement. Regular movement of vehicle for transportation was also carried out on site. Thus, the complaint was considered to be related to the project. ET conducted regular day-time air quality monitoring in November 2020 and on the 3 rd December 2020 at selected air monitoring stations AMS6, 8, 11A & 13 and AMS5, 4A, 7A & 12 respectively. The two air quality monitoring stations closed to the works area at zone 5 (where the complainant concerned of dust nuisance) were AMS12 and AM13; and AMS13 locate nearest to Zone 5. The ET regular air quality results measured at AMS13 and AM12 | 05/01/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | in November 2020 and on the 3 rd December 2020 show that there was no exceedance case found in air quality monitoring measurement and the results were all below the action level. The Main Contractor was reminded to enhance the mitigation measures in dust control such as increase the water spray frequency at the construction site to suppress dust emission. The Main Contractor proposed to properly maintain the coverings on exposed slopes and keep them in good condition for minimizing dust impact. The Main Contractor proposed to frequently spraying of haul road especially at area where active movement of vehicles and pave the haul road where necessary to reduce dust impact. | |
| COM-2020-157 | 07/12/2020 | STDC | CCZJV | Dust | 07/12/2020 | According to the complainant, the dust nuisance concerned at day time was generated from the construction works area of the Tai Po Road Widening project at Zone 5. According to the Main Contractor, major day time construction works of mini-piling and soil replacement at slopes were carried out at Zone 5 works area in December 2020. There was also regular movement of vehicle for transportation within the works area. Thus, the complaint was considered to be related to the project. ET conducted regular day-time air quality monitoring (Appendix C) on the 3 rd , 9 th & 15 th December 2020 respectively which was close to the date of complaint, at selected air monitoring stations AMS5, AMS4A, AMS7A & AMS12. ET regular day-time air quality monitoring measurement results at air quality monitoring stations AMS12, closest to Zone 5. The ET regular air quality results measured at AM12 on 3 rd , 9 th & 15 th December 2020 show that there was no exceedance case was found in air quality monitoring measurement and the results were all below the action level. The Main Contractor was reminded to reduce the travelling speed of transportation vehicles on site and plan the schedule of delivery transport in order to reduce dust impact. The Main Contractor proposed to continue in maintaining the coverings on exposed slopes in good condition for minimizing dust impact. | 29/12/2020 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | The Main Contractor proposed to increase water spraying at area where active movements of vehicle transportation occur. | |
| COM-2020-161 | 18/12/2020 | EPD | CCZJV | Noise | 18/12/2020 | <p>The complaint was received via email notification by EPD on 18th December 2020, the complainant expressed concern of construction noise nuisances near Wo Che Estate during night-time on 7th & 8th December 2020. According to the Main Contractor, the major construction works was removal of central median works since 7th & 8th December 2020 conducted at restricted hours along Zone 4 central median of Tai Po Road Sha Tin section. Thus, the complaint is considered to be related to the project. 3.4 According to the Main Contractor, portable generator with hand-held breaker had been used for breaking of asphalt (on existing central median edge); lorry with crane, portable generator and concrete corer had been used for remove (lifting) the existing central median and coring of central median joint; dump truck with grab had been used for loading and unloading of rubble; portable roller had been used in asphalt compaction; lorry with crane, percussive and hand-held drill and portable generator had been used for installation of temporary steel module between 00:30 to 04:30 am on 7th December 2020. The Main Contractor complied with CNP No.: GW-RN0799-20 that allowed the usage of PMEs. The noise emanated from the concrete corer for drilling hole at existing central median and portable roller for asphalt compaction might cause a noise nuisance. To further alleviate the noise nuisance, the Contractor placed acoustic enclosure "SilentCUBE" with four sides and a top cover at removal of existing central median and asphalt compaction works to mitigate as shown in the site condition photo record. No exceedance cases were found on ET regular night-time noise monitoring measurement (Appendix F) at all noise monitoring stations, especially measured at six noise monitoring stations mentioned in above section 3.15 where locate close to the works area (Sha Tin station to nearby Fung Wo Estate in Zone 4), the measured result at NMS16, NMS18</p> | 05/01/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | and NMS26 were lower than that of measured in the baseline. Besides, the measured result after correction of baseline at NMS13, NMS14 and NMS15 were lower than that of the limit level. The Main Contractor was reminded to re-arrange their proposed night-time construction activities especially in quiet construction works to minimize the noise nuisance to nearby residences. The Main Contractor was reminded to re-arrange their proposed night-time construction activities to fulfill the complainant expectation that noise emitting work should be paused during night sleeping time. | |
| COM-2020-167 | 22/02/2021 | 1823 | CCZJV | Dust | 22/02/2021 | A complainant who did not wish to disclose his identity called 1823 hotline on 22 nd February 2021 regarding the dust nuisance at slip road to Fo Tan Road. A repetitive case with reference no. 3-6566315922 was referred to the Main Contractor of the captioned Project and ET on 23 rd February 2021. According to the complainant, the dust nuisance concerned at day time was at the slip road to Fo Tan Road near Zone 5 works area. According to the Main Contractor, the major day time construction works at Zone 5 works area in February 2021 was mini-piling works. Regular movement of vehicle for transportation was also carried out on site. Thus, the complaint was considered to be related to the project. The Main Contractor was reminded to reduce the travelling speed of transportation vehicles on site and plan the schedule of delivery transport in order to minimize the dust impact. The Main Contractor proposed to reduce the exposed surface by providing covers or paving (e.g. with cement grout) to the newly excavated slope. | 05/03/2021 |
| COM-2020-168 | 20/02/2021 | 1823 | CCZJV | Noise | 23/02/2021 | The complaint was received via 1823 on 20 th February 2021 01:00 am concerning about the night-time construction works near Sha Tin Police Station at 19 th 20 February 2021. According to the Main Contractor, there was night-time construction works near Sha Tin Police Station (Zone 3 & 4) on 19 th 20 February 2021. The major construction works were lane shifting works conducted on 19 th 20 February 2021 at night-time under | 08/03/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | approved road closure setup with in-force Construction Noise Permit (CNP) no.GW-RN0798-020. According to the Main Contractor, since Tai Po Road is the main strategic route, implementation of temporary traffic diversion at day time due to loading and unloading material or plant work or road surface remedial work is not feasible. The concerned night work could only be conducted during off-peak period at night time under temporary traffic diversion to avoid causing traffic congestion. According to the Main Contractor, no concurrent operation of Power Mechanical Equipment (PME) and idling were switched off during the loading and unloading of materials and rubble by manual handling of road surface remedial works. Environmental Team (ET) conduct a regular night-time noise monitoring at all monitoring stations between 23:00 25 th February to 03:00 26 th February 2021. 3.13 The five noise monitoring stations close to the complaint receiving area of Zone 3 & 4 are NMS13, NMS14, NMS15, NMS16 & NMS26. No exceedance cases were found on ET regular night-time noise monitoring measurement at all noise monitoring stations, especially measured at five noise monitoring stations where locate close to the works area (near Sha Tin Police Station in Zone 3&4), the measured result at NMS15, NMS16 and NMS26 were lower than that of measured in the baseline. Besides, the measured result after correction of baseline at NMS13 and NMS14 were lower than that of the limit level in 55 dB(A). The Main Contractor was reminded to strictly follow and fully comply with the CNP (GW-RN0798-20) conditions and the mitigation measures stipulated in the EM&A Manual when construction activities are operating during the restricted hour. | |
| COM-2021-0170 | 03/03/2021 | 1823 | CCZJV | Dust and Noise | 04/03/2021 | The complaint on 3rd March 2021 at 1:25 pm complained about the noise, dust nuisance generated and insufficient dust mitigation works during the night-time construction works near King Wo House and Wo Che Estate area. A repetitive case with reference no. 3-6638500887 was referred to the Main Contractor | 25/03/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | and ET of the captioned project on 4th March 2021. According to the Main Contractor, there was night time road works at King Wo House and Wo Che Estate (Zone 4 & 5) on 3rd March 2021. Thus, the complaint considered to be related to the project. According to ET investigation, the Main Contractor complied with the CNP No.: GW-RN0798-020, with the permission of using Powered Mechanical Equipment (PMEs). No exceedance cases were found on ET regular night-time noise monitoring measurement (Appendix G). The Main Contractor was reminded to close all the doors of the acoustic enclosure, included the "SilentCUBE" for hand-held breaker and metallic enclosure. Consider the dust nuisance, no exceedance cases were found on ET regular air quality monitoring measurement (Appendix F). According to the Main Contractor, vapour was emitted from the bottom of the miller, when the milled asphalt falling from the drop point of the conveyor belt to the dump truck container, fugitive dust was generated. The Main Contractor was reminded to enhance the water spray frequency and keep the road surface wet before milling as the mitigation measures on fugitive dust control. | |
| COM-2021-0172 | 03/03/2021 | 1823 | CCZJV | Noise | 08/03/2021 | The second complaint was received on 3rd March 2021 at 1:40 pm complained about the noise nuisance generated during the night-time construction works near Shatin Pui Ying College area. A repetitive case with reference no. 3-6638578830 was referred to the Main Contractor and ET on 8th March 2021. According to the main contractor, there was a night-construction activity near Shatin Pui Ying College and Wo Che Estate (Zone 4 & 5). Thus, the complaint considered to be related to the project. According to ET investigation, the Main Contractor complied with the CNP No.: GW-RN0798-020, with the allowed usage of PMEs. No exceedance cases were found on ET regular night-time noise monitoring measurement (Appendix G). The Main Contractor was reminded to strictly follow and fully comply with the CNP No.: GW-RN0798-20 conditions and the mitigation measures | 25/03/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | stipulated in the EM&A Manual when construction activities were operated during the restricted hour. The contractor was also reminded to use a movable noise barrier/blanket to block the line of sight from the engine or noise emission part to the nearby NSRs when using PMEs. | |
| COM-2021-0193 | 09/05/2021 | 1823 | CCZJV | Noise | 17/05/2021 | <p>The complaint was first received on 6th May 2021 at 9:27 a.m. via FEHD email. The complaint was then referred to 1823 case: 3-6727963845 on 9th May 2021 at 2:52 p.m. A follow-up complaint was received on 11th May 2021 at 8:20 a.m. The two complaints were referred from 1823 to CEDD on 14th May 2021 at 6:26 p.m. The complaint cases was referred from AECOM to ET on 17th May 2021 at 11:46 a.m. According to the Main Contractor, the major construction works at daytime (08:00-18:00) between 6th to 11th May 2021 near Mei Wo House were soil replacement works (involved excavation, loading and unloading of materials and pour the no fine concrete) at the works area 1 (between Wo Che Estate King Wo House and Shatin Pui Ying school) and demolition of existing central divider works (involved breaking, loading and unloading of materials) at the work area 2 (opposite to Wo Che Estate Man Wo House). The ET regular daytime noise monitoring measurement results of NMS16, NMS17, NMS18, NMS19, NMS20 & NMS26 on 6th, 7th, 12th and 13th May 2021, no exceedance case found. The noise monitoring results were lower than the noise limit of 75 dB(A) L_{eq} (30 minutes) at the facade of dwellings and 70 dB(A) L_{eq} (30 minutes) at the facades of schools (65 dB (A) during examinations). The Main Contractor installed an acoustic blanket, enclosed at the breaker to minimize the noise impacts to nearby NSRs. The Main Contractor was reminded to maintain the newly implemented noise mitigation measure during breaking works. The Main Contractor was reminded to provide additional mitigation measures to minimize the noise nuisance to the NSRs (similar to night-time construction works) during the construction works, for example moveable noise barrier or blanket to block</p> | 27/05/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------------------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | the line of sight from the engine and noise emission parts to the nearby NSRs. | |
| COM-2021-0200 and COM-2021-0202 | 07/06/2021 | 1823 | CCZJV | Noise | 08/06/2021 | <p>Ms. So, a resident of Wo Che Estate, Mei Wo House complained about the noise generated from the daytime construction work located outside Mei Wo House, the tunnel entrance (direction towards Fo Tan). Until 7th June 2021, total six complaints were received via 1823 (case: 3-6727963845) from the same complainant. According to the Main Contractor's daytime working schedule from 12th May to 7th June 2021 at zone 5 were soil replacement works (involved excavation, loading and unloading of materials, pour the no fine concrete and formation of haul road) and demolition of existing central divider works (involved loading and unloading of materials, minor breaking and corning operation). According to CEDD, a reply was sent to Ms. So on 27th May 2021. The Resident Site Staff (RSS) of AECOM contacted the complainant on 7th June 2021 night to explain the detail of upcoming construction work and associated noise mitigation measures to minimize the construction noise arising from the concerned construction work. The complainant was also informed that she could contact the RSS directly if she had any further enquiry in future. ET conducted regular daytime noise monitoring at NMS16-20 and NMS26 monitoring stations on 6th, 7th, 12th, 13th, 17th, 18th, 24th, 25th of May and 4th, 5th, 10th, 11th of June 2021. No exceedance case was found and the noise monitoring results were lower than the noise limit of 75 dB(A) L_{eq} (30 minutes) at the facade of dwellings and 70 dB(A) L_{eq} (30 minutes) at the facades of schools (65 dB (A) during examinations). ET reminded the Main Contractor to implement additional mitigation measures to minimize the noise nuisance generated from daytime construction works to the nearby Noise Sensitive Receivers (NSRs). The Main Contractor agreed to install an acoustic blanket, enclosed at the breaker to minimize the noise impact generated from the demolition of central divider works. The Main Contractor was reminded to maintain the noise</p> | 22/06/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | mitigation measure during the breaking works. The Main Contractor was reminded to provide additional mitigation measures during the construction works to minimize the noise nuisance to the NSRs (similar to nighttime construction works), for example, a temporary moveable noise barrier to lower the noise impact and an acoustic blanket to block the line of sight from the engine and noise emission parts to the nearby NSRs. The Main Contractor was also reminded to display the project hotline number 5613-3367 on-site for public enquiry. | |
| EN-2021-0094 | 26/07/2021 | EPD | CCZJV | Air (Odour) | 27/07/2021 | <p>A resident of Paris Park Villa complained about the poor air quality around his living area between 19th and 26th July 2021. He suspected that the odour nuisance may be generated from the construction site's diesel machineries. The complaint was received by the EPD's Regional Office (North) on 26th July 2021 with reference no.: RN17367-21.</p> <p>According to the Main Contractor's daytime working schedule between 19th July and 26th July 2021 involved: (1) Zone 4 and 5 North boundary, the construction activities involved the formation of temporary access, backfilling works for noise barrier stem wall, loading and unloading works. Excavations were mainly performed in areas EX1 and EX2. (2) Zone 4 and 5 South boundaries, the construction activities involved the noise barrier foundation works and the formation of temporary access. Excavations were mainly performed in areas EX3 and EX4. While rebar fixing and formwork erection were also carried out in EX3 area. For area TW1 in Zone 5 South boundary, tree works were performed. There were no work activities carried out at night-time, Sunday and under the hosting of typhoon signals.</p> <p>According to AECOM's Resident Engineer and the Main Contractor, no particular malpractice was observed during the construction activities at Zone 4 and 5 between 19th and 26th July 2021. According to the Main Contractor, only machineries with valid NRMM labels and regular maintenance are being used on-site. The Main Contractor sent the Ultra-Low Sulphur Diesel</p> | 13/08/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | <p>(ULSD) sample for laboratory testing since Feb 2019. There is no exceedance of the Sulphur content of more than 0.005% by weight in the past and the latest sample collected on 7th July (Cap. 311I Air Pollution Control (Fuel Restriction) Regulations). No particular finding on odour nuisance was found by the ET's staff when performing air monitoring in AMS 14 Ha Wo Che (close to 73A Ha Wo Che) on 21st and 22nd July 2021. ET also inspected the construction site on 29th July 2021 (between 9:00 to 10:15 a.m., weekly environmental inspection). There was no particular observation on odour nuisance or diesel smell generated from the Non-Road Mobile Machineries (NRMMs) and construction activities in the North and South boundary at Zone 4 and 5. No dark smoke was observed from the excavator, power generator, piling and pre-drilling machines under operation. ET inspected the area around Paris Park Villa and Ha Wo Che on 29th July 2021 between 10:30 a.m. to 11:30 a.m. There was no particular finding on odour nuisance in AMS14 Ha Wo Che (close to 73A Ha Wo Che).</p> <p>ET reminded the Main Contractor to strictly implement the air pollution control measures and minimize the air pollution impact generated from the construction work activities. The Main Contractor also is reminded that only approved or exempted NRMMs include regulated machines and non-road vehicles with proper labels are allowed to be used in specific activities on-site. The NRMMs should be well maintained. The Main Contractor was also be reminded that odour emissions from construction sites need to be controlled. Potential emission includes particulate matter, diesel and hazardous chemicals need to be considered for their odour impact. Use of ULSD should be maintained and dark smoke emission should be prevented in accordance with the Air Pollution Control (Smoke) Regulation and ETWB TCW 19/2005. The Main Contractor was also be reminded to display the project hotline number 5613-3367 on-site for public enquiry.</p> | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| DSD Ref: MS 8/0/CE2815 /0 pt.6 | 01/09/21 | DSD | CCZJV | Water | 02/09/21 | <p>Drainage Services Department (DSD) issued a notice (Ref: MS 8/0/CE2815/0 pt.6) to the Engineer's Representative (AECOM) after their morning inspection on 1st September 2021 concerning the improperly treated water being discharged from the construction site near Fung Wo Estate of the Project to nearby public stormwater drainage system, and of the consequence of contaminating the watercourse at Shing Mun River. The letter of concern was referred to Environmental Team (ET) on 2nd September 2021 at 3:24 p.m. for investigation.</p> <p>According to the Main Contractor and AECOM, the major construction work at Zone 5 south boundary was mini-piling works (at the end of August). Two piling machines were operating either individually or simultaneously. There are approximate 130 nos. of pile planned to be installed, and mini-piling works are scheduled to be finished in January 2022. Originally, one WetSep (TW-WS1) and two sedimentation tanks (ST1 and ST2) were provided for handling the wastewater generated from the piling works and site surface runoff at the zone 5 south boundary. According to the information report and photo records provided by the Main Contractor, the sedimentation tanks (ST1 and ST2) were filled with muddy water and silt on 1st September 2021.</p> <p>ET inspected the area at Zone 5 south boundary on 2nd, 9th, 16th and 29th September 2021. Observation, reminders and follow-up action were proposed and monitored by the ET on handling the wastewater generated from piling works and site surface run-off. Moreover, EPIs from EPD conducted the site inspection on 9th and 29th September 2021. The two inspection conducted by the EPIs focused on reviewing the general site condition, wastewater treatment facilities set-up, mitigation measures for preventing muddy water formation, handling the wastewater and surface run-off. Observation, recommendations and reminders proposed by the EPIs and ET are grouped and shown in Appendix M.</p> | 20/10/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | <p>Rectification have been reported by the Main Contractor according to the observation and recommendation from ET and EPIs on 8th, 17th, 27th September and 6th October 2021. During the 2nd joint site inspection, EPIs agreed the pilling works can be restarted. However, EPIs reminded that the 2nd pilling machine can only be operated until the 2nd WetSep is functioned properly and the effluent quality is acceptable. EPIs mentioned that follow-up inspection expected to be conducted in early or mid-October, focus on inspecting the wastewater treatment efficiency for pilling works, paving of the soil surface, mitigation measures for handling the surface run-off. EPIs also mentioned that surprise inspection may be conducted in the future. According to the AECOM, the pilling work was restarted on 30th September 2021.</p> <p>According to this incident, the Main Contractor was reminded by ET to analyze and review the efficiency of the wastewater treatment system according to the construction activities regularly. The Contractor should provide regular maintenance, water quality testing and related checklist for ET and IEC review during the site inspection. The Main Contractor and related Sub-Contractor was reminded by ET and AECOM that the discharge of effluent needs to fulfil the requirement stated in the Water Discharge License (No. WT00032446 – 2018). AECOM and ET requested the Main Contractor to update the Temporary Drainage Management Plan according to the latest work activities. ET also requested the Main Contractor to update the description of the wastewater mitigation measures inside the Environmental Management Plan (EMP) and Environmental Management Report (EMR) and strictly implement to prevent similar case happen in the future.</p> <p>A follow-up site inspection was conducted by the EPIs at Zone 5 south boundary on 26th October 2021. The EPIs reviewed the site condition, treatment efficiency of the temporary wastewater treatment facilities, mitigation measures to prevent muddy water</p> | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|-----------------------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | generated from soil surface, discharge points and gullies condition. EPIs commented on the mitigation measure around the discharge point near WetSep TW-WS1. The bunding next to the manhole should be rectified to prevent the inflow of muddy water. EPIs reminded that mitigation measures (such as sandbags and bunding) should be provided for enclosing the area near the piling machine. It is for directing the muddy water into the temporary wastewater treatment system. EPIs also reminded regular maintenance of the temporary wastewater treatment system is needed to ensure the effluent's water quality fulfill the standard of the Water Discharge License. | |
| EPD ref.: RN25674- 21 | 28/10/21 | EPD | CCZJV | Noise | 05/11/21 | <p>A complaint was received by the EPD Regional Office (North) on 28th October 2021. The complainant concerned about the night-time noise nuisance near Man Wo House, Wo Che Estate from 2:00 to 5:00 a.m. on 25th, 26th and 27th October 2021 (total 3 nights). The complaint was referred from EPD to (ET on 5th November 2021 at 3:35 p.m.</p> <p>The construction work activities were allowed under the in-force CNP no.: GW-RN0600-21 Road Enclosure for General Night Works that was issued by the EPD. According to Main Contractor, the construction work activities were carried out during the permitted hours (00:00-05:00) on 25th and 27th October 2021 near Man Wo House (at Zone 4 and 5, NB and SB) and there was no night works on the 26th October 2021. The construction activities were carried out within the allowable location and within the site boundary listed in the CNP. The night-time construction works included Temporary Traffic Arrangement (TTA) implementation, unloading of fill materials, loading and unloading of the lamppost, precast concrete blocks and generator and site clearance. The Main Contractor reported that no night-time construction work was carried out on 26th October 2021 at Zone 4 and 5.</p> <p>ET checked the Main Contractor has complied with CNP No.: GW-RN0600-21. The Main Contractor was reminded to strictly</p> | 16/11/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | follow and fully comply with the requirement listed in the CNP and the mitigation measures stipulated in the EM&A Manual when carrying out construction activities during the restricted hour. All construction works should be carried out as quickly as possible to minimize the noise nuisance to the sensitive receivers. The Main Contractor was also be reminded to shut down the PMEs' engines when they are not in use. Moreover, only mobile phones and walkie talkies with headphones can be used for communication, and no whistles, horns and loudspeakers can be used during night work activities. The Main Contractor was reminded to pay attention to CNP conditions 3.d.1, 3.d.5, 3.d.13, 4.d.3 and 4.d.4 for using PMEs to carry out loading and unloading activities in the future. | |
| COM-2021-0257 | 05/11/21 | 1823 | CCZJV | Noise | 08/11/21 | <p>This complaint was received by 1823 (ref: CASE#3-6960147702) on 5th November 2021 at 02:05 a.m. The complainant, Mr Sung concerned about the night-time noise nuisance from concreting near Scenery Court and Tsing Sha Highway. The complaint was referred from AECOM to ET on 8th November 2021 at 9:34 a.m.</p> <p>The construction work activities were allowed under the in-force Construction Noise Permit (CNP) no.: GW-RN0642-21 Road Closure for Sheet Piles Removal and Road Re-construction Works that issued by the EPD. According to Main Contractor, the construction work activities were carried out during the permitted hours (23:00-05:00) on 4th November 2021 near Scenery Court and Hilton Plaza (Zone 1). The construction activities were carried out within the allowable location and within the site boundary listed in the CNP. The night-time construction works included Temporary Traffic Arrangement (TTA) implementation, preparation works for concreting, concreting, cleaning works after concreting and site clearance.</p> <p>ET conducted a regular night-time noise monitoring at all the monitoring stations between 11:00 p.m. to 03:00 a.m. on 4th November 2021 and at NMS1, NMS2, NMS3, NMS4, NMS5A,</p> | 23/11/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|-----------------------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | <p>NMS6A and NMS7 in Zone 1 and 2 which were close to Scenery Court near Tsing Sha Highway. No exceedance case was found during the regular night-time noise impact monitoring measurement.</p> <p>ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0642-21. The Main Contractor was reminded to strictly follow and fully comply with the requirement listed in the CNP and the mitigation measures stipulated in the EM&A Manual when carrying out construction activities during the restricted hour. All construction works should be carried out as quickly as possible to minimize the noise nuisance to the sensitive receivers. The Main Contractor was reminded to shut down the PMEs' engines when they are not in use. Moreover, only mobile phones and walkie talkies with headphones can be used for communication, and no whistles, horns and loudspeakers can be used during night work activities. The Main Contractor was also be reminded to pay attention to CNP conditions 3.d.1, 3.d.3, 3.d.4 3.d.5, 3.d.7, 3.d.11, 3.d.13, 4.d.6 and 4.d.7 for using PMEs and carry out similar night-time construction work activities in the future.</p> | |
| EPD ref.: RN25674- 21 | 17/11/21 | EPD | CCZJV | Noise | 19/11/21 | <p>This complaint was received by the EPD Regional Office (North) on 17th November 2021. The complainant concerned about the night-time noise nuisance near Wai Wah Centre from 2:30 to 3:30 a.m. on 17th November 2021. The complaint was referred from EPD to ET on 19th November 2021 at 5:56 p.m.</p> <p>The construction work activities were allowed under the in-force Construction Noise Permit (CNP) no.: GW-RN0600-21 Road Closure for General Night Works that issued by the EPD. According to the Main Contractor, the construction work activities were carried out during the permitted hours (22:00-05:00) on 16th17th November 2021 near Wai Wah Centre (Zone 2). The construction activities were carried out within the allowable location and within the site boundary listed in the CNP. The night-time construction works included Temporary Traffic</p> | 08/12/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | <p>Arrangement (TTA) implementation, unloading and handling of asphalt during pavement, asphalt compaction, loading and unloading of materials and site clearance. ET conducted a regular night-time noise monitoring at all the monitoring stations between 11:00 p.m. to 03:00 a.m. on 18th and 19th November 2021 and at NMS1, NMS2, NMS3, NMS4, NMS5A, NMS6A and NMS7 at Zone 1 and 2 which were close to Wai Wah Centre. No exceedance case was found during the regular night-time noise impact monitoring measurement.</p> <p>ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 12th November 2021 and Notice to Affected Residents – PN162 have been issued to nearby NSRs on 27th October 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future.</p> | |
| COM-2021-0262 | 20/11/21 | 1823 | CCZJV | Noise | 23/11/21 | <p>This complaint was received by 1823 (ref: CASE#3-6981794553) on 20th November 2021 at 3:35 a.m. The complainant, Mr Sung concerned about the night-time noise nuisance from road surfacing works near Hilton Plaza. The complaint was referred from AECOM to ET on 23rd November 2021 at 1:56 p.m.</p> <p>The construction work activities were allowed under the in-force Construction Noise Permit (CNP) no.: GW-RN0600-21 Road Closure for General Night Works that issued by the EPD. According to the Main Contractor, the construction work activities were carried out during the permitted hours (22:00-05:00) on 19th and 20th November 2021 near Hilton Plaza (Zone 1 and 2). The construction activities were carried out within the allowable location and within the site boundary listed in the CNP. The night-time construction works included Temporary Traffic</p> | 08/12/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | Arrangement (TTA) implementation, asphalt removal, unloading and handling of asphalt during pavement, asphalt compaction, loading and unloading of materials and site clearance. ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 12 th November 2021 and Notice to Affected Residents – PN162 have been issued to nearby NSRs on 27 th October 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs. | |
| COM-2021-0263 | 26/11/21 | 1823 | CCZJV | Noise | 30/11/21 | This complaint was received by 1823 (ref: CASE#3-6991122920) on 26 th November 2021 at 11:31 a.m. The complainant, Mr Chan concerned about the night-time noise nuisance generated from road surfacing works at Tai Po Road and near Shing Mun Tunnel Road (Zone 1 and 2). The construction work activities were allowed under the in-force CNP no.: GW-RN0600-21 Road Closure for General Night Works that issued by the EPD. The night-time construction works included TTA implementation, asphalt milling, mobilization in and out of construction site, asphalt paving, compaction of asphalt pavement, loading and unloading of fill materials, and site clearance. ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 19 th November 2021 and Notice to Affected Residents – PN162 have been issued to nearby NSRs on 27 th October 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs. | 17/12/2021 |
| COM-2021-0264 | 24/11/21 | 1823 | CCZJV | Noise | 30/11/21 | This complaint was received by 1823 (ref: CASE#3-6989137345) on 25 th November 2021 at 30 th November 2021 at 9:28 a.m. The complainant, Ms Sun concerned about the recent | 23/12/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | <p>noise nuisance from the night-time construction work activities near Sha Tin Station.</p> <p>The construction work activities were allowed under the in-force CNP no.: GW-RN0600-21 Road Closure for General Night Works. According to the Main Contractor, the construction work activities were carried out during the permitted hours (22:00-05:00) on 23rd November 2021 near Sha Tin Station (at Zone 2). The construction activities were carried out within the allowable location and within the site boundary listed in the CNP. The night-time construction works included Temporary Traffic TTA implementation, asphalt milling, asphalt paving, compaction of asphalt pavement, loading and unloading of materials, and site clearance.</p> <p>ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 19th November 2021 and Notice to Affected Residents – PN162 have been issued to nearby NSRs on 27th October 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future.</p> | |
| COM-2021-0265 | 01/12/21 | 1823 | CCZJV | Noise | 01/12/21 | <p>This complaint was received by 1823 (ref: CASE#3-6997727629) on 1st December 2021 at 11:50 a.m. The complainant concerned about the night-time noise nuisance generated near Sha Tin Station.</p> <p>The construction work activities were allowed under the in-force CNP no.: GW-RN0600-21 Road Closure for General Night Works. According to the Main Contractor, the construction work activities were carried out during the permitted hours (22:00-05:00) on 30th November ^ 1st December 2021 near Sha Tin Station (at Zone 2). The construction activities were carried out within the allowable location and within the site boundary listed</p> | 30/12/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|-----------------------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | <p>in the CNP. The night-time construction works included TTA implementation, asphalt milling, asphalt paving, compaction of asphalt pavement, painting of road marking, loading and unloading of materials, and site clearance.</p> <p>ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 19th November 2021 and Notice to Affected Residents – PN162 and 165 have been issued to nearby NSRs on 27th October and 29th November 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future.</p> | |
| EPD ref.: RN29574- 21 | 07/12/21 | EPD | CCZJV | Noise | 07/12/21 | <p>This complaint was received by the EPD Regional Office (North) on 7th December 2021. The complainant concerned about the night-time noise nuisance generated from the operation of PMEs near Lek Yuen Estate, Kwai Wo House on 7th December 2021 at 2:00-3:00 a.m.</p> <p>The construction work activities were allowed under the in-force CNP no.: GW-RN0600-21 Road Closure for General Night Works. According to the Main Contractor, the construction work activities were carried out during the permitted hours (22:00-05:00) on 6th7th December 2021 near Kwai Wo House (at Zone 3). The construction activities were carried out within the allowable location and within the site boundary listed in the CNP. The night-time construction works included TTA implementation, lifting of steel truss of overhead height restriction gantry, installation of overhead height restriction gantry, and site clearance.</p> <p>ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on</p> | 24/12/2021 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------------------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---|
| | | | | | | 19 th November 2021 and Notice to Affected Residents – PN165 have been issued to nearby NSRs on 29 th November 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future. | |
| COM-2021-0272 | 16/12/21 | 1823 | CCZJV | Noise | 16/12/21 | <p>A complaint was received by 1823 (ref: CASE # 3-7020268390) on 16th December 2021 at 12:27 a.m. The complainant concerned about the night-time noise nuisance generated from the Tai Po Road (Sha Tin Section) construction site (near Wai Wah Centre, Block 3) in recent days.</p> <p>The construction work activities were allowed under the in-force CNP no.: GW-RN0600-21 Road Closure for General Night Works that issued by the EPD. According to the Main Contractor, the construction work activities were carried out during the permitted hours (22:00-05:00) between 13th and 16th December 2021 (at Zone 2). The night-time construction works included TTA implementation, asphalt removal and cutting works, loading and unloading of materials, lifting steel plate and site clearance.</p> <p>ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0600-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 10th December 2021 and Notice to Affected Residents – PN165 have been issued to nearby NSRs on 29th November 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future.</p> | 16/01/2022 |
| COM-2021-0193 and COM-2021-0202 | 21/12/21 | 1823 | CCZJV | Noise | 23/12/21 | Three complaints were received by 1823 from the same complainant (ref: CASE # 3-6727963845 via email) on 21 st December 2021 at 8:35 a.m., 22 nd December 2021 at 9:18 a.m. and 5:06 p.m. The complainant, Ms. So concerned about the | Expect to be submitted to EPD during Feb 22 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | <p>recent day-time noise nuisance generated from day-time construction works from the Tai Po Road (Sha Tin Section) construction site (near Mei Wo House, Wo Che Estate). According to the Main Contractor, the construction works were carried out at day-time (08:00-18:00) between 15th and 22nd December 2021 near Mei Wo House (at Zone 5). The construction work activities included formwork erection, formwork removal, rebar fixing, and concreting works.</p> <p>ET carried out regular day-time noise monitoring on 20th and 21st December 2021 at NMS 16-20 and NMS 26, no exceedance case was found. All the noise monitoring results at the above-mentioned stations were lower than the noise limit of 75 dB(A) Leq (30 minutes) at the facade of dwellings and 70 dB(A) Leq (30 minutes) for school.</p> <p>To minimize the noise impact generated from day-time construction works, the Main Contractor reported that they have implemented an additional noise mitigation measure (with temporary noise barriers) for the Mei Wo House, NSR. During the ET weekly environmental inspection on 13th January 2022, the noise barriers were observed as properly installed. Most of the sight from the nearby NSRs for the noise works and PME were blocked by the implemented noise barrier. There is no particular observation about the noise impact generated from the construction activities during the site inspection. ET reminded the Main Contractor to ensure the additional noise barriers were applied properly next to the PME and noisy work. The contractor should minimize the noise impact generated from the daily construction works activities as much as possible.</p> | |
| COM-2021-0275 | 29/12/21 | 1823 | CCZJV | Noise | 30/12/21 | <p>Two complaints were received by 1823 (ref: CASE # 3-7043757669 via voice mail) on 29th December 2021 at 12:07 a.m. and (ref: CASE # 3-7046572787 via email) on 29th December 2021 at 1:07 a.m. and 1:18 a.m. (repeat email). The complainant, Mr. Sung concerned about the night-time noise nuisance generated from the Tai Po Road (Sha Tin Section)</p> | 26/01/2022 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|------------------------|----------------------------|---------------|-------------|---------------------|-----------------------|---|---------------|
| | | | | | | <p>construction site (near Hilton Plaza) on 23rd December 2021 at 12:30 a.m. and 29th December 2021 at 12:00 a.m.</p> <p>According to Main Contractor, there were night-time construction works carried out at Tai Po Road and near Hilton Plaza (Zone 1 and 2) on 22nd ^ 23rd and 28th ^ 29th December 2021. The works included TTA implementation, pavement breaking along existing profile barriers, excavation (handling of rubble), remove steel plate from the trench, pipe laying inside the trench, reinstate steel plate to cover trench, removal of rubble, plant demobilization, and site clearance on 22nd ^ 23rd December 2021. Moreover, TTA implementation, dismantling of access tower, noise barrier steel post delivery, plant mobilization, pavement breaking along existing profile barriers, erection of noise barrier steel post, removal of existing profile barriers, and site clearance were carried out on 28th ^ 29th December 2021.</p> <p>ET checked that the Main Contractor did not comply with the conditions listed in CNP No.: GW-RN0600-21 and GW-RN0916-21 during the construction work activities on 22nd ^ 23rd and 28th ^ 29th December 2021 with unauthorized PME being used on-site. Enhance measures and supervision was urged by ET to the Main Contractor to prevent similar incident from happening again. The Main Contractor reported that enhancement measures, included altering the works schedule, enhance supervision and control system are applied currently.</p> <p>The Main Contractor was reminded again by ET to strictly follow and fully comply with the requirement listed in the CNP. Only allowable PMEs listed in the CNP can be used to carry out construction works. Mitigation measures should also be applied according to CNP condition 3.d., 4.d and EM&A Manual when carrying out construction activities during the restricted hour. All construction works should be carried out as quickly as possible to minimize the noise nuisance to the sensitive receivers.</p> | |
| EPD ref.: RN1596-22 | 17/01/22 | EPD | CCZJV | Noise and Dust | 18/01/22 | The complaint was received by EPD Regional Office (North) (ref: RN1596-22) on 17 th January 2022. The complainant who lived | 26/01/2022 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



| Reference No. | Date of Complaint Received | Received From | Received By | Nature of Complaint | Date of Investigation | Investigation summary & Conclusion | Date of Reply |
|---------------|----------------------------|---------------|-------------|---------------------|-----------------------|--|---------------|
| | | | | | | <p>near Mei Wo House, Wo Che Estate concerned about the night-time noise and dust nuisance generated from the nearby road. The construction work activities were allowed under the in-force CNP no.: GW-RN0916-21 Road Closure for General Night Works that issued by the EPD. According to the Main Contractor, the construction work activities were carried out during the permitted hours (23:00-05:00) on 13th and 14th January 2022 (at Zone 5), and these construction activities were carried out within the allowable location listed in the CNP (Zone I). The night-time construction works on 13th January 2022 included TTA implementation, Loading and Unloading of rubble, Lifting Operation, and Site Clearance. For 14th January 2022, night-time works included TTA implementation, Loading and Unloading of rubble, Lifting operation, Plant mobilization, and Site Clearance.</p> <p>ET checked that the Main Contractor had complied with the conditions in CNP No.: GW-RN0916-21 about the allowable location, constriction time period, PMEs type and groups and mitigation measures. While prior notification was sent to EPD on 7th December 2021 and Notice to Affected Residents – PN162 and 165 have been issued to nearby NSRs on 28th December 2021. The Main Contractor was reminded to pay attention to CNP conditions and minimize the noise nuisance to the nearby NSRs when carry out similar night-time construction work activities in the future.</p> | |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Cumulative Statistics on Complaints

| Environmental Parameters | Cumulative No. Brought Forward | No. of Complaints This Month | Cumulative Project-to-Date |
|--------------------------|--------------------------------|------------------------------|----------------------------|
| Air | 5 | 1 | 6 |
| Noise | 38 | 1 | 39 |
| Water | 3 | 0 | 3 |
| Waste | 0 | 0 | 0 |
| Total | 45* | 1* | 46* |

*The 1st complaint in March 2021 and Jan 2022 were included both the air and noise parameters, hence the total no. of complaints are deducted by 2.

Cumulative Statistics on Notification of Summons and Successful Prosecutions

| Environmental Parameters | Cumulative No. Brought Forward | No. of Notification of Summons and Prosecutions This Month | Cumulative Project-to-Date |
|--------------------------|--------------------------------|--|----------------------------|
| Air | 0 | 0 | 0 |
| Noise | 0 | 0 | 0 |
| Water | 0 | 0 | 0 |
| Waste | 0 | 0 | 0 |
| Total | 0 | 0 | 0 |

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com



Appendix M

Summary of Site Audit in the Reporting Month



Summary of Site Audit in the Reporting Month

| Parameters | Date | | |
|-------------------------------|--|--|--|
| Air Quality | 13 January 2022 | Reminder: 1. Excavated soil (wait for backfilling) should be covered with a tarpaulin if the construction works are paused or idle (Zone 5, SB). | - |
| | 31 January 2022 | Observation: 1. Damaged NRMM label should be replaced with a new one (Zone 5, SB, S02). | 1. NRMM label was replaced (Zone 5). |
| Noise | 6 January 2022 | Reminder: 1. Noise barrier should be erected properly before conducting the construction works (Zone 3, SB, SR6). | - |
| | 27 January 2022 | Observation: 1. The cover of the air compressor should be kept closed, in order to minimize the noise impact (Zone 3, SB, S05). | 1. The door of air compressor has been closed properly (Zone 3). |
| Water Quality | 6 January 2022 | Observation: 1. U-channel should be de-silted. Sandbag bunding should be provided along the u-channel and around the discharge point (Zone 2, SB). | 1. U-channel has been cleaned and sandbags have been provided (Zone 2). |
| | 13 January 2022 | Observation: 1. Sandbags should be placed next to the u-channel and discharge point for preventing silt and soil (erosion from slope) enter (Zone 5, SB). | 1. Sandbags have been provided next to the u-channel (Zone 5). |
| | 27 January 2022 | Observation: 1. U-channel should be de-silted and covered with tarpaulin to prevent silt from entering the public drainage system (Zone 3, SB, C03). 2. U-channel should be de-silted and blocked with sandbags to prevent untreated water or surface runoff from entering the discharge point (Zone 2, SB, S12). | 1. U-channel has been cleaned and covered (Zone 3). 2. U-channel has been cleaned and blocked with sandbags (Zone 2). |
| | 31 January 2022 | Observation: 1. U-channels should be de-silted to prevent silt from entering the public drainage system (Zone 3, SB, S06). | 1. U-channel has been cleaned (Zone 3). |
| Chemical and Waste Management | 31 January 2022 | Observation: 1. Silt was generated from loading and unloading activities and being disposed to the highway. The silt should be cleaned as soon as possible. Sandbag and tarpaulin should also be placed next to the crane and water barriers (Zone 5, SB, S3E1). | 1. Silt was removed. Prevention measure has been provided (Zone 3). |
| Land Contamination | 17 January 2022 | Observation: 1. Oil leakage and land contamination were observed under the pilling machine. The plant should be well-maintained and conducted regular checking. The contaminated soil should be collected and treated as chemical waste (Zone 5, SB, S02). | 1. Contaminated soil has been removed and stored properly (Zone 5). |
| Landscape and Visual Impact | No specific observation was identified in the reporting month. | | |
| General Condition | No specific observation was identified in the reporting month. | | |
| Permit / Licenses | No specific observation was identified in the reporting month. | | |