Shatin to Central Link Mong Kok East to Hung Hom Section (EP-437/2012/A)

Visual, Landscape, Tree Planting and Tree Protection Plan

Version K June 2023

Shatin to Central Link Mong Kok East to Hung Hom Section

Visual, Landscape, Tree Planting and Tree Protection Plan

(Version K – Jun 2023)

Certified by:	Alex Siu	
Signature: _		
Position:	Environmental Tean	n Leader
Data.	26 June 2023	

Shatin to Central Link Mong Kok East to Hung Hom Section

Visual, Landscape and Tree Planting & Tree Protection Plan

(June 2023)

Verified by:	Claudine Lee			
Position:	n: Independent Environmental Checker			
Date:	26 June 2023			

Shatin to Central Link Mong Kok East to Hung Hom Section (EP-437/2012/A)

Visual, Landscape, Tree Planting and Tree Protection Plan

Prepared I	oy:Rachel Siu
Signature:	Cell
Position: _	Certified Arborist (HK-0785A)
Date:	26 Jun 2023

Shatin to Central Link Mong Kok East to Hung Hom Section (EP-437/2012/A)

Visual, Landscape, Tree Planting and Tree Protection Plan

TABLE OF CONTENT

1. INT	RODUCTION1
1.1 1.2 1.3 1.4	BACKGROUND
2. LAN	NDSCAPE AND VISUAL MITIGATION MEAURES4
2.1	PROPOSED LANDSCAPE AND VISUAL MITIGATION MEASURES
3. TRE	EE PLANTING AND TREE PROTECTION MEASURES7
3.1 3.2 3.3 3.4 3.5 3.6	AFFECTED TREES 7 TREE PROTECTION 9 TREE TRANSPLANTATION 9 TREE FELLING 10 TREE COMPENSATION 11 POST-PLANTING CARE PROPOSAL 12
List of T	ables
Table 1. Table 2. Table 2. Table 3. Table 3.	 Landscape and Visual Mitigation Measures Annotated in This Plan List of Aboveground Structures and Corresponding OMs Adopted Summary of Affected Trees Tentative Implementation and Establishment Period of Transplantation and Compensation Works for the Project
Table 3.	Breakdown Summary for Compensatory Trees
List of F	igures
Figure Figure	,
List of A	Annexes

Excerpt of SCL (MKK-HUH) and SCL (HHS) EIA Reports

Annex A1 - Excerpt of SCL (MKK-HUH) EIA Report Annex A2 - Excerpt of SCL (HHS) EIA Report

Annex A

Annex B Design Concept, Landscape and Visual Mitigation Measures Annex B1 - Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112) Annex C Details of Trees to be Retained, Transplanted and Felled Annex C1 - Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112) Annex C1-1 - Tree Assessment Schedules Annex C1-2 - Tree Recommendation Plans Summary of Retained Trees and Method Statement for Protection of Annex D Retained Trees Annex D1 - Summary of Retained Trees Annex D2 - Method Statement for Protection of Retained Trees Annex E Tree Transplanting Plans and Compensatory Tree Planting Plans Annex E1 - Summary of Transplanted Trees Annex E2 - Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112) Tree Felling Proposal Annex F

> Annex G1 - Post-planting Care Proposal For Transplanted Trees Annex G2 - Post-planting Care Proposal For Compensatory Trees

Annex F1 - Summary of Felled Trees

Records of Response to Comment

Post-planting Care Proposal

Annex G

Annex H

1. INTRODUCTION

1.1 Background

- 1.1.1 The SCL is a 17km extension of the existing Ma On Shan Line (MOL) and East Rail Line (EAL) comprising (i) The East-West Corridor which extends the MOL from Tai Wai to Hung Hom via East Kowloon to connect with the West Rail Line (WRL) at Hung Hom Station (HUH) and Stabling Sidings at Hung Hom Freight Yard (HHS); and (ii) The North-South Corridor which is an extension of the EAL at Hung Hom across the harbour to Admiralty Station (ADM).
- 1.1.2 The SCL Tai Wai to Hung Hom Section [SCL (TAW-HUH)] included a total of 7 stations, including Hin Keng Station (HIK), Diamond Hill Station (DIH), Kai Tak Station (KAT), Sung Wong Toi Station (SUW) (formerly named as To Kwa Wan Station (TKW) in SCL(TAW-HUH) EIA), To Kwa Wan Station (formerly named as Ma Tau Wai Station (MTW) in SCL (TAW-HUH) EIA Report), Ho Man Tin Station (HOM) and Hung Hom Station (HUH).
- 1.1.3 Following the cessation of the operations of various freight facilities at Hung Hom in April 2011, MTR Corporation Limited started a detailed study to investigate the feasibility and environmental acceptability of utilizing the former freight yard to accommodate the train stabling requirements for SCL (TAW-HUH). To allow Stabling Sidings at Hung Hom Freight Yard [SCL (HHS)] feasible for the use of stabling, in addition to providing siding tracks underneath the existing podium structure covering the freight yard, and launching/retrieval and emergency tracks and shunt neck extending outside the podium, appropriate changes were made to the design of SCL (TAW-HUH) and SCL Mong Kok East to Hung Hom Section [SCL (MKK-HUH)] at HUH, Kai Tak Station (KAT) and Diamond Hill Station (DIH) and its associated alignment and facilities.
- 1.1.4 As discussed in Section 6.11 of SCL (HHS) EIA Report, the proposed design scheme of HHS made changes to the design of HUH under SCL (MKK-HUH) to accommodate the new tracks proposed for the stabling sidings, i.e. rearrangement of the design layout for North Side Ventilation Shaft (NSVS) and South Side Ventilation Shaft (SSVS) at the both end of the Hung Hom Podium, and provision of a new trackside ventilation plant and CLP transformer plant. The landscape and visual impact arising from NSVS, SSVS, trackside ventilation plant and CLP transformer plant was therefore assessed under SCL (HHS) EIA Report, while the landscape and visual impact arising from Cooling Tower, realignment of Cheong Wan Road and Noise Mitigation Measures at Portal 1A was assessed under SCL (MKK-HUH) EIA Report. The cumulative landscape impact due to the loss of existing trees in Hung Hom area due to SCL (HHS) and SCL (MKK-HUH) during construction phase, as well as landscape and visual impacts due to the aboveground structures under SCL (HHS) and SCL (MKK-HUH) was also assessed in SCL (HHS) EIA Report.
- 1.1.5 EIA Reports for SCL (MKK-HUH) (Register No. AEIAR-165/2012) and SCL (HHS) (Register No. AEIAR-164/2012) were approved on 17 February 2012 under the Environmental Impact Assessment Ordinance (EIAO). The proposed facilities at HUH under SCL (MKK-HUH) was superseded by those proposed and assessed in SCL (HHS) EIA Report. The proposed landscape and visual measures in SCL (MKK-HUH) and SCL (HHS) EIA Reports provided in **Annex A**.
- 1.1.6 Following the approval of the EIA Reports, the Environmental Permit (EP) (EP No: EP-437/2012), covering the construction of SCL (MKK-HUH), was granted on 22

March 2012. Variations of Environmental Permit (VEP) were subsequently applied for EP-437/2012 and the latest Environmental Permit (EP No: EP-437/2012/A) was issued by Director of Environmental Protection (DEP) on 28 November 2017. Due to the overlapping of project area in Hung Hom under EP-437/2012/A for SCL(MKK-HUH) and EP-438/2012/K for SCL(TAW-HUH) and SCL(HHS), area to be covered by EP-437/2012/A and EP-438/2012/K is clearly shown in **Figure 1.1**.

1.2 Construction and Implementation Programme

1.2.1 To facilitate management and implementation of the Project, the Project will be implemented in the works contracts (**Figure 1.2** and **Table 1.1** refer) including the corresponding landscape and visual mitigation measures.

Table 1.1 Summary of Works Contracts

Project Area	Contract No.	Construction Programme ⁽¹⁾
Hung Hom North Approach Tunnels	1111	End 2019
Hung Hom Station and Stabling Sidings	1112	End 2020
Trang from Station and Stabiling Statings	1112	(tentatively)

Note:

(1) Please refer to **Annex B** for the implementation programme of landscape and visual measures.

1.3 Scope of this Plan

- 1.3.1 In accordance with Conditions 2.11 of EP-437/2012/A, the Permit Holder shall submit a Visual, Landscape, Tree Planting and Tree Protection Plan (the Plan) to the Environmental Protection Department (EPD) detailing the visual, landscape, tree planting and tree protection measures of the Project with the following information:
 - (a) Aesthetic landscape and architectural treatment for above ground structures including (i) the North Side Ventilation Shafts and South Side Ventilation Shafts, (ii) Trackside Ventilation Plant, (iii) Cooling Tower, and (iv) Noise Mitigation Measures at Portal 1A;
 - (b) Tree protection proposal showing locations, size, number and plant species of trees to be retained; and detailed working method statement for protection of retained trees:
 - (c) Transplantation proposal showing locations, size, number and tree species to be transplanted and the final locations for transplantation;
 - (d) Tree felling proposal showing locations, size, number and plant species to be felled;
 - (e) Tree compensation proposal showing locations, size, number and plant species to be provided or compensated;
 - (f) Post-planting care proposal showing the proposed establishment period and associated maintenance care requirements and frequency for transplanted trees and trees planted as compensation under this Condition; and
 - (g) Implementation programme, maintenance and management schedules for measures proposed in (a) to (f) above.
- 1.3.2 Based on latest engineering design due to operation requirements and site constraints, there have been changes in the number of affected trees, design and mitigation measures at aboveground structures. This Plan is therefore prepared

according to the best available information at the time of submission and the above requirements of the EP Condition 2.11.

1.4 Structure of The Plan

- 1.4.1 Following this introductory section, the remainder of this Plan is arranged as follows:
 - **Section 2** presents the proposed aesthetic landscape and architectural treatment, and the corresponding implementation programme, maintenance and management schedules.
 - **Section 3** presents details of tree protection measures, and transplantation, felling and compensation proposals.

2. LANDSCAPE AND VISUAL MITIGATION MEAURES

2.1 Proposed Landscape and Visual Mitigation Measures

- 2.1.1 As discussed in **Section 1.1.4**, landscape and visual impact arising from NSVS and SSVS at the both end of the Hung Hom Podium, trackside ventilation plant and CLP transformer plant was assessed in SCL (HHS) EIA Report, while the landscape and visual impact arising from Cooling Tower, realignment of Cheong Wan Road and Noise Mitigation Measures at Portal 1A was assessed under SCL (MKK-HUH) EIA Report. The design concept of these aboveground structures and their proposed aesthetic landscape and architectural treatment are discussed and illustrated in **Annex B**.
- 2.1.2 The proposed Landscape and Visual Mitigation Measures (LVMM) under SCL (HHS) and SCL (MKK-HUH) EIA Reports as annotated in **Annex B** are summarized in **Table 2.1**, while the corresponding OMs to be adopted at each of aboveground structures are presented in **Table 2.2**. The proposed LVMM at each area, together with the management and maintenance responsibilities, and the implementation schedule for the respective mitigation measures are discussed in **Annex B**. Detailed discussion on mitigation measures related to tree protection, transplantation and compensation are provided in **Section 3**.

Table 2.1 Landscape and Visual Mitigation Measures Annotated in This Plan

ID No.	Landscape and Visual Mitigation Measures					
SCL (MKK-	SCL (MKK-HUH) EIA Report					
CM1 ⁽¹⁾	Trees unavoidably affected by the works shall be transplanted as far as possible in accordance with ETWB TCW 3/2006 – Tree Preservation ⁽³⁾ .					
CM2a ⁽²⁾	Compensatory tree planting shall be provided in accordance with ETWB TCW 3/2006 – Tree Preservation ⁽³⁾ .					
CM2b(2)	Compensatory shrub planting shall be provided to compensate for the loss of shrub planting in amenity areas.					
CM3 ⁽¹⁾	Control of night-time lighting glare					
CM4 ⁽¹⁾	Erection of decorative screen hoarding compatible with the surrounding setting.					
CM5 ⁽¹⁾	Management of facilities on work sites which give control on the height and disposition/arrangement of all facilities on the works site to minimize visual impact to adjacent VSRs.					
СМ6	All hard and soft landscape areas disturbed temporarily during construction shall be reinstated to equal or better quality, to the satisfaction of the relevant Government Departments.					
OM1	Aesthetically pleasing design as regard to the form, material and finishes shall be incorporated to MTR Ventilation Shafts, Cooling Tower and associated engineering facilities of the project so as to blend in the structures to the adjacent landscape and visual context.					
OM2a ⁽⁴⁾⁽⁵⁾	Climbers shall be incorporated to the Ventilation Shafts and Cooling Tower to soften the structure.					
OM2b(4)(5)	Trees and Shrubs Planting shall be incorporated to enhance the landscape and visual amenity value of the area.					
OM2c(4)(5)	Bamboo planting is proposed along the boundary of the Cooling Tower to provide greening / landscape resources in Hung Hom Area.					

ID No.	Landscape and Visual Mitigation Measures
OM3 ⁽⁴⁾⁽⁵⁾⁽⁶⁾	Green Roof shall be proposed to Cooling Tower, North and South Side Ventilation Shafts to enhance the landscape quality of the structures and mitigate any potential visual impact on adjacent VSRs.
SCL (HHS)	EIA Report
OM2a ⁽⁴⁾⁽⁵⁾ / HHS	Screen Planting Buffer tree planting including shrub and climber plants shall be incorporated to provide screening to ventilation shafts/plant, engineering structures and associated facilities.
OM2b ⁽⁴⁾ /HHS	Landscape Re-instatement All hard and soft landscape areas temporarily disturbed during construction phase shall be reinstated to equal or better quality, to the satisfaction of the relevant government departments.
OM3/ HHS	Aesthetic landscape and architectural treatment on Station / Entrances/ Ventilation Shaft All station entrances, ventilation shafts and all above ground structures shall be sensitively designed to ensure that suitable architectural design and the element with colour, texture and tonal quality being compatible to the existing urban and future urban context, which shall include tree planting where space permits, to minimize the potential adverse landscape and visual impacts.
OM8 ⁽⁴⁾⁽⁵⁾⁽⁶⁾ / HHS	Roof greening of large built structures Roof greening to mitigate the visual impact of the large roof area of aboveground structures on the VSRs at high level.

Notes:

- (1) Mitigation Measures have been adopted on site within the works area of the Project. Implementation status is recorded in Monthly EM&A Report for the Project (https://x.dantemanager.net/nsl1/report.jsp).
- (2) Detailed tree surveys were conducted and the survey findings are incorporated in the various Tree Removal Applications (TRAs). The TRAs have been submitted to relevant government departments for approval according to ETWB TCW No 3/2006 or DEVB TCW No. 7/2015, subject to the applicable technical circular during the time of application. Details of Tree Transplanting Plans and Compensatory Tree Planting Plans are provided in **Annex E**.
- (3) Proposal on tree preservation, transplantation and felling in TRAs would be subject to the applicable technical circular during the time of application.
- (4) Both adequate vegetation maintenance access at height and adequate water points and irrigation system will be provided to sustain the landscape mitigation measures.
- (5) Minimum planter width and soil depth can vary between few hundreds to a thousand of millimetres subject to different plant species and area. All amenity planting in small area was avoided during the design stage and all planting will be undertaken in accordance with good horticultural practice. A typical drawing showing minimum planter width and soil depth is provided in Annex Figure H-1 for reference.
- (6) A typical section on roof greening above the Station is shown in Annex Figure H-1 for reference.

Table 2.2 List of Aboveground Structures and Corresponding OMs
Adopted

Project Area	Contract	Aboveground	Corresponding	Corresponding
	No.	Structures	AEIAR	OMs Adopted
Hung Hom North Approach Tunnels	1111 ⁽¹⁾	 Noise Mitigation Measures at Portal 1A 	SCL (MKK- HUH) EIA Report	OM1, OM2c

Project Area	Contract No.	Aboveground Structures	Corresponding AEIAR	Corresponding OMs Adopted
		North Side Ventilation Shaft (NSVS) integrated with Trackside Ventilation Plant	SCL (HHS) EIA Report	OM2a/HHS, OM3/HHS, OM8/HHS
Hung Hom Station and Stabling Sidings	1112 ⁽¹⁾	South Side Ventilation Shaft (SSVS)	SCL (HHS) EIA Report	OM2a/HHS, OM2b/HHS, OM3/HHS, OM8/HHS
		CLP Transformer Plant	SCL (HHS) EIA Report	OM3/HHS
		Cooling Tower	SCL (MKK- HUH) EIA Report	• OM1, OM2a, OM2b, OM2c, OM3
		Realignment of Cheong Wan Road	SCL (MKK- HUH) EIA Report	• OM1

Note:

⁽¹⁾ Please refer to **Figure No. 1.1** for the area in Hung Hom covered by EP-437/2012/A for SCL(MKK-HUH). Other permanent aboveground structures in Hung Hom area, including Noise barriers at south of Chatham Road North and north of new aligned Cheong Wan Road, and HHS Semi Noise Enclosure are covered by EP-438/2012/K for SCL(TAW-HUH) and SCL(HHS).

3. TREE PLANTING AND TREE PROTECTION MEASURES

3.1 Affected Trees

- 3.1.1 Detailed tree surveys were conducted to identify all affected trees within project site boundary. Trees located within those areas within project site boundary that would be not affected by construction works will be retained on site and will be protected from construction works in its vicinity as far as possible. Trees unavoidably affected by the construction works will be either fell or transplanted according to relevant guidelines.
- 3.1.2 With the proposed tree transplanting and compensation proposal as mitigation measures, a summary of affected trees at the corresponding Landscape Resource (LR) is presented in **Table 3.1**. Details of tree assessment schedules and recommendation plans are provided in **Annex C**, while the details of tree protection measures, and transplantation, felling and compensation proposals in accordance with EP Condition 2.11 are presented in the following sections.

Table 3.1 Summary of Affected Trees

		No. of Trees ⁽¹⁾					
ID No. (1)	Landscape Resources ⁽¹⁾	Retain	Affected (1a)	Transplant	Fell (2)	Compensatory Planting (3)	
SCL (MKK-H	JH) EIA Report						
LR1.1 ⁽⁴⁾⁽⁵⁾	Roadside Amenity Areas at Chatham Road Interchange	519	308	20	288	83	
LR1.2	Roadside Amenity Areas along Cheong Wan Road	224	0	0	0	0	
LR2 ⁽⁴⁾	Amenity areas at Oi Sen Path	33	37	0	37	0	
LR10 ⁽⁴⁾⁽⁶⁾	Man-made Slope at Chatham Road North	14	139	2	137	0	
Other	Out of Landscape Resources Boundary	0	1	0	1	192	
SCL(HHS) EI	SCL(HHS) EIA Report						
HUH/LR 3.2	Trees in MTR track area north of Hung Hom	0	8	1	7	4	
	Total ⁽⁷⁾	790	493	23	470	279(8)	

Notes:

- (1) Please refer to Figure No. 1.1 for the area in Hung Hom covered by EP-437/2012/A.
- (1a) Affected trees are the trees directly impacted by construction activities, i.e. trees to be transplanted and trees to be felled within landscape areas.
- (2) Fell trees would be compensated on-site within the landscape area as far as practicable. Trees that cannot be compensated on-site would be compensated off-site as far as practicable.

- (3) Compensatory tree planting shall be provided to compensate for felled trees as far as practicable. Compensatory tree planting proposal including location of compensatory shall be submitted separately to seek relevant government department's endorsement, in accordance with the applicable technical circular during the time of application.
- (4) Tree compensation on the slope areas are not allowed based on latest comments from relevant Government Department.
- (5) Slope area as shown in Annex E2 Drawing C1106/B/000/ATK/C04/053 were not allowed for tree compensation due to comment from Lands Department during site handover. Nevertheless, hydroseeding was provided on this area before site handover.
- Man-made slope at Chatham Road North (LR10) and part of amenity areas at Oi Sen Path (LR2) is currently zone as Government, Institution or Community (GIC) in Approved Ho Man Tin Outline Zoning Plan No. S/K7/24 (18 Sep 2015). Recent planning applications at this GIC site were approved to facilitate the new Campus Extension Development (including residential institution and educational institution) of the Hong Kong Polytechnic University (HKPU) (Application Nos.: A/K7/111 & A/K7/111-1). Compensatory planting therefore cannot be provided on-site due to programme mismatch between SCL and the proposed Campus Extension Development. Nevertheless, it should be noted that landscape provision planting space with tree will be provided at this (https://www2.ozp.tpb.gov.hk/gist/apply/en tc/A K7 111 TC.pdf) which could minimise the impact on the respective LRs in year 10 operation.
- (7) Information presented in this table is based on the latest available TRAs. The final tree transplanting and compensation proposals should refer to final approved TRAs or subject to approval from Lands Department.
- (8) Total nos. of compensatory tree planting as estimated in approved SCL (MKK-HUH) and SCL (HHS) EIA reports is 630 but only 470 no. of trees were actually felled during the construction period.

8

3.2 Tree Protection

- 3.2.1 Based on the tree assessment schedule (**Annex C** refers), there would be a total of 790 trees to be retained on site. Majority of the retained trees are mainly *Caryota ochlandra*, *Macaranga tanarius* and *Bauhinia x blakeana*. All these species are commonly found in Hong Kong. About 93% of all the retained trees are in fair to good health condition while about 78% of them have fair to good tree form. In addition, about 94% of all the retained trees are of low to medium amenity value. The quantity, species and general conditions of retained trees are summarized in **Annex D**. The trees to be retained on site will be protected by appropriate working method statement as detailed in **Annex D**.
- 3.2.2 The requirements as detailed in the working method statement have been included in the civil works contract specification and the Civil Works Contractors shall implement the tree protection measures accordingly.

3.3 Tree Transplantation

Assessment Approach

- 3.3.1 Trees that are unavoidably affected by the Project have been evaluated for transplantation based on the principles in ETWB TCW No. 3/2006¹, DEVB TCW No. 7/2015² and Lands Department (LandsD) Practice Note No. 7/2007³. Factors considered for reviewing the feasibility for transplanting the affected trees include the location of the tree, the species, form, health and amenity value of the tree, survival rate after transplanting, ease of transplanting and safety of transplanting operation, etc. The assessments have been submitted to Lands Department (LandsD) together with Tree Removal Applications (TRAs). Final tree transplanting arrangement is subject to the approval of TRAs.
- 3.3.2 All tree pruning and transplanting works will be carried out by approved specialist contractor who is on the List of Approval Supplies of Materials and Specialist Contractor for Public Works under the category of Landscaping.
- 3.3.3 All transplanted trees are proposed to be transplanted directly to their permanent receptor sites as far as possible. In the event that their permanent receptor sites are unavailable for caring them, the Contractor will transport those trees to a nursery site and then transplant them to their permanent receptor sites when the receptor sites are available.

Proposal

3.3.4 Trees selected to be transplanted commonly have direct conflicts with construction works. Trees with good health, sound structural condition, reasonable sized of practical rootball preparation, accessible by transplanting machinery, feasible for transportation on public roads, as well as accessible to tree transplanting and final receptor sites would be considered to be transplanted. Corresponding parameters in the tree assessment such as tree forms and amenity value are presented in **Annex C**.

9

¹ ETWB TC(W) 3/2006 - Tree Preservation

² DEVB TC(W) No 7/2015 - Tree Preservation

³ Lands Department Practice Note No. 7/2007 - Tree preservation and tree removal application for building development in private projects

- 3.3.5 A total of 23 trees are proposed to be transplanted. Majority of the transplanted trees are *Livistona chinensis*, *Roystonea regia* and *Bombax ceiba*. 100% of them are in good and fair health condition and 100% are having fair to good tree form. In addition, approx. 91% of the transplanted trees are of medium to high amenity value.
- 3.3.6 The locations of proposed transplanted trees are presented in Annex C, while a summary of the quantity, species and general conditions of transplanted trees are provided in Annex E. Annexes C and E have been prepared according to the latest available TRAs. The final tree transplanting and compensation proposals should refer to final approved TRAs or subject to approval from Lands Department.

3.4 Tree Felling

Assessment Approach

- 3.4.1 The tree felling proposal is prepared in accordance with ETWB TCW No. 3/2006, DEVB TCW No. 7/2015 and LandsD Practice Note No. 7/2007. Under the Project, the trees to be felled are of common species found locally and they are proposed to be felled by the following reason(s):
 - (a) No irreplaceable rare species of tree is involved.
 - (b) Felling of the existing trees found on site would not cause serious environmental impact.
 - (c) A genuine construction works is required which cannot be reasonably overcome.
 - (d) The tree is not one of the specimens registered as "Old and Valuable Trees" kept by the Leisure and Cultural Services Department.
 - (e) The tree is not one of the "Fung Shui Trees", or of similar community status.
 - (f) Undesirable species (self-seeded tree) that prevent natural succession of indigenous species.
 - (g) The health, form and condition of tree does not indicate value of preservation against necessary construction works.
 - (h) The tree is ineligible for transplanting on or off site because of its low conservation and amenity value, or its low chance of surviving or recovering to its normal form after transplanting.
 - (i) The tree is in direct conflict with the proposed works.
 - (j) The tree is dead, hazardous or diseased.
 - (k) A tree that has been rendered unstable because of the removal of neighbouring trees may be considered for felling.

Proposal

- 3.4.2 For trees having direct conflicts with construction works, they would be considered to be either transplanted or felled. Consideration factors for tree transplantation have been discussed in **Section 3.3.4** above. Trees with poor health, high potential for tree failure due to weak structure, grown on slope with unbalance rootball would be considered to be felled. Corresponding parameters during tree assessment such as tree forms and survival rate after transplantation are presented in **Annex C**.
- 3.4.3 The locations of trees to be felled are presented in **Annex C**, while a summary of the quantity, species and general conditions of these trees of such proposal, are

- provided in **Annex F**. It should be noted that the tree felling proposal would be updated upon the approval of the TRAs, where necessary.
- 3.4.4 The locations, size, number and plant species of trees to be felled are summarized in **Annex C**. The tree felling proposal would be updated upon the approval of the TRAs, where necessary.
- 3.4.5 Based on the latest TRAs, there are 470 numbers of trees to be removed. Majority of the felled trees are *Bauhinia* x *blakeana*, *Bauhinia* variegata and *Caryota mitis*. About 90% of them are poor to fair in health and 92% of them are poor to fair in form, while over 80% of all felled trees are of low amenity value.

3.5 Tree Compensation

General Principle

3.5.1 Upon completion of the construction works, which will take place in stages according to the Contractor's working methods, the felled trees would be compensated on-site within the reinstated landscape area as far as practicable. The remaining trees that cannot be located on-site would be compensated off-site as far as possible. The tree compensation proposal is prepared with reference to ETWB TCW No. 3/2006, DEVB TCW No. 7/2015 and LandsD Practice Note No. 7/2007.

Proposal

- 3.5.2 The compensatory tree planting plans as illustrated in **Annex E** include the following information:
 - the existing trees that have been recommended to be retained;
 - the approximate locations of the proposed compensatory trees; and
 - size, number and plant species of the proposed compensatory trees.
- 3.5.3 The sizes of compensatory tree planting may be varied subject to planting objectives, without jeopardizing the landscape and visual performance. In case any species of tree could not be compensated in accordance with approved TRAs due to stock availability and site constraints, alternative compensatory tree planting proposal with similar landscape and visual performance would be provided.
- 3.5.4 The locations of the planting would be varied subject to the final engineering design, site constrains, land availability and agreement with relevant government department for future maintenance, without jeopardizing the landscape and visual performance requirements. The exact number of compensatory trees should refer to final approved TRAs.
- 3.5.5 Despite different planting compensation opportunities were explored throughout design and construction phase of the Project, a shortfall of less than 200 trees was identified after compensation of 279 no. of trees for 470 no. of felled tree. Therefore, alternative compensatory planting is proposed to compensate for the loss of amenity value from the shortfall. Hence, following the example from the Express Rail Link (XRL) project for planting seedlings and taking consideration of of various constraints including current site soil context and maintenance aspects for on-site compensation, it is proposed to plant a total no. of 400 additional tree seedlings along a strip of uncultivated land at the trackside area in Hung Hom for

the shortfall of compensatory planting in the Project to maintain amenity value in local area.

- 3.5.6 It is anticipated that all the tree seedlings would take around 3 years to be established in a self sustainable manner with low post planting care. Hence, tree seedling surveys would be conducted in regular interval during 3 years establishment period. A final tree seedlings survey will be conducted after the establishment period.
- 3.5.7 The details including locations, numbers and species of the proposed compensatory tree seedling planting are presented in **Annex E**.

3.6 Post-planting Care Proposal

3.6.1 The Contractor should provide a 12-month Establishment Period ⁴ for the transplanted/ compensatory trees including their care and maintenance. The tentative Establishment Period of transplantation and compensation works for the works contracts is summarised in **Table 3.2**, while **Table 3.3** provides a breakdown summary of compensatory trees in each area. The associated maintenance care requirements and frequency of transplanted and compensated trees are also detailed in **Annex G**.

Table 3.2 Tentative Implementation and Establishment Period of Transplantation and Compensation Works for the Project

Project Area	Contract No.	Tentative Establishment ⁽¹⁾ Period for the Project	Responsible Party During Establishment Period ⁽²⁾
Hung Hom North Approach Tunnels	1111	2019 to 2020 and 2023 to 2024	MTR
Hung Hom Station and Stabling Sidings	1112	2020 to 2021	MTR

Notes:

(1) Establishment period subject to change for the completion of works, from the date of transplanted trees to final receptor locations or from the date of handover to the MTRCL or the relevant Government departments/relevant authorities

(2) For long-term maintenance parties after establishment period, please refer to the details in **Annex B**.

⁴ "Establishment Period" means the period from the date of the Certificate of Completion of the Works, from the date of transplanted trees to final receptor locations or from the date of handover to the MTRCL or the relevant Government departments/relevant authorities.

Table 3.3 Breakdown Summary for Compensatory Trees

ID No.	Works Contract	Landscape Resources	No. of Compensation Trees	Time of Completion ⁽¹⁾	Works Agent	Tree management/ maintenance departments ⁽²⁾
SCL (MKK-HUI	H) EIA Report					
LR1.1		Roadside Amenity Areas at Chatham Road	78	2019 Q4	MTRC	LCSD
LR1.1		Interchange ^{5&6}	5	2019 Q4	IVITAC	MTRC
LR1.2	1111	Roadside Amenity Areas along Cheong Wan Road	0	-	-	-
LR2		Amenity areas at Oi Sen Path	0			
LR10		Man-made Slope at Chatham Road North	0			
Other		Out of Landscape Resources Boundary ^{7&8}	192	2023 Q4	MTRC/ArchSD	LCSD / MTRC
SCL(HHS) EIA	Report	•				
HUH/LR 3.2	1112	Trees in MTR track area north of Hung Hom ⁹	4	2020 Q3	MTRC	MTRC
		Total	279 ⁽³⁾			-

Notes:

- (1) Completion of tree planting is subject to actual construction program, availability of planting location. As-built drawings of trees would be submitted to relevant government departments after completion of planting.
- (2) Information provided was based on maintenance matrix in discussion with relevant government departments.
- (3) Total nos. of compensatory tree planting as estimated in approved SCL (MKK-HUH) and SCL (HHS) EIA reports is 630 but only 470 no. of trees were actually felled during the construction period. Compensatory tree planting will be provided in Hung Hom and Kai Tak areas and the compensatory tree planting proposal, including locations, numbers and species etc., will be subject to the final landscape design. On top of compensatory tree planting provided in Hung Hom and Kai Tak areas, a total of 400 additional tree seedlings planting in Hung Hom is proposed for the shortfall of compensatory planting. The details including locations, numbers and species of proposed compensatory tree seedling planting are presented in **Annex E**.


⁵ Annex E2 Drawing C1106/B/000/ATK/C04/053 – 78 nos


⁶ Annex E2 Drawing C1106/B/000/ATK/C04/354 – 5 nos.

⁷ Annex E2 Drawing C1106/B/000/ATK/C04/353 – 2 nos.

⁸ Annex E2 Drawing 437/KAT/001 – 190 nos.

 $^{{\}bf 9}$ Annex E2 Drawing C1106/B/000/ATK/C04/358 - 4 nos.





ANNEX A

Excerpt of SCL (MKK-HUH) and SCL (HHS) EIA Reports

Annex A1 Excerpt of SCL (MKK-HUH) EIA Report

Table 4.9 Proposed Landscape and Visual Mitigation Measures for Construction Phase

ID No.	Landscape and Visual Mitigation Measures	Funding Agency ⁽¹⁾	Implementation Agency
CM1	Trees unavoidably affected by the works shall be transplanted as far as possible in accordance with ETWB TCW 3/2006 – Tree Preservation.	MTR Corporation	MTR Corporation
CM2a	Compensatory tree planting shall be provided in accordance with ETWB TCW 3/2006 – Tree Preservation.	MTR Corporation	MTR Corporation
CM2b	Compensatory shrub planting shall be provided to compensate for the loss of shrub planting in amenity areas.	MTR Corporation	MTR Corporation
СМЗ	Control of night-time lighting glare	MTR Corporation	MTR Corporation
CM4	Erection of decorative screen hoarding compatible with the surrounding setting.	MTR Corporation	MTR Corporation
CM5	Management of facilities on work sites which give control on the height and disposition/arrangement of all facilities on the works site to minimize visual impact to adjacent VSRs.	MTR Corporation	MTR Corporation
CM6	All hard and soft landscape areas disturbed temporarily during construction shall be reinstated to equal or better quality, to the satisfaction of the relevant Government Departments.	MTR Corporation	MTR Corporation

Note:

(1) The HKSAR Government will adopt the Concession Approach with MTR Corporation to provide funding for the capital cost of SCL.

Table 4.10 Proposed Landscape and Visual Mitigation Measures for Operation Phase

ID No.	Landscape and Visual Mitigation Measures	Funding Agency ⁽¹⁾	Implementation Agency	Maintenance/ Management Agency ⁽²⁾
OM1	Aesthetically pleasing design as regard to the form, material and finishes shall be incorporated to MTR Ventilation Shafts, Cooling Tower and associated engineering facilities of the project so as to blend in the structures to the adjacent landscape and visual context.	MTR Corporation	MTR Corporation	MTR Corporation
OM2a	Climbers shall be incorporated to the Ventilation Shafts and Cooling Tower to soften the structure.	MTR Corporation	MTR Corporation	MTR Corporation
OM2b	Trees and Shrubs Planting shall be incorporated to enhance the landscape and visual amenity value of the area.	MTR Corporation	MTR Corporation	LCSD ⁽¹⁾
OM2c	Bamboo planting is proposed along the boundary of the Cooling Tower to provide greening / landscape resources in Hung Hom Area.	MTR Corporation	MTR Corporation	MTR Corporation

ID No.	Landscape and Visual Mitigation Measures	Funding Agency ⁽¹⁾	Implementation Agency	Maintenance/ Management Agency ⁽²⁾
ОМЗ	Green Roof shall be proposed to Cooling Tower, North and South Side Ventilation Shafts to enhance the landscape quality of the structures and mitigate any potential visual impact on adjacent VSRs.	MTR Corporation	MTR Corporation	MTR Corporation

Note:

- (1) The HKSAR Government will adopt the Concession Approach with MTR Corporation to provide funding for the capital cost of SCL.
- (2) The management and maintenance agencies of mitigation measures have been identified in accordance with ET WBTC 2/2004. The agreement and approval of the implementation, management and maintenance agencies of the Project will be sought from relevant parties during detailed design stage of the project. MTR Corporation would be responsible for maintenance and management of trees within the permanent site boundary. The maintenance matrix and responsible parties for trees outside the permanent site boundary are yet to be confirmed. To facilitate with the confirmation process, MTR Corporation would be responsible for the maintenance works before any agreement is made.
- 4.97 The following good site practice measures will also be incorporated in the construction phase of the project: -
 - Topsoil, where identified, shall be stripped and stored for re-use in the construction of the soft landscape works.
 - Existing trees to be retained on site shall be carefully protected during construction.
- 4.98 The construction phase mitigation measures listed above shall be implemented as early as possible in order to minimize the landscape impacts in the construction stage. The operation phase mitigation measures listed above shall be adopted during the detailed design and be built as part of the construction works at the last stage of the construction period so that they are in place at the date of commissioning of the Project. However, it should be noted that the full effect of the soft landscape mitigation measures would not be appreciated for several years. Photomontages of the proposed project without and with mitigation measures illustrating the appearance after 10 years of the proposed works are shown in Figures NEX2213/C/361/ENS/M54/571/A to 576/A. Viewpoint locations of the photomontages are shown in Figure NEX2213/C/361/ENS/M54/570/A.

Residual Impacts

Residual Landscape Impacts

- 4.99 After implementation of mitigation measures as illustrated in <u>Figures</u> NEX2213/C/361/ENS/M54/550/A to 558/A, residual impacts on landscape resources of significance during construction and operation phase are described below: -
 - LR1.1 Roadside Amenity Areas at Chatham Road Interchange Approximately 416 existing trees will be affected by the proposed works, of which, approximately 21 trees will be transplanted and approximately 395 trees to be felled. Trees to be felled are in the range of 2-14m height, 1-8m spread 100-600mm trunk diameter. Compensation for felled trees will be planted in the reinstated roadside amenity areas except for slope works which are exempted from the compensation planting ratio requirement ETWB TCW No. 3/2006 Tree Preservation. Woodland whip trees and shrubs planting are proposed for slope works. During the operation phase, the temporarily alienated amenity areas will be reinstated on like to like basis. It is considered that the residual impact on this LR is still moderate during construction phase but slight during Day 1 of Operation when the affected areas are reinstated with compensatory tree planting. The residual impact would further reduce to insubstantial during Year 10 of Operation when the proposed compensated trees become mature.
 - LR1.2 Roadside Amenity Areas along Cheong Wan Road Approximately 27 existing trees will be affected by the proposed works, of which, approximately 2 tree will be transplanted and approximately 25 trees will be felled. Approximately 900sqm amenity area will be temporarily alienated. After completion of temporary works, with the affected areas

Preliminary Tree Impact Summary

4.100 With the proposed tree transplanting and compensation proposal as mitigation measures, preliminary tree impact summary including preliminary location for transplanted and compensation trees is tabled as below:

		Tree to		Tree Transplanting		ree Fellir	ıg	Tree Compensation ⁽³			
LR Ref.	Landscape Resources	be Affecte d ⁽¹⁾	Quantit y (No.)	Preliminary Location for Transplante d Trees ⁽²⁾	Quantit y (No.)	Avg. Girth (m)	Tree Trunk Diamete r Loss (m)	Quantity (No.) and Avg. Size	Tree Trunk Diameter Compen- sation (m)	Preliminary Location for Compen- sated Trees	
LR1.1	Roadside Amenity Areas at Chatham Road Interchange	416	21	Roadside Amenity Areas at Chatham Road Interchange	395	0.20	0			Landscape areas in roadside amenity areas at Chatham	
LR1.2	Roadside Amenity Areas along Cheong Wan Road	27	2	Roadside Amenity Areas along Cheong Wan Road	25	0.10	110	610Hvy std.	61	Road Interchange, amenity area along Cheong	
LR2	Amenity areas at Oi Sen Path	45	-	Not Required	45	0.15		old.		Wan Road, Hung Luen Road and Hung Lok	
LR10	Man-made Slope at Chatham Road North	148	3	Will be transplanted off-site	145	0.15				Road, reinstated landscape areas at Chatham Road North	
	TOTAL	636	26		610		110	610 Hvy Std.	61		

Note:

- (1) The tree impact summary provided above is indicative only based on a preliminary broad brush tree survey data and preliminary landscape proposals.
- (2) Transplanted trees planting shall be provided within the identified preliminary location as far as practicable.
- (3) Compensatory tree planting shall be provided to compensate for felled trees as far as practicable. Compensatory tree planting proposal including location of compensatory shall be submitted separately to seek relevant government department's approval, in accordance with ETWB TCB No. 3/2006. Compensation tree species shall follow the tree planting theme of the Greening Master Plan of the area. Total number of compensatory planting will follow the minimum ratio of 1:1 in number except for slope works. Heavy standard (Hvy Std.) sized tree shall be tree with a truck diameter of 75 to 125mm (i.e. average 100mm).

Public Open Space and Amenity Area Impact Summary

4.101 The quantitative descriptions of temporary and permanent alienation and compensation of the amenity areas and open spaces are tabled below to illustrate the residual impacts on landscape resources: -

ID	Landscape Resources	Existing Site Area	Temporarily alienated during construction	Permanently alienated during operation	Compensation and Reinstatement Proposals
LR1.1	Roadside Amenity Areas at Chatham Road Interchange	14,800sqm	8,200sqm	Nil	Temporary alienated areas will be reinstated on like to like basis.
LR1.2	Roadside Amenity Areas along Cheong Wan Road	4,030sqm	900sqm	Nil	Temporary alienated areas will be reinstated on like to like basis.
LR1.3	Roadside Amenity Areas at Hung Luen Road and Hung Lok Road	5,080sqm	1,050sqm	Nil	Temporary alienated areas will be reinstated on like to like basis.
LR1.4	Roadside Amenity Areas Salisbury Road	4,390sqm	540sqm	Nil	Temporary alienated areas will be reinstated

ID	Landscape Resources	Existing Site Area	Temporarily alienated during construction	Permanently alienated during operation	Compensation and Reinstatement Proposals
	and Hong Chong Road above Portal of Cross Harbour Tunnel				on like to like basis.
LR2	Amenity Areas at Oi Sen Path	300m long	300m long	Nil	Temporary alienated areas will be reinstated on like to like basis.
LR10	Man-made Slope at Chatham Road North	13,250sqm	11,000sqm	Nil	Temporary alienated areas will be reinstated on like to like basis.

There would not be any temporary and permanently loss of public open space and there would not be net permanently loss of amenity area due to the Project.


- 4.102 Approximately 640 existing trees will be affected by the proposed works, of which approximately 30 trees will be transplanted and approximately 610 trees will be felled. Many of the affected trees are of heavy standard to mature size. None of these are Registered Old and Valuable Trees. There are no rare species or endangered species but only common species. Under the proposed scheme for the Project, opportunities for tree compensation within the project boundary has been fully explored and incorporated in the proposed mitigation measures as much as practicable. Due to limited available space for tree planting within the project boundary, compensatory tree planting of a ratio of 1:1 in terms of quantity of heavy standard trees except for slope works are proposed. Since there is no permanently loss of landscape areas, trees to be removed from the landscape areas during construction will be replanted by same number of trees of smaller size in the same area. Heavy standard sized trees are proposed for long term healthy growth of the trees. Potential offsite mitigation measures for tree compensation have been identified in Long Valley. Ho Sheung Heung Priority Site and along Ng Tung River. However, it considered that such offsite mitigation measures are not effective solution and are not able to significantly mitigate loss of existing trees within the Project boundary. Therefore, offsite mitigation measures would only be considered as a last resort. However, detailed tree removal application will be submitted in accordance with ETWB TCW No. 3/2006 - Tree Preservation. Meanwhile, in addition to the compensated trees, new landscape resources such as horizontal greening including green roof, shrubs and bamboo planting (approximately 300m²), vertical greening including climbers (approximately 200m²) and slope greening with woodland whip trees and shrubs planting (approximately 2,800m²) are proposed as alternative compensatory planting proposals around the ventilation structures and cooling tower to optimize greening opportunities within the project boundary. It is considered that with the proposed compensated trees and the proposed new landscape resources, the overall residual impact on existing trees and greenery would be reduced to an acceptable level.
- 4.103 After implementation of mitigation measures, residual impacts on landscape character areas of significance during construction and operation phase are described below: -
 - LCA06 Hung Hom Transportation Corridor LCA During the construction phase, there would be still moderate residual impact due to the relative large scale of construction works within this LCA. During the operation phase, there will be significant change in the character of the areas by the erection of the Noise Mitigation Measures at Portal 1A. With the aesthetic chromatic design to blend in the structures with the adjacent landscape context, there will be slight residual impact during Day 1 and Year 10 of the Operation Phase.


Table 4.11 Significance of Landscape Impacts during Construction and Operation Phases


ID No.	Landscape Resource / Landscape	Sensit (Low, M Hig	ledium,	Magnitude (Negligible Intermedia	e, Small,	Impact Sig before Mi (Insubstant Mode Substa	itigation ial, Slight, rate,	Recommended Mitigation Measures	(Insub	cance of Ro Impact ostantial, S ate, Subst	Blight,
	Character Areas	Construction	Operation	Construction	Operation	Construction	Operation	Measures	Construction	Ope	ration Year 10
LR1.1	Roadside Amenity Areas at Chatham Road Interchange	Medium	Medium	Large	Large	Moderate	Moderate	CM1, CM2a, CM2b, CM6, OM2b	Moderate	Slight	Insubstantial
LR1.2	Roadside Amenity Areas along Cheong Wan Road	Medium	Medium	Small	Small	Slight	Slight	CM1, CM2a, CM2b	Slight	Insubstantial	Insubstantial
LR1.3	Roadside Amenity Areas at Hung Luen Road and Hung Lok Road	Medium	Medium	Small	Small	Slight	Slight	CM1, CM2a, CM2b	Slight	Insubstantial	Insubstantial
LR1.4	Roadside Amenity Areas at Salisbury Road and Hong Chong Road Above Portal of Cross Habour Tunnel	Medium	Medium	Small	Small	Slight	Slight	CM1, CM2b	Slight	Insubstantial	Insubstantial
LR2	Amenity Areas at Oi Sen Path	Medium	Medium	Large	Large	Moderate	Moderate	CM1, CM2a, CM2b, CM6, OM2b	Moderate	Slight	Insubstantial
LR3	Sport Field and associated amenity areas inside Hong Kong Polytechnic University (HKPU)	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LR4	Amenity Area at Hong Kong Coliseum	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LR5	Victoria Habour	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LR6	Hung Hom South Road Rest Garden	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LR7	King's Park Sports Ground	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LR8	Winslow Street Playground	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial


ID No.	Landscape Resource / Landscape	Sensit (Low, M Hig	ledium,	Magnitude (Negligible Intermedia	e, Small,	Impact Significance before Mitigation (Insubstantial, Slight, Moderate, Substantial)		Recommended Mitigation Measures	Significance of Residual Impact (Insubstantial, Slight, Moderate, Substantial)		
	Character Areas	Construction	Operation	Construction	Operation	Construction	Operation	ivieasures	Construction	Operation	
		Construction	Operation	Construction	Орегалоп	Construction	Operation		OOTISII UCIIOII	Day 1	Year 10
LR9	Princess Margaret Road Garden	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LR10	Man-made Slope at Chatham Road North	Medium	Medium	Large	Large	Moderate	Moderate	CM1, CM2a, CM2b, CM6, OM2b	Moderate	Slight	Insubstantial
LR11	Oi Sen Path Rest Garden	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LCA01	Hung Hom Mixed Modern Comprehensive Urban Development LCA	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LCA02	Hung Hom Residential Urban LCA	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LCA03	Hung Hom City Grid Mixed Urban LCA	Low	Low	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LCA04	Valley Road Miscellaneous Urban Fringe LCA	Low	Low	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LCA05	Ho Man Tin Residential Urban LCA	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LCA06	Hung Hom Transportation Corridor LCA	Low	Low	Large	Large	Moderate	Moderate	CM1, CM2a, CM2b, CM3, CM4, CM5, CM6, OM1, OM2a, OM2b, OM2c, OM3	Moderate	Slight	Slight
LCA07	King's Park Residential Urban Fringe LCA	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
LCA08	The Hong Kong Polytechnic University (HKPU) Institutional LCA	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial


ID No.	Landscape Resource / Landscape	Sensitivity (Low, Medium, High)		Magnitude of Impact (Negligible, Small, Intermediate, Large)		Impact Significance before Mitigation (Insubstantial, Slight, Moderate, Substantial)		Recommended Mitigation Measures	Significance of Residual Impact (Insubstantial, Slight, Moderate, Substantial)		Slight,	
	Character Areas	Construction	Operation	Construction	Operation	Construction	Operation	wiedsures	INICASUI 65	ineasures	Construction	Ope
LCA09	Tsim Sha Tsui Medium/High- Rise Commercial Urban Landscape	Low	Low	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial	
LCA10	Victoria Harbour Strait LCA	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial	











Annex A2 Excerpt of SCL (HHS) EIA Report

proposed entrances are of an open design, surrounded by glazing, with a large central skylight in the roof. This presents an open nature to Station Square and reflects the unique character of the site. The entrances will therefore admit much natural light by day and be illuminated at night creating a welcoming image to pedestrians and passengers alike.

Entrance D will cater for the majority of passengers during the mega event scenario. There are two parts: the lightweight open passenger section and the more robust stone clad functional section which contains the Designated Emergency Entrance (DEE) and various other accommodations. Over both of which is a large overhanging roof in similar form to entrance A and B, giving a unified entrance as a whole and a larger sense of scale and grandeur, reflecting its stature as the main entrance of the station. A central skylight is also present in this roof to collect as much natural light as possible into the concourse level below.

The design of the ventilation shafts is envisaged as a backdrop to the landscaped square, they will have simple rectangular forms and claded with natural materials where possible. It is intended that the outward facing walls will be covered with vertical green climber as much as practicable to soften the visual impact.

Diamond Hill Station

The south side of the station will be visually screened from the existing tree at ex-Tai Hom village site. On the north side of the station facing Lung Cheung Road, the visual impact is minimised through shifting the station structure south-eastward in order to allow sufficient set back from Lung Cheung Road and also create the opportunity to introduce additional landscaped layers.

Furthermore, the proposed station entrance A2 at the western end of the station will be located close to the existing ground level, this minimises the size of the building as well as building wall effect to residents facing Choi Hung Road whilst creating an opportunity to enhance the pedestrian connection with Choi Hung Road. Treatment to the exposed southern face of the ventilation shafts and plant buildings will include a floating vine climber on trellis screen panels set off from the building, whilst the base of the building wall will be cladded with natural stone to integrated the ground level finish treatment.

The massing and finishes of each above ground ventilation shaft were designed in response to the surrounding context such as new and existing landscaping, entrance frontages to walkways. Ventilation shaft louvers are purposely orientated away from noise and visual sensitive areas. Architectural theme finishes were incorporated in view of complementing line wide and station identity.

6.9.2 Proposed Landscape and Visual Mitigation Measures for Construction and Operation Phases

The proposed landscape and visual mitigation measures in the construction and operation phases are listed in **Tables 6.9** and **6.10** below, together with an indication of Funding, Implementation and Maintenance Agencies and illustrated in **Figures 6.7.1** to **6.7.7**.

Table 6.9 Proposed Landscape and Visual Mitigation Measures for Construction Phase

ID No.	Landscape and Visual Mitigation Measures	Funding*/	Management/
		Implementation	Maintenance
CM1	Decorative Hoarding	MTR Corporation	MTR Corporation
	Erection of decorative screen during construction stage to screen off undesirable views of the construction site for visual and landscape sensitive areas. Hoarding should be designed to be compatible with the existing urban context.		
CM2	Management of facilities on work sites	MTR Corporation	MTR Corporation
	To provide proper management of the facilities on the sites,		

ID No.	Landscape and Visual Mitigation Measures	Funding*/ Implementation	Management/ Maintenance
	give control on the height and disposition/ arrangement of all facilities on the works site to minimize visual impact to adjacent VSRs.		
CM3	Tree Transplanting Trees of medium to high survival rate that would be affected by the works shall be transplanted where possible and practicable. Tree transplanting proposal including final location for transplanted trees shall be submitted separately to seek relevant government department's approval, in accordance with ETWB TCW No 3/2006.	·	MTR Corporation (Until handover to relevant government departments)

^{*} The HKSAR Government will adopt the Concession Approach with MTR Corporation to provide funding for the capital cost of SCL.

Table 6.10 Proposed Landscape and Visual Mitigation Measures for Operation Phase

ID No.	Landscape and Visual Mitigation Measures	Funding*/ Implementation	Management**/ Maintenance
OM1	Compensation Tree Planting Compensatory tree planting should be provided to compensate for felled trees as far as practicable. Compensatory tree planting proposal including location of compensation shall be submitted separately to seek relevant government department's approval, in accordance with ETWB TCW 3/2006.	MTR Corporation	MTR Corporation / relevant government departments (responsible parties for trees are under discussion with government departments)
OM2a	Screen Planting Buffer tree planting including shrub and climber plants shall be incorporated to provide screening to ventilation shafts/plant, engineering structures and associated facilities.	MTR Corporation	MTR Corporation
OM2b	<u>Landscape Re-instatement</u> All hard and soft landscape areas temporarily disturbed during construction phase shall be reinstated to equal or better quality, to the satisfaction of the relevant government departments.	MTR Corporation	MTR Corporation (Until handover to relevant government departments)
ОМ3	Aesthetic landscape and architectural treatment on Station / Entrances/ Ventilation Shaft All station entrances, ventilation shafts and all above ground structures shall be sensitively designed to ensure that suitable architectural design and the element with colour, texture and tonal quality being compatible to the existing urban and future urban context, which shall include tree planting where space permits, to minimize the potential adverse landscape and visual impacts.	MTR Corporation	MTR Corporation
OM4	Not Used.	Nil	Nil
OM5	Re-instatement of excavated area All excavated area and disturbed area for temporary works utilities diversion, temporary road diversion, and pipeline works shall be reinstated to former conditions or better, to the satisfaction of the relevant Government departments.		MTR Corporation (Until handover to relevant government departments)
OM6	Not Used.	Nil	Nil

ID No.	Landscape and Visual Mitigation Measures	•	Management**/ Maintenance
OM7	Aesthetic landscape and architectural treatment for DIH The above ground structures shall be designed to ensure the element with colour, texture and tonal quality being compatible to the existing urban context.	MTR Corporation	MTR Corporation
OM8	Roof greening of large built structures Roof greening to mitigate the visual impact of the large roof area of aboveground structures on the VSRs at high level	MTR Corporation	MTR Corporation
ОМ9	Aesthetic design on Noise Barrier Noise barrier shall be sensitively designed to minimize visual impact upon adjacent VSRs. Transparent noise barrier panel should be used as far as practical. If use of transparent panel material is not possible due to technical concerns, solid noise barrier panel of non-reflective material in neutral colours will be adopted together with aesthetic treatment to minimise any potential visual impact.		MTR Corporation

^{*} The HKSAR Government will adopt the Concession Approach with MTR Corporation to provide funding for the capital cost of SCL.

The construction phase mitigation measures listed above shall be implemented as early as possible in order to minimize the landscape impacts in the construction stage. The operation phase mitigation measures listed above shall be adopted during the detailed design and be built as part of the construction works at the last stage of the construction period so that they are in place at the date of commissioning of the Project. However, it should be noted that the full effect of the soft landscape mitigation measures would not be appreciated for several years. Photomontages of the proposed project without and with mitigation measures illustrating the appearance after 10 years of the proposed works are shown in **Figures 6.8.1** to **6.8.4**, **Figures 6.9.1** to **6.9.4** and **Figures 6.10.1** to **6.10.6**. Viewpoint locations of the photomontages are shown in **Figures 6.6.1** to **6.6.3**.

6.9.3 Good site practices and measures incorporated in the Project

The following good site practices and measures have also been recommended:

Re-use of Existing Soil

For soil conservation, existing topsoil shall be re-used where possible for new planting areas within the Project. The construction program shall consider using the soil removed from one phase for backfilling another. Suitable storage ground, gathering ground and mixing ground may be set up on-site as necessary.

No-intrusion Zone

To maximize protection to existing trees, ground vegetation and the associated under storey habitats, construction contracts may designate "No-intrusion Zone" to various areas within the site boundary with rigid and durable fencing for each individual no-intrusion zone. The contractor should closely monitor and restrict the site working staff from entering the "no-intrusion zone", even for indirect construction activities and storage of equipment.

^{**} The management and maintenance agencies of mitigation measures have been identified in accordance with ETWB TCW 2/2004. The agreement and approval of the implementation, management and maintenance agencies of the Project will be sought from relevant parties during detailed design stage of the project. MTR Corporation would be responsible for maintenance and management of trees within the permanent site boundary. The maintenance matrix and responsible parties for trees outside the permanent site boundary are yet to be confirmed. To facilitate with the confirmation process, MTR Corporation would be responsible for the maintenance works before any agreement is made.

reduced to insubstantial in Year 10 of operation when the compensation trees become mature.

DIH&KAT/LCA3.2 - Wong Tai Sin Residential Area

During the construction phase, with the implementation of management of facilities within the temporary works sites, the residual impact would be slight. With the implementation of mitigation measures such as management of facilities within the temporary works sites, the residual impact would be slight. During the operation phase, with the implementation of compensation tree planting, reinstatement of affected landscape areas, reinstatement of excavated area etc., the residual impact would be reduced to insubstantial in Day 1 and Year 10 of operation phase.

Preliminary Tree Impact Summary

With the proposed tree transplanting and compensation proposal as mitigation measures, preliminary tree impact summary including preliminary location for transplanted and compensation trees is tabled as below:

Table 6.11: Summary Table for Preliminary Tree Impact

LRs ID No.	Landscape Resources	Affected	Transplant ⁽¹⁾	Fell ⁽¹⁾	Compensatory Planting (2, 3)
Hung Hom Stu	dy Area				
HUH/LR3.2	Trees in MTR track area north of Hung Hom	20	0	20	20

Area Covered by EP-438/2012/K

Table Note:

- (1) The tree impact summary provided above is indicative only based on a preliminary broad brush tree survey data and preliminary landscape proposals. Exact nos. of trees to be felled or transplanted including final location for transplanted trees shall be determined during tree removal application.
- (2) Fell trees would be compensated on-site within the landscape area as far as practicable. Trees that cannot be compensated on-site would be compensated off-site as far as practicable.
- (3) Compensatory tree planting shall be provided to compensate for felled trees as far as practicable. Compensatory tree planting proposal including location of compensatory shall be submitted separately to seek relevant government department's approval, in accordance with ETWB TCB No. 3/2006. Based on the preliminary tree survey finding, it is estimated approximately 82.0m aggregate girth size of trees will be felled and approximately 19.3m aggregate girth size of trees will be compensated. Heavy standard (Hvy Std.) sized tree shall be tree with a truck diameter of 75 to 125mm (i.e. average 100mm).


Tree compensation has been proposed as far as possible within the landscape area. Compensatory tree planting can achieve 1:1 in number for Hung Hom and Kai Tak Study


Table 6.12: Significance of Landscape Impacts during Construction and Operation Phase


ID No.	Landscape Resource / Landscape Character Areas		itivity lium, High)	(Negligib	e of Impact ble, Small, ate, Large)	before M (Insubstar	gnificance litigation itial, Slight, Substantial)	Recommended Mitigation Measures		nificance of Residual Impact ntial, Slight, Moderate, Substantial)	
		Cons	Oper	Cons	Oper	Cons	Oper		Cons	Ор	er
										Day 1	Year 10
Landscape Reso	<u>ources</u>										
Hung Hom Stud	ly Area										
HUH/LR 1.1	Public Open Space at Chatham Road North	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR 1.2	Trees in Undeveloped Open Space at Chatham Road North	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR1.3	Public Open Space at Chatham Road Intersection	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR1.4	Winslow Street Playground	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR1.5	Hung Hom South Road Rest Garden	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR2.1	Amenity Area inside Hong Kong Polytechnic University (HKPU)	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR2.2	Amenity Area at Hong Kong Coliseum	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR3.1	Trees in Area enclosed by Winslow Street and Cheong Tung Road	Low	Low	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR3.2	Trees in MTR track area north of Hung Hom	Low	Low	Intermediate	Intermediate	Slight	Slight	OM1, OM2b	Slight	Slight	Insubstantial


ID No.	Landscape Resource / Landscape Character Areas		itivity lium, High)	(Negligib	e of Impact le, Small, ate, Large)	before M (Insubstar	gnificance litigation Itial, Slight, Substantial)	Recommended Mitigation Measures		Significance of Residual Impa (Insubstantial, Slight, Moderate, Sub	
		Cons	Oper	Cons	Oper	Cons	Oper		Cons	Ор	er
										Day 1	Year 10
HUH/LR3.3	Roadside Amenity Areas along Cheong Wan Road	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR3.4	Roadside Amenity Areas at Hung Luen Road and Hung Lok Road	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR3.5	Roadside Amenity Areas at Salisbury Road and Hong Chong Road above the Portal of Cross Harbour Tunnel	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR4.1	Wooded slope at Chatham Road North	Medium	Medium	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial
HUH/LR10.1	Victoria Habour	High	High	Negligible	Negligible	Insubstantial	Insubstantial	Not Required	Insubstantial	Insubstantial	Insubstantial

Area Covered by EP-438/2012/K









ANNEX B

Design concept and proposed aesthetic landscape and architectural treatment

Annex B1 - Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112)

Project Elements under SCL (MKK-HUH) EIA Report

Noise Mitigation Measures (NMM) at Portal 1A

- The proposed superstructure will be a steel structure and rest on top of the supporting walls on East and West sides of the rail tracks. Noise absorbing panels will be placed above and below the structure. The top surface and sides will be formed from a traditional roof cladding of the profiled metal deck type. The top surface is not continuous since an opening is required to allow smoke to escape in the event of fire underneath. The roof will have a chamfer on both long edges of the structure except for area adjacent to the tunnel portal which will remain rectangular to accommodate the cantilever structure. This will reduce the top roof width on plan to make the structure less bulky on the top. The metal deck cladding will be aluminium, which will be finished in non-reflective powder coating. The segmentation of the cladding will also be enhanced by a white facia panel at each segment step. The cladding colour will change from dark green to light green gradually from north to south along the length of the noise enclosure.
- The architectural concept for the noise enclosure was to adopt a segmented shape to create definition and movement to the structure. Inspired by the imagery of the segmented stalk of bamboo plants common to this region, and the movement of the MTRC trains, the segments and colour scheme have been chosen to add a dynamic effect to the existing rocky valley.
- Eastern side of the Noise Enclosure: Alignment of the SCL(MKK-HUH) tracks at the south end of the noise enclosure comes very close to the Oi Sen Path. As a result, there are spatial constraints, which required the noise enclosure foundation wall to be integrated with the Oi Sen Path retaining wall structure. This segment of the noise enclosure foundation provided an opportunity to add a new landscaping planter to be incorporated in the permanent structure. In addition, a reinforced concrete slope berm type planter will be constructed on top of the no-fines concrete slope reinstatement along the length of Oi Sen Path adjacent to the noise enclosure to enhance the experience of the viewing public when using Oi Sen Path. The planters will be planted with bamboo to create a hedge effect next to the path, which will in effect camouflage the bulk of the noise enclosure.
- Western side of the Noise Enclosure: A reinforced concrete cantilevered planter will be added to the noise enclosure support wall structure. Bamboo will also be planted in this planter to soften the visual impact of the wall and roof structure from the western side.

Cooling Tower

- The Cooling Tower will be located between south approach trough and the
 existing ventilation building of the tunnel to East Tsim Sha Tsui Station (ETS).
 This area was used as the loading area of the International Mail Centre (IMC)
 till late 2012.
- To minimise potential adverse visual impacts to the future waterfront redevelopment, the Cooling Tower structure will occupy a very narrow footprint and will be placed as close as possible to the existing East Rail portal i.e. offset 3.5m from the portal to maintain a minimum but sufficient space for air intake and exhaust of the Cooling Tower. The height of Cooling Tower will also limited to only one-storey high so as to not exceeding the top level of existing portal structure and ventilation shafts.
- The concept of the external design concept is to treat the Cooling Tower as 3 articulated structures. They will be the stainless steel mesh screened cages at the south lower end and the north upper end of the Cooling Tower, enclosing the cooling towers and air cooled chillers, plus the central plant room body cladded with gabion cage or stone panels at the bottom and finished by rendering at the top. A green roof will also be introduced to the middle block to mitigate any potential visual impact from receivers at HUH Podium level. The steel mesh of the cladding treatment will offer a visual continuity to this new structure with the adjacent station ventilation shafts cladding.
- The ground level building surrounds will not lie in the public realm and will
 only be seen and used by operational staff. It is therefore proposed to
 provide simple ground level paving treatment for the building surrounds
 comprising clay or concrete block pavers.
- Greening opportunities within the boundary of Cooling Tower have been explored but was found not feasible as the open area at north and east side of the cooling tower is an EVA hammer-head reserved for fire appliances manoeuvring.
- Bamboo strip planting is proposed along the boundary wall of SCL (TAW-HUH) south approach trough, shrub and climbers will also be planted at the frontage of Cooling Tower; with green roof proposed at middle building; the overall greening effect and facade treatments will blend well and strengthen the adjacent landscape and visual amenity of Hom Hung Area.

Project Elements under SCL (HHS) EIA Report

South Side Ventilation Shaft (SSVS), North Side Ventilation Shaft (NSVS) and Trackside Ventilation Plant

 The design of NSVS and SSVS has been carefully considered and studies have been carried out to achieve a form and shape that would be both highly functional and aesthetically pleasing with a limited visual impact. The amalgamation and siting of the shafts will be the main driver to mitigate the visual impact. As such the ventilation shafts associated with HUH will be integrated into two banks, one at the immediate north ends of the Hung Hom Station Podium and the other at the immediate south of the same podium, thereby minimising the exposure to immediate environment and sensitive receivers.

- The vent openings will be carefully orientated so to minimize potential impact to the nearby residents. The massing of the ventilation shafts will also be carefully articulated to keep the height of these vents under the parapet level of the existing podium. The ventilation shafts themselves will be lined with a proprietary stainless steel mesh, which will offer almost 70% open air as opposed to 50% for the aluminium louvers, effectively minimising the size of the vent opening and the resultant ventilation shafts from being too large.
- Opportunities for vertical greening on ventilation shafts have been considered. In view of the locations of NSVS and SSVS in close proximity to operating railway tracks, trees planting around or at these structures are not recommended due to the high risk of tree litter on railway track that would affect the operating railway line. Nevertheless, both NSVS and SSVS will be provided with green roof together with vertical plantings in form of trained climbers to minimise potential visual impact.
- Trackside ventilation plant is located between the converging island site and the SCL (TAW-HUH) tracks to the north of Hung Hom Station at the podium level. The structure of this plant will also mimic the converging nature of the tracks sympathetically blending into the surrounding with its concrete façade (reciprocating the existing façade of the podium level). Greening opportunity in the form of a green roof over this structure will help to minimise the visual impact of the concrete roof deck. This structure is also visually integrated with the surrounding NSVS by linking the physical mass and will read as a cohesive whole with the existing podium facade. One ventilation opening is provided here which will be in the form of the front of the structure truncated and lined with stainless steel mesh, which will offer a visual identity different from normal louvered vents.

CLP Transformer Plant

CLP transformer plant is located underneath the Cheong Wan Road Viaduct
to the north of Hung Hom Station. The integration of this plant structure
underneath the new viaduct will reduce the usage of the existing open areas
and also minimise the visual impact. The plant structure will be visually
integrated with the viaduct, this will minimise the visual impact of the new
plant and enhance its visual outlook.

Proposed Landscape and Visual Mitigation Measures at Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112)

ID No.	Proposed Landscape and Visual Mitigation Measures in SCL(HHS) EIA	Landscape and Visual Mitigation Measures in this Plan	Implementation Agency ⁽¹⁾	Management / Maintenance Agency ⁽¹⁾	Implementation Programme
Constru	uction Phase				
SCL(MI	KK-HUH) EIA Report				
CM1	Trees unavoidably affected by the works shall be transplanted as far as possible in accordance with ETWB TCW 3/2006 – Tree Preservation ⁽²⁾ .	Please refer to Annex E for the details of tree transplanting plans.	Contractor	MTRC (Until handover to relevant government departments)	 Transplantation of trees to permanent receptor site or nursery site: Early stage of construction Transplantation of trees to permanent receptor site depend upon agreed programme with relevant parties
CM2a	Compensatory tree planting shall be provided in accordance with ETWB TCW 3/2006 – Tree Preservation ⁽²⁾ .	Please refer to Annex E for the details of tree compensation plans.	MTRC	MTRC; Leisure and Cultural Services Department (LCSD)	 After completion of construction works at the respective areas Tentative to be completed between 2021 and 2023 by stages
CM2b	Compensatory shrub planting shall be provided to compensate for the loss of shrub planting in amenity areas.	Shrub planting will be provided in amenity areas as far as practicable. Please refer to Annex E for provision	MTRC	LCSD / MTRC for project's permanent areas only	 After completion of construction works at the respective areas Tentative to be

ID No.	Proposed Landscape and Visual Mitigation Measures in SCL(HHS) EIA	Landscape and Visual Mitigation Measures in this Plan	Implementation Agency ⁽¹⁾	Management / Maintenance Agency ⁽¹⁾	Implementation Programme
		of OM2b.			completed in 2021 by stages
CM3	Control of night-time lighting glare	Night-time lighting glare of all facilities on the works site will be controlled.	Contractor	Contractor	Throughout the Construction Period
CM4	Erection of decorative screen hoarding compatible with the surrounding setting.	Decorative screen will be erected during construction stage to screen off undesirable views.	Contractor	Contractor	Throughout the Construction Period
CM5	Management of facilities on work sites which give control on the height and disposition/arrangement of all facilities on the works site to minimize visual impact to adjacent VSRs.	Height and disposition/ arrangement of all facilities on the works site will be controlled.	Contractor	Contractor	Throughout the Construction Period
CM6	All hard and soft landscape areas disturbed temporarily during construction shall be reinstated to equal or better quality, to the satisfaction of the relevant Government Departments.	E.g. Hard and soft landscape elements at the external area will be provided to enhance the urban environment. Please refer to Annex Figures for details.	MTRC	HyD / MTRC for project's permanent areas only	Operation stage (tentative in 2021)
	on Phase				
SCL(MI OM1	Aesthetically pleasing design as regard to the form, material and finishes shall be incorporated to MTR Ventilation Shafts, Cooling Tower and associated engineering facilities of the project so as	The building form, height and bulk of Noise Mitigation Measures at Portal 1A and Cooling Tower will be softened visually by the selection of a palette of materials and integrated	MTRC	MTRC	Operation stage (tentative in 2021)

ID No.	Proposed Landscape and Visual Mitigation Measures in SCL(HHS) EIA	Landscape and Visual Mitigation Measures in this Plan	Implementation Agency ⁽¹⁾	Management / Maintenance Agency ⁽¹⁾	Implementation Programme
	to blend in the structures to the adjacent landscape and visual context.	landscaping. Please refer to Annex Figures for details.			
OM2a	Climbers shall be incorporated to the Ventilation Shafts and Cooling Tower to soften the structure.	E.g. 1 Vertical climber is proposed for Cooling Tower. Please refer to Annex Figures for details.	MTRC	MTRC	Operation stage (tentative in 2021)
OM2b	Trees and Shrubs Planting shall be incorporated to enhance the landscape and visual amenity value of the area.	Shrubs planting are proposed for Cooling Tower. Please refer to Annex Figures for details.	MTRC	HyD (for soft landscape on SIMAR slope maintained by HyD); LCSD (for soft landscape other than SIMAR slope maintained by HyD); LandsD (for land to be returned to LandsD)	Operation stage (tentative in 2021)
OM2c	Bamboo planting is proposed along the boundary of the Cooling Tower to provide greening / landscape resources in Hung	E.g. 1 Bamboo planting is proposed for Noise Mitigation Measures at Portal 1A.E.g. 2 Bamboo planting is	MTRC	MTRC	Operation stage (tentative in 2021)

ID No.	Proposed Landscape and Visual Mitigation Measures in SCL(HHS) EIA	Landscape and Visual Mitigation Measures in this Plan	Implementation Agency ⁽¹⁾	Management / Maintenance Agency ⁽¹⁾	Implementation Programme
	Hom Area.	proposed for Cooling Tower. Please refer to Annex Figures for details.			
OM3	Green Roof shall be proposed to Cooling Tower to enhance the landscape quality of the structures and mitigate any potential visual impact on adjacent VSRs.	Green roof has been incorporated in the design of Cooling Tower. Please refer to Annex Figures for details.	MTRC	MTRC	Operation stage (tentative in 2021)
SCL(HF	IS) EIA Report				
OM2a/ HHS	Screen Planting Buffer tree planting including shrub and climber plants shall be incorporated to provide screening to ventilation shafts/plant, engineering structures and associated facilities.	E.g. 1 Vertical climber is proposed for ventilation shaft. Please refer to Annex Figures for details.	MTRC	MTRC	Operation stage (tentative in 2021)
OM2b/ HHS	Landscape Re-instatement All hard and soft landscape areas temporarily disturbed during construction phase shall be reinstated to equal or better quality, to the satisfaction of the relevant government departments.	E.g. Hard and soft landscape elements at the external area will be provided to enhance the urban environment. Please refer to Annex Figures for details.	MTRC	MTRC	Operation stage (tentative in 2021)
OM3/ HHS	Aesthetic landscape and architectural treatment on Station / Entrances/ Ventilation Shaft	The building form, height and bulk of ventilation shafts will be softened visually by the selection of a palette of materials and integrated	MTRC	MTRC	Operation stage (tentative in 2021)

ID No.	Proposed Landscape and Visual Mitigation Measures in SCL(HHS) EIA	Landscape and Visual Mitigation Measures in this Plan	Implementation Agency ⁽¹⁾	Management / Maintenance Agency ⁽¹⁾	Implementation Programme
	All station entrances, ventilation shafts and all above ground structures shall be sensitively designed to ensure that suitable architectural design and the element with colour, texture and tonal quality being compatible to the existing urban and future urban context, which shall include tree planting where space permits, to minimize the potential adverse landscape and visual impacts.	landscaping. Please refer to Annex Figures for details.			
OM8/ HHS	Roof greening of large built structures Roof greening to mitigate the visual impact of the large roof area of aboveground structures on the VSRs at high level.	Green roof has been incorporated in the design of ventilation shafts. Please refer to Annex Figures for details.	MTRC	MTRC	Operation stage (tentative in 2021)

Notes:

- (1) The management and maintenance agencies of mitigation measures have been identified in accordance with DEVB TCW No. 6/2015. The agreement and approval of the management and maintenance agencies of the Project are being sought from relevant parties during the preparation of this Plan. MTR Corporation would be responsible for maintenance and management of trees within the permanent site boundary. The maintenance matrix and responsible parties for trees outside the permanent site boundary are yet to be confirmed. To facilitate with the confirmation process, MTR Corporation would be responsible for the maintenance works before any agreement is made.
- (2) Proposal on tree preservation, transplantation and felling in Tree Removal Applications (TRAs) would be subject to the applicable technical circular during the time of application.




FIGURE B1 - SITE LOCATION PLAN - (SHEET 1 OF 3)




FIGURE B2 - SITE LOCATION PLAN - (SHEET 2 OF 3)







FIGURE B3 - SITE LOCATION PLAN - (SHEET 3 OF 3)







FULL SIZE A1

PLOT DRV: X:\CADD_ MODELNAME: Defoult FILENAME: X:\FP\SC







Note: Noise enclosure at Portal 1A is a steel structure and rest on top of the supporting walls (retaining walls by concrete in grey) on East and West sides of the rail tracks.

Roof cladding consists of noise absorptive panels with profiled metal decks formed by aluminium. The metal deck cladding are finished in powder coating and the cladding colour changes

from dark green to light green gradually from north to south

along the length of noise enclosure.



SHATIN TO CENTRAL LINK - MONG KOK EAST TO HUNG HOM SECTION EP-437/2012

DRAWING FOR NOISE MITIGATION MEASURE AT PORTAL 1A, HO MAN TIN



CN JOB REF. : J17-3460
DRAWING NO. : 3460C03
ISSUE NO. : 00
SCALE : 1:200 @A3
DATE : 12DEC2017
CADD FILENAME : 3460C03A.DCN
REVISION : A

Noise Mitigation Measures at Portal 1A under SCL(MKK-HUH) EIA

View from V1





Remark

The drawing provides only aesthetic impression of the indicative form, size and quality of the architectural and landscaping treatment for the structures. The final details will be shown in the as-built drawings.

Noise Mitigation Measures at Portal 1A under SCL(MKK-HUH) EIA


View from V5







Remark

The drawing provides only aesthetic impression of the indicative form, size and quality of the architectural and landscaping treatment for the structures. The final details will be shown in the as-built drawings.









Cooling Tower under SCL (MKK-HUH) EIA


View from V3








Remark

The drawing provides only aesthetic impression of the indicative form, size and quality of the architectural and landscaping treatment for the structures. The final details will be shown in the as-built drawings.











..\1112_W_HUH_ATK_A14_061C.dgn 8/9/2018 5:28:29 PM



Trackside Ventilation Plant, North Side Ventilation Shaft and CLP Transformer Plant under SCL (HHS) EIA

View from HUH/V1






Remark

The drawing provides only aesthetic impression of the indicative form, size and quality of the architectural and landscaping treatment for the structures. The final details will be shown in the as-built drawings.

-Trackside Ventilation Plant, North Side Ventilation Shaft & CLP Transformer Plant under SCL (HHS) EIA -Realignment of Cheong Wan Road under SCL(MKK-HUH) EIA


View from V6 HUH/V3







Remark:

The drawing provides only aesthetic impression of the indicative form, size and quality of the architectural and landscaping treatment for the structures. The final details will be shown in the as-built drawings.







South Side Ventilation Shaft under SCL (HHS) EIA

View from HUH/V2





Remark:

The drawing provides only aesthetic impression of the indicative form, size and quality of the architectural and landscaping treatment for the structures. The final details will be shown in the as-built drawings.

ANNEX C

Details of Trees to be Retained, Transplanted and Felled

Annex C1

Details of Trees to be Retained, Transplanted and Felled

Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112)

Annex C1-1

Tree Assessment Schedules

Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112)

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/005	-	YTM	T0004	437	Erythrina variegata	刺桐	5.0	2.5	0.15	Fair	Fair	Low	Med	Retain
C04/005	-	YTM	T0005	437	Erythrina variegata	刺桐	6.0	2.0	0.30	Fair	Fair	Med	Med	Retain
C04/005	-	YTM	T0006	437	Erythrina variegata	刺桐	4.5	1.0	0.30	Fair	Fair	Med	Med	Retain
C04/005	-	YTM	T0007	437	Erythrina variegata	刺桐	4.5	1.5	0.32	Fair	Fair	Med	Med	Retain
C04/005	-	YTM	T0008	437	Erythrina variegata	刺桐	5.0	2.0	0.14	Fair	Fair	Low	Med	Retain
C04/005	-	YTM	T0009	437	Erythrina variegata	刺桐	6.0	2.5	0.27	Fair	Fair	Med	Med	Retain
C04/005	-	YTM	T0010	437	Erythrina variegata	刺桐	4.5	2.0	0.26	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0011	437	Erythrina variegata	刺桐	6.0	2.5	0.29	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0012	437	Erythrina variegata	刺桐	6.0	2.0	0.31	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0013	437	Erythrina variegata	刺桐	6.0	2.0	0.22	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0014	437	Erythrina variegata	刺桐	4.5	1.5	0.19	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0015	437	Erythrina variegata	刺桐	3.0	1.5	0.10	Fair	Fair	Low	Med	Retain
C04/003	-	YTM	T0016	437	Erythrina variegata	刺桐	6.0	1.5	0.29	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0017	437	Erythrina variegata	刺桐	6.0	2.0	0.22	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0018	437	Erythrina variegata	刺桐	6.0	2.0	0.19	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0019	437	Ficus microcarpa	細葉榕	7.0	3.5	0.17	Good	Good	Med	High	Retain
C04/003	-	YTM	T0020	437	Erythrina variegata	刺桐	6.0	1.5	0.30	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0021	437	Erythrina variegata	刺桐	6.0	1.5	0.32	Fair	Poor	Low	Med	Retain
C04/003	-	YTM	T0022	437	Erythrina variegata	刺桐	5.0	2.0	0.29	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0023	437	Erythrina variegata	刺桐	5.0	2.0	0.26	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0024	437	Erythrina variegata	刺桐	5.0	2.0	0.29	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0025	437	Ficus microcarpa	細葉榕	5.0	2.0	0.29	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0026	437	Erythrina variegata	刺桐	6.0	1.5	0.25	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0027	437	Erythrina variegata	刺桐	5.0	2.0	0.27	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0028	437	Erythrina variegata	刺桐	5.0	2.0	0.20	Fair	Fair	Med	Med	Retain
C04/003	=	YTM	T0029	437	Erythrina variegata	刺桐	6.0	2.5	0.33	Fair	Fair	Med	Med	Retain
C04/003	-	YTM	T0030	437	Juniperus chinensis cv. Kaizuca	龍柏	5.0	1.5	0.17	Fair	Good	High	Med	Retain
C04/003	-	YTM	T0031	437	Juniperus chinensis cv. Kaizuca	龍柏	5.0	1.5	0.17	Fair	Good	High	Med	Retain
C04/003	-	YTM	T0032	437	Juniperus chinensis cv. Kaizuca	龍柏	3.5	1.5	0.16	Fair	Good	High	Med	Retain
C04/003	-	YTM	T0033	437	Juniperus chinensis cv. Kaizuca	龍柏	5.5	1.5	0.16	Fair	Good	High	Med	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/003	-	YTM	T0034	437	Juniperus chinensis cv. Kaizuca	龍柏	6.0	2.0	0.13	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0035	437	Juniperus chinensis cv. Kaizuca	龍柏	6.0	2.0	0.17	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0036	437	Juniperus chinensis cv. Kaizuca	龍柏	6.0	2.0	0.15	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0037	437	Juniperus chinensis cv. Kaizuca	龍柏	5.0	2.0	0.20	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0038	437	Juniperus chinensis cv. Kaizuca	龍柏	5.0	2.0	0.15	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0039	437	Juniperus chinensis cv. Kaizuca	龍柏	4.5	2.5	0.16	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0040	437	Juniperus chinensis cv. Kaizuca	龍柏	5.0	1.5	0.17	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0041	437	Juniperus chinensis cv. Kaizuca	龍柏	4.0	2.0	0.12	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0042	437	Juniperus chinensis cv. Kaizuca	龍柏	4.0	2.0	0.13	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0043	437	Juniperus chinensis cv. Kaizuca	龍柏	6.0	2.0	0.13	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0044	437	Juniperus chinensis cv. Kaizuca	龍柏	5.0	2.5	0.15	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0045	437	Juniperus chinensis cv. Kaizuca	龍柏	6.0	1.5	0.12	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0046	437	Juniperus chinensis cv. Kaizuca	龍柏	6.0	2.0	0.18	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0047	437	Juniperus chinensis cv. Kaizuca	龍柏	6.0	1.5	0.15	Fair	Good	High	Med	Retain
C04/004	-	YTM	T0048	437	Thevetia peruviana	黃花夾竹桃	4.0	1.0	0.13	Fair	Fair	Med	Low	Retain
C04/004	-	YTM	T0049	437	Ailanthus fordii	常綠臭椿	8.5	2.0	0.27	Poor	Fair	Med	Low	Retain
C04/004	-	YTM	T0050	437	Ailanthus fordii	常綠臭椿	9.0	3.0	0.31	Poor	Fair	Med	Low	Retain
C04/004	-	YTM	T0051	437	Thevetia peruviana	黃花夾竹桃	4.0	2.0	0.11	Fair	Fair	Med	Low	Retain
C04/004	-	YTM	T0052	437	Ailanthus fordii	常綠臭椿	7.0	1.5	0.19	Poor	Fair	Med	Low	Retain
C04/004	-	YTM	T0053	437	Thevetia peruviana	黃花夾竹桃	2.5	1.5	0.10	Fair	Fair	Med	Low	Retain
C04/004	-	YTM	T0054	437	Ailanthus fordii	常綠臭椿	8.0	2.0	0.29	Poor	Fair	Med	Low	Retain
C04/004	-	YTM	T0055	437	Ailanthus fordii	常綠臭椿	7.0	2.0	0.21	Poor	Fair	Med	Low	Retain
C04/004	-	YTM	T0056	437	Thevetia peruviana	黃花夾竹桃	3.0	1.5	0.10	Fair	Fair	Med	Low	Retain
C04/004	-	YTM	T0057	437	Thevetia peruviana	黃花夾竹桃	3.5	2.0	0.10	Fair	Fair	Med	Low	Retain
C04/004	-	YTM	T0058	437	Thevetia peruviana	黃花夾竹桃	4.0	2.0	0.10	Fair	Fair	Med	Low	Retain
C04/007	-	YTM	T0800	437	Cassia siamea	鐵刀木	7.0	4.5	0.23	Good	Good	High	Med	Retain
C04/007	-	YTM	T0801	437	Cassia siamea	鐵刀木	7.0	4.0	0.26	Good	Good	High	Med	Retain
C04/007	-	YTM	T0802	437	Ficus benjamina	垂榕	6.5	3.5	0.12	Good	Good	High	Med	Retain
C04/007	-	YTM	T0803	437	Acacia auriculiformis	耳果相思	6.5	2.0	0.16	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0804	437	Acacia auriculiformis	耳果相思	5.5	2.0	0.15	Fair	Fair	Low	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	-	YTM	T0805	437	Acacia auriculiformis	耳果相思	2.0	0.5	0.14	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0806	437	Ficus benjamina	垂榕	4.5	1.5	0.11	Good	Good	High	Med	Retain
C04/007	-	YTM	T0807	437	Livistona chinensis	蒲葵	2.5	2.5	0.18	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0808	437	Cassia siamea	鐡刀木	7.0	4.0	0.27	Good	Good	High	Med	Retain
C04/007	-	YTM	T0809	437	Livistona chinensis	蒲葵	2.5	2.5	0.18	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0810	437	Livistona chinensis	蒲葵	3.0	2.5	0.22	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0811	437	Livistona chinensis	蒲葵	6.5	3.0	0.23	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0812	437	Livistona chinensis	蒲葵	3.0	2.5	0.20	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0813	437	Livistona chinensis	蒲葵	3.0	2.5	0.18	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0814	437	Livistona chinensis	蒲葵	3.0	3.0	0.20	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0815	437	Livistona chinensis	蒲葵	3.0	3.0	0.19	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0816	437	Livistona chinensis	蒲葵	3.0	2.5	0.17	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0817	437	Livistona chinensis	蒲葵	3.0	2.5	0.18	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0818	437	Livistona chinensis	蒲葵	3.0	2.5	0.19	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0819	437	Livistona chinensis	蒲葵	3.0	3.5	0.18	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0820	437	Livistona chinensis	蒲葵	6.5	3.0	0.26	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0821	437	Aleurites moluccana	石栗	5.0	4.0	0.27	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0822	437	Cassia siamea	鐡刀木	6.5	3.5	0.26	Good	Good	High	Med	Retain
C04/007	-	YTM	T0823	437	Cassia siamea	鐡刀木	4.0	1.5	0.19	Good	Good	High	Med	Retain
C04/007	-	YTM	T0824	437	Aleurites moluccana	石栗	4.0	2.5	0.22	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0825	437	Aleurites moluccana	石栗	4.5	4.0	0.32	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0826	437	Aleurites moluccana	石栗	5.5	4.0	0.32	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0827	437	Cassia siamea	鐵刀木	7.0	4.5	0.25	Good	Good	High	Med	Retain
C04/007	-	YTM	T0834	437	Aleurites moluccana	石栗	7.0	5.0	0.38	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0835	437	Aleurites moluccana	石栗	7.5	4.5	0.41	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0836	437	Aleurites moluccana	石栗	7.0	5.0	0.34	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0837	437	Livistona chinensis	蒲葵	2.5	2.5	0.18	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0838	437	Livistona chinensis	蒲葵	2.5	2.5	0.15	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0839	437	Livistona chinensis	蒲葵	7.0	4.0	0.23	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0840	437	Livistona chinensis	蒲葵	6.5	4.0	0.25	Good	Fair	Med	Med	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	-	YTM	T0841	437	Ficus microcarpa	細葉榕	7.5	6.0	0.38	Good	Good	High	Med	Retain
C04/007	-	YTM	T0842	437	Livistona chinensis	蒲葵	2.0	2.0	0.14	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0843	437	Livistona chinensis	蒲葵	5.0	4.0	0.21	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0844	437	Ficus virens	大葉榕	4.5	2.5	0.25	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0845	437	Livistona chinensis	蒲葵	7.5	5.0	0.24	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0847	437	Acacia auriculiformis	耳果相思	7.0	3.0	0.17	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0849	437	Livistona chinensis	蒲葵	6.5	4.0	0.25	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0850	437	Livistona chinensis	蒲葵	4.0	3.0	0.18	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0851	437	Melia azedarach	楝	6.5	4.0	0.44	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0852	437	Ficus elastica	印度榕	4.0	3.0	0.16	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0853	437	Hibiscus tiliaceus	黃槿	6.0	5.0	0.50	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0854	437	Livistona chinensis	蒲葵	6.5	3.0	0.25	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0856	437	Acacia auriculiformis	耳果相思	5.5	2.5	0.14	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0857	437	Livistona chinensis	蒲葵	5.0	4.0	0.20	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0858	437	Livistona chinensis	蒲葵	7.5	4.0	0.28	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0859	437	Livistona chinensis	蒲葵	3.0	2.5	0.15	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0860	437	Livistona chinensis	蒲葵	3.0	2.5	0.19	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0863	437	Ficus benjamina	垂榕	3.0	1.5	0.10	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0864	437	Livistona chinensis	蒲葵	3.0	2.5	0.19	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0865	437	Bischofia javanica	秋楓	3.0	2.0	0.10	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0866	437	Araucaria heterophylla	異葉南洋杉	3.0	2.5	0.10	Good	Good	High	Med	Retain
C04/007	-	YTM	T0867	437	Araucaria heterophylla	異葉南洋杉	3.0	1.5	0.10	Good	Good	High	Med	Retain
C04/007	-	YTM	T0868	437	Araucaria heterophylla	異葉南洋杉	5.0	1.5	0.11	Good	Good	High	Med	Retain
C04/007	-	YTM	T0869	437	Araucaria heterophylla	異葉南洋杉	5.5	1.5	0.24	Good	Good	High	Med	Retain
C04/007	-	YTM	T0870	437	Livistona chinensis	蒲葵	3.0	2.5	0.16	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0871	437	Livistona chinensis	蒲葵	7.0	3.0	0.23	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0875	437	Ficus benjamina	垂榕	4.0	2.5	0.11	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0876	437	Livistona chinensis	蒲葵	5.0	3.5	0.23	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0877	437	Araucaria heterophylla	異葉南洋杉	4.0	2.0	0.13	Good	Good	High	Med	Retain
C04/007	-	YTM	T0878	437	Archontophoenix alexandrae	假檳榔	5.0	2.5	0.18	Fair	Fair	Med	Med	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	-	YTM	T0883	437	Livistona chinensis	蒲葵	8.5	2.0	0.36	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0884	437	Livistona chinensis	蒲葵	5.5	3.0	0.22	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0885	437	Livistona chinensis	蒲葵	7.0	2.5	0.22	Good	Fair	Med	Med	Retain
C04/007	-	YTM	T0886	437	Acacia auriculiformis	耳果相思	4.0	1.5	0.22	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0887	437	Acacia auriculiformis	耳果相思	4.5	2.5	0.14	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0888	437	Michelia alba	白蘭	4.5	2.0	0.10	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0891	437	Acacia auriculiformis	耳果相思	4.5	2.0	0.11	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0896	437	Ficus hispida	對葉榕	4.0	1.5	0.10	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0897	437	Acacia auriculiformis	耳果相思	5.0	2.0	0.21	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0903	437	Acacia confusa	台灣相思	4.5	2.0	0.13	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0904	437	Acacia confusa	台灣相思	5.0	3.0	0.15	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0906	437	Macaranga tanarius	血桐	4.5	2.0	0.11	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0961	437	Mallotus paniculatus	白楸	5.5	3.0	0.16	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0972	437	Ficus benjamina	垂榕	7.0	2.0	0.16	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0973	437	Ficus benjamina	垂榕	3.5	2.0	0.11	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0974	437	Ficus benjamina	垂榕	4.5	2.0	0.10	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T0975	437	Ficus benjamina	垂榕	4.5	2.0	0.11	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T1018	437	Broussonetia papyrifera	構樹	6.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T1020	437	Caryota mitis	短穗魚尾葵	5.0	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1064	437	Melia azedarach	楝	13.0	10.0	0.58	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1065	437	Peltophorum pterocarpum	盾柱木	8.5	3.0	0.12	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1066	437	Livistona chinensis	蒲葵	2.5	1.5	0.21	Good	Good	High	High	Transplant
C04/010	C04/015	YTM	T1067	437	Macaranga tanarius	血桐	9.0	6.0	0.26	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1068	437	Livistona chinensis	蒲葵	7.0	4.0	0.23	Good	Good	High	High	Transplant
C04/010	C04/015	YTM	T1069	437	Livistona chinensis	蒲葵	7.5	3.0	0.20	Good	Good	High	High	Transplant
C04/010	C04/015	YTM	T1070	437	Livistona chinensis	蒲葵	2.5	1.5	0.20	Good	Good	High	High	Fell
C04/010	C04/015	YTM	T1071	437	Caryota mitis	短穗魚尾葵	6.0	4.0	0.10	Fair	Fair	Low	Med	Fell
C04/010	C04/015	YTM	T1072	437	Livistona chinensis	蒲葵	3.5	2.0	0.26	Good	Good	High	High	Transplant
C04/010	C04/015	YTM	T1073	437	Caryota mitis	短穗魚尾葵	5.0	2.0	0.13	Fair	Fair	Low	Med	Transplant
C04/010	C04/015	YTM	T1074	437	Livistona chinensis	蒲葵	5.0	2.5	0.20	Good	Good	High	High	Transplant

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)	ı	HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T1075	437	Melia azedarach	棟	13.0	5.5	0.43	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1076	437	Bombax ceiba	木棉	13.0	5.5	0.26	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1077	437	Tecoma stans	黃鐘花	7.0	3.0	0.15	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1078	437	Peltophorum pterocarpum	盾柱木	10.5	4.0	0.25	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1079	437	Livistona chinensis	蒲葵	5.0	3.5	0.23	Fair	Fair	Low	Med	Transplant
C04/010	C04/015	YTM	T1080	437	Livistona chinensis	蒲葵	6.0	3.0	0.20	Fair	Fair	Low	Med	Fell
C04/010	C04/015	YTM	T1081	437	Melia azedarach	棟	10.0	3.0	0.20	Fair	Poor	Low	Med	Fell
C04/010	C04/015	YTM	T1082	437	Livistona chinensis	蒲葵	5.0	5.0	0.26	Fair	Fair	Low	Med	Fell
C04/010	C04/015	YTM	T1083	437	Melia azedarach	楝	10.0	3.5	0.46	Fair	Fair	Med	Low	Fell
C04/010	C04/015	YTM	T1084	437	Livistona chinensis	蒲葵	7.0	5.0	0.26	Fair	Fair	Med	High	Transplant
C04/010	C04/015	YTM	T1085	437	Livistona chinensis	蒲葵	6.0	3.5	0.23	Fair	Fair	Med	High	Transplant
C04/010	C04/015	YTM	T1086	437	Macaranga tanarius	血桐	8.5	5.0	0.16	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1087	437	Macaranga tanarius	血桐	8.0	4.0	0.14	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1088	437	Bombax ceiba	木棉	6.5	1.0	0.12	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1090	437	Macaranga tanarius	血桐	7.0	5.0	0.16	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1091	437	Macaranga tanarius	血桐	7.0	3.0	0.12	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1092	437	Melia azedarach	楝	11.0	5.0	0.25	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1093	437	Melia azedarach	楝	11.0	5.0	0.40	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1094	437	Melia azedarach	楝	10.0	5.0	0.24	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1095	437	Melia azedarach	楝	10.5	5.0	0.27	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1096	437	Melia azedarach	楝	10.0	6.0	0.26	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1097	437	Bridelia tomentosa	土蜜樹	6.0	4.0	0.11	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1098	437	Melia azedarach	楝	9.0	5.0	0.20	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1099	437	Melia azedarach	楝	9.5	6.0	0.25	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1100	437	Melia azedarach	楝	10.0	5.5	0.28	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1101	437	Livistona chinensis	蒲葵	7.0	3.0	0.25	Fair	Fair	Med	High	Transplant
C04/010	C04/015	YTM	T1102	437	Ficus hispida	對葉榕	7.0	2.0	0.10	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1103	437	Ficus hispida	對葉榕	7.0	2.0	0.12	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1107	437	Ficus hispida	對葉榕	6.0	1.5	0.10	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1108	437	Bombax ceiba	木棉	11.0	3.0	0.21	Good	Good	High	Med	Fell

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T1109	437	Ficus elastica	印度榕	11.0	10.0	0.54	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1110	437	Litsea glutinosa	潺槁樹	6.0	1.5	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1111	437	Melia azedarach	楝	11.0	4.0	0.42	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T1112	437	Macaranga tanarius	血桐	8.0	2.0	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1113	437	Macaranga tanarius	血桐	8.0	2.0	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1114	437	Macaranga tanarius	血桐	8.0	2.5	0.13	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1115	437	Pterocarpus indicus	紫檀	11.0	6.5	0.61	Good	Good	Med	Med	Retain
C04/010	C04/015	YTM	T1116	437	Bombax ceiba	木棉	5.0	1.0	0.20	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1117	437	Thevetia peruviana	黃花夾竹桃	7.0	2.0	0.10	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T1118	437	Pterocarpus indicus	紫檀	10.5	3.0	0.26	Good	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T1119	437	Bombax ceiba	木棉	8.0	2.0	0.21	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T1120	437	Bauhinia blakeana	洋紫荊	8.0	3.5	0.16	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1121	437	Celtis sinensis	朴樹	9.5	2.0	0.18	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T1122	437	Lophostemon confertus	紅膠木	10.0	3.0	0.27	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T1123	437	Pterocarpus indicus	紫檀	7.5	2.5	0.15	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T1124	437	Pterocarpus indicus	紫檀	9.0	3.0	0.21	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T1125	437	Pterocarpus indicus	紫檀	9.0	3.5	0.23	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T1126	437	Thevetia peruviana	黃花夾竹桃	6.0	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/007	C04/015	YTM	T1127	437	Pterocarpus indicus	紫檀	7.0	2.0	0.12	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T1128	437	Thevetia peruviana	黃花夾竹桃	6.5	2.0	0.11	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1129	437	Thevetia peruviana	黃花夾竹桃	7.0	3.5	0.15	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1130	437	Thevetia peruviana	黃花夾竹桃	6.5	2.0	0.10	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1131	437	Thevetia peruviana	黃花夾竹桃	7.0	3.0	0.14	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1132	437	Thevetia peruviana	黃花夾竹桃	6.5	2.5	0.12	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1133	437	Thevetia peruviana	黃花夾竹桃	7.0	2.5	0.15	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1134	437	Thevetia peruviana	黃花夾竹桃	6.5	2.5	0.13	Poor	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T1135	437	Macaranga tanarius	血桐	4.0	1.5	0.12	Poor	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T1136	437	Morus alba	線	7.0	2.0	0.14	Poor	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1137	437	Bombax ceiba	木棉	12.5	4.0	0.34	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T1138	437	Celtis sinensis	朴樹	8.5	3.0	0.30	Good	Good	Med	Med	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	C04/015	YTM	T1139	437	Bombax ceiba	木棉	9.0	2.5	0.21	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T1140	437	Peltophorum pterocarpum	盾柱木	10.5	6.0	0.76	Good	Good	Med	Med	Retain
C04/010	C04/015	YTM	T1165	437	Thevetia peruviana	黄花夾竹桃	7.0	2.0	0.10	Fair	Fair	Med	Med	Fell
C04/010	C04/015	YTM	T1166	437	Bauhinia blakeana	洋紫荊	8.0	5.0	0.14	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1168	437	Bauhinia blakeana	洋紫荊	8.0	6.0	0.18	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1170	437	Bauhinia blakeana	洋紫荊	7.0	2.5	0.11	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1172	437	Bauhinia blakeana	洋紫荊	8.0	5.0	0.15	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1173	437	Bauhinia blakeana	洋紫荊	8.5	5.0	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1175	437	Bauhinia blakeana	洋紫荊	7.0	2.5	0.12	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1176	437	Bauhinia blakeana	洋紫荊	8.5	3.0	0.17	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1177	437	Bauhinia blakeana	洋紫荊	8.5	2.0	0.14	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1178	437	Bauhinia blakeana	洋紫荊	7.0	4.0	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1179	437	Bauhinia blakeana	洋紫荊	8.0	5.0	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1180	437	Delonix regia	鳳凰木	9.5	7.0	0.24	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1181	437	Acacia auriculiformis	耳果相思	8.0	5.0	0.23	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1182	437	Delonix regia	鳳凰木	8.0	3.0	0.19	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1184	437	Bischofia javanica	秋楓	8.0	4.0	0.13	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1189	437	Delonix regia	鳳凰木	8.5	3.0	0.20	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1190	437	Aleurites moluccana	石栗	8.0	2.5	0.16	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1191	437	Aleurites moluccana	石栗	6.0	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1193	437	Aleurites moluccana	石栗	7.0	3.0	0.16	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1197	437	Phoenix roebelenii	日本葵	5.0	2.0	0.11	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1198	437	Acacia auriculiformis	耳果相思	11.5	5.0	0.25	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1199	437	Erythrina variegata 'Picta'	花葉刺桐	8.0	2.0	0.21	Poor	Poor	Low	Low	Fell
C04/007	-	YTM	T1320	437	Caryota mitis	短穗魚尾葵	2.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	-	YTM	T1321	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.12	Fair	Fair	Low	Med	Retain
C04/007	-	YTM	T1322	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1323	437	Caryota mitis	短穗魚尾葵	5.0	2.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1324	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1325	437	Caryota mitis	短穗魚尾葵	6.0	2.0	0.10	Fair	Fair	Low	Med	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	C04/015	YTM	T1326	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1327	437	Caryota mitis	短穗魚尾葵	5.0	2.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1328	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1329	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1330	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1331	437	Caryota mitis	短穗魚尾葵	4.0	2.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1332	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1333	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.13	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1335	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1337	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1340	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1342	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1343	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1344	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1346	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1347	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1348	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1349	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1350	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1351	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1352	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1353	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.12	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1355	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.12	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1356	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.11	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1360	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1363	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1365	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.13	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1372	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.12	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1373	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.11	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1374	437	Caryota mitis	短穗魚尾葵	6.0	1.0	0.11	Fair	Fair	Low	Med	Fell

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	C04/015	YTM	T1375	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1376	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1377	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1378	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1379	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1380	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1381	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1382	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1383	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1384	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1385	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.11	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1386	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1390	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.11	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1394	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1396	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1397	437	Caryota mitis	短穗魚尾葵	5.0	1.0	0.11	Poor	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T1398	437	Caryota mitis	短穗魚尾葵	3.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	C04/015	YTM	T1399	437	Caryota mitis	短穗魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	Med	Retain
C04/006	-	YTM	T1644	437	Caryota mitis	短穗魚尾葵	4.0	2.0	0.10	Good	Good	Med	Med	Retain
C04/007	-	YTM	T1700	437	Melia azedarach	楝	15.0	8.0	0.50	Good	Good	High	Med	Retain
C04/007	-	YTM	T1702	437	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.16	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T1703	437	Celtis sinensis	朴樹	9.0	6.0	0.25	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T1704	437	Ficus microcarpa	細葉榕	5.0	4.0	0.20	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T1705	437	Ficus microcarpa	細葉榕	8.0	12.0	0.26	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T1706	437	Ficus microcarpa	細葉榕	6.0	4.0	0.12	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T1707	437	Ficus microcarpa	細葉榕	6.0	6.0	0.18	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T1708	437	Ficus microcarpa	細葉榕	8.0	6.0	0.18	Fair	Fair	Med	Med	Retain
C04/007	=	YTM	T1709	437	Ficus microcarpa	細葉榕	9.0	6.0	0.16	Fair	Fair	Med	Med	Retain
C04/007	-	YTM	T1710	437	Ficus microcarpa	細葉榕	7.0	6.0	0.33	Fair	Fair	Med	Med	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	-	YTM	T1711	437	Ficus microcarpa	細葉榕	3.0	4.0	0.12	Fair	Fair	Med	Med	Retain
C04/005	-	YTM	T2293	437	Ficus microcarpa	細葉榕	5.0	1.0	0.10	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2300	437	Delonix regia	鳳凰木	7.0	5.0	0.21	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2301	437	Delonix regia	鳳凰木	7.0	5.0	0.19	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2302	437	Delonix regia	鳳凰木	9.0	5.0	0.24	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2303	437	Roystonea regia	王棕	8.0	2.5	0.40	Good	Good	High	Med	Transplant
C04/007	C04/015	YTM	T2304	437	Archontophoenix alexandrae	假檳榔	8.0	1.5	0.15	Fair	Fair	Low	Med	Fell
C04/007	C04/015	YTM	T2305	437	Acacia auriculiformis	耳果相思	8.0	2.5	0.23	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2306	437	Roystonea regia	王棕	8.5	2.5	0.41	Good	Good	High	Med	Transplant
C04/007	C04/015	YTM	T2307	437	Acacia auriculiformis	耳果相思	9.0	1.5	0.17	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2308	437	Acacia auriculiformis	耳果相思	6.0	1.5	0.16	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2309	437	Livistona chinensis	蒲葵	3.5	1.0	0.22	Good	Good	High	Med	Transplant
C04/007	C04/015	YTM	T2310	437	Livistona chinensis	蒲葵	6.0	1.5	0.24	Good	Good	High	Med	Transplant
C04/007	C04/015	YTM	T2311	437	Livistona chinensis	蒲葵	4.0	1.5	0.21	Good	Good	High	Med	Transplant
C04/007	C04/015	YTM	T2312	437	Livistona chinensis	蒲葵	4.0	1.5	0.20	Good	Good	High	Med	Transplant
C04/007	C04/015	YTM	T2314	437	Delonix regia	鳳凰木	9.0	3.0	0.24	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2315	437	Delonix regia	鳳凰木	9.5	2.5	0.21	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2316	437	Acacia auriculiformis	耳果相思	9.5	2.0	0.18	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2317	437	Delonix regia	鳳凰木	8.0	6.0	0.21	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2318	437	Acacia auriculiformis	耳果相思	5.0	2.0	0.13	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2319	437	Roystonea regia	王棕	9.5	3.5	0.31	Good	Good	High	Med	Transplant
C04/007	C04/015	YTM	T2320	437	Roystonea regia	王棕	9.5	3.5	0.26	Good	Good	High	Med	Transplant
C04/010	C04/015	YTM	T2356	437	Bauhinia blakeana	洋紫荊	6.0	2.0	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2357	437	Bauhinia blakeana	洋紫荊	5.5	1.0	0.12	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2358	437	Bauhinia blakeana	洋紫荊	6.0	3.0	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2359	437	Bauhinia blakeana	洋紫荊	5.0	1.0	0.18	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2360	437	Bauhinia blakeana	洋紫荊	9.0	3.0	0.14	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2361	437	Bauhinia blakeana	洋紫荊	3.5	1.5	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2362	437	Bauhinia blakeana	洋紫荊	4.5	2.0	0.21	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2363	437	Bauhinia blakeana	洋紫荊	5.0	1.5	0.11	Fair	Fair	Med	Med	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T2364	437	Bauhinia blakeana	洋紫荊	6.5	2.5	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2365	437	Bauhinia blakeana	洋紫荊	5.5	1.5	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2366	437	Bauhinia blakeana	洋紫荊	6.0	2.0	0.12	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2367	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2368	437	Delonix regia	鳳凰木	6.5	2.0	0.17	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2429	437	Melia azedarach	楝	11.0	3.5	0.49	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2430	437	Litsea glutinosa	潺槁樹	8.0	2.5	0.16	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2431	437	Eucalyptus citriodora	檸檬桉	9.0	3.5	0.38	Good	Good	Med	Med	Retain
C04/010	C04/015	YTM	T2432	437	Eucalyptus citriodora	檸檬桉	8.0	3.5	0.49	Good	Good	Med	Med	Retain
C04/010	C04/015	YTM	T2433	437	Ficus virens var. sublanceolata	大葉榕	12.0	10.0	0.36	Fair	Fair	Med	Low	Fell
C04/010	C04/015	YTM	T2434	437	Delonix regia	鳳凰木	12.0	12.0	0.54	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2435	437	Ficus virens var. sublanceolata	大葉榕	10.0	8.0	0.25	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2436	437	Eucalyptus citriodora	檸檬桉	8.0	3.5	0.32	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2437	437	Eucalyptus citriodora	檸檬桉	9.0	2.5	0.46	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2438	437	Bauhinia blakeana	洋紫荊	8.0	2.0	0.12	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2439	437	Macaranga tanarius	血桐	8.0	1.5	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2441	437	Bauhinia variegata	宮粉羊蹄甲	6.0	5.0	0.24	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2466	437	Livistona chinensis	蒲葵	5.0	3.0	0.22	Good	Fair	Med	Med	Transplant
C04/010	C04/015	YTM	T2468	437	Livistona chinensis	蒲葵	6.0	4.0	0.24	Good	Fair	Med	Med	Transplant
C04/010	C04/015	YTM	T2470	437	Livistona chinensis	蒲葵	7.5	1.0	0.13	Good	Good	Med	High	Fell
C04/010	C04/015	YTM	T2473	437	Bauhinia blakeana	洋紫荊	6.0	2.5	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2474	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.11	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2475	437	Bauhinia blakeana	洋紫荊	7.0	4.0	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2476	437	Bauhinia blakeana	洋紫荊	6.0	3.0	0.14	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2477	437	Bauhinia blakeana	洋紫荊	7.0	4.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2478	437	Bauhinia blakeana	洋紫荊	8.0	1.5	0.15	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2479	437	Bauhinia blakeana	洋紫荊	7.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2483	437	Bauhinia blakeana	洋紫荊	6.0	4.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2485	437	Bauhinia blakeana	洋紫荊	7.0	1.0	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2486	437	Bauhinia blakeana	洋紫荊	7.5	1.5	0.10	Fair	Poor	Low	Low	Fell

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T2487	437	Bauhinia blakeana	洋紫荊	8.0	1.0	0.15	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2489	437	Bauhinia blakeana	洋紫荊	5.0	1.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2491	437	Bauhinia purpurea	紅花羊蹄甲	7.0	1.5	0.18	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2492	437	Bauhinia blakeana	洋紫荊	7.5	5.0	0.11	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2495	437	Delonix regia	鳳凰木	8.0	3.0	0.16	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2496	437	Acacia auriculiformis	耳果相思	7.0	2.0	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2497	437	Delonix regia	鳳凰木	8.0	1.5	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2498	437	Delonix regia	鳳凰木	8.0	6.0	0.20	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2499	437	Livistona chinensis	蒲葵	4.0	2.0	0.21	Fair	Poor	Low	Med	Fell
C04/007	C04/015	YTM	T2502	437	Bauhinia blakeana	洋紫荊	3.0	4.0	0.13	Poor	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2503	437	Bauhinia variegata	宮粉羊蹄甲	7.5	5.0	0.17	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2504	437	Bauhinia blakeana	洋紫荊	7.0	2.5	0.10	Poor	Fair	Low	Low	Fell
C04/007	C04/015	YTM	T2505	437	Bauhinia blakeana	洋紫荊	7.0	1.5	0.10	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2506	437	Bauhinia variegata	宮粉羊蹄甲	6.0	1.0	0.15	Poor	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2507	437	Bauhinia blakeana	洋紫荊	6.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2509	437	Bauhinia blakeana	洋紫荊	6.0	4.0	0.14	Poor	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2510	437	Bauhinia blakeana	洋紫荊	6.5	2.5	0.15	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T2512	437	Bauhinia blakeana	洋紫荊	5.0	1.5	0.10	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2514	437	Phoenix roebelenii	日本葵	5.0	1.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2515	437	Cassia siamea	鐵刀木	10.0	2.0	0.20	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2516	437	Cassia siamea	鐵刀木	10.0	2.5	0.22	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2517	437	Cassia siamea	鐵刀木	10.0	2.0	0.20	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2518	437	Cassia siamea	鐵刀木	9.5	2.0	0.23	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2519	437	Terminalia catappa	欖仁樹	5.0	5.0	0.13	Fair	Poor	Low	Low	Fell
C04/007	-	YTM	T0846	437	Acacia auriculiformis	耳果相思	7.5	4.0	0.24	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0855	437	Acacia auriculiformis	耳果相思	7.0	2.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0861	437	Acacia auriculiformis	耳果相思	7.0	3.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0862	437	Acacia auriculiformis	耳果相思	7.5	3.0	0.23	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0872	437	Acacia auriculiformis	耳果相思	7.0	4.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0873	437	Acacia auriculiformis	耳果相思	7.0	2.0	0.12	Fair	Poor	Low	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	-	YTM	T0874	437	Acacia auriculiformis	耳果相思	7.0	2.0	0.20	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0889	437	Acacia auriculiformis	耳果相思	7.0	3.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0890	437	Acacia auriculiformis	耳果相思	8.0	3.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0898	437	Acacia auriculiformis	耳果相思	7.0	1.5	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0899	437	Acacia auriculiformis	耳果相思	6.0	2.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0900	437	Ficus benjamina	垂榕	6.0	5.0	0.15	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0901	437	Ficus benjamina	垂榕	6.0	5.0	0.12	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0902	437	Acacia confusa	台灣相思	7.0	4.0	0.16	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0905	437	Acacia auriculiformis	耳果相思	7.0	2.0	0.16	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0907	437	Bischofia javanica	秋楓	7.0	2.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0908	437	Bischofia javanica	秋楓	6.0	1.5	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0909	437	Bischofia javanica	秋楓	7.0	3.0	0.16	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0910	437	Acacia auriculiformis	耳果相思	7.0	2.0	0.18	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0911	437	Acacia auriculiformis	耳果相思	7.0	3.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0912	437	Ficus benjamina	垂榕	6.0	3.0	0.11	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0913	437	Ficus hispida	對葉榕	4.0	2.0	0.10	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0914	437	Bombax ceiba	木棉	5.0	3.0	0.19	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0914A	437	Ficus variegata	青果榕	4.0	3.0	0.12	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0915	437	Macaranga tanarius	血桐	6.0	3.0	0.18	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0916	437	Macaranga tanarius	血桐	3.0	5.0	0.10	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0917	437	Melia azedarach	楝	7.0	4.0	0.19	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0918	437	Macaranga tanarius	血桐	7.0	6.0	0.25	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0919	437	Macaranga tanarius	血桐	6.0	3.0	0.18	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0920	437	Macaranga tanarius	血桐	6.0	3.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0921	437	Mallotus paniculatus	白楸	5.0	2.0	0.11	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0922	437	Macaranga tanarius	血桐	5.0	2.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0923	437	Macaranga tanarius	血桐	6.5	3.0	0.22	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0924	437	Macaranga tanarius	血桐	7.0	2.0	0.18	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0925	437	Macaranga tanarius	血桐	6.0	2.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0926	437	Macaranga tanarius	血桐	7.0	2.0	0.23	Fair	Fair	Low	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	-	YTM	T0927	437	Macaranga tanarius	血桐	7.0	3.0	0.21	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0928	437	Macaranga tanarius	血桐	5.0	1.0	0.10	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0929	437	Macaranga tanarius	血桐	5.0	4.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0930	437	Macaranga tanarius	血桐	6.0	2.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0931	437	Macaranga tanarius	血桐	7.0	5.0	0.21	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0932	437	Macaranga tanarius	血桐	7.0	4.0	0.24	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0933	437	Macaranga tanarius	血桐	6.0	2.0	0.21	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0934	437	Macaranga tanarius	血桐	5.0	4.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0935	437	Macaranga tanarius	血桐	6.5	5.0	0.18	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0936	437	Macaranga tanarius	血桐	5.0	4.0	0.20	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0937	437	Macaranga tanarius	血桐	5.0	4.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0938	437	Macaranga tanarius	血桐	4.0	2.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0939	437	Macaranga tanarius	血桐	4.5	2.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0940	437	Macaranga tanarius	血桐	6.0	3.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0941	437	Macaranga tanarius	血桐	6.0	3.0	0.18	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0943	437	Macaranga tanarius	血桐	5.0	3.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0944	437	Macaranga tanarius	血桐	4.5	3.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0946	437	Macaranga tanarius	血桐	6.0	4.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0948	437	Mallotus paniculatus	白楸	7.0	2.0	0.16	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0949	437	Macaranga tanarius	血桐	6.0	4.0	0.16	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0950	437	Melia azedarach	楝	9.0	7.0	0.43	Fair	Fair	Med	Low	Retain
C04/007	-	YTM	T0951	437	Macaranga tanarius	血桐	5.0	3.0	0.12	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0952	437	Melia azedarach	楝	8.0	6.0	0.46	Fair	Fair	Med	Low	Retain
C04/007	-	YTM	T0953	437	Mallotus paniculatus	白楸	7.0	4.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0954	437	Macaranga tanarius	血桐	6.0	4.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0955	437	Celtis sinensis	朴樹	7.0	4.0	0.18	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0956	437	Litsea glutinosa	潺槁樹	4.0	3.5	0.14	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0957	437	Acacia confusa	台灣相思	8.0	6.0	0.24	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0958	437	Acacia confusa	台灣相思	7.0	3.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0959	437	Melia azedarach	楝	9.0	5.0	0.37	Fair	Fair	Med	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	-	YTM	T0960	437	Macaranga tanarius	血桐	6.0	3.0	0.16	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0962	437	Macaranga tanarius	血桐	6.0	4.0	0.19	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0963	437	Mallotus paniculatus	白楸	6.0	4.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0965	437	Macaranga tanarius	血桐	5.0	2.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0966	437	Macaranga tanarius	血桐	6.0	3.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0968	437	Mallotus paniculatus	白楸	7.0	2.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0969	437	Macaranga tanarius	血桐	7.0	3.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0970	437	Macaranga tanarius	血桐	4.5	3.0	0.11	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0971	437	Macaranga tanarius	血桐	5.0	3.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0976	437	Ficus benjamina	垂榕	7.0	5.0	0.17	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0977	437	Bischofia javanica	秋楓	6.5	2.0	0.10	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0978	437	Acacia auriculiformis	耳果相思	7.0	2.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0979	437	Ficus benjamina	垂榕	7.0	4.0	0.15	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T0980	437	Acacia auriculiformis	耳果相思	5.0	2.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0981	437	Acacia auriculiformis	耳果相思	8.0	3.0	0.20	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T0982	437	Acacia auriculiformis	耳果相思	7.5	3.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1242	437	Bauhinia blakeana	洋紫荊	6.0	6.0	0.24	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1243	437	Bauhinia blakeana	洋紫荊	7.0	4.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1244	437	Bauhinia blakeana	洋紫荊	7.0	5.0	0.25	Fair	Fair	Low	Low	Fell
C04/007	-	YTM	T1270	437	Macaranga tanarius	血桐	6.0	4.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1271	437	Macaranga tanarius	血桐	5.0	4.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1278	437	Macaranga tanarius	血桐	6.0	6.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1279	437	Bauhinia purpurea	紅花羊蹄甲	7.0	3.0	0.11	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1294	437	Broussonetia papyrifera	構樹	7.0	5.0	0.17	Poor	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T2000	437	Melia azedarach	楝	5.0	4.0	0.25	Good	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1141	437	Casuarina equisetifolia	木麻黃	12.0	6.0	0.61	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1142	437	Casuarina equisetifolia	木麻黃	11.5	6.0	0.41	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1143	437	Melia azedarach	棟	7.0	2.0	0.12	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1144	437	Macaranga tanarius	血桐	6.0	4.0	0.18	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1145	437	Thevetia peruviana	黃花夾竹桃	6.0	2.5	0.14	Fair	Poor	Low	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	C04/015	YTM	T1146	437	Cassia surattensis	黃槐	3.0	1.0	0.11	Poor	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1147	437	Casuarina equisetifolia	木麻黃	10.0	3.5	0.32	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1148	437	Bauhinia variegata	宮粉羊蹄甲	7.5	3.0	0.16	Fair	Fair	Low	Low	Retain
C04/007	C04/015	YTM	T1149	437	Casuarina equisetifolia	木麻黄	7.0	2.0	0.10	Poor	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1150	437	Casuarina equisetifolia	木麻黃	10.0	3.0	0.24	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1151	437	Celtis sinensis	朴樹	6.0	2.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1152	437	Casuarina equisetifolia	木麻黃	11.0	6.0	0.31	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1153	437	Casuarina equisetifolia	木麻黃	11.0	2.5	0.27	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1154	437	Lophostemon confertus	紅膠木	7.0	3.0	0.25	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1155	437	Casuarina equisetifolia	木麻黃	6.0	1.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1157	437	Bauhinia blakeana	洋紫荊	8.0	5.0	0.39	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T1235	437	Melia azedarach	楝	7.0	3.0	0.14	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1237	437	Macaranga tanarius	血桐	4.0	3.0	0.11	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T1238	437	Broussonetia papyrifera	構樹	6.0	4.5	0.16	Fair	Poor	Low	Low	Retain
C04/007	C04/015	YTM	T1240	437	Acacia confusa	台灣相思	7.0	5.0	0.28	Fair	Poor	Low	Low	Fell
C04/007	C04/015	YTM	T1241	437	Acacia confusa	台灣相思	8.0	5.0	0.38	Fair	Poor	Low	Low	Fell
C04/007	-	YTM	T1256	437	Caryota mitis	短穗魚尾葵	5.0	2.0	0.10	Fair	Fair	Low	Med	Retain
C04/007	-	YTM	T1257	437	Caryota mitis	短穗魚尾葵	5.0	2.0	0.15	Fair	Fair	Low	Med	Retain
C04/007	-	YTM	T1259	437	Bauhinia purpurea	紅花羊蹄甲	5.0	3.0	0.10	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1260	437	Bauhinia blakeana	洋紫荊	6.0	5.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1261	437	Bauhinia blakeana	洋紫荊	7.0	4.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1263	437	Bauhinia blakeana	洋紫荊	8.0	5.0	0.22	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1264	437	Bombax ceiba	木棉	6.0	3.0	0.13	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1265	437	Broussonetia papyrifera	構樹	8.0	7.0	0.22	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T1266	437	Macaranga tanarius	血桐	6.0	6.0	0.22	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1267	437	Bauhinia purpurea	紅花羊蹄甲	7.0	6.0	0.23	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1268	437	Caryota mitis	短穗魚尾葵	4.0	2.0	0.18	Fair	Fair	Low	Med	Retain
C04/007	-	YTM	T1269	437	Macaranga tanarius	血桐	5.0	3.0	0.17	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1272	437	Macaranga tanarius	血桐	7.0	5.0	0.16	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1273	437	Macaranga tanarius	血桐	7.0	4.0	0.15	Fair	Poor	Low	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/008	-	YTM	T1290	437	Macaranga tanarius	血桐	8.0	5.0	0.18	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1292	437	Macaranga tanarius	血桐	6.0	2.0	0.14	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1293	437	Macaranga tanarius	血桐	5.0	3.0	0.11	Poor	Poor	Low	Low	Retain
C04/008	-	YTM	T1295	437	Macaranga tanarius	血桐	1.5	1.0	0.12	Poor	Poor	Low	Low	Retain
C04/008	-	YTM	T1300	437	Broussonetia papyrifera	構樹	6.0	3.0	0.10	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1301	437	Bombax ceiba	木棉	13.0	5.0	0.30	Fair	Fair	Low	Low	Retain
C04/008	-	YTM	T1302	437	Bombax ceiba	木棉	12.0	4.0	0.25	Fair	Fair	Low	Low	Retain
C04/008	-	YTM	T1303	437	Morus alba	桑	5.0	3.0	0.14	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1304	437	Macaranga tanarius	血桐	5.0	4.0	0.14	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1306	437	Morus alba	桑	6.0	3.0	0.14	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1307	437	Bombax ceiba	木棉	7.0	3.0	0.17	Fair	Fair	Low	Low	Retain
C04/008	-	YTM	T1308	437	Broussonetia papyrifera	構樹	6.0	2.0	0.10	Fair	Fair	Low	Low	Retain
C04/008	-	YTM	T1309	437	Macaranga tanarius	血桐	6.0	5.0	0.20	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1310	437	Macaranga tanarius	血桐	7.0	2.0	0.13	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1311	437	Broussonetia papyrifera	構樹	6.0	3.0	0.13	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1312	437	Broussonetia papyrifera	構樹	6.0	3.0	0.12	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1313	437	Macaranga tanarius	血桐	6.0	3.0	0.19	Fair	Poor	Low	Low	Retain
C04/008	-	YTM	T1319	437	Macaranga tanarius	血桐	5.0	4.0	0.14	Fair	Poor	Low	Low	Retain
C04/010	-	YTM	T0984	437	Bauhinia purpurea	紅花羊蹄甲	7.0	5.0	0.14	Fair	Fair	Low	Low	Retain
C04/010	-	YTM	T0985	437	Macaranga tanarius	血桐	5.0	5.0	0.17	Fair	Fair	Low	Low	Fell
C04/010	-	YTM	T0986	437	Bauhinia purpurea	紅花羊蹄甲	5.0	2.0	0.14	Poor	Fair	Low	Low	Fell
C04/010	-	YTM	T0987	437	Bauhinia purpurea	紅花羊蹄甲	5.0	3.0	0.17	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T0988	437	Pterocarpus indicus	紫檀	7.0	3.0	0.15	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T0989	437	Bauhinia variegata	宮粉羊蹄甲	7.0	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T0990	437	Crateva unilocularis	樹頭菜	4.5	2.0	0.14	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T0991	437	Peltophorum pterocarpum	盾柱木	9.0	5.0	0.37	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T0992	437	Bauhinia variegata	宮粉羊蹄甲	6.0	4.0	0.11	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T0993	437	Crateva unilocularis	樹頭菜	5.0	2.5	0.10	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T0994	437	Peltophorum pterocarpum	盾柱木	9.0	5.0	0.50	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T0995	437	Terminalia catappa	欖仁樹	8.0	5.0	0.38	Fair	Fair	Low	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T0996	437	Terminalia catappa	欖仁樹	8.5	4.0	0.32	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T0997	437	Macaranga tanarius	血桐	7.0	3.0	0.15	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T0998	437	Macaranga tanarius	血桐	5.0	5.0	0.12	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T0999	437	Macaranga tanarius	血桐	5.0	1.0	0.10	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T1025	437	Caryota mitis	短穗魚尾葵	5.0	2.0	0.13	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1026	437	Caryota mitis	短穗魚尾葵	6.0	2.0	0.10	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1027	437	Melia azedarach	楝	7.0	5.0	0.42	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1028	437	Vitex quinata	山牡荊	5.0	2.5	0.13	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1029	437	Vitex quinata	山牡荊	5.0	3.0	0.30	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1031	437	Melia azedarach	棟	10.0	5.5	0.20	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1032	437	Melia azedarach	楝	9.0	4.0	0.17	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1033	437	Melia azedarach	楝	6.0	4.0	0.19	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1034	437	Melia azedarach	楝	7.0	4.0	0.21	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1035	437	Bauhinia variegata	宮粉羊蹄甲	4.0	3.0	0.19	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1036	437	Litsea glutinosa	潺槁樹	3.0	1.5	0.13	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1037	437	Melia azedarach	楝	11.0	6.5	0.55	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1038	437	Sapindus mukorossi	無患子	5.0	1.0	0.14	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1039	437	Sapindus mukorossi	無患子	3.0	3.0	0.22	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1040	437	Musa paradisiaca	甘蕉	2.0	1.0	0.11	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1041	437	Melaleuca leucadendron	白千層	7.0	3.0	0.25	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1042	437	Celtis sinensis	朴樹	7.0	2.0	0.25	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1043	437	Bauhinia purpurea	紅花羊蹄甲	5.0	3.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1044	437	Bauhinia purpurea	紅花羊蹄甲	6.0	4.0	0.22	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1045	437	Melaleuca leucadendron	白千層	7.0	2.0	0.31	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1046	437	Melaleuca leucadendron	白千層	7.0	2.5	0.30	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1047	437	Bauhinia purpurea	紅花羊蹄甲	4.0	2.0	0.13	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1048	437	Melaleuca leucadendron	白千層	8.0	4.0	0.38	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1049	437	Melaleuca leucadendron	白千層	8.0	5.0	0.32	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1051	437	Ailanthus fordii	常綠臭椿	8.0	1.0	0.11	Fair	Poor	Med	Low	Fell
C04/010	C04/015	YTM	T1052	437	Bauhinia blakeana	洋紫荊	8.0	3.5	0.22	Poor	Poor	Low	Low	Fell

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)	1	HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T1053	437	Bauhinia blakeana	洋紫荊	7.5	2.0	0.16	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1054	437	Ailanthus fordii	常綠臭椿	11.5	4.0	0.23	Fair	Fair	Med	Low	Fell
C04/010	C04/015	YTM	T1055	437	Ailanthus fordii	常綠臭椿	11.0	3.5	0.28	Fair	Fair	Med	Low	Fell
C04/010	C04/015	YTM	T1056	437	Cassia fistula	豬腸豆	7.0	4.0	0.19	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1057	437	Bauhinia purpurea	紅花羊蹄甲	8.0	5.0	0.15	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1058	437	Bauhinia blakeana	洋紫荊	8.5	3.0	0.20	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1059	437	Ailanthus fordii	常綠臭椿	13.0	3.0	0.20	Fair	Poor	Med	Low	Fell
C04/010	C04/015	YTM	T1062	437	Bauhinia variegata	宮粉羊蹄甲	7.5	3.0	0.17	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1158	437	Celtis sinensis	朴樹	7.0	3.0	0.17	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T1159	437	Bauhinia variegata	宮粉羊蹄甲	8.0	5.0	0.16	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T1161	437	Celtis sinensis	朴樹	7.0	3.0	0.19	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T1162	437	Celtis sinensis	朴樹	7.0	3.0	0.23	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T1164	437	Celtis sinensis	朴樹	6.0	2.0	0.10	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T1183	437	Delonix regia	鳳凰木	8.0	5.0	0.26	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1185	437	Acacia auriculiformis	耳果相思	6.0	2.0	0.11	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1186	437	Melia azedarach	楝	8.0	6.0	0.33	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1188	437	Aleurites moluccana	石栗	7.0	3.0	0.15	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T1194	437	Aleurites moluccana	石栗	7.0	5.5	0.36	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1195	437	Aleurites moluccana	石栗	8.0	6.0	0.43	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T1196	437	Melia azedarach	棟	10.0	8.0	0.51	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2003	437	Bischofia javanica	秋楓	8.0	3.0	0.36	Fair	Good	Med	Low	Retain
C04/010	C04/015	YTM	T2004	437	Macaranga tanarius	血桐	5.0	4.0	0.15	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2005	437	Bombax ceiba	木棉	9.0	3.0	0.39	Good	Fair	Med	Low	Fell
C04/010	C04/015	YTM	T2006	437	Bischofia javanica	秋楓	8.0	4.0	0.33	Good	Fair	Med	Low	Fell
C04/010	C04/015	YTM	T2008	437	Melia azedarach	棟	6.0	4.0	0.19	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2009	437	Bombax ceiba	木棉	8.0	5.0	0.30	Fair	Fair	Med	Low	Retain
C04/010	C04/015	YTM	T2010	437	Macaranga tanarius	血桐	4.0	3.0	0.10	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2011	437	Litsea glutinosa	潺槁樹	7.0	5.0	0.22	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2012	437	Macaranga tanarius	血桐	3.0	2.0	0.11	Fair	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2013	437	Macaranga tanarius	血桐	6.0	2.0	0.23	Fair	Fair	Low	Low	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T2014	437	Caryota mitis	短穗魚尾葵	6.0	3.0	0.13	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2015	437	Melia azedarach	棟	9.0	6.0	0.37	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2016	437	Macaranga tanarius	血桐	7.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2017	437	Terminalia catappa	欖仁樹	5.0	2.0	0.21	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2018	437	Ficus hispida	對葉榕	5.0	1.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2019	437	Mangifera indica	芒果	4.0	2.0	0.15	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2020	437	Mangifera indica	芒果	8.0	5.0	0.32	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2021	437	Mangifera indica	芒果	6.0	4.0	0.23	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2022	437	Mangifera indica	芒果	4.0	2.0	0.17	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2023	437	Macaranga tanarius	血桐	6.0	3.0	0.18	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2024	437	Macaranga tanarius	血桐	7.0	4.0	0.18	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2025	437	Celtis sinensis	朴樹	7.0	4.0	0.23	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2026	437	Lophostemon confertus	紅膠木	7.0	5.0	0.24	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2027	437	Ficus microcarpa	細葉榕	4.0	3.0	0.10	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2028	437	Litsea glutinosa	潺槁樹	4.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2029	437	Broussonetia papyrifera	構樹	5.0	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2030	437	Livistona chinensis	蒲葵	6.0	3.0	0.38	Fair	Fair	Low	Med	Retain
C04/010	C04/015	YTM	T2031	437	Bombax ceiba	木棉	8.0	4.0	0.27	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2032	437	Bombax ceiba	木棉	7.0	4.0	0.23	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2033	437	Peltophorum pterocarpum	盾柱木	8.0	3.0	0.40	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2034	437	Bombax ceiba	木棉	7.0	2.0	0.25	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2038	437	Caryota mitis	短穗魚尾葵	4.0	2.5	0.11	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2039	437	Macaranga tanarius	血桐	4.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2040	437	Macaranga tanarius	血桐	5.0	4.0	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2041	437	Macaranga tanarius	血桐	5.0	4.0	0.11	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2042	437	Crateva unilocularis	樹頭菜	4.0	4.0	0.14	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2043	437	Morus alba	桑	5.0	4.0	0.10	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2044	437	Macaranga tanarius	血桐	4.0	6.0	0.17	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2045	437	Celtis sinensis	朴樹	3.0	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2045A	437	Morus alba	桑	5.0	2.0	0.12	Fair	Poor	Low	Low	Fell

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T2060	437	Ficus variegata	青果榕	6.0	2.0	0.19	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2061	437	Peltophorum pterocarpum	盾柱木	8.0	5.0	0.24	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2062	437	Caryota mitis	短穗魚尾葵	6.0	2.0	0.12	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2063	437	Bauhinia purpurea	紅花羊蹄甲	6.0	3.0	0.18	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2065	437	Bombax ceiba	木棉	8.0	2.0	0.20	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2066	437	Peltophorum pterocarpum	盾柱木	8.0	3.0	0.32	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2067	437	Melia azedarach	楝	8.0	3.0	0.29	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2068	437	Aleurites moluccana	石栗	6.0	1.0	0.11	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2069	437	Peltophorum pterocarpum	盾柱木	8.5	5.0	0.31	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2070	437	Aleurites moluccana	石栗	9.0	4.0	0.49	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2071	437	Caryota mitis	短穗魚尾葵	6.0	2.0	0.17	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2072	437	Caryota mitis	短穗魚尾葵	5.0	2.0	0.10	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2073	437	Aleurites moluccana	石栗	8.0	3.0	0.20	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2074	437	Cratoxylum cochinchinense	黃牛木	3.0	1.0	0.11	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2075	437	Aleurites moluccana	石栗	9.0	4.0	0.41	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2076	437	Aleurites moluccana	石栗	9.0	4.0	0.40	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2077	437	Aleurites moluccana	石栗	9.0	5.0	0.42	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2078	437	Caryota mitis	短穗魚尾葵	6.0	3.0	0.13	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2079	437	Caryota mitis	短穗魚尾葵	6.0	1.5	0.13	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2080	437	Aleurites moluccana	石栗	9.0	4.0	0.48	Poor	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2081	437	Caryota mitis	短穗魚尾葵	6.0	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/007	C04/015	YTM	T2321	437	Bauhinia blakeana	洋紫荊	7.0	2.5	0.17	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2322	437	Bauhinia blakeana	洋紫荊	5.0	1.5	0.13	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2323	437	Acacia auriculiformis	耳果相思	8.0	3.0	0.20	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2324	437	Bauhinia blakeana	洋紫荊	5.0	3.0	0.17	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2325	437	Acacia auriculiformis	耳果相思	8.0	2.0	0.20	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2326	437	Acacia auriculiformis	耳果相思	6.0	1.5	0.15	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2327	437	Acacia auriculiformis	耳果相思	6.0	2.0	0.16	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2328	437	Acacia auriculiformis	耳果相思	5.5	1.5	0.13	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2329	437	Ficus benjamina	垂榕	7.5	3.5	0.20	Good	Fair	Med	High	Retain

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/007	C04/015	YTM	T2330	437	Acacia auriculiformis	耳果相思	5.0	1.5	0.12	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2331	437	Acacia auriculiformis	耳果相思	6.0	2.0	0.11	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2332	437	Acacia auriculiformis	耳果相思	6.5	1.5	0.10	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2333	437	Bauhinia blakeana	洋紫荊	5.0	3.0	0.11	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2334	437	Bauhinia blakeana	洋紫荊	3.0	1.0	0.10	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2335	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.11	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2336	437	Bauhinia blakeana	洋紫荊	4.5	6.0	0.25	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2337	437	Bauhinia blakeana	洋紫荊	7.0	2.0	0.12	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2338	437	Bauhinia blakeana	洋紫荊	8.0	2.5	0.14	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2339	437	Bauhinia blakeana	洋紫荊	7.0	1.5	0.00	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2340	437	Bauhinia blakeana	洋紫荊	6.0	2.0	0.14	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2341	437	Bauhinia blakeana	洋紫荊	7.0	1.5	0.16	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2342	437	Bauhinia blakeana	洋紫荊	5.0	1.0	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2343	437	Bauhinia blakeana	洋紫荊	4.5	1.5	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2344	437	Bauhinia blakeana	洋紫荊	6.5	2.5	0.15	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2345	437	Bauhinia blakeana	洋紫荊	4.5	2.0	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2346	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2347	437	Bauhinia blakeana	洋紫荊	4.0	2.0	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2348	437	Bauhinia blakeana	洋紫荊	5.0	1.5	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2349	437	Bauhinia blakeana	洋紫荊	6.0	2.5	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2350	437	Bauhinia blakeana	洋紫荊	6.0	2.5	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2351	437	Bauhinia blakeana	洋紫荊	6.0	2.0	0.13	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2352	437	Bauhinia blakeana	洋紫荊	5.5	2.0	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2353	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.10	Fair	Fair	Med	Med	Fell
C04/010	C04/015	YTM	T2354	437	Bauhinia blakeana	洋紫荊	5.0	2.5	0.14	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2355	437	Bauhinia blakeana	洋紫荊	8.0	2.5	0.15	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2369	437	Delonix regia	鳳凰木	9.0	3.0	0.25	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2370	437	Delonix regia	鳳凰木	6.0	1.5	0.12	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2371	437	Delonix regia	鳳凰木	9.0	1.5	0.18	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2372	437	Delonix regia	鳳凰木	10.0	2.0	0.16	Fair	Fair	Med	Med	Fell

REFER TO DRAWING	REFER TO BLOW-UP					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/T/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/010	C04/015	YTM	T2373	437	Delonix regia	鳳凰木	10.0	2.0	0.13	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2374	437	Delonix regia	鳳凰木	10.0	2.5	0.16	Fair	Fair	Med	Med	Fell
C04/010	C04/015	YTM	T2375	437	Acacia auriculiformis	耳果相思	9.0	2.5	0.17	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2376	437	Delonix regia	鳳凰木	4.0	1.0	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2377	437	Delonix regia	鳳凰木	10.0	2.0	0.18	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2378	437	Acacia auriculiformis	耳果相思	8.0	3.0	0.26	Fair	Fair	Med	Med	Fell
C04/010	C04/015	YTM	T2379	437	Delonix regia	鳳凰木	10.0	1.0	0.14	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2380	437	Acacia auriculiformis	耳果相思	8.0	2.0	0.14	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2381	437	Acacia auriculiformis	耳果相思	10.0	2.0	0.18	Poor	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2382	437	Melaleuca leucadendron	白千層	10.0	2.0	0.17	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2383	437	Melaleuca leucadendron	白千層	9.5	3.5	0.35	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2384	437	Acacia auriculiformis	耳果相思	7.0	3.5	0.30	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2385	437	Acacia auriculiformis	耳果相思	7.5	1.5	0.14	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2386	437	Cassia siamea	鐵刀木	6.0	2.0	0.18	Good	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2387	437	Cassia siamea	鐵刀木	7.0	1.5	0.26	Good	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2388	437	Acacia auriculiformis	耳果相思	9.0	2.5	0.28	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2390	437	Acacia auriculiformis	耳果相思	4.0	1.0	0.19	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2391	437	Bombax ceiba	木棉	6.0	2.5	0.21	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2392	437	Bombax ceiba	木棉	4.0	1.0	0.10	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2393	437	Cassia siamea	鐵刀木	6.0	1.5	0.10	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2394	437	Acacia auriculiformis	耳果相思	10.0	3.5	0.28	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2395	437	Acacia auriculiformis	耳果相思	7.0	1.0	0.14	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2396	437	Acacia auriculiformis	耳果相思	9.0	1.5	0.16	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2397	437	Acacia auriculiformis	耳果相思	9.0	1.5	0.16	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2398	437	Acacia auriculiformis	耳果相思	7.0	3.0	0.16	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2399	437	Acacia auriculiformis	耳果相思	10.0	2.0	0.18	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2400	437	Broussonetia papyrifera	構樹	10.0	2.5	0.20	Fair	Fair	Low	Low	Fell
C04/007	C04/015	YTM	T2401	437	Acacia auriculiformis	耳果相思	6.0	2.5	0.13	Good	Good	Med	Med	Retain
C04/007	C04/015	YTM	T2402	437	Acacia auriculiformis	耳果相思	11.0	3.0	0.23	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2403	437	Acacia auriculiformis	耳果相思	11.0	2.0	0.19	Fair	Fair	Med	Med	Retain

REFER TO DRAWING NO. (C1106/T/000/ATK/)	REFER TO BLOW-UP DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	CHINESE COMMON NAME		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	RECOMMENDATION
							OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	
C04/007	C04/015	YTM	T2404	437	Acacia auriculiformis	耳果相思	10.0	2.0	0.23	Fair	Fair	Med	Med	Fell
C04/007	C04/015	YTM	T2405	437	Acacia auriculiformis	耳果相思	9.0	2.5	0.18	Fair	Fair	Med	Med	Retain
C04/007	C04/015	YTM	T2406	437	Acacia auriculiformis	耳果相思	7.0	1.5	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2407	437	Casuarina equisetifolia	木麻黃	7.0	3.0	0.60	Good	Good	Low	Low	Retain
C04/010	C04/015	YTM	T2408	437	Peltophorum pterocarpum	盾柱木	12.0	5.0	0.64	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2409	437	Casuarina equisetifolia	木麻黄	10.0	5.0	0.43	Good	Fair	Med	Low	Retain
C04/010	C04/015	YTM	T2410	437	Peltophorum pterocarpum	盾柱木	10.0	2.5	0.10	Fair	Fair	Med	Low	Retain
C04/010	C04/015	YTM	T2411	437	Peltophorum pterocarpum	盾柱木	9.0	2.5	0.21	Good	Fair	Med	Low	Retain
C04/010	C04/015	YTM	T2412	437	Peltophorum pterocarpum	盾柱木	12.0	5.0	0.49	Good	Fair	Med	Low	Retain
C04/010	C04/015	YTM	T2413	437	Melaleuca leucadendron	白千層	13.0	5.0	0.61	Fair	Fair	Med	Med	Fell
C04/010	C04/015	YTM	T2414	437	Bauhinia blakeana	洋紫荊	6.0	1.5	0.17	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2415	437	Casuarina equisetifolia	木麻黃	8.0	5.0	0.33	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2416	437	Melia azedarach	棟	10.0	1.5	0.31	Good	Good	High	Med	Retain
C04/010	C04/015	YTM	T2417	437	Melia azedarach	棟	8.0	5.0	0.35	Good	Good	High	Med	Retain
C04/010	C04/015	YTM	T2418	437	Melia azedarach	棟	8.0	5.0	0.51	Good	Good	High	Med	Fell
C04/010	C04/015	YTM	T2419	437	Litsea glutinosa	潺槁樹	5.0	1.0	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2420	437	Melia azedarach	棟	6.0	1.5	0.13	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2421	437	Melia azedarach	棟	7.5	2.5	0.34	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2422	437	Litsea glutinosa	潺槁樹	8.0	2.0	0.35	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2423	437	Melia azedarach	棟	3.5	1.0	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2424	437	Litsea glutinosa	潺槁樹	6.0	1.0	0.18	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2425	437	Litsea glutinosa	潺槁樹	6.0	1.0	0.17	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2426	437	Litsea glutinosa	潺槁樹	5.0	1.0	0.14	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2427	437	Melia azedarach	棟	6.0	1.5	0.13	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2428	437	Litsea glutinosa	潺槁樹	7.5	1.5	0.22	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2440	437	Bauhinia variegata	宮粉羊蹄甲	7.0	1.5	0.12	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2442	437	Morus alba	桑	5.0	1.5	0.17	Fair	Poor	Low	Low	Fell
C04/010	C04/015	YTM	T2443	437	Bauhinia blakeana	洋紫荊	4.0	1.0	0.10	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2444	437	Bauhinia variegata	宮粉羊蹄甲	7.0	1.5	0.15	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2445	437	Melia azedarach	棟	4.5	1.0	0.10	Good	Fair	Med	Med	Retain

REFER TO DRAWING NO. (C1106/T/000/ATK/)	REFER TO BLOW-UP DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	CHINESE COMMON NAME		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	RECOMMENDATION
							OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	
C04/010	C04/015	YTM	T2446	437	Litsea glutinosa	潺槁樹	9.0	1.5	0.24	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2447	437	Melia azedarach	棟	7.0	1.5	0.13	Good	Fair	Med	Med	Fell
C04/010	C04/015	YTM	T2448	437	Macaranga tanarius	血桐	12.0	2.5	0.35	Fair	Fair	Low	Low	Fell
C04/010	C04/015	YTM	T2449	437	Melaleuca leucadendron	白千層	8.0	1.5	0.15	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2450	437	Caryota mitis	短穗魚尾葵	10.0	1.0	0.16	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2451	437	Litsea glutinosa	潺槁樹	4.0	1.5	0.11	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2452	437	Macaranga tanarius	血桐	5.5	1.5	0.12	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2453	437	Macaranga tanarius	血桐	9.0	1.5	0.12	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2454	437	Melaleuca leucadendron	白千層	9.0	1.5	0.12	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2455	437	Melaleuca leucadendron	白千層	6.5	1.0	0.16	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2456	437	Macaranga tanarius	血桐	8.5	1.5	0.23	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2457	437	Macaranga tanarius	血桐	6.5	2.5	0.13	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2458	437	Macaranga tanarius	血桐	9.0	2.0	0.18	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2471	437	Melia azedarach	楝	8.0	1.5	0.14	Good	Good	Med	Med	Retain
C04/010	C04/015	YTM	T2472	437	Melia azedarach	棟	12.0	2.0	0.26	Good	Good	Med	Med	Retain
C04/007	-	YTM	T1245	437	Albizia lebbek	大葉合歡	8.0	6.0	0.30	Fair	Fair	Low	Low	Retain
C04/007	-	YTM	T1246	437	Bauhinia variegata	宮粉羊蹄甲	6.0	5.0	0.15	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1247	437	Bauhinia blakeana	洋紫荊	6.0	5.0	0.18	Fair	Poor	Low	Low	Fell
C04/007	-	YTM	T1248	437	Bauhinia blakeana	洋紫荊	8.0	3.0	0.22	Fair	Poor	Low	Low	Retain
C04/007	-	YTM	T1251	437	Melia azedarach	楝	10.0	7.0	0.32	Fair	Fair	Low	Low	Retain
C04/009	-	YTM	T0489	437	Aleurites moluccana	石栗	6.0	0.5	0.12	Fair	Fair	Med	Med	Retain
C04/009	-	YTM	T0490	437	Aleurites moluccana	石栗	10.0	2.5	0.30	Good	Good	Med	Med	Retain
C04/009	-	YTM	T0491	437	Liquidambar formosana	楓香	5.0	0.5	0.11	Fair	Fair	Med	Med	Retain
C04/009	-	YTM	T0492	437	Aleurites moluccana	石栗	12.0	1.5	0.28	Good	Good	High	Med	Retain
C04/009	-	YTM	T0493	437	Symplocos lucida	光亮山礬	5.0	2.0	0.12	Fair	Fair	Med	Med	Retain
C04/009	-	YTM	T0494	437	Liquidambar formosana	楓香	4.0	1.5	0.12	Poor	Poor	Low	Low	Retain
C04/009	-	YTM	T0495	437	Choerospondias axillaris	南酸棗	10.0	1.0	0.33	Fair	Fair	Med	Med	Retain
C04/009	-	YTM	T0496	437	Choerospondias axillaris	南酸棗	9.0	1.0	0.42	Good	Fair	Med	Med	Retain
C04/009	-	YTM	T0497	437	Lophostemon confertus	紅膠木	6.0	1.0	0.12	Fair	Fair	Med	Med	Retain
C04/009	-	YTM	T0498	437	Lophostemon confertus	紅膠木	5.0	2.0	0.16	Fair	Poor	Low	Low	Retain

REFER TO DRAWING NO. (C1106/T/000/ATK/)	REFER TO BLOW-UP DRAWING NO. (C1106/T/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	CHINESE COMMON NAME	SIZE (m)			HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
							OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/P oor)	(Good/Fair/P oor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/009	-	YTM	T0499	437	Lophostemon confertus	紅膠木	5.0	1.5	0.16	Fair	Poor	Low	Low	Retain
C04/009	-	YTM	T2117	437	Macaranga tanarius	血桐	3.0	3.0	0.16	Fair	Fair	Low	Low	Retain
C04/009	-	YTM	T2118	437	Macaranga tanarius	血桐	3.0	3.0	0.17	Fair	Fair	Low	Low	Retain
C04/009	-	YTM	T2119	437	Macaranga tanarius	血桐	3.0	3.0	0.19	Fair	Fair	Low	Low	Retain
C04/009	-	YTM	T2120	437	Aleurites moluccana	石栗	5.0	2.0	0.18	Good	Fair	Med	Med	Retain
C04/009	-	YTM	T2162	437	Aleurites moluccana	石栗	8.0	5.0	0.43	Good	Good	Med	Med	Retain
C04/009	-	YTM	T2163	437	Aleurites moluccana	石栗	8.0	3.0	0.21	Good	Good	Med	Med	Retain
C04/009	-	YTM	T2164	437	Aleurites moluccana	石栗	8.0	3.0	0.16	Good	Good	Med	Med	Retain
C04/009	-	YTM	T2165	437	Celtis sinensis	朴樹	8.0	4.0	0.19	Fair	Fair	Med	Med	Retain
C04/009	-	YTM	T2166	437	Albizia lebbek	大葉合歡	7.0	4.0	0.35	Fair	Fair	Med	Med	Retain
C04/010	C04/015	YTM	T2047	437	Melia azedarach	棟	4.0	2.0	0.14	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2048	437	Macaranga tanarius	血桐	4.0	2.0	0.17	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2049	437	Bauhinia variegata	宮粉羊蹄甲	4.0	2.0	0.14	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2050	437	Bauhinia variegata	宮粉羊蹄甲	4.0	2.0	0.17	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2051	437	Bauhinia variegata	宮粉羊蹄甲	4.0	2.0	0.18	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2052	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.27	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2053	437	Ficus hispida	對葉榕	3.0	2.0	0.10	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2054	437	Bauhinia variegata	宮粉羊蹄甲	7.0	5.0	0.16	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2055	437	Bauhinia variegata	宮粉羊蹄甲	8.0	5.0	0.20	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2057	437	Bauhinia variegata	宮粉羊蹄甲	7.0	3.0	0.18	Poor	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2058	437	Bauhinia variegata	宮粉羊蹄甲	6.0	4.0	0.15	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2059	437	Bombax ceiba	木棉	4.0	2.0	0.17	Poor	Poor	Low	Low	Retain
C04/010	C04/015	YTM	T2059A	437	Macaranga tanarius	血桐	4.0	5.0	0.10	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2059B	437	Macaranga tanarius	血桐	4.0	5.0	0.10	Fair	Fair	Low	Low	Retain
C04/010	C04/015	YTM	T2084	437	Ficus microcarpa	細葉榕	7.0	5.0	0.21	Fair	Fair	Low	Low	Retain

Justifications for the trees to be transplanted or felled are as below:

⁽¹⁾ Direct conflicts to construction works;(2) Weak tree structure with potential for tree failure;

⁽³⁾ On slope and/or reasonable sized rootball preparation impractical;

 ⁽³⁾ On slope and/or reasonable sized rootball preparation impractic
 (4) Too large for transportation on public roads; and

⁽⁵⁾ Trees within operational railway area which is inaccessible for rootball preparation.

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	C04/114	KLC	T1900	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1901	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1902	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1908	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1909	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1910	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1911	437	Caryota ochlandra	魚尾葵	4.5	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1912	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1913	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1914	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1991	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1992	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1994	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1995	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1996	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1997	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1998	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1999	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2223	437	Caryota ochlandra	魚尾葵	2.5	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2224	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	-	KLC	T1712	437	Bauhinia blakeana	洋紫荊	4.0	2.0	0.18	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1713	437	Bauhinia blakeana	洋紫荊	3.5	2.0	0.16	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1714	437	Bauhinia blakeana	洋紫荊	5.0	1.0	0.15	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1716	438	Morus alba	桑	7.0	6.0	0.21	Fair	Poor	Low	Low	Fell
C04/108	-	KLC	T1725	438	Bombax ceiba	木棉	15.0	9.0	0.56	Poor	Fair	Med	Low	Fell
C04/108	-	KLC	T1726	438	Morus alba	桑	7.0	5.0	0.23	Fair	Fair	Low	Low	Fell
C04/108	-	KLC	T1727	438	Psidium guajava	番石榴	2.0	3.0	0.11	Fair	Fair	Low	Low	Fell
C04/108	-	KLC	T1727E	438	Ficus microcarpa	細葉榕	7.0	5.0	0.55	Fair	Fair	Low	Low	Fell
C04/108	-	KLC	T1727F	438	Celtis sinensis	朴樹	4.0	2.0	0.15	Poor	Poor	Low	Low	Fell
C04/108	-	KLC	T1727G	438	Ficus microcarpa	細葉榕	5.0	3.0	0.14	Poor	Fair	Low	Med	Fell
C04/108	-	KLC	T1727K	438	Clausena lansium	黄皮	3.0	2.0	0.11	Fair	Poor	Low	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	-	KLC	T1727L	438	Averrhoa carambola	楊桃	4.0	3.0	0.21	Fair	Fair	Low	Low	Fell
C04/108	-	KLC	T1730	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	-	KLC	T1731	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1732	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1733	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	-	KLC	T1734	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	-	KLC	T1735	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1736	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1737	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	-	KLC	T1738	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	-	KLC	T1739	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1740	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	-	KLC	T1741	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1742	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	-	KLC	T1743	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1744	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	-	KLC	T1745	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	-	KLC	T1746	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	-	KLC	T1747	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	-	KLC	T1748	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1787	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1788	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1789	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.15	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1790	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1791	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1792	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1793	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1794	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.12	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1795	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.13	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1796	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1797	437	Caryota ochlandra	魚尾葵	6.0	1.0	0.11	Fair	Fair	Low	High	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	-	KLC	T1798	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.11	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1799	437	Caryota ochlandra	魚尾葵	6.0	2.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1800	437	Caryota ochlandra	魚尾葵	6.0	1.0	0.11	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1801	437	Caryota ochlandra	魚尾葵	6.0	2.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1802	437	Caryota ochlandra	魚尾葵	6.0	2.0	0.13	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1803	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1804	437	Caryota ochlandra	魚尾葵	6.0	1.0	0.10	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1805	437	Caryota ochlandra	魚尾葵	6.0	1.0	0.14	Fair	Fair	Low	High	Retain
C04/108	-	KLC	T1806	437	Michelia alba	白蘭	8.0	4.0	0.15	Good	Good	High	Med	Retain
C04/108	-	KLC	T1807	437	Michelia alba	白蘭	8.0	4.0	0.18	Good	Good	High	Med	Retain
C04/108	-	KLC	T1808	437	Michelia alba	白蘭	8.0	4.0	0.14	Good	Good	High	Med	Retain
C04/108	-	KLC	T1809	437	Michelia alba	白蘭	8.0	4.0	0.12	Good	Good	High	Med	Retain
C04/108	-	KLC	T1810	437	Delonix regia	鳳凰木	8.0	6.0	0.22	Good	Good	High	Med	Retain
C04/108	-	KLC	T1811	437	Delonix regia	鳳凰木	8.0	5.0	0.20	Good	Good	High	Med	Retain
C04/108	-	KLC	T1812	437	Delonix regia	鳳凰木	8.0	4.0	0.21	Good	Good	High	Med	Retain
C04/108	-	KLC	T1813	437	Delonix regia	鳳凰木	9.0	5.0	0.25	Good	Good	High	Med	Retain
C04/108	-	KLC	T1814	437	Delonix regia	鳳凰木	8.0	6.0	0.26	Good	Good	High	Med	Retain
C04/108	-	KLC	T1815	437	Delonix regia	鳳凰木	8.0	6.0	0.22	Good	Good	High	Med	Retain
C04/108	-	KLC	T1816	437	Delonix regia	鳳凰木	8.0	6.0	0.28	Good	Good	High	Med	Retain
C04/108	-	KLC	T1817	437	Bauhinia blakeana	洋紫荊	5.0	4.0	0.13	Good	Good	Med	High	Retain
C04/108	-	KLC	T1818	437	Bauhinia blakeana	洋紫荊	4.0	3.0	0.14	Good	Good	Med	High	Retain
C04/108	-	KLC	T1819	437	Delonix regia	鳳凰木	5.0	5.0	0.19	Good	Good	High	Med	Retain
C04/108	-	KLC	T1820	437	Bauhinia blakeana	洋紫荊	6.0	4.0	0.14	Good	Good	Med	High	Retain
C04/108	-	KLC	T1821	437	Bauhinia blakeana	洋紫荊	4.0	3.0	0.11	Good	Good	Med	High	Retain
C04/108	-	KLC	T1822	437	Bauhinia blakeana	洋紫荊	5.0	3.0	0.10	Good	Good	Med	High	Retain
C04/108	-	KLC	T1823	437	Bauhinia blakeana	洋紫荊	5.0	3.0	0.19	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1824	437	Delonix regia	鳳凰木	11.0	6.0	0.21	Good	Good	High	Med	Retain
C04/108	-	KLC	T1825	437	Delonix regia	鳳凰木	9.0	6.0	0.25	Good	Good	High	Med	Retain
C04/108	-	KLC	T1826	437	Bauhinia blakeana	洋紫荊	4.0	2.0	0.11	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1827	437	Bauhinia blakeana	洋紫荊	4.0	3.0	0.11	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1828	437	Aleurites moluccana	石栗	12.0	6.0	0.36	Good	Good	Med	Med	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	-	KLC	T1829	437	Aleurites moluccana	石栗	15.0	6.0	0.31	Good	Good	Med	Med	Retain
C04/108	-	KLC	T1830	437	Cassia siamea	鐡刀木	16.0	7.0	0.40	Good	Good	High	Med	Retain
C04/108	-	KLC	T1831	437	Cassia siamea	鐡刀木	13.0	6.0	0.38	Good	Good	High	Med	Retain
C04/108	-	KLC	T1832	437	Livistona chinensis	蒲葵	2.0	1.0	0.20	Good	Good	High	High	Retain
C04/108	-	KLC	T1833	437	Livistona chinensis	蒲葵	1.5	1.0	0.29	Good	Good	High	High	Retain
C04/108	-	KLC	T1834	437	Livistona chinensis	蒲葵	2.0	1.0	0.20	Good	Good	High	High	Retain
C04/108	-	KLC	T1835	437	Livistona chinensis	蒲葵	2.0	1.0	0.21	Good	Good	High	High	Retain
C04/108	-	KLC	T1836	437	Cassia siamea	鐡刀木	15.0	6.0	0.33	Good	Good	High	Med	Retain
C04/108	-	KLC	T1837	437	Aleurites moluccana	石栗	14.0	5.0	0.24	Good	Good	Med	Med	Retain
C04/108	-	KLC	T1838	437	Aleurites moluccana	石栗	12.0	5.0	0.32	Good	Good	Med	Med	Retain
C04/108	-	KLC	T1839	437	Aleurites moluccana	石栗	12.0	5.0	0.29	Good	Good	Med	Med	Retain
C04/108	-	KLC	T1840	437	Aleurites moluccana	石栗	10.0	5.0	0.31	Good	Good	Med	Med	Retain
C04/108	-	KLC	T1841	437	Bauhinia blakeana	洋紫荊	5.0	3.0	0.21	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1842	437	Bauhinia blakeana	洋紫荊	4.0	2.0	0.13	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1843	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.16	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1844	437	Bauhinia blakeana	洋紫荊	3.5	3.0	0.11	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1845	437	Bauhinia blakeana	洋紫荊	5.0	1.5	0.13	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1846	437	Bauhinia blakeana	洋紫荊	4.0	1.0	0.11	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1847	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.13	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1848	437	Bauhinia blakeana	洋紫荊	8.0	4.0	0.27	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1849	437	Delonix regia	鳳凰木	11.0	6.0	0.26	Good	Good	High	Med	Retain
C04/108	-	KLC	T1850	437	Delonix regia	鳳凰木	12.0	5.0	0.22	Good	Good	High	Med	Retain
C04/108	-	KLC	T1851	437	Delonix regia	鳳凰木	16.0	5.0	0.33	Good	Good	High	Med	Retain
C04/108	-	KLC	T1852	437	Delonix regia	鳳凰木	14.0	3.0	0.20	Good	Good	High	Med	Retain
C04/108	-	KLC	T1853	437	Delonix regia	鳳凰木	13.0	4.0	0.26	Good	Good	High	Med	Retain
C04/108	-	KLC	T1854	437	Bauhinia blakeana	洋紫荊	4.0	1.0	0.10	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1855	437	Delonix regia	鳳凰木	10.0	6.0	0.16	Good	Good	High	Med	Retain
C04/108	-	KLC	T1856	437	Bauhinia blakeana	洋紫荊	6.0	3.0	0.10	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1857	437	Delonix regia	鳳凰木	8.0	4.0	0.19	Good	Good	High	Med	Retain
C04/108	-	KLC	T1858	437	Bauhinia blakeana	洋紫荊	4.0	2.0	0.12	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1859	437	Delonix regia	鳳凰木	8.0	4.0	0.29	Good	Good	High	Med	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	-	KLC	T1860	437	Bauhinia blakeana	洋紫荊	4.0	2.0	0.11	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1861	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.14	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1862	437	Bauhinia blakeana	洋紫荊	4.0	2.0	0.11	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1863	437	Bauhinia blakeana	洋紫荊	5.0	2.0	0.11	Fair	Fair	Med	High	Retain
C04/108	-	KLC	T1864	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1865	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	-	KLC	T1866	437	Caryota ochlandra	魚尾葵	6.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1601	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1602	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1603	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1604	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1605	437	Caryota ochlandra	魚尾葵	4.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1606	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1607	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1608	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1609	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1610	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1611	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1612	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1654	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1656	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1657	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1658	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1659	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1660	437	Caryota ochlandra	魚尾葵	4.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1661	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1662	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1663	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1664	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1665	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1666	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	C04/114	KLC	T1667	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1668	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1669	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1670	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1671	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1672	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1673	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1674	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1675	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1676	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1677	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1678	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1679	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1680	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1681	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1682	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1683	437	Caryota ochlandra	魚尾葵	3.5	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1684	437	Caryota ochlandra	魚尾葵	3.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1685	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1686	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1687	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1688	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1689	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1690	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1691	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1692	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1693	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1694	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1695	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1696	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1697	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.13	Good	Good	Low	High	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	C04/114	KLC	T1698	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1699	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1874	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1875	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1876	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1877	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1878	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1879	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1880	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1881	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1882	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1883	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1884	437	Caryota ochlandra	魚尾葵	6.0	2.0	0.14	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1885	437	Caryota ochlandra	魚尾葵	6.0	2.0	0.14	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1886	437	Caryota ochlandra	魚尾葵	5.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1887	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1888	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1889	437	Caryota ochlandra	魚尾葵	5.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1890	437	Caryota ochlandra	魚尾葵	6.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1891	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1892	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1893	437	Caryota ochlandra	魚尾葵	2.5	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1894	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1895	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1896	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1897	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1898	437	Caryota ochlandra	魚尾葵	4.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1899	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.14	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1915	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1916	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1917	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.12	Good	Good	Low	High	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	C04/114	KLC	T1918	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1919	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1920	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1921	437	Caryota ochlandra	魚尾葵	4.0	1.5	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1922	437	Caryota ochlandra	魚尾葵	4.0	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1923	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1924	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.16	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1925	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1926	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1927	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1928	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1929	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1930	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1931	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1932	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1933	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.14	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1934	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1935	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1936	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1937	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1938	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1939	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1940	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1941	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1942	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1943	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1944	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1945	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1946	437	Caryota ochlandra	魚尾葵	2.5	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1947	437	Caryota ochlandra	魚尾葵	2.5	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1948	437	Caryota ochlandra	魚尾葵	2.5	2.0	0.14	Good	Good	Low	High	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	C04/114	KLC	T1949	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1950	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1951	437	Caryota ochlandra	魚尾葵	2.5	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1952	437	Caryota ochlandra	魚尾葵	3.5	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1953	437	Caryota ochlandra	魚尾葵	3.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1954	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1955	437	Caryota ochlandra	魚尾葵	3.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1956	437	Caryota ochlandra	魚尾葵	5.0	1.5	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1957	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1958	437	Caryota ochlandra	魚尾葵	3.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1959	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1960	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1961	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1962	437	Caryota ochlandra	魚尾葵	4.5	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1963	437	Caryota ochlandra	魚尾葵	4.5	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1964	437	Caryota ochlandra	魚尾葵	4.5	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1965	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1966	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1967	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1968	437	Caryota ochlandra	魚尾葵	3.0	1.5	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1969	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1970	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1971	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1972	437	Caryota ochlandra	魚尾葵	2.5	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1973	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1974	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1975	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1976	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.14	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1977	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1978	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1979	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.12	Good	Good	Low	High	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/108	C04/114	KLC	T1980	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1981	437	Caryota ochlandra	魚尾葵	4.0	1.5	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1982	437	Caryota ochlandra	魚尾葵	4.0	1.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1983	437	Caryota ochlandra	魚尾葵	3.5	1.0	0.14	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1984	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.13	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1985	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.12	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1986	437	Caryota ochlandra	魚尾葵	3.5	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1987	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1988	437	Caryota ochlandra	魚尾葵	3.5	1.5	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1989	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T1990	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2200	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2201	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2202	437	Caryota ochlandra	魚尾葵	3.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2203	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2204	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2205	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2206	437	Caryota ochlandra	魚尾葵	2.0	1.0	0.10	Good	Good	Low	High	Retain
C04/108	C04/114	KLC	T2207	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.11	Good	Good	Low	High	Retain
C04/108	C04/116	KLC	T1220	438	Erythrina indica 'picta'	花葉刺桐	6.5	6.0	0.53	Fair	Fair	Low	Low	Fell
C04/108	C04/116	KLC	T1221	438	Erythrina indica 'picta'	花葉刺桐	6.0	4.0	0.35	Fair	Fair	Low	Low	Fell
C04/108	C04/116	KLC	T1222	438	Erythrina indica 'picta'	花葉刺桐	6.0	7.0	0.48	Fair	Fair	Low	Low	Fell
C04/108	C04/116	KLC	T1223	438	Melia azedarach	棟	12.5	6.0	0.53	Fair	Fair	Med	Low	Fell
C04/108	C04/116	KLC	T1224	438	Melia azedarach	棟	12.0	6.0	0.32	Fair	Fair	Med	Low	Fell
C04/108	C04/116	KLC	T1225	438	Melia azedarach	棟	11.0	4.0	0.39	Poor	Fair	Med	Low	Fell
C04/108	C04/116	KLC	T1226	438	Melia azedarach	棟	10.0	6.0	0.35	Fair	Fair	Med	Low	Fell
C04/108	C04/116	KLC	T1227	438	Lagerstroemia speciosa	大花紫薇	3.5	3.0	0.13	Fair	Fair	High	High	Transplant
C04/108	C04/116	KLC	T1229	438	Lagerstroemia speciosa	大花紫薇	5.0	4.0	0.14	Fair	Fair	Low	Med	Transplant
C04/108	C04/116	KLC	T1230	438	Lagerstroemia speciosa	大花紫薇	4.5	3.0	0.15	Fair	Poor	Med	Low	Fell
C04/108	C04/116	KLC	T1231	438	Spathodea campanulata	火焰木	7.0	5.0	0.25	Fair	Fair	Med	Low	Fell
C04/109	-	KLC	T0448	437	Broussonetia papyrifera	構	6.0	2.0	0.46	Fair	Fair	Med	Med	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/109	-	KLC	T0449	437	Livistona chinensis	蒲葵	7.0	2.0	0.22	Good	Fair	Med	Med	Retain
C04/109	-	KLC	T0450	437	Livistona chinensis	蒲葵	7.0	2.0	0.22	Good	Fair	Med	Med	Retain
C04/109	-	KLC	T0451	437	Livistona chinensis	蒲葵	7.0	2.0	0.24	Good	Fair	Med	Med	Retain
C04/110	C04/116	KLC	T0571	438	Bauhinia purpurea	紅花羊蹄甲	7.0	1.5	0.12	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1000	438	Bombax ceiba	木棉	9.5	6.0	0.30	Poor	Good	Med	Low	Fell
C04/110	C04/116	KLC	T1001	438	Bombax ceiba	木棉	9.0	6.0	0.25	Poor	Good	Med	Low	Fell
C04/110	C04/116	KLC	T1010	438	Cassia fistula	臘腸樹	9.0	4.5	0.33	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1011	438	Cassia fistula	臘腸樹	8.5	4.5	0.34	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1012	438	Cassia fistula	臘腸樹	8.0	5.0	0.32	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1015	437	Bauhinia variegata	宮粉羊蹄甲	5.0	2.5	0.18	Good	Fair	Med	High	Transplant
C04/111	C04/116	KLC	T1002	438	Bauhinia blakeana	洋紫荊	7.5	6.0	0.29	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1003	438	Bauhinia variegata	宮粉羊蹄甲	3.0	2.0	0.14	Fair	Fair	Med	High	Transplant
C04/111	C04/116	KLC	T1004	438	Bauhinia variegata	宮粉羊蹄甲	2.5	2.0	0.13	Fair	Fair	Med	High	Transplant
C04/111	C04/116	KLC	T1005	438	Bauhinia blakeana	洋紫荊	7.0	5.0	0.21	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1007	438	Bauhinia blakeana	洋紫荊	6.5	5.0	0.16	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1008	438	Erythrina variegata	刺桐	8.5	4.5	0.48	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1009	438	Erythrina variegata	刺桐	7.5	6.0	0.46	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1214	438	Broussonetia papyrifera	構	4.0	4.0	0.17	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1215	438	Broussonetia papyrifera	構	4.0	4.0	0.14	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1420	438	Macaranga tanarius	血桐	7.0	3.0	0.19	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1422	438	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.23	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1428	438	Bauhinia variegata	宮粉羊蹄甲	8.0	6.0	0.18	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1429	438	Bauhinia variegata	宮粉羊蹄甲	8.0	6.0	0.19	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1432	438	Acacia confusa	台灣相思	9.0	10.0	0.41	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1443	438	Bombax ceiba	木棉	9.0	6.0	0.40	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1444	438	Aleurites moluccana	石栗	9.0	6.0	0.32	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1446	438	Aleurites moluccana	石栗	9.0	4.0	0.28	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1447	438	Aleurites moluccana	石栗	9.0	5.0	0.27	Good	Good	Med	Low	Fell
C04/111	C04/116	KLC	T1453	438	Bauhinia variegata	宮粉羊蹄甲	8.0	3.0	0.10	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1454	438	Bauhinia variegata	宮粉羊蹄甲	7.0	2.0	0.11	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1455	438	Bauhinia variegata	宮粉羊蹄甲	7.0	5.0	0.20	Fair	Poor	Low	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/111	C04/116	KLC	T1456	438	Bauhinia variegata	宮粉羊蹄甲	8.0	2.0	0.10	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1457	438	Lophostemon confertus	紅膠木	7.0	4.0	0.14	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1458	438	Cleistocalyx operculata	水翁	7.0	3.0	0.18	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1459	438	Sterculia lanceolata	假蘋婆	7.0	4.0	0.19	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1460	438	Cleistocalyx operculata	水翁	8.0	3.0	0.17	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1461	438	Cleistocalyx operculata	水翁	5.0	2.0	0.10	Fair	Fair	Low	High	Fell
C04/111	C04/116	KLC	T1461A	438	Sterculia lanceolata	假蘋婆	7.0	3.0	0.10	Poor	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1462	438	Sterculia lanceolata	假蘋婆	5.0	2.0	0.11	Fair	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1463	438	Cleistocalyx operculata	水翁	5.0	2.0	0.10	Fair	Poor	Low	Med	Fell
C04/111	C04/117	KLC	T1464	438	Eucalyptus robusta	大葉桉	9.0	4.0	0.36	Fair	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1465	438	Bauhinia variegata	宮粉羊蹄甲	7.0	5.0	0.15	Fair	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1466	438	Cleistocalyx operculata	水翁	7.0	3.0	0.20	Fair	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1467	438	Cleistocalyx operculata	水翁	6.0	4.0	0.21	Fair	Poor	Low	Med	Fell
C04/111	C04/117	KLC	T1468	438	Leucaena leucocephala	銀合歡	7.0	4.0	0.13	Fair	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1469	438	Peltophorum pterocarpum	雙翼豆	9.0	6.0	0.55	Fair	Poor	Low	Med	Fell
C04/111	C04/117	KLC	T1470	438	Peltophorum pterocarpum	雙翼豆	9.0	6.0	0.50	Fair	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1471	438	Peltophorum pterocarpum	雙翼豆	8.0	6.0	0.67	Poor	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1472	438	Macaranga tanarius	血桐	7.0	4.0	0.22	Fair	Poor	Low	Med	Fell
C04/111	C04/117	KLC	T1473	438	Bombax ceiba	木棉	10.0	5.0	0.40	Good	Good	Med	Low	Fell
C04/111	C04/117	KLC	T1475	438	Leucaena leucocephala	銀合歡	9.0	4.0	0.28	Fair	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1573	438	Aleurites moluccana	石栗	8.0	4.0	0.38	Fair	Good	Low	Low	Retain
C04/111	C04/117	KLC	T1600	438	Aleurites moluccana	石栗	7.0	4.0	0.35	Fair	Fair	Med	Med	Retain
C04/111	C04/116	KLC	T1538A	438	Caryota ochlandra	魚尾葵	3.0	2.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1538B	438	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1553A	438	Broussonetia papyrifera	構	6.0	5.0	0.13	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1554	438	Caryota ochlandra	魚尾葵	4.0	3.0	0.13	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1554A	438	Caryota ochlandra	魚尾葵	4.0	3.0	0.13	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1555	438	Caryota ochlandra	魚尾葵	4.0	3.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1555A	438	Caryota ochlandra	魚尾葵	5.0	3.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1555B	438	Caryota ochlandra	魚尾葵	6.0	3.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1556	438	Caryota ochlandra	魚尾葵	4.0	3.0	0.11	Fair	Fair	Low	Med	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/111	C04/116	KLC	T1556A	438	Caryota ochlandra	魚尾葵	5.0	3.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1556B	438	Caryota ochlandra	魚尾葵	5.0	3.0	0.11	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1556C	438	Caryota ochlandra	魚尾葵	5.0	3.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1556D	438	Caryota ochlandra	魚尾葵	6.0	3.0	0.12	Fair	Fair	Low	Med	Fell
C04/111	C04/116	KLC	T1557	438	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.13	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1557A	438	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.12	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1559	438	Litsea glutinosa	潺槁樹	6.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1560	438	Broussonetia papyrifera	構	6.0	4.0	0.12	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1562	438	Broussonetia papyrifera	構	5.0	4.0	0.10	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1579	438	Bauhinia purpurea	紅花羊蹄甲	3.0	2.0	0.10	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1580	438	Broussonetia papyrifera	構	5.0	3.0	0.20	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1581	438	Broussonetia papyrifera	構	7.0	3.0	0.26	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1582	438	Litsea glutinosa	潺槁樹	4.0	2.0	0.10	Good	Fair	Low	Low	Transplant
C04/111	C04/116	KLC	T1586	438	Mangifera indica	芒果	8.0	4.0	0.18	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1586A	438	Broussonetia papyrifera	構	6.0	4.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1587	438	Bridelia tomentosa	土蜜樹	7.0	4.0	0.17	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1588	438	Macaranga tanarius	血桐	7.0	5.0	0.15	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1588A	438	Broussonetia papyrifera	構	7.0	4.0	0.16	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1588B	438	Broussonetia papyrifera	構	5.0	4.0	0.11	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1588C	438	Broussonetia papyrifera	構	5.0	4.0	0.11	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1591A	438	Broussonetia papyrifera	構	6.0	5.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1591B	438	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Fair	Fair	Low	Med	Fell
C04/111	C04/117	KLC	T1567	438	Bauhinia variegata	宮粉羊蹄甲	8.0	4.0	0.32	Poor	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1568	438	Bauhinia variegata	宮粉羊蹄甲	6.0	2.0	0.14	Poor	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1569	438	Bauhinia variegata	宮粉羊蹄甲	6.0	3.0	0.26	Fair	Poor	Low	Low	Retain
C04/111	C04/117	KLC	T1574	438	Broussonetia papyrifera	構	7.0	4.0	0.15	Fair	Poor	Low	Low	Retain
C04/111	C04/117	KLC	T1594	438	Morus alba	桑	6.0	5.0	0.19	Fair	Poor	Low	Low	Retain
C04/111	C04/117	KLC	T1594A	438	Caryota ochlandra	魚尾葵	6.0	3.0	0.11	Fair	Fair	Low	Med	Retain
C04/111	C04/117	KLC	T1596A	438	Aleurites moluccana	石栗	7.0	4.0	0.2	Fair	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1596B	438	Artocarpus macrocarpus	菠蘿蜜	6.0	2.0	0.1	Fair	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1596C	438	Broussonetia papyrifera	構	7.0	4.0	0.1	Fair	Fair	Low	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/111	C04/117	KLC	T1596D	438	Broussonetia papyrifera	構	7.0	4.0	0.1	Fair	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1596E	438	Morus alba	桑	5.0	4.0	0.10	Fair	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1596F	438	Morus alba	桑	5.0	4.0	0.10	Fair	Poor	Low	Low	Fell
C04/108	C04/116	KLC	T1217	438	Morus alba	桑	6.0	5.0	0.25	Fair	Poor	Low	Med	Fell
C04/108	C04/116	KLC	T1219	438	Caryota mitis	魚尾葵	5.0	1.5	0.10	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0115	437	Bauhinia variegata	宮粉羊蹄甲	7.5	4.0	0.39	Good	Good	Med	Low	Fell
C04/110	C04/116	KLC	T0116	437	Melaeuca leucadendron	白千層	6.0	3.0	0.23	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0117	437	Melaeuca leucadendron	白千層	8.5	4.0	0.38	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0118	437	Bauhinia blakeana	洋紫荊	3.5	2.0	0.11	Fair	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0119	437	Bauhinia blakeana	洋紫荊	5.5	3.0	0.14	Good	Fair	Med	High	Transplant
C04/110	C04/116	KLC	T0120	437	Aleurites moluccana	石栗	8.0	3.0	0.26	Good	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0122	437	Aleurites moluccana	石栗	9.5	3.0	0.36	Good	Fair	Low	Med	Fell
C04/110	C04/116	KLC	T0123	437	Ficus microcarpa	榕樹	5.0	3.0	0.19	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0124	437	Macaranga tanarius	血桐	6.0	3.0	0.19	Poor	Poor	Low	Low	Retain
C04/110	C04/116	KLC	T0125	437	Bauhinia variegata	宮粉羊蹄甲	8.5	4.0	0.29	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0126	437	Aleurites moluccana	石栗	10.0	4.0	0.41	Good	Fair	Low	Med	Fell
C04/110	C04/116	KLC	T0127	437	Ficus microcarpa	榕樹	6.0	2.0	0.14	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0128	437	Aleurites moluccana	石栗	9.0	2.0	0.20	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0131	437	Macaranga tanarius	血桐	5.0	2.0	0.25	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0132	437	Celtis sinensis	朴樹	7.0	3.0	0.30	Fair	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0134	437	Macaranga tanarius	血桐	3.5	1.0	0.13	Fair	Fair	Low	High	Retain
C04/110	C04/116	KLC	T0135	437	Ficus microcarpa	榕樹	9.0	4.0	0.29	Fair	Fair	Med	High	Retain
C04/110	C04/116	KLC	T0136	437	Leucaena leucocephala	銀合歡	3.5	2.0	0.19	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0137	437	Acacia confusa	台灣相思	8.5	4.0	0.25	Fair	Poor	Med	Med	Retain
C04/110	C04/116	KLC	T0138	437	Celtis sinensis	朴樹	7.0	4.0	0.27	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0151	437	Acacia confusa	台灣相思	7.0	2.0	0.15	Good	Fair	Med	High	Retain
C04/110	C04/116	KLC	T0160	437	Ficus microcarpa	榕樹	7.0	3.0	0.28	Poor	Poor	Low	Low	Retain
C04/110	C04/116	KLC	T0161	437	Ficus microcarpa	榕樹	6.0	3.0	0.18	Poor	Poor	Low	Low	Retain
C04/110	C04/116	KLC	T0163	437	Celtis sinensis	朴樹	9.5	5.0	0.33	Poor	Poor	Low	Low	Retain
C04/110	C04/116	KLC	T0167	437	Bauhinia variegata	宮粉羊蹄甲	5.5	2.0	0.13	Fair	Fair	Med	High	Retain
C04/110	C04/116	KLC	T0168	437	Bauhinia variegata	宮粉羊蹄甲	5.0	2.0	0.10	Fair	Fair	Med	High	Retain

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/110	C04/116	KLC	T0169	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.13	Fair	Fair	Med	High	Retain
C04/110	C04/116	KLC	T0176	437	Bauhinia variegata	宮粉羊蹄甲	5.5	3.0	0.20	Fair	Fair	Med	High	Retain
C04/110	C04/116	KLC	T0177	437	Bauhinia variegata	宮粉羊蹄甲	5.0	2.0	0.24	Fair	Fair	Med	High	Retain
C04/110	C04/116	KLC	T0183	437	Dimocarpus longan	龍眼	6.0	3.0	0.14	Poor	Poor	Low	Low	Retain
C04/110	C04/116	KLC	T0202	437	Bauhinia variegata	宮粉羊蹄甲	6.5	3.0	0.22	Fair	Fair	Med	Med	Retain
C04/110	C04/116	KLC	T0203	437	Macaranga tanarius	血桐	3.5	2.0	0.10	Poor	Poor	Low	Low	Retain
C04/110	C04/116	KLC	T0500	437	Bauhinia variegata	宮粉羊蹄甲	7.0	3.0	0.14	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0501	437	Bauhinia variegata	宮粉羊蹄甲	6.0	2.0	0.13	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0503	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.11	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0505	437	Leucaena leucocephala	銀合歡	10.0	5.0	0.45	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0506	437	Leucaena leucocephala	銀合歡	11.0	3.0	0.25	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0507	437	Bauhinia variegata	宮粉羊蹄甲	8.0	3.0	0.15	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0508	437	Leucaena leucocephala	銀合歡	10.0	3.0	0.38	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0509	437	Leucaena leucocephala	銀合歡	12.0	2.5	0.28	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0511	437	Leucaena leucocephala	銀合歡	7.0	2.0	0.17	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0512	437	Melia azedarach	楝	12.0	2.5	0.29	Fair	Poor	Med	Med	Fell
C04/110	C04/116	KLC	T0513	437	Leucaena leucocephala	銀合歡	7.0	1.5	0.16	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0514	437	Bauhinia variegata	宮粉羊蹄甲	6.0	2.5	0.11	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0515	437	Bombax ceiba	木棉	4.0	1.5	0.14	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0516	437	Acacia confusa	台灣相思	7.0	2.0	0.30	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0517	437	Leucaena leucocephala	銀合歡	12.0	3.5	0.14	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0518	437	Broussonetia papyrifera	構	6.0	1.5	0.11	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0519	437	Broussonetia papyrifera	構	6.0	2.5	0.12	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0520	437	Broussonetia papyrifera	構	7.0	1.5	0.14	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0521	437	Ficus hispida	對葉榕	5.0	2.5	0.14	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0522	437	Ficus hispida	對葉榕	5.0	2.0	0.11	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0523	437	Bombax ceiba	木棉	11.0	5.5	0.42	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0524	437	Bauhinia variegata	宮粉羊蹄甲	7.0	1.5	0.13	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0525	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.13	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0526	437	Bombax ceiba	木棉	7.0	1.5	0.16	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0572	438	Mallotus paniculatus	白楸	8.0	2.0	0.13	Fair	Poor	Med	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/110	C04/116	KLC	T0573	438	Erythrina variegata	刺桐	8.0	2.5	0.28	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0574	438	Macaranga tanarius	血桐	6.0	2.0	0.10	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0582	437	Aleurites moluccana	石栗	12.0	2.5	0.25	Fair	Fair	Med	Low	Retain
C04/110	C04/116	KLC	T0583	437	Acacia confusa	台灣相思	6.0	2.0	0.18	Fair	Fair	Low	Low	Retain
C04/110	C04/116	KLC	T0593	437	Leucaena leucocephala	銀合歡	13.0	2.0	0.22	Fair	Fair	Low	Low	Retain
C04/110	C04/116	KLC	T0596	437	Morus alba	桑	8.0	2.5	0.29	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0597	437	Acacia confusa	台灣相思	10.0	2.5	0.26	Fair	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0598	437	Acacia confusa	台灣相思	6.0	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0599	437	Acacia confusa	台灣相思	6.0	1.5	0.18	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0794	437	Acacia confusa	台灣相思	7.0	3.0	0.13	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0795	437	Melia azedarach	楝	10.0	4.0	0.39	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0796	437	Celtis sinensis	朴樹	5.0	2.0	0.15	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0797	437	Acacia confusa	台灣相思	7.0	3.0	0.18	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0798	437	Melia azedarach	楝	10.0	4.0	0.42	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0799	437	Acacia confusa	台灣相思	4.0	2.0	0.10	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1400	437	Acacia confusa	台灣相思	8.0	3.0	0.13	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1401	437	Leucaena leucocephala	銀合歡	7.0	3.0	0.23	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1402	437	Bauhinia variegata	宮粉羊蹄甲	6.0	4.0	0.11	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T1405	437	Celtis sinensis	朴樹	6.0	3.0	0.10	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T1413	437	Bridelia tomentosa	土蜜樹	5.0	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1414	438	Leucaena leucocephala	銀合歡	4.0	2.0	0.12	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1415	438	Leucaena leucocephala	銀合歡	5.0	2.0	0.12	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1416	438	Leucaena leucocephala	銀合歡	5.0	2.0	0.14	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1419	438	Bauhinia blakeana	洋紫荊	7.0	3.0	0.27	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1200	438	Broussonetia papyrifera	構	4.5	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1201	438	Broussonetia papyrifera	構	3.0	6.0	0.20	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1202	438	Broussonetia papyrifera	構	4.0	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1203	438	Broussonetia papyrifera	構	5.0	2.0	0.10	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1204	438	Broussonetia papyrifera	構	3.5	4.0	0.12	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1205	438	Broussonetia papyrifera	構	4.0	3.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1206	438	Broussonetia papyrifera	構	3.5	3.0	0.13	Fair	Fair	Low	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/111	C04/116	KLC	T1207	438	Broussonetia papyrifera	構	4.0	3.0	0.15	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1208	438	Broussonetia papyrifera	構	2.0	5.0	0.15	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1209	438	Broussonetia papyrifera	構	3.0	3.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1210	438	Broussonetia papyrifera	構	2.0	4.0	0.14	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1211	438	Broussonetia papyrifera	構	2.0	5.0	0.19	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1212	438	Broussonetia papyrifera	構	4.0	6.0	0.16	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1213	438	Broussonetia papyrifera	構	3.5	5.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1417	438	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.11	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1418	438	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.15	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1421	438	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.24	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1423	438	Bauhinia variegata	宮粉羊蹄甲	7.0	3.0	0.15	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1424	438	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.11	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1425	438	Bauhinia variegata	宮粉羊蹄甲	6.0	2.0	0.13	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1426	438	Bauhinia variegata	宮粉羊蹄甲	6.0	4.0	0.24	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1427	438	Bauhinia variegata	宮粉羊蹄甲	8.0	3.0	0.14	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1430	438	Bauhinia variegata	宮粉羊蹄甲	7.0	3.0	0.15	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1431	438	Acacia confusa	台灣相思	6.0	4.0	0.24	Fair	Poor	Low	Med	Fell
C04/111	C04/116	KLC	T1433	438	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.21	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1434	438	Bauhinia variegata	宮粉羊蹄甲	5.0	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1435	438	Celtis sinensis	朴樹	6.0	2.0	0.11	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1436	438	Acacia confusa	台灣相思	5.0	2.0	0.20	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1437	438	Bauhinia blakeana	洋紫荊	9.0	4.0	0.30	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1438	438	Bauhinia blakeana	洋紫荊	6.0	2.0	0.13	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1440	438	Bauhinia variegata	宮粉羊蹄甲	6.0	2.0	0.16	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1445	438	Bauhinia variegata	宮粉羊蹄甲	5.0	2.0	0.13	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1448	438	Bauhinia variegata	宮粉羊蹄甲	6.0	2.0	0.11	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1449	438	Bauhinia variegata	宮粉羊蹄甲	8.0	3.0	0.16	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1450	438	Bauhinia variegata	宮粉羊蹄甲	7.0	2.0	0.13	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1451	438	Bauhinia variegata	宮粉羊蹄甲	7.0	2.0	0.10	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1452	438	Bauhinia variegata	宮粉羊蹄甲	7.0	2.0	0.10	Fair	Fair	Med	Low	Fell
C04/111	C04/116	KLC	T1513	438	Bauhinia variegata	宮粉羊蹄甲	8.0	3.0	0.21	Fair	Fair	Low	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/111	C04/116	KLC	T1514	438	Bauhinia variegata	宮粉羊蹄甲	6.0	3.0	0.22	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1515	438	Leucaena leucocephala	銀合歡	6.0	3.0	0.15	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1516	438	Bauhinia variegata	宮粉羊蹄甲	7.0	2.0	0.19	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1517	438	Bauhinia variegata	宮粉羊蹄甲	4.0	1.0	0.13	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1518	438	Bauhinia variegata	宮粉羊蹄甲	3.0	1.0	0.13	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1519	438	Morus alba	桑	4.0	1.0	0.12	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1520	438	Morus alba	桑	4.0	2.0	0.18	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1521	438	Macaranga tanarius	血桐	6.0	2.0	0.17	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1522	438	Macaranga tanarius	血桐	7.0	3.0	0.19	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1525	438	Broussonetia papyrifera	構	7.0	3.0	0.22	Fair	Fair	Low	Low	Fell
C04/111	C04/117	KLC	T1474	438	Macaranga tanarius	血桐	5.0	3.0	0.22	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0527	437	Bauhinia variegata	宮粉羊蹄甲	7.0	3.0	0.18	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0528	437	Macaranga tanarius	血桐	5.0	2.5	0.15	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0529	437	Carica papaya	木瓜	5.0	1.0	0.16	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0530	437	Ficus microcarpa	榕樹	8.0	2.0	0.13	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0531	437	Bridelia tomentosa	土蜜樹	5.0	1.5	0.13	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0532	437	Caryota ochlandra	魚尾葵	8.0	2.0	0.13	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0533	437	Ficus microcarpa	榕樹	12.0	5.5	0.48	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0534	437	Caryota ochlandra	魚尾葵	5.0	1.0	0.10	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0535	437	Peltophorum pterocarpum	雙翼豆	12.0	4.5	0.46	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0536	437	Bombax ceiba	木棉	13.0	3.5	0.36	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0537	437	Peltophorum pterocarpum	雙翼豆	14.0	6.0	0.39	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0538	437	Peltophorum pterocarpum	雙翼豆	14.0	5.0	0.46	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0539	437	Bombax ceiba	木棉	15.0	4.0	0.35	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0540	437	Peltophorum pterocarpum	雙翼豆	13.0	4.5	0.44	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0541	437	Bauhinia variegata	宮粉羊蹄甲	12.0	5.5	0.31	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0542	437	Leucaena leucocephala	銀合歡	7.0	2.5	0.13	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0543	437	Bauhinia variegata	宮粉羊蹄甲	5.0	1.5	0.13	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0544	437	Peltophorum pterocarpum	雙翼豆	7.0	2.0	0.25	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0545	437	Bombax ceiba	木棉	4.0	1.0	0.23	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0546	437	Bombax ceiba	木棉	12.0	1.5	0.21	Fair	Fair	Med	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/110	C04/116	KLC	T0547	437	Bauhinia variegata	宮粉羊蹄甲	7.0	1.5	0.16	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0548	437	Leucaena leucocephala	銀合歡	6.0	2.0	0.12	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0549	437	Bombax ceiba	木棉	12.0	2.0	0.27	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0550	437	Bombax ceiba	木棉	13.0	2.0	0.20	Good	Good	Med	Low	Fell
C04/110	C04/116	KLC	T0551	437	Bombax ceiba	木棉	12.0	2.0	0.23	Good	Good	Med	Low	Fell
C04/110	C04/116	KLC	T0552	437	Bombax ceiba	木棉	11.0	1.5	0.12	Fair	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0553	437	Bombax ceiba	木棉	10.0	1.0	0.16	Fair	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0554	437	Bombax ceiba	木棉	11.0	1.0	0.19	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0555	437	Bombax ceiba	木棉	12.0	1.5	0.25	Good	Good	Med	Low	Fell
C04/110	C04/116	KLC	T0556	437	Bombax ceiba	木棉	13.0	3.0	0.27	Good	Good	Med	Low	Fell
C04/110	C04/116	KLC	T0557	437	Bombax ceiba	木棉	13.0	3.0	0.35	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0558	437	Macaranga tanarius	血桐	6.0	1.5	0.11	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0559	437	Bombax ceiba	木棉	12.0	2.0	0.27	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0560	437	Bridelia tomentosa	土蜜樹	6.0	2.0	0.10	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0561	437	Bombax ceiba	木棉	13.0	1.5	0.31	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0562	437	Bridelia tomentosa	土蜜樹	6.0	2.0	0.11	Fair	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0563	437	Bauhinia variegata	宮粉羊蹄甲	7.5	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0564	437	Bauhinia variegata	宮粉羊蹄甲	7.5	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0565	437	Bauhinia variegata	宮粉羊蹄甲	5.0	1.5	0.14	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0566	437	Bauhinia variegata	宮粉羊蹄甲	6.0	2.0	0.20	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0567	437	Bauhinia variegata	宮粉羊蹄甲	6.0	4.0	0.25	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0568	437	Bauhinia variegata	宮粉羊蹄甲	6.0	4.0	0.14	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0569	437	Macaranga tanarius	血桐	8.0	3.0	0.16	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0570	437	Aleurites moluccana	石栗	8.0	5.0	0.27	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0575	437	Leucaena leucocephala	銀合歡	10.0	2.0	0.19	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0576	437	Bauhinia blakeana	洋紫荊	6.0	2.0	0.12	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0577	437	Macaranga tanarius	血桐	12.0	3.0	0.28	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0578	437	Bauhinia variegata	宮粉羊蹄甲	10.0	3.5	0.18	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T0579	437	Macaranga tanarius	血桐	9.0	1.5	0.15	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0580	437	Bombax ceiba	木棉	1.6	0.5	0.14	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0584	437	Macaranga tanarius	血桐	6.0	2.5	0.15	Poor	Poor	Low	Low	Fell

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/110	C04/116	KLC	T0585	437	Bombax ceiba	木棉	11.0	1.5	0.25	Fair	Fair	Low	Med	Fell
C04/110	C04/116	KLC	T0586	437	Bauhinia variegata	宮粉羊蹄甲	6.0	2.5	0.19	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0587	437	Bauhinia variegata	宮粉羊蹄甲	6.0	2.5	0.26	Fair	Poor	Low	Med	Fell
C04/110	C04/116	KLC	T0588	437	Bombax ceiba	木棉	13.0	2.0	0.28	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0589	437	Bombax ceiba	木棉	11.0	1.5	0.24	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0590	437	Bombax ceiba	木棉	11.0	1.5	0.25	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0591	437	Aleurites moluccana	石栗	13.0	2.5	0.43	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T0592	437	Macaranga tanarius	血桐	7.0	2.0	0.15	Fair	Fair	Low	High	Fell
C04/110	C04/116	KLC	T0787	437	Acacia confusa	台灣相思	7.0	3.0	0.21	Fair	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0790	437	Acacia confusa	台灣相思	11.0	4.0	0.28	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0791	437	Acacia confusa	台灣相思	10.0	4.0	0.36	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T0793	437	Bauhinia variegata	宮粉羊蹄甲	8.0	5.0	0.29	Poor	Poor	Low	Low	Fell
C04/110	C04/116	KLC	T1403	437	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.22	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1404	437	Bauhinia variegata	宮粉羊蹄甲	7.0	4.0	0.16	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1406	437	Melia azedarach	棟	9.0	4.0	0.49	Fair	Fair	Med	Low	Fell
C04/110	C04/116	KLC	T1407	437	Aleurites moluccana	石栗	7.0	3.0	0.16	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1408	437	Aleurites moluccana	石栗	8.0	3.0	0.25	Good	Good	Med	Low	Fell
C04/110	C04/116	KLC	T1409	437	Aleurites moluccana	石栗	10.0	4.0	0.28	Good	Good	Med	Low	Fell
C04/110	C04/116	KLC	T1410	437	Acacia confusa	台灣相思	11.0	4.0	0.25	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1411	437	Acacia confusa	台灣相思	7.0	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/110	C04/116	KLC	T1412	437	Acacia confusa	台灣相思	8.0	3.0	0.18	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T0782	437	Acacia confusa	台灣相思	7.0	3.0	0.23	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T0783	437	Acacia confusa	台灣相思	6.0	3.0	0.19	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T0785	437	Acacia confusa	台灣相思	7.0	4.0	0.22	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T0786	437	Acacia confusa	台灣相思	9.0	4.0	0.27	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T0788	437	Bauhinia variegata	宮粉羊蹄甲	2.0	0.5	0.21	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T0789	437	Ficus microcarpa	榕樹	2.0	0.5	0.22	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T0792	437	Acacia confusa	台灣相思	9.0	4.0	0.14	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1508	438	Morus alba	桑	7.0	4.0	0.31	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1510	438	Bridelia tomentosa	土蜜樹	4.0	2.0	0.10	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1523	438	Casuarina equisetifolia	木麻黄	3.0	0.5	0.15	Fair	Fair	Low	Low	Fell

Annex C1-1 Existing Tree Assessment Schedule for Kowloon City District

REFER TO DRAWING NO.	REFER TO BLOW-UP	SITE				CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	DRAWING NO. (C1106/T/000/ATK/)	LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/Low)	(High/Med/Low)	RECOMMENDATION
C04/111	C04/116	KLC	T1524	438	Casuarina equisetifolia	木麻黄	6.0	2.0	0.15	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1526	438	Broussonetia papyrifera	構	5.0	2.0	0.12	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1527	438	Morus alba	桑	8.0	4.0	0.38	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1528	438	Acacia confusa	台灣相思	8.0	3.0	0.35	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1529	438	Hibiscus tiliaceus	黄槿	3.0	1.0	0.14	Fair	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1530	438	Broussonetia papyrifera	構	6.0	2.0	0.11	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1531	438	Bauhinia variegata	宮粉羊蹄甲	9.0	3.0	0.29	Poor	Poor	Low	Low	Fell
C04/111	C04/116	KLC	T1532	438	Macaranga tanarius	血桐	8.0	4.0	0.24	Fair	Fair	Low	High	Fell
C04/111	C04/116	KLC	T1533	438	Broussonetia papyrifera	構	7.0	4.0	0.18	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1534	438	Broussonetia papyrifera	構	6.0	3.0	0.13	Fair	Fair	Low	Low	Fell
C04/111	C04/116	KLC	T1535	438	Leucaena leucocephala	銀合歡	5.0	2.0	0.11	Poor	Poor	Low	Low	Fell
C04/111	C04/117	KLC	T1509	438	Bauhinia variegata	宮粉羊蹄甲	4.0	2.0	0.10	Fair	Fair	Low	High	Fell

⁽¹⁾ Direct conflicts to construction works;

⁽²⁾ Weak tree structure with potential for tree failure;

⁽³⁾ On slope and/or reasonable sized rootball preparation impractical;

⁽⁴⁾ Too large for transportation on public roads; and

⁽⁵⁾ Trees within operational railway area which is inaccessible for rootball preparation.

Annex C1-1 Existing Tree Assessment Schedule for KCRC Vested Land – Kowloon

REFER TO DRAWING					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/B/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/ Low)	(High/Med/Low)	RECOMMENDATION
C04/308	KLC	T1715	438	Psidium guajava	番石榴	5.0	6.0	0.14	Fair	Fair	Low	Low	Fell
C04/308	KLC	T1727A	438	Litsea glutinosa	潺槁樹	6.0	3.0	0.12	Fair	Fair	Low	Low	Fell
C04/308	KLC	T1727B	438	Broussonetia papyrifera	構樹	7.0	4.0	0.23	Fair	Fair	Low	Low	Fell
C04/308	KLC	T1727C	438	Celtis sinensis	朴樹	7.0	5.0	0.31	Fair	Fair	Low	Low	Fell
C04/308	KLC	T1727D	438	Broussonetia papyrifera	構樹	5.0	4.0	0.11	Fair	Fair	Low	Low	Fell
C04/308	KLC	T1727H	438	Ficus microcarpa	細葉榕	7.0	3.0	0.16	Fair	Fair	Low	Low	Fell
C04/308	KLC	T1727J	438	Celtis sinensis	朴樹	4.0	2.0	0.13	Poor	Poor	Low	Low	Fell
C04/308	KLC	T1232	438	Broussonetia papyrifera	構樹	4.0	2.5	0.13	Poor	Poor	Low	Low	Fell
C04/308	KLC	T1233	438	Broussonetia papyrifera	構樹	3.0	2.0	0.13	Fair	Poor	Low	Low	Fell
C04/308	KLC	T1234	438	Caryota ochlandra	魚尾葵	3.5	1.0	0.13	Fair	Fair	Low	Med	Fell
C04/308	KLC	T1717	438	Macaranga tanarius	血桐	11.0	5.0	0.23	Poor	Poor	Low	Low	Fell
C04/308	KLC	T1718	438	Ficus elastica	印度榕	15.0	25.0	1.51	Good	Good	Med	Med	Fell
C04/308	KLC	T1718A	438	Celtis sinensis	朴樹	9.0	5.0	0.42	Good	Fair	Low	Med	Fell
C04/308	KLC	T1719	438	Macaranga tanarius	血桐	4.0	4.0	0.24	Poor	Poor	Low	Low	Fell
C04/308	KLC	T1720	438	Ficus microcarpa	細葉榕	10.0	10.0	0.43	Fair	Poor	Low	Med	Fell
C04/308	KLC	T1721	438	Psidium guajava	番石榴	8.0	7.0	0.19	Fair	Fair	Low	Med	Fell
C04/308	KLC	T1722	438	Cocos nucifera	椰子	18.0	3.0	0.39	Fair	Fair	Med	Med	Fell
C04/308	KLC	T1723	438	Bombax ceiba	木棉	19.0	8.0	0.52	Fair	Fair	Med	Med	Fell
C04/308	KLC	T1727M	438	Melia azedarach	苦楝	8.0	8.0	0.25	Fair	Fair	Med	Med	Fell
C04/308	KLC	T1727N	438	Cassia surattensis	黃槐	3.0	2.0	0.11	Fair	Fair	Low	Med	Fell
C04/309	KLC	T0078	437	Albizia lebbeck	大葉合歡	2.0	1.0	0.21	Fair	Fair	Med	High	Retain
C04/309	KLC	T0079	437	Albizia lebbeck	大葉合歡	7.5	4.0	0.72	Fair	Fair	Med	High	Fell
C04/309	KLC	T0091	437	Ficus microcarpa	細葉榕	3.0	3.0	0.28	Fair	Fair	Med	High	Retain
C04/309	KLC	T0092	437	Ficus superba	筆管榕	3.0	3.0	0.20	Fair	Fair	Med	High	Retain
C04/309	KLC	T0093	437	Broussonetia papyrifera	構樹	3.0	5.0	0.17	Poor	Poor	Low	Low	Fell

Annex C1-1 Existing Tree Assessment Schedule for KCRC Vested Land – Kowloon

REFER TO DRAWING					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/B/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/ Low)	(High/Med/Low)	RECOMMENDATION
C04/309	KLC	T0094	437	Dimocarpus longan	龍眼	5.0	3.0	0.17	Fair	Fair	Med	Med	Retain
C04/309	KLC	T0095	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.17	Poor	Poor	Low	Low	Retain
C04/309	KLC	T0096	437	Dead tree	死樹	2.5	2.0	0.10	-	-	-	-	Fell
C04/309	KLC	T0097	437	Bauhinia variegata	宮粉羊蹄甲	3.0	2.0	0.16	Poor	Poor	Low	Low	Retain
C04/310	KLC	T0081	437	Acacia confusa	台灣相思	6.5	4.0	0.20	Fair	Poor	Low	Med	Fell
C04/310	KLC	T0083	437	Acacia confusa	台灣相思	5.0	3.0	0.21	Fair	Fair	Med	Low	Fell
C04/310	KLC	T0084	437	Albizia lebbeck	大葉合歡	4.5	2.0	0.22	Fair	Fair	Med	High	Fell
C04/310	KLC	T0085	437	Ficus microcarpa	細葉榕	2.0	2.0	0.10	Fair	Fair	Med	High	Retain
C04/310	KLC	T0086	437	Ficus microcarpa	細葉榕	2.0	2.0	0.11	Fair	Fair	Med	High	Retain
C04/310	KLC	T0098	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.17	Poor	Poor	Low	Low	Retain
C04/310	KLC	T0099	437	Albizia lebbeck	大葉合歡	5.0	4.0	0.17	Fair	Fair	Med	High	Retain
C04/310	KLC	T0100	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.21	Poor	Poor	Low	Low	Retain
C04/310	KLC	T0101	437	Bauhinia variegata	宮粉羊蹄甲	5.0	3.0	0.12	Poor	Poor	Low	Low	Retain
C04/310	KLC	T0102	437	Bauhinia variegata	宮粉羊蹄甲	3.0	1.0	0.11	Poor	Poor	Low	Low	Fell
C04/310	KLC	T0103	437	Albizia lebbeck	大葉合歡	2.0	1.0	0.13	Poor	Fair	Low	Med	Fell
C04/310	KLC	T0104	437	Albizia lebbeck	大葉合歡	3.5	2.0	0.12	Poor	Fair	Low	Med	Fell
C04/310	KLC	T0105	437	Albizia lebbeck	大葉合歡	3.0	2.0	0.14	Poor	Fair	Low	Med	Fell
C04/310	KLC	T0106	437	Albizia lebbeck	大葉合歡	3.5	2.0	0.17	Poor	Fair	Low	Med	Fell
C04/310	KLC	T0107	437	Bauhinia variegata	宮粉羊蹄甲	3.5	2.0	0.10	Poor	Poor	Low	Low	Fell
C04/310	KLC	T0108	437	Litsea glutinosa	潺槁樹	3.0	2.0	0.10	Fair	Fair	Low	Med	Fell
C04/310	KLC	T0109	437	Dead tree	死樹	4.5	2.0	0.12	-	-	-	-	Fell
C04/310	KLC	T0110	437	Dead tree	死樹	4.0	2.0	0.11	-	-	-	-	Fell
C04/310	KLC	T0112	437	Melia azedarach	苦楝	4.0	2.0	0.12	Poor	Poor	Low	Low	Fell
C04/310	KLC	T0113	437	Albizia lebbeck	大葉合歡	4.0	3.0	0.21	Poor	Fair	Low	Med	Fell
C04/310	KLC	T0191	437	Ficus microcarpa	細葉榕	7.5	4.7	0.41	Fair	Fair	Med	High	Retain

Annex C1-1 Existing Tree Assessment Schedule for KCRC Vested Land – Kowloon

REFER TO DRAWING					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/B/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/ Low)	(High/Med/Low)	RECOMMENDATION
C04/310	KLC	T0192	437	Ficus microcarpa	細葉榕	8.0	4.0	0.44	Fair	Fair	Med	High	Retain
C04/310	KLC	T0193	437	Dead tree	死樹	6.0	2.0	0.19	-	-	-	-	Fell
C04/310	KLC	T0226	437	Ficus microcarpa	細葉榕	8.5	8.0	0.73	Fair	Fair	Med	Low	Retain
C04/310	KLC	T2167	437	Macaranga tanarius	血桐	4.0	2.0	0.12	Fair	Fair	Low	Med	Fell
C04/310	KLC	T2168	437	Macaranga tanarius	血桐	4.0	2.0	0.11	Fair	Fair	Low	Med	Fell
C04/310	KLC	T2169	437	Caryota ochlandra	魚尾葵	3.5	1.0	0.10	Fair	Fair	Low	Low	Fell
C04/310	KLC	T2170	437	Ficus microcarpa	細葉榕	8.0	8.0	0.65	Good	Good	Med	Med	Fell
C04/310	KLC	T2171	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	Med	Fell
C04/310	KLC	T2172	437	Caryota ochlandra	魚尾葵	4.0	2.0	0.10	Good	Good	Low	Med	Fell
C04/310	KLC	T2173	437	Caryota ochlandra	魚尾葵	4.5	2.0	0.10	Good	Good	Low	Med	Fell
C04/310	KLC	T2174	437	Caryota ochlandra	魚尾葵	4.5	3.0	0.11	Good	Good	Low	Med	Fell
C04/310	KLC	T2175	437	Caryota ochlandra	魚尾葵	8.5	3.0	0.29	Good	Good	Low	Med	Fell
C04/310	KLC	T2176	437	Caryota ochlandra	魚尾葵	5.5	2.0	0.14	Good	Good	Low	Med	Fell
C04/310	KLC	T2177	437	Caryota ochlandra	魚尾葵	5.5	2.0	0.10	Good	Good	Low	Med	Fell
C04/310	KLC	T2178	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.10	Good	Good	Low	Med	Fell
C04/310	KLC	T2179	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.10	Good	Good	Low	Med	Fell
C04/310	KLC	T2180	437	Caryota ochlandra	魚尾葵	5.5	2.0	0.11	Good	Good	Low	Med	Fell
C04/310	KLC	T2181	437	Caryota ochlandra	魚尾葵	5.0	2.0	0.11	Good	Good	Low	Med	Fell
C04/310	KLC	T2184	437	Melaleuca leucadendron	白千層	7.0	2.0	0.19	Fair	Fair	Low	Med	Fell
C04/310	KLC	T2185	437	Melaleuca leucadendron	白千層	6.5	3.0	0.24	Fair	Poor	Low	Med	Fell
C04/310	KLC	T2186	437	Melaleuca leucadendron	白千層	7.0	2.0	0.30	Fair	Poor	Low	Med	Fell
C04/310	KLC	T2188	437	Melaleuca leucadendron	白千層	5.0	2.0	0.23	Good	Good	Low	Med	Fell
C04/310	KLC	T2189	437	Melaleuca leucadendron	白千層	5.0	2.0	0.21	Fair	Poor	Low	Med	Fell
C04/310	KLC	T2190	437	Melaleuca leucadendron	白千層	7.0	2.0	0.33	Fair	Poor	Low	Med	Fell
C04/310	KLC	T2191	437	Melaleuca leucadendron	白千層	7.0	1.0	0.26	Fair	Poor	Low	Med	Fell

Annex C1-1 Existing Tree Assessment Schedule for KCRC Vested Land – Kowloon

REFER TO DRAWING					CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	
NO. (C1106/B/000/ATK/)	SITE LOCATION	TREE NO.	EP 437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair/ Poor)	(Good/Fair/ Poor)	(High/Med/ Low)	(High/Med/Low)	RECOMMENDATION
C04/310	KLC	T2192	437	Melaleuca leucadendron	白千層	7.0	3.0	0.27	Fair	Fair	Low	Med	Fell
C04/310	KLC	T2193	437	Melaleuca leucadendron	白千層	8.0	2.0	0.28	Fair	Fair	Low	Med	Fell
C04/310	KLC	T2194	437	Melaleuca leucadendron	白千層	7.0	2.0	0.23	Fair	Fair	Low	Med	Fell
C04/310	KLC	T2195	437	Melaleuca leucadendron	白千層	7.0	3.0	0.31	Fair	Fair	Low	Med	Fell
C04/310	KLC	X1	437	Macaranga tanarius	血桐	4.0	4.0	0.29	Fair	Poor	Low	Low	Retain
C04/310	KLC	X2	437	Macaranga tanarius	血桐	4.0	2.0	0.10	Fair	Poor	Low	Low	Retain
C04/310	KLC	Х3	437	Macaranga tanarius	血桐	4.0	4.0	0.26	Fair	Poor	Low	Low	Retain
C04/310	KLC	X4	437	Ficus microcarpa	細葉榕	5.0	6.0	0.28	Fair	Poor	Low	Low	Retain
C04/310	KLC	X5	437	Ficus microcarpa	細葉榕	3.0	2.0	0.15	Fair	Fair	Low	Low	Retain
C04/310	KLC	X6	437	Ficus microcarpa	細葉榕	5.0	3.0	0.20	Fair	Fair	Low	Low	Retain
C04/310	KLC	X7	437	Ficus microcarpa	細葉榕	6.0	8.0	0.60	Fair	Fair	Low	Low	Retain

- (1) Direct conflicts to construction works;
- (2) Weak tree structure with potential for tree failure;
- (3) On slope and/or reasonable sized rootball preparation impractical;
- (4) Too large for transportation on public roads; and
- (5) Trees within operational railway area which is inaccessible for rootball preparation.

Annex C1-1 Existing Tree Assessment Schedule for KCRC Vested Land – Kowloon

REFER TO DRAWING NO.	SITE	TREE	EP	DOTANICAL NAME	CHINESE COMMON	SIZE (m)			HEALTH	FORM AMENITY VALUE		SURVIVAL RATE AFTER TRANSPLANTING	
(C1106/B/000/ATK/)	LOCATION	NO.	437/438	BOTANICAL NAME	NAME	OVERAL L HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETE R	(Good/Fair /Poor)	ir (Good/Fai r/Poor)	(High/Me d/Low)	(High/Med/Low)	
C04/308	KLC	T1727P	438	Ficus religiosa	菩提樹	6.0	5.0	0.18	Fair	Poor	Med	Med	Fell

- (1) Direct conflicts to construction works;
- (2) Weak tree structure with potential for tree failure;
- (3) On slope and/or reasonable sized rootball preparation impractical;
- (4) Too large for transportation on public roads; and
- (5) Trees within operational railway area which is inaccessible for rootball preparation.

REFER TO DRAWING NO.	SITE	TREE	EP	BOTANICAL NAME	CHINESE COMMON		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	RECOMMENDATION
(C1106/B/000/ATK/)	LOCATION	NO.	437/438	BUTANICAL NAIME	NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair /Poor)	(Good/Fair /Poor)	(High/Med/ Low)	(High/Med/Low)	RESOMMENDATION
C04/304	YTM	T0059	437	Grevillea robusta	銀樺	11.0	2.0	0.24	Fair	Fair	Med	Med	Fell
C04/304	YTM	XT0472	438	Ficus microcarpa	細葉榕	10.0	4.0	0.65	Fair	Fair	Med	Med	Retain
C04/304	YTM	XT0473	438	Bombax ceiba	木棉	12.0	5.0	0.36	Fair	Fair	Med	Med	Retain
C04/304	YTM	XT0474	438	Ficus microcarpa	細葉榕	10.5	4.0	0.40	Fair	Fair	Med	Med	Retain
C04/304	YTM	XT0475	438	Ficus microcarpa	細葉榕	15.0	15.0	0.76	Fair	Fair	Med	Med	Retain
C04/304	YTM	XT0476	438	Ficus microcarpa	細葉榕	10.5	8.0	0.55	Fair	Fair	Med	Med	Retain
C04/304	YTM	XT0477	438	Ficus microcarpa	細葉榕	11.0	5.0	0.41	Fair	Fair	Med	Med	Retain
C04/308	YTM	HUH0018	437	Celtis sinensis	朴樹	8.0	3.0	0.13	Fair	Fair	Low	Med	Fell
C04/308	YTM	HUH0021	437	Celtis sinensis	朴樹	8.0	4.0	0.18	Fair	Fair	Low	Med	Fell
C04/308	YTM	T2294	437	Psidium guajava	番石榴	3.0	3.0	0.12	Fair	Fair	Low	Med	Fell
C04/308	YTM	T2294B	437	Garcinia subelliptica	菲島福木	8.0	3.0	0.13	Good	Good	Med	Med	Fell
C04/308	YTM	T2294C	438	Ficus virens var. sublanceolata	大葉榕	8.5	5.0	0.30	Good	Good	Med	High	Fell
C04/308	YTM	T2294D	438	Ficus virens var. sublanceolata	大葉榕	6.0	5.0	0.15	Good	Fair	Med	Med	Fell
C04/308	YTM	T2294E	437	Bombax ceiba	木棉	8.0	4.0	0.21	Good	Good	Med	Med	Fell
C04/308	YTM	T2295	437	Bombax ceiba	木棉	14.0	8.0	0.47	Good	Good	High	Med	Transplant
C04/308	YTM	T2296	437	Dimocarpus longan	龍眼	4.0	2.0	0.17	Good	Good	Med	Med	Fell
C04/308	YTM	T2297	437	Dimocarpus longan	龍眼	3.0	2.0	0.12	Good	Fair	Med	Med	Fell
C04/309	YTM	T0452	437	Albizia lebbeck	大葉合歡	8.0	3.5	0.31	Fair	Fair	Med	Med	Fell
C04/309	YTM	T0453	437	Bombax ceiba	木棉	7.0	6.0	0.18	Fair	Poor	Low	Low	Retain
C04/309	YTM	T0454	437	Bombax ceiba	木棉	6.0	5.0	0.21	Fair	Poor	Low	Low	Retain
C04/309	YTM	T0456	437	Bombax ceiba	木棉	10.0	5.0	0.19	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0457	437	Acacia auriculiformis	耳果相思	7.5	7.0	0.21	Fair	Fair	Med	Low	Fell
C04/309	YTM	T0458	437	Acacia auriculiformis	耳果相思	7.5	5.0	0.21	Fair	Fair	Med	Low	Fell

REFER TO	SITE	TREE	EP	DOTANICAL NAME	CHINESE		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	RECOMMENDATION
DRAWING NO. (C1106/B/000/ATK/)	LOCATION	NO.	437/438	BOTANICAL NAME	COMMON NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair /Poor)	(Good/Fair /Poor)	(High/Med/ Low)	(High/Med/Low)	NECOMMENDATION
C04/309	YTM	T0459	437	Albizia lebbeck	大葉合歡	5.5	1.5	0.15	Fair	Fair	Med	Med	Fell
C04/309	YTM	T0460	437	Liquidambar formosana	楓香	10.0	5.0	0.16	Fair	Fair	Med	Med	Fell
C04/309	YTM	T0461	437	Acacia auriculiformis	耳果相思	7.0	6.0	0.13	Fair	Fair	Med	Med	Fell
C04/309	YTM	T0462	437	Albizia lebbeck	大葉合歡	7.0	5.0	0.13	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0463	437	Acacia auriculiformis	耳果相思	6.0	1.0	0.21	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0464	437	Acacia auriculiformis	耳果相思	9.0	5.0	0.17	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0465	437	Acacia auriculiformis	耳果相思	7.0	1.5	0.16	Fair	Fair	Med	Low	Fell
C04/309	YTM	T0467	437	Acacia auriculiformis	耳果相思	7.0	4.0	0.11	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0468	437	Bauhinia variegata	宮粉羊蹄甲	6.0	4.5	0.17	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0469	437	Acacia auriculiformis	耳果相思	9.0	5.0	0.15	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0470	437	Acacia auriculiformis	耳果相思	6.0	2.5	0.11	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0472	437	Acacia auriculiformis	耳果相思	7.0	5.0	0.17	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0473	437	Acacia confusa	台灣相思	8.0	3.0	0.11	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0474	437	Acacia confusa	台灣相思	6.0	5.0	0.15	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0475	437	Acacia confusa	台灣相思	6.0	2.5	0.13	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0476	437	Ficus microcarpa	細葉榕	5.0	4.0	0.13	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0477	437	Acacia confusa	台灣相思	5.0	4.0	0.13	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0478	437	Bischofia javanica	秋楓	6.0	4.5	0.17	Fair	Fair	Med	Med	Retain
C04/309	YTM	T0479	437	Acacia auriculiformis	耳果相思	4.0	3.5	0.14	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0480	437	Acacia auriculiformis	耳果相思	5.0	5.0	0.23	Fair	Fair	Med	Low	Retain
C04/309	YTM	T0481	437	Acacia auriculiformis	耳果相思	5.0	5.0	0.16	Fair	Fair	Med	Low	Retain
C04/309	YTM	T2107	437	Aleurites moluccana	石栗	8.0	4.0	0.17	Fair	Fair	Med	High	Retain
C04/309	YTM	T2108	437	Ficus hispida	對葉榕	6.0	2.0	0.13	Fair	Fair	Low	Low	Retain

REFER TO DRAWING NO.	SITE	TREE	EP	BOTANICAL NAME	CHINESE COMMON		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	RECOMMENDATION
(C1106/B/000/ATK/)	LOCATION	NO.	437/438	BOTANICAL NAME	NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair /Poor)	(Good/Fair /Poor)	(High/Med/ Low)		RECOMMENDATION
C04/309	YTM	T2109	437	Aleurites moluccana	石栗	6.0	2.0	0.10	Good	Good	Med	High	Retain
C04/309	YTM	T2110	437	Macaranga tanarius	血桐	7.0	3.0	0.16	Fair	Fair	Med	High	Retain
C04/309	YTM	T2111	437	Macaranga tanarius	血桐	5.0	2.0	0.11	Fair	Fair	Med	High	Retain
C04/309	YTM	T2112	437	Macaranga tanarius	血桐	6.5	4.0	0.15	Fair	Fair	Med	High	Retain
C04/309	YTM	T2113	437	Aleurites moluccana	石栗	7.0	4.0	0.16	Good	Good	Med	High	Retain
C04/309	YTM	T2114	437	Aleurites moluccana	石栗	9.0	4.0	0.20	Good	Good	Med	High	Retain
C04/309	YTM	T2115	437	Ficus hispida	對葉榕	5.0	2.0	0.12	Fair	Fair	Low	Low	Retain
C04/309	YTM	T2522	437	Celtis sinensis	朴樹	6.0	1.0	0.13	Poor	Poor	Low	Low	Retain
C04/309	YTM	T2523	437	Celtis sinensis	朴樹	10.0	4.0	0.35	Poor	Poor	Low	Low	Retain
C04/309	YTM	T2524	437	Bombax ceiba	木棉	10.0	6.0	0.32	Poor	Poor	Low	Low	Retain
C04/309	YTM	T2529	437	Bauhinia variegata	宮粉羊蹄甲	4.0	3.0	0.11	Poor	Poor	Low	Low	Retain
C04/309	YTM	T2534	437	Bombax ceiba	木棉	10.0	3.0	0.18	Good	Good	Med	Med	Retain
C04/309	YTM	T2536	437	Aleurites moluccana	石栗	11.0	3.0	0.17	Fair	Fair	Med	High	Retain
C04/309	YTM	T2537	437	Delonix regia	鳳凰木	13.0	4.0	0.31	Fair	Poor	Low	Low	Retain
C04/309	YTM	T2538	437	Macaranga tanarius	血桐	5.0	3.0	0.25	Good	Good	Med	High	Retain
C04/309	YTM	T2539	437	Litsea glutinosa	潺槁樹	4.0	3.0	0.11	Fair	Fair	Med	High	Retain
C04/309	YTM	T2543	437	Morus alba	桑	7.0	4.0	0.20	Fair	Fair	Med	High	Retain
C04/309	YTM	T2544	437	Bombax ceiba	木棉	6.0	2.0	0.12	Fair	Fair	Med	Med	Retain
C04/309	YTM	T2545	437	Liquidambar formosana	楓香	6.0	7.0	0.32	Fair	Fair	Med	Med	Retain
C04/309	YTM	T2546	437	Liquidambar formosana	楓香	10.0	5.0	0.25	Fair	Fair	Med	Med	Retain
C04/309	YTM	T2547	437	Litsea glutinosa	潺槁樹	5.0	1.0	0.10	Fair	Fair	Med	Med	Retain
C04/309	YTM	T2548	437	Liquidambar formosana	楓香	7.0	4.0	0.21	Fair	Fair	Med	Med	Retain
C04/309	YTM	T2549	437	Celtis sinensis	朴樹	4.0	2.5	0.10	Fair	Fair	Med	Med	Retain

REFER TO DRAWING NO.	SITE	TREE	EP	BOTANICAL NAME	CHINESE COMMON		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	RECOMMENDATION
(C1106/B/000/ATK/)	LOCATION	NO.	437/438	BOTANICAL NAME	NAME	OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair /Poor)	(Good/Fair /Poor)	(High/Med/ Low)		RECOMMENDATION
C04/309	YTM	T2552	437	Macaranga tanarius	血桐	4.0	4.0	0.11	Fair	Fair	Med	Med	Retain
C04/309	YTM	T2553	437	Dead tree	死樹	10.0	3.0	0.13	-	-	-	-	Fell
C04/309	YTM	T2554	437	Bombax ceiba	木棉	12.0	9.0	0.23	Fair	Fair	Med	High	Retain
C04/309	YTM	T2555	437	Bombax ceiba	木棉	12.0	9.0	0.25	Fair	Fair	Med	High	Retain
C04/310	YTM	T2085	437	Cinnamomum camphora	樟	4.0	2.0	0.16	Good	Good	Med	Med	Fell
C04/310	YTM	T2086	437	Cinnamomum camphora	樟	4.0	3.0	0.16	Good	Good	Med	Med	Fell
C04/310	YTM	T2087	437	Cinnamomum camphora	樟	4.0	2.0	0.12	Good	Good	Med	Med	Fell
C04/310	YTM	T2088	437	Cinnamomum camphora	樟	3.0	2.0	0.10	Good	Good	Med	Low	Fell
C04/310	YTM	T2089	437	Cinnamomum camphora	樟	3.0	2.0	0.10	Good	Good	Med	Low	Fell
C04/310	YTM	T2090	437	Melaleuca leucadendron	白千層	3.0	1.0	0.13	Good	Poor	Med	Med	Fell
C04/310	YTM	T2091	437	Melaleuca leucadendron	白千層	3.0	1.0	0.13	Good	Poor	Med	Med	Fell
C04/310	YTM	T2092	437	Melaleuca leucadendron	白千層	3.0	1.0	0.13	Good	Good	Med	Med	Fell
C04/310	YTM	T2093	437	Melaleuca leucadendron	白千層	3.0	1.0	0.14	Good	Poor	Low	Med	Fell
C04/310	YTM	T2104	437	Cinnamomum camphora	樟	4.0	2.0	0.12	Good	Good	Med	Low	Retain
C04/310	YTM	T2105	437	Macaranga tanarius	血桐	6.5	4.0	0.14	Fair	Fair	Med	High	Retain
C04/310	YTM	T2106	437	Macaranga tanarius	血桐	6.5	4.0	0.16	Fair	Fair	Med	High	Retain
C04/310	YTM	T2525	437	Macaranga tanarius	血桐	14.0	4.0	0.33	Fair	Fair	Med	Med	Retain
C04/310	YTM	T2526	437	Celtis sinensis	朴樹	5.0	5.0	0.19	Fair	Fair	Med	Med	Retain
C04/310	YTM	T2527	437	Macaranga tanarius	血桐	6.0	2.0	0.12	Poor	Poor	Low	Low	Retain
C04/310	YTM	T2528	437	Litsea glutinosa	潺槁樹	6.0	2.0	0.12	Poor	Poor	Low	Low	Retain
C04/310	YTM	T2530	437	Celtis sinensis	朴樹	6.0	4.0	0.13	Poor	Poor	Low	Low	Retain
C04/310	YTM	T2531	437	Bombax ceiba	木棉	4.5	5.0	0.18	Fair	Fair	Med	Med	Retain
C04/310	YTM	T2532	437	Celtis sinensis	朴樹	3.5	1.5	0.10	Good	Good	Med	Med	Retain

Annex C1-1 Existing Tree Assessment Schedule for KCRC Vested Land – Kowloon


REFER TO SITE LOCATION	SITE	TREE	EP	BOTANICAL NAME	CHINESE COMMON NAME		SIZE (m)		HEALTH	FORM	AMENITY VALUE	SURVIVAL RATE AFTER TRANSPLANTING	RECOMMENDATION
	LOCATION	NO.	437/438			OVERALL HEIGHT (m)	CROWN SPREAD (m)	TRUNK DIAMETER (m)	(Good/Fair /Poor)	(Good/Fair /Poor)	(High/Med/ Low)	(High/Med/Low)	NECOMMENDATION
C04/310	YTM	T2540	437	Celtis sinensis	朴樹	6.0	4.0	0.15	Fair	Fair	Med	Med	Retain
C04/310	YTM	T2541	437	Ficus microcarpa	細葉榕	2.0	5.0	0.18	Fair	Fair	Med	High	Retain
C04/310	YTM	T2542	437	Dead tree	死樹	5.0	1.0	0.13	-	-	-	-	Fell
C04/310	YTM	T2550	437	Bombax ceiba	木棉	10.0	5.0	0.32	Fair	Fair	Med	Med	Retain
C04/310	YTM	T2572	437	Bridelia tomentosa	土蜜樹	4.0	4.0	0.14	Poor	Poor	Low	Low	Retain
C04/310	YTM	T2573	437	Bridelia tomentosa	土蜜樹	4.0	4.0	0.17	Poor	Poor	Low	Low	Retain
C04/310	YTM	T2574	437	Bridelia tomentosa	土蜜樹	8.0	3.0	0.16	Poor	Poor	Low	Low	Retain


- (1) Direct conflicts to construction works;
- (2) Weak tree structure with potential for tree failure;
- (3) On slope and/or reasonable sized rootball preparation impractical;
- (4) Too large for transportation on public roads; and
- (5) Trees within operational railway area which is inaccessible for rootball preparation.


Annex C1-2


Tree Recommendation Plans


Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112)













































































ANNEX D

Summary of Retained Trees and Method Statement for Protection of Retained Trees

Annex D1 Summary of Retained Trees

Annex D1 Summary of Retained Trees

Annex D1 Summary of Retained Tr	ees	** 1 5	** * 1	0 11.77 1.1	1
Main Tree Species	No. of Trees	Height From (m)	Height To (m)	Overall Health Condition	Overall Form
Caryota ochlandra	163	2	6	Good	Good
Macaranga tanarius	88	1.5	14	Fair	Poor
Bauhinia blakeana	69	3.5	9	Fair	Fair
Acacia auriculiformis	57	2	11	Fair	Fair
Livistona chinensis	42	1.5	8.5	Good	Fair
Caryota mitis	32	2	10	Fair	Fair
Bauhinia variegata	29	3	8	Fair	Fair
Delonix regia	27	4	16	Poor	Fair
Ficus microcarpa	25	2	9	Good	Good
Melia azedarach	23	3.5	15	Fair	Fair
Aleurites moluccana	23	4	15	Fair	Fair
Bombax ceiba	21	4	13	Fair	Fair
Celtis sinensis	18	3.5	10	Fair	Fair
Litsea glutinosa	15	3	9	Fair	Fair
Ficus benjamina	14	3	7.5	Fair	Fair
Cassia siamea	12	4	16	Fair	Fair
Casuarina equisetifolia	11	6	12	Good	Good
Acacia confusa	11	4.5	8.5	Fair	Fair
Thevetia peruviana	8	6	7	Fair	Fair
Broussonetia papyrifera	8	6	8	Fair	Poor
Albizia lebbeck	7	2	7	Fair	Fair
Bischofia javanica	7	3	8	Poor	Fair
Pterocarpus indicus	6	7	11	Fair	Fair
Mallotus paniculatus	6	5	7	Fair	Poor
Peltophorum pterocarpum	6	9	12	Fair	Poor
Melaleuca leucadendron	5	6.5	10	Fair	Fair
Michelia alba	5	4.5	8	Fair	Fair
Ficus hispida	5	3	6	Fair	Poor
Araucaria heterophylla	5	3	5.5	Good	Good
Liquidambar formosana	5	4	10	Fair	Fair
	4	8	9	Fair	Fair
Eucalyptus citriodora Lophostemon confertus				Good	Good
	4	5	7		
Morus alba	4			Fair	Poor
Bauhinia purpurea	3	5	7	Fair Fair	Fair Poor
Bridelia tomentosa			8		
Crateva unilocularis	2	4.5	5	Poor	Poor
Choerospondias axillaris	2	9	10	Fair	Poor
Albizia lebbek	2	7	8	Fair	Fair
Terminalia catappa	2	8	8.5	Fair	Fair
Symplocos lucida	1	5	5	Fair	Fair
Ficus virens	1	4.5	4.5	Fair	Fair
Ficus variegata	1	4	4	Good	Good
Cassia surattensis	1	3	3	Fair	Fair
Hibiscus tiliaceus	1	6	6	Poor	Poor
Archontophoenix alexandrae	1	5	5	Fair	Fair
Ficus superba	1	3	3	Fair	Fair
Cinnamomum camphora	1	4	4	Fair	Poor
Ficus elastica	1	4	4	Fair	Fair
Dimocarpus longan	1	5	5	Fair	Fair
Total no. of trees:	790				

Total no. of trees: 790

Annex D2

Method Statement for Protection of Retained Trees

Annex D2 - Method Statement for Protection of Retained Trees

- (1) The Contractor shall assign a person to oversee the implementation of preservation and protection to existing trees.
- (2) The Contractor shall identify and demarcate all the trees to be retained.
- (3) The Contractor shall regularly monitor against possible incursion, physical damage, fire, pollution, surface erosion, etc.
- (4) For all the retained trees as mentioned above, the Contractor shall exercise the greatest care to avoid any damage to them and shall implement the appropriate protection measures to ensure the following:
 - a) no nails or other fixings shall be driven into the trees, including the exposed tree roots
 - b) no fencing, services, or signs other than the identification labels or markings shall be attached to any part of the trees
 - no trees shall be used as anchorages for ropes or chains used in guying or pulling or for equipment used for removing stumps, roots or other trees, or for any other purposes
 - d) no soil, materials, equipment or machinery shall be stockpiled or stored within the tree protection zones unless otherwise agreed by the Engineer
 - e) no site offices, workshops, canteens, containers or similar structures shall be installed within the tree protection zones unless otherwise agreed by the Engineer
 - f) petrol, oil, bitumen, creosote, cement and other materials likely to be injurious to the trees shall be kept away from the tree protection zones, and any accidental spills of these materials shall be cleaned up immediately
 - g) no passage or parking of vehicles and no operation of equipment or machinery shall take place within the tree protection zones unless otherwise agreed by the Engineer
 - no stripping of surface vegetation or top layer of soil shall be carried out within the tree protection zones unless otherwise agreed by the Engineer
 - i) no fires shall be lit within the tree protection zones or in a position where the flames will likely extend to within 5 m of foliage, branches or trunks of the trees, bearing in mind the size of the fire and the wind direction
 - j) no concrete mixing, gas tank filling, paintbrush and tool cleaning, or equipment maintenance shall be carried out within the tree protection zones

- any necessary scarification or cultivation within the tree protection zones shall be carried out carefully by hand so as not to cause damage to the trees, in particular the bark and the roots
- any equipment, in particular delivery vehicles, overhead cranes, mechanical excavations, drilling rigs and piling rigs, shall be carefully operated so as not to cause striking of the trunks, branches, foliage or root collars of the trees
- m) the trees to be felled that are adjacent to, or that lie within a continuous canopy of, the preserved trees, shall be carefully removed, and if necessary in sections but not using bulldozers in any circumstances, so as not to cause damage to the preserved trees such as scraping bark off trunks or breaking branches of trees
- n) no building equipment or material shall be sail over the top of the preserved tree or tree group
- o) no fume should be allow to blow directly to the tree or tree group
- p) where it is necessary to use herbicides to kill any vegetation, herbicides that can leach through the soil, such as the products containing sodium chlorate, and any other herbicides that are injurious to the trees shall not be used
- allowance shall be made for the slope of the ground so that damaging materials such as concrete washings, mortar or diesel oil cannot run towards the trees
- r) alkaline clays or limestones shall not be used for filling or paving, concrete shall be mixed on a thick plastic tarpaulin or outside the Site, and mixing trucks shall not be rinsed out on the Site, so as not to cause changes, in particular increases, in soil pH
- all building debris and chemical wastes shall be hauled away for proper disposal, and in any circumstances shall not be burned or buried on the Site or be disposed of by pouring them on the soil within the Site
- t) subject to the actual site condition, terrain etc, at least 1.5m high temporary robust protective fence should be erected around the trees to be retained. The fences should enclose the spread of the branches (i.e. dripline areas) as far as possible given the established fences will not block any necessary access routes within the construction works sites / areas or occupy the necessary works areas. For any necessary works that need to be conducted within the tree's dripline areas, the contractor's tree specialist(s) should be responsible for overseeing the works to ensure that no tree parts will be damaged by the works. Photographic records of the works to be conducted within the dripline's areas should be submitted to the Certified Arborist for record and monitoring.

- (5) Daily care such as watering, pest control, weeding and clearance of invasive climbers etc. should be provided for the retained trees.
- (6) All retained trees as mentioned above, tree risk assessment should be carried out at least once a year before onset of wet season to gear up the precautionary measures before typhoon season, in accordance with the latest Guidelines for Tree Risk Assessment and Management Arrangement (8th Edition).
- (7) Control methods for the Red Imported Fire Ants will be followed the Technical Note - Red Imported Fire Ant Control Methods issued by AFDC in May 2008.

Annex E

Tree Transplanting Plans and Compensatory Tree Planting Plans

Annex E1 Summary of Transplanted Trees

Annex E1 Summary of Transplanted Trees


Main Tree Species	No. of Trees	Height From (m)	Height To (m)	Overall Health Condition	Overall Form
Livistona chinensis	15	2.5	7.5	Good	Good
Roystonea regia	4	8	9.5	Good	Good
Caryota mitis	1	5	5	Fair	Fair
Bauhinia variegata	1	5	5	Good	Fair
Bauhinia blakeana	1	5.5	5.5	Good	Fair
Bombax ceiba	1	14	14	Good	Good
·			•	·	


Total no. of trees: 23


Annex E2


Tree Transplanting Plans and Compensatory Tree Planting Plans


Hung Hom North Approach Tunnels (Works Contract 1111) and Hung Hom Station and Stabling Sidings (Works Contract 1112)




















Annex F

Tree Felling Proposal

Annex F1 Summary of Felled Trees

Annex F1 Summary of Felled Trees

Main Tree Species	No. of Trees	Height From (m)	Height To (m)	Overall Health Condition	Overall Form
Bauhinia blakeana	43	3	8.5	Fair	Poor
Caryota mitis	38	3	6	Fair	Poor
Bombax ceiba	34	1.6	15	Fair	Fair
Bauhinia variegata	33	2	12	Fair	Fair
Macaranga tanarius	30	4	12	Fair	Fair
Melia azedarach	29	4	13	Fair	Fair
Acacia confusa	24	4	11	Fair	Fair
Aleurites moluccana	23	6	13	Fair	Poor
Melaleuca leucadendron	21	3	13	Fair	Fair
Acacia auriculiformis	20	5	11.5	Fair	Poor
Delonix regia	16	7	12	Fair	Fair
Leucaena leucocephala	15	3.5	13	Poor	Poor
Caryota ochlandra	14	3.5	8.5	Good	Good
Peltophorum pterocarpum	12	7	14	Fair	Fair
Celtis sinensis	9	3	8	Fair	Poor
Bauhinia purpurea	8	4	8	Fair	Poor
Broussonetia papyrifera	7	3	10	Fair	Poor
Ficus microcarpa	7	2	12	Fair	Poor
Dead tree	6	2.5	10	-	-
Ficus hispida	6	5	7	Fair	Poor
Cinnamomum camphora	5	3	4	Fair	Fair
Albizia lebbeck	5	4	8	Fair	Fair
Bridelia tomentosa	5	5	6	Good	Good
Livistona chinensis	5	2.5	7.5	Poor	Poor
Morus alba	4	5	8	Fair	Poor
Ailanthus fordii	4	8	13	Fair	Fair
Cassia siamea	4	9.5	10	Fair	Fair
Mangifera indica	4	4	8	Fair	Fair
Thevetia peruviana	3	6	7	Fair	Fair
Litsea glutinosa	3	3	6	Good	Fair
Sapindus mukorossi	2	3	5	Fair	Poor
Terminalia catappa	2	5	5	Fair	Fair
Vitex quinata	2	5	5	Fair	Poor
Melaeuca leucadendron	2	6	8.5	Fair	Poor
Phoenix roebelenii	2	5	5	Fair	Fair
Lophostemon confertus	2	7	10	Fair	Fair
Dimocarpus longan	2	3	4	Fair	Fair
Bischofia javanica	2	8	8	Fair	Poor
Ficus virens var. sublanceolata	2	10	12	Fair	Fair
Cassia fistula	1	7	7	Fair	Poor
Tecoma stans	1	7	7	Fair	Fair
Pterocarpus indicus	1	7.5	7.5	Fair	Fair
Archontophoenix alexandrae	1	8	8	Fair	Fair
Crateva unilocularis	1	4	4	Fair	Poor
Grevillea robusta	1	11	11	Fair	Fair
Psidium guajava	1	3	3	Fair	Fair
Erythrina variegata 'Picta'	1	8	8	Fair	Poor

Annex F1 Summary of Felled Trees

Main Tree Species	No. of Trees	Height From (m)	Height To (m)	Overall Health Condition	Overall Form
Carica papaya	1	5	5	Fair	Fair
Liquidambar formosana	1	10	10	Fair	Fair
Ficus variegata	1	6	6	Fair	Poor
Musa paradisiaca	1	2	2	Fair	Poor
Cratoxylum cochinchinense	1	3	3	Fair	Poor
Garcinia subelliptica	1	8	8	Good	Good
Ficus elastica	1	11	11	Fair	Poor
Total no. of trees:	470				

ANNEX G

Post-planting Care Proposal

Annex G1 - Post-planting Care Proposal for Transplanted Trees

Transplanted trees shall be maintained immediately after transplanting works from existing location, and maintenance will continue before any agreement of the maintenance agencies is confirmed. Such maintenance will include all measures necessary to establish and maintain all transplanted trees in an acceptable, vigorous and healthy growing condition.

a) Watering

Immediately after transplanting, the base of all plants should be well watered, using enough water to thoroughly soak the rootball to field capacity. Plants should be well watered in the evening and early morning only or as agreed with the Engineer.

b) Watering Frequency

Watering should be more frequent during the early part of the Establishment Period. When necessary with instruction by Engineer, daily watering is required. Watering should be done after checking soil water content to avoid waterlogged damage to roots.

c) Watering in Dry Season

Watering should be carried out daily during the dry season, generally September to April. Watering should be to field capacity.

d) Watering in Wet Season

Watering should be carried out as required during the wet season.

e) Firming up

Firming up of plants and tree stakes should be undertaken from time to time during the period and particularly after heavy rain and/or wind.

f) Fertilizer

At least two applications of fertilizer shall be carried out in the 12-month Establishment Period.

g) Weeding

All grassed and planted areas should be kept free of weeds throughout the period for establishment works. Any unwanted plants found within the Site is considered as weeds and should be removed by the Contractor once it is identified or when instructed by the Engineer throughout the period of establishment works.

Weeding should be carried out by hand or by mechanical methods agreed by the Engineer in such a manner that damage to grass and planted areas will not be caused. The Contractor should not use chemicals or fire for weeding operation, unless otherwise instructed or approved by the Engineer. All weeds, litter and other rubbish resulting from the weeding operation should be disposed of from the Site by the Contractor. Any ground cover plants, herbaceous plants, climber, mulch or soil disturbed or removed during the weeding operation should be replaced.

Plant areas in bare ground should be weeded to remove all unwanted vegetative growth including aerial parts and roots, over the complete area. Planted areas other than in bare ground should be weeded to remove all competing and overhanging vegetative growth within 300mm radius of the base of each plant by cutting the growth down to not more than 50mm above soil level.

When the use of herbicide is approved by the Engineer, the Contractor should comply with the following requirements in applying the herbicide:

- the herbicide should be of proprietary type approved by the Agriculture, Fisheries and Conservation Department and the Certificate of Approval should be submitted to the Engineer,
- application of herbicide should not be commenced without the Engineer's approval to the type of herbicide to be used, and
- application of herbicide should be in strict accordance with the manufacturer's recommendations.

h) Pests and Fungal Growth

The Contractor should regularly check for any insect attack or fungus infestation including *Ganoderma* spp., *Phellinidium noxium*, *Armillaria* spp., termite, insect borer particularly during known periods of pest and diseases activity. The Contractor should report to the Engineer any such occurrence and should appoint or employ a fungal pest specialist to investigate, inspect and identify the species of fungi and insect before any commencement of control measures. After that, the Contractor should carry out remedial or control eradication by use of approved sprayed insecticide/fungicides under the recommendation of the fungal pest specialist. Termite or insect pest specialist should be employed by Contractor with remedial proposal for their removal. Use of such pesticide chemical is to be with due care and to have due regard to the safety and convenience of the general public, and is to be carefully controlled to avoid unnecessary dispersion.

If the Contractor considers that it is necessary to use chemical insecticide or fungicide, he should obtain prior written approval of the Engineer. Chemical insecticide or fungicide should be used in accordance with the manufacturer's instructions and AFCD guideline. Use of sprays is to be with care and with due regarding to the safety and convenience of the general public and in accordance with AFCD guidelines. Spraying should be carefully controlled to avoid unnecessary dispersion.

i) Record

The Contractor should report to the Engineer before and after the carrying out of Establishment Works and a keep countersigned record of the works being carried out, which should be available for inspection at the office.

j) Replacement

The replacement tree should be of the similar size, quality and species as the original tree and approved by the Engineer and relevant Government Department.

k) Handover of Transplanted Trees

The Contractor should be responsible for the handover of the transplanted trees to the relevant authorities, and should arrange all necessary handover inspections with the relevant authorities.

Annex G2 - Post-planting Care Proposal for Compensatory Trees

Compensatory trees shall be maintained immediately after planting works. The maintenance period will last for 12-month. Such maintenance will include all measures necessary to establish and maintain all compensatory trees in an acceptable, vigorous and healthy growing condition.

a) Watering

Fresh water shall be used for watering compensatory trees. Water shall be applied using a rose or sprinkler of a type agreed by the Engineer and in such a manner that compaction, washout of soil or loosening of trees will not be caused; ant damage caused shall be made good immediately.

b) Firming up

The Contractor shall be responsible for the security of stakes, ties and guys throughout the Establishment Period. Broken, damaged and other unsatisfactory stakes, ties and guys shall be replaced and ties that are causing chafing or abrasion of the plant shall be adjusted. Firming up of plants and tree stakes should be undertaken from time to time during the period and particularly after heavy rain and/or wind.

c) Post-planting Fertilizer

Post-planting fertilizer shall be applied not less than 100 days, and not more than 300 days after planting. The fertilizer shall be applied at a rate of 100g for each light standard, standard and heavy standard trees.

d) Weeding

All grassed and planted areas should be kept free of weeds throughout the period for establishment works. Any unwanted plants found within the Site is considered as weeds and should be removed by the Contractor once it is identified or when instructed by the Engineer throughout the period of establishment works.

Weeding should be carried out by hand or by mechanical methods agreed by the Engineer in such a manner that damage to grass and planted areas will not be caused. The Contractor should not use chemicals or fire for weeding operation, unless otherwise instructed or approved by the Engineer. All weeds, litter and other rubbish resulting from the weeding operation should be disposed of from the Site by the Contractor. Any ground cover plants, herbaceous plants, climber, mulch or soil disturbed or removed during the weeding operation should be replaced.

Plant areas in bare ground should be weeded to remove all unwanted vegetative growth including aerial parts and roots, over the complete area. Planted areas other than in bare ground should be weeded to remove all competing and overhanging vegetative growth within 300mm radius of the

base of each plant by cutting the growth down to not more than 50mm above soil level.

When the use of herbicide is approved by the Engineer, the Contractor should comply with the following requirements in applying the herbicide:

- the herbicide should be of proprietary type approved by the Agriculture,
 Fisheries and Conservation Department and the Certificate of Approval should be submitted to the Engineer,
- application of herbicide should not be commenced without the Engineer's approval to the type of herbicide to be used, and
- application of herbicide should be in strict accordance with the manufacturer's recommendations.

e) Pests and Fungal Growth

The Contractor should regularly check for any insect attack or fungus infestation including *Ganoderma* spp., *Phellinidium noxium*, *Armillaria* spp., termite, insect borer particularly during known periods of pest and diseases activity. The Contractor should report to the Engineer any such occurrence and should appoint or employ a fungal pest specialist to investigate, inspect and identify the species of fungi and insect before any commencement of control measures. After that, the Contractor should carry out remedial or control eradication by use of approved sprayed insecticide/fungicides under the recommendation of the fungal pest specialist. Termite or insect pest specialist should be employed by Contractor with remedial proposal for their removal. Use of such pesticide chemical is to be with due care and to have due regard to the safety and convenience of the general public, and is to be carefully controlled to avoid unnecessary dispersion.

If the Contractor considers that it is necessary to use chemical insecticide or fungicide, he should obtain prior written approval of the Engineer. Chemical insecticide or fungicide should be used in accordance with the manufacturer's instructions and AFCD guideline. Use of sprays is to be with care and with due regarding to the safety and convenience of the general public and in accordance with AFCD guidelines. Spraying should be carefully controlled to avoid unnecessary dispersion.

f) Record

The Contractor should report to the Engineer before and after the carrying out of Establishment Works and a keep countersigned record of the works being carried out, which should be available for inspection at the office.

g) Replacement

Compensatory trees that in the opinion of the Engineer are dead, dying or otherwise unsatisfactory shall be replaced. The replacement tree should be of the similar size, quality and species as the original tree and approved by the Engineer and relevant Government Department.

h) Handover of Compensatory Trees

the Contractor should be responsible for the handover of the compensatory trees to the relevant authorities, and should arrange all necessary handover inspections with the relevant authorities.

Tree Risk Assessment for Compensatory Trees

- i) All compensatory trees as mentioned above, tree risk assessment should be carried out at least once a year before onset of wet season to gear up the precautionary measures before typhoon season, in accordance to the latest Guidelines for Tree Risk Assessment and Management Arrangement (8th Edition).
- i) General Horticultural Maintenance Schedule

The below schedule was a sample for horticultural maintenance and only apply for compensatory trees implemented by MTRC. The general horticultural maintenance schedule is pending from SCL individual contractor's proposal. The schedule and programme of horticultural maintenance works are subjected to site condition, advice from contractor's tree specialist, requirements and approval of maintenance departments within the establishment period.

Item	Activity of Work	Dry Season			Wet Season					
1	Watering (if necessary)									
2	Fertilizing									
3	Weeding									
4	Pest and Disease Control (if necessary)									
5	Grass cutting									
6	Soil Conditioning and Mulching									
7	Firming up									
8	Trimming									
9	Tree pruning									
10	Tree Risk Assessment by Certified Arborist									

ANNEX H

Records of Response to Comment

Environmental Term Consultancy for SCL (MKK-HUH)

EP Condition 2.11 – Submission of Visual, Landscape, Tree Planting & Tree Protection Plan (VLTTP) (Version J, November 2020)

Government Department	Item No.	Comments	Response
Environmental Protection Department (EPD) [Ref. (19) in Ax(3) to EP2/G/A/124 Pt.15 dated 21 August 2020]	1.	Transplanted Trees According to the R-to-C, the final locations of transplanted trees are still under reviewed, and the information will be provided once available. Hence, we will reserve our comments upon receipt of the further information.	Noted. 21 out of 23 transplanted trees have receptor locations. The final receptor locations of the remaining transplanted trees will be updated once confirmed.
	2.	Compensatory Planting Plan (Drawing No: C1106/B/000/ATK/C04/053 Rev L) Please explore whether the "area 5" and "area 6" could be catered for tree planting. Otherwise, the Permit Holder is required to demonstrate site constraints that would hinder the on-site compensatory planting on the aforementioned areas.	LCSD expressed difficulties in vegetation maintenance and therefore no trees were planted as per the agreed landscape re-instatement proposal with LCSD.
	3.	Having compared the subject compensatory planting plan with the tree recommendation plan (Drawing no: C1106/B/OOO/ATK/C04/015 Rev K), it is observed that the "area 8" as shown in the compensatory planting plan may have space to cater for the on-site compensatory planting. The Permit Holder is required to identify the future vegetation maintenance party and seek their comments and agreement, in order to provide on-site compensatory planting as effective landscape mitigation measures.	LCSD does not recommend compensatory tree planting at "Area 8" due to department's internal safety guideline. "Area 8" is near heavy traffic carriageways, tree planting is unsuitable as it may block drivers' sightline. Moreover, "Area 8" is under elevated roads and without any access for routine maintenance works.
	4.	Information on the certified arborist In view that the proposals under the EP Condition 2.11 (b) to (f) shall be prepared by the Certified Arborist appointed under EP Condition 2.4. We reiterate that the registration no. of the certified arborist should be stated on the covering page. Only signature of the certified arborist, but not the registration no., is noted in the covering page.	Noted. The registration no. has been included in the covering page.

Environmental Term Consultancy for SCL (MKK-HUH)

EP Condition 2.11 – Submission of Visual, Landscape, Tree Planting & Tree Protection Plan (VLTTP) (Version J, July 2020)

Government Department	Item No.	Comments	Response
Environmental Protection Department (EPD) [Ref. (15) in Ax(3) to EP2/G/A/124 Pt.15 dated 14 May 2020]	1.	Noting from the current submission that slope areas as shown in the compensatory planting plan (Drawing no. C1106/B/0000/ATK/C04/053 Rev L in Annex E2) are not feasible for compensatory tree plantings. However, there is insufficient information to demonstrate site constraints for the rest of space for compensatory plantings in comparisons with Landscape Master Plan (Figure no. NEX2213/C/361/ENS/M54/552 Rev A) in the approved EIA report (Register No. AEIA-165/2012). We reiterate that the Permit holder is required to demonstrate site constraints that would hinder the on-site compensatory planting. Moreover, off-site compensatory opportunities in close proximity to the project should be fully explored in order to compensate the loss of amenity and values within the project area, prior to considering any alternative proposal.	Site constraints for compensatory plantings has been marked and shown in the compensatory planting plan. Please refer to Drawing no. C1106/B/0000/ATK/C04/053 Rev L in Annex E2 for details.
	2.	Discrepancies on the numbers of trees to be retained, trees to be felled and compensatory trees are observed among Table 3.1, paragraph 3.2.1, paragraph 3.4.5 and paragraph 3.5.5. Please clarify.	
	3.	Noting that the receptor areas for transplanting tress were identified. However, a planting plan showing the final location for each transplanting tree and planting layout is still missing.	Final locations for transplantation have been provided in revised Annex E. However, the final locations of certain trees to be transplanted are still under review or consent is being sought with maintenance department. The information will be provided once available.

Government Department	Item No.	Comments	Response
	4.	With reference to the drawings enclosed in Annex E2, it is observed that the receptor areas for transplanting trees may have extra space to cater for the on-site compensatory planting. Please explore and advise whether it is feasible.	Our further review on the feasibility of additional on-site compensatory planting has been conducted. The receptor area shown in Drawing No. C1106/B/000/ATK/C04/053 Rev.2 for transplanting trees was fully occupied by the transplanted trees which require planting space in consideration of existing crown spread of transplanted trees. Therefore, it is confirmed that there is insufficient space to accommodate additional compensatory tree in the proposed transplanting tree area. The Drawing No. C1106/000/ATK/C04/354 Rev F enclosed in Annex E2 has been revised. As shown, the area for transplanted tree was small in size and only one transplanted tree was relocated in this area. Thus it could not cater additional on-site compensatory planting. All the planting arrangement in the proposed transplanting tree areas had been reviewed and settled with relevant government departments.
	5.	The compensatory planting plan showing the planting layout of compensatory plantings (190 nos.) at Kai Tak Station Square (KAT) is illegible. Please provide drawing in an appropriate scale for our review.	Noted. Planting layout has been revised.
	6.	Please clarify whether 800 nos. of tree seedlings as shown in "Compensatory Planting Plan at Ha Fa Shari" would be catered as off-site compensatory plantings for this project.	
	7.	For the sake of clarity, registration no. of the certified arborist should be stated on the fourth covering page together with the signature of the certified arborist.	Noted. Registration no. of the certified arborist (HK-0785A) is provided on the covering page together with the signature of the certified arborist.

Environmental Term Consultancy for SCL (MKK-HUH)

EP Condition 2.11 – Submission of Visual, Landscape, Tree Planting & Tree Protection Plan (VLTTP) (Version J, April 2020)

Government Department	Item No.	Comments	Response
Environmental Protection Department (EPD) [Ref. (23) in Ax(3) to EP2/G/A/124 Pt.14 dated 12 Jul 2019]	1.	The submission claimed that feasibilities of on-site tree planting opportunities have been fully explored and on-site compensatory tree planting in a ratio of 1:1 in terms of number cannot be fully met. Instead, the Permit Holder proposes an off-site compensatory planting proposal at Hong Kong Boundary Crossing Facilities (HKBCF), Hong Kong - Zhuhai Macau Bridge (HZMB). However, there is insufficient information to demonstrate the said site constraints would hinder the on-site compensatory planting. The Permit Holder is also advised that even if the necessity of off-site compensatory plant can be demonstrated, in order to compensate the loss of amenity and ecological values within the project area, off-site compensatory planting should preferably be in proximity to the project site. Off-site compensatory opportunities in close proximity should be fully explored before considering any alternative proposal.	Please note that HKBCF is no longer an option for offsite compensatory tree planting under EP-437/2012/A. As part of the compensatory planting proposal, 190 no. of trees are now suggested to be planted at KAT as off-site compensatory tree planting. On top of compensatory tree planting provided in Hung Hom and Kai Tak areas, a total no. of 400 additional tree seedlings planting at Ha Fa Shan (HFS) in Tsuen Wan is proposed to compensate the loss of amenity value. This proposed planting not only improve landscape value at the fringe of the Country Park but also help to arrest further soil erosion, benefiting general public especially country park visitors. The compensatory tree planting proposal, including locations, numbers and species etc., will be subject to the final landscape design. Please refer to Annex E for the planting details in KAT and Ha Fa Shan.
	2.	The Permit Holder is reminded that the tree planting at HKBCF, HKZMB as stated in the Landscape and Visual Plan submitted under Condition 2.9 of EP-353/2009/K is for compliance with EP-353/2009/K and should not be double-counted with off-site compensatory tree planting for other approved EIA projects. We also understand that the said Landscape and Visual Plan will be updated to cover trees to be planted by HKBCF only. Hence, paragraph 3.5.5, Note (8) of Table 3.1 and Attachment B should be deleted / amended as appropriate.	Since HKBCF is no longer an option for offsite compensatory tree planting under EP-437/2012/A, please refer to the revised VLTTP for the new arrangement of compensatory tree planting.

Government Department	Item No.	Comments	Response
	3.	For the off-site compensatory planting to be implemented at new location by another works agent and/or managed/maintained by another agent instead of the Permit Holder, which forms part of the landscape mitigation measures under EIAO, are subject to audit during construction stage to check that the proposed landscape and visual mitigation measures are properly implemented and maintained under the Environmental Monitoring and Audit (EM&A) Programme/Manual. The works agent and vegetation maintenance department should be aware and agree to take up the statutory responsibility and all necessary follow up actions as required under the EIAO. Please refer to para. 8 of Technical Memorandum on Environmental Impact Assessment Process on "Environmental Monitoring and Audit Requirements".	Noted. Receptive location for trees to be transplanted are demarcated
	4.	trees to be transplanted are still missing in Annex E.	on drawings C1106/B/000/ATK/C04/053, C1106/B/000/ATK/C04/354 and C1106/B/000/ATK/C04/153.
	5.	With reference to item m of R-to-C, the said compensatory tree proposal in HKBCF in Attachment B is missing in the submission. Compensatory tree proposal should include compensatory tree locations, size, plant species and numbers as listed in the EP condition. Referring to our comment item 1 & 2 above, please provide a revised compensatory tree proposal for our consideration.	Since HKBCF is no longer an option for offsite compensatory tree planting under EP-437/2012/A, please refer to the revised VLTTP for the new arrangement of compensatory tree planting.
	6.	Referring to Table 3.1, please define the term "affected" and the proposed treatment of the trees to be affected.	Noted. Please refer to Note (1a) under Table 3.1.
	7.	Please provide registration no. of the Certified Arborist as listed in the report.	The registration no. of the Certified Arborist is HK-0785A.

Environmental Term Consultancy for SCL (MKK-HUH)

EP Condition 2.11 – Submission of Visual, Landscape, Tree Planting & Tree Protection Plan (VLTTP) (Version J, April 2019)

Government Department	Item No.	Comments	Response
Planning Department	Genera	al	
(PlanD) [via email on 17 July 2018]	a.	As per our previous comment dated 10.10.2017, the submission has not yet complied with EP Condition 1.7 and 2.11, since there is insufficient design information to demonstrate conforming to the recommendations contained in approved EIA Reports (Register No. AEIAR-164/2012 and AEIAR-165/2012). The Environmental Team Leader (ET) and Independent Environmental Checker (IEC) should critically review the content before submitting for comment. The IEC and ET are reminded to duly exercise their duties in accordance to EP Conditions 1.9 of this EP.	Noted.
	b.	Should there be adjustment / changes of proposed works, mitigation measures, implementation / maintenance agents and tree preservation / compensation proposal etc. when compared to the approved EIA Reports, brief summaries and justifications for the changes should be provided. Assessment of residual impact to the respective LRs / LCAs due to the proposed changes and remaining effectiveness of the revised mitigation measures should be indicated in the submission. Besides, the revised content or drawings should be highlighted or clouded for reference.	Noted. Relevant information has been provided in the revised VLTTP. Revised drawings have been highlighted for easy reference. All the necessary amendments, attachments and information provided in previous RtC have also been properly incorporated into the VLTTP.
	C.	Respective committed landscape and visual mitigation measures should be annotated on all relevant figures to demonstrate the effectiveness of planting proposal for alleviation of impacts.	Please refer to our response to comment below.
	d.	Recommended trees to be preserved and/or transplanted as in Annex C1-2 (Tree Recommendation Plan) should be shown on	According to the latest compensatory planting plans (Annex E2 refers), it is confirmed that the recommended trees to be

Government Department	Item No.	Comments	Response
		all figures in Annex B to ensure they are not in conflict with the proposed tree planting.	preserved and/or transplanted as in Annex C1-2 are not in conflict with the proposed tree planting.
	e.	Planting plans with plant schedules should be included. Trees to be preserved and receptive transplanting locations should be shown.	For the trees to be transplanted, Annex E1 to E2 are updated to include the planting schedules and receptive transplanting locations. Details please refer to Annex E. Preserved trees locations have been provided in Annex C of the revised VLTTP.
	f.	A breakdown summary for compensatory trees should be provided with the following information: Project site/Outside Site (if any and provide location) Contract No. (for easy reference) No. of trees to be planted Time of implementation Works Agent (i.e. party responsible for implementation) Tree management/maintenance parties (such as MTRC or relevant government, be specific) (If outside site, copy of the agreement with tree maintenance department(s) should be provided together with location and planting plan). The sum of breakdown should equal to the total required nos. of compensatory tree planting as in the AEIARs (please state the total required nos. for comparison).	Relevant information has been provided in Table 3.3 of the revised VLTTP. For the tree management/ maintenance department, information has been extracted from maintenance matrix with discussion of relevant government departments.
	g.	 There shall be a written statement to confirm on permanent provision of the following to sustain the landscape mitigation measures: Adequate vegetation maintenance access at height should be provided. Adequate water points and irrigation system should be installed for long term horticultural maintenance. 	It is confirmed that both adequate vegetation maintenance access at height and adequate water points and irrigation system will be provided to sustain the landscape mitigation measures. A new note has been included in Table 2.1 for confirmation of permanent provision.
	h.	Apart from Post-planting Care Proposal for Compensatory Trees (Annex G), a general horticultural maintenance schedule including existing trees and other proposed planting should be provided. In addition, adequate and appropriate long term tree asset management such as TMO / DEVB's "Guidelines for Tree Risk Assessment and Management Arrangement" should be included and allowed in the vegetation maintenance schedule. Indition 2.11(a) – Aesthetic landscape and architectural treatment for	Please refer to the updated Annex G of the revised VLTTP.

Government Department	Item No.	Comments	Response
	i.	Committed mitigation measures (OMs) in the approved EIA Reports are not fully demonstrated, since some affected locations with OMs as indicated in the approved EIA Reports could not be observed in the submission. Respective OMs are not clearly indicated on some of the plans / sections / elevations in Annex B. Hence, the concerned OMs could not be verified. For each location of proposed works for Annex B, reference should be made to the approved EIA Reports, i.e. Figure 6.7.1(B) to Figure 6.7.3(B) under AEIAR-164/2012 and Dwg. No.: NEX2213/C/361/ENS/M54/551(A) to 558(A) under AEIAR-165/2012 for Landscape and Visual Mitigation Measures for respective locations, and clearly indicate on key plans covering all concerned above-ground structures and major location names annotated with the corresponding OMs.	Noted. Relevant OMs have been included in corresponding plans / sections / elevations of Annex B in revised VLTTP.
	j.	For Table 2.1 – Landscape and Visual Mitigation Measures annotated in this plan and Table 2.2 – List of aboveground structures and corresponding OMs adopted, it is noted that there are 2 sets of CMs and OMs w.r.t. AEIAR-165/2012 and AEIAR-164/2012. Some of the OMs are with same ID no. for mitigation measures but different descriptions, which is rather confusing. On the other hand, in some of the drawings (e.g. Site Location Plan (Sheet 1 to 3) in Annex B), it appears that the OMs under AEIAR-164/2012 are renamed as "OM2a/HHS" etc. For clarity and easy reference, consistent use of corresponding ID nos. for mitigation measures under the 2 concerned approved EIA Reports should be adopted and clearly indicated in the text and drawings.	Noted. Consistent description has been adopted throughout the revised VLTTP.
	k.	OM2a (climber), OM2b (tree and shrub planting), OM2c (bamboo planting) and OM3 (green roof) (under AEIAR-165/2012), and OM2a/HHS (screen planting) and OM8/HHS (roof greening of large built structure) (under AEIAR-164/2012), there is no typical detail showing minimum planter width and soil depth etc. Besides, planting species is not indicated in the submission. Hence, effectiveness and sustainability of the concerned OMs could not be fully ascertained.	A typical drawing showing minimum planter width and soil depth is provided in the Attachment A of this RtC. Please also note that all amenity planting in small area was avoided during the design stage and all planting will be undertaken in accordance with good horticultural practice.
	I.	OM1 (aesthetically pleasing design) (under AEIAR-165/2012) and OM3/HHS (aesthetic landscape and architectural treatment on station / entrance / ventilation shaft) (under AEIAR-164/2012), more generic design information specifically on	Noted. A simple table discussing the design information is provided on each of relevant Annex Figures for demonstration of compliance of design concept and satisfaction of EIA recommendations.

Government Item Department No.	Comments	Response
	proposed materials, finishes, colours etc. of engineering structures elements are preferred to be indicated in table form for clarity.	
m.	W.r.t. "Site Location Plan (sheet 1 to 3)", when compared with Dwg. No. NEX2213/C/361/ENS/M54/552(A) to 554(A) under AEIAR-165/2012, considerable quantity of possible retained trees and CM2a (compensatory trees and shrub) at various road verges areas are missing without justification. Effectiveness of CM2a is in doubt.	Please note that tree compensation on the slope areas are not allowed based on latest comments from relevant Government Department. Also, the areas of man-made slope at Chatham Road North (LR10) and part of amenity areas at Oi Sen Path (LR2) will be developed as new Campus Extension Development (including residential institution and educational institution) of the Hong Kong Polytechnic University (HKPU). Compensatory planting therefore cannot be provided on-site due to programme mismatch between SCL and the proposed Campus Extension Development. Nevertheless, landscape provision and open space with tree planting will be provided at this GIC site (https://www2.ozp.tpb.gov.hk/gist/apply/en_tc/A_K7_111_TC.pdf) which could minimise the impact on the respective LRs in year 10 operation. New notes (4) to (6) has been added in Table 3.1 of revised VLTTP to explain the latest site situations. All the feasible tree planting opportunities within the site have been exhausted for on-site compensatory tree planting (CM2a). Alternative option, off-site tree compensatory planting at Hong Kong Boundary Crossing Facilities (HKBCF), Hong Kong-Zhuhai-Macao Bridge (HZMB), is therefore proposed for providing adequate tree compensation as far as practicable. The compensatory tree proposal in HKBCF including locations and numbers could be referred to Attachment B. For other information such as tree sizes and species etc., will be subject to the final landscape design of the HKBCF project and shall be to the satisfaction of HZMB and relevant authorities or parties.
n.	Drawing / figure no. for "Site Location Plan" (sheet 1 to 3) should be assigned and marked on plans for easy reference and proper record.	Noted. Figure Nos. have been assigned for easy reference.
(I) No	ise Mitigation Measures at Portal 1A and Realignment of Cheong V	Van Road
0.	W.r.t. Dwg. No. NEX2213/C/361/ENS/M54/552(A) to 554(A) under AEIAR-165/2012, aesthetic architectural treatments (e.g. material, finishes and colours) for the proposed noise enclosure	Drawing No. 3460C03 has been updated to include the information of aesthetic architectural treatments.

Government Department	Item No.	Comments	Response		
		at Portal 1A is still not clearly indicated on plan / section. Review of submission should be carried out.			
	p.	For OM2c (bamboo planting), planting species and typical detail showing minimum planter width and soil depth etc. should be indicated in the submission.	A typical drawing showing minimum planter width and soil depth is provided in the Attachment A of this RtC. Please also note that all amenity planting in small area was avoided during the design stage and all planting will be undertaken in accordance with good horticultural practice.		
	(II) Co	oling Tower			
	q.	W.r.t. Dwg. No. NEX2213/C/361/ENS/M54/557(A) under AEIAR-165/2012, OM1 is missing out from the related plan (Dwg. No. 1112/W/000/ATK/A58/051(A)) in the current submission.	Dwg. No. 1112/W/000/ATK/A58/051(A) has been updated to include OM1.		
	r.	For OM2a (climber), OM2b (tree and shrub planting), OM2c (bamboo planting) and OM3 (green roof), planting species and typical detail showing minimum planter width and soil depth etc. should be indicated in the submission.	A typical drawing showing minimum planter width and soil depth is provided in the Attachment A of this RtC. Please also note that all amenity planting in small area was avoided during the design stage and all planting will be undertaken in accordance with good horticultural practice.		
	(III) Tra	(III) Trackside Ventilation Plant, North Side Ventilation Shafts (NSVS), South Side Ventilation Shafts (SSVS), CLP Transformer			
	S.	W.r.t. Figure 6.7.3 under AEIAR-164/2012, OM2b/HHS and OM3/HHS is missing on plan (Dwg. No. 1112/W/000/ATK/A58/053(A)) for the current submission.	OM2b/HHS and OM3/HHS has been shown in Site Location Plan (Sheet 3 of 3) which is assigned as Figure B3 in the revised VLTTP. For Clarity, OM2b/HHS and OM3/HHS has also been included in Dwg. No. 1112/W/000/ATK/A58/053(A).		
	t.	For OM2a/HHS (screen planting) and OM8/HHS (green roof), planting species and typical detail showing minimum planter width and soil depth etc. should be indicated in the submission.	A typical drawing showing minimum planter width and soil depth is provided in the Attachment A of this RtC. Please also note that all amenity planting in small area was avoided during the design stage and all planting will be undertaken in accordance with good horticultural practice.		
	u.	Dwg. No. 1112/W/000/ATK/A12/J39(C), locations for relevant above-ground structures (e.g. Trackside Ventilation Plant, North Side Ventilation Shafts (NSVS), CLP Transformer etc.) is missing.	Dwg. No. 1112/W/000/ATK/A12/J39(C) has been updated to indicate the relevant locations of above-ground structures.		
	EP Condition 2.11(b) to (e): Tree Protection, Transplantation, Felling, Compensation Proposal Section 3 and Annex C to F:				


Government Iten Department No.	Comments	Response
V.	It is noted that there are changes for trees to be retained, transplanted, fell and compensated when compared to the approved EIA Reports. Brief summaries and justifications for the changes should be clearly presented.	Summary for trees to be retained, transplanted, fell and compensated has been provided in the Table 3.1 of the VLTTP. Number of trees to be retained, transplanted, fell and compensated as shown in the approved EIA Reports were based on the information available at the design stage of SCL. As the project progressed, trees originally designated for felling which turned out not affecting construction works were retained on site instead. Hence, a fall on the number of trees to be felled. Opportunities for transplantation were also continuously reviewed. On the other hand, on-site opportunities for compensatory tree planting were further revised after considering final engineering design, site constrains, land availability and agreement with relevant government department for future maintenance.
w.	Table 3.1 – Summary of Affected Trees, nos. of tree to be retained for the corresponding LR and the total nos. of retained tree is missing	Please also refer to response to item (m) above. Table 3.1 has been updated. Details please refer to the updated Table 3.1 in the revised VLTTP.
X.	W.r.t. Preliminary Tree Impact Summary for Para. 4.100 under AEIAR-165/2012, 610 nos. heavy standard trees are proposed to compensate for the loss of 610 nos. of tree to be felled (for LR ID no. LR1.1, LR1.2, LR2 and LR10), and the compensatory trees is proposed at "landscape areas in roadside amenity areas at Chatham Road Interchange, amenity area along Cheong Wan Road, Hung Luen Road and Hung Lok Road, reinstated landscape areas at Chatham Road North". However, large portion of possible compensatory trees at the concerned locations is not observed in drawings under the current submission ("Site Location Plan (sheet 1 to 3)" of Annex B and Dwg. No. C1106/B/000/ATK/C04/053(L) etc. of Annex E2). Besides, w.r.t. Table 6.11 – Summary Table for Preliminary Tree Impact for Para. 6.10.1 under AEIAR-164/2012, 20 nos. trees are proposed to compensate for the loss of 20 nos. of tree to be felled (for LR ID no. HUH/LR3.2). Even if there maybe decrease	Please refer to response to item (m) above.

Government Department	Item No.	Comments	Response
		in total no. of trees to be felled from 630 nos. (i.e. 610+20 nos.) in the approved EIA reports to 420 nos. in the current submission, there is no rationale to support the substantial decrease of quantity of compensatory trees from 630 nos. in the approved EIA report to 89 nos. as indicated in Table 3.1 in the current submission. Justification for the change of quantity and quality of compensatory tree planting at respective locations should be provided.	
	y.	W.r.t. Table 3.1, for the proposed 89 nos. of compensatory planting to compensate the loss of 420 nos. of tree to be felled in the current submission, the quantity for compensatory trees is substantially below the no. of tree to be felled. There is no information to justify why the tree compensatory proposal deviates significantly from the specified minimum ratio of 1:1 in terms of quantity w.r.t. Note 3 for Preliminary Tree Impact Summary for Item 4.100 under AEIAR-165/2012. Effectiveness of compensatory proposal is in doubt. Written elaboration for justification is required.	Please also refer to response to item (m) above.
	Z.	W.r.t. note (2) of Table 3.1, it appears that off-site tree compensatory proposal may be provided. However, there is no information regarding the location, quantity, size, species etc. of the proposed off-site tree compensatory proposal w.r.t. EP Condition 2.11(e).	Please also refer to response to item (m) above.
	aa.	W.r.t. Item (17) of R-to-C, it is noted that "the receptor locations are under review and consent is being sought with maintenance department." This is not acceptable. The final locations for transplantation should be included in the EP submission w.r.t. EP Condition 2.11(c). Please rectify.	Final receptor locations for transplantation have been provided in Annex E in revised VLTTP.
		advisory remark	
	bb.	For any proposed tree preservation/removal application including compensatory proposal, the EP holder shall be reminded to approach relevant authority /government department(s), such as under lease/ land grant, direct to obtain any necessary approval other than the EIAO regime.	Noted.

Typical Planters Section

NOTES:


- 1. The width and depth of the planter could be varied subject to site condition.
- 2. The purpose of this drawing is to demonstrate typical minimum depth and width of planter and green roof in SCL, and other detail of the figure is for information only.






NOTES:

- 1. The width and depth of the planter could be varied subject to site condition.
- 2. The purpose of this drawing is to demonstrate typical minimum depth and width of planter and green roof in SCL, and other detail of the figure is for information only.



SCALE N.T.S.

Attachment B



NOTES:

1. LOCATIONS OF TREES ARE INDICATIVE. EXACT LOCATIONS OF TREES ARE SUBJECT TO CONFIRMATION ON SITE

2. PLEASE REFER TO HONG KONG INTERNATIONAL AIRPORT APPROVED PLANT SPECIES LIST (REVISION 4.0.1: OCTOBER 2015) FOR PLANTING RESTRICTIONS IN "ZONE 1" & "ZONE 2".

3. DEMARCATION OF IMPLEMENTATION PARTIES FOR TREE PLANTING IS INDICATIVE AND SUBJECT TO FINAL AGREEMENT AMONGST HKBCF, SCL & CKR PROJECT TEAMS.

Environmental Term Consultancy for SCL (MKK-HUH)

EP Condition 2.11 – Submission of Visual, Landscape, Tree Planting & Tree Protection Plan (VLTTP) (Version J, April 2018)

Government Department	Item No.	Comments	Response	
Environmental	Visual	Comment		
Protection Department (EPD) [Ref. () in Ax(3) to EP2/G/A/124 Pt.13 dated 16 October 2017]	1.	Please clarify if the Trackside Ventilation Plant and the CLP Transformer Plant are visible from VP6. If so, please indicate it in the respective photomontage.		
		cape Comments		
	Genera			
	1.	It appears that the submission is focused on EP condition 2.11. A comprehensive set of EP submission to integrate the landscape mitigation measures identified in the approved EIA Reports (AEIAR-165/2012) under EP condition 1.7 together with EP condition 2.11 should be submitted in well-organized manner.	Noted. Presentation of VLTTP has been updated to provide a better presentation.	
	2.	The revisions/amendments on the landscape mitigation measures should be highlighted/clouded on text/drawings and reflected on the revised submission.	Given that the presentation of VLTTP has been updated to provide a better presentation, it is not feasible to highlight/cloud on revised text/drawings.	
	EP Condition 1.7			
	3.	With reference to Table 4.11 of AEIAR-165/2012, there would be landscape mitigation measures for LRs 1.1, 1.2, 1.3, 1.4, 2, 10 and LCA06. However, these landscape mitigation measures for the affected LRs and LCA could not be fully identified in the submission and the Landscape Mitigation Measure Plans.	The landscape mitigation measures recommended in Table 4.11 of AEIAR-165/2012 has been adopted for the Project. Please refer to Table 2.1, Table 2.2 and Annex B for the details of adopted mitigation measures.	

Government Department	Item No.	Comments	Response
	4.	According to Table 9.2 of the current submission, it is noted that landscape mitigation measures are proposed for construction phase. The landscape mitigation measures for operation phases are outstanding. And yet the landscape mitigation measures for LRs 1.3 and 1.4 are missing.	summary of tree impact. After re-organising of VLTTP presentation, Table 3.1 of this submission presents the summary of affected trees in the affected LR, while the landscape mitigation measures for operation phase are presented in Table 2.2.
	5.	In this connection, a full report on the proposed landscape mitigation measures on the affected LRs and LCAs with updated Landscape Mitigation Measure Plans should be submitted for comment.	Proposed landscape mitigation measures on the affected LRs and LCAs are provided in Annex B and Table 3.1, while the updated tree planting plans is provided in Annex E.
	EP Co	ndition 2.11	
	(a)	Aesthetic landscape and architectural treatment for above grou	und structures including (i) the North Side Ventilation Shafts and (iii) Cooling Tower, and (iv) Noise Mitigation Measures at Portal
	(i) the I	North Side Ventilation Shafts (NSVS) and South Side Ventilation	Shafts (SSVS)
	6.	It is noted that landscape planting are proposed for NSVS and SSVS are shown in Figure No. HUH/100 in Appendix A. However, the proposed materials, finishes, colors and planting species are not indicated in this drawing. The proposed aesthetic landscape and architectural treatment could not be fully verified.	in Annex B. Typical planting species (e.g. <i>Ophiopogon Intermedius</i> or other suitable species) would be chosen for green roof to match with visual performance discussed
	(ii) Tra	ckside Ventilation Plant (TVP)	
	7.	There is inadequate information to demonstrate the architectural treatment, e.g. building form, finishes, colors and planting species for the green roof of the TVP.	Details of landscape and architectural treatment are presented in Annex B. Typical planting species (e.g. <i>Ophiopogon Intermedius</i> or other suitable species) would be chosen for green roof to match with visual performance discussed herewith.
	8.	Due to scale and angle of the photomontage (View from V2) as shown in Appendix A, the aesthetic landscape and architectural treatment for TVP could not be fully identified. Please review.	Scale of photomontage has been enlarged to clearly indicate the aesthetic landscape and architectural treatment for TVP.
(iii) Cooling Tower			
	9.	It is noted that landscape planting is proposed for the cooling towers as shown in Figure No. NEX213/C/361/ENS/M54/558A in Appendix A. However, the proposed materials, finishes, colors and planting species are not indicated in this drawings. The proposed aesthetic landscape and architectural treatment could not be fully identified.	Details of landscape and architectural treatment are presented in Annex B. Typical planting species (e.g. <i>Ophiopogon Intermedius</i> or other suitable species) would be chosen for green roof to match with visual performance discussed herewith.

Government Department	Item No.	Comments	Response
	(iv) Noise Mitigation Measures at Portal 1A		
	10.	There is inadequate information to demonstrate the aesthetic landscape and architectural treatments for the proposed noise enclosure at Portal 1A. Elevations showing the height, form, finishes and colors of the proposed noise enclosure should be submitted for comment.	Details of landscape and architectural treatment for the proposed noise enclosure are presented in Annex B.
		Tree protection proposal showing locations, size, number and p statement for protection of retained trees;	lant species of trees to be retained; and detailed working method
	11.	Comprehensive tables summarize the trees to be retained, e.g. tree species, size, condition, quantity and their locations should be provided.	Relevant information has been provided in Annex D of the revised VLTTP. Retained trees locations have been provided in Annex C. Please refer to Annex C of the revised VLTTP.
	12.	As the tree nos. as shown in Tree Recommendation Plans in Annex B2 of Appendix B, e.g. dwg. Nos. C/1106/B000/ATK/C04/007, 008, 009, 010 etc., are illegible, the locations of the retained trees could not be fully identified.	Drawings in the revised VLTTP have been provided in A3 size for easy reference.
	13.	To facilitate PlanD's comment, large scale Tree Recommendation Plans should be submitted.	Drawings in the revised VLTTP have been provided in A3 size for easy reference.
	(c)	Proposal showing locations, size, number and tree species to be	
	14.	Comprehensive tables summarize the trees to be transplanted, e.g. tree species, size, condition and quantity should be provided.	
	15.	As the tree nos. as shown in Tree Recommendation Plans in Annex B2 of Appendix B, e.g. dwg. Nos. C/1106/B000/ATK/C04/007, 008, 009, 010 etc., are illegible, the locations of the transplanted trees could not be fully identified.	Drawings in the revised VLTTP have been provided in A3 size for easy reference.
	16.	Tree no. T1582 is identified as low survival rate after transplanting. Please review whether this tree is suitable for transplanting.	
	17.	The final locations for transplanting should be submitted for comment.	The receptor locations are under review and consent is being sought with maintenance department.
	(d)	Tree felling proposal showing locations, size, number and plant	•
	18.	Comprehensive tables summarize the trees to be felled, e.g. tree species, size, condition and quantity should be provided.	Relevant information has been provided in Annex F of the revised VLTTP.

Government Department	Item No.	Comments	Response
	19.	As the tree nos. as shown in Tree Recommendation Plans in Annex B2 of Appendix B, e.g. dwg. Nos. C/1106/B000/ATK/C04/007, 008, 009, 010 etc., are illegible, the locations of the transplanted and felled trees could not be fully identified.	Drawings in the revised VLTTP have been provided in A3 size for easy reference.
	20.	A summary of total quantity of trees to be felled under the 2 AEIARs should be provided.	Summary of total quantity of trees to be felled estimated during EIA stage under the 2 AEIARs are provided in Annex A. Based on latest TRA, the no. of affected trees to be felled is provided in Table 3.1 of revised VLTTP.
	(e)	Tree compensation proposal showing locations, size, number ar	nd plant species to be provided or compensated;
	21.	With reference to Table 4.11 of AEIAR, the trees in LRs 1.3 and 1.4 would be affected. However, the trees in LRs 1.3 and 1.4 are not reflected in Table 9.1 (Tree Impact Summary Table) and Table 9.2 (Summary of Table of Proposed Landscape Mitigation Measures for Construction Phase) of the submission, the tree compensation proposal could not be fully ascertained.	According to the table under Section 4.100 of SCL(MKK-HUH) EIA Report, there would be no trees within LRs 1.3 and 1.4 to be affected by the Project. Compensatory planting would not be provided in these LRs as mitigation measures.
	22.	According to Table 9.1, it is noted that off-site compensatory planting to be provided. However, there is no information regarding the location of the proposed off-site tree compensatory proposal.	The receptor locations are under review and consent is being sought with maintenance department.
	(f)	Post-planting care proposal showing the proposed establishment frequency for transplanted trees and trees planted as compensations.	nent period and associated maintenance care requirements and ation under this Condition; and
	23.	Please ensure that post-planting care proposal be included in the forthcoming submission.	Relevant information has been provided in Annex G of the VLTTP. Please refer to Annex G of the revised VLTTP.
	(g)	Implementation programme, maintenance and management sch	nedules for measures proposed in (a) to (f) above.
	24.	There are no information regarding the precaution measures for the retained trees, compensatory trees and transplanted trees during typhoon season.	revised VLTTP.
	25.	Measures for the Red Imported Fore Ants are not observed in the submission.	Relevant information has been provided in Annex D of the revised VLTTP.