



Proposed Comprehensive Development at Wo Shang Wai, Yuen Long

Bi-annual Report on EM&A Results on Ecological
Aspects for November 2022 to April 2023 (Rev A)

9 June 2023

Mott MacDonald
3/F Manulife Place
348 Kwun Tong Road
Kwun Tong
Kowloon
Hong Kong

T +852 2828 5757
mottmac.hk

Profit Point Enterprises
Limited

Proposed Comprehensive Development at Wo Shang Wai, Yuen Long

Bi-annual Report on EM&A Results on Ecological
Aspects for November 2022 to April 2023 (Rev A)

9 June 2023

Document reference: 370161 | 05|03 | B

Information class: Standard


This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.

Pursuant to Condition 4.6 of Environmental Permit No. EP-311/2008/E, this Biannual EM&A Report on ecological aspects for November 2022 to April 2023 has been reviewed, certified by Environmental Team Leader (ETL) and verified by the Independent Environmental Checker (IEC).

Certified by:



Nikita Nanwani Nanwani
Environmental Team Leader (ETL)
Mott MacDonald Hong Kong Ltd.

Date

3 October 2023

Verified by:



Y H Hui
Independent Environmental Checker (IEC)
Ramboll Hong Kong Limited

Date

3 October 2023

Contents

1	Introduction	10
1.1	Background	10
1.2	Survey Area	10
1.3	EM&A Requirement on Ecological Impact	10
2	Ecological Monitoring	12
2.1	Ecological Monitoring	12
2.2	Monitoring of Birds	12
2.3	Monitoring of Herpetofauna	13
2.4	Monitoring of Dragonfly and Butterflies	13
2.5	Monitoring of Mammals	13
2.6	Monitoring of Water Quality	14
3	Ecological Issues	15
3.1	Vegetation Management	15
3.2	Wildlife Management	17
4	Summary of Wetland Restoration Area Performance	18
4.1	Summary of Findings	18
4.2	WRA Performance for the Bird Target Species	19
4.3	Conclusions	23
5	References	24
5.1	List of References	24
	Figures	26
	Appendices	28
A.	Schedule of Ecological Monitoring	30
B.	Summary of Bird Surveys	32
C.	Summary of Herpetofauna Monitoring, Mammals and Insect Surveys	90
D.	Summary of Water Quality Monitoring	98

Tables

Table 1.1: Summary of Ecological Impact EM&A Requirements	11
Table 4.1: Summary of Ecological Monitoring in Survey Area and WRA Survey Area	18
Table 4.2: Biannual mean & Annual mean of the three target species of the WRA from May 2021 to October 2022	19
Table 4.3: Total number of bird species of conservation importance and/or wetland-dependence recorded in the WRA from November 2010 to October 2022	20
Table 4.4: Mean number of bird species of conservation importance and/or wetland-dependence in the WRA during reporting period	21

1 Introduction

1.1 Background

In March 2005, the Project Proponent, Profit Point Enterprises Limited, acquired the development site in Yuen Long at Wo Shang Wai. An Environmental Impact Assessment (EIA) was then carried out under the EIA Ordinance (EIAO), and the Environmental Permit (EP-311/2008) for construction of the comprehensive development in Wo Shang Wai was first granted by EPD on 9 September 2008 and has been subsequently varied, with the current version (EP-311/2008/E) issued by EPD on 19 December 2017.

The Project involves the residential development, associated infrastructure, wetland restoration area and linear landscape area. The construction works under the Environmental Permit commenced on 12 May 2010. The site formation construction works of the Wetland Restoration Area (WRA) were completed on 15 November 2010, and the WRA was established by October 2012, within 30 months from the commencement of construction as stipulated in the EP. This indicated that planting works as scheduled in the approved Wetland Restoration and Creation Scheme (WRCS; November 2009) was completed, except along the western and southern boundary where the planting is affected by the existing site boundary and noise barrier, and for which a Variation to Environmental Permit (EP-311/2008/C) to defer planting at the location was approved. The current valid EP (EP-311/2008/E) includes specific mitigation measures to minimise certain identified noise impacts during the operation phase of the Project.

Mott MacDonald Hong Kong Ltd. (“MMHK”) has been commissioned to undertake the Environmental Team (ET) services to carry out environmental monitoring and audit (EM&A) for both pre-construction and construction phases of the Proposed Comprehensive Development at Wo Shang Wai, Yuen Long.

According to the EP Condition 4.6, the EM&A results on ecological aspects during the construction phase should be reported to the EIA Subcommittee of the Advisory Council on the Environment (ACE), EPD and Agriculture, Fisheries and Conservation Department (AFCD) on a biannual basis. This is the 26th Biannual EM&A report and it summarises the findings on EM&A results of ecological aspects during the period from 1 November 2022 to 30 April 2023. This report documents surveys and management activities conducted in the Survey Area and WRA from 1 November 2022 to 30 April 2023, which is based on ecological surveys and advice on management undertaken and provided by the appointed Non-Government Organisation (Eco-Institute) during the reporting period.

1.2 Survey Area

Surveys were conducted within 500m of the Project area. The WRA has been surveyed since early September 2010. The survey area and transect are provided in **Figure 1.1**.

1.3 EM&A Requirement on Ecological Impact

The EM&A programme requires environmental monitoring of ecology as specified in the approved EM&A Manual, summarised in **Table 1.1**.

Table 1.1: Summary of Ecological Impact EM&A Requirements

Descriptions	Locations	Frequencies
Birds	Within the Project Area and Assessment Area of 500m	Weekly
Dragonflies and Butterflies	Within the Project Area and Assessment Area of 500m	Once per month during Mar and Sep to Nov, and twice per month during Apr to Aug
Herpetofauna	Within the Project Area and Assessment Area of 500m	Day-time: Once per month during Apr to Nov Night-time: Once per month during Mar to Aug
Water quality of Wetland Restoration Area (WRA)	WRA	After filling of WRA with water, monthly for in situ water quality and every six months (end of wet season and end of dry season) for laboratory testing
Site Inspections	Within the Project Area and Assessment Area of 500m	Weekly

Source: Extract from Table 7-1 of the Proposed Comprehensive Development at Wo Shang Wai, Yuen Long EM&A Manual (March 2008)

2 Ecological Monitoring

2.1 Ecological Monitoring

In accordance with the EM&A requirements, monitoring of birds, dragonflies and butterflies, and herpetofauna were carried out during the reporting period. In addition, monitoring of mammals was also conducted concurrently with other surveys and the results were reported although it is not required by the EM&A Manual. The dates of surveys are summarised in **Appendix A**.

2.2 Monitoring of Birds

Monitoring was undertaken following the survey requirements in the EM&A Manual (Table 7-1). Since September 2010, monitoring included the newly formed cells to monitor faunal usage of this area. All bird species of conservation importance and/or wetland dependent were identified and enumerated. Flying birds were not recorded unless they were foraging and/or associated with the habitat (such as swifts). Further, notable bird observations during other surveys were also recorded.

Bird surveys were conducted on a weekly basis throughout the reporting period. A total of 81 bird species were recorded in the Survey Area (excluding the WRA) in the survey period (i.e. November 2022 to April 2023), 44 of which were species of conservation importance and/or wetland-dependence. A summary of survey data is provided in **Appendix B**.

A total of 95 species were recorded in the WRA during the survey period, 45 of which were species of conservation importance and/or wetland-dependent species. All three target species¹ were recorded in the WRA during regular surveys.

The WRA continues to attract a number of species of conservation importance, including Little Grebe (*Tachybaptus ruficollis*), Great Cormorant (*Phalacrocorax carbo*), Grey Heron (*Ardea cinerea*), Purple Heron (*Ardea purpurea*), Great Egret (*Ardea alba*), Intermediate Egret (*Egretta intermedia*), Yellow Bittern (*Ixobrychus sinensis*), Black-crowned Night Heron (*Nycticorax nycticorax*), Western Osprey (*Pandion haliaetus*), Black Kite (*Milvus migrans*), Greater Spotted Eagle (*Clanga clanga*), Eastern Imperial Eagle (*Aquila heliaca*), Eastern Buzzard (*Buteo japonicus*), Peregrine Falcon (*Falco peregrinus*), Little Ringed Plover (*Charadrius dubius*), Common Greenshank (*Tringa nebularia*), Wood Sandpiper (*Tringa glareola*), Pintail/Swinhoe's Snipe (*Gallinago stenura/G. megala*), Pacific Swift (*Apus pacificus*), Pied Kingfisher (*Ceryle rudis*), White-throated Kingfisher (*Halcyon sylvatica*), Red-throated Pipit (*Anthus cervinus*), Zitting Cisticola (*Cisticola juncidis*), Chinese Penduline-Tit (*Remiz consobrinus*), Chinese Grosbeak (*Eophona migratoria*), Red-billed Starling (*Spodiopsar sericeus*), White-cheeked Starling (*Spodiopsar cineraceus*), White-shouldered Starling (*Sturnia sinensis*) and Collared Crow (*Corvus torquatus*). Little Grebe, Eastern Cattle Egret, Yellow Bittern, Black-crowned Night Heron, Peregrine Falcon, Little Ringed Plover, Wood Sandpiper, Pintail/Swinhoe's Snipe, Pacific Swift, Pied Kingfisher, White-throated Kingfisher, Red-throated Pipit, Zitting Cisticola, Chinese Grosbeak, White-shouldered Starling and Collared Crow are listed by Fellowes et al. (2002) as of "Local Concern". Great Cormorant, Grey Heron, Great Egret, Little Egret, Chinese Pond Heron and White-cheeked Starling are listed by Fellowes et al. (2002) as of "Potential Regional Concern". Purple Heron, Intermediate Egret, Western Osprey Black Kite, Common Greenshank, and Chinese Penduline-Tit are listed by Fellowes et al. (2002) as of "Regional Concern". Greater Spotted Eagle, Eastern Imperial Eagle and Red-

¹ The target species are: Little Egret, *Egretta garzetta*, Eastern Cattle Egret, *Bubulcus coromandus* (formerly known as Cattle Egret, *Bubulcus ibis*) and Chinese Pond Heron, *Ardeola bacchus*.

billed Starling are listed by Fellowes et al. (2002) as of “Global Concern”. Collared Crow is also listed as “near threatened” species on the IUCN list.

In addition to wetland-dependence birds and/or species of conservation importance, the WRA also attracts a number of terrestrial birds including Besra (*Accipiter virgatus*), Greater Coucal (*Centropus sinensis*) and Asian Barred Owlet (*Glaucidium cuculoides*) which are protected under terrestrial wildlife state protection (Category II). Greater Coucal is also listed as vulnerable (VU) in the China Red Data Book.

The fish ponds to the north of the WRA (i.e. within the Survey Area (excluding WRA)) are at a greater distance from the residential portion and any disturbance impact(s) from the construction works would have first affected the WRA (with 44 bird species of conservation importance and/or wetland-dependence recorded during the survey period). Nevertheless, 45 bird species of conservation importance and /or wetland dependence were also observed using the site within the WRA during the survey period, including some bird species which are highly sensitive to disturbance. The WRA is therefore considered to be effective both in acting as a buffer against potential disturbance and impact from the construction site, and in providing suitable wetland habitats at the fringe of the Deep Bay system which includes the Mai Po Marshes and the Ramsar Site as a whole.

2.3 Monitoring of Herpetofauna

Monitoring was undertaken following the survey methodology in the EM&A Manual. Day-time herpetofauna surveys were conducted once a month in November 2022, March 2023 and April 2023. Night-time herpetofauna surveys were conducted once a month in March 2023 and April 2023. Further, notable herpetofauna observations during other surveys, site inspections and habitat management works were also recorded.

A total of five amphibian species and two reptile species were recorded in the Survey Area (excluding WRA) during the reporting period. Within the WRA, a total of six amphibian species and four reptile species were recorded during the reporting period.

A summary of survey data is provided in **Appendix C**.

2.4 Monitoring of Dragonfly and Butterflies

Monitoring of odonates and butterflies was conducted once a month in November 2022 and March 2023, and twice a month in April 2023. Further, notable odonate and butterfly observations during other surveys, site inspections and habitat management works were recorded.

A total of 11 odonate species and 18 butterfly species were recorded in the Survey Area (excluding WRA) during the survey period. Within the WRA, a higher diversity of odonate species (20 species) and butterfly species (34 species) were recorded.

Among the odonate species recorded in the WRA during the survey period, Blue Sprite (*Pseudagrion microcephalum*) and Scarlet Basker (*Urothemis signata signata*) are listed by Fellowes et al. (2002) as of ‘Local Concern’.

A summary of the survey findings is provided in **Appendix C**.

2.5 Monitoring of Mammals

Monitoring of mammals was conducted concurrently with other surveys. Further, notable mammals observed during site inspections and habitat management works were also recorded.

Two mammal species, Short-nosed Fruit Bat (*Cynopterus sphinx*) and Japanese Pipistrelle (*Pipistrellus abramus*), were recorded in the Survey Area (excluding WRA) during the reporting period. Three mammal

species were recorded within the WRA during the reporting period, including Leopard Cat (*Prionailurus bengalensis*) scat, indicating the species' presence in the WRA.

A summary of the survey findings is provided in **Appendix C**.

2.6 Monitoring of Water Quality

Monthly water quality monitoring continued during the reporting period. Water level of all Cells had been lowered to facilitate the clearance of exotic and excessive aquatic vegetation. A certain level of water was kept to maintain a suitable habitat for fish, aquatic invertebrate and water plants which will provide food and habitat for wetland birds.

Monitoring data is presented in **Appendix D**. Locations for the monitoring of water quality for the ecological monitoring are shown in **Figure 1.2**.

3 Ecological Issues

3.1 Vegetation Management

Vegetation management activities undertaken within the WRA included the removal of exotic and excessive vegetation in all cells and along the emergency vehicular access (EVA). These activities primarily involved removal of excess grass and sedges, shrubs and tree branches, as well as excessive climbers and floating vegetation. Removal of vegetation included but was not limited to *Ludwigia spp.*, *Typha angustifolia*, *Leucaena leucocephala*, *Macaranga tanarius*, *Ficus macrocarpa*, *Rhaphiolepis indica*, *Lantana camara*, *Mimosa sp.*, *Pennisetum sp.*, *Ipomea sp.*, *Bidens alba*, *Paederia foetida* and *Mikania micrantha*. (See Photos 1 to 3)

Photo 1 Clearance of fallen leaves along the EVA (February 2023)



Photo 2 Clearance of exotic climbers along EVA (April 2023)




Photo 3 Weeding along WRA pond bund (December 2022)



3.2 Wildlife Management

Golden Apple Snails and their eggs were removed on an “as-seen” basis. (See Photo 4)

Red Imported Fire Ant nests were located during site inspection and weeding works. These nests were treated with approved pesticides during the dry season. Pesticide usage was only be confined to nests found on terrestrial area which were further away from the Cells to prevent the contamination of water.

Preliminary actions have been taken to increase the WRA utilization by birds. The mitigation actions are:

1. Maintaining the low water level of Cell 1, Cell 2, Cell 3 and Cell 4;
2. Controlling the vegetation at Cell 1, Cell 2, Cell 3 and Cell 4 (See Photo 5).

These mitigation actions aim to increase the foraging area and maintain a suitable habitat for target species, wetland-dependent species as well as species of conservation importance.

Photo 4 Clearance of apple snails and their eggs (March 2023)



Photo 5 Clearance of floating vegetation (March 2023)



4 Summary of Wetland Restoration Area Performance

4.1 Summary of Findings

Ecological monitoring between 1 November 2022 to 30 April 2023 was carried out following the survey methodology and frequency outlined in the EM&A Manual.

Summary of ecological monitoring in the Survey Area and WRA between November 2022 and April 2023 (**Table 4.1**):

Table 4.1: Summary of Ecological Monitoring in Survey Area and WRA Survey Area

Species	Number of species recorded in Survey Area (excluding WRA)	Number of species recorded in WRA
Birds (total)	81	95
Birds (of conservation importance and/or wetland-dependence)	44	45
Amphibians	5	6
Reptiles	2	4
Mammals	2	3
Dragonflies	11	20
Butterflies	18	34

A total of 95 bird species, 3 mammal species, 20 dragonfly species, 34 butterfly species, 6 amphibian species and 4 reptile species were recorded in the WRA, including 45 bird species of conservation importance and/or wetland-dependence. These findings indicate that the WRA is supporting wetland-dependent birds and other species of conservation importance. The diversity of dragonflies and butterflies within the WRA is higher than those in the Survey Area (excluding WRA), indicating that the wetland and vegetation management works could promote dragonflies and butterflies in using the WRA.

Venn diagrams showing the number of common species and species only found in the WRA or Survey Area (excluding the WRA) are presented in Appendix B and Appendix C. An ecological connection between the WRA and Survey Area (excluding the WRA) is observed given the number of common species attracted to both areas. Particularly for birds, 64 common species were recorded within both the WRA and Survey Area (excluding the WRA) during the reporting period (see Appendix B, Chart B1). The WRA attracts a higher number of species (i.e., 31 birds, 1 amphibian, 2 reptiles, 1 mammal, 10 dragonflies and 21 butterflies recorded only in the WRA), indicating that ecological restoration can enhance biodiversity (see Appendix C, Charts C2 to C5). From the species only recorded in the WRA, 13 birds, one amphibian (Ornate Pygmy Frog) and two dragonflies (Blue Sprite and Scarlet Basker) were of conservation importance and/or wetland-dependence.

Survey findings indicate that the WRA is attracting all three target species (Little Egret, Eastern Cattle Egret and Chinese Pond Heron) to varying degrees. During the survey period (i.e. November 2022 to April 2023), Chinese Pond Heron was recorded in all months between November 2022 to March 2023, with monthly means ranging from 1.4 (March 2023) to 3.3 (January 2023) birds per survey. Little Egret was recorded in all months between November 2022 to April 2023, with monthly means ranging from 1.0 (December 2022) to 4.5 (April 2023). Eastern Cattle Egret was least attracted to the site. Out of the 26 regular bird surveys, Eastern Cattle

Egret was recorded one time in December 2022 (Mean 0.2 bird per survey) and April 2022 (Mean 0.5 bird per survey), respectively.

A list of the bird species recorded within the WRA since the completion of the site formation is provided in **Appendix B (Tables B4 to B9)**. A total of 164 bird species have been recorded within the WRA since the completion of the site formation in November 2010. Of the 164 species, 90 were species of conservation importance and/or wetland dependence.

With the completion of planting as scheduled in the approved Habitat Creation and Management Plan (HCMP) in August 2012, establishment work at the WRA is considered complete (except along the western and southern boundary where the planting is affected by the existing site boundary and noise barrier, and for which an approved Variation to Environmental Permit (EP-311/2008/D) to defer planting at the location applies), and the 30-month establishment period concluded in October 2012. A review of the performance of the WRA during the review period in terms of target species attraction is provided in **Section 4.2** below.

It should be noted that the high planting density was intended to ensure a rapid establishment of the site prior to occupation intake, and the planted vegetation is not intended to be maintained as a long-term tree density at the WRA. Regular horticultural/ arboricultural practice is applied in the WRA to remove excessive and less desired specimens to facilitate the successful growth of those which are of higher landscape and/or ecological value. Vegetation management is largely consistent of maintenance of planted trees and shrubs for the creation of suitable habitats for target species, as well as removal of excessive and exotic species. These works should maintain and uphold the long-term habitat structure and the overall biodiversity of the WRA.

4.2 WRA Performance for the Bird Target Species

The provision, maintenance and operation of a WRA are requirements under the Environmental Permit for compensation for predicted ecological impacts to species of conservation importance. Three bird target species were identified during the EIA process: Little Egret, Eastern Cattle Egret and Chinese Pond Heron. Target levels of these species are the annual mean numbers recorded during the Baseline Ecological Monitoring (i.e., a mean of 5.5 Little Egret, 1.3 Eastern Cattle Egret and 1.3 Chinese Pond Heron over a 12-month period). Thus, the ecological impact of the project to the species concerned is considered to have been fully compensated when the target level for each of the three species is achieved. Whilst further discussion and agreement regarding the target level is yet to be undertaken with the relevant Government departments prior to the operation of the WRA, the proposed level offers a clear reference to the effectiveness of the mitigation measures. According to the approved Wetland Creation and Restoration Scheme (November 2009, hereafter WCRS), the WRA is anticipated to be fully operational after an establishment period of 2.5 years (30 months).

All of the three target species (Little Egret, Eastern Cattle Egret and Chinese Pond Heron) were recorded using the WRA during the survey period (November 2022 to April 2023). Among them, only Little Egret was recorded in all six months during regular surveys.

Table 4.2: Biannual mean & Annual mean of the three target species of the WRA from May 2021 to April 2023

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Baseline Annual Mean ⁽²⁾	Biannual Mean ⁽³⁾		Annual Mean ⁽³⁾			
				May 21 - Oct 21	Nov 21 - Apr 22	May 22 - Oct 22	Nov 22 - Apr 23	May 21 - Apr 22	May 22 - Apr 23
Chinese Pond Heron	<i>Ardeola bacchus</i>	PRC, (RC)	1.3	3.7	1.7	3.9	2.0	2.7	3
Little Egret	<i>Egretta garzetta</i>	PRC, (RC)	5.5	2.1	1.5	2.2	2.0	1.8	2.1
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	(LC)	1.3	0.3	0.2	0.3	0.1	0.2	0.2

Notes:

- (1) Conservation Status follows that of Fellow *et. al.* (2002). See Appendix B (Table B3).
- (2) Annual mean number recorded during Baseline Ecological Monitoring.
- (3) Values in **bold** indicated the Target Level was achieved.

Based on **Table 4.2** above, the target level of the Chinese Pond Heron has been achieved between November 2022 to April 2023, while the target levels for Little Egret and Eastern Cattle Egret have not been achieved.

According to the ecological monitoring data of the Survey Area (excluding the WRA), Eastern Cattle Egret was observed in 11 out of 26 regular surveys and the biannual mean of the Eastern Cattle Egret at the Survey Area (excluding the WRA) was 2.8 bird per survey (November 2022 – April 2023).

Eastern Cattle Egret is mainly a spring and autumn passage migrant in Hong Kong with peak count in August (*Carey et al. 2001*). This species mainly forages along short grass habitat, preying on insects, invertebrates and small vertebrates. The large expanse of grassland in the Survey Area (excluding the WRA) and the open storage areas in the vicinity of the WRA and the Survey Area (excluding the WRA) provide foraging sites for the Eastern Cattle Egret. Upon the completion of the WRA, the area had changed from open storage to restored open-water wetland, reedbeds, tall vegetation as well as short grassland along the cell bunds. Apart from short grassland habitat, most other habitats within the WRA are not typical foraging habitats for Eastern Cattle Egret. In the coming months the vegetation along the EVA and pond bunds of the cells will be closely monitored, controlled and maintained, in order to attract more insects and Eastern Cattle Egrets.

Although the biannual mean of Little Egret did not meet the target level, the species was recorded in 19 out of 26 regular surveys within the WRA. The highest count in this period was 4 birds in Cell 2 on 2 November 2022.

Although the target level for Eastern Cattle Egret has not been achieved between November 2022 and April 2023, the WRA continues to attract wetland dependent birds and/or species of conservation importance, as well as terrestrial birds of conservation importance.

The biannual change of bird species number and composition since the WRA establishment in Oct 2012 is presented in **Table 4.3**, which shows a steady number of conservation importance species and/or wetland-dependent species continuously recorded in the WRA. This indicates that the WRA provides a suitable habitat for these species.

Table 4.3: Total number of bird species of conservation importance and/or wetland-dependence recorded in the WRA from November 2010 to April 2023

Common Name	Nov 10 - Oct 11	Nov 11 - Oct 12	Nov 12 - Oct 13	Nov 13 - Oct 14	Nov 14 - Oct 15	Nov 15 - Oct 16	Nov 16 - Oct 17	Nov 17 - Oct 18	Nov 18 - Oct 19	Nov 19 - Oct 20	Nov 20 - Oct 21	Nov 21 - Oct 22	Nov 22 - Apr 23
Bird species of conservation importance and/ or wetland-dependence	48	33	36	39	45	46	46	42	34	52	51	47	45

4.3 Adaptive Management for WRA

As the Proposed Comprehensive Development at Wo Shang Wai is still under construction phase, it is considered acceptable for the target species levels to have not been achieved. However, should this situation continue, a review of the management of the WRA and adaptive management steps will be required.

The mitigation actions including: 1) Controlling the water level; 2) Controlling the vegetation; and 3) Removal of Red Imported Fire Ant nests have been taken in the WRA during the survey period to increase the WRA utilization by birds, especially for the three target species of the WRA. The mitigation actions will be continued in the WRA, and monitoring will be carried out to investigate the effectiveness of the mitigation actions.

A summary of the annual mean of bird species of conservation importance and/or wetland-dependence recorded in the WRA from November 2022 and April 2023 is shown in **Table 4.4**. 23 additional species of conservation importance and/or wetland-dependence have been recorded in the WRA when compared to the Baseline Ecological Monitoring. The increase in number of the species of conservation importance indicates that the WRA is providing a suitable habitat for them.

Table 4.4: Mean number of bird species of conservation importance and/or wetland-dependence in the WRA during reporting period

Common Name	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Annual mean number recorded during the Baseline Ecological Monitoring	Mean number recorded between November 2022 - April 2023 ⁽³⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	0.0	1.0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	0.5	0.6
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	0.1	1.4
Purple Heron	<i>Ardea purpurea</i>	Y	RC	0.0	0.3
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	V	1.6
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	0.0	0.2
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5.5	2.0
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	1.3	0.1
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	1.3	2.0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	0.0	0.2
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	0.2	0.4
Garganey	<i>Anas querquedula</i>	Y	-	0.0	0.1
Western Osprey	<i>Pandion haliaetus</i>	Y	Class II, RC	0.0	0.1
Black Kite	<i>Milvus migrans</i>	Y	Class II, (RC)	1.2	0.8
Eastern Buzzard	<i>Buteo japonicus</i>	Y	Class II	0.0	0.2
Eastern Imperial Eagle	<i>Aquila heliaca</i>	Y	Class I, GC	0.0	<0.1
Greater Spotted Eagle	<i>Clanga clanga</i>	Y	Class II, GC	0.0	<0.1
Peregrine Falcon	<i>Falco peregrinus</i>	N	Class II, (LC)	0.0	V
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	0.2	1.2
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	0.0	2.1
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0.1	<0.1
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0.0	0.4
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.0	0.8
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	1.0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.2	0.9

Common Name	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Annual mean number recorded during the Baseline Ecological Monitoring	Mean number recorded between November 2022 - April 2023 ⁽³⁾
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megala</i>	Y	LC	0.0	0.1
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.1	0.1
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	0.0	0.2
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.0	0.7
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	0.0	0.4
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	0.0	0.9
Sand Martin	<i>Riparia riparia</i>	Y	-	0.0	0.3
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	10.0	2.0
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	2.2	<0.1
White Wagtail	<i>Motacilla alba</i>	Y	-	0.9	2.2
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	0.0	0.1
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	0.1	0.2
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	0.0	0.1
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	0.1	0.1
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	0.0	1.5
Chinese Gosbeak	<i>Eophona migratoria</i>	Y	LC	0.0	<0.1
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	0.9	0.2
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0.0	0.1
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.1	0.1
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.0	0.2

Notes:

(1) Follows the List of Hong Kong Birds (ver. 2020-03-10)

(2) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes *et al.* 2002)

(3) Refers to the mean number of individuals recorded between November 2022 – April 2023 in the WRA

V indicates the species is recorded outside regular surveys

* Red-billed Starling is considered by Fellowes *et al.* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is not now considered threatened. A listing of Regional Concern (RC), based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate.

4.4 Conclusions

After commencement of works in May 2010, the site formation of the Wetland Restoration Area (WRA) was completed on 15 November 2010. In accordance with the requirement as stipulated in Clause 7.2.12 of the EM&A Manual, the WRA was in operation since October 2012 (i.e., within 2.5 years of commencement of construction).

The survey data shows that when compared with the surrounding fishponds which cover a much larger area, the WRA attracts a good number of wetland dependent birds or species of conservation importance, with 45 bird species of conservation importance and/or wetland-dependence recorded during the survey period. A significantly higher diversity of dragonfly and butterfly species were also observed within the WRA between November 2022 to April 2023.

The WRA is attracting all of the three target species (Little Egret, Eastern Cattle Egret and Chinese Pond Heron) identified during the EIA process, to varying degrees. Even though the target level for Little Egret was not met, the species was recorded in 19 out of 26 regular surveys within the WRA during the survey period. Although the Eastern Cattle Egret was least attracted to the site, the WRA continues to attract wetland dependent birds and/or species of conservation importance and terrestrial birds of conservation importance. It is noted that 90 bird species of conservation importance and/or wetland dependence (out of 164 bird species) have been recorded within the WRA since the completion of its site formation.

The site is therefore considered to have achieved no net loss of wetland in terms of area and function because it continuously attracts bird species of conservation importance, indicating that the WRA not only provides a buffer for potential disturbance during construction phase, but also a valuable habitat for wetland dependent species and species of conservation importance.

5 References

5.1 List of References

BirdLife International. 2017. *Important Bird Areas factsheet: Inner Deep Bay and Shenzhen River catchment area*. <<http://www.birdlife.org>> on 06/07/2017.

Carey, G. J., Chalmers, M. L., Diskin, D. A., Kennerley, P. R., Leader, P. J., Leven, M. R., Lewthwaite, R. W., Melville, D. S., Turnbull, M., and Young, L. 2001. *The Avifauna of Hong Kong*. Hong Kong Bird Watching Society, Hong Kong.

Chan, S.K.F., K.S. Cheung, C.Y. Ho, F.N Lam & W.S. Tam, 2005. *A Field Guide to the Amphibians of Hong Kong*. Cosmos Books Ltd., Hong Kong.

Fellowes, J.F., M.W.N. Lau, D. Dudgeon, G.T. Reels, G.W.J. Ades, G.J. Carey, B.P.L. Chan, R.C. Kendrick, K.S. Lee, M.R. Leven, K.D.P. Wilson, Y.T. Yu, 2002. *Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong*. Hong Kong.

Hong Kong Bird Watching Society 2020. List of Hong Kong Birds - 2020-03. <www.hkbws.org.hk>.

Hong Kong Observatory Climate Information Service.
<<https://www.hko.gov.hk/en/wxinfo/pastwx/mws/mws.htm>>

Horiuchi, S., Odawara, T., Yonemura, S., Hayashi, Y., Kawaguchi, M., Asada, M., Kato, M. & Yasuhara, K. (2007, November). *Floating structure using waste tires for water environmental remediation*. In *Scrap Tire Derived Geomaterials-Opportunities and Challenges: Proceedings of the International Workshop IW-TDGM 2007*. p. 291. CRC Press.

IUCN 2016. *IUCN Red List of Threatened Species. Version 2016-3*. <www.iucnredlist.org>. Downloaded on **7th December 2016**

Karsen, S., M.W.N. Lau & A. Bogadek, 1998. *Hong Kong Amphibians and Reptiles*. Provisional Urban Council, Hong Kong.

List of National Protected Animal (updated on 5 Feb 2021) <http://www.gov.cn/xinwen/2021-02/09/5586227/files/e007df5cdb364bcdcbcb89d169047d6c5.pdf>

Lo, P. Y. F. and W.L. Hui, 2004. *Hong Kong Butterflies*. Hong Kong, Cosmos Books Ltd.

Mott, 2008. *WSW Environmental Monitoring and Audit Manual (March 2008)*.

Mott, 2008. *WSW Environmental Impact Assessment Report Volumes 1 to 3 (March 2008)*.

Mott, 2008. *WSW Wetland Restoration Plan (March 2008)*.

Shek, C. T. 2006. *A Field Guide to the Terrestrial Mammals of Hong Kong*. Friends of the Country Parks Cosmos Books Ltd., Hong Kong.


Tam, T.W., K.K. Leung, B.S.P. Kwan, K.K.Y. Wu, S.S.H. Tang, I.W.Y. So, J.C.Y. Cheng, E.F.M. Yuen, Y.M. Tsang, and W.L. Hui, 2011. *The Dragonflies of Hong Kong (1st edition)*. Agriculture, Fisheries and Conservation Department, Friends of Country Parks and Cosmos Books Ltd., Hong Kong.

Wilson, K.D.P., Tam, T.W., Kwan, B.S.P., Wu, K.K.Y., Wong, B.S.F., Wong J.K. 2004. *Field Guide to the Dragonflies of Hong Kong*. AFCD, Friends of Country Park and Cosmos Books Ltd. Hong Kong.

Young, J.J. & Yiu, V., 2002. *Butterfly Watching in Hong Kong*. Wan Li Book Co. Ltd., Hong Kong.

Zheng Guangmei and Wang Qishan (1998) (Edited), *China Red Data Book of Endangered Animals: Aves*, Science Press, Beijing.

Figures



Asia Ecological Consultants Ltd.

Figure 1.2 Water Quality Monitoring Locations for Ecological Monitoring

Project No.: 08/266/132

Prepared by EW








Version No.: 2.0

Checked by SL

Scale 1:2,000 on A4

Date: 04 Nov 2009

X Water Quality Monitoring Locations

- | | |
|---|--|
|  Short Grass |  Open Water >1.5m |
|  Tall Grass/Shrubs |  Marsh |
|  Tall Trees and Shrubs |  Reeds |
|  Open Water <1.5m |  Unvegetated |

Appendices

A.	Schedule of Ecological Monitoring	30
B.	Summary of Bird Surveys	32
C.	Summary of Herpetofauna Monitoring, Mammals and Insect Surveys	90
D.	Summary of Water Quality Monitoring	98

A. Schedule of Ecological Monitoring

Nov 2022	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
Mammals		✓						✓		✓✓							✓									✓					
Birds		✓								✓							✓									✓					
Herpetofauna								✓(d)																							
Dragonflies & butterflies										✓																					
Water Quality			+															✓								+					
Inspection Visits			✓					✓							✓							✓				✓					
Vegetation and Exotic Species Control														✓	✓												✓	✓			
Dec 2022	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Mammals			✓					✓						✓							✓									✓	
Birds			✓					✓						✓							✓									✓	
Herpetofauna																															
Dragonflies & butterflies																															
Water Quality			+																		+	✓									
Inspection Visits			✓					✓						✓							✓										✓
Vegetation and Exotic Species Control			✓	✓	✓							✓							✓												✓
Jan 2023	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Mammals				✓						✓							✓								✓						
Birds				✓						✓							✓								✓						
Herpetofauna																															
Dragonflies & butterflies																															
Water Quality											+						✓								+						
Inspection Visits				✓						✓															✓						
Vegetation and Exotic Species Control												✓	✓				✓														

Feb 2023	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28			
Mammals		✓							✓						✓						✓										
Birds		✓							✓						✓						✓										
Herpetofauna																															
Dragonflies & butterflies																															
Water Quality										+							✓				+										
Inspection Visits		✓								✓							✓				✓										
Vegetation and Exotic Species Control							✓	✓													✓		✓								
Mar 2023	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Mammals		✓						✓							✓✓							✓	✓							✓	
Birds		✓						✓							✓							✓								✓	
Herpetofauna															✓(d)															✓(n)	
Dragonfly & butterflies																							✓								
Water Quality																	✓													+	
Inspection Visits								✓							✓							✓								✓	
Vegetation and Exotic Species Control			✓	✓	✓											✓		✓	✓	✓											
Apr 2023	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
Mammals				✓✓								✓			✓						✓						✓	✓✓			
Birds				✓											✓						✓							✓			
Herpetofauna				✓(d)																								✓(n)			
Dragonflies & butterflies												✓															✓				
Water Quality												✓+e															✓+				
Inspection Visits				✓								✓									✓						✓				
Vegetation and Exotic Species Control																✓	✓												✓	✓	

Notes: Light grey cells indicate public holidays, Saturdays or Sundays
 ✓ Indicates corresponding works
 + Water level monitoring
 # Additional pH measurement
 e Ex-situ laboratory testing
 "d" and "n" indicate day-time and night-time herpetofauna surveys respectively

B. Summary of Bird Surveys

Table B1: Conservation Status Categories of Bird Species

Code	Category	Brief Description	Source
GC	Global Concern	Habitat loss/ damage in Hong Kong would pose significant threat to global survival.	Fellowes <i>et al.</i> (2002)
RC	Regional Concern	Habitat loss/ damage in Hong Kong would pose significant threat to regional survival.	
LC	Local Concern	Habitat loss/ damage in Hong Kong would pose significant threat to local survival.	
PGC	Potential Global Concern	Large, secure population in Hong Kong is of global significance.	
PRC	Potential Regional Concern	Large, secure population in Hong Kong is of regional significance.	
CR	Critically Endangered	Best available evidence indicates that it meets any of the criteria A to E for Critically Endangered, and it is therefore considered to be facing an extremely high risk of extinction in the wild.	BirdLife International (2017)
EN	Endangered	Best available evidence indicates that it meets any of the criteria A to E for Endangered, and it is therefore considered to be facing a high risk of extinction in the wild.	
VU	Vulnerable	Best available evidence indicates that it meets any of the criteria A to E for Vulnerable, and it is therefore considered to be facing a high risk of extinction in the wild	
NT	Near Threatened	Does not qualify for Critically Endangered or Vulnerable now; but is close to qualifying for or is likely to qualify for a threatened category in the near future.	

Table B2: Summary of bird monitoring data (for species of conservation importance and/or wetland-dependence) within the Survey Area (excluding the WRA)

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2022 Mean ⁽³⁾	Dec 2022 Mean ⁽³⁾	Jan 2023 Mean ⁽³⁾	Feb 2023 Mean ⁽³⁾	Mar 2023 Mean ⁽³⁾	Apr 2023 Mean ⁽³⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	18.8	20.0	16.5	15.0	18.2	6.3
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	9.5	48.4	16.3	31.8	31.2	0.0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	10.5	10.0	15.0	14.3	7.0	1.3
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	14.5	15.0	7.8	15.3	6.6	9.0
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	V	0.2	0.0	0.0	0.0	0.0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	15.5	16.2	13.5	15.8	20.6	19.8
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	7.0	5.8	0.0	1.8	1.4	0.5
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	16.8	13.4	15.0	14.3	12.8	11.8
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	0.3	0.0	0.0	0.0	0.0	0.0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	1.5	0.8	1.3	0.5	5.4	1.3
Eurasian Spoonbill	<i>Platalea leucorodia</i>	Y	LC	0.0	0.0	0.3	0.0	0.0	0.0
Black-faced Spoonbill##	<i>Platalea minor</i>	Y	Class I, PGC, EN	0.5	0.6	0.5	4.5	2.2	0.8
Eurasian Teal	<i>Anas crecca</i>	Y	RC	0.0	0.4	0.0	0.0	0.0	0.0
Northern Shoveler	<i>Anas clypeata</i>	Y	RC	0.0	0.0	0.3	0.0	0.0	0.0
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	0.0	14.8	17.5	5.0	5.4	0.0
Black-winged Kite#	<i>Elanus caeruleus</i>	Y	Class II, LC	0.0	0.2	0.0	0.0	0.0	0.0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	1.3	2.6	3.8	0.8	0.8	0.3

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2022 Mean ⁽³⁾	Dec 2022 Mean ⁽³⁾	Jan 2023 Mean ⁽³⁾	Feb 2023 Mean ⁽³⁾	Mar 2023 Mean ⁽³⁾	Apr 2023 Mean ⁽³⁾
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	0.3	0.6	0.0	0.3	0.0	0.0
White-breasted Waterhen	<i>Amauornis phoenicurus</i>	Y	-	1.5	1.6	2.3	2.0	2.4	1.8
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	1.0	0.6	1.3	0.0	0.6	2.8
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	0.3	0.0	0.8	0.5	4.0	4.0
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	0.0	2.2	0.0	0.0	1.0	2.0
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0.0	0.2	0.3	0.3	0.2	0.3
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	0.0	0.4	0.0	0.0	0.0	0.0
Common Redshank	<i>Tringa totanus</i>	Y	RC	0.3	0.0	0.0	0.0	0.0	0.0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0.5	1.0	1.8	0.5	0.4	2.3
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	0.3	0.0	0.0	0.0	0.0	2.5
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	1.5	0.8	1.5	0.5	0.8	0.3
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	0.0	0.0	1.5	2.4	3.0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	3.5	2.0	2.5	3.3	4.4	3.8
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.3	0.0	0.0	0.3	0.0	0.0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0.0	0.0	0.0	0.0	0.0	9.0

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2022 Mean ⁽³⁾	Dec 2022 Mean ⁽³⁾	Jan 2023 Mean ⁽³⁾	Feb 2023 Mean ⁽³⁾	Mar 2023 Mean ⁽³⁾	Apr 2023 Mean ⁽³⁾
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	1.0	1.0	1.3	0.5	1.8	0.8
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	0.3	0.4	0.5	0.3	0.4	0.3
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	4.5	2.0	3.0	3.0	1.8	2.5
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	4.0	4.8	4.3	5.8	8.6	5.0
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	0.3	0.0	0.0	0.3	0.2	0.0
White Wagtail	<i>Motacilla alba</i>	Y	-	8.5	11.4	7.0	10.5	6.6	4.0
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	0.5	0.0	0.3	0.0	0.0	0.0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	1.3	0.0	0.0	0.3	1.0	0.0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	0.0	2.6	0.0	1.5	0.0	0.0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	1.0	0.4	1.3	0.0	0.0	0.0
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.6	0.0	0.0	1.2	4.0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	1.5	1.4	2.5	1.5	0.8	3.0
No. of Species Recorded				31	32	27	29	29	27

Notes:

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
- (2) Conservation status follows that of Fellowes et al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes.
 Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (3) Refers to the mean number of individuals recorded in each survey in the Survey Area (excluding the WRA)
- (4) Birds tagged with '#' are Category II protected under terrestrial wildlife state protection. Birds tagged with '##' are Category I protected under terrestrial wildlife state protection
- (5) 'V' indicates the species is recorded outside regular surveys

Table B3: Summary of bird monitoring data (for species of conservation importance and/or wetland-dependence) in the WRA

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2022 Mean ⁽³⁾	Dec 2022 Mean ⁽³⁾	Jan 2023 Mean ⁽³⁾	Feb 2023 Mean ⁽³⁾	Mar 2023 Mean ⁽³⁾	Apr 2023 Mean ⁽³⁾
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	1.5	0.6	2.3	1.3	0.2	0.5
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	0.8	1.0	1.0	0.8	0.2	0.0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	2.3	1.8	2.8	1.3	0.2	0.3
Purple Heron	<i>Ardea purpurea</i>	Y	RC	0.0	0.8	0.5	0.5	0.0	0.0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	0.5	2.0	1.8	1.5	2.6	1.0
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	0.0	0.4	0.3	0.0	0.0	0.3
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	1.5	1.0	2.3	1.8	1.6	4.5
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	0.0	0.2	0.0	0.0	0.0	0.5
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	2.5	2.8	3.3	2.0	1.4	0.0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	0.3	0.4	0.0	0.0	0.2	0.0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	1.3	1.0	0.0	0.0	V	0.3
Garganey	<i>Anas querquedula</i>	Y	-	0.0	0.4	0.0	0.0	0.0	0.0
Western Osprey#	<i>Pandion haliaetus</i>	Y	Class II, RC	0.0	0.0	0.0	0.5	0.0	0.0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	0.8	1.0	0.5	1.5	0.8	0.5
Greater Spotted Eagle#	<i>Clanga clanga</i>	Y	Class II, GC	0.0	0.2	0.0	0.0	0.0	0.0
Eastern Imperial Eagle##	<i>Aquila heliaca</i>	Y	Class I, GC	0.0	0.0	0.0	0.3	0.0	0.0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	0.5	V	0.5	0.3	0.2	0.0
Peregrine Falcon#	<i>Falco peregrinus</i>	N	Class II, (LC)	0.0	V	0.0	0.0	0.0	0.0

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2022 Mean ⁽³⁾	Dec 2022 Mean ⁽³⁾	Jan 2023 Mean ⁽³⁾	Feb 2023 Mean ⁽³⁾	Mar 2023 Mean ⁽³⁾	Apr 2023 Mean ⁽³⁾
White-breasted Waterhen	<i>Amauornis phoenicurus</i>	Y	-	1.8	0.8	0.0	1.0	2.2	1.5
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	1.3	1.2	4.3	2.3	2.2	1.8
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.3
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0.0	0.2	0.0	0.0	0.0	2.3
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.5	0.2	1.5	1.0	1.4	0.3
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	0.0	2.0	1.3	1.2	1.5
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.0	0.8	0.5	0.0	0.6	3.5
Pintail/Swinhoe's Snipe**	<i>Gallinago stenura/G. megala</i>	Y	LC	0.0	0.0	0.0	0.0	0.4	0.0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.3	0.0	0.0	0.3	0.0	0.0
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	0.0	0.0	0.0	0.0	0.8	0.0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.0	V	0.5	2.0	1.4	0.0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	0.0	0.2	1.0	0.3	0.4	0.5
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	0.0	1.6	0.8	1.0	1.0	1.0
Sand Martin	<i>Riparia riparia</i>	Y	-	0.0	0.2	0.0	0.0	1.2	0.0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	0.0	1.0	2.8	1.3	2.4	5.0
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	0.0	0.0	0.0	0.0	0.2	0.0
White Wagtail	<i>Motacilla alba</i>	Y	-	2.0	2.4	2.3	3.0	2.2	1.0
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	0.0	0.0	0.0	0.0	0.4	0.0
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	0.5	0.0	0.0	0.3	0.2	0.0
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	0.8	0.0	0.0	0.0	0.0	0.0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	0.5	0.0	0.0	0.0	0.0	0.3
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	1.0	1.4	0.5	0.0	3.4	2.3

Common Name	Scientific Name ⁽¹⁾	Wetland Dependent	Conservation Status ⁽²⁾	Nov 2022 Mean ⁽³⁾	Dec 2022 Mean ⁽³⁾	Jan 2023 Mean ⁽³⁾	Feb 2023 Mean ⁽³⁾	Mar 2023 Mean ⁽³⁾	Apr 2023 Mean ⁽³⁾
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	0.0	0.2	0.0	0.0	0.0	0.0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	GC*	1.0	0.0	0.0	0.0	0.0	0.0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0.5	0.0	0.0	0.0	0.0	0.0
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.8
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.8	0.0	0.0	0.0	0.4	0.3
No. of Species Recorded				22	26	20	22	27	23

Notes:

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
- (2) Conservation status follows that of Fellows et al. (2002) and BirdLife international listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellows et al. 2002).
- (3) Refers to mean number of individuals recorded in each survey in the WRA.
- (4) Birds tagged with '#' are Category II protected under terrestrial wildlife state protection. Birds tagged with '##' are Category I protected under terrestrial wildlife state protection
- (5) 'V' indicates the species is recorded outside regular surveys

Table B4: Summary of Bird Species Recorded at WRA and their Respective Monthly Mean between September 2010 and October 2012

Common name	Scientific name	Wetland Dependence	Conservation status	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12	Oct-12
Little Grebe	Tachybaptus ruficollis	Y	LC	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1.0	3.8	0.8	0.5	0.5	0.0	0.6	0.0	1.4	1.6	0.8	1.0	1.3	0.2	0.0	0.2
Great Cormorant	Phalacrocorax carbo	Y	PRC	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	1.2	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey Heron	Ardea cinerea	Y	PRC	0.0	0.0	1.0	1.6	2.0	2.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.5	1.8	0.8	2.3	0.8	0.0	0.0	0.0	0.3	0.0	0.0	0.4
Purple Heron	Ardea purpurea	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Egret	Ardea alba	Y	PRC, (RC)	0.0	0.0	0.0	0.4	14.0	2.0	0.2	0.5	0.3	0.5	0.3	0.0	1.5	1.8	0.8	1.2	0.6	0.7	0.6	0.6	1.0	0.3	0.0	0.4	0.5	1.5
Intermediate Egret	Egretta intermedia	Y	RC	0.0	0.0	0.0	0.0	1.7	0.8	0.2	0.0	0.0	0.0	0.0	0.0	1.5	1.5	1.5	1.0	0.6	0.7	0.6	0.6	0.0	0.0	0.0	0.0	0.3	0.9
Little Egret	Egretta garzetta	Y	PRC, (RC)	0.0	0.0	0.0	1.8	8.0	2.0	0.4	0.5	0.8	0.3	0.3	1.0	1.0	0.5	1.5	1.6	1.4	2.0	1.6	0.0	0.0	0.0	0.0	0.8	0.3	1.2
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11.8	0.0	1.3	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	0.0	0.0	1.0	0.2	0.0	0.0	0.0	0.3	0.3	0.3	1.5	4.2	7.8	4.5	5.3	2.4	0.3	2.3	2.6	1.4	0.8	1.0	0.8	2.0	1.8	3.6
Yellow Bittern	Ixobrychus sinensis	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cinnamon Bittern	Ixobrychus cinnamomeus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Bittern	Botaurus stellaris	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Stork	Ciconia nigra	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Spoonbill	Platalea leucorodia	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Spoonbill	Platalea minor	Y	PGC, EN	0.0	0.0	0.0	0.0	0.3	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mandarin Duck	Aix galericulata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Wigeon	Anas penelope	Y	RC	0.0	0.0	0.0	1.6	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Teal	Anas crecca	Y	RC	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Pintail	Anas acuta	Y	RC	0.0	0.0	0.0	0.2	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Shoveler	Anas clypeata	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Garganey	Anas querquedula	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tufted Duck	Aythya fuligula	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Western Osprey	Pandion haliaetus	Y	RC	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Sep- 10	Oct- 10	Nov- 10	Dec- 10	Jan- 11	Feb- 11	Mar- 11	Apr- 11	May- 11	Jun- 11	Jul- 11	Aug- 11	Sep- 11	Oct- 11	Nov- 11	Dec- 11	Jan- 12	Feb- 12	Mar- 12	Apr- 12	May- 12	Jun- 12	Jul- 12	Aug- 12	Sep- 12	Oct- 12	
Besra	<i>Accipiter virgatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Kite	<i>Elanus caeruleus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Kite	<i>Milvus migrans</i>	N	(RC)	0.0	0.0	0.0	0.0	0.8	0.3	0.2	0.0	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.0	0.4	
Crested Serpent Eagle	<i>Spilornis cheela</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Eastern Buzzard	<i>Buteo japonicus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Common Kestrel	<i>Falco tinnunculus</i>	N	-	0.0	0.0	1.0	0.4	1.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Eurasian Hobby	<i>Falco subbuteo</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Peregrine Falcon	<i>Falco peregrinus</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Greater Spotted Eagle	<i>Clanga clanga</i>	N	GC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Eastern Imperial Eagle	<i>Aquila heliaca</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Japanese Quail	<i>Coturnix japonica</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Baillon's Crake	<i>Porzana pusilla</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
White-breasted Waterhen	<i>Amauornis phoenicurus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	1.3	2.6	1.3	1.5	0.3	0.0	0.0	0.4	0.0	0.0	0.5	1.0	0.5	0.0	0.0	0.0		
Watercock	<i>Gallicrex cinerea</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Greater Painted-snipe	<i>Rostratula benghalensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Grey-headed Lapwing	<i>Vanellus cinereus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Oriental Pratincole	<i>Glareola maldivarum</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	3.0	0.0	24.5	7.4	3.8	9.0	6.8	10.5	5.5	0.5	0.0	0.2	0.0	0.0	0.0	0.0	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Kentish Plover	<i>Charadrius alexandrinus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Common name	Scientific name	Wetland Conservation Dependence	status	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12	Oct-12
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Redshank	<i>Tringa totanus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.0	0.0	1.0	0.4	0.5	0.5	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.4	0.0	0.0	0.2	0.0	0.0
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.0	0.0	0.6	0.0	0.0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	1.0	0.0	0.5	1.0	0.0	0.5	0.6	1.0	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.9
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megala</i>	Y	LC	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-necked Stint	<i>Calidris ruficollis</i>	Y	LC	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Temminck's Stint	<i>Calidris temminckii</i>	Y	LC	0.0	0.0	0.5	0.0	0.0	2.5	0.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-toed Stint	<i>Calidris subminuta</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0
White-winged Tern	<i>Chlidonias leucopterus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Domestic Pigeon	<i>Columba livia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	DS	DS	0.0	DS	0.0	0.0	DS	0.0	0.6
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Koel	<i>Eudynamys scolopaceus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Conservation Dependence status	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12	Oct-12
Greater Coucal#	Centropus sinensis	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Indian Cuckoo	Cuculus Micropterus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Large Hawk-Cuckoo	Hierococcyx sparveriioides	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plaintive Cuckoo	Cacomantis merulinus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Eagle Owl	Bubo bubo	N	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Barred Owlet	Glaucidium cuculoides	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Savanna Nightjar	Caprimulgus affinis	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Himalayan Swiftlet	Aerodramus brevirostris	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pacific Swift	Apus pacificus	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
House Swift	Apus nipalensis	N	-	10.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	DS	0.0	0.0	0.0	0.0	0.0	0.0	
Pied Kingfisher	Ceryle rudis	Y	(LC)	0.0	0.0	0.0	0.2	0.3	0.5	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.0
Common Kingfisher	Alcedo atthis	Y	-	0.0	0.0	0.0	0.4	0.5	0.3	0.0	0.3	0.5	1.0	0.3	1.0	0.8	0.5	0.8	1.0	0.4	0.0	0.8	0.0	0.0	0.0	0.0	0.6	0.0
White-throated Kingfisher	Halcyon smyrnensis	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
Eurasian Hoopoe	Upupa epops	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barn Swallow	Hirundo rustica	N	-	25.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	DS	0.0	DS	0.0	DS	DS	3.0
Red-rumped Swallow	Hirundo daurica	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sand Martin	Riparia riparia	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Yellow Wagtail	Motacilla tschutschensis	Y	-	0.0	0.0	14.5	10.2	15.0	23.5	8.2	11.8	1.8	0.0	0.2	0.8	1.5	2.0	1.2	0.6	0.0	4.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey Wagtail	Motacilla cinerea	Y	-	0.0	0.0	0.0	0.2	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White Wagtail	Motacilla alba	Y	-	3.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	DS	DS	DS	DS	0.0	0.0	0.0	DS	1.8	3.2	
Richard's Pipit	Anthus richardi	N	-	0.0	0.0	1.5	0.8	0.5	1.0	1.0	1.8	0.5	0.0	0.0	0.0	0.3	0.0	DS	0.0	DS	DS	DS	0.0	0.0	0.0	0.0	0.0	0.0
Olive-backed Pipit	Anthus hodgsoni	N	-	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-throated Pipit	Anthus cervinus	N	LC	0.0	2.0	2.5	1.2	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.7
Buff-bellied Pipit	Anthus rubescens	N	LC	0.0	1.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Conservation Dependence	status	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12	Oct-12	
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Light-vented Bulbul	<i>Pycnonotus sinensis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	DS	0.0	DS	0.0	0.0	0.0	
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Bull-headed Shrike	<i>Lanius bucephalus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Brown Shrike	<i>Lanius cristatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Long-tailed Shrike	<i>Lanius schach</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	DS	0.0	0.0	0.0	0.0	DS	DS	0.0	0.0
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Daurian Redstart	<i>Phoenicurus aureus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	N	-	0.0	3.0	0.5	1.0	1.0	0.8	0.2	0.3	0.0	0.0	0.0	0.0	0.0	1.0	0.0	DS	DS	0.0	DS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Chinese Blackbird	<i>Turdus mandarinus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Grey-backed Thrush	<i>Turdus hortulorum</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	0.0	
Lanceolated Warbler	<i>Locustella lanceolata</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Thick-billed Warbler	<i>Acrocephalus aedon</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Manchurian Bush Warbler	<i>Horornis canturians</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Common name	Scientific name	Wetland Conservation Dependence status	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12	Oct-12
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dusky Warbler	<i>Phylloscopus fuscatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	DS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4
Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.2	1.5	2.5	2.5	1.0	0.4	0.0	0.3	0.8	1.8	0.2	0.3	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.0
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	DS	0.0	DS	0.0	DS	DS	0.8	0.4
Plain Prinia	<i>Prinia inornata</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	DS	0.0	DS	DS	0.0	0.0
Bluethroat	<i>Luscinia svecica</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Cinereous Tit	<i>Parus cinereus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Tit	<i>Parus minor</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Swinhoe's White-eye	<i>Zosterops simplex</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Conservation Dependence	status	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12	Oct-12
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Bunting	<i>Emberiza pusilla</i>	N	-	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Bunting	<i>Emberiza spodocephala</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Grosbeak	<i>Eophona migratoria</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-	20.0	0.0	0.0	0.0	2.5	0.0	15.0	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	DS	DS	1.5	0.0
White-headed Munia	<i>Lonchura maja</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chestnut Munia	<i>Lonchura atricapilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	DS	0.0	DS	0.0	0.0
Yellow-fronted Canary	<i>Crithagra mozambica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-billed Starling	<i>Spodiopsar sericeus</i>	N	(RC)*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.8	1.6	6.6	39.0	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	N	PRC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	DS	DS	DS	0.0	0.0	0.0	0.0	DS	0.0	0.0
White-shouldered Starling	<i>Sturnia sinensis</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Myna	<i>Acridotheres tristis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	0.0	0.0	0.0	DS	0.0	0.0	DS	0.0	V
Great Myna	<i>Acridotheres grandis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Drongo	<i>Dicurus macrocercus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	DS	0.0
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Magpie	<i>Pica serica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	DS	0.0	0.0	0.0	0.0	DS	0.3	0.0
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Sep- 10	Oct- 10	Nov- 10	Dec- 10	Jan- 11	Feb- 11	Mar- 11	Apr- 11	May- 11	Jun- 11	Jul- 11	Aug- 11	Sep- 11	Oct- 11	Nov- 11	Dec- 11	Jan- 12	Feb- 12	Mar- 12	Apr- 12	May- 12	Jun- 12	Jul- 12	Aug- 12	Sep- 12	Oct- 12
Collared Crow	Corvus torquatus	N	LC, NT	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.5	0.0	0.3	0.0	0.8	0.8	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0

Notes:

- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
- (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- DS Indicates species recorded during survey.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- * Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B5: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2012 and October 2014

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-12	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Jun-14	Jul-14	Aug-14	Sep-14	Oct-14
Little Grebe	Tachybaptus ruficollis	Y	LC	1.0	0.8	1.2	0.4	0.6	0.4	1.5	0.5	0.0	0.6	0.5	1.2	0.6	2.2	1.8	5.3	4.5	2.4	0.8	2.0	3.2	1.8	1.6	1.4
Great Cormorant	Phalacrocorax carbo	Y	PRC	0.8	3.8	0.8	1.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.2	V	0.4	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Grey Heron	Ardea cinerea	Y	PRC	0.8	1.3	0.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	V	1.0	2.8	2.6	1.6	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6
Purple Heron	Ardea purpurea	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Egret	Ardea alba	Y	PRC, (RC)	1.4	0.5	1.0	0.8	0.2	0.6	0.0	0.8	0.6	0.0	0.0	0.6	0.6	2.4	1.2	1.8	0.8	0.2	V	0.5	V	V	0.2	V
Intermediate Egret	Egretta intermedia	Y	RC	0.2	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Little Egret	Egretta garzetta	Y	PRC, (RC)	0.8	1.8	2.2	1.4	0.6	1.2	0.6	1.8	0.4	3.4	0.5	2.2	1.4	2.4	4.4	4.0	3.8	3.2	1.2	3.3	1.8	1.3	2.6	1.6
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	V	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	1.6	1.0	2.4	0.4	V	V	0.0	0.0	0.8	2.0	0.5	1.4	1.4	2.6	6.8	3.5	2.5	1.0	1.6	1.0	1.4	1.5	4.2	1.4
Yellow Bittern	Ixobrychus sinensis	Y	(LC)	0.0	0.0	0.0	0.0	0.0	V	1.0	2.5	0.2	1.4	1.3	0.8	0.4	0.2	0.0	0.0	V	V	0.4	1.3	1.0	0.8	0.2	0.2
Cinnamon Bittern	Ixobrychus cinnamomeus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Bittern	Botaurus stellaris	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)	V	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	V	0.0	V	0.0	0.0	0.0	0.0	V
Black Stork	Ciconia nigra	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Spoonbill	Platalea leucorodia	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Spoonbill	Platalea minor	Y	PGC, EN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mandarin Duck	Aix galericulata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Wigeon	Anas penelope	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Teal	Anas crecca	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Pintail	Anas acuta	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Shoveler	Anas clypeata	Y	RC	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	7.0	5.5	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Garganey	Anas querquedula	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tufted Duck	Aythya fuligula	Y	LC	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 12	Dec- 12	Jan- 13	Feb- 13	Mar- 13	Apr- 13	May- 13	Jun- 13	Jul- 13	Aug- 13	Sep- 13	Oct- 13	Nov- 13	Dec- 13	Jan- 14	Feb- 14	Mar- 14	Apr- 14	May- 14	Jun- 14	Jul- 14	Aug- 14	Sep- 14	Oct- 14
Western Osprey	<i>Pandion haliaetus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Besra	<i>Accipiter virgatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Kite	<i>Elanus caeruleus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Kite	<i>Milvus migrans</i>	Y	(RC)	0.0	0.3	0.0	0.0	0.6	0.0	0.2	0.3	0.0	1.2	0.8	0.2	0.2	0.0	V	0.5	0.8	0.4	0.6	0.3	0.6	0.0	0.0	0.4
Crested Serpent Eagle	<i>Spilornis cheela</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Buzzard	<i>Buteo japonicus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Common Kestrel	<i>Falco tinnunculus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Hobby	<i>Falco subbuteo</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0
Peregrine Falcon	<i>Falco peregrinus</i>	N	(LC)	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Spotted Eagle	<i>Clanga clanga</i>	N	GC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Imperial Eagle	<i>Aquila heliaca</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Quail	<i>Coturnix japonica</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Baillon's Crake	<i>Porzana pusilla</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-breasted Waterhen	<i>Amauornis phoenicurus</i>	Y	-	0.2	V	0.2	v	0.4	0.2	V	1.8	0.2	0.2	V	0.8	0.4	0.0	0.0	0.0	V	0.2	0.2	V	1.4	0.5	0.5	0.2
Watercock	<i>Gallinula cinerea</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Painted-snipe	<i>Rostratula benghalensis</i>	Y	LC	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	V	0.2	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Lapwing	<i>Vanellus cinereus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-12	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Jun-14	Jul-14	Aug-14	Sep-14	Oct-14
Oriental Pratincole	Glareola maldivarum	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Ringed Plover	Charadrius dubius	Y	(LC)	0.0	V	0.4	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	V	0.4	0.0	V	0.5	0.8	0.0	0.0	0.3	0.0	0.0	0.0	1.2
Kentish Plover	Charadrius alexandrinus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Redshank	Tringa erythropus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Redshank	Tringa totanus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Marsh Sandpiper	Tringa stagnatilis	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Greenshank	Tringa nebularia	Y	RC	V	V	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Green Sandpiper	Tringa ochropus	Y	-	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.0	0.6	V	V	0.0	0.5	0.0	0.0	0.0	0.0	V	0.0	V
Wood Sandpiper	Tringa glareola	Y	LC	V	V	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	V	V	V	V	V	0.0	0.0	0.0	0.4	0.3	0.0	0.2	
Common Sandpiper	Actitis hypoleucos	Y	-	0.2	V	V	0.0	V	0.2	0.2	0.0	V	0.6	V	0.8	1.6	0.2	V	0.3	1.3	0.2	0.4	V	V	0.3	2.6	4.4
Pintail/Swinhoe's Snipe*	Gallinago stenura/G. megala	Y	LC*,-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Snipe	Gallinago gallinago	Y	-	0.0	V	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-necked Stint	Calidris ruficollis	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Temminck's Stint	Calidris temminckii	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
Long-toed Stint	Calidris subminuta	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whiskered Tern	Chlidonias hybrida	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-winged Tern	Chlidonias leucopterus	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Domestic Pigeon	Columba livia	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Collared Dove	Streptopelia decaocto	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Oriental Turtle Dove	Streptopelia orientalis	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Turtle Dove	Streptopelia tranquebarica	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 12	Dec- 12	Jan- 13	Feb- 13	Mar- 13	Apr- 13	May- 13	Jun- 13	Jul- 13	Aug- 13	Sep- 13	Oct- 13	Nov- 13	Dec- 13	Jan- 14	Feb- 14	Mar- 14	Apr- 14	May- 14	Jun- 14	Jul- 14	Aug- 14	Sep- 14	Oct- 14
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	0.4	1.2	0.4	0.0	0.2	0.2	0.4	0.5	0.8	2.8	2.0	2.6	2.6	3.0	6.2	2.3	2.0	1.0	0.6	1.6	1.2	1.3	2.2	3.6
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Koel	<i>Eudynamis scolopaceus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0
Greater Coucal#	<i>Centropus sinensis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.8	0.3	0.8	0.5	0.2	0.2
Indian Cuckoo	<i>Cuculus Micropterus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Large Hawk-Cuckoo	<i>Hierococcyx sparveroides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Barred Owllet	<i>Glaucidium cuculoides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Eagle Owl	<i>Bubo bubo</i>	N	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Savanna Nightjar	<i>Caprimulgus affinis</i>	N	-	0.0	0.0	0.0	V	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
House Swift	<i>Apus nipalensis</i>	N	-	0.0	0.4	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	V	0.0	0.0	0.0	0.4	V	0.3	V	0.0	0.0	0.0	V	0.0	0.0	0.0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	0.2	0.3	0.5	0.4	0.2	0.2	0.6	0.3	0.4	0.4	0.8	1.0	2.0	1.6	1.2	2.3	0.8	1.0	1.2	1.8	0.6	1.3	1.4	1.8
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.2	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0
Eurasian Hoopoe	<i>Upupa epops</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barn Swallow	<i>Hirundo rustica</i>	N	-	0.2	1.0	0.0	0.2	9.2	23.0	11.2	0.0	1.4	1.8	1.0	V	0.0	0.0	0.5	7.8	15.4	18.0	1.5	1.0	1.5	0.4	V	
Red-rumped Swallow	<i>Hirundo daurica</i>	N	-	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sand Martin	<i>Riparia riparia</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 12	Dec- 12	Jan- 13	Feb- 13	Mar- 13	Apr- 13	May- 13	Jun- 13	Jul- 13	Aug- 13	Sep- 13	Oct- 13	Nov- 13	Dec- 13	Jan- 14	Feb- 14	Mar- 14	Apr- 14	May- 14	Jun- 14	Jul- 14	Aug- 14	Sep- 14	Oct- 14
Eastern Yellow Wagtail	Motacilla tschutschensis	Y	-	0.2	0.3	1.4	2.8	2.2	2.2	0.2	0.0	0.0	0.0	0.0	0.4	0.2	0.6	0.6	1.0	0.3	0.2	0.0	0.0	0.0	0.0	0.6	0.2
Grey Wagtail	Motacilla cinerea	Y	-	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White Wagtail	Motacilla alba	Y	-	2.6	1.3	0.8	3.0	4.8	2.0	1.0	0.0	1.2	0.4	3.5	2.8	3.6	2.6	1.2	1.3	2.5	1.6	0.6	1.2	0.8	1.8	1.8	3.2
Richard's Pipit	Anthus richardi	N	-	0.2	0.4	1.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	2.0	2.3	3.0	V	0.0	0.0	0.0	0.0	V
Olive-backed Pipit	Anthus hodgsoni	N	-	0.0	0.0	0.0	0.6	1.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-throated Pipit	Anthus cervinus	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Buff-bellied Pipit	Anthus rubescens	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-whiskered Bulbul	Pycnonotus jocosus	N	-	0.0	0.0	0.0	0.0	0.0	0.2	2.0	0.3	0.0	0.2	0.0	0.0	V	0.0	0.8	1.3	0.3	0.2	0.0	0.0	0.2	0.3	1.2	0.0
Light-vented Bulbul	Pycnonotus sinensis	N	-	0.0	0.2	2.0	0.2	0.2	3.2	2.0	3.8	0.0	2.4	3.5	0.2	1.8	4.0	3.8	0.5	0.8	1.6	1.8	2.3	2.2	2.3	0.4	4.6
Sooty-headed Bulbul	Pycnonotus aurigaster	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Cuckooshrike	Lalage melaschistos	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bull-headed Shrike	Lanius bucephalus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Brown Shrike	Lanius cristatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-tailed Shrike	Lanius schach	N	-	0.2	0.0	0.4	0.0	0.0	0.2	0.0	V	0.4	0.2	0.3	0.2	0.0	0.2	V	0.3	0.0	0.0	0.2	0.3	0.4	0.5	V	0.0
Oriental Magpie Robin	Copsychus saularis	N	-	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.2	0.3	V	0.2	0.2	0.4	0.0	0.0	0.2	0.0	0.3	V	V	V	0.0
Red-flanked Bluetail	Tarsiger cyanurus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Daurian Redstart	Phoenicurus auroreus	N	-	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Stejneger's Stonechat	Saxicola stejnegeri	N	-	0.4	0.4	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	V	0.2	0.2	0.4	0.5	0.3	V	0.2	0.0	0.0	0.0	0.0	0.4
Chinese Blackbird	Turdus mandarinus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-backed Thrush	Turdus hortolorum	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 12	Dec- 12	Jan- 13	Feb- 13	Mar- 13	Apr- 13	May- 13	Jun- 13	Jul- 13	Aug- 13	Sep- 13	Oct- 13	Nov- 13	Dec- 13	Jan- 14	Feb- 14	Mar- 14	Apr- 14	May- 14	Jun- 14	Jul- 14	Aug- 14	Sep- 14	Oct- 14	
Masked Laughingthrush	Garrulax perspicillatus	N	-	0.0	0.0	0.0	0.0	0.6	1.2	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.4	0.8	V	0.5	0.2	0.2	0.5	V	1.5	0.8	0.0	
Lanceolated Warbler	Locustella lanceolata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pallas's Grasshopper Warbler	Locustella certhiola	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Reed Warbler	Acrocephalus orientalis	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0
Thick-billed Warbler	Acrocephalus aedon	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-browed Reed Warbler	Acrocephalus bistrigiceps	Y	-	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Manchurian Bush Warbler	Horornis canturians	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Tailorbird	Orthotomus sutorius	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
Dusky Warbler	Phylloscopus fuscatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.4	0.0	0.4	0.8	1.5	V	0.0	0.0	0.0	0.0	V	V	
Pallas's Leaf Warbler	Phylloscopus proregulus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-browed Warbler	Phylloscopus inornatus	N	-	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.0	V	
Sakhalin Leaf Warbler	Phylloscopus borealoides	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Crowned Warbler	Phylloscopus coronatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pale-legged Leaf Warbler	Phylloscopus tenellipes	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zitting Cisticola	Cisticola juncidis	Y	LC	0.0	0.3	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
Yellow-bellied Prinia	Prinia flaviventris	N	-	0.0	0.8	0.6	0.8	1.4	4.6	4.4	5.0	2.4	1.8	3.0	2.4	0.8	1.0	0.8	1.3	2.8	0.8	0.8	0.4	0.0	0.0	0.4	0.0	
Plain Prinia	Prinia inornata	N	-	1.2	0.4	V	1.4	0.2	0.2	0.2	0.5	0.8	0.4	0.3	0.0	0.4	0.0	0.2	V	0.8	2.0	1.0	0.0	2.6	4.3	3.4	0.0	
Bluethroat	Luscinia svecica	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-streaked Flycatcher	Muscicapa griseictica	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 12	Dec- 12	Jan- 13	Feb- 13	Mar- 13	Apr- 13	May- 13	Jun- 13	Jul- 13	Aug- 13	Sep- 13	Oct- 13	Nov- 13	Dec- 13	Jan- 14	Feb- 14	Mar- 14	Apr- 14	May- 14	Jun- 14	Jul- 14	Aug- 14	Sep- 14	Oct- 14	
Asian Brown Flycatcher	Muscicapa dauurica	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Yellow-rumped Flycatcher	Ficedula zanthopygia	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Grey-headed Canary-Flycatcher	Culicicapa ceylonensis	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Amur Paradise Flycatcher	Terpsiphone incei	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Japanese Paradise Flycatcher	Terpsiphone atrocaudata	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Chinese Penduline-Tit	Remiz consobrinus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	4.5	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Cinereous Tit	Parus cinereus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Japanese Tit	Parus minor	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Swinhoe's White-eye	Zosterops simplex	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.0	0.0	V	0.0	0.0	0.0	
Fork-tailed Sunbird	Aethopyga christinae	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Little Bunting	Emberiza pusilla	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-faced Bunting	Emberiza spodocephala	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Chinese Grosbeak	Eophona migratoria	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Scaly-breasted Munia	Lonchura punctulata	N	-	0.0	0.0	0.0	1.0	2.2	1.0	0.0	0.0	2.0	0.4	0.3	0.0	0.0	1.8	1.8	V	1.8	V	3.2	5.8	0.8	1.5	1.3	0.0	
White-headed Munia	Lonchura maja	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Chestnut Munia	Lonchura atricapilla	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Eurasian Tree Sparrow	Passer montanus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	8.8	3.6
Yellow-fronted Canary	Crithagra mozambica	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Red-billed Starling	Spodiopsar sericeus	Y	(RC)*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	V	0.0	0.0	0.0	V	0.0	

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-12	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Jun-14	Jul-14	Aug-14	Sep-14	Oct-14
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-	0.0	0.0	0.8	0.4	0.2	0.2	0.2	0.0	0.0	0.0	0.8	0.0	0.8	1.6	0.8	0.5	1.8	0.2	0.2	V	1.0	1.0	1.2	1.4
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.0	V
Common Myna	<i>Acridotheres tristis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.8	0.2	0.0	0.0	2.0	1.8	1.4	0.5	1.3	1.0	0.6	1.0	1.2	3.5	0.2	1.8
Great Myna	<i>Acridotheres grandis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Drongo	<i>Dicrurus macrocercus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	V	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	1.5	0.0	0.2
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Magpie	<i>Pica serica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	V	0.0	0.8	V	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	V	0.5	0.8	0.4	0.0	0.6	0.0	0.4	V

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
 - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
 - ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
 - V Indicates the species is recorded outside regular surveys.
 - # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
 - * Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B6: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2014 and October 2016

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15	Oct-15	Nov-15	Dec-15	Jan-16	Feb-16	Mar-16	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16
Little Grebe	Tachybaptus ruficollis	Y	LC	2.5	1.2	2.0	2.0	2.0	0.8	1.2	2.8	1.6	1.8	1.0	2.0	2.3	2.4	3.2	3.3	3.8	2.4	1.4	0.8	1.5	1.4	0.8	V
Great Cormorant	Phalacrocorax carbo	Y	PRC	0.5	1.8	2.0	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.2	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.5
Grey Heron	Ardea cinerea	Y	PRC	2.3	2.6	5.3	4.8	0.8	V	0.0	0.0	0.0	0.0	0.4	1.8	1.3	2.0	1.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8
Purple Heron	Ardea purpurea	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Egret	Ardea alba	Y	PRC, (RC)	0.5	1.6	0.8	0.3	V	0.3	V	0.0	0.2	0.3	1.8	1.0	0.3	0.4	0.8	0.3	0.6	0.2	0.2	0.2	0.3	0.6	1.0	0.8
Intermediate Egret	Egretta intermedia	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Egret	Egretta garzetta	Y	PRC, (RC)	3.0	3.6	5.3	3.5	4.6	6.3	1.4	0.6	0.2	1.8	2.0	1.8	2.3	4.8	8.2	3.0	1.6	2.6	1.2	2.4	2.8	4.6	3.6	6.3
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	V	0.0	V	0.3	0.0	V	V	
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	2.0	2.8	2.3	2.8	1.2	1.8	0.6	0.8	1.8	1.3	2.8	5.4	3.3	8.2	3.6	2.0	1.8	0.6	1.2	1.6	5.3	2.6	5.6	6.3
Yellow Bittern	Ixobrychus sinensis	Y	(LC)	0.3	0.2	0.0	0.0	0.2	0.5	0.4	1.6	0.6	1.0	0.6	2.6	0.3	0.8	0.4	0.5	0.2	0.6	0.6	1.4	4.8	2.0	0.8	0.8
Cinnamon Bittern	Ixobrychus cinnamomeus	Y	LC	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Bittern	Botaurus stellaris	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	V	V	V	V	0.0	V	0.0	0.0	0.0	V	0.0	0.0	0.2	V	1.8	0.4	V	0.0
Black Stork	Ciconia nigra	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Spoonbill	Platalea leucorodia	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Spoonbill	Platalea minor	Y	PGC, EN	0.0	V	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mandarin Duck	Aix galericulata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Wigeon	Anas penelope	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Teal	Anas crecca	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Pintail	Anas acuta	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Shoveler	Anas clypeata	Y	RC	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Garganey	Anas querquedula	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tufted Duck	Aythya fuligula	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Western Osprey	Pandion haliaetus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 14	Dec- 14	Jan- 15	Feb- 15	Mar- 15	Apr- 15	May- 15	Jun- 15	Jul- 15	Aug- 15	Sep- 15	Oct- 15	Nov- 15	Dec- 15	Jan- 16	Feb- 16	Mar- 16	Apr- 16	May- 16	Jun- 16	Jul- 16	Aug- 16	Sep- 16	Oct- 16
Besra	Accipiter virgatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Kite	Elanus caeruleus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Kite	Milvus migrans	Y	(RC)	0.0	0.4	0.0	0.3	0.4	0.5	0.2	0.2	0.0	0.0	0.2	0.4	0.3	0.8	0.2	0.5	1.0	0.2	V	0.2	V	0.4	0.0	0.0
Crested Serpent Eagle	Spilornis cheela	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Crested Goshawk	Accipiter trivirgatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Greater Spotted Eagle	Clanga clanga	Y	GC	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Imperial Eagle	Aquila heliaca	Y	-	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Buzzard	Buteo japonicus	Y	-	0.0	0.0	0.0	V	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Kestrel	Falco tinnunculus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Peregrine Falcon	Falco peregrinus	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Hobby	Falco subbuteo	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Japanese Quail	Coturnix japonica	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Baillon's Crane	Porzana pusilla	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-breasted Waterhen	Amaurornis phoenicurus	Y	-	0.5	V	0.8	1.0	0.8	0.3	V	V	0.2	V	0.2	0.6	0.0	0.8	0.4	V	0.4	0.4	0.8	0.2	0.3	0.4	0.6	0.3
Watercock	Gallicrex cinerea	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Moorhen	Gallinula chloropus	Y	-	V	0.0	V	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	V	0.0	0.2	0.0	V	0.0	V	0.0	0.0
Pheasant-tailed Jacana	Hydrophasianus chirurgus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Painted-snipe	Rostratula benghalensis	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Stilt	Himantopus himantopus	Y	RC	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	V	0.0	0.8	0.0	V	V	0.0	1.6	0.0	0.0	0.0	0.0	1.0	0.3
Pied Avocet	Recurvirostra avosetta	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Lapwing	Vanellus cinereus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Pratincole	Glareola maldivarum	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15	Oct-15	Nov-15	Dec-15	Jan-16	Feb-16	Mar-16	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16
Pacific Golden Plover	<i>Pluvialis fulva</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	1.8	0.2	0.8	0.5	1.6	1.8	2.0	V	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	V	0.0	V	0.0	0.0	0.0	
Kentish Plover	<i>Charadrius alexandrinus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Common Redshank	<i>Tringa totanus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	V	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.3
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.3	0.2	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	V	0.8	0.4	0.2	V	V	V	0.0	0.0	0.0	0.0	2.4	0.8
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	2.2	V	V	V	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	V	0.5	0.0	0.4	0.0	0.0	V	V	0.6	V
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.8	1.2	3.0	2.0	2.2	0.5	0.0	0.0	0.0	0.3	1.2	0.6	0.3	1.2	1.4	0.5	0.6	1.0	1.0	0.0	0.5	V	0.2	1.5
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megala</i>	Y	LC*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
Red-necked Stint	<i>Calidris ruficollis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Temminck's Stint	<i>Calidris temminckii</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-toed Stint	<i>Calidris subminuta</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-winged Tern	<i>Chlidonias leucopterus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Domestic Pigeon	<i>Columba livia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	1.5	4.2	3.8	1.3	2.2	6.0	3.6	1.6	2.2	2.0	3.0	3.4	1.3	4.8	6.0	3.5	3.4	2.2	2.2	1.8	3.0	3.4	2.2	2.5
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.6	11.0	0.2	0.0	0.4	0.0	0.0	0.6	0.4	0.5

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15	Oct-15	Nov-15	Dec-15	Jan-16	Feb-16	Mar-16	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Koel	<i>Eudynamys scolopaceus</i>	N	-	0.0	0.0	0.0	0.0	V	0.0	0.2	0.2	0.0	0.3	V	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.2	V	0.0
Greater Coucal#	<i>Centropus sinensis</i>	N	-	V	0.2	0.3	0.3	0.6	1.0	0.4	0.2	0.2	V	V	0.0	0.5	1.0	0.0	0.8	V	0.2	0.6	0.6	0.8	0.4	0.2	0.3
Indian Cuckoo	<i>Cuculus Micropterus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Barred Owl	<i>Glaucidium cuculoides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Eagle Owl	<i>Bubo bubo</i>	N	RC	0.0	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Savanna Nightjar	<i>Caprimulgus affinis</i>	N	-	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	V	V	0.0	0.0	0.0	0.0
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
House Swift	<i>Apus nipalensis</i>	N	-	0.0	0.0	14.5	105.8	14.4	0.8	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.0	0.4	0.5	0.3	0.2	0.0	0.2	0.0	0.0	0.8	0.0	0.0	0.3	0.0	0.2	0.3	0.0	V	0.2	0.0	0.0	0.0	V	0.0
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.4	0.4	0.3	0.0	0.2	V	V	0.5	0.2	0.4	V
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	1.3	0.8	1.8	2.8	1.4	1.5	0.8	0.8	0.2	0.5	0.6	2.2	1.5	3.0	3.0	1.3	1.6	1.4	2.0	0.6	2.0	0.2	0.6	0.8
Eurasian Hoopoe	<i>Upupa epops</i>	N	-	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barn Swallow	<i>Hirundo rustica</i>	N	-	0.5	0.0	13.0	15.3	14.4	9.8	0.2	2.2	0.8	V	0.8	V	2.0	V	0.0	V	1.6	1.6	V	1.4	V	V	0.2	0.0
Red-rumped Swallow	<i>Hirundo daurica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sand Martin	<i>Riparia riparia</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	1.8	0.4	2.0	4.3	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	V	1.8	1.4	2.0	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.3
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White Wagtail	<i>Motacilla alba</i>	Y	-	4.0	5.6	6.3	9.5	4.8	3.3	1.4	V	0.0	0.3	0.4	0.4	0.8	3.8	4.0	2.0	1.0	1.2	0.2	V	0.3	0.4	0.6	1.0
Richard's Pipit	<i>Anthus richardi</i>	N	-	0.3	0.0	0.5	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Olive-backed Pipit	<i>Anthus hodgsoni</i>	N	-	0.3	2.2	0.3	1.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	V	2.8	0.2	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15	Oct-15	Nov-15	Dec-15	Jan-16	Feb-16	Mar-16	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16
Red-throated Pipit	Anthus cervinus	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Buff-bellied Pipit	Anthus rubescens	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-whiskered Bulbul	Pycnonotus jocosus	N	-	0.8	3.4	7.3	1.3	0.6	0.8	1.0	2.6	5.8	4.5	1.4	1.0	5.3	11.0	20.0	6.5	1.6	4.6	2.6	4.6	1.8	4.0	4.4	8.0
Light-vented Bulbul	Pycnonotus sinensis	N	-	5.3	3.0	24.8	10.0	4.8	6.3	5.6	4.6	2.6	1.8	2.6	1.4	3.0	10.2	9.0	5.8	1.0	1.8	2.2	3.0	7.8	7.8	0.4	1.5
Sooty-headed Bulbul	Pycnonotus aurigaster	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	V	0.4	2.0	0.0	0.0	0.0	0.0
Black-winged Cuckooshrike	Lalage melaschistos	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bull-headed Shrike	Lanius bucephalus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brown Shrike	Lanius cristatus	N	-	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-tailed Shrike	Lanius schach	N	-	0.0	0.2	0.8	0.5	0.4	0.0	0.0	0.0	0.0	0.3	0.4	0.4	0.3	0.6	0.2	0.3	V	0.6	0.4	V	0.5	0.4	0.4	0.0
Oriental Magpie Robin	Copsychus saularis	N	-	0.0	0.2	0.5	0.8	0.6	0.5	0.2	1.2	0.2	0.0	0.0	0.2	0.5	0.2	0.4	0.5	1.0	0.6	V	V	1.3	1.2	0.2	0.0
Red-flanked Bluetail	Tarsiger cyanurus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Daurian Redstart	Phoenicurus aureus	N	-	0.3	1.6	0.8	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.8	0.8	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Stejneger's Stonechat	Saxicola stejnegeri	N	-	0.3	0.2	0.3	0.8	0.8	0.3	0.0	0.0	0.0	0.0	0.0	2.2	0.5	1.0	0.6	0.5	V	V	0.0	0.0	0.0	0.0	0.4	V
Grey-backed thrush	Turdus hortulorum	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Masked Laughingthrush	Garrulax perspicillatus	N	-	0.0	1.2	0.0	1.5	1.0	1.3	1.2	0.4	2.4	3.0	1.2	V	V	2.6	2.0	2.5	2.6	1.6	2.8	1.6	0.8	1.4	0.4	0.0
Lanceolated Warbler	Locustella lanceolata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pallas's Grasshopper Warbler	Locustella certhiola	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Reed Warbler	Acrocephalus orientalis	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.4	0.0
Thick-billed Warbler	Acrocephalus aedon	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-browed Reed Warbler	Acrocephalus bistrigiceps	Y	-	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Manchurian Bush Warbler	Horornis canturians	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15	Oct-15	Nov-15	Dec-15	Jan-16	Feb-16	Mar-16	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-	0.5	1.2	1.0	1.5	0.4	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.3
Dusky Warbler	<i>Phylloscopus fuscatus</i>	N	-	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	N	-	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-browed warbler	<i>Phylloscopus inornatus</i>	N	-	0.3	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.8	0.0	0.0	V	0.0	V	0.0	0.0	0.0	0.0
Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-	0.5	0.0	0.3	0.3	2.6	0.8	2.0	1.5	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.6	0.8	0.0	0.2	1.3	0.2	V	V	
Plain Prinia	<i>Prinia inornata</i>	N	-	2.8	0.2	1.3	3.5	1.6	2.8	1.2	1.0	1.6	1.5	0.6	0.6	2.3	1.0	0.6	0.8	1.0	0.6	2.8	1.8	0.8	1.0	0.2	0.5
Bluethroat	<i>Luscinia svecica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	0.0	0.4	1.5	4.5	3.2	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	V	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cinereous Tit	<i>Parus cinereus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Tit	<i>Parus minor</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Swinhoe's White-eye	<i>Zosterops simplex</i>	N	-	0.0	1.0	V	V	0.2	0.0	0.2	V	3.8	4.3	0.0	0.0	0.0	0.4	3.2	V	V	0.0	1.4	0.4	V	0.8	0.8	V

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15	Oct-15	Nov-15	Dec-15	Jan-16	Feb-16	Mar-16	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16	Oct-16
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Bunting	<i>Emberiza pusilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Bunting	<i>Emberiza spodocephala</i>	N	-	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-	3.3	0.6	V	V	4.0	11.3	0.6	V	V	3.3	1.6	0.4	2.3	2.2	1.4	0.0	0.2	V	0.0	0.0	0.0	2.2	V	0.0
White-headed Munia	<i>Lonchura maja</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chestnut Munia	<i>Lonchura atricapilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-	0.0	V	4.5	4.0	1.4	0.0	0.2	0.0	0.4	0.0	0.6	0.4	V	0.0	0.0	0.0	0.0	0.0	1.4	1.4	0.0	V	V	0.0
Yellow-fronted Canary	<i>Criethagra mozambica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	0.0	0.0	0.0	24.5	V	0.0	V	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	V	0.0	V	0.0	0.8	V	1.0	0.0	0.0	0.0	0.0
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-	0.3	3.0	1.3	2.0	4.2	2.3	2.0	1.0	1.6	1.8	0.4	1.6	V	2.2	1.0	3.5	0.4	1.0	1.0	0.8	0.8	2.2	0.6	1.8
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	V	V	0.0	0.0	0.0	0.0	0.0	0.0	V	0.2	V	0.0	V	0.0	V	0.0
Common Myna	<i>Acridotheres tristis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.5	V	0.0	0.0
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	2.8	4.0	0.0	0.5	2.2	2.3	2.8	6.8	0.4	1.8	0.2	0.6	V	4.8	1.2	3.8	1.2	4.6	0.6	1.8	0.3	4.4	1.0	0.0
Great Myna	<i>Acridotheres grandis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Drongo	<i>Dicrurus macrocercus</i>	N	-	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.6	0.6	0.0	V	0.2	0.3	0.0	0.0	0.0	0.0	0.0	1.0	1.2	1.5
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Magpie	<i>Pica serica</i>	N	-	0.0	0.0	0.3	0.8	V	0.5	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.2	0.2	V	0.0	V	0.0	0.0	V
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 14	Dec- 14	Jan- 15	Feb- 15	Mar- 15	Apr- 15	May- 15	Jun- 15	Jul- 15	Aug- 15	Sep- 15	Oct- 15	Nov- 15	Dec- 15	Jan- 16	Feb- 16	Mar- 16	Apr- 16	May- 16	Jun- 16	Jul- 16	Aug- 16	Sep- 16	Oct- 16
Collared Crow	Corvus torquatus	Y	LC, NT	0.0	0.0	0.0	0.0	0.0	V	0.2	0.0	0.0	0.0	0.6	0.4	0.0	V	0.4	0.0	V	0.2	0.0	V	V	V	0.4	0.0

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
 - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
 - ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
 - V Indicates the species is recorded outside regular surveys.
 - # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
 - * Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B7: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2016 and October 2018

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	Aug-17	Sep-17	Oct-17	Nov-17	Dec-17	Jan-18	Feb-18	Mar-18	Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-18	Oct-18
Little Grebe	Tachybaptus ruficollis	Y	LC	1.8	3.4	2.3	4.0	5.0	1.3	0.4	0.6	V	0.8	2.0	0.8	1.8	3.3	0.6	1.2	1.0	2.8	2.4	1.8	2.4	4.3	2.0	3.6
Great Cormorant	Phalacrocorax carbo	Y	PRC	0.8	1.8	0.3	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.8	0.4	0.0	0.0	V	0.0	0.0	0.0	V	0.0	0.2
Grey Heron	Ardea cinerea	Y	PRC	1.4	3.4	2.3	4.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.5	2.5	1.0	0.4	1.5	0.0	0.0	0.0	0.0	0.0	0.3	1.8
Purple Heron	Ardea purpurea	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Great Egret	Ardea alba	Y	PRC, (RC)	0.8	2.2	1.5	2.4	1.2	1.3	2.2	0.8	0.8	0.6	0.2	0.8	2.5	1.0	0.8	1.6	1.0	0.3	0.6	1.5	V	0.3	0.8	1.8
Intermediate Egret	Egretta intermedia	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	V	0.0	V	0.0
Little Egret	Egretta garzetta	Y	PRC, (RC)	5.8	5.6	9.3	4.2	6.4	4.0	19.4	2.4	0.3	4.6	2.6	10.2	62.3	15.0	4.0	2.8	5.8	4.0	3.8	4.0	4.4	2.3	3.8	3.4
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	V
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	5.6	4.4	6.5	6.2	3.6	1.0	2.0	0.8	1.5	4.0	1.6	4.2	4.0	7.0	1.0	0.6	0.3	1.3	1.0	2.0	2.4	1.8	2.3	1.6
Yellow Bittern	Ixobrychus sinensis	Y	(LC)	0.2	0.8	0.0	0.2	0.4	0.5	0.8	2.0	0.5	1.2	0.6	0.2	0.8	0.0	0.2	0.0	0.3	0.0	0.4	0.3	0.4	0.8	0.3	0.4
Cinnamon Bittern	Ixobrychus cinnamomeus	Y	LC	0.0	0.0	0.0	0.0	V	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0
Great Bittern	Botaurus stellaris	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)	V	0.0	V	V	0.0	V	0.4	V	V	0.0	0.2	0.0	0.3	0.0	0.0	0.0	V	0.0	V	V	V	0.3	V	0.0
Black Stork	Ciconia nigra	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Spoonbill	Platalea leucorodia	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Spoonbill	Platalea minor	Y	PGC, EN	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mandarin Duck	Aix galericulata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Wigeon	Anas penelope	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Teal	Anas crecca	Y	RC	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Pintail	Anas acuta	Y	RC	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Shoveler	Anas clypeata	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Garganey	Anas querquedula	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tufted Duck	Aythya fuligula	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Western Osprey	Pandion haliaetus	Y	RC	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Besra	Accipiter virgatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.0	0.0	0.0	0.2	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 16	Dec- 16	Jan- 17	Feb- 17	Mar- 17	Apr- 17	May- 17	Jun- 17	Jul- 17	Aug- 17	Sep- 17	Oct- 17	Nov- 17	Dec- 17	Jan- 18	Feb- 18	Mar- 18	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18
Black-winged Kite	<i>Elanus caeruleus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Kite	<i>Milvus migrans</i>	Y	(RC)	V	0.4	0.3	1.0	0.4	0.3	0.0	0.0	V	0.2	0.6	0.0	1.0	0.8	0.2	0.6	0.3	0.5	0.2	0.5	0.6	0.3	0.8	0.6
Crested Serpent Eagle	<i>Spilornis cheela</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Crested Goshawk	<i>Accipiter trivirgatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Spotted Eagle	<i>Clanga clanga</i>	Y	GC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Imperial Eagle	<i>Aquila heliaca</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Buzzard	<i>Buteo japonicus</i>	Y	-	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Kestrel	<i>Falco tinnunculus</i>	N	-	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Peregrine Falcon	<i>Falco peregrinus</i>	N	(LC)	0.0	V	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Hobby	<i>Falco subbuteo</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Quail	<i>Coturnix japonica</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Baillon's Crake	<i>Porzana pusilla</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	0.0	0.4	0.3	0.2	0.6	1.0	0.6	0.2	0.5	0.2	0.4	0.0	0.3	0.3	0.0	V	0.3	0.3	0.2	0.3	1.0	0.5	1.0	0.2
Watercock	<i>Gallicrex cinerea</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	V	V	0.3	0.6	V	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	V	V	V	V	0.0	V	V	3.5	1.3	1.2
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Greater Painted-snipe	<i>Rostratula benghalensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	0.6	V	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Lapwing	<i>Vanellus cinereus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Pratincole	<i>Glareola maldivarum</i>	Y	LC	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pacific Golden Plover	<i>Pluvialis fulva</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0.0	1.4	V	0.8	0.8	0.3	0.0	V	0.0	0.0	0.0	0.0	0.0	0.5	0.0	V	0.0	0.0	1.2	0.3	0.0	0.0	0.0	0.0
Kentish Plover	<i>Charadrius alexandrinus</i>	Y	RC	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 16	Dec- 16	Jan- 17	Feb- 17	Mar- 17	Apr- 17	May- 17	Jun- 17	Jul- 17	Aug- 17	Sep- 17	Oct- 17	Nov- 17	Dec- 17	Jan- 18	Feb- 18	Mar- 18	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Redshank	<i>Tringa totanus</i>	Y	RC	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	V	V	V	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.6	2.0	0.8	0.8	0.4	0.8	0.0	0.0	V	0.0	0.0	0.0	V	0.0	0.2	0.0	1.3	1.8	0.6	V	0.0	V	0.0	0.0
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.6	0.2	V	0.2	0.2	0.0	0.0	0.0	V	0.0	0.0	0.2	0.0	V	0.6	0.2	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.4	0.4	0.8	2.2	0.6	1.0	0.0	0.0	V	0.0	0.2	0.6	0.8	0.3	0.8	0.4	1.5	1.3	0.2	0.0	0.4	V	0.0	0.6
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megala</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V
Red-necked Stint	<i>Calidris ruficollis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Temminck's Stint	<i>Calidris temminckii</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-toed Stint	<i>Calidris subminuta</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-headed Gull	<i>Chroicocephalus ridibundus</i>	Y	PRC	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-winged Tern	<i>Chlidonias leucopterus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Domestic Pigeon	<i>Columba livia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	2.6	3.8	7.0	4.2	4.4	2.0	1.0	1.4	1.8	2.8	5.3	4.8	2.3	8.0	5.8	6.2	2.0	3.5	3.8	3.0	3.2	3.8	4.8	5.0
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	0.2	0.6	2.8	0.8	0.2	0.3	0.4	1.0	V	0.4	0.8	2.0	V	0.5	5.8	0.8	0.8	1.5	1.6	1.8	0.4	1.0	2.0	4.2
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Koel	<i>Eudynamis scolopaceus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	1.2	V	0.4	V	0.0	0.0	
Greater Coucal#	<i>Centropus sinensis</i>	N	-	V	0.6	0.3	0.6	0.8	0.5	0.4	V	0.5	0.4	0.3	0.4	0.0	0.0	0.3	0.2	0.8	1.0	0.6	0.3	0.6	0.5	0.8	0.4

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 16	Dec- 16	Jan- 17	Feb- 17	Mar- 17	Apr- 17	May- 17	Jun- 17	Jul- 17	Aug- 17	Sep- 17	Oct- 17	Nov- 17	Dec- 17	Jan- 18	Feb- 18	Mar- 18	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18
Indian Cuckoo	Cuculus Micropterus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Large Hawk- Cuckoo	Hierococcyx sparverioides	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plaintive Cuckoo	Cacomantis merulinus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Barred Owlet	Glaucidium cuculoides	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Eagle Owl	Bubo bubo	N	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Savanna Nightjar	Caprimulgus affinis	N	-	0.0	0.0	V	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.0	0.0	0.0	0.0	0.0
Himalayan Swiftlet	Aerodramus brevirostris	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pacific Swift	Apus pacificus	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
House Swift	Apus nipalensis	N	-	V	V	0.0	0.0	V	V	0.0	0.0	V	0.0	0.0	0.0	7.8	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pied Kingfisher	Ceryle rudis	Y	(LC)	0.2	0.6	0.5	V	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	V	V	V	V	0.3	0.4
Black-capped Kingfisher	Halcyon pileata	Y	(LC)	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-throated Kingfisher	Halcyon smyrnensis	Y	(LC)	0.2	0.4	V	0.4	0.2	V	0.2	0.2	0.3	0.0	0.0	0.2	0.3	0.5	0.2	V	0.0	0.0	0.0	0.3	0.4	0.3	V	0.2
Common Kingfisher	Alcedo atthis	Y	-	2.2	1.4	1.8	2.6	2.0	0.3	1.0	0.2	0.8	0.4	0.4	1.2	1.0	1.5	0.2	0.2	0.5	1.0	0.4	V	0.4	0.5	1.0	1.6
Eurasian Hoopoe	Upupa epops	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barn Swallow	Hirundo rustica	N	-	0.0	0.0	0.0	1.4	1.2	1.5	1.6	0.0	0.8	V	1.3	0.0	1.0	V	2.3	13.2	4.0	4.5	2.8	0.8	2.2	2.3	1.0	0.8
Red-rumped Swallow	Hirundo daurica	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sand Martin	Riparia riparia	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Yellow Wagtail	Motacilla tschutschensis	Y	-	0.6	0.4	V	V	0.4	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey Wagtail	Motacilla cinerea	Y	-	0.0	V	V	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
White Wagtail	Motacilla alba	Y	-	1.6	2.2	V	1.0	1.0	1.0	0.6	0.4	V	0.0	1.4	2.0	1.5	3.5	3.2	1.6	1.5	0.3	V	0.0	0.2	V	0.0	0.8
Richard's Pipit	Anthus richardi	N	-	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Olive-backed Pipit	Anthus hodgsoni	N	-	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.5	0.0	0.0	0.2	0.0	0.8	0.2	0.0	0.0	0.0	0.0	0.0
Red-throated Pipit	Anthus cervinus	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Buff-bellied Pipit	Anthus rubescens	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-whiskered Bulbul	Pycnonotus jocosus	N	-	1.8	3.2	4.3	1.8	1.8	2.0	1.4	1.2	1.5	0.0	6.0	7.4	V	2.0	2.0	4.4	4.3	6.8	1.6	2.0	1.4	5.0	4.5	10.8
Light-vented Bulbul	Pycnonotus sinensis	N	-	0.4	1.4	10.8	4.0	1.6	2.8	2.0	1.2	1.5	1.2	1.8	3.6	V	0.8	2.8	8.2	1.8	2.5	3.8	2.5	0.4	0.5	2.0	0.8

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 16	Dec- 16	Jan- 17	Feb- 17	Mar- 17	Apr- 17	May- 17	Jun- 17	Jul- 17	Aug- 17	Sep- 17	Oct- 17	Nov- 17	Dec- 17	Jan- 18	Feb- 18	Mar- 18	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	N	-	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bull-headed Shrike	<i>Lanius bucephalus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brown Shrike	<i>Lanius cristatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-tailed Shrike	<i>Lanius schach</i>	N	-	0.6	0.2	V	0.2	0.4	0.0	0.0	V	0.3	1.2	0.3	2.2	2.0	1.3	0.3	1.8	V	V	0.0	V	1.2	0.5	0.8	1.0
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-	0.6	0.0	0.0	0.0	0.0	0.8	0.6	0.8	1.3	1.2	0.0	0.0	2.0	V	0.0	0.0	0.5	2.0	0.0	0.3	0.0	0.0	0.0	0.0
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Daurian Redstart	<i>Phoenicurus aureus</i>	N	-	0.2	0.4	V	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.0	0.8	0.8	0.5	0.0	0.0	0.0	2.4	0.0	0.0	0.0
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	N	-	0.2	0.6	0.3	0.4	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.3	1.8	0.3	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.2
Chinese Blackbird	<i>Turdus mandarinus</i>	N	-	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Grey-backed Thrush	<i>Turdus hortulorum</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-	0.2	0.6	1.5	0.8	V	0.8	1.2	1.0	0.5	0.2	0.0	0.4	2.3	2.0	1.3	1.2	1.5	6.5	3.2	0.3	3.0	0.5	0.0	V
Lanceolated Warbler	<i>Locustella lanceolata</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0
Thick-billed Warbler	<i>Acrocephalus aedon</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V
Manchurian Bush Warbler	<i>Horornis canturians</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-	V	0.0	0.3	0.2	0.6	0.5	0.0	V	V	V	0.0	1.4	1.8	0.0	1.8	0.8	V	6.3	2.0	0.8	V	V	V	0.0
Dusky Warbler	<i>Phylloscopus fuscatus</i>	N	-	V	V	V	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	V	V	V	V	0.0	0.0	0.0	0.0	0.0	V
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	N	-	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-browed warbler	<i>Phylloscopus inornatus</i>	N	-	0.0	V	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 16	Dec- 16	Jan- 17	Feb- 17	Mar- 17	Apr- 17	May- 17	Jun- 17	Jul- 17	Aug- 17	Sep- 17	Oct- 17	Nov- 17	Dec- 17	Jan- 18	Feb- 18	Mar- 18	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18
Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pale-legged Lea Warbler	<i>Phylloscopus tenellipes</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-	0.6	0.0	0.0	1.4	1.0	1.0	1.8	V	0.0	0.0	0.0	0.2	0.3	0.0	0.5	0.0	V	0.5	0.6	1.3	0.0	0.0	0.0	0.8
Plain Prinia	<i>Prinia inornata</i>	N	-	0.4	0.2	1.0	0.8	0.2	0.5	0.6	0.8	0.3	0.2	V	0.0	0.8	0.3	1.0	0.6	0.8	0.0	0.0	0.8	0.0	V	0.0	0.0
Bluethroat	<i>Luscinia svecica</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cinereous Tit	<i>Parus cinereus</i>	N	-	0.0	0.0	0.0	0.0	0.4	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Tit	<i>Parus minor</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Swinhoe's White-eye	<i>Zosterops simplex</i>	N	-	0.0	1.6	V	0.0	0.4	0.0	0.2	0.4	V	0.0	0.0	0.2	0.0	0.0	0.0	0.0	V	0.0	0.0	V	0.0	0.0	0.0	V
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Bunting	<i>Emberiza pusilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Bunting	<i>Emberiza spodocephala</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-	0.8	0.0	V	0.0	0.0	2.8	0.0	V	1.5	0.0	4.5	1.2	0.0	4.0	3.3	V	V	2.8	3.6	3.5	5.0	0.8	1.0	0.0
White-headed Munia	<i>Lonchura maja</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chestnut Munia	<i>Lonchura atricapilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	Aug-17	Sep-17	Oct-17	Nov-17	Dec-17	Jan-18	Feb-18	Mar-18	Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-18	Oct-18
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.0	1.4	V	1.0	3.3	0.2	0.0	1.8	0.0	2.3	1.6	4.8	5.8	4.0
Yellow-fronted Canary	<i>Crithagra mozambica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	V	V	0.5	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	5.0	0.8	8.4	V	V	0.0	0.0	0.3	0.2	V	0.0	0.0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0.0	0.0	V	0.6	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-	0.2	0.2	0.3	0.6	0.4	0.5	0.4	0.4	1.0	1.4	1.0	2.2	0.8	2.5	3.0	1.2	0.8	0.3	0.2	0.8	3.2	0.8	0.3	11.4
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0
Common Myna	<i>Acridotheres tristis</i>	N	-	0.0	V	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	6.2	1.8	5.8	0.4	0.6	1.5	0.2	2.6	V	2.0	4.0	3.2	9.8	1.5	4.3	2.4	3.0	2.3	1.6	2.8	4.0	0.5	1.5	6.6
Great Myna	<i>Acridotheres grandis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Drongo	<i>Dicrurus macrocercus</i>	N	-	0.2	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	1.0	V	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.0	0.4	0.0	0.0	0.0	V	0.0	V	0.0	0.0
Oriental Magpie	<i>Pica serica</i>	N	-	0.0	0.2	V	0.4	0.2	V	0.2	0.0	0.0	0.0	0.0	1.4	0.8	0.5	1.0	V	0.5	0.3	0.6	0.0	0.0	0.5	0.8	0.6
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	0.0	0.0	0.0	V	0.2	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	V	0.0	1.2	0.3	V	0.2	0.0	V	0.0	0.8	0.8

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
 - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
 - ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
 - V Indicates the species is recorded outside regular surveys.
 - # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
 - * Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B8: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2018 and October 2020

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Oct-20
Little Grebe	Tachybaptus ruficollis	Y	LC	3.8	3.5	1.5	1.0	1.4	2.0	1.6	1.0	1.6	1.2	2.5	2.4	2.2	1.4	0.2	1.0	1.3	0.8	0.0	0.0	0.8	1.3	1.8	2.0
Great Cormorant	Phalacrocorax carbo	Y	PRC	V	1.8	6.3	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
Grey Heron	Ardea cinerea	Y	PRC	2.0	5.5	2.8	2.8	0.8	0.0	0.0	0.3	0.0	0.0	1.3	1.2	5.4	1.2	1.8	2.0	0.3	V	0.0	0.2	V	0.0	1.0	0.5
Purple Heron	Ardea purpurea	Y	RC	0.5	V	V	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Egret	Ardea alba	Y	PRC, (RC)	1.3	3.8	2.3	2.5	0.6	1.8	1.0	2.0	0.6	1.2	0.5	1.4	1.8	1.4	3.4	3.5	0.8	0.2	1.0	0.2	0.3	1.0	1.5	1.5
Intermediate Egret	Egretta intermedia	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5
Little Egret	Egretta garzetta	Y	PRC, (RC)	3.3	7.8	7.3	8.3	3.4	5.3	3.6	7.0	6.6	5.8	5.5	4.0	6.0	4.8	16.4	7.3	11.0	5.2	2.3	1.8	2.0	1.5	1.3	2.3
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.2	0.0	0.0	0.0	0.0	1.5	0.5
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	1.8	4.3	4.5	2.0	1.4	1.5	1.8	5.0	3.6	2.8	2.3	2.8	5.6	5.2	3.4	2.3	2.8	1.4	0.3	0.2	1.0	7.5	3.0	7.8
Yellow Bittern	Ixobrychus sinensis	Y	(LC)	0.3	V	V	V	0.2	0.5	0.4	1.0	1.0	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.2	0.3	1.8	2.3	0.8
Cinnamon Bittern	Ixobrychus cinnamomeus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Bittern	Botaurus stellaris	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)	0.0	V	0.0	0.0	0.0	V	0.0	V	0.2	0.2	V	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.2	V	2.8	5.8	2.3
Black Stork	Ciconia nigra	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Eurasian Spoonbill	Platalea leucorodia	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Spoonbill	Platalea minor	Y	PGC, EN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mandarin Duck	Aix galericulata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Wigeon	Anas penelope	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Teal	Anas crecca	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Pintail	Anas acuta	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Shoveler	Anas clypeata	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Garganey	Anas querquedula	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tufted Duck	Aythya fuligula	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Western Osprey	Pandion haliaetus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Besra	Accipiter virgatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Black-winged Kite	Elanus caeruleus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	V
Black Kite	Milvus migrans	Y	(RC)	0.5	0.3	0.0	0.3	0.2	0.5	0.2	0.0	0.2	0.2	0.3	0.4	0.2	0.0	V	V	V	V	0.3	0.4	0.5	0.3	0.5	2.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 18	Dec- 18	Jan- 19	Feb- 19	Mar- 19	Apr- 19	May- 19	Jun- 19	Jul- 19	Aug- 19	Sep- 19	Oct- 19	Nov- 19	Dec- 19	Jan- 20	Feb- 20	Mar- 20	Apr- 20	May- 20	Jun- 20	Jul- 20	Aug- 20	Sep- 20	Oct- 20	
Crested Serpent Eagle	<i>Spilornis cheela</i>	N	(LC)	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0
Crested Goshawk	<i>Accipiter trivirgatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.3
Greater Spotted Eagle	<i>Clanga clanga</i>	Y	GC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Imperial Eagle	<i>Aquila heliaca</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Buzzard	<i>Buteo japonicus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Kestrel	<i>Falco tinnunculus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Peregrine Falcon	<i>Falco peregrinus</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0
Eurasian Hobby	<i>Falco subbuteo</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	V	0.0
Japanese Quail	<i>Coturnix japonica</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Baillon's Crake	<i>Porzana pusilla</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	V	V	0.0	0.3	0.6	0.8	1.0	V	V	0.6	V	0.2	0.2	0.2	0.4	0.3	0.3	1.8	0.3	V	0.3	2.0	1.8	1.0	
Watercock	<i>Gallicrex cinerea</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	1.5	V	V	0.3	V	0.3	0.2	0.0	0.0	0.0	V	0.0	0.0	V	0.0	V	0.3	0.2	0.0	0.0	0.0	0.5	0.5	0.0	
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
Greater Painted-snipe	<i>Rostratula benghalensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.0	V	0.0	0.0	0.0	0.0	0.0
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Lapwing	<i>Vanellus cinereus</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Pratincole	<i>Glareola maldivarum</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0
Pacific Golden Plover	<i>Pluvialis fulva</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.5
Kentish Plover	<i>Charadrius alexandrinus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Redshank	<i>Tringa totanus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Oct-20
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	0.0	V	0.0	V	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.0	0.0	0.3	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	V	0.2	V	0.5	1.0	V	0.0	0.0	0.0	0.5	0.3	0.0	0.0
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	V	1.3	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	V	V	0.3	0.8	0.4	0.5	0.2	V	0.0	0.2	1.3	0.0	V	0.4	V	0.8	1.5	1.2	0.5	0.0	0.0	0.5	0.3	0.3
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megala</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.5
Red-necked Stint	<i>Calidris ruficollis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Temminck's Stint	<i>Calidris temminckii</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-toed Stint	<i>Calidris subminuta</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-headed Gull	<i>Chroicocephalus ridibundus</i>	Y	PRC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-winged Tern	<i>Chlidonias leucopterus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Domestic Pigeon	<i>Columba livia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	6.3	7.0	4.8	5.0	2.2	3.0	2.6	3.5	3.2	4.0	3.5	2.8	4.2	2.4	1.2	1.0	2.3	3.2	3.3	1.4	2.3	4.3	5.0	6.5
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	3.0	2.3	V	1.3	0.0	0.0	0.4	0.0	0.0	0.4	0.3	0.4	V	V	0.4	V	0.0	0.2	0.0	0.0	0.0	0.5	1.0	1.0
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0
Asian Koel	<i>Eudynamis scolopaceus</i>	N	-	0.0	0.0	0.0	0.8	0.4	0.8	0.0	0.0	V	0.0	V	0.0	0.0	0.0	0.0	V	V	0.2	0.0	0.2	0.0	0.0	0.0	0.8
Greater Coucal#	<i>Centropus sinensis</i>	N	-	0.5	0.3	0.0	0.0	0.4	V	V	1.0	0.2	0.2	0.5	0.6	0.6	0.0	0.6	V	0.5	0.8	1.0	0.6	0.0	1.0	0.0	0.0
Indian Cuckoo	<i>Cuculus Micropterus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
Asian Barred Owlet	<i>Glaucidium cuculoides</i>	N	-	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Oct-20
Eurasian Eagle Owl	Bubo bubo	N	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Savanna Nightjar	Caprimulgus affinis	N	-	0.0	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Himalayan Swiftlet	Aerodramus brevirostris	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
Pacific Swift	Apus pacificus	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
House Swift	Apus nipalensis	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	1.4	V	2.2	V	0.0	1.5	0.0
Pied Kingfisher	Ceryle rudis	Y	(LC)	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	V	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Black-capped Kingfisher	Halcyon pileata	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-throated Kingfisher	Halcyon smyrnensis	Y	(LC)	0.3	0.3	V	0.3	0.0	V	0.0	0.0	0.0	0.2	0.0	V	0.0	V	V	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Kingfisher	Alcedo atthis	Y	-	0.5	0.3	0.8	0.5	0.6	0.5	0.2	0.8	0.2	0.4	0.5	0.8	1.2	1.2	0.8	0.5	0.3	0.2	0.0	0.0	0.0	1.3	1.0	0.5
Eurasian Hoopoe	Upupa epops	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barn Swallow	Hirundo rustica	N	-	0.0	1.8	V	2.5	4.8	3.8	1.8	3.5	1.2	1.8	V	0.0	0.0	0.0	2.0	V	3.0	6.6	5.5	1.0	0.8	5.0	2.3	8.3
Red-rumped Swallow	Hirundo daurica	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
Sand Martin	Riparia riparia	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
Eastern Yellow Wagtail	Motacilla tschutschensis	Y	-	0.0	V	V	V	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	V	1.2	0.0	0.0	0.0	0.0	0.3	0.5
Grey Wagtail	Motacilla cinerea	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White Wagtail	Motacilla alba	Y	-	1.8	0.8	0.8	3.0	V	1.3	0.0	0.0	0.4	0.0	0.0	0.4	0.6	0.8	1.2	1.0	0.3	1.8	V	0.4	0.0	0.8	2.5	2.8
Richard's Pipit	Anthus richardi	N	-	0.0	0.0	0.3	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	V	0.5	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	
Olive-backed Pipit	Anthus hodgsoni	N	-	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
Red-throated Pipit	Anthus cervinus	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Buff-bellied Pipit	Anthus rubescens	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red-whiskered Bulbul	Pycnonotus jocosus	N	-	2.0	4.5	0.5	0.8	1.2	V	1.8	1.0	0.0	3.2	1.5	0.6	V	4.4	3.4	2.5	2.8	1.2	1.8	2.6	0.0	5.5	1.8	4.5
Light-vented Bulbul	Pycnonotus sinensis	N	-	V	0.5	1.8	3.8	2.0	3.5	1.0	1.3	3.4	0.6	0.5	4.0	2.8	1.6	3.4	2.3	3.5	2.0	2.8	2.0	1.0	1.5	0.8	1.8
Sooty-headed Bulbul	Pycnonotus aurigaster	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-winged Cuckooshrike	Lalage melaschistos	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Bull-headed Shrike	Lanius bucephalus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brown Shrike	Lanius cristatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Oct-20	
Long-tailed Shrike	<i>Lanius schach</i>	N	-	0.8	0.0	0.0	0.3	0.0	0.0	0.0	V	0.0	V	0.0	0.0	V	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	V	V	0.0	V	V	0.5	1.0	0.0	0.0	0.5	1.3	1.0	0.5	
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Daurian Redstart	<i>Phoenicurus aureus</i>	N	-	0.5	2.8	1.5	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	V	0.5	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	N	-	0.8	2.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	V	0.2	V	0.0	V	V	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	
Chinese Blackbird	<i>Turdus mandarinus</i>	N	-	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.0	
Grey-backed thrush	<i>Turdus hortulorum</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	N	-	2.0	0.0	1.0	0.3	V	1.3	1.0	1.3	1.8	4.4	V	0.0	V	V	0.8	0.5	1.0	0.4	1.8	1.2	0.0	4.5	3.5	3.8	
Lanceolated Warbler	<i>Locustella lanceolata</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	
Thick-billed Warbler	<i>Acrocephalus aedon</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	
Manchurian Bush Warbler	<i>Horornis canturians</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Tailorbird	<i>Orthotomus sutorius</i>	N	-	0.0	0.3	0.0	0.0	V	0.0	0.0	1.5	0.0	0.0	0.0	0.2	0.0	V	0.0	V	V	0.2	0.0	0.4	0.0	1.0	1.3	1.3	
Dusky Warbler	<i>Phylloscopus fuscatus</i>	N	-	0.3	4.3	3.0	2.8	V	V	0.0	0.5	0.2	1.0	0.8	0.2	V	0.0	V	V	1.0	0.4	0.0	0.0	0.0	0.0	0.0	4.0	
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-browed warbler	<i>Phylloscopus inornatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Oct-20	
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	N	-	0.3	3.0	2.3	1.8	0.8	0.0	0.0	0.5	0.0	V	0.0	0.6	0.6	0.0	V	V	1.5	1.6	1.3	0.0	0.0	1.8	1.5	1.5	
Plain Prinia	<i>Prinia inornata</i>	N	-	0.3	0.0	V	V	0.6	0.0	0.0	0.0	0.0	V	0.5	0.2	V	V	V	V	V	0.2	0.5	0.0	0.3	2.5	2.0	0.5	
Bluethroat	<i>Luscinia svecica</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.5	
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cinereous Tit	<i>Parus cinereus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	1.0	0.3	1.0	
Japanese Tit	<i>Parus minor</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Swinhoe's White-eye	<i>Zosterops simplex</i>	N	-	1.3	0.0	0.0	6.0	0.0	0.0	0.0	V	V	0.0	0.0	1.0	0.0	0.0	V	V	V	0.0	0.0	0.0	V	2.3	4.0	2.3	
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Bunting	<i>Emberiza pusilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Bunting	<i>Emberiza spodocephala</i>	N	-	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-	V	5.3	2.8	0.0	1.6	0.0	1.6	0.0	1.0	0.0	0.0	0.0	0.0	1.6	3.0	1.8	2.3	2.0	0.0	0.0	0.0	10.5	11.0	6.0	
White-headed Munia	<i>Lonchura maja</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chestnut Munia	<i>Lonchura atricapilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-	7.3	6.5	3.0	4.0	V	1.5	0.0	1.0	0.0	0.8	0.0	1.6	2.4	1.0	0.0	0.0	0.3	0.2	0.0	0.6	0.5	0.0	0.0	0.0	
Yellow-fronted Canary	<i>Crithagra mozambica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	0.0	V	V	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Oct-20	
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-	4.3	3.8	1.5	2.3	V	0.3	0.2	0.5	0.0	1.6	0.0	1.0	0.0	V	V	V	1.0	0.8	1.5	0.8	0.3	1.3	0.8	4.0	
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.5	1.5	0.0	
Common Myna	<i>Acridotheres tristis</i>	N	-	0.5	0.5	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	2.3	5.5	0.8	4.8	1.6	0.8	1.4	1.5	0.6	0.4	2.5	0.6	1.0	0.8	1.2	0.0	0.3	4.0	1.3	0.8	0.3	2.3	7.8	4.5	
Great Myna	<i>Acridotheres grandis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black Drongo	<i>Dicrurus macrocercus</i>	N	-	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	V	0.2	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	2.3	
Hair-crested Drongo	<i>Dicrurus hottentottus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	V	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	
Oriental Magpie	<i>Pica serica</i>	N	-	1.3	V	0.0	V	0.8	0.3	0.2	0.5	0.0	0.4	0.0	0.4	0.0	0.4	0.6	0.5	0.3	0.0	0.0	0.0	V	0.3	0.5	0.3	
Red-billed Blue Magpie	<i>Urocissa erythrorhyncha</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	0.0	0.0	0.8	1.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	1.0	0.5	0.0

- Notes:
- (1) Conservation Status follows that of Fellowes et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
 - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
 - ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
 - V Indicates the species is recorded outside regular surveys.
 - # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
 - * Red-billed Starling is considered by Fellowes *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B9: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2020 and October 2022

Common name	Scientific name	Wetland Dependence	Conservation status	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21	Jul-21	Aug-21	Sep-21	Oct-21	Nov-21	Dec-21	Jan-22	Feb-22	Mar-22	Apr-22	May-22	June-22	July-22	Aug-22	Sep-22	Oct-22	
Little Grebe	Tachybaptus ruficollis	Y	LC	1.5	0.4	1.5	0.3	0.2	0.0	0.0	0.0	0.3	0.5	1.4	2.0	1.5	0.4	2.0	0.8	0.2	0.3	V	0.0	0.3	1.0	0.8	2.0	
Great Cormorant	Phalacrocorax carbo	Y	PRC	0.8	1.8	0.0	0.8	0.2	0.0	0.0	0.0	0.0	0.3	0.2	1.3	0.8	1.0	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.3	1.3	
Grey Heron	Ardea cinerea	Y	PRC	2.3	1.6	2.5	1.5	0.2	0.0	0.3	0.4	0.0	0.5	1.0	0.5	2.3	1.4	2.3	1.5	0.2	0.0	0.3	0.4	0.0	0.6	0.8	0.5	
Purple Heron	Ardea purpurea	Y	RC	0.0	0.0	0.3	0.3	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Great Egret	Ardea alba	Y	PRC, (RC)	0.8	1.8	1.8	1.5	2.2	0.8	0.8	1.8	0.8	1.3	1.8	1.5	0.8	1.6	1.5	1.0	2.2	0.8	0.8	2.2	0.8	1.4	2.0	1.5	
Intermediate Egret	Egretta intermedia	Y	RC	0.0	0.4	0.3	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.3	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.5	
Little Egret	Egretta garzetta	Y	PRC, (RC)	0.5	0.8	1.5	1.3	1.6	4.0	4.5	0.6	0.8	3.0	2.0	2.3	0.5	0.8	1.3	1.0	1.6	4.3	4.5	1.2	1.0	2.4	2.3	2.3	
Eastern Cattle Egret	Bubulcus coromandus	Y	(LC)	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.5	0.0	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.6	0.5	0.5	
Chinese Pond Heron	Ardeola bacchus	Y	PRC, (RC)	2.5	2.8	2.3	2.3	1.0	V	2.0	2.4	2.3	5.5	2.6	7.8	2.5	2.6	2.3	1.5	1.0	0.0	3.0	2.8	2.5	5.0	2.5	7.8	
Yellow Bittern	Ixobrychus sinensis	Y	(LC)	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	1.6	0.8	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.3	2.0	1.5	1.3	
Cinnamon Bittern	Ixobrychus cinnamomeus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Great Bittern	Botaurus stellaris	Y	RC	0.0	V	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-crowned Night Heron	Nycticorax nycticorax	Y	(LC)	1.0	1.0	0.0	0.0	V	0.3	1.8	5.0	2.8	4.5	6.0	2.3	1.3	1.0	0.0	0.0	V	0.3	1.8	5.4	3.8	6.0	4.3	2.5	
Black Stork	Ciconia nigra	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Spoonbill	Platalea leucorodia	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Spoonbill	Platalea minor	Y	PGC, EN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mandarin Duck	Aix galericulata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Wigeon	Anas penelope	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Teal	Anas crecca	Y	RC	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Pintail	Anas acuta	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Northern Shoveler	Anas clypeata	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Garganey	Anas querquedula	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tufted Duck	Aythya fuligula	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Western Osprey	Pandion haliaetus	Y	RC	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Besra	Accipiter virgatus	N	-	0.0	0.0	0.3	0.0	0.4	V	V	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	V	0.0	0.5	0.0	0.0	0.0	0.0	
Black-winged Kite	Elanus caeruleus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	V	
Black Kite	Milvus migrans	Y	(RC)	0.8	0.8	0.8	0.5	0.6	0.5	0.3	0.6	0.5	0.5	0.8	2.0	0.8	1.0	0.8	1.5	0.6	0.5	0.3	0.8	0.5	0.6	0.8	2.0	
Crested Serpent Eagle	Spilornis cheela	N	(LC)	0.0	0.0	0.0	V	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 20	Dec- 20	Jan- 21	Feb- 21	Mar- 21	Apr- 21	May- 21	Jun- 21	Jul- 21	Aug- 21	Sep- 21	Oct- 21	Nov- 21	Dec- 21	Jan- 22	Feb- 22	Mar- 22	Apr- 22	May- 22	June- 22	July- 22	Aug- 22	Sep- 22	Oct- 22
Crested Goshawk	Accipiter trivirgatus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Greater Spotted Eagle	Clanga clanga	Y	GC	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Imperial Eagle	Aquila heliaca	Y	-	0.0	V	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Eastern Buzzard	Buteo japonicus	Y	-	0.5	0.0	0.3	0.0	0.2	V	0.0	0.0	0.0	0.0	0.3	0.5	0.0	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	
Common Kestrel	Falco tinnunculus	N	-	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Peregrine Falcon	Falco peregrinus	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Eurasian Hobby	Falco subbuteo	Y	(LC)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.3	0.0	
Japanese Quail	Coturnix japonica	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Baillon's Crane	Porzana pusilla	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
White-breasted Waterhen	Amaurornis phoenicurus	Y	-	2.0	0.8	0.0	0.3	2.2	1.0	2.0	1.4	1.8	0.0	1.2	1.0	1.8	0.8	0.5	2.2	1.0	2.3	1.6	1.8	0.2	1.5	1.0	
Watercock	Gallicrex cinerea	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Common Moorhen	Gallinula chloropus	Y	-	2.5	1.6	3.0	2.0	2.0	2.0	0.3	0.4	0.5	2.0	0.8	0.0	2.0	1.2	4.0	2.8	2.0	1.8	0.3	0.8	0.3	1.6	0.8	0.0
Pheasant-tailed Jacana	Hydrophasianus chirurgus	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Greater Painted-snipe	Rostratula benghalensis	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Black-winged Stilt	Himantopus himantopus	Y	RC	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	
Pied Avocet	Recurvirostra avosetta	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Grey-headed Lapwing	Vanellus cinereus	Y	LC	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Oriental Pratincole	Glareola maldivarum	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Pacific Golden Plover	Pluvialis fulva	Y	LC	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Little Ringed Plover	Charadrius dubius	Y	(LC)	0.0	0.0	0.0	0.3	0.0	0.0	V	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	
Kentish Plover	Charadrius alexandrinus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Spotted Redshank	Tringa erythropus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Common Redshank	Tringa totanus	Y	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Common Greenshank	Tringa nebularia	Y	RC	0.0	0.0	0.5	0.0	0.0	2.5	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Marsh Sandpiper	Tringa stagnatilis	Y	RC	0.0	0.0	0.0	0.0	0.0	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 20	Dec- 20	Jan- 21	Feb- 21	Mar- 21	Apr- 21	May- 21	Jun- 21	Jul- 21	Aug- 21	Sep- 21	Oct- 21	Nov- 21	Dec- 21	Jan- 22	Feb- 22	Mar- 22	Apr- 22	May- 22	June- 22	July- 22	Aug- 22	Sep- 22	Oct- 22	
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	0.5	1.8	2.8	0.8	1.6	0.5	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.6	2.3	0.8	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	0.0	0.0	5.0	1.3	2.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	1.3	1.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	0.0	0.8	0.5	0.0	0.4	3.5	0.3	0.0	0.3	1.0	0.6	0.3	0.0	0.8	0.5	0.0	0.2	3.5	0.3	0.0	0.3	0.8	0.8	0.3	
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megal</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	0.3	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.3
Red-necked Stint	<i>Calidris ruficollis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Temminck's Stint	<i>Calidris temminckii</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Long-toed Stint	<i>Calidris subminuta</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-headed Gull	<i>Chroicocephalus ridibundus</i>	Y	PRC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-winged Tern	<i>Chlidonias leucopterus</i>	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
Domestic Pigeon	<i>Columba livia</i>	N	-	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Turtle Dove	<i>Streptopelia orientalis</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Turtle Dove	<i>Streptopelia tranquebarica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Dove	<i>Spilopelia chinensis</i>	N	-	2.3	5.0	3.3	1.5	2.4	2.8	2.0	3.8	3.5	2.0	4.4	6.5	2.3	5.2	3.8	1.5	2.4	2.8	2.0	4.8	3.8	3.0	3.8	6.5	
Eurasian Collared Dove	<i>Streptopelia decaocto</i>	N	-	0.8	0.2	0.8	0.3	0.0	0.3	1.0	0.8	0.3	1.0	0.8	1.0	0.8	0.2	0.3	0.0	0.3	1.0	0.8	0.3	0.6	0.3	1.0	1.0	
Emerald Dove	<i>Chalcophaps indica indica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Asian Koel	<i>Eudynamis scolopaceus</i>	N	-	0.0	0.0	0.3	0.0	0.8	0.5	0.5	0.8	0.8	1.0	0.0	0.8	0.0	0.0	0.5	0.3	0.8	0.5	0.5	1.2	0.8	0.6	0.0	0.8	
Greater Coucal#	<i>Centropus sinensis</i>	N	-	1.0	0.0	0.3	1.5	1.2	2.3	1.3	1.8	1.5	0.5	0.0	0.0	0.8	0.0	0.3	1.3	1.2	2.3	1.5	1.8	1.8	0.6	0.0	0.0	
Indian Cuckoo	<i>Cuculus Micropterus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Large Hawk-Cuckoo	<i>Hierococcyx sparveroides</i>	N	-	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	N	-	0.0	0.0	0.0	V	0.4	0.5	0.3	0.6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.5	0.3	0.6	0.0	0.0	0.0	0.0	0.0	
Asian Barred Owl	<i>Glaucidium cuculoides</i>	N	-	0.0	0.0	0.0	V	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	
Eurasian Eagle Owl	<i>Bubo bubo</i>	N	RC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Savanna Nightjar	<i>Caprimulgus affinis</i>	N	-	0.0	0.0	0.0	0.0	V	0.5	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	V	0.5	0.3	0.2	0.0	0.0	0.0	0.0	

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 20	Dec- 20	Jan- 21	Feb- 21	Mar- 21	Apr- 21	May- 21	Jun- 21	Jul- 21	Aug- 21	Sep- 21	Oct- 21	Nov- 21	Dec- 21	Jan- 22	Feb- 22	Mar- 22	Apr- 22	May- 22	June- 22	July- 22	Aug- 22	Sep- 22	Oct- 22	
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
House Swift	<i>Apus nipalensis</i>	N	-	0.0	1.6	0.0	0.5	0.0	0.0	0.3	0.0	0.0	0.0	1.2	0.0	0.0	1.4	0.0	1.5	36.0	0.0	0.3	0.6	0.0	0.4	1.0	0.0	
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	0.0	0.0	0.5	1.3	1.2	0.0	0.3	0.2	0.3	0.5	0.4	0.3	0.0	0.0	0.3	1.3	1.4	0.0	0.3	0.4	0.8	0.4	0.5	0.3	
Black-capped Kingfisher	<i>Halcyon pileata</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y	(LC)	0.0	V	1.0	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	1.0	0.3	0.4	0.5	0.3	0.0	0.3	0.2	0.3	0.5		
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	0.3	1.8	1.3	0.8	1.0	0.8	0.3	1.2	1.5	1.0	1.0	0.5	0.3	1.8	0.8	0.8	1.0	0.8	0.3	1.6	1.5	1.2	1.0	0.5	
Eurasian Hoopoe	<i>Upupa epops</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barn Swallow	<i>Hirundo rustica</i>	N	-	10.0	12.2	2.0	20.3	10.6	8.5	4.5	6.4	1.3	5.8	2.4	8.3	4.3	6.6	3.5	15.0	119.6	8.5	9.8	6.8	1.5	4.6	2.0	8.3	
Red-rumped Swallow	<i>Hirundo daurica</i>	N	-	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	
Sand Martin	<i>Riparia riparia</i>	Y	-	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	0.0	1.2	2.5	1.8	3.2	5.0	0.8	0.0	0.0	0.0	0.2	0.5	0.0	1.4	2.8	1.3	3.2	5.0	0.8	0.0	0.2	0.3	0.5		
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
White Wagtail	<i>Motacilla alba</i>	Y	-	2.0	2.4	11.5	2.3	2.6	1.0	1.3	0.4	1.8	0.5	2.4	2.8	2.0	2.4	10.0	2.3	2.6	1.0	1.3	0.8	1.8	1.2	2.3	2.8	
Richard's Pipit	<i>Anthus richardi</i>	N	-	0.8	0.4	0.8	0.5	1.4	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.4	0.8	0.3	1.4	1.3	0.0	0.0	0.0	0.0	0.0	0.3	
Olive-backed Pipit	<i>Anthus hodgsoni</i>	N	-	0.3	1.0	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Buff-bellied Pipit	<i>Anthus rubescens</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N	-	1.0	6.6	14.8	7.3	6.2	8.8	6.3	3.8	11.5	5.3	3.2	4.5	1.0	6.6	11.5	5.8	6.2	8.8	6.8	6.6	10.3	4.2	4.0	4.5	
Light-vented Bulbul	<i>Pycnonotus sinensis</i>	N	-	3.0	6.0	26.3	16.0	17.8	6.3	4.8	7.2	6.5	3.8	2.4	1.8	3.0	6.2	16.3	32.0	17.8	6.3	4.5	8.4	8.0	3.0	3.0	1.8	
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bull-headed Shrike	<i>Lanius bucephalus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Brown Shrike	<i>Lanius cristatus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	
Long-tailed Shrike	<i>Lanius schach</i>	N	-	0.0	0.8	0.0	1.3	1.2	0.5	0.3	0.2	1.3	0.8	0.4	0.5	0.0	0.8	0.0	1.3	1.0	0.5	0.3	0.2	1.3	0.8	0.5	0.5	
Oriental Magpie Robin	<i>Copsychus saularis</i>	N	-	1.3	0.8	0.8	0.3	1.2	2.3	0.8	2.6	2.3	1.0	1.0	0.5	1.3	0.8	0.8	0.3	1.2	2.3	0.8	3.2	2.3	0.8	0.5	0.5	

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 20	Dec- 20	Jan- 21	Feb- 21	Mar- 21	Apr- 21	May- 21	Jun- 21	Jul- 21	Aug- 21	Sep- 21	Oct- 21	Nov- 21	Dec- 21	Jan- 22	Feb- 22	Mar- 22	Apr- 22	May- 22	June- 22	July- 22	Aug- 22	Sep- 22	Oct- 22
Red-flanked Bluetail	Tarsiger cyanurus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Daurian Redstart	Phoenicurus aureus	N	-	1.5	2.2	0.5	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	2.2	0.3	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Stejneger's Stonechat	Saxicola stejnegeri	N	-	1.8	2.8	0.5	1.8	0.4	0.3	0.0	0.0	0.0	0.0	0.0	1.3	1.8	2.8	1.0	1.8	0.4	0.3	0.0	0.0	0.0	0.0	0.0	1.3
Chinese Blackbird	Turdus mandarinus	N	-	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.5	0.3
Grey-backed thrush	Turdus hortulorum	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Masked Laughingthrush	Garrulax perspicillatus	N	-	4.8	5.0	1.8	6.0	4.4	4.5	4.0	6.2	6.3	4.3	5.0	3.8	5.0	5.0	4.8	3.8	4.4	4.5	5.5	7.6	6.3	4.0	6.3	4.3
Lanceolated Warbler	Locustella lanceolata	Y	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pallas's Grasshopper Warbler	Locustella certhiola	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Reed Warbler	Acrocephalus orientalis	Y	-	0.5	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.5	0.0
Thick-billed Warbler	Acrocephalus aedon	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-browed Reed Warbler	Acrocephalus bistrigiceps	Y	-	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3
Manchurian Bush Warbler	Horornis canturians	N	-	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Common Tailorbird	Orthotomus sutorius	N	-	1.5	0.4	1.5	1.3	1.2	1.5	1.3	0.8	2.5	1.8	1.4	1.3	1.5	0.4	1.3	0.8	1.2	1.5	1.3	1.2	2.3	1.4	1.0	1.3
Dusky Warbler	Phylloscopus fuscatus	N	-	8.0	7.4	5.5	7.0	5.4	4.0	0.0	0.0	0.0	0.0	0.0	4.0	7.5	7.4	6.5	5.0	5.2	4.0	0.0	0.0	0.0	0.0	0.0	3.8
Pallas's Leaf Warbler	Phylloscopus proregulus	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-browed warbler	Phylloscopus inornatus	N	-	0.8	1.0	2.0	0.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.0	2.3	1.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sakhalin Leaf Warbler	Phylloscopus borealoides	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eastern Crowned Warbler	Phylloscopus coronatus	N	-	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pale-legged Leaf Warbler	Phylloscopus tenellipes	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0
Zitting Cisticola	Cisticola juncidis	Y	LC	0.8	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0
Yellow-bellied Prinia	Prinia flaviventris	N	-	2.5	3.2	1.5	5.0	3.8	7.3	6.8	6.0	4.5	3.5	2.8	1.5	2.5	3.0	1.5	3.3	3.8	7.3	6.8	7.4	4.0	3.0	3.3	1.5
Plain Prinia	Prinia inornata	N	-	1.3	1.0	1.5	1.8	2.4	3.3	3.3	3.8	2.3	3.5	2.2	0.5	1.3	1.0	2.0	2.5	2.4	3.3	3.3	4.4	2.3	3.0	2.8	0.5

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 20	Dec- 20	Jan- 21	Feb- 21	Mar- 21	Apr- 21	May- 21	Jun- 21	Jul- 21	Aug- 21	Sep- 21	Oct- 21	Nov- 21	Dec- 21	Jan- 22	Feb- 22	Mar- 22	Apr- 22	May- 22	June- 22	July- 22	Aug- 22	Sep- 22	Oct- 22
Bluethroat	<i>Luscinia svecica</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grey-streaked Flycatcher	<i>Muscicapa griseictica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	N	LC	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	N	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	1.8	0.0	0.0	0.0	2.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.8	0.5	0.0	2.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0
Cinereous Tit	<i>Parus cinereus</i>	N	-	1.3	1.4	1.0	2.5	1.0	29.5	1.0	1.4	1.8	2.0	0.6	1.0	1.3	1.4	1.0	2.3	1.0	2.3	1.0	2.0	2.5	1.6	0.5	1.0
Japanese Tit	<i>Parus minor</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Swinhoe's White- eye	<i>Zosterops simplex</i>	N	-	2.0	2.6	4.5	5.0	5.0	5.0	5.0	8.0	6.8	6.8	4.4	2.3	2.0	2.6	3.0	5.0	5.0	5.0	4.8	7.6	6.0	5.4	5.0	2.3
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	N	-	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Little Bunting	<i>Emberiza pusilla</i>	N	-	V	0.6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5
Black-faced Bunting	<i>Emberiza spodocephala</i>	N	-	0.3	0.4	0.8	0.8	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.8	0.8	1.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Scaly-breasted Munia	<i>Lonchura punctulata</i>	N	-	2.3	3.8	4.3	0.0	0.6	0.5	2.5	8.0	14.0	2.5	10.0	6.0	1.8	3.8	4.0	0.0	0.6	1.3	2.5	7.0	5.5	4.2	3.5	2.3
White-headed Munia	<i>Lonchura maja</i>	N	-	V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chestnut Munia	<i>Lonchura atricapilla</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
Eurasian Tree Sparrow	<i>Passer montanus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow-fronted Canary	<i>Crithagra mozambica</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-collared Starling	<i>Gracupica nigricollis</i>	N	-	3.0	4.8	2.5	0.8	2.4	3.8	3.8	3.8	4.8	1.3	1.2	4.0	3.5	4.2	2.5	1.3	2.4	3.8	3.8	4.8	4.3	2.2	1.5	4.0

Common name	Scientific name	Wetland Dependence	Conservation status	Nov- 20	Dec- 20	Jan- 21	Feb- 21	Mar- 21	Apr- 21	May- 21	Jun- 21	Jul- 21	Aug- 21	Sep- 21	Oct- 21	Nov- 21	Dec- 21	Jan- 22	Feb- 22	Mar- 22	Apr- 22	May- 22	June- 22	July- 22	Aug- 22	Sep- 22	Oct- 22
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.6	2.5	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.6	1.8	1.2	0.5	0.0
Common Myna	<i>Acridotheres tristis</i>	N	-	0.5	0.0	0.0	0.0	0.2	0.0	0.3	0.2	0.0	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.2	0.0	0.8	0.2	0.0	0.0	0.0	0.3
Crested Myna	<i>Acridotheres cristatellus</i>	N	-	2.3	2.6	1.8	1.0	4.2	2.0	5.5	4.2	4.3	1.5	6.6	4.5	2.3	3.8	1.8	1.0	4.2	2.0	5.0	4.4	4.5	3.0	3.5	4.5
Great Myna	<i>Acridotheres grandis</i>	N	-	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black-naped Oriole	<i>Oriolus chinensis</i>	Y	LC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Black Drongo	<i>Dicrurus macrocercus</i>	N	-	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.2	0.0	0.5	0.2	2.3	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.4	0.3	2.3	
Hair-crested Drongo	<i>Dicrurus hottentottus</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Azure-winged Magpie	<i>Cyanopica cyanus</i>	N	-	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Magpie	<i>Pica serica</i>	N	-	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.3	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.3	
Red-billed Blue Magpie	<i>Urocissa erythrorhyncha</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.0	
Large-billed Crow	<i>Corvus macrorhynchos</i>	N	-	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	1.3	0.2	0.0	0.3	0.4	0.0	0.0	0.0	1.3	0.5	0.4	0.0	1.0	0.0	0.0	0.0	0.4	0.3	0.0	0.2	1.3	0.4	0.3	0.0

- Notes:
- (1) Conservation Status follows that of Fellows et. al. (2002) and BirdLife International listing (2017). See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (Fellowes et al. 2002)
 - (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
 - ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
 - V Indicates the species is recorded outside regular surveys.
 - # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
 - * Red-billed Starling is considered by Fellows et al (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Table B10: Summary of Bird Species Recorded at the WRA and their Respective Monthly Mean between November 2022 and April 2023

Common name	Scientific name	Wetland	Dependence	Conservation status	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23	Apr-23
Little Grebe	<i>Tachybaptus ruficollis</i>		Y	LC	1.5	0.6	2.3	1.3	0.2	0.5
Great Cormorant	<i>Phalacrocorax carbo</i>		Y	PRC	0.8	1.0	1.0	0.8	0.2	0.0
Grey Heron	<i>Ardea cinerea</i>		Y	PRC	2.3	1.8	2.8	1.3	0.2	0.3
Purple Heron	<i>Ardea purpurea</i>		Y	RC	0.0	0.8	0.5	0.5	0.0	0.0
Great Egret	<i>Ardea alba</i>		Y	PRC, (RC)	0.5	2.0	1.8	1.5	2.6	1.0
Intermediate Egret	<i>Egretta intermedia</i>		Y	RC	0.0	0.4	0.3	0.0	0.0	0.3
Little Egret	<i>Egretta garzetta</i>		Y	PRC, (RC)	1.5	1.0	2.3	1.8	1.6	4.5
Eastern Cattle Egret	<i>Bubulcus coromandus</i>		Y	(LC)	0.0	0.2	0.0	0.0	0.0	0.5
Chinese Pond Heron	<i>Ardeola bacchus</i>		Y	PRC, (RC)	2.5	2.8	3.3	2.0	1.4	0.0
Yellow Bittern	<i>Ixobrychus sinensis</i>		Y	(LC)	0.3	0.4	0.0	0.0	0.2	0.0
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>		Y	LC	0.0	0.0	0.0	0.0	0.0	0.0
Great Bittern	<i>Botaurus stellaris</i>		Y	RC	0.0	0.0	0.0	0.0	0.0	0.0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>		Y	(LC)	1.3	1.0	0.0	0.0	-	0.3
Black Stork	<i>Ciconia nigra</i>		Y	RC	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Spoonbill	<i>Platalea leucorodia</i>		Y	LC	0.0	0.0	0.0	0.0	0.0	0.0
Black-faced Spoonbill	<i>Platalea minor</i>		Y	PGC, EN	0.0	0.0	0.0	0.0	0.0	0.0
Mandarin Duck	<i>Aix galericulata</i>		Y	-	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Wigeon	<i>Anas penelope</i>		Y	RC	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Teal	<i>Anas crecca</i>		Y	RC	0.0	0.0	0.0	0.0	0.0	0.0
Northern Pintail	<i>Anas acuta</i>		Y	RC	0.0	0.0	0.0	0.0	0.0	0.0
Northern Shoveler	<i>Anas clypeata</i>		Y	RC	0.0	0.0	0.0	0.0	0.0	0.0
Garganey	<i>Anas querquedula</i>		Y	-	0.0	0.4	0.0	0.0	0.0	0.0
Tufted Duck	<i>Aythya fuligula</i>		Y	LC	0.0	0.0	0.0	0.0	0.0	0.0
Western Osprey	<i>Pandion haliaetus</i>		Y	RC	0.0	0.0	0.0	0.5	0.0	0.0
Crested Goshawk	<i>Accipiter trivirgatus</i>		N	-	0.0	0.0	0.0	0.0	0.0	0.0
Besra	<i>Accipiter virgatus</i>		N	-	0.0	0.0	0.0	0.5	0.6	0.0
Black-winged Kite	<i>Elanus caeruleus</i>		Y	LC	0.0	0.0	0.0	0.0	0.0	0.0
Black Kite	<i>Milvus migrans</i>		Y	(RC)	0.8	1.0	0.5	1.5	0.8	0.5
Crested Serpent Eagle	<i>Spilornis cheela</i>		N	(LC)	0.0	0.0	0.0	0.0	0.0	0.0
Greater Spotted Eagle	<i>Clanga clanga</i>		Y	GC	0.0	0.2	0.0	0.0	0.0	0.0
Eastern Imperial Eagle	<i>Aquila heliaca</i>		Y	-	0.0	0.0	0.0	0.3	0.0	0.0
Eastern Buzzard	<i>Buteo japonicus</i>		Y	-	0.5	-	0.5	0.3	0.2	0.0

Common name	Scientific name	Wetland	Dependence	Conservation status	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23	Apr-23
Common Kestrel	<i>Falco tinnunculus</i>			N	-	0.0	0.0	0.0	0.0	0.0
Peregrine Falcon	<i>Falco peregrinus</i>			N	(LC)	0.0	-	0.0	0.0	0.0
Eurasian Hobby	<i>Falco subbuteo</i>			Y	(LC)	0.0	0.0	0.0	0.0	0.0
Japanese Quail	<i>Coturnix japonica</i>			N	LC	0.0	0.0	0.0	0.0	0.0
Baillon's Crane	<i>Porzana pusilla</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>			Y	-	1.8	0.8	0.0	1.0	2.2
Watercock	<i>Gallicrex cinerea</i>			Y	RC	0.0	0.0	0.0	0.0	0.0
Common Moorhen	<i>Gallinula chloropus</i>			Y	-	1.3	1.2	4.3	2.3	2.2
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Greater Painted-snipe	<i>Rostratula benghalensis</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Black-winged Stilt	<i>Himantopus himantopus</i>			Y	RC	0.0	0.0	0.0	0.0	0.0
Pied Avocet	<i>Recurvirostra avosetta</i>			Y	RC	0.0	0.0	0.0	0.0	0.0
Grey-headed Lapwing	<i>Vanellus cinereus</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Oriental Pratincole	<i>Glareola maldivarum</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Pacific Golden Plover	<i>Pluvialis fulva</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Little Ringed Plover	<i>Charadrius dubius</i>			Y	(LC)	0.0	0.0	0.0	0.0	0.3
Kentish Plover	<i>Charadrius alexandrinus</i>			Y	RC	0.0	0.0	0.0	0.0	0.0
Spotted Redshank	<i>Tringa erythropus</i>			Y	RC	0.0	0.0	0.0	0.0	0.0
Common Redshank	<i>Tringa totanus</i>			Y	RC	0.0	0.0	0.0	0.0	0.0
Common Greenshank	<i>Tringa nebularia</i>			Y	RC	0.0	0.2	0.0	0.0	2.3
Marsh Sandpiper	<i>Tringa stagnatilis</i>			Y	RC	0.0	0.0	0.0	0.0	0.0
Green Sandpiper	<i>Tringa ochropus</i>			Y	-	0.5	0.2	1.5	1.0	1.4
Wood Sandpiper	<i>Tringa glareola</i>			Y	LC	0.0	0.0	2.0	1.3	1.2
Common Sandpiper	<i>Actitis hypoleucos</i>			Y	-	0.0	0.8	0.5	0.0	0.6
Pintail/Swinhoe's Snipe*	<i>Gallinago stenura/G. megala</i>			Y	LC	0.0	0.0	0.0	0.0	0.4
Common Snipe	<i>Gallinago gallinago</i>			Y	-	0.3	0.0	0.0	0.3	0.0
Red-necked Stint	<i>Calidris ruficollis</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Temminck's Stint	<i>Calidris temminckii</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Long-toed Stint	<i>Calidris subminuta</i>			Y	LC	0.0	0.0	0.0	0.0	0.0
Black-headed Gull	<i>Chroicocephalus ridibundus</i>			Y	PRC	0.0	0.0	0.0	0.0	0.0
Whiskered Tern	<i>Chlidonias hybrida</i>			Y	-	0.0	0.0	0.0	0.0	0.0
White-winged Tern	<i>Chlidonias leucopterus</i>			Y	-	0.0	0.0	0.0	0.0	0.0
Domestic Pigeon	<i>Columba livia</i>			N	-	0.3	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland	Dependence	Conservation status	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23	Apr-23	
Oriental Turtle Dove	<i>Streptopelia orientalis</i>			N	-	0.0	0.0	0.0	0.0	0.2	0.0
Red Turtle Dove	<i>Streptopelia tranquebarica</i>			N	-	0.0	0.0	0.0	0.0	0.0	0.0
Spotted Dove	<i>Spilopelia chinensis</i>			N	-	2.3	5.2	3.8	1.8	2.8	2.3
Eurasian Collared Dove	<i>Streptopelia decaocto</i>			N	-	0.5	0.2	0.3	0.0	0.0	0.8
Emerald Dove	<i>Chalcophaps indica indica</i>			N	-	0.0	0.0	0.0	0.0	0.0	0.0
Asian Koel	<i>Eudynamys scolopaceus</i>			N	-	0.3	0.0	0.5	0.3	0.8	0.5
Greater Coucal#	<i>Centropus sinensis</i>			N	-	0.8	-	0.3	1.8	1.6	2.3
Indian Cuckoo	<i>Cuculus Micropterus</i>			N	-	0.0	0.0	0.0	0.0	0.0	0.3
Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>			N	-	0.0	0.0	0.0	0.0	0.0	0.3
Plaintive Cuckoo	<i>Cacomantis merulinus</i>			N	-	0.0	0.0	0.0	0.0	0.4	0.5
Asian Barred Owlet	<i>Glaucidium cuculoides</i>			N	-	0.0	-	0.0	0.3	0.2	0.0
Eurasian Eagle Owl	<i>Bubo bubo</i>			N	RC	0.0	0.0	0.0	0.0	0.0	0.0
Savanna Nightjar	<i>Caprimulgus affinis</i>			N	-	0.0	0.0	0.0	0.0	-	0.3
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>			N	-	0.0	0.0	0.0	0.0	0.0	0.0
Pacific Swift	<i>Apus pacificus</i>			N	(LC)	0.0	0.0	0.0	0.0	0.8	0.0
House Swift	<i>Apus nipalensis</i>			N	-	0.0	4.0	0.0	2.0	11.6	0.0
Pied Kingfisher	<i>Ceryle rudis</i>	Y			(LC)	0.0	-	0.5	2.0	1.4	0.0
Black-capped Kingfisher	<i>Halcyon pileata</i>	Y			(LC)	0.0	0.0	0.0	0.0	0.0	0.0
White-throated Kingfisher	<i>Halcyon smyrnensis</i>	Y			(LC)	0.0	0.2	1.0	0.3	0.4	0.5
Common Kingfisher	<i>Alcedo atthis</i>	Y			-	0.0	1.6	0.8	1.0	1.0	1.0
Eurasian Hoopoe	<i>Upupa epops</i>	N			-	0.0	0.0	0.0	0.0	0.0	0.0
Barn Swallow	<i>Hirundo rustica</i>	N			-	2.5	10.4	4.5	12.3	29.8	8.5
Red-rumped Swallow	<i>Hirundo daurica</i>	N			-	0.3	1.2	0.0	0.0	0.0	0.0
Sand Martin	<i>Riparia riparia</i>	Y			-	0.0	0.2	0.0	0.0	1.2	0.0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y			-	0.0	1.0	2.8	1.3	2.4	5.0
Grey Wagtail	<i>Motacilla cinerea</i>	Y			-	0.0	0.0	0.0	0.0	0.2	0.0
White Wagtail	<i>Motacilla alba</i>	Y			-	2.0	2.4	2.3	3.0	2.2	1.0
Richard's Pipit	<i>Anthus richardi</i>	N			-	0.8	0.4	0.8	0.8	1.4	1.3
Olive-backed Pipit	<i>Anthus hodgsoni</i>	N			-	0.3	1.0	0.3	0.8	0.2	0.0
Red-throated Pipit	<i>Anthus cervinus</i>	N			LC	0.0	0.0	0.0	0.0	0.4	0.0
Buff-bellied Pipit	<i>Anthus rubescens</i>	N			LC	0.0	0.0	0.0	0.0	0.0	0.0
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	N			-	1.8	6.6	10.3	6.3	7.0	8.8
Light-vented Bulbul	<i>Pycnonotus sinensis</i>	N			-	7.0	6.2	14.0	15.3	13.6	6.3
Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	N			-	0.0	0.2	0.0	0.0	0.0	0.0

Common name	Scientific name	Wetland	Dependence	Conservation status	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23	Apr-23
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>			N	-	0.0	0.0	0.0	0.0	0.0
Bull-headed Shrike	<i>Lanius bucephalus</i>			N	-	0.0	0.0	0.0	0.0	0.0
Brown Shrike	<i>Lanius cristatus</i>			N	-	0.0	0.0	0.0	0.0	0.0
Long-tailed Shrike	<i>Lanius schach</i>			N	-	0.0	0.8	0.0	1.0	0.5
Oriental Magpie Robin	<i>Copsychus saularis</i>			N	-	1.3	0.8	0.8	0.3	1.2
Red-flanked Bluetail	<i>Tarsiger cyanurus</i>			N	-	0.0	0.0	0.0	0.0	0.0
Bluethroat	<i>Luscinia svecica</i>			N	LC	0.0	0.0	0.0	0.0	0.0
Siberian Rubythroat	<i>Calliope calliope</i>			N	-	0.0	0.0	0.0	0.3	0.0
Daurian Redstart	<i>Phoenicurus aureus</i>			N	-	2.0	2.8	0.5	0.5	0.8
Stejneger's Stonechat	<i>Saxicola stejnegeri</i>			N	-	1.8	2.6	1.0	2.0	0.4
Chinese Blackbird	<i>Turdus mandarinus</i>			N	-	0.0	0.0	0.0	0.5	0.0
Grey-backed thrush	<i>Turdus hortulorum</i>			N	-	0.0	0.4	0.0	0.3	0.6
White's Thrush	<i>Zoothera aurea</i>			N	-	0.0	0.0	0.0	0.3	0.0
Masked Laughingthrush	<i>Garrulax perspicillatus</i>			N	-	5.5	5.0	4.5	3.8	5.0
Lanceolated Warbler	<i>Locustella lanceolata</i>	Y			-	0.0	0.0	0.0	0.0	0.0
Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	Y		LC	-	0.0	0.0	0.0	0.0	0.0
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y			-	0.5	0.0	0.0	0.3	0.2
Thick-billed Warbler	<i>Acrocephalus aedon</i>	Y		LC	-	0.0	0.0	0.0	0.0	0.0
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y			-	0.8	0.0	0.0	0.0	0.0
Manchurian Bush Warbler	<i>Horornis canturians</i>			N	-	0.0	0.0	0.0	0.0	0.0
Common Tailorbird	<i>Orthotomus sutorius</i>			N	-	1.5	0.4	1.3	0.8	1.2
Dusky Warbler	<i>Phylloscopus fuscatus</i>			N	-	7.5	7.4	6.8	5.0	5.2
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>			N	-	0.0	0.4	0.0	0.0	0.0
Yellow-browed warbler	<i>Phylloscopus inornatus</i>			N	-	1.0	1.0	2.3	1.3	1.4
Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>			N	-	0.0	0.0	0.0	0.0	0.0
Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>			N	-	0.0	0.0	0.0	0.0	0.0
Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>			N	-	0.0	0.0	0.0	0.0	0.0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y		LC	0.5	0.0	0.0	0.0	0.0	0.3
Yellow-bellied Prinia	<i>Prinia flaviventris</i>			N	-	2.8	3.0	1.5	3.8	3.8
Plain Prinia	<i>Prinia inornata</i>			N	-	1.3	1.0	2.0	2.5	2.2
Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>			N	-	0.0	0.0	0.0	0.0	0.0
Asian Brown Flycatcher	<i>Muscicapa dauurica</i>			N	-	0.3	0.0	0.0	0.0	0.0
Red-throated Flycatcher	<i>Ficedula albicilla</i>			N	-	0.0	0.2	0.0	0.0	0.0
Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>			N	-	0.0	0.0	0.0	0.0	0.0


Common name	Scientific name	Wetland	Dependence	Conservation status	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23	Apr-23
Grey-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>			N LC	0.0	0.0	0.0	0.0	0.0	0.0
Amur Paradise Flycatcher	<i>Terpsiphone incei</i>			N LC	0.0	0.0	0.0	0.0	0.0	0.0
Japanese Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>			N LC	0.0	0.0	0.0	0.0	0.0	0.0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>			Y RC	1.0	1.4	0.5	0.0	3.4	2.3
Cinereous Tit	<i>Parus cinereus</i>			N -	1.3	1.4	1.3	2.5	1.0	2.3
Japanese Tit	<i>Parus minor</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Swinhoe's White-eye	<i>Zosterops simplex</i>			N -	4.8	3.0	3.0	5.0	5.6	5.0
Fork-tailed Sunbird	<i>Aethopyga christinae</i>			N -	0.0	0.2	0.0	0.0	0.0	0.0
Little Bunting	<i>Emberiza pusilla</i>			N -	0.3	0.2	0.0	0.5	0.6	0.0
Black-faced Bunting	<i>Emberiza spodocephala</i>			N -	0.3	0.8	0.8	1.5	1.6	1.3
Chinese Grosbeak	<i>Eophona migratoria</i>			Y LC	0.0	0.2	0.0	0.0	0.0	0.0
Scaly-breasted Munia	<i>Lonchura punctulata</i>			N -	1.8	3.4	4.5	0.0	0.6	1.8
White-headed Munia	<i>Lonchura maja</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Chestnut Munia	<i>Lonchura atricapilla</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Eurasian Tree Sparrow	<i>Passer montanus</i>			N -	0.0	0.0	0.0	0.0	0.0	0.5
Yellow-fronted Canary	<i>Crithagra mozambica</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Red-billed Starling	<i>Spodiopsar sericeus</i>			Y (RC)*	1.0	0.0	0.0	0.0	0.0	0.0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>			Y PRC	0.5	0.0	0.0	0.0	0.0	0.0
Black-collared Starling	<i>Gracupica nigricollis</i>			N -	3.5	4.2	2.5	2.3	2.6	3.8
White-shouldered Starling	<i>Sturnia sinensis</i>			Y (LC)	0.0	0.0	0.0	0.0	0.0	0.8
Common Myna	<i>Acridotheres tristis</i>			N -	0.5	0.0	0.0	0.0	0.2	0.0
Crested Myna	<i>Acridotheres cristatellus</i>			N -	2.3	5.6	1.8	1.0	4.2	2.0
Great Myna	<i>Acridotheres grandis</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Black-naped Oriole	<i>Oriolus chinensis</i>			Y LC	0.0	0.0	0.0	0.0	0.0	0.0
Black Drongo	<i>Dicrurus macrocercus</i>			N -	0.5	0.0	0.0	0.0	0.0	0.3
Hair-crested Drongo	<i>Dicrurus hottentottus</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Azure-winged Magpie	<i>Cyanopica cyanus</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Oriental Magpie	<i>Pica serica</i>			N -	0.0	0.4	0.0	0.0	0.0	0.0
Red-billed Blue Magpie	<i>Urocissa erythrorhyncha</i>			N -	0.5	0.0	0.0	0.0	0.0	0.0
Large-billed Crow	<i>Corvus macrorhynchos</i>			N -	0.0	0.0	0.0	0.0	0.0	0.0
Collared Crow	<i>Corvus torquatus</i>			Y LC, NT	0.8	0.0	0.0	0.0	0.4	0.3

Notes:

- (1) Conservation Status follows that of *Fellows et. al. (2002)* and *BirdLife International listing (2017)*. See **Table B1** for the description of the codes. Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and for roosting sites rather than in general occurrence. (*Fellows et al. 2002*)

- (2) Updated species names used in the report include Eurasian Magpie (*Pica serica*) as Oriental Magpie (*Pica pica*), Japanese White-eye (*Zosterops japonica*) as Swinhoe's White-eye (*Zosterops simplex*), Chinese Bulbul (*Pycnonotus sinensis*) as Light-vented Bulbul (*Pycnonotus sinensis*) and Pale Martin (*Riparia diluta*) as Sand Martin (*Riparia riparia*)
- ^ Pintail Snipe and Swinhoe's Snipe cannot be distinguished in field, conservation status refers to Swinhoe's Snipe.
- V Indicates the species is recorded outside regular surveys.
- # Greater Coucal is listed as vulnerable (VU) in China Red Data Book and it is protected terrestrial wildlife state protection (category II).
- * Red-billed Starling is considered by Fellows *et al* (2002) to be of Global Concern. Since publication, however, the global population estimate has been revised and the species is now not considered globally threatened. A listing of Regional Concern (RC) based on the importance of the large roosts present near Deep Bay, is considered to be more appropriate. (Wetland Restoration Plan, Mott, 2008). Red-billed Starling is now listed as Least Concern by IUCN. (IUCN, 2016)

Chart B1: Number of Common Bird Species and Bird Species Only Found in the WRA or Survey Area (Excluding the WRA) During the Reporting Period



Species Only Found in the WRA
Asian Barred Owllet
Asian Brown Flycatcher
Besra
Black-browed Reed Warbler
Chinese Blackbird
Indian Cuckoo
Oriental Magpie
Oriental Reed Warbler
Pacific Swift
Red-billed Blue Magpie
Savanna Nightjar
Sooty-headed Bulbul
Chinese Penduline-Tit
Domestic Pigeon
Sand Martin
Chinese Grosbeak
Purple Heron
Pallas's Leaf Warbler
Red-throated Flycatcher
Greater Spotted Eagle
Fork-tailed Sunbird
Garganey
Grey-backed thrush
Peregrine Falcon
Eastern Imperial Eagle
White's Thrush
Western Osprey
Siberian Rubythroat
Pintail/Swinhoe's Snipe*
Oriental Turtle Dove
Large Hawk-Cuckoo

31

Common Species Found in Both the WRA and Survey Area (Excluding the WRA)	
Asian Koel	Light-vented Bulbul
Barn Swallow	Little Bunting
Black Drongo	Little Egret
Black Kite	Little Grebe
Black-collared Starling	Little Ringed Plover
Black-crowned Night Heron	Long-tailed Shrike
Chinese Pond Heron	Masked Laughingthrush
Cinereous Tit	Oriental Magpie Robin
Collared Crow	Pied Kingfisher
Common Greenshank	Plain Prinia
Common Kingfisher	Plaintive Cuckoo
Common Moorhen	Red-rumped Swallow
Common Myna	Red-whiskered Bulbul
Common Sandpiper	Richard's Pipit
Common Snipe	Scaly-breasted Munia
Common Tailorbird	Spotted Dove
Crested Myna	Stejneger's Stonechat
Daurian Redstart	Swinhoe's White-eye
Dusky Warbler	White Wagtail
Eastern Buzzard	White-breasted Waterhen
Eastern Cattle Egret	White-shouldered Starling
Eastern Yellow Wagtail	White-throated Kingfisher
Eurasian Collared Dove	Yellow Bittern
Eurasian Tree Sparrow	Yellow-bellied Prinia
Great Cormorant	Zitting Cisticola
Great Egret	White-cheeked Starling
Greater Coucal	Yellow-browed warbler
Green Sandpiper	Olive-backed Pipit
Grey Heron	Red-throated Pipit
Grey Wagtail	Red-billed Starling
House Swift	Black-faced Bunting
Intermediate Egret	Wood Sandpiper

64

Species Only Found in the Survey Area (Excluding the WRA)
Azure-winged Magpie
Black-winged Kite
Black-winged Stilt
Large-billed Crow
Whiskered Tern
Yellow-fronted Canary
Black-faced Spoonbill
Common Redshank
Marsh Sandpiper
Pied Avocet
Spotted Redshank
Eurasian Teal
Tufted Duck
Great Myna
Eurasian Spoonbill
Northern Shoveler
Manchurian Bush Warbler

17

C. Summary of Herpetofauna Monitoring, Mammals and Insect Surveys

Table C1: Summary of herpetofauna monitoring data within the Survey Area (excluding the WRA)

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Mean ⁽²⁾					
			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Amphibians								
Asian Common Toad	Bufo melanostictus	-	0.0	0.0	0.0	0.0	6.0	6.5
Gunther's Frog	Hylarana guentheri	-	0.0	0.0	0.0	0.0	0.0	4.0
Paddy Frog	Fejervarya limnocharis	-	0.0	0.0	0.0	0.0	2.0	0.0
Brown Tree Frog	Polypedates megacephalus	-	0.0	0.0	0.0	0.0	1.0	1.0
Asiatic Painted Frog	Kaloula pulchra pulchra	-	0.0	0.0	0.0	0.0	0.0	1.5
No. of Species Recorded			0	0	0	0	3	4
Reptiles								
Bowring's Gecko	Hemidactylus bowringii	-	0.0	0.0	0.0	0.0	4.5	10.5
Long-tailed Skink	Eutropis longicaudata	-	0.0	0.0	0.0	0.0	0.0	V
No. of Species Recorded			0	0	0	0	1	2

(1) Conservation status follows that of Fellows that of Fellowes et al. (2002), Chan et al. (2005) and Karsen et al. (1998).

(2) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA)

V Indicates the species is recorded outside regular surveys.

Table C2: Summary of herpetofauna monitoring in the WRA

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Mean ⁽²⁾					
			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Amphibians								
Asian Common Toad	Bufo melanostictus	-	0.0	0.0	0.0	0.0	4.0	4.0
Gunther's Frog	Hylarana guentheri	-	0.0	0.0	0.0	0.0	1.5	2.5
Paddy Frog	Fejervarya limnocharis	-	0.0	0.0	0.0	0.0	1.0	0.0
Brown Tree Frog	Polypedates megacephalus	-	0.0	0.0	0.0	0.0	1.0	0.0
Asiatic Painted Frog	Kaloula pulchra pulchra	-	0.0	0.0	0.0	0.0	2.0	0.5
Ornate Pygmy Frog	Microhyla fissipes	-	0.0	0.0	0.0	0.0	2.5	1.5
No. of Species Recorded			0	0	0	0	6	4

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Mean ⁽²⁾					
			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Reptiles								
Bowring's Gecko	Hemidactylus bowringii	-	0.0	0.0	0.0	0.0	5.0	4.5
Long-tailed Skink	Eutropis longicaudata	-	0.0	0.0	0.0	0.0	0.5	0.5
Reeve's Smooth Skink	Scincella reevesii	-	0.0	0.0	0.0	0.0	2.0	0.0
Common Blind Snake	Indotyphlops braminus	-	0.0	0.0	0.0	0.0	0.0	0.5
No. of Species Recorded			0	0	0	0	3	3

(1) Conservation status follows that of Fellows that of Fellowes et al. (2002), Chan et al. (2005) and Karsen et al. (1998).

(2) Refers to the mean number of individuals recorded in the reporting period at WRA.

V Indicates the species is recorded outside regular surveys.

Table C3: Summary of mammal monitoring in the Survey Area (excluding the WRA)

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Max ⁽²⁾					
			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Mammal								
Short-nosed Fruit Bat	Cynopterus sphinx	-	0.0	0.0	0.0	0.0	6.0	1.0
Japanese Pipistrelle	Pipistrellus abramus	-	0.0	0.0	0.0	0.0	0.0	2.0
No. of Species Recorded			0	0	0	0	1	2

(1) Conservation status follows that of Fellows et al. (2002) and Shek (2006).

(2) Refers to the maximum number of individuals recorded in each month in the survey area (excluding WRA).

V Indicates the species is recorded outside regular surveys.

Table C4: Summary of mammal monitoring in the WRA

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Max ⁽²⁾					
			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Mammal								
Short-nosed Fruit Bat	Cynopterus sphinx	-	0.0	0.0	0.0	0.0	7.0	4.0
Japanese Pipistrelle	Pipistrellus abramus	-	0.0	0.0	0.0	0.0	6.0	7.0
Leopard Cat#	Prionailurus bengalensis	Class II	0.0	1.0	1.0	1.0	0.0	0.0
No. of Species Recorded			0	1	1	1	2	2

(1) Conservation status follows that of Fellows et al. (2002) and Shek (2006).

(2) Refers to the maximum number of individuals recorded in each month at WRA.

V Indicates the species is recorded outside regular surveys.

Table C5: Summary of dragonfly and butterfly monitoring in the Survey Area (excluding the WRA)

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Mean ⁽²⁾						
			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023	
Odonata									
Orange-tailed Sprite	<i>Ceriagrion auranticum ryukyuanum</i>	-	0.0	0.0	0.0	0.0	0.0	4.0	
Common Bluetail	<i>Ischnura senegalensis</i>	-	6.0	0.0	0.0	0.0	3.0	21.5	
Yellow Featherlegs	<i>Copera marginipes</i>	-	0.0	0.0	0.0	0.0	5.0	1.0	
Common Flangetail	<i>Ictinogomphus pertinax</i>	-	1.0	0.0	0.0	0.0	0.0	0.0	
Asian Amberwing	<i>Brachythemis contaminata</i>	-	1.0	0.0	0.0	0.0	1.0	7.0	
Crimson Darter	<i>Crocothemis servilia servilia</i>	-	1.0	0.0	0.0	0.0	0.0	0.0	
Pied Percher	<i>Neurothemis tullia tullia</i>	-	1.0	0.0	0.0	0.0	0.0	0.5	
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	15.0	0.0	0.0	0.0	0.0	2.5	
Wandering Glider	<i>Pantala flavescens</i>	-	5.0	0.0	0.0	0.0	7.0	2.0	
Variiegated Flutterer	<i>Rhyothemis variegata arria</i>	-	10.0	0.0	0.0	0.0	0.0	4.0	
Saddlebag Glider	<i>Tramea virginia</i>	-	3.0	0.0	0.0	0.0	0.0	0.5	
No. of Species Recorded			9	0	0	0	4	9	

Butterfly			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Great Egg-fly	Hypolimnas bolina kezia	-	2.0	0.0	0.0	0.0	0.0	0.0
Common Sailor	Neptis hylas hylas	-	0.0	0.0	0.0	0.0	1.0	0.0
Red Ring Skirt	Hestina assimilis assimilis	-	2.0	0.0	0.0	0.0	0.0	0.0
Dark Brand Bush Brown	Mycalesis mineus mineus	-	2.0	0.0	0.0	0.0	2.0	0.5
Pale Grass Blue	Pseudozizeeria maha serica	-	12.0	0.0	0.0	0.0	0.0	6.0
Tiny Grass Blue	Zizula hylax	-	1.0	0.0	0.0	0.0	0.0	0.0
Dark Cerulean	Jamides bochus bochus	-	2.0	0.0	0.0	0.0	0.0	0.0
Red-base Jezebel	Delias pasithoe pasithoe	-	10.0	0.0	0.0	0.0	1.0	1.5
Indian Cabbage White	Pieris canidia canidia	-	3.0	0.0	0.0	0.0	0.0	0.0
Small Cabbage White	Pieris rapae crucivora	-	0.0	0.0	0.0	0.0	34.0	8.5
Lemon Emigrant	Catopsilia pomona pomona	-	9.0	0.0	0.0	0.0	0.0	0.0
Common Grass Yellow	Eurema hecabe hecabe	-	0.0	0.0	0.0	0.0	0.0	2.0
Common Bluebottle	Graphium sarpedon sarpedon	-	1.0	0.0	0.0	0.0	0.0	0.0
Tailed Jay	Graphium agamemnon agamemnon	-	0.0	0.0	0.0	0.0	1.0	0.0
Common Mime	Chilasa clytia clytia	-	0.0	0.0	0.0	0.0	1.0	0.0
Common Mormon	Papilio polytes polytes	-	1.0	0.0	0.0	0.0	0.0	2.0
Great Mormon	Papilio memnon agenor	-	0.0	0.0	0.0	0.0	1.0	0.0
Indian Palm Bob	Suastus gremius gremius	-	1.0	0.0	0.0	0.0	0.0	0.0
No. of Species Recorded			12	0	0	0	7	6

(1) Conservation status follows that of Fellows et al. (2002) and Shek (2006), Lo & Hui (2004), Wilson (2004) and Young & Yiu (2002).

(2) Refers to the mean number of individuals recorded in each month in the survey area (excluding the WRA)

V indicates the species is recorded outside regular surveys

Table C6: Summary of dragonfly and butterfly monitoring in the WRA

Common Name	Scientific Name	Conservation Status ⁽¹⁾	Mean ⁽²⁾					
			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Odonate								
Wandering Midget	<i>Agriocnemis pygmaea</i>	-	2.0	0.0	0.0	0.0	2.0	0.0
Orange-tailed Sprite	<i>Ceragrion auranticum ryukyuanum</i>	-	0.0	0.0	0.0	0.0	5.0	2.0
Common Bluetail	<i>Ischnura senegalensis</i>	-	4.0	0.0	0.0	0.0	3.0	5.0
Blue Sprite	<i>Pseudagrion microcephalum</i>	LC	0.0	0.0	0.0	0.0	1.0	0.0
Yellow Featherlegs	<i>Copera marginipes</i>	-	1.0	0.0	0.0	0.0	0.0	0.5
Lesser Emperor	<i>Anax parthenope julius</i>	-	1.0	0.0	0.0	0.0	0.0	0.0
Regal Pond Cruiser	<i>Epophthalmia elegans</i>	-	1.0	0.0	0.0	0.0	0.0	1.5
Asian Pintail	<i>Acisoma panorpoides</i>	-	0.0	0.0	0.0	0.0	0.0	2.0
Blue Dasher	<i>Brachydiplax chalybea flavovittata</i>	-	5.0	0.0	0.0	0.0	0.0	2.5
Asian Amberwing	<i>Brachythemis contaminata</i>	-	2.0	0.0	0.0	0.0	2.0	2.0
Crimson Darter	<i>Crocothemis servilia servilia</i>	-	0.0	0.0	0.0	0.0	0.0	0.5
Pied Percher	<i>Neurothemis tullia tullia</i>	-	5.0	0.0	0.0	0.0	4.0	4.5
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	8.0	0.0	0.0	0.0	3.0	7.5
Wandering Glider	<i>Pantala flavescens</i>	-	6.0	0.0	0.0	0.0	1.0	3.0
Pied Skimmer	<i>Pseudothemis zonata</i>	-	0.0	0.0	0.0	0.0	1.0	2.0
Variiegated Flutterer	<i>Rhyothemis variegata arria</i>	-	11.0	0.0	0.0	0.0	0.0	10.0
Evening Skimmer	<i>Tholymis tillarga</i>	-	4.0	0.0	0.0	0.0	1.0	0.5
Saddlebag Glider	<i>Tramea virginia</i>	-	3.0	0.0	0.0	0.0	0.0	2.5
Scarlet Basker	<i>Urothemis signata signata</i>	LC	2.0	0.0	0.0	0.0	0.0	0.0
Dingy Dusk-darter	<i>Zyxomma petiolatum</i>	-	0.0	0.0	0.0	0.0	1.0	0.5
No. of Species Recorded			14	0	0	0	11	16

Butterfly			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Tawny Rajah	Charaxes bernardus bernardus	-	1.0	0.0	0.0	0.0	0.0	0.0
Blue-spotted Crow	Euploea midamus midamus	-	0.0	0.0	0.0	0.0	0.0	0.5
Great Egg-fly	Hypolimnas bolina kezia	-	6.0	0.0	0.0	0.0	0.0	1.0
Red Ring Skirt	Hestina assimilis assimilis	-	1.0	0.0	0.0	0.0	0.0	0.0
Angled Castor	Ariadne ariadne alterna	-	1.0	0.0	0.0	0.0	0.0	0.0
Dark Evening Brown	Melanitis phedima muskata	-	0.0	0.0	0.0	0.0	0.0	0.5
Common Palmfly	Elymnias hypermnestra hainana	-	0.0	0.0	0.0	0.0	0.0	1.0
Dark Brand Bush Brown	Mycalesis mineus mineus	-	4.0	0.0	0.0	0.0	5.0	3.5
South China Bush Brown	Mycalesis zonata	-	1.0	0.0	0.0	0.0	0.0	0.0
Common Five-ring	Ypthima baldus baldus	-	0.0	0.0	0.0	0.0	0.0	0.5
Slate Flash	Rapala manea	-	0.0	0.0	0.0	0.0	0.0	1.0
Long-tailed Blue	Lampides boeticus	-	0.0	0.0	0.0	0.0	1.0	4.5
Pale Grass Blue	Pseudozizeeria maha serica	-	6.0	0.0	0.0	0.0	1.0	5.5
Lesser Grass Blue	Zizina otis	-	0.0	0.0	0.0	0.0	3.0	0.5
Tiny Grass Blue	Zizula hylax	-	3.0	0.0	0.0	0.0	0.0	3.0
Tailless Line Blue	Prosotas dubiosa	-	4.0	0.0	0.0	0.0	0.0	2.5
Common Hedge Blue	Acytolepis puspa	-	0.0	0.0	0.0	0.0	0.0	0.5
Dark Cerulean	Jamides bochus bochus	-	5.0	0.0	0.0	0.0	0.0	0.5
Red-base Jezebel	Delias pasithoe pasithoe	-	11.0	0.0	0.0	0.0	1.0	2.0
Indian Cabbage White	Pieris canidia canidia	-	2.0	0.0	0.0	0.0	1.0	0.0
Small Cabbage White	Pieris rapae crucivora	-	0.0	0.0	0.0	0.0	8.0	5.5
Great Orange Tip	Hebomoia glaucippe glaucippe	-	1.0	0.0	0.0	0.0	0.0	0.0
Mottled Emigrant	Catopsilia pyranthe pyranthe	-	1.0	0.0	0.0	0.0	0.0	0.0
Lemon Emigrant	Catopsilia pomona pomona	-	5.0	0.0	0.0	0.0	1.0	0.0
Common Grass Yellow	Eurema hecabe hecabe	-	0.0	0.0	0.0	0.0	3.0	1.5
Three-spot Grass Yellow	Eurema blanda hylama	-	2.0	0.0	0.0	0.0	1.0	1.0
Common Mime	Chilasa clytia clytia	-	1.0	0.0	0.0	0.0	2.0	0.5
Red Helen	Papilio helenus	-	0.0	0.0	0.0	0.0	2.0	0.0


Butterfly			Nov 2022	Dec 2022	Jan 2023	Feb 2023	Mar 2023	Apr 2023
Common Mormon	Papilio polytes polytes	-	3.0	0.0	0.0	0.0	2.0	0.5
Spangle	Papilio protenor	-	1.0	0.0	0.0	0.0	0.0	0.0
Paris Peacock	Papilio paris	-	0.0	0.0	0.0	0.0	2.0	0.5
Dark Swift	Caltoris cahira	-	1.0	0.0	0.0	0.0	0.0	0.5
Chinese Dart	Potanthus confucius confucius	-	0.0	0.0	0.0	0.0	1.0	0.0
Banana Skipper	Erionota torus	-	0.0	0.0	0.0	0.0	1.0	0.0
No. of Species Recorded			20	0	0	0	16	22

(1) Conservation status follows that of Fellowes et al. (2002), Lo & Hui (2004), Wilson (2004) and Young & Yiu (2002).

(2) Refers to the mean number of individuals recorded in each month in the survey area at WRA

V indicates the species is recorded outside regular surveys

Chart C1: Number of Common Amphibian Species and Amphibian Species Only Found in the WRA or Survey Area (Excluding the WRA) During the Reporting Period




Species Only Found in the WRA
Ornate Pygmy Frog
1

Common Species Found in Both the WRA and Survey Area (Excluding the WRA)	
Asian Common Toad	Gunther's Frog
Asiatic Painted Frog	Paddy Frog
Brown Tree Frog	
5	

Species Only Found in the Survey Area (Excluding the WRA)
0

Chart C2: Number of Common Reptile Species and Reptile Species Only Found in the WRA or Survey Area (Excluding the WRA) During the Reporting Period




Species Only Found in the WRA
Reeve's Smooth Skink Common Blind Snake
2

Common Species Found in Both the WRA and Survey Area (Excluding the WRA)
Bowring's Gecko Long-tailed Skink
2

Species Only Found in the Survey Area (Excluding the WRA)
0

Chart C3: Number of Common Mammal Species and Mammal Species Only Found in the WRA or Survey Area (Excluding the WRA) During the Reporting Period




Species Only Found in the WRA
Leopard Cat
1

Common Species Found in Both the WRA and Survey Area (Excluding the WRA)
Japanese Pipistrelle Short-nosed Fruit Bat
2

Species Only Found in the Survey Area (Excluding the WRA)
0

Chart C4: Number of Common Dragonfly Species and Dragonfly Species Only Found in the WRA or Survey Area (Excluding the WRA) During the Reporting Period




Species Only Found in the WRA	
Asian Pintail	Lesser Emperor
Blue Dasher	Pied Skimmer
Blue Sprite	Regal Pond Cruiser
Dingy Dusk-darter	Scarlet Basker
Evening Skimmer	Wandering Midget
10	

Common Species Found in Both the WRA and Survey Area (Excluding the WRA)	
Asian Amberwing	Pied Percher
Common Bluetail	Saddlebag Glider
Crimson Darter	Variegated Flutterer
Green Skimmer	Wandering Glider
Orange-tailed Sprite	Yellow Featherlegs
10	

Species Only Found in the Survey Area (Excluding the WRA)
Common Flangetail
1

Chart C5: Number of Common Butterfly Species and Butterfly Species Only Found in the WRA or Survey Area (Excluding the WRA) During the Reporting Period



Species Only Found in the WRA	
Angled Castor	South China Bush Brown
Banana Skipper	Spangle
Blue-spotted Crow	Tailless Line Blue
Chinese Dart	Three-spot Grass Yellow
Common Palmfly	Great Orange Tip
Dark Swift	Mottled Emigrant
Lesser Grass Blue	Tawny Rajah
Long-tailed Blue	Common Five-ring
Paris Peacock	Common Hedge Blue
Red Helen	Dark Evening Brown
Slate Flash	
21	

Common Species Found in Both the WRA and Survey Area (Excluding the WRA)	
Common Grass Yellow	Small Cabbage White
Common Mime	Tiny Grass Blue
Common Mormon	
Dark Brand Bush Brown	
Dark Cerulean	
Great Egg-fly	
Indian Cabbage White	
Lemon Emigrant	
Pale Grass Blue	
Red Ring Skirt	
Red-base Jezebel	
13	

Species Only Found in the Survey Area (Excluding the WRA)
Common Bluebottle
Common Sailor
Indian Palm Bob
Tailed Jay
Great Mormon
5

D. Summary of Water Quality Monitoring

**Table D1. Water quality at WRA
 Nov 2022**

Cell No.	Temp. (°C)	pH	Salinity (ppt)	Turb. (NTU)	DO (mg/L)	Water Level (cm) (3 Nov)	Water Level (cm) (26 Nov)
1	24.3	7.1	0.2	44.5	3.8	190	195
2	24.4	6.9	0.2	5.8	3.6	155	160
3	24.3	7.0	0.2	16.1	4.7	200	200
4	24.7	6.9	0.2	8.3	4.0	200	200

Dec 2022

Cell No.	Temp. (°C)	pH	Salinity (ppt)	Turb. (NTU)	DO (mg/L)	Water Level (cm)(3 Dec)	Water Level (cm)(21 Dec)
1	14.5	6.6	0.2	15.6	10.4	190	185
2	14.6	6.9	0.2	16.0	7.9	155	150
3	14.8	7.1	0.2	5.6	8.9	195	190
4	15.3	7.5	0.2	7.8	8.7	190	190

Jan 2023

Cell No.	Temp. (°C)	pH	Salinity (ppt)	Turb. (NTU)	DO (mg/L)	Water Level (cm)(11 Jan)	Water Level (cm)(25 Jan)
1	14.5	7.4	0.2	46.6	7.4	190	180
2	14.6	7.4	0.2	24.3	6.9	155	145
3	14.5	7.5	0.3	11.4	8.0	190	185
4	15.6	7.2	0.2	20.3	6.9	190	180

Feb 2023

Cell No.	Temp. (°C)	pH	Salinity (ppt)	Turb. (NTU)	DO (mg/L)	Water Level (cm)(10 Feb)	Water Level (cm)(21 Feb)
1	20.1	7.4	0.2	26.6	10.4	180	150
2	20.1	7.4	0.2	20.8	10.1	145	140
3	19.9	7.6	0.3	32.3	10.1	190	190
4	21.7	7.3	0.2	40.3	9.5	180	180

Mar 2023

Cell No.	Temp. (°C)	pH	Salinity (ppt)	Turb. (NTU)	DO (mg/L)	Water Level (cm)(8 Mar)	Water Level (cm)(31 Mar)
1	27.7	8.1	0.2	131.6	10.8	130	150
2	24.9	7.5	0.2	54.6	10.8	130	140
3	25.1	7.3	0.3	141.3	11.6	170	180
4	24.9	7.9	0.2	80.3	6.5	140	160

Apr 2023

Cell No.	Temp. (°C)	pH (12 April)	pH (27 April)	Salinity (ppt)	Turb. (NTU)	DO (mg/L)	Water Level (cm)(12 Apr)	Water Level (cm)(27 Apr)
1	25.3	7.9	7.9	0.2	23.7	6.1	150	150
2	25.3	7.9	7.9	0.2	28.7	6.1	130	130
3	26.0	7.5	7.6	0.3	29.1	8.6	170	175
4	26.0	7.6	7.6	0.2	34.9	5.0	160	170

Action / Limit Level	Temp. (°C)	pH	Salinity (ppt)	Turb. (NTU)	DO (mg/L)	Water Level (cm)
Action Level	-	<6.5 or >8.0	>2	-	<2	<150 or >250
Limit Level	-	<6.0 or >8.5	>5	-	<1	-

Notes: Values highlighted in **bold** indicate that action level is reached; whereas values in **bold and underlined** indicate that limit level is reached
 Additional water level monitoring was conducted

Table D2. Water quality monitoring (Laboratory Testing) at WRA

Apr 2023

Monitoring Location	Ammonia-N (mg/L)	NOx-N (mg/L)	Total P (mg/L)	Reactive P (mg/L)	BOD (mg/L)
Cell 1-1	0.03	0.01	<0.01	0.24	11.0
Cell 1-2	0.05	0.01	<0.01	0.23	11.00
Cell 1-3	0.03	0.01	<0.01	0.23	12.0
Cell 2-1	0.04	<0.01	<0.01	0.23	12.0
Cell 2-2	0.04	<0.01	<0.01	0.23	12.0
Cell 2-3	0.06	<0.01	<0.01	0.23	11.0
Cell 3-1	0.04	<0.01	<0.01	0.28	12.0
Cell 3-2	0.05	<0.01	<0.01	0.28	13.0
Cell 3-3	0.04	<0.01	<0.01	0.29	13.0
Cell 4-1	0.26	0.07	<0.01	0.05	<2.0
Cell 4-2	0.26	0.06	<0.01	0.05	<2.0
Cell 4-3	0.26	0.06	<0.01	0.05	<2.0
Action Level	>3	>5	>5	-	-
Limit Level	>6	>10	>10	-	-

Note: Values highlighted in **bold** indicate that action level is reached; whereas values in **bold and underlined** indicate that limit level is reached.
 The additional water samples for ex-situ laboratory analysis were collected on 12 April 2023.