



# **Proposed Comprehensive Development at Wo Shang Wai, Yuen Long**

Quarterly EM&A Summary Report for November  
2022 – January 2023(Rev A)

4 April 2023



Mott MacDonald  
3/F Manulife Place  
348 Kwun Tong Road  
Kwun Tong  
Kowloon  
Hong Kong

T +852 2828 5757  
F +852 2827 1823  
mottmac.hk

Profit Point Enterprises  
Limited

# **Proposed Comprehensive Development at Wo Shang Wai, Yuen Long**

Quarterly EM&A Summary Report for November  
2022 – January 2023(Rev A)

4 April 2023



**Document reference:** 370161 | 05/02 | A

**Information class:** Standard

---

This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.

---



# Contents

Executive summary	1
<b>1 Introduction</b>	<b>2</b>
1.1 Background	2
1.2 Project Organization	2
1.3 Environmental Status in the reporting period	2
1.4 Summary of EM&A Requirements	2
1.5 Recommended Mitigation Measures	3
<b>2 Summary of Monitoring Results</b>	<b>5</b>
2.1 Air Quality Monitoring	5
2.2 Construction Noise Monitoring	5
2.3 Water Quality Monitoring	5
2.4 Ecological Monitoring	5
2.4.1 Monitoring of Birds	5
2.4.2 Monitoring of Herpetofauna	6
2.4.3 Monitoring of Dragonflies and Butterflies	6
2.4.4 Monitoring of Mammals	7
2.4.5 Management Activities	7
2.5 Landscape and Visual Monitoring	8
<b>3 Environmental Site Inspection and Audit</b>	<b>10</b>
3.1 Site Inspection	10
3.2 Solid and Liquid Waste Management Status	10
<b>4 Report on Non-compliance and Complaints</b>	<b>11</b>
4.1 Record on Non-compliance of Action and Limit Levels	11
4.1.1 Record of Non-compliance	11
4.1.2 Constructional Impacts on Water Quality	11
4.1.3 Exceedance Investigations	11
4.2 Record on Environmental Complaints Received	13
4.3 Follow-up Actions Taken	13
<b>5 Future Key Issues</b>	<b>14</b>
5.1 Construction Works for the Coming Months	14
5.2 Key Issues for the Coming Months	14
5.3 Conclusions and Recommendations	14
5.3.1 Conclusions	14
5.3.2 Recommendations	14

6	References	16
6.1	List of References	16

	Figures	19
--	---------	----

	Appendices	21
--	------------	----

A.	Project Organization Chart	23
----	----------------------------	----

B.	Tentative Construction Programme (not used)	25
----	---	----

C.	Action and Limit Levels for Construction Phase	27
----	--	----

D.	Summary and Graphical Plots of the Monitoring Results	29
----	---	----

E.	Summary of Ecological Monitoring Results	31
----	--	----

F.	Environmental Mitigation Measures - Implementation Status	41
----	---	----

G.	Landscape and Visual Audit Photos	47
----	-----------------------------------	----

## Tables

Table 1.1:	Summary of Impact EM&A Requirements	3
------------	-------------------------------------	---

Table 2.1:	Construction Audit Summary on Landscape and Visual	8
------------	--	---

Table 4.1:	Comparison of Monitoring Data of Suspended Solids	11
------------	---	----

## Figures

Figure 1.1: General Site Layout and Locations of Monitoring Stations

Figure 2.1: Survey Area and Transect Walked



# Executive summary

Mott MacDonald Hong Kong Ltd. (“MMHK”) has been commissioned by Heng Shung Construction Co. Ltd. to undertake the Environmental Team (ET) services to carry out environmental monitoring and audit (EM&A) for both pre-construction and construction phases of the Proposed Comprehensive Development at Wo Shang Wai, Yuen Long. From August 2016, the Project Proponent, Profit Point Enterprises Limited, commissioned MMHK to continue the ET services.

This is the 51<sup>st</sup> Quarterly EM&A Summary report and this report summarises the findings on EM&A during the period from 1 November 2022 to 31 January 2023.

## Exceedance of Action and Limit Levels

There was no breach of Action or Limit Levels for air quality (1-hr TSP and 24-hr TSP) and noise during the reporting period. However, for water quality, a total of 22 Action Level exceedances and three Limit Level exceedances were observed. Four Action Level exceedances of pH were recorded at MP3 and three Limit Level exceedances of dissolved oxygen (DO) were recorded at MP6 in November 2022; ten Action Level exceedances of pH were recorded at MP3 and two Action Level exceedances of pH were recorded at MP4 in December 2022; and six Action Level exceedances of pH were recorded at MP3 in January 2023.

Investigations have been carried out to identify the causes of exceedances. From investigation, the contractor has implemented water quality mitigation measures as recommended in the EIA report. With localised natural variations and external factors such as pond fish culture activities in the fish pond represented by MP3, the exceedances were considered not due to the project’s construction works.

## Implementation of Mitigation Measures

Site audits were carried out on a weekly basis during the monitoring period to confirm the implementation of environmental mitigation measures undertaken by the Contractor in the reporting period. The status of implementation of mitigation measures in the site is shown in **Appendix F**.

## Record of Complaints

There was no record of complaints received in the reporting period.

## Future Key Issues

Site works scheduled to be commissioned in the coming three months include regular maintenance work for the Wetland Restoration Area including adjusting the water level, if required, and removal of unwanted species in the pond. No major construction works will be carried out. Potential environmental impacts due to the activities, including air quality, noise, water quality, ecology and landscape and visual, will be monitored.

Environmental mitigation measures will be implemented on site as recommended and weekly site audits will be carried out to ensure that the environmental conditions are acceptable.

# 1 Introduction

## 1.1 Background

In March 2005, the Project Proponent, Profit Point Enterprises Limited, acquired the development site in Yuen Long at Wo Shang Wai. An Environmental Impact Assessment (EIA) was then carried out under the EIA Ordinance (EIAO), and the Environmental Permit (EP-311/2008) for construction of the comprehensive development in Wo Shang Wai was first granted by EPD on 9 September 2008 and has been subsequently varied, with the current version (EP-311/2008/E) issued by EPD on 19 December 2017.

The Project involves the residential development and associated infrastructure and wetland restoration area and linear landscape area. The construction works under the Environmental Permit commenced on 12 May 2010. The site formation construction works of the Wetland Restoration Area (hereafter WRA) were completed on 15 November 2010, and the WRA was established by October 2012, within 30 months from the commencement of construction as stipulated in the EP. This indicated that planting works as scheduled in the approved Wetland Restoration and Creation Scheme (WRCS; November 2009) were complete, except along the western and southern boundary where the planting is affected by the existing site boundary and noise barrier, and for which a Variation to Environmental Permit (EP-311/2008/C) to defer planting at the location was approved. Consequently, EP (EP-311/2008/D) including specific mitigation measures to minimise certain identified noise impacts during the operation phase was approved. The current valid EP (EP-311/2008/E) comprises varied conditions for the implementation and maintenance of visual and landscape measures, and for the implementation of noise mitigation measures.

Mott MacDonald Hong Kong Ltd. (“MMHK”) has been commissioned to undertake the Environmental Team (ET) services to carry out environmental monitoring and audit (EM&A) for both pre-construction and construction phases of the Proposed Comprehensive Development at Wo Shang Wai, Yuen Long.

This report summarises the findings during the period from 1 November 2022 to 31 January 2023.

## 1.2 Project Organization

The organisation chart and lines of communication with respect to the on-site environmental management structure together with the contact information of the key personnel are shown in **Appendix A**.

## 1.3 Environmental Status in the reporting period

During the reporting period, construction works of the Project undertaken include:

- General site maintenance work
- Regular maintenance work for the Wetland Restoration Area (including monitoring the water level and removal of unwanted species in the pond), as indicated in Section 2.4.5.

There were no major construction works carried out. The general layout plan of the Project site is shown in **Figure 1.1**.

## 1.4 Summary of EM&A Requirements

The EM&A programme requires environmental monitoring of air quality, noise, water quality, ecology and landscape and visual as specified in the approved EM&A Manual.

A summary of impact EM&A requirements is presented in **Table 1.1** below:

**Table 1.1: Summary of Impact EM&A Requirements**

Parameters	Descriptions	Locations	Frequencies
Air Quality	24-Hour TSP	ASR1, ASR2A, ASR3, ASR4 <sup>(1)</sup>	Once every 6 days
	1-Hour TSP	ASR1, ASR2A, ASR3, ASR4 <sup>(1)</sup>	3 times every 6 days
Noise	L <sub>eq</sub> , 30min	NSR1, NSR3, NSR5 <sup>(2)</sup> , NSR7	Weekly
Water Quality	Dissolved Oxygen (DO), temperature, pH, suspended solids (SS) and Biological Oxygen Demand (BOD)	MP1 to MP6 <sup>(3)</sup>	3 days per week
Ecology	Birds	Within the Project Area and Assessment Area of 500m	Weekly
	Dragonflies and Butterflies	Within the Project Area and Assessment Area of 500m	Once per month during March and September to November, and twice per month during April to August
	Herpetofauna	Within the Project Area and Assessment Area of 500m	Daytime: Once per month during April to November Night-time: Once per month during March to August
	Water quality of Wetland Restoration Area (WRA)	WRA	After filling of WRA with water, monthly for in situ water quality and every six months (end of wet season and end of dry season) for laboratory testing
	Site Inspections	Within the Project Area and Assessment Area of 500m	Weekly
Landscape and Visual	Auditing of protection of existing trees, the transplanting of existing trees, the creation of new wetland, the planting of new trees and shrubs and other landscape and visual mitigation measures	CM1 to CM10 and OM1 to OM7 within the Project Area	Site inspections once every two weeks during construction phase; once every two months during operational phase

Notes:

- (1) The air quality stations ASR1 and ASR4 were relocated to new locations on 5 June 2018 as the previous locations will be affected by upcoming construction activities. All monitoring data at ASR1 and ASR4 from June 2018 is measured at the new monitoring locations.
- (2) The noise impact monitoring station NSR5 was relocated to a new location on 5 June 2018 as the previous location will be affected by upcoming construction activities. All monitoring data at NSR5 from June 2018 is measured at the new monitoring location.
- (3) The water quality impact monitoring at MP1 and MP2 have been terminated since July 2012 due to the withdrawal of access rights by the landowner.

The Environmental Quality Performance Limits for air quality, noise and water quality are shown in **Appendix C**.

## 1.5 Recommended Mitigation Measures

The EM&A programme followed the recommended mitigation measures in the EM&A Manual. The EM&A requirements as well as the summary of implementation status of the environmental mitigation measures are provided in **Appendix F**. In particular, the following mitigation measures continued to be implemented at the site during the reporting period:

### Air Quality

- Access roads should be sprayed with water or dust suppression chemical to maintain the entire road surface wet or paved.

### **Water Quality**

- Site effluent should be discharged in accordance with the discharge licence.
- The site should be confined and properly maintained to avoid silt runoff.
- Chemicals should always be stored on drip trays or in bunded areas.

### **Waste Management**

- The chemical waste storage area should be clearly labelled.
- General refuse should be stored in enclosed bins or compaction units separate from construction and demolition (C&D) and chemical wastes.

## 2 Summary of Monitoring Results

### 2.1 Air Quality Monitoring

Results and graphical plots of 1-hour TSP and 24-hr TSP at the four monitoring locations are summarised and shown in the **Appendix D**. No exceedance of 1-hour and 24-hour TSP (Action or Limit Level) was recorded in the reporting period.

November 2022 was much warmer than usual. The monthly minimum temperature of 22.0 degrees and monthly mean temperature of 23.4 degrees were 1.7 degrees and 1.2 degrees above the respective normals. Due to the rainfall associated with the tropical cyclone, the month was also much wetter than usual with the monthly total rainfall of 130.8 millimetres, more than three times of the normal figure of 39.3 millimetres.

December 2022 was colder than usual. The monthly mean temperature was 16.6 degrees, 1.6 degrees below the normal figure of 18.2 degrees. The monthly total rainfall was 25.7 millimetres, about 11 percent below the normal figure of 28.8 millimetres.

January 2023 was warmer and drier than usual. The monthly mean temperature was 17.0 degrees, 0.5 degrees above the normal of 16.5 degrees. The monthly total rainfall was 18.2 millimetres, about 45 percent below the normal figure of 33.2 millimetres.

For details of wind speed and direction during the monitoring period, please refer to the respective Monthly EM&A Report.

### 2.2 Construction Noise Monitoring

The construction noise monitoring results and graphical plots are shown in **Appendix D**. No exceedance (Action or Limit Level) of construction noise was recorded in the reporting period.

### 2.3 Water Quality Monitoring

The water quality monitoring results and the graphical plots of the monitoring data are shown in **Appendix D**.

During November 2022, four Action Level exceedances of pH were recorded at MP3 and three Limit Level exceedances of DO were recorded at MP6.

During December 2022, ten Action Level exceedances of pH was recorded at MP3 and two Action Level exceedances of pH were recorded at MP4.

During January 2023, six Action Level exceedances of pH were recorded at MP3.

### 2.4 Ecological Monitoring

#### 2.4.1 Monitoring of Birds

Monitoring was undertaken following the survey methodology in the EM&A Manual. The WRA was also surveyed during the reporting period as the area became accessible and site formation works for WRA has been completed. A transect was followed in the bird surveys (see **Figure 2.1**).

All bird species of conservation importance and/or wetland dependent were identified and enumerated. Flying birds were not recorded unless they were foraging and associated with the habitat (such as swifts). Further, notable bird observations during other surveys were also recorded.

A summary of the survey data of bird species of conservation importance and/or wetland-dependence recorded is provided in **Appendix E**.

Bird surveys were conducted on a weekly basis. In the survey area (excluding the WRA), a total of 61, 62 and 56 bird species were recorded in November 2022, December 2022 and January 2023 respectively. In each respective month, 32, 32 and 27 of the recorded bird species were of conservation importance and/or wetland-dependence. Within the WRA, a total of 53, 63 and 44 bird species were recorded in November 2022, December 2022 and January 2023 respectively. In each respective month, 22, 29 and 20 of the recorded bird species were of conservation importance and/or wetland-dependence.

In November 2022, two of the three bird target species were recorded within the WRA (high count<sup>1</sup> and mean of the target species respectively): Little Egret (6, 1.5) and Chinese Pond Heron (5, 2.5) .

In December 2022, all three bird target species were recorded within the WRA (high count and mean of the target species respectively): Little Egret (2, 1.0), Chinese Pond Heron (6, 2.8) and Eastern Cattle Egret (1, 0.2).

In January 2023, two of the three bird target species were recorded within WRA (high count and mean of the target species respectively): Little Egret (4, 2.3) and Chinese Pond Heron (7, 3.3).

The survey data shows that when compared with the surrounding fishponds which cover a much larger area, the WRA attracts a good number of wetland dependent birds or species of conservation importance. A summary of the survey findings is provided in **Appendix E**.

#### 2.4.2 Monitoring of Herpetofauna

Monitoring was undertaken following the survey methodology in the EM&A Manual. One day time herpetofauna survey was conducted in November 2022. No herpetofauna surveys were conducted in December 2022 and January 2023. Further, notable herpetofauna observations during other surveys were also recorded.

In November 2022, no amphibian species nor reptile species were recorded in the Survey Area (excluding the WRA) nor within the WRA during regular or outside regular surveys.

In December 2022, no amphibian species nor reptile species were recorded in the Survey Area (excluding the WRA) nor within the WRA outside regular surveys.

In January 2023, no amphibian species nor reptile species were recorded in the Survey Area (excluding the WRA) nor within the WRA outside regular surveys.

A summary of the survey findings is provided in **Appendix E**.

#### 2.4.3 Monitoring of Dragonflies and Butterflies

In accordance with the EM&A Manual, one odonates and butterflies survey was conducted in November 2022. No odonates and butterflies surveys were conducted in December 2022 and January 2023. Further, notable odonate and butterfly observations during other surveys were also recorded.

In November 2022, nine odonate species and 12 butterfly species were recorded in the Survey Area (excluding the WRA) during regular surveys. Within the WRA, 14 odonate species and 20 butterfly species were recorded

---

<sup>1</sup> The "high count" of a species is the highest number of that species recorded during a particular survey within the survey month.

during regular surveys. Among the odonates recorded within the WRA, Scarlet Basker (*Urothemis signata signata*) was listed by Fellowes *et al.* as of “Local Concern” in 2002.

In December 2022, no odonate species nor butterfly species were recorded in the Survey Area (excluding the WRA) nor within the WRA outside regular surveys.

In January 2023, no odonate species nor butterfly species were recorded in the Survey Area (excluding the WRA) nor within the WRA outside regular surveys.

A summary of the survey findings is provided in **Appendix E**.

#### 2.4.4 Monitoring of Mammals

Monitoring of mammals was conducted concurrently with other surveys.

In November 2022, no mammal species was recorded in both the Survey Area (excluding the WRA) and within the WRA during regular or outside regular surveys.

In December 2022, no mammal species was recorded in the Survey Area (excluding the WRA) during regular or outside regular surveys. Within the WRA, Leopard Cat (*Prionailurus bengalensis*) scat was found in Cell 3 during regular survey, indicating the species’ presence within the WRA.

In January 2022, no mammal species was recorded in the Survey Area (excluding the WRA) during regular or outside regular surveys. Within the WRA, Leopard Cat scats were found in Cell 1 and Cell 3 during the regular survey conducted on 25 January 2023, indicating that the species was present in the WRA. Since it is not possible to determine whether these scats were left by more than one individual, the maximum number of individuals recorded in the reporting period is assumed to be ‘one’.

A summary of the survey findings is provided in **Appendix E**.

#### 2.4.5 Management Activities

##### 2.4.5.1 Vegetation Management

Vegetation management activities undertaken at the WRA primarily involved the removal of excess grass and sedges, shrubs and tree branches, as well as excessive climbers. These removals included but were not limited to *Ludwigia spp.*, *Leucaena leucocephala*, *Macaranga tanarius*, *Ficus macrocarpa*, *Rhaphiolepis indica*, *Lantana camara*, *Mimosa sp.*, *Pennisetum sp.*, *Ipomea sp.*, *Bidens alba*, *Paederia foetida* and *Mikania micrantha*.

Excessive branches along the emergency vehicle access (EVA) were trimmed and broken and fallen branches along the EVA were cleared. Fallen leaves along the EVA of Cell 3 and Cell 4 were swept aside and formed piles of plant material on both sides of the EVA. These piles were used to attract herpetofauna.

Exotic and excessive plants (mainly *Leucaena leucocephala*) along the pond bunds between Cell 1 and G1, and Cell 2 and G2 were cut down. These plants used to overhang from the Survey Area (excluding the WRA) into the EVA of the WRA. The cut branches were further trimmed and piled up to cover the bund and the soil, to prevent germination of seeds.

##### 2.4.5.2 Wildlife Management

Excessive vegetation along the EVA and pond bunds was gradually cleared to uncover the soil and road surface. Red Imported Fire Ant nests along the EVA and pond bunds were treated with Agriculture, Fisheries and Conservation Department (AFCD) registered and approved pesticide.

Egg masses of Apple Snails (*Pomacea canaliculate*) found along the concrete structures of the WRA (e.g. sluice gates between Cells, and concrete walls of Cell 4) were cleared during site inspections.

Mitigation actions have been carried out in the WRA during the survey period to increase the WRA utilization by birds. Mitigation actions include controlling vegetation and water level of Cells 1 to 4.

## 2.5 Landscape and Visual Monitoring

The audit was undertaken with references to the specific mitigation measures recommended in Section 10.2 of the EM&A Manual and the audit results are summarized in **Table 2.1**.

Representative photos showing the implementation of mitigation measures are presented in **Appendix G**.

**Table 2.1: Construction Audit Summary on Landscape and Visual**

Area of Works	Items to be Monitored
Works Area	The boundaries of the works area have been established on site in accordance with the contract documents and approved plans (EP), and the limit of current heavy construction activity is now confined to within the site hoardings (North side of the site / access road) and the noise barriers (other sides of the site). Minor works such as horticultural maintenance of the planting and transplanted trees, and boundary fence repair was proceeding along the Royal Palms - Palm Springs boundary. (Photo 1 in <b>Appendix G</b> ) No construction works were observed to have exceeded the site boundaries. No construction was carried out at the wetland restoration area after 15 November 2010.
Protection of all trees and woodland blocks to be retained	Trees retained within the site along the northeast boundary, beside wetland restoration area, have been identified and protected by temporary protective fencing.
Streams	The works site is partly encircled by a berm / perimeter channel to intercept surface water and prevent it from washing off into any of the neighbouring sites. Surface water is collected within the site in a temporary drainage channel. Gravels beds and barriers have been installed to filter site runoff; sedimentation ponds have been provided to enable primary treatment before discharge to mains drains.
Clearance of existing vegetation	Site clearance was completed prior to the commencement of construction.
Transplanting of trees	Tree transplanting has been completed, with the trees relocated to various points within the planting strip along the southern boundary of the site, outside the noise barrier. Most of the trees continue to re-establish well.
Topsoil stripping	Suitable pond bund and soil material which had been excavated and stockpiled from the original site, has now been re-used within the landscape works. Dust suppression measures are active along all internal site access tracks.
New buildings	No new permanent buildings have been constructed on site.
Boundaries	Hoardings have been erected along most of the boundaries of the site. Installation of new screen fence between the future residential sites and the constructed wetland restoration areas is complete. Fence has been painted green to match with the surrounding vegetated environment. (Photo 1 in <b>Appendix G</b> )
Noise Barrier	Noise barriers have been installed along the southern and western boundaries of the site in accordance with the Environmental Permit (EP-311/2008/E) requirements. Their design complies with the mitigation requirements, with upper 6 to 7m portion of the barrier being made from a translucent material with green tinted (to match with the environment). Supporting GMS structure, likewise, has been painted green. (Photo 3 in <b>Appendix G</b> ).
Night-time lighting	No night-time works were reported to have been carried out during the monitoring period.
Landscape and wetland treatments	Continuous belt of screen planting along the southern and western boundaries of the site has been completed. The formation, soiling and water control structures of the wetland restoration area have been completed. (Photo 3 in <b>Appendix G</b> ) The wetland areas have been established and the ponds are seasonally filled with rainwater. Planting of areas around the WRA cells has been completed. No construction was carried out at the wetland restoration area after 15 November 2010. (Photo 2 in <b>Appendix G</b> )
Soiling, etc.	The soil placement and grading for each of the wetland restoration area has been completed. Refilling of holes from whole tree removal works has been completed.
Plant supply	The plant material used in the Advance Planting Strip and in the WRA are all commonly available species and came from commercial sources. Transplanted reeds ( <i>Phragmites australis</i> ) at the wetland habitat came from the temporary holding nursery onsite.



Area of Works	Items to be Monitored
Planting	<p>Planted tree species are all from the approved list.</p> <p>Seedling trees and shrubs have been established at the margins of the wetland cells. Some invasive species and undesirable exotic species have been found during site inspection; removal of these species should be undertaken on a regular basis.</p>
Establishment Works	<p>The advance planting, the compensatory planting and transplanted trees are generally being maintained by the landscape sub-contractor in accordance with the specification to ensure that the contract requirements are met.</p> <p>Removal of overgrown weeds, unplanned tree seedlings and invasive climbers in the space behind screen noise barrier needs to be undertaken on a monthly basis as they may inhibit the advance planting.</p> <p>Regular removal of invasive species (i.e. apple snails, <i>Leucaena leucocephala</i>, <i>Mikania micrantha</i>, <i>Mimosa pudica</i>, <i>Bidens alba</i>, <i>Ludwigia erecta</i>, <i>Sesbania cannabina</i>, etc.) in WRA should be undertaken.</p> <p>Overgrown vegetation in fish-free ponds were observed within the WRA. Horticultural maintenance (grass cutting, weeding, etc.) in the shrubs and tree seedling areas around the WRA cells, access pathways and ponds should be undertaken regularly. It is recommended to trim the vegetation in the fish-free pond in line with the design of short marsh vegetation areas to attract dragonflies.</p> <p>The growth of shrubs / seedlings on the north side of WRA remains fair.</p>

## 3 Environmental Site Inspection and Audit

### 3.1 Site Inspection

The ET carried out construction phase weekly site inspections on 4, 11, 16 and 24 November 2022; 1, 8, 12, 21 and 28 December 2022; and 3, 10, 20 and 27 January 2023. All observations have been recorded in the site inspection checklist and passed to the Contractor together with the appropriate recommended mitigation measures where necessary.

### 3.2 Solid and Liquid Waste Management Status

The Contractor has been registered as a chemical waste producer for the Project. Construction and demolition (C&D) material sorting was carried out on site. A sufficient number of receptacles were available for general refuse collection.

As advised by the Contractor, no inert C&D material (i.e. broken concrete/ big boulders) were generated on site and sent to a sorting facility for recycling into rockfill. No metals were generated and collected by registered recycling collector. No paper/cardboard packing and no plastics were generated on site and collected by registered recycling collector. No chemical waste was generated and collected by licensed chemical waste collector. No other types of wastes (e.g. general refuse) were generated on site and disposed of at public landfill facility.

The Contractor is advised to maintain on site waste sorting and recording system and maximize reuse / recycling of C&D wastes, whenever these are generated.

## 4 Report on Non-compliance and Complaints

### 4.1 Record on Non-compliance of Action and Limit Levels

#### 4.1.1 Record of Non-compliance

There is no breach of Action or Limit Levels for Air Quality and Noise monitoring in the reporting period.

A total of four Action Level exceedances and two Limit Level exceedances for Water Quality were recorded during the reporting period. These are described as follows:

- November 2022: four Action Level exceedances of pH were recorded at MP3 and three Limit Level exceedances of DO were recorded at MP6.
- December 2022: ten Action Level exceedances of pH were recorded at MP3 and two Action Level exceedances of pH were recorded at MP4.
- January 2023: six Action Level exceedances of pH were recorded at MP3.

#### 4.1.2 Constructional Impacts on Water Quality

In order to determine the constructional impacts on water quality, the suspended solids level, which is a good indicator of the quality of effluent from construction site, is selected for assessment. The average value of suspended solids (SS) for water quality monitoring stations (MP3 – MP6) during baseline monitoring and construction phase monitoring for the reporting period are listed in **Table 4.1** below.

**Table 4.1: Comparison of Monitoring Data of Suspended Solids**

Monitoring Stations	Average Levels of Suspended Solids (mg/L)		Within 130% of mean value of Baseline data?
	During Baseline Monitoring	During Construction Phase Monitoring for the reporting period	
MP3	49.5	19	Yes
MP4	36.9	21	Yes
MP5	47.7	24	Yes
MP6	54.1	29	Yes

The average levels of suspended solids (SS) during the reporting period were within (i.e. below) 130% of the baseline values at MP3, MP4, MP5 and MP6. The above statistics show that the water quality at these locations during the reporting period had not worsened when compared with the baseline condition.

#### 4.1.3 Exceedance Investigations

##### Water Quality

From investigation, the Contractor has implemented water quality mitigation measures as recommended in the EIA report, including:

- Temporary drainage channels were provided to collect the surface runoff generated within the project site; and
- Installation of barrier at the drainage channels to intercept site runoff and pump the wastewater to the sedimentation tanks as primary treatment prior to treatment by wastewater treatment facilities (AquaSed),

which will ensure all site runoff is treated to satisfactory quality before discharging into the northern ditches.

The possible causes of exceedances have been investigated and reported to the IEC during construction phase monitoring. The exceedance investigations have also been included in the monthly EM&A reports and some of them are extracted and summarised in **Table 4.2**. The causes of some of the exceedances were unknown but all of them were considered not related to the project. For details, please refer to the relevant monthly EM&A reports.

**Table 4.2: Summary of Exceedance Investigations**

Descriptions of exceedances	Possible causes	Exceedance related to project?
Exceedance of pH at MP3 in November and December 2022 and January 2023	<p>At MP3, exceedance of the Action Level of pH was observed on 2, 4, 7 and 9 November 2022; 2, 5, 7, 12,14, 16, 19, 21, 23 and 28 December 2022; and 3, 5, 7, 9, 11 and 20 January 2023.</p> <p>As understood, the fish pond near the site (represented by MP3) is separated from the open ditch by the pond bund (since commencement of construction phase EM&amp;A monitoring in May 2010) and from the construction site by the WRA (since it was completed in November 2010). No direct discharge from the project site to the fish pond was observed.</p> <p>Mitigation measures for water quality protection, including the provision of wastewater treatment facilities (including sedimentation tank and AquaSed) and proper drainage system that separates from the WRA, have been implemented. No adverse impact on the fish pond near the site was observed, including on the day with exceedance of water quality parameters.</p> <p>According to the results of the baseline water quality monitoring conducted prior to the commencement of construction works, the pH recorded at MP3 ranged from 7.7 to 8.6. The recorded pH exceedances (7.6 to 7.8) are therefore considered to be very close to / within the range of natural variations at this location.</p> <p>It is also noted from AFCD's Environmental Management of Pond Fish Culture (EMPFC) guidelines from its Series of Good Aquaculture Practice that the pH level of fishpond water should be between 6 and 8.5. The recorded values are well within the guideline recommendations.</p>	No. It is concluded that the exceedance was possibly due to localised natural variations and external factors such as pond fish culture activities in the fish pond represented by MP3, which are not related to project construction activities.
Exceedance of pH at MP4 in December 2022	<p>At MP4, exceedance of the Action Level of pH was observed on 5 and 28 December 2022.</p> <p>On the days of pH exceedance at MP4, the pH levels were recorded as 7.6. Also, it is noted that the exceedance was localised and not recorded upstream, at MP5 or MP6. The open ditch (represented by MP4, MP5 and MP6) is separated from the fish pond near the site (represented by MP3) by the pond bund, and no direct discharge from the project site to the open ditch was carried out. Hence, it is possible that these pH levels were due to natural variations affecting the vicinity in general.</p> <p>Furthermore, the site effluent was effectively treated by the AquaSed system and discharged from the site at a low, controlled rate during the reporting month.</p>	No. It is concluded that the exceedance was possibly due to localised natural variations as no project-related activity was identified which may have caused the recorded exceedances of pH during the reporting month. Nevertheless, the Contractor has been reminded to continue carrying out proper water quality protection measures within the project site.
Exceedance of DO in November 2022	<p>At MP6, exceedance of the Limit Level of DO was observed on 14, 16 and 18 November 2022.</p> <p>On the days of DO exceedance at MP6, some reed growth was observed along the ditch near the water sampling point. It is possible that such vegetation growth and its degradation may have led to a decrease in the DO level in the water at MP6 on the days of DO exceedance.</p> <p>As observed from the observatory records for the month of November 2022, the total bright sunshine hours were particularly high for the day before the DO exceedances (i.e. 13 November 2022), with generally fine weather. On the days of DO exceedance, though the weather was mainly cloudy, there were also sunny periods during the day. On sunny days, photosynthesis of algae sometimes increases the DO sharply in water. As algae grows further and dies, it may lead to a decrease in DO in the water.</p>	No. It is concluded that the DO exceedance was regarded as a result of a localised natural variation due to the growth of reed near the sampling point at MP6.

Descriptions of exceedances	Possible causes	Exceedance related to project?
	Furthermore, the site effluent was effectively treated by the AquaSed system and discharged from the site at a low, controlled rate during the reporting month. It is also noted that no DO exceedance was detected downstream at MP4 and MP5.	

## 4.2 Record on Environmental Complaints Received

There was no new record of complaints received in the reporting period.

## 4.3 Follow-up Actions Taken

### Non-compliance

Although it is considered that the exceedances were not related to the Project, the Contractor was reminded to implement water quality mitigation measures in accordance with the recommendations stated in Sections 5.6.1 to 5.6.4 of the EIA Report as far as practicable. Regular spot checks would be conducted on the nearby discharge by the Contractor and the Contractor would inform ET about the findings for investigation.

It was also advised that the operation condition of the Wastewater Treatment Facilities should be checked regularly to ensure proper functioning of the plant and good quality of effluent discharge.

### Complaints

Not applicable for this reporting period.

## 5 Future Key Issues

### 5.1 Construction Works for the Coming Months

Site works scheduled to be commissioned in the coming three months involve regular maintenance work for the Wetland Restoration Area (including adjusting the water level, if required, and removal of unwanted species in the pond). No other major construction works have been scheduled.

### 5.2 Key Issues for the Coming Months

Key issues to be considered in the coming three months include:

- Provision of water spraying or dust suppression chemical to prevent generation of dust from activities on-site and the haul road during dry weather conditions;
- Provision of wheel washing facilities at vehicle exit point;
- Generation and treatment of site surface runoffs and wastewater from activities on-site and during wet weather conditions;
- Sorting, recycling, storage and disposal of general refuse and construction waste from activities on-site; and
- Management of chemicals and avoidance of oil spillage on-site and to the drainage system.

### 5.3 Conclusions and Recommendations

#### 5.3.1 Conclusions

The EM&A programme as recommended in the EM&A Manual has been undertaken in the reporting period.

Monitoring of Air Quality, Noise, Water Quality, Ecology and Landscape and Visual impacts due to the Project was underway. In particular, the 1-hr TSP, 24-hr TSP, noise level (as  $L_{eq}$ ) and water quality parameters (such as pH, DO, turbidity and SS) under monitoring have been checked against established Action and Limit Levels.

There was no breach of Action or Limit Levels for Air Quality and Noise during the reporting period.

As for Water Quality, Action Level exceedances of pH and Limit Level exceedances of DO were recorded during the reporting period. However, investigations into the exceedances concluded that these were not related to the Project and may have been due to external factors including natural variations.

#### 5.3.2 Recommendations

With considerations on the construction activities and environment, the following recommendations were provided:

##### **Air Quality**

- All stockpiles should be covered by tarpaulin or kept wet by water spraying;
- All vehicles should be washed to remove any dusty materials before leaving the construction sites;
- The portion of road leading the construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials;
- During the dry season, sufficient water spraying should be provided at haul road to reduce dust emission; and
- Ensure proper functioning of the wheel wash facility.

### **Noise**

- Mobile plant should be sited as far away from NSRs as possible;
- Plant known to emit noise strongly in one direction should be orientated to direct noise away from the NSRs; and
- The construction activities should be better scheduled to reduce noise nuisance.

### **Water Quality**

- Effluent should be discharged in accordance with the discharge licence conditions;
- Soil contaminated with chemicals/oils should be removed from site, and the voids created should be filled with suitable materials; and
- Silt and debris should be removed from the temporary drainage channel regularly.

### **Waste Management**

- General refuse should be stored in enclosed bins or compaction units separate from C&D and chemical wastes to minimise odour, pest and litter impacts;
- Reuse the excavated materials as far as practical to reduce the amount of waste disposal;
- C&D waste should be segregated and stored in different containers to other wastes to encourage the re-use or recycling of materials and their proper disposal;
- Ensure drip trays are provided for chemical containers to prevent leakage or soil contamination;
- All plants and vehicles should be properly maintained to prevent oil leakage; and
- Oil stains on soil should be cleared by disposal of contaminated soil.

## 6 References

### 6.1 List of References

- Agriculture, Fisheries and Conservation Department. 2019. Hong Kong Biodiversity Database. [https://www.afcd.gov.hk/english/conservation/hkbiodiversity/database/popup\\_record.php?id=748](https://www.afcd.gov.hk/english/conservation/hkbiodiversity/database/popup_record.php?id=748), 2019 -07-09
- BirdLife International. 2017. *Important Bird Areas factsheet: Inner Deep Bay and Shenzhen River catchment area*. <<http://www.birdlife.org>> on 06/07/2017.
- Carey, G. J., Chalmers, M. L., Diskin, D. A., Kennerley, P. R., Leader, P. J., Leven, M. R., Lewthwaite, R. W., Melville, D. S., Turnbull, M., and Young, L. 2001. *The Avifauna of Hong Kong*. Hong Kong Bird Watching Society, Hong Kong.
- Chan, S.K.F., K.S. Cheung, C.Y. Ho, F.N Lam & W.S. Tam, 2005. *A Field Guide to the Amphibians of Hong Kong*. Cosmos Books Ltd., Hong Kong.
- Fellowes, J.F., M.W.N. Lau, D. Dudgeon, G.T. Reels, G.W.J. Ades, G.J. Carey, B.P.L. Chan, R.C. Kendrick, K.S. Lee, M.R. Leven, K.D.P. Wilson, Y.T. Yu, 2002. *Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong*. Hong Kong.
- Hong Kong Bird Watching Society 2020. List of Hong Kong Birds - 2020-03. <[www.hkbws.org.hk](http://www.hkbws.org.hk)>.
- Hong Kong Observatory Climate Information Service. <<https://www.hko.gov.hk/en/wxinfo/pastwx/mws/mws.htm>>
- Horiuchi, S., Odawara, T., Yonemura, S., Hayashi, Y., Kawaguchi, M., Asada, M., Kato, M. & Yasuhara, K. (2007, November). *Floating structure using waste tires for water environmental remediation. In Scrap Tire Derived Geomaterials-Opportunities and Challenges: Proceedings of the International Workshop IW-TDGM 2007*. p. 291. CRC Press.
- IUCN 2016. *IUCN Red List of Threatened Species. Version 2016-3*. <[www.iucnredlist.org](http://www.iucnredlist.org)>. Downloaded on **7<sup>th</sup> December 2016**
- Karsen, S., M.W.N. Lau & A. Bogadek, 1998. *Hong Kong Amphibians and Reptiles*. Provisional Urban Council, Hong Kong.
- List of National Protected Animal (updated on 5 Feb 2021) <http://www.gov.cn/xinwen/2021-02/09/5586227/files/e007df5c5db364bcdcbcb89d169047d6c5.pdf>
- Lo, P. Y. F. and W.L. Hui, 2004. *Hong Kong Butterflies*. Hong Kong, Cosmos Books Ltd.
- Mott, 2008. *WSW Environmental Monitoring and Audit Manual (March 2008)*.
- Mott, 2008. *WSW Environmental Impact Assessment Report Volumes 1 to 3 (March 2008)*.
- Mott, 2008. *WSW Wetland Restoration Plan (March 2008)*.



Shek, C. T. 2006. *A Field Guide to the Terrestrial Mammals of Hong Kong*. Friends of the Country Parks  
Cosmos Books Ltd., Hong Kong.

Tam, T.W., K.K. Leung, B.S.P. Kwan, K.K.Y. Wu, S.S.H. Tang, I.W.Y. So, J.C.Y. Cheng, E.F.M. Yuen, Y.M.  
Tsang, and W.L. Hui, 2011. *The Dragonflies of Hong Kong (1<sup>st</sup> edition)*. Agriculture, Fisheries and  
Conservation Department, Friends of Country Parks and Cosmos Books Ltd., Hong Kong.

Wilson, K.D.P., Tam, T.W., Kwan, B.S.P., Wu, K.K.Y., Wong, B.S.F., Wong J.K. 2004. *Field Guide to the  
Dragonflies of Hong Kong*. AFCD, Friends of Country Park and Cosmos Books Ltd. Hong Kong.


Young, J.J. & Yiu, V., 2002. *Butterfly Watching in Hong Kong*. Wan Li Book Co. Ltd., Hong Kong.

Zheng Guangmei and Wang Qishan (1998) (Edited), *China Red Data Book of Endangered Animals: Aves*,  
Science Press, Beijing.



# Figures





Notes

- Key to symbols
- Air Quality Monitoring Stations
  - ▲ Noise Monitoring Stations
  - Water Quality Monitoring Stations
  - Site Boundary

Reference drawings

Rev	Date	Drawn	Description	Ch'k'd	App'd

**MOTT MACDONALD**

3/F Manulife Place  
 348 Kwun Tong Road  
 Kwun Tong, Kowloon  
 Hong Kong  
 T +852 2828 5757  
 F +852 2827 1823  
 W mottmac.com

Client

**PROFIT POINT ENTERPRISES LIMITED**

Project


**PROPOSED COMPREHENSIVE DEVELOPMENT  
 AT WO SHANG WAI, YUEN LONG**

Title

**Locations of Water Quality  
 Monitoring Stations**

Designed		Eng check	
Drawn		Coordination	
Dwg check		Approved	
Scale at A1	Status	Rev	

Drawing Number **Figure 1.1**



Notes

Key to symbols

- Project Area
- Assessment Area
- Transect

Reference drawings

Rev	Date	Drawn	Description	Ch'k'd	App'd

**M M**  
**MOTT MACDONALD**

3/F Manulife Place  
348 Kwun Tong Road  
Kwun Tong, Kowloon  
Hong Kong  
T +852 2828 5757  
F +852 2827 1823  
W mottmac.com

Client

**PROFIT POINT ENTERPRISES LIMITED**

Project

**PROPOSED COMPREHENSIVE DEVELOPMENT  
AT WO SHANG WAI, YUEN LONG**

Title

**Survey Area and Transect  
Walked**

Designed		Eng check	
Drawn		Coordination	
Dwg check		Approved	
Scale at A1	Status	Rev	

Drawing Number **Figure 2.1**


# Appendices

A.	Project Organization Chart	23
B.	Tentative Construction Programme (not used)	25
C.	Action and Limit Levels for Construction Phase	27
D.	Summary and Graphical Plots of the Monitoring Results	29
E.	Summary of Ecological Monitoring Results	31
F.	Environmental Mitigation Measures - Implementation Status	41
G.	Landscape and Visual Audit Photos	47





## A. Project Organization Chart



### Contact information:

Company	Position	Name	Telephone
Profit Point Enterprises Limited (Project Proponent)	Project Manager	Mr. Benjamin Wu	3655 6800
In Construction Limited (The Main Contractor)	Construction Manager	Mr. Chun Kit Tse	9400 7007
	Site Agent	Mr. Chi Hei Leung	6775 1468
	Safety Officer	Mr. Wong Kam Leung	2710 8663
	Environmental Officer	Mr. Vega T. L. Wong	6113 2368
Ramboll Hong Kong Limited (Independent Environmental Checker (IEC))	Independent Environmental Checker	Mr. Y. H. Hui	3465 2850
Mott MacDonald Hong Kong Ltd. (Environmental Team (ET))	Environmental Team Leader	Ms. Nikita Nanwani Nanwani	2828 5960



## **B. Tentative Construction Programme (not used)**



## C. Action and Limit Levels for Construction Phase

### Air Quality

#### Action and Limit Levels for 24-hour TSP

Monitoring Station	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
ASR1	226	260
ASR2A	213	260
ASR3	205	260
ASR4	237	260

#### Action and Limit Levels for 1-hour TSP

Monitoring Station	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
ASR1	378	500
ASR2A	357	500
ASR3	358	500
ASR4	372	500

### Noise

#### Action and Limit Levels for Construction Noise

Time Period	Action Level	Limit Level
NSR1, NSR3, NSR5, NSR7		
0700 – 1900 hours on normal weekdays	When one documented complaint is received from any one of the sensitive receivers	75 dB(A)

### Water Quality

#### Action and Limit Levels for Water Quality

Parameters	DO in mg/L		Turbidity in NTU		SS in mg/L		pH	
	Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
MP1	1.23	1.17	173	177	231	299	< 5.5 or > 7.5	< 4.0 or > 8.0
MP2	1.04	0.89	132	163	170	209		
MP3	6.85	6.65	64	67	65	66		
MP4	3.91	3.82	60	64	50	53		
MP5	4.13	3.87	81	84	66	69		
MP6	4.61	4.52	94	96	75	75		

Notes:

- (1) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))



## **D. Summary and Graphical Plots of the Monitoring Results**





## Air Quality (1-hr TSP)

### Station ASR1

Date	Start Time	Finish Time	TSP Concentration ( $\mu\text{g}/\text{m}^3$ )	Weather Condition	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
02-Nov-22	07:36	08:36	21	Cloudy	378	500
02-Nov-22	08:36	09:36	22	Cloudy	378	500
02-Nov-22	09:36	10:36	22	Cloudy	378	500
08-Nov-22	08:46	09:46	22	Cloudy	378	500
08-Nov-22	09:46	10:46	23	Cloudy	378	500
08-Nov-22	10:46	11:46	23	Cloudy	378	500
14-Nov-22	08:32	09:32	20	Sunny	378	500
14-Nov-22	09:32	10:32	17	Sunny	378	500
14-Nov-22	10:32	11:32	17	Sunny	378	500
18-Nov-22	09:05	10:05	24	Sunny	378	500
18-Nov-22	10:05	11:05	25	Sunny	378	500
18-Nov-22	11:05	12:05	24	Sunny	378	500
24-Nov-22	08:32	09:32	24	Cloudy	378	500
24-Nov-22	09:32	10:32	23	Cloudy	378	500
24-Nov-22	10:32	11:32	23	Cloudy	378	500
30-Nov-22	08:30	09:30	30	Sunny	378	500
30-Nov-22	09:30	10:30	22	Sunny	378	500
30-Nov-22	10:30	11:30	21	Sunny	378	500
06-Dec-22	08:33	09:33	19	Sunny	378	500
06-Dec-22	09:33	10:33	22	Sunny	378	500
06-Dec-22	10:33	11:33	20	Sunny	378	500
12-Dec-22	08:37	09:37	104	Sunny	378	500
12-Dec-22	09:37	10:37	98	Sunny	378	500
12-Dec-22	10:37	11:37	90	Sunny	378	500
16-Dec-22	09:19	10:19	26	Cloudy	378	500
16-Dec-22	10:19	11:19	28	Cloudy	378	500
16-Dec-22	11:19	12:19	22	Cloudy	378	500
22-Dec-22	08:11	09:11	24	Sunny	378	500
22-Dec-22	09:11	10:11	22	Sunny	378	500
22-Dec-22	10:11	11:11	20	Sunny	378	500
28-Dec-22	09:03	10:03	20	Sunny	378	500
28-Dec-22	10:03	11:03	19	Sunny	378	500
28-Dec-22	11:03	12:03	19	Sunny	378	500
03-Jan-23	13:31	14:31	52	Cloudy	378	500
03-Jan-23	14:31	15:31	48	Cloudy	378	500
03-Jan-23	15:31	16:31	44	Cloudy	378	500
06-Jan-23	08:51	09:51	29	Sunny	378	500
06-Jan-23	09:51	10:51	30	Sunny	378	500
06-Jan-23	10:51	11:51	33	Sunny	378	500
12-Jan-23	08:16	09:16	23	Sunny	378	500
12-Jan-23	09:16	10:16	21	Sunny	378	500
12-Jan-23	10:16	11:16	19	Sunny	378	500
18-Jan-23	08:27	09:27	25	Sunny	378	500
18-Jan-23	09:27	10:27	23	Sunny	378	500
18-Jan-23	10:27	11:27	25	Sunny	378	500
21-Jan-23	09:11	10:11	37	Sunny	378	500
21-Jan-23	10:11	11:11	30	Sunny	378	500
21-Jan-23	11:11	12:11	23	Sunny	378	500
27-Jan-23	13:09	14:09	37	Sunny	378	500
27-Jan-23	14:09	15:09	39	Sunny	378	500
27-Jan-23	15:09	16:09	37	Sunny	378	500
		Min.	17}	for		
		Max.	104}	reporting		
		Average	30}	period		

## Air Quality (1-hr TSP)

### Station ASR2A

Date	Start Time	Finish Time	TSP Concentration ( $\mu\text{g}/\text{m}^3$ )	Weather Condition	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
02-Nov-22	11:32	12:32	27	Cloudy	357	500
02-Nov-22	12:32	13:32	29	Cloudy	357	500
02-Nov-22	13:32	14:32	26	Cloudy	357	500
08-Nov-22	12:56	13:56	24	Cloudy	357	500
08-Nov-22	13:56	14:56	24	Cloudy	357	500
08-Nov-22	14:56	15:56	25	Cloudy	357	500
14-Nov-22	13:07	14:07	21	Sunny	357	500
14-Nov-22	14:07	15:07	20	Sunny	357	500
14-Nov-22	15:07	16:07	18	Sunny	357	500
18-Nov-22	13:17	14:17	22	Sunny	357	500
18-Nov-22	14:17	15:17	20	Sunny	357	500
18-Nov-22	15:17	16:17	20	Sunny	357	500
24-Nov-22	13:03	14:03	19	Cloudy	357	500
24-Nov-22	14:03	15:03	17	Cloudy	357	500
24-Nov-22	15:03	16:03	17	Cloudy	357	500
30-Nov-22	13:14	14:14	25	Sunny	357	500
30-Nov-22	14:14	15:14	19	Sunny	357	500
30-Nov-22	15:14	16:14	20	Sunny	357	500
06-Dec-22	13:08	14:08	18	Sunny	357	500
06-Dec-22	14:08	15:08	20	Sunny	357	500
06-Dec-22	15:08	16:08	20	Sunny	357	500
12-Dec-22	12:58	13:58	106	Sunny	357	500
12-Dec-22	13:58	14:58	100	Sunny	357	500
12-Dec-22	14:58	15:58	89	Sunny	357	500
16-Dec-22	13:22	14:22	25	Cloudy	357	500
16-Dec-22	14:22	15:22	25	Cloudy	357	500
16-Dec-22	15:22	16:22	24	Cloudy	357	500
22-Dec-22	13:00	14:00	25	Sunny	357	500
22-Dec-22	14:00	15:00	20	Sunny	357	500
22-Dec-22	15:00	16:00	20	Sunny	357	500
28-Dec-22	13:01	14:01	22	Sunny	357	500
28-Dec-22	14:01	15:01	22	Sunny	357	500
28-Dec-22	15:01	16:01	23	Sunny	357	500
03-Jan-23	08:56	09:56	49	Cloudy	357	500
03-Jan-23	09:56	10:56	40	Cloudy	357	500
03-Jan-23	10:56	11:56	37	Cloudy	357	500
06-Jan-23	13:21	14:21	30	Sunny	357	500
06-Jan-23	14:21	15:21	31	Sunny	357	500
06-Jan-23	15:21	16:21	27	Sunny	357	500
12-Jan-23	13:05	14:05	20	Sunny	357	500
12-Jan-23	14:05	15:05	20	Sunny	357	500
12-Jan-23	15:05	16:05	19	Sunny	357	500
18-Jan-23	12:52	13:52	22	Sunny	357	500
18-Jan-23	13:52	14:52	24	Sunny	357	500
18-Jan-23	14:52	15:52	25	Sunny	357	500
21-Jan-23	13:31	14:31	36	Sunny	357	500
21-Jan-23	14:31	15:31	31	Sunny	357	500
21-Jan-23	15:31	16:31	24	Sunny	357	500
27-Jan-23	09:21	10:21	45	Sunny	357	500
27-Jan-23	10:21	11:21	50	Sunny	357	500
27-Jan-23	11:21	12:21	46	Sunny	357	500
		Min.	17}	for		
		Max.	106}	reporting		
		Average	30}	period		

## Air Quality (1-hr TSP)

### Station ASR3

Date	Start Time	Finish Time	TSP Concentration (µg/m <sup>3</sup> )	Weather Condition	Action Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
02-Nov-22	11:51	12:51	24	Cloudy	358	500
02-Nov-22	12:51	13:51	25	Cloudy	358	500
02-Nov-22	13:51	14:51	25	Cloudy	358	500
08-Nov-22	13:15	14:15	21	Cloudy	358	500
08-Nov-22	14:15	15:15	23	Cloudy	358	500
08-Nov-22	15:15	16:15	21	Cloudy	358	500
14-Nov-22	13:26	14:26	18	Sunny	358	500
14-Nov-22	14:26	15:26	18	Sunny	358	500
14-Nov-22	15:26	16:26	19	Sunny	358	500
18-Nov-22	13:02	14:02	19	Sunny	358	500
18-Nov-22	14:02	15:02	19	Sunny	358	500
18-Nov-22	15:02	16:02	22	Sunny	358	500
24-Nov-22	13:18	14:18	22	Cloudy	358	500
24-Nov-22	14:18	15:18	20	Cloudy	358	500
24-Nov-22	15:18	16:18	27	Cloudy	358	500
30-Nov-22	13:31	14:31	24	Sunny	358	500
30-Nov-22	14:31	15:31	27	Sunny	358	500
30-Nov-22	15:31	16:31	25	Sunny	358	500
06-Dec-22	13:25	14:25	23	Sunny	358	500
06-Dec-22	14:25	15:25	22	Sunny	358	500
06-Dec-22	15:25	16:25	25	Sunny	358	500
12-Dec-22	13:16	14:16	89	Sunny	358	500
12-Dec-22	14:16	15:16	88	Sunny	358	500
12-Dec-22	15:16	16:16	90	Sunny	358	500
16-Dec-22	13:05	14:05	27	Cloudy	358	500
16-Dec-22	14:05	15:05	29	Cloudy	358	500
16-Dec-22	15:05	16:05	26	Cloudy	358	500
22-Dec-22	13:16	14:16	19	Sunny	358	500
22-Dec-22	14:16	15:16	21	Sunny	358	500
22-Dec-22	15:16	16:16	17	Sunny	358	500
28-Dec-22	13:21	14:21	19	Sunny	358	500
28-Dec-22	14:21	15:21	17	Sunny	358	500
28-Dec-22	15:21	16:21	20	Sunny	358	500
03-Jan-23	09:14	10:14	40	Cloudy	358	500
03-Jan-23	10:14	11:14	38	Cloudy	358	500
03-Jan-23	11:14	12:14	38	Cloudy	358	500
06-Jan-23	13:03	14:03	25	Sunny	358	500
06-Jan-23	14:03	15:03	24	Sunny	358	500
06-Jan-23	15:03	16:03	27	Sunny	358	500
12-Jan-23	13:24	14:24	26	Sunny	358	500
12-Jan-23	14:24	15:24	22	Sunny	358	500
12-Jan-23	15:24	16:24	25	Sunny	358	500
18-Jan-23	13:09	14:09	27	Sunny	358	500
18-Jan-23	14:09	15:09	30	Sunny	358	500
18-Jan-23	15:09	16:09	28	Sunny	358	500
21-Jan-23	13:13	14:13	42	Sunny	358	500
21-Jan-23	14:13	15:13	37	Sunny	358	500
21-Jan-23	15:13	16:13	29	Sunny	358	500
27-Jan-23	09:04	10:04	44	Sunny	358	500
27-Jan-23	10:04	11:04	42	Sunny	358	500
27-Jan-23	11:04	12:04	51	Sunny	358	500
		Min.	17	for		
		Max.	90	reporting		
		Average	30	period		


## Air Quality (1-hr TSP)

### Station ASR4


Date	Start Time	Finish Time	TSP Concentration ( $\mu\text{g}/\text{m}^3$ )	Weather Condition	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
02-Nov-22	07:55	08:55	22	Cloudy	372	500
02-Nov-22	08:55	09:55	20	Cloudy	372	500
02-Nov-22	09:55	10:55	19	Cloudy	372	500
08-Nov-22	09:03	10:03	20	Cloudy	372	500
08-Nov-22	10:03	11:03	24	Cloudy	372	500
08-Nov-22	11:03	12:03	25	Cloudy	372	500
14-Nov-22	08:52	09:52	19	Sunny	372	500
14-Nov-22	09:52	10:52	16	Sunny	372	500
14-Nov-22	10:52	11:52	17	Sunny	372	500
18-Nov-22	08:48	09:48	21	Sunny	372	500
18-Nov-22	09:48	10:48	26	Sunny	372	500
18-Nov-22	10:48	11:48	20	Sunny	372	500
24-Nov-22	08:49	09:49	26	Cloudy	372	500
24-Nov-22	09:49	10:49	22	Cloudy	372	500
24-Nov-22	10:49	11:49	21	Cloudy	372	500
30-Nov-22	08:49	09:49	27	Sunny	372	500
30-Nov-22	09:49	10:49	22	Sunny	372	500
30-Nov-22	10:49	11:49	18	Sunny	372	500
06-Dec-22	08:46	09:46	24	Sunny	372	500
06-Dec-22	09:46	10:46	26	Sunny	372	500
06-Dec-22	10:46	11:46	25	Sunny	372	500
12-Dec-22	08:57	09:57	99	Sunny	372	500
12-Dec-22	09:57	10:57	99	Sunny	372	500
12-Dec-22	10:57	11:57	84	Sunny	372	500
16-Dec-22	09:01	10:01	30	Cloudy	372	500
16-Dec-22	10:01	11:01	27	Cloudy	372	500
16-Dec-22	11:01	12:01	22	Cloudy	372	500
22-Dec-22	08:26	09:26	23	Sunny	372	500
22-Dec-22	09:26	10:26	21	Sunny	372	500
22-Dec-22	10:26	11:26	17	Sunny	372	500
28-Dec-22	08:46	09:46	23	Sunny	372	500
28-Dec-22	09:46	10:46	21	Sunny	372	500
28-Dec-22	10:46	11:46	25	Sunny	372	500
03-Jan-23	13:51	14:51	50	Cloudy	372	500
03-Jan-23	14:51	15:51	51	Cloudy	372	500
03-Jan-23	15:51	16:51	46	Cloudy	372	500
06-Jan-23	08:33	09:33	24	Sunny	372	500
06-Jan-23	09:33	10:33	26	Sunny	372	500
06-Jan-23	10:33	11:33	28	Sunny	372	500
12-Jan-23	08:30	09:30	20	Sunny	372	500
12-Jan-23	09:30	10:30	19	Sunny	372	500
12-Jan-23	10:30	11:30	16	Sunny	372	500
18-Jan-23	08:45	09:45	31	Sunny	372	500
18-Jan-23	09:45	10:45	28	Sunny	372	500
18-Jan-23	10:45	11:45	24	Sunny	372	500
21-Jan-23	08:52	09:52	35	Sunny	372	500
21-Jan-23	09:52	10:52	28	Sunny	372	500
21-Jan-23	10:52	11:52	26	Sunny	372	500
27-Jan-23	13:28	14:28	33	Sunny	372	500
27-Jan-23	14:28	15:28	36	Sunny	372	500
27-Jan-23	15:28	16:28	39	Sunny	372	500
		Min.	16}	for		
		Max.	99}	reporting		
		Average	30}	period		

## Air Quality (1-hr TSP)

### 1-hour TSP Level at ASR1




### 1-hour TSP Level at ASR2A




## Air Quality (1-hr TSP)

### 1-hour TSP Level at ASR3



### 1-hour TSP Level at ASR4



## Air Quality (24-hr TSP)

### Station ASR1

Start Date	Start Time	Finish Date	Finish Time	Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m <sup>3</sup> /min)			Conc. (µg/m <sup>3</sup> )	Weather Condition	Action Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
				Initial	Final	Initial	Final		Initial	Final	Average				
02-Nov-22	08:35	03-Nov-22	08:35	2.7639	2.7967	29554.64	29578.64	24.00	1.3100	1.3100	1.3100	17	Cloudy	226	260
08-Nov-22	08:45	09-Nov-22	08:45	2.7490	2.8268	29578.64	29602.64	24.00	1.3100	1.3100	1.3100	41	Cloudy	226	260
14-Nov-22	08:31	15-Nov-22	08:31	2.7147	2.8093	29602.64	29626.64	24.00	1.3100	1.3100	1.3100	50	Sunny	226	260
18-Nov-22	09:04	19-Nov-22	09:04	2.6904	2.8135	29626.64	29650.64	24.00	1.3100	1.3100	1.3100	65	Sunny	226	260
24-Nov-22	08:31	25-Nov-22	08:31	2.6976	2.7386	29650.64	29674.64	24.00	1.3100	1.3100	1.3100	22	Cloudy	226	260
30-Nov-22	08:28	01-Dec-22	08:28	2.6908	2.8056	29674.64	29698.64	24.00	1.3100	1.3100	1.3100	61	Sunny	226	260
06-Dec-22	08:32	07-Dec-22	08:32	2.6883	2.7947	29698.64	29722.64	24.00	1.3100	1.3100	1.3100	56	Sunny	226	260
12-Dec-22	08:36	13-Dec-22	08:36	2.6987	2.8730	29722.64	29746.64	24.00	1.3100	1.3100	1.3100	92	Sunny	226	260
16-Dec-22	09:18	17-Dec-22	09:18	2.6855	2.7612	29746.64	29770.64	24.00	1.3100	1.3100	1.3100	40	Cloudy	226	260
22-Dec-22	08:10	23-Dec-22	08:10	2.7028	2.8425	29770.64	29794.64	24.00	1.3100	1.3100	1.3100	74	Sunny	226	260
28-Dec-22	09:02	29-Dec-22	09:02	2.7051	2.9385	29794.64	29818.64	24.00	1.3100	1.3100	1.3100	124	Sunny	226	260
03-Jan-23	13:30	04-Jan-23	13:30	2.7046	2.8102	29818.64	29842.64	24.00	1.3100	1.3100	1.3100	56	Cloudy	226	260
06-Jan-23	08:50	07-Jan-23	08:50	2.6858	2.8467	29842.64	29866.64	24.00	1.3100	1.3100	1.3100	85	Sunny	226	260
12-Jan-23	08:15	13-Jan-23	08:15	2.6835	2.7366	29866.64	29890.64	24.00	1.3100	1.3100	1.3100	28	Sunny	226	260
18-Jan-23	08:26	19-Jan-23	08:26	2.6799	2.7650	29890.64	29914.64	24.00	1.3100	1.3100	1.3100	45	Sunny	226	260
21-Jan-23	09:10	22-Jan-23	09:10	2.6943	2.7630	29914.64	29938.64	24.00	1.3100	1.3100	1.3100	36	Sunny	226	260
27-Jan-23	13:08	28-Jan-23	13:08	2.6923	2.9373	29938.64	29962.64	24.00	1.3100	1.3100	1.3100	130	Sunny	226	260
												Min	17}	for	
												Max	130}	reporting	
												Average	60}	period	

## Air Quality (24-hr TSP)

### Station ASR2A

Start		Finish		Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m <sup>3</sup> /min)			Conc. (µg/m <sup>3</sup> )	Weather Condition	Action Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
Date	Time	Date	Time	Initial	Final	Initial	Final		Initial	Final	Average				
02-Nov-22	12:30	03-Nov-22	12:30	2.7551	2.7819	32650.02	32674.02	24.00	1.2200	1.2200	1.2200	15	Cloudy	213	260
08-Nov-22	12:55	09-Nov-22	12:55	2.7269	2.7989	32674.02	32698.02	24.00	1.2200	1.2200	1.2200	41	Cloudy	213	260
14-Nov-22	13:06	15-Nov-22	13:06	2.7231	2.8067	32698.02	32722.02	24.00	1.2200	1.2200	1.2200	48	Sunny	213	260
18-Nov-22	13:16	19-Nov-22	13:16	2.6904	2.8125	32722.02	32746.02	24.00	1.2200	1.2200	1.2200	70	Sunny	213	260
24-Nov-22	13:02	25-Nov-22	13:02	2.6984	2.7346	32746.02	32770.02	24.00	1.2200	1.2200	1.2200	21	Cloudy	213	260
30-Nov-22	13:13	01-Dec-22	13:13	2.6822	2.7506	32770.02	32794.02	24.00	1.2200	1.2200	1.2200	39	Sunny	213	260
06-Dec-22	13:07	07-Dec-22	13:07	2.6842	2.7685	32794.02	32818.02	24.00	1.2200	1.2200	1.2200	48	Sunny	213	260
12-Dec-22	12:57	13-Dec-22	12:57	2.6943	2.8462	32818.02	32842.02	24.00	1.2200	1.2200	1.2200	86	Sunny	213	260
16-Dec-22	13:21	17-Dec-22	13:21	2.6921	2.7684	32842.02	32866.02	24.00	1.2200	1.2200	1.2200	43	Cloudy	213	260
22-Dec-22	12:58	23-Dec-22	12:58	2.6976	2.8431	32866.02	32890.02	24.00	1.3200	1.3200	1.3200	77	Sunny	213	260
28-Dec-22	13:00	29-Dec-22	13:00	2.7001	2.9036	32890.02	32914.02	24.00	1.3200	1.3200	1.3200	107	Sunny	213	260
03-Jan-23	08:55	04-Jan-23	08:55	2.7021	2.8157	32914.02	32938.02	24.00	1.3200	1.3200	1.3200	60	Cloudy	213	260
06-Jan-23	13:20	07-Jan-23	13:20	2.6876	2.8032	32938.02	32962.02	24.00	1.3200	1.3200	1.3200	61	Sunny	213	260
12-Jan-23	13:04	13-Jan-23	13:04	2.6873	2.7340	32962.02	32986.02	24.00	1.3200	1.3200	1.3200	25	Sunny	213	260
18-Jan-23	12:50	19-Jan-23	12:50	2.6952	2.7748	32986.02	33010.02	24.00	1.3200	1.3200	1.3200	42	Sunny	213	260
21-Jan-23	13:30	22-Jan-23	13:30	2.6857	2.7478	33010.02	33034.02	24.00	1.3200	1.3200	1.3200	33	Sunny	213	260
27-Jan-23	09:20	28-Jan-23	09:20	2.7057	2.8926	33034.02	33058.02	24.00	1.3200	1.3200	1.3200	98	Sunny	213	260
											Min	15}	for		
											Max	107}	reporting		
											Average	54}	period		



## Air Quality (24-hr TSP)

### Station ASR3

Start Date	Start Time	Finish Date	Finish Time	Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m <sup>3</sup> /min)			Conc. (µg/m <sup>3</sup> )	Weather Condition	Action Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
				Initial	Final	Initial	Final		Initial	Final	Average				
02-Nov-22	12:50	03-Nov-22	12:50	2.7662	2.7960	23834.92	23858.92	24.00	1.0300	1.0300	1.0300	20	Cloudy	205	260
08-Nov-22	13:14	09-Nov-22	13:14	2.7538	2.8328	23858.92	23882.92	24.00	1.0300	1.0300	1.0300	53	Cloudy	205	260
14-Nov-22	13:25	15-Nov-22	13:25	2.7074	2.7965	23882.92	23906.92	24.00	1.0300	1.0300	1.0300	60	Sunny	205	260
18-Nov-22	13:01	19-Nov-22	13:01	2.7046	2.8165	23906.92	23930.92	24.00	1.0300	1.0300	1.0300	75	Sunny	205	260
24-Nov-22	13:17	25-Nov-22	13:17	2.7072	2.7433	23930.92	23954.92	24.00	1.0300	1.0300	1.0300	24	Cloudy	205	260
30-Nov-22	13:30	01-Dec-22	13:30	2.6909	2.7687	23954.92	23978.92	24.00	1.0300	1.0300	1.0300	52	Sunny	205	260
06-Dec-22	13:24	07-Dec-22	13:24	2.6912	2.7814	23978.92	24002.92	24.00	1.0300	1.0300	1.0300	61	Sunny	205	260
12-Dec-22	13:15	13-Dec-22	13:15	2.6885	2.8462	24002.92	24026.92	24.00	1.0300	1.0300	1.0300	106	Sunny	205	260
16-Dec-22	13:04	17-Dec-22	13:04	2.6999	2.7800	24026.92	24050.92	24.00	1.0300	1.0300	1.0300	54	Cloudy	205	260
22-Dec-22	13:15	23-Dec-22	13:15	2.7103	2.8797	24050.92	24074.92	24.00	1.0900	1.0900	1.0900	108	Sunny	205	260
28-Dec-22	13:20	29-Dec-22	13:20	2.6941	2.8676	24074.92	24098.92	24.00	1.0900	1.0900	1.0900	111	Sunny	205	260
03-Jan-23	09:13	04-Jan-23	09:13	2.7107	2.8573	24098.92	24122.92	24.00	1.0900	1.0900	1.0900	93	Cloudy	205	260
06-Jan-23	13:02	07-Jan-23	13:02	2.6876	2.7960	24122.92	24146.92	24.00	1.0900	1.0900	1.0900	69	Sunny	205	260
12-Jan-23	13:23	13-Jan-23	13:23	2.6945	2.7393	24146.92	24170.92	24.00	1.0900	1.0900	1.0900	29	Sunny	205	260
18-Jan-23	13:08	19-Jan-23	13:08	2.7008	2.7671	24170.92	24194.92	24.00	1.0900	1.0900	1.0900	42	Sunny	205	260
21-Jan-23	13:12	22-Jan-23	13:12	2.6935	2.7465	24194.92	24218.92	24.00	1.0900	1.0900	1.0900	34	Sunny	205	260
27-Jan-23	09:03	28-Jan-23	09:03	2.7038	2.8933	24218.92	24242.92	24.00	1.0900	1.0900	1.0900	121	Sunny	205	260
												Min	20}	for	
												Max	121}	reporting	
												Average	65}	period	


## Air Quality (24-hr TSP)

### Station ASR4


Start Date	Finish Time	Finish Date	Time	Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m <sup>3</sup> /min)			Conc. (µg/m <sup>3</sup> )	Weather Condition	Action Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
				Initial	Final	Initial	Final		Initial	Final	Average				
02-Nov-22	08:54	03-Nov-22	08:54	2.7717	2.8018	31432.54	31456.54	24.00	1.3200	1.3200	1.3200	16	Cloudy	237	260
08-Nov-22	09:02	09-Nov-22	09:02	2.7700	2.8677	31456.54	31480.54	24.00	1.3200	1.3200	1.3200	51	Cloudy	237	260
14-Nov-22	08:50	15-Nov-22	08:50	2.7267	2.8249	31480.54	31504.54	24.00	1.3200	1.3200	1.3200	52	Sunny	237	260
18-Nov-22	08:47	19-Nov-22	08:47	2.6972	2.8037	31504.54	31528.54	24.00	1.3200	1.3200	1.3200	56	Sunny	237	260
24-Nov-22	08:48	25-Nov-22	08:48	2.6964	2.7377	31528.54	31552.54	24.00	1.3200	1.3200	1.3200	22	Cloudy	237	260
30-Nov-22	08:47	01-Dec-22	08:47	2.7000	2.7965	31552.54	31576.54	24.00	1.3200	1.3200	1.3200	51	Sunny	237	260
06-Dec-22	08:45	07-Dec-22	08:45	2.7006	2.8115	31576.54	31600.54	24.00	1.3200	1.3200	1.3200	58	Sunny	237	260
12-Dec-22	08:56	13-Dec-22	08:56	2.7093	2.8860	31600.54	31624.54	24.00	1.3200	1.3200	1.3200	93	Sunny	237	260
16-Dec-22	09:00	17-Dec-22	09:00	2.6785	2.7535	31624.54	31648.54	24.00	1.3200	1.3200	1.3200	39	Cloudy	237	260
22-Dec-22	08:25	23-Dec-22	08:25	2.7112	2.8955	31648.54	31672.54	24.00	1.2700	1.2700	1.2700	101	Sunny	237	260
28-Dec-22	08:45	29-Dec-22	08:45	2.6957	2.9501	31672.54	31696.54	24.00	1.2700	1.2700	1.2700	139	Sunny	237	260
03-Jan-23	13:50	04-Jan-23	13:50	2.7149	2.8028	31696.54	31720.54	24.00	1.2700	1.2700	1.2700	48	Cloudy	237	260
06-Jan-23	08:32	07-Jan-23	08:32	2.6934	2.8405	31720.54	31744.54	24.00	1.2700	1.2700	1.2700	80	Sunny	237	260
12-Jan-23	08:28	13-Jan-23	08:28	2.6810	2.7432	31744.54	31768.54	24.00	1.2700	1.2700	1.2700	34	Sunny	237	260
18-Jan-23	08:44	19-Jan-23	08:44	2.6911	2.7950	31768.54	31792.54	24.00	1.2700	1.2700	1.2700	57	Sunny	237	260
21-Jan-23	08:51	22-Jan-23	08:51	2.6980	2.7673	31792.54	31816.54	24.00	1.2700	1.2700	1.2700	38	Sunny	237	260
27-Jan-23	13:27	28-Jan-23	13:27	2.6967	2.9406	31816.54	31840.54	24.00	1.2700	1.2700	1.2700	133	Sunny	237	260
												Min	16}	for	
												Max	139}	reporting	
												Average	63}	period	

## Air Quality (24-hr TSP)

### 24-hour TSP Level at ASR1




### 24-hour TSP Level at ASR2A




## Air Quality (24-hr TSP)

### 24-hour TSP Level at ASR3



### 24-hour TSP Level at ASR4



## Noise

### Station NSR1

Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
02-Nov-22	11:24	50	52	42	0.5	Cloudy	75
08-Nov-22	11:28	49	50	40	0.3	Cloudy	75
14-Nov-22	11:22	51	53	41	0.4	Sunny	75
24-Nov-22	11:24	50	52	41	0.5	Cloudy	75
30-Nov-22	11:12	46	48	41	0.3	Sunny	75
06-Dec-22	11:26	52	54	41	0.4	Sunny	75
12-Dec-22	11:26	47	50	40	0.5	Sunny	75
22-Dec-22	11:08	43	45	39	0.3	Sunny	75
28-Dec-22	16:26	48	49	41	0.2	Sunny	75
03-Jan-23	16:20	48	53	42	0.3	Cloudy	75
12-Jan-23	11:11	50	51	44	0.3	Sunny	75
18-Jan-23	11:23	48	51	39	0.3	Sunny	75
27-Jan-23	16:05	47	49	41	0.3	Sunny	75

### Station NSR3

Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
02-Nov-22	10:35	47	48	41	0.5	Cloudy	75
08-Nov-22	10:41	42	43	38	0.3	Cloudy	75
14-Nov-22	10:32	42	44	40	0.3	Sunny	75
24-Nov-22	10:34	46	48	42	0.4	Cloudy	75
30-Nov-22	10:28	44	45	41	0.3	Sunny	75
06-Dec-22	10:27	42	43	40	0.4	Sunny	75
12-Dec-22	10:37	44	46	41	0.4	Sunny	75
22-Dec-22	10:16	43	45	40	0.2	Sunny	75
28-Dec-22	15:40	43	44	40	0.3	Sunny	75
03-Jan-23	15:31	47	49	43	0.3	Cloudy	75
12-Jan-23	10:11	46	49	42	0.3	Sunny	75
18-Jan-23	10:29	43	44	40	0.4	Sunny	75
27-Jan-23	15:14	48	49	43	0.6	Sunny	75

## Noise

### Station NSR5


Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
02-Nov-22	09:47	49	52	46	0.9	Cloudy	75
08-Nov-22	09:55	47	50	44	0.3	Cloudy	75
14-Nov-22	09:44	47	48	44	0.2	Sunny	75
24-Nov-22	09:45	51	52	47	0.5	Cloudy	75
30-Nov-22	09:40	49	51	44	0.4	Sunny	75
06-Dec-22	09:35	49	50	44	0.4	Sunny	75
12-Dec-22	09:49	49	50	46	0.3	Sunny	75
22-Dec-22	09:24	49	51	45	0.2	Sunny	75
28-Dec-22	14:51	46	48	44	0.2	Sunny	75
03-Jan-23	14:44	50	52	43	0.4	Cloudy	75
12-Jan-23	09:22	51	53	48	0.4	Sunny	75
18-Jan-23	09:37	49	50	44	0.5	Sunny	75
27-Jan-23	14:22	52	55	46	0.4	Sunny	75

### Station NSR7


Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
02-Nov-22	09:00	67	69	64	0.7	Cloudy	75
08-Nov-22	09:07	67	69	64	0.4	Cloudy	75
14-Nov-22	08:54	66	68	63	0.2	Sunny	75
24-Nov-22	08:57	67	69	63	0.4	Cloudy	75
30-Nov-22	08:51	67	68	64	0.3	Sunny	75
06-Dec-22	08:50	67	68	64	0.3	Sunny	75
12-Dec-22	09:01	67	69	64	0.4	Sunny	75
22-Dec-22	08:32	67	68	65	0.3	Sunny	75
28-Dec-22	14:04	66	67	63	0.3	Sunny	75
03-Jan-23	13:58	66	68	64	0.3	Cloudy	75
12-Jan-23	08:35	67	69	64	0.2	Sunny	75
18-Jan-23	08:50	67	68	64	0.4	Sunny	75
27-Jan-23	13:35	64	66	61	0.3	Sunny	75

# Noise

### Noise Level for 30 min, dB(A), at NSR1




### Noise Level for 30 min, dB(A), at NSR3




# Noise

### Noise Level for 30 min, dB(A), at NSR5



### Noise Level for 30 min, dB(A), at NSR7





## Water Quality

### Monitoring Location MP3







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
<b>MP3</b>							
02/11/2022	25.7	<b>7.7</b>	7.4	91.4	40.3	4	43
04/11/2022	27.0	<b>7.6</b>	7.8	97.0	10.3	3	7
07/11/2022	27.7	<b>7.7</b>	7.6	97.4	8.1	3	8
09/11/2022	27.8	<b>7.6</b>	7.7	97.7	40.3	<2	41
11/11/2022	28.1	7.5	7.8	99.9	12.3	5	12
14/11/2022	25.8	7.2	7.3	89.9	19.3	6	18
16/11/2022	25.0	7.3	7.0	85.1	23.7	7	22
18/11/2022	24.6	7.2	6.9	84.0	27.9	6	23
21/11/2022	25.6	7.2	7.0	86.3	22.2	4	18
23/11/2022	24.2	7.3	7.2	86.0	30.2	4	27
25/11/2022	25.2	7.4	7.1	86.5	29.8	5	30
28/11/2022	18.6	7.2	7.5	80.5	24.5	5	17
30/11/2022	17.4	7.4	7.6	79.5	25.4	7	22
02/12/2022	16.4	<b>7.7</b>	7.8	80.0	13.3	4	11
05/12/2022	17.0	<b>7.8</b>	7.8	81.1	19.8	5	17
07/12/2022	17.2	<b>7.7</b>	7.5	79.0	22.0	5	20
09/12/2022	14.3	7.5	7.6	75.1	24.6	7	23
12/12/2022	13.8	<b>7.7</b>	7.8	75.3	24.4	7	22
14/12/2022	14.1	<b>7.8</b>	7.7	75.7	24.6	6	21
16/12/2022	13.5	<b>7.7</b>	7.8	76.1	26.0	6	22
19/12/2022	15.4	<b>7.8</b>	7.8	78.2	21.5	6	18
21/12/2022	15.8	<b>7.7</b>	7.5	76.9	8.4	11	6
23/12/2022	15.9	<b>7.8</b>	7.8	79.2	23.0	3	30
28/12/2022	18.0	<b>7.7</b>	7.6	79.8	15.2	5	12
30/12/2022	18.4	7.5	7.8	83.1	16.4	5	14
03/01/2023	18.2	<b>7.7</b>	7.7	82.7	15.7	4	14
05/01/2023	18.4	<b>7.8</b>	7.8	83.7	17.7	5	19
07/01/2023	18.3	<b>7.6</b>	7.6	82.3	16.8	6	14
09/01/2023	19.2	<b>7.6</b>	7.5	80.9	20.0	5	17
11/01/2023	19.5	<b>7.7</b>	7.6	83.0	18.6	4	22
13/01/2023	19.1	7.5	7.8	83.8	18.1	9	17
16/01/2023	19.2	7.3	7.9	86.8	20.7	5	21
18/01/2023	18.9	7.5	7.8	84.0	24.4	5	23
20/01/2023	18.8	<b>7.6</b>	7.7	83.0	19.9	6	16
26/01/2023	19.4	7.5	7.9	86.2	17.8	5	17
28/01/2023	19.7	7.4	7.8	85.0	18.8	10	18
30/01/2023	19.9	7.5	7.6	85.0	19.2	9	21
Average	20.0	7.6	7.6	84.0	21.1	5	19
Action Level	-	<5.5 or >7.5	<6.85	-	>64	-	>65
Limit Level	-	<4.0 or >8.0	<6.65	-	>67	-	>66

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance.

# Water Quality

## Monitoring Location MP3



## Water Quality

### Monitoring Location MP4







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
<b>MP4</b>							
02/11/2022	25.3	7.3	5.5	49.0	23.1	3	22
04/11/2022	26.6	7.4	5.4	64.7	17.2	3	17
07/11/2022	27.3	7.5	5.0	61.9	24.2	2	22
09/11/2022	27.5	7.5	5.3	67.4	25.9	2	19
11/11/2022	27.9	7.4	5.5	70.2	12.8	3	15
14/11/2022	25.4	7.0	5.0	61.6	12.5	<2	12
16/11/2022	24.8	7.0	4.9	59.3	25.2	<2	27
18/11/2022	22.8	7.0	5.0	58.4	20.0	3	20
21/11/2022	24.9	7.0	5.2	63.4	39.6	<2	36
23/11/2022	23.7	7.0	5.3	63.5	19.0	<2	17
25/11/2022	24.9	7.0	5.2	63.1	23.0	<2	23
28/11/2022	18.8	6.9	5.5	59.0	17.0	<2	12
30/11/2022	17.2	7.1	5.8	60.0	15.1	<2	13
02/12/2022	16.5	7.3	6.1	61.8	23.0	<2	19
05/12/2022	16.8	<b>7.6</b>	5.8	60.7	25.0	<2	22
07/12/2022	17.2	7.5	5.5	57.9	23.0	2	19
09/12/2022	14.2	7.4	5.7	57.7	21.4	<2	19
12/12/2022	13.9	7.3	5.8	56.5	18.7	<2	16
14/12/2022	14.0	7.3	6.0	58.1	27.1	2	30
16/12/2022	13.3	7.4	5.9	57.2	16.3	2	15
19/12/2022	15.5	7.3	6.0	60.2	25.5	2	21
21/12/2022	16.1	7.2	5.9	59.7	17.4	3	16
23/12/2022	15.7	7.5	6.0	61.2	22.6	3	22
28/12/2022	17.8	<b>7.6</b>	5.8	61.6	13.6	3	11
30/12/2022	18.2	7.4	6.0	64.0	20.0	3	17
03/01/2023	18.0	7.2	5.8	61.0	26.5	4	21
05/01/2023	18.2	7.3	5.9	63.5	16.7	4	16
07/01/2023	18.3	7.3	6.0	64.2	32.8	4	26
09/01/2023	19.1	7.2	5.8	63.0	47.4	6	41
11/01/2023	19.6	7.3	6.0	66.3	18.3	3	21
13/01/2023	18.9	7.2	5.6	60.1	19.6	3	19
16/01/2023	19.1	7.1	5.9	64.8	36.0	<2	46
18/01/2023	18.7	7.2	5.8	62.5	31.3	<2	32
20/01/2023	18.6	7.4	5.6	59.8	13.3	2	10
26/01/2023	19.3	7.3	6.0	65.4	14.6	<2	15
28/01/2023	19.5	7.2	5.9	64.1	21.6	<2	21
30/01/2023	19.8	7.2	5.6	61.7	25.0	3	24
Average	19.8	7.3	5.6	61.5	22.4	3	21
Action Level	-	<5.5 or >7.5	<3.91	-	>60	-	>50
Limit Level	-	<4.0 or >8.0	<3.82	-	>64	-	>53

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance

# Water Quality

## Monitoring Location MP4



## Water Quality

### Monitoring Location MP5







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
<b>MP5</b>							
02/11/2022	25.9	7.4	5.0	50.8	22.5	3	24
04/11/2022	27.2	7.2	4.9	55.1	18.5	3	20
07/11/2022	27.9	7.4	4.8	57.0	26.4	<2	23
09/11/2022	28.0	7.3	5.1	65.2	26.4	<2	22
11/11/2022	28.4	7.4	5.2	67.3	37.1	2	45
14/11/2022	26.0	6.9	4.6	57.2	16.1	<2	17
16/11/2022	25.3	6.8	4.4	54.0	29.1	2	33
18/11/2022	24.7	6.8	4.6	55.5	26.2	3	22
21/11/2022	25.8	6.9	5.0	61.9	45.1	<2	38
23/11/2022	24.6	6.8	5.1	61.1	20.8	<2	18
25/11/2022	25.5	6.8	5.0	61.2	24.7	3	24
28/11/2022	19.1	6.8	5.1	55.4	17.3	<2	12
30/11/2022	17.1	7.0	5.3	55.2	17.2	<2	15
02/12/2022	16.7	7.0	5.5	58.5	24.5	<2	20
05/12/2022	17.1	7.3	5.5	57.4	27.5	<2	25
07/12/2022	17.4	7.2	5.3	54.9	22.5	2	20
09/12/2022	14.1	7.1	5.3	53.0	25.0	<2	25
12/12/2022	14.1	7.4	5.7	55.1	20.4	2	19
14/12/2022	14.3	7.5	5.6	56.0	33.8	2	32
16/12/2022	13.7	7.4	5.5	52.9	17.8	3	17
19/12/2022	15.7	7.4	5.8	57.8	28.1	2	23
21/12/2022	16.0	7.3	5.7	57.6	18.7	3	16
23/12/2022	16.0	7.3	5.8	57.3	27.2	3	24
28/12/2022	18.1	7.2	5.5	58.0	15.0	3	14
30/12/2022	18.3	7.2	5.7	60.5	21.1	3	20
03/01/2023	18.3	7.3	5.3	56.1	27.1	4	24
05/01/2023	18.6	7.5	5.4	58.2	17.4	4	17
07/01/2023	18.4	7.3	5.6	58.7	33.6	5	29
09/01/2023	19.4	7.3	5.4	59.0	38.3	4	34
11/01/2023	19.8	7.3	5.7	62.3	20.8	3	18
13/01/2023	19.0	7.2	5.3	57.0	23.2	3	21
16/01/2023	19.4	7.2	5.5	60.1	38.3	2	55
18/01/2023	19.0	7.3	5.6	59.8	42.1	<2	40
20/01/2023	19.0	7.2	5.4	58.0	13.5	2	11
26/01/2023	19.6	7.3	5.6	61.0	16.5	<2	17
28/01/2023	19.7	7.3	5.5	59.8	26.2	2	37
30/01/2023	20.0	7.1	5.4	58.9	35.1	4	30
Average	20.2	7.2	5.3	57.9	25.4	3	24
Action Level	-	<5.5 or >7.5	<4.13	-	>81	-	>66
Limit Level	-	<4.0 or >8.0	<3.87	-	>84	-	>69

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance.

# Water Quality

## Monitoring Location MP5



## Water Quality

### Monitoring Location MP6







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
<b>MP6</b>							
02/11/2022	26.2	7.3	4.9	46.0	26.3	2	27
04/11/2022	27.5	7.2	4.8	50.5	17.9	3	16
07/11/2022	28.2	7.4	4.9	55.5	27.6	3	24
09/11/2022	28.1	7.2	5.0	64.0	26.6	2	22
11/11/2022	28.5	7.2	5.0	65.6	34.5	3	57
14/11/2022	26.1	6.9	<b>4.5</b>	55.1	21.3	2	29
16/11/2022	25.5	6.8	<b>4.3</b>	51.9	30.0	<2	33
18/11/2022	24.7	6.8	<b>4.4</b>	53.1	26.9	4	49
21/11/2022	25.9	6.9	4.9	59.9	41.5	<2	36
23/11/2022	24.7	6.8	5.0	59.8	19.8	<2	17
25/11/2022	25.6	6.8	5.0	59.7	28.1	2	35
28/11/2022	19.2	6.8	5.0	53.9	18.5	<2	14
30/11/2022	17.5	6.9	5.1	53.1	18.6	<2	21
02/12/2022	16.6	6.9	5.2	53.0	25.1	<2	22
05/12/2022	17.3	7.0	5.3	54.5	29.3	2	24
07/12/2022	17.5	7.0	5.1	52.7	24.1	2	22
09/12/2022	14.1	7.0	5.1	50.7	26.6	<2	40
12/12/2022	13.9	7.2	5.5	53.1	22.0	2	20
14/12/2022	14.4	7.4	5.4	53.0	35.1	3	52
16/12/2022	13.8	7.2	5.3	51.4	18.3	3	20
19/12/2022	15.9	7.3	5.4	55.0	29.1	2	26
21/12/2022	16.2	7.3	5.5	54.9	19.2	3	18
23/12/2022	16.1	7.2	5.4	54.8	28.1	6	19
28/12/2022	18.3	7.0	5.3	54.9	14.9	2	16
30/12/2022	18.4	7.0	5.5	58.8	21.9	3	23
03/01/2023	18.5	7.3	5.1	54.2	27.6	5	27
05/01/2023	18.8	7.4	5.3	56.5	18.8	4	16
07/01/2023	18.6	7.2	5.3	57.2	35.1	5	51
09/01/2023	19.5	7.2	5.2	56.9	41.0	5	39
11/01/2023	19.9	7.1	5.4	59.0	22.1	3	22
13/01/2023	18.8	7.1	5.1	54.7	23.6	3	26
16/01/2023	19.5	7.2	5.2	57.1	34.4	3	64
18/01/2023	19.2	7.1	5.3	57.1	43.9	3	51
20/01/2023	19.2	7.1	5.2	56.2	15.3	<2	15
26/01/2023	19.5	7.1	5.5	59.2	18.2	<2	21
28/01/2023	19.9	7.2	5.3	57.8	27.4	<2	45
30/01/2023	20.1	7.0	5.1	56.0	32.5	4	35
Average	20.3	7.1	5.1	55.6	26.2	3	29
Action Level	-	<5.5 or >7.5	<4.61	-	>94	-	>75
Limit Level	-	<4.0 or >8.0	<4.52	-	>96	-	>75

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance.

# Water Quality

## Monitoring Location MP6





## E. Summary of Ecological Monitoring Results

**Table E1. Summary of bird species of conservation importance and/or wetland-dependence recorded in the Survey Area (excluding the WRA)**

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Nov 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	4	18.8	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	4	9.5	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	4	10.5	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	4	14.5	V
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	-	-	V
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	4	15.5	V
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	3	7.0	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	4	16.8	V
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	1	0.3	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	3	1.5	0
Black-faced Spoonbill##	<i>Platalea minor</i>	Y	Class I, PGC, EN	1	0.5	V
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	2	1.3	0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	1	0.3	0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	3	1.5	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	3	1.0	0
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1	0.3	0
Common Redshank	<i>Tringa totanus</i>	Y	RC	1	0.3	0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	1	0.5	V
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Y	RC	1	0.3	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	2	1.5	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	3	3.5	0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	1	0.3	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	2	1.0	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	1	0.3	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	4	4.5	0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	4	4.0	0
Grey Wagtail	<i>Motacilla cinerea</i>	Y	-	1	0.3	0
White Wagtail	<i>Motacilla alba</i>	Y	-	4	8.5	0
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	1	0.5	0

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Nov 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	2	1.3	0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	1	1.0	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	4	1.5	0
<b>No. of Species Recorded</b>						<b>32</b>
Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Dec 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	5	20.0	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	4	48.4	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	5	10.0	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	5	15.0	0
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	1	0.2	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	16.2	0
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	5	5.8	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	5	13.4	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	2	0.8	0
Black-faced Spoonbill	<i>Platalea minor</i>	Y	PGC, EN	1	0.6	0
Eurasian Teal	<i>Anas crecca</i>	Y	RC	1	0.4	0
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	5	14.8	0
Black-winged Kite#	<i>Elanus caeruleus</i>	Y	Class II, LC	1	0.2	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	5	2.6	0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	3	0.6	0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	3	1.6	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	1	0.6	0
Pied Avocet	<i>Recurvirostra avosetta</i>	Y	RC	1	2.2	0
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	1	0.2	0
Spotted Redshank	<i>Tringa erythropus</i>	Y	RC	1	0.4	0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	2	1.0	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	2	0.8	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	4	2.0	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	2	1.0	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	1	0.4	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	4	2.0	0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	5	4.8	0
White Wagtail	<i>Motacilla alba</i>	Y	-	5	11.4	0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	2	2.6	0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	1	0.4	0

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Dec 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	1	0.6	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	3	1.4	0
<b>No. of Species Recorded</b>						<b>32</b>

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Jan 2023		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	4	16.5	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	4	16.3	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	4	15.0	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	4	7.8	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	4	13.5	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	4	15.0	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	1	1.3	0
Eurasian Spoonbill	<i>Platalea leucorodia</i>	Y	LC	1	0.3	0
Black-faced Spoonbill	<i>Platalea minor</i>	Y	PGC, EN	1	0.5	0
Northern Shoveler	<i>Anas clypeata</i>	Y	RC	1	0.3	0
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	4	17.5	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	4	3.8	0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	3	2.3	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	2	1.3	0
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1	0.8	0
Little Ringed Plover	<i>Charadrius dubius</i>	Y	(LC)	1	0.3	0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	2	1.8	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	3	1.5	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	4	2.5	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	3	1.3	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	2	0.5	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	3	3.0	0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	4	4.3	0
White Wagtail	<i>Motacilla alba</i>	Y	-	4	7.0	0
Red-throated Pipit	<i>Anthus cervinus</i>	N	LC	1	0.3	0
White-cheeked Starling	<i>Spodiopsar cinereus</i>	Y	PRC	1	1.3	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	4	2.5	0
<b>No. of Species Recorded</b>						<b>27</b>

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
- (2) Conservation status follows that of *Fellowes et al. (2002)* and Bird Life International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (*Fellowes et al. 2002*)
- (3) Indicates number of surveys recorded within each month of the reporting period.
- (4) Refers to the mean number of individuals recorded in each survey in the Survey Area (excluding the WRA).

- (5) Includes observations during other surveys and/or site visits.  
 # Birds tagged with '#' are Category II protected under terrestrial wildlife state protection.

**Table E2. Summary of bird species of conservation importance and/or wetland-dependence recorded in the WRA**

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Nov 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	3	1.5	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	2	0.8	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	4	2.3	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	1	0.5	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	1	1.5	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	3	2.5	0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	1	0.3	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	1	1.3	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	2	0.8	0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	1	0.5	0
White-breasted Waterhen	<i>Amauornis phoenicurus</i>	Y	-	3	1.8	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	2	1.3	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	2	0.5	0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	1	0.3	0
White Wagtail	<i>Motacilla alba</i>	Y	-	3	2.0	0
Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	Y	-	2	0.5	0
Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	Y	-	2	0.8	0
Zitting Cisticola	<i>Cisticola juncidis</i>	Y	LC	1	0.5	0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	1	1.0	0
Red-billed Starling	<i>Spodiopsar sericeus</i>	Y	(RC)*	1	1.0	0
White-cheeked Starling	<i>Spodiopsar cineraceus</i>	Y	PRC	1	0.5	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	2	0.8	0
<b>No. of Species Recorded</b>						<b>22</b>

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Dec 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	3	0.6	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	2	1.0	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	4	1.8	0
Purple Heron	<i>Ardea purpurea</i>	Y	RC	3	0.8	V
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	4	2.0	0
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	2	0.4	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	4	1.0	0
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	1	0.2	0

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Dec 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	4	2.8	0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	2	0.4	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	3	1.0	0
Garganey	<i>Anas querquedula</i>	Y	-	1	0.4	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	3	1.0	0
Greater Spotted Eagle#	<i>Clanga clanga</i>	Y	Class II, GC	1	0.2	0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	-	-	V
Peregrine Falcon#	<i>Falco peregrinus</i>	N	Class II, (LC)	-	-	V
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	3	0.8	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	2	1.2	0
Common Greenshank	<i>Tringa nebularia</i>	Y	RC	1	0.2	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	1	0.2	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	2	0.8	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	-	-	V
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	1	0.2	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	5	1.6	0
Sand Martin	<i>Riparia riparia</i>	Y	-	1	0.2	0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	3	1.0	0
White Wagtail	<i>Motacilla alba</i>	Y	-	5	2.4	0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	2	1.4	0
Chinese Grosbeak	<i>Eophona migratoria</i>	Y	LC	1	0.2	0
<b>No. of Species Recorded</b>						<b>29</b>

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Jan 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	3	2.3	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	2	1.0	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	4	2.8	0
Purple Heron	<i>Ardea purpurea</i>	Y	RC	2	0.5	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	4	1.8	0
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	1	0.3	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	3	2.3	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	4	3.3	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	2	0.5	0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	2	0.5	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	4	4.3	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	2	1.5	0
Wood Sandpiper	<i>Tringa glareola</i>	Y	LC	2	2.0	0

Species Name <sup>(1)</sup>	Scientific Name <sup>(1)</sup>	Wetland Dependence	Conservation Status <sup>(2)</sup>	Jan 2022		Records outside survey <sup>(5)</sup>
				Occurrence <sup>(3)</sup>	Mean <sup>(4)</sup>	
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	1	0.5	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	2	0.5	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	3	1.0	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	2	0.8	0
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	4	2.8	0
White Wagtail	<i>Motacilla alba</i>	Y	-	4	2.3	0
Chinese Penduline-Tit	<i>Remiz consobrinus</i>	Y	RC	1	0.5	0
<b>No. of Species Recorded</b>						<b>20</b>

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
- (2) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes *et al.* 2002).
- (3) Indicates number of surveys recorded within each month of the reporting period.
- (4) Refers to the mean number of individuals recorded in each survey in the WRA.
- (5) Includes observations during other surveys and/or site visits.
- # Birds tagged with '#' are Category II protected under terrestrial wildlife state protection.

**Table E3. Summary of herpetofauna monitoring in the Survey Area (excluding the WRA)**

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Nov 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Amphibian</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in November 2022					
			<b>Occurrence<sup>(2)</sup></b>	<b>Mean<sup>(3)</sup></b>	
<b>Reptiles</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in November 2022					
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Dec 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Amphibian</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in December 2022					
			<b>Occurrence<sup>(2)</sup></b>	<b>Mean<sup>(3)</sup></b>	
<b>Reptiles</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in December 2022					
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Oct 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Amphibian</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in January 2023					
			<b>Occurrence<sup>(2)</sup></b>	<b>Mean<sup>(3)</sup></b>	
<b>Reptiles</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in January 2023					

- (1) Conservation status follows that of Fellowes *et al.* (2002), Chan *et al.* (2005) and Karsen *et al.* (1998).
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA)

(4) Includes observations during other surveys and/or site visits.

**Table E4. Summary of herpetofauna monitoring in the WRA**

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Nov 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Amphibian</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in November 2022					
<b>Reptiles</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in November 2022					
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Dec 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Amphibian</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in December 2022					
<b>Reptiles</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in December 2022					
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Jan 2023		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Amphibian</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in January 2023					
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Reptiles</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in January 2023					

- (1) Conservation status follows that of Fellowes *et al.* (2002), Chan *et al.* (2005) and Karsen *et al.* (1998).
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period in the WRA
- (4) Includes observations during other surveys and/or site visits.

**Table E5. Summary of mammal monitoring in the Survey Area (excluding the WRA)**

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Nov 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Max <sup>(3)</sup>	
<b>Mammal</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in November 2022					
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Dec 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Max <sup>(3)</sup>	
<b>Mammal</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in December 2022					
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Jan 2023		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Max <sup>(3)</sup>	
<b>Mammal</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in January 2023					

- (1) Conservation status follows that of Fellowes *et al.* (2002) and Shek (2006).
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the maximum number of individuals recorded in the reporting period (excluding the WRA).
- (4) Includes observations during other surveys and/or site visits.

**Table E6. Summary of mammal monitoring in the WRA**

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Nov 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Max <sup>(3)</sup>	
<b>Mammal</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in November 2022					
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Dec 2022		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Max <sup>(3)</sup>	
<b>Mammal</b>		<b>No. of Species Recorded</b>	<b>1</b>		
Leopard Cat#*	<i>Prionailurus bengalensis</i>	Class II	1	1	0
Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Jan 2023		Records outside surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Max <sup>(3)</sup>	
<b>Mammal</b>		<b>No. of Species Recorded</b>	<b>1</b>		
Leopard Cat#*	<i>Prionailurus bengalensis</i>	Class II	1	1	0

(1) Conservation status follows that of Fellowes *et al.* (2002) and Shek (2006).

(2) Indicates number of surveys recorded within the reporting period.

(3) Refers to the maximum number of individuals recorded in the reporting period in the WRA

(4) Includes observations during other surveys and/or site visits.

# Mammals tagged with '#' are Category II protected under terrestrial wildlife state protection.

\* Leopard Cat scats were recorded.

**Table E7. Summary of dragonfly and butterfly monitoring in the Survey Area (excluding the WRA)**

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Nov 2022		Records Outside Surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Odonate</b>		<b>No. of Species Recorded</b>	<b>9</b>		
Common Bluetail	<i>Ischnura senegalensis</i>	-	1	6.0	0
Common Flangetail	<i>Ictinogomphus pertinax</i>	-	1	1.0	0
Asian Amberwing	<i>Brachythemis contaminata</i>	-	1	1.0	0
Crimson Darter	<i>Crocothemis servilia servilia</i>	-	1	1.0	0
Pied Percher	<i>Neurothemis tullia tullia</i>	-	1	1.0	0
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	1	15.0	0
Wandering Glider	<i>Pantala flavescens</i>	-	1	5.0	0
Variiegated Flutterer	<i>Rhyothemis variegata arria</i>	-	1	10.0	0
Saddlebag Glider	<i>Tamea virginia</i>	-	1	3.0	0
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Butterfly</b>		<b>No. of Species Recorded</b>	<b>12</b>		
Great Egg-fly	<i>Hypolimnas bolina kezia</i>	-	1	2.0	0
Red Ring Skirt	<i>Hestina assimilis assimilis</i>	-	1	2.0	0
Dark Brand Bush Brown	<i>Mycalesis mineus mineus</i>	-	1	2.0	0
Pale Grass Blue	<i>Pseudozizeeria maha serica</i>	-	1	12.0	0
Tiny Grass Blue	<i>Zizula hylax</i>	-	1	1.0	0
Dark Cerulean	<i>Jamides bochus bochus</i>	-	1	2.0	0
Red-base Jezebel	<i>Delias pasithoe pasithoe</i>	-	1	10.0	0



Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Nov 2022		Records Outside Surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
Indian Cabbage White	<i>Pieris canidia canidia</i>	-	1	3.0	0
Lemon Emigrant	<i>Catopsilia pomona pomona</i>	-	1	9.0	0
Common Bluebottle	<i>Graphium sarpedon sarpedon</i>	-	1	1.0	0
Common Mormon	<i>Papilio polytes polytes</i>	-	1	1.0	0
Indian Palm Bob	<i>Suastus gremius gremius</i>	-	1	1.0	0

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Dec 2022		Records Outside Surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Odonate</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in December 2022					
<b>Butterfly</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in December 2022					

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Jan 2023		Records Outside Surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Odonate</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in January 2023					
<b>Butterfly</b>		<b>No. of Species Recorded</b>	<b>0</b>		
No records in January 2023					

- (1) Conservation status follows that of Fellowes *et al.* (2002), Lo & Hui (2004), Tam *et al.* (2011) and Young & Yiu (2002).
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA)
- (4) Includes observations during other surveys and/or site visits.

**Table E8. Summary of dragonfly and butterfly monitoring in the WRA**

Species Name	Scientific Name	Conservation Status <sup>(1)</sup>	Nov 2022		Records Outside Surveys <sup>(4)</sup>
			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Odonate</b>			<b>14</b>		
Wandering Midget	<i>Agriocnemis pygmaea</i>	-	1	2.0	0
Common Bluetail	<i>Ischnura senegalensis</i>	-	1	4.0	0
Yellow Featherlegs	<i>Copera marginipes</i>	-	1	1.0	0
Lesser Emperor	<i>Anax parthenope julius</i>	-	1	1.0	0
Regal Pond Cruiser	<i>Ephthalma elegans</i>	-	1	1.0	0
Blue Dasher	<i>Brachydiplax chalybea flavovittata</i>	-	1	5.0	0
Asian Amberwing	<i>Brachythemis contaminata</i>	-	1	2.0	0
Pied Percher	<i>Neurothemis tullia tullia</i>	-	1	5.0	0
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	1	8.0	0
Wandering Glider	<i>Pantala flavescens</i>	-	1	6.0	0
Variiegated Flutterer	<i>Rhyothemis variegata arria</i>	-	1	11.0	0
Evening Skimmer	<i>Tholymis tillarga</i>	-	1	4.0	0
Saddlebag Glider	<i>Tramea virginia</i>	-	1	3.0	0
Scarlet Basker	<i>Urothemis signata signata</i>	LC	1	2.0	0

			Occurrence <sup>(2)</sup>	Mean <sup>(3)</sup>	
<b>Butterfly</b>			<b>No. of Species Recorded</b>		<b>20</b>
Tawny Rajah	<i>Charaxes bernardus bernardus</i>	-	1	1.0	0
Great Egg-fly	<i>Hypolimnas bolina kezia</i>	-	1	6.0	0
Red Ring Skirt	<i>Hestina assimilis assimilis</i>	-	1	1.0	0
Angled Castor	<i>Ariadne ariadne alterna</i>	-	1	1.0	0
Dark Brand Bush Brown	<i>Mycalesis mineus mineus</i>	-	1	4.0	0
South China Bush Brown	<i>Mycalesis zonata</i>	-	1	1.0	0
Pale Grass Blue	<i>Pseudozizeeria maha serica</i>	-	1	6.0	0
Tiny Grass Blue	<i>Zizula hylax</i>	-	1	3.0	0
Tailless Line Blue	<i>Prosotas dubiosa</i>	-	1	4.0	0
Dark Cerulean	<i>Jamides bochus bochus</i>	-	1	5.0	0
Red-base Jezebel	<i>Delias pasithoe pasithoe</i>	-	1	11.0	0
Indian Cabbage White	<i>Pieris canidia canidia</i>	-	1	2.0	0
Great Orange Tip	<i>Hebomoia glaucippe glaucippe</i>	-	1	1.0	0
Mottled Emigrant	<i>Catopsilia pyranthe pyranthe</i>	-	1	1.0	0
Lemon Emigrant	<i>Catopsilia pomona pomona</i>	-	1	5.0	0
Three-spot Grass Yellow	<i>Eurema blanda hylama</i>	-	1	2.0	0
Common Mime	<i>Chilasa clytia clytia</i>	-	1	1.0	0
Common Mormon	<i>Papilio polytes polytes</i>	-	1	3.0	0
Spangle	<i>Papilio protenor</i>	-	1	1.0	0
Dark Swift	<i>Caltoris cahira</i>	-	1	1.0	0
<b>Species Name</b>	<b>Scientific Name</b>	<b>Conservation Status<sup>(1)</sup></b>	<b>Occurrence<sup>(2)</sup></b>	<b>Dec 2022 Mean<sup>(3)</sup></b>	<b>Records Outside Surveys<sup>(4)</sup></b>
<b>Odonate</b>			<b>No. of Species Recorded</b>		<b>0</b>
No records in December 2022					
			<b>Occurrence<sup>(2)</sup></b>	<b>Mean<sup>(3)</sup></b>	
<b>Butterfly</b>			<b>No. of Species Recorded</b>		<b>0</b>
No records in December 2022					
<b>Species Name</b>	<b>Scientific Name</b>	<b>Conservation Status<sup>(1)</sup></b>	<b>Occurrence<sup>(2)</sup></b>	<b>Jan 2023 Mean<sup>(3)</sup></b>	<b>Records Outside Surveys<sup>(4)</sup></b>
<b>Odonate</b>			<b>No. of Species Recorded</b>		<b>0</b>
No records in January 2023					
			<b>Occurrence<sup>(2)</sup></b>	<b>Mean<sup>(3)</sup></b>	
<b>Butterfly</b>			<b>No. of Species Recorded</b>		<b>0</b>
No records in January 2023					

(1) Conservation status follows that of Fellowes *et al.* (2002), Lo & Hui (2004), Tam *et al.* (2011) and Young & Yiu (2002).

(2) Indicates number of surveys recorded within the reporting period.

(3) Refers to the mean number of individuals recorded in the reporting period in the WRA

(4) Includes observations during other surveys and/or site visits.

## F. Environmental Mitigation Measures - Implementation Status

### Air Quality – Recommended Mitigation Measures

Air Quality Mitigation Measures during construction	Implementation Status
• access roads should be sprayed with water or dust suppression chemical to maintain the entire road surface wet or paved;	✓
• every stock of more than 20 bags of cement or dry PFA should be covered entirely by impervious sheeting or placed in an area sheltered on the top and the 3 sides;	N/A
• de-bagging, batching or mixing process should be carried out in sheltered areas during the use of bagged cement;	N/A
• use of effective dust screens, sheeting or netting to be provided to enclose dry scaffolding which may be provided from the ground floor level of the building or if a canopy is provided at the first-floor level, from the first-floor level, up to the highest level (maximum four floors for this Project) of the scaffolding where scaffolding is erected around the perimeter of a building under construction;	N/A
• dump trucks for material transport should be totally enclosed using impervious sheeting;	✓
• any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading;	✓
• dusty materials remaining after a stockpile is removed should be wetted with water;	✓
• the area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with e.g. concrete, bituminous materials or hardcore or similar;	✓
• the portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials;	✓
• stockpile of dusty materials to be either covered entirely by impervious sheeting, placed in an area sheltered on the top and the 3 sides; or sprayed with water so as to maintain the entire surface wet;	✓
• all dusty materials to be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet;	✓
• vehicle speed to be limited to 10 kph except on completed access roads;	✓
• every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites;	✓
• the load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle; and	✓
• the working area of excavation should be sprayed with water immediately before, during and immediately after (as necessary) the operations so as to maintain the entire surface wet.	✓
<b>Odour mitigation measures</b>	
• all malodorous excavated material should be placed as far as possible from any ASRs;	N/A
• the stockpiled malodorous material should be removed from site as soon as possible; and	N/A
• the stockpiled malodorous material should be covered entirely by plastic tarpaulin sheets.	N/A

## Noise – Recommended Mitigation Measures

Noise Mitigation Measures during construction	Implementation Status
<ul style="list-style-type: none"> <li>only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction works;</li> </ul>	✓
<ul style="list-style-type: none"> <li>machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum;</li> </ul>	✓
<ul style="list-style-type: none"> <li>plant known to emit noise strongly in one direction should, where possible, be orientated to direct noise away from the NSRs;</li> </ul>	✓
<ul style="list-style-type: none"> <li>silencers or mufflers on construction equipment should be utilised and should be properly maintained during the construction period;</li> </ul>	✓
<ul style="list-style-type: none"> <li>mobile plant should be sited as far away from NSRs as possible;</li> </ul>	✓
<ul style="list-style-type: none"> <li>material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities;</li> </ul>	✓
<ul style="list-style-type: none"> <li>air compressor and hand-held breaker should be fitted with valid noise emission labels during operation; and</li> </ul>	N/A
<ul style="list-style-type: none"> <li>The Contractor shall at all times comply with all current statutory environmental legislation.</li> </ul>	✓
<p><i>Selection of quieter plant and working methods</i></p> <p>The Contractor shall obtain particular models of plant that are quieter than standards given in GW-TM. The list of assumed quieter plants can be found in the Table 4–14 of the EIA report. The Contractor shall select from the available models achieving the assumed sound levels while making reference to the GW-TM and BS5228: Part 1: 1997</p>	✓
<p><i>Use of Noise Barriers</i></p> <p>Noise barriers are proposed along the site boundary to block the direct line of sight from the most affected NSRs to the major noise contribution construction phases. The height of the noise barriers ranged from 9-10m. The noise barriers shall be built before the commencement of construction works in order to ensure protection to nearby NSRs. The noise barrier should have a surface density of at least 10kg/m<sup>2</sup> or material providing equivalent transmission loss. The noise barriers and hoardings should have no gaps and openings to avoid noise leakage.</p>	✓

## Water Quality – Recommended Mitigation Measures

Water Quality Mitigation Measures during construction	Implementation Status
<ul style="list-style-type: none"> <li>The site should be confined to avoid silt runoff to the site;</li> </ul>	✓
<ul style="list-style-type: none"> <li>No discharge of silty water into the storm drain and drainage channel within and the vicinity of the site;</li> </ul>	✓
<ul style="list-style-type: none"> <li>Any soil contaminated with chemicals/oils shall be removed from site and the void created shall be filled with suitable materials;</li> </ul>	P
<ul style="list-style-type: none"> <li>Stockpiles to be covered by tarpaulin to avoid spreading of materials during rainstorms;</li> </ul>	✓
<ul style="list-style-type: none"> <li>Suitable containers shall be used to hold the chemical wastes to avoid leakage or spillage during storage, handling and transport;</li> </ul>	✓
<ul style="list-style-type: none"> <li>Chemical waste containers shall be labelled with appropriate warning signs in English and Chinese to avoid accidents. there shall also be clear instructions showing what action to take in the event of an accidental;</li> </ul>	✓
<ul style="list-style-type: none"> <li>Storage areas shall be selected at safe locations on site and adequate space shall be allocated to the storage area;</li> </ul>	✓
<ul style="list-style-type: none"> <li>Any construction plant which causes pollution to the water system due to leakage of oil or fuel shall be removed off-site immediately;</li> </ul>	N/A
<ul style="list-style-type: none"> <li>Spillage or leakage of chemical waste to be controlled by using suitable absorbent materials;</li> </ul>	N/A
<ul style="list-style-type: none"> <li>Chemicals will always be stored on drip trays or in bunded areas where the volume is 110% of the stored volume; and</li> </ul>	✓
<ul style="list-style-type: none"> <li>Regular clearance of domestic waste generated in the temporary sanitary facilities to avoid waste water spillage.</li> </ul>	✓

### Water Quality Mitigation Measures during construction

### Implementation Status

<ul style="list-style-type: none"> <li>Temporary sanitary facilities to be provided for on-site workers during construction;</li> </ul>	✓
<ul style="list-style-type: none"> <li>Temporary drainage channel and associated facilities will be provided to collect the surface runoff generated within the Project Area during the construction phase;</li> </ul>	✓
<ul style="list-style-type: none"> <li>Sandbags or silt traps will need to be placed to avoid silt runoff to the drainage channel draining the water in the northern ditch. Draining of the ditches should avoid rainy weather; and</li> </ul>	✓
<ul style="list-style-type: none"> <li>Excavated soil which needs to be temporarily stockpiled should be stored in a specially designated area and provided with a tarpaulin cover to avoid runoff into the drainage channels.</li> </ul>	✓

### Waste Management – Recommended Mitigation Measures

#### Waste Management Mitigation Measures during construction

#### Implementation Status

<p><i>Site Clearance Waste</i></p> <ul style="list-style-type: none"> <li>The major construction works of Wo Shang Wai is in the development of residential buildings and other associated facilities (club house, tennis courts, etc.). The amount of site clearance works will be limited with the exception of the excavated materials. The thin layer of vegetation removed can be stored and reused for landscaping.</li> </ul>	✓
<p><i>Excavated Materials</i></p> <p>The intention is to maximize the reuse of the excavated materials on-site as fill materials.</p>	✓
<p><i>Imported Filling Material</i></p> <p>The excavated/imported filling material may have to be temporarily stockpiled on-site for the construction of road embankment and foundation of viaduct substructure. Control measures should be taken at the stockpiling area to prevent the generation of dust and pollution of stormwater channels. However, to eliminate the risk of blocking drains in the wet season, it is recommended that stockpiling of excavated materials at during wet season should be avoided as far as practicable.</p>	✓
<p><i>Construction and Demolition Materials</i></p> <p>Careful design, planning and good site management can minimise over-ordering and generation of waste materials such as concrete, mortars and cement grouts. The design of formwork should maximise the use of standard wooden panels so that high reuse levels can be achieved. Alternatives such as steel formwork of plastic facing should be considered to increase the potential for reuse.</p>	✓
<p>The Contractor should reuse any C&amp;D material on-site. C&amp;D waste should be segregated and stored in different containers to other wastes to encourage the re-use or recycling of materials and their proper disposal.</p>	✓
<p><i>Chemical Waste</i></p> <p>For those processes which generate chemical waste, it may be possible to find alternatives which generate reduced quantities or even no chemical waste, or less dangerous types of chemical waste.</p> <p>Containers used for the storage of chemical wastes should:</p> <ul style="list-style-type: none"> <li>be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed;</li> <li>have a capacity of less than 450 litres unless the specification has been approved by the EPD; and</li> <li>display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the Regulations.</li> </ul> <p>The storage area for chemical wastes should:</p> <ul style="list-style-type: none"> <li>be clearly labelled and used solely for the storage of chemical waste;</li> <li>be enclosed on at least 3 sides;</li> <li>have an impermeable floor and bunding, of capacity to accommodate 110% of the volume of the largest container or 20% by volume of the chemical waste stored in that area whichever is the greatest;</li> <li>have adequate ventilation;</li> <li>be covered to prevent rainfall entering (water collected within the bund must be tested and disposed as chemical waste if necessary); and</li> <li>be arranged so that incompatible materials are adequately separated.</li> </ul>	N/A
	P
	✓
	✓
	✓
	✓
	✓
	✓

### Waste Management Mitigation Measures during construction

### Implementation Status

Disposal of chemical waste should:	
<ul style="list-style-type: none"> <li>be via a licensed waste collector; and</li> </ul>	N/A
<ul style="list-style-type: none"> <li>be to a facility licensed to receive chemical waste, such as the Chemical Waste Treatment Facility which also offers a chemical waste collection service and can supply the necessary storage containers, or</li> </ul>	N/A
<ul style="list-style-type: none"> <li>to be reuser of the waste, under approval from the EPD.</li> </ul>	N/A
<i>General Refuse</i>	P
Should be stored in enclosed bins or compaction units separate from C&D and chemical wastes. The Contractor should employ a reputable waste collector to remove general refuse from the site, separate from C&D and chemical wastes, on a regular basis to minimise odour, pest and litter impacts. Burning of refuse on construction sites is prohibited by law.	
<b>Disposal of Excavated Sediment at Sea</b>	
The requirements and procedures for excavated sediment disposal are specified under the ETWB TCW No. 34/2002 and PNAP 252. The management of the excavation, use and disposal of sediment is monitored by Fill Management Committee, whilst the licensing of marine dumping is the responsibility of the Director of Environmental Protection (DEP).	N/A
The excavated sediment would be loaded onto barges or other appropriate vessel and transported to the designated marine disposal site. Category L sediment and Category M sediment passing the biological test would be suitable for disposal at a gazetted open sea disposal ground. Category M sediment failing the biological test and Category H sediment passing the biological test would require confined marine disposal.	N/A
During transportation and disposal of the dredged sediment, the following measures should be taken to minimize potential impacts on water quality:	N/A
<ul style="list-style-type: none"> <li>Bottom opening transport vessels should be fitted with tight fitting seals to prevent leakage of material. Excess material should be cleaned from the decks and exposed fittings of vessels before the vessel is moved.</li> </ul>	N/A
<ul style="list-style-type: none"> <li>Monitoring of the barge loading should be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels should be equipped with automatic self-monitoring devices as specified by the DEP.</li> </ul>	N/A

## Ecology – Recommended Mitigation Measures

### Ecology Mitigation Measures during construction

### Implementation Status

<i>Clear Definition of Site Limit</i>	
Clear definition of the site limit should be provided in order to minimize and confine the disturbance during the construction period, especially the northern limit of the Site which is adjacent to fishponds within the Conservation Area (CA) zone and are considered to be ecological sensitive receivers.	✓
During wetland construction stage the WRA boundary will be delineated using a temporary hoarding in order to reduce disturbance to off-site habitats and wildlife. During the establishment phase this hoarding will be replaced with a 1 m high chain-link fence in order to reduce disturbance to the WRA through access by humans and dogs, and a hoarding will be established around the residential construction site.	N/A (WRA construction completed)
<i>Dust and Noise Suppression and Avoidance of Water Pollution</i>	
Good site practices of dust and noise suppression should be strictly implemented to ensure that disturbance is minimized to acceptable levels. Mitigation measures for the off-site disturbance impacts on the fishponds in the CA include hoarding at the northern site boundary during construction of the WRA to reduce noise and dust impacts to the adjacent habitats. Through the use of quieter plant and temporary/movable noise barriers, the noise level would be reduced significantly to an acceptable level. Hoarding at the northern boundary should be replaced with a 1 m high chain-link fence following construction and the WRA will then act as a buffer between the existing wetland areas and the residential part of the site until construction is completed. Hoarding will be retained between the WRA and ongoing construction work to avoid visual disturbance and reduce noise and dust emissions. Pollution of watercourses and sedimentary runoff will be minimized by good site practice, especially the containment of water and sediment within the site for removal.	✓

### Ecology Mitigation Measures during construction

### Implementation Status

These standard noise and air and water quality site practices are considered to be effective measures for minimizing the disturbance impact during the construction period.	
<i>Planning of Construction Schedule</i>	
The construction of the proposed project should be scheduled in phases. Because mitigation is preferably carried out in advance of the main works rather than after the completion of works, the construction of the WRA will commence at the start of the project. Construction work within the WRA is scheduled to take place in a single wet season, followed by 1.5 years of wetland establishment. During the wetland establishment period no noisy work will be undertaken within the WRA to minimize the disturbance to off-site habitats and wildlife.	N/A (WRA construction completed)
<i>Reusing Onsite Materials</i>	
Soil and plants on-site should be reused (e.g. used as fill material) as far as practical. Stock piles of these reusable materials should be stored in an appropriate area on-site. In particular, the re-use of the wetland soils and topsoil should be considered.	✓
<i>Construction of the Wetland Restoration Area</i>	✓
The WRA will be operational within 2.5 years from the commencement of construction (1 year for site formation and 1.5 years for establishment) and will compensate for the predicted ecological impacts of the proposed development.	

## Landscape and Visual – Recommended Mitigation Measures

### Landscape and Visual Mitigation Measures during construction

### Implementation Status

CM1 - The construction area and contractor's temporary works areas should be minimised to avoid impacts on adjacent landscape.	✓
CM2 - Screening of construction works by hoarding / noise barriers.	✓ (see Appendix G Photo 1 & 3 *)
CM3 - Reduction of construction period to practical minimum.	✓
CM4 - Topsoil, where identified, should be stripped and stored for re-use in the construction of the soft landscape works, where the soil material meets acceptable criteria and where practical. The Contract Specification shall include storage and reuse of topsoil as appropriate.	✓
CM5 - Hydroseeding or sheeting of soil stockpiles with visually unobtrusive material (in earth tone).	✓
CM6 - Advance screen planting of noise barriers	✓ (see Appendix G Photo 3 *)
CM7 - Control night-time lighting and glare by hooding all lights.	N/A
CM8 - Ensure no run-off into streams adjacent to the Project Area.	✓
CM9 - Protection of existing trees on boundary of site shall be carefully protected during construction. Detailed Tree Protection Specification shall be provided in the Contract Specification. Under this specification, the Contractor shall be required to submit, for approval, a detailed working method statement for the protection of trees prior to undertaking any works adjacent to all retained trees, including trees in contractor's works areas. (Tree protection measures will be detailed at S16 and Tree Removal Application stage).	✓
CM10 - Trees unavoidably affected by the works shall be transplanted where practical. Trees should be transplanted straight to their destinations and not held in a nursery. A detailed Tree Transplanting Specification shall be provided in the Contract Specification, if applicable. Sufficient time for necessary tree root and crown preparation periods shall be allowed in the project programme.	✓




Legend:

- ✓ Implemented
- x Not implemented
- P Partially implemented
- N/A Not applicable
- \* Representative photos showing the implementation of mitigation measures are presented in Appendix G





## G. Landscape and Visual Audit Photos

	
<p>Photo 1: The Construction works have been screened by hoarding / noise barriers. (CM2)</p>	<p>Photo 2: The wetland areas have been established and the ponds are seasonally filled with rainwater (OM4)</p>
	
<p>Photo 3: Advance screen planting of noise barrier has been undertaken (CM6, OM2)</p>	