



Proposed Comprehensive Development at Wo Shang Wai, Yuen Long

Quarterly EM&A Summary Report for Aug 2023 –
Oct 2023 (Rev A)

21 November 2023

Mott MacDonald
3/F Manulife Place
348 Kwun Tong Road
Kwun Tong
Kowloon
Hong Kong

T +852 2828 5757
F +852 2827 1823
mottmac.hk

Profit Point Enterprises
Limited

Proposed Comprehensive Development at Wo Shang Wai, Yuen Long

Quarterly EM&A Summary Report for Aug 2023 –
Oct 2023 (Rev A)

21 November 2023

Document reference: 370161 | 05/02 | A

Information class: Standard

This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.

Contents

Executive summary	1
1 Introduction	3
1.1 Background	3
1.2 Project Organization	3
1.3 Environmental Status in the reporting period	3
1.4 Summary of EM&A Requirements	3
1.5 Recommended Mitigation Measures	4
2 Summary of Monitoring Results	6
2.1 Air Quality Monitoring	6
2.2 Construction Noise Monitoring	6
2.3 Water Quality Monitoring	6
2.4 Ecological Monitoring	7
2.4.1 Monitoring of Birds	7
2.4.2 Monitoring of Herpetofauna	7
2.4.3 Monitoring of Dragonflies and Butterflies	8
2.4.4 Monitoring of Mammals	9
2.4.5 Management Activities	9
2.5 Landscape and Visual Monitoring	9
3 Environmental Site Inspection and Audit	12
3.1 Site Inspection	12
3.2 Solid and Liquid Waste Management Status	12
4 Report on Non-compliance and Complaints	13
4.1 Record on Non-compliance of Action and Limit Levels	13
4.1.1 Record of Non-compliance	13
4.1.2 Constructional Impacts on Water Quality	13
4.1.3 Exceedance Investigations	14
4.2 Record on Environmental Complaints Received	15
4.3 Follow-up Actions Taken	15
5 Future Key Issues	16
5.1 Construction Works for the Coming Months	16
5.2 Key Issues for the Coming Months	16
5.3 Conclusions and Recommendations	16
5.3.1 Conclusions	16
5.3.2 Recommendations	16

6	References	18
6.1	List of References	18

	Figures	21
--	---------	----

	Appendices	23
--	------------	----

A.	Project Organization Chart	25
----	----------------------------	----

B.	Tentative Construction Programme (not used)	27
----	---	----

C.	Action and Limit Levels for Construction Phase	29
----	--	----

D.	Summary and Graphical Plots of the Monitoring Results	31
----	---	----

E.	Summary of Ecological Monitoring Results	33
----	--	----

F.	Environmental Mitigation Measures - Implementation Status	45
----	---	----

G.	Landscape and Visual Audit Photos	51
----	-----------------------------------	----

Tables

Table 1.1:	Summary of Impact EM&A Requirements	4
------------	-------------------------------------	---

Table 2.1:	Construction Audit Summary on Landscape and Visual	10
------------	--	----

Table 4.1:	Comparison of Monitoring Data of Suspended Solids	13
------------	---	----

Figures

Figure 1.1: General Site Layout and Locations of Monitoring Stations

Figure 2.1: Survey Area and Transect Walked

Executive summary

Mott MacDonald Hong Kong Ltd. (“MMHK”) has been commissioned by Heng Shung Construction Co. Ltd. to undertake the Environmental Team (ET) services to carry out environmental monitoring and audit (EM&A) for both pre-construction and construction phases of the Proposed Comprehensive Development at Wo Shang Wai, Yuen Long. From August 2016, the Project Proponent, Profit Point Enterprises Limited, commissioned MMHK to continue the ET services.

This is the 54th Quarterly EM&A Summary report and this report summarises the findings on EM&A during the period from 1 August 2023 to 31 October 2023.

Exceedance of Action and Limit Levels

There was no breach of Action or Limit Levels for air quality (1-hr TSP and 24-hr TSP) and noise during the reporting period. However, for water quality, a total of 45 Action Level exceedances and 28 Limit Level exceedances were observed.

Seven Action Level exceedances of pH, three Limit Level exceedances of DO, and two action level exceedances of DO were recorded at MP3; two Action Level exceedances of pH, one Limit level exceedance of DO, one Action Level exceedance of SS and one Limit Level exceedance of SS were recorded at MP4; one Action Level exceedance of pH was recorded at MP5; and one Action Level exceedance of pH was recorded at MP6 in August 2023.

One Action Level exceedances of pH, eight Limit Level of DO, and one action level exceedance of DO were recorded at MP3; two Action Level exceedances of pH, one Action Level exceedance of SS and one Limit Level exceedance of SS were recorded at MP4; five Action Level exceedances of pH were recorded at MP5; two Action Level exceedances of pH were recorded at MP6 in September 2023.

Seven Action Level exceedances of pH, one Limit Level exceedance of pH, and nine Limit Level exceedances of DO were recorded at MP3; one Action Level exceedance of pH, one Action Level exceedance of SS and four Limit Level exceedances of SS were recorded at MP4; three Action Level exceedances of pH were recorded at MP5; seven Action Level exceedances of pH were recorded at MP6 in October 2023.

Investigations have been carried out to identify the causes of exceedances. From investigation, the contractor has implemented water quality mitigation measures as recommended in the EIA report. With localised natural variations, water plant growth and its degradation, and external factors such as pond fish culture activities in the fish pond represented by MP3, the exceedances were considered not due to the Project’s activities.

Implementation of Mitigation Measures

Site audits were carried out on a weekly basis during the monitoring period to confirm the implementation of environmental mitigation measures undertaken by the Contractor in the reporting period. The status of implementation of mitigation measures in the site is shown in **Appendix F**.

Record of Complaints

There was no record of complaints received in the reporting period.

Future Key Issues

Site works scheduled to be commissioned in the coming three months include regular maintenance work for the Wetland Restoration Area including adjusting the water level, if required, and removal of unwanted species in the pond. No major heavy construction works will be carried out. Potential environmental impacts due to the activities, including air quality, noise, water quality, ecology and landscape and visual, will be monitored.

Environmental mitigation measures will be implemented on site as recommended and weekly site audits will be carried out to ensure that the environmental conditions are acceptable.

1 Introduction

1.1 Background

In March 2005, the Project Proponent, Profit Point Enterprises Limited, acquired the development site in Yuen Long at Wo Shang Wai. An Environmental Impact Assessment (EIA) was then carried out under the EIA Ordinance (EIAO), and the Environmental Permit (EP-311/2008) for construction of the comprehensive development in Wo Shang Wai was first granted by EPD on 9 September 2008 and has been subsequently varied, with the current version (EP-311/2008/E) issued by EPD on 19 December 2017.

The Project involves the residential development and associated infrastructure and wetland restoration area and linear landscape area. The construction works under the Environmental Permit commenced on 12 May 2010. The site formation construction works of the Wetland Restoration Area (hereafter WRA) were completed on 15 November 2010, and the WRA was established by October 2012, within 30 months from the commencement of construction as stipulated in the EP. This indicated that planting works as scheduled in the approved Wetland Restoration and Creation Scheme (WRCS; November 2009) were complete, except along the western and southern boundary where the planting is affected by the existing site boundary and noise barrier, and for which a Variation to Environmental Permit (EP-311/2008/C) to defer planting at the location was approved. Consequently, EP (EP-311/2008/D) including specific mitigation measures to minimise certain identified noise impacts during the operation phase was approved. The current valid EP (EP-311/2008/E) comprises varied conditions for the implementation and maintenance of visual and landscape measures, and for the implementation of noise mitigation measures.

Mott MacDonald Hong Kong Ltd. (“MMHK”) has been commissioned to undertake the Environmental Team (ET) services to carry out environmental monitoring and audit (EM&A) for both pre-construction and construction phases of the Proposed Comprehensive Development at Wo Shang Wai, Yuen Long.

This report summarises the findings during the period from 1 August 2023 to 31 October 2023.

1.2 Project Organization

The organisation chart and lines of communication with respect to the on-site environmental management structure together with the contact information of the key personnel are shown in **Appendix A**.

1.3 Environmental Status in the reporting period

During the reporting period, construction works of the Project undertaken include:

- General site maintenance work
- Regular maintenance work for the Wetland Restoration Area (including monitoring the water level and removal of unwanted species in the pond), as indicated in Section 2.4.5.

There were no major construction works carried out. The general layout plan of the Project site is shown in **Figure 1.1**.

1.4 Summary of EM&A Requirements

The EM&A programme requires environmental monitoring of air quality, noise, water quality, ecology and landscape and visual as specified in the approved EM&A Manual.

A summary of impact EM&A requirements is presented in **Table 1.1** below:

Table 1.1: Summary of Impact EM&A Requirements

Parameters	Descriptions	Locations	Frequencies
Air Quality	24-Hour TSP	ASR1, ASR2A, ASR3, ASR4 ⁽¹⁾	Once every 6 days
	1-Hour TSP	ASR1, ASR2A, ASR3, ASR4 ⁽¹⁾	3 times every 6 days
Noise	L _{eq} , 30min	NSR1, NSR3, NSR5 ⁽²⁾ , NSR7	Weekly
Water Quality	Dissolved Oxygen (DO), temperature, pH, suspended solids (SS) and Biological Oxygen Demand (BOD)	MP1 to MP6 ⁽³⁾	3 days per week
Ecology	Birds	Within the Project Area and Assessment Area of 500m	Weekly
	Dragonflies and Butterflies	Within the Project Area and Assessment Area of 500m	Once per month during March and September to November, and twice per month during April to August
	Herpetofauna	Within the Project Area and Assessment Area of 500m	Daytime: Once per month during April to November Night-time: Once per month during March to August
	Water quality of Wetland Restoration Area (WRA)	WRA	After filling of WRA with water, monthly for in situ water quality and every six months (end of wet season and end of dry season) for laboratory testing
	Site Inspections	Within the Project Area and Assessment Area of 500m	Weekly
Landscape and Visual	Auditing of protection of existing trees, the transplanting of existing trees, the creation of new wetland, the planting of new trees and shrubs and other landscape and visual mitigation measures	CM1 to CM10 and OM1 to OM7 within the Project Area	Site inspections once every two weeks during construction phase; once every two months during operational phase

Notes:

- (1) The air quality stations ASR1 and ASR4 were relocated to new locations on 5 June 2018 as the previous locations will be affected by upcoming construction activities. All monitoring data at ASR1 and ASR4 from June 2018 is measured at the new monitoring locations.
- (2) The noise impact monitoring station NSR5 was relocated to a new location on 5 June 2018 as the previous location will be affected by upcoming construction activities. All monitoring data at NSR5 from June 2018 is measured at the new monitoring location.
- (3) The water quality impact monitoring at MP1 and MP2 have been terminated since July 2012 due to the withdrawal of access rights by the landowner.

The Environmental Quality Performance Limits for air quality, noise and water quality are shown in **Appendix C**.

1.5 Recommended Mitigation Measures

The EM&A programme followed the recommended mitigation measures in the EM&A Manual. The EM&A requirements as well as the summary of implementation status of the environmental mitigation measures are provided in **Appendix F**. In particular, the following mitigation measures continued to be implemented at the site during the reporting period:

Air Quality

- Access roads should be sprayed with water or dust suppression chemical to maintain the entire road surface wet or paved.

Water Quality

- Site effluent should be discharged in accordance with the discharge licence.
- The site should be confined and properly maintained to avoid silt runoff.
- Chemicals should always be stored on drip trays or in bunded areas.

Waste Management

- The chemical waste storage area should be clearly labelled.
- General refuse should be stored in enclosed bins or compaction units separate from construction and demolition (C&D) and chemical wastes.

2 Summary of Monitoring Results

2.1 Air Quality Monitoring

Results and graphical plots of 1-hour TSP and 24-hr TSP at the four monitoring locations are summarised and shown in the **Appendix D**. No exceedance of 1-hour and 24-hour TSP (Action or Limit Level) was recorded in the reporting period.

August 2023 was much hotter than usual. The monthly mean temperature of 29.7 degrees and monthly mean minimum temperature of 27.8 degrees were respectively 1.0 degree and 1.1 degrees above their normal and both were the highest on record for August. Moreover, the monthly mean maximum temperature of 32.4 degrees was 1.1 degrees above normal and one of the second highest on record for August. The month was also much drier than usual with a total rainfall of 140.7 millimetres, about 31 percent of the normal figure of 453.2 millimetres and the ninth lowest on record for August.

September 2023 was hotter than usual with a mean temperature of 28.5 degrees, 0.6 degrees above the normal of 27.9 degrees. September 2023 was an eventful month in Hong Kong with the ferocious strike by Super Typhoon Saola on 1 – 2 September and the phenomenal rainstorm on 7 – 8 September. Mainly attributing to the heavy rain associated with Saola and troughs of low pressure in the first half of the month, the Observatory recorded an all-time high September rainfall of 1067.1 millimetres, more than three times of the September normal of 321.4 millimetres.

October 2023 was warmer than usual. The mean temperature of 26.4 degrees was 0.7 degrees above the normal and one of the fourth highest for October on record. Mainly attributing to the record-breaking rainfall associated with tropical cyclone Koinu on 8 – 9 October, the month was also much wetter than usual. The monthly total rainfall was 546.0 millimetres, more than four times of the normal figure of 120.3 millimetres and the fifth highest on record for October. The month was also much cloudier than usual, with a mean amount of cloud of 79%, 21% above the normal and the second highest on record for October.

For details of wind speed and direction during the monitoring period, please refer to the respective Monthly EM&A Report.

2.2 Construction Noise Monitoring

The construction noise monitoring results and graphical plots are shown in **Appendix D**. No exceedance (Action or Limit Level) of construction noise was recorded in the reporting period.

2.3 Water Quality Monitoring

The water quality monitoring results and the graphical plots of the monitoring data are shown in **Appendix D**.

During August 2023, seven Action Level exceedances of pH, three Limit Level exceedances of DO, and two action level exceedances of DO were recorded at MP3; two Action Level exceedances of pH, one Limit level exceedance of DO, one Action Level exceedance of SS and one Limit Level exceedance of SS were recorded at MP4; one Action Level exceedance of pH was recorded at MP5; and one Action Level exceedance of pH was recorded at MP6.

During September 2023, one Action Level exceedances of pH, eight Limit Level of DO, and one action level exceedance of DO were recorded at MP3; two Action Level exceedances of pH, one Action Level exceedance

of SS and one Limit Level exceedance of SS were recorded at MP4; five Action Level exceedances of pH were recorded at MP5; two Action Level exceedances of pH were recorded at MP6 in September 2023.

During October 2023, seven Action Level exceedances of pH, one Limit Level exceedance of pH, and nine Limit Level exceedances of DO were recorded at MP3; one Action Level exceedance of pH, one Action Level exceedance of SS and four Limit Level exceedances of SS were recorded at MP4; three Action Level exceedances of pH were recorded at MP5; seven Action Level exceedances of pH were recorded at MP6 in October 2023.

2.4 Ecological Monitoring

2.4.1 Monitoring of Birds

Monitoring was undertaken following the survey methodology in the EM&A Manual. The WRA was also surveyed during the reporting period as the area became accessible and site formation works for WRA has been completed. A transect was followed in the bird surveys (see **Figure 2.1**).

All bird species of conservation importance and/or wetland dependent were identified and enumerated. Flying birds were not recorded unless they were foraging and associated with the habitat (such as swifts). Further, notable bird observations during other surveys were also recorded.

A summary of the survey data of bird species of conservation importance and/or wetland-dependence recorded is provided in **Appendix E**.

Bird surveys were conducted on a weekly basis. A total of 35, 38 and 43 bird species were recorded in the Survey Area (excluding the WRA) in August 2023, September 2023 and October 2023 respectively. Among the birds in the Survey Area (excluding the WRA), 18, 20 and 22 were of conservation importance and/or wetland-dependence were recorded in August 2023, September 2023 and October 2023, respectively. Within the WRA, a total of 29, 42 and 43 bird species were recorded in August 2023, September 2023 and October 2023 respectively. In each respective month, 11, 20 and 20 of the recorded bird species were of conservation importance and/or wetland-dependence.

In August 2023, one of the three target species was recorded within the WRA (high count and mean of the target species respectively): Chinese Pond Heron (*Ardeola bacchus*) (4, 1.4).

In September 2023 two of the three target species were recorded within the WRA (high count and mean of the target species respectively): Little Egret (*Egretta garzetta*) (7, 2.8) and Chinese Pond Heron (*Ardeola bacchus*)(3, 1.5).

In October 2023 two of the three target species were recorded within the WRA (high count and mean of the target species respectively): Little Egret (*Egretta garzetta*) (3, 1.4) and Chinese Pond Heron (*Ardeola bacchus*)(5, 2.2).

The survey data shows that when compared with the surrounding fishponds which cover a much larger area, the WRA attracts a good number of wetland dependent birds or species of conservation importance. A summary of the survey findings is provided in **Appendix E**.

2.4.2 Monitoring of Herpetofauna

Monitoring was undertaken following the survey methodology in the EM&A Manual. One daytime and one night-time herpetofauna survey were conducted in August 2023. One daytime herpetofauna survey was conducted in September 2023 and October 2023, respectively. Notable herpetofauna observations during other surveys, site inspections and habitat management works were also recorded as 'outside survey'.

In August 2023, two amphibian species (Asian Common Toad *Bufo melanostictus* and Brown Tree Frog *Polypedates megacephalus*) and two reptile species (Bowring's Gecko *Hemidactylus bowringii* and Many-banded Krait *Bungarus multicinctus multicinctus*) were recorded in the Survey Area (excluding the WRA) during regular surveys. Within the WRA, six species of amphibian (Asian Common Toad *Bufo melanostictus*, Gunther's Frog *Hylarana guentheri*, Paddy Frog *Fejervarya limnocharis*, Brown Tree Frog *Polypedates megacephalus*, Asiatic Painted Frog *Kaloula pulchra pulchra* and Ornate Pygmy Frog *Microhyla fissipes*) and one reptile species (Bowring's Gecko *Hemidactylus bowringii*) were recorded during regular surveys in the WRA.

In September 2023, no amphibian or reptile species were recorded in the Survey Area (excluding the WRA). One amphibian (Paddy Frog *Fejervarya limnocharis*) and three reptile species (Bowring's Gecko *Hemidactylus bowringii*, Reeve's Smooth Skink *Scincella reevesii* and Common Rat Snake *Ptyas mucosus*) were recorded outside the regular survey in the WRA.

In October 2023, no amphibian or reptile species were recorded in the Survey Area (excluding the WRA). Two amphibian species (Ornate Pygmy Frog *Microhyla fissipes* and Asian Common Toad *Bufo melanostictus*) and one reptile species (Bowring's Gecko *Hemidactylus bowringii*) were recorded outside the regular survey in the WRA.

A summary of the survey findings is provided in **Appendix E**.

2.4.3 Monitoring of Dragonflies and Butterflies

In accordance with the EM&A Manual, two odonates and butterflies surveys were conducted in August 2023, and one survey on odonates and butterflies was conducted in each month of September and October 2023. Notable odonate and butterfly species observed during other surveys, site inspections and habitat management works were also recorded as 'outside survey'.

In August 2023, seven odonate species and six butterfly species were recorded in the Survey Area (excluding the WRA). Among them, Coastal Glider (*Macrodiplex cora*) was listed by Fellowes et al. as of "Local Concern" in 2002. Within the WRA 14 odonate species and 16 butterfly species were recorded during regular surveys. One additional odonate species (Evening Skimmer *Tholymis tillarga*) was recorded in the WRA during outside survey, bringing the total number of odonate species recorded within the WRA to 15.

In September 2023, three odonate species and five butterfly species were recorded within the Survey Area (excluding the WRA) during the regular survey. Within the WRA, 14 odonate species and 11 butterfly species were recorded during the regular survey. Two additional odonate species (Dingy Dusk-hawker *Gynacantha subinterrupta* and Evening Skimmer *Tholymis tillarga*) were recorded in the WRA outside the regular survey, bringing the total number of odonate species recorded within the WRA to 16. Among them, Dingy Dusk-hawker was listed by Fellowes et al. as of "Local Concern" in 2002.

In October 2023, no odonate was recorded in regular survey within the Survey Area (excluding the WRA). Five butterfly species were recorded in regular survey within the Survey Area (excluding the WRA). Within the WRA, 12 odonate species were recorded during regular survey. Three additional odonate species (Blue Sprite *Pseudagrion microcephalum*, Lesser Emperor *Anax parthenope julius* and Dingy Dusk-darter *Zyxomma petiolatum*) were recorded in the WRA outside the regular survey, bringing the total number of odonate species recorded within the WRA to 15. Among them, Blue Sprite was listed by Fellowes et al. as of "Local Concern" in 2002.

Within the WRA, 14 butterfly species were recorded during the regular survey. Seven additional butterfly species (Common Indian Crow *Euploea core amymone*, Striped Blue Crow *Euploea Mulciber*, Silver Streak Blue *Iraota timoleon timoleon*, Long-banded Silverline *Spindasis lohita*, Lemon Emigrant *Catopsilia pomona pomona*, Common Straight Swift *Parnara guttata* and Water Snow Flat *Tagiades litigiosa*) were recorded in

the WRA outside the regular survey, bringing the total number of butterfly species recorded to 21. Water Snow Flat and Striped Blue Crow were recorded for the first time within the WRA and in the whole study.

A summary of the survey findings is provided in **Appendix E**.

2.4.4 Monitoring of Mammals

Monitoring of mammals was conducted concurrently with other surveys.

In August 2023, one mammal species (Japanese Pipistrelle *Pipistrellus abramus*) was recorded in the Survey Area (excluding the WRA). Within the WRA, three mammal species (an indeterminate bat species, Short-nosed Fruit Bat *Cynopterus sphinx* and Japanese Pipistrelle *Pipistrellus abramus*) were recorded during regular surveys.

In September 2023, no mammal species was recorded in the Survey Area (excluding the WRA). Within the WRA, one mammal species (Japanese Pipistrelle *Pipistrellus abramus*) was recorded during regular surveys.

In October 2023, no mammal species was recorded in the Survey Area (excluding the WRA) nor within the WRA.

A summary of the survey findings is provided in **Appendix E**.

2.4.5 Management Activities

2.4.5.1 Vegetation Management

Vegetation management activities undertaken at the WRA primarily involved the removal of excess grass and sedges, shrubs and tree branches, as well as excessive climbers. These removals included but were not limited to *Leucaena leucocephala*, *Macaranga tanarius*, *Ficus microcarpa*, *Rhaphiolepis indica*, *Lantana camara*, *Mimosa* sp., *Pennisetum* sp., *Ipomea* sp., *Bidens alba*, *Paederia foetida* and *Mikania micrantha*.

Excessive branches along the emergency vehicle access (EVA) were trimmed and broken and fallen branches along the EVA were cleared. Fallen leaves along the EVA of Cell 3 and Cell 4 were swept aside and formed piles of plant material on both sides of the EVA. These piles were used to attract herpetofauna and butterflies.

Broken and dangling branches caused by the typhoons were cleared.

2.4.5.2 Wildlife Management

Excessive vegetation along the EVA and pond bunds were cleared to uncover the soil and road surface. Red Imported Fire Ant nests along the EVA and pond bunds were located and will be treated with Agriculture, Fisheries and Conservation Department (AFCD) registered and approved pesticide after the rainy season.

Egg masses of Apple Snails (*Pomacea canaliculata*) found along the concrete structures of the WRA (e.g. sluice gates between Cells, and concrete walls of Cell 4), and those growing on aquatic vegetations of Cell 1 to 4 were cleared during site inspections and vegetation management works.

Mitigation actions have been carried out in the WRA during the survey period to increase the WRA utilization by birds. Mitigation actions include controlling the vegetation and water level of Cells 1 to 4.

2.5 Landscape and Visual Monitoring

The audit was undertaken with references to the specific mitigation measures recommended in Section 10.2 of the EM&A Manual and the audit results are summarized in **Table 2.1**.

Representative photos showing the implementation of mitigation measures are presented in **Appendix G**.

Table 2.1: Construction Audit Summary on Landscape and Visual

Area of Works	Items to be Monitored
Works Area	The boundaries of the works area have been established on site in accordance with the contract documents and approved plans (EP), and the limit of current heavy construction activity is now confined to within the site hoardings (North side of the site / access road) and the noise barriers (other sides of the site). Minor works such as horticultural maintenance of the planting and transplanted trees, and boundary fence repair was proceeding along the Royal Palms - Palm Springs boundary. (Photo 1 in Appendix G) No construction works were observed to have exceeded the site boundaries. No construction was carried out at the wetland restoration area after 15 November 2010.
Protection of all trees and woodland blocks to be retained	Trees retained within the site along the northeast boundary, beside wetland restoration area, have been identified and protected by temporary protective fencing.
Streams	The works site is partly encircled by a berm / perimeter channel to intercept surface water and prevent it from washing off into any of the neighbouring sites. Surface water is collected within the site in a temporary drainage channel. Gravels beds and barriers have been installed to filter site runoff; sedimentation ponds have been provided to enable primary treatment before discharge to mains drains.
Clearance of existing vegetation	Site clearance was completed prior to the commencement of construction.
Transplanting of trees	Tree transplanting has been completed, with the trees relocated to various points within the planting strip along the southern boundary of the site, outside the noise barrier. Most of the trees continue to re-establish well.
Topsoil stripping	Suitable pond bund and soil material which had been excavated and stockpiled from the original site, has now been re-used within the landscape works. Dust suppression measures are active along all internal site access tracks.
New buildings	No new permanent buildings have been constructed on site.
Boundaries	Hoardings have been erected along most of the boundaries of the site. Installation of new screen fence between the future residential sites and the constructed wetland restoration areas is complete. Fence has been painted green to match with the surrounding vegetated environment. (Photo 1 in Appendix G)
Noise Barrier	Noise barriers have been installed along the southern and western boundaries of the site in accordance with the Environmental Permit (EP-311/2008/E) requirements. Their design complies with the mitigation requirements, with upper 6 to 7m portion of the barrier being made from a translucent material with green tinted (to match with the environment). Supporting GMS structure, likewise, has been painted green. (Photo 3 in Appendix G).
Night-time lighting	No night-time works were reported to have been carried out during the monitoring period.
Landscape and wetland treatments	Continuous belt of screen planting along the southern and western boundaries of the site has been completed. The formation, soiling and water control structures of the wetland restoration area have been completed. (Photo 3 in Appendix G) The wetland areas have been established and the ponds are seasonally filled with rainwater. Planting of areas around the WRA cells has been completed. No construction was carried out at the wetland restoration area after 15 November 2010. (Photo 2 in Appendix G)
Soiling, etc.	The soil placement and grading for each of the wetland restoration area has been completed. Refilling of holes from whole tree removal works has been completed.
Plant supply	The plant material used in the Advance Planting Strip and in the WRA are all commonly available species and came from commercial sources. Transplanted reeds (<i>Phragmites australis</i>) at the wetland habitat came from the temporary holding nursery onsite.
Planting	Planted tree species are all from the approved list. Seedling trees and shrubs have been established at the margins of the wetland cells. Some invasive species and undesirable exotic species have been found during site inspection; removal of these species should be undertaken on a regular basis.
Establishment Works	The advance planting, the compensatory planting and transplanted trees are generally being maintained by the landscape sub-contractor in accordance with the specification to ensure that the contract requirements are met. Removal of overgrown weeds, unplanned tree seedlings and invasive climbers in the space behind screen noise barrier needs to be undertaken on a monthly basis as they may inhibit the advance planting. Tree no. 56, 59 and 292 were found to be severely damaged by Typhoon Saola. Tree no. 56 was observed to be uprooted, leaning, and the trunk was split; tree no. 59 was observed to have a broken and collapsed trunk; tree no. 292 was observed with broken and collapsed branches. Removal of the collapsed parts and the remaining trunk are recommended.

Area of Works	Items to be Monitored
	<p>Tree no. 71 was observed with split trunk and collapsed branches. Removal of the collapsed parts and the remaining trunk is recommended.</p>
	<p>Presence of termites was observed on tree no. 45, 53, 65, 91, 156, 180, 194, 217, 227, 236, 242, 246, 309, 340, 348, 358, 363 and 393, application of pesticides is recommended.</p>
	<p>Growth of fungi was observed on tree no.314, 327 and 384, application of fungicide and close monitoring of the tree are recommended.</p>
	<p>Regular removal of invasive species (i.e. apple snails, <i>Leucaena leucocephala</i>, <i>Mikania micrantha</i>, <i>Mimosa pudica</i>, <i>Bidens alba</i>, <i>Ludwigia erecta</i>, <i>Sesbania cannabina</i>, etc.) in WRA should be undertaken.</p>
	<p>The growth of shrubs / seedlings on the north side of WRA remains fair.</p>

3 Environmental Site Inspection and Audit

3.1 Site Inspection

The ET carried out construction phase weekly site inspections on 2, 9, 18, 22 and 30 August 2023; 13, 22 and 27 September 2023; and 4, 11, 17 and 27 October 2023. As Black Rainstorm Warning Signal was hoisted on 8 September 2023, due to unexpected extreme weather conditions and safety concerns, the site audit scheduled on 8 September 2023 was cancelled. All observations have been recorded in the site inspection checklist and passed to the Contractor together with the appropriate recommended mitigation measures where necessary.

3.2 Solid and Liquid Waste Management Status

The Contractor has been registered as a chemical waste producer for the Project. Construction and demolition (C&D) material sorting was carried out on site. A sufficient number of receptacles were available for general refuse collection.

As advised by the Contractor, no inert C&D material (i.e. broken concrete/ big boulders) were generated on site and sent to a sorting facility for recycling into rockfill. No metals were generated and collected by registered recycling collector. No paper/cardboard packing and no plastics were generated on site and collected by registered recycling collector. No chemical waste was generated and collected by licensed chemical waste collector. No other types of wastes (e.g. general refuse) were generated on site and disposed of at public landfill facility.

The Contractor is advised to maintain on site waste sorting and recording system and maximize reuse / recycling of C&D wastes, whenever these are generated.

4 Report on Non-compliance and Complaints

4.1 Record on Non-compliance of Action and Limit Levels

4.1.1 Record of Non-compliance

There is no breach of Action or Limit Levels for Air Quality and Noise monitoring in the reporting period.

A total of 45 Action Level exceedances and 28 Limit Level exceedances for Water Quality were recorded during the reporting period. These are described as follows:

- August 2023: Seven Action Level exceedances of pH, three Limit Level exceedances of DO, and two action level exceedances of DO were recorded at MP3; two Action Level exceedances of pH, one Limit level exceedance of DO, one Action Level exceedance of SS and one Limit Level exceedance of SS were recorded at MP4; one Action Level exceedance of pH was recorded at MP5; and one Action Level exceedance of pH was recorded at MP6.
- September 2023: One Action Level exceedances of pH, eight Limit Level of DO, and one action level exceedance of DO were recorded at MP3; two Action Level exceedances of pH, one Action Level exceedance of SS and one Limit Level exceedance of SS were recorded at MP4; five Action Level exceedances of pH were recorded at MP5; two Action Level exceedances of pH were recorded at MP6 .
- October 2023: Seven Action Level exceedances of pH, one Limit Level exceedance of pH, and nine Limit Level exceedances of DO were recorded at MP3; one Action Level exceedance of pH, one Action Level exceedance of SS and four Limit Level exceedances of SS were recorded at MP4; three Action Level exceedances of pH were recorded at MP5; seven Action Level exceedances of pH were recorded at MP6

4.1.2 Constructional Impacts on Water Quality

In order to determine the constructional impacts on water quality, the suspended solids level, which is a good indicator of the quality of effluent from construction site, is selected for assessment. The average value of suspended solids (SS) for water quality monitoring stations (MP3 – MP6) during baseline monitoring and construction phase monitoring for the reporting period are listed in **Table 4.1** below.

Table 4.1: Comparison of Monitoring Data of Suspended Solids

Monitoring Stations	Average Levels of Suspended Solids (mg/L)		Within 130% of mean value of Baseline data?
	During Baseline Monitoring	During Construction Phase Monitoring for the reporting period	
MP3	49.5	12	Yes
MP4	36.9	39	Yes
MP5	47.7	33	Yes
MP6	54.1	34	Yes

The average levels of suspended solids (SS) during the reporting period were within (i.e. below) 130% of the baseline values at MP3, MP4, MP5 and MP6. The above statistics show that the water quality at these locations during the reporting period had not worsened when compared with the baseline condition.

4.1.3 Exceedance Investigations

Water Quality

From investigation, the Contractor has implemented water quality mitigation measures as recommended in the EIA report, including:

- Temporary drainage channels were provided to collect the surface runoff generated within the project site; and
- Installation of barrier at the drainage channels to intercept site runoff and pump wastewater to the sedimentation tanks as primary treatment prior to treatment by wastewater treatment facilities (AquaSed), which will ensure all site runoff is treated to satisfactory quality before discharging into the northern ditches.

The possible causes of exceedances have been investigated and reported to the IEC during construction phase monitoring. The exceedance investigations have also been included in the monthly EM&A reports and some of them are extracted and summarised in **Table 4.2**. The causes of some of the exceedances were unknown but all of them were considered not related to the project. For details, please refer to the relevant monthly EM&A reports.

Table 4.2: Summary of Exceedance Investigations

Descriptions of exceedances	Possible causes	Exceedance related to project?
Exceedance of pH and DO at MP3 in August, September and October 2023	<p>At MP3, exceedances of the Action Level of pH were observed on 4, 7, 9, 16, 21, 25 and 28 August 2023, 25 September 2023, and 3, 11, 18, 20, 26, 28 and 30 October 2023. Exceedance of the Limit Level of pH was observed on 24 October 2023. Exceedances of the Action Level of DO were observed on 14 and 18 August 2023, and 13 September 2023. Exceedances of the Limit Level of DO were observed on 11, 23 and 30 August 2023, 6, 9, 11, 15, 20, 22, 25 and 27 September 2023, and 3, 5, 7, 9, 13, 16, 26, 28 and 30 October 2023.</p> <p>As understood, the fish pond near the site (represented by MP3) is separated from the open ditch by the pond bund (since commencement of construction phase EM&A monitoring in May 2010) and from the construction site by the WRA (since it was completed in November 2010). No direct discharge from the project site to the fish pond was observed. It is noted as well that there have been no heavy construction activities in the reporting period.</p> <p>Mitigation measures for water quality protection, including the provision of wastewater treatment facilities (including sedimentation tank and AquaSed) and proper drainage system that separates from the WRA, have been implemented. No adverse impact on the fish pond near the site was observed, including on the day with exceedance of water quality parameters.</p> <p>According to the results of the baseline water quality monitoring conducted prior to the commencement of construction works, the pH recorded at MP3 ranged from 7.7 to 8.6. The recorded pH exceedances (7.6 to 8.2) are therefore considered to be very close to / within the range of natural variations at this location.</p> <p>It is also noted from AFCD's Environmental Management of Pond Fish Culture (EMPF) guidelines from its Series of Good Aquaculture Practice that the pH level of fishpond water should be between 6 and 8.5 and for good water quality DO levels should be maintained above 4 mg/L.</p> <p>The recorded exceedance values for pH were well within the guideline recommendations and the recorded values for DO were above the recommended minimum. Aerators were observed on most days with DO exceedance so as to mitigate low DO levels. Nevertheless, the Contractor was reminded to implement the water quality mitigation measures in accordance with the recommendation stated in Section 5.6.1 - 5.6.4 of the EIA Report as far as practicable.</p>	No. It is concluded that the exceedances were possibly due to localised natural variations and external factors such as fish culture activities in the fish pond represented by MP3, which are not related to the project's activities.
Exceedance of SS at MP4 in August, September and	At MP4, exceedances of the Action Level of SS were observed on 4 August 2023, 25 September 2023 and 18 October 2023. Exceedances of the Limit Level of SS were observed on 2 August 2023, 18 September	No, it is concluded that the DO, SS and pH exceedances were regarded as a result of a

Descriptions of exceedances	Possible causes	Exceedance related to project?
<p>October 2023; DO at MP4 in August 2023; and pH at MP4, MP5 and MP6 in August, September and October 2023.</p>	<p>2023 and 3, 9, 16 and 20 October 2023. Exceedance of the Limit Level of DO was observed on 30 August 2023. Exceedances of the Action Level of pH were observed on 2 and 25 August 2023, 18 and 22 September 2023, and 7 October 2023.</p> <p>At MP5, exceedances of the Action Level of pH were observed on 2 August 2023, 13, 18, 20, 22 and 27 September 2023, and 18, 20 and 30 October 2023.</p> <p>At MP6, exceedances of the Action Level of pH were observed on 30 August 2023, 18 and 27 September 2023, and 3, 5, 11, 18, 20, 24 and 30 October 2023.</p> <p>On the days of SS exceedance at MP4, a fair amount of water plant growth and floating vegetation were observed in August, September and October 2023. It is possible that the excessive growth of vegetation and fallen leaves may have impeded the normal flow of ditch water, resulting in localised accumulations of SS.</p> <p>On the day of DO exceedance at MP4, the water body appeared to be slightly muddy with some reed growth and dead vegetation observed along either side of the ditch in August 2023. Excessive growth of vegetation and its degradation may have led to a decrease in DO level in the water.</p> <p>According to the results of the baseline water quality monitoring conducted prior to the commencement of construction works, the pH recorded at MP4, MP5 and MP6 ranged from 7.7 to 8.6. The recorded pH exceedances (7.6 to 7.9) are therefore considered to be very close to / within the range of natural variations at this location.</p> <p>As presented in the weekly site inspections checklists, no observation regarding discharge of muddy water was recorded. Furthermore, the site effluent was effectively treated by the AquaSed system and discharged from the site at a low, controlled rate during the reporting months. No heavy construction activities were carried out during the reporting period.</p>	<p>localised natural variations and water plant growth and its degradation.</p>

4.2 Record on Environmental Complaints Received

There was no new record of complaints received in the reporting period.

4.3 Follow-up Actions Taken

Non-compliance

Although it is considered that the exceedances were not related to the Project, the Contractor was reminded to implement water quality mitigation measures in accordance with the recommendations stated in Sections 5.6.1 to 5.6.4 of the EIA Report as far as practicable. Regular spot checks would be conducted on the nearby discharge by the Contractor and the Contractor would inform ET about the findings for investigation.

It was also advised that the operation condition of the Wastewater Treatment Facilities should be checked regularly to ensure proper functioning of the plant and good quality of effluent discharge.

Complaints

Not applicable for this reporting period.

5 Future Key Issues

5.1 Construction Works for the Coming Months

Site works scheduled to be commissioned in the coming three months involve regular maintenance work for the Wetland Restoration Area (including adjusting the water level, if required, and removal of unwanted species in the pond). No other major construction works have been scheduled.

5.2 Key Issues for the Coming Months

Key issues to be considered in the coming three months include:

- Provision of water spraying or dust suppression chemical to prevent generation of dust from activities on-site and the haul road during dry weather conditions;
- Provision of wheel washing facilities at vehicle exit point;
- Generation and treatment of site surface runoffs and wastewater from activities on-site and during wet weather conditions;
- Sorting, recycling, storage and disposal of general refuse and construction waste from activities on-site; and
- Management of chemicals and avoidance of oil spillage on-site and to the drainage system.

5.3 Conclusions and Recommendations

5.3.1 Conclusions

The EM&A programme as recommended in the EM&A Manual has been undertaken in the reporting period.

Monitoring of Air Quality, Noise, Water Quality, Ecology and Landscape and Visual impacts due to the Project was underway. In particular, the 1-hr TSP, 24-hr TSP, noise level (as L_{eq}) and water quality parameters (such as pH, DO, turbidity and SS) under monitoring have been checked against established Action and Limit Levels.

There was no breach of Action or Limit Levels for Air Quality and Noise during the reporting period.

As for Water Quality, Action Level and Limit Level exceedances of pH, DO and SS were recorded during the reporting period. However, investigations into the exceedances concluded that these were not related to the Project and may have been due to external factors including natural variations and water plant growth and its degradation.

5.3.2 Recommendations

With considerations on the construction activities and environment, the following recommendations were provided:

Air Quality

- All stockpiles should be covered by tarpaulin or kept wet by water spraying;
- All vehicles should be washed to remove any dusty materials before leaving the construction sites;
- The portion of road leading the construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials;
- During the dry season, sufficient water spraying should be provided at haul road to reduce dust emission; and

- Ensure proper functioning of the wheel wash facility.

Noise

- Mobile plant should be sited as far away from NSRs as possible;
- Plant known to emit noise strongly in one direction should be orientated to direct noise away from the NSRs; and
- The construction activities should be better scheduled to reduce noise nuisance.

Water Quality

- Effluent should be discharged in accordance with the discharge licence conditions;
- Soil contaminated with chemicals/oils should be removed from site, and the voids created should be filled with suitable materials; and
- Silt and debris should be removed from the temporary drainage channel regularly.

Waste Management

- General refuse should be stored in enclosed bins or compaction units separate from C&D and chemical wastes to minimise odour, pest and litter impacts;
- Reuse the excavated materials as far as practical to reduce the amount of waste disposal;
- C&D waste should be segregated and stored in different containers to other wastes to encourage the re-use or recycling of materials and their proper disposal;
- Ensure drip trays are provided for chemical containers to prevent leakage or soil contamination;
- All plants and vehicles should be properly maintained to prevent oil leakage; and
- Oil stains on soil should be cleared by disposal of contaminated soil.

6 References

6.1 List of References

- Agriculture, Fisheries and Conservation Department. 2019. Hong Kong Biodiversity Database. https://www.afcd.gov.hk/english/conservation/hkbiodiversity/database/popup_record.php?id=748, 2019 -07-09
- BirdLife International. 2017. *Important Bird Areas factsheet: Inner Deep Bay and Shenzhen River catchment area*. <<http://www.birdlife.org>> on 06/07/2017.
- Carey, G. J., Chalmers, M. L., Diskin, D. A., Kennerley, P. R., Leader, P. J., Leven, M. R., Lewthwaite, R. W., Melville, D. S., Turnbull, M., and Young, L. 2001. *The Avifauna of Hong Kong*. Hong Kong Bird Watching Society, Hong Kong.
- Chan, S.K.F., K.S. Cheung, C.Y. Ho, F.N Lam & W.S. Tam, 2005. *A Field Guide to the Amphibians of Hong Kong*. Cosmos Books Ltd., Hong Kong.
- Fellowes, J.F., M.W.N. Lau, D. Dudgeon, G.T. Reels, G.W.J. Ades, G.J. Carey, B.P.L. Chan, R.C. Kendrick, K.S. Lee, M.R. Leven, K.D.P. Wilson, Y.T. Yu, 2002. *Wild Animals to Watch: Terrestrial and Freshwater Fauna of Conservation Concern in Hong Kong*. Hong Kong.
- Hong Kong Bird Watching Society 2020. List of Hong Kong Birds - 2020-03. <www.hkbws.org.hk>.
- Hong Kong Observatory Climate Information Service. <<https://www.hko.gov.hk/en/wxinfo/pastwx/mws/mws.htm>>
- Horiuchi, S., Odawara, T., Yonemura, S., Hayashi, Y., Kawaguchi, M., Asada, M., Kato, M. & Yasuhara, K. (2007, November). *Floating structure using waste tires for water environmental remediation. In Scrap Tire Derived Geomaterials-Opportunities and Challenges: Proceedings of the International Workshop IW-TDGM 2007*. p. 291. CRC Press.
- IUCN 2016. *IUCN Red List of Threatened Species. Version 2016-3*. <www.iucnredlist.org>. Downloaded on **7th December 2016**
- Karsen, S., M.W.N. Lau & A. Bogadek, 1998. *Hong Kong Amphibians and Reptiles*. Provisional Urban Council, Hong Kong.
- List of National Protected Animal (updated on 5 Feb 2021) <http://www.gov.cn/xinwen/2021-02/09/5586227/files/e007df5c5db364bcdcbcb89d169047d6c5.pdf>
- Lo, P. Y. F. and W.L. Hui, 2004. *Hong Kong Butterflies*. Hong Kong, Cosmos Books Ltd.
- Mott, 2008. *WSW Environmental Monitoring and Audit Manual (March 2008)*.
- Mott, 2008. *WSW Environmental Impact Assessment Report Volumes 1 to 3 (March 2008)*.
- Mott, 2008. *WSW Wetland Restoration Plan (March 2008)*.

Shek, C. T. 2006. *A Field Guide to the Terrestrial Mammals of Hong Kong*. Friends of the Country Parks
Cosmos Books Ltd., Hong Kong.


Tam, T.W., K.K. Leung, B.S.P. Kwan, K.K.Y. Wu, S.S.H. Tang, I.W.Y. So, J.C.Y. Cheng, E.F.M. Yuen, Y.M.
Tsang, and W.L. Hui, 2011. *The Dragonflies of Hong Kong (1st edition)*. Agriculture, Fisheries and
Conservation Department, Friends of Country Parks and Cosmos Books Ltd., Hong Kong.

Wilson, K.D.P., Tam, T.W., Kwan, B.S.P., Wu, K.K.Y., Wong, B.S.F., Wong J.K. 2004. *Field Guide to the
Dragonflies of Hong Kong*. AFCD, Friends of Country Park and Cosmos Books Ltd. Hong Kong.

Young, J.J. & Yiu, V., 2002. *Butterfly Watching in Hong Kong*. Wan Li Book Co. Ltd., Hong Kong.

Zheng Guangmei and Wang Qishan (1998) (Edited), *China Red Data Book of Endangered Animals: Aves*,
Science Press, Beijing.

Figures



Notes

- Key to symbols
- Air Quality Monitoring Stations
 - ▲ Noise Monitoring Stations
 - Water Quality Monitoring Stations
 - Site Boundary

Reference drawings

Rev	Date	Drawn	Description	Ch'k'd	App'd

MOTT MACDONALD

3/F Manulife Place
348 Kwun Tong Road
Kwun Tong, Kowloon
Hong Kong
T +852 2828 5757
F +852 2827 1823
W mottmac.com

Client

PROFIT POINT ENTERPRISES LIMITED

Project


**PROPOSED COMPREHENSIVE DEVELOPMENT
AT WO SHANG WAI, YUEN LONG**

Title

**Locations of Water Quality
Monitoring Stations**

Designed		Eng check	
Drawn		Coordination	
Dwg check		Approved	
Scale at A1	Status	Rev	

Drawing Number **Figure 1.1**



Notes

Key to symbols

- Project Area
- Assessment Area
- Transect

Reference drawings

Rev	Date	Drawn	Description	Ch'k'd	App'd

M
MOTT
MACDONALD

3/F Manulife Place
348 Kwun Tong Road
Kwun Tong, Kowloon
Hong Kong
T +852 2828 5757
F +852 2827 1823
W mottmac.com

Client

PROFIT POINT ENTERPRISES LIMITED

Project

**PROPOSED COMPREHENSIVE DEVELOPMENT
AT WO SHANG WAI, YUEN LONG**

Title

**Survey Area and Transect
Walked**


Designed		Eng check	
Drawn		Coordination	
Dwg check		Approved	
Scale at A1	Status		Rev

Drawing Number **Figure 2.1**

Appendices

A.	Project Organization Chart	25
B.	Tentative Construction Programme (not used)	27
C.	Action and Limit Levels for Construction Phase	29
D.	Summary and Graphical Plots of the Monitoring Results	31
E.	Summary of Ecological Monitoring Results	33
F.	Environmental Mitigation Measures - Implementation Status	45
G.	Landscape and Visual Audit Photos	51

A. Project Organization Chart



— Line of Reporting
 - - - - Line of Communication

Contact information:

Company	Position	Name	Telephone
Profit Point Enterprises Limited (Project Proponent)	Project Manager	Mr. Benjamin Wu	3655 6800
In Construction Limited (The Main Contractor)	Construction Manager	Mr. Chun Kit Tse	9400 7007
	Site Agent	Mr. Chi Hei Leung	6775 1468
	Safety Officer	Mr. Wong Kam Leung	2710 8663
	Environmental Officer	Mr. Vega T. L. Wong	6113 2368
Ramboll Hong Kong Limited (Independent Environmental Checker (IEC))	Independent Environmental Checker	Mr. Y. H. Hui	3465 2850
Mott MacDonald Hong Kong Ltd. (Environmental Team (ET))	Environmental Team Leader	Ms. Nikita Nanwani Nanwani	2828 5960

B. Tentative Construction Programme (not used)

C. Action and Limit Levels for Construction Phase

Air Quality

Action and Limit Levels for 24-hour TSP

Monitoring Station	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
ASR1	226	260
ASR2A	213	260
ASR3	205	260
ASR4	237	260

Action and Limit Levels for 1-hour TSP

Monitoring Station	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
ASR1	378	500
ASR2A	357	500
ASR3	358	500
ASR4	372	500

Noise

Action and Limit Levels for Construction Noise

Time Period	Action Level	Limit Level
NSR1, NSR3, NSR5, NSR7		
0700 – 1900 hours on normal weekdays	When one documented complaint is received from any one of the sensitive receivers	75 dB(A)

Water Quality

Action and Limit Levels for Water Quality

Parameters	DO in mg/L		Turbidity in NTU		SS in mg/L		pH	
	Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
MP1	1.23	1.17	173	177	231	299	< 5.5 or > 7.5	< 4.0 or > 8.0
MP2	1.04	0.89	132	163	170	209		
MP3	6.85	6.65	64	67	65	66		
MP4	3.91	3.82	60	64	50	53		
MP5	4.13	3.87	81	84	66	69		
MP6	4.61	4.52	94	96	75	75		

Notes:

- (1) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))

D. Summary and Graphical Plots of the Monitoring Results

Air Quality (1-hr TSP)

Station ASR1

Date	Start Time	Finish Time	TSP Concentration ($\mu\text{g}/\text{m}^3$)	Weather Condition	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
03-Aug-23	08:24	09:24	49	Sunny	378	500
03-Aug-23	09:24	10:24	27	Sunny	378	500
03-Aug-23	10:24	11:24	46	Sunny	378	500
09-Aug-23	08:30	09:30	23	Sunny	378	500
09-Aug-23	09:30	10:30	23	Sunny	378	500
09-Aug-23	10:30	11:30	27	Sunny	378	500
15-Aug-23	09:03	10:03	20	Sunny	378	500
15-Aug-23	10:03	11:03	20	Sunny	378	500
15-Aug-23	11:03	12:03	22	Sunny	378	500
21-Aug-23	09:08	10:08	23	Sunny	378	500
21-Aug-23	10:08	11:08	27	Sunny	378	500
21-Aug-23	11:08	12:08	26	Sunny	378	500
25-Aug-23	08:48	09:48	15	Sunny	378	500
25-Aug-23	09:48	10:48	13	Sunny	378	500
25-Aug-23	10:48	11:48	13	Sunny	378	500
31-Aug-23	09:02	10:02	19	Sunny	378	500
31-Aug-23	10:02	11:02	21	Sunny	378	500
31-Aug-23	11:02	12:02	24	Sunny	378	500
06-Sep-23	12:51	13:51	41	Sunny	378	500
06-Sep-23	13:51	14:51	31	Sunny	378	500
06-Sep-23	14:51	15:51	28	Sunny	378	500
12-Sep-23	09:01	10:01	18	Sunny	378	500
12-Sep-23	10:01	11:01	16	Sunny	378	500
12-Sep-23	11:01	12:01	22	Sunny	378	500
15-Sep-23	08:54	09:54	19	Sunny	378	500
15-Sep-23	09:54	10:54	19	Sunny	378	500
15-Sep-23	10:54	11:54	17	Sunny	378	500
21-Sep-23	08:53	09:53	24	Sunny	378	500
21-Sep-23	09:53	10:53	25	Sunny	378	500
21-Sep-23	10:53	11:53	30	Sunny	378	500
27-Sep-23	08:31	09:31	24	Sunny	378	500
27-Sep-23	09:31	10:31	20	Sunny	378	500
27-Sep-23	10:31	11:31	49	Sunny	378	500
03-Oct-23	08:37	09:37	31	Sunny	378	500
03-Oct-23	09:37	10:37	32	Sunny	378	500
03-Oct-23	10:37	11:37	34	Sunny	378	500
06-Oct-23	09:17	10:17	23	Sunny	378	500
06-Oct-23	10:17	11:17	28	Sunny	378	500
06-Oct-23	11:17	12:17	37	Sunny	378	500
12-Oct-23	12:50	13:50	24	Sunny	378	500
12-Oct-23	13:50	14:50	24	Sunny	378	500
12-Oct-23	14:50	15:50	22	Sunny	378	500
18-Oct-23	08:33	09:33	52	Sunny	378	500
18-Oct-23	09:33	10:33	47	Sunny	378	500
18-Oct-23	10:33	11:33	48	Sunny	378	500
24-Oct-23	08:23	09:23	24	Sunny	378	500
24-Oct-23	09:23	10:23	30	Sunny	378	500
24-Oct-23	10:23	11:23	21	Sunny	378	500
27-Oct-23	08:24	09:24	42	Sunny	378	500
27-Oct-23	09:24	10:24	27	Sunny	378	500
27-Oct-23	10:24	11:24	24	Sunny	378	500
		Min.	13}	for		
		Max.	52}	reporting		
		Average	27}	period		

Air Quality (1-hr TSP)

Station ASR2A

Date	Start Time	Finish Time	TSP Concentration ($\mu\text{g}/\text{m}^3$)	Weather Condition	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
03-Aug-23	13:22	14:22	49	Sunny	357	500
03-Aug-23	14:22	15:22	48	Sunny	357	500
03-Aug-23	15:22	16:22	46	Sunny	357	500
09-Aug-23	13:28	14:28	46	Sunny	357	500
09-Aug-23	14:28	15:28	47	Sunny	357	500
09-Aug-23	15:28	16:28	22	Sunny	357	500
15-Aug-23	13:15	14:15	29	Sunny	357	500
15-Aug-23	14:15	15:15	47	Sunny	357	500
15-Aug-23	15:15	16:15	48	Sunny	357	500
21-Aug-23	13:10	14:10	23	Sunny	357	500
21-Aug-23	14:10	15:10	26	Sunny	357	500
21-Aug-23	15:10	16:10	27	Sunny	357	500
25-Aug-23	13:30	14:30	18	Sunny	357	500
25-Aug-23	14:30	15:30	17	Sunny	357	500
25-Aug-23	15:30	16:30	15	Sunny	357	500
31-Aug-23	12:57	13:57	22	Sunny	357	500
31-Aug-23	13:57	14:57	23	Sunny	357	500
31-Aug-23	14:57	15:57	20	Sunny	357	500
06-Sep-23	09:21	10:21	41	Sunny	357	500
06-Sep-23	10:21	11:21	29	Sunny	357	500
06-Sep-23	11:21	12:21	26	Sunny	357	500
12-Sep-23	13:08	14:08	24	Sunny	357	500
12-Sep-23	14:08	15:08	22	Sunny	357	500
12-Sep-23	15:08	16:08	26	Sunny	357	500
15-Sep-23	13:23	14:23	20	Sunny	357	500
15-Sep-23	14:23	15:23	17	Sunny	357	500
15-Sep-23	15:23	16:23	16	Sunny	357	500
21-Sep-23	13:16	14:16	22	Sunny	357	500
21-Sep-23	14:16	15:16	24	Sunny	357	500
21-Sep-23	15:16	16:16	23	Sunny	357	500
27-Sep-23	12:56	13:56	22	Sunny	357	500
27-Sep-23	13:56	14:56	24	Sunny	357	500
27-Sep-23	14:56	15:56	28	Sunny	357	500
03-Oct-23	13:03	14:03	38	Sunny	357	500
03-Oct-23	14:03	15:03	47	Sunny	357	500
03-Oct-23	15:03	16:03	41	Sunny	357	500
06-Oct-23	13:12	14:12	29	Sunny	357	500
06-Oct-23	14:12	15:12	27	Sunny	357	500
06-Oct-23	15:12	16:12	24	Sunny	357	500
12-Oct-23	09:06	10:06	21	Sunny	357	500
12-Oct-23	10:06	11:06	25	Sunny	357	500
12-Oct-23	11:06	12:06	32	Sunny	357	500
18-Oct-23	13:01	14:01	50	Sunny	357	500
18-Oct-23	14:01	15:01	51	Sunny	357	500
18-Oct-23	15:01	16:01	54	Sunny	357	500
24-Oct-23	12:57	13:57	25	Sunny	357	500
24-Oct-23	13:57	14:57	23	Sunny	357	500
24-Oct-23	14:57	15:57	24	Sunny	357	500
27-Oct-23	13:26	14:26	36	Sunny	357	500
27-Oct-23	14:26	15:26	22	Sunny	357	500
27-Oct-23	15:26	16:26	17	Sunny	357	500
		Min.	15}	for		
		Max.	54}	reporting		
		Average	30}	period		

Air Quality (1-hr TSP)

Station ASR3

Date	Start Time	Finish Time	TSP Concentration (µg/m ³)	Weather Condition	Action Level (µg/m ³)	Limit Level (µg/m ³)
03-Aug-23	13:03	14:03	28	Sunny	358	500
03-Aug-23	14:03	15:03	49	Sunny	358	500
03-Aug-23	15:03	16:03	47	Sunny	358	500
09-Aug-23	13:06	14:06	45	Sunny	358	500
09-Aug-23	14:06	15:06	44	Sunny	358	500
09-Aug-23	15:06	16:06	42	Sunny	358	500
15-Aug-23	13:36	14:36	48	Sunny	358	500
15-Aug-23	14:36	15:36	48	Sunny	358	500
15-Aug-23	15:36	16:36	47	Sunny	358	500
21-Aug-23	13:28	14:28	25	Sunny	358	500
21-Aug-23	14:28	15:28	25	Sunny	358	500
21-Aug-23	15:28	16:28	22	Sunny	358	500
25-Aug-23	13:07	14:07	17	Sunny	358	500
25-Aug-23	14:07	15:07	20	Sunny	358	500
25-Aug-23	15:07	16:07	21	Sunny	358	500
31-Aug-23	13:15	14:15	25	Sunny	358	500
31-Aug-23	14:15	15:15	24	Sunny	358	500
31-Aug-23	15:15	16:15	24	Sunny	358	500
06-Sep-23	09:01	10:01	33	Sunny	358	500
06-Sep-23	10:01	11:01	22	Sunny	358	500
06-Sep-23	11:01	12:01	22	Sunny	358	500
12-Sep-23	13:27	14:27	21	Sunny	358	500
12-Sep-23	14:27	15:27	20	Sunny	358	500
12-Sep-23	15:27	16:27	25	Sunny	358	500
15-Sep-23	13:05	14:05	14	Sunny	358	500
15-Sep-23	14:05	15:05	15	Sunny	358	500
15-Sep-23	15:05	16:05	13	Sunny	358	500
21-Sep-23	13:34	14:34	49	Sunny	358	500
21-Sep-23	14:34	15:34	27	Sunny	358	500
21-Sep-23	15:34	16:34	24	Sunny	358	500
27-Sep-23	13:14	14:14	27	Sunny	358	500
27-Sep-23	14:14	15:14	22	Sunny	358	500
27-Sep-23	15:14	16:14	24	Sunny	358	500
03-Oct-23	13:20	14:20	38	Sunny	358	500
03-Oct-23	14:20	15:20	39	Sunny	358	500
03-Oct-23	15:20	16:20	40	Sunny	358	500
06-Oct-23	12:54	13:54	46	Sunny	358	500
06-Oct-23	13:54	14:54	48	Sunny	358	500
06-Oct-23	14:54	15:54	22	Sunny	358	500
12-Oct-23	09:26	10:26	29	Sunny	358	500
12-Oct-23	10:26	11:26	28	Sunny	358	500
12-Oct-23	11:26	12:26	24	Sunny	358	500
18-Oct-23	13:18	14:18	48	Sunny	358	500
18-Oct-23	14:18	15:18	49	Sunny	358	500
18-Oct-23	15:18	16:18	42	Sunny	358	500
24-Oct-23	13:15	14:15	25	Sunny	358	500
24-Oct-23	14:15	15:15	26	Sunny	358	500
24-Oct-23	15:15	16:15	21	Sunny	358	500
27-Oct-23	13:07	14:07	26	Sunny	358	500
27-Oct-23	14:07	15:07	27	Sunny	358	500
27-Oct-23	15:07	16:07	21	Sunny	358	500
		Min.	13}	for		
		Max.	49}	reporting		
		Average	31}	period		


Air Quality (1-hr TSP)

Station ASR4


Date	Start Time	Finish Time	TSP Concentration (µg/m ³)	Weather Condition	Action Level (µg/m ³)	Limit Level (µg/m ³)
03-Aug-23	04:41	05:41	42	Sunny	372	500
03-Aug-23	05:41	06:41	41	Sunny	372	500
03-Aug-23	06:41	07:41	47	Sunny	372	500
09-Aug-23	09:52	10:52	22	Sunny	372	500
09-Aug-23	10:52	11:52	29	Sunny	372	500
09-Aug-23	11:52	12:52	49	Sunny	372	500
15-Aug-23	09:22	10:22	23	Sunny	372	500
15-Aug-23	10:22	11:22	24	Sunny	372	500
15-Aug-23	11:22	12:22	26	Sunny	372	500
21-Aug-23	09:28	10:28	20	Sunny	372	500
21-Aug-23	10:28	11:28	24	Sunny	372	500
21-Aug-23	11:28	12:28	29	Sunny	372	500
25-Aug-23	08:30	09:30	14	Sunny	372	500
25-Aug-23	09:30	10:30	19	Sunny	372	500
25-Aug-23	10:30	11:30	18	Sunny	372	500
31-Aug-23	09:21	10:21	18	Sunny	372	500
31-Aug-23	10:21	11:21	15	Sunny	372	500
31-Aug-23	11:21	12:21	18	Sunny	372	500
06-Sep-23	13:09	14:09	35	Sunny	372	500
06-Sep-23	14:09	15:09	30	Sunny	372	500
06-Sep-23	15:09	16:09	27	Sunny	372	500
12-Sep-23	09:18	10:18	16	Sunny	372	500
12-Sep-23	10:18	11:18	15	Sunny	372	500
12-Sep-23	11:18	12:18	20	Sunny	372	500
15-Sep-23	08:37	09:37	17	Sunny	372	500
15-Sep-23	09:37	10:37	17	Sunny	372	500
15-Sep-23	10:37	11:37	18	Sunny	372	500
21-Sep-23	09:12	10:12	49	Sunny	372	500
21-Sep-23	10:12	11:12	47	Sunny	372	500
21-Sep-23	11:12	12:12	29	Sunny	372	500
27-Sep-23	08:50	09:50	29	Sunny	372	500
27-Sep-23	09:50	10:50	23	Sunny	372	500
27-Sep-23	10:50	11:50	27	Sunny	372	500
03-Oct-23	08:57	09:57	39	Sunny	372	500
03-Oct-23	09:57	10:57	39	Sunny	372	500
03-Oct-23	10:57	11:57	40	Sunny	372	500
06-Oct-23	08:58	09:58	20	Sunny	372	500
06-Oct-23	09:58	10:58	22	Sunny	372	500
06-Oct-23	10:58	11:58	32	Sunny	372	500
12-Oct-23	13:09	14:09	34	Sunny	372	500
12-Oct-23	14:09	15:09	37	Sunny	372	500
12-Oct-23	15:09	16:09	25	Sunny	372	500
18-Oct-23	08:51	09:51	49	Sunny	372	500
18-Oct-23	09:51	10:51	46	Sunny	372	500
18-Oct-23	10:51	11:51	44	Sunny	372	500
24-Oct-23	08:44	09:44	21	Sunny	372	500
24-Oct-23	09:44	10:44	23	Sunny	372	500
24-Oct-23	10:44	11:44	26	Sunny	372	500
27-Oct-23	08:06	09:06	45	Sunny	372	500
27-Oct-23	09:06	10:06	30	Sunny	372	500
27-Oct-23	10:06	11:06	25	Sunny	372	500
		Min.	14}	for		
		Max.	49}	reporting		
		Average	29}	period		

Air Quality (1-hr TSP)

1-hour TSP Level at ASR1




1-hour TSP Level at ASR2A




Air Quality (1-hr TSP)

1-hour TSP Level at ASR3



1-hour TSP Level at ASR4



Air Quality (24-hr TSP)

Station ASR1

Start Date	Start Time	Finish Date	Finish Time	Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m ³ /min)			Conc. (µg/m ³)	Weather Condition	Action Level (µg/m ³)	Limit Level (µg/m ³)
				Initial	Final	Initial	Final		Initial	Final	Average				
03-Aug-23	08:22	04-Aug-23	08:22	2.8018	2.8522	30778.64	30802.64	24.00	1.1700	1.1700	1.1700	30	Sunny	226	260
09-Aug-23	08:28	10-Aug-23	08:28	2.8212	2.9019	30802.64	30826.64	24.00	1.1700	1.1700	1.1700	48	Sunny	226	260
15-Aug-23	09:02	16-Aug-23	09:02	2.8182	2.8900	30826.64	30850.64	24.00	1.1700	1.1700	1.1700	43	Sunny	226	260
21-Aug-23	09:02	22-Aug-23	09:02	2.7900	2.8360	30850.64	30874.64	24.00	1.1800	1.1800	1.1800	27 ⁽¹⁾	Sunny	226	260
25-Aug-23	08:47	26-Aug-23	08:47	2.8169	2.8967	30874.64	30898.64	24.00	1.1800	1.1800	1.1800	47	Sunny	226	260
31-Aug-23	09:01	01-Sep-23	09:01	2.8135	2.8755	30898.64	30922.64	24.00	1.1800	1.1800	1.1800	36	Sunny	226	260
06-Sep-23	12:50	07-Sep-23	12:50	2.8060	2.8832	30922.64	30946.64	24.00	1.1800	1.1800	1.1800	45	Sunny	226	260
12-Sep-23	09:00	13-Sep-23	09:00	2.8263	2.8730	30946.64	30970.64	24.00	1.1800	1.1800	1.1800	27	Sunny	226	260
15-Sep-23	08:53	16-Sep-23	08:53	2.8230	2.8631	30970.64	30994.64	24.00	1.1800	1.1800	1.1800	24	Sunny	226	260
21-Sep-23	08:52	22-Sep-23	08:52	2.7891	2.8861	30994.64	31018.64	24.00	1.1800	1.1800	1.1800	57	Sunny	226	260
27-Sep-23	08:30	28-Sep-23	08:30	2.8291	2.9415	31018.64	31042.64	24.00	1.1800	1.1800	1.1800	66	Sunny	226	260
03-Oct-23	08:36	04-Oct-23	08:36	2.8248	2.9450	31042.64	31066.64	24.00	1.1800	1.1800	1.1800	71	Sunny	226	260
06-Oct-23	09:16	07-Oct-23	09:16	2.8115	2.9418	31066.64	31090.64	24.00	1.1800	1.1800	1.1800	77	Sunny	226	260
12-Oct-23	12:48	13-Oct-23	12:48	2.8061	2.8925	31090.64	31114.64	24.00	1.1800	1.1800	1.1800	51	Sunny	226	260
18-Oct-23	08:32	19-Oct-23	08:32	2.8000	2.8618	31114.64	31138.64	24.00	1.1800	1.1800	1.1800	36	Sunny	226	260
24-Oct-23	08:22	25-Oct-23	08:22	2.7543	2.8619	31138.64	31162.64	24.00	1.2000	1.2000	1.2000	62	Sunny	226	260
27-Oct-23	08:23	28-Oct-23	08:23	2.7673	2.8471	31162.64	31186.64	24.00	1.2000	1.2000	1.2000	46	Sunny	226	260
												Min	24}	for	
												Max	77}	reporting	
												Average	47}	period	

Notes: (1) The data has been updated since the monthly EM&A report of August 2023.

Air Quality (24-hr TSP)

Station ASR2A

Start Date	Start Time	Finish Date	Finish Time	Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m ³ /min)			Conc. (µg/m ³)	Weather Condition	Action Level (µg/m ³)	Limit Level (µg/m ³)
				Initial	Final	Initial	Final		Initial	Final	Average				
03-Aug-23	13:21	04-Aug-23	13:21	2.8090	2.8500	33874.02	33898.02	24.00	1.1400	1.1400	1.1400	25	Sunny	213	260
09-Aug-23	13:27	10-Aug-23	13:27	2.8144	2.8991	33898.02	33922.02	24.00	1.1400	1.1400	1.1400	52	Sunny	213	260
15-Aug-23	13:14	16-Aug-23	13:14	2.8015	2.8839	33922.02	33946.02	24.00	1.1400	1.1400	1.1400	50	Sunny	213	260
21-Aug-23	13:09	22-Aug-23	13:09	2.7967	2.8608	33946.02	33970.02	24.00	1.1600	1.1600	1.1600	38	Sunny	213	260
25-Aug-23	13:28	26-Aug-23	13:28	2.8130	2.8856	33970.02	33994.02	24.00	1.1600	1.1600	1.1600	43	Sunny	213	260
31-Aug-23	12:56	01-Sep-23	12:56	2.8105	2.8679	33994.02	34018.02	24.00	1.1600	1.1600	1.1600	34	Sunny	213	260
06-Sep-23	09:20	07-Sep-23	09:20	2.8140	2.9388	34018.02	34042.02	24.00	1.1600	1.1600	1.1600	75	Sunny	213	260
12-Sep-23	13:07	13-Sep-23	13:07	2.8273	2.8718	34042.02	34066.02	24.00	1.1600	1.1600	1.1600	27	Sunny	213	260
15-Sep-23	13:22	16-Sep-23	13:22	2.8007	2.8496	34066.02	34090.02	24.00	1.1600	1.1600	1.1600	29	Sunny	213	260
21-Sep-23	13:15	22-Sep-23	13:15	2.8128	2.9015	34090.02	34114.02	24.00	1.1600	1.1600	1.1600	53	Sunny	213	260
27-Sep-23	13:15	28-Sep-23	13:15	2.8203	2.8845	34114.02	34138.02	24.00	1.1600	1.1600	1.1600	38	Sunny	213	260
03-Oct-23	13:01	04-Oct-23	13:01	2.8185	2.9238	34138.02	34162.02	24.00	1.1600	1.1600	1.1600	63	Sunny	226	260
06-Oct-23	13:11	07-Oct-23	13:11	2.8023	2.9182	34162.02	34186.02	24.00	1.1600	1.1600	1.1600	69	Sunny	226	260
12-Oct-23	09:05	13-Oct-23	09:05	2.7891	2.8646	34186.02	34210.02	24.00	1.1600	1.1600	1.1600	45	Sunny	226	260
18-Oct-23	13:00	19-Oct-23	13:00	2.7647	2.8156	34210.02	34234.02	24.00	1.1300	1.1300	1.1300	31	Sunny	226	260
24-Oct-23	12:55	25-Oct-23	12:55	2.7433	2.8270	34234.02	34258.02	24.00	1.1300	1.1300	1.1300	51	Sunny	226	260
27-Oct-23	13:25	28-Oct-23	13:25	2.7585	2.8181	34258.02	34282.02	24.00	1.1300	1.1300	1.1300	37	Sunny	226	260
												Min	25}	for	
												Max	75}	reporting	
												Average	45}	period	

Air Quality (24-hr TSP)

Station ASR3

Start Date	Start Time	Finish Date	Finish Time	Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m ³ /min)			Conc. (µg/m ³)	Weather Condition	Action Level (µg/m ³)	Limit Level (µg/m ³)
				Initial	Final	Initial	Final		Initial	Final	Average				
03-Aug-23	13:02	04-Aug-23	13:02	2.8090	2.8657	24962.92	24986.92	24.00	1.0400	1.0400	1.0400	38	Sunny	205	260
09-Aug-23	13:05	10-Aug-23	13:05	2.7989	2.8738	24986.92	25010.92	24.00	1.0400	1.0400	1.0400	50	Sunny	205	260
15-Aug-23	13:35	16-Aug-23	13:35	2.7978	2.8666	25010.92	25034.92	24.00	1.0400	1.0400	1.0400	46	Sunny	205	260
21-Aug-23	13:27	22-Aug-23	13:27	2.8103	2.8594	25034.92	25058.92	24.00	1.1500	1.1500	1.1500	30	Sunny	205	260
25-Aug-23	13:06	26-Aug-23	13:06	2.8077	2.8688	25058.92	25082.92	24.00	1.1500	1.1500	1.1500	37	Sunny	205	260
31-Aug-23	13:14	01-Sep-23	13:14	2.8256	2.8822	25082.92	25106.92	24.00	1.1500	1.1500	1.1500	34	Sunny	205	260
06-Sep-23	09:00	07-Sep-23	09:00	2.8300	2.9009	25106.92	25130.92	24.00	1.1500	1.1500	1.1500	43	Sunny	205	260
12-Sep-23	13:26	13-Sep-23	13:26	2.8231	2.8602	25130.92	25154.92	24.00	1.1500	1.1500	1.1500	22	Sunny	205	260
15-Sep-23	13:04	16-Sep-23	13:04	2.8224	2.8520	25154.92	25178.92	24.00	1.1500	1.1500	1.1500	18	Sunny	205	260
21-Sep-23	13:33	22-Sep-23	13:33	2.8211	2.9060	25178.92	25202.92	24.00	1.1500	1.1500	1.1500	51	Sunny	205	260
27-Sep-23	13:13	28-Sep-23	13:13	2.8133	2.8733	25202.92	25226.92	24.00	1.1500	1.1500	1.1500	36	Sunny	205	260
03-Oct-23	13:19	04-Oct-23	13:19	2.8177	2.9228	25226.92	25250.92	24.00	1.1500	1.1500	1.1500	63	Sunny	226	260
06-Oct-23	12:53	07-Oct-23	12:53	2.7754	2.8541	25250.92	25274.92	24.00	1.1500	1.1500	1.1500	48	Sunny	226	260
12-Oct-23	09:25	13-Oct-23	09:25	2.8089	2.8800	25274.92	25298.92	24.00	1.1500	1.1500	1.1500	43	Sunny	226	260
18-Oct-23	13:17	19-Oct-23	13:17	2.8131	2.8647	25298.92	25322.92	24.00	1.1000	1.1000	1.1000	33	Sunny	226	260
24-Oct-23	13:14	25-Oct-23	13:14	2.7530	2.8292	25322.92	25346.92	24.00	1.1000	1.1000	1.1000	48	Sunny	226	260
27-Oct-23	13:06	28-Oct-23	13:06	2.7465	2.8052	25346.92	25370.92	24.00	1.1000	1.1000	1.1000	37	Sunny	226	260
												Min	18}	for	
												Max	63}	reporting	
												Average	40}	period	


Air Quality (24-hr TSP)

Station ASR4


Start Date	Start Time	Finish Date	Finish Time	Filter Weight (g)		Elapsed Time Reading		Sampling Time (hrs)	Flow Rate (m ³ /min)			Conc. (µg/m ³)	Weather Condition	Action Level (µg/m ³)	Limit Level (µg/m ³)
				Initial	Final	Initial	Final		Initial	Final	Average				
03-Aug-23	08:40	04-Aug-23	08:40	2.8128	2.8687	32656.54	32680.54	24.00	1.0800	1.0800	1.0800	36	Sunny	237	260
09-Aug-23	08:51	10-Aug-23	08:51	2.7979	2.8689	32680.54	32704.54	24.00	1.0800	1.0800	1.0800	46	Sunny	237	260
15-Aug-23	09:21	16-Aug-23	09:21	2.8021	2.8664	32704.54	32728.54	24.00	1.0800	1.0800	1.0800	41	Sunny	237	260
21-Aug-23	09:27	22-Aug-23	09:27	2.8094	2.8709	32728.54	32752.54	24.00	1.1300	1.1300	1.1300	38	Sunny	237	260
25-Aug-23	08:28	26-Aug-23	08:28	2.8094	2.8868	32752.54	32776.54	24.00	1.1300	1.1300	1.1300	48	Sunny	237	260
31-Aug-23	09:20	01-Sep-23	09:20	2.8250	2.8696	32776.54	32800.54	24.00	1.1300	1.1300	1.1300	27	Sunny	237	260
06-Sep-23	13:08	07-Sep-23	13:08	2.8134	2.8953	32800.54	32824.54	24.00	1.1300	1.1300	1.1300	50	Sunny	237	260
12-Sep-23	09:17	13-Sep-23	09:17	2.8227	2.8757	32824.54	32848.54	24.00	1.1300	1.1300	1.1300	33	Sunny	237	260
15-Sep-23	08:36	16-Sep-23	08:36	2.8202	2.8644	32848.54	32872.54	24.00	1.1300	1.1300	1.1300	27	Sunny	237	260
21-Sep-23	09:11	22-Sep-23	09:11	2.8143	2.9374	32872.54	32896.54	24.00	1.1300	1.1300	1.1300	76	Sunny	237	260
27-Sep-23	08:49	28-Sep-23	08:49	2.8252	2.9326	32896.54	32920.54	24.00	1.1300	1.1300	1.1300	66	Sunny	237	260
03-Oct-23	08:56	04-Oct-23	08:56	2.8207	2.9158	32920.54	32944.54	24.00	1.1300	1.1300	1.1300	58	Sunny	226	260
06-Oct-23	08:57	07-Oct-23	08:57	2.7939	2.9032	32944.54	32968.54	24.00	1.1300	1.1300	1.1300	67	Sunny	226	260
12-Oct-23	13:08	13-Oct-23	13:08	2.8016	2.8995	32968.54	32992.54	24.00	1.1300	1.1300	1.1300	60	Sunny	226	260
18-Oct-23	08:50	19-Oct-23	08:50	2.8193	2.8909	32992.54	33016.54	24.00	1.2000	1.2000	1.2000	41	Sunny	226	260
24-Oct-23	08:43	25-Oct-23	08:43	2.7641	2.8650	33016.54	33040.54	24.00	1.2000	1.2000	1.2000	58	Sunny	226	260
27-Oct-23	08:05	28-Oct-23	08:05	2.7533	2.8404	33040.54	33064.54	24.00	1.2000	1.2000	1.2000	50	Sunny	226	260
												Min	27}	for	
												Max	76}	reporting	
												Average	48}	period	

Air Quality (24-hr TSP)

24-hour TSP Level at ASR1




24-hour TSP Level at ASR2A




Air Quality (24-hr TSP)

24-hour TSP Level at ASR3



24-hour TSP Level at ASR4



Noise

Station NSR1

Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L _{eq}	L ₁₀	L ₉₀			
03-Aug-23	11:20	52	52	38	0.2	Sunny	75
09-Aug-23	11:21	51	53	39	0.2	Sunny	75
15-Aug-23	14:32	49	52	41	0.2	Sunny	75
21-Aug-23	14:24	50	52	41	0.3	Sunny	75
31-Aug-23	14:16	47	49	40	0.4	Sunny	75
06-Sep-23	15:42	52	54	41	0.3	Sunny	75
12-Sep-23	14:24	48	49	43	0.3	Sunny	75
21-Sep-23	14:30	46	47	40	0.2	Sunny	75
27-Sep-23	11:26	48	49	44	0.5	Sunny	75
03-Oct-23	11:29	45	48	40	0.4	Sunny	75
12-Oct-23	15:38	46	48	40	0.6	Sunny	75
18-Oct-23	11:27	50	51	41	0.8	Sunny	75
24-Oct-23	11:20	49	50	41	0.2	Sunny	75

Station NSR3

Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L _{eq}	L ₁₀	L ₉₀			
03-Aug-23	10:30	43	44	36	0.3	Sunny	75
09-Aug-23	10:33	45	46	43	0.3	Sunny	75
15-Aug-23	13:44	49	51	41	0.3	Sunny	75
21-Aug-23	13:38	46	49	41	0.3	Sunny	75
31-Aug-23	13:25	46	47	41	0.4	Sunny	75
06-Sep-23	14:52	44	46	40	0.2	Sunny	75
12-Sep-23	13:35	46	47	43	0.2	Sunny	75
21-Sep-23	13:41	43	43	39	0.3	Sunny	75
27-Sep-23	10:38	46	49	42	0.4	Sunny	75
03-Oct-23	10:39	41	43	37	0.6	Sunny	75
12-Oct-23	14:51	43	46	41	0.5	Sunny	75
18-Oct-23	10:36	43	46	40	0.7	Sunny	75
24-Oct-23	10:28	43	44	39	0.3	Sunny	75

Noise

Station NSR5


Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L _{eq}	L ₁₀	L ₉₀			
03-Aug-23	09:38	49	51	44	0.2	Sunny	75
09-Aug-23	09:46	50	51	43	0.3	Sunny	75
15-Aug-23	10:28	49	51	43	0.2	Sunny	75
21-Aug-23	10:27	50	51	44	0.3	Sunny	75
31-Aug-23	10:50	49	51	44	0.4	Sunny	75
06-Sep-23	14:04	47	49	41	0.3	Sunny	75
12-Sep-23	11:10	50	53	47	0.3	Sunny	75
21-Sep-23	10:11	49	51	40	0.2	Sunny	75
27-Sep-23	09:44	51	53	47	0.5	Sunny	75
03-Oct-23	09:50	46	50	42	0.4	Sunny	75
12-Oct-23	14:02	51	53	47	0.3	Sunny	75
18-Oct-23	09:46	48	51	44	0.8	Sunny	75
24-Oct-23	09:37	48	51	44	0.2	Sunny	75

Station NSR7


Date	Start Time	Noise Level for 30 min, dB(A)			Wind Speed (m/s)	Weather Condition	Limit Level, dB(A)
		L _{eq}	L ₁₀	L ₉₀			
03-Aug-23	08:46	66	68	63	0.2	Sunny	75
09-Aug-23	08:57	66	68	65	0.2	Sunny	75
15-Aug-23	09:37	66	69	64	0.3	Sunny	75
21-Aug-23	09:35	67	68	64	0.4	Sunny	75
31-Aug-23	10:00	66	67	63	0.3	Sunny	75
06-Sep-23	13:13	66	68	64	0.2	Sunny	75
12-Sep-23	10:16	66	68	64	0.3	Sunny	75
21-Sep-23	09:18	67	68	64	0.3	Sunny	75
27-Sep-23	08:56	67	68	64	0.4	Sunny	75
03-Oct-23	09:02	66	69	63	0.3	Sunny	75
12-Oct-23	13:13	67	68	64	0.4	Sunny	75
18-Oct-23	08:55	67	70	64	0.6	Sunny	75
24-Oct-23	08:48	67	70	65	0.2	Sunny	75

Noise

Noise Level for 30 min, dB(A), at NSR1




Noise Level for 30 min, dB(A), at NSR3




Noise

Noise Level for 30 min, dB(A), at NSR5



Noise Level for 30 min, dB(A), at NSR7



Water Quality

Monitoring Location MP3







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
MP3							
02/08/2023	32.7	7.3	7.0	97.5	7.8	5	8
04/08/2023	32.0	8.0	7.3	99.9	11.3	<2	10
07/08/2023	32.1	7.7	7.1	98.2	11.5	<2	11
09/08/2023	32.4	7.6	7.3	100.0	10.5	4	15
11/08/2023	30.7	7.0	6.4	85.7	10.3	<2	13
14/08/2023	30.4	6.8	6.8	89.9	9.2	<2	12
16/08/2023	31.3	8.0	7.7	103.3	7.8	3	8
18/08/2023	30.6	7.1	6.8	90.2	10.05	<2	13
21/08/2023	32.1	8.0	7.7	105.8	12.05	<2	23
23/08/2023	31.5	6.8	4.0	56.0	7	4	7
25/08/2023	32.7	8.0	7.3	100.8	8.9	8	<2
28/08/2023	32.3	8.0	7.7	105.4	9.5	3	9
30/08/2023	30.7	7.0	4.4	59.3	7.05	3	7
04/09/2023	29.7	7.1	7.4	96.9	8.4	<2	8
06/09/2023	30.0	7.0	5.1	66.9	5.6	5	6
09/09/2023	30.2	7.0	5.3	69.8	8.5	<2	9
11/09/2023	30.3	7.0	5.5	73.0	7.8	<2	8
13/09/2023	30.9	7.1	6.7	89.9	8.2	4	12
15/09/2023	30.3	7.0	6.5	87.4	8.0	<2	11
18/09/2023	31.8	7.2	7.0	95.1	7.6	<2	10
20/09/2023	31.4	7.3	4.7	63.8	6.6	4	8
22/09/2023	32.2	7.4	5.3	72.6	7.6	3	9
25/09/2023	32.0	7.6	5.7	79.8	7	<2	9
27/09/2023	31.0	7.5	5.0	63.2	17.35	3	21
29/09/2023	29.7	6.8	7.2	94.9	9.6	<2	11
03/10/2023	30.9	7.6	5.5	73.5	9.5	4	15
05/10/2023	30.8	7.4	5.5	73.0	7.25	4	12
07/10/2023	30.2	7.5	5.4	73.5	11.5	<2	18
09/10/2023	26.3	7.3	6.2	77.0	14.7	<2	14
11/10/2023	26.4	8.0	8.4	104.2	13.5	5	10
13/10/2023	25.9	7.5	5.8	71.6	6.6	3	18
16/10/2023	26.9	7.2	4.8	59.8	11.6	5	17
18/10/2023	25.0	7.7	8.1	97.9	12.9	<2	14
20/10/2023	23.2	7.6	7.9	92.0	15.65	<2	16
24/10/2023	24.6	8.2	8.7	103.9	9.1	<2	9
26/10/2023	27.8	7.6	6.3	80.0	10.3	4	13
28/10/2023	26.3	7.7	6.0	75.0	8.2	<2	9
30/10/2023	26.9	7.6	6.1	76.4	17.9	<2	14
Average	29.8	7.4	6.4	84.3	9.8	4	12
Action Level	-	<5.5 or >7.5	<6.85	-	>64	-	>65
Limit Level	-	<4.0 or >8.0	<6.65	-	>67	-	>66

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance.

Water Quality

Monitoring Location MP3



Water Quality

Monitoring Location MP4







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
MP4							
02/08/2023	30.1	7.7	5.1	68.5	44.6	2	56
04/08/2023	31.2	7.4	4.7	63.3	33.4	4	51
07/08/2023	32.3	7.2	5.0	69.6	34.1	6	47
09/08/2023	31.9	7.3	5.3	73.3	23.4	3	30
11/08/2023	30.3	7.3	6.7	89.3	24.3	<2	15
14/08/2023	29.0	7.4	5.8	75.5	26.1	2	31
16/08/2023	30.6	7.3	4.4	58.1	26.1	2	37
18/08/2023	29.5	7.5	5.6	72.8	31.4	<2	39
21/08/2023	30.4	7.4	4.8	63.6	36.2	3	45
23/08/2023	30.1	7.4	4.8	63.8	24.1	3	26
25/08/2023	30.6	7.7	4.9	64.6	36.3	38	3
28/08/2023	31.1	7.3	4.7	62.4	23.0	3	25
30/08/2023	28.5	7.4	3.6	46.7	43.4	3	32
04/09/2023	30.7	7.5	6.7	89.8	40.8	3	40
06/09/2023	29.9	7.4	5.3	70.1	27.8	4	37
09/09/2023	30.0	7.3	5.5	72.9	42.2	<2	41
11/09/2023	30.2	7.5	5.7	77.5	35.7	3	45
13/09/2023	30.6	7.5	6.2	83.3	16.0	2	21
15/09/2023	29.9	7.3	6.0	78.4	25.4	<2	30
18/09/2023	31.6	7.8	6.8	91.9	37.3	<2	60
20/09/2023	30.2	7.4	4.6	60.8	32.4	4	37
22/09/2023	32.0	7.9	5.7	79.3	24.1	3	32
25/09/2023	32.2	7.4	5.0	69.7	38.6	<2	53
27/09/2023	30.1	7.3	4.8	63.3	12.4	<2	15
29/09/2023	29.4	7.3	8.2	107.2	35.6	<2	49
03/10/2023	28.8	7.4	4.7	61.7	41.6	4	55
05/10/2023	29.3	7.5	6.4	83.9	25.3	3	36
07/10/2023	29.2	7.6	6.2	80.9	34.5	4	50
09/10/2023	26.2	7.5	6.0	75.1	45.1	<2	62
11/10/2023	25.4	7.4	6.1	73.4	24.4	3	21
13/10/2023	25.4	7.3	6.1	74.3	22.2	3	26
16/10/2023	26.1	7.2	6.7	81.9	47.0	3	73
18/10/2023	23.4	7.4	5.9	68.8	44.6	4	52
20/10/2023	22.2	7.4	5.7	65.0	48.1	4	58
24/10/2023	24.2	7.2	4.4	53.3	27.6	3	35
26/10/2023	28.0	7.3	4.4	56.0	23.9	2	29
28/10/2023	26.8	7.3	5.3	67.8	32.9	2	33
30/10/2023	26.2	7.5	5.6	69.4	29.6	5	48
Average	29.0	7.4	5.5	71.7	32.1	4	39
Action Level	-	<5.5 or >7.5	<3.91	-	>60	-	>50
Limit Level	-	<4.0 or >8.0	<3.82	-	>64	-	>53

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance

Water Quality

Monitoring Location MP4



Water Quality

Monitoring Location MP5







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
MP5							
02/08/2023	31.0	7.7	6.0	81.0	36.3	3	38
04/08/2023	31.4	7.4	5.2	70.9	29.4	2	30
07/08/2023	31.7	7.1	5.5	75.2	30.5	5	37
09/08/2023	32.2	7.4	5.6	77.4	33.3	3	48.5
11/08/2023	30.3	7.3	6.8	90.4	22.1	<2	13.5
14/08/2023	29.2	7.5	6.0	78.4	24.4	2	27
16/08/2023	30.7	7.4	5.0	66.0	26.7	2	27.5
18/08/2023	29.6	7.4	5.8	75.8	29.3	<2	29
21/08/2023	30.8	7.5	5.6	74.9	32.4	3	39.5
23/08/2023	30.8	7.5	6.6	88.5	33.9	3.5	38
25/08/2023	30.8	7.4	5.2	69.0	31.5	35	2.5
28/08/2023	31.2	7.3	4.9	65.6	21.2	2	24.5
30/08/2023	28.3	7.5	5.6	72.2	39.2	3	37
04/09/2023	30.4	7.5	6.9	91.8	32.4	2	28
06/09/2023	29.7	7.5	5.6	73.9	28.1	3.5	33.5
09/09/2023	29.7	7.4	5.7	75.8	39.7	<2	39
11/09/2023	30.5	7.4	5.3	71.0	27.7	<2	30.5
13/09/2023	31.0	7.6	6.5	86.9	26.7	4	32
15/09/2023	30.0	7.5	6.4	85.0	23.8	<2	24.5
18/09/2023	32.0	7.8	6.8	92.9	35.6	4.5	52
20/09/2023	31.1	7.6	6.2	82.6	28.0	3	27
22/09/2023	32.3	7.7	6.6	90.8	19.8	2.5	20
25/09/2023	31.8	7.2	5.9	79.5	35.3	<2	49.5
27/09/2023	29.4	7.6	5.7	74.8	29.2	2	31
29/09/2023	29.3	7.3	8.2	106.8	34.7	<2	50
03/10/2023	29.5	7.5	4.5	59.0	35.7	5	63
05/10/2023	29.7	7.5	4.7	61.9	23.4	5	37
07/10/2023	29.5	7.5	5.0	66.7	33.4	4	36
09/10/2023	26.0	7.4	6.5	79.8	39.0	<2	27
11/10/2023	26.9	7.5	7.2	84.9	22.0	3	19
13/10/2023	25.8	7.5	6.3	76.6	28.6	3	34
16/10/2023	26.5	7.4	5.5	67.9	23.9	4	34
18/10/2023	23.9	7.6	7.3	86.9	30.6	3	39
20/10/2023	22.3	7.6	7.1	81.5	38.7	3	47
24/10/2023	24.3	7.5	6.4	77.2	20.9	<2	28
26/10/2023	28.1	7.4	5.1	65.3	21.4	<2	23
28/10/2023	26.9	7.3	5.8	72.9	28.7	<2	35
30/10/2023	26.1	7.6	6.2	76.1	27.3	5	42
Average	29.2	7.5	6.0	77.7	29.6	4	33
Action Level	-	<5.5 or >7.5	<4.13	-	>81	-	>66
Limit Level	-	<4.0 or >8.0	<3.87	-	>84	-	>69

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance.

Water Quality

Monitoring Location MP5



Water Quality

Monitoring Location MP6







Monitoring Date	Temp (°C)	pH	Dissolved Oxygen (mg/L)	DO (%)	Turbidity (NT)	BOD (mg/L)	Suspended Solids (mg/L)
MP6							
02/08/2023	31.2	7.1	6.2	83.8	32.1	2.5	32.5
04/08/2023	31.5	7.5	5.4	73.9	27.1	2	30.5
07/08/2023	31.4	7.1	6.0	80.9	28.2	4	34.5
09/08/2023	32.2	7.3	5.9	81.0	35.3	2.5	53
11/08/2023	30.3	7.3	6.9	91.7	20.6	<2	16
14/08/2023	29.2	7.5	6.1	79.4	23.3	2	25
16/08/2023	30.7	7.4	5.1	67.8	25.4	2	23.5
18/08/2023	29.6	7.5	6.0	78.3	27.5	<2	27
21/08/2023	30.9	7.5	5.6	75.3	31.9	2	45.5
23/08/2023	31.0	7.5	6.8	91.8	31.8	3.5	38
25/08/2023	31.0	7.5	5.5	73.7	29.3	34.5	<2
28/08/2023	31.2	7.3	5.1	69.2	21.8	2	24.5
30/08/2023	28.5	7.6	6.0	76.0	34.6	3	38
04/09/2023	30.3	7.5	7.0	92.3	32.5	2	28
06/09/2023	29.8	7.5	5.7	75.3	25.1	3	36.5
09/09/2023	29.6	7.4	5.8	77.0	39.2	<2	36
11/09/2023	30.5	7.4	5.2	69.9	24.2	<2	29
13/09/2023	31.2	7.5	6.8	92.7	24.1	3	28
15/09/2023	30.1	7.5	6.2	81.9	23.3	<2	24.5
18/09/2023	32.1	7.7	6.7	90.8	30.7	4	50.5
20/09/2023	31.1	7.5	6.3	83.9	25.4	3	21.5
22/09/2023	32.0	7.5	6.3	86.1	20.6	<2	19
25/09/2023	32.0	7.2	6.1	82.8	33.4	<2	47
27/09/2023	29.5	7.6	6.0	67.7	28.6	2	31.5
29/09/2023	29.2	7.4	8.2	106.8	33.2	<2	49
03/10/2023	30.9	7.6	5.1	68.2	36.7	4	71
05/10/2023	29.5	7.6	6.1	80.3	23.5	4	37
07/10/2023	29.6	7.5	5.5	72.8	32.6	<2	36
09/10/2023	26.5	7.4	6.3	78.3	34.3	<2	27
11/10/2023	26.1	7.6	7.4	91.0	20.0	<2	13
13/10/2023	25.7	7.5	6.2	75.7	30.5	3	31
16/10/2023	26.6	7.4	6.2	76.5	21.8	4	31
18/10/2023	24.0	7.7	7.5	89.0	29.0	2	40
20/10/2023	22.2	7.6	7.1	81.0	33.4	3	45
24/10/2023	24.4	7.6	7.0	82.7	22.9	<2	29
26/10/2023	28.1	7.4	5.5	70.0	20.3	<2	21
28/10/2023	27.0	7.4	5.5	69.4	28.0	3	34
30/10/2023	26.2	7.6	6.1	75.6	24.8	5	42
Average	29.3	7.5	6.2	80.0	28.1	4	34
Action Level	-	<5.5 or >7.5	<4.61	-	>94	-	>75
Limit Level	-	<4.0 or >8.0	<4.52	-	>96	-	>75

Notes:

- (1) <2: Value is too low to indicate (<2mg/L).
- (2) For the Limit Level of DO, 1-percentile of baseline data is adopted as it is greater than 2mg/L. (Refer to [Baseline Monitoring Report](#))
- (3) Values **Bold** indicate Action Level exceedance.
- (4) Values **Underlined and Bold** indicate Limit Level exceedance.

Water Quality

Monitoring Location MP6



E. Summary of Ecological Monitoring Results

Table E1. Summary of bird species of conservation importance and/or wetland-dependence recorded in the Survey Area (excluding the WRA)

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Aug 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	5	6.8	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	5	2.8	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	5	7.0	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	8.8	0
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	3	1.8	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	5	6.8	0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	3	0.8	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	4	1.6	0
Black-winged Kite#	<i>Elanus caeruleus</i>	Y	Class II, LC	1	0.4	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	1	0.2	0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	5	2.4	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	5	1.8	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	2	1.0	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	4	1.4	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	3	1.0	0
White Wagtail	<i>Motacilla alba</i>	Y	-	3	0.8	0
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	3	0.8	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	2	0.6	0

No. of Species Recorded **18**

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Sep 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	4	6.3	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	2	0.8	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	4	6.8	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	4	5.0	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	4	6.8	0
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	4	10.3	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	4	8.5	0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	3	2.0	0

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Sep 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	4	3.5	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	4	1.3	0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	4	2.0	0
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1	0.5	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	4	2.8	0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	3	0.8	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	1	0.5	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	1	0.3	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	1	0.5	0
White Wagtail	<i>Motacilla alba</i>	Y	-	3	1.3	0
White-shouldered Starling	<i>Sturnia sinensis</i>	Y	(LC)	3	4.3	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	1	0.3	0
No. of Species Recorded						20

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Oct 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	5	13.2	0
Great Cormorant	<i>Phalacrocorax carbo</i>	Y	PRC	4	27.6	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	5	13.2	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	5	29.0	0
Intermediate Egret	<i>Egretta intermedia</i>	Y	RC	1	0.2	0
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	5	11.0	0
Eastern Cattle Egret	<i>Bubulcus coromandus</i>	Y	(LC)	3	1.4	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	5	7.0	0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	2	0.4	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	5	5.2	0
Tufted Duck	<i>Aythya fuligula</i>	Y	LC	1	0.2	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	3	0.8	0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	3	1.0	0
Common Moorhen	<i>Gallinula chloropus</i>	Y	-	2	1.8	0
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1	0.4	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	5	1.0	0
Whiskered Tern	<i>Chlidonias hybrida</i>	Y	-	3	1.8	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	4	1.6	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	5	1.8	0

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Oct 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	Y	-	1	0.2	0
White Wagtail	<i>Motacilla alba</i>	Y	-	4	2.6	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	1	0.2	0
No. of Species Recorded						22

- (1) Follows the List of Hong Kong Birds (ver. 2020-03-10)
 (2) Conservation status follows that of *Fellowes et al.* (2002) and Bird Life International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (*Fellowes et al.* 2002)
 (3) Indicates number of surveys recorded within each month of the reporting period.
 (4) Refers to the mean number of individuals recorded in each survey in the Survey Area (excluding the WRA).
 (5) Includes observations during other surveys and/or site visits.
 # Birds tagged with '#' are Category II protected under terrestrial wildlife state protection.

Table E2. Summary of bird species of conservation importance and/or wetland-dependence recorded in the WRA

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Aug 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	4	1.0	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	3	0.8	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	3	1.4	0
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	4	2.0	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	5	1.8	0
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	1	0.2	0
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	4	1.4	0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	2	0.6	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	2	1.0	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	1	0.2	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	2	0.4	0
No. of Species Recorded						11

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Sep 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	2	0.8	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	1	0.5	0
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	4	1.0	V
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	4	2.8	V
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	3	1.5	V
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	3	1.8	V
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	4	3.0	V
Black-winged Kite#	<i>Elanus caeruleus</i>	Y	Class II, LC	1	0.3	0

Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Sep 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	3	1.0	0
Eurasian Hobby#	<i>Falco subbuteo</i>	Y	Class II, (LC)	-	-	V
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	2	1.5	V
Black-winged Stilt	<i>Himantopus himantopus</i>	Y	RC	1	0.3	V
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	-	-	V
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	-	-	V
Pacific Swift	<i>Apus pacificus</i>	N	(LC)	1	0.3	0
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	2	0.8	0
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	1	0.3	V
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	-	-	V
White Wagtail	<i>Motacilla alba</i>	Y	-	4	1.5	0
Collared Crow	<i>Corvus torquatus</i>	Y	LC, NT	3	1.0	V
No. of Species Recorded						20
Species Name ⁽¹⁾	Scientific Name ⁽¹⁾	Wetland Dependence	Conservation Status ⁽²⁾	Oct 2023		Records outside survey ⁽⁵⁾
				Occurrence ⁽³⁾	Mean ⁽⁴⁾	
Little Grebe	<i>Tachybaptus ruficollis</i>	Y	LC	1	0.4	0
Grey Heron	<i>Ardea cinerea</i>	Y	PRC	5	3.6	V
Purple Heron	<i>Ardea purpurea</i>	Y	RC	3	0.8	V
Great Egret	<i>Ardea alba</i>	Y	PRC, (RC)	3	1.4	V
Little Egret	<i>Egretta garzetta</i>	Y	PRC, (RC)	3	1.4	0
Chinese Pond Heron	<i>Ardeola bacchus</i>	Y	PRC, (RC)	5	2.2	V
Yellow Bittern	<i>Ixobrychus sinensis</i>	Y	(LC)	3	1.0	0
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Y	(LC)	5	2.8	0
Black-winged Kite#	<i>Elanus caeruleus</i>	Y	Class II, LC	-	-	V
Black Kite#	<i>Milvus migrans</i>	Y	Class II, (RC)	2	0.6	0
Eastern Buzzard#	<i>Buteo japonicus</i>	Y	Class II	-	-	V
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	Y	-	3	1.2	0
Green Sandpiper	<i>Tringa ochropus</i>	Y	-	1	0.6	0
Common Sandpiper	<i>Actitis hypoleucos</i>	Y	-	2	0.4	0
Common Snipe	<i>Gallinago gallinago</i>	Y	-	1	0.2	V
Pied Kingfisher	<i>Ceryle rudis</i>	Y	(LC)	3	0.6	V
White-throated Kingfisher#	<i>Halcyon smyrnensis</i>	Y	Class II, (LC)	2	0.4	0
Common Kingfisher	<i>Alcedo atthis</i>	Y	-	2	0.6	V
Sand Martin	<i>Riparia riparia</i>	Y	-	-	-	V
White Wagtail	<i>Motacilla alba</i>	Y	-	4	1.6	0
No. of Species Recorded						20

(1) Follows the List of Hong Kong Birds (ver. 2020-03-10)

(2) Conservation status follows that of Fellowes *et al.* (2002) and BirdLife International listing (2017). Letters in parentheses indicate that the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than in general occurrence. (Fellowes *et al.* 2002).

- (3) Indicates number of surveys recorded within each month of the reporting period.
- (4) Refers to the mean number of individuals recorded in each survey in the WRA.
- (5) Includes observations during other surveys and/or site visits.
- # Birds tagged with '#' are Category II protected under terrestrial wildlife state protection.

Table E3. Summary of herpetofauna monitoring in the Survey Area (excluding the WRA)

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Aug 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Amphibian		No. of Species Recorded	2		
Asian Common Toad	<i>Bufo melanostictus</i>	-	1	2.0	0
Brown Tree Frog	<i>Polypedates megacephalus</i>	-	1	0.5	0
			Occurrence⁽²⁾	Mean⁽³⁾	
Reptiles		No. of Species Recorded	2		
Bowring's Gecko	<i>Hemidactylus bowringii</i>	-	1	1.0	0
Many-banded Krait	<i>Bungarus multicinctus multicinctus</i>	-	1	0.5	0

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Sep 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Amphibian		No. of Species Recorded	0		
			Occurrence⁽²⁾	Mean⁽³⁾	
Reptiles		No. of Species Recorded	0		

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Oct 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Amphibian		No. of Species Recorded	0		
			Occurrence⁽²⁾	Mean⁽³⁾	
Reptiles		No. of Species Recorded	0		

- (1) Conservation status follows that of Fellowes *et al.* (2002), Chan *et al.* (2005) and Karsen *et al.* (1998).
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA)
- (4) Includes observations during other surveys and/or site visits.

Table E4. Summary of herpetofauna monitoring in the WRA

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Aug 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Amphibian		No. of Species Recorded	6		
Asian Common Toad	<i>Bufo melanostictus</i>	-	1	1.5	0
Gunther's Frog	<i>Hylarana guentheri</i>	-	1	0.5	0
Paddy Frog	<i>Fejervarya limnocharis</i>	-	1	0.5	0
Brown Tree Frog	<i>Polypedates megacephalus</i>	-	1	1.5	0
Asiatic Painted Frog	<i>Kaloula pulchra pulchra</i>	-	1	1.0	0
Ornate Pygmy Frog	<i>Microhyla fissipes</i>	-	1	3.0	0
			Occurrence⁽²⁾	Mean⁽³⁾	
Reptiles		No. of Species Recorded	1		
Bowring's Gecko	<i>Hemidactylus bowringii</i>	-	1	2.0	0

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Sep 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Amphibian			No. of Species Recorded		1
Paddy Frog	<i>Fejervarya limnocharis</i>	-	-	-	V
			Occurrence⁽²⁾	Mean⁽³⁾	
Reptiles			No. of Species Recorded		3
Bowring's Gecko	<i>Hemidactylus bowringii</i>	-	-	-	V
Reeve's Smooth Skink	<i>Scincella reevesii</i>	-	-	-	V
Common Rat Snake	<i>Ptyas mucosus</i>	-	-	-	V

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Oct 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Amphibian			No. of Species Recorded		2
Asian Common Toad	<i>Bufo melanostictus</i>	-	-	-	V
Ornate Pygmy Frog	<i>Microhyla fissipes</i>	-	-	-	V
			Occurrence⁽²⁾	Mean⁽³⁾	
Reptiles			No. of Species Recorded		1
Bowring's Gecko	<i>Hemidactylus bowringii</i>	-	-	-	V

- (1) Conservation status follows that of Fellowes *et al.* (2002), Chan *et al.* (2005) and Karsen *et al.* (1998).
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the mean number of individuals recorded in the reporting period in the WRA
- (4) Includes observations during other surveys and/or site visits.

Table E5. Summary of mammal monitoring in the Survey Area (excluding the WRA)

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Aug 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Max ⁽³⁾	
Mammal			No. of Species Recorded		1
Japanese Pipistrelle	<i>Pipistrellus abramus</i>	-	1	2	0

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Sep 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Max ⁽³⁾	
Mammal			No. of Species Recorded		0

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Oct 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Max ⁽³⁾	
Mammal			No. of Species Recorded		0

- (1) Conservation status follows that of Fellowes *et al.* (2002) and Shek (2006).
- (2) Indicates number of surveys recorded within the reporting period.
- (3) Refers to the maximum number of individuals recorded in the reporting period (excluding the WRA).
- (4) Includes observations during other surveys and/or site visits.

Table E6. Summary of mammal monitoring in the WRA

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Aug 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Max ⁽³⁾	
Mammal		No. of Species Recorded	3		
Bat	Indet. sp.	-	1	1	0
Short-nosed Fruit Bat	<i>Cynopterus sphinx</i>	-	1	2	0
Japanese Pipistrelle	<i>Pipistrellus abramus</i>	-	1	2	0
Species Name	Scientific Name	Conservation Status ⁽¹⁾	Sep 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Max ⁽³⁾	
Mammal		No. of Species Recorded	1		
Japanese Pipistrelle	<i>Pipistrellus abramus</i>	-	2	1	0
Species Name	Scientific Name	Conservation Status ⁽¹⁾	Oct 2023		Records outside surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Max ⁽³⁾	
Mammal		No. of Species Recorded	0		

(1) Conservation status follows that of Fellowes *et al.* (2002) and Shek (2006).
 (2) Indicates number of surveys recorded within the reporting period.
 (3) Refers to the maximum number of individuals recorded in the reporting period in the WRA
 (4) Includes observations during other surveys and/or site visits.
 # Mammals tagged with '#' are Category II protected under terrestrial wildlife state protection.
 * Leopard Cat scats were recorded.

Table E7. Summary of dragonfly and butterfly monitoring in the Survey Area (excluding the WRA)

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Aug 2023		Records Outside Surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Odonate		No. of Species Recorded	7		
Common Flangetail	<i>Ictinogomphus pertinax</i>	-	1	1.0	0
Asian Amberwing	<i>Brachythemis contaminata</i>	-	1	1.5	0
Crimson Darter	<i>Crocothemis servilla servilla</i>	-	2	2.5	0
Coastal Glider	<i>Macrodiplax cora</i>	LC	1	0.5	0
Wandering Glider	<i>Pantala flavescens</i>	-	2	8.5	0
Variiegated Flutterer	<i>Rhyothemis variegata arria</i>	-	2	11.0	0
Saddlebag Glider	<i>Tramea virginia</i>	-	1	1.0	0
		Occurrence ⁽²⁾		Mean ⁽³⁾	
Butterfly		No. of Species Recorded	6		
Great Egg-fly	<i>Hypolimnas bolina kezia</i>	-	1	0.5	0
Common Sailor	<i>Neptis hylas hylas</i>	-	1	0.5	0
Dark Brand Bush Brown	<i>Mycalesis mineus mineus</i>	-	1	1.5	0
Small Cabbage White	<i>Pieris rapae crucivora</i>	-	2	1.5	0
Lemon Emigrant	<i>Catopsilia pomona pomona</i>	-	2	1.5	0
Common Mormon	<i>Papilio polytes polytes</i>	-	1	1.0	0
Species Name	Scientific Name	Conservation Status ⁽¹⁾	Sep 2023		Records Outside Surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Odonate		No. of Species Recorded	3		
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	1	1.0	0

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Sep 2023		Records Outside Surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Wandering Glider	<i>Pantala flavescens</i>	-	1	6.0	0
Variegated Flutterer	<i>Rhyothemis variegata arria</i>	-	1	11.0	0
Butterfly	No. of Species Recorded		5		
Blue Tiger	<i>Tirumala limniace</i>	-	1	1.0	0
Common Evening Brown	<i>Melanitis leda</i>	-	1	1.0	0
Dark Brand Bush Brown	<i>Mycalesis mineus mineus</i>	-	1	1.0	0
Common Mormon	<i>Papilio polytes polytes</i>	-	1	3.0	0
Conjoined Swift	<i>Pelopidas conjuncta</i>	-	1	1.0	0

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Oct 2023		Records Outside Surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Odonate	No. of Species Recorded		0		
Butterfly	No. of Species Recorded		5		
Rustic	<i>Cupha erymanthis erymanthis</i>	-	1	1.0	0
Pale Grass Blue	<i>Pseudozizeeria maha serica</i>	-	1	1.0	0
Common Grass Yellow	<i>Eurema hecabe hecabe</i>	-	1	1.0	0
Tailed Jay	<i>Graphium agamemnon agamemnon</i>	-	1	1.0	0
Common Mormon	<i>Papilio polytes polytes</i>	-	1	3.0	0

(1) Conservation status follows that of Fellowes *et al.* (2002), Lo & Hui (2004), Tam *et al.* (2011) and Young & Yiu (2002).

(2) Indicates number of surveys recorded within the reporting period.

(3) Refers to the mean number of individuals recorded in the reporting period (excluding the WRA)

(4) Includes observations during other surveys and/or site visits.

Table E8. Summary of dragonfly and butterfly monitoring in the WRA

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Aug 2023		Records Outside Surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Odonate	No. of Species Recorded		15		
Orange-tailed Sprite	<i>Ceriagrion auranticum ryukyuanum</i>	-	2	3.5	0
Yellow Featherlegs	<i>Copera marginipes</i>	-	1	1.0	0
Common Flangetail	<i>Ictinogomphus pertinax</i>	-	2	7.5	0
Asian Pintail	<i>Acisoma panorpoides</i>	-	2	5.5	0
Blue Dasher	<i>Brachydiplax chalybea flavovittata</i>	-	2	5.0	0
Asian Amberwing	<i>Brachythemis contaminata</i>	-	1	1.0	0
Crimson Darter	<i>Crocothemis servilia servilia</i>	-	2	4.0	0
Russet Percher	<i>Neurothemis fulvia</i>	-	2	2.5	0
Pied Percher	<i>Neurothemis tullia tullia</i>	-	2	3.0	0
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	1	0.5	0
Wandering Glider	<i>Pantala flavescens</i>	-	2	4.0	0
Pied Skimmer	<i>Pseudothemis zonata</i>	-	2	1.5	0
Variegated Flutterer	<i>Rhyothemis variegata arria</i>	-	2	18.5	0
Evening Skimmer	<i>Tholymis tillarga</i>	-	1	0.5	V
Saddlebag Glider	<i>Tamea virginia</i>	-	1	1.0	0

			Occurrence ⁽²⁾	Mean ⁽³⁾	
Butterfly			16		
Blue-spotted Crow	<i>Euploea midamus midamus</i>	-	1	0.5	0
Lemon Pansy	<i>Junonia lemonias lemonias</i>	-	1	0.5	0
Great Egg-fly	<i>Hypolimnas bolina kezia</i>	-	2	5.5	0
Red Ring Skirt	<i>Hestina assimilis assimilis</i>	-	1	0.5	0
Angled Castor	<i>Ariadne ariadne alterna</i>	-	1	0.5	0
Common Evening Brown	<i>Melanitis leda</i>	-	2	1.0	0
Dark Evening Brown	<i>Melanitis phedima muskata</i>	-	1	1.5	0
Common Palmfly	<i>Elymnias hypermnestra hainana</i>	-	1	1.0	0
Dark Brand Bush Brown	<i>Mycalesis mineus mineus</i>	-	2	7.5	0
South China Bush Brown	<i>Mycalesis zonata</i>	-	1	0.5	0
Common Hedge Blue	<i>Acytolepis puspa</i>	-	1	0.5	0
Lemon Emigrant	<i>Catopsilia pomona pomona</i>	-	1	1.0	0
Common Grass Yellow	<i>Eurema hecabe hecabe</i>	-	2	2.5	0
Common Mormon	<i>Papilio polytes polytes</i>	-	2	1.0	0
Bush Hopper	<i>Ampittia dioscorides</i>	-	1	0.5	0
Rare Swift	<i>Parnara ganga</i>	-	1	0.5	0
Species Name	Scientific Name	Conservation Status ⁽¹⁾	Occurrence ⁽²⁾	Mean ⁽³⁾	Records Outside Surveys ⁽⁴⁾
Odonate			16		
Wandering Midget	<i>Agriocnemis pygmaea</i>	-	1	1.0	0
Orange-tailed Sprite	<i>Ceriagrion auranticum ryukyuanum</i>	-	1	4.0	0
Common Bluetail	<i>Ischnura senegalensis</i>	-	1	3.0	0
Yellow Featherlegs	<i>Copera marginipes</i>	-	1	1.0	0
Dingy Dusk-hawker	<i>Gynacantha subinterrupta</i>	LC	-	-	V
Common Flangetail	<i>Ictinogomphus pertinax</i>	-	1	7.0	0
Asian Pintail	<i>Acisoma panorpoides</i>	-	1	6.0	0
Blue Dasher	<i>Brachydiplax chalybea flavovittata</i>	-	1	5.0	0
Asian Amberwing	<i>Brachythemis contaminata</i>	-	1	8.0	0
Crimson Darter	<i>Crocothemis servilia servilia</i>	-	1	1.0	0
Pied Percher	<i>Neurothemis tullia tullia</i>	-	1	13.0	0
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	1	1.0	0
Wandering Glider	<i>Pantala flavescens</i>	-	1	7.0	0
Pied Skimmer	<i>Pseudothemis zonata</i>	-	1	1.0	0
Variagated Flutterer	<i>Rhyothemis variegata arria</i>	-	1	16.0	0
Evening Skimmer	<i>Tholymis tillarga</i>	-	-	-	V
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Butterfly			11		
Blue-spotted Crow	<i>Euploea midamus midamus</i>	-	1	3.0	0
Common Sailor	<i>Neptis hylas hylas</i>	-	1	1.0	0
Red Ring Skirt	<i>Hestina assimilis assimilis</i>	-	1	2.0	0
Dark Brand Bush Brown	<i>Mycalesis mineus mineus</i>	-	1	5.0	0

Species Name	Scientific Name	Conservation Status ⁽¹⁾		Sep 2023	Records Outside Surveys ⁽⁴⁾
Chocolate Royal	<i>Remelana jangala mudra</i>	-	1	1.0	0
Pale Grass Blue	<i>Pseudozizeeria maha serica</i>	-	1	1.0	0
Lemon Emigrant	<i>Catopsilia pomona pomona</i>	-	1	1.0	0
Common Grass Yellow	<i>Eurema hecabe hecabe</i>	-	1	1.0	0
Lime Butterfly	<i>Papilio demoleus</i>	-	1	1.0	0
Common Mormon	<i>Papilio polytes polytes</i>	-	1	2.0	0
Conjoined Swift	<i>Pelopidas conjuncta</i>	-	1	1.0	0

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Occurrence ⁽²⁾	Oct 2023 Mean ⁽³⁾	Records Outside Surveys ⁽⁴⁾
Odonate			No. of Species Recorded	15	
Wandering Midget	<i>Agriocnemis pygmaea</i>	-	1	2.0	0
Orange-tailed Sprite	<i>Ceriagrion auranticum ryukyuanum</i>	-	1	4.0	0
Common Bluetail	<i>Ischnura senegalensis</i>	-	1	1.0	0
Blue Sprite	<i>Pseudagrion microcephalum</i>	LC	-	-	V
Common Evening Hawker	<i>Anaciaeschna jaspidea</i>	-	1	1.0	0
Lesser Emperor	<i>Anax parthenope julius</i>	-	-	-	V
Common Flangetail	<i>Ictinogomphus pertinax</i>	-	1	6.0	0
Asian Pintail	<i>Acisoma panorpoides</i>	-	1	3.0	0
Blue Dasher	<i>Brachydiplax chalybea flavovittata</i>	-	1	1.0	0
Asian Amberwing	<i>Brachythemis contaminata</i>	-	1	2.0	0
Russet Percher	<i>Neurothemis fulvia</i>	-	1	3.0	0
Pied Percher	<i>Neurothemis tullia tullia</i>	-	1	15.0	0
Red-faced Skimmer	<i>Orthetrum chrysis</i>	-	1	1.0	0
Green Skimmer	<i>Orthetrum sabina sabina</i>	-	1	4.0	0
Dingy Dusk-darter	<i>Zygomma petiolatum</i>	-	-	-	V
			Occurrence⁽²⁾	Mean⁽³⁾	
Butterfly			No. of Species Recorded	21	
Blue-spotted Crow	<i>Euploea midamus midamus</i>	-	1	1.0	0
Common Indian Crow	<i>Euploea core amymone</i>	-	-	-	V
Striped Blue Crow	<i>Euploea mulciber</i>	-	-	-	V
Great Egg-fly	<i>Hypolimnas bolina kezia</i>	-	1	3.0	0
Common Sailor	<i>Neptis hylas hylas</i>	-	1	3.0	0
Red Ring Skirt	<i>Hestina assimilis assimilis</i>	-	1	1.0	0
Common Evening Brown	<i>Melanitis leda</i>	-	1	1.0	0
Dark Brand Bush Brown	<i>Mycalesis mineus mineus</i>	-	1	9.0	0
Silver Streak Blue	<i>Iraota timoleon timoleon</i>	-	-	-	V
Long-banded Silverline	<i>Spindasis lohita</i>	-	-	-	V
Pale Grass Blue	<i>Pseudozizeeria maha serica</i>	-	1	4.0	0
Dark Cerulean	<i>Jamides bochus bochus</i>	-	1	1.0	0
Painted Jezebel	<i>Delias hyparete</i>	-	1	2.0	0
Red-base Jezebel	<i>Delias pasithoe pasithoe</i>	-	1	3.0	0
Lemon Emigrant	<i>Catopsilia pomona pomona</i>	-	-	-	V

Species Name	Scientific Name	Conservation Status ⁽¹⁾	Oct 2023		Records Outside Surveys ⁽⁴⁾
			Occurrence ⁽²⁾	Mean ⁽³⁾	
Common Grass Yellow	<i>Eurema hecabe hecabe</i>	-	1	4.0	0
Common Bluebottle	<i>Graphium sarpedon sarpedon</i>	-	1	1.0	0
Common Mime	<i>Chilasa clytia clytia</i>	-	1	1.0	0
Common Mormon	<i>Papilio polytes polytes</i>	-	1	3.0	0
Common Straight Swift	<i>Parnara guttata</i>	-	-	-	V
Water Snow Flat	<i>Tagiades litigiosa</i>	-	-	-	V

(1) Conservation status follows that of Fellowes *et al.* (2002), Lo & Hui (2004), Tam *et al.* (2011) and Young & Yiu (2002).

(2) Indicates number of surveys recorded within the reporting period.

(3) Refers to the mean number of individuals recorded in the reporting period in the WRA

(4) Includes observations during other surveys and/or site visits.

F. Environmental Mitigation Measures - Implementation Status

Air Quality – Recommended Mitigation Measures

Air Quality Mitigation Measures during construction	Implementation Status
• access roads should be sprayed with water or dust suppression chemical to maintain the entire road surface wet or paved;	✓
• every stock of more than 20 bags of cement or dry PFA should be covered entirely by impervious sheeting or placed in an area sheltered on the top and the 3 sides;	N/A
• de-bagging, batching or mixing process should be carried out in sheltered areas during the use of bagged cement;	N/A
• use of effective dust screens, sheeting or netting to be provided to enclose dry scaffolding which may be provided from the ground floor level of the building or if a canopy is provided at the first-floor level, from the first-floor level, up to the highest level (maximum four floors for this Project) of the scaffolding where scaffolding is erected around the perimeter of a building under construction;	N/A
• dump trucks for material transport should be totally enclosed using impervious sheeting;	✓
• any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading;	✓
• dusty materials remaining after a stockpile is removed should be wetted with water;	✓
• the area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with e.g. concrete, bituminous materials or hardcore or similar;	✓
• the portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials;	✓
• stockpile of dusty materials to be either covered entirely by impervious sheeting, placed in an area sheltered on the top and the 3 sides; or sprayed with water so as to maintain the entire surface wet;	✓
• all dusty materials to be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet;	✓
• vehicle speed to be limited to 10 kph except on completed access roads;	✓
• every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites;	✓
• the load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle; and	✓
• the working area of excavation should be sprayed with water immediately before, during and immediately after (as necessary) the operations so as to maintain the entire surface wet.	✓
Odour mitigation measures	
• all malodorous excavated material should be placed as far as possible from any ASRs;	N/A
• the stockpiled malodorous material should be removed from site as soon as possible; and	N/A
• the stockpiled malodorous material should be covered entirely by plastic tarpaulin sheets.	N/A

Noise – Recommended Mitigation Measures

Noise Mitigation Measures during construction	Implementation Status
<ul style="list-style-type: none"> only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction works; 	✓
<ul style="list-style-type: none"> machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum; 	✓
<ul style="list-style-type: none"> plant known to emit noise strongly in one direction should, where possible, be orientated to direct noise away from the NSRs; 	✓
<ul style="list-style-type: none"> silencers or mufflers on construction equipment should be utilised and should be properly maintained during the construction period; 	✓
<ul style="list-style-type: none"> mobile plant should be sited as far away from NSRs as possible; 	✓
<ul style="list-style-type: none"> material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities; 	✓
<ul style="list-style-type: none"> air compressor and hand-held breaker should be fitted with valid noise emission labels during operation; and 	N/A
<ul style="list-style-type: none"> The Contractor shall at all times comply with all current statutory environmental legislation. 	✓
<p><i>Selection of quieter plant and working methods</i></p> <p>The Contractor shall obtain particular models of plant that are quieter than standards given in GW-TM. The list of assumed quieter plants can be found in the Table 4–14 of the EIA report. The Contractor shall select from the available models achieving the assumed sound levels while making reference to the GW-TM and BS5228: Part 1: 1997</p>	✓
<p><i>Use of Noise Barriers</i></p> <p>Noise barriers are proposed along the site boundary to block the direct line of sight from the most affected NSRs to the major noise contribution construction phases. The height of the noise barriers ranged from 9-10m. The noise barriers shall be built before the commencement of construction works in order to ensure protection to nearby NSRs. The noise barrier should have a surface density of at least 10kg/m² or material providing equivalent transmission loss. The noise barriers and hoardings should have no gaps and openings to avoid noise leakage.</p>	✓

Water Quality – Recommended Mitigation Measures

Water Quality Mitigation Measures during construction	Implementation Status
<ul style="list-style-type: none"> The site should be confined to avoid silt runoff to the site; 	✓
<ul style="list-style-type: none"> No discharge of silty water into the storm drain and drainage channel within and the vicinity of the site; 	✓
<ul style="list-style-type: none"> Any soil contaminated with chemicals/oils shall be removed from site and the void created shall be filled with suitable materials; 	P
<ul style="list-style-type: none"> Stockpiles to be covered by tarpaulin to avoid spreading of materials during rainstorms; 	✓
<ul style="list-style-type: none"> Suitable containers shall be used to hold the chemical wastes to avoid leakage or spillage during storage, handling and transport; 	✓
<ul style="list-style-type: none"> Chemical waste containers shall be labelled with appropriate warning signs in English and Chinese to avoid accidents. there shall also be clear instructions showing what action to take in the event of an accidental; 	✓
<ul style="list-style-type: none"> Storage areas shall be selected at safe locations on site and adequate space shall be allocated to the storage area; 	✓
<ul style="list-style-type: none"> Any construction plant which causes pollution to the water system due to leakage of oil or fuel shall be removed off-site immediately; 	N/A
<ul style="list-style-type: none"> Spillage or leakage of chemical waste to be controlled by using suitable absorbent materials; 	N/A
<ul style="list-style-type: none"> Chemicals will always be stored on drip trays or in bunded areas where the volume is 110% of the stored volume; and 	✓
<ul style="list-style-type: none"> Regular clearance of domestic waste generated in the temporary sanitary facilities to avoid waste water spillage. 	✓

Water Quality Mitigation Measures during construction

Implementation Status

<ul style="list-style-type: none"> Temporary sanitary facilities to be provided for on-site workers during construction; 	✓
<ul style="list-style-type: none"> Temporary drainage channel and associated facilities will be provided to collect the surface runoff generated within the Project Area during the construction phase; 	✓
<ul style="list-style-type: none"> Sandbags or silt traps will need to be placed to avoid silt runoff to the drainage channel draining the water in the northern ditch. Draining of the ditches should avoid rainy weather; and 	✓
<ul style="list-style-type: none"> Excavated soil which needs to be temporarily stockpiled should be stored in a specially designated area and provided with a tarpaulin cover to avoid runoff into the drainage channels. 	✓

Waste Management – Recommended Mitigation Measures

Waste Management Mitigation Measures during construction

Implementation Status

<p><i>Site Clearance Waste</i></p> <ul style="list-style-type: none"> The major construction works of Wo Shang Wai is in the development of residential buildings and other associated facilities (club house, tennis courts, etc.). The amount of site clearance works will be limited with the exception of the excavated materials. The thin layer of vegetation removed can be stored and reused for landscaping. 	✓
<p><i>Excavated Materials</i></p> <p>The intention is to maximize the reuse of the excavated materials on-site as fill materials.</p>	✓
<p><i>Imported Filling Material</i></p> <p>The excavated/imported filling material may have to be temporarily stockpiled on-site for the construction of road embankment and foundation of viaduct substructure. Control measures should be taken at the stockpiling area to prevent the generation of dust and pollution of stormwater channels. However, to eliminate the risk of blocking drains in the wet season, it is recommended that stockpiling of excavated materials at during wet season should be avoided as far as practicable.</p>	✓
<p><i>Construction and Demolition Materials</i></p> <p>Careful design, planning and good site management can minimise over-ordering and generation of waste materials such as concrete, mortars and cement grouts. The design of formwork should maximise the use of standard wooden panels so that high reuse levels can be achieved. Alternatives such as steel formwork of plastic facing should be considered to increase the potential for reuse.</p>	✓
<p>The Contractor should reuse any C&D material on-site. C&D waste should be segregated and stored in different containers to other wastes to encourage the re-use or recycling of materials and their proper disposal.</p>	✓
<p><i>Chemical Waste</i></p> <p>For those processes which generate chemical waste, it may be possible to find alternatives which generate reduced quantities or even no chemical waste, or less dangerous types of chemical waste.</p> <p>Containers used for the storage of chemical wastes should:</p> <ul style="list-style-type: none"> be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed; have a capacity of less than 450 litres unless the specification has been approved by the EPD; and display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the Regulations. <p>The storage area for chemical wastes should:</p> <ul style="list-style-type: none"> be clearly labelled and used solely for the storage of chemical waste; be enclosed on at least 3 sides; have an impermeable floor and bunding, of capacity to accommodate 110% of the volume of the largest container or 20% by volume of the chemical waste stored in that area whichever is the greatest; have adequate ventilation; be covered to prevent rainfall entering (water collected within the bund must be tested and disposed as chemical waste if necessary); and be arranged so that incompatible materials are adequately separated. 	N/A
	P
	✓
	✓
	✓
	✓
	✓
	✓

Waste Management Mitigation Measures during construction	Implementation Status
Disposal of chemical waste should:	
<ul style="list-style-type: none"> be via a licensed waste collector; and 	N/A
<ul style="list-style-type: none"> be to a facility licensed to receive chemical waste, such as the Chemical Waste Treatment Facility which also offers a chemical waste collection service and can supply the necessary storage containers, or 	N/A
<ul style="list-style-type: none"> to be reuser of the waste, under approval from the EPD. 	N/A
<i>General Refuse</i>	P
Should be stored in enclosed bins or compaction units separate from C&D and chemical wastes. The Contractor should employ a reputable waste collector to remove general refuse from the site, separate from C&D and chemical wastes, on a regular basis to minimise odour, pest and litter impacts. Burning of refuse on construction sites is prohibited by law.	
Disposal of Excavated Sediment at Sea	
The requirements and procedures for excavated sediment disposal are specified under the ETWB TCW No. 34/2002 and PNAP 252. The management of the excavation, use and disposal of sediment is monitored by Fill Management Committee, whilst the licensing of marine dumping is the responsibility of the Director of Environmental Protection (DEP).	N/A
The excavated sediment would be loaded onto barges or other appropriate vessel and transported to the designated marine disposal site. Category L sediment and Category M sediment passing the biological test would be suitable for disposal at a gazetted open sea disposal ground. Category M sediment failing the biological test and Category H sediment passing the biological test would require confined marine disposal.	N/A
During transportation and disposal of the dredged sediment, the following measures should be taken to minimize potential impacts on water quality:	N/A
<ul style="list-style-type: none"> Bottom opening transport vessels should be fitted with tight fitting seals to prevent leakage of material. Excess material should be cleaned from the decks and exposed fittings of vessels before the vessel is moved. 	N/A
<ul style="list-style-type: none"> Monitoring of the barge loading should be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels should be equipped with automatic self-monitoring devices as specified by the DEP. 	N/A

Ecology – Recommended Mitigation Measures

Ecology Mitigation Measures during construction	Implementation Status
<i>Clear Definition of Site Limit</i>	
Clear definition of the site limit should be provided in order to minimize and confine the disturbance during the construction period, especially the northern limit of the Site which is adjacent to fishponds within the Conservation Area (CA) zone and are considered to be ecological sensitive receivers.	✓
During wetland construction stage the WRA boundary will be delineated using a temporary hoarding in order to reduce disturbance to off-site habitats and wildlife. During the establishment phase this hoarding will be replaced with a 1 m high chain-link fence in order to reduce disturbance to the WRA through access by humans and dogs, and a hoarding will be established around the residential construction site.	N/A (WRA construction completed)
<i>Dust and Noise Suppression and Avoidance of Water Pollution</i>	
Good site practices of dust and noise suppression should be strictly implemented to ensure that disturbance is minimized to acceptable levels. Mitigation measures for the off-site disturbance impacts on the fishponds in the CA include hoarding at the northern site boundary during construction of the WRA to reduce noise and dust impacts to the adjacent habitats. Through the use of quieter plant and temporary/movable noise barriers, the noise level would be reduced significantly to an acceptable level. Hoarding at the northern boundary should be replaced with a 1 m high chain-link fence following construction and the WRA will then act as a buffer between the existing wetland areas and the residential part of the site until construction is completed. Hoarding will be retained between the WRA and ongoing construction work to avoid visual disturbance and reduce noise and dust emissions. Pollution of watercourses and sedimentary runoff will be minimized by good site practice, especially the containment of water and sediment within the site for removal.	✓

Ecology Mitigation Measures during construction

Implementation Status

These standard noise and air and water quality site practices are considered to be effective measures for minimizing the disturbance impact during the construction period.	
<i>Planning of Construction Schedule</i>	
The construction of the proposed project should be scheduled in phases. Because mitigation is preferably carried out in advance of the main works rather than after the completion of works, the construction of the WRA will commence at the start of the project. Construction work within the WRA is scheduled to take place in a single wet season, followed by 1.5 years of wetland establishment. During the wetland establishment period no noisy work will be undertaken within the WRA to minimize the disturbance to off-site habitats and wildlife.	N/A (WRA construction completed)
<i>Reusing Onsite Materials</i>	
Soil and plants on-site should be reused (e.g. used as fill material) as far as practical. Stock piles of these reusable materials should be stored in an appropriate area on-site. In particular, the re-use of the wetland soils and topsoil should be considered.	✓
<i>Construction of the Wetland Restoration Area</i>	✓
The WRA will be operational within 2.5 years from the commencement of construction (1 year for site formation and 1.5 years for establishment) and will compensate for the predicted ecological impacts of the proposed development.	

Landscape and Visual – Recommended Mitigation Measures

Landscape and Visual Mitigation Measures during construction




Implementation Status

CM1 - The construction area and contractor's temporary works areas should be minimised to avoid impacts on adjacent landscape.	✓
CM2 - Screening of construction works by hoarding / noise barriers.	✓ (see Appendix G Photo 1 & 3 *)
CM3 - Reduction of construction period to practical minimum.	✓
CM4 - Topsoil, where identified, should be stripped and stored for re-use in the construction of the soft landscape works, where the soil material meets acceptable criteria and where practical. The Contract Specification shall include storage and reuse of topsoil as appropriate.	✓
CM5 - Hydroseeding or sheeting of soil stockpiles with visually unobtrusive material (in earth tone).	✓
CM6 - Advance screen planting of noise barriers	✓ (see Appendix G Photo 3 *)
CM7 - Control night-time lighting and glare by hooding all lights.	N/A
CM8 - Ensure no run-off into streams adjacent to the Project Area.	✓
CM9 - Protection of existing trees on boundary of site shall be carefully protected during construction. Detailed Tree Protection Specification shall be provided in the Contract Specification. Under this specification, the Contractor shall be required to submit, for approval, a detailed working method statement for the protection of trees prior to undertaking any works adjacent to all retained trees, including trees in contractor's works areas. (Tree protection measures will be detailed at S16 and Tree Removal Application stage).	✓
CM10 - Trees unavoidably affected by the works shall be transplanted where practical. Trees should be transplanted straight to their destinations and not held in a nursery. A detailed Tree Transplanting Specification shall be provided in the Contract Specification, if applicable. Sufficient time for necessary tree root and crown preparation periods shall be allowed in the project programme.	✓

Legend:

- ✓ Implemented
- x Not implemented
- P Partially implemented
- N/A Not applicable
- * Representative photos showing the implementation of mitigation measures are presented in Appendix G

G. Landscape and Visual Audit Photos

	
<p>Photo 1: The Construction works have been screened by hoarding / noise barriers. (CM2)</p>	<p>Photo 2: The wetland areas have been established and the ponds are seasonally filled with rainwater (OM4)</p>
	
<p>Photo 3: Advance screen planting of noise barrier has been undertaken (CM6, OM2)</p>	