CONTRACT NO: HY/2020/08

## FLYOVER FROM KWAI TSING INTERCHANGE UPRAMP TO KWAI CHUNG ROAD

## UNDER ENVIRONMENTAL PERMIT NO. EP-541/2017/A MONTHLY ENVIRONMENTAL MONITORING & AUDIT REPORT

#### **FEBRUARY 2024**

**CLIENTS:** 

**Highways Department** 

PREPARED BY:

**Lam Environmental Services Limited** 

19/F Remex Centre, 42 Wong Chuk Hang Road, Hong Kong

Telephone: (852) 2882-3939
Facsimile: (852) 2882-3331
E-mail: info@lamenviro.com
Website: http://www.lamenviro.com

**CERTIFIED BY:** 

Raymond Dai

Environmental Team Leader

DATE:

13 March 2024



### NATURE & TECHNOLOGIES (HK) LIMITED

科 技 環 保(香 港)有 限 公 司

Unit 2410, 24/F., Fortis Tower, 77-79 Gloucester Road, Wanchai, Hong Kong 香港灣仔告士打道 77-79 號富通大廈 24 樓 10 室

Date: 13th March 2024

Highways Department
Works Division
Works Section / NT
7th Floor, Trade and Industry Tower,
3 Concorde Road, Kowloon

Dear Sirs,

Contract No. HY/2020/08 Flyover From Kwai Tsing Interchange Upramp to Kwai Chung Road Independent Environmental Checker

#### Monthly Environmental Monitoring and Audit Report for February 2024

We refer to the Contract No. HY/2020/08 Flyover From Kwai Tsing Interchange Upramp to Kwai Chung Road under Environmental Permit No. EP-541/2017/A Monthly Environmental Monitoring and Audit Report certified by the Environmental Team. We hereby verified the Monthly Environmental Monitoring and Audit Report for February 2024 in accordance with the Condition 3.4 of EP-541/2017/A.

Should you have any query, please feel free to contact the undersigned at 8493 5543.

Yours Sincerely,

Vega Wong

Independent Environmental Checker

c.c.

WSP (Attn: Mr. Stephen Ho/Mr. Eric Hon) [by Email: Stephen.YC.Ho@wsp.com; Eric.Hon@wsp.com] Lam Environmental Services Limited (Attn: Mr. Raymond Dai) [by Email: raymonddai@lamenviro.com]



#### **TABLE OF CONTENTS**

1	INTROD	OUCTION	5
	1.1 1.2	Scope of the ReportStructure of the Report	
2	PROJE	CT BACKGROUND	6
	2.1 2.2 2.3	BackgroundProject Organization and Contact PersonnelConstruction Activities	6
3	STATUS	OF REGULATORY COMPLIANCE	9
	3.1 3.2	Status of Environmental Licensing and Permitting under the Project Status of Submission under the EP-541/2017/A	
4	MONITO	ORING REQUIREMENTS	10
	4.1 4.2	Noise MonitoringAir Monitoring	
5	MONITO	ORING RESULTS	16
	5.1 5.2 5.3	Noise Monitoring Results Air Monitoring Results Waste Management	16
6	COMPL	IANCE AUDIT	18
	6.1 6.2 6.3 6.4	Noise Monitoring	18 18
7	ENVIRO	NMENTAL SITE AUDIT	19
8	COMPL	AINTS, NOTIFICATION OF SUMMONS AND PROSECUTION	21
a	CONCL	USION	22



#### **LIST OF TABLES**

Table 2.1	Contact Details of Key Personnel
Table 3.1	Summary of the current status on licences and/or permits on environmental protection pertinent to the Project
Table 3.2	Summary of submission status under EP-541/2017/A
Table 4.1	Noise Monitoring Station
Table 4.2	Noise Monitoring Equipment
Table 4.3	Action and Limit Level for Noise Monitoring
Table 4.4	Air Monitoring Station
Table 4.5	Air Quality Monitoring Equipment
Table 4.6	Action and Limit Level for Air Quality Monitoring
Table 5.1	Summary of Quantities of Inert C&D Materials
Table 5.2	Summary of Quantities of C&D Wastes
Table 7.1	Summary of Environmental Inspections
Table 7.2	Summary of Landscape Site Inspections
Table 8.1	Cumulative Statistics on Complaints
Table 8.2	Cumulative Statistics on Successful Prosecutions
Table 9.1	Construction Activities and Recommended Mitigation Measures in Coming Reporting 3 Months

#### **LIST OF FIGURES**

Figure 1.1	Project Layout
igure 2.1	Project Organization Chart
Figure 4.1	<b>Locations of Noise Monitoring Stations</b>
igure 4.2	<b>Locations of Air Quality Monitoring Stations</b>

#### LIST OF APPENDICES

LIGITOT ALL	NDIOLO
Appendix 3.1	Environmental Mitigation Implementation Schedule
Appendix 4.1	Action and Limit Level
Appendix 4.2	Copies of Calibration Certificates
Appendix 4.3	Wind data
Appendix 5.1	Monitoring Schedule for Reporting Month and Next Reporting Month
Appendix 5.2	Noise Monitoring Results and Graphical Presentations
Appendix 5.3	Air Quality Monitoring Results and Graphical Presentations
Appendix 5.4	Monthly Summary Waste Flow Table
Appendix 6.1	Event and Action Plans
Appendix 6.2	Summary of Notification of Exceedance
Appendix 8.1	Complaint Log
Appendix 9.1	Construction Programme



#### **EXECUTIVE SUMMARY**

- i. This is the Environmental Monitoring and Audit (EM&A) Monthly Report February 2024 of Flyover from Kwai Tsing Interchange Upramp to Kwai Chung Road under Environmental Permit no. EP-541/2017/A (Hereafter as "the Project"). The construction works of the Project was commenced on 20 September 2021. This is the 30<sup>th</sup> EM&A report presenting the environmental monitoring findings and information recorded during the period of 01 February 2024 to 29 February 2024. The cut-off date of reporting is at the end of each reporting month.
- ii. In the reporting month, the principal work activities conducted are as follow:
  - Tree preservation works
  - Piling works for Bridge H
  - Erection of falsework for Bridge G Deck and Bridge H Deck
  - Rectification of minor defects of the footbridge
  - T & C for the footbridge lift system
  - Formwork erection and fixing rebar at Bridge G
  - Formwork erection at Bridge H
  - Erection of falsework for Staircase of Existing NF303 Footbridge

#### Air Quality Monitoring

- iii. 1-hour and 24-hour Total Suspended Particulates (TSP) monitoring was conducted at three monitoring stations. 24-hour TSP shall be sampled at least once in every 6 days, while sampling for 1-hour TSP shall be at least 3 times in every 6 day in the reporting month.
- iv. No action or limit level exceedance was recorded in this reporting period.

#### Noise Monitoring

- v. Noise monitoring was conducted at three noise monitoring stations once per week in the reporting month.
- vi. No action or limit level exceedance was recorded in this reporting period.

#### Site Inspections and Audit

vii. The Environmental Team (ET) conducted weekly site inspections on 1,6,9,15,22 and 29 February 2024 and biweekly landscape inspection on 1, 15 and 29 February 2024. IEC attended the joint site inspection on 6 February 2024, while reminders on routine environmental mitigation measures were recommended.

#### Complaints, Notifications of Summons and Successful Prosecutions

viii. No environmental complaint, notification of summons and successful prosecution regarding the construction works was recorded in the reporting period.

#### **Reporting Changes**

ix. There are no particular reporting changes.

#### Future Key Issues

x. In coming reporting 3 months, the scheduled construction activities and the recommended mitigation measures are listed as follows:

Key Construction Works	Recommended Mitigation Measures		
<ul> <li>Tree preservation works</li> <li>Piling works for Bridge H</li> <li>Erection of falsework for Bridge H Deck</li> <li>Construction of Deck for Bridge G</li> <li>Formwork erection and fixing rebar at Bridge H</li> <li>Drainage works near H7</li> <li>Demolition of Existing NF303 Footbridge</li> <li>Construction of granite wall</li> <li>Road Diversion works near Pier H7</li> </ul>	<ul> <li>Regular maintenance and protection of all existing retained and transplanted trees</li> <li>Implement proper dust mitigation measures to prevent potential dust nuisances to nearby sensitive receivers during piling works</li> <li>Implement proper measures to prevent silt or debris being deposited or washed into existing drainage systems</li> <li>Implement proper noise mitigation measures to prevent potential noise nuisances to nearby sensitive receivers, with attention on restricted hour work activities</li> <li>Provision of protection to ensure no runoff out of site area or direct discharge into public drainage system</li> </ul>		



#### 1 Introduction

#### 1.1 Scope of the Report

- 1.1.1. Lam Environmental Services Limited (LES) has been appointed to work as the Environmental Team (ET) under Environmental Permit (EP) no. EP-541/2017/A to implement the Environmental Monitoring and Audit (EM&A) programme as stipulated in the EM&A Manual of the approved Environmental Impact Assessment (EIA) Report for Flyover from Kwai Tsing Interchange Upramp to Kwai Chung Road (Register No.: AEIAR-190/2015).
- 1.1.2. In accordance with Clause 3.4 stated in EP-541/2017/A, 3 hard copies and 3 electronic copies of Monthly EM&A Report shall be submitted to the Director within 2 weeks after the end of each reporting month.
- 1.1.3. According to Section 10.3.1 of the Project EM&A Manual, the Monthly EM&A Report should be submitted within 10 working days of the end of each reporting month, with the first report due in the month after construction commences.

#### 1.2 Structure of the Report

- **Section 1** *Introduction* details the scope and structure of the report.
- **Section 2 Project Background** summarizes background and scope of the project, site description, project organization and contact details of key personnel during the reporting period.
- **Section 3** Status of Regulatory Compliance summarizes the status of valid Environmental Permits / Licenses during the reporting period.
- **Section 4** *Monitoring Requirements* summarizes all monitoring parameters, monitoring methodology and equipment, monitoring locations, monitoring frequency, criteria and respective event and action plan and monitoring programmes.
- **Section 5** *Monitoring Results* summarizes the monitoring results obtained in the reporting period.
- **Section 6 Compliance Audit** summarizes the auditing of monitoring results, all exceedances environmental parameters.
- **Section 7** Environmental Site Audit summarizes the findings of weekly site inspections undertaken within the reporting period, with a review of any relevant follow-up actions within the reporting period.
- Section 8 Complaints, Notification of summons and Prosecution summarizes the cumulative statistics on complaints, notification of summons and prosecution
- Section 9 Conclusion



#### 2 Project Background

#### 2.1 Background

- 2.1.1. In order to cater the future traffic growth and prevent traffic congestion in the future during peak traffic flow hour at Tsuen Wan Road (TWR) near Kwai Tsing Interchange (KT I/C), an additional southbound lane (a separate viaduct) is introduced on TWR and connected to the existing lane on the west side of Kwai Chung Road (KCR). Widening of existing carriageway is also proposed to improve the road section to cope with the future traffic growth.
- 2.1.2. Based on the current design, the remaining capacity available on the two segregated KCR carriageways will be utilised for this proposed flyover. Location and layout of the proposed road works is shown in *Figure 1.1*.
- 2.1.3. The Project consists of a designated project under Part I, Schedule 2 of the Environmental Impact Assessment Ordinance (EIAO) which is Item A.8 A road or railway bridge more than 100m in length between abutments.
- 2.1.4. The major components of the Project under Environmental Permit (EP) (EP No. EP-541/2017/A) comprises: (i) an additional southbound lane from the west side of elevated Tsuen Wan Road to at-graded Kwai Chung Road; (ii) a widened section on the east side of elevated Tsuen Wan Road connecting Kwai Tsing Interchange upramp; (iii) modification of Kwai Chung Road; (iv) provision of noise mitigation measures; (v) demolition and re-provision of the existing footbridge NF303; and (vi) ancillary works including other associated road works, utilities diversion, street furniture and traffic aids, public lighting, drainage, landscaping, electrical and mechanical works.

#### 2.2 Project Organization and Contact Personnel

- 2.2.1 Highways Department is the overall project controllers for the Project. For the construction phase of the Project, Project Engineer / Supervisor, Contractor(s), Environmental Team and Independent Environmental Checker are appointed to manage and control environmental issues.
- 2.2.2 The project organization and lines of communication with respect to environmental protection works are shown in <u>Figure 2.1.</u> Key personnel and contact particulars are summarized in **Table 2.1**:

Table 2.1 Contact Details of Key Personnel

Party	Role	Post	Name	Contact No.	Contact Fax
Highways Department (HyD)	Project Proponent	Chief Engineer	Vincent WONG	3903 6888	3188 3418
WSP (Asia) Limited	Supervisor's Representative	Resident Engineer	Eric HON	2320 2012	2320 2166
		Site Agent	Mr. Lo Yuen Cheong	9123 7342	
Peako Engineering Co. Limited	Contractor	Sub Agent/ Environmental Supervisor	Mr. Gary Ng	9187 1694	2398 8301
		Environmental Officer	Mr. Chan Kai Tai	9750 9532	
Nature & Technologies (HK) Limited	Independent Environmental Checker (IEC)	Independent Environmental Checker (IEC)	Vega WONG	2877 3122	2511 0922
Lam Environmental Services Limited	Environmental Team (ET)	Environmental Team Leader (ETL)	Raymond DAI	2882 3939	2882 3331

#### 2.3 Construction Activities

- 2.3.1 In the reporting month, the principal work activities conducted are as follows:
  - Tree preservation works
  - Piling works for Bridge H
  - Erection of falsework for Bridge G Deck and Bridge H Deck
  - Rectification of minor defects of the footbridge
  - T & C for the footbridge lift system
  - · Formwork erection and fixing rebar at Bridge G
  - Formwork erection at Bridge H
  - Erection of falsework for Staircase of Existing NF303 Footbridge



- 2.3.2 In coming reporting 3 months, the scheduled construction activities are listed as follows:
  - Tree preservation works
  - · Piling works for Bridge H
  - Erection of falsework for Bridge H Deck
  - Construction of Deck for Bridge G
  - Formwork erection and fixing rebar at Bridge H
  - Drainage works near H7
  - Demolition of Existing NF303 Footbridge
  - Construction of granite wall
  - Road Diversion works near Pier H7

#### 3 Status of Regulatory Compliance

#### 3.1 Status of Environmental Licensing and Permitting under the Project

3.1.1. A summary of the current status on licences and/or permits on environmental protection pertinent to the Project is shown in *Table 3.1*.

Table 3.1 Summary of the current status on licences and/or permits on environmental protection pertinent to the Project

Permits and/or Licences	Permit. No. / Account No.	Valid From	Expiry Date	Status
Notification pursuant to Air Pollution Control (Construction Dust) Regulation	Acknowledged by EPD on 21 June 2021.			
WPCO Discharge Licence	WT00040637-2022	25 Mar 2022	N/A	Valid
Environmental Permit	EP-541/2017/A	19 Nov 2020	N/A	Valid
Billing Account for Disposal of Construction Waste	7040908	14 July 2021	End of the Project	Valid
Registration as a Chemical Waste Producer	8834-326-P3431-01	08 July 2021	N/A	Valid
Construction Noise Permit	GW-RW0102-24	19 Feb 2024	18 May 2024	Valid
Construction Noise Permit	CNP-GW10002292			Under application

3.1.2. Implementation status of the recommended mitigation measures during this report month is presented in *Appendix 3.1*.

#### 3.2 Status of Submission under the EP-541/2017/A

3.2.1. A summary of the current status on submission under EP-541/2017/A is shown in *Table 3.2*.

Table 3.2 Summary of submission status under EP-541/2017/A

EP Condition	Submission	Date of First Submission	Date of Latest Submission
Condition 1.12	Notification of Commencement Date of Works	27 July 2021	26 August 2021
Condition 2.3	Submission of Management Organization of Main Construction Companies	2 July 2021	4 May 2022
Condition 2.4	Submission of Landscape Plan	26 July 2021	19 April 2023
Condition 2.5	Submission of Traffic Noise Mitigation Plan	26 July 2021	20 January 2023
Condition 3.3	Submission of Baseline Monitoring Report	6 September 2021	28 January 2022

#### 4 Monitoring Requirements

#### 4.1 Noise Monitoring

#### NOISE MONITORING STATIONS

4.1.1. The noise monitoring stations for the Project are listed and shown in *Table 4.1* and <u>Figure 4.1</u>.
Appendix 4.1 shows the established Action/Limit Levels for environmental monitoring.

Table 4.1 Noise Monitoring Station

Monitoring Station ID	Noise Sensitive Receivers	Measurement Type	Monitoring Location
NMC01	Lai King Catholic Secondary School	Free-Field	Roof Floor
NMC02	Fung King House	Free-Field	Roof Floor
NMC03	HKEAA-Lai King Assessment Centre	Free-Field	Ground Floor

#### NOISE MONITORING PARAMETERS, FREQUENCY AND DURATION

4.1.2. For daytime construction work on normal weekdays (0700-1900 Monday to Saturday), one set of 30-min measurement shall be carried out at each NMS every week. Measurement procedures shall be referred to the Noise Control Ordinance-TM. Construction noise level shall be measured in terms of the A-weighted equivalent continuous sound pressure level (Leq). Leq(30min) shall be used as the monitoring parameter. As supplementary information for data auditing, statistical results such as L<sub>10</sub> and L<sub>90</sub> shall also be obtained for reference.

#### **MONITORING EQUIPMENT**

4.1.3. Noise monitoring was performed using sound level meter at the designated monitoring locations. The sound level meters shall comply with the International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications. Acoustic calibrator shall be deployed to check the sound level meters at a known sound pressure level. Brand and model of the equipment is given in *Table 4.2*.

Table 4.2 Noise Monitoring Equipment

Equipment	Brand/Model	Series Number
Integrated Sound Level Meter	LxT1	0004797
Acoustic Calibrator	HLES-02	2019612870
/todatio Galibrator	CAL200	13098

4.1.4. The calibration certificates of the noise monitoring equipment are attached in Appendix 4.2.



#### SAMPLING PROCEDURE AND MONITORING EQUIPMENT

#### 4.1.5. Monitoring Procedure

- (a) The monitoring station shall normally be at a point 1m from the exterior of the sensitive receiver's building façade and be at a position 1.2m above the ground.
- Façade measurements were made at the monitoring locations. For free-field (b) measurement, a correction factor of +3 dB (A) would be applied.
- (c) The battery condition was checked to ensure the correct functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time (d) were set as follows:
- Frequency weighting: A, Time weighting: Fast, Measurement time set: continuous 5 (e) mins
- (f) Prior and after to the noise measurement, the meter was checked using the acoustic calibrator for 94dB (A) at 1000 Hz. If the difference in the calibration level before and after measurement was more than ±1 dB (A), the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.

#### Maintenance and Calibration 4.1.6.

- The microphone head of the sound level meter was cleaned with soft cloth at regular (a)
- (b) The sound level meter and calibrator were calibrated at yearly intervals.

#### CONSTRUCTION NOISE LEVEL

The construction noise level refers the corrected noise level based on the calculated difference between SPL of the Measured Noise Level and the SPL of the Baseline Noise Level. In the event of the Baseline Noise Level exceeds the Measured Noise Level, no correction would be applied and the Construction Noise Level would be indicated as below baseline noise level (<BL).

#### **EVENT AND ACTION PLAN**

4.1.8. Noise Standards for Daytime Construction Activities are specified under EIAO-TM. The Action and Limit levels for construction noise are defined in Table 4.3 and Appendix 4.1. Should noncompliance of the criteria occurs, action in accordance with the Event and Action Plan in Appendix 6.1 shall be carried out.

Table 4.3 Action and Limit Level for Noise Monitoring

Monitoring	Action Level	Limit Level (dB(A))		
Station		0700-1900 hrs on normal weekdays	0700-2300 hrs on holidays (including Sundays); and 1900-2300 hrs on all days <sup>2</sup>	2300-0700 hrs of all days
NMC01	When one documented	65 / 70 <sup>1</sup>		45 / 50 / 55 <sup>3</sup>
NMC02	complaint is	75	60 / 65 / 70 <sup>3</sup>	45 / 50 / 55 <sup>3</sup>
NMC03	received	65 / 70 <sup>1</sup>		45 / 50 / 55 <sup>3</sup>

Remark 1: Limit level of NMC01 and NMC03 reduce to 65 dB (A) during examination periods if any.

Remark 2: Construction noise during restricted hours is under the control of Noise Control Ordinance Limit Level to be selected based on Area Sensitivity Rating.

Remark 3: Limit Level for restricted hour monitoring shall act as reference level only. Investigation would be conducted on CNP compliance if exceedance recorded during restricted hour noise monitoring period.

#### 4.2 Air Monitoring

#### AIR QUALITY MONITORING STATIONS

4.2.1. The air monitoring stations for the Project are listed and shown in *Table 4.4* and *Figure 4.2*. *Appendix 4.1* shows the established Action/Limit Levels for environmental monitoring.

Table 4.4 Air Quality Monitoring Station

Monitoring Station	Air Sensitive Receivers	Monitoring Location	
AMC01	Lai King Catholic Secondary School	Roof Floor	
AMC02	Fung King House	Roof Floor	
AMC03A <sup>1</sup>	Ming King House	Roof Floor	

Remark 1: Due to limited location access, lack of power supply and land availability problem for setting up air quality monitoring stations at HKEAA-Lai King Assessment Centre (AMC03) under EM&A manual, alternative monitoring location at Ming King House was proposed in accordance with Section 2.5.3 of the EM&A manual and proposal for alternative monitoring location was submitted to EPD for approval.

#### AIR MONITORING PARAMETERS, FREQUENCY AND DURATION

- 4.2.2. One-hour and 24-hour TSP levels should be measured to indicate the impacts of construction dust on air quality.
- 4.2.3. 24-hour TSP shall be sampled at least once in every 6 days, while sampling for 1-hour TSP shall be at least 3 times in every 6 days when the highest dust impact takes place.

#### SAMPLING PROCEDURE AND MONITORING EQUIPMENT

- 4.2.4. 24-hour TSP Measuring Installation (HVS)
  - (a) The HVS was installed in the vicinity of the air sensitive receivers. The following

Contract No. HY/2020/08 Flyover From Kwai Tsing Interchange Upramp to Kwai Chung Road Monthly EM&A Report (February 2024)

criteria were considered in the installation of the HVS.

- (b) No furnace or incinerator flues were nearby.
- (c) Airflow around the sampler was unrestricted
- (d) 0.6 1.7 m<sup>3</sup> per minute adjustable flow range
- (e) Equipped with a timing / control device with +/- 5 minutes accuracy for 24 hours operation;
- (f) Installed with elapsed-time meter with +/- 2 minutes accuracy for 24 hours operation;
- (g) Equipped with a shelter to protect the filter and sampler;
- (h) Capable of operating continuously for a 24-hour period.

#### 4.2.5. 24-hour Measuring Procedures

- (a) The power supply was checked to ensure the HVS works properly.
- (b) The filter holder and the area surrounding the filter were cleaned.
- (c) The filter holder was removed by loosening the four bolts and a new filter, with stamped number upward, on a supporting screen was aligned carefully.
- (d) The filter was properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter.
- (e) The swing bolts were fastened to hold the filter holder down to the frame. The pressure applied should be sufficient to avoid air leakage at the edges.
- (f) Then the shelter lid was closed and was secured with the aluminum strip.
- (g) The HVS was warmed-up for about 5 minutes to establish run-temperature conditions.
- (h) A new flowrate record sheet was set into the flow recorder.
- (i) The flow rate of the HVS was checked and adjusted at around 1.2 m³/min. The range specified in the EM&A Manual was between 0.6-1.7 m³/min.
- (j) The programmable timer was set for a sampling period of 24 hrs + 1 hr, and the starting time, weather condition and the filter number were recorded.
- (k) The initial elapsed time was recorded.
- (I) At the end of sampling, the sampled filter was removed carefully and folded in halflength so that only surfaces with collected particulate matter were in contact.
- (m) It was then placed in a clean plastic envelope and sealed.
- (n) All monitoring information was recorded on a standard data sheet.
- (o) Filters were sent to laboratory for further testing.

#### 4.2.6. 1-hour Measuring Procedures

- (a) Check the calibration period of portable direct reading dust meter prior to monitoring (The direct reading dust meter was calibrated at 2-years interval and checked with High Volume Sampler (HVS) yearly, details refer to Section 2.5.4)
- (b) Record the site condition near / around the monitoring stations.
- (c) Install the portable direct reading dust meter to the monitoring location.
- (d) Slide the power switch to turn the power on.
- (e) Check of portable direct reading dust meter to ensure the equipment operation in normal condition.
- (f) Select the period of measurement to 60mins.
- (g) Check and set the correct time.
- (h) Select the appropriate unit display for the equipment.

# Contract No. HY/2020/08 Flyover From Kwai Tsing Interchange Upramp to Kwai Chung Road Monthly EM&A Report (February 2024)

- (i) Slide the power switch to turn the power off when the monitoring period ended (3 times 1 hour TSP monitoring per day).
- (j) Uninstall the portable direct reading dust meter
- (k) Collected the sampled data for analysis.

Remark: Procedures (c) to (h) may be different subject to the brands and models of portable direct reading dust.

#### LABORATORY MEASUREMENT / ANALYSIS

- 4.2.7. A clean laboratory with constant temperature and humidity control, and equipped with necessary measuring and conditioning instruments to handle the dust samples collected, shall be available for sample analysis, and equipment calibration and maintenance. The laboratory should be HOKLAS accredited or other internationally accredited laboratory.
- 4.2.8. Filter paper of size 8" x 10" shall be labelled before sampling. It shall be a clean filter paper with no pinholes, and shall be conditioned in a humidity-controlled chamber for over 24-hours and be pre-weighed before use for the sampling.
- 4.2.9. After sampling, the filter paper loaded with dust shall be kept in a clean and tightly sealed plastic bag. The filter paper shall then be returned to the laboratory for reconditioning in the humidity controlled chamber followed by accurate weighing by an electronic balance with readout down to 0.1 mg. The balance shall be regularly calibrated against a traceable standard.

#### 4.2.10. Maintenance and Calibration

- (a) The direct reading dust meter was calibrated at 2-years interval and checked with High Volume Sampler (HVS) yearly to determine the accuracy and validity of the results measured.
- (b) Checking of direct reading dust meter will be carried out in order to determine the conversion factor between the direct reading dust meter and the standard equipment, HVS. The comparison check is to be considered valid based on correlation coefficient checked by HOKLAS laboratory
- 4.2.11. High Volume Sampler (HVS Model TE-5170) completed with the appropriate sampling inlets were installed for the 24-hour TSP sampling. 1-hour TSP air quality monitoring was performed by using portable direct reading dust meters at each designated monitoring station, which was verified by IEC and approved by the Engineer's Representative (ER) on 16 July 2021 and 22 July 2021, respectively according to Section 2.2.2 and 2.3.6 of the Project EM&A Manual. The brand and model of the equipment are given in *Table 4.5*.

Table 4.5 Air Quality Monitoring Equipment

Equipment	Brand and model	Series Number
Portable direct reading dust meter	Met One BT-645	B17942
Portable direct reading	AEROCET 831	B19298
dust meter	ALKOOLI 031	B19299
		0200-0740 (HVS004)
High Volume Sampler	TE-5170	2649 (HVS014)
		2650 (HVS015)
Wind Anemometer	YiGu – YGY-FSXY12	21091630T0944

4.2.12. The calibration certificates of the air quality monitoring equipment are attached in <u>Appendix</u> 4.2.

#### WIND DATA

4.2.13. Wind data monitoring equipment was set up at roof floor (about 15/F) of Fung King House for logging wind speed and wind direction such that the wind sensors were clear of obstructions or turbulence caused by building. The wind data monitoring equipment was re-calibrated at least once every six months and the wind directions were divided into 16 sections of 22.5 degrees each. The wind data obtained from the on-site wind station during the reporting period is provided in *Appendix 4.3*.

#### **EVENT AND ACTION PLAN**

4.2.14. The Action and Limit levels for construction air quality are defined in *Table 4.6* and <u>Appendix</u>
4.1. Should non-compliance of the air quality criteria occur, action in accordance with the Event and Action Plan in <u>Appendix 6.1</u> shall be carried out.

Table 4.6 Action and Limit Level for Air Quality Monitoring

Parameter	Monitoring Station	Action Level (μg/m³)	Limit Level (µg/m³)
	AMC01	144.8	260.0
24-hour TSP Level	AMC02	144.3	260.0
	AMC03A	143.7	260.0
	AMC01	256.2	500.0
1-hour TSP Level	AMC02	256.7	500.0
	AMC03A	259.3	500.0

#### 5 Monitoring Results

- 5.0.1 The environmental monitoring will be implemented based on the division of works areas of each designed projects. Overall layout showing work areas and monitoring stations is shown in *Figure 2.1* and *Figure 4.1 4.2* respectively.
- 5.0.2 The environment monitoring schedules for reporting month and coming month are presented in *Appendix 5.1*.

#### 5.1 Noise Monitoring Results

- 5.1.1 Noise monitoring results measured in this reporting period are reviewed and summarized.

  Details of noise monitoring results and graphical presentation can be referred in *Appendix 5.2*.
- 5.1.2 No action or limit level exceedance was recorded in this reporting month.

#### 5.2 Air Monitoring Results

- 5.2.1 Air quality monitoring results measured in this reporting period are reviewed and summarized.

  Details of air monitoring results and graphical presentation can be referred in *Appendix 5.3*.
- 5.2.2 No action or limit level exceedance was recorded in this reporting month.

#### 5.3 Waste Management

1.1.1 The quantities of waste for disposal in the Reporting Period are summarized in *Table 5.1* and *Table 5.2*. The Monthly Summary Waste Flow Table is shown in *Appendix 5.4*. Whenever possible, materials were reused on-site as far as practicable.

Table 5.1 Summary of Quantities of Inert C&D Materials

Waste Type	Quantity (this month)	Quantity (Project commencement to the end of last month)	Cumulative Quantity-to-Date
Hard Rock and Large Broken Concrete (Inert) (in '000m³)	0	0	0
Reused in this Contract (Inert) (in '000m³)	0	0	0

Waste Type	Quantity (this month)	Quantity (Project commencement to the end of last month)	Cumulative Quantity-to-Date
Reused in other Projects (Inert) (in '000m³)	0	0	0
Disposal as Public Fill (Inert) (in '000m³)	0.2044	12.0199	12.2243

Table 5.2 Summary of Quantities of C&D Wastes

Waste Type	Quantity (this month)	Quantity (Project commencement to the end of last month)	Cumulative Quantity-to-Date
Metals (in '000kg)	0.0017	26.3147	26.3164
Paper / Cardboard Packing (in '000kg)	0.0532	1.7254	1.7786
Plastics (in '000kg)	0	0	0
Chemical Wastes (in '000kg)	0	0	0
General Refuses (in '000m³)	0.0102	0.6763	0.6865



#### 6 Compliance Audit

- 6.0.1 The Event Action Plan for construction noise, air quality and water quality are presented in *Appendix 6.1.*
- 6.0.2 The summary of exceedance is presented in *Appendix* 6.2.

#### 6.1 Noise Monitoring

6.1.1 No action or limit level exceedance was recorded in this reporting period.

#### 6.2 Air Quality Monitoring

6.2.1 No action or limit level exceedance was recorded in this reporting period.

#### 6.3 Review of the Reasons for and the Implications of Non-compliance

6.3.1 No environmental non-compliance was recorded in the reporting month.

#### 6.4 Summary of action taken in the event of and follow-up on non-compliance

6.4.1 There was no particular action taken since no non-compliance was recorded in the reporting period.

#### 7 Environmental Site Audit

- 7.0.1. Within this reporting month, weekly environmental site audits were conducted on 4, 9 18 and 25 January 2024 and biweekly landscape inspection on 4 and 18 January 2024.
- 7.0.2. No non-compliance was found during the environmental site inspection while reminders on environmental measures were recommended. Results and findings of these inspections in this reporting month are listed below in *Table 7.1 to 7.2*.

Table 7.1 Summary of Environmental Inspections

Item	Date	Reminder(s)/ Observation(s)	Action taken by Contractor	Outcome
20240201_1	1-Feb-2024	Obs.1: Opened cement bags should be covered and stored properly.		
20240206_1	6-Feb-2024	Obs.1: Stockpile underneath old footbridge shall be removed or covered for managing dusty impact. Obs.2:.Dresel operating plant or chemical shall be removed on equipped with drip tray when not in use Obs.3: Oil stain shall be cleaned up pretty after maintained		
20240222_1	22-Feb- 2024	Obs.1: Cement should be covered and stored properly		
20240229_1	29-Feb- 2024	Obs.1" Chemicals should be stored property or drip tray should be provided.		

Table 7.2 Summary of Landscape Site Inspections

Item	Date	Reminder(s)/ Observation(s)	Action taken by Contractor	Outcome
20240201_2	1-Feb-2024	No specific findings		
20240229_2	29-Feb- 2024	No specific findings		

Remark 1: On 11 May 2023, the trees transplanted to off-site as the final operating landscape on Stonecutters Island were inspected (inspection started from the 1st week of May 2022 after the bulk transplant was completed at the end of April 2022), and no results were found to be followed up, these trees transplanted as the final operation landscape of Stonecutters Island have completed the 12-month operation stage landscape audit according to Article 6.2.3 of the

Contract No. HY/2020/08 Flyover From Kwai Tsing Interchange Upramp to Kwai Chung Road Monthly EM&A Report (February 2024)

EM&A Manual.

Remark 2: As confirmed by contractor, T135, T142, and T162 were removed on 30 October 2023, updated of Tree Preservation and Removal Proposal (TPRP) were submitted to HyD and LCSD on 12 December 2023.



#### 8 Complaints, Notification of Summons and Prosecution

- 8.0.1. No environmental complaint, notification of summons and successful prosecution regarding construction works was recorded in the reporting period.
- 8.0.2. The details of cumulative complaint log and updated summary of complaints are presented in *Appendix 8.1.*
- 8.0.3. Cumulative statistic on complaints and successful prosecutions are summarized in *Table 8.1* and *Table 8.2* respectively.

**Table 8.1 Cumulative Statistics on Complaints** 

Reporting Period	No. of Complaints
February 2024	0
Project commencement to the end of last reporting month	-
Total	0

Table 8.2 Cumulative Statistics on Successful Prosecutions

Environmental Parameters	Cumulative No. Brought Forward	No. of Successful Prosecutions this month (Offence Date)	Cumulative No. Project-to-Date
Air	-	0	0
Noise	-	0	0
Water	-	0	0
Waste	-	0	0
Total	-	0	0



#### 9 Conclusion


- 9.0.1. The EM&A programme was carried out in accordance with the EM&A Manual requirements, minor alterations to the programme proposed were made in response to changing circumstances.
- 9.0.2. Mitigation measures according to the environmental mitigation implementation schedule and the EIA were generally implemented by the Contractor. Hence, the EM&A programme was considered effective and shall be maintained.
- 9.0.3. The scheduled construction activities and the recommended mitigation measures for the coming 3 months are listed in *Table 9.1*. The construction programmes of the Project are provided in *Appendix 9.1*.

Table 9.1 Construction Activities and Recommended Mitigation Measures in Coming Reporting 3 Months

Key Construction Works	Recommended Mitigation Measures
<ul> <li>Tree preservation works</li> <li>Piling works for Bridge H</li> <li>Erection of falsework for Bridge H Deck</li> <li>Construction of Deck for Bridge G</li> <li>Formwork erection and fixing rebar at Bridge H</li> <li>Drainage works near H7</li> <li>Demolition of Existing NF303 Footbridge</li> <li>Construction of granite wall</li> <li>Road Diversion works near Pier H7</li> </ul>	<ul> <li>Regular maintenance and protection of all existing retained and transplanted trees</li> <li>Implement proper measures to prevent silt or debris being deposited or washed into existing drainage systems</li> <li>Implement proper noise mitigation measures to prevent potential noise nuisances to nearby sensitive receivers, with attention on restricted hour work activities</li> <li>Provision of protection to ensure no runoff out of site area or direct discharge into public drainage system</li> </ul>

## Figure 1.1


**Project Layout** 



## Figure 2.1


## **Project Organization Chart**

## **Project Organization Chart**




## Figure 4.1

## Location of Noise Monitoring Stations



## Figure 4.2

# Location of Air Quality Monitoring Stations



## Appendix 3.1

# Environmental Mitigation Implementation Schedule

### **Environmental Mitigation Implementation Schedule**

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
Air Quali	ty Monitoring			1			
S3.5.8	Dust suppression measures stipulated in the Air Pollution Control	(Construction Dust) F	Regulation and	good site pra	ictices:		
	Every temporary access road shall be paved with concrete, bituminous materials, hardcores or metal plates, and kept clear of dusty materials; or sprayed with water or a dust suppression chemical.	To minimize the dust impact	Contractor and Subcontract ors	All works sites	Construction Phase	Air Pollution Control (Construction Dust) Regulation	٨
	<ul> <li>Any stockpile of dusty materials shall be covered entirely by impervious sheeting, placed in an area sheltered on the top and the 3 sides, or sprayed with water or a dust suppression chemical.</li> </ul>					, regulation	۸
	All dusty materials shall be sprayed with water or a dust suppression chemical immediately prior to any loading, unloading or transfer operation						۸
	Vehicles used for transporting dusty materials should be covered with tarpaulin.						N/A
	Vehicle wheel washing facilities should be provided at each construction site exit.						V
	Where a vehicle leaving a construction site is carrying a load of dusty materials, the load shall be covered entirely by clean impervious sheeting.						٨

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures ?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
	The speed of vehicles on unpaved road within the site should be controlled to about 10 km/hr.						۸
	Routing of vehicles and positioning of construction plants should be arranged at maximum possible distances from the sensitive receivers.						٨
	Every stock of more than 20 bags of cement and dry pulverized fuel ash (PFA) shall be covered entirely by impervious sheeting or placed in an area sheltered on the top and the 3 sides.						N/A
	Loading, unloading, transfer, handling or storage of large amount of cement or dry PFA should be carried out in a totally enclosed system or facility, and any vent or exhaust should be fitted with the an effective fabric filter or equivalent air pollution control system.						N/A
	Exposed earth shall be properly treated by compaction, turfing, hydroseeding, vegetation planting or sealing with latex, vinyl, bitumen, shotcrete or other suitable surface stabilizer within 6 months after the last construction activity on the construction site or part of the construction site where the exposed earth lies.						N/A

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures ?	Location of the measure	When to implement the measures?	What requirement s or standards for the measure to achieve	Status
Noise Mo	onitoring						•
S4.8.1	<ul> <li>Selection and optimisation of construction programmes, avoidance of parallel operation of noisy PME, and/or reduction in the proportion of usage of PME during noise sensitive periods such as school examination period;</li> <li>Use of "quiet" PME and working methods;</li> </ul>	To reduce potential construction noise impact	Contractor	All works sites	Construction Phase	EIAO-TM, NCO	٨
	Use of temporary at-source noise mitigation measures such as noise barriers, acoustic fabric, noise enclosures, noise jacket and mufflers; and						۸
	Use of good site practice to limit noise emission from construction site.						۸
S4.8.2	Selection and Programming of Construction Processes						
	The timing and sequencing of the various construction activities shall be carefully arranged according to the actual site work situation, in order to limit the amount of concurrent activities and where applicable, to avoid parallel operation of noisy PME in order to minimize the total noise generated during construction periods.	To reduce potential construction noise impact	Contractor	All works sites	Construction Phase	EIAO-TM, NCO	٨
	Limiting the quantity of PME to be operated concurrently and also their proportion of usage were recommended in the Project and incorporated in this assessment.						۸
	<ul> <li>In the case during school examination when more stringent construction noise criteria should be imposed, the potentially most disruptive construction activities should be avoided, and arranged to be conducted during school holidays as far as practicable.</li> </ul>						۸

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures ?	Location of the measure	When to implement the measures?	What requirement s or standards for the measure to achieve	Status
\$4.8.3 – 4.8.5	Use of "Quiet" Alternative Plant and Working Methods						
	The use of particular plant with equipment noise levels quieter than those specified in the GW-TM can result in reduction of noise levels generated by the plant. The level of noise reduction achieved is dependent on the Contractor's chosen methods of working. It is possible for the Contractor to achieve noise reductions from the adopted working methodologies by specifying maximum limits of sound power level for specific plant.	To reduce potential construction noise impact	Contractor	All works sites	Construction Phase	EIAO-TM, NCO	٨
S4.8.6 -	Temporary Noise Barrier						
S4.8.9	Use of Temporary Noise Barrier/ Acoustic Fabric for breaker, mini-robot mounted; excavator/loader, wheeled/tracked; lorry; lorry with crane/grab; mobile crane; poker vibratory, hand-held (electric); road roller; hand-held chain saw; concrete pump, lorry mounted; asphalt paver; air compressor. The minimum surface density of the movable noise barrier is 10kg/m².	To reduce potential construction noise impact	Contractor	All works sites	Construction Phase	EIAO-TM, NCO	V
	A not less than 8m high movable barrier with skid footing and a small cantilevered upper portion to be located within a few metres of the grab and chisel piling plants.						N/A
	When temporary noise barriers are not practicable or noise reduction achieved is insufficient, noise jacket/muffler can be applied to cover the noisy part of the engine or at the engine exhaust of particular mobile plants respectively.						N/A

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures ?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
S4.8.10	Good Site Practice:						
	Use of well-maintained and regularly-serviced plant during the works;	To reduce potential construction noise	Contractor	All works sites	Construction Phase	EIAO-TM, NCO	٨
	Plant operating on intermittent basis should be turned off or throttled down when not in active use;	impact					۸
	Plant that is known to emit noise strongly in one direction should be orientated to face away from the NSRs;						۸
	Silencers, mufflers and enclosures for plant should be used where possible and maintained adequately throughout the works;						N/A
	Where possible fixed plants should be sited away from NSRs; and						٨
	Stockpiles of excavated materials and other structures such as site buildings should be used effectively to screen noise from the works.						۸

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
Water Qu	iality Control			•	'		1
\$5.9.2 \$4.8.2	In accordance with ProPECC PN 1/94, construction phase mitig	gation measures with	good manager	nent practice	s should include	the following:	
0 1.0.2	<ul> <li>At the establishment of works site, perimeter drains to direct off-site water around the Site should be constructed with internal drainage works and erosion and sedimentation control facilities implemented. Channels (both temporary and permanent drainage pipes and culverts), earth bunds or sand bag barriers should be provided to divert the stormwater to silt removal facilities. The design of the temporary onsite drainage system will be undertaken by the Contractor prior to the commencement of construction;</li> <li>Dikes or embankments for flood protection should be implemented around the boundaries of earthwork areas. Temporary ditches should be provided to facilitate the runoff discharge into an appropriate watercourse, through a silt/sediment trap. Silt/sediment traps should also be incorporated in the permanent drainage channels to enhance deposition rates;</li> <li>The design of efficient silt removal facilities should be based on the guidelines in Appendix A1 of ProPECC PN 1/94, which states that the retention time for silt / sand traps should be 5 minutes under maximum flow conditions. A sedimentation basin would be required when necessary. The detailed design of the silt / sand traps should be undertaken by the Contractor prior to the commencement of construction:</li> </ul>	To control water quality impact from construction site runoff	Contractor and Sub- contractors	All work sites	Construction Phase	Water Pollution Control Ordinance, ProPECC PN 1/94	N/A
	The construction works should be programmed to minimise surface excavation works during rainy seasons (April to September), as possible. All exposed earth areas should be						٨

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
	completed and vegetated as soon as possible after the earthworks have been completed. If excavation of soil cannot be avoided during the rainy season, or at any time of year when rainstorms are likely, exposed slope surfaces should be covered by tarpaulin or other means;						
	The overall slope of works sites should be kept to a minimum to reduce the erosive potential of surface water flows, and all trafficked areas and access roads should be protected by coarse stone ballast. An additional advantage accruing from the use of crushed stone is the positive traction gained during the prolonged periods of inclement weather and the reduction of surface sheet flows;						N/A
	<ul> <li>All drainage facilities and erosion and sediment control structures should be regularly inspected and maintained to ensure their proper and efficient operation at all times particularly following rainstorms. Deposited silts and grits should be removed regularly and disposed of by spreading evenly over stable, vegetated areas;</li> </ul>						٨
	<ul> <li>Measures should be taken to minimise the ingress of site drainage into excavations. If the excavation of trenches in wet season is inevitable, they should be dug and backfilled in short sections wherever practicable. The water pumped out from trenches or foundation excavations should be discharged into storm drains via silt removal facilities;</li> </ul>						N/A
	<ul> <li>All open stockpiles of construction materials (for example, aggregates, sand and fill material) should be covered with tarpaulin or similar fabric during rainstorms. Measures should be taken to prevent the washing away of construction materials, soil, silt or debris into any drainage system;</li> </ul>						۸

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the drainage system and storm runoff being directed into foul sewers;						۸
	<ul> <li>Precautions to be taken at any time of the year when rainstorms are likely, actions to be taken when a rainstorm is imminent or forecasted and during or after rainstorms, are summarised in Appendix A2 of ProPECC PN 1/94. Particular attention should be paid to the control of silty surface run-off during storm events;</li> </ul>						٨
	All vehicles and plant should be cleaned before leaving the Site to ensure no earth, mud, debris and the like is deposited by them on roads. An adequately designed and sited wheel washing facilities / bay should be provided at the exit of the Site where practicable. Wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. The section of access road leading to, and exiting from, the wheelwashing bay to public roads should be paved with sufficient backfall toward the wheel washing bay to prevent vehicle tracking of soil and silty water to public roads and drains;						V
	Oil interceptors should be provided in the drainage system downstream of any oil / fuel pollution sources. Oil interceptors should be emptied and cleaned regularly to prevent the release of oil and grease into the storm water drainage system after accidental spillage. A bypass should be provided for oil interceptors to prevent flushing during heavy rain;						N/A

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
	The construction solid waste, debris and rubbish onsite should be collected, handled and disposed of properly to avoid causing any water quality impacts; and						٨
	All fuel tanks and storage areas should be provided with locks and sited on sealed areas, within bunds with adequate storage capacity to prevent spilled fuel oils.						۸
S5.9.5	Control of effluent discharge						
	<ul> <li>A discharge licence for discharge of effluent from the construction site under the WPCO shall be applied to the EPD for. The discharge quality must meet the requirements specified in the discharge licence.</li> <li>All the run-off and wastewater generated from the works areas should be treated so that it satisfies all the standards listed in the Technical Memorandum. Minimum distances of 100m should be maintained between the discharge points of construction site effluent and the existing seawater intakes.</li> <li>No new effluent discharges in nearby typhoon shelters should be allowed.</li> </ul>	To control the effluent discharge from the Site	Contractor and Sub- contractors	All work sites	Construction Phase	Water Pollution Control Ordinance	N/A N/A
	The beneficial uses of the treated effluent for other on-site activities such as dust suppression, wheel washing and general cleaning etc., would minimize water consumption and reduce the effluent discharge volume.						N/A
S5.9.6	Sewage from Workforce						
	Portable chemical toilets and sewage holding tanks are recommended for the handling of the construction sewage generated by the workforce.	To control Sewage	Contractor and Sub- workers	All work sites	Construction Phase	Water Pollution	۸

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
	A licensed Contractor should be employed to provide appropriate and adequate portable toilets and be responsible for appropriate disposal and maintenance.	generated from onsite construction				Control Ordinance and Waste Disposal Ordinance	۸
S5.9.7 – S5.9.8	Accidental Spillage of Chemicals						
	The Contractor must register as a chemical waste producer if chemical wastes would be produced from the construction activities.	To control accidental spillage of chemicals	Contractor and Sub- contractors	All work sites	Construction Phase	EIAO-TM, Water Pollution Control	٨
	Any maintenance facilities should be located on hard standings within a bunded area, and sumps and oil interceptors should be provided.					Ordinance and Waste	٨
	Maintenance of vehicles and equipment involving activities with potential for leakage and spillage should only be undertaken within the areas appropriately equipped to control these discharges.					Disposal (Chemical Waste) (General) Regulation	۸
S5.9.9	Provision of surface runoff collection system					, ,	
	All surface runoff on the road shall be direct to the system.	To control road surface runoff	Contractor and Sub-	Along Road	Design and Construction	Water Pollution	N/A
	The capacity of the system should be properly designed to cater for all surface water.		contractors	Alignment	Phases	Control Ordinance	N/A

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
Waste M	anagement						
S6.6.3	Waste Management Plan (WMP) should be prepared and submitted for approval by the Engineer prior to any construction activities. During the construction period the WMP should be used as a working document to detail the on-going management procedures and to record waste arising from construction works and import of fill throughout the Contract. The WMP shall be subject to audit under the requirements of the Environmental Monitoring and Audit (EM&A) Procedures set out in the EM&A Manual accompanying this EIA Report.	approval of WMP	Contractor	All works sites	Design and Construction Phases	ETWB TC(W) No. 19/2005	٨
S6.6.4 and S6.6.5	The WMP shall be developed and implemented according to a best-practice philosophy of waste management. There are various waste management options, which can be categorised in terms of preference from an environmental viewpoint. The options considered to be more preferable have the least impacts and are more sustainable in a longterm context. The hierarchy is as follows:  • Avoidance and minimisation, i.e. avoiding or not generating waste through changing or improving practices and design;  • Reuse of materials, thus avoiding disposal (generally with only limited reprocessing);  • Recovery and recycling, thus avoiding disposal (although reprocessing may be required);  • Treatment and disposal, according to relevant laws, guidelines and good practice; and  • The suitability (or otherwise) of material for reuse on site shall be detailed in the WMP. If, for any reason, the recommendations cannot be implemented, full justification should be given in the WMP for approval by the Engineer.	To minimise waste generation	Contractor	All works sites	Design and Construction Phases	ETWB TC(W) No. 19/2005	^

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
S6.6.6	To facilitate adoption of the best-practice philosophy, training shall be provided to all personnel working on site. The training shall promote the concept of general site cleanliness and clearly explain the appropriate waste management procedures defined in the WMP.	workers to reduce, reuse and recycle	Contractor	All works sites	Construction Phase	EIAO-TM	٨
S6.6.7	<ul> <li>a. During construction, the WMP should be kept up-to-date on a monthly basis with records of the actual quantities of wastes generated, recycled and disposed of off-site.</li> <li>b. Quantities shall be determined by weighing each load or other methods agreed to by the Engineer's Representative. Waste shall only be disposed of at licensed sites and the WMP should include procedures to ensure that illegal disposal of wastes does not occur.</li> <li>c. Only waste haulers authorised to collect the specific category of waste concerned should be employed and a trip ticket system shall be implemented for offsite disposal of inert C&amp;D material and C&amp;D waste at public fill reception facilities and landfills.</li> <li>d. Appropriate measures should be employed to minimise windblown litter and dust during transportation by either covering trucks or transporting wastes in enclosed containers.</li> </ul>	waste generation, minimisation, reuse and disposal	Contractor	All works sites	Construction Phase	ETWB TC(W) No. 19/2005	^ ^
S6.6.8	The WMP shall include plans indicating specific areas designated for the storage of particular types of waste, reusable and recyclable materials as well as areas and management proposals for any stockpiling areas. Generally, waste storage areas should be well maintained and cleaned regularly.	a. Arrange and manage to	Contractor	All works sites	Design and Construction Phases	ETWB TC(W) No. 19/2005	٨

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
		contamination of materials and pollution of the surrounding environment.					
S6.6.9	The design of formwork should maximise the use of standard wooden panels so that high reuse levels can be achieved. Alternatives such as steel formwork or plastic facing should be considered to increase the potential for reuse.	To maximise reuse of inert C&D Materials	Contractor	All works sites	Design and Construction Phases	ETWB TC(W) No. 19/2005	N/A
S6.6.10 and S6.6.11	a. Inert C&D materials should be segregated on site into different waste and material types. Where materials cannot be reused on site, opportunities for recycling materials off-site shall be explored.	To maximise reuse and facilitate recycling by segregating inert	Contractor	All works sites	Design and Construction Phases	ETWB TC(W) No. 19/2005	٨
	b. Potential opportunities for recycling and reuse of inert C&D materials from the Project include:	C&D Materials					
	Milling wastes arising from regrading of the existing pavement could be recycled on site and reused as either road-base in the new carriageways or fill for new embankments;						N/A
	Existing marginal roadside barriers comprise pre-cast units, it may be possible to re-use these following widening works; and						N/A
	Existing bridge parapets comprise aluminium post and railings, these have a recyclable value and could be sold on for reconditioning or reused for scrap metal.						N/A
S6.6.12	Any stockpile should be sited away from existing watercourses and suitably covered.	To prevent wind erosion and impacts on air and water quality	Contractor	All works sites	Design and Construction Phases	ETWB TC(W) No. 19/2005	N/A

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
S6.6.13	C&D waste which cannot be reused or recycled should be segregated and stored in different containers or skips from the inert C&D material and should be disposed of to landfill.	disposal of C&D waste	Contractor	All works sites	Construction Phase	ETWB TC(W) No. 19/2005	٨
S6.6.14	Workers should, when necessary, wear appropriate personal protective equipment (PPE) when handling contaminated sediments. Adequate washing and cleaning facilities should also be provided on site.	To minimise the exposure to contaminated materials	Contractor	All works sites when necessary	Construction Phase	Practice Guide, Guidance Note, Guidance Manual	N/A
S6.6.15 and S6.6.16	<ul> <li>a. The marine sediment should be excavated, transported and processed properly.</li> <li>b. Stockpiling of contaminated sediments should be avoided as far as possible.</li> <li>c. If temporary stockpiling of contaminated sediments is necessary, the excavated sediment should be covered by tarpaulin and the area should be placed within earth bunds or sand bags to prevent leachate from entering the ground, nearby drains and surrounding water bodies. The stockpiling areas should be completely paved or covered by linings in order to avoid contamination to underlying soil or groundwater. Separate and clearly defined areas should be provided for stockpiling of contaminated and uncontaminated materials.</li> <li>d. Leachate, if any, should be collected and discharged according to the WPCO.</li> <li>e. The approved Sediment Assessment Plan and Sediment</li> </ul>	potential adverse impacts arising from the handling, treatment and reuse of the marine sediment	Contractor	All works sites	Design and Construction Phases	Practice Guide, Guidance Note, Guidance Manual	N/A N/A N/A N/A
	Assessment Report with Remediation Plan shall be incorporated to the WMP.						

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
S6.6.17	Chemical waste should be handled in accordance with the Code of used for the storage of chemical wastes should:	of Practice on the Pac	kaging, Labelli	ng and Stora	ge of chemical W	astes as follows.	Containers
	Be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed;	To reduce environmental impacts in	Contractor	All works sites	Construction Phase	Code of Practice on the	٨
	Have a capacity of less than 450L unless the specifications have been approved by the EPD; and	packaging, handling and				Packaging, Labelling and Storage of Chemical Wastes	٨
	Display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the Regulations.	storage of chemical wastes					۸
S6.6.18	The storage area for chemical wastes should:						
	Be clearly labelled and used solely for the storage of chemical waste;	To reduce environmental	Contractor	All works sites	Construction Phase	Code of Practice on	۸
	Be enclosed on at least 3 sides;	impacts by managing storage				the Packaging,	^
	Have an impermeable floor and bunding, of capacity to accommodate 110% of the volume of the largest container or 20% by volume of the chemical waste stored in that area, whichever is the greatest;	area for chemical wastes				Labelling and Storage of Chemical Wastes	٨
	Have adequate ventilation ;						٨
	Be covered to prevent rainfall entering (water collected within the bund must be tested and disposed as chemical waste if necessary); and						٨
	Be arranged so that incompatible materials are adequately separated.						٨
S6.6.19	The Contractor shall register with EPD as a Chemical Waste Proc Waste) (General) Regulation will require disposal by appropriate r disposal:						

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
	Be via a licensed waste collector; and     Be to a facility licensed to receive chemical waste, such as the Chemical Waste Treatment Facility which also offers a chemical waste collection service and can supply the necessary storage containers	To reduce environmental impacts in disposing chemical wastes.	Contractor	All works sites	Design and Construction Phases	Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes	^
\$6.6.20 and \$6.6.21	a. General refuse generated on-site should be stored in enclosed bins or compaction units separate from construction and chemical wastes. A reputable waste collector should be employed by the Contractor to remove general refuse from the site, separately from construction and chemical wastes, on a daily or every second day basis to minimise odour, pest and litter impacts. The burning of refuse on construction sites is prohibited by law.	To reduce environmental impacts in handling general refuse.	Contractor	All works sites	Construction Phase	Waste Disposal Ordinance (Cap 354)	۸
	b. General refuse is generated largely by food service activities on site, so reusable rather than disposable dishware should be used if feasible. Aluminum cans are often recovered from the waste stream by individual collectors if they are segregated or easily accessible. Therefore separate, labelled bins for their deposit should be provided if feasible.						۸
S6.6.22	Office waste can be reduced through recycling of paper if volumes are large enough to warrant collection. Opportunities for participation in a local collection scheme should be investigated.		Contractor	All works sites	Construction Phase	Waste Disposal Ordinance (Cap 354)	۸

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
Landsca	pe and Visual			1	<b>'</b>		1
S7.9.6	Mitigation Planting:  Replanting of disturbed vegetation should be undertaken at the earliest possible stage of the construction phase of the project and this should use the recommended transplant trees identified in the Tree Removal Recommendation.	To avoid potential damage to these identified transplant trees	Contractor	Identified locations for tree planting	Construction Phase	Follow the relevant guidelines in the ETWB TC(W) 10/2013; ETWB TC(W)2/2004; ETWB TC(W)29/2004; ETWB TC(W)7/2002; Tree Planting and Maintenance in HK, HKSAR 1991 Relevant sections of the latest version of General Specifications for Civil Engineering	(Status of an unknown tree present near Lai King Catholic School EP boundary subject to ER follow-up wit relevant govt. dept. on its way forward)

EM&A Ref.	Recommended Mitigation Measures	Objectives of the Recommended Measures & Main Concern to Address	Who to implement the measures?	Location of the measure	When to implement the measures?	What requirements or standards for the measure to achieve	Status
						Works, HKSAR	
S7.9.6	Development Site and Temporary Works Area						ı
	The construction area and Contractor's temporary works area should be minimized to avoid impacts on adjacent landscape	To minimize potential impacts on adjacent landscape and VSRs	Contractor	The project area where appropriate	Construction Phase	N/A	۸
	The landscape of these works areas will be restored following the completion of the construction phase	To minimize potential impacts on the landscape	Contractor	The project area where appropriate	Construction Phase		N/A
	Construction site controls shall be enforced, where possible, to ensure that the landscape and visual impacts arising from the construction phase activities are minimized including the storage of materials	To minimize potential visual impacts on identified VSRs	Contractor	The project area where appropriate	Construction Phase		٨
	The location and appearance of site accommodation and the careful design of site lighting to prevent light spillage	To minimize potential impacts on identified VSRs	Contractor	The project area where appropriate	Construction Phase		N/A
	Screen hoarding may be a practicable for this project due to the viewing distances is short in a lot of site situation	To minimize potential impacts on identified VSRs	Contractor	The project area where appropriate	Construction Phase		N/A

## Remarks:

- ٧
- Implemented
  Partially implemented
  To be followed-up by Contractor
  Not Implemented
  Not Applicable N/A

## Appendix 4.1

## **Action and Limit Level**

#### **Lam Environmental Services Limited**

## **Action and Limit Levels**

## **Air Quality Monitoring**

Monitoring	1-hour TSP Level in µg/m³		24-hour TSP Level in μg/m³		
Station	Action Level	Action Level Limit Level		Limit Level	
AMC01	256.2	500	144.8	260	
AMC02	256.7	500	144.3	260	
AMC03A	259.3	500	143.7	260	

## **Noise Monitoring**

Monitoring	Action Level	L	imit Level (dB(A))	
Station		0700-1900 hrs on normal weekdays	0700-2300 hrs on holidays (including Sundays); and	2300-0700 hrs of all days
			1900-2300 hrs	
			on all days²	
NMC01	When one	65 / 70 <sup>1</sup>		45 / 50 / 55 <sup>3</sup>
NMC02	documented	75	60 / 65 / 70 <sup>3</sup>	45 / 50 / 55 <sup>3</sup>
NMC03	complaint is received	65 / 70 <sup>1</sup>	33. 30, . 0	45 / 50 / 55 <sup>3</sup>

Remark 1: Limit level of NMC01 and NMC03 reduce to 65 dB (A) during examination periods if any.

Remark 2: Construction noise during restricted hours is under the control of Noise Control Ordinance Limit Level to be selected based on Area Sensitivity Rating.

Remark 3: Limit Level for restricted hour monitoring shall act as reference level only. Investigation would be conducted on CNP compliance if exceedance recorded during restricted hour noise monitoring period.

## Appendix 4.2

# **Copies of Calibration Certificates**



香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com





## CERTIFICATE OF CALIBRATION

Certificate No.:

23CA1110 03

Page

of

2

Item tested

Description:

Manufacturer:

Type/Model No.: Serial/Equipment No.:

Adaptors used:

Sound Level Meter (Type 1) Larson Davis

Lam Environmental Service Limited.

LxT1 0004797

Microphone **PCB** 

377B02 171529

Preamp **PCB** PRMLxT1L

028019

Item submitted by

**Customer Name:** 

Address of Customer: Request No.:

Date of receipt:

10-Nov-2023

Date of test:

14-Nov-2023

Reference equipment used in the calibration

Multi function sound calibrator

Signal generator

Model: **B&K 4226** DS 360

Serial No.

2288444 33873

**Expiry Date:** 

28-Aug-2024 31-Jan-2024

Traceable to: CIGISMEC

**CEPREI** 

**Ambient conditions** 

Temperature:

Relative humidity: Air pressure:

21 ± 1 °C 60 ± 10 % 1010 ± 5 hPa

**Test specifications** 

1, The Sound Level Meter has been calibrated in accordance with the requirements as specified in BS 7580; Part 1: 1997 and the lab calibration procedure SMTP004-CA-152.

2, The electrical tests were performed using an electrical signal substituted for the microphone which was removed and replaced by an equivalent capacitance within a tolerance of +20%.

3. The acoustic calibration was performed using an B&K 4226 sound calibrator and corrections was applied for the difference between the free-field and pressure responsess of the Sound Level Meter.

#### **Test results**

This is to certify that the Sound Level Meter conforms to BS 7580: Part 1: 1997 for the conditions under which the test was performed.

Details of the performed measurements are presented on page 2 of this certificate.

Actual Measurement data are documented on worksheets.

Approved Signatory:

Feng Junqi

Date:

15-Nov-2023

Company Chop:

The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP152-1/Issue 1/Rev.C/01/02/2007



香港新界葵涌永基路22-24號,好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com





## **CERTIFICATE OF CALIBRATION**

(Continuation Page)

**Certificate No.:** 

23CA1110 03

Page

of

2

#### 1, Electrical Tests

The electrical tests were performed using an equivalent capacitance substituted for the microphone. The results are given in below with test status and the estimated uncertainties. The "Pass" means the result of the test is inside the tolerances stated in the test specifications. The "-" means the result of test is outside these tolerances.

Test:	Subtest:	Status:	Expanded Uncertanity (dB)	Coverage Factor
Self-generated noise	A	Pass	0.3	
	С	Pass	0.8	2.1
	Lin	Pass	1.6	2.2
Linearity range for Leq	At reference range, Step 5 dB at 4 kHz	Pass	0.3	
	Reference SPL on all other ranges	Pass	0.3	
	2 dB below upper limit of each range	Pass	0.3	
	2 dB above lower limit of each range	Pass	0.3	
Linearity range for SPL	At reference range, Step 5 dB at 4 kHz	Pass	0.3	
Frequency weightings	Α	Pass	0.3	
	С	Pass	0.3	
	Lin	Pass	0.3	
Time weightings	Single Burst Fast	Pass	0.3	
	Single Burst Slow	Pass	0.3	
Peak response	Single 100µs rectangular pulse	Pass	0.3	
R.M.S. accuracy	Crest factor of 3	Pass	0.3	
Time weighting I	Single burst 5 ms at 2000 Hz	Pass	0.3	
	Repeated at frequency of 100 Hz	Pass	0.3	
Time averaging	1 ms burst duty factor 1/103 at 4kHz	Pass	0.3	
	1 ms burst duty factor 1/10 <sup>4</sup> at 4kHz	Pass	0.3	
Pulse range	Single burst 10 ms at 4 kHz	Pass	0.4	
Sound exposure level	Single burst 10 ms at 4 kHz	Pass	0.4	
Overload indication	SPL	Pass	0.3	
	Leq	Pass	0.4	

#### 2, Acoustic tests

The complete sound level meter was calibrated on the reference range using a B&K 4226 acoustic calibrator with 1000Hz and SPL 94 dB. The sensitivity of the sound level meter was adjusted. The test result at 125 Hz and 8000 Hz are given in below with test status and the estimated uncertainties.

Test:	Subtest	Status	Expanded Uncertanity (dB)	Coverage Factor
Acoustic response	Weighting A at 125 Hz Weighting A at 8000 Hz	Pass Pass	0.3 0.5	

3, Response to associated sound calibrator

N/A

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

Fung Chi Yip

14-Nov-2023

- End

Checked by:

Date:

Chan Yuk Yiu 15-Nov-2023

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP152-2/Issue 1/Rev.C/01/02/2007



**SMECLab** 

香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com

Test Data for Sound Level Meter

Page 1 of 5

Sound level meter type:

LxT1

Serial No.

0004797

Date 14-Nov-2023

Microphone Preamp type: type: 377B02 PRMLxT1L Serial No. Serial No. 171529 028019

Report: 23CA1110 03

#### SELF GENERATED NOISE TEST

The noise test is performed in the most sensitive range of the SLM with the microphone replaced by an equivalent impedance.

Noise level in A weighting

13.2

dB

Noise level in C weighting

17.5

dB

Noise level in Lin

23.3

dB

#### LINEARITY TEST

The linearity is tested relative to the reference sound pressure level using a continuous sinusoidal signal of frequency 4 kHz. The measurement is made on the reference range for indications at 5 dB intervals starting from the 94 dB reference sound pressure level. And until within 5 dB of the upper and lower limits of the reference range, the measurements shall be made at 1 dB intervals.(SLM set to LEQ/SPL)

Reference/Expected level	Actua	l level	Tolerance	Devia	tion
	non-integrated	integrated		non-integrated	integrated
dB	dB	dB	+/- dB	dB	dB
94.0	94.0	94.0	0.7	0.0	0.0
99.0	99.0	99.0	0.7	0.0	0.0
104.0	104.0	104.0	0.7	0.0	0.0
109.0	109.0	109.0	0.7	0.0	0.0
114.0	114.0	114.0	0.7	0.0	0.0
115.0	115.0	115.0	0.7	0.0	0.0
116.0	116.0	116.0	0.7	0.0	0.0
117.0	117.0	117.0	0.7	0.0	0.0
118.0	118.0	118.0	0.7	0.0	0.0
119.0	119.0	119.0	0.7	0.0	0.0
120.0	120.0	120.0	0.7	0.0	0.0
89.0	89.0	89.0	0.7	0.0	0.0
84.0	84.0	84.0	0.7	0.0	0.0
79.0	79.0	79.0	0.7	0.0	0.0
74.0	74.0	74.0	0.7	0.0	0.0
69.0	69.0	69.0	0.7	0.0	0.0
64.0	64.0	64.0	0.7	0.0	0.0
59.0	59.0	59.0	0.7	0.0	0.0
54.0	54.0	54.0	0.7	0.0	0.0
49.0	48.9	48.9	0.7	-0.1	-0.1
44.0	43.9	43.9	0.7	-0.1	-0.1
39.0	38.9	38.9	0.7	-0.1	-0.1
34.0	33.9	33.9	0.7	-0.1	-0.1
33.0	32.9	32.9	0.7	-0.1	-0.1

(c)Soils Materials Eng. Co., Ltd.



**SMECLab** 

香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com

Test Data for Sound Level Meter

Page 2 of 5

Sound level meter type:		LxT1		Seri	al No.	0004797	Dat	te 14-Nov	-2023
Microphone Preamp	type: type:	377B02 PRMLxT1L			al No. al No.	171529 028019	Rej	port: 23CA11	10 03 <sup>-</sup>
32.0		31.9	31.9		0.7		-0.1	-0.1	
31.0		30.9	30.9		0.7		-0.1	-0.1	
30.0		29.9	29.9		0.7	l l	-0.1	-0.1	

Measurements for an indication of the reference SPL on all other ranges which include it

Other ranges	Expected level	Actual level	Tolerance	Deviation
dB	dB	dB	+/- dB	dB
20-120	94.0	94.0	0.7	0.0

Measurements on all level ranges for indications 2 dB below the upper limit and 2 dB above the lower limit

Ranges	Reference/Expected level	Actual level	Tolerance	Deviation
dB	dB	dB	+/- dB	dB
20-120	30.0	29.9	0.7	-0.1
20-120	118.0	118.0	0.7	0.0

#### FREQUENCY WEIGHTING TEST

The frequency response of the weighting netwoks are tested at octave intervals over the frequency ranges 31.5 Hz to 12500 Hz. The signal level at 1000 Hz is set to give an indication of the reference SPL.

Frequency weighting A:

Frequency	Ref. level	Expected level	Actual level	Tolerar	nce(dB)	Deviation
Hz	dB	dB	dB	+	-	dB
1000.0	94.0	94.0	94.0	0.0	0.0	0.0
31.6	94.0	54.6	54.6	1.5	1.5	0.0
63.1	94.0	67.8	67.8	1.5	1.5	0.0
125.9	94.0	77.9	77.9	1.0	1.0	0.0
251.2	94.0	85.4	85.4	1.0	1.0	0.0
501.2	94.0	90.8	90.8	1.0	1.0	0.0
1995.0	94.0	95.2	95.2	1.0	1.0	0.0
3981.0	94.0	95.0	95.0	1.0	1.0	0.0
7943.0	94.0	92.9	92.9	1.5	3.0	0.0
12590.0	94.0	89.7	89.7	3.0	6.0	0.0

Frequency weighting C:

Frequency	Ref. level	Expected level	Actual level	Tolerar	nce(dB)	Deviation
Hz	dB	dB	dB	+	-	dB
1000.0	94.0	94.0	94.0	0.0	0.0	0.0
31.6	94.0	91.0	91.0	1.5	1.5	0.0
63.1	94.0	93.2	93.2	1.5	1.5	0.0
125.9	94.0	93.8	93.8	1.0	1.0	0.0
251.2	94.0	94.0	94.0	1.0	1.0	0.0
501.2	94.0	94.0	94.0	1.0	1.0	0.0

(c)Soils Materials Eng. Co., Ltd.



**SMECLab** 

香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com

Test Data for Sound Level Meter

Page 3 of 5

Sound level me	eter type:	LxT1	Serial No.	000	4797	Date	14-Nov-2023
Microphone Preamp	type: type:	377B02 PRMLxT1L	Serial No. Serial No.		529 8019	Report:	23CA1110 03
1995.0	94.0	93.	93.9	1.0	1.0	0.1	
3981.0	94.0	93.	93.2	1.0	1.0	0.0	
7943.0	94.0	91.	91.0	1.5	3.0	0.0	
12590.0	94.0	87.	87.8	3.0	6.0	0.0	

Frequency weighting Lin:

Frequency	Ref. level	Expected level	Actual level	Tolerar	nce(dB)	Deviation
Hz	dB	dB	dB	+	-	dB
1000.0	94.0	94.0	94.0	0.0	0.0	0.0
31.6	94.0	94.0	94.0	1.5	1.5	0.0
63.1	94.0	94.0	94.0	1.5	1.5	0.0
125.9	94.0	94.0	94.0	1.0	1.0	0.0
251.2	94.0	94.0	94.0	1.0	1.0	0.0
501.2	94.0	94.0	94.0	1.0	1.0	0.0
1995.0	94.0	94.0	94.0	1.0	1.0	0.0
3981.0	94.0	94.0	94.0	1.0	1.0	0.0
7943.0	94.0	94.0	94.1	1.5	3.0	0.1
12590.0	94.0	94.0	94.0	3.0	6.0	0.0

#### TIME WEIGHTING FAST TEST

Time weighting F is tested on the reference range with a single sinusoidal burst of duration 200 ms at a frequency 2000 Hz and an amplitude which produces an indication 4 dB below the upper limit of the primary indicator range when the signal is continuous. (Weight A, Maximum hold)

Ref. level	Expected level	Actual level	Tolerance(dB)		Deviation
dB	dB	dB	+	-	dB
116.0	115.0	114.9	1.0	1.0	-0.1

#### TIME WEIGHTING SLOW TEST

Time weighting S is tested on the reference range with a single sinusoidal burst of duration 500 ms at a frequency 2000 Hz and an amplitude which produces an indication 4 dB below the upper limit of the primary indicator range when the signal is continuous. (Weight A, Maximum hold)

Ref. level	Expected level	Actual level	Tolerance(dB)		Deviation
dB	dB	dB	+	-	dB
116.0	111.9	111.8	1.0	1.0	-0.1

#### PEAK RESPONSE TEST

The onset time of the peak detector is tested on the reference range by comparing the response to a 100 us rectangular test pulse with the response to a 10 ms reference pulse of the same amplitude. The amplitude of the 10 ms reference pulse is such as to produce an indication 1 dB below the upper limit of the primary indicator range.

Positive polarities: (Weighting Z, set the generator signal to single, Lzpeak)

Ref. level	Response to 10 ms	Response to 100 us	Tolerance	Deviation
dB	dB	dB	+/- dB	dB
119.0	119.0	118.4	2.0	-0.6

(c)Soils Materials Eng. Co., Ltd.



**SMECLab** 

香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com

Test Data for Sound Level Meter

Page 4 of 5

Sound level meter type:

LxT1

Serial No.

0004797

Date 14-Nov-2023

Microphone Preamp type: type: 377B02 PRMLxT1L Serial No. Serial No. 171529 028019

Report: 23CA1110 03

Negative polarities:

Ref. level	Response to 10 ms	Response to 100 us	Tolerance	Deviation
dB	dB	dB	+/- dB	dB
119.0	119.0	118.4	2.0	-0.6

#### **RMS ACCURACY TEST**

The RMS detector accuracy is tested on the reference range for a crest factor of 3.

Test frequency:

2000 Hz

Amplitude:

2 dB below the upper limit of the primary indicator range.

Burst repetition frequency:

40 Hz

Tone burst signal:

11 cycles of a sine wave of frequency 2000 Hz.

(Set to INT)

	Ref. Level	Expected level	Tone burst signal	Tolerance	Deviation
Time wighting	dB	dB	indication(dB)	+/- dB	dB
Slow	117.0+6.6	117.0	116.6	0.5	-0.4

#### TIME WEIGHTING IMPULSE TEST

Time weighting I is tested on the reference range (Set the SLM to LAImax)

Test frequency:

2000 Hz

Amplitude:

The upper limit of the primary indicator range.

#### Single sinusoidal burst of duration 5 ms:

Ref. Level	Single burs	Single burst indication		Deviation	
dB	Expected (dB)	Actual (dB)	+/- dB	dB	
120.0	111.2	111.1	2.0	-0.1	

#### Repeated at 100 Hz

Ref. Level	Repeated bu	Repeated burst indication		Repeated burst indication		Deviation
dB	Expected (dB)	Actual (dB)	+/- dB	dB		
120.0	117.3	117.1	1.0	-0.2		

#### TIME AVERAGING TEST

This test compares the SLM reading for continuous sine signals with readings obtained from a sine tone burst sequence having the same RMS level. The test level is 30 dB below the upper limit of the linearity range and repeated for Type 1 SLM with 40 dB below the upper limit of the linearity.

Frequency of tone burst:

4000 Hz

Duration of tone burst:

1 ms

Repetition Time	Level of tone burst	Expected Leq	Actual Leq	Tolerance	Deviation	Remarks
msec	dB	dB	dB	+/- dB	dB	
1000	90.0	90.0	89.9	1.0	-0.1	60s integ.
10000	80.0	80.0	79.9	1.0	-0.1	6min. integ.

## PULSE RANGE AND SOUND EXPOSURE LEVEL TEST

The test tone burst signal is superimposed on a baseline signal corresponding to the lower limit of reference range

Test frequency:

4000 Hz

Integration time:

10 sec

(c)Soils Materials Eng. Co., Ltd.



**SMECLab** 

香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com

Test Data for Sound Level Meter

Page 5 of 5

Sound level meter type:

LxT1

Serial No.

0004797

14-Nov-2023

Microphone Preamp type: type: 377B02 PRMLxT1L Serial No. Serial No. 171529 028019

Report: 23CA1110 03

Date

The integrating sound level meter set to Leq:

Duration	Rms level of	Expected	Actual	Tolerance	Deviation
msec	tone burst (dB)	dB	dB	+/- dB	dB
10	90.0	60.0	60.0	1.7	0.0

The integrating sound level meter set to SEL:

Duration	Rms level of	Expected	Actual	Tolerance	Deviation
msec	tone burst (dB)	dB	dB	+/- dB	dB
10.0	90.0	70.0	70.0	1.7	0.0

#### **OVERLOAD INDICATION TEST**

For SLM capable of operating in a non-integrating mode.

Test frequency:

2000 Hz

Amplitude:

2 dB below the upper limit of the primary indicator range.

Burst repetition frequency:

40 Hz

Tone burst signal:

11 cycles of a sine wave of frequency 2000 Hz.

Level	Level reduced by	Further reduced	Difference	Tolerance	Deviation
at overload (dB)	1 dB	3 dB	dB	dB	dB
115.7	114.7	111.7	3.0	1.0	0.0

For integrating SLM, with the instrument indicating Leq.

For integrating SLM, with the instrument indicating Leq and set to the reference range. The test signal as following: The test tone burst signal is superimposed on a baseline signal corresponding to the lower limit of reference range

Test frequency:

4000 Hz 10 sec

Integration time: Single burst duration:

1 msec

Rms level	Level reduced by	Expected level	Actual level	Tolerance	Deviation
at overload (dB)	1 dB	dB	dB	dB	dB
122.4	121.4	81.4	81.4	2.2	0.0

## ACOUSTIC TEST

The acoustic test of the complete SLM is tested at the frequency 125 Hz and 8000 Hz using a B&K type 4226 Multifunction Acoustic Calibrator. The test is performed in A weighting.

Frequency	Expected level	Actual level	Tolerar	nce (dB)	Deviation
Hz	dB	Measured (dB)	+	-	dB
1000	94.0	94.0	0.0	0.0	0.0
125	77.9	78.1	1.0	1.0	0.2
8000	92.9	91.7	1.5	3.0	-1.2

-----END-----

(c)Soils Materials Eng. Co., Ltd.



香港新界葵涌水基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com





## CERTIFICATE OF CALIBRATION

Certificate No.:

23CA0316 03-02

Page:

of

Item tested

Description:

Acoustical Calibrator (Class 1)

Manufacturer:

Honglim Co., Ltd.

Type/Model No.:

HLES-02

Serial/Equipment No.:

2019612870

Adaptors used:

4

Item submitted by

Curstomer:

Lam Environmental Services Limited.

Address of Customer:

-

Request No.: Date of receipt:

16-Mar-2023

Date of test:

20-Mar-2023

#### Reference equipment used in the calibration

Description: Lab standard microphone Preamplifier Measuring amplifier Signal generator Digital multi-meter Audio analyzer	Model: B&K 4180 B&K 2673 B&K 2610 DS 360 34401A 8903B	Serial No. 2412857 2743150 2346941 61227 US36087050 GB41300350	Expiry Date: 23-May-2023 28-Jun-2023 30-Jun-2023 08-Jun-2023 30-May-2023 06-Jul-2023	Traceable to: SCL CEPREI CEPREI CEPREI CEPREI CEPREI
Universal counter	53132A	MY40003662	13-Jun-2023	CEPREI

#### Ambient conditions

Temperature:

22 ± 1 °C

Relative humidity:

55 ± 10 %

Air pressure:

1010 ± 5 hPa

### Test specifications

- The Sound Calibrator has been calibrated in accordance with the requirements as specified in IEC 60942 1997 Annex B and the lab calibration procedure SMTP004-CA-156.
- 2. The calibrator was tested with its axis vertical facing downwards at the specific frequency using insert voltage technique.
- 3, The results are rounded to the nearest 0.01 dB and 0.1 Hz and have not been corrected for variations from a reference pressure of 1013.25 hectoPascals as the maker's information indicates that the instrument is insensitive to pressure changes.

#### Test results

This is to certify that the sound calibrator conforms to the requirements of annex B of IEC 60942; 1997 for the conditions under which the test was performed. This does not imply that the sound calibrator meets IEC 60942 under any other conditions.

Details of the performed measurements are presented on page 2 of this certificate.

Approved Signatory:

Date:

21-Mar-2023

Company Chop:

Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP156-1/Issue 1/Rev.D/01/03/2007



香港新界奏涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com



## CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.:

23CA0316 03-02

Page:

2

2

1, Measured Sound Pressure Level

The output Sound Pressure Level in the calibrator head was measured at the setting and frequency shown using a calibrated laboratory standard microphone and insert voltage technique. The results are given in below with the estimated uncertainties.

(Output level in dB re 20 µPa)

				(
The second second second	Frequency Shown Hz	Output Sound Pressure Level Setting dB	Measured Output Sound Pressure Level dB	Estimated Expanded Uncertainty dB
	1000	94.00	94.05	0.10

#### 2, Sound Pressure Level Stability - Short Term Fluctuations

The Short Term Fluctuations was determined by measuring the maximum and minimum of the fast weighted DC output of the B&K 2610 measuring amplifier over a 20 second time interval as required in the standard. The Short Term Fluctuation was found to be:

At 1000 Hz

STF = 0.008 dB

Estimated expanded uncertainty

0.005 dB

#### 3, Actual Output Frequency

The determination of actual output frequency was made using a B&K 4180 microphone together with a B&K 2673 preamplifier connected to a B&K 2610 measuring amplifier. The AC output of the B&K 2610 was taken to an universal counter which was used to determine the frequency averaged over 20 second of operation as required by the standard. The actual output frequency at 1 KHz was:

At 1000 Hz

Actual Frequency = 998.67 Hz

Estimated expanded uncertainty

0.1 Hz

Coverage factor k = 2.2

#### 4, Total Noise and Distortion

For the Total Noise and Distortion measurement, the unfiltered AC output of the B&K 2610 measuring amplifier was connected to an Agilent Type 8903 B distortion analyser. The TND result at 1 KHz was:

At 1000 Hz

TND = 0.7 %

Estimated expanded uncertainty

0.7 %

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

End

1200

Date: 20-Mar-2023

Fung Chi Yip

Date:

Chan Yuk Yiu 21-Mar-2023

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP156-2/Issue 1/Rev.C/01/05/2005



香港新界葵涌水基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com



## CERTIFICATE OF CALIBRATION

Certificate No.:

23CA0317 02-04

Page:

2

Item tested

Description:

Acoustical Calibrator (Class 1)

Manufacturer: Type/Model No.: Larson Davis CAL200 13098

Serial/Equipment No.: Adaptors used:

Item submitted by

Curstomer:

Lam Environmental Services Limited.

Address of Customer:

Request No .: Date of receipt:

17-Mar-2023

Date of test:

20-Mar-2023

#### Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Lab standard microphone	B&K 4180	2412857	23-May-2023	
Preamplifier	B&K 2673	2743150	28-Jun-2023	CEPREI
Measuring amplifier	B&K 2610	2346941	30-Jun-2023	CEPREI
Signal generator	DS 360	61227	08-Jun-2023	CEPREI
Digital multi-meter Audio analyzer	34401A	US36087050	30-May-2023	CEPREI
	8903B	GB41300350	06-Jul-2023	CEPREI
Universal counter	53132A	MY40003662	13-Jun-2023	CEPREI

### **Ambient conditions**

Temperature: Air pressure:

Relative humidity:

22 ± 1 °C

55 ± 10 % 1010 ± 5 hPa

## Test specifications

- The Sound Calibrator has been calibrated in accordance with the requirements as specified in IEC 60942 1997 Annex B 1, and the lab calibration procedure SMTP004-CA-156.
- 2. The calibrator was tested with its axis vertical facing downwards at the specific frequency using insert voltage technique.
- The results are rounded to the nearest 0.01 dB and 0.1 Hz and have not been corrected for variations from a reference pressure of 1013.25 hectoPascals as the maker's information indicates that the instrument is insensitive to pressure changes.

#### Test results

This is to certify that the sound calibrator conforms to the requirements of annex B of IEC 60942: 1997 for the conditions under which the test was performed. This does not imply that the sound calibrator meets IEC 60942 under any other conditions.

Details of the performed measurements are presented on page 2 of this certificate.

eng ungi

Approved Signatory:

Date:

21-Mar-2023

Company Chop:

Comments: The results reported in this continue refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument. The results apply to the item as received.

Soils & Materials Engineering Co., Ltd

Form No.CARP156-1/Issue 1/Rev.D/01/03/2007



香港新界葵涌永基路22-24號好爸爸創科大廈 Good Ba Ba Hitech Building, Nos. 22-24 Wing Kei Road, Kwai Chung, New Territories, Hong Kong Tel: (852) 2873 6860 Fax: (852) 2555 7533 E-mail: smec@cigismec.com Website: www.cigismec.com



2



## CERTIFICATE OF CALIBRATION

(Continuation Page)

Certificate No.:

23CA0317 02-04

Page:

c

#### 1. Measured Sound Pressure Level

The output Sound Pressure Level in the calibrator head was measured at the setting and frequency shown using a calibrated laboratory standard microphone and insert voltage technique. The results are given in below with the estimated uncertainties.

			(Output level in dB re 20 µPa
Frequency Shown Hz	Output Sound Pressure Level Setting dB	Measured Output Sound Pressure Level dB	Estimated Expanded Uncertainty dB
1000	94.00	93.82	0.10

#### 2, Sound Pressure Level Stability - Short Term Fluctuations

The Short Term Fluctuations was determined by measuring the maximum and minimum of the fast weighted DC output of the B&K 2610 measuring amplifier over a 20 second time interval as required in the standard. The Short Term Fluctuation was found to be:

At 1000 Hz

STF = 0.011 dB

Estimated expanded uncertainty

0.005 dB

#### 3, Actual Output Frequency

The determination of actual output frequency was made using a B&K 4180 microphone together with a B&K 2673 preamplifier connected to a B&K 2610 measuring amplifier. The AC output of the B&K 2610 was taken to an universal counter which was used to determine the frequency averaged over 20 second of operation as required by the standard. The actual output frequency at 1 KHz was:

At 1000 Hz

Actual Frequency = 999.9 Hz

Estimated expanded uncertainty

0.1 Hz

Coverage factor k = 2.2

#### 4, Total Noise and Distortion

For the Total Noise and Distortion measurement, the unfiltered AC output of the B&K 2610 measuring amplifier was connected to an Agilent Type 8903 B distortion analyser. The TND result at 1 KHz was:

At 1000 Hz

TND = 0.7 %

Estimated expanded uncertainty

0.7 %

The expanded uncertainties have been calculated in accordance with the ISO Publication "Guide to the expression of uncertainty in measurement", and gives an interval estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Calibrated by:

End

Fung Chi Yip

Chan Yuk Yiu

Date:

20-Mar-2023

Date:

21-Mar-2023

The standard(s) and equipment used in the calibration are traceable to national or international recognised standards and are calibrated on a schedule to maintain the required accuracy level.

© Soils & Materials Engineering Co., Ltd.

Form No.CARP156-2/Issue 1/Rev.C/01/05/2005





## RECALIBRATION **DUE DATE:**

March 31, 2024

## Pertificate o alibration

**Calibration Certification Information** 

Cal. Date: March 31, 2023 Rootsmeter S/N: 438320

Ta: 294

°K

Operator: Jim Tisch Pa: 749.0

mm Hg

Calibration Model #: TE-5025A

Calibrator S/N: 3166

Run	Vol. Init (m3)	Vol. Final (m3)	ΔVol. (m3)	ΔTime (min)	ΔP (mm Hg)	ΔH (in H2O)
1	1	2	1	1.4500	3.2	2.00
2	3	4	1	1.0210	6.4	4.00
3	5	6	1	0.9120	8.0	5.00
4	7	8	1	0.8710	8.8	5.50
5	9	10	1	0.7170	12.8	8.00

	Data Tabulation					
Vstd	Qstd $\sqrt{\Delta H(\frac{Pa}{Pstd})(\frac{Tstd}{Ta})}$			Qa	√∆H(Ta/Pa)	
(m3)	(x-axis)	(y-axis)	Va	(x-axis)	(y-axis)	
0.9947	0.6860	1.4135	0.9957	0.6867	0.8860	
0.9905	0.9701	1.9990	0.9915	0.9711	1.2530	
0.9883	1.0837	2.2349	0.9893	1.0848	1.4009	
0.9873	1.1335	2.3440	0.9883	1.1346	1.4693	
0.9819	1.3695	2.8270	0.9829	1.3709	1.7720	
	m=	2.07036		m=	1.29643	
QSTD[	b=	-0.00719	QA	b=	-0.00451	
	r=	0.99999	-	r=	0.99999	

Calculations				
Vstd=	ΔVol((Pa-ΔP)/Pstd)(Tstd/Ta)	Va=	ΔVol((Pa-ΔP)/Pa)	
Qstd= Vstd/ΔTime		Qa=	Va/ΔTime	
For subsequent flow rate calculations:				
Qstd=	$1/m\left(\left(\sqrt{\Delta H\left(\frac{Pa}{Pstd}\right)\left(\frac{Tstd}{Ta}\right)}\right)-b\right)$	Qa=	$1/m\left(\left(\sqrt{\Delta H(Ta/Pa)}\right)-b\right)$	

Standard Conditions					
Tstd: 298.15 °K					
Pstd:	760 mm Hg				
	Key				
ΔH: calibrator manometer reading (in H2O)					
ΔP: rootsmeter manometer reading (mm Hg)					
Ta: actual absolute temperature (°K)					
Pa: actual barometric pressure (mm Hg)					
b: intercept					
m: slope					

#### RECALIBRATION

US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30

Tisch Environmental, Inc. 145 South Miami Avenue Village of Cleves, OH 45002 www.tisch-env.com

TOLL FREE: (877)263-7610

FAX: (513)467-9009



#### Lam Environmental Services Limited

## Calibration Data for High Volume Sampler (TSP Sampler)

Location	:	AMC01	Calbration Date	:	15-Dec-23
Equipment no.	: _	0200-0740	Calbration Due Date	:	14-Feb-24

## CALIBRATION OF CONTINUOUS FLOW RECORDER

Ambient Condition							
Temperature, T <sub>a</sub>	297	Kelvin <b>Pressure</b> , <b>P</b> <sub>a</sub>	1016	mmHg			

Orifice Transfer Standard Information										
Equipment No.	3166	Slope, m <sub>c</sub>	2.07036	Intercept, bc	-0.00719					
Last Calibration Date	31-Mar-23		(HxP <sub>a</sub> /1	1013.3 x 298 / T	a) <sup>1/2</sup>					
Next Calibration Date	30-Mar-24	$= m_c \times Q_{std} + b_c$								

	Calibration of TSP									
Calibration	Mar	nometer R	eading	Q <sub>std</sub>	Continuous Flow	IC				
Point	H (inches of water)		H (inches of water)		(m <sup>3</sup> / min.)	Recorder, W	(W(P <sub>a</sub> /1013.3x298/T <sub>a</sub> ) <sup>1/2</sup> /35.31)			
	(up)	(down)	(difference)	X-axis	(CFM)	Y-axis				
1	1.4	1.4	2.8	0.8141	30	30.0905				
2	2.4	2.4	4.8	1.0649	37	37.1116				
3	3.5	3.5	7.0	1.2852	42	42.1267				
4	4.6	4.6	9.2	1.4729	48	48.1448				
5	5.7	5.7	11.4	1.6392	52	52.1568				

By Linear Regression of Y on X

Slope, m = 26.7865 Intercept, b = 8.3015

Correlation Coefficient\* = 0.9990

Calibration Accepted = Yes/Ne\*\*

Remarks: Serial No.:0200-0740

Calibrated by : William Cheung Checked by : Derek Lo

Date Checked by : Derek Lo

Date 15-Dec-23

<sup>\*</sup> if Correlation Coefficient < 0.990, check and recalibration again.

<sup>\*\*</sup> Delete as appropriate.

## Calibration Data for High Volume Sampler (TSP Sampler)

Location	:	AMC01	Calbration Date	:	9-Feb-24
Equipment no.	: _	0200-0740	Calbration Due Date	:	8-Apr-24

#### CALIBRATION OF CONTINUOUS FLOW RECORDER

Ambient Condition									
Temperature, T <sub>a</sub>	286	Kelvin l	Pressure, P <sub>a</sub>	1024	4 mmHg				
Orifice Transfer Standard Information									

Orifice Transfer Standard Information									
Equipment No.	3166	Slope, m <sub>c</sub>	2.07036	Intercept, bc	-0.00719				
Last Calibration Date	31-Mar-23	$(HxP_a/1013.3x298/T_a)^{1/2}$							
Next Calibration Date	30-Mar-24	$= m_c \times Q_{std} + b_c$							

	Calibration of TSP										
Calibration	Mai	nometer Re	eading	Q <sub>std</sub>	Continuous Flow	IC					
Point	H (inches of water)		H (inches of water)		(m <sup>3</sup> / min.)	Recorder, W	(W(P <sub>a</sub> /1013.3x298/T <sub>a</sub> ) <sup>1/2</sup> /35.31)				
	(up)	(down)	(difference)	X-axis	(CFM)	Y-axis					
1	1.6	1.6	3.2	0.8899	29	29.7508					
2	2.4	2.4	4.8	1.0891	37	37.9579					
3	3.6	3.6	7.2	1.3331	45	46.1650					
4	4.6	4.6	9.2	1.5064	50	51.2944					
5	5.6	5.6	11.2	1.6618	55	56.4238					

By Linear Regression of Y on X

Slope, m = 34.0823 Intercept, b = 0.1460

Calibration Accepted = 0.9983

Yes/Ne\*\*

Remarks : Serial No.:0200-0740

 Calibrated by
 :
 William Cheung
 Checked by
 :
 Derek Lo

 Date
 :
 9-Feb-24
 Date
 :
 9-Feb-24

 $<sup>^{\</sup>ast}$  if Correlation Coefficient < 0.990, check and recalibration again.

<sup>\*\*</sup> Delete as appropriate.



#### Lam Environmental Services Limited

## Calibration Data for High Volume Sampler (TSP Sampler)

Location	:	AMC02	Calbration Date	:	15-Dec-23
Equipment no.	:	2650	Calbration Due Date	:	14-Feb-24

## CALIBRATION OF CONTINUOUS FLOW RECORDER

Ambient Condition							
Temperature, T <sub>a</sub>	297	Kelvin <b>Pressure</b> , <b>P</b> <sub>a</sub>	1016	mmHg			

Orifice Transfer Standard Information										
Equipment No.	3166	Slope, m <sub>c</sub>	2.07036	Intercept, bc	-0.00719					
Last Calibration Date	31-Mar-23		(HxP <sub>a</sub> /1	1013.3 x 298 / T <sub>a</sub>	a) <sup>1/2</sup>					
Next Calibration Date	30-Mar-24	$= m_c \times Q_{std} + b_c$								

	Calibration of TSP										
Calibration	Manometer Reading		Q <sub>std</sub>	Continuous Flow	IC						
Point	H (inches of water)		H (inches of water)		(m <sup>3</sup> / min.)	Recorder, W	(W(P <sub>a</sub> /1013.3x298/T <sub>a</sub> ) <sup>1/2</sup> /35.31)				
	(up)	(down)	(difference)	X-axis	(CFM)	Y-axis					
1	1.5	1.5	3.0	0.8426	32	32.0965					
2	2.5	2.5	5.0	1.0868	39	39.1176					
3	3.5	3.5	7.0	1.2852	45	45.1357					
4	4.4	4.4	8.8	1.4406	49	49.1478					
5	5.6	5.6	11.2	1.6248	55	55.1659					

By Linear	Regression	of	Υ	on X	
-----------	------------	----	---	------	--

Slope, m = 29.2815 Intercept, b = 7.3550

Calibration Accepted = 0.9996

Yes/Ne\*\*

Remarks: Serial No.:2650

Calibrated by : William Cheung Checked by : Derek Lo

Date : 15-Dec-23

Date : 15-Dec-23

<sup>\*</sup> if Correlation Coefficient < 0.990, check and recalibration again.

<sup>\*\*</sup> Delete as appropriate.

## Calibration Data for High Volume Sampler (TSP Sampler)

Location	:	AMC02	Calbration Date	:	9-Feb-24
Equipment no.	:	2650	Calbration Due Date	:	8-Apr-24

#### CALIBRATION OF CONTINUOUS FLOW RECORDER

Ambient Condition						
Temperature, T <sub>a</sub>	286	Kelvin <b>Pre</b>	essure, P <sub>a</sub>	1024	mmHg	

Orifice Transfer Standard Information							
Equipment No.	3166	Slope, m <sub>c</sub>	2.07036	Intercept, bc	-0.00719		
Last Calibration Date	31-Mar-23		$(HxP_a/1013.3x298/T_a)^{1/2}$				
Next Calibration Date	30-Mar-24		= <i>m</i> <sub>c</sub>	$x Q_{std} + b_c$			

	Calibration of TSP								
Calibration	Manometer Reading		Q <sub>std</sub>	Continuous Flow	IC				
Point	H (inches of water)		(m <sup>3</sup> / min.)	Recorder, W	(W(P <sub>a</sub> /1013.3x298/T <sub>a</sub> ) <sup>1/2</sup> /35.31)				
	(up)	(down)	(difference)	X-axis	(CFM)	Y-axis			
1	1.6	1.6	3.2	0.8901	20	20.5228			
2	2.4	2.4	4.8	1.0894	29	29.7580			
3	3.6	3.6	7.2	1.3334	39	40.0194			
4	4.6	4.6	9.2	1.5068	46	47.2024			
5	5.6	5.6	11.2	1.6622	51	52.3331			

By Linear	Regression	of	Υ	on X
-----------	------------	----	---	------

Correlation Coefficient\* = 0.9987

Calibration Accepted = Yes/Ne\*\*

Remarks : Serial No.:2650

 Calibrated by
 :
 William Cheung
 Checked by
 :
 Derek Lo

 Date
 :
 9-Feb-24
 Date
 :
 9-Feb-24

 $<sup>^{\</sup>ast}$  if Correlation Coefficient < 0.990, check and recalibration again.

<sup>\*\*</sup> Delete as appropriate.



#### Lam Environmental Services Limited

## Calibration Data for High Volume Sampler (TSP Sampler)

Location	:	AMC3A	Calbration Date	:	15-Dec-23
Equipment no.	:	2649	Calbration Due Date	:	14-Feb-24

## CALIBRATION OF CONTINUOUS FLOW RECORDER

Ambient Condition						
Temperature, T <sub>a</sub>	297	Kelvin <b>Pressure</b> , <b>P</b> <sub>a</sub>	1016	mmHg		

Orifice Transfer Standard Information								
Equipment No.	3166	Slope, m <sub>c</sub>	2.07036	Intercept, bc	-0.00719			
Last Calibration Date	31-Mar-23	$(H \times P_a / 1013.3 \times 298 / T_a)^{1/2}$						
Next Calibration Date	30-Mar-24		= <i>m</i> <sub>c</sub>	$x Q_{std} + b_c$				

	Calibration of TSP								
Calibration	Manometer Reading		Q <sub>std</sub>	Continuous Flow	IC				
Point	H (inches of water)		H (inches of water)		(m <sup>3</sup> / min.)	Recorder, W	(W(P <sub>a</sub> /1013.3x298/T <sub>a</sub> ) <sup>1/2</sup> /35.31)		
	(up)	(down)	(difference)	X-axis	(CFM)	Y-axis			
1	1.1	1.1	2.2	0.7220	31	31.0935			
2	2.4	2.4	4.8	1.0649	42	42.1267			
3	3.3	3.3	6.6	1.2481	49	49.1478			
4	4.5	4.5	9.0	1.4569	53	53.1598			
5	5.2	5.2	10.4	1.5658	56	56.1689			

By Linear	Regression	of	Υ	on >	<
-----------	------------	----	---	------	---

Slope, m = 29.7645 Intercept, b = 10.2785

Calibration Accepted = 0.9948

Yes/Ne\*\*

Remarks: Serial No.:2649

Calibrated by : William Cheung Checked by : Derek Lo

Date : 15-Dec-23

Date : 15-Dec-23

<sup>\*</sup> if Correlation Coefficient < 0.990, check and recalibration again.

<sup>\*\*</sup> Delete as appropriate.

#### Calibration Data for High Volume Sampler (TSP Sampler)

Location	:	AMC03A	Calbration Date	: _	9-Feb-24
Equipment no.	:	2649	Calbration Due Date	: _	8-Apr-24

#### CALIBRATION OF CONTINUOUS FLOW RECORDER

Ambient Condition					
Temperature, T <sub>a</sub>	286	Kelvin	Pressure, P <sub>a</sub>	1024	mmHg
Orifice Transfer Standard Information					

Orifice Transfer Standard Information						
Equipment No.	Equipment No. 3166 Slope, m <sub>c</sub> 2.07036 Intercept, bc -0.00719					
Last Calibration Date	31-Mar-23	$(HxP_a/1013.3 x 298/T_a)^{1/2}$				
Next Calibration Date	30-Mar-24	$= m_c \times Q_{std} + b_c$				

Calibration of TSP						
Calibration	Manometer Reading		Q <sub>std</sub>	Continuous Flow	IC	
Point	Н (	inches of v	water)	(m <sup>3</sup> / min.)	Recorder, W	(W(P <sub>a</sub> /1013.3x298/T <sub>a</sub> ) <sup>1/2</sup> /35.31)
	(up)	(down)	(difference)	X-axis	(CFM)	Y-axis
1	1.4	1.4	2.8	0.8328	21	21.5489
2	2.3	2.3	4.6	1.0665	30	30.7842
3	3.5	3.5	7.0	1.3148	38	38.9933
4	4.4	4.4	8.8	1.4738	43	44.1240
5	5.5	5.5	11.0	1.6473	50	51.3069

By Linear Regression of Y on X

Slope, m = 35.7667 Intercept, b = -7.9662

Calibration Accepted = 0.9991

Yes/Ne\*\*

Remarks : Serial No.:2649

Calibrated by : William Cheung Checked by : Derek Lo

 Date
 9-Feb-24
 Date
 9-Feb-24

 $<sup>^{\</sup>ast}$  if Correlation Coefficient < 0.990, check and recalibration again.

<sup>\*\*</sup> Delete as appropriate.



#### **Portable Dust Meter Performance Check Record**

#### Portable Dust Meter

Type Particulare Monitor

Manufacturer MET ONE INSTRUMENTS

**Model Number** BT-645

**Serial Number** B17942

**Performance Check Date** 9-Jun-23

**Standard Equipment** 

High Volume Sampler Type

Manufacturer TISCH

**Model Number** TE-5170

**Equipment Number** 2493

25-May-23 **Last Calibration Date** 


#### **Portable Dust Meter Performance Check Results**

Trial no. in 1-hr period	Time	Mean Pressure (hPa)	Mean Temp (°C)	Concentration in ug/m <sup>3</sup> (Standard equipment) (Y - Axis)	Concentration in ug/m <sup>3</sup> (Performance Check / Calibrated equipment) (X - Axis)
1	9/6/23 09:30	1004	29	120	67
2	9/6/23 11:35	1004	29	86	56
3	9/6/23 12:38	1004	29	105	64

<sup>\*</sup> Filter paper weighting was conducted by HOKLAS accredited laboratory.

Linear Regression of Y on X Slope (K- factor) Correlation Coefficient

Validity of Performance Check / Calibration Record



Operator:	Alan Ng	Date:	14/6/2023
Checked by:	Derek Lo	Date:	14/6/2023



#### **Portable Dust Meter Performance Check Record**

#### Portable Dust Meter

Type : Particulare Monitor

Manufacturer : MET ONE INSTRUMENTS

Model Number : AEROCET831

**Serial Number** : X19298

Performance Check Date : 30-Mar-23

**Standard Equipment** 

Type : High Volume Sampler

Manufacturer : \_\_\_\_\_ TISCH

**Model Number** : \_\_\_\_\_\_ TE-5170

 Equipment Number
 :
 HVS018 (S/N:2656)

Last Calibration Date : 4-Mar-23

#### **Portable Dust Meter Performance Check Results**


Trial no. in 1-hr period	Time	Mean Pressure (hPa)		Concentration in ug/m <sup>3</sup> (Standard equipment) (X - Axis)	Concentration in ug/m <sup>3</sup> (Performance Check / Calibrated equipment) (Y - Axis)
1	30/3/23 08:35	1013	21	78	60
2	30/3/23 10:05	1013	21	68	56
3	30/3/23 13:00	1013	21	55	53

<sup>\*</sup> Filter paper weighting was conducted by HOKLAS accredited laboratory.

Linear Regression of Y on X

Slope (K- factor)
Correlation Coefficient
Validity of Performance Check / Calibration Record

1.3000 0.9876 30/3/2024



Operator:	Alan Ng	Date:	6-Apr-23
Charled by	Dorok Lo	Date:	6-Apr-23
Checked by:	Derek Lo	Date:	6-Apr-23



#### **Portable Dust Meter Performance Check Record**

#### Portable Dust Meter

Type Particulare Monitor

Manufacturer MET ONE INSTRUMENTS

**Model Number** BT-645

**Serial Number** X19299

**Performance Check Date** 9-Jun-23

**Standard Equipment** 

High Volume Sampler Type

Manufacturer TISCH

**Model Number** TE-5170

**Equipment Number** 2493

**Last Calibration Date** 25-May-23

#### **Portable Dust Meter Performance Check Results**


Trial no. in 1-hr period	Time	Mean Pressure (hPa)	Mean Temp (°C)	Concentration in ug/m <sup>3</sup> (Standard equipment) (Y - Axis)	Concentration in ug/m <sup>3</sup> (Performance Check / Calibrated equipment) (X - Axis)
1	9/6/23 09:30	1004	29	120	69
2	9/6/23 11:35	1004	29	86	60
3	9/6/23 12:38	1004	29	105	66

<sup>\*</sup> Filter paper weighting was conducted by HOKLAS accredited laboratory.

Linear Regression of Y on X Slope (K- factor) Correlation Coefficient

Validity of Performance Check / Calibration Record

1.7000 0.9883 8/6/2024



Operator.	Alan ng	Dale.	14/0/2023
Checked by:	Derek Lo	Date:	14/6/2023
•			



#### **Wind Station Performance Check Record**

Type : Weather Station

Manufacturer : 武汉辰云科技有限公司

Model Number : YGY-FSXY12

**Serial Number** : <u>21091630T0944</u>

Performance Check Date : 9-Nov-2023

#### **Performance Check Results**

Wind Speed Range (m/s)	Reading Value (V1, m/s)	Anemometer Value (V2, m/s)	Difference (V1 - V2, m/s)
Zero Check	0.0	0.0	0.0
1 - 2	1.5	1.6	-0.1
3 - 5	3.8	3.6	0.2
6 - 7	6.6	6.3	0.3
8 - 9	8.2	8.1	0.1

Wind Direction (°)	Reading Value (W1, °)	Compass Value (W2, °)	Difference (W1 - W2, °)
0	0	0	0
90	89	90	-1
180	181	180	1
270	271	270	1

#### Test Reference:

- 1. Wind Speed Check Speed reading checked on-site against anemometer logged value.
- 2. Wind Direction Check Direction reading checked on on-site against logged value.

Conducted by:	Harry Po	Checked by:	William Cheung	
---------------	----------	-------------	----------------	--

## Appendix 4.3

Wind Data



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	140(SE)
	1:00	0.0	119(ESÉ)
Ī	2:00	0.0	184(S)
Ī	3:00	0.0	57(ENÉ)
Ī	4:00	0.0	120(ESE)
Ī	5:00	0.0	93(E)
Ī	6:00	0.0	120(ESE)
Ī	7:00	0.0	43(NE)
Ī	8:00	0.0	245(WSW)
	9:00	0.0	133(SE)
Ī	10:00	0.0	169(S)
1 Fab 04	11:00	0.0	115(ESE)
1-Feb-24	12:00	0.0	148(SSE)
	13:00	0.0	216(SW)
į	14:00	1.9	61(ENE)
ļ	15:00	0.0	57(ENE)
Ī	16:00	0.9	204(SSW)
Ī	17:00	0.0	198(SSW)
Ī	18:00	0.0	157(SSE)
Ī	19:00	0.0	24(NNE)
Ī	20:00	0.0	142(SE)
ľ	21:00	0.0	154(SSE)
ľ	22:00	0.0	175(S)
ľ	23:00	0.0	158(SSE)
	0:00	0.0	282(WNW)
Ī	1:00	0.0	93(E)
Ī	2:00	0.0	14(NNE)
ľ	3:00	0.0	27(NNE)
Ī	4:00	0.0	10(N)
Ī	5:00	0.0	3(N)
Ī	6:00	0.0	137(SE)
Ī	7:00	0.0	40(NE)
Ī	8:00	0.0	77(ENÉ)
Ī	9:00	0.0	64(ENE)
Ī	10:00	0.0	214(SW)
0.5.1.04	11:00	0.5	252(WSW)
2-Feb-24	12:00	0.0	195(SSW)
ľ	13:00	0.0	216(SW)
ľ	14:00	1.1	204(SSW)
ľ	15:00	0.0	195(SSW)
İ	16:00	0.0	186(S)
ţ	17:00	0.0	125(SE)
ļ.	18:00	0.0	57(ENE)
ţ	19:00	1.5	254(WSW)
· · · · · · · · · · · · · · · · · · ·	20:00	1.3	88(E)
ŀ	21:00	0.0	246(WSW)
ŀ	22:00	0.5	176(S)
-	23:00	0.0	214(SW)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.5	232(SW)
	1:00	3.7	185(S)
Ī	2:00	0.0	174(S)
Ī	3:00	1.1	120(ESE)
Ī	4:00	0.0	175(S)
	5:00	0.0	118(ESE)
	6:00	0.9	65(ENE)
	7:00	0.0	94(E)
	8:00	0.0	92(E)
	9:00	0.0	85(E)
	10:00	0.0	115(ESE)
2 Fab 24	11:00	1.1	40(NE)
3-Feb-24	12:00	0.0	104(ESE)
	13:00	0.0	225(SW)
į	14:00	0.0	138(SE)
Ţ	15:00	0.0	292(WNW)
Ţ	16:00	0.0	116(ESE)
Ī	17:00	0.0	224(SW)
ľ	18:00	1.3	134(SE)
Ī	19:00	1.1	171(S)
ľ	20:00	0.0	275(W)
ľ	21:00	0.0	141(SE)
ľ	22:00	0.0	151(SSÉ)
ľ	23:00	0.0	115(ESE)
	0:00	0.0	137(SE)
Ī	1:00	0.0	98(E)
Ī	2:00	0.0	90(E)
ľ	3:00	0.0	163(SSE)
Ī	4:00	0.0	286(WNW)
ľ	5:00	0.0	39(NE)
ľ	6:00	0.0	281(W)
ļ	7:00	0.0	118(ESE)
ļ	8:00	0.0	170(S)
ľ	9:00	0.0	51(NE)
į	10:00	0.0	131(SE)
4 Fab 04	11:00	0.0	193(SSW)
4-Feb-24	12:00	0.0	148(SSE)
ľ	13:00	0.0	72(ENE)
ţ	14:00	0.0	239(WSW)
ţ	15:00	0.0	133(SE)
ţ	16:00	0.0	65(ENE)
ţ	17:00	0.0	202(SSW)
ţ	18:00	0.0	177(S)
ţ	19:00	0.0	38(NE)
ţ	20:00	0.0	152(SSE)
ţ	21:00	0.0	260(W)
ŀ	22:00	0.0	168(SSE)
ŀ	23:00	0.0	342(NNW)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	332(NNW)
	1:00	0.0	155(SSE)
	2:00	0.0	153(SSE)
	3:00	0.0	235(SW)
	4:00	0.0	30(NNE)
	5:00	0.0	187(S)
	6:00	0.0	155(SSE)
	7:00	0.0	320(NW)
	8:00	0.0	129(SE)
	9:00	0.0	74(ENE)
	10:00	0.0	197(SSW)
5-Feb-24	11:00	0.0	136(SE)
5-760-24	12:00	0.0	39(NE)
	13:00	2.1	41(NE)
	14:00	0.0	183(S)
	15:00	0.0	153(SSE)
	16:00	0.0	271(W)
	17:00	0.0	224(SW)
	18:00	0.5	138(SE)
	19:00	0.0	170(S)
	20:00	0.5	218(SW)
	21:00	0.0	161(SSE)
	22:00	0.0	270(W)
	23:00	0.0	47(NE)
	0:00	0.0	185(S)
	1:00	0.5	330(NNW)
	2:00	1.7	216(SW)
	3:00	0.9	17(NNE)
	4:00	1.5	183(S)
	5:00	0.0	145(SE)
	6:00	0.0	230(SW)
	7:00	0.0	156(SSE)
	8:00	2.5	129(SE)
	9:00	0.0	170(S)
	10:00	0.0	38(NE)
C Fab 04	11:00	1.5	116(ESE)
6-Feb-24	12:00	0.0	233(SW)
	13:00	0.0	202(SSW)
	14:00	0.0	288(WNW)
	15:00	0.0	216(SW)
	16:00	0.0	134(SE)
	17:00	0.0	305(NW)
	18:00	0.0	193(SSW)
	19:00	0.0	212(SSW)
	20:00	0.0	272(W)
	21:00	0.0	135(SE)
	22:00	0.0	66(ENE)
	23:00	0.0	232(SW)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	1.3	101(E)
	1:00	0.0	246(WSW)
	2:00	0.0	343(NNW)
	3:00	0.0	174(S)
	4:00	0.0	209(SSW)
	5:00	0.0	145(SE)
	6:00	0.0	187(S)
	7:00	0.0	159(SSE)
	8:00	0.0	105(ESE)
	9:00	0.0	233(SW)
	10:00	0.0	314(NW)
7-Feb-24	11:00	0.0	215(SW)
7-1-60-24	12:00	0.0	193(SSW)
	13:00	0.7	83(E)
	14:00	0.0	136(SE)
	15:00	0.0	110(ESE)
	16:00	0.0	191(S)
	17:00	0.0	158(SSE)
	18:00	0.0	31(NNE)
	19:00	0.0	251(WSW)
	20:00	0.9	212(SSW)
	21:00	0.7	85(E)
	22:00	0.0	237(WSW)
	23:00	0.0	251(WSW)
	0:00	0.0	165(SSE)
	1:00	0.0	342(NNW)
	2:00	0.9	223(SW)
	3:00	0.0	170(S)
	4:00	0.0	226(SW)
	5:00	0.0	194(SSW)
	6:00	0.0	311(NW)
	7:00	0.0	193(SSW)
	8:00	0.0	153(SSE)
	9:00	0.0	178(S)
	10:00	0.0	70(ENE)
8-Feb-24	11:00	0.0	210(SSW)
010024	12:00	0.0	199(SSW)
	13:00	0.0	275(W)
	14:00	0.0	55(NE)
	15:00	0.0	115(ESE)
	16:00	0.0	169(S)
	17:00	0.7	74(ENE)
	18:00	0.0	123(ESE)
	19:00	0.0	216(SW)
	20:00	0.0	302(WNW)
	21:00	0.0	147(SSE)
	22:00	0.0	59(ENE)
	23:00	0.0	226(SW)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	77(ENE)
	1:00	0.0	348(NNW)
	2:00	0.5	70(ENE)
	3:00	0.0	99(E)
	4:00	0.0	59(ENE)
	5:00	0.0	205(SSW)
	6:00	0.0	91(E)
	7:00	0.0	177(S)
	8:00	0.0	168(SSE)
	9:00	0.0	227(SW)
	10:00	0.0	129(SE)
9-Feb-24	11:00	0.0	127(SE)
9-760-24	12:00	0.0	278(W)
	13:00	0.0	84(E)
	14:00	0.0	21(NNE)
	15:00	0.0	169(S)
	16:00	0.0	341(NNW)
	17:00	0.0	254(WSW)
	18:00	0.0	257(WSW)
	19:00	0.0	236(SW)
	20:00	0.0	231(SW)
	21:00	0.0	26(NNE)
	22:00	0.0	295(WNW)
	23:00	0.0	148(SSE)
	0:00	0.0	137(SE)
	1:00	0.0	133(SE)
	2:00	0.0	130(SE)
	3:00	0.0	128(SE)
	4:00	0.0	51(NE)
	5:00	0.0	159(SSE)
	6:00	0.0	0(N)
	7:00	0.0	96(E)
	8:00	0.0	246(WSW)
	9:00	0.0	136(SE)
	10:00	0.0	276(W)
40 Fab 04	11:00	0.0	31(NNE)
10-Feb-24	12:00	0.0	17(NNE)
	13:00	0.0	119(ESE)
	14:00	0.0	138(SE)
	15:00	0.9	58(ENE)
	16:00	0.0	166(SSE)
	17:00	0.9	130(SE)
	18:00	0.0	56(NE)
	19:00	0.0	150(SSE)
	20:00	0.0	190(S)
	21:00	0.0	60(ENE)
	22:00	0.0	201(SSW)
	23:00	0.0	256(WSW)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	134(SE)
	1:00	0.0	122(ESE)
	2:00	0.0	136(SE)
	3:00	0.0	65(ENE)
	4:00	0.0	96(E)
	5:00	0.0	125(SE)
	6:00	0.0	128(SE)
	7:00	0.0	151(SSE)
	8:00	0.0	44(NE)
	9:00	0.0	95(E)
	10:00	0.0	137(SE)
11-Feb-24	11:00	0.0	306(NW)
11-1-60-24	12:00	0.5	212(SSW)
	13:00	0.7	356(N)
	14:00	0.0	209(SSW)
	15:00	1.3	115(ESE)
	16:00	0.0	178(S)
	17:00	1.7	110(ESE)
	18:00	0.0	215(SW)
	19:00	0.0	128(SE)
	20:00	0.0	54(NE)
	21:00	0.0	94(E)
	22:00	0.0	6(N)
	23:00	0.0	204(SSW)
	0:00	0.0	35(NE)
	1:00	0.0	110(ESE)
	2:00	0.0	89(E)
	3:00	0.0	126(SE)
	4:00	0.0	113(ESE)
	5:00	0.0	238(WSW)
	6:00	0.0	24(NNE)
	7:00	0.0	267(W)
	8:00	0.0	308(NW)
	9:00	0.0	331(NNW)
	10:00	2.3	119(ESE)
10 Ech 24	11:00	1.9	117(ESE)
12-Feb-24	12:00	0.5	252(WSW)
	13:00	1.1	64(ENE)
	14:00	0.7	163(SSE)
	15:00	1.9	271(W)
	16:00	0.0	180(S)
	17:00	0.0	136(SE)
	18:00	1.5	218(SW)
	19:00	0.0	39(NE)
	20:00	0.0	76(ENE)
	21:00	0.0	40(NE)
	22:00	0.0	91(E)
	23:00	0.0	95(E)



Date	Time	Wind Speed (m/s)	Wind Direction (degree
	0:00	0.0	106(ESE)
	1:00	0.0	47(NE)
	2:00	0.0	168(SSE)
	3:00	0.0	154(SSE)
	4:00	0.0	43(NE)
	5:00	0.0	20(NNE)
Ī	6:00	0.0	174(S)
	7:00	1.5	127(SE)
Ī	8:00	0.0	235(SW)
	9:00	1.1	91(E)
Ī	10:00	0.0	313(NW)
40 F-1- 04	11:00	0.0	208(SSW)
13-Feb-24	12:00	0.0	267(W)
ľ	13:00	1.5	144(SE)
ļ ļ	14:00	0.5	166(SSE)
ľ	15:00	0.0	215(SW)
ľ	16:00	0.0	314(NW)
ľ	17:00	0.0	187(S)
ļ ·	18:00	0.0	94(E)
ľ	19:00	0.7	254(WSW)
ļ ·	20:00	0.0	141(SE)
ļ.	21:00	0.0	111(ESE)
ļ.	22:00	0.0	65(ENE)
İ	23:00	0.0	72(ENE)
	0:00	0.0	69(ENE)
İ	1:00	0.0	23(NNE)
ļ.	2:00	0.0	246(WSW)
ļ.	3:00	0.0	58(ENE)
ļ ·	4:00	0.0	39(NE)
ļ.	5:00	0.0	117(ESE)
ļ.	6:00	0.0	194(SSW)
ţ	7:00	0.0	49(NE)
ţ	8:00	0.0	100(E)
ŀ	9:00	0.0	134(SE)
ţ	10:00	0.0	110(ESE)
,, <u> </u>	11:00	0.0	131(SE)
14-Feb-24	12:00	1.3	192(SSW)
ŀ	13:00	0.0	141(SE)
ŀ	14:00	0.0	153(SSE)
ŀ	15:00	0.0	196(SSW)
ł	16:00	0.0	150(SSE)
ł	17:00	0.0	221(SW)
ŀ	18:00	0.0	126(SE)
ŀ	19:00	0.0	149(SSE)
ŀ	20:00	0.7	32(NNE)
ŀ	21:00	0.0	297(WNW)
}	22:00	0.0	102(ESE)
<u>,</u>	44.UU	0.0	TUZ(LOE)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	56(NE)
	1:00	0.0	218(SW)
Ī	2:00	0.0	164(SSE)
Ī	3:00	0.0	139(SE)
ľ	4:00	0.0	275(W)
ŀ	5:00	0.0	143(SE)
ľ	6:00	0.0	227(SW)
Ī	7:00	0.0	204(SSW)
Ī	8:00	0.0	125(SE)
Ī	9:00	0.0	235(SW)
ŀ	10:00	0.0	64(ENE)
45 5-1-04	11:00	0.0	108(ESE)
15-Feb-24	12:00	0.7	258(WSW)
ľ	13:00	0.9	86(E)
ţ	14:00	0.0	285(WNW)
Ī	15:00	1.7	195(SSW)
Ī	16:00	0.9	203(SSW)
Ī	17:00	0.0	85(E)
Ī	18:00	0.0	252(WSW)
Ī	19:00	0.0	176(S)
ŀ	20:00	0.0	13(NNE)
ļ.	21:00	0.0	143(SE)
ŀ	22:00	0.0	78(ENE)
ļ.	23:00	0.0	173(S)
	0:00	0.0	193(SSW)
ļ	1:00	0.0	118(ESE)
ļ	2:00	0.0	0(N)
ŀ	3:00	0.0	185(S)
ļ	4:00	0.0	140(SE)
ŀ	5:00	0.0	231(SW)
ŀ	6:00	0.0	156(SSE)
ŀ	7:00	0.0	169(S)
ŀ	8:00	0.0	156(SSE)
ŀ	9:00	0.0	26(NNE)
ŀ	10:00	2.9	110(ESE)
ŀ	11:00	1.1	139(SE)
16-Feb-24	12:00	0.0	198(SSW)
ŀ	13:00	0.0	217(SW)
ŀ	14:00	0.5	121(ESE)
ŀ	15:00	0.0	228(SW)
}	16:00	0.0	90(E)
<u> </u>	17:00	0.0	225(SW)
ŀ	18:00	0.0	235(SW)
}	19:00	0.0	246(WSW)
}	20:00	0.0	274(W)
}			` '
}-	21:00	0.9	82(E)
ŀ	22:00	0.0	341(NNW)
	23:00	0.0	189(S)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	198(SSW)
	1:00	0.0	220(SW)
Ī	2:00	0.0	150(SSE)
ľ	3:00	0.0	159(SSE)
İ	4:00	0.0	55(NE)
ľ	5:00	0.0	233(SW)
ľ	6:00	0.5	124(SE)
Ī	7:00	0.0	238(WSW)
Ī	8:00	0.0	194(SSW)
Ī	9:00	1.5	107(ESE)
Ī	10:00	0.0	302(WNW)
47 Fab 04	11:00	0.0	229(SW)
17-Feb-24	12:00	0.0	161(SSE)
Ī	13:00	0.0	32(NNE)
t	14:00	0.0	188(S)
ľ	15:00	0.0	56(NE)
İ	16:00	0.0	173(S)
ľ	17:00	0.0	239(WSW)
İ	18:00	0.0	137(SE)
İ	19:00	0.0	224(SW)
İ	20:00	0.0	119(ESE)
İ	21:00	0.0	118(ESE)
ľ	22:00	0.0	109(ESE)
İ	23:00	0.0	217(SW)
	0:00	0.0	149(SSE)
İ	1:00	0.0	198(SSW)
İ	2:00	0.0	62(ENE)
·	3:00	0.0	106(ESE)
·	4:00	0.0	101(E)
•	5:00	0.0	91(E)
·	6:00	0.0	17(NNE)
ŀ	7:00	0.0	327(NNW)
•	8:00	0.0	271(W)
ŀ	9:00	0.0	166(SSE)
ŀ	10:00	0.0	217(SW)
ŀ	11:00	0.0	52(NE)
18-Feb-24	12:00	0.0	166(SSE)
ŀ	13:00	0.0	194(SSW)
ŀ	14:00	0.0	200(SSW)
ŀ	15:00	0.0	107(ESE)
ŀ	16:00	0.9	311(NW)
ŀ	17:00	0.0	81(E)
ł	18:00	0.0	35(NE)
ł	19:00	0.0	58(ENE)
}	20:00	0.0	88(E)
}	21:00	0.0	00(⊑) 109(ESE)
ŀ			
ŀ	22:00	0.0	136(SE)
	23:00	0.0	209(SSW)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	213(SSW)
	1:00	0.0	129(SE)
	2:00	0.0	147(SSE)
	3:00	0.0	104(ESE)
	4:00	0.0	60(ENE)
	5:00	0.0	70(ENE)
	6:00	0.0	249(WSW)
	7:00	0.0	138(SE)
	8:00	0.0	185(S)
	9:00	0.0	146(SE)
	10:00	0.0	320(NW)
19-Feb-24	11:00	0.0	125(SE)
19-760-24	12:00	0.0	150(SSE)
	13:00	0.0	129(SE)
	14:00	0.0	62(ENE)
	15:00	0.0	75(ENE)
	16:00	0.0	71(ENE)
	17:00	0.0	98(E)
	18:00	0.0	147(SSE)
	19:00	0.0	118(ESE)
	20:00	0.0	136(SE)
	21:00	0.0	336(NNW)
	22:00	0.0	133(SE)
	23:00	0.0	100(E)
	0:00	0.0	220(SW)
	1:00	0.0	113(ESE)
	2:00	0.0	41(NE)
	3:00	0.0	36(NE)
	4:00	0.0	161(SSE)
	5:00	0.0	155(SSE)
	6:00	0.0	189(S)
	7:00	0.0	151(SSE)
	8:00	0.0	133(SE)
	9:00	0.0	91(E)
	10:00	0.0	254(WSW)
20 Fab 24	11:00	0.0	113(ESE)
20-Feb-24	12:00	0.0	116(ESE)
	13:00	0.0	155(SSE)
	14:00	0.0	218(SW)
	15:00	0.0	228(SW)
ļ	16:00	0.0	107(ESE)
Ţ	17:00	0.0	227(SW)
ļ	18:00	0.0	107(ESE)
Ţ	19:00	0.0	109(ESE)
Ţ	20:00	0.0	57(ENE)
ľ	21:00	0.0	23(NNE)
ţ	22:00	0.0	105(ESE)
ţ	23:00	0.0	192(SSW)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)
	0:00	0.0	94(E)
	1:00	0.0	27(NNE)
	2:00	0.0	131(SE)
	3:00	0.0	145(SE)
	4:00	0.0	100(E)
	5:00	0.0	114(ESE)
	6:00	0.0	304(NW)
	7:00	0.0	84(E)
	8:00	0.0	140(SE)
	9:00	0.0	195(SSW)
	10:00	0.0	249(WSW)
21-Feb-24	11:00	0.0	126(SE)
21-1-60-24	12:00	0.0	184(S)
	13:00	1.9	186(S)
	14:00	0.0	89(E)
	15:00	1.1	39(NE)
	16:00	0.0	134(SE)
	17:00	0.0	274(W)
	18:00	0.0	212(SSW)
	19:00	0.0	151(SSE)
	20:00	0.0	173(S)
	21:00	0.0	145(SE)
	22:00	0.0	58(ENE)
	23:00	0.0	129(SE)
	0:00	0.0	155(SSE)
	1:00	0.0	164(SSE)
	2:00	0.0	153(SSE)
	3:00	0.0	146(SE)
	4:00	0.0	133(SE)
	5:00	0.0	118(ESE)
	6:00	0.0	58(ENE)
	7:00	0.0	107(ESE)
	8:00	0.0	36(NE)
	9:00	0.0	126(SE)
	10:00	0.0	188(S)
00 Fab 04	11:00	0.0	340(NNW)
22-Feb-24	12:00	0.5	94(E)
	13:00	0.0	121(ESE)
	14:00	0.0	224(SW)
	15:00	0.0	170(S)
	16:00	2.1	127(SE)
	17:00	0.0	133(SE)
	18:00	0.0	41(NE)
	19:00	1.5	67(ENÉ)
	20:00	0.0	248(WSW)
	21:00	0.0	249(WSW)
	22:00	0.0	358(N)
	23:00	0.0	28(NNE)



Date	Time	Wind Speed (m/s)	Wind Direction (degree)		
	0:00	0.0	240(WSW)		
	1:00	0.0	127(SE)		
	2:00	0.0	40(NE)		
	3:00	0.0	116(ESE)		
	4:00	0.0	228(SW)		
	5:00	0.0	180(S)		
	6:00	0.0	258(WSW)		
	7:00	0.0	207(SSW)		
	8:00	0.0	167(SSE)		
	9:00	0.0	92(E)		
	10:00	0.0	220(SW)		
23-Feb-24	11:00	0.0	217(SW)		
23-1 65-24	12:00	0.0	77(ENE)		
	13:00	0.0	165(SSE)		
	14:00	0.0	7(N)		
	15:00	0.0	278(W)		
	16:00	0.0	102(ESE)		
	17:00	0.0	176(S)		
	18:00	0.0	96(E)		
	19:00	0.0	189(S)		
	20:00	0.0	162(SSE)		
	21:00	0.0	118(ESE)		
	22:00	0.0	37(NE)		
	23:00	0.0	232(SW)		
	0:00	0.0	254(WSW)		
	1:00	0.0	44(NE)		
	2:00	0.0	156(SSE)		
	3:00	0.0	243(WSW)		
	4:00	0.0	86(E)		
	5:00	0.0	95(E)		
	6:00	0.0	13(NNE)		
	7:00	0.0	72(ENE)		
	8:00	0.0	23(NNE)		
	9:00	0.0	96(E)		
	10:00	0.0	332(NNW)		
24 Eab 24	11:00	0.0	167(SSE)		
24-Feb-24	12:00	0.0	158(SSE)		
	13:00	0.0	132(SE)		
	14:00	0.0	273(W)		
	15:00	0.0	128(SE)		
	16:00	0.0	122(ESE)		
	17:00	0.0	128(SE)		
ļ	18:00	1.5	271(W)		
ļ	19:00	0.0	250(WSW)		
ļ	20:00	0.0	189(S)		
ļ	21:00	0.5	297(WNW)		
ļ	22:00	0.0	260(W)		
	23:00	0.0	237(WSW)		



Date	Time	Wind Speed (m/s)	Wind Direction (degree)		
	0:00	0.0	300(WNW)		
	1:00	0.0	224(SW)		
	2:00	0.0	218(SW)		
	3:00	0.0	322(NW)		
	4:00	0.0	317(NW)		
	5:00	0.0	237(WSW)		
	6:00	0.0	163(SSE)		
	7:00	0.0	183(S)		
	8:00	0.0	63(ENE)		
	9:00	0.0	120(ESE)		
	10:00	0.0	316(NW)		
05 Fab 04	11:00	0.0	331(NNW)		
25-Feb-24	12:00	0.0	123(ESE)		
	13:00	0.0	134(SE)		
	14:00	0.0	165(SSÉ)		
	15:00	0.0	142(SE)		
	16:00	0.5	187(S)		
	17:00	0.0	215(SW)		
	18:00	0.5	100(E)		
	19:00	0.0	56(NE)		
	20:00	0.9	160(SSE)		
	21:00	0.0	243(WSW)		
	22:00	0.0	217(SW)		
	23:00	0.0	278(W)		
	0:00	0.0	163(SSE)		
	1:00	0.0	141(SE)		
	2:00	0.0	122(ESE)		
	3:00	0.0	122(ESE)		
	4:00	0.0	276(W)		
	5:00	0.0	165(SSE)		
	6:00	0.7	328(NNW)		
	7:00	0.0	221(SW)		
	8:00	0.0	245(WSW)		
	9:00	0.0	219(SW)		
	10:00	0.0	134(SE)		
	11:00	0.0	126(SE)		
26-Feb-24	12:00	0.0	110(ESE)		
	13:00	0.0	234(SW)		
	14:00	0.0	157(SSE)		
	15:00	0.0	142(SE)		
	16:00	0.0	132(SE)		
	17:00	0.0	120(ESE)		
	18:00	0.0	184(S)		
	19:00	0.0	126(SE)		
	20:00	0.0	48(NE)		
	21:00	0.0	145(SE)		
	22:00	0.0	145(SE)		
	23:00	1.5	273(W)		



Date	Time	Wind Speed (m/s)	Wind Direction (degree)			
	0:00	0.0	224(SW)			
	1:00	0.0	193(SSW)			
	2:00	0.0	301(WNW)			
	3:00	0.9	185(S)			
	4:00	0.0	243(WSW)			
	5:00	0.0	331(NNW)			
	6:00	0.0	291(WNW)			
	7:00	0.0	31(NNE)			
	8:00	0.0	175(S)			
	9:00	0.0	161(SSE)			
	10:00	0.0	172(S)			
27-Feb-24	11:00	0.0	120(ESE)			
27-1760-24	12:00	0.0	213(SSW)			
	13:00	0.0	269(W)			
	14:00	1.3	89(E)			
	15:00	0.5	156(SSE)			
	16:00	0.0	170(S)			
	17:00	0.0	161(SSE)			
	18:00	0.0	142(SE)			
	19:00	0.0	152(SSE)			
	20:00	0.0	333(NNW)			
	21:00	0.0	307(NW)			
	22:00	0.0	46(NE)			
	23:00	0.0	184(S)			
	0:00	0.0	45(NE)			
	1:00	0.0	178(S)			
	2:00	0.0	271(W)			
	3:00	0.0	359(N)			
	4:00	0.0	329(NNW)			
	5:00	0.0	241(WSW)			
	6:00	0.0	89(E)			
	7:00	1.5	262(W)			
	8:00	0.0	63(ENE)			
	9:00	0.0	186(S)			
	10:00	0.0	227(SW)			
00 Fab 04	11:00	0.0	232(SW)			
28-Feb-24	12:00	1.7	144(SE)			
	13:00	0.0	166(SSE)			
	14:00	0.0	168(SSE)			
	15:00	0.0	270(W)			
Ţ	16:00	0.0	127(SE)			
Ţ	17:00	0.0	233(SW)			
ļ	18:00	0.0	168(SSE)			
Ţ	19:00	0.0	206(SSW)			
ľ	20:00	0.0	172(S)			
ţ	21:00	0.0	175(S)			
ţ	22:00	0.0	206(SSW)			
ŀ	23:00	0.0	359(N)			

Date	Time	Wind Speed (m/s)	Wind Direction (degree)		
	0:00	0.0	287(WNW)		
	1:00	0.0	183(S)		
	2:00	0.0	145(SE)		
	3:00	0.0	66(ENE)		
	4:00	0.0	335(NNW)		
	5:00	0.0	186(S)		
	6:00	0.0	170(S)		
	7:00	0.0	180(S)		
	8:00	0.0	93(E)		
	9:00	0.0	23(NNE)		
	10:00	0.0	140(SE)		
29-Feb-24	11:00	0.0	107(ESE)		
29-1-60-24	12:00	0.7	56(NE)		
	13:00	0.0	98(E)		
	14:00	0.0	213(SSW)		
	15:00	1.5	186(S)		
	16:00	0.0	240(WSW)		
	17:00	0.0	51(NE)		
	18:00	0.0	131(SE)		
	19:00	0.0	141(SE)		
	20:00	0.0	140(SE)		
	21:00	0.0	151(SSE)		
	22:00	0.0	110(ESE)		
	23:00	0.0	148(SSE)		

## Appendix 5.1

# Monitoring Schedule for Reporting Month and Next Reporting Month

C

#### Contract No. HY/2020/08 Flyover from Kwai Tsing Interchange Upramp to Kwai Chung Road

## Tentative Environmental Impact Monitoring Schedule February 2024

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
28-Jan	29-Jan	30-Jan	31-Jan		2-Feb	3-Feb
				Kwai Chung 24hr	Kwai Chung 1hr	
					Noise	
4-Feb	5-Feb	6-Feb	7-Feb		9-Feb	10-Feb
					Kwai Chung 1hr	
				Noise		
11-Feb	12-Feb	13-Feb	14-Feb	15-Feb	16-Feb	17-Feb
11-1 60	12-1 60	13-1 60		Kwai Chung 1hr	10-1 60	17-1-65
			Noise	rtwai Oliulig III		
			110.00			
18-Feb	19-Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb
	Kwai Chung 24hr	Kwai Chung 1hr				Kwai Chung 24hr
		Noise				
25-Feb	26-Feb	27-Feb	28-Feb	29-Feb	1-Mar	2-Mar
	Kwai Chung 1hr					
	Noise					

#### Contract No. HY/2020/08 Flyover from Kwai Tsing Interchange Upramp to Kwai Chung Road

#### Tentative Environmental Impact Monitoring Schedule March 2024

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
25-Feb	26-Feb	27-Feb	28-Feb	29-Feb	1-Mar	2-Mar
3-Mar	4-Mar	5-Mar Kwai Chung 24hr	6-Mar <mark>Kwai Chung 1hr</mark> Noise	7-Mar	8-Mar	9-Mar
10-Mar	11-Mar Kwai Chung 24hr	12-Mar Kwai Chung 1hr Noise	13-Mar	14-Mar	15-Mar	16-Mar Kwai Chung 24hr
17-Mar	18-Mar Kwai Chung 1hr Noise	19-Mar	20-Mar	21-Mar	22-Mar	23-Mar Kwai Chung 1hr Noise
24-Mar	25-Mar	26-Mar	27-Mar	Kwai Chung 24hr	29-Mar Kwai Chung 1hr Noise	30-Mar

## Appendix 5.2

# Noise Monitoring Results and Graphical Presentations



#### Noise Monitoring Result

#### Day Time (0700 - 1900hrs on normal weekdays)

Location: NMC-01 - R/F, Lai King Catholic Secondary School

			Measure	ement Noi	se Level	Average Noise Level	Baseline Level	Construction Noise Level	Limit Level
Date	Weather	Time	Leq	L10	L90	Leq	Leq	Leq	Leq
			Unit: dB(A), (5-min)			Unit	: dB(A), (30-min)		
		9:50	65.5	65.8	63.5				
		9:55	65.2	65.6	63.4				
2 Feb 2024	Cloudy	10:00	65.0	65.3	63.3	65.1	74.5	<baseline level<="" td=""><td>70</td></baseline>	70
2 Feb 2024	Cloudy	10:05	65.3	65.7	63.4	05.1	74.5	<daseille level<="" p=""></daseille>	70
		10:10	64.6	65.2	63.7				
		10:15	65.0	65.1	63.8				
		9:50	65.9	66.8	64.5				
		9:55	65.8	66.4	64.3				
8 Feb 2024	Fine	10:00	65.7	66.4	64.3	65.7	74.5	<baseline level<="" td=""><td>70</td></baseline>	70
0 1 eb 2024	TITIC	10:05	65.9	66.9	64.5	05.7	74.5	Coaseille Level	70
		10:10	65.3	66.2	64.4				
		10:15	65.6	66.6	64.5				
		9:50	62.5	63.4	61.0	64.0			
		9:55	62.3	63.1	60.9				
14 Feb 2024	Fine	10:00	62.5	63.3	61.0		74.5	<baseline level<="" td=""><td>70</td></baseline>	70
141002024		10:05	65.0	65.0	62.6			1545511115 25751	10
		10:10	65.1	65.3	62.6				
		10:15	65.4	65.6	62.7				
		9:50	64.7	65.2	62.9				
		9:55	64.6	65.0	62.8				
20 Feb 2024	Fine	10:00	64.8	65.3	62.9	64.8	74.5	<baseline level<="" td=""><td>70</td></baseline>	70
		10:05	64.7	65.3	62.9				
		10:10	64.8	66.0	62.3				
		10:15	64.9	66.0	62.8				
		9:50	65.5	64.8	62.9				
		9:55	64.3	64.6	62.9				
26 Feb 2024	Cloudy	10:00	64.6	64.7	63.0	64.5	74.5	<baseline level<="" td=""><td>70</td></baseline>	70
		10:05	64.3	64.7	62.9				. •
		10:10	64.0	64.8	62.5	4			
		10:15	64.4	64.8	62.8				

Remark(s):
i. The Construction Noise Level refers to the corrected noise level based on the difference between SPL of the Measured Noise Level and the SPL of the Baseline Noise Level. In the event of the Baseline Noise Level exceeds the Measured Noise Level, no correction would be applied.

ii. Limit level of noise monitoring station NMC-01 would be adjusted to 65dB(A) during examination period.



#### Noise Monitoring Result

#### Day Time (0700 - 1900hrs on normal weekdays)

Location: NMC-02 - R/F, Fung King House

			Measur	ement Noi	se Level	Average Noise Level	Baseline Level	Construction Noise Level	Limit Level	
Date	Weather	Time	Leq	L10	L90	Leq	Leq	Leq	Leq	
			Unit: dB(A), (5-min)				Unit	: dB(A), (30-min)		
		8:55	67.8	68.7	66.7					
		9:00	67.6	68.6	66.6					
2 Feb 2024	Cloudy	9:05	67.4	68.2	66.5	67.4	67.6	<baseline level<="" td=""><td>75</td></baseline>	75	
2 Feb 2024	Cloudy	9:10	67.2	68.3	66.4	07.4	07.0	Coaseille Level	75	
		9:15	67.0	67.7	66.3					
		9:20	67.3	68.1	66.4					
		8:55	67.8	68.8	66.7					
		9:00	67.6	68.6	66.7		67.6			
8 Feb 2024	Fine	9:05	67.9	68.8	66.8	67.8		54	75	
01602024	11110	9:10	67.7	68.7	66.7	07.0			75	
		9:15	67.8	68.7	66.6					
		9:20	67.9	68.9	66.7					
		8:55	66.7	67.8	65.6	66.7				
		9:00	66.8	67.9	65.6					
14 Feb 2024	Fine	9:05	66.5	67.2	65.5		67.6	<baseline level<="" td=""><td>75</td></baseline>	75	
05 202 .		9:10	66.4	67.4	65.4					
		9:15	66.6	67.6	65.5					
		9:20	66.9	67.9	65.6					
		8:55	67.4	68.0	66.2					
		9:00	67.3	67.9	66.3					
20 Feb 2024	Fine	9:05	67.0	67.9	66.1	67.3	67.6	<baseline level<="" td=""><td>75</td></baseline>	75	
		9:10	67.2	68.1	66.1					
		9:15	67.3	68.2	66.2	-				
		9:20	67.3	68.1	66.2					
		8:55	66.9	67.5	65.9					
		9:00	66.6	67.2	65.8	-				
26 Feb 2024	Cloudy	9:05	66.7	67.2	65.8	66.5	67.6	<baseline level<="" td=""><td>75</td></baseline>	75	
		9:10	66.8	67.4	65.9	-				
		9:15	65.8	66.7	64.3	-				
		9:20	66.0	66.9	64.4	1			1	

#### Remark(s)

i. The Construction Noise Level refers to the corrected noise level based on the difference between SPL of the Measured Noise Level and the SPL of the Baseline Noise Level. In the event of the Baseline Noise Level exceeds the Measured Noise Level, no correction would be applied.

#### Noise Monitoring Result

#### Day Time (0700 - 1900hrs on normal weekdays)

Location: NMC-03 - G/F, HKEAA - Lai King Assessment Centre

			Measur	ement Noi	se Level	Average Noise Level	Baseline Level	Construction Noise Level	Limit Level		
Date	Weather	Time	Leq	L10	L90	Leq	Leq	Leq	Leq		
			Unit:	Unit: dB(A), (5-min)		Unit: dB(A), (30-min)					
		8:00	72.6	73.7	71.7						
		8:05	72.5	73.6	71.1						
2 Feb 2024	Claudy	8:10	72.4	73.6	71.1	72.6	79.1	<baseline level<="" td=""><td>65</td></baseline>	65		
2 Feb 2024	Cloudy	8:15	72.7	73.7	71.2	72.0	79.1	   	00		
		8:20	72.5	73.6	71.0						
		8:25	72.8	73.8	71.2						
		8:00	72.8	73.8	71.7						
		8:05	72.6	73.6	71.6						
8 Feb 2024	Fine	8:10	72.8	73.7	71.6	72.5	79.1	<baseline level<="" td=""><td>65</td></baseline>	65		
6 Feb 2024	Tille	8:15	72.5	73.5	71.5	72.5		   	03		
		8:20	72.0	73.2	70.5						
		8:25	72.2	73.3	70.6						
		8:05	70.7	72.0	69.2	69.9					
		8:10	70.5	71.9	69.2						
14 Feb 2024	Fine -	8:15	70.8	72.1	69.3		79.1	<baseline level<="" td=""><td>65</td></baseline>	65		
14 1 65 2024		8:20	7.7	72.0	69.2			1245511115 25751	00		
		8:25	70.5	71.7	69.1						
		8:30	70.9	72.1	69.3						
		8:00	72.4	73.9	70.6						
		8:05	72.5	73.9	70.7						
20 Feb 2024	Fine	8:10	72.1	73.5	70.6	72.3	79.1	<baseline level<="" td=""><td>65</td></baseline>	65		
20 1 00 202 1		8:15	72.3	73.3	70.7	. 2.0		1240010 2010.	00		
		8:20	72.0	73.1	70.8						
		8:25	72.4	73.8	70.9						
		8:00	69.8	71.1	67.4						
		8:05	69.6	71.0	67.4						
26 Feb 2024	Cloudy	8:10	69.8	71.0	67.3	69.9	79.1	<baseline level<="" td=""><td>65</td></baseline>	65		
	,	8:15	69.9	71.1	67.4		-		03		
		8:20	70.0	71.5	68.2						
		8:25	70.2	71.7	68.3						

i. The Construction Noise Level refers to the corrected noise level based on the difference between SPL of the Measured Noise Level and the SPL of the Baseline Noise Level. In the event of


the Baseline Noise Level exceeds the Measured Noise Level, no correction would be applied.


ii. As the baseline level of NMC-03 is higher than the measured average noise levels on 4, 10, 16, 22 and 27 August 2022, the noise monitoring results are not considered as noise


iii. Limit level of noise monitoring station NMC-03 would be adjusted to 65dB(A) during examination period.



Graphic Presentation of Noise Monitoring Result Day Time (0700 - 1900hrs on normal weekdays)







## Appendix 5.3

# Air Quality Monitoring Results and Graphical Presentations



Report on 1-hour TSP monitoring at AMC01 - Lai King Catholic Secondary School Action Level ( $\mu g/m^3$ ) - 256.2 Limit Level ( $\mu g/m^3$ ) - 500.0

Date	Weather Condition	Time	TSP Level (µg/m³)		
2-Feb-24	Fine	9:00	68.0		
2-Feb-24	Fine	10:00	51.0		
2-Feb-24	Fine	11:00	28.0		
8-Feb-24	Fine	9:00	12.0		
8-Feb-24	Fine	10:00	11.0		
8-Feb-24	Fine	11:00	13.0		
15-Feb-24	Sunny	9:00	47.0		
15-Feb-24	Sunny	10:00	32.0		
15-Feb-24	Sunny	11:00	22.0		
20-Feb-24	Cloudy	9:00	34.0		
20-Feb-24	Cloudy	10:00	22.0		
20-Feb-24	Cloudy	11:00	19.0		
26-Feb-24	Cloudy	9:00	70.0		
26-Feb-24	Cloudy	10:00	79.0		
26-Feb-24	Cloudy	11:00	54.0		

60.0



26-Feb-24

Report on 1-hour TSP monitoring at AMC02 - Fung King House Action Level ( $\mu g/m^3$ ) - Limit Level ( $\mu g/m^3$ ) -

Cloudy

256.7 500.0

TSP Level (µg/m<sup>3</sup>) Date Weather Condition Time 9:00 2-Feb-24 Fine 69.0 2-Feb-24 Fine 10:00 52.0 25.0 2-Feb-24 Fine 11:00 8-Feb-24 Fine 9:00 7.0 8-Feb-24 Fine 10:00 7.0 8-Feb-24 Fine 11:00 7.0 51.0 15-Feb-24 Sunny 9:00 Sunny 10:00 36.0 15-Feb-24 15-Feb-24 Sunny 11:00 19.0 Cloudy 9:00 35.0 20-Feb-24 20-Feb-24 Cloudy 10:00 23.0 Cloudy 11:00 19.0 20-Feb-24 26-Feb-24 Cloudy 9:00 68.0 26-Feb-24 Cloudy 10:00 0.08

11:00



Report on 1-hour TSP monitoring at AMC03A - Ming King House Action Level ( $\mu g/m^3$ ) - 259.3 Limit Level ( $\mu g/m^3$ ) - 500.0

Date	Weather Condition	Time	TSP Level (µg/m³)		
2-Feb-24	Fine	9:00	56.0		
2-Feb-24	Fine	10:00	37.0		
2-Feb-24	Fine	11:00	21.0		
8-Feb-24	Fine	9:00	12.0		
8-Feb-24	Fine	10:00	12.0		
8-Feb-24	Fine	11:00	12.0		
15-Feb-24	Sunny	9:00	56.0		
15-Feb-24	Sunny	10:00	40.0		
15-Feb-24	Sunny	11:00	25.0		
20-Feb-24	Cloudy	9:00	41.0		
20-Feb-24	Cloudy	10:00	26.0		
20-Feb-24	Cloudy	11:00	22.0		
26-Feb-24	Cloudy	9:00	76.0		
26-Feb-24	Cloudy	10:00	87.0		
26-Feb-24	Cloudy	11:00	65.0		




#### Contract No. HY/2020/08


#### Flyover from Kwai Tsing Interchange Upramp to Kwai Chung Road


		Tryover from twa 13mg interchange optamp to 1												
	Date	Sampling	Weather	Filter paper no.	Filter W	eight, g	Elapse Time, hr		Sampling	Flow Rate, m <sup>3</sup> /min		nin	Total	TSP Level,
	Date	Time	Condition	Titter paper 110.	Initial	Final	Initial	Final	Time, hr	Initial, Qsi	Final, Qsf	Average	Volume, m <sup>3</sup>	μg/m³
AMC01	01/02/24	8:00	Fine	009952	2.7884	2.8707	34337.87	34361.87	24.00	0.47	1.35	0.91	1315	62.6
AMC01	08/02/24	8:00	Fine	009955	2.7817	2.8304	34361.87	34385.87	24.00	0.16	1.23	0.69	1000	48.7
AMC01	14/02/24	8:00	Sunny	011483	2.6982	2.7923	34385.87	34409.87	24.00	0.50	1.28	0.89	1279	73.6
AMC01	19/02/24	8:00	Fine	009958	2.8034	2.8825	34409.87	34433.87	24.00	0.55	1.42	0.98	1416	55.9
AMC01	24/02/24	8:00	Cloudy	009961	2.8062	2.9004	34433.87	34457.87	24.00	0.31	1.51	0.91	1313	71.7
AMC02	01/02/24	8:00	Fine	009953	2.7953	2.8869	13182.35	13206.35	24.00	1.34	1.33	1.34	1923	47.6
AMC02	08/02/24	8:00	Fine	009956	2.7981	2.8469	13206.35	13230.35	24.00	1.29	1.30	1.29	1862	26.2
AMC02	14/02/24	8:00	Sunny	014484	2.6962	2.7764	13230.35	13254.35	24.00	1.14	1.14	1.14	1639	48.9
AMC02	19/02/24	8:00	Fine	009959	2.7933	2.8847	13254.35	13278.35	24.00	1.26	1.26	1.26	1819	50.3
AMC02	24/02/24	8:00	Cloudy	009962	2.8060	2.9027	13278.35	13302.35	24.00	1.48	1.48	1.48	2131	45.4
AMC03A	01/02/24	8:00	Fine	009954	2.7957	2.8852	13328.35	13352.35	24.00	1.27	1.27	1.27	1828	49.0
AMC03A	08/02/24	8:00	Fine	009957	2.7952	2.8375	13352.35	13376.35	24.00	1.36	1.36	1.36	1958	21.6
AMC03A	14/02/24	8:00	Sunny	014485	2.6838	2.7690	13376.35	13400.35	24.00	1.21	1.20	1.20	1734	49.1
AMC03A	19/02/24	8:00	Fine	009960	2.8186	2.8835	13400.35	13424.35	24.00	1.13	1.13	1.13	1629	39.8
AMC03A	24/02/24	8:00	Cloudy	009963	2.8080	2.8900	13424.35	13448.35	24.00	1.41	1.42	1.41	2035	40.3



**Graphic Presentation of 1-hour and 24-hour TSP Results** 












Graphic Presentation of 1-hour and 24-hour TSP Results







## Appendix 5.4

## Monthly Summary Waste Flow Table

Department: HyD

Contract: HY/2020/08 - Flyover from Kwai Tsing Interchange Upramp to Kwai Chung Road



#### **Monthly Summary Waste Flow Table for Year 2024**

			Qu	antities	of Inert	C&D Ma	aterials (	Generat	ed Mon	thly					Quanti	ies of C	&D Was	tes Gen	erated N	∕Ionthly		
Month	Total Q Gene		Cond	ken crete lote 2)	Reused in the Contract		Reused in other Projects			Disposed as Public Fill		Imported Fill		tals	Paper / Cardboard packaging			stics Iote 3)		mical iste		rs, e.g. I refuse
	(in '0	00m³)	(in '0	00m³)	(in '0	00m³)	(in '0	00m³)	(in '0	00m³)	(in '0	00m³)	(in '0	00kg)	(in '0	00kg)	(in '0	00kg)	(in '0	00kg)	(in '0	00m³)
	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.	Est.	Act.
Jan	0.035	0.0913	0				0		0.035	0.0913	0		0	0.0014	0.005	0.0106	0		0		0.025	0.0174
Feb	0.035	0.2044	0				0		0.035	0.2044	0		0	0.0017	0.005	0.0532	0		0		0.025	0.0102
Mar	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Apr	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
May	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Jun	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Sub-total	0.21	0.2957	0	0	0	0	0	0	0.21	0.2957	0	0	0.008	0.0031	0.026	0.0638	0	0	0	0	0.15	0.0276
Jul	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Aug	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Sep	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Oct	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Nov	0.035	0	0				0		0.035		0		0.002		0.004		0		0		0.025	
Dec	0.035	0	0				0		0.035		0		0.002		0.004		0.01		0.01		0.025	
Total	0.420	0.2957	0	0	0	0	0	0	0.42	0.2957	0	0	0.02	0.0031	0.05	0.0638	0.01	0	0.01	0	0.300	0.028

		Forecast	of Total Quantiti	ies of C&D Mate	erials to be Gene	erated from the	Contract			
Total Quantity Generated	Broken Concrete (see Note 2)  Reused in the Contract		Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper / Cardboard packaging	Plastics (see Note 3)	Chemical Waste	Others, e.g. general refuse
(in '000m³)	(in '000m³)	(in '000m³)	(in '000m³)	(in '000m³)	(in '000m³)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000m³)
2.1	0	0.53	0	1.55	0	0.1	0.3	0.06	0.06	1.03

Notes:

- (1) The waste flow table shall also include C&D materials that are specified in the contract to be imported for use at the Site.
- (2) Broken concrete for recycling into aggregates.
- (3) Plastics refer to plastic bottles/ containers, plastic sheets/ foam from packaging material.

## Appendix 6.1

## **Event and Action Plans**



### **Event and Action Plan**

#### **Event and Action Plan for Construction Noise**

L Vent and		onstruction Noise		
Event		Act	ion	
Event	ET	IEC	ER	Contractor
Action Level exceeded	1. Notify ER, IEC and Contractor; 2. Carry out investigation; 3. Report the results of investigation to the IEC, ER and Contractor; 4. Discuss with the IEC and Contractor on remedial measures required; 5. Increase monitor frequency to check mitigation effectiveness;	1. Review the investigation results submitted by the ET; 2. Review the proposed remedial measures by the Contractor and advise the ER accordingly; 3. Advise the ER on the effectiveness of the proposed remedial measures.	1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Supervise the implementation of remedial measures.	Submit noise     mitigation proposals to     ET Leader / ER;     Implement noise     mitigation proposals.
Limit Level exceeded	<ol> <li>Inform IEC, ER,         Contractor and         EPD;</li> <li>Repeat         measurements to         confirm findings;</li> <li>Increase monitoring         frequency;</li> <li>Identify source and         investigate the         cause of         exceedance;</li> <li>Carry out analysis of         Contractor's working         procedures;</li> <li>Discuss with the         IEC, Contractor and         ER on remedial         measures required;</li> <li>Assess         effectiveness of         Contractor's         remedial actions         and keep IEC, EPD         and ER informed of         the results;</li> <li>If exceedance stops,         cease additional</li> </ol>	1. Discuss amongst ER, ET, and Contractor on the potential remedial actions;  2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly.	1. Confirm receipt of notification of failure in writing; 2. Notify Contractor; 3. In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented; 4. Supervise the implementation of remedial measures; 5. If exceedance continues, consider stopping the Contractor to continue working on that portion of work which causes the exceedance until the exceedance is abated.	1. Take immediate action to avoid further exceedance; 2. Submit proposals for remedial actions to IEC and ER within 3 working days of notification; 3. Implement the agreed proposals; 4. Submit further proposal if problem still not under control; 5. Stop the relevant portion of works as instructed by the ER until the exceedance is abated.



#### **Lam Environmental Services Limited**

#### **Event and Action Plan for Construction Dust Monitoring**

Event		Ac	tion	
Event	ET	IEC	ER	Contractor
Action Level				
Exceedance for one sample	Identify sources, investigate the causes of complaint and propose remedial measures.     Inform IEC and ER.     Repeat measurement to confirm finding.     Increase monitoring	1. Check monitoring data submitted by the ET. 2. Check the Contractor's working methods.	Notify the Contractor.	1. Rectify any unacceptable practices. 2. Amend working methods agreed with the ER as appropriate.
Exceedance for two or more consecutive samples	<ol> <li>Identify sources.</li> <li>Inform the IEC and ER.</li> <li>Advise the ER on the effectiveness of the proposed remedial measures;</li> <li>Repeat measurements to confirm findings.</li> <li>Increase monitoring frequency to daily.</li> <li>Discuss with the IEC, ER and Contractor on remedial action required.</li> <li>If exceedance continues, arrange meeting with the IEC, Contractor and ER.</li> <li>If exceedance stops, cease additional monitoring.</li> </ol>	<ol> <li>Check monitoring data submitted by the ET.</li> <li>Check the Contractor's working methods.</li> <li>Discuss with the ET, ER and Contractor on possible remedial measures if required.</li> <li>Advise the ER on the effectiveness of proposed remedial measures if required.</li> </ol>		perly working days of
Limit Level	morning.			l
1. Exceedance for one sample	1. Identify sources, investigate causes of exceedance and proposed remedial measures.  2. Inform the IEC, ER, and Contractor.  3. Repeat measurement to confirm finding.  4. Increase monitoring frequency to daily.  5. Assess effectiveness of the Contractor's remedial action and keep the IEC and ER informed of the results.	1. Check monitoring data submitted by the ET. 2. Check the Contractor's working methods. 3. Discuss with the ET, ER and Contractor on possible remedial measures. 4. Advise the ER and ET on the effectiveness of the proposed remedial	e	n of action to avoid further exceedance.  2. Submit proposals for remedial action to the ER and copy to the ET and IEC within 3 working



#### **Lam Environmental Services Limited**

Front		Δ.	ction	
Event	ET	IEC	ER	Contractor
	4 11 150	5. Supervise the implementation or remedial measur	es.	
2. Exceedance for two or more consecutive samples	<ol> <li>Notify the IEC, ER and Contractor.</li> <li>Identify sources.</li> <li>Repeat measurements to confirm findings.</li> <li>Increase monitoring frequency to daily.</li> <li>Carry out analysis of the Contractor's working procedures with the ER to determine the possible mitigation to be implemented.</li> <li>Arrange meeting with the IEC and ER to discuss the remedial action to be taken.</li> <li>Assess the effectiveness of the Contractor's remedial action and keep the IEC, EPD and ER informed of the results.</li> <li>If exceedance stops, cease additional monitoring.</li> </ol>	1. Discuss amongst the ER, ET and Contractor on the potential remedia action.  2. Review the Contractor's remedial action whenever necessary to assure their effectiveness and advise the ER are ET accordingly.  3. Supervise the implementation or remedial measure.	of the notifical exceedance is writing.  2. Notify the Contractor.  3. In consultation the IEC and Exagree with the Contractor on remedial means to be implemented and 4. Ensure remediation of the implemented.	action to avoid further exceedance.  2. Submit proposals for remedial action to the ER and copy to the IEC and ET within 3 working days of notification.  3. Implement the agreed proposals. 4. Resubmit proposals if problems still not under control. 5. Stop the relevant portion of works as determined by the ER until the exceedance is abated.

## Appendix 6.2

# Summary of Notification of Exceedance



#### **Lam Environmental Services Limited**

### Summary for Notification of Exceedance

Ref No.	Date	Location	Parameters (Unit)	Measured	Action Level	Limit Level	Follow-up Action
-	-	-	-	-	-	-	-

Ref. No.	Date	Time	Location	Construction Noise Level	Parameter	Action Level	Limit Level	Follow-up action
-	-	-	-	-	-	-	-	-

## Appendix 8.1

**Complaint Log** 



## **Environmental Complaints Log**

Complaint Log No.	Date of Complaint	Received From and Received By	Location of Complainant	Nature of Complaint	Outcome	Status
-		=	-	-	-	=

## Appendix 9.1

## **Construction Programme**

#### HyD Contract No. HY/2020/08 Flyover from Kwai Tsing Interchange Upramp to Kwai Chung Road

Act ID	Description	Orig Dur	Early Early Start Finish	JUN JU	2021 JL AUG SEP C	OCT NOV DE	C JAN FE	B MAR APR	2022 R MAY JUN JI	UL AUG SEP O	CT NOV DE	EC JAN FE	B MAR APR	2023 MAY JUN JL	L AUG SEP O	CT NOV DEC	JAN FEB MA	R APR MAY JU	2024 N JUL AUG	SEP OCT NO	OV DEC JAN	FEB MAR A	PR MAY JU	2025 N JUL AUG	SEP OCT	2026 NOV DEC JAN
	ruction of New Footbridge																									
	eletion Extended due to EW/CNE/NCE  CNCE048-Structural Steel Delivery (COVID-19)	10 30	DJUN23 A 27DEC																							
B1-1660 B1-1670	CNCE050-Fabricating Structural Steel (COVID-19)		28DEC23 13JAN2																							
B1-1680	NCE-SI-014 & PMI-019-UU Diversion		15JAN24 30JAN2							11 111111111	11 111111				11111111111			1 11 11 11 11 11					1111111111			111 111111111
B1-1690	NCE-PMI-018-Revised Foundation Layout for FB		31JAN24 10FEB2																							
B1-1700	Delay by Inclement Weather (Jan to Aug 2023)		12FEB24 29MAY2												111111111111		-		111111111							
Lift Tower LT1				111111																						
B1-6230	Testing & Commissioning of Lift System		1AUG23 A 29DEC2												1											
B1-6240	Submission of LE5 & EMSD Inspection	14 2	29DEC23 19JAN2	4													=									
Lift Tower LT2 a		1 44 00	2AUG23 A 29DEC2																							
B1-7230 B1-7240	Testing & Commissioning of Lift System  Submission of LE5 & EMSD Inspection		29DEC23 19JAN2							11 11 11 11 11 11					1			1 11 1 1 1 1 1 1 1								
Ancillary Works		14 2	SDEC23   ISJAN2	111111																						
B1-9410	Street Furniture & Footpath Construction	28 1	18DEC23 14JAN2	4													<del> -</del>									
B1-9420	Commissioning of New Bus Lay-by (S/B)	7 1	18DEC23 24DEC2	3																						
B1-9500	Vacation of Site Area	7 (	05JAN24 12JAN2	4													-									
Section II - Remo	val of Existing Footbridge																									
B2-0910	eletion Extended due to EW/CNE/NCE	3 1	I8DEC23 20DEC2	13											11:11:11:											
B2-0910 B2-0920	CNCE012-Obstruction for Piling Works CNCE014-Suspension of GI Works (COVID-19)		21DEC23 20DEC2									1		111 1111	1100000			1 11 11 11 11	1				1111111111	1		
B2-0920 B2-0930	CNCE022-Structural Steel Supply (COVID-19)		02JAN24 17JAN2															1	+			<del>mini</del>		+		
B2-0940	CNCE029-Obstruction for Piling Works		18JAN24 20JAN2														4									
B2-0950	CNCE042-Structural Steel Delivery (COVID-19)		22JAN24 23JAN2														<b>-</b>									
B2-0960	CNCE048-Structural Steel Delivery (COVID-19)		24JAN24 03FEB2														-									
B2-0970	CNCE050-Fabricating Structural Steel (COVID-19)	14 (	05FEB24 20FEB2	4			de la																			
B2-0980	NCE-SI-014 & PMI-019-UU Diversion	14 2	21FEB24 07MAR												111111111111		-									
B2-0990	NCE-PMI-018-Revised Foundation Layout for FB	10 0	19MAR24 19MAR	4													-						100000			
	xisting Footbridge			111111																						
B2-1100	Preparation for Removal of Footbridge Truss		IMAR23 A 07FEB2																							
B2-1200	Removal of Footbridge Truss to Ground Level		08FEB24 17FEB2							11 111111111	11 11 11				1 1 1 1 1 1 1 1 1 1			1 11 1 11 11 11								111 11111111
B2-1210 B2-1300	Demolition and Disposal of Footbridge Truss  Demolition and Disposal of Concrete Staircases		18FEB24 02APR2 01JAN24 14FEB2							11 1111111111				11111111111	1 1111 1111		444	1 111 111 11				111	111 1111 11			111 11111111
B2-1300 B2-1400	Conversion of Bus Lay-by into Amenity Area		25DEC23 22FEB2															1 1 1 1 1 1 1 1 1								
Section III - Bride	e G	00 2	SDEC23 ZZFEBZ	4				+										+++++++++++++++++++++++++++++++++++++++	+++++++++++++++++++++++++++++++++++++++		+++++++			+		
Deck Stage 1 (	G1-G2)			- 1111																						
B3-7020	Formwork & Rebars for Box Soffit & Sides	80 21	IAUG23 A 26JAN2	4											111		_									
B3-7030	Concreting for Box Soffit & Sides		27JAN24 29JAN2														-i						101000			
B3-7040	Formwork & Rebars for Deck Slab	45 3	30JAN24 14MAR	24 111111													<del>  -   -   -   -   -   -   -   -   -  </del>						1111111111			
Section IV - Bridg	je H						H H																			
Piling Works B4-2120	Construction of Piles - H3 (16 Nos.)	90 40	BDEC23 A 16MAR	, iiiiii																						
Deck Stage 1 (		80  18	DEC23 A TOWAR	*																						
B4-7000	Erection of Falsework	60 20	OCT23 A 15FEB2	4																						
B4-7001	Demolition of Existing Bridge Deck	60 1	18DEC23 15FEB2	4												-	_									
B4-7013	Installation of Bearings	14 1	18DEC23 31DEC2	3							1111111								1 111 1111				11111111			
B4-7020	Formwork & Rebars for Box Soffit & Sides	50 1	16FEB24 05APR2	4														<del></del>								
Section V - Noise	Barrier, Sign Gantries & Other			11111																						
Noise Barriers	la	1 20 44		111111																						
B5-3000	Submission & Approval of Proposal  Kwai Chung Road	90 18	BDEC23 * 16MAR	4																						
B5-4100	Removal of Existing Central Divider	30 07	7SEP22 A 16JAN2	4																						
B5-4200	Modification of Road Lighting System		18DEC23 31JAN2								11 111 11				11111111111											
B5-4300	Reconstruction of Road Pavement		01FEB24 16MAR														T		111111111							
Section VI - Land	scaping Works			111111																						
	d Protection of Existing Trees																									
B6-2000	Protection of Preserved Trees		7JUN21 A 11MAY2					T																T		
B6-2100	Updated Photo Records of Preserved Trees	1341 17	7JUN21 A 11MAY2	5 -															1							
Completion and I	landover			111111																						
Planned Compi C1-1000	Completion of Section I of the Works	0	12JAN2	4				1000							483838				1000							
Final Completic	n		IZJANZ	111111								++++			1			10000	+				11 11 11	+	<del>                                      </del>	
C1-2210		1 1	18DEC23 18DEC2	3							aladi.				11::1::11:											
C1-2220			18DEC23 18DEC2																							
			·																							
Start date	07JUN21																	F:	arly bar		Date		Revis	ion	Checke	d Approved
Must finish date	20SEP26																		ogress bar	2	6APR23 5JUL23	0			GN GN	AY AY
																PR∩	GRAMME(Rev		itical bar	1	5JUL23 2AUG23	1 2			GN	AY
																FRU	O. WINNE(ICE)		art milestone		0NOV23	3			GN	YC
c Primavera S	stems Inc																		nish mileston			-			1	+
o i imiavoid o																				_		_			+	