

本署檔號
OUR REF: () in EP2/G/Q/179
來函檔號
YOUR REF:
電話
TEL. NO.: 2835 1105
圖文傳真
FAX NO: 2591 0558
電子郵件
E-MAIL: qng@epd.gov.hk
網址
HOMEPAGE: <http://www.epd.gov.hk>

**Environmental Protection Department
Branch Office**

28th Floor, Southorn Centre,
130 Hennessy Road,
Wan Chai, Hong Kong.



環境保護署分處
香港灣仔
軒尼詩道
一百三十號
修頓中心廿八樓

28 December 2023

By Registered Post & Fax

The Hongkong Electric Co., Ltd

**Environmental Impact Assessment (EIA) Ordinance, Cap.499
Application for Permission to Apply Directly for Environmental Permit**

**Project Title: Removal of 132kV Overhead Line and Pylons for B-Line and W-Line
(Application No.: DIR-299/2023)**

I refer to your application received on 28 November 2023 for permission to apply directly for environmental permit under section 5(1)(b) of the EIA Ordinance.

With the consent of the Secretary for Environment and Ecology under section 5(11) of the EIA Ordinance, I now permit you to apply directly for environmental permit subject to the attached conditions.

Under Section 15 of the EIA Ordinance, the decision on the application will be placed on the EIA Ordinance Register. It will also be placed on the EIA Ordinance website (<http://www.epd.gov.hk/eia/>).

Please note that if you are aggrieved by any of the conditions imposed in this permission, you may appeal under Section 17 of the EIA Ordinance within 30 days upon receipt of this permission.

Should you have any queries concerning the above, please contact my colleague Mr. T. S. SO at 2835 1128.

Yours sincerely,


(Alex H.K. TANG)

Acting Principal Environmental Protection Officer
for Director of Environmental Protection

Encl.

c.c.

AA/SEE (Attn.: Miss CHENG Yi-ka, Jessica)
PAS(AP) (Attn.: Dr LEUNG Kai-ming, Kenneth)

Fax: 2147 3287
Fax: 2511 3658

**Environmental Impact Assessment (EIA) Ordinance, Cap.499
Application for Permission to Apply Directly for Environmental Permit**

**Project Title: Removal of 132kV Overhead Line and Pylons for B-Line and W-Line
(Application No.: DIR-299/2023)**

**Conditions Imposed under Section 5(12) of the EIA Ordinance
for Permission to Apply Directly for Environmental Permit**

- (a) All measures described in the Project Profile (PP-660/2023) submitted with the application on 28 November 2023 shall be fully implemented.
- (b) The applicant shall employ an Independent Environmental Checker (IEC) to audit the implementation of the measures recommended in the Project Profile (No. PP-660/2023).

-END-