

Kowloon-Canton Railway Corporation

Tai Wai to Ma On Shan Extension:
Environmental Impact Assessment

October 1999

Reference C1890

For and on behalf of Environmental Resources Management
Approved by: _____
Signed: __
Position:
Date: _____ 13 October 1999 _____

CONTENTS

1. INTRODUCTION	1.1
1.1 Preamble	1.1
1.2 Objectives of the Environmental Impact Assessment	1.2
1.3 The EIA Ordinance.....	1.3
1.4 Structure of the Environmental Impact Assessment Report.....	1.4
2. PROJECT DESCRIPTION	2.1
2.1 Introduction	2.1
2.2 Consideration of Alternatives.....	2.1
2.3 Do Nothing Scenario	2.9
2.4 Alignment.....	2.9
2.5 Construction	2.13
2.6 Operation	2.16
3. AIR QUALITY	3.1
3.1 Introduction	3.1
3.2 Government Legislation and Standards	3.1
3.3 Sensitive Receivers and Baseline Conditions	3.2
3.4 Construction Impacts.....	3.6
3.5 Evaluation of Impacts.....	3.8
3.6 Mitigation Measures.....	3.9
3.7 Operational Phase.....	3.11
3.8 Conclusions	3.12
4. NOISE	4.1
4.1. Introduction	4.1
4.2 Government Legislation and Standards	4.1
4.3 Sensitive Receivers and Baseline Conditions	4.4
4.4 Construction Impacts.....	4.10
4.5 Operational Noise.....	4.48
5. WATER QUALITY.....	5.1
5.1 Introduction	5.1
5.2 Environmental Standards and Legislation.....	5.1

5.3 Description of the Environment	5.6
5.4 Description of Assessment Methodology.....	5.11
5.5 Water Sensitive Receivers.....	5.12
5.6 Construction Impact Assessment	5.13
5.7 Operational Impact Assessment	5.21
5.8 Environmental Monitoring and Audit	5.26
5.9 Conclusions	5.27
6. WASTE.....	6.1
6.1 Introduction	6.1
6.2 Legislation and Guidelines.....	6.1
6.3 Construction Impacts.....	6.3
6.4 Operational Impacts	6.10
6.5 Mitigation Measures.....	6.12
6.6 EM&A Requirements.....	6.17
6.7 Conclusions	6.17
7. ECOLOGY.....	7.1
7.1 Introduction	7.1
7.2 Baseline Conditions.....	7.1
7.3 Conclusions	7.6
8. LANDSCAPE.....	8.1
8.1 Introduction	8.1
8.2 Legislation.....	8.1
8.3 Assessment Methodology.....	8.2
8.4 Existing Conditions.....	8.6
8.5 Construction Impacts.....	8.14
8.6 Operational Impacts	8.49
8.7 Conclusions	8.89
9. ARCHAEOLOGICAL AND CULTURAL RESOURCES.....	9.1
9.1 Introduction	9.1
9.2 Environmental Legislation and Standards.....	9.1
9.3 Assessment Methodology.....	9.2

9.4 Existing Conditions	9.4
9.5 Prediction and Evaluation of Impacts	9.9
9.6 Conclusions and Summary of Recommended Mitigation Measures	9.12
10. LAND CONTAMINATION	10.1
10.1 Introduction	10.1
10.2 Environmental Legislation and Non-Statutory Guidelines	10.1
10.3 Assessment Methodology.....	10.2
10.4 Potential Sources of Impact.....	10.3
10.5 Prediction of Impacts.....	10.4
10.6 Evaluation of Impacts.....	10.8
10.7 Recommended Mitigation	10.11
10.8 Conclusions	10.13
11. HAZARD ASSESSMENT.....	11.1
11.1 Introduction	11.1
11.2 Brief Description of the Proposed Railway.....	11.2
11.3 Brief Description of Towngas Pipeline	11.5
11.4 Review of Codes of Practice	11.9
11.5 Other Populations in the Vicinity of Interfaces Between the HP Pipeline & MOS.....	11.9
11.6 Consideration of Time Periods.....	11.10
11.7 Meteorological Data	11.11
11.8 Hazard Identification	11.11
11.9 Frequency Analysis	11.18
11.10 Consequency Analysis	11.23
11.11 Risk Summation & Evaluation.....	11.35
11.12 Risk Criteria	11.37
11.13 Discussion of Results	11.38
11.14 Conclusions and Recommendations.....	11.38
11.15 References	11.40
12. ONGOING ENVIRONMENTAL MANAGEMENT	12.1
12.1 Introduction	12.1
12.2 Scope of the Ongoing Environmental Management	12.3
12.3 Air Quality.....	12.7

12.4 Construction Noise	12.10
12.5 Operational Noise	12.13
12.6 Water Quality Monitoring	12.14
12.7 Management of Other Environmental Issues	12.19
13. CONCLUSIONS AND RECOMMENDATIONS.....	13.1
13.1 Introduction	13.1
13.2 Overview of the EIA	13.1
13.3 Key Environmental Issues of the EIA	13.2
13.4 Further Work Associated with the EIA Process.....	13.8
13.5 Overall Conclusions	13.9

TABLES

Table 3.2a Hong Kong Air Quality Objectives	3.1
Table 3.2b Recommended Air Quality Inside Public Transport Interchange	3.2
Table 3.3a Background Air Quality	3.3
Table 3.4a Estimated Volume of Spoil to be Handled in Construction Phase.....	3.7
Table 4.2a Permitted Hours of Operation for Percussive Piling (not involving the use of diesel, pneumatic and/or steam hammers.....	4.2
Table 4.2b EIAO TM Daytime Construction Noise Limit ($L_{eq, 30 \text{ min}}$ dB(A))	4.2
Table 4.2c Acceptable Noise Levels (ANL, $L_{eq, 5 \text{ min}}$ dB(A))	4.3
Table 4.3a Selected Representative Noise Sensitive Receivers for Construction Noise Assessment	4.5
Table 4.4a Total SWLs for Construction Activities - At Grade Section.....	4.12
Table 4.4b Total SWLs for Construction Activities - Standard Viaduct Section	4.13
Table 4.4c Total SWLs for Construction Activities - Special Long Span Structures	4.13
Table 4.4d Total SWLs for Construction Activities - Station Construction	4.13
Table 4.4e Total SWLs for Construction Activities - Road Improvement Works....	4.15
Table 4.4f Total SWLs for Construction Activities - Footbridge Construction	4.15
Table 4.4g Total SWLs for Construction Activities - Drainage Works/Box Culvert.....	4.15
Table 4.4h Total SWLs for Construction Activities - Subway Construction.....	4.15
Table 4.4I Hin Keng to Tai Wai - Predicted Unmitigated Construction Noise Levels (dB(A))	4.17

Table 4.4j Tai Wai to Sha Tin Tau - Predicted Unmitigated Construction Noise Level (dB(A))	4.18
Table 4.4k Sha Tin Tau to Sha Kok Street - Predicted Unmitigated Construction Noise Levels (dB(A))	4.19
Table 4.4l Sha Kok Street to City One Shatin - Predicted Unmitigated Construction Noise Levels (dB(A))	4.20
Table 4.4m City One Shatin to Shek Mun - Predicted Unmitigated Construction Noise Levels (dB(A))	4.21
Table 4.4n Shek Mun to Chevalier Garden - Predicted Unmitigated Construction Noise Levels (dB(A))	4.22
Table 4.4o Chevalier Garden to Heng On - Predicted Unmitigated Construction Noise Levels (dB(A))	4.23
Table 4.4p Heng On to Ma On Shan - Predicted Unmitigated Construction Noise Levels (dB(A))	4.24
Table 4.4q Ma On Shan to Lee On - Predicted Unmitigated Construction Noise Levels (dB(A))	4.25
Table 4.4r Sound Power Levels for Specific Silenced PME.....	4.30
Table 4.4s Hin Keng to Tai Wai - Mitigated Construction Noise Levels (dB(A)) ...	4.33
Table 4.4t Tai Wai to Sha Tin Tau - Mitigated Construction Noise Level (dB(A)) .	4.34
Table 4.4u Sha Tin Tau to Sha Kok Street - Mitigated Construction Noise Levels (dB(A))	4.35
Table 4.4v Sha Kok Street to City One Shatin - Mitigated Construction Noise Levels (dB(A))	4.36
Table 4.4w City One Shatin to Shek Mun - Mitigated Construction Noise Levels (dB(A))	4.37
Table 4.4x Shek Mun to Chevalier Garden - Mitigated Construction Noise Levels (dB(A))	4.38
Table 4.4y Chevalier Garden to Heng On - Mitigated Predicted Construction Noise Levels (dB(A))	4.39
Table 4.4z Heng On to Ma On Shan - Mitigated Construction Noise Levels (dB(A))	4.40
Table 4.4aa Ma On Shan to Lee On - Mitigated Construction Noise Levels (dB(A))	4.41
Table 4.4bb Details of Construction Noise Exceedance	4.46
Table 4.5a Area Sensitivity Rating and Acceptable Noise Level	4.51
Table 4.5b HKPSG Train Noise Criteria.....	4.52
Table 4.5c Unmitigated MOS Noise Levels at 25 m, 100 kph Train Speed	4.53
Table 4.5d Locations of Thermal Expansion Joints in Rail	4.53

Table 4.5e	Locations of Crossover Switches	4.59
Table 4.5f	Additional Mitigation Measures	4.61
Table 4.5g	Predicted Night-time Results with an Eight Car Revenue Train.....	4.62
Table 4.5h	Sound Transmission Loss Through Noise Barriers.....	4.63
Table 4.5i	Sound Transmission Loss Through Crossing Enclosures.....	4.65
Table 4.5j	Absorption Coefficient of Barriers, Enclosures and Multi-plenum System.....	4.67
Table 4.5k	Fixed Plant Noise Assessment	4.67
Table 4.5l	Sound Transmission Loss Through Noise Barriers	4.69
Table 4.5m	Sound Transmission Loss Through Crossing Enclosures.....	4.69
Table 4.5n	Absorption Coefficient of Barriers, Enclosures and Multi-plenum System.....	4.69
Table 4.5o	Fixed Plant Noise Assessment	4.73
Table 5.2a	Standards for Effluents Discharged into the Coastal Waters of Tolo Harbour and Channel Water Control Zone.....	5.3
Table 5.2b	EPD Classification of Sediments by Heavy Metal Content.....	5.5
Table 5.3a	Summary of Water Quality Monitoring Results for the Shing Mun River and Siu Lek Yuen Nullah in 1997	5.7
Table 5.3b	Summary of Marine Water Quality Monitoring Results for the Tolo Harbour and Channel Water Control Zone in 1997	5.9
Table 6.3a	C&D Material Arising From Construction of Stations and Depot.....	6.5
Table 7.2a	Plant Species Recorded at the Fung Shui Woodland	7.2
Table 8.3	Relationship Between Receptor Sensitivity and Magnitude in Defining Significance Threshold.....	8.3
Table 8.5	Summary of the Type and Identity of the Visually Sensitive Receivers (VSR's) During Cost Period.....	8.16
Table 8.5.1	Residual Visual Impacts During Construction Period	8.21
Table 8.6	Summary of the Type and Identity of the Visually Sensitive Receivers (VSR's) During Operational Period	8.51
Table 9.4a	Historic Buildings & Structures and Landscape Features at Wu Kwai Sha.....	9.6
Table 9.4b	Historic Buildings & Structures and Landscape Features at Tai Wai and Sha Tin	9.7
Table 10.3a	Aerial Photographs Reviewed	10.3
Table 10.5a	Site History - Tai Wai Depot to Sha Kok Estate	10.5
Table 10.5b	Site History - Wong Uk Village to Sai Sha Road Roundabout.....	10.6
Table 10.5c	Site History - Sai Sha Road Roundabout to Lee On Estate.....	10.7

Table 10.5d Current Land Use Along the Ma On Shan Alignment	10.8
Table 10.6a General Properties of Hazardous Substances Potentially Found at Petrol Stations	10.10
Table 11.2a AM Peak Hour and Daily Flows for MOS in Years 2003 and 2011	11.4
Table 11.2b Passenger Flow Through Chevalier Garden Station	11.5
Table 11.3a Interfaces Between IPB/MP Pipelines and Railway.....	11.7
Table 11.3b Proximity of Major Towngas Pipelines to the Rail Alignment.....	11.7
Table 11.3c Gas Composition & Other Physical Property Data	11.8
Table 11.5a Population in the Vicinity of Interface Between HP Pipeline & MOS	11.10
Table 11.6a Definition of Time Periods for Background Population	11.10
Table 11.6b Definition of Time Periods for Rail Traffic	11.11
Table 11.8a CO Concentrations Corresponding to 1% Fatality	11.14
Table 11.9a Summary of Onshore Transmission Pipeline Incidents by Cause.....	11.20
Table 11.9b Hole Size Distribution.....	11.23
Table 11.10a Discharge Rate Versus Time for Various Hole Sizes in HP Pipeline	11.24
Table 11.10b Hazard Distances for Fireball.....	11.31
Table 11.10c Hazard Distances (LFL) for Continuous Releases	11.32
Table 11.10d Hazard Distances (1% fatality concentration for CO) for Continuous Releases.....	11.32
Table 11.10e Hazard Distances for Vertical Jet Dispersion.....	11.34
Table 11.10f Hazard Distances for Radiation from Vertical Jet Flame	11.35
Table 11.11e Potential Loss of Life (PLL) per year.....	11.36
Table 11.14a Recommendations and Implementation Schedule.....	11.40
Table 12.3a Location of Air Monitoring Station.....	12.8
Table 12.3b Action and Limit Levels for Air Quality.....	12.9
Table 12.4a Location of Recommended Construction Noise Monitoring Station ...	12.11
Table 12.4b Action and Limit Levels for Construction Noise dB(A).....	12.13
Table 12.5a Maximum Permissible Free Field Rolling Stock Noise Levels (Lmax dB)	12.13
Table 12.6a Water Quality Monitoring Stations	12.17

FIGURES

- 2.1a-c Route Alignment Drawings
- 4.5a Structureborne (Reradiated) Noise - KCRC Single and Twin Viaducts
- 4.5b Typical Cross Sections of Twin Track Decks
- 4.5c Typical Cross Sections of Twin Track Decks
- 4.5d Typical Cross Sections of Single Track Decks
- 5.3a Locations of the EPD River Water Quality Monitoring Stations Near the MOS Alignment
- 5.3b Locations of the EPD Marine Water Quality Monitoring Stations and the Water Sensitive Receivers at the Tolo Harbour Near the MOS Alignment
- 6.5a Locations of Construction Sites in MOS and Shatin Areas Which Require Fill Material Between 2000 and 2003
- 7.2a Woodland Near Wong UK
- 7.2b Habitat Map Along the Ma On Shan Section of the Study Area (Shek Mun)
- 7.2c Habitat Map Along the Ma On Shan Section of the Study Area (Ma On Shan Road)
- 7.2d Habitat Map Along the Ma On Shan Section of the Study Area (Lee On Estate)
- 8.4a Tai Wai to Ma On Shan Rail Link Visual Envelope
- 8.5a Tai Wai to Sha Kok Street Station : Residual Visual Impacts During Construction Phase
- 8.5b Sha Kok Street to Shek Mun Station : Residual Visual Impacts During Construction Phase
- 8.5c Shek Mun Station to Chevalier Garden Station : Residual Visual Impacts During Construction Phase
- 8.5d Chevalier Garden Station to Lee On Station Overrun Tracks : Residual Visual Impacts During Construction Phase
- 8.6a Tai Wai to Sha Kok Street Station : Residual Visual Impacts at Operation Period
- 8.6b Sha Kok Street to Shek Mun Station : Residual Visual Impacts at Operation Period
- 8.6c Shek Mun Station to Chevalier Garden Station : Residual Visual Impacts at Operation Period
- 8.6d Chevalier Garden Station to Lee On Station Overrun Tracks : Residual Visual Impacts at Operation Period
- 8.6e View of Viaduct at Tsang Tai Uk Playground

- 8.6.1a Typical Cross Sections of Twin Track Decks
- 8.6(1) View of Extent of Tai Wai Station and Tai Wai Depot
- 8.6(2) View of Viaduct at Shing Mun River Channel
- 8.6(3) View of Viaduct Showing Adjacent Chun Shek Estate
- 8.6(4.1) View of Viaduct Showing Adjacent Jat Min Chuen Before Mitigation
- 8.6(4.2) View of Viaduct Showing Adjacent Jat Min Chuen Day One After Mitigation
- 8.6(4.3) View of Viaduct Showing Adjacent Jat Min Chuen 10 Years After Mitigation
- 8.6(5.1) View of Viaduct of Fung Shui Hill Before Mitigation
- 8.6(5.2) View of Viaduct of Fung Shui Hill Day One After Mitigation
- 8.6(5.3) View of Viaduct of Fung Shui Hill 10 Years After Mitigation
- 8.6(6.1) View of Viaduct at Wong Uk Village Before Mitigation
- 8.6(6.2) View of Viaduct at Wong Uk Village Day One After Mitigation
- 8.6(6.3) View of Viaduct at Wong Uk Village 10 Years After Mitigation
- 8.6(7.1) View of Tate's Cairn Highway
- 8.6(7.2) View of Viaduct and the Noise Barrier at Tate's Cairn Highway
- 8.6(8.1) View 1 of Viaduct at Sai Sha Road Before Mitigation
- 8.6(8.2) View 1 of Viaduct at Sai Sha Road Day One After Mitigation
- 8.6(8.3) View 1 of Viaduct at Sai Sha Road 10 Years After Mitigation
- 8.6(9.1) View of Ma On Shan Station at Sai Sha Road Before Mitigation
- 8.6(9.2) View of Ma On Shan Station at Sai Sha Road Day One After Mitigation
- 8.6(9.3) View of Ma On Shan Station at Sai Sha Road 10 Years After Mitigation
- 8.6(10.1) View 2 Viaduct at Sai Sha Road Before Mitigation
- 8.6(10.2) View 2 of Viaduct at Sai Sha Road Day One After Mitigation
- 8.6(10.3) View 2 of Viaduct at Sai Sha Road 10 Years After Mitigation
- 8.6(11) Typical Noise Enclosure on Viaduct
- 8.6(12) Typical Viaduct Detail
- 8.6(13) Before and After Views of the Viaduct at Tsang Tai Uk Village
- 9.4a Heritage Resources at Wu Kwai Sha
- 9.4b Historical Buildings and Structures and Landscape Features at Wu Kwai Sha
- 9.4c Heritage Resources at Tai Wai and Sha Tin
- 9.4d Historical Buildings and Structures and Landscape Features in Tai Wai and Sha Tin
- 10.5a Location of Potential Land Contamination Sources

- 10.5b Location of Potential Land Contamination Sources (Hong Kong School of Motoring)
- 11.10a Event Tree for Towngas Release from Pipeline
- 11.10b Event Tree for Risk to Rail Passengers (Peak Period)
- 11.10c Event Tree for Risk to Rail Passengers (Off peak)
- 12.6a Locations of Proposed River Water Quality Monitoring Stations

FIGURES - VOLUME 2 - TECHNICAL ANNEXES

- 3.3a-r Air Sensitive Receivers (Annex A, Volume 2 - Technical Annexes)
- 4.3a-r Noise Sensitive Receivers - Construction Phase (Annex B, Volume 2 - Technical Annexes)
- 4.5a-r Noise Sensitive Receivers - Operational Phase (Annex F, Volume 2 - Technical Annexes)
- 11.3a-r Interface Between Towngas Pipeline and MOS Railway (Annex H, Volume 2 - Technical Annexes)
- 11.3s Schematic of HP Pipeline Interfacing with MOS (Annex H, Volume 2 - Technical Annexes)
- 11.11a Societal Risk for TAW to MOS Railway (Annex H, Volume 2 - Technical Annexes)
- 11.11b Risk Transect for Towngas Pipeline (Annex H, Volume 2 - Technical Annexes)
- 12.3a-g Proposed Air and Noise Monitoring Locations (Annex Volume I, 2 - Technical Annexes)

VOLUME 1 - ANNEXES

- Annex A MOS Extension EIA Study Brief
- Annex B Implementation Schedule
- Annex C Contamination Assessment Plan (CAP)

VOLUME 2 - TECHNICAL ANNEXES

- Annex A1 List of Air Sensitive Receivers
- Annex A2 Figures of Air Sensitive Receivers
- Annex B1 List of Noise Sensitive Receivers
- Annex B2 Existing Window Glazing Systems of Schools, Hospitals & Health Centres
- Annex B3 Figures of Noise Sensitive Receivers
- Annex C Construction Noise Calculations: Separation Distances from NSR's
- Annex D Construction Noise Calculations: Noise Plant Inventories
- Annex E Construction Noise Calculations: Noise Calculations
- Annex F1 Operational Noise Sensitive Receivers
- Annex F2 Justification of Area Sensitivity Ratings
- Annex G Operational Noise Calculations
- Annex H Hazard Assessment Supporting Data
- Annex I Recommended Air & Noise Monitoring Locations