

APPENDIX J

Details of On-Site Vehicular Noise Assessment
(Morning Leaving)

Calculation of Noise Levels due to the Vehicular Movement within Depot (Morning-Leaving)

Job Title: First Bus Permanent Depot at Chai Wan
 Job No.: 21270
 Date: 20-09-99

NSR	Segment No.	fLw (dB(A))	Traffic Flow (Veh/hr)	Speed (kph)	Horizontal Distance (m)	Vertical Distance (m)	View angle (deg)	Traffic Flow (dB(A))	Speed (dB(A))	Distance (dB(A))	CORRECTIONS				Contribution from each Segment ⁽¹⁾ (dB(A))
											View angle (dB(A))	Gradient (dB(A))	Facade (dB(A))	Barrier (dB(A))	
98	11		98	15	265	0	1.1	1690	-11.76	-24.41	-22.14	3	-30.0	0.0	
98	12		98	15	288	0	1.1	1690	-11.76	-24.74	-22.14	3	-30.0	0.0	
98	13		0	15	294	0	2.1	0.0	-11.76	-24.83	-19.33	3	-29.0	0.0	
98	14		0	15	303	0	11.1	0.0	-11.76	-24.95	-12.10	3	-29.8	0.0	
98	10		0	15	311	0	2.5	0.0	-11.76	-25.06	-18.57	3	-29.8	0.0	
98	15		0	15	303	0	1.8	0.0	-11.76	-24.95	-20.00	3	-30.7	0.0	
98	16		0	15	280	0	5.1	0.0	-11.76	-24.63	-15.48	3	-29.8	0.0	
98	17		0	15	234	0	5.6	0.0	-11.76	-23.91	-15.07	3	-23.7	0.0	
98	19		0	15	240	0	6.4	0.0	-11.76	-24.01	-14.49	3	-8.8	0.0	
98	20		0	15	244	0	7.8	0.0	-11.76	-24.08	-13.74	3	-10.3	0.0	
98	21		98	15	268	6.2	1.6	1690	-11.76	-24.42	-20.51	3	-30.0	0.0	
98	22		98	15	292	8.2	5.1	1690	-11.76	-24.77	-15.48	3	-29.9	0.0	
98	23		98	15	250	6.2	7.4	1690	-11.76	-24.14	-13.86	3	-13.2	0.0	
98	24		98	15	199	6.2	4.3	1690	-11.76	-23.23	-16.22	3	-23.1	0.6	
98	25		98	15	198	8.2	3.3	1690	-11.76	-23.21	-17.37	3	-6.7	0.0	
98	26		98	15	204	8.2	1.9	1690	-11.76	-23.33	-19.77	3	-30.1	0.0	
98	27		98	15	224	8.2	1.9	1690	-11.76	-23.20	-19.77	3	-28.8	0.0	
98	28		0	15	216	8.2	14.2	0.0	-11.76	-23.55	-11.03	3	-14.5	0.0	
98	29		0	15	236	8.2	0	0.0	-11.76	-23.90	0.00	3	0.0	0.0	
98	30		0	15	255	8.2	5.4	0.0	-11.76	-24.12	-15.23	3	-30.1	0.0	
98	300		0	15	290	8.2	3.6	0.0	-11.76	-24.74	-16.99	3	-29.7	0.0	
98	31		75	15	266	17.2	2	1591	-11.76	-24.35	-19.54	3	-30.0	0.0	
98	32		78	15	294	17.2	5.2	1591	-11.76	-24.77	-15.39	3	-12.1	0.0	
98	33		91	15	256	17.2	6	1658	-11.76	-24.20	-14.77	3	-16.4	0.0	
98	34		98	15	210	17.2	7.3	1690	-11.76	-23.39	-13.92	3	-5.5	20.3	
98	35		98	15	224	17.2	1.8	1690	-11.76	-23.65	-20.00	3	-28.9	0.0	
98	36		7	15	225	17.2	9.8	5.44	-11.76	-23.67	-12.64	3	-12.0	0.0	
98	41		58	15	266	23.4	2	1462	-11.76	-24.33	-19.54	3	-30.0	0.0	
98	42		58	15	294	23.4	5.2	1462	-11.76	-24.75	-15.39	3	-12.1	0.0	
98	43		71	15	256	23.4	6	1590	-11.76	-24.17	-14.77	3	-9.6	13.2	
98	44		78	15	210	23.4	7.3	1591	-11.76	-23.35	-13.92	3	-4.4	20.5	
98	45		78	15	224	23.4	1.8	1591	-11.76	-23.61	-20.00	3	-28.9	0.0	
98	46		7	15	225	23.4	9.8	5.44	-11.76	-23.63	-12.64	3	-5.4	10.0	
98	61		38	15	266	33.6	2	1279	-11.76	-24.30	-19.54	3	-30.0	0.0	
98	62		38	15	294	33.6	5.2	1279	-11.76	-24.73	-15.39	3	-12.1	6.8	
98	63		51	15	256	33.6	6	1407	-11.76	-24.14	-14.77	3	-3.9	17.9	
98	64		58	15	210	33.6	7.3	1462	-11.76	-23.31	-13.92	3	-1.6	22.0	
98	65		58	15	224	33.6	1.8	1462	-11.76	-23.58	-20.00	3	-28.9	0.0	
98	66		7	15	225	33.6	9.8	5.44	-11.76	-23.60	-12.64	3	-0.7	14.7	
98	81		38	15	244	41.8	3.6	1279	-11.76	-23.99	-16.75	3	-0.1	20.7	
98	82		38	15	210	41.8	7.2	1279	-11.76	-23.28	-13.98	3	-2.1	19.7	
98	83		18	15	226	41.8	11.7	9.54	-11.76	-23.59	-11.87	3	-0.5	19.8	
98	85		20	15	237	41.8	6	10.90	-11.76	-24.14	-14.77	3	6.0	17.3	
															28.9

Definition of terms:

- (1) - value calculated based on measured drive by maximum SPL at 6.5m
- (1) - NSR with fixed glazing facing depot
- (2) - attenuation of 10dB(A) for NSR totally screened by building design

Calculation of Noise Levels due to the Vehicular Movement within Depot (Morning-Leaving)

Job Title : First Bus Permanent Depot at Chai Wan
 Job No. : 21270
 Date: 20-09-99

NSR	FCI, Heng Fa Chue															
	XT: 842956.5 Yr: 815125.6 Ht: 58.5															
LW (dB(A))	Segment No.	Traffic Flow (Veh/h)	Speed (kph)	Horizontal		Vertical Distance (m)	View angle (deg)	Traffic Flow (veh)	Speed (dB(A))	Distance (dB(A))	CORRECTIONS			Contribution from each Segment L _{eq} (30min) dB(A)		
				Distance (m)	Speed (kph)						View angle (dB(A))	Gradient (dB(A))	Facade (dB(A))		Barrier (dB(A))	Calm (dB(A))
98	11	98	15	346	0	0	3.2	1690	-11.76	-25.45	-17.50	2.60	3	-30.1	-1.0	1.7
98	12	98	15	362	0	0	1.3	1690	-11.76	-25.64	-21.41	0.00	3	-30.2	-1.0	0.0
98	13	0	15	381	0	0	1.6	0.00	-11.76	-25.63	-20.51	0.00	3	-30.2	-1.0	0.0
98	14	0	15	347	0	0	9.4	0.00	-11.76	-25.46	-12.82	0.00	3	-28.7	-1.0	0.0
98	15	0	15	330	0	0	1.2	0.00	-11.76	-25.25	-21.76	0.00	3	-30.3	-0.9	0.0
98	10	0	15	314	0	0	0	0.00	-11.76	-25.04	0.00	2.80	3	0	-0.9	0.0
98	16	0	15	310	0	0	4	0.00	-11.76	-24.99	-16.53	0.00	3	-29.7	-0.9	0.0
98	17	0	15	282	0	0	4.2	0.00	-11.76	-24.29	-16.32	0.00	3	-3	-0.9	0.0
98	19	0	15	318	0	0	10.5	0.00	-11.76	-25.10	-12.34	0.00	3	-3.2	-0.9	0.0
98	20	0	15	313	0	0	10.3	0.00	-11.76	-25.03	-12.42	0.00	3	-5	-0.9	0.0
98	21	98	15	348	8.2	8.2	4.1	1690	-11.76	-25.46	-16.42	2.40	3	-9.3	-1.0	23.4
98	22	98	15	358	8.2	8.2	3.7	1690	-11.76	-25.58	-16.87	0.00	3	-29.7	-1.0	0.0
98	23	98	15	311	8.2	8.2	8.9	1690	-11.76	-24.98	-13.06	0.00	3	-3.7	-0.9	30.5
98	24	98	15	272	8.2	8.2	2.6	1690	-11.76	-24.42	-18.40	0.00	3	0	0.0	30.3
98	25	0	15	283	8.2	0	0	1690	-11.76	-24.59	0.00	0.00	3	0	0.0	0.0
98	26	0	15	293	8.2	0	0	1690	-11.76	-24.73	0.00	0.00	3	0	0.0	0.0
98	27	98	15	312	8.2	8.2	4.1	1690	-11.76	-25.00	-16.42	2.50	3	-10.9	-0.9	22.4
98	28	0	15	252	8.2	0	12.3	0.00	-11.76	-24.10	-11.65	0.00	3	-1.6	0.0	0.0
98	29	0	15	240	8.2	0	1.7	0.00	-11.76	-23.90	-20.25	0.00	3	-29	0.0	0.0
98	30	0	15	282	8.2	0	3.1	0.00	-11.76	-24.28	-17.64	0.00	3	-0.4	0.0	0.0
98	300	0	15	296	8.2	0	1	0.00	-11.76	-24.71	-22.55	2.30	3	0	0.0	0.0
98	31	78	15	346	17.2	17.2	4.8	1591	-11.76	-25.42	-15.93	2.30	3	-1.6	-1.0	30.5
98	32	78	15	362	17.2	17.2	3.9	1591	-11.76	-25.62	-16.84	0.00	3	-28.7	-1.0	0.0
98	33	91	15	316	17.2	17.2	7.6	1658	-11.76	-25.03	-13.74	0.00	3	-3.6	-0.9	29.5
98	34	98	15	288	17.2	17.2	4.6	1690	-11.76	-24.64	-15.93	0.00	3	0	0.0	32.6
98	35	98	15	310	17.2	17.2	3.7	1690	-11.76	-24.85	-16.87	2.40	3	-2.1	-0.9	30.7
98	36	7	15	270	17.2	17.2	8.1	5.44	-11.76	-24.36	-13.47	0.00	3	-0.7	0.0	23.1
98	41	58	15	346	25.4	25.4	4.6	1462	-11.76	-25.41	-15.83	2.30	3	-1.6	-1.0	29.3
98	42	58	15	362	25.4	25.4	3.9	1462	-11.76	-25.61	-16.64	0.00	3	-29.7	-1.0	0.0
98	43	71	15	316	25.4	25.4	7.6	1559	-11.76	-25.02	-13.74	0.00	3	-3.6	-0.9	28.5
98	44	78	15	288	25.4	25.4	4.6	1591	-11.76	-24.62	-15.93	0.00	3	0	0.0	31.6
98	45	78	15	310	25.4	25.4	3.7	1591	-11.76	-24.94	-16.87	2.40	3	-2.1	-0.9	29.8
98	46	7	15	270	25.4	25.4	8.1	5.44	-11.76	-24.35	-13.47	0.00	3	-0.7	0.0	23.2
98	61	38	15	346	33.6	33.6	4.6	1279	-11.76	-25.40	-15.93	2.30	3	-1.6	-1.0	27.4
98	62	38	15	362	33.6	33.6	3.9	1279	-11.76	-25.60	-16.64	0.00	3	-28.7	-1.0	0.0
98	63	51	15	316	33.6	33.6	7.6	1407	-11.76	-25.01	-13.74	0.00	3	-3.6	-0.9	27.1
98	64	58	15	288	33.6	33.6	4.6	1462	-11.76	-24.61	-15.93	0.00	3	0	0.0	30.3
98	65	58	15	310	33.6	33.6	3.7	1462	-11.76	-24.93	-16.87	2.40	3	-2.1	-0.9	28.5
98	66	7	15	270	33.6	33.6	8.1	5.44	-11.76	-24.33	-13.47	0.00	3	-0.7	0.0	23.2
98	81	38	15	330	41.8	41.8	8.2	1279	-11.76	-25.18	-13.41	2.50	3	-1.7	-0.9	30.3
98	82	38	15	287	41.8	41.8	4.5	1279	-11.76	-24.59	-16.02	0.00	3	-5.9	0.0	22.5
98	83	18	15	266	41.8	41.8	9.8	9.54	-11.76	-24.26	-12.74	0.00	3	-5.5	0.0	23.4
98	85	20	15	317	41.8	41.8	7.8	10.00	-11.76	-25.02	-13.93	0.00	3	-3.3	-0.9	23.4
															TOTAL	42.2

Definition of terms:

L_w = value calculated based on measured drive by maximum SPL at 6.5m

Calculation of Noise Levels due to the Vehicular Movement within Depot (Morning-Leaving)

Job Title.: First Bus Permanent Depot at Chai Wan
 Job No.: 21270
 Date: 20-09-99

TMEI, Tsui Wan Est																
Xr.: 842846.5																
Yr.: 814412.9																
Hr.: 71.7																
NSR	fLw (dB(A))	Segment No.	Traffic Flow (Vehicles)	Speed (kph)	Horizontal Distance (m)	Vertical Distance (m)	View angle (deg)	Traffic Flow dB(A)	Speed dB(A)	Distance dB(A)	CORRECTIONS					Contribution from each Segment Leg(dBmin) dB(A)
											View angle dB(A)	Gradient dB(A)	Facade dB(A)	Barrier dB(A)	Catm dB(A)	
88	11	11	98	15	432	0	4.6	16.90	-11.76	-26.41	-15.93	2.60	3	-30.0	-1.23	2.2
88	12	12	98	15	433	0	0	16.90	-11.76	-26.42	0.00	0.00	3	0.0	-1.23	0.0
88	13	13	0	15	441	0	0	0.00	-11.76	-26.50	0.00	0.00	3	0.0	-1.25	0.0
88	14	14	0	15	476	0	1.2	0.00	-11.76	-26.82	-21.76	0.00	3	-1.6	-1.35	0.0
88	15	15	0	15	512	0	0	0.00	-11.76	-27.13	0.00	0.00	3	0.0	-1.45	0.0
88	16	16	0	15	522	0	1.8	0.00	-11.76	-27.22	-20.51	2.80	3	-30.4	-1.48	0.0
88	17	17	0	15	500	0	0.7	0.00	-11.76	-27.03	-14.29	0.00	3	-10.3	-1.41	0.0
88	18	18	0	15	514	0	4.8	0.00	-11.76	-27.15	-15.74	0.00	3	-30.2	-1.45	0.0
88	19	19	0	15	448	0	12.9	0.00	-11.76	-26.57	-11.45	0.00	3	-15.0	-1.27	0.0
88	20	20	0	15	459	0	12.8	0.00	-11.76	-26.67	-11.48	0.00	3	-30.0	-1.30	0.0
88	21	21	98	15	435	8.2	5.9	16.90	-11.76	-26.43	-14.84	2.40	3	-30.0	-1.23	3.0
88	22	22	98	15	444	8.2	0	16.90	-11.76	-26.52	0.00	0.00	3	0.0	-1.26	0.0
88	23	23	98	15	468	8.2	11.4	16.90	-11.76	-26.74	-11.98	0.00	3	-30.0	-1.32	3.1
88	24	24	98	15	478	8.2	0	16.90	-11.76	-26.83	0.00	0.00	3	0.0	-1.35	0.0
88	25	25	98	15	465	8.2	0	16.90	-11.76	-26.71	0.00	0.00	3	0.0	-1.31	0.0
88	26	26	98	15	455	8.2	0	16.90	-11.76	-26.82	0.00	0.00	3	0.0	-1.29	0.0
88	27	27	98	15	445	8.2	4.6	16.90	-11.76	-26.53	-15.93	2.50	3	-30.0	-1.26	1.9
88	28	28	0	15	514	8.2	2.4	0.00	-11.76	-27.14	-18.75	0.00	3	-30.1	-1.45	0.0
88	29	29	0	15	544	8.2	0	0.00	-11.76	-27.39	0.00	0.00	3	0.0	-1.53	0.0
88	30	30	0	15	539	8.2	4.4	0.00	-11.76	-27.35	-16.12	0.00	3	-30.3	-1.52	0.0
88	31	31	0	15	528	8.2	3.1	0.00	-11.76	-27.23	-17.64	2.30	3	-30.2	-1.48	0.0
88	32	32	78	15	434	17.2	6.7	15.91	-11.76	-26.41	-14.29	2.30	3	-30.0	-1.22	2.5
88	33	33	78	15	443	17.2	0	15.91	-11.76	-26.50	0.00	0.00	3	0.0	-1.25	0.0
88	34	34	91	15	468	17.2	10.2	16.58	-11.76	-26.71	-12.47	0.00	3	-30.0	-1.31	2.3
88	35	35	98	15	468	17.2	1.2	16.90	-11.76	-26.71	-21.76	0.00	3	-30.0	-1.31	0.0
88	36	36	98	15	448	17.2	4.1	16.90	-11.76	-26.54	-16.42	2.40	3	-30.0	-1.26	1.3
88	37	37	7	15	500	17.2	1.7	5.44	-11.76	-27.02	-20.25	0.00	3	-30.1	-1.41	0.0
88	38	38	58	15	434	25.4	6.7	14.92	-11.76	-26.40	-14.29	2.30	3	-30.0	-1.22	1.2
88	39	39	58	15	443	25.4	0	14.62	-11.76	-26.49	0.00	0.00	3	0.0	-1.25	0.0
88	40	40	71	15	466	25.4	10.2	15.50	-11.76	-26.71	-12.47	0.00	3	-30.0	-1.31	1.3
88	41	41	78	15	466	25.4	1.2	15.91	-11.76	-26.71	-21.76	0.00	3	-30.0	-1.31	0.0
88	42	42	78	15	448	25.4	4.1	15.91	-11.76	-26.54	-16.42	2.40	3	-30.0	-1.26	0.3
88	43	43	7	15	500	25.4	1.7	5.44	-11.76	-27.01	-20.25	0.00	3	-30.1	-1.41	0.0
88	44	44	61	15	434	33.6	6.7	12.79	-11.76	-26.39	-14.29	2.30	3	-30.0	-1.22	0.0
88	45	45	38	15	443	33.6	0	12.79	-11.76	-26.48	0.00	0.00	3	0.0	-1.24	0.0
88	46	46	51	15	466	33.6	10.2	14.07	-11.76	-26.70	-12.47	0.00	3	-30.0	-1.31	0.0
88	47	47	58	15	466	33.6	1.2	14.62	-11.76	-26.70	-21.76	0.00	3	-30.0	-1.31	0.0
88	48	48	58	15	448	33.6	4.1	14.62	-11.76	-26.53	-16.42	2.40	3	-30.0	-1.26	0.0
88	49	49	7	15	500	33.6	1.7	5.44	-11.76	-27.00	-20.25	0.00	3	-30.1	-1.40	0.0
88	50	50	38	15	440	41.8	10.6	12.79	-11.76	-26.44	-12.30	2.50	3	-30.0	-1.23	23.5
88	51	51	38	15	468	41.8	1.2	12.79	-11.76	-26.71	-21.76	0.00	3	-4.3	-1.31	14.9
88	52	52	18	15	504	41.8	1.9	9.54	-11.76	-27.03	-19.77	0.00	3	-0.5	-1.41	17.1
88	53	53	18	15	468	41.8	10.4	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	54	54	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	55	55	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	56	56	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	57	57	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	58	58	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	59	59	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	60	60	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	61	61	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	62	62	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	63	63	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	64	64	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	65	65	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	66	66	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	67	67	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	68	68	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	69	69	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	70	70	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	71	71	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	72	72	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	73	73	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	74	74	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	75	75	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	76	76	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	77	77	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	78	78	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	79	79	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	80	80	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	81	81	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	82	82	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	83	83	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	84	84	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	85	85	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	86	86	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	87	87	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	88	88	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	89	89	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	90	90	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	91	91	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5
88	92	92	20	15	468	41.8	0	10.00	-11.76	-26.69	-12.38	0.00	3	-2.4	-1.31	23.5