

Appendix 3.7 Predicted Construction Noise Levels (Mitigated - use of Quiet PME)

Cumulative Construction Noise Levels

NSR	Predicted Cumulative Construction Noise Levels, dB(A)																									
	2005												2006												2007	
	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar		
Sch1	62	60	62	63	63	64	60	60	60	60	60	60	60	--	--	--	--	--	--	--	56	56	56	--	--	
V06	78	75	79	79	79	79	70	70	70	70	70	70	70	62	62	62	62	60	60	57	72	72	72	--	--	
V10	63	61	68	69	69	69	68	68	68	69	67	67	67	67	66	65	63	63	60	60	61	60	60	52	52	
V18	72	71	73	75	74	73	71	71	71	71	70	70	67	66	65	65	62	62	61	66	66	65	65	53	53	
V19	70	69	73	74	73	74	73	73	73	73	72	72	69	68	67	67	64	64	63	66	66	65	65	55	55	
V20	69	67	75	75	75	75	75	75	75	75	75	75	77	74	73	73	70	70	70	71	71	66	66	65	65	
V22	70	67	74	74	74	74	68	68	68	69	69	69	71	68	67	67	64	64	64	66	66	62	62	62	62	

Note:

... Not Applicable

Bold value indicates the exceedance of noise criteria of 75 dB(A) for residential uses and 65 dB(A) for school during examination period.