

ID	Floor	ASR				Height above ground, m	Different Source Locations within Eco-Park - Net 24 Hour TSP Concentrations from Eco Park Phase I, µg/m ³								
		X	Y	Z	A2		A3	A4	A5	A6	A7	A8	A9		
SW1	1/F	810481	825758	7	4.5	1.5	2.9	2.5	1.6	2.7	2.8	1.7	1.2		
	2/F	810481	825758	7	7.5	1.5	2.9	1.8	2.7	2.8	1.7	1.3			
	3/F	810481	825758	7	10.5	1.5	2.9	1.6	2.8	2.7	1.7	1.5			
	4/F	810481	825758	7	13.5	1.5	3.0	2.7	1.6	3.0	2.8	1.7			
	5/F	810481	825758	7	16.5	1.6	3.1	2.8	1.6	3.2	2.9	1.8			
SW2	1/F	810458	825729	7	4.5	1.3	2.4	1.2	3.1	3.4	1.8	1.0			
	2/F	810458	825729	7	7.5	1.4	2.4	1.2	3.1	3.5	1.8	1.0			
	3/F	810458	825729	7	10.5	1.4	2.4	1.2	3.2	3.7	2.0	1.1			
	4/F	810458	825729	7	13.5	1.4	2.5	1.2	3.2	4.1	2.1	1.3			
	5/F	810458	825729	7	16.5	1.4	2.6	1.3	3.8	4.7	2.3	1.4			
	6/F	810458	825729	7	19.5	1.5	2.6	1.3	4.2	5.4	2.5	1.6			
	7/F	810458	825729	7	22.5	1.5	2.7	1.3	4.6	6.2	2.8	1.8			
SW3	G/F	810552	825676	7	1.5	1.3	3.0	1.2	2.4	2.8	2.2	0.1			
SW4	G/F	810476	825677	7	1.5	1.1	1.6	2.4	1.0	2.0	4.9	1.2			
SW5	G/F	810412	825497	7	1.5	0.9	1.1	2.6	1.2	1.2	2.9	0.6			
SW6	G/F	810340	825407	7	1.5	0.8	1.0	1.6	1.0	0.9	1.9	0.1			
PAFF1	G/F	810436	825428	7	1.5	1.0	1.3	2.2	1.2	1.1	2.1	0.0			
PAFF2	G/F	810411	825395	7	1.5	0.8	1.1	1.8	1.0	1.1	1.7	0.0			
PAFF3	G/F	810385	825363	7	1.5	0.7	1.1	1.7	1.0	1.4	1.5	0.0			
RTT1	G/F	811489	825504	7	1.5	2.0	1.4	1.4	1.0	1.0	0.6	1.0			
RTT2	G/F	811469	825454	7	1.5	1.6	1.6	1.4	1.1	0.9	0.9	0.8			
RTT3	G/F	811451	825413	7	1.5	1.0	1.7	1.0	1.0	0.9	0.6	0.0			
RTT4	G/F	811430	825383	7	1.5	1.1	1.8	1.2	1.4	1.0	0.9	0.7			
PBR21	G/F	810968	824906	7	1.5	3.8	4.6	2.4	4.1	1.4	2.5	1.7			
PBR22	G/F	811029	825000	7	1.5	3.6	1.9	2.2	2.6	2.5	2.4	1.6			
PBR23	G/F	811092	825090	7	1.5	4.4	2.1	1.0	1.6	2.6	1.5	1.4			
Plan 1	1/F	811218	825528	7	4.5	1.4	2.5	1.9	1.0	1.4	1.3	1.1			
	2/F	811218	825528	7	7.5	1.7	2.6	1.8	1.0	2.0	1.6	1.1			
	3/F	811218	825528	7	10.5	2.0	2.6	1.9	1.0	2.0	1.6	1.1			
	4/F	811218	825528	7	13.5	2.4	2.7	2.0	1.1	2.1	1.8	1.1			
	5/F	811218	825528	7	16.5	2.8	2.9	2.0	1.1	2.2	1.8	1.1			
	6/F	811218	825528	7	19.5	3.4	3.1	2.0	1.1	2.2	1.8	1.1			
	7/F	811218	825528	7	22.5	4.0	3.3	2.1	1.1	2.3	1.6	1.1			
	8/F	811218	825528	7	25.5	4.8	3.6	2.2	1.2	2.4	1.6	1.1			
	9/F	811218	825528	7	28.5	5.5	3.9	2.3	1.4	2.5	1.7	1.1			
	10/F	811218	825528	7	31.5	6.4	4.3	2.4	1.6	2.6	1.7	1.1			
Plan 2	1/F	811160	825451	7	1.5	0.4	2.6	2.2	2.0	2.2	1.6	1.1			
	2/F	811160	825451	7	4.5	0.4	2.6	2.2	2.0	2.2	1.6	1.1			
	3/F	811160	825451	7	7.5	0.6	2.7	2.5	2.1	2.3	1.8	1.1			
	4/F	811160	825451	7	10.5	0.9	2.8	2.8	2.1	2.5	1.8	1.1			
	5/F	811160	825451	7	13.5	1.4	2.9	2.4	2.2	2.2	1.6	1.1			
	6/F	811160	825451	7	16.5	2.0	3.1	2.5	2.3	2.2	1.6	1.1			
	7/F	811160	825451	7	19.5	2.8	3.4	2.6	2.4	2.2	1.6	1.1			
	8/F	811160	825451	7	22.5	3.8	3.7	2.8	2.5	2.3	1.8	1.1			
	9/F	811160	825451	7	25.5	5.1	4.1	2.9	2.7	2.3	1.9	1.2			
	10/F	811160	825451	7	28.5	6.5	4.6	3.1	2.9	2.3	2.0	1.4			
Plan 3	1/F	811097	825372	7	4.5	0.0	1.5	2.5	2.8	1.0	2.0	1.0			
	2/F	811097	825372	7	7.5	0.1	1.7	2.6	2.9	1.0	2.0	1.0			
	3/F	811097	825372	7	10.5	0.2	2.0	2.6	3.0	1.1	2.0	1.1			
	4/F	811097	825372	7	13.5	0.4	2.4	2.7	3.2	1.1	2.1	1.1			
	5/F	811097	825372	7	16.5	0.8	2.8	2.8	3.4	1.4	2.4	1.1			
	6/F	811097	825372	7	19.5	1.6	3.4	3.1	3.7	1.1	2.2	1.1			
	7/F	811097	825372	7	22.5	3.1	4.0	3.3	3.9	1.1	2.3	1.1			
	8/F	811097	825372	7	25.5	5.5	4.8	3.6	4.3	1.2	2.4	1.1			
	9/F	811097	825372	7	28.5	8.0	5.9	4.0	4.8	1.4	2.5	1.4			
	10/F	811097	825372	7	31.5	13.7	6.4	4.3	6.3	1.6	2.7	1.8			
Plan 4	1/F	811037	825291	7	1.5	0.7	0.3	2.4	2.0	2.2	1.0	2.5			
	2/F	811037	825291	7	4.5	0.8	0.4	2.6	2.5	2.0	2.2	1.0			
	3/F	811037	825291	7	7.5	1.2	0.6	2.7	2.5	2.1	2.2	1.0			
	4/F	811037	825291	7	10.5	1.9	0.8	2.8	2.6	2.2	2.0	2.5			
	5/F	811037	825291	7	13.5	2.9	1.3	2.9	2.7	2.3	2.2	1.1			
	6/F	811037	825291	7	16.5	4.3	1.9	3.2	2.9	2.4	2.2	1.1			
	7/F	811037	825291	7	19.5	6.2	2.7	3.4	3.0	2.5	2.2	1.2			
	8/F	811037	825291	7	22.5	8.7	3.8	3.7	3.2	2.8	2.3	1.3			
	9/F	811037	825291	7	25.5	12.5	5.0	3.9	3.4	2.8	2.3	1.4			
	10/F	811037	825291	7	28.5	23.0	6.5	4.7	3.7	2.9	2.3	1.5			
Plan 5	1/F	810976	825212	7	1.5	2.7	0.0	1.5	2.9	2.8	1.0	1.3			
	2/F	810976	825212	7	4.5	2.9	0.1	1.8	2.9	2.8	1.0	1.3			
	3/F	810976	825212	7	7.5	3.1	0.1	1.7	2.9	2.9	1.0	1.3			
	4/F	810976	825212	7	10.5	3.5	0.2	2.0	3.0	3.1	1.1	1.3			
	5/F	810976	825212	7	13.5	4.1	0.4	2.4	3.1	3.2	1.1	1.3			
	6/F	810976	825212	7	16.5	4.7	0.8	2.8	3.2	3.4	1.1	1.3			
	7/F	810976	825212	7	19.5	5.6	1.6	3.4	3.7	3.7	1.1	1.3			
	8/F	810976	825212	7	22.5	6.6	3.1	4.1	3.5	3.9	1.1	1.3			
	9/F	810976	825212	7	25.5	8.4	5.5	4.8	3.7	4.3	1.2	1.3			
	10/F	810976	825212	7	28.5	10.7	8.9	5.6	3.9	5.3	1.4	1.3			
Plan 6	1/F	810914	825132	7	1.5	4.4	0.6	0.3	4.4	2.4	2.0	2.2			
	2/F	810914	825132	7	4.5	4.4	0.8	0.4	4.4	2.5	2.0	2.2			
	3/F	810914	825132	7	7.5	4.6	1.2	0.6	4.5	2.5	2.1	2.2			
	4/F	810914	825132	7	10.5	4.8	1.9	0.8	4.6	2.6	2.1	2.2			
	5/F	810914	825132	7	13.5	5.2	2.9	1.3	4.8	2.7	2.2	2.2			
	6/F	810914	825132	7	16.5	5.6	4.3	1.9	5.6	2.8	2.4	2.2			
	7/F	810914	825132	7	19.5	6.1	6.1	2.7	6.6	3.0	2.5	2.2			
	8/F	810914	825132	7	22.5	6.8	8.6	3.8	7.7	3.2	2.6	2.2			
	9/F	810914	825132	7	25.5	7.8	12.3	5.9	8.9	3.5	2.9	2.2			
	10/F	810914	825132	7	28.5	9.7	17.2	8.7	10.2	3.6	2.9	2.2			
Plan 7	1/F	810853	825051	7	4.5	3.9	2.9	0.0	3.3	3.0	2.8	2.7			
	2/F	810853	825051	7	7.5	4.0	3.2	0.0	3.4	3.0	2.9	2.7			
	3/F	810853	825051	7	10.5	4.1	3.6	0.2	3.4	3.1	3.1	2.8			
	4/F	810853	825051	7	13.5	4.2	4.1	0.4	3.5	3.2	3.2	2.8			
	5/F	810853	825051	7	16.5	4.4	4.8	0.8	3.6	3.3	3.4	2.9			
	6/F	810853	825051	7	19.5	4.7	5.8	1.6	3.7	3.5	3.7	2.9			
	7/F	810853	825051	7	22.5	5.0	6.6	3.0	4.0	3.6	3.9	2.5			
	8/F	810853	825051	7	25.5	5.4	8.3	5.3	4.4	3.8	4.3	2.8			
	9/F	810853	825051	7	28.5	5.8	10.6	8.7	4.9	4.0	5.3	3.0			
	10/F	810853	825051	7	31.5	6.2	13.5	13.3	5.3	4.2	6.4	3.2			
GIC1	G/F	810367	825988	7	1.5	1.4	2.2	1.8	1.4	2.1	3.5	2.2			
GIC2	G/F	810336	825951	7	1.5	1.2	2.3	1.9	1.3	2.4	3.6	2.5			
GIC3	G/F	810306	825933	7	1.5	1.1	2.2	2.1	1.4	2.8	2.6	2.4			
HCS1	G/F	811284	825909	60	1.5	13.0	9.2	3.5	10.1	6.					

ID	Floor	ASR				Height above ground, m	Different Source Locations within Eco-Park - Net 24 Hour TSP Concentrations from Eco Park Phase I, µg/m³								
		X	Y	Z	A2		A3	A4	A5	A6	A7	A8	A9		
RP3	G/F	810838	825191	7	1.5	1.8	0.0	0.0	4.0	1.3	0.9	2.4	2.6		
	1/F	810838	825191	7	4.5	1.8	0.0	0.0	4.0	1.4	0.9	2.4	2.6		
	2/F	810838	825191	7	7.5	1.9	0.1	0.2	4.1	1.5	0.9	2.4	2.6		
	3/F	810838	825191	7	10.5	2.0	0.2	0.4	4.1	1.6	1.0	2.4	2.6		
	4/F	810838	825191	7	13.5	2.2	0.4	0.8	4.3	1.8	1.1	2.4	2.7		
	5/F	810838	825191	7	16.5	2.6	0.9	2.0	4.4	2.1	1.3	2.4	2.7		
	6/F	810838	825191	7	19.5	3.1	1.7	2.8	4.6	2.4	1.5	2.5	2.7		
	7/F	810838	825191	7	22.5	3.7	3.0	4.7	4.9	2.7	1.8	2.5	2.8		
	8/F	810838	825191	7	25.5	4.4	5.1	7.5	5.4	3.1	2.0	2.6	2.8		
	9/F	810838	825191	7	28.5	5.1	6.4	11.0	6.2	3.5	2.3	2.6	2.9		
RP4	10/F	810838	825191	7	31.5	6.3	21.9	15.2	7.0	3.9	2.6	2.6	2.9		
	G/F	811058	825648	7	1.5	1.3	2.0	1.8	1.4	2.5	1.8	1.6	1.5		
	1/F	811058	825648	7	4.5	1.3	2.0	1.9	1.5	2.5	1.8	1.6	1.5		
	2/F	811058	825648	7	7.5	1.5	2.1	1.9	1.7	2.6	1.9	1.6	1.5		
	3/F	811058	825648	7	10.5	1.7	2.1	1.9	2.0	2.6	1.9	1.6	1.5		
	4/F	811058	825648	7	13.5	1.9	2.1	1.9	2.4	2.8	1.9	1.6	1.6		
	5/F	811058	825648	7	16.5	2.3	2.1	1.9	2.8	2.9	2.0	1.6	1.6		
	6/F	811058	825648	7	19.5	2.9	2.1	1.9	3.4	3.1	2.1	1.6	1.6		
	7/F	811058	825648	7	22.5	3.9	2.2	1.9	4.0	3.4	2.2	1.6	1.6		
	8/F	811058	825648	7	25.5	5.2	2.3	1.9	4.8	3.6	2.2	1.6	1.7		
RP5	9/F	811058	825648	7	28.5	6.8	2.9	1.9	5.5	4.0	2.3	1.6	1.9		
	10/F	811058	825648	7	31.5	8.7	3.5	1.9	6.4	4.3	2.4	1.7	2.3		
	G/F	811001	825573	7	1.5	0.5	2.0	1.9	0.4	2.6	2.2	1.6	1.4		
	1/F	811001	825573	7	4.5	0.7	2.1	1.9	0.7	2.6	2.2	1.6	1.4		
	2/F	811001	825573	7	7.5	1.0	2.1	1.9	0.6	2.7	2.2	1.6	1.4		
	3/F	811001	825573	7	10.5	1.5	2.2	1.9	0.9	2.8	2.3	1.6	1.4		
	4/F	811001	825573	7	13.5	2.2	2.3	1.9	1.4	2.9	2.4	1.6	1.5		
	5/F	811001	825573	7	16.5	3.1	2.4	1.9	2.0	3.1	2.5	1.6	1.6		
	6/F	811001	825573	7	19.5	4.4	2.5	1.9	2.8	3.3	2.6	1.6	1.6		
	7/F	811001	825573	7	22.5	6.7	2.6	2.0	3.9	3.7	2.7	1.7	1.7		
RP6	8/F	811001	825573	7	25.5	10.1	2.8	2.0	5.1	4.1	2.9	1.9	1.8		
	9/F	811001	825573	7	28.5	17.6	3.6	2.1	6.6	4.6	3.1	2.0	1.9		
	10/F	811001	825573	7	31.5	26.8	4.8	2.1	8.3	5.3	3.5	2.1	2.1		
	G/F	810939	825493	7	1.5	0.0	1.3	2.0	0.0	1.5	2.5	2.0	2.5		
	1/F	810939	825493	7	4.5	0.0	1.4	2.0	0.0	1.6	2.5	2.0	2.6		
	2/F	810939	825493	7	7.5	0.1	1.5	2.0	0.1	1.7	2.5	2.0	2.7		
	3/F	810939	825493	7	10.5	0.2	1.7	2.1	0.2	2.0	2.6	2.0	2.8		
	4/F	810939	825493	7	13.5	0.4	2.0	2.1	0.4	2.4	2.7	2.0	3.0		
	5/F	810939	825493	7	16.5	0.7	2.3	2.1	0.8	2.8	2.7	2.2	3.3		
	6/F	810939	825493	7	19.5	1.3	2.9	2.1	1.7	3.4	3.1	2.2	3.5		
RP7	7/F	810939	825493	7	22.5	2.2	3.9	2.2	3.1	4.0	3.3	2.3	3.8		
	8/F	810939	825493	7	25.5	3.6	5.2	2.3	5.5	4.7	3.5	2.4	4.2		
	9/F	810939	825493	7	28.5	6.1	6.7	2.3	8.1	5.5	3.9	2.5	4.4		
	10/F	810939	825493	7	31.5	22.2	8.5	3.4	13.8	6.3	4.2	2.7	4.6		
	G/F	810877	825414	7	1.5	0.3	0.6	2.1	0.6	0.4	2.6	2.2	2.6		
	1/F	810877	825414	7	4.5	0.4	0.7	2.1	0.6	0.4	2.6	2.2	2.7		
	2/F	810877	825414	7	7.5	0.5	1.0	2.1	0.5	0.6	2.7	2.2	2.7		
	3/F	810877	825414	7	10.5	0.7	1.5	2.2	1.8	0.9	2.8	2.2	2.8		
	4/F	810877	825414	7	13.5	1.0	2.2	2.3	2.8	1.3	2.9	2.2	3.0		
	5/F	810877	825414	7	16.5	1.5	3.2	2.4	4.2	2.0	3.1	2.3	3.1		
RP8	6/F	810877	825414	7	19.5	2.0	4.6	2.5	6.2	2.8	3.4	2.3	3.3		
	7/F	810877	825414	7	22.5	2.6	7.0	2.7	8.8	3.8	3.7	2.3	3.6		
	8/F	810877	825414	7	25.5	3.4	10.9	2.9	12.6	5.1	4.2	2.3	3.8		
	9/F	810877	825414	7	28.5	4.3	19.0	3.5	23.3	6.6	4.6	2.3	4.1		
	10/F	810877	825414	7	31.5	5.3	28.9	4.4	39.5	8.3	5.2	2.5	4.7		
	G/F	810815	825334	7	1.5	1.0	0.0	1.4	0.0	1.6	1.0	1.0	1.7		
	1/F	810815	825334	7	4.5	1.0	0.0	1.4	0.0	1.9	1.0	1.0	1.8		
	2/F	810815	825334	7	7.5	1.1	0.1	1.5	3.1	0.1	1.7	1.0	1.8		
	3/F	810815	825334	7	10.5	1.2	0.2	1.7	3.5	0.2	2.0	1.1	1.9		
	4/F	810815	825334	7	13.5	1.4	0.4	1.9	4.1	0.4	2.4	1.1	1.9		
RP9	5/F	810815	825334	7	16.5	0.7	0.7	2.2	4.7	0.8	2.8	1.1	2.0		
	6/F	810815	825334	7	19.5	1.8	1.3	3.0	5.6	1.6	3.4	1.1	2.1		
	7/F	810815	825334	7	22.5	2.1	2.2	3.9	6.6	3.1	4.0	1.1	2.2		
	8/F	810815	825334	7	25.5	2.4	3.8	5.2	8.3	5.4	4.7	1.2	2.3		
	9/F	810815	825334	7	28.5	2.7	6.8	6.2	10.8	6.9	5.3	1.4	2.4		
	10/F	810815	825334	7	31.5	3.0	21.1	8.5	13.8	13.5	6.3	1.6	2.5		
	G/F	810755	825255	7	1.5	1.6	0.3	0.6	4.4	0.6	0.4	2.0	4.6		
	1/F	810755	825255	7	4.5	1.6	0.4	0.7	4.4	0.8	0.4	2.0	4.6		
	2/F	810755	825255	7	7.5	1.6	0.5	1.0	4.6	1.2	0.6	2.1	4.7		
	3/F	810755	825255	7	10.5	1.7	0.7	1.3	4.8	1.5	0.9	2.1	4.7		
RP10	4/F	810755	825255	7	13.5	1.7	1.0	2.3	5.1	2.9	1.4	2.2	5.2		
	5/F	810755	825255	7	16.5	1.8	1.5	3.2	5.6	4.3	2.0	2.3	6.3		
	6/F	810755	825255	7	19.5	1.9	2.0	4.7	6.1	6.2	2.8	2.5	7.6		
	7/F	810755	825255	7	22.5	2.0	2.7	6.3	6.8	8.8	3.8	2.6	9.1		
	8/F	810755	825255	7	25.5	2.1	3.4	11.3	7.7	12.7	5.1	2.8	10.9		
	9/F	810755	825255	7	28.5	2.3	4.3	19.5	8.6	23.5	6.6	2.9	12.7		
	10/F	810755	825255	7	31.5	2.4	5.3	29.6	9.8	39.5	8.3	3.0	14.4		
	G/F	810692	825174	7	1.5	1.3	1.0	0.0	3.8	2.8	0.0	2.8	3.4		
	1/F	810692	825174	7	4.5	1.3	1.0	0.0	3.8	2.9	0.0	2.8	3.4		
	2/F	810692	825174	7	7.5	1.1	0.1	3.9	3.2	3.9	0.1	2.9	3.4		
RP11	3/F	810692	825174	7	10.5	1.4	1.2	0.2	4.0	3.6	0.2	3.0	3.5		
	4/F	810692	825174	7	13.5	1.4	1.4	0.4	4.2	4.0	0.4	3.2	3.6		
	5/F	810692	825174	7	16.5	1.4	1.6	0.4	4.4	4.8	0.8	3.4	3.7		
	6/F	810692	825174	7	19.5	1.4	1.8	1.3	4.6	5.6	1.6	3.7	3.8		
	7/F	810692	825174	7	22.5	1.4	2.1	2.3	4.9	6.6	3.1	3.9	4.0		
	8/F	810692	825174	7	25.5	1.5	2.4	3.7	5.3	8.3	5.4	4.4	4.3		
	9/F	810692	825174	7	28.5	1.5	2.7	5.0	5.7	10.8	8.8	5.4	4.8		
	10/F	810692	825174	7	31.5	1.5	3.0	19.7	6.2	13.5	13.4	6.5	5.3		
	G/F	810921	825633	7	1.5	2.2	1.7	1.7	0.0	2.8	2.1	2.2	0.9		
	1/F	810921	825633	7	4.5	2.3	1.7	1.7	0.1	2.8	2.1	2.2	0.9		
RP12	2/F	810921	825633	7	7.5	2.6	1.7	1.7	0.2	2.9	2.1	2.2	1.0		
	3/F	810921	825633	7	10.5	3.0	1.8	1.7	0.4	3.0	2.1	2.2	1.1		
	4/F	810921	825633	7	13.5	3.5	1.8	1.7	0.8	3.1	2.1	2.2	1.2		
	5/F	810921	825633	7	16.5	4.2	1.9	1.8	1.6						

ID	Floor	ASR				Height above ground, m	Different Source Locations within Eco-Park - Net 24 Hour TSP Concentrations from Eco Park Phase I, µg/m ³								
		X	Y	Z	A1		A2	A3	A4	A5	A6	A7	A8	A9	
SW1	1/F	810481	825758	7	4.5	0.6	1.0	2.2	2.2	1.1	2.8	2.7	1.4	1.7	
	2/F	810481	825758	7	7.5	0.6	1.0	2.2	2.1	1.1	2.8	2.7	1.4	1.8	
	3/F	810481	825758	7	10.5	0.6	1.1	2.3	2.1	1.2	2.7	2.3	1.5	1.9	
	4/F	810481	825758	7	13.5	0.6	1.1	2.3	2.1	1.3	2.7	2.4	1.5	2.0	
	5/F	810481	825758	7	16.5	0.6	1.1	2.4	2.1	1.4	2.8	2.5	1.6	2.5	
	6/F	810481	825758	7	19.5	0.6	1.2	2.4	2.1	1.6	3.2	2.6	1.6	3.0	
	7/F	810481	825758	7	22.5	0.6	1.5	2.5	2.1	2.0	3.6	2.6	1.7	3.5	
SW2	1/F	810458	825729	7	4.5	0.7	0.9	1.8	2.0	0.8	3.1	4.1	1.8	1.2	
	2/F	810458	825729	7	7.5	0.7	0.9	1.8	2.0	0.8	3.1	4.2	1.9	1.2	
	3/F	810458	825729	7	10.5	0.7	1.0	1.8	2.0	0.8	3.2	4.3	1.9	1.3	
	4/F	810458	825729	7	13.5	0.8	1.0	1.8	2.1	0.9	3.4	4.5	2.0	1.5	
	5/F	810458	825729	7	16.5	1.1	1.0	1.8	2.1	1.1	3.7	4.6	2.1	2.3	
	6/F	810458	825729	7	19.5	1.5	1.1	1.9	2.2	1.4	4.0	4.7	2.2	3.7	
	7/F	810458	825729	7	22.5	1.9	1.3	1.9	2.2	1.6	4.2	4.7	2.7	5.5	
SW3	G/F	810552	825676	7	1.5	0.8	1.0	2.6	4.0	1.0	2.5	2.8	1.9	0.7	
SW4	G/F	810476	825677	7	1.5	0.6	0.7	1.2	2.0	1.0	1.8	4.6	1.7	1.5	
SW5	G/F	810412	825497	7	1.5	0.3	0.7	0.8	2.2	0.8	1.0	3.1	2.6	1.4	
SW6	G/F	810340	825407	7	1.5	0.3	0.6	0.8	1.1	0.8	1.0	1.7	0.7	1.0	
PAFF1	G/F	810438	825428	7	1.5	0.3	0.7	0.8	1.9	0.8	1.2	2.9	0.6	0.6	
PAFF2	G/F	810411	825395	7	1.5	0.6	0.6	0.9	1.6	0.6	1.1	1.9	0.1	0.9	
PAFF3	G/F	810385	825363	7	1.5	0.2	0.4	1.0	1.1	0.6	1.0	1.7	0.1	0.8	
RTT1	G/F	811489	825504	7	1.5	1.2	1.3	1.0	0.9	0.6	0.6	0.7	0.6	0.8	
RTT2	G/F	811469	825454	7	1.5	2.0	1.0	1.1	0.8	0.9	0.5	0.6	0.4	0.6	
RTT3	G/F	811451	825413	7	1.5	2.3	0.8	1.1	0.8	0.8	0.5	0.5	0.4	0.4	
RTT4	G/F	811430	825383	7	1.5	2.3	0.9	1.1	0.9	0.8	0.6	0.6	0.6	0.6	
PBR21	G/F	810968	824906	7	1.5	2.3	3.0	4.9	4.4	4.1	0.9	1.5	1.3	0.7	
PBR22	G/F	811029	825000	7	1.5	3.3	2.6	1.6	2.5	1.7	1.5	1.6	0.9	0.6	
PBR23	G/F	811092	825090	7	1.5	3.1	4.5	2.4	0.8	1.0	1.7	1.0	0.8	0.9	
Plan 1	G/F	811218	825528	7	1.5	2.6	2.6	1.4	2.2	1.4	1.2	1.0	0.8	0.8	
	1/F	811218	825528	7	4.5	0.9	2.4	2.0	1.2	0.8	1.4	1.0	0.6	0.9	
	2/F	811218	825528	7	7.5	1.5	2.6	2.1	1.3	0.8	1.4	1.0	0.6	0.9	
	3/F	811218	825528	7	10.5	2.5	2.8	2.2	1.3	0.8	1.4	1.0	0.6	0.9	
	4/F	811218	825528	7	13.5	4.1	3.0	2.3	1.3	0.8	1.5	1.0	0.6	0.9	
	5/F	811218	825528	7	16.5	6.2	3.3	2.4	1.3	0.9	1.5	1.0	0.7	1.1	
	6/F	811218	825528	7	19.5	11.0	3.7	2.6	1.4	1.1	1.8	1.0	0.8	1.2	
	7/F	811218	825528	7	22.5	17.5	4.0	2.7	1.4	1.4	1.6	1.0	0.9	1.3	
	8/F	811218	825528	7	25.5	22.8	4.3	3.2	1.4	1.8	1.8	1.1	1.0	1.3	
	9/F	811218	825528	7	28.5	24.2	5.1	3.6	1.4	2.2	2.2	1.1	1.1	1.6	
Plan 2	10/F	811218	825528	7	31.5	27.0	5.8	4.2	1.5	2.7	1.1	1.3	1.3	1.8	
	G/F	811160	825451	7	1.5	3.5	1.6	2.4	1.6	1.8	1.4	1.0	0.6	1.2	
	1/F	811160	825451	7	4.5	3.9	1.7	2.4	1.6	1.8	1.4	1.0	0.7	1.2	
	2/F	811160	825451	7	7.5	4.8	2.1	2.5	1.7	1.8	1.4	1.0	0.7	1.2	
	3/F	811160	825451	7	10.5	6.3	2.6	2.8	1.7	1.8	1.4	1.0	0.7	1.2	
	4/F	811160	825451	7	13.5	11.3	3.2	2.8	1.8	1.8	1.4	1.1	0.8	1.2	
	5/F	811160	825451	7	16.5	19.0	4.0	3.0	1.8	1.8	1.4	1.2	1.0	1.2	
	6/F	811160	825451	7	19.5	29.2	4.8	3.2	1.9	1.8	1.7	1.2	1.1	1.2	
	7/F	811160	825451	7	22.5	38.5	5.7	3.5	2.0	1.8	2.2	1.2	1.1	1.2	
	8/F	811160	825451	7	25.5	44.5	8.8	3.7	2.2	1.8	2.6	1.4	1.5	1.2	
9/F	811160	825451	7	28.5	44.8	11.4	4.0	2.6	2.2	3.1	1.6	1.7	1.3		
Plan 3	10/F	811160	825451	7	31.5	44.4	13.0	4.3	3.0	2.7	3.6	2.0	2.0	1.6	
	G/F	811097	825372	7	4.5	3.9	2.0	2.9	2.7	0.8	1.4	0.6	0.6	1.5	
	1/F	811097	825372	7	7.5	4.0	2.6	2.4	2.7	0.8	1.4	0.6	0.6	1.5	
	2/F	811097	825372	7	10.5	4.2	1.5	2.6	2.1	2.7	0.8	1.4	0.6	1.5	
	3/F	811097	825372	7	13.5	4.6	2.6	2.8	2.2	2.7	0.8	1.4	0.7	1.5	
	4/F	811097	825372	7	16.5	5.5	4.2	3.0	2.3	2.8	0.9	1.5	0.8	1.5	
	5/F	811097	825372	7	19.5	8.9	6.4	3.4	3.0	3.4	1.0	1.5	1.0	1.6	
	6/F	811097	825372	7	22.5	8.8	11.1	3.7	2.6	3.6	1.2	1.6	1.2	1.5	
	7/F	811097	825372	7	25.5	11.2	17.8	4.0	2.8	4.0	1.5	1.6	1.5	1.4	
	8/F	811097	825372	7	28.5	13.8	22.8	4.7	3.2	4.2	1.9	1.6	1.9	1.4	
9/F	811097	825372	7	31.5	18.3	24.0	5.3	3.8	5.0	2.4	1.7	2.2	1.4		
Plan 4	10/F	811097	825372	7	31.5	18.6	21.0	6.5	4.3	4.5	2.9	1.7	2.7	1.4	
	G/F	811037	825291	7	1.5	4.1	3.4	1.5	2.4	1.8	1.4	1.4	0.7	1.5	
	1/F	811037	825291	7	4.5	4.2	3.9	1.7	2.4	2.1	1.8	1.4	0.8	1.5	
	2/F	811037	825291	7	7.5	4.4	4.7	2.0	2.5	2.1	1.8	1.4	0.8	1.5	
	3/F	811037	825291	7	10.5	4.6	4.6	2.1	2.6	2.1	1.8	1.4	0.8	1.5	
	4/F	811037	825291	7	13.5	4.9	10.5	3.2	2.8	2.2	1.9	1.4	0.9	1.5	
	5/F	811037	825291	7	16.5	5.4	17.6	4.0	3.0	2.3	1.9	1.4	0.9	1.5	
	6/F	811037	825291	7	19.5	5.8	26.5	4.8	3.2	2.4	1.9	1.7	1.0	1.5	
	7/F	811037	825291	7	22.5	6.4	35.0	5.6	3.5	2.5	1.9	2.1	1.1	1.5	
	8/F	811037	825291	7	25.5	7.3	40.4	6.8	3.8	2.7	1.9	2.6	1.2	1.7	
9/F	811037	825291	7	28.5	8.7	40.6	11.4	4.0	2.8	2.4	3.1	1.3	1.9		
Plan 5	10/F	811037	825291	7	31.5	10.0	40.1	13.1	4.3	3.0	2.9	3.6	1.4	2.0	
	G/F	810976	825212	7	1.5	3.1	3.9	0.6	2.3	2.4	2.7	0.8	0.8	1.3	
	1/F	810976	825212	7	4.5	3.1	4.0	0.7	2.4	2.4	2.7	0.8	0.8	1.3	
	2/F	810976	825212	7	7.5	3.2	4.2	1.5	2.6	2.4	2.7	0.8	0.8	1.3	
	3/F	810976	825212	7	10.5	3.3	4.6	2.6	2.8	2.4	2.7	0.8	0.8	1.4	
	4/F	810976	825212	7	13.5	3.4	5.9	4.2	3.0	2.5	2.8	0.9	0.8	1.4	
	5/F	810976	825212	7	16.5	3.6	6.2	6.0	3.3	2.5	3.2	1.0	0.8	1.4	
	6/F	810976	825212	7	19.5	3.9	8.7	11.0	3.7	2.9	3.6	1.2	0.9	1.5	
	7/F	810976	825212	7	22.5	4.3	11.1	17.5	4.0	2.6	4.0	1.5	0.9	1.5	
	8/F	810976	825212	7	25.5	4.6	13.7	22.6	5.0	2.8	4.2	2.0	1.0	1.6	
9/F	810976	825212	7	28.5	5.0	16.2	23.8	6.0	3.6	4.3	2.4	1.1	1.7		
Plan 6	10/F	810976	825212	7	31.5	5.4	18.4	23.8	7.4	4.9	4.9	2.9	1.2	1.6	
	G/F	810914	825132	7	1.5	2.9	4.1	3.4	1.5	4.4	2.1	1.8	1.4	0.8	
	1/F	810914	825132	7	4.5	3.0	4.2	3.8	1.7	4.5	2.1	1.8	1.4	0.8	
	2/F	810914	825132	7	7.5	3.1	4.3	4.7	2.0	4.8	2.1	1.8	1.4	0.8	
	3/F	810914	825132	7	10.5	3.3	4.6	5.0	2.1	4.6	2.1	1.			

ID	Floor	X	ASR				Height above ground, m	Different Source Locations within Eco-Park - Net 24 Hour TSP Concentrations from Eco Park Phase I, µg/m ³								
			Y	Z	A1	A2		A3	A4	A5	A6	A7	A8	A9		
RP3	G/F	810838	825191	7	1.5	1.8	2.1	0.7	1.1	3.2	1.6	1.1	1.7	1.8		
	1/F	810838	825191	7	4.5	1.8	2.2	0.9	1.1	3.2	1.6	1.1	1.7	1.8		
	2/F	810838	825191	7	7.5	1.8	2.4	1.5	2.3	3.3	1.7	1.2	1.7	1.8		
	3/F	810838	825191	7	10.5	1.8	2.5	2.4	3.6	3.3	1.8	1.2	1.7	1.8		
	4/F	810838	825191	7	13.5	1.9	2.8	3.9	5.2	3.5	2.0	1.3	1.7	1.8		
	5/F	810838	825191	7	16.5	2.1	3.1	4.2	5.9	3.9	2.1	1.4	1.7	1.8		
	6/F	810838	825191	7	19.5	2.4	3.9	19.0	9.4	4.2	2.3	1.6	1.7	1.8		
	7/F	810838	825191	7	22.5	2.9	4.7	28.9	11.5	4.5	2.5	2.3	1.6	1.8		
	8/F	810838	825191	7	25.5	3.4	5.6	33.7	13.2	4.8	2.6	3.2	1.6	2.2		
	9/F	810838	825191	7	28.5	3.9	6.7	42.7	14.3	5.0	2.8	4.0	1.6	2.8		
RP4	G/F	811058	825648	7	31.5	4.8	8.1	48.0	15.4	5.1	3.8	4.4	1.6	3.4		
	1/F	811058	825648	7	1.5	0.5	1.9	1.4	1.1	2.3	2.0	1.3	1.0	1.1		
	2/F	811058	825648	7	4.5	0.7	1.9	1.4	1.1	2.4	2.0	1.3	1.0	1.1		
	3/F	811058	825648	7	7.5	1.1	2.2	1.4	1.1	2.6	2.1	1.3	1.0	1.1		
	4/F	811058	825648	7	10.5	1.7	2.7	1.4	1.1	2.8	2.2	1.3	1.0	1.1		
	5/F	811058	825648	7	13.5	3.2	3.4	1.5	1.1	3.0	2.5	1.3	1.0	1.3		
	6/F	811058	825648	7	16.5	8.1	4.2	1.8	1.1	3.3	2.5	1.4	1.0	1.6		
	7/F	811058	825648	7	19.5	15.3	5.1	2.1	1.1	3.7	2.6	1.4	1.0	1.9		
	8/F	811058	825648	7	22.5	22.1	6.1	2.4	1.4	4.0	2.7	1.4	1.0	2.5		
	9/F	811058	825648	7	25.5	24.6	7.0	2.7	1.6	4.3	3.2	1.5	1.0	3.2		
RP5	G/F	811001	825573	7	1.5	22.0	6.0	3.1	2.3	5.6	4.0	1.6	1.1	4.9		
	1/F	811001	825573	7	4.5	1.2	2.5	1.8	1.2	1.8	2.4	1.6	1.0	1.2		
	2/F	811001	825573	7	7.5	1.5	3.5	1.8	1.2	2.1	2.5	1.7	1.0	1.2		
	3/F	811001	825573	7	10.5	1.8	4.8	1.8	1.2	2.6	2.6	1.7	1.1	1.2		
	4/F	811001	825573	7	13.5	2.2	8.0	1.8	1.2	3.2	2.7	1.8	1.1	1.2		
	5/F	811001	825573	7	16.5	2.7	12.5	2.3	1.3	4.0	2.9	1.8	1.2	1.2		
	6/F	811001	825573	7	19.5	3.2	17.0	4.3	1.4	4.8	3.4	1.9	1.4	1.2		
	7/F	811001	825573	7	22.5	3.8	21.7	3.5	1.5	5.8	3.4	2.0	1.2	1.6		
	8/F	811001	825573	7	25.5	4.4	25.3	4.6	1.6	9.1	3.7	2.3	1.4	1.8		
	9/F	811001	825573	7	28.5	4.9	25.6	5.7	1.6	11.7	4.0	2.7	1.6	2.1		
RP6	G/F	810939	825493	7	1.5	2.2	0.5	1.9	0.6	1.7	13.2	7.9	2.5	2.5		
	1/F	810939	825493	7	4.5	1.3	0.7	2.0	1.4	0.9	2.4	2.0	1.4	2.6		
	2/F	810939	825493	7	7.5	1.3	1.1	2.2	1.4	1.5	2.6	2.1	1.4	2.6		
	3/F	810939	825493	7	10.5	1.4	1.8	2.7	1.4	2.6	2.8	2.7	1.4	2.7		
	4/F	810939	825493	7	13.5	1.5	3.3	3.5	1.5	3.3	3.0	2.3	1.5	2.7		
	5/F	810939	825493	7	16.5	1.7	9.6	4.2	1.8	6.5	3.3	2.4	1.5	2.8		
	6/F	810939	825493	7	19.5	1.8	18.1	6.1	2.1	10.7	3.6	2.6	1.6	2.8		
	7/F	810939	825493	7	22.5	1.9	25.9	8.0	2.4	17.0	3.9	2.7	1.6	2.8		
	8/F	810939	825493	7	25.5	2.1	28.9	9.6	2.6	21.9	4.2	3.1	1.6	2.8		
	9/F	810939	825493	7	28.5	2.2	28.5	11.5	2.9	23.0	5.1	3.6	1.7	2.8		
RP7	G/F	810877	825414	7	31.5	2.4	26.1	7.8	3.2	20.2	5.8	4.1	1.7	3.3		
	1/F	810877	825414	7	1.5	1.3	1.2	2.6	1.8	3.4	1.5	2.4	1.5	2.3		
	2/F	810877	825414	7	4.5	1.3	1.3	2.8	1.8	3.8	1.7	2.5	1.5	2.4		
	3/F	810877	825414	7	7.5	1.4	1.4	3.2	1.8	4.2	1.8	2.5	1.5	2.7		
	4/F	810877	825414	7	10.5	1.4	1.8	5.0	1.9	6.1	2.6	2.6	1.4	2.4		
	5/F	810877	825414	7	13.5	1.4	2.2	8.6	1.9	10.7	3.2	2.8	1.4	2.5		
	6/F	810877	825414	7	16.5	1.4	2.6	13.5	2.2	18.1	4.0	3.0	1.4	2.6		
	7/F	810877	825414	7	19.5	1.4	3.2	14.4	2.4	21.9	4.8	3.2	1.6	2.8		
	8/F	810877	825414	7	22.5	1.5	3.7	23.2	2.3	26.3	5.8	3.5	1.6	3.2		
	9/F	810877	825414	7	25.5	1.5	4.3	27.0	4.1	42.0	9.0	3.7	2.7	3.7		
RP8	G/F	810815	825334	7	31.5	0.9	5.0	24.2	5.9	41.5	13.2	4.7	3.7	5.5		
	1/F	810815	825334	7	1.5	0.3	1.3	1.9	0.9	3.9	3.5	2.4	0.8	1.5		
	2/F	810815	825334	7	4.5	0.9	1.3	0.7	1.9	4.0	0.9	2.4	0.8	1.5		
	3/F	810815	825334	7	7.5	0.9	1.3	1.1	2.2	4.2	1.5	2.6	0.8	1.5		
	4/F	810815	825334	7	10.5	0.9	1.4	1.8	2.7	4.6	2.6	2.8	0.8	1.5		
	5/F	810815	825334	7	13.5	0.9	1.4	3.4	0.9	4.2	3.0	3.0	0.9	1.6		
	6/F	810815	825334	7	16.5	0.9	1.6	9.2	4.1	6.8	6.4	3.3	1.0	1.6		
	7/F	810815	825334	7	19.5	0.9	1.8	17.1	5.0	8.7	11.0	3.6	1.2	1.6		
	8/F	810815	825334	7	22.5	1.1	1.9	24.5	5.9	11.0	17.5	4.0	1.5	1.6		
	9/F	810815	825334	7	25.5	1.4	2.1	27.3	6.8	13.6	22.7	4.5	1.9	1.6		
RP9	G/F	810755	825255	7	31.5	2.3	2.3	24.8	4.7	16.0	24.4	2.4	2.4	2.8		
	1/F	810755	825255	7	1.5	0.6	1.3	1.2	2.6	4.1	3.4	1.6	1.8	4.9		
	2/F	810755	825255	7	4.5	0.8	1.3	1.3	2.8	4.2	3.8	1.7	1.8	5.1		
	3/F	810755	825255	7	7.5	0.8	1.3	1.5	3.1	4.4	4.7	2.1	1.8	5.6		
	4/F	810755	825255	7	10.5	0.8	1.4	1.8	4.6	6.1	4.8	2.6	1.8	6.2		
	5/F	810755	825255	7	13.5	0.8	1.4	2.2	8.9	5.0	10.7	3.2	1.8	6.9		
	6/F	810755	825255	7	16.5	0.8	1.4	2.6	13.8	5.4	18.1	4.0	1.9	7.6		
	7/F	810755	825255	7	19.5	0.9	1.4	3.1	18.6	5.9	27.2	4.8	1.9	8.4		
	8/F	810755	825255	7	22.5	1.2	1.5	3.7	25.8	7.1	38.1	5.8	1.9	10.1		
	9/F	810755	825255	7	25.5	1.6	1.5	4.2	27.4	9.0	41.7	9.0	1.9	12.0		
RP10	G/F	810692	825174	7	31.5	2.2	2.2	24.8	4.7	16.0	24.4	2.4	2.4	2.8		
	1/F	810692	825174	7	1.5	0.7	1.3	1.2	2.6	4.1	3.4	1.6	1.8	4.9		
	2/F	810692	825174	7	4.5	0.7	1.3	1.3	2.8	4.2	3.8	1.7	1.8	5.1		
	3/F	810692	825174	7	7.5	0.7	1.3	1.5	3.1	4.4	4.7	2.1	1.8	5.6		
	4/F	810692	825174	7	10.5	0.7	1.4	1.8	4.6	6.1	4.8	2.6	1.8	6.2		
	5/F	810692	825174	7	13.5	0.7	1.4	2.2	8.9	5.0	10.7	3.2	1.8	6.9		
	6/F	810692	825174	7	16.5	0.8	1.4	2.6	13.8	5.4	18.1	4.0	1.9	7.6		
	7/F	810692	825174	7	19.5	0.9	1.4	3.1	18.6	5.9	27.2	4.8	1.9	8.4		
	8/F	810692	825174	7	22.5	1.2	1.5	3.7	25.8	7.1	38.1	5.8	1.9	10.1		
	9/F	810692	825174	7	25.5	1.6	1.5	4.2	27.4	9.0	41.7	9.0	1.9	12.0		
RP11	G/F	810921	825633	7	1.5	1.2	3.4	1.5	1.3	1.2	2.5	1.5	1.5	1.1		
	1/F	810921	825633	7	4.5	1.3	3.5	1.5	1.3	1.6	2.5	1.5	1.5	1.1		
	2/F	810921	825633	7	7.5	1.5	3.8	1.6	1.4	2.3	2.5	1.5	1.5	1.1		
	3/F	810921	825633	7	10.5	1.8	4.5	1.8	1.6	3.5	4.1	1.5	1.5	1.1		
	4/F	810921	825633	7	13.5	2.2	5.9	1.7	1.5	5.2	2.5	1.5	1.6	1.3		
	5/F	810921	825633	7	16.5	2.7	7.7	1.8	1.5	7.1	2.5	1.5	1.7	1.5		
	6/F	810921	825633	7	19.5	3.2	9.6	1.9	1.6	9.2	2.5	1.6	2.1	1.9		
	7/F	810921	8256													