

Legend :

- Existing Trees to be Retained
- Proposed Trees
- Shrubs
- Existing Slope Surface
- Proposed Elevated Road
- Existing Elevated Road
- Site Boundary
- Landscape Work by MTRC

LMM 5 and 6 :
Low shrubs planted at P1 Roundabout Area
in order not to disturb the slight line

LMM 6 :
Palm trees planted at P1 Roundabout to provide
a continuous greenery scene when viewed from
seaside but not block the view of Yam O when
viewed from the Track Side

LMM 5 and 6 :
Selection of fast growing native tree and shrub mixes in
compensation for the removal/disturbance area. Compensatory
planting should be at a minimum 1 to 3 basis subject to detailed
design.
Tall Canopy Trees Such as Casuarina equisetifolia and
Hibiscus tiliaceus are planted within the boundary line to soften
the Vertical Elements


Sunny Bay
MTR Station

Yam O Traction Sub-Station

Slip Road 5

Slip Road 6

LMM5 and 6 :
Tall Canopy Trees Such as Casuarina equisetifolia
and Hibiscus Tiliaceus are planted within the boundary
line to soften the Vertical Elements



Plan - Landscape Work by MTRC at Sunny Bay MTR Station



Plan - Landscape Work by MTRC at North Portal

Title Road P1 Advance Works at Yam O on Lantau Island
Landscape Layout Plan

Scale
As Shown

Date
MAR 2003

Project No.
A05702

Figure No.
10.20

