# Hong Kong Convention and Exhibition Centre, Atrium Link Extension

### **Environmental Impact Assessment Report**

March 2006

|                     | Name      | Signature  |
|---------------------|-----------|------------|
| Reviewed & Checked: | Derek Lam | A          |
| Approved:           | Tim Cramp | T. V. Gamp |

Version: Final Date: 10 March 2006

The information contained in this report is, to the best of our knowledge, correct at the time of printing. The interpretation and recommendations in the report are based on our experience, using reasonable professional skill and judgment, and based upon the information that was available to us. These interpretations and recommendations are not necessarily relevant to any aspect outside the restricted requirements of our brief. This report has been prepared for the sole and specific use of our client and MEMCL accepts no responsibility for its use by others.

This report is copyright and may not be reproduced in whole or in part without prior written permission.

#### MAUNSELL ENVIRONMENTAL MANAGEMENT CONSULTANTS LTD

11/F, Grand Central Plaza, Tower 2, 138 Shatin Rural Committee Road, Shatin, NT, Hong Kong Tel: (852) 2893 1551 Fax: (852) 2891 0305 Email: <a href="mailto:mem@maunsell.aecom.com">mem@maunsell.aecom.com</a>

## HONG KONG CONVENTION AND EXHIBITION CENTRE ATRIUM LINK EXTENSION

### **ENVIRONMENTAL IMPACT ASSESSMENT**

### **ENVIRONMENTAL IMPACT ASSESSMENT REPORT**

### **TABLE OF CONTENTS**

|   |  | Page |
|---|--|------|
| 1 | INTRODUCTION   | 1-1  |
|   | Background of the Project  | 1-1  |
|   | Purpose of the EIA Study   |      |
|   | Structure of the Report  |      |
| 2 | DESCRIPTION OF THE PROJECT   | 2-1  |
|   | Location and Scale of the Project  | 2-1  |
|   | Key Project Requirements   |      |
|   | Need for the Project / Scenarios with or without the Project / Benefits of the Project |      |
|   | Design of the Project  |      |
|   | Indirect/Secondary Impact on Traffic Generation  |      |
|   | Consideration of Alternative Project Design  |      |
|   | Consideration of Alternative Construction Method                                       | 2-8  |
| 3 | AIR QUALITY  | 3-1  |
|   | Introduction   | 3-1  |
|   | Environmental Legislation, Standards and Guidelines                                    |      |
|   | Description of Environment   |      |
|   | Air Sensitive Receivers  |      |
|   | Identification of Impacts  | 3-5  |
|   | Assessment Methodology   | 3-6  |
|   | Identification, Prediction and Evaluation of Air Quality Impacts                       |      |
|   | Mitigation Measures  |      |
|   | Residual Environmental Impact  |      |
|   | Environmental Monitoring and Audit   |      |
|   | Conclusion   | 3-24 |
| 4 | NOISE  |      |
|   | Introduction   |      |
|   | Environmental Legislation, Standards and Guidelines                                    |      |
|   | Description of Environment   |      |
|   | Noise Sensitive Receivers  |      |
|   | Identification of Impacts  |      |
|   | Prediction and Evaluation of Impacts   | 4-4  |
|   | Mitigation of Adverse Environmental Impacts  |      |
|   | Evaluation of Residual Impacts<br>Environmental Monitoring and Audit                   |      |
|   | Conclusion   |      |
|   | Outloadit  | 4-/  |

i

| 5 | WATER QUALITY   | 5-1  |
|---|---|------|
|   | Introduction  | 5-1  |
|   | Environmental Legislation, Policies, Plans, Standards and Criteria                            |      |
|   | Description of the Environment  |      |
|   | Water Sensitive Receivers   | 5-5  |
|   | Identification of Environmental Impacts   |      |
|   | Assessment Methodology  |      |
|   | Evaluation of Environmental Impacts   |      |
|   | Mitigation of Adverse Environmental Impacts   |      |
|   | Evaluation of Residual Impacts  |      |
|   | Environmental Monitoring and Audit  Conclusion  |      |
| c | WASTE MANAGEMENT IMPLICATIONS   | C 1  |
| 6 |   |      |
|   | Introduction  |      |
|   | Environmental Legislation, Policies, Plans, Standards and Criteria                            |      |
|   | Waste Management  |      |
|   | Construction and Demolition (C&D) Material  |      |
|   | Assessment Methodology  |      |
|   | Baseline Conditions   |      |
|   | Identification and Evaluation of Environmental Impacts  |      |
|   | Mitigation of Adverse Environmental Impacts   |      |
|   | Evaluation of Residual Impacts<br>Environmental Monitoring and Audit                          |      |
|   | Conclusion  |      |
| 7 | LANDSCAPE AND VISUAL IMPACT ASSESSMENT  |      |
|   | IntroductionProject Description   |      |
|   | Review of Planning and Development Control Framework  |      |
|   | Environmental Legislation and Standards   |      |
|   | Methodology of Assessment of Landscape Impacts  | 7-3  |
|   | Methodology of Assessment of Visual Impacts   | 7-5  |
|   | Baseline Study  |      |
|   | Landscape Resource  |      |
|   | Landscape Character Area  |      |
|   | Visually Sensitive Receiver   |      |
|   | Landscape Impact Assessment (Before Mitigation)   | 7-12 |
|   | Preliminary Tree Survey   | 7-14 |
|   | Visual Impact Assessment (Before Mitigation)  |      |
|   | Detail Visual Analysis for the lower levels of Renaissance Harbour View Hotel (Part of VSR1A) |      |
|   | Recommended Landscape and Visual Mitigation Measures  |      |
|   | Residual Impacts  | 7-24 |
|   | Photomontage of Residual Visual Impact  |      |
|   | Three-dimensional Architectural/ Landscape Illustration                                       |      |
|   | Conclusion  | 7-25 |
| 8 | ENVIRONMENTAL MONITORING AND AUDIT  | 8-1  |
|   | Introduction  | 8-1  |
|   | Air Quality   |      |
|   | Noise Impact  |      |
|   | Water Quality   |      |
|   | Waste Management  |      |
|   | Landscape and Visual Impact   |      |

| 9       | CONCL    | LUSIONS AND RECOMMENDATIONS  | 9-1      |
|---------|----------|--|----------|
|         | Introduc | ction  | 9-1      |
|         |          | lity   |          |
|         |          | mpact  |          |
|         |          | Quality  |          |
|         |          | Management   |          |
|         |          | ape and Visual Impact  |          |
|         |          | Conclusion   |          |
|         | Overall  | Outclusion   | 9-0      |
| 10      | IMPLE    | MENTATION SCHEDULE OF PROPOSED MITIGATION MEASURES                               | 10-1     |
| List of | Tables   |  |          |
| Table 2 | .1       | Tentative Programme for Atrium Link Extension Works                              | 2-2      |
| Table 3 | .1       | Hong Kong Air Quality Objectives   | 3-1      |
| Table 3 | .2       | Tunnel Air Quality Guidelines (TAQG)   | 3-2      |
| Table 3 | .3       | EPD Air Quality Monitoring Data at Central/Western Station in 2003               | 3-3      |
| Table 3 | .4       | Representative Air Sensitive Receivers   | 3-4      |
| Table 3 | .5       | Annual Average Concentrations of Pollutants in Past Five Years                   | 3-8      |
| Table 3 | .6       | Emission Factors for Year 2011 for Different Vehicle Categories (EURO4)          | 3-9      |
| Table 3 | .7       | Ventilation Buildings Emissions from CWB   |          |
| Table 3 | .8       | Design of Central Ventilation Buildings  | 3-10     |
| Table 3 | .9       | Portals Emissions from Proposed Deckover (Long-term Scenario)                    |          |
| Table 3 | .10      | Portals Emissions from Proposed Deckover (Interim Scenario)                      |          |
| Table 3 | .11      | Predicted Cumulative 1-hour Average NO2, 24-hour Average NO2 and 24-hour         | Averaged |
|         |          | RSP at the Representative ASRs (Long-term Scenario)                              |          |
| Table 3 | .12a     | In-Tunnel Air Quality Results (Long-term Scenario) - Nitrogen Dioxide (NO2)      |          |
| Table 3 | .12b     | In-Tunnel Air Quality Results (Long-term Scenario) - Carbon Monoxide (CO)        |          |
| Table 3 |          | In-Tunnel Air Quality Results (Long-term Scenario) - Sulphur Dioxide (SO2)       |          |
| Table 3 |          | Predicted Cumulative 1-hour Average NO2, 24-hour Average NO2 and 24-hour         |          |
|         |          | RSP at the Representative ASRs (Interim Scenario)                                |          |
| Table 3 | .14a     | In-Tunnel Air Quality Results (Interim Scenario) – Nitrogen Dioxide (NO2)        |          |
| Table 3 |          | In-Tunnel Air Quality Results (Interim Scenario) - Carbon Monoxide (CO)          |          |
| Table 3 |          | In-Tunnel Air Quality Results (Interim Scenario) – Sulphur Dioxide (SO2)         |          |
| Table 4 | .1       | Acceptable Noise Levels (ANLs) (dB(A))   |          |
| Table 4 | .2       | Representative Noise Sensitive Receivers   |          |
| Table 5 | .1       | Summary of Water Quality Objectives for Victoria Harbour WCZ                     |          |
| Table 5 |          | WSD Standards at Sea Water Intakes   |          |
| Table 5 |          | Baseline Water Quality Condition for Victoria Harbour WCZ in 2003                |          |
| Table 5 |          | Estimated Pollution Flows and Loads at Culvert L and Culvert M for 2003          |          |
| Table 5 |          | Estimated Pollution Flows and Loads at Culvert L and Culvert M for 2011          |          |
| Table 5 |          | Predicted Tracer Contents at the Sea Channel of HKCEC                            |          |
| Table 5 |          | Proposed Development Schedule and Flow Projection for the Proposed ALE           |          |
| Table 5 |          | Baseline Population and Flow Projections in Wan Chai West and Wan Chai East      | Sewerage |
|         |          | Catchments in 2011   |          |
| Table 5 | .9       | Peak flows to Wan Chai East PTW  |          |
| Table 5 |          | Additional Runoff Estimates  |          |
| Table 5 | .11      | Summary of the Drainage Impact Assessment  | 5-19     |
| Table 6 |          | Existing Waste Handling and Disposal Arrangements at the HKCEC                   | 6-3      |
| Table 6 |          | Analysis of Construction Activities and Waste Generation                         |          |
| Table 6 |          | Summary of Waste Handling Procedures and Disposal Routes                         |          |
| Table 7 |          | Matrix for Impact Significance Threshold Before Mitigation: Relationship between |          |
|         |          | to Change and Magnitude of Change  |          |
| Table 7 | .2       | Significance of Landscape Impacts Before Mitigation (Without All Adjacent        |          |
|         |          | Developments)  |          |
| Table 7 | .3       | Significance of Landscape Impacts Before Mitigation (Comparison With or V        |          |
|         | -        | Adjacent Waterfront Developments)  |          |

| Table 7.4                | Significance of Visual Impacts Before Mitigation (Without All Adjacent Waterfront Developments)  |
|--------------------------|--|
| Table 7.5                | Significance of Visual Impacts Before Mitigation (Comparison With or Without All Adjacent Waterfront Developments)                     |
| Table 7.6                | Visual Impact for Lower Levels of Renaissance Hotel View Hotel in VSR1A during Operation   |
| Table 7.7                | Recommended Landscape and Visual Mitigation Measures   |
| Table 7.8                | Landscape Impacts After Mitigation   |
| Table 7.9                | Visual Impacts After Mitigation  |
| Table 9.1                | Summary of Key Environmental Outcomes / Benefits   |
| Table 10.1               | Implementation Schedule for Air Quality Control  |
| Table 10.2               | Implementation Schedule for Noise Control  |
| Table 10.3               | Implementation Schedule for Water Quality Control  |
| Table 10.4               | Implementation Schedule for Waste Management   |
| Table 10.5               | Implementation Schedule for Landscape & Visual Impact  |
| List of Figures          |  |
| _                        |  |
| Figure 1.1               | Location of Proposed Atrium Link Extension   |
| Figure 2.1               | Longitudinal Section of Proposed Atrium Link Extension   |
| Figure 2.2               | Alternative Project Design (Schemes 1 & 2 – With Larger Footprint)   |
| Figure 2.3               | Alternative Project Design (Scheme 1 – Without Intermediate Column Support)  |
| Figure 2.4               | Alternative Project Design (Scheme 2 – With Intermediate Column Support)   |
| Figure 2.5               | Alternative Construction Method for Temporary Working Platform (Option 1)  |
| Figure 2.6               | Alternative Construction Method for Temporary Working Platform (Option 2)  |
| Figure 2.7               | Alternative Construction Method for Temporary Working Platform (Option 3)  |
| Figure 3.1a              | Locations of Representative Air Sensitive Receivers (Long-term Scenario)   |
| Figure 3.1b              | Locations of Representative Air Sensitive Receivers (Interim Scenario)   |
| Figure 3.2               | Locations of Portals and Ventilation Buildings Emissions (Long-term Scenario)  |
| Figure 3.3               | 2027 AM Peak Hour Forecast Traffic Flow (Long-term Scenario)   |
| Figure 3.4<br>Figure 3.5 | Locations of Portals and Ventilation Buildings Emissions (Interim Scenario) 2024 AM Peak Hour Forecast Traffic Flow (Interim Scenario) |
| Figure 3.6               | Location of Proposed Fresh Air Intake  |
| -                        | ·  |
| Figure 3.7               | Contours of Hourly Average Nitrogen Dioxide Concentrations in µg/m3 at 1.5m above Ground Level (Long-term Scenario)                    |
| Figure 3.8               | Contours of 24-Hour Average Nitrogen Dioxide Concentrations in $\mu g/m3$ at 1.5m above Ground Level (Long-term Scenario)              |
| Figure 3.9               | Contours of 24-Hour Average Respirable Suspended Particulate Concentrations in µg/m3 at 1.5m above Ground Level (Long-term Scenario)   |
| Figure 3.10              | Contours of Hourly Average Nitrogen Dioxide Concentrations in µg/m3 at 1.5m above Ground Level (Interim Scenario)                      |
| Figure 3.11              | Contours of 24-Hour Average Nitrogen Dioxide Concentrations in µg/m3 at 1.5m above Ground Level (Interim Scenario)                     |
| Figure 3.12              | Contours of 24-Hour Average Respirable Suspended Particulate Concentrations in µg/m3 at 1.5m above Ground Level (Interim Scenario)     |
| Figure 4.1               | Locations of Representative Noise Sensitive Receivers  |
| Figure 4.2               | Location of Proposed Plant Room  |
| Figure 5.1               | Locations of EPD Water Quality Monitoring Stations   |
| Figure 5.2               | Locations of Seawater Intakes and Storm Outfalls   |
| Figure 5.2a              | Coastline configurations for Water Quality Modelling   |
| Figure 5.3               | Locations of Cross Sections  |
| Figure 5.4               | Locations of Marine Access Points  |
| Figure 7.1               | Location Plan for the Project  |
| Figure 7.2               | Planning & Development Framework (OZP)   |
| Figure 7.3               | Landscape Resources  |
| Figure 7.4               | Photo of Landscape Resources   |
| Figure 7.5               | Landscape Character Area   |
| Figure 7.6               | Photo of Landscape Character Area  |
| Figure 7.7               | Visually Sensitive Receivers   |

| Figure 7.8 Figure 7.9 Figure 7.10 Figure 7.11 Figure 7.12.1 Figure 7.12.2 Figure 7.12.3 Figure 7.12.4 Figure 7.12.4 Figure 7.13 Figure 7.15 Figure 7.16 Figure 7.16 Figure 7.17 Figure 7.18 Figure 7.19 Figure 7.20 Figure 7.20 Figure 7.20.1 Figure 7.20.2 Figure 7.21 Figure 7.22 Figure 7.22 Figure 7.25 Figure 7.25 Figure 7.25 Figure 7.25 Figure 7.26 Figure 7.27 Figure 7.28 Figure 7.29 Figure 7.30 Figure 7.31 Figure 7.31 Figure 7.32 | Photo of Visually Sensitive Receivers Group Photo of Visually Sensitive Receivers to HKCEC Views from Visually Sensitive Receivers to HK |
|---|--|
| Appendices  |  |
| Appendix 2.1<br>Appendix 3.1  | Details of the Marine Pile Layout for Temporary Footbridge Sensitivity Test for Emission Rates for Year 2024 and Year 2009   |
| Appendix 3.2a<br>Appendix 3.2b<br>Appendix 3.3  | Figure A3.1 2009 AM Peak Hour Forecast Traffic Flow Atrium Link Extension – Typical Section at HKCEC Water Channel (Long-Term Scenario) Atrium Link Extension – Typical Section at HKCEC Water Channel (Interim Scenario) Calculations of Emission Rates from Open Road Sections Using EURO 4 Fleet Average Emission Factor (Long-Term Scenario)   |
| Appendix 3.4<br>Appendix 3.5  | Figure A3.3 CALINE4 Road Plot & ISC3 Portal Location (Long-term Scenario)  Details for the calculations of Portals (Long-Term Scenario)  Calculations of Emission Rates from Open Road Sections Using EURO 4 Fleet Average  Emission Factor (Interim Scenario)   |

P:\A11805\Reports\Final EIA\ v MAUNSELL AECOM

Details for the calculations of Portals (Interim Scenario)

Appendix 3.6

Appendix 3.7a

Appendix 3.7b

Appendix 3.7c

Appendix 3.8a

Appendix 3.8b

Scenario)

Scenario)

Scenario) Figure A3.7

Scenario)

(Long-term Scenario)

CALINE4 Road Plot & ISC3 Portal Location (Interim Scenario)

Detailed Calculation of In-tunnel Air Quality Deckover along Convention Avenue (Long-tern

Detailed Calculation of In-tunnel Air Quality Deckover along Road P2 and CWB (Long-tern

Detailed Calculation of In-tunnel Air Quality Deckover along Expo Drive Central (Long-term

Detailed Calculation of In-tunnel Air Quality Deckover along Expo Drive Central (Interim

Detailed Calculation of In-tunnel Air Quality Deckover along Convention Avenue (Interim

Designated Assessment Points for Proposed Deckover Air Quality

|               | Scenario)  Figure A3.9 Designated Assessment Bainta for Proposed Deskover Air Quality (Interim |
|---------------|--|
|               | Figure A3.8 Designated Assessment Points for Proposed Deckover Air Quality (Interim Scenario)  |
| Ammandis O O  | ,  |
| Appendix 3.9  | Agreement from Hotel Operators on Re-diversion of Fresh Air Intakes                            |
| Appendix 5.1  | Grid Layout of Wan Chai Model  |
| Appendix 5.2  | Bathymetry Schematization of Wan Chai Model  |
| Appendix 5.2a | Model Performance Check  |
| Appendix 5.3  | Mathematical Expressions for Pile Friction and Details of Porous Plates                        |
| Appendix 5.4  | Momentary and Accumulated Flow for Dry Season  |
| Appendix 5.5  | Momentary and Accumulated Flow for Wet Season  |
| Appendix 5.6  | Tracer Contour Map for Dry Season  |
| Appendix 5.7  | Tracer Contour Map for Wet Season  |
| Appendix 5.8  | Baseline Population and Flows Projection   |
| Appendix 5.9  | Existing and Committed Sewerage System under Assessment  |
| Appendix 5.10 | Capacity Performance of Existing Trunk Sewers in 2011 (Baseline Condition)                     |
| Appendix 5.11 | Details of Drainage Impact Assessment  |
| Appendix 5.12 | Details of Good Site Practice and Water Pollution Control Measures                             |
| Appendix 7.1  | The Proposed Work  |
| Appendix 7.2  | Preliminary Tree Survey  |