







Depth-averaged E. coli Concentration under Year 2009 at Anglers' Beach (B7) Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 1	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn



Depth-averaged E. coli Concentration under Year 2009 at Gemini Beaches (B8) Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 2	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn





Depth-averaged E. coli Concentration under Year 2009 at Hoi Mei Wan (B9) Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 3	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn





Depth-averaged E. coli Concentration under Year 2009 at Casam Beach (B10)
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition



Figure 4
 2009 Dry Season
 Scenario 5 (Neap Tide)



Depth-averaged E. coli Concentration under Year 2009 at Lido Beach (B11) Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 5	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn





Depth-averaged E. coli Concentration under Year 2009 at Ting Kau Beach (B12) Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 6	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn



Depth-averaged E. coli Concentration under Year 2009 at Approach Beach (B13)
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 7 2009 Dry Season

Scenario 5 (Neap Tide)





Depth-averaged E. coli Concentration under Year 2009 at Ma Wan (B14)
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 8

2009 Dry Season

Scenario 5 (Neap Tide)



E. coli Concentration at Mid-depth under Year 2009 at WSD4
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 9



2009 Dry Season

Scenario 5 (Neap Tide)

Maunsell



/WQ/2009/Dry/plot

Scn5-2009-Dry-NL.ssn





E. coli Concentration at Mid-depth under Year 2009 at WSD5
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 10 2009 Dry Season
 Scenario 5 (Neap Tide)



E. coli Concentration at Mid-depth under Year 2009 at WSD6 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 11	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn



E. coli Concentration at Mid-depth under Year 2009 at WSD7
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 12



2009 Dry Season

Scenario 5 (Neap Tide)



Maunsell

/WQ/2009/Dry/plot

Scn5-2009-Dry-NL.ssn



E. coli Concentration at Mid-depth under Year 2009 at WSD8 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 13	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn



E. coli Concentration at Mid-depth under Year 2009 at WSD9
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 14



2009 Dry Season

Scenario 5 (Neap Tide)

Maunsell

/WQ/2009/Dry/plot

Scn5-2009-Dry-NL.ssn



E. coli Concentration at Mid-depth under Year 2009 at WSD17
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 15



2009 Dry Season

Scenario 5 (Neap Tide)

Maunsell

/WQ/2009/Dry/plot

Scn5-2009-Dry-NL.ssn





E. coli Concentration at Mid-depth under Year 2009 at WSD18
 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency)
 Blue: Normal Operation; Dashed Red: Emergency Condition

Figure 16
 2009 Dry Season
 Scenario 5 (Neap Tide)



Maunsell

/WQ/2009/Dry/plot



Scn5-2009-Dry-NL.ssn



E. coli Concentration at Mid-depth under Year 2009 at WSD19 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 17	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn



E. coli Concentration at Mid-depth under Year 2009 at WSD20 Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 18	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn



Depth-averaged E. coli Concentration under Year 2009 at Ma Wan (F5) Top: Scenario 5a (6Hr Emergency); Bottom: Scenario 5b (24Hr Emergency) Blue: Normal Operation; Dashed Red: Emergency Condition	Figure 19	2009 Dry Season
	Scenario 5 (Neap Tide)	
Maunsell	/WQ/2009/Dry/plot	Scn5-2009-Dry-NL.ssn