Agreement No. CE 35/2006 (CE)

Kai Tak Development Engineering Study cum Design and Construction of Advance Works – Investigation, Design and Construction

Dredging Works for Proposed Cruise Terminal at Kai Tak Environmental Impact Assessment Report

Volume 1 of 2 (Text and Figures)

10 October 2007

Reviewed:

Peter Lee

0/10/07

Approved for Issue:

Peter Cheek

10/10/07

Agreement No. CE 35/2006 (CE)

Kai Tak Development Engineering Study cum Design and Construction of Advance Works – Investigation, Design and Construction

Dredging Works for Proposed Cruise Terminal at Kai Tak Environmental Impact Assessment Report

Volume 2 of 2 (Appendices)

10 October 2007

Reviewed:

But C

0/10/07

Approved for Issue:

Peter Cheek

10/10/07

Agreement No. CE 35/2006(CE) Kai Tak Development Engineering Study cum Design and Construction of Advance Works – Investigation, Design and Construction

Dredging Works for Proposed Cruise Terminal at Kai Tak Environmental Impact Assessment Report

Contents

1	INTR		1
	1.1	Project Background	1
	1.2	Purpose of this EIA Report	3
	1.3	Objectives and Scope of the Schedule 2 EIA Study	3
	1.4	Relevant Approved EIA Reports	4
	1.5	Structure of this Report	5
2	PRO	JECT DESCRIPTION	7
	2.1	Development of Cruise Terminal and Site Constraints	7
	2.2	The Need of Project and Scenario without the Project	9
	2.3	Project Benefits	9
	2.4	Project Requirements	10
	2.5	Project Scope and Programme	11
	2.6	Consideration of Alternatives and Development of Preferred Option	12
	2.7	Siltation and Maintenance Dredging	17
	2.8	EIA Study Area	19
	2.9	Interaction with Other Projects	20
3	AIR C	QUALITY IMPACT	23
	3.1	Introduction	23
	3.2	Environmental Legislation, Policies, Plans, Standards and Criteria	23
	3.3	Description of the Environment	23
	3.4	Air Quality Sensitive Receivers	24
	3.5	Identification, Prediction and Evaluation of Environmental Impacts	25
	3.6	Mitigation of Environmental Impacts	26
	3.7	Residual Environmental Impacts	26
	3.8	Environmental Monitoring and Audit	26
	3.9	Summary	27
4	NOIS	E IMPACT	29
	4.1	Introduction	29
	4.2	Environmental Legislation, Policies, Plans, Standards and Criteria	29
	4.3	Project Description and Construction Activities	29

	4.4	Noise Sensitive Receivers	30
	4.5	Assessment Methodology	30
	4.6	Identification of Environmental Impacts	31
	4.7	Prediction and Evaluation of Environmental Impacts	32
	4.8	Evaluation of Residual Environmental Impacts	32
	4.9	Environmental Monitoring and Audit	33
	4.10	Summary	33
5	WATE	ER QUALITY IMPACT	35
	5.1	Introduction	35
	5.2	Water Quality Sensitive Receivers	35
	5.3	Environmental Legislation, Policies, Plans, Standards and Criteria	35
	5.4	Description of the Environment	41
	5.5	Identification of Environmental Impacts	49
	5.6	Assessment Methodology	50
	5.7	Uncertainties in Assessment Methodology	69
	5.8	Prediction and Evaluation of Potential Environmental Impacts	69
	5.9	Mitigation of Environmental Impacts	89
	5.10	Evaluation of Residual Environmental Impacts	101
	5.11	Environmental Monitoring and Audit	101
	5.12	Summary	101
6	WAST	TE MANAGEMENT IMPLICATIONS	103
	6.1	Introduction	103
	6.2	Environmental Legislation, Policies, Plans, Standards and Criteria	103
	6.3	Assessment Methodology	104
	6.4	Baseline Conditions	108
	6.5	Identification of Potential Sources of Environmental Impact	112
	6.6	Prediction and Evaluation of Environmental Impacts	113
	6.7	Mitigation of Environmental Impacts	116
	6.8	Evaluation of Residual Environmental Impacts	122
	6.9	Environmental Audit	122
	6.10	Summary	122
7	IMPA	CT ON CULTURAL HERITAGE	123
	7.1	Introduction	123
	7.2	Environmental Legislation and Standards	123
	7.3	Assessment Methodology	124
	7.4	Results of Baseline Review	125
	7.5	Geophysical Survey	125
	7.6	Removal of Gas Main & Submarine Outfall and Relocation of GMBs & EQIA	125

	7.7	Evaluation of Heritage Significance of Seawall	126
	7.8	Mitigation of Environmental Impacts	126
	7.9	Evaluation of Residual Environmental Impacts	126
	7.10	Environmental Monitoring and Audit	126
	7.11	Summary	126
8	MARI	NE ECOLOGICAL IMPACT	129
	8.1	Introduction	129
	8.2	Environmental Legislation, Policies, Plans, Standards and Criteria	129
	8.3	Assessment Methodology	130
	8.4	Description of the Environment	133
	8.5	Identification of Environmental Impacts	143
	8.6	Prediction and Evaluation of Environmental Impacts	144
	8.7	Mitigation of Environmental Impacts	147
	8.8	Evaluation of Residual Environmental Impacts	148
	8.9	Evaluation of Cumulative Environmental Impacts	149
	8.10	Environmental Monitoring and Audit	149
	8.11	Summary	149
	8.12	References	150
9	FISHE	ERIES IMPACT	153
	9.1	Introduction	153
	9.2	Environmental Legislation, Standards and Guidelines	153
	9.3	Assessment Methodology	153
	9.4	Description of the Environment	154
	9.5	Identification, Prediction and Evaluation of Environmental Impacts	156
	9.6	Mitigation of Environmental Impacts	158
	9.7	Evaluation of Residual Environmental Impacts	158
	9.8	Evaluation of Cumulative Environmental Impacts	159
	9.9	Environmental Monitoring and Audit	159
	9.10	Summary	159
	9.11	References	159
10	ENVI	RONMENTAL MONITORING AND AUDIT REQUIREMENTS	161
	10.1	Introduction	161
	10.2	Air Quality Impact	161
	10.3	Noise Impact	161
	10.4	Water Quality Impact	161
	10.5	Waste Management Implications	161
	10.6	Impact on Culture Heritage	162
	10.7	Marine Ecological Impact	162

	10.8	Fisheries Impact	162
11	IMPA	CTS SUMMARY	163
	11.1	Introduction	163
	11.2	Air Quality Impact	163
	11.3	Noise Impact	163
	11.4	Water Quality Impact	163
	11.5	Waste Management Implications	164
	11.6	Impact on Culture Heritage	164
	11.7	Marine Ecological Impact	165
	11.8	Fisheries Impact	165
	11.9	Overall Summary	165
12	IMPLE	EMENTATION SCHEDULE OF THE PROPOSED MITIGATION MEASURES	173
13	SUMN	MARY OF ENVIRONMENTAL OUTCOMES	187

List of Tables

Table 2.1	Volume of Dredging
Table 2.2	Approximate Volume of Dredging from the Existing Seawall
Table 3.1	Hong Kong Air Quality Objectives
Table 3.2	Annual Average Concentrations of Pollutants in Year 2005 at EPD's Sham Shui Po and Kwun Tong Air Quality Monitoring Stations
Table 3.3	Details of Representative Air Sensitive Receivers for the Stage 2 Dredging
Table 4.1	Representative Noise Sensitive Receivers for Construction Noise Impact Assessment for Stage 2 Dredging
Table 4.2	Unmitigated Construction Noise Levels at Representative NSRs during Norma Daytime Working Hours for Stage 2 Dredging
Table 5.1	Summary of Water Quality Objectives for Victoria Harbour WCZ
Table 5.2	Summary of Water Quality Objectives for Eastern Buffer WCZ
Table 5.3	Summary of Water Quality Objectives for Junk Bay WCZ
Table 5.4	WSD's Water Quality Criteria for Flushing Water at Sea Water Intakes
Table 5.5	Sediment Quality Criteria for the Classification of Sediment
Table 5.6	Summary Statistics of 2005 Marine Water Quality in Victoria Harbour
Table 5.7	Summary Statistics of 2005 Marine Water Quality in Junk Bay and Eastern Buffer
Table 5.8	Summary Statistics of 2005 Marine Water Quality at the Kwun Tong and To Kwa War Typhoon Shelter
Table 5.9	Summary Statistics of 2005 Bottom Sediment Quality
Table 5.10	Maximum Production Rates – Scenario 1A (2010)
Table 5.11	Maximum Dredging Rates - Scenario 1B (2013)
Table 5.12	Maximum Dredging Rates - Scenario 1C (2013)
Table 5.12a	Modelling Scenario for Maintenance Dredging
Table 5.13	Summary of Parameters for Sediment Plume Model (Delft3D-PART)
Table 5.14	Coastal Developments Incorporated in the 2010 and 2013 Coastline Configurations
Table 5.15	Pollution Loading from Stonecutters Sewage Treatment Works under HATS
Table 5.16	Predicted SS Concentrations at Seawater Intakes for Scenario 1A – Unmitigated (Base Case Scenario)
Table 5.16a	Predicted SS Concentrations at Seawater Intakes for Scenario 1A – Unmitigated (Sensitivity Test using Higher Dredging Rate for Gas Main Construction)
Table 5.17	Predicted SS Concentrations at Seawater Intakes for Scenario 1B – Unmitigated (Base Case Scenario)
Table 5.17a	Predicted SS Concentrations at Seawater Intakes for Scenario 1B – Unmitigated (Sensitivity Test using Higher Dredging Rate for CKR)
Table 5.18	Predicted SS Concentrations at Seawater Intakes for Scenario 1C – Unmitigated (Base Case Scenario)
Table 5.18a	Predicted SS Concentrations at Seawater Intakes for Scenario 1C – Unmitigated (Sensitivity Test using Higher Dredging Rate for CKR)
Table 5.19	Predicted SS Elevations and Sedimentation Rates at Corals for Scenario 1A - Unmitigated (Base Case Scenario)

Table 5.19a	Predicted SS Elevations and Sedimentation Rates at Corals for Scenario 1A - Unmitigated (Sensitivity Test using Higher Dredging Rate for Gas Main Construction)
Table 5.20	Predicted SS Elevations and Sedimentation Rates at Corals for Scenario 1B – Unmitigated (Base Case Scenario)
Table 5.20a	Predicted SS Elevations and Sedimentation Rates at Corals for Scenario 1B - Unmitigated (Sensitivity Test using Higher Dredging Rate for CKR)
Table 5.21	Predicted SS Elevations and Sedimentation Rates at Corals for Scenario 1C – Unmitigated (Base Case Scenario)
Table 5.21a	Predicted SS Elevations and Sedimentation Rates at Corals for Scenario 1C - Unmitigated (Sensitivity Test using Higher Dredging Rate for CKR)
Table 5.22	Comparison of Phase 1 Marine Site Investigation Sediment Elutriate Test Results with the Water Quality Standards
Table 5.23	Comparison of Phase 2 Marine Site Investigation Sediment Elutriate Test Results with the Water Quality Standards
Table 5.24	Calculation of the Effects of Increased Suspended Solids Concentrations on Dissolved Oxygen Concentrations under Scenario 1A
Table 5.25	Calculation of the Effects of Increased Suspended Solids Concentrations on Dissolved Oxygen Concentrations under Scenario 1B
Table 5.26	Calculation of the Effects of Increased Suspended Sediment Concentrations on Dissolved Oxygen Concentrations under Scenario 1C
Table 5.27	Deployment of Silt Curtains - Locations of Applications under Capital Dredging
Table 5.28	Contribution of SS Elevations from this Project under Capital Dredging – Scenario 1A (Base Case Scenario)
Table 5.28a	Contribution of SS Elevations from this Project under Capital Dredging – Scenario 1A (Sensitivity Test using Higher Dredging Rate for Gas Main Construction)
Table 5.29	Contribution of SS Elevations from this Project under Capital Dredging – Scenario 1B (Base Case Scenario)
Table 5.29a	Contribution of SS Elevations from this Project under Capital Dredging – Scenario 1B (Sensitivity Test using Higher Dredging Rate for CKR)
Table 5.30	Contribution of SS Elevation from this Project under Capital Dredging – Scenario 1C (Base Case Scenario)
Table 5.30a	Contribution of SS Elevation from this Project under Capital Dredging – Scenario 1C (Sensitivity Test using Higher Dredging Rate for CKR)
Table 5.31	Deployment of Silt Screens - Locations of Applications under Capital Dredging
Table 5.32	Predicted SS Concentrations at Seawater Intakes for Scenario 1A – Mitigated (Base Case Scenario)
Table 5.32a	Predicted SS Concentrations at Seawater Intakes for Scenario 1A – Mitigated (Sensitivity Test using Higher Dredging Rate for Gas Main Construction)
Table 5.33	Predicted SS Concentrations at Seawater Intakes for Scenario 1B – Mitigated (Base Case Scenario)
Table 5.33a	Predicted SS Concentrations at Seawater Intakes for Scenario 1B – Mitigated (Sensitivity Test using Higher Dredging Rate for CKR)
Table 5.34	Predicted SS Concentrations at Seawater Intakes for Scenario 1C – Mitigated (Base Case Scenario)
Table 5.34a	Predicted SS Concentrations at Seawater Intakes for Scenario 1C – Mitigated (Sensitivity Test using Higher Dredging Rate for CKR)

Table 5.35	Predicted SS Elevations and Sedimentation Rates at Corals for Scenario 1A - Mitigated (Sensitivity Test using Higher Dredging Rate for Gas Main Construction)
Table 6.1	Sediment Quality Criteria for the Classification of Sediment
Table 6.2	Test Species for Biological Testing
Table 6.3	Test Endpoints and Decision Criteria for Biological Testing
Table 6.4	Sediment Chemistry Results Showing Exceedances (from Sub-area A of Marine SI)
Table 6.5	Sediment Chemistry Results Showing Exceedances (from Sub-area B of Marine SI)
Table 6.6	Results of Biological Screening of Category M Samples
Table 6.7	Disposal Options for the Identified Contaminated Sediment
Table 6.8	Volume of Sediment Requiring Different Disposal Options (in m ³)
Table 6.9	Summary of Waste Handling Procedures and Disposal Routes
Table 8.1	Criteria and Evaluation of Ecological Importance of Marine Habitats in the Project Area
Table 8.2	Evaluation of Ecological Impacts on Marine Resources
Table 9.1	Recent Hong Kong Capture Fisheries Industry Figures
Table 9.2	Summary of Capture Fisheries Data in Assessment Area by Vessels < 15m
Table 9.3	Recent Hong Kong Culture Fisheries Industry Figures
Table 11.1	Summary of Environmental Impacts Associated with the Project
Table 12.1	Implementation Schedule for Air Quality Measures
Table 12.2	Implementation Schedule for Noise Measures
Table 12.3	Implementation Schedule for Water Quality Measures
Table 12.4	Implementation Schedule for Waste Management Measures
Table 12.5	Implementation Schedule for Cultural Heritage Measures
Table 12.6	Implementation Schedule for Marine Ecology Measures
Table 12.7	Implementation Schedule for Fisheries Measures
Table 13.1	Summary of Key Environmental Outcomes / Benefits

List of Figures

Figure 1.1	Preliminary Outline Development Plan
Figure 2.1	General Layout of Proposed Cruise Terminal Berths
Figure 2.2	Proposed Phase I Berth Arrangement for Cruise Terminal
Figure 2.3	Proposed Longer Term Arrangement for Cruise Terminal
Figure 2.4a	Dredging Zones for the Cruise Terminal
Figure 2.4	Staged Dredging Requirements for the Cruise Terminal
Figure 2.4b	Extent of Submarine Outfall Dredging
Figure 2.5	Existing Sea Bed Levels within the Study Area
Figure 2.6	Deck Option 1 (Pile Deck)
Figure 2.7	Deck Option 2 (Caission)
Figure 2.8	Deck Option 3 (Block Work Wall with Wave Absorbing Chamber)
Figure 2.9	Deck Option 4 (Bored Pile Wall with Anchor)
Figure 2.10	Deck Option 5 (Precast R.C. Counterfort)
Figure 2.11	Deck Option 6 (Sheet Pile Cofferdam)
Figure 2.11a	Predicted Percentage Increase of Sedimentation (with 600m Gap) from the Existing Baseline Condition
Figure 2.12	Concurrent Marine Projects within Kai Tak Development Area
Figure 3.1	Air Quality Assessment Area (Stage 1)
Figure 3.2	Air Quality Assessment Area (Stage 2)
Figure 4.1A	Noise Assessment Area
Figure 4.1	Works Area and Noise Assessment Points
Figure 5.1	Locations of Water Control Zones
Figure 5.2	Locations of Water Quality Sensitive Receivers
Figure 5.3	Sediment Loss Rate for Dredging and Sand Filling Activities – Scenario 1A – Unmitigated
Figure 5.4	Sediment Loss Rate for Dredging and Sand Filling Activities – Scenario 1B – Unmitigated
Figure 5.5	Sediment Loss Rate for Dredging and Sand Filling Activities – Scenario 1C – Unmitigated
Figure 5.6	Sediment Loss Rate for Dredging and Sand Filling Activities – Scenario 1A – Mitigated
Figure 5.7	Sediment Loss Rate for Dredging and Sand Filling Activities – Scenario 1B – Mitigated
Figure 5.8	Sediment Loss Rate for Dredging and Sand Filling Activities – Scenario 1C – Mitigated
Figure 5.8A	Sediment Loss Rate for Dredging and Sand Filling Activities – Scenario 1D
Figure 5.9	Coastline Configuration for 2010 and 2013
Figure 5.10a	Indicative Silt Curtain Arrangement
Figure 5.10b	Indicative Silt Screen Arrangement
Figure 6.1	Locations of Contaminated Sediment

Figure 7.1	Areas Covered by Previous MAI and Existing Utilities
Figure 8.1	Marine Ecological Survey Locations
Figure 8.2	Locations of Transects for Spot-check Reconnaissance Dives and Rapid Ecological Assessment (REA)
Figure 8.3	Location of Hard Substrata Sea Area within Dredging Site
Figure 8.4	Proposed Coral Recipient Site in Junk Bay

List of Appendices

Appendix 2.1	Concurrent Projects
Appendix 2.1A	As-built Drawings of Kai Tak Runway Submarine Outfall
Appendix 4.1	Construction Noise Impact Assessment
Appendix 4.2	Noise Assessment for Maintenance Dredging
Appendix 4.3	Confirmation of the Plant Inventory
Appendix 5.1	Grid Layout and Model Coverage
Appendix 5.2	Mathematic Expressions for Pile Frictions
Appendix 5.2a	Relevant Information on SEK Model Calibration
Appendix 5.3	Methodology for Compiling the Pollution Loading Inventory
Appendix 5.4	Sediment Plume Model Results – Scenario 1A – Wet Season
Appendix 5.5	Sediment Plume Model Results – Scenario 1A – Dry Season
Appendix 5.6	Sediment Plume Model Results – Scenario 1B – Wet Season
Appendix 5.7	Sediment Plume Model Results – Scenario 1B – Dry Season
Appendix 5.8	Sediment Plume Model Results – Scenario 1C – Wet Season
Appendix 5.9	Sediment Plume Model Results – Scenario 1C – Dry Season
Appendix 5.10	Sediment Plume Model Results (with KTD works only) – Scenario 1A – Wet Season
Appendix 5.11	Sediment Plume Model Results (with KTD works only) – Scenario 1A – Dry Season
Appendix 5.12	Sediment Plume Model Results (with KTD works only) – Scenario 1B – Wet Season
Appendix 5.13	Sediment Plume Model Results (with KTD works only) – Scenario 1B – Dry Season
Appendix 5.14	Sediment Plume Model Results (with KTD works only) – Scenario 1C – Wet Season
Appendix 5.15	Sediment Plume Model Results (with KTD works only) – Scenario 1C – Dry Season
Appendix 5.15A	Maximum Dimension of Mixing Zone for SS Elevation
Appendix 5.16	Tracer Model Results – Scenario 1A
Appendix 5.17	Tracer Model Results – Scenario 1B
Appendix 5.18	Tracer Model Results – Scenario 1C
Appendix 6.1a	ETWB TCW No. 31/2004
Appendix 6.1	Endorsed RSSP Rev2
Appendix 6.2	Sediment Quality Report
Appendix 7.1	Archaeological Monitoring Brief for Kai Tak Dredging
Appendix 8.1	Photographs of Different Marine Environments in the Kai Tak Area

Appendix 8.2	Marine Ecological Survey - Benthos
Appendix 8.3	Photographs of Intertidal Habitats at each Surveyed Location in the Kai Tak Area
Appendix 8.4	Intertidal Fauna Recorded within the Project Area
Appendix 8.5	Report on Spot-Check and Rapid Ecological Assessment Survey
Appendix 11.1	Key Assessment Assumptions and Methodologies