



Appendix 5.7b
Surface Water Temperature Elevation –
Dry Season Neap Tide



Agreement No. CE54/2001 (CE), Wan Chai Development Phase II: Planning & Engineering Review
 Surface Water Temperature Elevation Three Hours before (-3 hr) High Water (above)
 and at High Water (below) of a Neap Tide under Dry Season, 2016

2016 Dry Season



Jan 2007

Appendix 5.7B-1

MAUNSELL

A01604/H0/Detailed/plot

Dry-m02.ssn



Agreement No. CE54/2001 (CE), Wan Chai Development Phase II: Planning & Engineering Review
 Surface Water Temperature Elevation Three Hours after (+3 hr) High Water (above) and
 Three Hours before (-3 hr) Low Water (below) of a Neap Tide under Dry Season, 2016

2016 Dry Season



Jan 2007

Appendix 5.7B-2

MAUNSELL

A01604/HD/Detailed/plot

Dry-m02.ssn



Agreement No. CE54/2001 (CE), Wan Chai Development Phase II: Planning & Engineering Review
 Surface Water Temperature Elevation at Low Water (above) and Three Hours after (+3 hr)
 Low Water (below) of a Neap Tide under Dry Season, 2016

2016 Dry Season

Jan 2007

Appendix 5.7B-3

MAUNSELL

A01604/HD/Details/plot

Dry-m02.ssn