

## EIA for Provision of Cremators at Wo Hop Shek Crematorium

### Predicted 1-hr and 24-hr Average TSP Concentrations (Unmitigated)

ASR ID	Assessment Level Above Ground, mAG	Background Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$
			Scenario A		Scenario B	
A1	1.4	65	1363.1	180.7	1093.8	125.0
A1	11.4	65	957.2	146.4	841.8	110.8
A1	21.4	65	443.8	114.3	443.8	91.0
A1	31.4	65	309.9	105.5	302.7	80.5
A1	41.4	65	244.7	97.0	240.0	77.8
A1	51.4	65	186.3	89.9	183.6	75.9
A1	61.4	65	140.4	84.7	139.0	74.9
A1	71.4	65	133.3	81.2	112.6	74.2
A1	81.4	65	128.9	79.5	110.2	73.5
A1	91.4	65	124.2	78.7	107.6	72.8
A1	101.4	65	119.5	77.8	104.9	72.4
A1	111.4	65	114.7	76.8	102.1	71.9
A1	121.4	65	109.9	75.9	99.3	71.5
A2	1.4	65	1273.7	134.4	859.1	109.5
A2	11.4	65	962.1	117.0	669.3	98.9
A2	21.4	65	486.2	96.6	365.9	84.8
A3	1.4	65	1359.7	142.3	1219.2	130.0
A3	11.4	65	1003.3	122.1	910.3	112.7
A3	21.4	65	499.9	101.2	447.2	90.0
A4	1.4	65	1226.3	222.9	1223.7	167.9
A4	11.4	65	926.9	181.6	925.0	142.6
A4	21.4	65	467.6	120.8	466.9	107.9
A4	31.4	65	338.2	109.2	311.8	100.7
A4	41.4	65	261.7	100.7	244.3	93.5
A4	51.4	65	194.7	93.4	184.5	87.2
A4	61.4	65	143.5	87.6	138.1	82.1
A4	71.4	65	137.2	83.4	114.5	78.5
A4	81.4	65	132.8	80.5	111.9	76.0
A4	91.4	65	128.1	78.7	109.1	74.5
A4	101.4	65	123.3	77.8	106.1	73.8
A4	111.4	65	118.5	76.9	103.1	73.3
A4	121.4	65	113.6	76.0	100.1	72.7
A5	1.4	65	1104.0	187.8	849.6	162.7
A5	11.4	65	790.2	158.6	637.1	137.8
A5	21.4	65	354.0	115.5	323.0	100.4
A5	31.4	65	278.3	91.9	267.0	86.4
A5	41.4	65	217.0	84.4	209.3	80.5
A5	51.4	65	163.7	81.2	159.0	76.5
A5	61.4	65	135.1	78.6	121.0	73.6
A5	71.4	65	131.4	76.7	113.8	71.9
A5	81.4	65	127.3	75.2	111.0	71.5
A5	91.4	65	123.0	74.0	108.2	71.2
A5	101.4	65	121.8	73.0	108.0	70.8
A6	1.4	65	762.2	161.8	762.2	158.8
A7	1.4	65	1748.1	356.1	1748.1	219.0
A7	11.4	65	1063.1	221.7	1063.1	160.7
A7	21.4	65	513.8	146.9	511.8	135.6
A7	31.4	65	351.6	128.1	350.6	117.9
A7	41.4	65	220.8	112.6	220.4	103.3
A7	51.4	65	190.4	101.7	167.8	93.4
A7	61.4	65	176.3	94.6	157.7	87.3
A7	71.4	65	161.8	90.4	147.1	84.1
A7	81.4	65	147.8	87.1	136.4	82.0
A7	91.4	65	134.6	84.1	126.1	80.0
A8	1.4	65	2030.2	215.7	1263.5	135.8
A9	1.4	65	952.6	129.7	952.6	117.8
A10	1.4	65	1268.0	223.9	1268.0	180.4
A10	11.4	65	940.7	181.0	940.7	148.7
A10	21.4	65	454.2	119.4	454.2	112.2
A11	1.4	65	1014.8	154.8	679.3	150.9
A11	11.4	65	729.9	133.3	505.6	131.5
A11	21.4	65	331.8	103.8	276.2	102.1
A11	31.4	65	243.5	91.0	228.3	84.9

## EIA for Provision of Cremators at Wo Hop Shek Crematorium

### Predicted 1-hr and 24-hr Average TSP Concentrations (Unmitigated)

ASR ID	Assessment Level Above Ground, mAG	Background Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$
			Scenario A	Scenario B	Scenario B	Scenario B
A11	41.4	65	190.0	87.6	180.3	81.9
A11	51.4	65	144.5	84.5	140.2	79.3
A11	61.4	65	134.4	81.9	114.8	77.1
A11	71.4	65	130.5	79.8	112.2	75.4
A11	81.4	65	126.3	78.1	109.3	74.1
A11	91.4	65	122.0	76.8	106.3	73.0
A11	101.4	65	117.4	75.6	104.2	72.2
A11	111.4	65	112.9	74.5	104.0	71.4
A12	1.4	65	1148.7	205.1	1058.4	149.0
A12	11.4	65	731.8	152.8	731.8	121.9
A12	21.4	65	424.2	130.9	360.2	107.2
A13	10.4	65	996.5	167.2	996.5	152.4
A13	20.4	65	460.0	115.5	458.8	109.2
A13	30.4	65	349.9	95.2	349.2	90.8
A13	40.4	65	246.2	87.4	245.8	83.0
A13	50.4	65	166.9	82.0	166.7	79.2
A13	60.4	65	155.0	80.5	140.8	77.0
A13	70.4	65	147.3	79.3	134.8	75.9
A13	80.4	65	139.3	78.1	128.5	75.1
A13	90.4	65	131.2	76.9	122.1	74.2
A13	100.4	65	123.3	75.6	115.7	73.3
A13	110.4	65	115.7	74.5	109.5	72.4
A13	120.4	65	109.8	73.4	103.6	71.6
A14	1.4	65	1568.3	194.2	1464.9	160.4
A14	11.4	65	1000.0	142.4	948.1	125.8
A14	21.4	65	553.8	124.7	427.9	91.8
A15	1.4	65	964.8	153.2	784.0	151.2
A15	11.4	65	677.3	132.3	566.3	130.3
A15	21.4	65	325.1	101.9	316.9	99.9
A16	1.4	65	1394.1	216.7	1394.1	186.0
A16	11.4	65	916.2	165.5	916.2	146.3
A16	21.4	65	457.9	114.5	456.9	109.1
A17	10.4	65	952.3	130.6	952.3	120.1
A17	20.4	65	420.7	104.1	420.5	99.9
A17	30.4	65	327.8	98.3	327.7	94.2
A17	40.4	65	237.6	92.8	237.6	88.8
A17	50.4	65	166.0	88.1	165.9	84.4
A17	60.4	65	141.6	84.4	134.3	81.0
A17	70.4	65	136.0	81.6	129.4	78.5
A17	80.4	65	130.2	79.5	124.1	76.7
A18	10.4	65	926.0	153.6	926.0	128.9
A18	20.4	65	434.8	119.4	434.8	109.2
A18	30.4	65	296.4	103.6	296.4	100.5
A18	40.4	65	186.2	95.4	186.2	93.2
A18	50.4	65	173.4	89.6	162.3	87.6
A18	60.4	65	161.0	85.4	151.3	83.6
A18	70.4	65	148.2	82.1	139.9	80.6
A18	80.4	65	135.6	79.3	128.6	78.1
A18	90.4	65	123.7	76.9	118.3	75.8
A19	1.4	65	1536.3	233.1	1536.3	228.9
A19	11.4	65	970.4	180.8	970.4	176.8
A19	21.4	65	466.3	119.6	466.3	115.9
A19	31.4	65	330.8	97.9	330.8	92.0
A19	41.4	65	216.4	92.8	216.4	82.6
A19	51.4	65	165.7	88.5	159.5	79.6
A19	61.4	65	156.5	84.9	151.0	77.2
A19	71.4	65	146.8	81.9	142.1	75.4
A19	81.4	65	136.9	79.1	133.0	74.4
A19	91.4	65	127.3	76.7	124.1	73.4
A19	101.4	65	118.0	74.6	115.5	72.5
A20	1.4	65	1614.2	179.8	1614.2	162.7

## EIA for Provision of Cremators at Wo Hop Shek Crematorium

### Predicted 1-hr and 24-hr Average TSP Concentrations (Unmitigated)

ASR ID	Assessment Level Above Ground, mAG	Background Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$
			Scenario A	Scenario B	Scenario B	Scenario B
A20	11.4	65	978.5	135.4	978.5	126.6
A20	21.4	65	465.8	116.1	465.8	109.6
A21	1.4	65	1635.5	264.2	1635.5	264.0
A22a	1.4	65	2490.7	508.0	2490.7	451.4
A22a	11.4	65	892.9	235.4	892.9	202.9
A22b	1.4	65	3315.1	551.9	3315.1	554.5
A22b	11.4	65	985.6	206.4	985.6	205.1
A23	1.4	65	1999.1	377.8	1999.1	322.5
A23	11.4	65	845.1	218.3	845.1	196.2
A24	1.4	65	2638.4	453.7	2638.4	443.7
A25	1.4	65	1858.5	290.4	1858.5	290.1
A25	11.4	65	709.7	158.4	709.7	158.3
A26	1.4	65	1457.1	216.7	1411.5	189.9
A27	1.4	65	1850.1	248.8	1825.9	224.6
A28a	1.4	65	1240.1	398.2	1240.1	286.4
A28a	11.4	65	772.3	269.1	772.3	200.8
A28b	1.4	65	1003.1	230.3	1003.1	166.0
A28b	11.4	65	747.5	184.7	747.5	143.8
A29	1.4	65	2476.3	277.1	2476.1	277.1
A30	1.4	65	1483.2	148.3	1483.2	144.7
A30	11.4	65	964.6	123.3	964.6	119.9
A31	1.4	65	925.9	121.7	798.4	121.7
A32	1.4	65	2613.5	301.4	2138.3	195.6
A32	11.4	65	1123.9	183.8	1123.9	139.2
A32	21.4	65	584.3	155.4	583.3	105.1
A32	31.4	65	355.9	132.0	355.6	96.6
A32	41.4	65	254.4	117.9	209.7	92.5
A32	51.4	65	218.1	109.6	192.8	89.6
A32	61.4	65	189.3	101.8	175.0	86.6
A32	71.4	65	166.8	94.9	157.4	83.8
A32	81.4	65	146.7	89.2	140.8	81.1
A32	91.4	65	135.5	84.5	125.9	78.8
A32	101.4	65	127.6	80.7	112.8	76.7
A32	111.4	65	120.4	77.8	101.8	74.9
A32	121.4	65	113.8	75.5	95.4	73.4
A33	1.4	65	1878.8	174.1	1878.8	172.5
A33	11.4	65	1015.3	130.7	941.0	127.1
A33	21.4	65	497.5	107.8	497.5	100.6
A33	31.4	65	295.6	96.2	295.6	89.5
A33	41.4	65	209.9	86.4	204.9	81.5
A33	51.4	65	192.0	79.5	187.5	77.2
A33	61.4	65	173.4	76.7	169.3	75.4
A33	71.4	65	155.0	74.7	151.5	73.6
A33	81.4	65	137.9	72.9	134.8	71.9
A33	91.4	65	123.3	71.8	120.0	70.7
A33	101.4	65	114.9	70.8	110.5	69.8
A33	111.4	65	112.2	70.1	108.0	69.1
A33	121.4	65	109.5	69.8	105.3	68.6

## EIA for Provision of Cremators at Wo Hop Shek Crematorium

### Predicted 1-hr and 24-hr Average TSP Concentrations (Mitigated)

ASR ID	Assessment Level Above Ground, mAG	Background Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$
			Scenario A		Scenario B	
A1	1.4	65	210.2	80.5	191.3	73.2
A1	11.4	65	164.8	76.4	160.4	71.3
A1	21.4	65	111.5	70.9	111.5	68.9
A1	31.4	65	95.0	69.7	94.2	67.3
A1	41.4	65	87.0	68.7	86.5	66.6
A1	51.4	65	79.9	67.9	79.6	66.3
A1	61.4	65	74.2	67.3	74.1	66.2
A1	71.4	65	73.1	66.9	70.8	66.1
A1	81.4	65	72.6	66.7	70.5	66.0
A1	91.4	65	72.0	66.6	70.2	66.0
A1	101.4	65	71.5	66.5	69.9	65.9
A1	111.4	65	70.9	66.4	69.6	65.8
A1	121.4	65	70.4	66.3	69.2	65.8
A2	1.4	65	208.7	73.9	162.5	71.2
A2	11.4	65	171.8	72.0	139.2	69.8
A2	21.4	65	115.4	69.4	101.9	67.9
A3	1.4	65	222.4	76.0	206.7	74.2
A3	11.4	65	179.2	73.2	168.8	71.8
A3	21.4	65	116.9	70.1	111.9	68.7
A4	1.4	65	207.6	83.7	207.3	77.6
A4	11.4	65	170.8	78.8	170.6	74.5
A4	21.4	65	114.4	72.4	114.3	70.8
A4	31.4	65	98.2	70.7	95.3	69.5
A4	41.4	65	89.0	69.4	87.0	68.5
A4	51.4	65	80.8	68.4	79.7	67.7
A4	61.4	65	74.6	67.7	74.0	67.1
A4	71.4	65	73.6	67.2	71.1	66.7
A4	81.4	65	73.1	66.9	70.8	66.4
A4	91.4	65	72.6	66.6	70.4	66.2
A4	101.4	65	72.0	66.5	70.0	66.1
A4	111.4	65	71.4	66.4	69.7	66.0
A4	121.4	65	70.8	66.3	69.3	65.9
A5	1.4	65	180.9	82.0	161.3	78.6
A5	11.4	65	145.9	77.9	135.2	75.1
A5	21.4	65	98.3	71.8	96.7	69.9
A5	31.4	65	91.1	68.6	89.8	68.0
A5	41.4	65	83.6	67.3	82.7	67.1
A5	51.4	65	77.1	66.9	76.5	66.5
A5	61.4	65	73.4	66.6	71.9	66.1
A5	71.4	65	73.0	66.4	71.0	65.9
A5	81.4	65	72.5	66.2	70.6	65.8
A5	91.4	65	72.0	66.1	70.3	65.8
A5	101.4	65	71.8	65.9	70.3	65.7
A6	1.4	65	150.6	78.1	150.6	77.5
A7	1.4	65	271.6	100.1	271.6	83.9
A7	11.4	65	187.5	83.9	187.5	77.1
A7	21.4	65	120.1	75.6	119.9	74.1
A7	31.4	65	100.2	72.8	100.1	71.6
A7	41.4	65	84.1	70.8	84.1	69.7
A7	51.4	65	80.2	69.4	77.6	68.5
A7	61.4	65	78.5	68.6	76.4	67.7
A7	71.4	65	76.7	68.1	75.1	67.3
A7	81.4	65	75.0	67.7	73.8	67.1
A7	91.4	65	73.5	67.3	72.5	66.8
A8	1.4	65	285.8	82.5	212.1	73.7
A9	1.4	65	174.0	74.7	174.0	73.3
A10	1.4	65	212.7	84.0	212.7	79.2
A10	11.4	65	172.5	78.8	172.5	75.3
A10	21.4	65	112.8	72.4	112.8	71.4
A11	1.4	65	170.9	78.0	140.4	77.8
A11	11.4	65	139.2	75.0	119.1	74.8
A11	21.4	65	94.8	70.5	90.9	70.3

## EIA for Provision of Cremators at Wo Hop Shek Crematorium

### Predicted 1-hr and 24-hr Average TSP Concentrations (Mitigated)

ASR ID	Assessment Level Above Ground, mAG	Background Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$
			Scenario A		Scenario B	
A11	31.4	65	86.7	68.2	85.1	67.6
A11	41.4	65	80.2	67.7	79.2	67.1
A11	51.4	65	74.7	67.3	74.2	66.8
A11	61.4	65	73.3	67.0	71.1	66.5
A11	71.4	65	72.9	66.8	70.8	66.3
A11	81.4	65	72.4	66.6	70.4	66.1
A11	91.4	65	71.8	66.4	70.1	66.0
A11	101.4	65	71.3	66.3	69.8	65.9
A11	111.4	65	70.7	66.1	69.8	65.8
A12	1.4	65	187.0	83.5	187.0	78.5
A12	11.4	65	146.9	76.9	146.9	74.0
A12	21.4	65	107.9	73.4	101.2	70.4
A13	10.4	65	179.4	78.7	179.4	78.1
A13	20.4	65	113.5	72.4	113.4	71.2
A13	30.4	65	100.0	69.1	99.9	68.4
A13	40.4	65	87.2	67.9	87.2	67.3
A13	50.4	65	77.5	67.1	77.5	66.8
A13	60.4	65	75.9	66.9	74.3	66.5
A13	70.4	65	75.0	66.7	73.6	66.3
A13	80.4	65	74.0	66.6	72.8	66.2
A13	90.4	65	73.0	66.4	72.0	66.1
A13	100.4	65	72.1	66.3	71.2	66.0
A13	110.4	65	71.2	66.1	70.5	65.9
A13	120.4	65	70.3	66.0	69.7	65.8
A14	1.4	65	248.4	84.0	236.9	76.7
A14	11.4	65	179.2	76.4	173.4	72.5
A14	21.4	65	123.6	71.9	109.5	68.9
A15	1.4	65	165.4	78.2	153.3	78.0
A15	11.4	65	133.3	74.9	126.5	74.7
A15	21.4	65	96.8	70.2	95.9	70.0
A16	1.4	65	228.2	84.5	228.2	83.8
A16	11.4	65	169.5	78.2	169.5	77.1
A16	21.4	65	113.2	71.8	113.1	70.9
A17	10.4	65	173.9	74.8	173.9	74.4
A17	20.4	65	108.7	70.3	108.7	69.7
A17	30.4	65	97.3	69.1	97.3	68.7
A17	40.4	65	86.2	68.4	86.2	67.9
A17	50.4	65	77.4	67.8	77.4	67.4
A17	60.4	65	74.3	67.3	73.5	67.0
A17	70.4	65	73.6	67.0	72.9	66.7
A17	80.4	65	72.9	66.8	72.3	66.4
A18	10.4	65	170.7	76.6	170.7	75.8
A18	20.4	65	110.4	71.9	110.4	70.7
A18	30.4	65	93.4	69.7	93.4	69.4
A18	40.4	65	79.9	68.7	79.9	68.5
A18	50.4	65	78.2	68.0	76.9	67.8
A18	60.4	65	76.7	67.5	75.6	67.3
A18	70.4	65	75.1	67.1	74.2	66.9
A18	80.4	65	73.6	66.7	72.8	66.6
A18	90.4	65	72.1	66.4	71.5	66.3
A19	1.4	65	245.6	89.3	245.6	88.8
A19	11.4	65	176.2	81.4	176.2	81.0
A19	21.4	65	114.3	72.3	114.3	71.9
A19	31.4	65	97.6	68.9	97.6	68.6
A19	41.4	65	83.6	68.3	83.6	67.2
A19	51.4	65	77.3	67.8	76.6	66.8
A19	61.4	65	76.2	67.4	75.6	66.5
A19	71.4	65	75.0	67.0	74.5	66.3
A19	81.4	65	73.8	66.7	73.4	66.2
A19	91.4	65	72.6	66.4	72.3	66.0
A19	101.4	65	71.5	66.1	71.2	65.9

## EIA for Provision of Cremators at Wo Hop Shek Crematorium

### Predicted 1-hr and 24-hr Average TSP Concentrations (Mitigated)

ASR ID	Assessment Level Above Ground, mAG	Background Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 1-hr Average Concentration, $\mu\text{g}/\text{m}^3$	Predicted 24-hr Average Concentration, $\mu\text{g}/\text{m}^3$
			Scenario A	Scenario B	Scenario B	Scenario B
A20	1.4	65	255.2	83.4	255.2	82.7
A20	11.4	65	177.2	76.1	177.2	75.7
A20	21.4	65	114.2	71.5	114.2	70.7
A21	1.4	65	257.8	92.1	257.8	91.3
A22a	1.4	65	362.8	123.2	362.8	116.6
A22a	11.4	65	166.6	86.7	166.6	83.0
A22b	1.4	65	464.0	138.5	464.0	136.8
A22b	11.4	65	178.0	84.2	178.0	83.8
A23	1.4	65	302.5	109.4	302.5	102.9
A23	11.4	65	160.8	86.2	160.8	83.6
A24	1.4	65	380.9	123.3	380.9	122.2
A25	1.4	65	285.2	94.3	285.2	94.1
A25	11.4	65	144.2	77.1	144.2	77.0
A26	1.4	65	235.2	84.6	230.3	82.1
A27	1.4	65	283.9	86.5	281.2	84.6
A28a	1.4	65	209.3	107.3	209.3	94.9
A28a	11.4	65	151.8	90.9	151.8	83.3
A28b	1.4	65	180.2	85.3	180.2	77.7
A28b	11.4	65	148.8	79.7	148.8	75.0
A29	1.4	65	361.0	92.8	361.0	92.8
A30	1.4	65	239.1	78.4	239.1	78.0
A30	11.4	65	175.4	74.2	175.4	73.8
A31	1.4	65	161.1	72.3	155.0	72.3
A32	1.4	65	349.2	97.3	319.6	85.1
A32	11.4	65	195.0	80.5	195.0	76.1
A32	21.4	65	128.7	75.8	128.6	70.3
A32	31.4	65	100.7	72.9	100.7	68.9
A32	41.4	65	87.2	71.2	82.8	68.4
A32	51.4	65	83.1	70.3	80.7	68.0
A32	61.4	65	80.1	69.4	78.5	67.7
A32	71.4	65	77.4	68.6	76.3	67.3
A32	81.4	65	75.0	67.9	74.3	67.0
A32	91.4	65	73.4	67.3	72.5	66.7
A32	101.4	65	72.5	66.9	70.9	66.4
A32	111.4	65	71.6	66.5	69.5	66.2
A32	121.4	65	70.8	66.3	68.7	66.0
A33	1.4	65	287.7	82.7	287.7	82.5
A33	11.4	65	172.5	74.9	172.5	74.8
A33	21.4	65	118.1	69.9	118.1	69.4
A33	31.4	65	93.3	68.6	93.3	68.0
A33	41.4	65	82.7	67.5	82.2	67.0
A33	51.4	65	80.5	66.7	80.0	66.5
A33	61.4	65	78.3	66.4	77.8	66.3
A33	71.4	65	76.0	66.2	75.6	66.1
A33	81.4	65	73.9	66.0	73.6	65.8
A33	91.4	65	72.0	65.8	71.7	65.7
A33	101.4	65	71.1	65.7	70.6	65.6
A33	111.4	65	70.7	65.6	70.3	65.5
A33	121.4	65	70.4	65.6	70.0	65.4