

Tree Schedule

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name									
G001	--	Casuarina equisetifolia Celtis sinensis Acacia confusa Delonix regia Macaranga tanarius	木麻黄 朴树 台湾相思 凤凰木 血桐	--	10 6 10 5 5	4 3 5 3 5	G	43 1 160 22 4	F F F T F	HyD (SIMAR) (Note III)	HyD (SIMAR)	--
G002	--	Ficus hispida Koelreuteria bipinnata Macaranga tanarius	对叶榕 复羽叶栾树 血桐	--	4 2 7	3 1 4	F	20 12 5	R R R	HyD (SIMAR)	HyD (SIMAR)	--
G003	Inaccessible Area	Caroyta ochlandra Ficus hispida Livistonia chinensis	鱼尾葵 对叶榕 蒲葵	--	30 20 30	3 3 3	F	80	R R R	HyD (SIMAR)	HyD (SIMAR)	--
G004	--	Erythina variegata	刺桐	--	6	5	F	4	R	LCSD	LCSD	--
G005	--	Delonix regia Lagerstroemia speciosa Cassia surattensis	凤凰木 大花紫薇 黄槐	--	5 4 5	4 3 4	G	6 9 8	R R F	LCSD	LCSD	--
G006	--	Bombax malabaricum Bauhinia blakeana Ficus hispida Ficus microcarpa Leucaena leucocephala Macaranga tanarius	木棉 洋紫荆 对叶榕 细叶榕 银合欢 血桐	--	7 8 4 9 6 6	5 5 3 8 3 4	F	5 10 5 5 5 5	T T T T F F	HyD (SIMAR)	HyD (SIMAR)	--
G007	--	Bauhinia purpurea Delonix regia	羊蹄甲 凤凰木	--	7 9	4 7	F	5 2	R R	LCSD	LCSD	--
G008	--	Ficus religiosa Leucaena leucocephala	菩提榕 银合欢	--	3 6	3 4	F	5 7	T F	LCSD	LCSD	--
G009	--	Bauhinia blakeana Ficus hispida	洋紫荆 对叶榕	--	7 5	4 4	F	4 1	R R	LCSD	LCSD	--
G010	G010 - T01	Syzygium jambos	蒲桃	150	7	5	F	1	T	LCSD	LCSD	--
	G010 - T02	Casuarinn equiestifolia	木麻黄	170	12	5	F	1	F			--
	G010 - T03	Syzygium jambos	蒲桃	110	6	3	F	1	T			--
	G010 - T04	Casuarinn equiestifolia	木麻黄	140	10.5	3.5	F	1	F			--
	G010 - T05	Casuarinn equiestifolia	木麻黄	250	13	6	F	1	F			--
	G010 - T06	Casuarinn equiestifolia	木麻黄	220	12	7	F	1	F			--
	G010 - T07	Casuarinn equiestifolia	木麻黄	240	13	6	F	1	F			--
	G010 - T08	Lagerstroemia speciosa	大花紫薇	100	3	3	F	1	F			Double Trunks
	G010 - T09	Casuarinn equiestifolia	木麻黄	250	11	5	F	1	F			--
	G010 - T10	Casuarinn equiestifolia	木麻黄	180	11	5	F	1	R			--
	G010 - T11	Phoenix robelenii	美丽针葵	95	2	1.5	G	1	R			--
	G010 - T12	Cinnamomum camphora	樟	95	3	2	F	1	R			Leaning trunks
	G010 - T13	Phoenix robelenii	美丽针葵	130	2	1.5	G	1	R			--
	G010 - T14	Cinnamomum camphora	樟	140	9	6.5	F	1	F			Double Trunks
	G010 - T15	Cinnamomum camphora	樟	130	6	6	F	1	R			Leaning trunks
	G010 - T16	Elaeocarpus hainanensis	水石榕	100	6	6	G	1	R			--
	G010 - T17	Elaeocarpus hainanensis	水石榕	100	5	1.5	G	1	R			--
	G010 - T18	Elaeocarpus hainanensis	水石榕	100	6	1.5	G	1	R			--
	G010 - T19	Elaeocarpus hainanensis	水石榕	95	3.5	1.5	G	1	R			--
	G010 - T20	Caryota urens Linn	董棕	180	6	7	G	1	R			--
	G010 - T21	Phoenix robelenii	美丽针葵	100	2.5	2	G	1	R			--
	G010 - T22	Ficus benjamina	花叶垂榕	95	3.5	2.5	F	1	F			--
	G010 - T23	Bauhinia variegata Linn	洋紫荆	95	4	2.5	G	1	T			--
	G010 - T24	Bauhinia variegata Linn	洋紫荆	95	4	2.5	G	1	T			--
	G010 - T25	Casuarinn equiestifolia	木麻黄	240	17	9	F	1	F			--
	G010 - T26	Syzygium jambos	蒲桃	140	8	5	F	1	T			--
	G010 - T27	Casuarinn equiestifolia	木麻黄	190	15	8	F	1	F			--
	G010 - T28	Syzygium jambos	蒲桃	120	7	5	F	1	T			Leaning trunks
	G010 - T29	Casuarinn equiestifolia	木麻黄	150	15	6	F	1	F			--
	G010 - T30	Syzygium jambos	蒲桃	105	7	5	F	1	T			--
	G010 - T31	Casuarinn equiestifolia	木麻黄	170	15	6	F	1	F			--
	G010 - T32	Casuarinn equiestifolia	木麻黄	130	7	4	F	1	F			--
	G010 - T33	Michelia alha DC	白兰	220	15	5.5	F	1	F			--
	G010 - T34	Casuarinn equiestifolia	木麻黄	130	7	6	F	1	F			--
	G010 - T35	Michelia alha DC	白兰	110	5	3.5	F	1	F			Double Trunks
	G010 - T36	Syzygium jambos	蒲桃	150	12	6	F	1	T			--
	G010 - T37	Casuarinn equiestifolia	木麻黄	250	13	8	F	1	F			--
	G010 - T38	Cinnamomum camphora	樟	150	8	3	F	1	F			--
	G010 - T39	Casuarinn equiestifolia	木麻黄	220	15	8	F	1	F			--
	G010 - T40	Cinnamomum camphora	樟	120	9	2.5	F	1	F			Double Trunks

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name									
	G010 - T41	Cinnamomum camphora	樟	130	15	3	F	1	F	LCSD	LCSD	Double Trunks
	G010 - T42	Casuarinn equiestifolia	木麻黄	130	8	2	F	1	F			--
	G010 - T43	Cinnamomum camphora	樟	200	15	4	F	1	F			--
	G010 - T44	Casuarinn equiestifolia	木麻黄	130	10	4	F	1	F			--
	G010 - T45	Cinnamomum camphora	樟	110	10	3	F	1	F			--
	G010 - T46	Casuarinn equiestifolia	木麻黄	140	10	4	F	1	F			--
	G010 - T47	Casuarinn equiestifolia	木麻黄	120	9.5	6	F	1	F			--
	G010 - T48	Casuarinn equiestifolia	木麻黄	150	10	5	F	1	F			--
	G010 - T49	Casuarinn equiestifolia	木麻黄	100	5	2.5	F	1	F			--
	G010 - T50	Araucaria cunninghamia	南洋杉	100	5	2.5	F	1	R			--
	G010 - T51	Araucaria cunninghamia	南洋杉	100	6	2.5	F	1	R			--
	G010 - T52	Araucaria cunninghamia	南洋杉	100	6	2.5	F	1	R			--
	G010 - T53	Araucaria cunninghamia	南洋杉	120	7	3	F	1	R			--
	G010 - T54	Casuarinn equiestifolia	木麻黄	170	13	5	F	1	F			--
	G010 - T55	Erythrina crista-galli L	鸡冠刺桐	130	9	3	F	1	T			Multiple Trunks
	G010 - T56	Casuarinn equiestifolia	木麻黄	95	12	3	F	1	F			--
	G010 - T57	Erythrina crista-galli L	鸡冠刺桐	190	10	7	F	1	T			--
	G010 - T58	Casuarinn equiestifolia	木麻黄	120	15	3	F	1	F			--
	G010 - T59	Casuarinn equiestifolia	木麻黄	190	17	5	F	1	F			--
	G010 - T60	Ficus microcarpa	细叶榕	100	6	4.5	F	1	T			Multiple Trunks
	G010 - T61	Ficus microcarpa	细叶榕	95	6	4.5	F	1	R			--
	G010 - T62	Bombax malabaricum	木棉	100	6	5	G	1	R			--
	G010 - T63	Magnolia grandiflora	广玉兰	95	4	2	F	1	F			--
	G010 - T64	Magnolia grandiflora	广玉兰	95	4	2	F	1	F			--
	G010 - T65	Callistemon viminalis	串钱柳	180	5	3.5	F	1	T			--
	G010 - T66	Syzygium jambos	蒲桃	130	6.5	5	F	1	R			Double Trunks
	G010 - T67	Syzygium jambos	蒲桃	150	6.5	5	F	1	R			Double Trunks
	G010 - T68	Syzygium jambos	蒲桃	120	7	5	F	1	R			--
	G010 - T69	Syzygium jambos	蒲桃	150	13	3.5	F	1	R			--
	G010 - T70	Syzygium jambos	蒲桃	130	6	4	F	1	R			--
	G010 - T71	Syzygium jambos	蒲桃	100	6	2.5	F	1	R			--
	G010 - T72	Syzygium jambos	蒲桃	120	7	4	F	1	R			Triple Trunks
	G010 - T73	Cinnamomum camphora	樟	150	12	6	F	1	R			--
	G010 - T74	Grevillea robusta	银桦	95	5.5	2	F	1	R			--
	G010 - T75	Grevillea robusta	银桦	150	7	2.5	F	1	R			--
	G010 - T76	Grevillea robusta	银桦	150	7	2.5	F	1	F			--
	G010 - T77	Grevillea robusta	银桦	170	8.5	3	F	1	F			--
	G010 - T78	Grevillea robusta	银桦	95	5.5	2	F	1	R			--
	G010 - T79	Grevillea robusta	银桦	100	7	3	F	1	F			--
	G010 - T80	Bauhinia blakeana	洋紫荆	100	6	5	G	1	T			--
	G010 - T81	Bauhinia blakeana	洋紫荆	100	8	4	G	1	T			--
	G010 - T82	Hibiscus tiliaceus	黄槿	200	10	7	G	1	R			--
	G010 - T83	Hibiscus tiliaceus	黄槿	150	9	8	G	1	R			Multiple Trunks
	G010 - T84	Hibiscus tiliaceus	黄槿	95	6	4	G	1	T			Double Trunks
	G010 - T85	Hibiscus tiliaceus	黄槿	250	8	8	G	1	T			--
	G010 - T86	Hibiscus tiliaceus	黄槿	220	10	8	G	1	T			--
	G010 - T87	Hibiscus tiliaceus	黄槿	270	10	8	G	1	R			Multiple Trunks
	G010 - T88	Ficus altissima	高山榕	200	10	8	F	1	R			--
	G010 - T89	Ficus microcarpa	细叶榕	200	10	8	F	1	R			Double Trunks
	G010 - T90	Erythrina crista-galli L	鸡冠刺桐	180	6	4	F	1	R			--
	G010 - T91	Casuarinn equiestifolia	木麻黄	200	9	5	F	1	F			--
	G010 - T92	Casuarinn equiestifolia	木麻黄	180	11	3	F	1	F			--
	G010 - T93	Casuarinn equiestifolia	木麻黄	190	10.5	3	F	1	F			--
	G010 - T94	Acacia confusa Merr	台湾相思	220	9	3.5	F	1	R			Double Trunks
	G010 - T95	Cinnamomum camphora	樟	180	9	3.5	F	1	F			--
	G010 - T96	Cinnamomum camphora	樟	130	7	3.5	F	1	F			Triple Trunks
	G010 - T97	Cinnamomum camphora	樟	170	9	3	F	1	F			Leaning trunks
	G010 - T98	Cinnamomum camphora	樟	210	8	4	F	1	F			--
	G010 - T99	Cinnamomum camphora	樟	110	5	2.5	F	1	F			--
	G010 - T100	Bombax malabaricum	木棉	95	3.5	2	G	1	T			--
	G010 - T101	Bombax malabaricum	木棉	210	8	4	G	1	T			--
	G010 - T102	Acacia confusa Merr	台湾相思	160	8	4	F	1	F			--
	G010 - T103	Acacia confusa Merr	台湾相思	200	7	4	F	1	F			--
	G010 - T104	Delonix regia	凤凰木	170	6	5.5	F	1	T			--
	G010 - T105	Acacia confusa Merr	台湾相思	170	7.5	3	F	1	F			Leaning trunks
	G010 - T106	Acacia confusa Merr	台湾相思	200	6	4.5	F	1	F			--

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name									
	G010 - T107	Bombax malabaricum	木棉	210	6.5	2.5	G	1	T	LCSD	LCSD	--
	G010 - T108	Acacia confusa Merr	台湾相思	200	6.5	2.5	F	1	F			--
	G010 - T109	Acacia confusa Merr	台湾相思	100	4.5	2	F	1	F			--
	G010 - T110	Acacia confusa Merr	台湾相思	140	8.5	3	F	1	F			--
	G010 - T111	Bombax malabaricum	木棉	250	8.5	6	G	1	T			--
	G010 - T112	Spathodea campanulata	火焰木	180	8	4.5	F	1	T			Leaning trunks
	G010 - T113	Acacia confusa Merr	台湾相思	180	7	5	F	1	F			--
	G010 - T114	Acacia confusa Merr	台湾相思	200	8	4	F	1	F			--
	G010 - T115	Spathodea campanulata	火焰木	230	7	5	F	1	T			Double Trunks
	G010 - T116	Spathodea campanulata	火焰木	185	8	4	F	1	T			Leaning trunks
	G010 - T117	Spathodea campanulata	火焰木	190	4.5	3.5	F	1	T			--
	G010 - T118	Spathodea campanulata	火焰木	160	8	2.5	F	1	T			--
	G010 - T119	Spathodea campanulata	火焰木	200	8	3	F	1	T			--
	G010 - T120	Acacia confusa Merr	台湾相思	160	7	3.5	F	1	F			Double Trunks
	G010 - T121	Acacia confusa Merr	台湾相思	200	8.5	5	F	1	F			Leaning trunks
	G010 - T122	Acacia confusa Merr	台湾相思	100	6	3	F	1	F			--
	G010 - T123	Mexican Frangipani	鸡蛋花	110	3.5	5	G	1	T			Multiple Trunks
	G010 - T124	Mexican Frangipani	鸡蛋花	120	3	4	G	1	R			Multiple Trunks
	G010 - T125	Mexican Frangipani	鸡蛋花	110	3	4	G	1	R			Multiple Trunks
	G010 - T126	Cortex Meliae	苦楝树	250	10	3.5	F	1	T			--
	G010 - T127	Acacia confusa Merr	台湾相思	260	12	4.5	F	1	F			--
	G010 - T128	Acacia confusa Merr	台湾相思	180	11	4	F	1	F			--
	G010 - T129	Winchia calophylla	盆架子	260	10	5	G	1	T			--
	G010 - T130	Winchia calophylla	盆架子	280	11	5.5	G	1	T			--
	G010 - T131	Winchia calophylla	盆架子	280	10	5.5	G	1	T			--
	G010 - T132	Winchia calophylla	盆架子	320	11	6	G	1	T			Triple Trunks
	G010 - T133	Winchia calophylla	盆架子	220	10	4	G	1	T			Double Trunks
	G010 - T134	Cassia surattensis	黄槐	190	11	4.5	F	1	F			Double Trunks
	G010 - T135	Cassia surattensis	黄槐	110	7	2	F	1	F			--
	G010 - T136	Cassia surattensis	黄槐	160	8	4	F	1	F			--
	G010 - T137	Cassia surattensis	黄槐	130	6.5	3.5	F	1	F			Double Trunks
	G010 - T138	Delonix regia	凤凰木	95	5.5	4.5	F	1	R			Leaning trunks
	G010 - T139	Delonix regia	凤凰木	95	4	4	F	1	R			--
	G010 - T140	Delonix regia	凤凰木	100	5	5	F	1	R			--
	G010 - T141	Delonix regia	凤凰木	110	6	6	F	1	R			--
	G010 - T142	Delonix regia	凤凰木	100	6	6	F	1	R			Leaning trunks
	G010 - T143	Michelia alba DC	白兰	120	5	2.5	F	1	F			Leaning trunks
	G010 - T144	Delonix regia	凤凰木	110	6	6	F	1	R			--
	G010 - T145	Delonix regia	凤凰木	120	6	6	F	1	R			--
	G010 - T146	Cinnamomum burmannii	阴香	140	6.5	5	F	1	R			--
	G010 - T147	Winchia calophylla	盆架子	150	10	5	G	1	T			--
	G010 - T148	Cinnamomum burmannii	阴香	150	6	4	F	1	R			Leaning trunks
	G010 - T149	Winchia calophylla	盆架子	150	10	5	G	1	T			--
	G010 - T150	Winchia calophylla	盆架子	180	8.5	4	G	1	R			--
	G010 - T151	Syzygium jambos	蒲桃	110	7	4	F	1	R			Leaning trunks
	G010 - T152	Cinnamomum burmannii	阴香	170	9	4.5	F	1	R			--
	G010 - T153	Cinnamomum burmannii	阴香	100	4.5	1.5	F	1	R			--
	G010 - T154	Cinnamomum burmannii	阴香	150	5	3	F	1	R			--
	G010 - T155	Delonix regia	凤凰木	350	10	8	F	1	R			Leaning trunks
	G010 - T156	Winchia calophylla	盆架子	150	10	5	G	1	T			--
	G010 - T157	Winchia calophylla	盆架子	230	11	6	G	1	T			Triple Trunks
	G010 - T158	Winchia calophylla	盆架子	180	10	5	G	1	T			Double Trunks
	G010 - T159	Bauhinia blakeana	洋紫荆	95	5	1	G	1	T			--
	G010 - T160	Delonix regia	凤凰木	100	5	2.5	F	1	R			--
	G010 - T161	Syzygium jambos	蒲桃	110	6	2	F	1	T			--
	G010 - T162	Delonix regia	凤凰木	110	6	2.5	F	1	R			--
	G010 - T163	Michelia alba DC	白兰	100	6	3	F	1	F			--
	G010 - T164	Michelia alba	白兰	130	8	3	F	1	R			--
	G010 - T165	Syzygium jambos	蒲桃	120	8.5	5	F	1	T			--
	G010 - T166	Bauhinia blakeana	洋紫荆	110	5.5	2.5	G	1	T			--
G011	--	Acacia confusa	台湾相思		8	6			R	LCSD	LCSD	--
		Delonix regia	凤凰木		6	3	F		T			--
		Erythrina variegata	鸡冠刺桐		8	5			R			--

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name									
G012	--	Casuarina equisetifolia	木麻黄	9	4			40	R	Private	Private	--
		Cinnamomum camphora	樟	9	8		F	10	R			
		Melaleuca leucadendron	白千层	8	5			20	T			
		Syzygium jambos	蒲桃	7	3			2	T			
G013	--	Macaranga tanarius	血桐	7	5			9	R	LCSD	LCSD	--
		Spathodea campanulata	火焰木	7	3		F	3	R			
		Cinnamomum burmannii	樟	7	5			10	R			
G014	--	Melaleuca leucadendron	白千层	6	4			3	R	LCSD	LCSD	--
		Bauhinia blakeana	洋紫荆	5	8		G	8	R			
G015	G015 - T01	Dead							F	LCSD	LCSD	Dead
	G015 - T02	Ficus microcarpa	细叶榕	130	4.4	3	F	1	R			--
	G015 - T03	Ficus rumpii	菩提榕	145	5.5	5	F	1	T			--
	G015 - T04	Ficus virens var. subanceolata	大叶榕	120	5	3	F	1	R			--
	G015 - T05	Chrysalidocarpus lutescens	散尾葵	95	5	3	F	1	R			Multiple Trunks
	G015 - T06	Chrysalidocarpus lutescens	散尾葵	115	5	3	F	1	R			Multiple Trunks
	G015 - T07	Chrysalidocarpus lutescens	散尾葵	100	4	3	F	1	R			Multiple Trunks
	G015 - T08	Chrysalidocarpus lutescens	散尾葵	125	3.5	2	F	1	R			Multiple Trunks
	G015 - T09	Ficus benjamina	垂叶榕	310	11	10	F	1	T			Double Trunks
	G015 - T10	Ficus benjamina	垂叶榕	280	10	8	F	1	T			--
	G015 - T11	Livistona chinensis	蒲葵	300	3	3	F	1	T			--
	G015 - T12	Livistona chinensis	蒲葵	260	3.5	3	F	1	T			--
	G015 - T13	Phoenix roeblenii	美丽针葵	190	3	2.5	G	1	T			--
	G015 - T14	Livistona chinensis	蒲葵	140	3	3	F	1	T			--
	G015 - T15	Phoenix roeblenii	美丽针葵	105	2.5	3	G	1	T			--
	G015 - T16	Livistona chinensis	蒲葵	280	3.5	3	F	1	T			--
	G015 - T17	Phoenix roeblenii	美丽针葵	190	2.5	2	G	1	T			--
	G015 - T18	Phoenix roeblenii	美丽针葵	150	3	2	G	1	T			--
	G015 - T19	Livistona chinensis	蒲葵	240	3	3	F	1	T			--
	G015 - T20	Livistona chinensis	蒲葵	280	3.5	3	F	1	T			--
	G015 - T21	Phoenix roeblenii	美丽针葵	155	2.5	2	G	1	T			--
	G015 - T22	Phoenix roeblenii	美丽针葵	115	1.5	1.5	G	1	T			--
	G015 - T23	Ficus benjamina	垂叶榕	280	10	9	F	1	T			--
	G015 - T24	Ficus benjamina	垂叶榕	190	10	9	F	1	T			--
	G015 - T25	Ficus benjamina	垂叶榕	400	10	9	F	1	T			Double Trunks
	G015 - T26	Ficus benjamina	垂叶榕	225	10	9	F	1	T			Double Trunks
	G015 - T27	Ficus benjamina	垂叶榕	260	10	9	F	1	T			Double Trunks
	G015 - T28	Phoenix roeblenii	美丽针葵	150	2.5	2	G	1	T			--
	G015 - T29	Livistona chinensis	蒲葵	115	2.5	2	F	1	T			--
	G015 - T30	Phoenix roeblenii	美丽针葵	160	3.5	3	G	1	T			--
	G015 - T31	Livistona chinensis	蒲葵	160	3.5	3	F	1	T			--
	G015 - T32	Livistona chinensis	蒲葵	140	4	3	F	1	T			--
	G015 - T33	Livistona chinensis	蒲葵	225	4	3	F	1	T			--
G015 - T34	Livistona chinensis	蒲葵	230	4	3	F	1	T	--			
G015 - T35	Livistona chinensis	蒲葵	170	4	3	F	1	T	--			
G015 - T36	Livistona chinensis	蒲葵	180	3	2	F	1	T	--			
G015 - T37	Phoenix roeblenii	美丽针葵	195	4	3	G	1	T	--			
G015 - T38	Livistona chinensis	蒲葵	110	3	2	F	1	T	--			
G015 - T39	Phoenix roeblenii	美丽针葵	245	4	3	G	1	T	--			
G015 - T40	Livistona chinensis	蒲葵	240	4	3	F	1	T	--			
G015 - T41	Phoenix roeblenii	美丽针葵	130	2.5	2	G	1	T	--			
G015 - T42	Livistona chinensis	蒲葵	130	3.5	3	F	1	T	--			
G015 - T43	Phoenix roeblenii	美丽针葵	125	2.5	2	G	1	T	--			
G015 - T44	Livistona chinensis	蒲葵	170	3	3	F	1	T	--			
G015 - T45	Phoenix roeblenii	美丽针葵	155	2	1.5	G	1	T	--			
G015 - T46	Phoenix roeblenii	美丽针葵	125	2	1.5	G	1	T	--			
G015 - T47	Livistona chinensis	蒲葵	125	4	3	F	1	T	--			
G015 - T48	Livistona chinensis	蒲葵	250	4	3	F	1	T	--			
G015 - T49	Livistona chinensis	蒲葵	195	4	3	F	1	T	--			
G015 - T50	Livistona chinensis	蒲葵	300	4	3	F	1	T	--			
G015 - T51	Livistona chinensis	蒲葵	280	4	3	F	1	T	--			
G015 - T52	Phoenix roeblenii	美丽针葵	100	3	2	G	1	T	--			
G015 - T53	Livistona chinensis	蒲葵	100	3.5	3	F	1	T	--			
G015 - T54	Livistona chinensis	蒲葵	100	3.5	3	F	1	T	--			
G015 - T55	Livistona chinensis	蒲葵	130	3.5	2.5	F	1	T	--			
G015 - T56	Livistona chinensis	蒲葵	120	3.5	2.5	F	1	T	--			
G015 - T57	Livistona chinensis	蒲葵	110	3.5	3	F	1	T	--			

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name									
	G015 - T58	Livistona chinensis	蒲葵	130	4	3	F	1	T	LCSD	LCSD	--
	G015 - T59	Livistona chinensis	蒲葵	180	4	3	F	1	T			--
	G015 - T60	Bombax malabaricum	木棉	180	12	6	G	1	T			--
	G015 - T61	Bombax malabaricum	木棉	105	3.5	3	G	1	R			--
	G015 - T62	Phoenix roeblenii	美丽针葵	170	2	2	G	1	T			--
	G015 - T63	Phoenix roeblenii	美丽针葵	160	2	1.5	G	1	T			--
	G015 - T64	Phoenix roeblenii	美丽针葵	150	2	1.5	G	1	T			--
	G015 - T65	Phoenix roeblenii	美丽针葵	150	2	2	G	1	T			--
	G015 - T66	Phoenix roeblenii	美丽针葵	130	2	1.5	G	1	T			--
	G015 - T67	Phoenix roeblenii	美丽针葵	130	2	1.5	G	1	T			--
	G015 - T68	Ficus benjamina	垂叶榕	170	6	3	F	1	T			Double Trunks
	G015 - T69	Koelreuteria bipinnata	复羽叶栾树	180	8	5	F	1	T			Double Trunks
	G015 - T70	Ficus benjamina	垂叶榕	130	7	4	F	1	T			Leaning trunks
	G015 - T71	Koelreuteria bipinnata	复羽叶栾树	120	9	5	F	1	T			--
	G015 - T72	Ficus benjamina	垂叶榕	170	6	4	F	1	T			--
	G015 - T73	Ficus benjamina	垂叶榕	160	8	4	F	1	T			--
	G015 - T74	Koelreuteria bipinnata	复羽叶栾树	270	10	5	F	1	T			--
	G015 - T75	Spathodea campanulata	火焰木	125	6	2	F	1	T			--
	G015 - T76	Spathodea campanulata	火焰木	95	4	11	F	1	T			Leaning trunks
	G015 - T77	Spathodea campanulata	火焰木	220	7	3	F	1	T			Leaning trunks
	G015 - T78	Spathodea campanulata	火焰木	120	4	2	F	1	T			--
	G015 - T79	Spathodea campanulata	火焰木	170	6	2.5	F	1	T			--
	G015 - T80	Phoenix roeblenii	美丽针葵	130	2	1.5	G	1	T			--
	G015 - T81	Phoenix roeblenii	美丽针葵	150	2	1.5	G	1	R			--
	G015 - T82	Phoenix roeblenii	美丽针葵	95	2.5	2	G	1	R			--
	G015 - T83	Hyophorbe lagenicaulis	酒瓶椰子	230	2.5	3	F	1	R			--
	G015 - T84	Hyophorbe lagenicaulis	酒瓶椰子	280	3.5	3.5	F	1	R			--
	G015 - T85	Hyophorbe lagenicaulis	酒瓶椰子	230	2.5	3	F	1	R			--
	G015 - T86	Phoenix roeblenii	美丽针葵	120	2	1.5	G	1	R			--
	G015 - T87	Spathodea campanulata	火焰木	95	5.5	2	F	1	R			Double Trunks
	G015 - T88	Spathodea campanulata	火焰木	110	5.5	2	F	1	R			--
	G015 - T89	Spathodea campanulata	火焰木	100	5	3	F	1	R			--
	G015 - T90	Spathodea campanulata	火焰木	95	5	2	F	1	R			--
	G015 - T91	Cinnamomum camphora	樟	140	6.5	4	F	1	R			--
	G015 - T92	Spathodea campanulata	火焰木	95	5	2	F	1	R			--
	G015 - T93	Phoenix roeblenii	美丽针葵	95	2	1.5	G	1	R			--
	G015 - T94	Phoenix roeblenii	美丽针葵	95	2	2	G	1	R			--
	G015 - T95	Archontophoenix alexandrae	假槟榔	210	5	3	F	1	R			--
	G015 - T96	Phoenix roeblenii	美丽针葵	95	2.5	1.5	G	1	R			--
	G015 - T97	Spathodea campanulata	火焰木	110	4.5	2	F	1	R			--
	G015 - T98	Phoenix roeblenii	美丽针葵	95	2.5	1.5	G	1	R			--
	G015 - T99	Phoenix roeblenii	美丽针葵	95	2	1.5	G	1	R			--
	G015 - T100	Phoenix roeblenii	美丽针葵	100	2.5	1.5	G	1	R			--
	G015 - T101	Phoenix roeblenii	美丽针葵	95	2.5	1.5	G	1	R			--
	G015 - T102	Phoenix roeblenii	美丽针葵	95	2.5	1.5	G	1	R			--
	G015 - T103	Phoenix roeblenii	美丽针葵	95	2.5	1.5	G	1	R			--
	G015 - T104	Swietenia mahagoni	桃花心木	200	9	5	F	1	R			--
	G015 - T105	Swietenia mahagoni	桃花心木	210	8	4	F	1	R			--
	G015 - T106	Phoenix roeblenii	美丽针葵	95	2.5	1.5	G	1	R			--
	G015 - T107	Archontophoenix alexandrae	假槟榔	180	6	3	F	1	R			--
	G015 - T108	Bauhinia blakeana	洋紫荆	120	6	4	G	1	R			--
	G015 - T109	Bauhinia blakeana	洋紫荆	110	5	4	G	1	R			Multiple Trunks
	G015 - T110	Bauhinia blakeana	洋紫荆	110	5	5	G	1	R			--
	G015 - T111	Bauhinia blakeana	洋紫荆	100	5	4	G	1	R			Leaning trunks
	G015 - T112	Bauhinia blakeana	洋紫荆	110	6	4	G	1	R			--
	G015 - T113	Bauhinia blakeana	洋紫荆	100	4	3	G	1	R			--
	G015 - T114	Bauhinia blakeana	洋紫荆	105	4	3	G	1	R			--
	G015 - T115	Hibiscus tiliaceus	黄槿	140	5	3	G	1	R			--
	G015 - T116	Hibiscus tiliaceus	黄槿	95	5	3	G	1	R			--
	G015 - T117	Hibiscus tiliaceus	黄槿	120	4	3	G	1	R			--
	G015 - T118	Hibiscus tiliaceus	黄槿	100	5	3	G	1	R			--
	G015 - T119	Hibiscus tiliaceus	黄槿	110	5	3	G	1	T			--
	G015 - T120	Hibiscus tiliaceus	黄槿	120	5	3	G	1	R			--
	G015 - T121	Hibiscus tiliaceus	黄槿	110	5	3	G	1	R			--
	G015 - T122	Hibiscus tiliaceus	黄槿	110	5.5	3	G	1	T			--
	G015 - T123	Bauhinia blakeana	洋紫荆	95	4	2	G	1	T			--

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks			
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name												
G015	G015 - T124	Hibiscus tiliaceus	黄槿	150	6	4	G	1	T	LCSD	LCSD	Leaning trunks			
	G015 - T125	Hibiscus tiliaceus	黄槿	150	5	3	G	1	T			--			
	G015 - T126	Hibiscus tiliaceus	黄槿	95	4	2	G	1	T			--			
	G015 - T127	Hibiscus tiliaceus	黄槿	125	5	3	G	1	T			--			
	G015 - T128	Hibiscus tiliaceus	黄槿	120	6	4	G	1	T			--			
	G015 - T129	Spathodea campanulata	火焰木	130	5	2	F	1	T			--			
	G015 - T130	Hibiscus tiliaceus	黄槿	150	4	3	G	1	T			--			
	G015 - T131	Hibiscus tiliaceus	黄槿	120	6	3	G	1	T			--			
	G015 - T132	Hibiscus tiliaceus	黄槿	120	5	4	G	1	T			--			
	G015 - T133	Hibiscus tiliaceus	黄槿	120	4	4	G	1	T			--			
	G015 - T134	Hibiscus tiliaceus	黄槿	260	11	6	G	1	T			--			
	G015 - T135	Swietenia mahagoni	桃花心木	140	9	5	G	1	T			--			
	G016	G016 - T01	Ficus microcarpa	细叶榕	135	9	8	F	1			T	LCSD	LCSD	Multiple Trunks
		G016 - T02	Ficus microcarpa	细叶榕	140	8	6	F	1			R			--
G017	G017 - T01	Archontophoenix alexandrae	假槟榔	130	3.5	3	G	1	R	LCSD	LCSD	--			
	G017 - T02	Archontophoenix alexandrae	假槟榔	130	3	3	G	1	T			--			
	G017 - T03	Archontophoenix alexandrae	假槟榔	130	3	3	G	1	T			--			
	G017 - T04	Phoenix robelenii	美丽针葵	110	3	3	G	1	T			--			
	G017 - T05	Phoenix robelenii	美丽针葵	100	3	3	G	1	T			--			
	G017 - T06	Phoenix robelenii	美丽针葵	100	2.5	2.5	G	1	R			--			
	G017 - T07	Phoenix robelenii	美丽针葵	95	2.5	2	G	1	R			Leaning trunks			
	G017 - T08	Phoenix robelenii	美丽针葵	95	6	6	G	1	R			--			
	G017 - T09	Macaranga tanarius	血桐	225	7	6	F	1	R			--			
G018	--	Ficus religiosa	菩提榕		8	6	P	1	F	HyD (SIMAR)	HyD (SIMAR)	--			
	--	Macaranga tanarius	血桐		6	9		1	F			--			
G019	G019 - T01	Macaranga tanarius	血桐	140	5	5	F	1	F	LCSD	LCSD	--			
	G019 - T02	Macaranga tanarius	血桐	150	5	5	F	1	F			--			
	G019 - T03	Macaranga tanarius	血桐	135	5	5	F	1	F			--			
	G019 - T04	Macaranga tanarius	血桐	130	5	3.5	F	1	F			--			
	G019 - T05	Ficus benjamina	垂叶榕	240	5	4	F	1	T			--			
	G019 - T06	Ficus benjamina	垂叶榕	120	5	3	F	1	T			Triple Trunks			
	G019 - T07	Macaranga tanarius	血桐	130	5	5	F	1	F			--			
	G019 - T08	Macaranga tanarius	血桐	125	5	3	F	1	F			--			
G020	--	Syzygium jambos	蒲桃		4	3	F	5	R	LCSD	LCSD	--			
	--	Acacia confusa	台湾相思		7	3.5	F	1	R			--			
	--	Casuarina equisetifolia	木麻黄		7	3	F	5	R			--			
G021	--	Melaleuca leucadendron	白千层		7	3	G	5	R	LCSD	LCSD	--			
G022	--	Ficus virens var. sublancoolata	大叶榕		5	4	F	2	R	LCSD	LCSD	--			
G023	--	Melaleuca leucadendron	白千层		7	3	G	4	R	LCSD	LCSD	--			
G024	--	Roystonea regia	大王椰子		3.5	2.5	G	3	R	LCSD	LCSD	--			
G025	--	Leucaena leucocephala	银合欢		5	3	F	5	F	LCSD	LCSD	--			
G026	--	Leucaena leucocephala	银合欢		4.5	3	F	3	R	LCSD	LCSD	Leaning trunks			
G028	--	Peltophorum Pterocarpum	盾柱木		8	6	G	3	R	LCSD	LCSD	--			
G029	--	Leucaena leucocephala	银合欢		4.5	3	F	3	F	HyD (SIMAR)	HyD (SIMAR)	--			
G030	--	Casuarina equisetifolia	木麻黄		6-9	3-4	F	26	R	HyD (SIMAR)	HyD (SIMAR)	--			
	--	Macaranga tanarius	血桐		5	5	F	6	R			--			
	--	Acacia confusa	台湾相思		6	6	F	4	R			--			
	--	Ficus virens var. sublancoolata	大叶榕		6	4	T	1	R			--			
	--	Ficus virens	菩提榕		6	4	F	1	R			--			
G031	Inaccessible Area	Acacia confusa	台湾相思				F		R	EPD	EPD	--			
		Casuarina equisetifolia	木麻黄				F		R						
		Celtis sinensis	朴树				F		R						
		Delonix regia	凤凰木				F	35	R						
		Leucaena leucocephala	银合欢				F		R						
		Macaranga tanarius	血桐				F		R						
		Coriaria dichotoma	破布木				F		R						
G032	G032-T01	Bombax malabaricum	木棉	280	9	7	G	1	F	Joint Party (Including HyD)	Joint Party (Including HyD)	--			
	G032-T02	Macaranga tanarius	血桐	120	5	5	G	1	F			--			
	G032-T03	Macaranga tanarius	血桐	120	5	4	G	1	F			Multiple Trunks			
	G032-T04	Acacia confusa	台湾相思	150	6	4	F	1	F			Double Trunks			
	G032-T05	Acacia confusa	台湾相思	180	6	5	F	1	F			--			
	G032-T06	Acacia confusa	台湾相思	150	6	4	F	1	F			Double Trunks			
	G032-T07	Acacia confusa	台湾相思	150	6	5	F	1	F			Triple Trunks			

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks		
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name											
	G032-T08	Albizia lebbek	大叶合欢	300	8	9	F	1	F	Joint Party (Including HyD)	Joint Party (Including HyD)	Multiple Trunks		
	G032-T09	Albizia lebbek	大叶合欢	150	8	6	F	1	F			Leaning trunks		
	G032-T10	Albizia lebbek	大叶合欢	120	6	6	F	1	F			Multiple Trunks		
	G032-T11	Albizia lebbek	大叶合欢	100	5	5	F	1	F			--		
	G032-T12	Casuarina equisetifolia	木麻黄	220	10	5	G	1	F			--		
	G032-T13	Celtis sinensis	朴树	150	4	4	F	1	F			--		
	G032-T14	Celtis sinensis	朴树	100	4	3	G	1	T			--		
	G032-T15	Melia azadarche	苦楝树	100	4	3	F	1	F			Leaning trunks		
	G032-T16	Cassia surattensis	黄槐	100	6	5	F	1	F			Rotten trunks		
	G032-T17	Casuarina equisetifolia	木麻黄	300	10	8	G	1	F			--		
	G032-T18	Celtis sinensis	朴树	220	6	5	F	1	F			Leaning trunks		
	G032-T19	Acacia confusa	台湾相思	220	7	4	G	1	F			--		
	G032-T20	Casuarina equisetifolia	木麻黄	280	10	4	F	1	F			--		
	G032-T21	Casuarina equisetifolia	木麻黄	200	9	4	G	1	F			--		
	G032-T22	Casuarina equisetifolia	木麻黄	220	10	4	F	1	F			--		
	G032-T23	Melia azadarche	苦楝树	200	7	5	G	1	F			--		
	G032-T24	Celtis sinensis	朴树	150	6	5	F	1	F			Leaning trunks		
	G032-T25	Casuarina equisetifolia	木麻黄	200	9	3	G	1	F			--		
	G032-T26	Celtis sinensis	朴树	220	6	5	G	1	T			Double Trunks		
	G032-T27	Litsea glutinosa	潺槁木姜子	120	6	4	F	1	F			Double Trunks		
	G032-T28	Melaleuca leucadendron	白千层	220	7	3	G	1	T			--		
	(Inaccessible)	Acacia confusa	台湾相思				F					Joint Party (Including HyD)	Joint Party (Including HyD)	--
		Celtis sinensis	朴树				F							
		Macaranga tanarius	血桐				F	45	R (all)					
		Bauhinia purpurea	羊蹄甲				F							
		Koeleuteria bipinnata	复羽叶栲树				F							
	Other trees within the group	Macaranga tanarius	血桐		5	5		6	F			Joint Party (Including HyD)	Joint Party (Including HyD)	--
		Acacia confusa	台湾相思		6	5		5	F					
		Albizia lebbek	大叶合欢		8	6		5	F					
		Casuarina equisetifolia	木麻黄		10	5		6	F					
		Celtis sinensis	朴树		4	4	F	5	F					
		Melia azadarche	苦楝树		5	3		2	F					
		Cassia surattensis	黄槐		6	5		1	F					
		Litsea glutinosa	潺槁木姜子		6	4		1	F					
		Melaleuca leucadendron	白千层		7	3		1	R					
G033	G033-T01	Albizia lebbek	大叶合欢	180	6	6	F	1	T	LCSD	LCSD	Multiple Trunks		
	G033-T02	Albizia lebbek	大叶合欢	200	7	6	F	1	T			Multiple Trunks		
	G033-T03	Albizia lebbek	大叶合欢	280	8	8	F	1	R			--		
	G033-T04	Albizia lebbek	大叶合欢	200	7	6	F	1	R			--		
	G033-T05	Albizia lebbek	大叶合欢	250	8	7	F	1	R			--		
	G033-T06		Dead						F			Rotten trunks		
	G033-T07	Albizia lebbek	大叶合欢	350	8	8	F	1	R			--		
	G033-T08	Albizia lebbek	大叶合欢	320	7	8	F	1	R			Double Trunks		
	G033-T09	Ficus variegata	香果榕	350	8	8	F	1	R			Multiple Trunks		
	G033-T10	Albizia lebbek	大叶合欢	180	5	6	F	1	R			--		
	G033-T11	Albizia lebbek	大叶合欢	200	6	5	F	1	R			Leaning trunks		
	G033-T12	Albizia lebbek	大叶合欢	300	8	7	F	1	R			--		
	G033-T13	Albizia lebbek	大叶合欢	280	8	6	P	1	R			--		
	G033-T14	Albizia lebbek	大叶合欢	280	8	7	G	1	R			--		
	G033-T15	Albizia lebbek	大叶合欢	120	4	4	G	1	R			--		
	G033-T16	Albizia lebbek	大叶合欢	300	7	8	F	1	R			--		
	G033-T17	Bauhinia purpurea	羊蹄甲	120	4	4	G	1	R			--		
	G033-T18	Bauhinia purpurea	羊蹄甲	120	4	4	G	1	R			--		
	G033-T19	Bauhinia purpurea	羊蹄甲	120	4	4	G	1	R			--		
	G033-T20	Albizia lebbek	大叶合欢	320	7	8	F	1	R			Double Trunks		
	G033-T21	Albizia lebbek	大叶合欢	100	4	6	F	1	R			--		
	G033-T22	Albizia lebbek	大叶合欢	180	5	5	F	1	R			--		
	G033-T23	Celtis sinensis	朴树	150	5	3	F	1	R			Double Trunks		
	G033-T24	Bauhinia purpurea	羊蹄甲	100	4	3	F	1	R			Leaning trunks		
G034	--	Roystonea regia	大王椰子		6	3	G	3	R (all)	LCSD	LCSD	--		
		Syagrus romanzoffiana	金山葵		4	2.5	G	3						
G035	--	Roystonea regia	大王椰子		4	2.5	G	3	R (all)	LCSD	LCSD	--		
G036	--	Roystonea regia	大王椰子		6	3	G	1						
		Syagrus romanzoffiana	金山葵		4	2.5	G	3	R (all)	LCSD	LCSD	--		
G037	--	Koelreuteria bipinnata	复羽叶栲树		5	2.5	F	4	R(all)					
G038	--	Roystonea regia	大王椰子		5.5	3	G	3	R (all)	LCSD	LCSD	--		
G039	--	Roystonea regia	大王椰子		5.5	3	G	3	R (all)					
G040	--	Melaleuca leucadendron	白千层		9	5	F	2	R (all)	LCSD	LCSD	--		
G041	--	Melaleuca leucadendron	白千层		9	4	F	3	R (all)					

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.

Tree Group		Species		Girth (mm)	Typical Height (m)	Typical Spread (m)	Condition (Note I)	Sub Total Quantity	Proposed Treatment (Note II)	Jurisdiction Department	Maintenance Department	Remarks
Group No.	Individual Tree Identification within the group	Botanic Name	Chinese Name									
G042	G042 - T01	Bauhinia blakeana	洋紫荆	110	6	3	G	1	R	LCSD	LCSD	--
	G042 - T02	Bauhinia blakeana	洋紫荆	170	5	3	G	1	R			--
	G042 - T03	Bauhinia blakeana	洋紫荆	105	5	3	G	1	R			--
	G042 - T04	Bauhinia blakeana	洋紫荆	140	6	3	G	1	R			--
	G042 - T05	Bauhinia blakeana	洋紫荆	95	4	2.5	G	1	R			--
	G042 - T06	Bauhinia blakeana	洋紫荆	125	5.5	4	G	1	R			--
	G042 - T07	Bauhinia blakeana	洋紫荆	100	5	2	G	1	R			--
	G042 - T08	Bauhinia blakeana	洋紫荆	125	5	3	G	1	R			--
	G042 - T09	Bauhinia blakeana	洋紫荆	100	5	3	G	1	R			--
	G042 - T10	Melaleuca leucadendron	白千層	95	3	1	G	1	T			--
	G042 - T11	Melaleuca leucadendron	白千層	95	4	1	G	1	T			--
	G042 - T12	Melaleuca leucadendron	白千層	200	5	3	G	1	T			--
	G042 - T13	Melaleuca leucadendron	白千層	200	5	3	G	1	T			--
	G042 - T14	Melaleuca leucadendron	白千層	310	6	4	G	1	T			--
	G042 - T15	Melaleuca leucadendron	白千層	135	4	1	G	1	T			--
	G042 - T16	Melaleuca leucadendron	白千層	180	5.5	2	F	1	T			--
	G042 - T17	Melaleuca leucadendron	白千層	260	5.5	3.5	F	1	T			--
	G042 - T18	Melaleuca leucadendron	白千層	170	5	2	F	1	T			--
	G042 - T19	Melaleuca leucadendron	白千層	140	5	1.5	F	1	T			--
	G042 - T20	Melaleuca leucadendron	白千層	120	6	2	F	1	T			--
	G042 - T21	Melaleuca leucadendron	白千層	125	5	1.5	F	1	T			--
	G042 - T22	Melaleuca leucadendron	白千層	130	6	1.5	F	1	T			--
	G042 - T23	Melaleuca leucadendron	白千層	125	5	1	F	1	T			--
	G042 - T24	Melaleuca leucadendron	白千層	350	7	3	F	1	T			--
	G042 - T25	Melaleuca leucadendron	白千層	350	7	3	F	1	T			--
	G042 - T26	Melaleuca leucadendron	白千層	330	7	3	F	1	T			Leaning trunks
	G042 - T27	Melaleuca leucadendron	白千層	260	6	3	F	1	T			--
	G042 - T28	Bauhinia blakeana	洋紫荆	150	4	4	G	1	T			--
	G042 - T29	Melaleuca leucadendron	白千層	310	6	3	F	1	T			--
	G042 - T30	Melaleuca leucadendron	白千層	250	6	4	F	1	T			--
G043	G043 - T01	Macaranga tanarius	血桐	245	7	5	F	1	R	LCSD	LCSD	--
	G043 - T02	Macaranga tanarius	血桐	240	7	5	F	1	R			--
	G043 - T03	Macaranga tanarius	血桐	180	5	3	F	1	R			Leaning trunks
	G043 - T04	Macaranga tanarius	血桐	245	7	6	P	1	R			Triple Trunks
	G043 - T05	Macaranga tanarius	血桐	190	4	4	F	1	R			--
	G043 - T06	Sapium sebiferum	乌柏	275	10	9	F	1	R			--
	G043 - T07	Macaranga tanarius	血桐	125	3	3	F	1	R			Leaning trunks
G044	G044 - T01	Bauhinia blakeana	洋紫荆	100	4	6	G	1	R	HyD (SIMAR)	HyD (SIMAR)	--
	G044 - T02	Bauhinia blakeana	洋紫荆	110	4	5	G	1	R			--
	G044 - T03	Bauhinia blakeana	洋紫荆	150	6	6	G	1	R			--
	G044 - T04	Bauhinia blakeana	洋紫荆	100	4	6	G	1	R			--
	G044 - T05	Bauhinia blakeana	洋紫荆	165	6	3	G	1	R			--
	G044 - T06	Bauhinia blakeana	洋紫荆	180	6	6	G	1	R			--
	G044 - T07	Bauhinia blakeana	洋紫荆	160	5	5	G	1	R			--
	G044 - T08	Macaranga tanarius	血桐	160	5	6	F	1	R			Leaning Trunks
	G044 - T09	Macaranga tanarius	血桐	280	7	8	F	1	R			Double Trunks
	G044 - T10	Bauhinia blakeana	洋紫荆	200	6	4	G	1	T			--
	G044 - T11	Bauhinia blakeana	洋紫荆	105	3	3	F	1	T			--
	G044 - T12	Bauhinia blakeana	洋紫荆	100	3	3	G	1	T			--
	G044 - T13	Bauhinia blakeana	洋紫荆	120	6	6	G	1	T			--
	G044 - T14	Macaranga tanarius	血桐	300	6	11	F	1	F			Double Trunks
	G044 - T15	Bauhinia blakeana	洋紫荆	150	6	6	G	1	R			--
	G044 - T16	Bauhinia blakeana	洋紫荆	145	6	3	G	1	R			--
	G044 - T17	Bauhinia blakeana	洋紫荆	125	6	4	G	1	R			--
	G044 - T18	Bauhinia blakeana	洋紫荆	100	4	3	G	1	R			--
	G044 - T19	Bauhinia blakeana	洋紫荆	145	7	6	G	1	R			--
	G044 - T20	Sapium sebiferum	乌柏	100	3	3	F	1	R			--
	G044 - T21	Bauhinia blakeana	洋紫荆	125	4	3	G	1	R			--
	G044 - T22	Bauhinia blakeana	洋紫荆	145	6	6	G	1	R			--
	G044 - T23	Bauhinia blakeana	洋紫荆	130	6	5	G	1	R			--
	G044 - T24	Bauhinia blakeana	洋紫荆	115	5	4	G	1	R			--
	G044 - T25	Bauhinia blakeana	洋紫荆	150	4	5	G	1	R			--
	G044 - T26	Bauhinia blakeana	洋紫荆	110	5	5	F	1	R			Leaning Trunks

Notes:

I. G-Good; F-Fair; P-Poor.

II. R-Retain; T-Transplant; F-Fell.

III. HyD (SIMAR): SIMAR slope registered for HyD Maintenance.